(NASA-TM-73764) FASPLINE TESTS OF THE ZAGATO ELCAB ELECTRIC PASSENGER VEHICLE (NASA) 36 p HC AC3/MF A01 CSCL 13F

'N78-17934

Unclas G3/85 04457

BASELINE TESTS OF THE ZAGATO ELCAR ELECTRIC PASSENGER VEHICLE

Noel B. Sargent, Edward A. Maslowski, Ralph Slavick, and Richard F. Soltis National Aeronautics and Space Administration Lewis Research Center Cleveland. Ohio 44135

October 1977

Prepared for

DEPARTMENT OF ENERGY
Division of Transportation Energy Conservation

Under Interagency Agreement EC-77-A-31-1011

MOTICE

This report was prepared to document work sponsored by the United States Government. Neither the United States nor its agent, the United States Energy Research and Development Administration, nor any Federal employees, nor any of their contractors, subcontractors or their employees, makes any warranty, express or implied, or assumes any legal liebility or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product or process disclosed, or represents that its use would not infringe privately owned rights.

1	Heport No	2 Government Access	ion No	3 Recipient's Cutalog	. No
	NASA TM-73764			,	
•	the #4 Subme BASELINE TESTS OF THE ZAI	GATO ELCAR		5 Report Date October 1977	•
į			}	6 Partorming Oreans	ation Code
	ELECTRIC PASSENGER VEHR	LE			
7	Authoris			8 Pertirin na Organiz	ation Report No
1	Noel B. Sargent, Edward A. M	aslowski, Ralph	Slavik.	E-9442	
1	and Richard F. Soltis	, •	<u> </u>		
				10 Nors Lost No.	
ł	Performing Organization Name and Address		Ì	1.	
1	National Aeronautics and Space	Administration		11 Contract or Grant	No
	Lewis Research Center				
1	Cleveland, Ohio 44135	•	-		
				 Type of Report an 	d Ferrod Covered
1	Sponsoring Agency Name and Address		1	Technical Mo	e.norandum
•	Department of Energy		†	14. Sponsoring Agency	Gode Report No.
	Division of Transportation Ene	rgy Conservation		-	• •
-	Washington, D.C. 20545			CONS/1011-	y
15	Supplementary Notes				
1,	D ******	named FC 77	A 91 1011		
1	Prepared under Interagency Ag	rement ac-11-2	n-31-10.1.		•
16	Abstract				
	The Elcar, an electric vehicle	fastured in	Itala bu Zamto wa	e tacted at the F	enamic .
1					
} :	Science Test Track in Phoenix,	Arizona, betwe	en April 13 and Apr	il 27, 1977. Th	e tests
1 :	are part of an Energy Research	and Developmen	nt Administration (E	RDA) project to	character-
•	ize the state-of-the-art of elec				
1					
Į.	are presented in this report. '				
	inforced fiberglass body. It is	powered by eight	12-volt batteries.	The batteries a	re
	connected to the motor through				
,					
1	conjunction with a hand-operate	ed switch. These	contactors change	the voltage appi	ted to the
1	2-kilowatt motor. Regenerativ	e braking was no	t provided.		
ł					
	•				
	•				
1					
					•
1					-
	_				
L.					
17.	Key Words (Suggested by Author(s))		18. Distribution Statement		
1	Electric vehicle		Unclassified - v	ınlimited	
1	Car		STAR Category	85	
	-		1		
	Test and evaluation		ERDA Category	. 0C-96	
	Battery				
-					
-	Battery Security Cassif (of this report) Unclassified	20 Security Classif (c	of this page)	21. No. of Pages	22 Price*

The Electric and Hybrid Vehicle Program was conducted under the guidance of the then Energy Research and Development Administration (ERDA), now part of the Department of Energy.

BASELINE TESTS OF THE ZAGATO ELCAR

ELECTRIC PASSENGER VEHICLE

Noel B. Sargent, Ralph Slavik, Edward A. Maslowski, and Richard F. Soltis

Lewis Research Center

SUMMARY

· Whitely ?

The Elcar, an electric vehicle manufactured in Italy by Zagato, was tested at the Dynamic Science Test Track in Phoenix, Arizona, between April 13 and April 27, 1977. The tests are part of an Energy Research and Development Administration (ERDA) project to characterize the state-of-the-art of electric vehicles. This report presents the performance test results on the Elcar vehicle.

The Elcar Model 2000 is a two-passenger vehicle with a reinforced fiberglass body, powered by eight 12-volt batteries. The batteries are connected to the motor through an arrangement of contactors operated from a foot pedal in conjunction with a hand-operated switch. These contactors change the voltage applied to the 2-kilowatt motor. No regenerative braking was provided on this vehicle.

All tests were run at the gross vehicle weight of 653 kilograms (1440 lbm). The results of the tests are as follows:

Test speed or ariving cycle				Туре с	f test		
arrang of the	Ran	ge	Road	Road	energy	Energy o	consumption
	km	mile	power, kW	MJ/km	kWh/mile	MJ/km	kWh/mile
40 km/h (25 m _t h)	42.5	26.4	1.9	0.17	0.075	0.72	0.32
Schedure B	39.1	24.3				.78	. 35

The Elcar was able to accelerate from 0 to 32 kilometers per hour (0 to 20 mph) in 8 seconds.

INTRODUCTION

The vehicle tests and the data presented in this report are in support of Public Law 94-413 enacted by Congress on September 17, 1976. The law requires the Energy Research and Development Administration (ERDA) to develop data characterizing the state-of-the-art of electric and hybrid vehicles. The data so developed are to serve as a baseline (1) to compare improvements

in electric and hybrid vehicle technologies, (2) to assist in establishing performance standards for electric and hybrid vehicles, and (3) to help guide future research and development activities.

The National Aeronautics and Space Administration (NASA) under the direction of the Electric and Hybrid Research, Development, and Demonstration Office of the Division of Transportation Energy Conservation of ERDA has conducted track tests of electric vehicles to measure their performance characteristics and vehicle component efficiencies. The tests were conducted according to ERDA Electric and Hybrid Vehicle Test and Evaluation Procedure, described in appendix E of reference 1. This procedure includes the Society of Automotive Engineers (SAE) J227a procedure (ref. 2). Seventeen electric vehicles have been tested under this phase of the program, 12 by NASA, 4 by MERADCOM, and 1 by the Canadian government.

The assistance and cooperation of the Elcar Corporation, the vehicle representative in the United States, is greatly appreciated. The Energy Research and Development Administration provided funding support and guidance during this project.

U.S. customary units were used in the collection and reduction of data. The units were converted to the International System of Units for presentation in this report. U.S. customary units are presented in parentheses. The parameters, symbols, units, and unit abbreviations used in this report are listed here for the convenience of the reader.

Parameter	Symbol SI units			U.S. customary units	
		Unit	Abbrevia- tion	Unit	Abbrevia- tion
Acceleration	a	meter per second squared	m/s ²	mile per hour per second	mph/s
Area		square meter	m ²	square foot; square inch	ft ² ; in ²
Energy		megajoule	MJ	kilowatt hour	kWh
Energy consumption	E	megajoule per kilometer	MJ/km	kilowatt hour per mile	kWh/mile
Energy economy		megajoule per kilometer	MJ/km	kilowatt hour per mile	kWh/mile
Force	P	newton	N	pound force	1bf
Integrated current		ampere hour	Ah	ampere hour	Ah
Length		meter	m	inch; foot; mile	in.; ft;
Mass: weight	W	kilogram	kg	pound mass	1 bm
Power	P	kılowatt	kw	horsepower	hp
Pressure		kilopascal	kPa	pound per square inch	psi
Range		kilometer	km	mile	
Specific energy		megajoule per kilogram	MJ/kg	watt hour per pound	Wh/1bm
Specific power		kılowatt per kilogram	kW/kg	kilowatt per pound	kW/lbm
Speed	v	kilometer per hour	km/h	mile per hour	mph
Volume		cubic meter	<i>m</i> 3	cubic inch; cubic foot	in ³ ; ft ³

OBJECTIVES

The characteristics of interest for the Zagato Elcar are vehicle speed, range at constant speed, range over stop-and-go driving schedules, maximum acceleration, gradeability, road energy consumption, road power, indicated energy consumption, and battery characteristics.

TEST VEHICLE DESCRIPTION

The Elcar Model 2000 is a two-passenger electric vehicle manufactured in Italy by Zagato. The vehicle is powered by eight 12-volt batteries that are located under the floor in a slideout tray. The batteries are connected to the motor through contactors operated from a foot pedal in conjunction with a hand-operated switch. The 2-kilowatt motor is directly connected to the rear axle. The vehicle is shown in figure 1 and described in detail in appendix A. A 120-volt off-board battery charger is used to charge the traction batteries. No regenerative braking was provided on this vehicle.

Operating Characteristics

A hand switch is used to select three voltage levels to the motor in steps of 12, 24, and 48 volts. After the first step (12 V) is selected, the foot pedal is depressed to the first position. This connects the batteries through the hand switch to the motor through a current-limiting resistor. Depression of the foot pedal to the second position energizes a contactor to bypass the resistor. To increase speed, the foot pedal should be released (no current flowing to the motor) and the hand switch stepped to the next position before again depressing the foot pedal. Maximum speed is attained with the hand switch in the third step and the foot pedal in the second position. Two additional steps are provided on the hand switch for reverse and for charging.

INSTRUMENTATION

The Zagato Elcar vehicle was instrumented to measure vehicle speed and range, ampere-hours from and to the traction battery, and the battery charger power. The instrumentation package was located entirely on board the vehicle.

A schematic diagram of the electric propulsion system with the instrumentation sensors is shown in figure 2. A Nucleus Corporation Model NC-7 precision speedometer (fifth wheel) was used to measure vehicle velocity and distance traveled. Auxiliary equipment used with the fifth wheel included a Model ERP-Xl electronic pulser for distance measurement, a Model NC-PTE pulse totalizer, a Model ESS/E expanded-3cale speedometer, and a

programmable digital attenuator. The fifth wheel was calibrated before each test by rotating the wheel on a constant-speed fifth-wheel calibrator drum mounted on the shaft of a synchronous alternating current (AC) motor. The accuracy of the distance and velocity readings were within 0.5 percent of reading. Distance and velocity were recorded on a strip-chart recorder on board the vehicle.

The integrated battery current was measured for the battery pack with a current shunt and an on-board current integrator and was recorded manually after each test. This value represents the ampere-hours delivered by one-half of the battery pack. The current integrator is a Curtis SHR-C3 current integrator. The integrator was calibrated periodically to within +1 percent of reading. In addition, battery electrolyte temperatures and specific gravities were measured manually before and after the tests.

Power for the fifth wheel and current integrator was provided from a 12-volt starting, lighting, and ignition (SLI) instrumentation battery. A Tripp Lite 500-watt DC/AC inverter provided the AC power.

All instruments were calibrated periodically. The integrator and strip-chart recorder were calibrated with a Hewlett-Packard Model 6920 B meter calibrator, which has a 0.2-percent-of-reading accuracy and a usable range of between 0.01 and 1000 volts.

The current and voltage into the battery and the energy into the battery charger were measured while the battery was being recharged after each test. The current and voltage to the battery were recorded on a Honeywell 195 Electronik two-channel, strip-chart recorder. The energy delivered to the charger was measured with a General Electric Type 1-50A single-phase, residential, watt-hour meter.

TEST PROCEDURES

The tests described in this report were performed at the Dynamic Science Test Track, a two-lane, 3.22-kilometer (2-mile) asphalt track located in Phoenix, Arizona. A complete description of the track is given in appendix B. When the vehicle was delivered to the test track, the pretest checks described in appendix C were conducted. The first test was a formal shakedown to familiarize the driver with the operating characteristics of the vehicle, to check out all instrumentation systems, and to determine the vehicle's maximum speed (appendix C). All tests were run in accordance with ERDA Electric and Hybrid Vehicle Test And Evaluation Procedure ERDA-EHV-TEP, appendix E of reference 1, at the gross weight of the vehicle,

653 kilograms (1440 lbm). No braking tests or tractive force tests were performed on the Elcar. The procedure also includes tests for handling, but at ERDA's direction they were not conducted.

Range Tests at Constant Speed

The vehicle speed for the highest constant-speed range test was determined during checkout tests of the vehicle. It was specified as 95 percent of the minimum speed the vehicle could maintain on the test track when it was traveling at full power. This speed was 40 kilometers per hour (25 mph) for the Elcar.

Range tests at constant speeds were run at 40 kilometers per hour (25 mph). The speed was held constant within ± 1.6 kilometers per hour (1 mph), and the test was terminated when the vehicle could no longer maintain 95 percent of the test speed. The range tests were run at least twice.

Range Tests under Driving Schedules

The 32-kilometer-per-hour (20-mph), schedule B, stop-and-go driving cycle, shown in figure 3, was run with this vehicle. A complete description of cycle tests is given in appendix E of reference 1. A special instrument, called a cycle timer, was developed at the Lewis Research Center to assist in accurately running these tests. Details of the cycle timer are given in appendix C. The cycle tests were terminated when the test speed could not be attained in the time required under maximum acceleration.

Acceleration and Coast-Down Tests

The maximum acceleration of the vehicle was measured on a level road with the battery fully charged and 40 and 80 percent discharged. Four runs, two in each direction, were conducted at each of these three states of charge. Depth of discharge was determined from the number of ampere-hours removed from the batteries. Acceleration runs were made on the southern straight section of the track, and coast-downs on the northern straight section (appendix B, fig. B-1). Ccast-down data were taken immediately after the acceleration test with fully charged batteries in order to start the coast-down run from maximum attainable vehicle speed.

TEST RESULTS

Range

The data collected from all the range tests are summarized in table I. Shown in the table are the test date, the type of

test, the environmental conditions, the range test results, the ampere-hours into and out of the battery, and the energy into the charger. These data were used to determine vehicle range, battery efficiency, and energy consumption.

During most of the test period, the winds were variable and gusty. Even though the wind was less than 16 kilometers per hour (10 mph), on several occasions the wind was blowing in different directions and at different velocities at two positions on the track. There was no indication that this variation in wind velocity significantly affected the range or other test results as long as the measured winds were less than about 16 kilometers per hour.

The maximum speed of the vehicle was measured during the checkout tests. It is defined as the average speed that could be maintained on the track under full power. The measured maximum speed was 48 kilometers per hour (30 mph) for this vehicle. This differs from the maximum speed used in the range tests.

Two 40-kilometer-per-hour (25-mph) and two schedule B range tests were run. All the test results are shown in table I.

Maximum Acceleration

The maximum acceleration of the vehicle was determined with the batteries fully charged and 40 and 80 percent discharged. Vehicle speed as a function of time is shown in figure 4 and table II. The average acceleration \mathbf{a}_n was calculated for the time period \mathbf{t}_{n-1} to \mathbf{t}_n , where the vehicle speed increased from \mathbf{v}_{n-1} to \mathbf{v}_n , from the equation

$$\bar{a}_n = \frac{v_n - v_{n-1}}{t_n - t_{n-1}}$$

and the average speed of the vehicle \overline{V} from the equation

$$\overline{V} = \frac{V_n + V_{n-1}}{2}$$

Maximum acceleration as a function of speed is shown in figure 5 and table II.

Gradeability

The maximum specific grade, in percent, that a vehicle can climb at an average vehicle speed $\,\nabla\,\,$ was determined from maximum acceleration tests by using the equations

 $G = 100 \tan (\sin^{-1} 0.1026 \frac{\pi}{a_n})$ for V in km/h.

in SI units

or

 $G = 100 \text{ tan } (\sin^{-1} 0.0455 \ a_n)$ for V in mph

in U.S. customary units

where \bar{a}_n is average acceleration in meters per second squared (mph/sec). The maximum grades the Elcar can negotiate as a function of speed are shown in figure 6 and table II.

Road Energy Consumption

Road energy is a measure of the energy consumed per unit distance in overcoming the vehicle's aerodynamic and rolling resistance plus the energy consumed in the differential drive shaft and the rotating motor. It was obtained during coast-down tests, when the differential was being driven by the wheels, and thus may be different than the energy consumed when the differential is being driven by the motor. In the case of the Elcar, there is no transmission; the motor is connected directly to the differential by a chain drive.

Road energy consumption \mathbf{E}_n was calculated from the following equations:

$$E_n = 2.78 \times 10^{-4} \text{W} \frac{V_{n-1} - V_n}{t_n - t_{n-1}}, \text{ MJ/km}$$

or

$$E_n = 9.07 \times 10^{-5} \text{W} \frac{V_{n-1} - V_n}{t_n - t_{n-1}}, \text{ kWh/mile}$$

where

W vehicle mass, kg (1bm)

V vehicle speed, km/h (mph)

t time, s

The results of the road energy calculations are shown in figure 7 and table III.

Road Power Requirements

The road power is analogous to the road energy. It is a measure of vehicle aerodynamic and rolling resistance plus the power losses in the differential, the drive shaft, and the motor. The road power $P_{\mathbf{n}}$ required to propel a vehicle at various speeds is also determined from the coast-down tests. The following equations are used:

$$P_n = 3.86 \times 10^{-5} W \frac{V_{n-1}^2 - V_n^2}{t_n - t_{n-1}}, kW$$

or

$$P_n = 6.08 \times 10^{-5} W \frac{v_{n-1}^2 - v_n^2}{t_n - t_{n-1}}, hp$$

The results of road power calculations are shown in figure 8 and table III.

Indicated Energy Consumption

The vehicle indicated energy comsumption is defined as the energy required to recharge the battery after a test divided by the vehicle range achieved during the test, where the energy is the input to the battery charger.

The energy input to the battery charger was measured with a residential kilowatt-hour meter following each range test. Some overcharge of the batteries was usually required in order to assure that all cells of the battery were fully charged and the pack was equalized. The reported energy usage may be higher than would be experienced with normal vehicle field operation. Indicated energy consumptions for these range tests are tabulated in table I.

BATTERY CHARACTERISTICS

Manufacturer's Data

The batteries supplied with the Elcar were Masco 12-volt modules. Because of their deterior and condition, they were replaced at NASA with Powerstar heavy-duty batteries manufactured by Astron. These batteries are not intended for Jeep-discharge service since they are modified SLI batteries designed for use in recreational vehicles. They were used in order to expedite the testing of the vehicle since the Masco batteries were not available.

The Elcar as manufactured and as tested contained 12-volt Powerstar heavy-duty batteries. The characteristics of these batteries, as supplied by the battery manufacturer, are shown in table IV. The Powerstar heavy-duty battery has two primary ratings: reserve capacity and cranking power. The reserve capacity rating is 25 amperes for 150 minutes to a voltage of 1.75 volts per cell (VPC). The cranking power rating is 480 amperes for 30 seconds at 0° F to 1.2 VPC. The battery also has a 20-hour rating of 83 ampere-nours.

Battery Acceptance

Prior to the road tests, the batteries in the vehicle were tested to assure that the battery capacity met the manufacturer's specifications. A capacity check was performed on the batteries using a constant-current load bank. The batteries were discharged in two 48-volt parallel packs at a rate of 25 amperes per ce until the battery voltage dropped to 1.75 VPC. The capacity (in Ah) removed per cell as a function of voltage is shown in figure 9. The batteries were able to deliver 58.7 ampere-hours per cell at 25 amperes per cell, which is 94 percent of the manufacturer's rated capacity. Therefore, the batteries were deemed acceptable.

In lieu of the 5-minute terminal integrity test, all terminals and terminal connections were cleaned and inspected.

VEHICLE RELIABILITY

Only one test was terminated prior to completion, a 40-kilometer-per-hour (25-mph) range test. After 15 kilometers a thermal overload circuit breaker tripped. The driver was able to reset the breaker after 5 minutes; he then continue the test for an additional 2 kilometers at which time the overload reoccurred terminating the test. The ambient temperature during the test was 29° to 31° C (85° to 83° F). This is believed to be the cause of the failure since the test was successfully repeated twice at a lower ambient temperature (table I).

APPENDIX A

VEHICLE SUMMARY DATA SHEET

1.0	Vehic	cle manufacturer	Zagato				
			Milan,	Italy			
2.0	Vehic	cle Elcar M	odel 2000				
				<u> </u>			
3.0	Price	e and availability_					
			•				
4.0	Vehic	cle weight and load					
	4.1	Curb weight, kg (l		553	(1220)		
	4.2	Gross vehicle wei	·	653	(1440)		
	4.3	Cargo weight, kg	(lbm)				
	4.4				aces		
	4.5			100	(220)		
5.0	Vehic	cle size					
	5.1	Wheelbase, m (in	.)	1.30	(51)		
	5.2				(77)		
	5.3			1.32	(52)		
	5.4	Height, m (in.)					
	5.5						
	5.6	Leg room, m (in.)				
	5.7	Frontal area, m ²	(ft ²)	1.95	(21)		
	5.8	Road clearance, r	n (in.)				
	5.9	Number of seats_		2			
6.0	Auxil	liaries and options					
	6.1	Lights (number, t	ype, and funct	ion)	2 head,	2 tail,	4 park,
		4 side, 2 bral					

	6.2	Windshield wipers 2 on front windshield
	6.3	Windshield washers 1 on front windshield
	6.4	Defroster
	6.5	Heater no
	6.6	Radio no
	6.7	Fuel gage light
	6.8	Amperemeter no
	•	Tachometer no
	6.10	Speedometer yes, in km/h
		Odometer yes, in km/h
	6.12	Right- or left-hand drive left
	-	Transmission no
	6.14	Regenerative brakin no
	6.15	Mirrors rearview
	6.16	Power steering no
	6.17	Power brakes no
	6.18	Other
7.0	Batte 7.1	Propulsion batteries 7.1.1 Type and manufacturer lead-acid, heavy-duty Powerstar RV-827; Astron Manufacturing Co.
		7.1.2 Number of modules 1 tray of 8 batteries
		7.1.3 Number of cells 48
		7.1.4 Operating voltage, V 12, 24, and 48 (switchable)
		7.1.5 Capacity, Ah 83 (20-h rate)
		7.1.6 Size of each battery, m (in.) height, 0.23 (9.0);
		width, 0.30 (11.75); length, 0.17 (6.75)
		7.1.7 Weight, kg (lbm) 187 (412) 7.1.8 History (age_number of cycles_etc.) new
		7.1.8 History (age, number of cycles, etc.) new
	7.2	Auxiliary battery
		7.2.1 Type and manufacturer none
		7.2.2 Number of cells

		7.2.3 Operating voltage, V
		7.2.4 Capacity, Ah
		7.2.5 Size, m (in.)
		7.2.6 Weight, kg (lbm)
8.0	Contr	
	8.1	Type and manufacturer contactors and hand switch
	8.2	Voltage rating, V
	8.3	Current rating, A
	8.4	Size, m (in.)
	0.5	Weight I. of the second
	8.5	Weight, kg (lbm)
9.0		ulsion motor
	9.1	Type and manufacturer DC scries; Scaglia
	9.2	Insulation class
	9.3	Voltage rating, V 24
	9.4	Current rating, A
	9.5	Horsepower (rated), kW (hp) 2 (2.6)
	9.6	Size. m (in.) diameter, 0.18 (7.0); 0.29 (11.5)
	9.7	Weight Ira (Ihm)
		Weight, kg (lbm) Speed (rated), rpm 2100 (max. unknown)
	9.8	speed (rated), rpm 2100 (max. unknown)
10.0		ry charger
	10.1	Type and manufacturer full wage 8613; Lester Equipment
		Manufacturing Co., Inc.
		On- or off-board type off board
		Input voltage required, V 120 AC
	10.4	Peak current demand, A 15
	10 5	Recharge time h 10

				•
	10.6	Size, m length	(in.) height, , 0.30 (12)	0.28 (11); width. 0.23 (9):
				30)
				yes, timer
11 0	Body			
11.0	-	Manufa	cturer and type	

	11.2	Materia	ls fiberglass	
			of doors and type	
				1 front, 1 rear, 2 side; glass
	11.5	Number	of seats and type	l bench (divided)
	11.6	Cargo s	pace volume, m ³ (ft ³)	
	11.7	Cargo s	pace dimensions, m (ft)	0.41×1.14×1.12 (16×45×44)
12.0	Chass	sis		
	12.1	Frame		
		12.1.1	Type and manufacturer_	welded construction
			Materials stee	
			Modifications no	one
	12.2	- 0	and shocks	
		12.2.1	Type and manufacturer_	rear, coil; front, coil
			Modifications	
	12.3	Axles	• • • •	
		12.3.2	ront	
	10 4	12.3.3	Kear	
	12.4	Transm		
		12.4.1	Type and manufacturer	

	<i>f</i> .	12.4.2 Gear ratios
<i>i</i> .	1	
		12.4.3 Driveline ratio
1 .	12.5	Steering
. ,		12.5.1 Type and manufacturer rack and pinion
5 I	,	
1	•	12.5.2 Turning ratio
: L , ,	1 .	12.5.3 Turning diameter, m (ft)
1	12 6	Brakes
		12.6.1 Front hydraulic
		12.6.2 Rear hydraulic
\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	,	12.6.3 Parking mechanical, on rear wheels
		12.6.4 Regenerative no
,	12.7	Tires
,		12.7.1 Manufacturer and type Michelin radial
	;	12.7.2 Size 145SR10ZX
		12.7.3 Pressure, kPa (psi):
		Front 193 (32)
	,	Rear 193 (32)
		12.7.4 holling radius, m (in.)
		12.7.5 Wheel weight, kg (lbm):
	,	Without drum
	Ť	With drum
	,	12.7.6 Wheel track, m (in.):
*	1	Front
		dear
13.0	Perfo	orm _{em} se
		Aanufacturer-specified maximum speed (wide-open throttle), km/h (mph)
		48 (30)
		Manufacturer-recommended maximum cruise speed (wide-open throttle),
		km/h (mph)
	13.3	Tested at cruise speed, km/h (mph) 40.2 (25)
		The state of the s

APPENDIX B

DESCRIPTION OF VEHICLE TEST TRACK

The test track used to conduct the tests described in this report is located in Phoenix, Arizona. The track is owned and operated by Dynamic Science, a subsidiary of Talley Industries.

The test track is a paved, continuous two-lane, 3.2-kilometer- (2-mile-) long oval with an adjacent 40 000-square-meter (10-acre) skid pad. The inner lane of the track is not banked and was used for all cycle tests and all constant-speed tests of 56 kilometers per hour (35 mph) or under. The outer lane has zero lateral acceleration at 80 kilometers per hour (50 mph) and was used for tests over 56 kilometers per hour (35 mph). An elevation survey of the track is shown in figure B-1. Average grade is 0.66 percent on the northern straight section and 0.76 percent on he southern straight section. The surface of the track and skid pad is asphaltic concrete with a dry locked-wheel skid number of 82 and a wet locked-wheel skid number of 71.

Wet and dry braking-in-turn tests were conducted on the skid pad. Wet recovery tests were conducted on the test track after driving through the wet-brake water trough located near the northern straight section of the tracks. Both 20- and 30-percent grades are available for parking brake tests.

APPENDIX C

VEHICLE PREPARATION AND TEST PROCEDURE

Vehicle Preparation

When a vehicle was received at the test track, a number of checks were made to assure that it was ready for performance tests. These checks were recorded on a vehicle preparation check sheet, such as the one shown in figure C-1. The vehicle was examined for physical damage when it was removed from the transport truck and before it was accepted from the shipper. Before the vehicle was operated, a complete visual check was made of the entire vehicle including wiring, batteries, motor, and controller. The vehicle was weighed and compared with the manufacturer's specified curb weight. The gross vehicle weight (GVW) was determined from the vehicle sticker GVW. If the manufacturer did not recommend a GVW, it was determined by adding 68 kilograms (150 lbm) per passenger plus any payload weight to the vehicle curb weight.

The wheel alignment was checked, compared, and corrected to the manufacturer's recommended alignment values. The battery was charged and specific gravities taken to determine if the batteries were equalized. If not, an equalizing charge was applied to the batteries. The integrity of the internal interconnections and the battery terminals was checked by drawing either 300 amperes or the vehicle manufacturer's maximum allowed current load from the pattery through a load bank for 5 minutes. If the temperature of the battery terminals or interconnections rose more than 60 degrees Celsius above ambient, the test was terminated and the terminal was cleaned or the battery replaced. The batteries were then recharged and a battery capacity check was made. The battery was discharged in accordance with the battery manufacturer's recommendations. To pass this test, the capacity must be within 20 percent of the manufacturer's published capacity at the published rate.

The vehicle manufacturer was contacted for his recommendations concerning the maximum speed of the vehicle, tire pressures, and procedures for driving the vehicle. The vehicle was photographed head-on with a 270-millimeter telephoto lens from a distance of about 30.5 meters (100 ft) in order to determine the frontal area.

Test Procedure

Each day, before a test, a test checklist was used. Two samples of these checklists are shown in figure C-2.

The first item under driver instructions on the test checklist is to complete the pretest checklist (fig. C-3).

Data taken before, during, and after each test were entered on the vehicle data sheet (fig. C-4). These data include

- (1) Average specific gravity of the battery
- (2) Tire pressures
- (3) Fifth-wheel tire pressure
- (4) Test weight of the vehicle
- (5) Weather information
- (6) Battery temperatures
- (7) Time the test was started
- (8) Time the test was stopped
- (9) Ampere-hours out of the battery
- (10) Fifth-wheel distance count
- (11) Odometer readings before and after the tests

The battery charge data taken during the charge cycle were also recorded on this data sheet. These data include the average specific gravity of the battery after the test, the kilowatt-hours and ampere-hours put into the battery during the charge, and the total time of the charge.

To prepare for a test, the specific gravities were first measured for each cell and recorded. The tire pressures were measured and the vehicle was weighed. weight was brought up to the GVW by adding sandbags. instrumentation was connected, and power from the instrumentation battery was applied. All instruments were turned on and warmed up. The vehicle was towed to the starting point on the track. If the data were being telemetered, precalibrations were applied to both the magnetic tape and the oscillograph. The fifth-wheel distance counter and ampere-hour integrator counter were reset to zero, and thermocouple reference junctions were turned on. The test was started and was carried out in accordance with the test checklist. When the test was terminated, the vehicle was brought to a stop and the post-test checks were made in accordance with the post-test checklist (fig. C-5). The driver recorded on the vehicle data sheet the time, the odometer reading, the ampere hour integrator reading, and the fifth-wheel distance reading. The post-calibration steps were then applied to the magnetic tape and the oscillograph. At the end of the test, weather data were recorded on the vehicle data sheet. All instrumentation power was turned off, the instrumentation battery was disconnected, and the fifth wheel was raised. The vehicle was then towed back to the garage, the post-test specific gravities were measured for all cells and the vehicle was placed on charge.

After the test, the engineer conducting the test completed a test summary sheet (fig. C-6). This data sheet provides a brief summary of the pertinent information received from the test. Another data sheet, the engineer's data sheet (fig. C-7), was also filled out. This data sheet summarizes the engineer's evaluation of the test and provides a record of problems, malfunctions, changes to instrumentation, etc., that occurred during the test.

Weather data. - Wind velocity and direction and ambient temperature were measured at the beginning and at the end of each test and every hour during the test. The wind anemometer was located about 1.8 meters (6 ft) from the ground near the southern straight section of the track. The ambient temperature readings were taken at the instrumentation trailer near the west curve of the track. During most of the test period the winds were variable and gusty.

Determination of maximum speed. - The maximum speed of the vehicle was determined in the following manner. The vehicle was fully charged and loaded to gross vehicle weight. After one warmup lap, the vehicle was driven at wide-open throttle for three laps around the track. The minimum speed for each lap was recorded and the average was calculated. This average was called the vehicle maximum speed. This speed takes into account track variability and maximum vehicle loading. This quantity was then reduced by 5 percent and called the recommended maximum cruise test speed.

Cycle timer. - The cycle timer (fig. C-8) was designed to assist the vehicle driver in accurately driving SAE schedules B, C, and D. The required test profile is permanently stored on a programmable read-only memory (PROM), which is the heart of the instrument. This profile is continuously reproduced on one needle of a dual-movement analog meter shown in the figure. The second needle is connected to the output of the fifth wheel and the driver "matches needles" to accurately drive the required schedule.

One second before each speed transition (e.g., acceleration to cruise or cruise to coast), an audio signal sounds to forewarn the driver of a change. A longer duration audio signal sounds after the idle period to emphasize the start of a new cycle. The total number of test cycles driven is stored in a counter and can be displayed at any time with a pushbutton (to conserve power).

REFERENCES

- 1. Sargent, Noel B.; Maslowski, Edward A.; Soltis, Richard F.; and Schuh, Richard M.: Baseline Tests of The C.H. Waterman DAF Electric Passenger Vehicle. NASA TM-73757, 1977.
- 2. Society of Automotive Engineers, Inc.: Electric Vehicle Test Procedure SAE J227a. Feb. 1976.

TABLE I. – SUMPRY OF TEST RESULTS FOR ZACATO ELCAR $^{\rm a}$

(a) SI units

Test date	Test condition (constant speed, km/h; or driving schedule)	Wind velocity, km/h	Temper-Range, Am oc	Range,	Cycle life, number of cycles	Current out of batteries, Ah	Current into batteries, Ah	Energy ir.to charger, MJ	Indicated energy consumption, MJ/km
4/14/77	40.2	8	21	42.0	-	51.5	72.0		!
4/16/77	æ	11	24	40.5	113	57.1	70.5	29.2	0.72
4/19/77	40.2	16	27	42.8	1	50.4	66.2	30.2	.72
4/25/77	В	Calm	29	37.7	110	56.9	72.3	32.4	-85

(b) U.S. customary units

Test date	Test condition (constant speed, mph; or driving schedule)	Wind velocity, mph	Temper- Range, ature, miles	Range, miles	Cycle life, number of cycles	Current out of batteries, Ah	Current into batteries, Ah	Energy into charger, kWh	Indicated energy consumption, kWh/mile
4/14/77	25	ιŋ	70	26.1		51.5	72.0		
4/16/77	В	7	75	25.2	113	57.1	70.5	8.1	0.32
4/19/77	25	10	80	26.6	i	50.4	2.99	8.4	.32
4/25/77	щ	Calm	84	23.4	110	26.9	72.3	0.6	.38

Problems encountered during 40.2-km/h (25-mph) test on 4/13/77: Thermal overload circuit breaker tripped after 15 km. It was reset 5 minutes later but tripped again after 2 km (test terminated at this point). Ambient temperature during test, 29° to 31° C (85° to 89° F).

TABLE II. - ACCELERATION AND GRADEABILITY FOR ZAGATO ELCAR

(a) At full battery charge

Vehicle	speed	Time to reach		celeration	Gradeability,
km/h	mph	designated vehicle speed, s	m/s ²	mph/s	percent
0 2.0 4.0 6.0 8.0 10.0 12.0 14.0 15.0 20.0 22.0 24.0 24.0 28.0 30.0 32.0 34.0	0 1.2 2.5 3.7 5.0 6.2 7.5 8.7 9.9 11.2 12.4 13.7 14.9 16.2 17.4 18.7	0 .3 .6 .9 1.3 1.7 2.2 2.7 3.7 4.3 4.9 5.4 6.1 6.6 7.2 7.9 9.0	0 1.73 1.88 1.82 1.57 1.18 1.07 1.17 1.10 1.02 .97 .99 .93 .94 1.08	0 3.87 4.21 4.06 3.51 2.64 2.39 2.62 2.46 2.28 2.18 2.22 2.07 2.11 2.31 1.99 1.42 1.21	0 18.0 19.7 19.0 16.3 12.2 11.0 12.1 11.3 10.5 10.0 10.2 9.5 9.7 10.7 9.5
36.0 38.0 40.0 42.0 44.0	22.4 23.6 24.9 26.1 27.4	10.0 11.2 12.6 15.0 18.1	.52 .42 .32 .21	1.17 .94 .71 .46 .29	5.4 4.3 3.2 2.1 1.3

(b) At 40-percent battery discharge

0	0	0	0	0	0
2.0	1.2	.3	1.81	4.05	18.9
4.0	2.5	.6	1.88	4.20	19.6
6.0	3.7	. 9	1.69	3.78	17.6
8.0	5.0	1.3	1.46	3.26	15.1
10.0	6.2	1.7	1.34	2.99	13.8
12.0	7.5	2.1	1.29	2.89	13.4
14.0	8.7	2.5	1.26	2.81	13.0
16.0	9.9	3.0	1.15	2.58	11.9
18.0	11.2	3.5	1.11	2.49	11.5
20.0	12.4	4.0	1.19	2.66	12.3
22.0	13.7	4.5	1.22	2.72	12.6
24.0	14.9	4.9	1.31	2.94	13.6
26.0	16.2	5.3	1.23	2.75	12.7
28.0	17.4	5.8	.93	2.08	9.6
30.0	18.7	6.5	.78	1.75	8.0
32.0	19.9	7.3	.72	1.61	7.4
34.0	21.1	8.1	.61	1.35	6.2
36.0	22.4	9.1	.45	1.00	4.6
38.0	23.6	10.6	.34	.75	3.4
40.0	24.9	12.5	.26	.58	2.7
42.0	26.1	15.1	.18	.39	1.8
1	1		}	1	

(c) At 80-percent battery discharge

0	0	0	0	0	0
2.0	1.2		1.58	3.52	16.4
4.0	2.5	.4	1.65	3.69	17.2
6.0	3.7	1.0	1.58	3.36	15.6
3.0	5.0	1.5	1.31	2.92	13.5
10.0	6.2	1.9	1.28	2.86	13.2
12.0	7.5	2.3	1.28	2.85	13.2
14.0	8.7	2.8	1.16	2.60	12.0
16.0	9.9	3.3	1.13	2.52	11.6
18.0	11.2	3.8	1.14	2.54	11.7
20.0	12.4	4.3	1.18	2.65	12.2
22.0	13.7	4.7	1.19	2.66	12.3
24.0	14.9	5.2	1.06	2.38	11.0
26.0	16.2	5.8	.93	2.07	9.5
28.0	17.4	6.4	.83	1.85	8.6
30.0	18.7	7.1	.75	1.68	7.7
32.0	19.9	7.9	.61	1.36	6.3
				1.00	
34.0	21.1	8.9	.48	.85	5.0
36.0	22.4	10.3	.38		3.9
38.0	23.6	11.9	.28	.63	2.9

TABLE III. - ROAD ENERGY AND ROAD POWER FOR ZAGATO ELCAR

[Coast-down data.]

Vehicle	speed	Test time,	Road	power	Road	d energy
km/h	mph	s	kW	hp	MJ/km	kWh/mile
50.0 48.0 46.0 44.0 2.0 40.0 38.0 36.0 32.0 30.0 28.0 24.0 22.0 20.0 16.0 14.0 12.0 10.0 8.0 6.0 4.0 2.0	31.1 29.8 28.6 27.4 26.1 24.9 23.6 22.1 19.9 18.6 17.4 16.2 14.9 13.7 12.4 11.2 9.9 8.7 7.5 6.0 3.7 2.5	0 1.1 3.0 5.0 6.9 8.9 11.2 13.4 15.6 17.6 20.1 22.4 24.7 27.6 30.6 33.3 36.6 40.1 43.3 47.0 50.9 55.4 59.7 63.9 67.9	0 3.44 2.39 2.30 2.19 1.87 1.69 1.60 1.63 1.44 1.27 1.24 1.02 .82 .78 .67 .54 .49 .41 .32 .24 .18	0 4.61 3.19 3.09 2.94 2.51 2.26 2.23 2.18 1.70 1.66 1.37 1.10 1.04 .90 .72 .655 .42 .32 .19 .13	0 .26 .19 .19 .17 .16 .17 .16 .15 .16 .14 .12 .11 .11 .09 .09 .09	0 .12 .08 .07 .07 .07 .07 .07 .06 .06 .06 .05

TABLE IV. - CHARACTERISTICS OF POWERSTAR BATTERIES

Length, m (in.)	•			•	0.17 (6.75)
Width, m (in.)	•	 •	 •		. 0.30 (11.75)
Height (top of termi als), m (in.).	•	 •			0.23 (9)
Weight, kg (lbm)	•	 •	 •		. 0.114 (51.5)
Fully charged specific gravity			 •		1.265
Number of plates per battery	•	 •	 •	•	78



Figure 1. - Zagato Elcar Model 2000.





Figure 2. - Vehicle instrumentation for Zagato Elcar.



TEST PARAMETER	SCH	SAE	ILES
	В	С	D
MAX. SPEED, V, mph ACCEL. TIME, t _a , s CRUISE TIME, t _{CT} COAST TIME, t _{CO} BRAKE TIME, t _D IDLE TIME, t _i	20 19 19 4 5 25	30 18 20 8 9 25	45 28 50 10 9 25

Figure 3. - SAE J227a driving cycle schedules.




Figure 4. - Vehicle acceleration.




Figure 2. - Acceleration as a function of speed.




Figure 6. - Gradeability as a function of speed.




Figure 7. - Road energy as a function of speed.




Figure 8. - Road power as a function of speed.




Figure 9. - Battery capacity for Zagato Elcar. (Test run with two 48-V subpacks in parallel.)




Figure B-1. - Characteristics of Dynamic Science Test Track, Phoenix, Arizona.

1. Vehicle	
2. Date received	
3. Checked for damage - date	
4. Wheel alignment - date	
5. Battery checked and equalized - date _	
6. Curb weight determined, Ibm	Date
7. Gross vehicle weight, Ibm	
8. 300-Ampere test - date	
9. Manufacturer's recommendations:	
Maximum speed, mph	
	: Rear
Driving procedures	

Figure C-1. - Vehicle preparation check sheet.

Vehicle	<i></i>	mph range test,	gear
Driver Instructions:		-	!
Complete pretest checklist.			
2. While on track recheck: Integrator - light on, in "oper Speedometer - set on mp Distance - on, reset, lighted Attenuator - on, reset, lighted	h center	roed	
3. At signal from control center a	ccelerate modera	tely to mph.	
4. Maintain±1 mph witn mi	nimal accelerator	movement.	
5. When vehicle is no longer able	to maintain	_ mph, brake moderately t	o fuil stop.
6. Complete post-test checklist an	id other documen	tation.	
Recording:			
1. Set oscillograph zeros at	Channel	Zero, in.	
	3	3.0	
	4 6	4,5 5.0	
	10	,75	
	12	i.i	
	13	1. 2	
	14	2.0	
Record all channels on magnet recording.	lic tape. Check i	nputs at beginning of test	to verify
3. Run cals on all channels.			
4. Remove all channels from osci	Hograph except 3	and 4.	
5. Start recording 15 s before stale ofin/s.	rt of test at oscill	ograph speed of 0.1 in/s ar	nd tape speed
6. After 15 min into test connect a burst at 100 in/s while vehic			ph and record
7. Remove channels 6, 10, 12, 13 with channels 3 and 4 only.	3, and 14 from os	cillograph and continue te	st at 0.1 in/s
Document all ambient condition test. Items recorded shall incoming wind gusts, and corrected bard.	lude temperature	, wind speed and direction	

(a) Constant-speed test.

Figure C-2. - Test checklists.

Vehicle,cycle test,gear
Driver Instructions:
1. Complete pretest checklist.
2. While on track recheck: Integrator - light on, in "operate" position, zeroed Speedometer - set onmph center Distance - on, reset, lighted Attenuator - on, reset, selector on 100 Cycle timer - verify scheduled timing with stop watch
 At signal from control center, perform cycle test using cycle timer as basis for deter- mining length of each phase of performance cycle. Use programmed stop watch as backup device. Cycle consists of
Accelerate to mph in s
Cruise at mph for s
Coast fors
Brake to complete stop ins
Hold in stop position fors
Repeat entire cycle until vehicle is unable to meet acceleration time. Moderately brake to a complete stop.
4. Complete post-test checklist and other documentation.
Recording:
Record all channels on magnetic tape at in/s. Check all channels to verify input at beginning of test.
2. Record speed and distance on oscillograph at in/s.
3. Start recording data 15 s before beginning test.
4. Document ambient conditions at beginning, once every hour, and at the end of the test. Items recorded shall include temperature, wind speed and direction, significant wind gusts, and corrected barometric pressure.

(b) Driving cycle test.

Figure C-2, - Concluded.

- Record specific gravity readings after removing vehicle from charge, and disconnect charger instrumentation. Fill in charge data portion of data sheet from previous test. Add water to batteries as necessary, recording amount added. Check and record 5th wheel tire pressure and vehicle tire pressure.
- 2. Connect: (Connect alligator clips to instrumentation battery last)
 - (a) Inverter to instrument battery
 - (b) Integrator input lead
 - (c) Integrator power to inverter
 - (d) Starred (*) 5th wheel jumper cable
 - (e) Cycle timer power and speed signal input cables. Check times.
 - (f) Spin up an . calibrate 5th wheel
- 3. Record test weight includes driver and ballast with 5th wheel raised.
- 4. Turn on:
 - (a) Inverter, motor speed sensor, thermocouple reference junctions, integrator, and digital voltmeter. Set integrator on "Operate."
 - b) Fifth wheel readout and switching interface units (2). (Select distance for expanded scale range.)
- 5. Tow vehicle onto track with 5th wheel raised.

Precalibrations:

Tape data system

Oscillograph

Reset:

5th wheel distance

Ampere-hour meter

Thermocouple readout switches on "Record"

Turn on thermocouple reference junctions.

Lower 5th wheel. Set hub loading.

- Be sure data sheet is properly filled out to this point. Check watch time with control tower.
- 7. Proceed with test.

Figure C-3. - Pretest checklist.

Vehicle Battery system
Test Date
Track data:
Driver Navigator
Average pretest specific gravity Open-circuit voltage, V Tire pressure before test, psi: Right frontLeft frontRight rearLeft rear_ Tire pressure after test, psi: Right frontLeft frontRight rearLeft rear_ Fifth-wheel pressure, psi(calibrated,psi)
Weather: Initial During test Final Temperature, ^O F Wind speed, mph Wind direction Pressure, in, Hg
Battery temperature, ^O F: Before After Motor temperature, ^O F: Before After After
Time Start Stop Odometer reading, miles: Start Stop Current out, Ah Current in (regenerative), Ah Fifth wheel Basis for termination of tests
Charge data:
Average post-test specific gravity Open-circuit voitage, V Charger used Charger input voltace, V Battery temperature, ³ F: Before charge After charge Power, kWh: Start End Total Time Start End Total tharge time, min Current input, Ah Average specific gravity after charge
Approval

Figure C-4. - Track and charge data.

- 1. Record time immediately at completion of test. Turn off key switch.
- 2. Complete track data sheet:

 - (a) Odometer stop
 (b) Ampere-hour integrator
 (c) 5th wheel distance
 (d) Read temperature
 (e) Calibrate data system

 - (f) Record weather data
- 3. Turn off inverter, thermocouple reference junctions.
- 4. Disconnect 12-volt instrument battery red lead.
- 5. Raise 5th wheel.
- 6. Tow vehicle off track,
- 7. Start charge procedure (specific gravities).
- 8. Check specific gravity on instrument battery. If less than 1, 220, remove from vehicle and charge to full capacity.
- 9. Check water level in accessory batteries. Add water as necessary.

Figure C-5. - Post-test checklist.

Vehicle	Test		Date
Test conditions:			, , , , , , , , , , , , , , , , , , , ,
Temperature, ^O F	_ Wind speed,	mph	at
Test results:			
Test time, h			
Range, milcs			
Cycles			
Current out of battery, Ah			
Current into battery, Ah _			
Charge time, h			
Power into battery, kWh			
Magnetic tape:			
No	; S _!	peed, in/s	
Comments			
			
			

Figure C-6. - Test summary sheet.

man man market

Vehicle	Test	Date
Engineer		
Reason for test (checkout,	component check, scheduled to	est, etc.)
Limitation on test (malfund	ction, data system problem, bra	ke drag, etc.)
Changes to vehicle prior to	test (repair, change batterles,	etc.)
Other comments		
Evaluation of test:		************
Range, miles		
Current out, Ar		
Current in, Ah		
Power in, kWh		
Energy consumption,	kWh/mile	
	followed?	
General comments		

Figure C-7. - Engineer's data sheet.




Figure C-8. - Cycle timer.