

N O T I C E

THIS DOCUMENT HAS BEEN REPRODUCED FROM
MICROFICHE. ALTHOUGH IT IS RECOGNIZED THAT
CERTAIN PORTIONS ARE ILLEGIBLE, IT IS BEING RELEASED
IN THE INTEREST OF MAKING AVAILABLE AS MUCH
INFORMATION AS POSSIBLE

NI

NASA CR-165392
RI/RD80-186

NASA

FINAL REPORT

HIGH-PRESSURE HOT-GAS SELF-ACTING
FLOATING RING SHAFT SEAL FOR
LIQUID ROCKET TURBOPUMPS

by

R. E. Burcham and W. A. Diamond

Rockwell International
Rocketdyne Division

prepared for

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

September 1980

NASA-Lewis Research Center

Contract NAS3-19425

R. C. Hendricks, Project Manager



(NASA-CR-165392) HIGH-PRESSURE HOT-GAS
SELF-ACTING FLOATING RING SHAFT SEAL FOR
LIQUID ROCKET TURBOPUMPS Final Report, Mar.
1975 - Sep. 1980 (Rocketdyne) 251 p
HC A08/MF A01

N81-26460

Unclas
26685
CSCL 11A G3/37



FINAL REPORT

HIGH-PRESSURE HOT-GAS SELF-ACTING
FLOATING RING SHAFT SEAL FOR
LIQUID ROCKET TURBOPUMPS

by

R. E. Burcham and W. A. Diamond

Rockwell International
Rocketdyne Division

prepared for

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

September 1980

NASA-Lewis Research Center

Contract NAS3-19425

R. C. Hendricks, Project Manager

| | | | | | |
|--|--|--|----------------------------|---|------------|
| 1. Report No. NASA CR- | | 2. Government Accession No. | | 3. Recipient's Catalog No. | |
| 4. Title and Subtitle HIGH-PRESSURE HOT-GAS SELF-ACTING FLOATING RING SHAFT SEALS FOR LIQUID ROCKET TURBOPUMPS--Final Report | | | | 5. Report Date September 1980 | |
| | | | | 6. Performing Organization Code | |
| 7. Author(s) R. E. Burcham and W. A. Diamond | | | | 8. Performing Organization Report No. RI/RD80-186 | |
| 9. Performing Organization Name and Address Rocketdyne Division Rockwell International 6633 Canoga Avenue Canoga Park, CA 91304 | | | | 10. Work Unit No. | |
| | | | | 11. Contract or Grant No. NAS3-19425 | |
| 12. Sponsoring Agency Name and Address National Aeronautics and Space Administration Lewis Research Center Cleveland, OH 44315 | | | | 13. Type of Report and Period Covered Final (March 1975 - September 1980) | |
| | | | | 14. Sponsoring Agency Code | |
| 15. Supplementary Notes Project Manager - R. C. Hendricks, NASA-Lewis Research Center, Cleveland, OH 44315 | | | | | |
| 16. Abstract Design analysis, detail design, fabrication, and experimental evaluation was performed on two self-acting floating ring shaft seals for a rocket engine turbopump high-pressure 24132500 n/m ² (3500 psig) hot-gas 533 K (500 F) high-speed 3142 rad/sec (30000 rpm) turbine. The initial design used Rayleigh step hydrodynamic lift pads to assist in centering the seal ring with minimum rubbing contact. The final design used a convergent tapered bore to provide hydrostatic centering force. The Rayleigh step design was tested for 107 starts and 4.52 hours total. The leakage was satisfactory; however, the design was not acceptable due to excessive wear caused by inadequate centering force and failure of the sealing dam caused by erosion damage. The tapered bore design was tested for 370 starts and 15.93 hours total. Satisfactory performance for the required life of 7.5 hours per seal was successfully demonstrated. | | | | | |
| 17. Key Words (Suggested by Author(s)) Rotating Shaft Seals Floating-Ring Seals Self-Acting Seals Turbopump Shaft Seals Rayleigh Step Seals Tapered Bore Seals | | | 18. Distribution Statement | | |
| 19. Security Classif. (of this report) Unclassified | | 20. Security Classif. (of this page) Unclassified | | 21. No. of Pages 250 | 22. Price* |

FOREWORD

This program was sponsored by the National Aeronautics and Space Administration, Lewis Research Center, Fluid Systems Components Division, under Contract NAS3-19425. The period of performance was March 1975 to September 1980.

The NASA Project Manager was Mr. W. F. Hady from start to March 1977, Mr. L. P. Ludwig from March 1977 to January 1980 and Mr. R. C. Hendricks from January 1980 to completion. The Contracting Officer was Mr. Leonard Schopen. Design support and technical consultation was provided by Dr. D. P. Fleming and Mr. G. P. Allen.

The Rocketdyne Program Manager was Mr. H. G. Diem. The Project Engineer was Mr. R. E. Burcham. Technical assistance was provided by Mr. W. A. Diamond and Mr. M. A. Hartman.

CONTENTS

| | |
|---|-----|
| Summary | 1 |
| Introduction | 3 |
| Seal Design | 4 |
| Rayleigh Step Lift Pad | 6 |
| Thermal Analysis | 14 |
| Stress and Deflection Analysis | 14 |
| Leakage and Pressure Profile Analysis | 28 |
| Hydrostatic Tapered Bore | 28 |
| Test Facility | 37 |
| Test Hardware | 41 |
| Tester | 41 |
| Seals | 41 |
| Test Requirements | 46 |
| Procedures | 46 |
| Instrumentation | 46 |
| Test Schedule I Preliminary Checkout | 49 |
| Test Schedule II Hot Gaseous Nitrogen Testing | 50 |
| Test Schedule III Hot Gaseous Nitrogen Acceleration Testing | 50 |
| Results and Discussion | 51 |
| Test Summary | 51 |
| Hardware Summary | 51 |
| Inspection Summary | 51 |
| Data Summary | 51 |
| Tester Shaft Deflection Checkout Testing | 51 |
| Rayleigh Step Seal Preliminary Checkout Testing | 98 |
| Rayleigh Step Seal Hot Gaseous Nitrogen Testing | 109 |
| Rayleigh Step Seal Acceleration Testing | 123 |
| Tapered Bore Seal Hot Gaseous Nitrogen Testing | 146 |
| Tapered Bore Seal Acceleration Testing | 165 |
| Conclusions | 239 |
| References | 240 |

ILLUSTRATIONS

| | | |
|-----|--|-----|
| 1. | Rayleigh Step Pad Turbine Seal Assembly | 5 |
| 2. | Rayleigh Step Pad Primary Seal Ring | 7 |
| 3. | Rayleigh Step Pad Secondary Seal Ring | 8 |
| 4. | Rayleigh Step Lift Force per Pad vs Film Thickness | 9 |
| 5. | Seal Ring Film Thickness vs Angle From Contract | 11 |
| 6. | Rayleigh Step Seal Ring Pressure Profile and Force Summary | 13 |
| 7. | Rayleigh Step Primary Seal Calculated GN ₂ Leakage | 15 |
| 8. | Primary Seal Ring Radial Displacement at 4000 psia and 500 F | 16 |
| 9. | Secondary Seal Ring Radial Displacement at 85 psia and 500 F | 17 |
| 10. | Sleeve Total Radial Displacement From Free Position to Operation at 70 F and 32,000 rpm With 0.0001-Inch Radial Interference. | 18 |
| 11. | Sleeve Total Radial Displacement From Free Position to Operation at 70 F and 32,000 rpm With 0.0005-Inch Radial Interference | 19 |
| 12. | Sleeve Total Radial Displacement From Free Position to Operation at 500 F and 32,000 rpm With 0.0001-Inch Radial Interference | 20 |
| 13. | Sleeve Total Radial Displacement From Free Position to Operation at 500 F and 32,000 rpm With 0.0005-Inch Radial Interference | 21 |
| 14. | Rayleigh Step Primary Seal Calculated GN ₂ Leakage | 22 |
| 15. | Rayleigh Step Secondary Seal Calculated GN ₂ Leakage | 26 |
| 16. | Rayleigh Step Primary Seal Dam Pressure Profile | 27 |
| 17. | Rayleigh Step Secondary Seal Dam Pressure Profile | 28 |
| 18. | Tapered Bore Primary Seal Ring | 30 |
| 19. | Tapered Bore Secondary Seal Ring | 31 |
| 20. | Tapered Bore Seal Nomenclature | 32 |
| 21. | Tapered Bore Primary Seal Clearance Ratio vs Radial Stiffness | 33 |
| 22. | Tapered Bore Secondary Seal Clearance Ratio vs Radial Stiffness | 34 |
| 23. | Tapered Bore Secondary Seal Leakage vs Clearance Ratio | 35 |
| 24. | Rotatory Test Facility No. 1 Instrumentation Panel | 38 |
| 25. | Rotatory Test Facility No. 1 | 39 |
| 26. | Turbine Seal Test Schematic | 40 |
| 27. | Turbine Seal Tester RS005100X | 41 |
| 28. | Rayleigh Step Primary Seal Ring | 42 |
| 29. | Rayleigh Step Secondary Seal Ring | 43 |
| 30. | Tapered Bore Primary Seal Ring | 44 |
| 31. | Tapered Bore Secondary Seal Ring | 45 |
| 32. | Instrumentation Location | 48 |
| 33. | Pump End Primary Seal Ring, P/N 99RS010302, S/N 067602, Build 4, Posttest 12 | 102 |
| 34. | Pump End Secondary Seal Ring, P/N 99RS010304, S/N 067601, Build 4, Posttest 12 | 103 |
| 35. | Turbine End Primary Seal Ring, P/N 99RS010303, S/N 067601, Build 4, Posttest 12 | 104 |
| 36. | Turbine End Secondary Seal Ring, P/N 99R010305, S/N 067601, Build 4, Posttest 12 | 105 |
| 37. | Mating Ring Sleeve, P/N RS005092X-005, S/N 1, Build 4, Posttest 12 | 106 |
| 38. | Surface Profile Trace Pump End Primary Seal Lift Pad No. 2, Build 4, Posttest 12 | 107 |

| | | |
|-----|--|-----|
| 39. | Turbine Wheel Radial Displacement Traces From High Frequency Data on Balance Test 8 | 113 |
| 40. | Turbine Wheel Radial Displacement Traces From High Frequency Data on Balance Test 9 | 114 |
| 41. | Pump End Primary Seal Ring, P/N 99RS010302, S/N 04, Build 6, Posttest 20 | 115 |
| 42. | Pump End Secondary Seal Ring, P/N 99RS010304, S/N 04, Build 6, Posttest 20 | 116 |
| 43. | Turbine End Primary Seal Ring, P/N 99RS010303, S/N 06, Build 6, Posttest 20 | 117 |
| 44. | Turbine End Secondary Seal Ring, P/N 99RS010305, S/N 05, Build 6, Posttest 20 | 118 |
| 45. | Mating Ring Sleeve, P/N RS005092X-005, S/N 2, Build 6, Posttest 20 | 119 |
| 46. | Surface Profile Trace Turbine End Primary Seal Lift Pad 1, P/N 99RS010303, S/N 06, Build 6, Posttest 20 | 120 |
| 47. | Surface Profile Trace Turbine End Secondary Seal, P/N 99RS010305, S/N 05, Build 6, Posttest 20 | 121 |
| 48. | Surface Profile Trace of Tester Mating Ring Sleeve, P/N RS005092X-005, S/N 2, Build 6, Posttest 20 | 122 |
| 49. | Pump End Assembly, P/N 99RS010309, Build 9, Posttest 107 | 128 |
| 50. | Turbine End Assembly Position 1, P/N 99RS010310, Build 9, Posttest 107 | 129 |
| 51. | Turbine End Assembly Position 2, P/N 99RS010310, Build 9, Posttest 107 | 130 |
| 52. | Pump End Primary Seal Ring Position 1, P/N 99RS010302, S/N 067605, Build 9, Posttest 107 | 131 |
| 53. | Pump End Primary Seal Ring Position 3, P/N 99RS010302, S/N 067605, Build 9, Posttest 107 | 132 |
| 54. | Pump End Secondary Seal Ring, P/N 99RS010304, S/N 067605, Build 9, Posttest 107 | 133 |
| 55. | Turbine End Primary Seal Ring Position 1, P/N 99RS010303, Build 9, Posttest 107 | 134 |
| 56. | Turbine End Primary Seal Ring Position 3, P/N 99RS010303, S/N 067605, Build 9, Posttest 107 | 135 |
| 57. | Turbine End Secondary Seal Ring, P/N 99RS010305, S/N 067604, Build 9, Posttest 107 | 136 |
| 58. | Mating Ring Sleeve, P/N RS005092X-005, S/N 3, Build 9, Posttest 107 | 137 |
| 59. | Surface Profile Trace Turbine End Primary Seal Lift Pad 1, P/N 99RS010303, S/N 05, Build 9, Posttest 107 | 138 |
| 60. | Surface Profile Trace Turbine End Secondary Seal Lift Pad 1, P/N 99RS010305, S/N 04, Build 9, Posttest 107 | 139 |
| 61. | Surface Profile Trace of Tester Mating Ring Sleeve Pump End, P/N RS005092X-005, S/N 3, Build 9, Posttest 107 | 140 |
| 62. | Surface Profile Trace of Tester Mating Ring Sleeve Turbine End, P/N RS005092X-005, S/N 3, Build 9, Posttest 107 | 141 |
| 63. | Rayleigh Step Seal Total Leakage vs Test Time, Tests 021-107 | 144 |
| 64. | Rayleigh Step Seal Drain Pressure vs Test Time, Tests 021-107 | 145 |
| 65. | Pump End Primary Seal, P/N 7R0011525, S/N 047906, Build 11, Posttest 115 | 149 |

| | | |
|-----|---|-----|
| 66. | Pump End Secondary Seal, P/N 7R0011526, S/N 047902, Build 11, Posttest 115 | 150 |
| 67. | Turbine End Primary Seal, P/N 7R0011525, S/N 047901, Build 11, Posttest 115 | 151 |
| 68. | Turbine End Secondary Seal, P/N 7R0011526, S/N 047901, Build 11, Posttest 115 | 152 |
| 69. | Pump End Primary Seal Ring, P/N 7R0011525, S/N 047906, Build 11, Posttest 115 | 153 |
| 70. | Pump End Secondary Seal Ring, P/N 7R0011526, S/N 047902, Build 11, Posttest 115 | 154 |
| 71. | Turbine End Primary Seal Ring, P/N 7R0011525, S/N 047901, Build 11, Posttest 115 | 155 |
| 72. | Turbine End Secondary Seal Ring, P/N 7R9911526, S/N 047901, Build 11, Posttest 115 | 156 |
| 73. | Mating Ring Sleeve, P/N RS005092X-005, S/N 4, Build 11, Posttest 115 | 157 |
| 74. | Surface Profile Trace Pump End, Primary Seal Ring, P/N 7R0011525, S/N 047906, Build 11, Posttest 115 | 159 |
| 75. | Surface Profile Trace Pump End, Secondary Seal Ring, P/N 7R0011526, S/N 047902, Build 11, Posttest 115 | 160 |
| 76. | Surface Profile Trace Turbine End, Primary Seal Ring, P/N 7R0011525, S/N 047901, Build 11, Posttest 115 | 161 |
| 77. | Surface Profile Trace Turbine End, Secondary Seal Ring, P/N 7R0011526, S/N 047901, Build 11, Posttest 115 | 162 |
| 78. | Surface Profile Traces of Tester Mating Ring Sleeve Pump End, P/N RS005092X, S/N 4, Build 11, Posttest 115 | 163 |
| 79. | Surface Profile Traces of Tester Mating Ring Sleeve Turbine End, P/N RS005092X, S/N 4, Build 11, Posttest 115 | 164 |
| 80. | Pump End Primary Seal Ring, P/N 7R0011525, S/N 047906, Build 12, Posttest 158. | 166 |
| 81. | Pump End Secondary Seal Ring, P/N 7R0011526, S/N 047902, Build 12, Posttest 158 | 167 |
| 82. | Turbine End Primary Seal Ring, P/N 7R0011525, S/N 047901, Build 12, Posttest 158 | 168 |
| 83. | Turbine End Secondary Seal Ring, P/N 7R0011526, S/N 047901, Build 12, Posttest 158 | 169 |
| 84. | Mating Ring Sleeve, P/N RS005092X-005, S/N 4, Build 12, Posttest 158 | 170 |
| 85. | Surface Profile Trace Pump End, Primary Seal Ring, P/N 7R0011525, S/N 047906, Build 12, Posttest 158 | 172 |
| 86. | Surface Profile Trace Pump End, Secondary Seal Ring, P/N 7R0011526, S/N 047902, Build 12, Posttest 158 | 173 |
| 87. | Surface Profile Trace Turbine End, Primary Seal Ring, P/N 7R0011525, S/N 047901, Build 12, Posttest 158 | 174 |
| 88. | Surface Profile Trace Turbine End, Secondary Seal Ring, P/N 7R0011526, S/N 047901, Build 12, Posttest 158 | 175 |
| 89. | Surface Profile Traces of Tester Mating Ring, Sleeve Pump End, P/N RS005092X, S/N 4, Build 12, Posttest 158 | 176 |
| 90. | Surface Profile Traces of Tester Mating Ring, Sleeve Turbine End, P/N RS005092X, S/N 4, Build 12, Posttest 158 | 177 |
| 91. | Tapered Bore Seal Total Leakage vs Test Time, Test 159-297 | 186 |

| | | |
|------|--|-----|
| 92. | Tapered Bore Seal Drain Pressure vs Test Time Tests 159-297 | 187 |
| 93. | Pump End Primary Seal, P/N 7R0011525, S/N 047909, Build 15, Posttest 297 | 188 |
| 94. | Pump End Secondary Seal, P/N 7R0011526, S/N 047909, Build 15, Posttest 297 | 189 |
| 95. | Turbine End Primary Seal, P/N 7R0011525, S/N 047907, Build 15, Posttest 297 | 190 |
| 96. | Turbine End Secondary Seal, P/N 7R0011526, S/N 047907, Build 15, Posttest 297 | 191 |
| 97. | Pump End Primary Seal Ring (Position 1), P/N 7R0011525, S/N 047909, Build 15, Posttest 297 | 192 |
| 98. | Pump End Primary Seal Ring (Position 2), P/N 7R0011525, S/N 047909, Build 15, Posttest 297 | 193 |
| 99. | Pump End Secondary Seal Ring (Position 1), P/N 7R0011526, S/N 047909, Build 15, Posttest 297 | 194 |
| 100. | Pump End Secondary Seal Ring (Position 2), P/N 7R0011526, S/N 047909, Build 15, Posttest 297 | 195 |
| 101. | Turbine End Primary Seal Ring (Position 1), P/N 7R0011525, S/N 047909, Build 15, Posttest 297 | 196 |
| 102. | Turbine End Primary Seal Ring (Position 2), P/N 7R0011525, S/N 047907, Build 15, Posttest 297 | 197 |
| 103. | Turbine End Secondary Seal Ring (Position 1), P/N 7R0011526, S/N 047907, Build 15, Posttest 297 | 198 |
| 104. | Turbine End Secondary Seal Ring (Position 2), P/N 7R0011526, S/N 047907, Build 15, Posttest 297 | 199 |
| 105. | Mating Ring Sleeve, P/N RS005092X-005, S/N 1, Build 15, Posttest 297 | 200 |
| 106. | Surface Profile Trace Pump End Primary Seal Ring, P/N 7R0011525, S/N 047909, Build 15, Posttest 297 | 203 |
| 107. | Surface Profile Trace Pump End Secondary Seal Ring, P/N 7R0011526, S/N 047909, Build 15, Posttest 297 | 204 |
| 108. | Surface Profile Trace Turbine End Primary Seal Ring, P/N 7R0011525, S/N 047907, Build 15, Posttest 297 | 205 |
| 109. | Surface Profile Trace Turbine End Secondary Seal Ring, P/N 7R0011526, S/N 047907, Build 15, Posttest 297 | 206 |
| 110. | Surface Profile Traces of Tester Mating Ring Sleeve Pump End, P/N RS005092X, S/N 1, Build 15, Posttest 297 | 207 |
| 111. | Surface Profile Traces of Tester Mating Ring Sleeve Turbine End, P/N RS005092X, S/N 1, Build 15, Posttest 297 | 208 |
| 112. | Tapered Bore Seal Total Leakage vs Test Time, Tests 298-477 | 217 |
| 113. | Tapered Bore Seal Drain Pressure vs Test Time, Tests 298-477 | 218 |
| 114. | Pump End Primary Seal, P/N 7R0011525, S/N 047905, Build 20 Posttest 477 | 220 |
| 115. | Pump End Secondary Seal, P/N 7R0011526, S/N 047905, Build 20, Posttest 477 | 221 |
| 116. | Turbine End Primary Seal, P/N 7R0011525, S/N 047908, Build 20, Posttest 477 | 222 |

| | | |
|------|--|-----|
| 117. | Turbine End Secondary Seal, P/N 7R0011526, S/N 047903, Build 20, Posttest 477 | 223 |
| 118. | Pump End Primary Seal Ring P/N 7R0011525, S/N 047905, Build 20, Posttest 477 | 224 |
| 119. | Pump End Secondary Seal Ring P/N 7R0011526, S/N 047905, Build 20, Posttest 477 | 225 |
| 120. | Turbine End Primary Seal Ring, P/N 7R0011525, S/N 047908, Build 20, Posttest 477 | 226 |
| 121. | Turbine End Secondary Seal Ring, P/N 7R0011526, S/N 047903, Build 20, Posttest 477 | 227 |
| 122. | Mating Ring Sleeve, P/N RS05092X-005, S/N 2, Build 20, Posttest 477 | 228 |
| 123. | Surface Profile Trace Pump End, Primary Seal Ring, P/N 7R0011525, S/N 047905, Build 20, Posttest 477 | 231 |
| 124. | Surface Profile Trace Pump End, Secondary Seal Ring, P/N 7R0011526, S/N 047905, Build 20, Posttest 477 | 232 |
| 125. | Surface Profile Trace Turbine End, Primary Seal Ring, P/N 7R0011525, S/N 047908, Build 20, Posttest 477 | 233 |
| 126. | Surface Profile Trace Turbine End, Secondary Seal Ring, P/N 7R0011526, S/N 047903, Build 20, Posttest 477 | 234 |
| 127. | Surface Profile Traces of Testing Mating Ring Sleeve Pump End, P/N RS005092X-005, S/N 2, Build 20, Posttest 477 | 235 |
| 128. | Surface Profile Traces of Testing Mating Ring Sleeve Turbine End, P/N RS005092X-005, S/N 2, Build 20, Posttest 477 | 236 |

TABLES

| | | |
|-----|---|-----|
| 1. | Comparison of Primary Seal Ring Stress and Deflection at 27580000 n/in (4000 psia) and 533K (500 F) | 7 |
| 2. | Rayleigh Step Seal and Sleeve Diameters, Displacements and Clearances - U.S. Customary Units | 22 |
| 3. | Rayleigh Step Seal and Sleeve Diameters, Displacements and Clearances - SI Units | |
| 4. | Tapered Bore Seal Design Clearance Summary | 36 |
| 5. | Instrumentation Requirements | 47 |
| 6. | Seal Test Summary | 52 |
| 7. | Seal Hardware Summary | 54 |
| 8. | Rayleigh Step Seal Inspection Summary - U.S. Customary Units | 59 |
| 9. | Rayleigh Step Seal Inspection Summary - SI Units | 60 |
| 10. | Tapered Bore Seal Inspection Summary - U.S. Customary Units | 61 |
| 11. | Tapered Bore Seal Inspection Summary - SI Units | 63 |
| 12. | Hot-Gas Turbine Seal Data Summary - U.S. Customary Units | 65 |
| 13. | Hot-Gas Turbine Seal Data Summary - SI Units | 83 |
| 14. | Tester Turbine Wheel Radial Displacement Summary (1) | 108 |
| 15. | Balance Test Results | 111 |

GLOSSARY

Symbols **n** and **N** are used for the unit newton.

Symbols **m** and **M** are used for the unit meter.

Symbols **cm** and **CM** are used for the unit centimeter.

The SI units are converted from measurements made in U.S. Customary units. The accuracy of the converted units is no greater than the measured values.

SUMMARY

A design analysis and experimental evaluation of two different self-acting floating-ring shaft seals was performed. The objective of the program was to develop technology for rocket engine turbopump high-pressure 24132500 n/m² (3500 psig), hot-gas 533K (500 F), high-speed 3142 rad/sec (30000 rpm) turbine seals. The initial design utilized Rayleigh step hydrodynamic lift pads on the inside diameter to assist in centering the seal ring with minimum rubbing contact. The final design used a convergent tapered bore to provide hydrostatic centering force.

Analysis of the Rayleigh step lift pads indicated that the maximum lift force is 23.6 n (5.3 pounds) for the primary seal and 16.5 n (3.7 pounds) for the secondary seal. The radial friction force is 689 n (154 pounds) for the primary seal and 56.5 n (12.7 pounds) for the secondary seal; therefore, rubbing contact is required to center the seal rings.

The Rayleigh step design was tested for 107 starts and 4.52 hours total. The testing consisted of the following:

1. Preliminary Checkout: Two seals tested for 12 starts and 29.25 minutes with ambient temperature gaseous nitrogen at 1723750 to 22064000 n/m² (250 to 3200 psig) and 3351 rad/sec (32000 rpm).
2. Hot GN₂ Testing: Two seals tested for 8 starts and 20 minutes with 533 K (500 F) maximum GN₂ at 3447500 to 24.32500 n/m² (500 to 3500 psig) and 3351 rad/sec (32000 rpm).
3. Hot GN₂ Acceleration Testing: Two seals tested for 87 starts and 3.7 hours with 533 K (500 F) maximum GN₂ at 24132500 n/m² (3500 psig) with acceleration to 3351 rad/sec (32000 rpm) within 10 seconds.

The Rayleigh step design was unsatisfactory due to excessive wear caused by inadequate centering force and failure of the sealing dam caused by erosion damage.

Analysis of the tapered bore seal indicated that the hydrostatic centering force exceeds the radial friction force by a significant margin. The maximum hydrostatic centering force is 1659 n (373 pounds) for the primary and 60.0 n (13.5 pounds) for the secondary. The radial friction force is 827 n (186 pounds) for the primary and 31.1 n (7.0 pounds) for the secondary. The seal rings should be centered by the hydrostatic force during steady-state operation without rubbing contact.

The tapered bore design was tested for 370 starts and 15.93 hours total. The following tests were performed:

1. Hot GN₂ Testing: Two seals tested for 8 starts and 21.1 minutes with 533 K (500 F) maximum GN₂ at 3447500 to 24132500 n/m² (500 to 3500 psig) and 3037 rad/sec (29000 rpm).

2. Hot GN₂ Acceleration Testing: Two seals tested for 43 starts and 1.8 hours; two seals tested for 139 starts and 5.8 hours; and two seals tested for 180 starts and 8.0 hours for a total of six seals, 362 starts and 15.58 hours with 533 K (500 F) GN₂ at 24132500 n/m² (3500 psig) with acceleration to 3037 rad/sec (29000 rpm) within 10 seconds.

The tapered bore seal demonstrated satisfactory performance for the required life of 7.5 hours. The leakage rate varied from 0.59 to 0.77 kg/sec (1.3 to 1.7 lb/sec) on the pump end seal from 0.59 to 0.95 kg/sec (1.3 to 2.1 lb/sec) on the turbine end seal. The data indicate negligible wear on the primary seal rings and gradual but acceptable wearing of the secondary seal rings. The performance is considered satisfactory if the seal is functional and the leakage is acceptable at completion of testing.

INTRODUCTION

Rotating shaft seals used for rocket engine turbopump high-pressure hot-gas turbines have required significant advances in sealing technology. The labyrinth-clearance-type seals used for most high-pressure turbines generally are not satisfactory on a rocket engine turbopump turbine due to shaft stability and high leakage. Dynamic stability of the rotating shaft generally requires the damping provided by a bushing type circumferential shaft seal. The leakage must be minimized to provide fail-safe separation of the fuel-rich hot gas and the liquid oxidizer propellant on the same shaft.

Floating-ring controlled-gap-type shaft seals have been used to minimize operating clearance between the stationary housing and rotating shaft. The floating ring moves freely in the radial direction to center on the shaft location, thereby eliminating the concentricity tolerances of a fixed labyrinth. The floating ring will adjust to shaft radial displacements during critical speed or dynamic transients to maintain minimum clearance.

The conventional floating-ring shaft seals utilize a solid cylindrical ring with a smooth, straight bore. The hydrodynamic and hydrostatic forces developed by a smooth, straight-bore floating ring are generally not sufficient to center the ring without additional radial force from rubbing contact when the sealed fluid is a gas. Excessive rubbing causes wear and increased leakage.

Recent developments have indicated that self-acting hydrodynamic and hydrostatic concepts are capable of providing additional lift force to assist in centering the floating ring with minimum rubbing contact. Rayleigh step lift pads develop a hydrodynamic lift force by viscous pumping from rotation. Hydrostatic forces developed by pressure differential across the seal ring are considerably increased with a convergent taper on the bore.

The objective of the program was to develop technology for high-pressure 24132500 n/m^2 (3500 psig), hot-gas 533 K (500 F), high-speed 3142 rad/sec (30000 rpm) self-acting floating-ring shaft seals. A design analysis and experimental evaluation was performed on the Rayleigh step and tapered bore concepts. The scope of the program was revised to include the tapered bore seal after the Rayleigh step concept proved to be unsatisfactory. The program was successfully completed with the tapered bore seal.

The tapered bore seal technology developed on this program has been successfully applied to the space shuttle's main rocket engine turbopumps to assist in solution of significant turbine seal problems.

SEAL DESIGN

A design analysis and detail design was performed on two different turbine hot-gas seal configurations. The initial design was a floating-ring controlled-gap shaft seal with self-acting Rayleigh step hydrodynamic lift pads on the inside diameter to center the rings without rubbing contact. The final design was a floating-ring controlled-gap shaft seal with a convergent tapered bore for hydrostatic centering.

The Rayleigh step seals were designed to the following specifications:

Fluid: Gaseous nitrogen

Temperature: 294 K (70 F) and 533 K (500 F)

Pressure:

Primary: 27579028 n/m^2 (4000 psia)

Secondary: 586054 n/m^2 (85 psia)

Drain: 137900 n/m^2 (20 psia)

Speed: 3351 rad/sec (32000 rpm)

Shaft Rotating Eccentricity:

Transient: .000406 m (.016 in.) total

Steady: .000025 m (.001 in.) total

Shaft Diameter: .0644 m (2.5373 in.)

Number of Starts: 150

Operating Life: 7.5 hours

The tapered bore seals were designed to the same specifications, except as follows:

Temperature: 811 K (1000 F)

Pressure:

Primary: 26201000 n/m^2 (3800 psia)

Secondary: 1034250 n/m^2 (150 psia)

The seal assembly (Fig. 1) consists of a primary seal ring and a secondary seal ring. The cavity between the seal rings and the cavity on the low pressure side is drained to atmosphere. The seal rings are loaded against the housing side




Figure 1. Rayleigh Step Pad Turbine Seal Assembly

surface with a wave spring. The wave spring load is 22.24 to 31.13 n (5 to 7 lbs). The rings are free to float in the radial direction, but are restrained from rotation with anti-rotation tangs. The side surface of the seal ring is relieved for pressure balance. The unbalanced axial load is supported by the housing. The carbon nose axial surface is lapped flat for sealing. The seal ring inside diameter is grooved around the Rayleigh pads to vent the pressure up to the seal dam for pressure balance. The unbalanced radial pressure load is supported by the seal ring in compressive hoop stress. Two designs were completed to allow installation of two seals back to back in the tester. The designs are the same except for reverse rotation.

A seal concept trade study to evaluate metal-banded carbon rings, metal-banded Am Cer Met 701-65 rings, and solid carbon rings was performed. A comparison of the stress and deflection calculated by finite element analysis, for the different seals is shown in Table 1. The results indicate that the Inconel X 750 metal-banded carbon G84 insert design is satisfactory for the 533 K (500 F) operating temperature. The metal-banded carbon ring operating deflection can be matched to the tester shaft operating deflection by varying the metal band to carbon ring interface radius. The solid carbon design is unsatisfactory due to low thermal expansion and excessive pressure deflection.

RAYLEIGH STEP LIFT PAD

Rayleigh step lift pads provide hydrodynamic lift for noncontact operation except during the start and stop transients. A fluid film is developed in the recessed pads by viscous pumping to assist in support of the seal ring in order to minimize rubbing contact. The fluid film thickness is controlled by the hydrodynamic lifting force in the pad. The lift force decreases for a larger gap and increases for a smaller gap. The floating seal ring seeks an equilibrium position where the gap is constant around the shaft. When the shaft moves off center, the unbalanced radial load tends to recenter the seal ring.

The Rayleigh step lift pad analysis was performed by NASA using a computer program entitled NASA Revised Self-Acting Lift Pad Design Program for Gas Film Seals (Ref. 1). The detail design of the Rayleigh pad seal rings is shown in Fig. 2 and 3.

The lift pad geometry was optimized for gaseous nitrogen at 533 K (500 F). The calculated maximum lift force at .00000127 m (.00005 in.) film thickness is 15.53 n (3.49 lbs) per pad for the primary seal and 11.65 (2.62 lbs) per pad for the secondary seal. The lift force decreases at .00000635 m (.00025 in.) to 4.083 n (.918 lb.) per pad on the primary seal and .069 n (.155 lb.) per pad on the secondary seal. The lift pads are not effective at operating gaps greater than approximately .0000127 m (.0005 in.). The relationship of lift force per pad and film thickness is shown in Fig. 4.

TABLE 1. COMPARISON OF PRIMARY SEAL RING STRESS AND DEFLECTION
AT 27580000 n/m² (4000 PSIA) AND 533 K (500 F)

| | INCONEL X 750 CARBON G84 | INCONEL X 750 AM CER MET | CARBON G84 |
|--|-----------------------------|-----------------------------|----------------------|
| INNER RING STRESS n/m ² (PSI) | -103425000 (-15000) | -241325000 (-35000) | -37805285 (-5483) |
| OUTER RING STRESS n/m ² (PSI) | 59579695 (8641) | 259362320 (37616) | --- |
| TEMP. DIA. DEFLECTION m (IN.) | .00021 (.0083) | .00018 (.0073) | .00006 (.0025) |
| PRESS. DIA. DEFLECTION m (IN.) | -000012 (-.0005) | -000012 (-.0005) | -000106 (-.0042) |
| TOTAL DIA. DEFLECTION m (IN.) | .000198 (.0078) | .000172 (.0068) | -.000043 (-.0017) |




Figure 2. Rayleigh Step Pad Primary Seal Ring




Figure 3. Rayleigh Step Pad Secondary Seal Ring




Figure 4. Rayleigh Step Lift Force per Pad vs Film Thickness

The lift pad film thickness varies around the circumferential seal ring from zero at the contact point to the diametral clearance opposite the contact as shown in the following equation:

$$x = [R^2 + e^2 - 2Re \cos \theta]^{1/2} - r$$


x = film thickness

R = seal ring inside radius

r = shaft outside radius

θ = angle from contact

e = eccentricity of seal ring and shaft



The film thickness as a function of the angle from the contact point for the test seal at .0000508 m (.0020 in.) diametral clearance is given below and shown in Fig. 5.





Figure 5. Seal Ring Film Thickness vs Angle From Contact

| ANGLE θ | | FILM THICKNESS χ | |
|----------------|-----|-----------------------|---------|
| RAD | DEG | 10^{-6}m | IN. |
| .262 | 15 | 0.864 | .000034 |
| .523 | 30 | 3.404 | .000134 |
| 1.047 | 60 | 12.7 | .0005 |
| 1.570 | 90 | 25.4 | .001 |

A comparison of the lift force and film thickness to the angle from contact, indicates that only three pads provide significant lift force to assist in centering the seal ring. The maximum lift force is 23.6 n (5.3 lbs) for the primary seal and 16.5 n (3.7 lbs) for the secondary seal.

The ability of the seal ring to center on the shaft without rubbing contact depends on the lift force to exceed the radial friction force and dynamic inertia forces. The radial friction force is a function of the unbalanced axial forces and the coefficient of friction. The radial friction force for the test seal is 689 n (154 lbs) for the primary seal and 56.5 n (12.7 lbs) for the secondary seal. The analysis indicates that lift force is not sufficient to center the seal ring without rubbing contact. The Rayleigh step seal ring pressure profile and force summary is given in Fig. 6.



| | PRIMARY | SECONDARY |
|--|-----------------|---------------|
| HIGH PRESSURE - n/m^2 (PSIA) | 24132500 (3600) | 2068500 (300) |
| LOW PRESSURE - n/m^2 (PSIA) | 2068500 (300) | 344750 (50) |
| SEAL DAM AVERAGE PRESSURE - n/m^2 (PSIA) | 10273660 (1490) | 173754 (25.2) |
| WAVE SPRING LOAD - n/m^2 (LB) | 22 (5) | 22 (5) |
| AXIAL PRESSURE FORCE - n (LB) | 4541 (1021) | 354 (79.7) |
| TOTAL AXIAL FORCE - n (LB) | 4564 (1026) | 377 (84.7) |
| RADIAL FRICTION FORCE - n (LB) | 689 (154) | 56.5 (12.7) |
| MAXIMUM LIFT FORCE - n (LB) | 23.6 (5.31) | 16.5 (3.7) |

Figure 6. Rayleigh Step Seal Ring Pressure Profile and Force Summary

THERMAL ANALYSIS

A thermal analysis of the tester seal area was performed to establish the temperature profile for a finite element analysis. Three-dimensional thermal models were employed to determine the temperature distribution in the shaft, bearing, oil seal, hot-gas seal sleeve, and flywheel areas of the tester assembly under steady-state operating conditions. Heating is assumed to occur from the hot-gas seal leakage with additional thermal input from the frictional components of the oil seal and ball bearings. The primary heat sink is provided by heat transfer from the stepped area of the rotating shaft to the lubricating oil environment in the central casing.

The steady-state temperature distribution throughout the region of interest is shown on Fig. 7. Heat inputs to the shaft include the total frictional heating from the oil seal and three % of the total estimated bearing power (or 60% of the bearing frictional component). The remainder of the bearing power is assumed to be absorbed in viscous shear heating of the lubricating oil with 40% of frictional heating transferred to the outer bearing race.

STRESS AND DEFLECTION ANALYSIS

A finite element analysis of the seal rings and shaft sleeve to determine the operating stresses and displacements was performed. The analysis was performed for operation at room temperature and at the operating temperature of 533K (500 F). Results of the seal ring analysis are shown in Fig. 8 and 9.

The finite element analysis indicates that the primary seal ring radial displacement at 27580000 n/m^2 (4000 psia) and 553K (500 F) varies from .000103 m (.004059 in.) to .000104 m (.004104 in.) across the dam and from .000104 m (.004102 in.) to .0001047 m (.004125 in.) across the lift pads. The dam surface has .0000011 m (.000045 in.) divergent taper. The lift pad surface variation is .0000005 m (.000023 in.). The carbon material will allow the seal ring to wear-in for exact conformance at operating conditions.

The secondary seal ring radial displacement varies from .0001076 m (.004239 in.) to .0001077 m (.004244 in.) with a convergent taper of .0000001 m (.000005 in.) across the dam. The lift pad displacement is constant at .0001078 m (.004247 in.).

The finite element analysis of the shaft sleeve was refined to determine the effect of the initial interference between the sleeve and shaft on the operating displacement of the sleeve. The sleeve is installed on the shaft with .0000025 m to .0000127 m (.0001 in. to .0005 in.) radial interference. The radial displacements of the sleeve outer surface from the free position prior to installation to the operating conditions are shown in Fig. 10 and 11 for room temperature operation, and in Fig. 12 and 13 for high-temperature operation.

Final seal and sleeve diameters, displacements, and clearances for the different seal positions are summarized in Table 2 for English units and Table 3 for SI units. The seal-to-sleeve diametral clearance varies from .000035 m (.0014 in.) to .000058 m (.0023 in.) for 294K (70 F) operation and from .00048 m (.0019 in.) to .000076 m (.0030 in.) for 533K (500 F) operation.




Figure 7. Steady-State Temperature Distribution of Tester Seal Area - K (F)




Figure 8. Primary Seal Ring Radial Displacement at 27580000 n/m^2 at (4000 psia) and 533 K (500 F) (Inconel x 750/Carbon G84)




Figure 9. Secondary Seal Ring Radial Displacement at 586000 n/m^2 at (85 psia) and 533 K (500 F) (Inconel x 750/Carbon G84)




Figure 10. Sleeve Total Radial Displacement From Free Position to Operation at 294 K (70 F) and 3351 rad/sec (32,000 rpm) With .0000025 m (.0001-Inch) Radial Interference




Figure 11. Sleeve Total Radial Displacement From Free Position to Operation at 294 K (70 F) and 3351 rad/sec (32,000 rpm) With .000012 m (.0005-Inch) Radial Interference




Figure 12. Sleeve Total Radial Displacement From Free Position to Operation at 533 K (500 F) and 3351 rad/sec (32,000 rpm) With .0000025 m (.0001-Inch) Radial Interference




Figure 13. Sleeve Total Radial Displacement From Free Position to Operation at 533 K (500 F) and 3351 rad/sec (32,000 rpm) With .000012 m (.0005-Inch) Radial Interference

TABLE 2. RAYLEIGH STEP SEAL AND SLEEVE DIAMETERS,
DISPLACEMENT AND CLEARANCES-U.S. CUSTOMARY UNITS

| | PUMP END | | | | TURBINE END | | | |
|--|---------------------|--------|-------------------|--------|--------------------|--------|----------------------|--------|
| | (1) cw Secondary | | (2) cw Primary | | (3) ccw Primary | | (4) ccw Secondary | |
| | Max. | Min. | Max. | Min. | Max. | Min. | Max. | Min. |
| <u>FREE CONDITION</u> | | | | | | | | |
| Sleeve O.D. (in.) | 2.5373 | 2.5370 | 2.5373 | 2.5370 | 2.5373 | 2.5370 | 2.5373 | 2.7370 |
| <u>INSTALLED AMBIENT</u> | | | | | | | | |
| (a) Sleeve ID (in.) | .0009 | .002 | .001 | .0000 | .0006 | .0000 | .0008 | .0002 |
| Sleeve O.D. (in.) | 2.5382 | 2.5372 | 2.5374 | 2.5370 | 2.5373 | 2.5370 | 2.5381 | 2.5372 |
| Seal I.D. (in.) | 2.5402 | 2.5399 | 2.5405 | 2.5402 | 2.5405 | 2.5402 | 2.5402 | 2.5399 |
| Clearance Dia. (in.) | .0030 | .0017 | .0035 | .0028 | .0035 | .0029 | .0030 | .0018 |
| <u>OPERATING 70°F & 32000 RPM</u> | | | | | | | | |
| (b) Sleeve ID (in.) | .0011 | .0009 | .0008 | .0009 | .0009 | .0009 | .0012 | .0009 |
| Sleeve O.D. (in.) | 2.5384 | 2.5379 | 2.5382 | 2.5379 | 2.5382 | 2.5379 | 2.5385 | 2.5379 |
| (b) Seal ID (in.) | .0000 | .0000 | -.0005 | -.0005 | -.0005 | -.0005 | .0000 | .0000 |
| Seal I.D. (in.) | 2.5402 | 2.5399 | 2.5400 | 2.5397 | 2.5400 | 2.5397 | 2.5402 | 2.5399 |
| Clearance Dia. (in.) | .0023 | .0015 | .0021 | .0015 | .0021 | .0015 | .0023 | .0014 |
| <u>OPERATING 500°F & 32000 RPM</u> | | | | | | | | |
| (b) Sleeve ID (in.) | .0092 | .0087 | .0087 | .0087 | .0087 | .0087 | .0090 | .0087 |
| Sleeve O.D. (in.) | 2.5465 | 2.5457 | 2.5460 | 2.5457 | 2.5460 | 2.5457 | 2.5463 | 2.5457 |
| (b) Seal ID (in.) | .0085 | .0085 | .0081 | .0081 | .0081 | .0081 | .0085 | .0085 |
| Seal I.D. (in.) | 2.5487 | 2.5484 | 2.5486 | 2.5486 | 2.5486 | 2.5483 | 2.5487 | 2.5484 |
| Clearance Dia. (in.) | .0030 | .0019 | .0029 | .0023 | .0029 | .0023 | .0030 | .0021 |

(a) Diametral displacement from free position to installed position

(b) Diametral displacement from free position to operating condition

TABLE 3. RAYLEIGH STEP SEAL AND SLEEVE DIAMETERS,
DISPLACEMENTS AND CLEARANCES-SI UNITS

| | PUMP END | | | | TURBINE END | | | |
|---|----------------------|-----------|-------------------|-----------|--------------------|-----------|----------------------|-----------|
| | (1) ccw Secondary | | (2) cw Primary | | (3) ccw Primary | | (4) ccw Secondary | |
| | Max. | Min. | Max. | Min. | Max. | Min. | Max. | Min. |
| FREE CONDITION | | | | | | | | |
| Sleeve O.D. (m.) | .06444742 | .0644398 | .06444742 | .0644398 | .06444742 | .0644398 | .06444742 | .0644398 |
| INSTALLED AMBIENT | | | | | | | | |
| (a) Sleeve ID (m.) | .000022 | .000005 | .000002 | .0000 | .0000 | .0000 | .000020 | .000005 |
| Sleeve O.D. (m.) | .06447028 | .06444488 | .06444996 | .0644398 | .06444742 | .0644398 | .06446774 | .06444488 |
| Seal I.D. (m.) | .06452108 | .06451346 | .00163902898 | .06452108 | .00163902898 | .06452108 | .06452108 | .06451346 |
| Clearance Dia. (m.) | .0000762 | .00004318 | .0000889 | .00007112 | .0000889 | .00007366 | .0000762 | .00004572 |
| OPERATING 294K 32000 RPM | | | | | | | | |
| (b) Sleeve ID (m.) | .00002794 | .000022 | .000022 | .000022 | .000022 | .000022 | .00003048 | .000022 |
| Sleeve O.D. (m.) | .06447536 | .06446266 | .06447028 | .06446266 | .06447028 | .06446266 | .0644779 | .06446266 |
| (b) Seal ID (m.) | .0000 | .0000 | -.0000127 | -.0000127 | -.0000127 | -.0000127 | .0000 | .0000 |
| Seal I.D. (m.) | .064652108 | .06451346 | .064516 | .06450838 | .064516 | .06450838 | .06451346 | .06451346 |
| Clearance Dia. (m.) | .00005842 | .0000381 | .00005334 | .0000381 | .00005334 | .0000381 | .00005842 | .00003556 |
| OPERATING 533K & 32000 RPM | | | | | | | | |
| (b) Sleeve ID (m.) | .00023368 | .00022098 | .00022098 | .00022098 | .00022098 | .00022098 | .0002286 | .00022098 |
| Sleeve O.D. (m.) | .0646811 | .06466078 | .0646684 | .06466078 | .0646684 | .06466078 | .06467602 | .06466078 |
| (b) Seal ID (m.) | .0002159 | .0002159 | .00020574 | .00020574 | .00020574 | .00020574 | .0002159 | .0002159 |
| Seal I.D. (m.) | .06473698 | .06447536 | .06473444 | .06473444 | .06473444 | .06472682 | .06473698 | .06447536 |
| Clearance Dia. (m.) | .0000762 | .00004826 | .00007366 | .00005842 | .00007366 | .00005842 | .00004826 | .00005334 |

(a) Diametral displacement from free position to installed position
(b) Diametral displacement from free position to operating condition

ORIGINAL PAGE IS
OF POOR QUALITY

Seal diameters were established based on the final finite element analysis to provide a nominal diametral clearance of .00005 m (.0020 in.). The same seal design was used for both the 294K (70 F) and 533K (500 F) tests. The same seal diameters were used for the cw (pump end) and ccw (turbine end) positions.

LEAKAGE AND PRESSURE PROFILE ANALYSIS

Gaseous nitrogen leakage rate at 533K (500 F) and 27580000 n/m² (4000 psia) was calculated using conventional isentropic compressible flow data and the NASA program for quasi-one-dimensional compressible flow with friction and parallel films (Ref 2). The two methods agree within 6.4% using an entrance loss coefficient of .6, and a radial gap or film thickness of .00005 m (.002 in.). The results are given below and in Fig. 14 and 15.

| | <u>Primary</u> | <u>Secondary</u> |
|--------------------------------|----------------|------------------|
| Isentropic Leakage SCMM (SCFM) | 15.06 (532) | .320 (11.3) |
| QUASC Leakage SCMM (SCFM) | 14.16 (500) | .303 (10.7) |

Secondary seal leakage was computed using the primary seal drain pressure or secondary seal upstream pressure 586075 n/m² (85 psia) which would result from the relative flow areas of the primary drain and secondary seal.

The sealing interface pressure distribution was computed using the NASA program for quasi-one-dimensional compressible flow (Fig. 16 and 17). A loss coefficient of .6, and a film thickness of .00005 m (.002 in.) were assumed. The pressure profiles were used for the seal ring stress and deflection calculations.

HYDROSTATIC TAPERED BORE

The convergent tapered bore seal ring produces a hydrostatic pressure centering force to center the seal ring without rubbing contact. This hydrostatic force is developed by the pressure differential across the seal and is a function of the clearance. Variation of the pressure profile with the clearance gap results in an unbalanced radial force. The radial force is higher for smaller gaps and lower for larger gaps; therefore, as the seal ring eccentricity increases, the unbalanced radial force on the side approaching rubbing contact causes the ring to be pushed back toward center. The seal ring will seek an equilibrium position where the clearance gap is constant.

The tapered bore analysis was performed by NASA using the methods described in Ref. 3. The analysis assumes the following:

1. Perfect gas
2. Eccentricity is small compared to the clearance




Figure 14. Rayleigh Step Primary Seal Calculated GN₂ Leakage




Figure 15. Rayleigh Step Secondary Seal Calculated GN₂ Leakage

ORIGINAL PAGE IS
OF POOR QUALITY




Figure 16. Rayleigh Step Primary Seal Dam Pressure Profile




Figure 17. Rayleigh Step Secondary Seal Dam Pressure Profile

3. No rotational effects
4. Fluid flow is one-dimensional in axial direction
5. Constant friction factor

The analysis procedure used was to calculate the pressure distribution along an axial element of the seal ring and determine total centering force by integrating over the tapered bore area. The solution with the assumed conditions is the same as that for flow between flat plates. The solution can also be expressed in terms of the radial stiffness or spring rate of the fluid film in the clearance gap of the tapered bore. Analysis procedures were implemented on a digital computer for solution. A detail design of the tapered bore seal rings is shown in Fig. 18 and 19.

The amount of taper or ratio of the inlet clearance to the outlet clearance (Fig. 20) was optimized to maximize the ratio of fluid film stiffness to seal leakage. The optimization results in a film stiffness only slightly less than maximum, while reducing leakage. The optimum clearance ratio is 1.8 for both the primary and secondary seals. The relationship of radial fluid film stiffness to the seal clearance ratio is shown in Fig. 21 for the primary seal and in Fig. 22 for the secondary seal.

The leakage for a tapered seal is approximately 27% higher at a clearance ratio of 1.8 compared to the leakage through a straight bore seal.² The theoretical gaseous nitrogen leakage on the primary seal at 24132599 n/m^2 (3500 psia) and 533K (500 F) is .599 kg/sec (1.32 lb/sec). Secondary seal leakage as a function of the clearance ratio is shown in Fig. 23.

The seal ring materials were changed on the tapered bore seal to provide for a maximum temperature of 811K (1000 F). The metal retainer band was changed from Inconel 750 to Inconel 903 due to its lower thermal expansion rate. The carbon material was changed from G84 to P5N due to its higher temperature resistance. The lower thermal expansion of the retainer band is required to prevent loss of the interference fit at higher temperature.

The primary seal ring small-end clearance was established to provide a minimum of .00005 m (.002 in.) diametral clearance at operating conditions of 26201000 n/m^2 (3800 psia) and 533K (500 F). The diametral deflections are plus .000111 m (.0044 in.) due to temperature and minus .000078 m (.0031 in.) due to pressure. The shaft sleeve growth due to temperature and speed is .000228 m (.0090 in.); therefore, the total diametral clearance differential at operating conditions is minus .000195 m (.0077 in.). The ambient installed diametral clearance on the small end is .000246 m to .000261 m (.0097 to .0103 in.)

Secondary seal ring clearance and deflection are the same as the primary, except the pressure deflection is negligible due to the lower pressure, 965300 n/m^2 (140 psia). The total diametral clearance differential at operating conditions




Figure 18. Tapered Bore Primary Seal Ring




Figure 19. Tapered Bore Secondary Seal Ring

$$H = \frac{h_1}{h_2} \text{ (CLEARANCE RATIO)}$$




Figure 20. Tapered Bore Seal Nomenclature




Figure 21. Tapered Bore Primary Seal Clearance Ratio vs Radial Stiffness




Figure 22. Tapered Bore Secondary Seal Clearance Ratio vs Radial Stiffness




Figure 23. Tapered Bore Secondary Seal Leakage vs Clearance Ratio

is minus .000116 m (.0046 in.). The ambient installed diametral clearance on the small end is .000170 to .000185 m (.0067 to .0073 in.).

The seal ring nominal taper was established at .00005 m (.002 in.) diametral to provide a minimum of .000101 m (.004 in.) diametral operating clearance on the large end (high-pressure side). Nominal taper is based on the large end clearance being 1.8 times the small end operating clearance. The clearance ratio varies from 1.5 to 2.3. The seal clearances are summarized in Table 4.

The axial sealing surface of the seal rings was modified to add bearing support pads (Fig. 18). The pads share the axial load to reduce wear on the axial sealing dam.

A comparison of the hydrostatic centering force to the radial friction force indicates that the hydrostatic centering force exceeds the radial friction force by a significant margin; therefore, rubbing contact is not required to center the seal ring during steady-state operation. The tapered bore seal ring hydrostatic centering and radial friction forces are given below:

| TAPERED BORE SEAL RING FORCES-N(LB) | | |
|-------------------------------------|------------|-------------|
| | PRIMARY | SECONDARY |
| HYDROSTATIC CENTERING | 1659 (373) | 60.0 (13.5) |
| RADIAL FRICTION | 827 (186) | 31.1 (7.0) |

TABLE 4. TAPERED BORE SEAL DESIGN CLEARANCE SUMMARY

| | PRIMARY* | | SECONDARY* | |
|-----------------------------------|-----------------|-----------------|-----------------|-----------------|
| | MAX | MIN | MAX | MIN |
| INSTALLED | | | | |
| INLET | .000312 (.0123) | .000297 (.0117) | .000236 (.0093) | .000220 (.0087) |
| OUTLET | .000261 (.0103) | .000246 (.0097) | .000185 (.0073) | .000170 (.0067) |
| OPERATING | | | | |
| INLET | .000116 (.0046) | .000101 (.0040) | .000119 (.0047) | .000104 (.0041) |
| OUTLET | .000066 (.0026) | .000050 (.0020) | .000068 (.0027) | .000053 (.0021) |
| CLEARANCE RATIO (INLET/OUTLET) | 2.3 | 1.54 | 2.24 | 1.52 |
| *DIAMETRAL CLEARANCE-M (IN.) | | | | |

TEST FACILITY

Seal testing was accomplished at Rockwell International Rocketdyne Division, Engineering Development Laboratory rotatory test facility No. 1 (Fig. 24 and 25). Capabilities include 18.92m³ (500 gal) pressurized gaseous nitrogen feed tank with a 51.09 m³ (13,500 gal) liquid nitrogen storage. Maximum steady state flow was .0592 m³/min (15.65gpm). A schematic of the seal test setup is shown on Figure 26.

Gaseous nitrogen was supplied to the tester from the feed tank by a pump producing an overall 41368543 n/m² (6000 psi) pressure system. All gaseous nitrogen flow was directed to the primary seal cavity common to both sets of seals. Inlet pressure was regulated at start by a manually controlled mechanical valve. Maximum pressure 24131650 n/m² (3500 psi) was achieved at start in under 10 seconds. The gaseous nitrogen temperature was achieved by feeding into a parallel flow heat exchanger regulated by a preset feedback system. Shaft speed was established by a 223800 KW (300 HP) D.C. electric dynamometer amplified by a 10-1 ratio gearbox. Acceleration and deceleration was manually controlled. The acceleration rate averaged approximately 314 rad/sec² (3000 rpm/sec).

A hot gaseous nitrogen purge was used before each acceleration test to insure proper system temperature during actual running. Purge gas was supplied through the regular plumbing, to the common primary seal cavity.




Figure 24. Rotatory Test Facility No. 1 Instrumentation Panel

ORIGINAL PAGE IS
OF POOR QUALITY




Figure 25. Rotatory Test Facility No. 1




Figure 26. Turbine Seal Test Schematic

TEST HARDWARE

TESTER

The seal tester (Fig. 27) was designed and fabricated on a previous program for testing similar seals. The tester is designed to simulate the shaft dynamics of a turbopump. Simulated masses are located on the shaft to duplicate the turbopump critical speed and shaft deflection. Displacement transducers are located at each simulated mass. The actual turbopump bearings and bearing arrangements are used. The bearings are lubricated with oil and separated from the test seals with a face type oil seal.

Two test seals are installed back to back to provide a common high-pressure cavity for the hot gas. Atmospheric drains are provided between the primary and secondary rings and downstream of the secondary ring on each seal. The drains are equipped with instrumentation to measure pressure, temperature, and leakage. The drain area is sized to simulate the drains on a turbopump to duplicate the flow resistance.

SEALS

The Rayleigh step seal rings used in the initial phase of the test program are shown in Fig. 28 and 29. The tapered bore seal rings used in the final phase are shown in Fig. 30 and 31.




Figure 27. Turbine Seal Tester RS005100X




Figure 28. Rayleigh Step Primary Seal Ring (New)




Figure 29. Rayleigh Step Secondary Seal Ring (New)




Figure 30. Tapered Bore Primary Seal Ring (New)




Figure 31. Tapered Bore Secondary Seal Ring (New)

ORIGINAL PAGE IS
OF POOR QUALITY

TEST REQUIREMENTS

PROCEDURES

The test program consisted of preliminary checkout testing, hot gas nitrogen testing, and hot gaseous nitrogen acceleration testing. During checkout testing, one set of two seals was exposed to ambient nitrogen gas at progressively higher pressures in 3447378 n/m^2 (500 psi) increments from 1723689 to 25855339 n/m^2 (250 to 3750 psia). Shaft speed was set at 33511 rad/sec (32000 rpm). Total test time for this phase was to be 12 starts for 30 minutes and four inspections.

Hot gaseous nitrogen testing consisted of exposing two sets of seals to 449 to 533K (350 to 500 F) nitrogen gas at eight pressure increments of 3447378 n/m^2 (500 psi) for 2.5 minutes each from 3447378 to 25855339 n/m^2 (500 to 3750 psi). Shaft speed to be steady at 3351 rad/sec (32,000 rpm). Total test time was to be 20 minutes with an inspection after every 10 minutes run time.

Hot gaseous nitrogen acceleration testing consisted of exposing two sets of two seals to hot gas for 7.5 hours (180 starts) each. Total test time would then be 360 starts for 15 hours. The shaft speed was ramped to 3351 rad/sec (32,000 rpm) in 10 seconds or less. The seal pressure was increased from 344737 to 24131650 n/m^2 (50 to 3500 psia). During the same period, the hot gas temperature was 533K (500 F) at start and gradually decayed to approximately 338K (150 F) at cutoff due to limited capacity of heat exchanger.

Inspection of the seals was scheduled for all new hardware and after four starts for 10 minutes and eight starts for 20 minutes during checkout testing. Inspection for acceleration testing was scheduled after every 60 starts for 150 minutes or when circumstances deemed inspection necessary.

Pretest procedures involved manually measuring the eccentricity of the rotating shaft and balancing accordingly using an adjustable counter weight on the end of the shaft. Displacement transducers were then placed on the shaft in lieu of the seals and the shaft eccentricity was monitored and measured at 314 rad/sec (3000 rpm) and 3036 rad/sec (29,000 rpm). A peak-to-peak maximum deflection of $.0000635 \text{ m}$ (0.0025 in.) was allowed. If this limit was exceeded, the counter weight would be repositioned and displacement measurements retaken. Upon installation, the shaft sleeve O.D. and the shaft sleeve extension beyond the end of the shaft was measured and recorded. Post test procedures involved an inspection of the seal hardware consisting of measuring dam heights, pad depths surface profile traces of the seal inner bore, the shaft sleeve surface and other pertinent data by surface profile traces and manual equipment.

INSTRUMENTATION

Instrumentation requirements, including redline limits, are listed in Table 5. Data were recorded continuously on direct inking graphic recorder charts. Location of the instrumentation taps is shown in Fig. 32.

TABLE 5. INSTRUMENTATION REQUIREMENTS

| PRESSURES - n/m^2 (PSIA) | RANGE | REDLINE | RECORDER |
|--|-------------------|-------------------------|----------|
| P1 INLET | 0-41368543(0-600) | 29302718(4250) MAX | (1) (2) |
| P2 INTERMEDIATE CAVITY A | 0-4136854(0-600) | 8447378(500) MAX | (1) |
| P3 INTERMEDIATE CAVITY B | 0-4136854(0-600) | 8447378(500) MAX | (1) |
| P4 DRAIN CAVITY A | 0-2068427(0-300) | - | (1) |
| P5 DRAIN CAVITY B | 0-2068427(0-300) | 689475(100) MAX | (1) |
| P6 NOZZLE IN PRI A | 0-2068427(0-300) | - | (1) (2) |
| P7 NOZZLE IN PRI B | 0-2068427(0-300) | - | (1) (2) |
| P8 NOZZLE IN SEC A | 0-689475(0-100) | - | (1) (2) |
| P9 NOZZLE IN SEC B | 0-689475(0-100) | - | (1) (2) |
| P10 2ND NOZZLE IN SEC B | 0-1034213(0-150) | 206842(300) MAX | (1) |
| TEMPERATURES - K(F) | | | |
| T1 INLET | 294-533(70-500) | 450 (350) MAX | (1) |
| T2 NOZZLE IN PRI A | 294-533(70-500) | - | (1) |
| T3 NOZZLE IN PRI B | 294-533(70-500) | - | (1) |
| T4 NOZZLE IN SEC A | 294-533(70-500) | - | (1) |
| T5 NOZZLE IN SEC B | 294-533(70-500) | - | (1) |
| DISPLACEMENT TRANSDUCERS m(IN.) T.I.R | | | |
| D1 TURBINE MASS POSITION 1 | 0-.00254(0-.01) | .0001524(.006) T.I.R. | (2) (3) |
| D2 TURBINE MASS POSITION 2 | 0-.00254(0-.01) | .0001524(.006) T.I.R. | (2) (3) |
| S1 SPEED RAD/SEC (RPM) | 0-4188.8(0-40000) | 3665.2(35000) MAX | (1) (2) |
| A1 ACCELEROMETER(GRMS) | 0-10 | 10 MAX OR ABRUPT CHANGE | (2) (3) |

- (1) BRUSH RECORDER CONTINUOUS DURING TEST
(2) MAGNETIC TAPE DURING START AND STOP TRANSIENTS
(3) MONITORED ON OSCILLOSCOPE CONTINUOUS DURING TEST




Figure 32. Instrumentation Location

Seal leakage measurements were recorded with a calibrated orifice differential pressure measurement. Seal cavity pressures and temperatures were obtained through the use of calibrated transducers and thermocouples. Two Bentlys displacement transducers, installed on the turbine end of the shaft in place of the seals, were used to check the shaft displacement at the test speed prior to acceleration testing. System vibration was monitored by an accelerometer positioned directly above the turbine end bearings. Displacement measurements were observed and recorded with an oscilloscope used in conjunction with a camera and recorded on high-frequency tape. These data were analyzed to ensure that shaft deflections were within operating limits.

Upon each installation of new hardware, a series of static (no rotation) pressure tests using existing seal instrumentation were performed. The data obtained were analyzed to determine if seal hardware and/or installation were faulty, as well as a basis for seal leakage data analysis.

TEST SCHEDULE I PRELIMINARY CHECKOUT

Preliminary checkout tests will be performed on four seals (2 of each part number) at room temperature with gaseous nitrogen. Test points, conditions, and inspection points per seal are as follows:

| TEST POINT NUMBER | SHAFT SPEED, RAD/SEC (RPM) | SEAL PRESSURE, N/M ² (PSIG) | DURATION, (MINUTES) |
|-------------------|----------------------------|--|---------------------|
| 1 | 3351 (32000) | 1723689 (250) | 2.5 |
| 2 | 3351 (32000) | 3447378 (500) | 2.5 |
| 3 | 3351 (32000) | 6894757 (1000) | 2.5 |
| INSPECT | | | |
| 4 | 3351 (32000) | 6894757 (1000) | 2.5 |
| 5 | 3351 (32000) | 10342135 (1500) | 2.5 |
| 6 | 3351 (32000) | 13789514 (2000) | 2.5 |
| INSPECT SEAL | | | |
| 7 | 3351 (32000) | 13789514 (2000) | 2.5 |
| 8 | 3351 (32000) | 17236893 (2500) | 2.5 |
| 9 | 3351 (32000) | 20684271 (3000) | 2.5 |
| INSPECT SEAL | | | |
| 10 | 3351 (32000) | 20684271 (3000) | 2.5 |
| 11 | 3351 (32000) | 24131650 (3500) | 2.5 |
| 12 | 3351 (32000) | 25855339 (3750) | 2.5 |
| INSPECT SEAL | | | |

TEST SCHEDULE II HOT GASEOUS NITROGEN TESTING

Hot-gas test runs will be performed on four seals (2 of each part number) using gaseous nitrogen at 533K (500 F). Test points, conditions, and inspection points per seal are as follows:

| TEST POINT NUMBER | SHAFT SPEED RAD/SEC (RPM) | GAS TEMPERATURE K (F) | SEAL PRESSURE N/M ² (PSIG) | DURATION MINUTES |
|-------------------|---------------------------|-----------------------|---------------------------------------|------------------|
| 1 | 3351 (32000) | 533 (500) | 3447378 (500) | 2.5 |
| 2 | 3351 (32000) | 533 (500) | 6894757 (1000) | 2.5 |
| 3 | 3351 (32000) | 533 (500) | 10342135 (1500) | 2.5 |
| 4 | 3351 (32000) | 533 (500) | 13789514 (2000) | 2.5 |
| INSPECT SEAL | | | | |
| 5 | 3351 (32000) | 533 (500) | 17236893 (2500) | 2.5 |
| 6 | 3351 (32000) | 533 (500) | 20684271 (3000) | 2.5 |
| 7 | 3351 (32000) | 533 (500) | 24131650 (3500) | 2.5 |
| 8 | 3351 (32000) | 533 (500) | 25855339 (3750) | 2.5 |
| INSPECT SEAL | | | | |

TEST SCHEDULE III HOT GASEOUS NITROGEN ACCELERATION TESTING

Hot-gas acceleration test runs will be performed on four seals (2 of each part number) using gaseous nitrogen 533K (500 F). The following test conditions will be maintained until a total of 240 starts have been accumulated with a total test time of 7.5 hours per seal. The shaft speed and seal pressure shall be ramped from zero to the specified test condition in 10 seconds or less.

| SHAFT SPEED RAD/SEC (RPM) | SEAL PRESSURE N/M ² (PSIG) | GAS TEMPERATURE K (F) | DURATION (MINUTES) |
|---------------------------|---------------------------------------|-----------------------|--------------------|
| 3351 (0 to 32,000) | 24131650 (0 to 3500) | 533 (500) | 2.5 |

Inspect seal at 2.5 hour intervals (four inspections required).

RESULTS AND DISCUSSION

TEST SUMMARY

The test summary is given in Table 6.

HARDWARE SUMMARY

The hardware summary is given in Table 7.

INSPECTION SUMMARY

The Rayleigh step seal inspection summary is given in Table 8 for U.S. Customary units and Table 9 for SI units.

The tapered bore seal inspection summary is given in Table 10 for U.S. Customary units and Table 11 for SI units.

DATA SUMMARY

The test data summary is given in Table 12 for English units and Table 13 for SI units.

TESTER SHAFT DEFLECTION CHECKOUT TESTING

The initial tester shaft deflection tests measuring the runout at the turbine seal location indicated excessive deflection. The displacement transducer at the seal location did not record; however, the transducer at the turbine wheel location indicated .0004318 m (.017 in.) peak to peak deflection. Investigation indicated that the most probable cause of the excessive deflection was the tooling sleeve used with the displacement transducers. The sleeve has a loose fit on the shaft which could allow the sleeve to be slightly eccentric. The resulting unbalance of the rotating assembly would cause excessive deflection.

The tooling sleeve was replaced with an actual test sleeve which was reworked to add a calibration notch for the displacement transducer. The test sleeve has a press fit to the shaft to maintain concentricity. Smaller displacement transducers were used to allow the same sleeve to be utilized for seal testing. The tester was rebuilt and the shaft deflection testing with the actual test sleeve prior to installing the test seals was completed. The sleeve runout was .0009254 m (.001 in.) peak to peak at 31.4 rad/sec (300 rpm). The final sleeve runout after balance was .0000254 m (.001 in.) peak to peak at 733 rad/sec (7000 rpm) and .0000361 m (.0015 in.) peak to peak at 3193 rad/sec (30500 rpm). The final wheel runout was .0000762 m (.003 in.) peak to peak at 3193 rad/sec (30500 rpm).

The wheel runout will be used as an indication of the seal sleeve runout during the seal testing. The ratio of the wheel runout to the sleeve runout is 2 to 1. The sleeve runout during acceleration through the critical speed transient was .0001016 to .0001524 m (.004 to .006 in.) peak to peak for a period of

TABLE 6. SEAL TEST SUMMARY

| BUILD NO. | TESTS | STARTS | TIME, MINUTES | OBJECTIVE | SEAL HARDWARE | | | |
|-----------|---------|--------|---------------|--|--|--|--------------------------------------|---|
| | | | | | PUMP END | TURBINE END | WATING RING SLEEVE | |
| 1 | 001-003 | 3 | 7.5 | PRELIMINARY CHECKOUT AMBIENT GR ₂ 3351.04 RAD/SEC (32,000 RPM), 1723649.3, 3447378.6, 6094757.2 R/W ² (250, 500, 1000 PSIG) | RAYLEIGH STEP, NEW, PRIMARY: P/N 999S010302 S/N 02 SECONDARY: P/N 999S010304 S/N 01 | RAYLEIGH STEP, NEW, PRIMARY: P/N 999S010303 S/N 01 SECONDARY: P/N 999S010305 S/N 01 | NEW - P/N 950050929 S/N 01 | SCHEDULED INSPECTION; SEAL PERFORMANCE SATISFACTORY; SEAL CONDITION FAIR; LIFT PADS WORN OFF ON TURBINE END PRIMARY AND PUMP END SECONDARY SEAL RINGS; TURBINE END PRIMARY INSTALLED BALDWARDS |
| 2 | 004-006 | 3 | 6.75 | PRELIMINARY CHECKOUT AMBIENT GR ₂ 3351.04 RAD/SEC (32,000 RPM), 6094757.2, 10342135.3, 13789514.4 R/W ² (1000, 1500, 2000 PSIG) | RAYLEIGH STEP, SAME AS BUILD 1 | RAYLEIGH STEP, SAME AS BUILD 1 | SAME AS BUILD 1 | TEST 006 CUT DUE TO SUDDEN SPEED DROP; SEAL PERFORMANCE SATISFACTORY; SEAL CONDITION FAIR; SLIGHT ADDITIONAL WEAR |
| 3 | 007-009 | 3 | 7.5 | PRELIMINARY CHECKOUT AMBIENT GR ₂ 3351.04 RAD/SEC (32,000 RPM), 13789514.4, 17236493, 20684271.6 R/W ² (2000, 2500, 3000 PSIG) | RAYLEIGH STEP, SAME AS BUILD 2 | RAYLEIGH STEP, SAME AS BUILD 2 | SAME AS BUILD 2 | SCHEDULED INSPECTION; SEAL PERFORMANCE SATISFACTORY; SEAL CONDITION FAIR; LIFT PADS WORN OFF ON TURBINE END PRIMARY AND SECONDARY AND PUMP END SECONDARY SEAL RINGS |
| 4 | 010-012 | 3 | 7.5 | PRELIMINARY CHECKOUT AMBIENT GR ₂ 3351.04 RAD/SEC (32,000 RPM), 1867444.44, 20684271.6, 221684271.6 R/W ² (2700, 3000, 3700 PSIG) | RAYLEIGH STEP, SAME AS BUILD 3 | RAYLEIGH STEP, SAME AS BUILD 3 | SAME AS BUILD 3 | COMPLETED PRELIMINARY CHECKOUT; SEAL PERFORMANCE SATISFACTORY; SEAL CONDITION POOR; LIFT PADS WORN OFF ON ALL SEAL RINGS; SOME EROSION ON LEADING EDGE OF SEALING DAMS; EXCESSIVE SHAFT RADIAL DEFLECTION NOTICED |
| 5 | 013-016 | 4 | 10 | HOT GR ₂ TESTING: 533.15 R (500 F) GR ₂ , 3351.04 RAD/SEC (32,000 RPM), 3447378.6, 6094757.2, 10342135.3, 13789514.4 R/W ² (500, 1000, 1500, 2000 PSIG) | RAYLEIGH STEP, NEW, PRIMARY: S/N 04 SECONDARY: S/N 04 | RAYLEIGH STEP, NEW, PRIMARY: S/N 05 SECONDARY: S/N 05 | NEW - S/N 02 | SCHEDULED INSPECTION; SEAL PERFORMANCE SATISFACTORY; SEAL CONDITION GOOD/FAIR; LIFT PADS WORN OFF ON TURBINE END SECONDARY SEAL, OTHER WEAR NEGLIGIBLE; EXCESSIVE SHAFT RADIAL DISPLACEMENT NOTICED |
| 6 | 017-020 | 4 | 10 | HOT GR ₂ TESTING: 533.15 R (500 F) GR ₂ , 3351.04 RAD/SEC (32,000 RPM), 3220444.44, 20684271.6, 24131650.2, 26027700.42 R/W ² (2500, 3000, 3500, 3775 PSIG) | RAYLEIGH STEP, SAME AS BUILD 5 | RAYLEIGH STEP, SAME AS BUILD 5 | SAME AS BUILD 5 | COMPLETED HOT GR ₂ TESTING; SEAL PERFORMANCE SATISFACTORY; SEAL CONDITION GOOD/FAIR; NO SIGNIFICANT ADDITIONAL WEAR; UPSTREAM EDGE OF TURBINE END PRIMARY RING SEALING DAM ERODED DUE TO HIGH VELOCITY GAS LEAKAGE; ASSEMBLY AND BALANCE PROCEDURES REVISED TO ELIMINATE EXCESSIVE SHAFT RADIAL DISPLACEMENT |
| 7 | 021-029 | 9 | 29.15 | HOT GR ₂ ACCELERATION TESTING, 533.15 R (500 F) GR ₂ ; 3351.04 RAD/SEC (32,000 RPM), 25510601.64 R/W ² (3700 PSIG) | RAYLEIGH STEP, NEW, PRIMARY: S/N 05 SECONDARY: S/N 05 | RAYLEIGH STEP, PRIMARY: S/N 05 SECONDARY: S/N 04 | NEW - S/N 03 | INSPECTION DUE TO HIGH LEAKAGE AND DRAIN CAVITY PRESSURES; SEAL CONDITION FAIR; LIFT PADS WORN AWAY ON TURBINE END SECONDARY SEAL RING; TURBINE END PRIMARY RING SEALING DAM ERODED AXIALLY AND CHIPPED ON UPSTREAM EDGE |
| 8 | 030-080 | 51 | 121 | HOT GR ₂ ACCELERATION TESTING, 533.15 R (500 F) GR ₂ ; 3351.04 RAD/SEC (32,000 RPM), 25510601.64 R/W ² (3700 PSIG) | RAYLEIGH STEP, SAME AS BUILD 7 | RAYLEIGH STEP, SAME AS BUILD 7 | SAME AS BUILD 7 | SCHEDULED INSPECTION; SEAL PERFORMANCE SATISFACTORY; SEAL CONDITION FAIR; SOME ADDITIONAL LIFT PAD WEAR; CONTINUED EROSION OF TURBINE END PRIMARY SEAL RING SEALING DAM |
| 9 | 081-107 | 27 | 71.97 | HOT GR ₂ ACCELERATION TESTING, 533.15 R (500 F) GR ₂ ; 3351.04 RAD/SEC (32,000 RPM), 25510601.64 R/W ² (32,000 RPM) | RAYLEIGH STEP, SAME AS BUILD 8 | RAYLEIGH STEP, SAME AS BUILD 8 | SAME AS BUILD 8 | INSPECTION DUE TO SUDDEN INCREASE IN ALL DRAIN CAVITY PRESSURES; TURBINE END PRIMARY SEAL RING SEALING DAM FRAGMENTED AROUND CIRCUMFERENCE; LIFT PADS WORN OFF ON TURBINE END SEALS; RAYLEIGH STEP TESTING DISCONTINUED |
| 10 | 108-111 | 4 | 10 | HOT GR ₂ TESTING: 533.15 R (500 F) GR ₂ , 3036.04 RAD/SEC (29,000 RPM), 3447378.6, 6094757.2, 10342135.3, 13789514.4 R/W ² (800, 1000, 1500, 2000 PSIG) | TAPERED BORE, NEW, PRIMARY: P/N 770011525 S/N 047906 SECONDARY: P/N 770011526 S/N 047902 | TAPERED BORE, NEW, PRIMARY: P/N 770011525 S/N 047901 SECONDARY: P/N 770011526 S/N 047901 | NEW - P/N 950050929-005 S/N 04 | COMPLETED HOT GR ₂ TESTING; SEAL PERFORMANCE SATISFACTORY; SEAL CONDITION GOOD |

TABLE 6. (Concluded)

| BUILD NO. | TESTS | STARTS | TIME, HOURS | OBJECTIVE | SEAL HARDWARE | | | |
|-----------|---------|--------|-------------|---|---|---|-------------------------|--|
| | | | | | PUMP END | TURBINE END | WATERING BEARING SLEEVE | |
| 11 | 112-115 | 4 | 11.1 | HOT GAS TESTING: 533.15 R (500 F) GAS, 3036 RB RAD/SEC (29,000 RPM), 1723689.1, 2004277.6, 2240746.9, 24131650.2 R/MP (2500, 3000, 3250, 3500 PSIG) | TAPERED BORE, SAME AS BUILD 10 | TAPERED BORE, SAME AS BUILD 10 | SAVE AS BUILD 10 | COMPLETED HOT GAS TESTING; SEAL PERFORMANCE SATISFACTORY; SEAL CONDITION GOOD WITH NEGLIGIBLE WEAR |
| 12 | 116-150 | 43 | 107.5 | HOT GAS ACCELERATION TESTING: 533.15 R (500 F) GAS, 3036 RB RAD/SEC (29,000 RPM), 24131650.2 R/MP (3500 PSIG) | TAPERED BORE, SAME AS BUILD 11 | TAPERED BORE, SAME AS BUILD 11 | SAVE AS BUILD 11 | BEARING FAILURE, SEAL PERFORMANCE SATISFACTORY PRIOR TO FAILURE, SEAL CONDITION GOOD WITH NEGLIGIBLE WEAR EXCEPT FOR TURBINE END SECONDARY SEAL, WHICH WAS BORN; WEAR MAY BE RESULT OF BEARING FAILURE |
| 13 | 159-210 | 80 | 150 | HOT GAS ACCELERATION TESTING: 533.15 R (500 F) GAS, 3036 RB RAD/SEC (29,000 RPM), 24131650.2 R/MP (3500 PSIG) | TAPERED BORE, NEW PRIMARY: S/N 047909 SECONDARY: S/N 047909 | TAPERED BORE, NEW PRIMARY: S/N 047907 SECONDARY: S/N 047907 | NEW - S/N 01 | SCHEDULED INSPECTION; SEAL PERFORMANCE SATISFACTORY; SEAL CONDITION GOOD WITH NEGLIGIBLE WEAR EXCEPT FOR SOME WEAR ON TURBINE END SECONDARY SEAL LIFT PAD |
| 14 | 219-270 | 60 | 150 | HOT GAS ACCELERATION TESTING: 533.15 R (500 F) GAS, 3036 RB RAD/SEC (29,000 RPM), 24131650.2 R/MP (3500 PSIG) | TAPERED BORE, SAME AS BUILD 13 | TAPERED BORE, SAME AS 13 | SAVE AS BUILD 13 | SCHEDULED INSPECTION; SEAL PERFORMANCE SATISFACTORY; SEAL CONDITION GOOD EXCEPT TURBINE END SECONDARY SEAL LIFT PAD WORN OFF AT ONE LOCATION |
| 15 | 279-297 | 19 | 47.5 | HOT GAS ACCELERATION TESTING: 533.15 R (500 F) GAS, 3036 RB RAD/SEC (29,000 RPM), 24131650.2 R/MP (3500 PSIG) | TAPERED BORE, SAME AS BUILD 14 | TAPERED BORE, SAME AS BUILD 14 | SAVE AS BUILD 14 | COMPLETED ACCELERATION TESTING ON FIRST SET OF SEALS; SEAL PERFORMANCE SATISFACTORY; SEAL CONDITION GOOD EXCEPT TURBINE END SECONDARY SEAL LIFT PAD WORN OFF; WEAR MAY BE RESULT OF SHAFT DEFLECTIONS AT TURBINE END |
| 16 | 298-357 | 60 | 150 | PRETEST STATIC STRESS CHECKOUT AND HOT GAS ACCELERATION TESTING: 533.15 R (500 F) GAS, 3036 RB RAD/SEC (29,000 RPM), 24131650.2 R/MP (3500 PSIG) | TAPERED BORE, NEW PRIMARY: S/N 05 SECONDARY: S/N 05 | TAPERED BORE, NEW PRIMARY: S/N 08 SECONDARY: S/N 08 | NEW - S/N 02 | SCHEDULED INSPECTION; SEAL PERFORMANCE SATISFACTORY; SEAL CONDITION GOOD EXCEPT FOR SOME WEAR ON THE TURBINE END SECONDARY SEAL RINGS |
| 17 | 358-417 | 60 | 150 | HOT GAS ACCELERATION TESTING: 533.15 R (500 F) GAS, 3036 RB RAD/SEC (29,000 RPM), 24131650.2 R/MP (3500 PSIG) | TAPERED BORE, SAME AS BUILD 16 | TAPERED BORE, SAME AS BUILD 16 | SAVE AS BUILD 16 | SCHEDULED INSPECTION; SEAL PERFORMANCE SATISFACTORY; SEAL CONDITION GOOD ON PRIMARY SEALS, FAIR ON SECONDARY SEALS |
| 18 | 418-421 | 4 | 10 | HOT GAS ACCELERATION TESTING: 533.15 R (500 F) GAS, 3036 RB RAD/SEC (29,000 RPM), 24131650.2 R/MP (3500 PSIG) | TAPERED BORE, SAME AS BUILD 17 | TAPERED BORE, SAME AS BUILD 17 | SAVE AS BUILD 17 | FACILITY LB; PUMP PROBLEM; SEAL PERFORMANCE SATISFACTORY; SEAL CONDITION GOOD ON PRIMARY SEALS, FAIR ON SECONDARY SEALS |
| 19 | 422-426 | 15 | 37.5 | HOT GAS ACCELERATION TESTING: 533.15 R (500 F) GAS, 3036 RB RAD/SEC (29,000 RPM), 24131650.2 R/MP (3500 PSIG) | TAPERED BORE, SAME AS BUILD 18 | TAPERED BORE, SAME AS BUILD 18 | SAVE AS BUILD 18 | FACILITY LB; PUMP PROBLEM; SEAL PERFORMANCE SATISFACTORY; SEAL CONDITION GOOD ON PRIMARY SEALS, FAIR ON SECONDARY SEALS |
| 20 | 437-477 | 41 | 102.5 | HOT GAS ACCELERATION TESTING: 533.15 R (500 F) GAS, 3036 RB RAD/SEC (29,000 RPM), 24131650.2 R/MP (3500 PSIG) | TAPERED BORE, SAME AS BUILD 19 | TAPERED BORE, SAME AS BUILD 19 | SAVE AS BUILD 19 | COMPLETED TESTING; SEAL PERFORMANCE SATISFACTORY; SEAL CONDITION GOOD ON PRIMARY SEALS, FAIR ON SECONDARY SEALS |

ORIGINAL PAGE IS OF POOR QUALITY

"Page missing from available version"

TABLE 7. (Continued)

| BUILD NO. | STARTS | TIME MIN. | PUMP END SEAL | | TURBINE END SEAL | | MATING RING PN SN | HARDWARE CONDITION | |
|-----------|--------|-----------|------------------|------------------|------------------|------------------|-------------------|--------------------|--|
| | | | PRIMARY PN SN | SECONDARY PN SN | PRIMARY PN SN | SECONDARY PN SN | | PRETEST | POST TEST |
| | | | 6 | 4 | 10 | 99RS010302 04 | | | |
| 7 | 9 | 29.15 | 99RS010302 05 | 99RS010304 05 | 99RS010303 05 | 99RS010305 04 | RS005092X 03 | NEW | PUMP END PRIMARY SEAL RING IN GOOD CONDITION WITH NEGLIGIBLE WEAR; TURBINE END PRIMARY SEALING DAM WAS CHIPPED AND WORN .000508 TO .000762 IN (.020 TO .030 IN.); TURBINE END SECONDARY LIFT PADS WORN AWAY AND CARBON BORE WORN .00013462 IN (.0053 IN.) TOTAL; PUMP END SECONDARY LIFT PADS WORN .00001016 IN (.0004 IN.) TOTAL; SHAFT SLEEVE IN GOOD CONDITION WITH NEGLIGIBLE WEAR |
| 8 | 51 | 121 | - | - | - | - | - | SAME AS BUILD 7 | PUMP END PRIMARY SEAL RING IN GOOD CONDITION WITH NEGLIGIBLE WEAR; TURBINE END PRIMARY SEALING DAM CHIPPED AND WORN, AND LIFT PADS WORN AWAY IN ONE PLACE; TURBINE END SECONDARY LIFT PADS WORN AWAY, AND CARBON BORE WORN .00013462 IN (.0053 IN.) TOTAL; PUMP END SECONDARY LIFT PADS WORN .00001016 IN (.0004 IN.) TOTAL; SHAFT SLEEVE IN GOOD CONDITION WITH NEGLIGIBLE WEAR |
| 9 | 27 | 71.97 | - | - | - | - | - | SAME AS BUILD 8 | TURBINE END PRIMARY SEALING DAM FRAGMENTED; CARBON BORE WORN .0039678 IN (.0157 IN.) TOTAL AND LIFT PADS WORN AWAY; TURBINE END SECONDARY SEAL AND PUMP END SECONDARY SEAL LIFT PADS WORN AWAY IN TWO PLACES AND CARBON BORE WORN .00012192 IN (.0048 IN.) TOTAL; SHAFT SLEEVE TURBINE END PRIMARY SURFACE WORN .0001651 TO .0002413 IN (.0065 TO .0095 IN.) |

TABLE 7. (Continued)

| BUILD NO. | STARTS | TIME MIN. | PUMP END SEAL | | TURBINE END SEAL | | MATING RING PN SN | HARDWARE CONDITION | |
|-----------|--------|-----------|---------------------|---------------------|---------------------|---------------------|--------------------|--|---|
| | | | PRIMARY PN SN | SECONDARY PN SN | PRIMARY PN SN | SECONDARY PN SN | | PRETEST | POST TEST |
| | | | | | | | | | |
| 10 | 4 | 10.0 | 7R0011525 047906 | 7R0011526 047902 | 7R0011525 047901 | 7R0011526 047901 | RS005092X-005 4 | NEW | SEAL RING AND SLEEVE IN GOOD CONDITION WITH NEGLIGIBLE WEAR, EXCEPT TURBINE END SECONDARY PAD WORN .00009390 IN (.0037 IN.) AT ONE POSITION |
| 11 | 4 | 11.1 | " | " | " | " | " | SAME AS BUILD 10 | GOOD CONDITION WITH NEGLIGIBLE WEAR, EXCEPT TURBINE END SECONDARY BEARING P.D WORN .00023114 IN (.0091 IN.) AT ONE POSITION AND CARBON ID WORN .00001524 TO .00006050 IN (.0006 TO .0027 IN.) ON OUTLET SIDE; TURBINE END SECONDARY SLEEVE SURFACE WORN .000006635 TO .000001524 IN (.000025 TO .000060 IN.) |
| 12 | 43 | 107.5 | " | " | " | " | " | SAME AS BUILD 11 | GOOD CONDITION WITH NEGLIGIBLE WEAR EXCEPT TURBINE END SECONDARY SEAL; BEARING PAD WORN ADDITIONAL .00030226 IN (.0119 IN.) FOR A TOTAL OF .0003937 IN (.0155 IN.); INLET DIAMETER WAS WORN .00027178 IN (.0107 IN.); THE OUTLET DIAMETER WAS WORN .0002464 IN (.0097 IN.); SHAFT SLEEVE SURFACE WAS WORN .00000381 TO .00000762 IN (.00015 TO .0003 IN.); WEAR MAY BE RESULT OF TESTER FAILURE |
| 13 | 60 | 150 | 7R0011525 047909 | 7R0011526 047909 | 7R0011525 074907 | 7R0011526 047907 | RS005092X-005 1 | NEW SEAL RINGS AND SHAFT SEAL SLEEVE; SAME HOUSING AS BUILD 12 | GOOD CONDITION WITH NEGLIGIBLE WEAR EXCEPT TURBINE END SECONDARY SEAL; BEARING PAD WORN .00039116 IN (.0154 IN.) CARBON ID WORN .0001905 IN (.0075 IN.) AT INLET AND .00014904 IN (.0059 IN.) AT INLET; CARBON CHIPPED AT THE OUTLET EDGE; SHAFT SLEEVE WORN .000003048 IN (.00012 IN.) |
| 14 | 60 | 150 | " | " | " | " | " | SAME AS BUILD 13 | GOOD CONDITION WITH NEGLIGIBLE WEAR EXCEPT TURBINE END SECONDARY SEAL; AXIAL DAM AND BEARING PAD WORN .001044 IN (.0411 IN.) AT OUTLET AND .0009652 IN (.0380 IN.) AT INLET; SHAFT SLEEVE WORN .00003556 IN (.0014 IN.) |

TABLE 7. (Continued)

| BUILD NO. | STARTS | TIME MIN. | PUMP END SEAL | | TURBINE END SEAL | | MATING RING PN SN | HARDWARE CONDITION | |
|-----------|--------|-----------|---------------------|---------------------|---------------------|---------------------|--------------------|--------------------|--|
| | | | PRIMARY PN SN | SECONDARY PN SN | PRIMARY PN SN | SECONDARY PN SN | | PRETEST | POST TEST |
| | | | | | | | | | |
| 15 | 19 | 47.5 | 7R0011525 047909 | 7R0011526 047909 | 7R0011525 047907 | 7R0011525 047907 | RS005092X-005 1 | SAME AS BUILD 14 | <p>PUMP END PRIMARY SEAL IN GOOD CONDITION WITH NEGLIGIBLE WEAR; PUMP END SECONDARY SEAL SHOWED CONTACT PATTERN HALF WAY ACROSS BORE ON DOWNSTREAM SIDE AND SOME CHIPPING ON THE DOWNSTREAM EDGE OF THE FACE AT THE BORE; TURBINE END PRIMARY SEAL SHOWED UNIFORM CONTACT OVER 90% OF THE BORE TOWARD THE DOWNSTREAM EDGE BUT NEGLIGIBLE WEAR</p> <p>THE TURBINE END SECONDARY SEAL SHOWED HEAVY RUBBING AND CHIPPING ON THE BORE AND NEARLY COMPLETELY WORN OFF BEARING PADS; SHAFT SLEEVE WAS WORN .000127 M (.0005 IN.)</p> |
| 16 | 60 | 150 | 7R0011525 047905 | 7R0011526 047905 | 7R0011525 047908 | 7R0011526 047903 | RS005092X-005 2 | ALL NEW HARDWARE | <p>GOOD CONDITION WITH NEGLIGIBLE WEAR EXCEPT FOR THE TURBINE END SECONDARY SEAL; BEARING PAD WORN .0003885 M (.0153 IN.); CARBON ID WORN .00099 M (.039 IN.) AT THE OUTLET AND .0009652 M (.0038 IN.) AT THE INLET; TURBINE END SECONDARY SLEEVE SURFACE WORN .0000579 M (.000228 IN.)</p> |
| 17 | 60 | 150 | " | " | " | " | " | SAME AS BUILD 16 | <p>BOTH THE PUMP END PRIMARY SEAL AND THE TURBINE END PRIMARY SEAL IN GOOD CONDITION WITH NEGLIGIBLE WEAR; PUMP END AND THE TURBINE END SECONDARY SEALS SHOW WEAR ON THE PAD HEIGHT DIMENSION AND THE CARBON BORE, AS WELL AS SOME CHIPPING ON THE DOWNSTREAM EDGE OF THE BORE; SHAFT SLEEVE WORN .0000087122 M (.00034) IN.)</p> |
| 18 | 6 | 10 | " | " | " | " | " | SAME AS BUILD 17 | <p>BOTH PUMP END PRIMARY AND TURBINE END PRIMARY SEALS IN GOOD CONDITION WITH NEGLIGIBLE WEAR; SOME WEAR IS VISIBLE ON THE PAD HEIGHT AND CARBON BORE DIMENSIONS OF THE PUMP END SECONDARY AND TURBINE END SECONDARY SEALS</p> |

TABLE 7 (Concluded)

| BUILD NO. | STARTS | TIME MIN. | PUMP END SEAL | | TURBINE END SEAL | | MATING RING PN SN | HARDWARE CONDITION | |
|-----------|--------|-----------|---------------|-----------------|------------------|---------------------|-------------------|---------------------|--|
| | | | PRIMARY PN SN | SECONDARY PN SN | PRIMARY PN SN | SECONDARY PN SN | | PRETEST | POST TEST |
| | | | 19 | 15 | 37.5 | 7R0011525 047905 | | 7R0011526 047905 | 7R0011525 047908 |
| 20 | 41 | 102.5 | " | " | " | " | " | SAME AS BUILD 19 | BOTH PUMP END PRIMARY AND TURBINE END PRIMARY SEALS IN GOOD CONDITION WITH LITTLE WEAR; PUMP END AND TURBINE END SECONDARY SEALS SHOW WEAR ON THE PAD HEIGHT DIMENSION AND THE CARBON BORE, AS WELL AS SOME CHIPPING ON THE DOWN-STREAM EDGE OF THE BORE; SHAFT WORN .00000381 IN (.00015 IN.) |

TABLE 8. RAYLEIGH STEP SEAL INSPECTION SUMMARY - U.S. CUSTOMARY UNITS

| BUILD NO. | DIAMETRAL CLEARANCE (PRETEST), IN. | | | | LIFT PAD DEPTHS (PRE/POSTTEST), IN. | | | | | | | | | | | | | | | | DIAMETRAL WEAR, IN. | | | |
|-----------|------------------------------------|-----------|----------|-----------|-------------------------------------|----------------|----------------|----------------|----------------|-------------|-----------------|-----------------|------------------|----------------|------------------|------------------|------------------|-----------------|----------------|-----------------|---------------------|-----------|----------|-----------|
| | TURBINE END | | PUMP END | | TURBINE END | | | | | | | | PUMP END | | | | | | | | TURBINE END | | PUMP END | |
| | PRIMARY | SECONDARY | PRIMARY | SECONDARY | PRIMARY | | | | SECONDARY | | | | PRIMARY | | | | SECONDARY | | | | PRIMARY | SECONDARY | PRIMARY | SECONDARY |
| | | | | | 1 | 2 | 3 | 4 | 1 | 2 | 3 | 4 | 1 | 2 | 3 | 4 | 1 | 2 | 3 | 4 | | | | |
| 1 | .0039 | .0039 | .0041 | .0039 | .0075 0 | .0075 0 | .0075 0 | .0075 0 | .0005 .0004 | .0005 0 | .00075 .0003 | .0006 .0002 | .0010 .0005 | .0008 .0005 | .00075 .0005 | .00075 .0306 | .0006 0 | .0005 0 | .0006 0 | .0007 .0002 | .0022 | .0009 | .0006 | .0023 |
| 2 | .0039 | .0039 | .0041 | .0039 | 0 | 0 | 0 | 0 | .0004 .0001 | 0 | .0003 .0002 | .0012 .0001 | .0005 .0005 | .0005 .0003 | .0006 .0005 | 0 | 0 | 0 | 0 | .0002 0 | .0001 | .0001 | .0003 | .0016 |
| 3 | * | * | * | * | 0 | 0 | 0 | 0 | .0001 0 | 0 | .0002 0 | .0002 0 | .0005 .0003 | .0005 ---- | .0003 .0002 | .0005 .0001 | 0 | 0 | 0 | 0 | .0004 | .0006 | .0007 | .0009 |
| 4 | * | * | * | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | .0003 0 | ---- | .0002 0 | .0001 0 | 0 | 0 | 0 | 0 | .0001 | 0 | .0002 | .0002 |
| 5 | .0040 | .0038 | .0041 | .0039 | .0005 .0005 | .0005 .0005 | .0007 .0006 | .0007 .0007 | .0006 0 | .0007 0 | .0006 0 | .0005 0 | .00075 .00075 | .0010 .0007 | .0015 .00075 | .00075 .00075 | .00075 .00055 | .0010 .00075 | .0009 .0007 | .0008 .00075 | .0005 | .0008 | .0001 | .0008 |
| 6 | * | * | * | * | .0005 .0004 | .0005 .0005 | .0006 .0005 | .0007 .0005 | 0 | 0 | 0 | 0 | .00075 0 | .0007 .0006 | .00075 .00075 | .00075 .0006 | .00055 .00055 | .00075 .0006 | .0007 .0006 | .0007 .0005 | 0 | .0002 | 0 | .0001 |
| 7 | .0038 | .0035 | .0038 | .0036 | .0005 .0001 | .0007 .0002 | .0007 .0002 | .0007 .0007 | .0007 0 | .00075 0 | .0007 0 | .0005 .0003 | .0008 .0005 | .0008 .0007 | .0007 .0004 | .0007 .00065 | .0006 .0002 | .0007 .0002 | .0007 .0001 | .0007 .0005 | .0007 | .0023 | .0006 | .0011 |
| 8 | * | * | * | * | .0001 .0005 | .0002 .0002 | .0002 0 | .0007 .0005 | 0 | 0 | 0 | .0003 .00025 | .0005 .0005 | .0002 .0002 | .0004 .0004 | .00065 .00065 | .0002 .00015 | .0002 .0002 | .0001 .0001 | .0005 .0005 | .0008 | .0030 | .0003 | .0002 |
| 9 | .0054 | .0089 | .0046 | .0005 | .00005 0 | .0002 0 | 0 | .0005 0 | 0 | 0 | 0 | .00025 0 | .0005 .00025 | .0002 0 | .0004 0 | .00065 .0005 | .00015 0 | .0002 0 | .0001 0 | .0005 .0003 | .0142 | .0006 | .0009 | .0005 |

*NO MEASUREMENT TAKEN

TABLE 9. RAYLEIGH STEP SEAL INSPECTION SUMMARY - SI UNITS

| BUILD NO. | DIAMETRAL CLEARANCE (PRETEST), M | | | | LIFT PAD DEPTHS (PRE/POSTTEST), M | | | | | | | | | | | | | | | | DIAMETRAL WEAR, M | | | | |
|-----------|----------------------------------|-----------|----------|-----------|-----------------------------------|---------|---------|---------|-----------|---------|---------|---------|----------|---------|---------|---------|-----------|---------|---------|---------|-------------------|-----------|----------|-----------|---------|
| | TURBINE END | | PUMP END | | TURBINE END | | | | | | | | PUMP END | | | | | | | | TURBINE END | | PUMP END | | |
| | PRIMARY | SECONDARY | PRIMARY | SECONDARY | PRIMARY | | | | SECONDARY | | | | PRIMARY | | | | SECONDARY | | | | PRIMARY | SECONDARY | PRIMARY | SECONDARY | |
| | 1 | 2 | 3 | 4 | 1 | 2 | 3 | 4 | 1 | 2 | 3 | 4 | 1 | 2 | 3 | 4 | 1 | 2 | 3 | 4 | 1 | 2 | 3 | 4 | |
| 1 | .000099 | .000099 | .000104 | .000099 | .000019 | .000019 | .000019 | .000019 | .000012 | .000012 | .000019 | .000015 | .000025 | .000020 | .000019 | .000019 | .000015 | .000015 | .000012 | .000015 | .000017 | .000005 | .000022 | .000015 | .000058 |
| 2 | .000099 | .000099 | .000014 | .000099 | 0 | 0 | 0 | 0 | .000010 | 0 | .000007 | .000005 | .000012 | .000012 | .000012 | .000015 | 0 | 0 | 0 | .000005 | .000002 | .000002 | .000007 | .000040 | |
| 3 | * | * | * | * | 0 | 0 | 0 | 0 | .000002 | 0 | .000005 | .000005 | .000012 | .000012 | .000012 | .000012 | 0 | 0 | 0 | 0 | .000010 | .000015 | .000017 | .000022 | |
| 4 | * | * | * | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | .000007 | ---- | .000005 | .000002 | 0 | 0 | 0 | 0 | .000002 | 0 | .000005 | .000005 |
| 5 | .000101 | .000096 | .000104 | .000099 | .000012 | .000012 | .000015 | .000017 | .000015 | .000017 | .000015 | .000012 | .000019 | .000025 | .000019 | .000019 | .000013 | .000025 | .000017 | .000020 | .000020 | .000025 | .000020 | .000002 | .000020 |
| 6 | * | * | * | * | .000012 | .000012 | .000015 | .000017 | 0 | 0 | 0 | 0 | .000019 | .000017 | .000019 | .000019 | .000013 | .000019 | .000017 | .000019 | 0 | .000005 | 0 | .000002 | |
| 7 | .000096 | .000088 | .000094 | .000099 | .000012 | .000012 | .000015 | .000017 | .000017 | .000019 | .000017 | .000012 | .000020 | .000020 | .000017 | .000016 | .000005 | .000005 | .000002 | .000012 | .000017 | .000058 | .000018 | .000027 | |
| 8 | * | * | * | * | .000002 | .000005 | .000005 | .000017 | 0 | 0 | 0 | .000007 | .000012 | .000005 | .000010 | .000016 | .000005 | .000005 | .000002 | .000012 | .000020 | .000076 | .000007 | .000005 | |
| 9 | .000137 | .000022 | .000116 | .000127 | .000001 | .000005 | 0 | .000012 | 0 | 0 | 0 | .000006 | .000012 | .000005 | .000010 | .000016 | .000003 | .000005 | .000002 | .000012 | .000360 | .000015 | .000022 | .000012 | |

*NO MEASUREMENTS TAKEN

TABLE 10. TAPERED BORE SEAL INSPECTION SUMMARY - U.S. CUSTOMARY UNITS

| BUILD NO. | POSITION NO. (120° EA.) | PUMP END SEAL, IN. (PRE/POST TEST) | | | | | | TURBINE END SEAL, IN. (PRE/POST TEST) | | | | | | SHAFT SLEEVE DIA. IN. | | |
|-----------|-------------------------|------------------------------------|------------|----------------|-----------|------------|----------------|---------------------------------------|------------|----------------|-----------|------------|----------------|-----------------------|--------|--------|
| | | PRIMARY | | | SECONDARY | | | PRIMARY | | | SECONDARY | | | | | |
| | | INLET DIA | OUTLET DIA | (2) PAD HEIGHT | INLET DIA | OUTLET DIA | (2) PAD HEIGHT | INLET DIA | OUTLET DIA | (2) PAD HEIGHT | INLET DIA | OUTLET DIA | (2) PAD HEIGHT | | | |
| 10 | 1 (1) | 2.5478 | 2.5458 | .0175 | 2.5443 | 2.5432 | - | 2.5481 | 2.5458 | .0180 | 2.5458 | 2.5433 | .0180 | 2.5363 | | |
| | | 2.5473 | 2.5454 | .0180 | 2.5442 | 2.5426 | .0152 | 2.5477 | 2.5463 | .0172 | 2.5433 | 2.5416 | .0143 | | | |
| | 2 (1) | 2.5478 | 2.5458 | .0175 | 2.5443 | 2.5432 | - | 2.5481 | 2.5458 | .0180 | 2.5458 | 2.5433 | .0180 | | | |
| | | 2.5470 | 2.5458 | .0175 | 2.5436 | 2.5429 | .0152 | 2.5474 | 2.5462 | .0170 | 2.5441 | 2.5430 | .0168 | | | |
| | 3 (1) | 2.5478 | 2.5458 | .0175 | 2.5443 | 2.5432 | - | 2.5481 | 2.5458 | .0180 | 2.5488 | 2.5433 | .0180 | | | |
| | | 2.5469 | 2.5456 | .0180 | 2.5436 | 2.5421 | .0163 | 2.5452 | 2.5457 | .0179 | 2.5441 | 2.5428 | .0176 | | | |
| | 11 | 1 | 2.5473 | 2.5454 | .0180 | 2.5442 | 2.5426 | .0152 | 2.5477 | 2.5463 | .0172 | 2.5433 | 2.5416 | | .0143 | 2.5363 |
| | | | 2.5469 | 2.5455 | .0179 | 2.5442 | 2.5432 | .0141 | 2.5474 | 2.5458 | .0165 | 2.5465 | 2.5443 | | .0052 | |
| | | 2 | 2.5470 | 2.5458 | .0175 | 2.5436 | 2.5429 | .0152 | 2.5474 | 2.5462 | .0170 | 2.5441 | 2.5430 | | .0168 | |
| 2.5469 | | | 2.5460 | .0191 | 2.5429 | 2.5427 | .0158 | 2.5466 | 2.5459 | .0163 | 2.5431 | 2.5446 | .0175 | | | |
| 3 | | 2.5469 | 2.5456 | .0180 | 2.5436 | 2.5421 | .0163 | 2.5452 | 2.5457 | .0179 | 2.5441 | 2.5428 | .0176 | | | |
| | | 2.5471 | 2.5456 | .0191 | 2.5430 | 2.5423 | .0158 | 2.5473 | 2.5455 | .0163 | 2.5435 | 2.5434 | .0175 | | | |
| 12 | | 1 | 2.5469 | 2.5455 | .0179 | 2.5442 | 2.5432 | .0141 | 2.5474 | 2.5458 | .0165 | 2.5465 | 2.5443 | .0052 | 2.5363 | |
| | | | 2.5465 | 2.5467 | .0178 | 2.5443 | 2.5434 | .0140 | 2.5477 | 2.5462 | .0165 | 2.5530 | 2.5512 | .0025 | | |
| | | 2 | 2.5469 | 2.5460 | .0191 | 2.5429 | 2.5427 | .0158 | 2.5466 | 2.5459 | .0163 | 2.5431 | 2.5446 | .0175 | | |
| | 2.5475 | | 2.5461 | .0179 | 2.5434 | 2.5427 | .0139 | 2.5480 | 2.5467 | .0161 | 2.5482 | 2.5476 | .0056 | | | |
| | 3 | 2.5471 | 2.5456 | .0191 | 2.5430 | 2.5423 | .0158 | 2.5473 | 2.5455 | .0163 | 2.5435 | 2.5434 | .0175 | | | |
| | | 2.5474 | 2.5459 | .0178 | 2.5436 | 2.5426 | .0151 | 2.5481 | 2.5461 | .0167 | 2.5542 | 2.5531 | .0098 | | | |
| | 13 | 1 | 2.5455 | 2.5455 | .0181 | 2.5447 | 2.5427 | .0184 | 2.5474 | 2.5458 | .0177 | 2.5455 | 2.5437 | .0185 | | 2.5361 |
| | | | 2.5466 | 2.5455 | .0182 | 2.5443 | 2.5429 | .0162 | 2.5481 | 2.5477 | .0176 | 2.5496 | 2.5488 | .0031 | | |
| | | 2 | 2.5465 | 2.5446 | .0174 | 2.5441 | 2.5429 | .0176 | 2.5473 | 2.5459 | .0173 | 2.5451 | 2.5451 | .0189 | | |
| 2.5465 | | | 2.5463 | .0178 | 2.5448 | 2.5442 | .0123 | 2.5478 | 2.5471 | .0177 | 2.5510 | 2.5513 | .0055 | | | |
| 3 | | 2.5464 | 2.5453 | .0182 | 2.5438 | 2.5425 | .0177 | 2.5476 | 2.5460 | .0175 | 2.5462 | 2.5447 | .0183 | | | |
| | | 2.5474 | 2.5471 | .0179 | 2.5445 | 2.5437 | .0122 | 2.5477 | 2.5473 | .0179 | 2.5434 | 2.5436 | .0060 | | | |
| 14 | | 1 | 2.5466 | 2.5455 | .0182 | 2.5443 | 2.5429 | .0162 | 2.5481 | 2.5477 | .0176 | 2.5496 | 2.5488 | .0031 | 2.5361 | |
| | | | 2.5456 | 2.5461 | .0184 | 2.5436 | 2.5419 | .0138 | 2.5491 | 2.5477 | .0172 | 2.5804 | 2.5813 | .0022 | | |
| | | 2 | 2.5465 | 2.5463 | .0178 | 2.5448 | 2.5442 | .0123 | 2.5478 | 2.5471 | .0177 | 2.5510 | 2.5513 | .0055 | | |
| | 2.5461 | | 2.5462 | .0176 | 2.5448 | 2.5440 | .0062 | 2.5481 | 2.5472 | .0172 | 2.5810 | 2.5823 | .0013 | | | |
| | 3 | 2.5474 | 2.5471 | .0179 | 2.5445 | 2.5437 | .0122 | 2.5477 | 2.5473 | .0179 | 2.5434 | 2.5436 | .0060 | | | |
| | | 2.5473 | 2.5471 | .0183 | 2.5446 | 2.5431 | .0077 | 2.5483 | 2.5474 | .0176 | 2.5842 | 2.5858 | .0012 | | | |

(1) PRETEST MEASUREMENTS ARE AT ONE POSITION
 (2) AXIAL BEARING PAD

TABLE 10. (Concluded)

| BUILD NO. | POSITION NO. (12 ⁰⁰ EA.) | PUMP END SEAL, IN. (PRE/POST TEST) | | | | | | TURBINE END SEAL, IN. (PRE/POST TEST) | | | | | | SHAFT SLEEVE DIA. IN. |
|-------------------|-------------------------------------|------------------------------------|------------|------------|-----------|------------|------------|---------------------------------------|------------|------------|-----------|------------|------------|-----------------------|
| | | PRIMARY | | | SECONDARY | | | PRIMARY | | | SECONDARY | | | |
| | | INLET DIA | OUTLET DIA | PAD HEIGHT | INLET DIA | OUTLET DIA | PAD HEIGHT | INLET DIA | OUTLET DIA | PAD HEIGHT | INLET DIA | OUTLET DIA | PAD HEIGHT | |
| 15 | 1 | 2.5456 | 2.5461 | .0184 | 2.5436 | 2.5419 | .0138 | 2.5491 | 2.5479 | .0172 | 2.5804 | 2.5813 | .0022 | 2.5358 |
| | | 2.5468 | 2.5457 | .0184 | 2.5425 | 2.5431 | .0130 | 2.5476 | 2.5471 | .0172 | 2.5854 | 2.5853 | .0026 | |
| | 2 | 2.5461 | 2.5462 | .0176 | 2.5448 | 2.5440 | .0062 | 2.5481 | 2.5472 | .0172 | 2.5810 | 2.5823 | .0013 | 2.5359 |
| 2.5452 | | 2.5447 | .0181 | 2.5442 | 2.5442 | .0045 | 2.5475 | 2.5468 | .0170 | 2.5799 | 2.5797 | .0005 | | |
| 3 | 3 | 2.5473 | 2.5471 | .0183 | 2.5446 | 2.5431 | .0077 | 2.5483 | 2.5474 | .0176 | 2.5842 | 2.5858 | .0012 | 2.5359 |
| | | 2.5470 | 2.5468 | .0184 | 2.5443 | 2.5430 | .0087 | 2.5472 | 2.5470 | .0176 | 2.5739 | 2.5756 | .0003 | |
| 16 | 1 | 2.5476 | 2.5460 | .0171 | 2.5442 | 2.5427 | .0178 | 2.5452 | 2.5466 | .0186 | 2.5450 | 2.5432 | .0177 | 2.5362 |
| | | 2.5475 | 2.5459 | .0169 | 2.5442 | 2.5432 | .0152 | 2.5462 | 2.5467 | .0180 | 2.5437 | 2.5429 | .0025 | |
| | 2 | 2.5472 | 2.5460 | .0170 | 2.5438 | 2.5429 | .0177 | 2.5451 | 2.5463 | .0187 | 2.5450 | 2.5434 | .0176 | 2.5362 |
| 2.5466 | | 2.5455 | .0165 | 2.5448 | 2.5440 | .0159 | 2.5483 | 2.5452 | .0181 | 2.5456 | 2.5445 | .0065 | | |
| 3 | 3 | 2.5473 | 2.5459 | .0169 | 2.5442 | 2.5433 | .0174 | 2.5452 | 2.5467 | .0186 | 2.5438 | 2.5429 | .0173 | 2.5361 |
| | | 2.5471 | 2.5457 | .0165 | 2.5433 | 2.5421 | .0161 | 2.5463 | 2.5450 | .0181 | 2.5476 | 2.5468 | .0020 | |
| 17 | 1 | 2.5475 | 2.5459 | .0169 | 2.5442 | 2.5432 | .0152 | 2.5462 | 2.5467 | .0180 | 2.5437 | 2.5429 | .0025 | 2.5369 |
| | | 2.5463 | 2.5479 | .0176 | 2.5526 | 2.5515 | .0033 | 2.5468 | 2.5468 | .0173 | 2.5487 | 2.5485 | .0042 | |
| | 2 | 2.5466 | 2.5455 | .0165 | 2.5448 | 2.5440 | .0159 | 2.5483 | 2.5452 | .0181 | 2.5456 | 2.5445 | .0065 | 2.5370 |
| 2.5452 | | 2.5451 | .0180 | 2.5483 | 2.5429 | .0025 | 2.5418 | 2.5436 | .0167 | 2.5439 | 2.5456 | .0026 | | |
| 3 | 3 | 2.5471 | 2.5457 | .0165 | 2.5433 | 2.5421 | .0161 | 2.5463 | 2.5450 | .0181 | 2.5476 | 2.5468 | .0020 | 2.5370 |
| | | 2.5468 | 2.5464 | .0182 | 2.5472 | 2.5487 | .0047 | 2.5453 | 2.5468 | .0160 | 2.5455 | 2.5469 | .0031 | |
| 18 | 1 | 2.5463 | 2.5479 | .0176 | 2.5526 | 2.5525 | .0033 | 2.5468 | 2.5468 | .0173 | 2.5487 | 2.5485 | .0042 | 2.5360 |
| | | 2.5452 | 2.5451 | .0180 | 2.5483 | 2.5429 | .0085 | 2.5418 | 2.5436 | .0167 | 2.5439 | 2.5456 | .0026 | |
| | 3 | 2.5468 | 2.5464 | .0182 | 2.5472 | 2.5487 | .0047 | 2.5453 | 2.5468 | .0160 | 2.5455 | 2.5469 | .0031 | 2.5360 |
| 19 | NO PRETEST MEASUREMENTS TAKEN | | | | | | | | | | | | | |
| 20 (POST TEST) | 1 | 2.5475 | 2.5470 | .0183 | 2.5455 | 2.5446 | .0022 | 2.5479 | 2.5467 | .0164 | 2.5485 | 2.5472 | .0015 | 2.5364 |
| | | 2.5472 | 2.5461 | .0184 | 2.5456 | 2.5445 | .0048 | 2.5459 | 2.5450 | .0155 | 2.5463 | 2.5449 | .0005 | |
| | | 2.5473 | 2.5466 | .0183 | 2.5487 | 2.5475 | .0011 | 2.5479 | 2.5473 | .0154 | 2.5481 | 2.5467 | .0006 | |

TABLE 11. TAPERED BORE SEAL INSPECTION SUMMARY - SI UNITS

| BUILD NO. | POSITION NO. (2.0944 RAD EA) | PUMP END SEAL, M (PRE/POST TEST) | | | | | | TURBINE END SEAL, M (PRE/POST TEST) | | | | | | SHAFT SLEEVE DIA., M |
|-----------|---------------------------------|----------------------------------|------------|------------|-----------|------------|------------|-------------------------------------|------------|------------|-----------|------------|------------|----------------------|
| | | PRIMARY | | | SECONDARY | | | PRIMARY | | | SECONDARY | | | |
| | | INLET DIA | OUTLET DIA | PAD HEIGHT | INLET DIA | OUTLET DIA | PAD HEIGHT | INLET DIA | OUTLET DIA | PAD HEIGHT | INLET DIA | OUTLET DIA | PAD HEIGHT | |
| 10 | 1 (*) | .064714 | .064663 | .00044 | .064625 | .064597 | - | .064721 | .064663 | .00045 | .064663 | .064599 | .00045 | .06442 |
| | | .064701 | .064653 | .00045 | .064622 | .064582 | .00038 | .064711 | .064676 | .00043 | .064599 | .064556 | .00036 | |
| | 2 (*) | .064714 | .064663 | .00044 | .064625 | .064597 | - | .064721 | .064663 | .00045 | .064663 | .064599 | .00045 | |
| .064693 | | .064663 | .00044 | .064607 | .064589 | .00038 | .064703 | .064673 | .00043 | .064620 | .064592 | .00042 | | |
| 11 | 3 (*) | .064714 | .064663 | .00045 | .064625 | .064597 | - | .064721 | .064663 | .00045 | .064739 | .064599 | .00045 | |
| | | .064691 | .064658 | .00045 | .064607 | .064569 | .00041 | .064648 | .064660 | .00045 | .064620 | .064587 | .00044 | |
| | 1 | .064701 | .064653 | .00045 | .064622 | .064582 | .00038 | .064711 | .064676 | .00043 | .064599 | .064556 | .00036 | .06442 |
| .064691 | | .064655 | .00044 | .064622 | .064597 | .00035 | .064703 | .064663 | .00041 | .064681 | .064625 | .00013 | | |
| 2 | .064693 | .064663 | .00048 | .064607 | .064589 | .00038 | .064703 | .064673 | .00043 | .064620 | .064592 | .00042 | | |
| | .064691 | .064668 | .00045 | .064589 | .064584 | .00040 | .064683 | .064665 | .00041 | .064594 | .064632 | .00044 | | |
| 3 | .064691 | .064658 | .00048 | .064607 | .064569 | .00041 | .064648 | .064660 | .00045 | .064620 | .064587 | .00044 | | |
| | .064696 | .064658 | .00045 | .064592 | .064574 | .00040 | .064701 | .064655 | .00041 | .064604 | .064602 | .00044 | | |
| 12 | 1 | .064691 | .064655 | .00045 | .064622 | .064597 | .00035 | .064703 | .064663 | .00041 | .064681 | .064625 | .00013 | .06442 |
| | | .064681 | .064686 | .00048 | .064625 | .064602 | .00035 | .064711 | .064673 | .00041 | .064592 | .064800 | .00006 | |
| | 2 | .064691 | .064658 | .00045 | .064629 | .064584 | .00040 | .064683 | .064665 | .00041 | .064594 | .064632 | .00044 | |
| .064706 | | .064670 | .00048 | .064602 | .064584 | .00035 | .064719 | .064686 | .00040 | .064724 | .064709 | .00014 | | |
| 3 | .064691 | .064658 | .00045 | .064592 | .064574 | .00040 | .064701 | .064655 | .00041 | .064604 | .064602 | .00044 | | |
| | .064703 | .064665 | .00045 | .064607 | .064582 | .00038 | .064721 | .064670 | .00042 | .064876 | .064848 | .00024 | | |
| 13 | 1 | .064655 | .064655 | .00045 | .064635 | .064584 | .00046 | .064703 | .064663 | .00044 | .064655 | .064609 | .00046 | .06441 |
| | | .064683 | .064655 | .00046 | .064625 | .064589 | .00041 | .064721 | .064711 | .00044 | .064759 | .064739 | .00078 | |
| | 2 | .064681 | .064632 | .00044 | .064620 | .064589 | .00044 | .064701 | .064665 | .00043 | .064645 | .064645 | .00048 | |
| .064681 | | .064676 | .00045 | .064637 | .064622 | .00031 | .064714 | .064696 | .00044 | .064795 | .064803 | .00013 | | |
| 3 | .064678 | .064650 | .00046 | .064612 | .064657 | .00044 | .064709 | .064668 | .00044 | .064673 | .064635 | .00046 | | |
| | .064670 | .064696 | .00045 | .064630 | .064609 | .00030 | .064711 | .064701 | .00045 | .064602 | .064607 | .00015 | | |
| 14 | 1 | .064683 | .064655 | .00046 | .064625 | .064589 | .00041 | .064721 | .064711 | .00044 | .064759 | .064739 | .00007 | .06441 |
| | | .064658 | .064677 | .00046 | .064607 | .064564 | .00035 | .064747 | .064716 | .00043 | .065542 | .065565 | .00005 | |
| | 2 | .064681 | .064676 | .00045 | .064637 | .064622 | .00031 | .064714 | .064696 | .00044 | .064795 | .064803 | .00013 | |
| .064681 | | .064676 | .00045 | .064637 | .064617 | .00015 | .064721 | .064698 | .00043 | .065557 | .065590 | .00003 | | |
| 3 | .064703 | .064696 | .00045 | .064630 | .064609 | .00030 | .064711 | .064701 | .00045 | .064602 | .064607 | .00015 | | |
| | .064701 | .064696 | .00046 | .064632 | .064594 | .00019 | .064726 | .064703 | .00044 | .065638 | .065679 | .00003 | | |

(*) PRETEST MEASUREMENTS ARE AT ONE POSITION

TABLE 11. (Concluded)

| BUILD NO. | POSITION NO. (2.0944 RAD EA) | PUMP END SEAL, M (PRE/POST TEST) | | | | | | TURBINE END SEAL, M (PRE/POST TEST) | | | | | | SHAFT SLEEVE DIA., M |
|------------------|------------------------------------|----------------------------------|------------|------------|-----------|------------|------------|-------------------------------------|------------|------------|-----------|------------|------------|----------------------|
| | | PRIMARY | | | SECONDARY | | | PRIMARY | | | SECONDARY | | | |
| | | INLET DIA | OUTLET DIA | PAD HEIGHT | INLET DIA | OUTLET DIA | PAD HEIGHT | INLET DIA | OUTLET DIA | PAD HEIGHT | INLET DIA | OUTLET DIA | PAD HEIGHT | |
| 15 | 1 | .064658 | .064670 | .00046 | .064607 | .064564 | .00035 | .064747 | .064716 | .00043 | .065542 | .065572 | .00005 | .064409 |
| | | .064688 | .064660 | .00046 | .064579 | .064594 | .00033 | .064709 | .064696 | .00043 | .065669 | .065666 | .00006 | |
| | 2 | .064670 | .064673 | .00044 | .064637 | .064617 | .00015 | .064721 | .064698 | .00043 | .065557 | .065590 | .00003 | .064411 |
| .064648 | | .064635 | .00045 | .064622 | .064622 | .00011 | .064706 | .064688 | .00043 | .065529 | .065524 | .00001 | | |
| 16 | 3 | .064701 | .064696 | .00046 | .064632 | .064594 | .00019 | .064726 | .064703 | .00044 | .065638 | .064679 | .00003 | .064411 |
| | | .064693 | .064688 | .00046 | .064625 | .064592 | .00022 | .064698 | .064693 | .00044 | .065377 | .064520 | .00007 | |
| | 1 | .064709 | .064668 | .00043 | .064622 | .064584 | .00045 | .064648 | .064683 | .00047 | .064643 | .064597 | .00044 | .064419 |
| .064706 | | .064665 | .00042 | .064622 | .064597 | .00038 | .064673 | .064686 | .00045 | .064609 | .064589 | .00006 | | |
| 17 | 2 | .064693 | .064668 | .00043 | .064612 | .064589 | .00044 | .064645 | .064676 | .00047 | .064643 | .064602 | .00044 | .064419 |
| | | .064683 | .064655 | .00041 | .064637 | .064617 | .00040 | .064726 | .064648 | .00045 | .064658 | .064630 | .00061 | |
| | 3 | .064701 | .064665 | .00042 | .064622 | .064599 | .00044 | .064648 | .064686 | .00047 | .064612 | .064589 | .00043 | .064416 |
| .064696 | | .064660 | .00041 | .064599 | .064569 | .00040 | .064676 | .064643 | .00045 | .064709 | .064688 | .00005 | | |
| 18 | 1 | .064706 | .064665 | .00042 | .064622 | .064597 | .00038 | .064673 | .064686 | .00045 | .064609 | .064589 | .00006 | .064437 |
| | | .064676 | .064716 | .00044 | .064836 | .064808 | .00008 | .064688 | .064688 | .00043 | .064736 | .064731 | .00010 | |
| | 2 | .064683 | .064655 | .00041 | .064637 | .064617 | .00040 | .064726 | .064648 | .00045 | .064658 | .064630 | .00016 | .064439 |
| .064648 | | .064645 | .00045 | .064726 | .064589 | .00021 | .064561 | .064607 | .00042 | .064615 | .064658 | .00006 | | |
| 19 | 3 | .064696 | .064660 | .00041 | .064599 | .064569 | .00040 | .064676 | .064643 | .00045 | .064709 | .064688 | .00005 | .064439 |
| | | .064688 | .064678 | .00046 | .064698 | .064736 | .00011 | .064650 | .064688 | .00040 | .064655 | .064691 | .00007 | |
| | NO PRETEST MEASUREMENTS TAKEN | | | | | | | | | | | | | |
| 20 (POSTTEST) | 1 | .064706 | .064693 | .00046 | .064655 | .064632 | .00005 | .064716 | .064686 | .00041 | .064731 | .064698 | .00003 | .064424 |
| | | .064698 | .064671 | .000467 | .064658 | .06463 | .000122 | .06466 | .06464 | .0003937 | .064676 | .06464 | .0000127 | |
| | 3 | .064701 | .064683 | .000464 | .064737 | .06470 | .000279 | .064716 | .064701 | .0003911 | .064721 | .064686 | .0000152 | .064419 |

TABLE 12. HOT GAS TURBINE SEAL DATA SUMMARY - U.S. CUSTOMARY UNITS

| BUILD NO. | TEST NO. | TIME MIN. | SPEED RPM | INLET TEMP F | INLET PR. PSIG | PUMP END SEAL | | | | | TURBINE END SEAL | | | | |
|-----------|----------|-----------|-----------|--------------|----------------|-------------------|-------------------|----------------|------|-------|-------------------|-------------------|----------------|------|-------|
| | | | | | | PRI DRAIN PR-PSIG | SEC DRAIN PR-PSIG | LEAKAGE LB/SEC | | | PRI DRAIN PR-PSIG | SEC DRAIN PR-PSIG | LEAKAGE LB/SEC | | |
| | | | | | | | | PRI | SEC | TOTAL | | | PRI | SEC | TOTAL |
| 1 | 1 | 2.5 | 32000 | 70 | 240 | 5 | 0.5 | .106 | .085 | .191 | 10 | 11.25 | .121 | .042 | .163 |
| " | 2 | ↓ | ↓ | ↓ | 464 | 15 | 0.5 | .130 | .089 | .189 | 25 | 38.25 | .208 | .040 | .248 |
| " | 3 | ↓ | ↓ | ↓ | 970 | 32.5 | 0.5 | .230 | .095 | .325 | 40 | 66.25 | .315 | .042 | .357 |
| 2 | 4 | ↓ | ↓ | ↓ | 960 | 62.5 | 1.5 | .214 | .091 | .305 | 40 | 58.75 | .288 | .037 | .325 |
| " | 5 | ↓ | ↓ | ↓ | 1470 | 57.5 | 2.5 | .343 | .041 | .384 | 72.5 | 105 | .472 | .020 | .492 |
| " | 6 | 1.75 | ↓ | ↓ | 1950 | 85 | 10.6 | .478 | .026 | .504 | 107.5 | 145 | .650 | .037 | .687 |
| 3 | 7 | 2.5 | ↓ | ↓ | 1980 | 102.5 | 13 | .536 | .064 | .600 | 107.5 | 145 | .672 | .043 | .715 |
| " | 8 | ↓ | ↓ | ↓ | 2500 | 145 | 8 | .714 | .101 | .815 | 142.5 | 193.8 | .869 | .054 | .923 |
| " | 9 | ↓ | ↓ | ↓ | 3000 | 200 | 14.5 | .952 | .145 | 1.097 | 187.5 | 241.3 | 1.058 | .085 | 1.143 |
| 4 | 10 | 2.5 | ↓ | ↓ | 2650 | 262.5 | 15.5 | .881 | .129 | 1.01 | 165.0 | 218.8 | .986 | .079 | 1.065 |
| " | 11 | ↓ | ↓ | ↓ | 3025 | 307.5 | 24.5 | 1.036 | .170 | 1.206 | 202.5 | 265.0 | 1.164 | .096 | 1.260 |
| " | 12 | ↓ | ↓ | ↓ | 3200 | 325 | 27.5 | 1.099 | .177 | 1.276 | 217.5 | 141.3 | 1.230 | .113 | 1.343 |
| 5 | 13 | 2.5 | 32000 | 420 | 525 | 20 | 0.75 | .121 | .085 | .206 | 2.5 | 25 | .151 | .038 | .189 |
| " | 14 | ↓ | ↓ | 492 | 1000 | 80 | 0.5 | .234 | .079 | .373 | 8.75 | 81.25 | .312 | .062 | .374 |
| " | 15 | ↓ | ↓ | 440 | 1525 | 123.75 | 7.25 | .433 | .081 | .514 | 16.25 | 123.75 | .450 | .094 | .544 |
| " | 16 | ↓ | ↓ | 303 | 2100 | 140 | 3.25 | .548 | .084 | .632 | 22.5 | 151.25 | .551 | .091 | .642 |
| 6 | 17 | 2.5 | 32000 | 284* | 2575 | 175 | 6.0 | .636 | .082 | .718 | 32.5 | 183.8 | .684 | .106 | .790 |
| " | 18 | ↓ | ↓ | 245* | 3175 | 211.3 | 5.25 | .798 | .081 | .879 | 48.8 | 231.3 | .829 | .129 | .958 |
| " | 19 | ↓ | ↓ | 232* | 3500 | 225 | 3.75 | .846 | .081 | .927 | 52.5 | 235 | .886 | .129 | 1.015 |
| " | 20 | ↓ | ↓ | 223* | 3775 | 240 | 6.25 | .932 | .083 | 1.015 | 45 | 200 | .770 | .267 | 1.037 |
| 7 | 21 | 2.5 | 32000 | 368 | 3700 | 267.5 | 14.75 | .984 | .117 | 1.101 | 42.5 | 270 | .954 | .152 | 1.106 |
| " | 22 | ↓ | ↓ | 488 | 3700 | 315 | 35 | 1.062 | .189 | 1.251 | 55 | 322.5 | 1.064 | .229 | 1.293 |
| " | 23 | ↓ | ↓ | 450 | 3700 | 305 | 34 | 1.035 | .182 | 1.217 | 56.25 | 310 | 1.052 | .223 | 1.275 |
| " | 24 | ↓ | ↓ | 435 | 3625 | 302.5 | 33 | 1.098 | .184 | 1.282 | 58.8 | 327.5 | 1.097 | .232 | 1.329 |
| " | 25 | ↓ | ↓ | 490 | 3650 | 332.5 | 41.75 | 1.128 | .223 | 1.351 | 61.25 | 360 | 1.182 | .274 | 1.456 |
| " | 26 | 2.5 | 32000 | 440 | 3650 | 315 | 32.5 | 1.071 | .184 | 1.255 | 63.8 | 350 | 1.160 | .264 | 1.424 |
| " | 27 | ↓ | ↓ | 400 | 3725 | 335 | 36 | 1.186 | .196 | 1.382 | 265 | 370 | 1.221 | .290 | 1.511 |
| " | 28 | ↓ | ↓ | 460 | 3650 | 360 | 45 | 1.211 | .230 | 1.441 | 325 | 405 | 1.285 | .271 | 1.556 |
| " | 29 | ↓ | ↓ | 475 | 3650 | 365 | 47.8 | 1.229 | .244 | 1.473 | 300 | 407.5 | 1.319 | .268 | 1.587 |

*VALUES ARE LOWEST RECORDED. ACTUAL TEMPERATURE VARIANCE WAS FROM 425 TO 223 F

TABLE 12. (Continued)

| BUILD NO. | TEST NO. | TIME MIN. | SPEED RPM | INLET TEMP F | INLET PR. PSIG | PUMP END SEAL | | | | | TURBINE END SEAL | | | | |
|-----------|----------|-----------|-----------|--------------|----------------|-------------------|-------------------|----------------|------|-------|-------------------|-------------------|----------------|------|-------|
| | | | | | | PRI DRAIN PR-PSIG | SEC DRAIN PR-PSIG | LEAKAGE LB/SEC | | | PRI DRAIN PR-PSIG | SEC DRAIN PR-PSIG | LEAKAGE LB/SEC | | |
| | | | | | | | | PRI | SEC | TOTAL | | | PRI | SEC | TOTAL |
| 8 | 30 | 2.5 | 32000 | 252 | 3475 | 116.3 | 17.5 | .531 | .097 | .628 | 128.8 | 160 | .612 | .200 | .812 |
| " | 31 | | | 212 | 3575 | 247.5 | 2.5 | 1.055 | .085 | 1.140 | 232.5 | 237.5 | .894 | .471 | 1.365 |
| " | 32 | | | 210 | 3525 | 247.5 | 1.5 | 1.052 | .084 | 1.136 | 290 | 305 | 1.119 | .228 | 1.347 |
| " | 33 | | | 265 | 3450 | 265 | 12.5 | 1.067 | .119 | 1.186 | 302.5 | 327.5 | 1.143 | .260 | 1.403 |
| " | 34 | | | 230 | 3475 | 250 | 7.0 | 1.055 | .098 | 1.153 | 287.5 | 317.5 | 1.131 | .238 | 1.369 |
| " | 35 | | | 245 | 3450 | 252.5 | 7.5 | 1.052 | .105 | 1.157 | 295 | 322.5 | 1.119 | .235 | 1.354 |
| " | 36 | | | 190 | 3450 | 250 | 6.0 | 1.001 | .087 | 1.088 | 215 | 222.5 | .863 | .463 | 1.326 |
| " | 37 | | | 215 | 3475 | 260 | 8.0 | 1.055 | .097 | 1.152 | 290 | 305 | 1.121 | .293 | 1.374 |
| " | 38 | | | 212 | 3500 | 262.5 | 6.0 | 1.055 | .097 | 1.152 | 290 | 307.5 | 1.123 | .253 | 1.376 |
| " | 39 | | | 210 | 3450 | 255 | 6.0 | 1.019 | .093 | 1.112 | 285 | 295 | 1.158 | .245 | 1.403 |
| " | 40 | | | 240 | 3450 | 272.5 | 10.5 | 1.064 | .106 | 1.170 | 297.5 | 312.5 | 1.143 | .272 | 1.415 |
| " | 41 | | | 240 | 3425 | 272.5 | 8.0 | 1.078 | .103 | 1.181 | 295 | 310 | 1.129 | .265 | 1.394 |
| " | 42 | | | 237 | 3400 | 270 | 7.5 | 1.066 | .103 | 1.169 | 292.5 | 310 | 1.103 | .260 | 1.363 |
| " | 43 | | | 220 | 3450 | 272.5 | 5.0 | 1.080 | .096 | 1.176 | 295 | 310 | 1.117 | .262 | 1.379 |
| " | 44 | | | 235 | 3425 | 272.5 | 7.5 | 1.078 | .110 | 1.188 | 292.5 | 312.5 | 1.115 | .266 | 1.381 |
| " | 45 | | | 222 | 3450 | 267.5 | 6.0 | 1.076 | .101 | 1.177 | 290 | 307.5 | 1.113 | .256 | 1.369 |
| " | 46 | | | 217 | 3425 | 265 | 10.0 | 1.076 | .102 | 1.178 | 285 | 315 | 1.115 | .256 | 1.371 |
| " | 47 | | | 260 | 3425 | 275 | 14.0 | 1.051 | .119 | 1.170 | 230 | 255 | .877 | .266 | 1.143 |
| " | 48 | | | 217.5 | 3400 | 255 | 6.5 | 1.055 | .096 | 1.151 | 280 | 312.5 | 1.094 | .246 | 1.340 |
| " | 49 | | | 225 | 3325 | 252.5 | 7.0 | 1.030 | .100 | 1.130 | 275 | 307.5 | 1.070 | .245 | 1.315 |
| " | 50 | | | 210 | 3450 | 270 | 7.5 | 1.069 | .096 | 1.165 | 292.5 | 325 | 1.139 | .255 | 1.394 |
| " | 51 | | | 235 | 3375 | 262.5 | 7.5 | 1.082 | .104 | 1.186 | 285 | 317.5 | 1.090 | .250 | 1.340 |
| " | 52 | | | 270 | 3350 | 290 | 15 | 1.068 | .127 | 1.195 | 227.5 | 250 | .883 | .513 | 1.396 |
| " | 53 | | | 247 | 3350 | 272.5 | 11 | 1.073 | .114 | 1.187 | 282.5 | 310 | 1.109 | .271 | 1.380 |
| " | 54 | | | 217 | 3350 | 262.5 | 7.5 | 1.067 | .098 | 1.165 | 277.5 | 302.5 | 1.104 | .262 | 1.366 |

TABLE 12. (Continued)

| BUILD NO. | TEST NO. | TIME MIN. | SPEED RPM | INLET TEMP F | INLET PR. PSIG | PUMP END SEAL | | | | | TURBINE END SEAL | | | | |
|-----------|----------|-----------|-----------|--------------|----------------|-------------------|-------------------|----------------|------|-------|-------------------|-------------------|----------------|-------|-------|
| | | | | | | PRI DRAIN PR-PSIG | SEC DRAIN PR-PSIG | LEAKAGE LB/SEC | | | PRI DRAIN PR-PSIG | SEC DRAIN PR-PSIG | LEAKAGE LB/SEC | | |
| | | | | | | | | PRI | SEC | TOTAL | | | PRI | SEC | TOTAL |
| B (CONTD) | 55 | 2.5 | 32000 | 272 | 3450 | 297.5 | 16 | 1.179 | .138 | 1.317 | 307.5 | 340 | 1.200 | .296 | 1.496 |
| " | 56 | | | 230 | 3425 | 275 | 9 | 1.115 | .111 | 1.226 | 290 | 315 | 1.151 | .268 | 1.419 |
| " | 57 | | | 217 | 3400 | 265 | 8 | 1.098 | .111 | 1.209 | 280 | 310 | 1.121 | .262 | 1.383 |
| " | 58 | | | 290 | 3200 | 275 | 13.5 | 1.672 | .125 | 1.797 | 287.5 | 310 | 1.089 | .267 | 1.356 |
| " | 59 | | | 257 | 3325 | 275 | 9 | 1.589 | .116 | 1.705 | 287.5 | 312.5 | 1.115 | .256 | 1.371 |
| " | 60 | | | 235 | 3325 | 265 | 6.5 | 1.500 | .109 | 1.609 | 277.5 | 300 | 1.092 | .245 | 1.337 |
| " | 61 | | | 217 | 3375 | 265 | 9 | 1.078 | .102 | 1.180 | 280 | 305 | 1.100 | .262 | 1.362 |
| " | 62 | | | 215 | 3300 | 252.5 | 7.5 | 1.024 | .090 | 1.114 | 265 | 290 | 1.061 | .258 | 1.319 |
| " | 63 | | | 230 | 3325 | 265 | 9.5 | 1.055 | .106 | 1.161 | 275 | 302.5 | 1.076 | .272 | 1.348 |
| " | 64 | | | 225 | 3300 | 265 | 10 | 1.057 | .098 | 1.155 | 280 | 305 | 1.092 | .261 | 1.353 |
| " | 65 | | | 267 | 3300 | 280 | 15 | 1.073 | .123 | 1.196 | 282.5 | 315 | 1.097 | .283 | 1.380 |
| " | 66 | | | 237 | 3300 | 260 | 8.5 | 1.070 | .104 | 1.174 | 272.5 | 305 | 1.092 | .264 | 1.356 |
| " | 67 | | | 220 | 3325 | 257.5 | 7.5 | 1.069 | .096 | 1.165 | 272.5 | 305 | 1.104 | .257 | 1.361 |
| " | 68 | | | 220 | 3400 | 260 | 7.5 | 1.045 | .099 | 1.144 | 272.5 | 305 | 1.104 | .256 | 1.360 |
| " | 69 | | | 260 | 3300 | 270 | 13 | 1.079 | .111 | 1.190 | 285 | 315 | 1.115 | .273 | 1.388 |
| " | 70 | | | 212 | 3325 | 250 | 6 | 1.034 | .096 | 1.130 | 265 | 292.5 | 1.069 | .286 | 1.355 |
| " | 71 | | | 210 | 3325 | 250 | 7 | 1.044 | .097 | 1.141 | 265 | 295 | 1.081 | 1.252 | 1.353 |
| " | 72 | | | 222 | 3350 | 257.5 | 9 | 1.063 | .102 | 1.165 | 272.5 | 305 | 1.113 | .256 | 1.369 |
| " | 73 | | | 215 | 3250 | 247.5 | 7 | 1.024 | .096 | 1.120 | 260 | 290 | 1.061 | .244 | 1.305 |
| " | 74 | | | 227 | 3275 | 252.5 | 8 | 1.030 | .104 | 1.134 | 267.5 | 295 | 1.068 | .255 | 1.323 |
| " | 75 | | | 220 | 3350 | 257.5 | 8.5 | 1.061 | .110 | 1.171 | 270 | 302.5 | 1.098 | .267 | 1.365 |
| " | 76 | | | 230 | 3275 | 252.5 | 9 | 1.025 | .107 | 1.132 | 265 | 295 | 1.078 | .263 | 1.341 |
| " | 77 | | | 255 | 3350 | 277.5 | 16.5 | 1.025 | .122 | 1.225 | 225 | 252.5 | .920 | .525 | 1.445 |
| " | 78 | | | 232 | 3375 | 265 | 11 | 1.131 | .107 | 1.238 | 275 | 310 | 1.125 | .285 | 1.410 |
| " | 79 | | | 230 | 3300 | 255 | 9 | 1.104 | .102 | 1.206 | 267.5 | 297.5 | 1.098 | .272 | 1.370 |
| " | 80 | | | 250 | 3275 | 255 | 10 | 1.092 | .106 | 1.198 | 265 | 295 | 1.084 | .270 | 1.354 |

TABLE 12. (Continued)

| BUILD NO. | TEST NO. | TIME MIN. | SPEED RPM | INLET TEMP F | INLET PR. PSIG | PUMP END SEAL | | | | | TURBINE END SEAL | | | | |
|-----------|----------|-----------|-----------|--------------|----------------|-------------------|-------------------|----------------|------|-------|-------------------|-------------------|----------------|------|-------|
| | | | | | | PRI DRATH PR-PSIG | SEC DRATH PR-PSIG | LEAKAGE LB/SEC | | | PRI DRATH PR-PSIG | SEC DRATH PR-PSIG | LEAKAGE LB/SEC | | |
| | | | | | | | | PRI | SEC | TOTAL | | | PRI | SEC | TOTAL |
| 9 | 81 | 2.5 | 32000 | 250 | 3325 | 277.5 | 14.5 | 1.066 | .120 | 1.186 | 272.5 | 305 | 1.078 | .295 | 1.373 |
| " | 82 | | | 240 | 3350 | 280 | 10.5 | 1.078 | .107 | 1.185 | 277.5 | 310 | 1.100 | .283 | 1.383 |
| " | 83 | | | 232 | 3375 | 272.5 | 11 | 1.082 | .119 | 1.201 | 275 | 307.5 | 1.106 | .287 | 1.393 |
| " | 84 | | | 295 | 3250 | 292.5 | 17.5 | 1.104 | .128 | 1.232 | 287.5 | 322.5 | 1.100 | .295 | 1.395 |
| " | 85 | | | 242 | 3300 | 272.5 | 9 | 1.080 | .107 | 1.187 | 272.5 | 305 | 1.090 | .283 | 1.323 |
| " | 86 | | | 242 | 3325 | 275 | 11.5 | 1.076 | .111 | 1.187 | 280 | 307.5 | 1.086 | .279 | 1.365 |
| " | 87 | | | 247 | 3300 | 275 | 11.5 | 1.059 | .112 | 1.171 | 277.5 | 305 | 1.082 | .275 | 1.357 |
| " | 88 | | | 227 | 3275 | 267.5 | 9.5 | 1.032 | .108 | 1.140 | 267.5 | 302.5 | 1.061 | .270 | 1.331 |
| " | 89 | | | 257 | 3275 | 280 | 12.5 | 1.050 | .119 | 1.169 | 285 | 310 | 1.072 | .280 | 1.352 |
| " | 90 | | | 227 | 3225 | 260 | 9.5 | 1.015 | .104 | 1.119 | 262.5 | 292.5 | 1.069 | .282 | 1.351 |
| " | 91 | | | 232 | 3300 | 282.5 | 12 | 1.055 | .115 | 1.170 | 287.5 | 312.5 | 1.106 | .295 | 1.401 |
| " | 92 | | | 232 | 3250 | 277.5 | 13.5 | 1.072 | .122 | 1.194 | 285 | 305 | 1.111 | .303 | 1.414 |
| " | 93 | | | 270 | 3275 | 292.5 | 16.5 | 1.123 | .130 | 1.253 | 292.5 | 322.5 | 1.145 | .305 | 1.450 |
| " | 94 | | | 232 | 3325 | 287.5 | 11.5 | 1.139 | .118 | 1.257 | 285 | 317.5 | 1.164 | .299 | 1.463 |
| " | 95 | | | 217 | 3275 | 282.5 | 10.5 | 1.119 | .122 | 1.241 | 287.5 | 312.5 | 1.141 | .292 | 1.433 |
| " | 96 | | | 215 | 3275 | 282.5 | 10 | 1.104 | .122 | 1.226 | 277.5 | 310 | 1.127 | .288 | 1.415 |
| " | 97 | | | 215 | 3250 | 282.5 | 9.5 | 1.088 | .119 | 1.207 | 287.5 | 307.5 | 1.127 | .286 | 1.413 |
| " | 98 | | | 220 | 3200 | 282.5 | 10 | 1.084 | .124 | 1.208 | 275 | 307.5 | 1.094 | .286 | 1.380 |
| " | 99 | | | 222 | 3200 | 285 | 10 | 1.084 | .118 | 1.202 | 287.5 | 307.5 | 1.104 | .282 | 1.386 |
| " | 100 | | | 227 | 3225 | 292.5 | 11 | 1.108 | .110 | 1.218 | 295 | 315.0 | 1.117 | .293 | 1.410 |
| " | 101 | | | 225 | 3225 | 287.5 | 16 | 1.115 | .136 | 1.251 | 282.5 | 312.5 | 1.109 | .315 | 1.424 |
| " | 102 | | | 200 | 3250 | 282.5 | 11 | 1.142 | .120 | 1.262 | 280 | 307.5 | 1.135 | .302 | 1.437 |
| " | 103 | | | 195 | 3250 | 285 | 10.5 | 1.161 | .118 | 1.279 | 272.5 | 307.5 | 1.140 | .302 | 1.442 |
| " | 104 | | | 217 | 3200 | 292.5 | 12.5 | 1.152 | .127 | 1.279 | 280 | 310 | 1.131 | .301 | 1.432 |
| " | 105 | | | 190 | 3175 | 282.5 | 10 | 1.154 | .123 | 1.277 | 280 | 305 | 1.133 | .295 | 1.428 |
| " | 106 | | | 197 | 3125 | 282.5 | 11 | 1.150 | .124 | 1.274 | 270 | 305 | 1.129 | .295 | 1.424 |
| " | 107 | 1.97 | | 475 | 2725 | 305 | 35 | 1.079 | .271 | 1.350 | 455 | 520 | 1.728 | .642 | 2.370 |

TABLE 12. (Continued)

| BUILD NO. | TEST NO. | TIME MIN. | SPEED RPM | INLET TEMP F | INLET PR. PSIG | PUMP END SEAL | | | | | TURBINE END SEAL | | | | |
|-----------|---------------------------|-----------|-----------|--------------|----------------|-------------------|-------------------|----------------|------|-------|-------------------|-------------------|----------------|------|-------|
| | | | | | | PRI DRAIN PR-PSIG | SEC DRAIN PR-PSIG | LEAKAGE LB/SEC | | | PRI DRAIN PR-PSIG | SEC DRAIN PR-PSIG | LEAKAGE LB/SEC | | |
| | | | | | | | | PRI | SEC | TOTAL | | | PRI | SEC | TOTAL |
| 10 | PRE 108 STATIC LEAK | - | 0 | 85 | 500 | 65 | 1.5 | .267 | .041 | .308 | 45 | 62.5 | .283 | .044 | .327 |
| " | " | - | 0 | 75 | 1000 | 137.5 | 16.5 | .548 | .083 | .631 | 100 | 20.0 | .564 | .092 | .656 |
| " | " | - | 0 | 62.5 | 1500 | 210.0 | 33.5 | .826 | .129 | .955 | 130 | 45.0 | .844 | .141 | .985 |
| " | " | - | 0 | 62.5 | 2000 | 262.5 | 26.0 | 1.068 | .216 | 1.284 | 170 | 67.5 | 1.138 | .191 | 1.329 |
| " | " | - | 0 | 67.5 | 2400 | 285 | 49.0 | 1.204 | .339 | 1.543 | 195 | 80.0 | 1.325 | .223 | 1.548 |
| " | " | - | 0 | 77.5 | 2900 | 392.5 | 41.5 | 1.539 | .303 | 1.842 | 415 | 122.5 | 1.538 | .346 | 1.884 |
| " | 108 | 2.5 | 29500 | 432 | 525 | 52.5 | .5 | .190 | .089 | .279 | 57.5 | 2.5 | .220 | .038 | .258 |
| " | 109 | 2.5 | 29500 | 500* | 975 | 110 | .5 | .336 | .085 | .421 | 115 | 17.5 | .365 | .060 | .425 |
| " | 110 | 2.5 | 29750 | 490 | 1500 | 200 | 1.5 | .587 | .084 | .671 | 195 | 50.0 | .607 | .132 | .739 |
| " | 111 | 2.5 | 29500 | 470 | 1950 | 252 | 9.0 | .760 | .087 | .847 | 262 | 62.5 | .768 | .150 | .918 |
| 11 | 112 | 2.7 | 29000 | 405 | 2475 | 285 | 40.5 | .965 | .152 | 1.117 | 300 | 90.0 | .963 | .216 | 1.179 |
| " | 113 | 2.9 | 29000 | 437 | 2950 | 375 | 19.5 | 1.198 | .088 | 1.286 | 385 | 85.0 | 1.183 | .201 | 1.384 |
| " | 114 | 2.5 | 29000 | 367 | 3250 | 405 | 30.0 | 1.341 | .236 | 1.577 | 407 | 107 | 1.330 | .258 | 1.588 |
| " | 115 | 3.0 | 29000 | 450 | 3425 | 395 | 29.0 | 1.241 | .210 | 1.451 | 410 | 117 | 1.247 | .260 | 1.507 |
| 12 | 116 | 2.5 | 29500 | 493.5 | 3400 | 371 | 35.7 | 1.150 | .242 | 1.392 | 421 | 131 | 1.250 | .275 | 1.525 |
| " | 117 | | 28750 | 465 | 3210 | 376 | 21.5 | 1.139 | .185 | 1.324 | 380 | 137.5 | 1.143 | .319 | 1.462 |
| " | 118 | | 28600 | 452 | 3500 | 400 | 22.5 | 1.231 | .207 | 1.438 | 403.5 | 156 | 1.218 | .355 | 1.573 |
| " | 119 | | 29150 | 497 | 3700 | 413.5 | 25 | 1.260 | .208 | 1.468 | 462.5 | 150 | 1.259 | .347 | 1.606 |
| " | 120 | | 28150 | 457.5 | 3575 | 428.5 | 28.2 | 1.290 | .208 | 1.498 | 468.5 | 146 | 1.321 | .343 | 1.664 |
| " | 121 | | 29100 | 496 | 3500 | 425 | 26 | 1.239 | .214 | 1.453 | 471 | 122.5 | 1.326 | .284 | 1.61 |
| " | 122 | | 30500 | 468.5 | 3700 | 428.5 | 30 | 1.299 | .232 | 1.531 | 457.5 | 160 | 1.262 | .364 | 1.626 |
| " | 123 | | 28500 | 485 | 3750 | 405 | 28 | 1.219 | .229 | 1.448 | 456 | 155 | 1.230 | .362 | 1.592 |
| " | 124 | | 26600 | 480 | 3585 | 425 | 26.5 | 1.292 | .233 | 1.525 | 460 | 141 | 1.205 | .333 | 1.538 |
| " | 125 | | 28150 | 500 | 3585 | 410 | 31.5 | 1.308 | .242 | 1.55 | 460 | 149 | 1.264 | .313 | 1.577 |
| " | 126 | | 28000 | 411 | 3525 | 392.5 | 26.7 | 1.353 | .213 | 1.566 | 445 | 155 | 1.299 | .354 | 1.653 |
| " | 127 | | 28000 | 500 | 3575 | 428.5 | 30 | 1.301 | .219 | 1.52 | 485 | 140 | - | .322 | - |

TABLE 12. (Continued)

| BUILD NO. | TEST NO. | TIME MIN. | SPEED RPM | INLET TEMP F | INLET PR. PSIG | PUMP END SEAL | | | | | TURBINE END SEAL | | | | | | | | |
|-----------|----------|-----------|-----------|--------------|----------------|---------------|---------|-----------|-------|----------------|------------------|---------|-----------|------|-----------|--|----------------|--|--|
| | | | | | | PRI DRAIN | | SEC DRAIN | | LEAKAGE LB/SEC | | | PRI DRAIN | | SEC DRAIN | | LEAKAGE LB/SEC | | |
| | | | | | | PR-PSIG | PR-PSIG | PRI | SEC | TOTAL | PR-PSIG | PR-PSIG | PRI | SEC | TOTAL | | | | |
| 12 | 128 | 2.5 | 29000 | 500 | 3500 | 420 | 28 | 1.269 | .202 | 1.471 | 480 | 130 | 1.339 | .325 | 1.655 | | | | |
| - | 129 | | 29000 | 500 | 3450 | 418.5 | 26.7 | 1.276 | .202 | 1.478 | 479 | 131 | 1.298 | .280 | 1.578 | | | | |
| - | 130 | | 29000 | 500 | 3685 | 412.5 | 30.5 | 1.247 | .2186 | 1.465 | 470 | 128.5 | 1.285 | .273 | 1.558 | | | | |
| - | 131 | | 27850 | 460 | 34150 | 422.5 | 30.5 | 1.307 | .2091 | 1.516 | 485 | 130 | 1.312 | .280 | 1.592 | | | | |
| - | 132 | | 28650 | 456 | 3600 | 385 | 26.3 | 1.263 | .206 | 1.469 | 440 | 155 | 1.225 | .337 | 1.562 | | | | |
| - | 133 | | 29000 | 468.5 | 3625 | 385 | 26 | 1.272 | .2016 | 1.474 | 442 | 150 | 1.198 | .337 | 1.935 | | | | |
| - | 134 | | 29000 | 490 | 3535 | 425 | 26 | 1.234 | .2174 | 1.451 | 460 | 142.5 | 1.204 | .312 | 1.516 | | | | |
| - | 135 | | 29000 | 495 | 3510 | 425 | 28 | 1.234 | .2245 | 1.458 | 460 | 150 | 1.252 | .334 | 1.586 | | | | |
| - | 136 | | 29000 | 500 | 3525 | 425 | 30 | 1.234 | .2171 | 1.451 | 462 | 160 | 1.222 | .309 | 1.571 | | | | |
| - | 137 | | 29000 | 447.5 | 3475 | 423.5 | 29.5 | 1.258 | .2189 | 1.477 | 460 | 148.5 | 1.274 | .331 | 1.605 | | | | |
| - | 138 | | 28750 | 453.5 | 3435 | 422.5 | 28 | 1.252 | .2097 | 1.462 | 445 | 163.5 | 1.203 | .357 | 1.56 | | | | |
| - | 139 | | 28600 | 427.5 | 3510 | 407.5 | 31 | 1.240 | .2296 | 1.469 | 440 | 151 | 1.206 | .350 | 1.556 | | | | |
| - | 140 | | 28750 | 500 | 3500 | 430 | 29 | 1.200 | .2256 | 1.426 | 450 | 180 | 1.149 | .381 | 1.53 | | | | |
| - | 141 | | 29000 | 445 | 3350 | 360 | 24.5 | 1.122 | .2337 | 1.356 | 363 | 176.2 | .986 | .399 | 1.385 | | | | |
| - | 142 | | 29000 | 430 | 3535 | 410 | 32.5 | 1.247 | .2354 | 1.482 | 422 | 195 | 1.154 | .444 | 1.598 | | | | |
| - | 143 | | 28500 | 421.5 | 3550 | 414 | 32 | 1.273 | .2280 | 1.501 | 418 | 190.7 | 1.159 | .433 | 1.592 | | | | |
| - | 144 | | 29000 | 470 | 3300 | 360 | 29 | 1.084 | .244 | 1.328 | 340 | 181.2 | .9398 | .419 | 1.359 | | | | |
| - | 145 | | 29600 | 505 | 3600 | 422.5 | 28.3 | 1.239 | .223 | 1.462 | 452 | 205 | 1.146 | .435 | 1.581 | | | | |
| - | 146 | | 29500 | 495 | 3500 | 427.5 | 28.2 | 1.239 | .227 | 1.466 | 458 | 202.5 | 1.200 | .431 | 1.631 | | | | |
| - | 147 | | 29000 | 481 | 3540 | 410 | 28 | 1.209 | .220 | 1.209 | 420 | 224.5 | 1.083 | .476 | 1.559 | | | | |
| - | 148 | | 29000 | 497 | 3585 | 417.5 | 28.2 | 1.258 | .227 | 1.485 | 435 | 226.2 | 1.121 | .478 | 1.599 | | | | |
| - | 149 | | 27400 | 482.5 | 3540 | 420 | 28 | 1.270 | .233 | 1.503 | 482 | 165.5 | 1.274 | .363 | 1.637 | | | | |
| - | 150 | | 29000 | 500 | 3590 | 409 | 28 | 1.258 | .227 | 1.485 | 420 | 215 | 1.134 | .453 | 1.587 | | | | |
| - | 151 | | 29000 | 470 | 3550 | 410 | 27.8 | 1.229 | .224 | 1.453 | 470 | 160 | 1.242 | .371 | 1.613 | | | | |
| - | 152 | | 28000 | 486 | 3600 | 419 | 32 | 1.269 | .233 | 1.502 | 440 | 226.2 | 1.127 | .493 | 1.62 | | | | |
| - | 153 | | 28400 | 449 | 3600 | 410 | 39.5 | 1.292 | .232 | 1.524 | 422 | 225 | .9883 | .502 | 1.49 | | | | |

TABLE 12. (Continued)

| BUILD NO. | TEST NO. | TIME MIN. | SPEED RPM | INLET TEMP F | INLET PR. PSIG | PUMP END SEAL | | | | | TURBINE END SEAL | | | | |
|-----------|----------|-----------|-----------|--------------|----------------|-------------------|-------------------|----------------|-------|--------|-------------------|-------------------|----------------|-------|-------|
| | | | | | | PUMP END SEAL | | LEAKAGE LB/SEC | | | TURBINE END SEAL | | LEAKAGE LB/SEC | | |
| | | | | | | PRI DRAIN PR-PSIG | SEC DRAIN PR-PSIG | PRI | SEC | TOTAL | PRI DRAIN PR-PSIG | SEC DRAIN PR-PSIG | PRI | SEC | TOTAL |
| 12 | 153 | 2.5 | 28400 | 449 | 3600 | 410 | 39.5 | 1.292 | .232 | 1.524 | 422 | 225 | .9883 | .502 | 1.49 |
| " | 154 | ↓ | 28250 | 494 | 3610 | 409.5 | 38.5 | 1.271 | .232 | 1.503 | 415 | 230 | .9638 | .504 | 1.468 |
| " | 155 | ↓ | 28900 | 482.5 | 3690 | 421 | 38 | 1.266 | .229 | 1.495 | 405 | 214.5 | 1.005 | .471 | 1.476 |
| " | 156 | ↓ | 28000 | 421.5 | 3550 | 419 | 39 | 1.298 | .236 | 1.534 | 425 | 227.5 | 1.083 | .505 | 1.588 |
| " | 157 | ↓ | 29000 | 489 | 3575 | 410 | 35 | 1.263 | .221 | 1.484 | 420 | 201.2 | 1.032 | .499 | 1.530 |
| " | 158 | 2.4 | 29000 | 549 | 3590 | 426 | 32.5 | 1.278 | .2271 | 1.505 | 445 | 185 | 1.192 | .4144 | 1.606 |
| 13 | 159 | - | 0 | 80 | 500 | 60 | 2 | .283 | .097 | .380 | 36 | 10 | .290 | .064 | .358 |
| " | " | - | 0 | 70 | 1000 | 13.0 | 6 | .559 | .118 | .677 | 70 | 35 | .590 | .125 | .715 |
| " | " | - | 0 | 60 | 1500 | 208.5 | 14 | .894 | .157 | 1.051 | 110 | 63.7 | .907 | .280 | 1.187 |
| " | " | - | 0 | 61 | 2000 | 270 | 22.5 | 1.175 | .207 | 1.382 | 142 | 88.7 | 1.179 | .274 | 1.453 |
| " | " | - | 0 | 67.5 | 2400 | 322.5 | 30.5 | 1.1723 | .255 | 1.4273 | 171 | 108 | 1.752 | .397 | 2.149 |
| " | " | - | 0 | 80 | 2800 | 371 | 36 | 1.599 | .283 | 1.882 | 200 | 130 | 1.642 | .373 | 2.015 |
| " | 159 | 2.5 | 29000 | 175 | 3290 | 390 | 28 | 1.269 | .211 | 1.480 | 420 | 109 | 1.340 | .261 | 1.601 |
| " | 160 | 1.3 | 29000 | 500 | 3475 | 386 | 26 | 1.158 | .203 | 1.361 | 420 | 110 | 1.299 | .253 | 1.552 |
| " | 161 | 2.5 | 29000 | 500 | 3300 | 371 | 24 | 1.163 | .195 | 1.358 | 410 | 105 | 1.263 | .245 | 1.508 |
| " | 162 | 2.5 | 28900 | 470 | 3600 | 332 | 28 | 1.238 | .216 | 1.454 | 405 | 119 | 1.292 | .289 | 1.581 |
| " | 163 | 2.5 | 29000 | 500 | 3700 | 419 | 28 | 1.271 | .234 | 1.505 | 455 | 129 | 1.387 | .300 | 1.687 |
| " | 164 | 2.5 | 29000 | 500 | 3590 | 400 | 28 | 1.200 | .218 | 1.418 | 438 | 127 | 1.303 | .281 | 1.584 |
| " | 165 | 2.5 | 29000 | 500 | 3525 | 395 | 27.8 | 1.244 | .217 | 1.461 | 430 | 123 | 1.316 | .280 | 1.596 |
| " | 166 | 2.5 | 29000 | 424 | 3600 | 396 | 30 | 1.309 | .229 | 1.538 | 423 | 112 | 1.377 | .270 | 1.647 |
| " | 167 | 2.5 | 29000 | 500 | 3600 | 415 | 26.8 | 1.283 | .214 | 1.497 | 458 | 112 | 1.365 | .248 | 1.613 |
| " | 168 | 2.5 | 28400 | 471 | 3665 | 405 | 29.8 | 1.280 | .229 | 1.509 | 425 | 126 | 1.348 | .291 | 1.639 |
| " | 169 | 2.5 | 29000 | 477 | 3650 | 410 | 28.8 | 1.280 | .228 | 1.508 | 440 | 126 | 1.382 | .291 | 1.673 |
| " | 170 | 2.5 | 27000 | 500 | 3625 | 400 | 30.8 | 1.269 | .229 | 1.498 | 432 | 127 | 1.334 | .299 | 1.633 |
| " | 171 | 2.5 | 29000 | 500 | 3600 | 392 | 30 | 1.269 | .223 | 1.492 | 419 | 124 | 1.305 | .293 | 1.598 |
| " | 172 | 2.5 | 28500 | 490 | 3575 | 390 | 28 | 1.260 | .217 | 1.477 | 430 | 123 | 1.309 | .291 | 1.600 |

TABLE 12. (Continued)

| BUILD NO. | TEST NO. | TIME MIN. | SPEED RPM | INLET TEMP F | INLET PR. PSIG | PUMP END SEAL | | | | | TURBINE END SEAL | | | | |
|-----------|----------|-----------|-----------|--------------|----------------|-------------------|-------------------|----------------|------|-------|-------------------|-------------------|----------------|------|-------|
| | | | | | | PRI DRAIN PR-PSIG | SEC DRAIN PR-PSIG | LEAKAGE LB/SEC | | | PRI DRAIN PR-PSIG | SEC DRAIN PR-PSIG | LEAKAGE LB/SEC | | |
| | | | | | | | | PRI | SEC | TOTAL | | | PRI | SEC | TOTAL |
| 13 | 173 | 2.5 | 27000 | 500 | 3500 | 392 | 27 | 1.281 | .216 | 1.497 | 438 | 122 | 1.322 | .287 | 1.609 |
| " | 174 | 2.5 | 28750 | 490 | 3600 | 392 | 26.5 | 1.275 | .218 | 1.493 | 430 | 120 | 1.308 | .278 | 1.586 |
| " | 175 | 2.5 | 28500 | 495 | 3650 | 400 | 28.2 | 1.294 | .227 | 1.521 | 445 | 130 | 1.351 | .309 | 1.660 |
| " | 176 | 2.5 | 27500 | 460 | 3590 | 400 | 29.8 | 1.322 | .223 | 1.545 | 449 | 134 | 1.352 | .316 | 1.668 |
| " | 177 | 2.5 | 28250 | 491 | 3650 | 400 | 29.9 | 1.310 | .221 | 1.531 | 458 | 140 | 1.342 | .323 | 1.665 |
| " | 178 | 2.5 | 28400 | 455 | 3660 | 399 | 29.2 | 1.336 | .224 | 1.560 | 450 | 143 | 1.378 | .336 | 1.714 |
| " | 179 | 2.5 | 29000 | 500 | 3600 | 420 | 26 | 1.333 | .219 | 1.552 | 470 | 128 | 1.393 | .286 | 1.679 |
| " | 180 | 2.5 | 28500 | 480 | 3550 | 405 | 29.5 | 1.315 | .229 | 1.544 | 442 | 145 | 1.383 | .337 | 1.720 |
| " | 181 | 2.5 | 29000 | 487 | 3600 | 410 | 28 | 1.324 | .226 | 1.550 | 460 | 145 | 1.420 | .333 | 1.753 |
| " | 182 | 2.5 | 28200 | 475 | 3525 | 400 | 28 | 1.327 | .221 | 1.548 | 460 | 147 | 1.323 | .350 | 1.673 |
| " | 183 | 2.5 | 29000 | 500 | 3400 | 409 | 26 | 1.313 | .212 | 1.525 | 465 | 138 | 1.339 | .307 | 1.646 |
| " | 184 | 2.5 | 28750 | 500 | 3650 | 385 | 28.2 | 1.292 | .218 | 1.510 | 460 | 165 | 1.362 | .401 | 1.763 |
| " | 185 | 2.5 | 29000 | 490 | 3525 | 400 | 26 | 1.306 | .217 | 1.523 | 460 | 192 | 1.377 | .382 | 1.759 |
| " | 186 | 2.5 | 28100 | 462 | 3400 | 386 | 27.8 | 1.353 | .221 | 1.574 | 410 | 165 | 1.336 | .396 | 1.732 |
| " | 187 | 2.5 | 29000 | 453 | 3275 | 370 | 27.2 | 1.250 | .225 | 1.475 | 410 | 160 | 1.273 | .371 | 1.644 |
| " | 188 | 2.5 | 29000 | 495 | 3400 | 411 | 28 | 1.279 | .214 | 1.493 | 458 | 162 | 1.358 | .360 | 1.718 |
| " | 189 | 2.5 | 26900 | 500 | 3500 | 380 | 28 | 1.290 | .221 | 1.511 | 412 | 175 | 1.294 | .391 | 1.685 |
| " | 190 | 2.5 | 29000 | 500 | 3500 | 416 | 26 | 1.322 | .212 | 1.534 | 456 | 170 | 1.369 | .357 | 1.726 |
| " | 191 | 2.5 | 29000 | 500 | 3400 | 412 | 27.5 | 1.315 | .216 | 1.531 | 460 | 175 | 1.344 | .388 | 1.732 |
| " | 192 | 2.5 | 29000 | 500 | 3400 | 410 | 28 | 1.326 | .222 | 1.548 | 455 | 178 | 1.396 | .394 | 1.790 |
| " | 193 | 2.5 | 29000 | 500 | 3300 | 407 | 27.5 | 1.299 | .215 | 1.514 | 455 | 165 | 1.359 | .362 | 1.721 |
| " | 194 | 2.5 | 29000 | 500 | 3450 | 410 | 28 | 1.336 | .222 | 1.558 | 462 | 185 | - | .479 | - |
| " | 195 | 2.5 | 29000 | 500 | 3200 | 402 | 26.5 | 1.273 | .211 | 1.484 | 438 | 164 | 1.328 | .356 | 1.684 |
| " | 196 | 2.5 | 28800 | 500 | 3290 | 400 | 26 | 1.284 | .213 | 1.497 | 440 | 175 | 1.305 | .383 | 1.688 |
| " | 197 | 2.5 | 28500 | 495 | 3400 | 405 | 31 | 1.331 | .226 | 1.557 | 460 | 190 | 1.384 | .426 | 1.810 |
| " | 198 | 2.5 | 29000 | 500 | 3490 | 411 | 29.5 | 1.319 | .221 | 1.540 | 457 | 190 | 1.369 | .413 | 1.782 |

TABLE 12. (Continued)

| BUILD NO. | TEST NO. | TIME MIN. | SPEED RPM | INLET TEMP F | INLET PR. PSIG | PUMP END SEAL | | | | | TURBINE END SEAL | | | | |
|-----------|----------|-----------|-----------|--------------|----------------|-------------------|-------------------|----------------|-------|--------|-------------------|-------------------|----------------|-------|-------|
| | | | | | | PRI DRAIN PR-PSIG | SEC DRAIN PR-PSIG | LEAKAGE LB/SEC | | | PRI DRAIN PR-PSIG | SEC DRAIN PR-PSIG | LEAKAGE LB/SEC | | |
| | | | | | | | | PRI | SEC | TOTAL | | | PRI | SEC | TOTAL |
| 12 | 199 | 2.5 | 30000 | 500 | 3470 | 412 | 29.9 | 1.329 | .219 | 1.548 | 452 | 189 | 1.365 | .410 | 1.775 |
| " | 200 | 2.5 | 29000 | 500 | 3500 | 419 | 31.2 | 1.320 | .226 | 1.546 | 457 | 196 | 1.366 | .437 | 1.803 |
| " | 201 | 2.5 | 29000 | 500 | 3500 | 410 | 27.5 | 1.306 | .220 | 1.526 | 450 | 185 | 1.348 | .404 | 1.752 |
| " | 202 | 2.5 | 29000 | 445 | 3325 | 399 | 28 | 1.321 | .217 | 1.538 | 439 | 191 | 1.364 | .432 | 1.796 |
| " | 203 | 2.5 | 29800 | 499 | 3400 | 414 | 28 | 1.323 | .222 | 1.545 | 456 | 195 | 1.354 | .423 | 1.777 |
| " | 204 | 2.5 | 28000 | 490 | 3325 | 377 | 27.8 | 1.228 | .220 | 1.448 | 437 | 195 | 1.324 | .427 | 1.751 |
| " | 205 | 2.5 | 29000 | 500 | 3450 | 420 | 28.3 | 1.319 | .226 | 1.545 | 460 | 195 | 1.396 | .445 | 1.841 |
| " | 206 | 2.5 | 29000 | 500 | 3350 | 410 | 27.9 | 1.287 | .218 | 1.505 | 451 | 190 | 1.388 | .395 | 1.783 |
| " | 207 | 2.5 | 29000 | 470 | 3525 | 407 | 30 | 1.341 | .228 | 1.569 | 451 | 213 | 1.410 | .467 | 1.877 |
| " | 208 | 2.5 | 29000 | 500 | 3400 | 409 | 28 | 1.312 | .226 | 1.538 | 450 | 209 | 1.346 | .442 | 1.788 |
| " | 209 | 2.5 | 29500 | 500 | 3425 | 411 | 28.5 | 1.310 | 0.217 | 1.527 | 455 | 210 | 1.346 | .449 | 1.795 |
| " | 210 | 2.5 | 29000 | 500 | 3425 | 409 | 28 | 1.298 | .215 | 1.513 | 448 | 207 | 1.346 | .441 | 1.787 |
| " | 211 | 2.5 | 29500 | 500 | 3450 | 411 | 28 | 1.308 | .220 | 1.528 | 460 | 209 | 1.346 | .446 | 1.792 |
| " | 212 | 2.5 | 29300 | 498 | 3350 | 400 | 26.2 | 1.287 | .213 | 1.500 | 440 | 198 | 1.305 | .435 | 1.740 |
| " | 213 | 2.5 | 29000 | 500 | 3400 | 415 | 28.3 | 1.353 | .230 | 1.583 | 460 | 219 | 1.349 | .468 | 1.817 |
| " | 214 | 2.5 | 29000 | 500 | 3250 | 392 | 28.5 | 1.312 | .231 | 1.543 | 430 | 205 | 1.307 | .481 | 1.788 |
| " | 215 | 2.5 | 29000 | 500 | 3400 | 414 | 29 | 1.328 | .228 | 1.556 | 451 | 215 | 1.349 | .452 | 1.801 |
| " | 216 | 2.5 | 29500 | 500 | 3425 | 415 | 30 | 1.331 | .231 | 1.562 | 450 | 214 | 1.354 | .461 | 1.815 |
| " | 217 | 2.5 | 29000 | 500 | 3350 | 415 | 29.8 | 1.333 | .226 | 1.559 | 452 | 205 | 1.347 | .460 | 1.807 |
| " | 218 | 2.5 | 29000 | 500 | 3375 | 410 | 28 | 1.323 | .226 | 1.549 | 445 | 215 | 1.346 | .484 | 1.830 |
| 14 | PVE 219 | - | 0 | 201 | 500 | 60 | 4 | 0.264 | 0.104 | 0.368 | 72 | 8 | 0.271 | 0.279 | 0.55 |
| " | " | - | 0 | 198 | 1000 | 147.5 | 10.5 | 0.555 | 0.135 | 0.690 | 160 | 25 | 0.592 | 0.604 | 1.196 |
| " | " | - | 0 | 160 | 1500 | 225 | 20 | 0.815 | 0.186 | 1.001 | 240 | 45 | 0.871 | 0.872 | 1.743 |
| " | " | - | 0 | 110 | 2000 | 291.5 | 30.2 | 1.173 | 0.239 | 1.412 | 322 | 67.5 | 1.239 | 1.217 | 2.456 |
| " | " | - | 0 | 70 | 2210 | 325 | 34.2 | 1.383 | 0.252 | 1.635 | 358 | 80.0 | 1.436 | 1.406 | 2.842 |
| " | 219 | 2.5 | 27000 | 300 | 3300 | 415 | 28 | 1.240 | 0.226 | 1.4665 | 443 | 97.5 | 1.260 | 0.453 | 1.714 |

TABLE 12. (Continued)

| BUILD NO. | TEST NO. | TIME MIN. | SPEED RPM | INLET TEMP F | INLET PR. PSIG | PUMP END SEAL | | | | | TURBINE END SEAL | | | | |
|-----------|----------|-----------|-----------|--------------|----------------|-------------------|-------------------|----------------|--------|--------|-------------------|-------------------|----------------|--------|--------|
| | | | | | | PUMP END SEAL | | LEAKAGE LB/SEC | | | TURBINE END SEAL | | LEAKAGE LB/SEC | | |
| | | | | | | PRI DRAIN PR-PSIG | SEC DRAIN PR-PSIG | PRI | SEC | TOTAL | PRI DRAIN PR-PSIG | SEC DRAIN PR-PSIG | PRI | SEC | TOTAL |
| 14 | 220 | 2.5 | 26000 | 439 | 3400 | 431 | 34 | 1.3557 | 0.2488 | 1.6045 | 450 | 105 | 1.4078 | 0.5024 | 1.9102 |
| " | 221 | 2.5 | 27000 | 438.5 | 3400 | 430 | 30 | 1.3517 | 0.2577 | 1.6094 | 460 | 105 | 1.3709 | 0.5109 | 1.8818 |
| " | 222 | 2.5 | 28000 | 486 | 3500 | 422.5 | 30.5 | 1.3206 | 0.2477 | 1.5683 | 448 | 112.5 | 1.3172 | 0.5262 | 1.8434 |
| " | 223 | 2.5 | 29000 | 500 | 3400 | 415 | 30 | 1.3113 | 0.2426 | 1.5539 | 438 | 105.5 | 1.2584 | 0.5120 | 1.7704 |
| " | 224 | 2.5 | 29000 | 450 | 3450 | 420 | 27 | 1.3522 | 0.2513 | 1.6035 | 445 | 112 | 1.3824 | 0.5407 | 1.9231 |
| " | 225 | 2.5 | 29000 | 500 | 3425 | 415 | 26.5 | 1.2958 | 0.2298 | 1.5256 | 439 | 120 | 1.2532 | 0.5338 | 1.7870 |
| " | 226 | 2.5 | 29000 | 433 | 3525 | 416 | 30 | 1.3394 | 0.2314 | 1.5708 | 431 | 154.5 | 1.1746 | 0.6941 | 1.8687 |
| " | 227 | 2.5 | 29000 | 500 | 3415 | 429 | 30.2 | 1.3163 | 0.2296 | 1.5459 | 410 | 140.75 | 1.1911 | 0.6149 | 1.8060 |
| " | 228 | 2.5 | 29000 | 440 | 3400 | 402.5 | 30 | 1.3388 | 0.2372 | 1.5760 | 343 | 148.75 | 1.1531 | 0.7045 | 1.8576 |
| " | 229 | 2.5 | 29000 | 434 | 3425 | 409 | 31.8 | 1.3461 | 0.2406 | 1.5867 | 322 | 190 | 0.9698 | 0.8795 | 1.8493 |
| " | 230 | 2.5 | 29000 | 499 | 3490 | 410 | 35 | 1.3064 | 0.2428 | 1.5489 | 350 | 179.5 | 1.0330 | 0.7988 | 1.8318 |
| " | 231 | 2.5 | 29000 | 500 | 3200 | 397.5 | 29.5 | 1.2273 | 0.2267 | 1.4540 | 282 | 184.5 | 0.8851 | 0.7929 | 1.6780 |
| " | 232 | 2.5 | 29000 | 485 | 3430 | 411.5 | 30.3 | 1.3055 | 0.2436 | 1.5491 | 320 | 185 | 0.8873 | 0.8452 | 1.7325 |
| " | 233 | 2.5 | 29000 | 477.5 | 3500 | 440 | 38 | 1.3568 | 0.2579 | 1.6147 | 263 | 225 | 0.8235 | 1.015 | 1.8385 |
| " | 234 | 2.5 | 29000 | 490 | 3530 | 430 | 34 | 1.3633 | 0.2516 | 1.6149 | 290 | 222 | 0.8468 | 0.9807 | 1.8275 |
| " | 235 | 2.5 | 29000 | 500 | 3500 | 424 | 34 | 1.3243 | 0.2447 | 1.5690 | 350 | 197.5 | 0.9317 | 0.8621 | 1.7938 |
| " | 236 | 2.5 | 29000 | 500 | 3420 | 419 | 31.5 | 1.3075 | 0.2345 | 1.5420 | 320 | 202.5 | 0.8825 | 0.8699 | 1.7524 |
| " | 237 | 2.5 | 29000 | 477.5 | 3500 | 417.5 | 31 | 1.3172 | 0.2293 | 1.5465 | 320 | 207.5 | 0.8558 | 0.9293 | 1.7657 |
| " | 238 | 2.5 | 29000 | 490 | 3500 | 435 | 36 | 1.3386 | 0.2543 | 1.5929 | 319 | 209.5 | 0.8878 | 0.9320 | 1.8198 |
| " | 239 | 2.5 | 29000 | 500 | 3425 | 414 | 31.6 | 1.2862 | 0.2302 | 1.5164 | 345 | 190 | 0.9397 | 0.8698 | 1.8095 |
| " | 240 | 2.5 | 29000 | 479 | 3450 | 420 | 32.5 | 1.3172 | 0.2394 | 1.5566 | 360 | 189.5 | 0.9895 | 0.8490 | 1.8385 |
| " | 241 | 2.5 | 29000 | 460 | 3500 | 422.5 | 34 | 1.3293 | 0.2423 | 1.5716 | 320 | 210 | 0.8672 | 0.9258 | 1.7930 |
| " | 242 | 2.5 | 29000 | 481 | 3500 | 415 | 34 | 1.3420 | 0.2467 | 1.5887 | 321 | 185.75 | 0.9452 | 0.8438 | 1.7890 |
| " | 243 | 2.5 | 29000 | 500 | 3400 | 410 | 31 | 1.2894 | 0.2284 | 1.5178 | 342 | 184.5 | 0.9256 | 0.8072 | 1.7328 |
| " | 244 | 2.5 | 29000 | 500 | 3475 | 425 | 31 | 1.3129 | 0.2263 | 1.5392 | 280 | 240 | 0.7578 | 1.0461 | 1.8039 |
| " | 245 | 2.5 | 29000 | 500 | 3400 | 400 | 30 | 1.2796 | 0.2182 | 1.4978 | 325 | 201.25 | 0.8646 | 0.8780 | 1.7426 |

TABLE 12. (Continued)

| BUILD NO. | TEST NO. | TIME MIN. | SPEED RPM | INLET TEMP F | INLET PR. PSIG | PUMP END SEAL | | | | | TURBINE END SEAL | | | | |
|-----------|----------|-----------|-----------|--------------|----------------|-------------------|-------------------|----------------|--------|--------|-------------------|-------------------|----------------|--------|--------|
| | | | | | | PUMP END SEAL | | LEAKAGE LB/SEC | | | TURBINE END SEAL | | LEAKAGE LB/SEC | | |
| | | | | | | PRI DRAIN PR-PSIG | SEC DRAIN PR-PSIG | PRI | SEC | TOTAL | PRI DRAIN PR-PSIG | SEC DRAIN PR-PSIG | PRI | SEC | TOTAL |
| 14 | 246 | 2.5 | 29000 | 500 | 3390 | 410 | 29.8 | 1.2780 | 0.2245 | 1.5025 | 280 | 220 | 0.7845 | 0.9500 | 1.7345 |
| " | 247 | 2.5 | 29000 | 500 | 3450 | 415 | 32 | 1.3099 | 0.2273 | 1.5372 | 255 | 230 | 0.7698 | 1.0075 | 1.7773 |
| " | 248 | 2.5 | 29000 | 489 | 3400 | 410 | 31 | 1.3201 | 0.2220 | 1.5421 | 345 | 192.5 | 0.9421 | 0.8832 | 1.8253 |
| " | 249 | 2.5 | 26000 | 489 | 3400 | 410 | 33.8 | 1.3168 | 0.2466 | 1.5634 | 240 | 214.5 | 0.7966 | 0.9700 | 1.7666 |
| " | 250 | 2.5 | 29000 | 482 | 3450 | 410 | 31 | 1.2770 | 0.2182 | 1.4952 | 270 | 211.25 | 0.8036 | 0.9388 | 1.7424 |
| " | 251 | 2.5 | 29000 | 500 | 3325 | 420 | 30.8 | 1.2788 | 0.2239 | 1.5027 | 318 | 207.5 | 0.8578 | 0.8866 | 1.7444 |
| " | 252 | 2.5 | 29000 | 500 | 3200 | 406 | 28 | 1.2216 | 0.2119 | 1.4335 | 301 | 195 | 0.8578 | 0.8243 | 1.6821 |
| " | 253 | 2.5 | 29000 | 450 | 3300 | 411 | 31 | 1.3199 | 0.2245 | 1.5444 | 324 | 204.5 | 0.9222 | 0.9024 | 1.8246 |
| " | 254 | 2.5 | 29000 | 500 | 3475 | 425 | 32 | 1.3026 | 0.2239 | 1.5265 | 322 | 210 | 0.8754 | 0.8833 | 1.7587 |
| " | 255 | 2.5 | 29000 | 500 | 3350 | 429 | 33 | 1.2932 | 0.2369 | 1.5301 | 299 | 209.5 | 0.8744 | 0.9178 | 1.7922 |
| " | 256 | 2.5 | 29000 | 500 | 3400 | 429 | 33.5 | 1.3305 | 0.2295 | 1.5600 | 318 | 215 | 0.8724 | 0.9268 | 1.7992 |
| " | 257 | 2.5 | 29000 | 470 | 3450 | 420 | 34 | 1.3095 | 0.2399 | 1.5494 | 260 | 212.5 | 0.8751 | 0.9009 | 1.7760 |
| " | 258 | 2.5 | 29000 | 488 | 3600 | 410 | 32 | 1.2904 | 0.2384 | 1.5288 | 320 | 228 | 0.8230 | 1.009 | 1.8320 |
| " | 259 | 2.5 | 29000 | 500 | 3475 | 435 | 35.3 | 1.3298 | 0.2379 | 1.5677 | 297 | 220 | 0.8371 | 0.9771 | 1.8142 |
| " | 260 | 2.5 | 29000 | 500 | 3440 | 416.5 | 31 | 1.3017 | 0.2328 | 1.5345 | 299 | 225 | 0.8436 | 0.8535 | 1.6971 |
| " | 261 | 2.5 | 29000 | 489 | 3450 | 432.5 | 33 | 1.3298 | 0.2453 | 1.5951 | 300 | 223 | 0.8440 | 0.9921 | 1.8361 |
| " | 262 | 2.5 | 29000 | 500 | 3430 | 430 | 33.7 | 1.3190 | 0.2498 | 1.5688 | 310 | 218 | 0.8637 | 1.0720 | 1.9357 |
| " | 263 | 2.5 | 29000 | 477 | 3400 | 435 | 35 | 1.3266 | 0.2412 | 1.5678 | 306 | 215.5 | 0.8388 | 0.9606 | 1.7994 |
| " | 264 | 2.5 | 29000 | 491 | 3500 | 419 | 35 | 1.3401 | 0.2499 | 1.5900 | 318 | 212.5 | 0.8879 | 0.9629 | 1.8508 |
| " | 265 | 2.5 | 29000 | 500 | 3425 | 440 | 32 | 1.2960 | 0.2374 | 1.5334 | 319 | 212.5 | 0.8531 | 0.9030 | 1.7561 |
| " | 266 | 2.5 | 29000 | 496 | 3400 | 442.5 | 33 | 1.2870 | 0.2316 | 1.5186 | 307 | 215.5 | 0.8346 | 0.9408 | 1.7754 |
| " | 267 | 2.5 | 29000 | 459 | 3400 | 430 | 35.5 | 1.3313 | 0.2492 | 1.5805 | 320 | 215.5 | 0.9012 | 0.9694 | 1.8706 |
| " | 268 | 2.5 | 29000 | 500 | 3450 | 431 | 34 | 1.2796 | 0.2375 | 1.5171 | 310 | 210 | 0.8737 | 0.9067 | 1.7801 |
| " | 269 | 2.5 | 29000 | 448 | 3300 | 425 | 33.8 | 1.2844 | 0.2333 | 1.5177 | 298 | 210 | 0.8512 | 0.9577 | 1.8089 |
| " | 270 | 2.5 | 29000 | 499 | 3400 | 425 | 33.2 | 1.2679 | 0.2280 | 1.4959 | 300 | 210 | 0.8443 | 0.8981 | 1.7424 |
| " | 271 | 2.5 | 29000 | 492 | 3450 | 420 | 34.8 | 1.3313 | 0.2457 | 1.5770 | 305 | 199.5 | 0.8511 | 0.9035 | 1.7546 |

TABLE 12. (Continued)

| BUILD NO. | TEST NO. | TIME MIN. | SPEED RPM | INLET TEMP F | INLET PR. PSIG | PUMP END SEAL | | | | | TURBINE END SEAL | | | | |
|-----------|----------|-----------|-----------|--------------|----------------|-------------------|-------------------|----------------|-------|--------|-------------------|-------------------|----------------|--------|--------|
| | | | | | | PRI DRAIN PR-PSIG | SEC DRAIN PR-PSIG | LEAKAGE LB/SEC | | | PRI DRAIN PR-PSIG | SEC DRAIN PR-PSIG | LEAKAGE LB/SEC | | |
| | | | | | | | | PRI | SEC | TOTAL | | | PRI | SEC | TOTAL |
| 14 | 272 | 2.5 | 29000 | 500 | 3475 | 440 | 32.3 | 1.3395 | .2377 | 1.5772 | 320 | 212.5 | .8223 | 0.9257 | 1.7480 |
| " | 273 | 2.5 | 29000 | 479 | 3400 | 441 | 33.3 | 1.3939 | .2536 | 1.6475 | 320 | 210 | .9372 | 0.9658 | 1.9030 |
| " | 274 | 2.5 | 29000 | 510 | 3410 | 442.5 | 34.8 | 1.3436 | .2444 | 1.5880 | 320 | 209.5 | .8790 | 0.9289 | 1.8079 |
| " | 275 | 2.5 | 29000 | 500 | 3400 | 432.5 | 32 | 1.3025 | .2315 | 1.5340 | 320 | 200 | .9123 | 0.8550 | 1.7673 |
| " | 276 | 2.5 | 29000 | 497 | 3425 | 435 | 32.8 | 1.3291 | .2347 | 1.5638 | 320 | 205.5 | .9240 | 0.8904 | 1.8144 |
| " | 277 | 2.5 | 29000 | 491 | 3440 | 435 | 32.2 | 1.3183 | .2375 | 1.5558 | 317 | 209.5 | .8587 | 0.9399 | 1.7986 |
| " | 278 | 2.5 | 29000 | 500 | 3450 | 440 | 36 | 1.3512 | .2523 | 1.6035 | 301 | 215.5 | .8834 | 0.9787 | 1.8621 |
| 15 | 279 | 2.5 | 29000 | 489 | 3350 | 67.5 | 28.0 | 1.278 | .2180 | 1.496 | 325 | 166.3 | .9767 | 0.7762 | 1.753 |
| " | 280 | 2.5 | 29800 | 491 | 3590 | 216.5 | 32.0 | 1.339 | .2418 | 1.581 | 320 | 202.5 | .7958 | .8832 | 1.679 |
| " | 281 | 2.5 | 29000 | 500 | 3520 | 350.0 | 30.5 | 1.382 | .2278 | 1.610 | 358 | 185.5 | 1.004 | .8133 | 1.817 |
| " | 282 | 2.5 | 29000 | 500 | 3435 | 351.0 | 30.0 | 1.356 | .2224 | 1.578 | 338 | 207.5 | .8718 | .8692 | 1.741 |
| " | 283 | 2.5 | 29000 | 500 | 3480 | 320.0 | 30.3 | 1.356 | .2273 | 1.583 | 358 | 180.0 | .9355 | .7979 | 1.733 |
| " | 284 | 2.5 | 29000 | 491 | 3500 | 295.0 | 32.0 | 1.372 | .2312 | 1.603 | 355 | 188.3 | .9697 | .8470 | 1.817 |
| " | 285 | 2.5 | 29000 | 500 | 3500 | 330.0 | 29.9 | 1.347 | .2165 | 1.564 | 365 | 185.0 | .9622 | .8116 | 1.774 |
| " | 286 | 2.5 | 29000 | 475 | 3475 | 261.0 | 31.8 | 1.339 | .2300 | 1.569 | 310 | 209.5 | .8359 | .9360 | 1.772 |
| " | 287 | 2.5 | 29000 | 500 | 3500 | 341.5 | 30.0 | 1.334 | .2208 | 1.555 | 340 | 219.5 | .9151 | .8476 | 1.763 |
| " | 288 | 2.5 | 29000 | 441.5 | 3400 | 345.0 | 32.0 | 1.361 | .2345 | 1.596 | 225 | 235.0 | .7698 | 1.0545 | 1.824 |
| " | 289 | 2.5 | 29000 | 431.5 | 3450 | 281.5 | 30.5 | 1.363 | .2352 | 1.598 | 200 | 250.0 | .6800 | 1.1420 | 1.822 |
| " | 290 | 2.5 | 29000 | 500 | 3450 | 330.0 | 29.8 | 1.318 | .2294 | 1.547 | 335 | 195.0 | .8749 | .8456 | 1.721 |
| " | 291 | 2.5 | 29000 | 500 | 3330 | 340.0 | 30.0 | 1.292 | .2256 | 1.518 | 206 | 250.0 | .9101 | 1.072 | 1.982 |
| " | 292 | 2.5 | 29000 | 500 | 3500 | 279.5 | 34.0 | 1.317 | .2491 | 1.566 | 210 | 255.0 | .9209 | 1.125 | 2.046 |
| " | 293 | 2.5 | 29000 | 500 | 3520 | 252.0 | 32.1 | 1.331 | .2455 | 1.577 | 340 | 199.0 | .8867 | .9010 | 1.788 |
| " | 294 | 2.5 | 29000 | 500 | 3450 | 329.0 | 31.0 | 1.305 | .2285 | 1.534 | 220 | 240.0 | .9541 | 1.037 | 1.992 |
| " | 295 | 2.5 | 29000 | 500 | 3250 | 336.5 | 28.5 | 1.214 | .2159 | 1.430 | 263 | 222.5 | .6542 | .9442 | 1.598 |
| " | 296 | 2.5 | 29000 | 480 | 3500 | 245.0 | 31.0 | 1.274 | .2320 | 1.506 | 280 | 232.5 | .6473 | 1.045 | 1.692 |
| " | 297 | 1.25 | 29000 | 500 | 3400 | 341.0 | 31.0 | 1.280 | .2249 | 1.505 | 230 | 249.0 | .6396 | 1.076 | 1.716 |

TABLE 12. (Continued)

| BUILD NO. | TEST NO. | TIME MIN. | SPEED RPM | INLET TEMP F | INLET PR. PSIG | PUMP END SEAL | | | | | TURBINE END SEAL | | | | |
|-----------|----------|-----------|-----------|--------------|----------------|-------------------|-------------------|----------------|-------|-------|-------------------|-------------------|----------------|-------|-------|
| | | | | | | PRI DRAIN PR-PSIG | SEC DRAIN PR-PSIG | LEAKAGE LB/SEC | | | PRI DRAIN PR-PSIG | SEC DRAIN PR-PSIG | LEAKAGE LB/SEC | | |
| | | | | | | | | PRI | SEC | TOTAL | | | PRI | SEC | TOTAL |
| 16 | 298 | 2.5 | 29000 | 496 | 3775 | 165 | 34.2 | 1.351 | .2608 | 1.612 | 220 | 40.0 | 1.234 | .2448 | 1.479 |
| " | 299 | 2.5 | 29000 | 500 | 3700 | 400 | 31.0 | 1.341 | .2329 | 1.574 | 225 | 40.0 | 1.260 | .2307 | 1.490 |
| " | 300 | 2.5 | 29000 | 500 | 3800 | 370 | 30.0 | 1.371 | .2337 | 1.605 | 230 | 42.5 | 1.318 | .2668 | 1.585 |
| " | 301 | 2.5 | 29000 | 500 | 3675 | 145 | 39.5 | 1.372 | .2622 | 1.634 | 232 | 45.0 | 1.343 | .2374 | 1.580 |
| " | PRE 302 | - | 0 | 180 | 400 | 40 | 0.8 | 1.199 | 0.087 | 0.286 | 39 | 2.5 | .2012 | 0.081 | 0.282 |
| " | " | - | 0 | 170 | 1000 | 111.5 | 4.2 | 0.527 | 0.105 | 0.632 | 80 | 5.0 | .5348 | 0.085 | 0.620 |
| 16 | PRE 302 | - | 0 | 145 | 1500 | 170 | 10.0 | 0.812 | 0.126 | 0.938 | 120 | 13.8 | .8231 | 0.114 | 0.937 |
| " | " | - | 0 | 95 | 2000 | 245 | 18.0 | 1.115 | .1577 | 1.273 | 150 | 25.0 | 1.179 | 0.181 | 1.360 |
| " | " | - | 0 | 70 | 2500 | 312.5 | 28.0 | 1.503 | .2261 | 1.729 | 200 | 37.5 | 1.572 | .2525 | 1.825 |
| " | 302 | 2.5 | 29000 | 500 | 3800 | 405 | 32.0 | 1.373 | .2117 | 1.585 | 240 | 40.0 | 1.336 | .2072 | 1.543 |
| " | 303 | 2.5 | 29000 | 500 | 3800 | 405 | 32.0 | 1.341 | .2179 | 1.559 | 235 | 43.3 | 1.330 | .2112 | 1.541 |
| " | 304 | 2.5 | 29000 | 500 | 3700 | 415 | 31.5 | 1.361 | .2140 | 1.575 | 240 | 37.5 | 1.339 | .1904 | 1.529 |
| " | 305 | 2.5 | 29000 | 500 | 3700 | 392.5 | 32.0 | 1.341 | .2177 | 1.559 | 240 | 37.5 | 1.352 | .2044 | 1.556 |
| " | 306 | 2.5 | 29000 | 500 | 3600 | 335 | 30.0 | 1.269 | .2051 | 1.474 | 228 | 39.5 | 1.308 | .2086 | 1.517 |
| " | 307 | 2.5 | 29000 | 500 | 3680 | 369 | 31.0 | 1.329 | .2108 | 1.540 | 235 | 37.5 | 1.336 | .1960 | 1.532 |
| " | 308 | 2.5 | 29000 | 500 | 3500 | 398 | 28.4 | 1.293 | .1973 | 1.490 | 230 | 33.0 | 1.311 | .1775 | 1.489 |
| " | 309 | 2.5 | 29000 | 473.5 | 3600 | 275 | 33.8 | 1.349 | .2298 | 1.579 | 222 | 43.3 | 1.352 | .2416 | 1.594 |
| " | 310 | 2.5 | 29000 | 500 | 3800 | 331 | 33.8 | 1.387 | .2349 | 1.622 | 238 | 35.5 | 1.372 | .2137 | 1.586 |
| " | 311 | 2.5 | 29000 | 500 | 3700 | 360 | 30.0 | 1.325 | .2140 | 1.539 | 240 | 35.0 | 1.353 | .1797 | 1.533 |
| " | 312 | 2.5 | 29000 | 500 | 3700 | 339 | 32.0 | 1.346 | .2201 | 1.566 | 240 | 35.8 | 1.367 | .2019 | 1.569 |
| " | 313 | 2.5 | 29000 | 500 | 3750 | 295 | 33.0 | 1.378 | .2340 | 1.612 | 240 | 40.3 | 1.373 | .2240 | 1.597 |
| " | 314 | 2.5 | 29000 | 500 | 3700 | 340 | 29.9 | 1.326 | .2141 | 1.540 | 238 | 35.0 | 1.353 | .1921 | 1.545 |
| " | 315 | 2.5 | 29000 | 500 | 3600 | 400 | 27.5 | 1.313 | .2004 | 1.513 | 240 | 32.0 | 1.286 | .1753 | 1.461 |
| " | 316 | 2.5 | 29000 | 500 | 3700 | 285 | 32.0 | 1.375 | .2255 | 1.601 | 238 | 40.0 | 1.299 | .2364 | 1.535 |
| " | 317 | 2.5 | 29000 | 500 | 3700 | 394 | 30.0 | 1.336 | .2094 | 1.545 | 240 | 33.3 | 1.299 | .1915 | 1.491 |
| " | 318 | 2.5 | 29000 | 500 | 3600 | 365 | 18.0 | 1.309 | .2013 | 1.510 | 230 | 35.0 | 1.227 | .2029 | 1.430 |

TABLE 12. (Continued)

| BUILD NO. | TEST NO. | TIME MIN. | SPEED RPM | INLET TEMP F | INLET PR. PSIG | PUMP END SEAL | | | | | TURBINE END SEAL | | | | |
|-----------|----------|-----------|-----------|--------------|----------------|-------------------|-------------------|----------------|-------|-------|-------------------|-------------------|----------------|-------|-------|
| | | | | | | PRI DRAIN PR-PSIG | SEC DRAIN PR-PSIG | LEAKAGE LB/SEC | | | PRI DRAIN PR-PSIG | SEC DRAIN PR-PSIG | LEAKAGE LB/SEC | | |
| | | | | | | | | PRI | SEC | TOTAL | | | PRI | SEC | TOTAL |
| " | 319 | 2.5 | 29000 | 500 | 3700 | 345 | 29.0 | 1.347 | .2132 | 1.560 | 240 | 39.5 | 1.271 | .2246 | 1.496 |
| " | 320 | 2.5 | 29000 | 500 | 3700 | 360 | 28.0 | 1.323 | .2007 | 1.524 | 230 | 36.5 | 1.250 | .2052 | 1.455 |
| " | 321 | 2.5 | 29000 | 492 | 3675 | 252 | 30.0 | 1.326 | .2149 | 1.541 | 220 | 40.0 | 1.228 | .2241 | 1.452 |
| " | 322 | 2.5 | 29000 | 500 | 3700 | 340 | 34.0 | 1.310 | .1986 | 1.509 | 220 | 30.5 | 1.260 | .1831 | 1.443 |
| " | 323 | 2.5 | 29000 | 480 | 3700 | 255 | 33.8 | 1.382 | .2421 | 1.624 | 222 | 42.5 | 1.370 | .2467 | 1.617 |
| 16 | 324 | 2.5 | 29000 | 494 | 3625 | 271 | 31.5 | 1.341 | .2296 | 1.571 | 223 | 40.5 | 1.328 | .2406 | 1.569 |
| " | 325 | 2.5 | 29000 | 270 | 3700 | 242.5 | 32.0 | 1.390 | .2413 | 1.631 | 230 | 45.5 | 1.362 | .2577 | 1.620 |
| " | 326 | 2.5 | 29000 | 500 | 3650 | 284 | 29.0 | 1.346 | .2286 | 1.575 | 230 | 44.5 | 1.318 | .2359 | 1.554 |
| " | 327 | 2.5 | 29000 | 500 | 3650 | 419 | 36.5 | 1.348 | .2063 | 1.554 | 240 | 37.5 | 1.339 | .1834 | 1.522 |
| " | 328 | 2.5 | 29000 | 500+ | 3700 | 355 | 29.0 | 1.364 | .2131 | 1.577 | 230 | 45.0 | 1.349 | .2326 | 1.582 |
| " | 329 | 2.5 | 29000 | 500 | 3700 | 331 | 28.4 | 1.351 | .2146 | 1.566 | 224 | 47.5 | 1.332 | .2475 | 1.580 |
| " | 330 | 2.5 | 29000 | 500 | 3700 | 320 | 28.6 | 1.360 | .2168 | 1.577 | 225 | 47.0 | 1.330 | .2495 | 1.580 |
| " | 331 | 2.5 | 29000 | 500 | 3750 | 329.5 | 28.0 | 1.364 | .2149 | 1.579 | 230 | 48.8 | 1.325 | .2521 | 1.577 |
| " | 332 | 2.5 | 29000 | 497 | 3700 | 260 | 29.8 | 1.324 | .2183 | 1.542 | 220 | 50.0 | 1.290 | .2650 | 1.555 |
| " | 333 | 2.5 | 29000 | 500+ | 3750 | 281.5 | 29.0 | 1.361 | .2110 | 1.572 | 220 | 51.0 | 1.304 | .2616 | 1.566 |
| " | 334 | 2.5 | 29000 | 500+ | 3725 | 369.5 | 22.0 | 1.371 | .1958 | 1.568 | 220 | 45.0 | 1.303 | .2366 | 1.540 |
| " | 335 | 2.5 | 29000 | 489.5 | 3725 | 207.5 | 29.2 | 1.415 | .2235 | 1.639 | 230 | 53.3 | 1.398 | .2801 | 1.678 |
| " | 336 | 2.5 | 29000 | 495 | 3700 | 255 | 30.7 | 1.386 | .2275 | 1.614 | 228 | 50.0 | 1.370 | .2551 | 1.625 |
| " | 337 | 2.5 | 29000 | 480 | 3680 | 320 | 36.5 | 1.404 | .2180 | 1.622 | 225 | 51.0 | 1.366 | .2611 | 1.627 |
| " | 338 | 2.5 | 29000 | 500+ | 3600 | 326 | 34.0 | 1.333 | .1917 | 1.525 | 220 | 45.0 | 1.316 | .2276 | 1.544 |
| " | 339 | 2.5 | 29000 | 459 | 3650 | 245 | 29.95 | 1.398 | .2272 | 1.625 | 220 | 54.5 | 1.366 | .2659 | 1.632 |
| " | 340 | 2.5 | 29000 | 500+ | 3600 | 410 | 25.0 | 1.342 | .1937 | 1.536 | 220 | 45.5 | 1.306 | .2212 | 1.527 |
| " | 341 | 2.5 | 29000 | 500+ | 3650 | 369 | 26.0 | 1.371 | .2006 | 1.572 | 220 | 50.0 | 1.362 | .2561 | 1.618 |
| " | 342 | 2.5 | 29000 | 500+ | 3600 | 325 | 24.0 | 1.335 | .1971 | 1.532 | 220 | 47.5 | 1.349 | .2551 | 1.604 |
| " | 343 | 2.5 | 29000 | 460 | 3650 | 277.5 | 28.0 | 1.408 | .2160 | 1.624 | 220 | 50.0 | 1.392 | .2910 | 1.683 |
| " | 344 | 2.5 | 29000 | 500+ | 3750 | 315 | 20.0 | 1.196 | .1709 | 1.367 | 198 | 35.0 | 1.195 | .2234 | 1.418 |

(+) INSTRUMENTATION PEGGED

TABLE 12. (Continued)

| BUILD NO. | TEST NO. | TIME MIN. | SPEED RPM | INLET TEMP F | INLET PR. PSIG | PUMP END SEAL | | | | | TURBINE END SEAL | | | | |
|-----------|----------|-----------|-----------|--------------|----------------|-------------------|-------------------|----------------|-------|-------|-------------------|-------------------|----------------|-------|-------|
| | | | | | | PRI DRATN PR-PSIG | SEC DRATN PR-PSIG | LEAKAGE LB/SEC | | | PRI DRATN PR-PSIG | SEC DRATN PR-PSIG | LEAKAGE LB/SEC | | |
| | | | | | | | | PRI | SEC | TOTAL | | | PRI | SEC | TOTAL |
| " | 345 | 2.5 | 29000 | 500+ | 3600 | 389 | 24.2 | 1.341 | .1965 | 1.538 | 220 | 43.0 | 1.342 | .2441 | 1.586 |
| " | 346 | 2.5 | 29000 | 500+ | 3650 | 367.5 | 23.9 | 1.355 | .1905 | 1.546 | 220 | 43.8 | 1.346 | .2533 | 1.599 |
| " | 347 | 2.5 | 29000 | 500 | 3775 | 341 | 24.0 | 1.372 | .2057 | 1.578 | 220 | 48.8 | 1.271 | .2507 | 1.522 |
| " | 348 | 2.5 | 2900 | 500+ | 3600 | 367.5 | 28.0 | 1.367 | .2169 | 1.584 | 240 | 55.0 | 1.343 | .2584 | 1.601 |
| 16 | 349 | 2.5 | 29000 | 490 | 3580 | 428 | 30.0 | 1.373 | .2385 | 1.612 | 237 | 55.0 | 1.287 | .2704 | 1.557 |
| " | 350 | 2.5 | 29000 | 482.5 | 3500 | 425 | 29.0 | 1.328 | .2285 | 1.557 | 225 | 52.0 | 1.325 | .2767 | 1.602 |
| " | 351 | 2.5 | 29000 | 492 | 3600 | 402 | 31.2 | 1.339 | .2425 | 1.582 | 222 | 55.0 | 1.351 | .2796 | 1.631 |
| " | 352 | 2.5 | 29000 | 474 | 3500 | 417 | 28.8 | 1.313 | .2178 | 1.531 | 222 | 55.0 | 1.325 | .2733 | 1.598 |
| " | 353 | 2.5 | 29000 | 500+ | 3500 | 418 | 26.5 | 1.268 | .2121 | 1.480 | 230 | 50.0 | 1.331 | .2403 | 1.571 |
| " | 354 | 2.5 | 29000 | 482.5 | 3610 | 413 | 31.5 | 1.362 | .2288 | 1.591 | 230 | 59.5 | 1.407 | .2891 | 1.696 |
| " | 355 | 2.5 | 29000 | 500 | 3500 | 420 | 26.2 | 1.280 | .2157 | 1.496 | 220 | 54.5 | 1.327 | .2583 | 1.585 |
| " | 356 | 2.5 | 29000 | 492 | 3675 | 418 | 31.0 | 1.346 | .2383 | 1.584 | 238 | 60.0 | 1.369 | .2891 | 1.658 |
| " | 357 | 2.5 | 29000 | 452 | 3700 | 417 | 31.5 | 1.374 | .2282 | 1.602 | 238 | 35.5 | 1.392 | .2008 | 1.693 |
| 17 | 358 | 2.5 | 29000 | 490 | 3500 | 380 | 39.8 | 1.307 | 0.307 | 1.614 | 220 | 35.5 | 1.275 | 0.187 | 1.462 |
| " | 359 | | | 500+ | 3500 | 388 | 42 | 1.287 | 0.296 | 1.583 | 221 | 35.5 | 1.249 | 0.199 | 1.448 |
| " | 360 | | | 491 | 3450 | 390 | 46 | 1.343 | 0.302 | 1.645 | 220 | 45 | 1.236 | 0.267 | 1.503 |
| " | 361 | | | 500+ | 3550 | 388 | 44 | 1.286 | 0.197 | 1.583 | 225 | 35 | 1.216 | 0.201 | 1.417 |
| " | 362 | | | 500+ | 3485 | 381 | 43.8 | 1.311 | 0.299 | 1.610 | 220 | 40.5 | 1.215 | 0.233 | 1.448 |
| " | 363 | | | 500+ | 3510 | 397 | 45 | 1.325 | 0.306 | 1.631 | 220 | 36.3 | 1.239 | 0.211 | 1.450 |
| " | 364 | | | 479 | 3500 | 390 | 46 | 1.350 | 0.308 | 1.658 | 220 | 40 | 1.224 | 0.226 | 1.450 |
| " | 365 | | | 500 | 3500 | 390 | 47 | 1.312 | 0.306 | 1.618 | 222 | 35 | 1.190 | 0.199 | 1.389 |
| " | 366 | | | 500 | 3420 | 392 | 48 | 1.290 | 0.302 | 1.592 | 220 | 37 | 1.135 | 0.211 | 1.346 |
| " | 367 | | | 500 | 3500 | 379 | 43 | 1.269 | 0.287 | 1.556 | 215 | 36 | 1.155 | 0.208 | 1.363 |
| " | 368 | | | 500 | 3400 | 379 | 52 | 1.257 | 0.294 | 1.551 | 220 | 34 | 1.197 | 0.186 | 1.383 |
| " | 369 | | | 500 | 3380 | 385 | 52 | 1.247 | 0.295 | 1.542 | 219 | 35 | 1.203 | 0.203 | 1.406 |
| " | 370 | | | 500 | 3400 | 382 | 51 | 1.265 | 0.302 | 1.567 | 220 | 36 | 1.207 | 0.207 | 1.414 |

(+) INSTRUMENTATION PEGGED

TABLE 12. (Continued)

| BUILD NO. | TEST NO. | TIME MIN. | SPEED RPM | INLET TEMP F | INLET PR. PSIG | PUMP END SEAL | | | | | TURBINE END SEAL | | | | |
|-----------|----------|-----------|-----------|--------------|----------------|-------------------|-------------------|----------------|-------|-------|-------------------|-------------------|----------------|-------|-------|
| | | | | | | PRI DRAIN PR-PSIG | SEC DRAIN PR-PSIG | LEAKAGE LB/SEC | | | PRI DRAIN PR-PSIG | SEC DRAIN PR-PSIG | LEAKAGE LB/SEC | | |
| | | | | | | | | PRI | SEC | TOTAL | | | PRI | SEC | TOTAL |
| 17 | 371 | 2.5 | 29000 | 500 | 3430 | 382 | 46 | 1.266 | 0.296 | 1.562 | 217 | 37 | 1.196 | 0.208 | 1.404 |
| " | 372 | | | 500 | 3420 | 372 | 50 | 1.269 | 0.297 | 1.566 | 218 | 41 | 1.200 | 0.225 | 1.424 |
| " | 373 | | | 500 | 3410 | 380 | 44 | 1.261 | 0.297 | 1.558 | 212 | 37 | 1.192 | 0.208 | 1.400 |
| " | 374 | | | 500 | 3400 | 375 | 42 | 1.267 | 0.279 | 1.546 | 220 | 39 | 1.209 | 0.212 | 1.421 |
| " | 375 | | | 500 | 3320 | 377 | 43 | 1.212 | 0.288 | 1.500 | 225 | 35 | 1.213 | 0.201 | 1.414 |
| " | 376 | | | 500 | 3380 | 369 | 44 | 1.232 | 0.296 | 1.528 | 228 | 41 | 1.202 | 0.235 | 1.437 |
| " | 377 | | | 500+ | 3400 | 375 | 43 | 1.231 | 0.290 | 1.521 | 225 | 39 | 1.241 | 0.224 | 1.465 |
| " | 378 | | | 500+ | 3390 | 370 | 43 | 1.242 | 0.290 | 1.532 | 223 | 42 | 1.241 | 0.234 | 1.475 |
| " | 379 | | | 500+ | 3290 | 370 | 43 | 1.230 | 0.296 | 1.526 | 220 | 40 | 1.209 | 0.239 | 1.448 |
| " | 380 | | | 500+ | 3450 | 390 | 42 | 1.260 | 0.286 | 1.546 | 215 | 46 | 1.151 | 0.237 | 1.408 |
| " | 381 | | | 500+ | 3400 | 382 | 46 | 1.272 | 0.297 | 1.569 | 220 | 50 | 1.199 | 0.261 | 1.460 |
| " | 382 | | | 500+ | 3270 | 390 | 44 | 1.219 | 0.289 | 1.508 | 218 | 40 | 1.138 | 0.223 | 1.361 |
| " | 383 | | | 500+ | 3390 | 390 | 44 | 1.258 | 0.301 | 1.559 | 220 | 45 | 1.175 | 0.235 | 1.41 |
| " | 384 | | | 500+ | 3320 | 385 | 47 | 1.250 | 0.294 | 1.544 | 215 | 41 | 1.096 | 0.223 | 1.319 |
| " | 385 | | | 500+ | 3380 | 391 | 46 | 1.257 | 0.300 | 1.557 | 220 | 44 | 1.089 | 0.234 | 1.323 |
| " | 386 | | | 500+ | 3400 | 391 | 46 | 1.258 | 0.299 | 1.557 | 225 | 46 | 1.096 | 0.246 | 1.342 |
| " | 387 | | | 500+ | 3350 | 385 | 43 | 1.253 | 0.284 | 1.537 | 217 | 45 | 1.150 | 0.238 | 1.388 |
| " | 388 | | | 500+ | 3430 | 385 | 46 | 1.285 | 0.302 | 1.587 | 220 | 50 | 1.171 | 0.269 | 1.440 |
| " | 389 | | | 500+ | 3400 | 382 | 46 | 1.284 | 0.298 | 1.582 | 210 | 50 | 1.147 | 0.272 | 1.439 |
| " | 390 | | | 500+ | 3390 | 382 | 45 | 1.262 | 0.297 | 1.559 | 220 | 46 | 1.142 | 0.253 | 1.395 |
| " | 391 | | | 500+ | 3330 | 385 | 44 | 1.225 | 0.294 | 1.519 | 220 | 46 | 1.140 | 0.252 | 1.394 |
| " | 392 | | | 500+ | 3350 | 390 | 46 | 1.256 | 0.296 | 1.552 | 220 | 45 | 1.14 | 0.253 | 1.394 |
| " | 393 | | | 500+ | 3420 | 380 | 45 | 1.284 | 0.297 | 1.581 | 217 | 51 | 1.115 | 0.284 | 1.419 |
| " | 394 | | | 495 | 3400 | 390 | 46 | 1.274 | 0.309 | 1.583 | 200 | 48 | 1.141 | 0.267 | 1.408 |
| " | 395 | | | 500+ | 3330 | 383 | 46 | 1.245 | 0.300 | 1.545 | 220 | 45 | 1.134 | 0.243 | 1.377 |
| " | 396 | | | 488 | 3550 | 390 | 43 | 1.285 | 0.300 | 1.585 | 200 | 49 | 1.078 | 0.272 | 1.350 |
| " | 397 | | | 500 | 3500 | 395 | 44.5 | 1.278 | 0.309 | 1.587 | 215 | 55 | 1.104 | 0.285 | 1.389 |
| " | 398 | | | 498 | 3550 | 392 | 44.2 | 1.288 | 0.309 | 1.597 | 210 | 57 | 1.110 | 0.287 | 1.397 |

(+) INSTRUMENTATION PEGGED

TABLE 12. (Continued)

| BUILD NO. | TEST NO. | TIME MIN. | SPEED RPM | INLET TEMP F | INLET PR. PSIG | PUMP END SEAL | | | | | TURBINE END SEAL | | | | |
|-----------|----------|-----------|-----------|--------------|----------------|-------------------|-------------------|----------------|--------|--------|-------------------|-------------------|----------------|-------|-------|
| | | | | | | PRI DRAIN PR-PSIG | SEC DRAIN PR-PSIG | LEAKAGE LB/SEC | | | PRI DRAIN PR-PSIG | SEC DRAIN PR-PSIG | LEAKAGE LB/SEC | | |
| | | | | | | | | PRI | SEC | TOTAL | | | PRI | SEC | TOTAL |
| 17 | 399 | 2.5 | 29000 | 500+ | 3500 | 388 | 43.5 | 1.259 | 0.299 | 1.558 | 218 | 57 | 1.098 | 0.281 | 1.379 |
| " | 400 | 2.5 | 29000 | 500+ | 400 | 390 | 46 | 1.240 | 0.297 | 1.537 | 220 | 52 | 1.095 | 0.264 | 1.259 |
| " | 401 | 2.5 | 29000 | 500 | 300 | 380 | 45 | 1.196 | 0.273 | 1.469 | 220 | 52 | 1.191 | 0.260 | 1.451 |
| " | 402 | 2.5 | 29000 | 500 | 300 | 370 | 44 | 1.180 | 0.265 | 1.445 | 218 | 50 | 1.175 | 0.248 | 1.423 |
| " | 403 | 2.5 | 29000 | 500+ | 3250 | 370 | 45 | 1.198 | 0.269 | 1.467 | 215 | 55 | 1.170 | 0.270 | 1.440 |
| " | 404 | 2.5 | 29000 | 500 | 3200 | 377 | 44 | 1.202 | 0.270 | 1.472 | 220 | 54 | 1.151 | 0.262 | 1.413 |
| " | 405 | 2.5 | 29000 | 500+ | 3400 | 380 | 46 | 1.274 | 0.287 | 1.561 | 220 | 64 | 1.188 | 0.303 | 1.491 |
| " | 406 | 2.5 | 29000 | 490 | 3475 | 383 | 48.2 | 1.320 | 0.302 | 1.622 | 220 | 68 | 1.183 | 0.339 | 1.522 |
| " | 407 | 2.5 | 29000 | 500+ | 3400 | 379 | 46 | 1.280 | 0.292 | 1.572 | 220 | 67 | 1.200 | 0.323 | 1.523 |
| " | 408 | 2.51 | 29000 | 500+ | 3400 | 375 | 45.5 | 1.281 | 0.284 | 1.565 | 220 | 67 | 1.226 | 0.322 | 1.548 |
| " | 409 | 2.5 | 29000 | 500+ | 3250 | 370 | 46.2 | 1.203 | 0.276 | 1.479 | 220 | 53 | 1.197 | 0.270 | 1.467 |
| " | 410 | 2.5 | 29000 | 500+ | 3275 | 372 | 45 | 1.221 | 0.275 | 1.496 | 218 | 63 | 1.184 | 0.298 | 1.482 |
| " | 411 | 2.5 | 29000 | 500+ | 3300 | 379 | 48 | 1.223 | 0.279 | 1.502 | 220 | 57 | 1.234 | 0.271 | 1.505 |
| " | 412 | 2.5 | 29000 | 495 | 3500 | 370 | 45.9 | 1.275 | 0.300 | 1.575 | 154 | 67 | 1.158 | 0.332 | 1.490 |
| " | 413 | 2.5 | 29000 | 500+ | 3150 | 367 | 42.8 | 1.152 | 0.263 | 1.415 | 210 | 50 | 1.078 | 0.221 | 1.299 |
| " | 414 | 2.5 | 29000 | 500+ | 3100 | 360 | 42 | 1.161 | 0.269 | 1.430 | 218 | 55 | 1.128 | 0.269 | 1.397 |
| " | 415 | 2.5 | 29000 | 500+ | 3250 | 371 | 45.8 | 1.207 | 0.281 | 1.488 | 220 | 55 | 1.091 | 0.272 | 1.363 |
| " | 416 | 2.5 | 29000 | 500+ | 3325 | 378 | 45.5 | 1.226 | 0.286 | 1.512 | 220 | 65 | 1.092 | 0.309 | 1.401 |
| " | 417 | 2.5 | 29000 | 500+ | 3225 | 370 | 46 | 1.184 | 0.276 | 1.560 | 220 | 58 | 1.083 | 0.266 | 1.349 |
| 18 | 418 | 2.5 | 29000 | 500+ | 3225 | 378 | 44.2 | 1.217 | 0.2797 | 1.4967 | 200 | 63 | 1.101 | 0.328 | 1.429 |
| " | 419 | 2.5 | 29000 | 500+ | 3300 | 350 | 46 | 1.240 | 0.2935 | 1.5335 | 200 | 63 | 1.060 | 0.308 | 1.368 |
| " | 420 | 2.5 | 29000 | 500+ | 3200 | 368 | 44 | 1.223 | 0.2856 | 1.5086 | 200 | 66 | 1.115 | 0.334 | 1.449 |
| " | 421 | 2.5 | 29000 | 500+ | 3100 | 370 | 46.2 | 1.186 | 0.2926 | 1.4786 | 210 | 55 | 1.117 | 0.275 | 1.392 |
| 19 | 422 | 2.5 | 29000 | 500+ | 3300 | 395 | 42 | 1.265 | 0.4802 | 1.7452 | 208 | 72 | 1.143 | 0.319 | 1.462 |
| " | 423 | 2.5 | 29000 | 500+ | 3225 | 391 | 43 | 1.262 | 0.4935 | 1.7559 | 210 | 62 | 1.118 | 0.296 | 1.414 |
| " | 424 | 2.5 | 29000 | 500+ | 3175 | 381 | 42 | 1.228 | 0.4805 | 1.7089 | 208 | 70 | 1.104 | 0.290 | 1.394 |

(*) INSTRUMENTATION PEGGED

TABLE 12. (Concluded)

| BUILD NO. | TEST NO. | TIME MIN. | SPEED RPM | INLET TEMP F | INLET PR. PSIG | PUMP END SEAL | | | | | TURBINE END SEAL | | | | | | | | |
|-----------|----------|-----------|-----------|--------------|----------------|---------------|---------|-----------|--------|----------------|------------------|---------|-----------|-------|-----------|--|----------------|--|--|
| | | | | | | PRI DRAIN | | SEC DRAIN | | LEAKAGE LB/SEC | | | PRI DRAIN | | SEC DRAIN | | LEAKAGE LB/SEC | | |
| | | | | | | PR-PSIG | PR-PSIG | PRI | SEC | TOTAL | PR-PSIG | PR-PSIG | PRI | SEC | TOTAL | | | | |
| 19 | 425 | 2.5 | 29000 | 500+ | 3325 | 426 | 46 | 1.297 | 0.2910 | 1.588 | 220 | 65 | 1.177 | 0.301 | 1.478 | | | | |
| " | 426 | | | 495 | 3400 | 400 | 46 | 1.345 | 0.3061 | 1.651 | 215 | 72 | 1.176 | 0.365 | 1.541 | | | | |
| " | 427 | | | 500+ | 3250 | 400 | 45.8 | 1.279 | 0.2949 | 1.574 | 220 | 60 | 1.174 | 0.306 | 1.480 | | | | |
| " | 428 | | | 440 | 3325 | 390 | 45 | 1.351 | 0.3066 | 1.6576 | 205 | 72 | 1.189 | 0.380 | 1.5690 | | | | |
| " | 429 | | | 500+ | 3290 | 389 | 44 | 1.286 | 0.2890 | 1.5750 | 210 | 64 | 1.153 | 0.330 | 1.483 | | | | |
| " | 430 | | | 500+ | 3250 | 398 | 46 | 1.285 | 0.2966 | 1.5816 | 217 | 62 | 1.146 | 0.327 | 1.481 | | | | |
| " | 433 | | | 500+ | 3300 | 385 | 44 | 1.250 | 0.2908 | 1.5408 | 200 | 70 | 1.104 | 0.324 | 1.428 | | | | |
| " | 434 | | | 500+ | 3250 | 390 | 44 | 1.262 | 0.2932 | 1.5552 | 210 | 62 | 1.150 | 0.288 | 1.438 | | | | |
| " | 435 | | | 500+ | 3225 | 382 | 44 | 1.258 | 0.2914 | 1.5494 | 200 | 61 | 1.106 | 1.304 | 1.410 | | | | |
| " | 436 | | | 485 | 3300 | 375 | 44 | 1.289 | 0.2942 | 1.5832 | 185 | 65 | 1.087 | 0.341 | 1.428 | | | | |
| 20 | 437 | | | 455 | 3325 | 380 | 41 | | | | 190 | 72 | | | | | | | |
| " | 438 | | | 478 | 3400 | 400 | 40 | | | | 200 | 70 | | | | | | | |
| " | 439 | | | 500+ | 3250 | 405 | 48 | | | | 200 | 49 | | | | | | | |
| " | 440 | | | 500+ | 3225 | 393 | 38 | | | | 200 | 45 | | | | | | | |
| " | 441 | | | 500+ | 3400 | 410 | 39 | | | | 202 | 51 | | | | | | | |
| " | 442 | | | 492 | 3500 | 410 | 38 | | | | 200 | 51 | | | | | | | |
| " | 443 | | | 500+ | 3200 | 390 | 38 | | | | 185 | 38 | | | | | | | |
| " | 444 | | | 488 | 3500 | 400 | 37 | | | | 198 | 57 | | | | | | | |
| " | 445 | | | 500+ | 3550 | 400 | 42 | | | | 220 | 53 | | | | | | | |
| " | 446 | | | 500+ | 3500 | 395 | 40 | | | | 208 | 52 | | | | | | | |
| " | 447 | | | 460 | 3500 | 380 | 42 | | | | 195 | 49 | | | | | | | |
| " | 448 | | | 500+ | 3400 | 405 | 42 | | | | 215 | 48 | | | | | | | |
| " | 449 | | | 500+ | 3550 | 385 | 43 | | | | 200 | 49 | | | | | | | |
| " | 450 | | | 500+ | 3300 | 390 | 39 | | | | 200 | 46 | | | | | | | |
| " | 451 | | | 500 | 3500 | 380 | 39 | | | | 198 | 55 | | | | | | | |
| " | 452 | | | 500+ | 3500 | 400 | 41 | | | | 200 | 52 | | | | | | | |
| " | 453 | | | 485 | 3500 | 390 | 41 | | | | 210 | 55 | | | | | | | |
| " | 454 | | | 500+ | 3500 | 415 | 42 | | | | 205 | 53 | | | | | | | |
| " | 455 | | | 492 | 3500 | 400 | 42 | | | | 195 | 50 | | | | | | | |
| " | 456 | | | 500+ | 3425 | 380 | 42 | | | | 197 | 49 | | | | | | | |
| " | 457 | | | 500+ | 3350 | 405 | 43 | | | | 205 | 49 | | | | | | | |
| " | 458 | | | 500+ | 3350 | 400 | 40 | | | | 205 | 49 | | | | | | | |
| " | 459 | | | 500+ | 3500 | 405 | 42 | | | | 200 | 48 | | | | | | | |
| " | 460 | | | 500+ | 3400 | 425 | 48 | 1.304 | 0.3137 | 1.618 | 210 | 61 | 1.132 | 0.296 | 1.428 | | | | |
| " | 461 | | | 492 | 3500 | 405 | 45 | 1.373 | 0.3027 | 1.676 | 200 | 70 | 1.122 | 0.357 | 1.479 | | | | |
| " | 462 | | | 500+ | 3300 | 410 | 46 | 1.313 | 0.3062 | 1.619 | 215 | 66 | 1.125 | 0.327 | 1.452 | | | | |
| " | 463 | | | 500+ | 3400 | 422 | 48 | 1.327 | 0.3182 | 1.645 | 218 | 70 | 1.153 | 0.339 | 1.492 | | | | |
| " | 464 | | | 500+ | 3325 | 420 | 49 | 1.302 | 0.3147 | 1.617 | 220 | 66 | 1.144 | 0.334 | 1.478 | | | | |
| " | 465 | | | 500+ | 3350 | 430 | 48 | 1.309 | 0.3158 | 1.625 | 220 | 65 | 1.147 | 0.330 | 1.477 | | | | |
| " | 466 | | | 500+ | 3350 | 430 | 46 | 1.305 | 0.3057 | 1.611 | 220 | 64 | 1.146 | 0.325 | 1.471 | | | | |
| " | 467 | | | 500+ | 3400 | 428 | 48 | 1.313 | 0.3182 | 1.631 | 218 | 65 | 1.150 | 0.337 | 1.487 | | | | |
| " | 468 | | | 500+ | 3400 | 438 | 47 | 1.313 | 0.3034 | 1.616 | 215 | 63 | 1.127 | 0.329 | 1.456 | | | | |
| " | 469 | | | 478 | 3500 | 400 | 44 | 1.353 | 0.3035 | 1.657 | 205 | 52 | 1.111 | 0.400 | 1.511 | | | | |
| " | 470 | | | 500+ | 3500 | 410 | 46 | 1.332 | 0.3063 | 1.638 | 210 | 68 | 1.206 | 0.364 | 1.570 | | | | |
| " | 471 | | | 500+ | 3425 | 400 | 47 | 1.331 | 0.3127 | 1.644 | 215 | 68 | 1.132 | 0.342 | 1.474 | | | | |
| " | 472 | | | 500+ | 3500 | 400 | 49 | 1.341 | 0.3242 | 1.665 | 218 | 70 | 1.143 | 0.358 | 1.501 | | | | |
| " | 473 | | | 500+ | 3400 | 410 | 48 | 1.302 | 0.3158 | 1.618 | 220 | 71 | 1.134 | 0.331 | 1.465 | | | | |
| " | 474 | | | 500+ | 3500 | 415 | 48 | 1.335 | 0.3148 | 1.650 | 220 | 68 | 1.153 | 0.355 | 1.508 | | | | |
| " | 475 | | | 500+ | 3500 | 420 | 48 | 1.323 | 0.3206 | 1.644 | 220 | 67 | 1.150 | 0.339 | 1.489 | | | | |
| " | 476 | | | 500+ | 3450 | 430 | 48 | 1.319 | 0.3182 | 1.637 | 220 | 66 | 1.147 | 0.332 | 1.479 | | | | |
| " | 477 | | | 500+ | 3400 | 420 | 46 | 1.305 | 0.3125 | 1.618 | 218 | 65 | 1.119 | 0.327 | 1.446 | | | | |

*INSTRUMENTATION PROBLEM - INVALIDATED DATA

+INSTRUMENTATION PROBLEM

TABLE 13. HOT-GAS TURBINE SEAL DATA SUMMARY - SI UNITS

| BUILD NO. | TEST NO. | TIME MIN. | SPEED RAD/SEC | INLET TEMP. K | INLET PR. N/M ² | PUMP END SEAL | | | | | TURBINE END SEAL | | | | |
|-----------|----------|-----------|---------------|---------------|----------------------------|---------------------------|----------------------------|----------------|-------|-------|----------------------------|----------------------------|----------------|-------|-------|
| | | | | | | PP DRAIN N/M ² | SEC DRAIN N/M ² | LEAKAGE KG/SEC | | | PRI DRAIN N/M ² | SEC DRAIN N/M ² | LEAKAGE KG/SEC | | |
| | | | | | | | | PRI | SEC | TOTAL | | | PRI | SEC | TOTAL |
| 1 | 1 | 2.5 | 3351.04 | 294.3 | 1,654,741.7 | 34,473.786 | 3,447.3786 | .0480 | .0385 | .0866 | 68,947.572 | 77,566.019 | .0548 | .0190 | .0739 |
| ↓ | 2 | 2.5 | | | 3,199,167.3 | 103,421.358 | 3,447.3786 | .0589 | .0403 | .0857 | 172,368.93 | 263,724.463 | .0943 | .0181 | .1124 |
| ↓ | 3 | 2.5 | | | 6,687,914.5 | 224,079.609 | 3,447.3786 | .1043 | .0430 | .1474 | 275,790.288 | 156,777.665 | .1428 | .0190 | .1619 |
| 2 | 4 | 2.5 | | | 6,618,966.9 | 430,922.325 | 10,342.1358 | .0970 | .0412 | .1383 | 275,790.288 | 405,056.986 | .1306 | .0167 | .1474 |
| ↓ | 5 | 2.5 | | | 10,135,293.1 | 396,448.539 | 17,236.8930 | .1555 | .0185 | .1741 | 499,869.897 | 723,949.506 | .2140 | .0090 | .2231 |
| ↓ | 6 | 1.75 | | | 13,444,776.5 | 586,054.362 | 730,844.2632 | .2168 | .0117 | .2286 | 741,186.399 | 999,739.794 | .2948 | .0167 | .3116 |
| 3 | 7 | 2.5 | | | 13,651,619.3 | 706,712.613 | 89,631.8436 | .2431 | .0290 | .2721 | 741,186.399 | 999,739.794 | .3048 | .0195 | .3243 |
| ↓ | 8 | | | | 17,236,893.0 | 888,739.794 | 55,158.0576 | .3238 | .0458 | .3696 | 982,502.901 | 1,336,203.950 | .3941 | .0244 | .4185 |
| ↓ | 9 | | | | 20,684,271.6 | 1,378,951.44 | 99,973.9794 | .4318 | .0657 | .4975 | 1,292,766.975 | 1,663,704.912 | .4799 | .0385 | .5184 |
| 4 | 10 | | | | 18,271,106.6 | 1,809,873.765 | 106,868.7366 | .3996 | .0585 | .4581 | 1,137,634.938 | 1,508,572.875 | .4472 | .0358 | .4830 |
| ↓ | 11 | | | | 20,856,640.5 | 2,120,137.839 | 168,921.5514 | .4699 | .0771 | .5470 | 1,396,188.335 | 1,827,110.658 | .5279 | .0435 | .5715 |
| ↓ | 12 | | | | 22,063,223.0 | 2,240,796.09 | 189,605.8230 | .4984 | .0802 | .5787 | 1,499,609.691 | 974,229.192 | .5579 | .0512 | .6091 |
| 5 | 13 | | | 488.7 | 3,619,747.5 | 137,895.144 | 5,171.0679 | .0548 | .0385 | .0934 | 17,236.893 | 172,368.930 | .5220 | .0172 | .0857 |
| ↓ | 14 | | | 528.7 | 6,894,757.2 | 557,580.576 | 3,447.3786 | .1333 | .0358 | .1691 | 60,329.1255 | 560,199.023 | .1415 | .0261 | .1696 |
| ↓ | 15 | | | 499.8 | 10,514,504.7 | 853,226.204 | 49,986.9897 | .1964 | .0367 | .2331 | 112,039.8045 | 853,226.204 | .2041 | .0426 | .2467 |
| ↓ | 16 | | | 423.7 | 14,478,990.1 | 965,266.008 | 22,407.9609 | .2485 | .0381 | .2866 | 155,132.037 | 1,042,832.027 | .2499 | .0412 | .2912 |
| 6 | 17 | | | 413.2* | 17,753,999.0 | 1,206,582.51 | 41,368.5432 | .2884 | .0371 | .3256 | 224,079.609 | 1,267,256.373 | .3102 | .0480 | .3583 |
| ↓ | 18 | | | 391.5* | 21,890,854.1 | 1,456,862.196 | 36,197.4753 | .3619 | .0367 | .3987 | 366,464.1514 | 1,594,757.340 | .3760 | .0585 | .4345 |
| ↓ | 19 | | | 384.3* | 24,131,650.2 | 1,551,320.37 | 25,866.3395 | .3837 | .0367 | .4204 | 361,974.753 | 1,620,267.942 | .4018 | .0585 | .4603 |
| ↓ | 20 | | | 379.3* | 26,027,708.4 | 1,654,741.728 | 43,092.2325 | .4227 | .0376 | .4603 | 310,264.074 | 1,378,951.440 | .3492 | .1211 | .4703 |
| 7 | 21 | | | 459.8 | 25,510,601.6 | 1,844,347.551 | 101,697.6687 | .4463 | .0530 | .4994 | 293,027.181 | 1,861,584.444 | .4327 | .0689 | .5016 |
| ↓ | 22 | | | 526.5 | 25,510,601.6 | 2,171,848.518 | 241,316.502 | .4817 | .0857 | .5674 | 379,211.646 | 2,223,559.197 | .4826 | .1038 | .5864 |
| ↓ | 23 | | | 505.4 | 25,510,601.6 | 2,102,900.946 | 234,421.7448 | .4694 | .0825 | .5520 | 387,830.0925 | 2,137,374.732 | .4771 | .1011 | .5783 |
| ↓ | 24 | | | 497.0 | 24,993,494.9 | 2,085,664.053 | 227,526.9876 | .4980 | .0834 | .5815 | 405,411.7234 | 2,258,032.983 | .4975 | .1052 | .6028 |
| ↓ | 25 | | | 527.6 | 25,165,863.8 | 2,292,506.769 | 287,856.1131 | .5116 | .1011 | .6128 | 422,303.8785 | 2,482,112.592 | .5361 | .1242 | .6604 |
| ↓ | 26 | | | 499.8 | 25,165,863.8 | 2,171,848.518 | 224,079.609 | .4857 | .0834 | .5692 | 439,885.509 | 2,413,165.02 | .5261 | .1197 | .6459 |
| ↓ | 27 | | | 477.6 | 25,682,970.6 | 2,309,743.662 | 248,211.2592 | .5379 | .0889 | .6268 | 1,827,110.658 | 2,551,060.164 | .5538 | .1315 | .6853 |
| ↓ | 28 | | | 510.9 | 25,165,865.8 | 2,482,112.592 | 310,264.074 | .5493 | .1043 | .6536 | 2,240,796.09 | 2,792,376.666 | .5828 | .1229 | .7057 |
| ↓ | 29 | | | 519.3 | 25,165,865.8 | 2,516,586.378 | 329,569.3942 | .5574 | .1106 | .6681 | 2,068,427.16 | 2,809,613.559 | .5982 | .1215 | .7198 |
| 8 | 30 | | | 395.4 | 23,959,281.3 | 801,860.2624 | 120,658.251 | .2408 | .0439 | .2848 | 888,044.727 | 1,103,161.152 | .2775 | .0907 | .3683 |
| ↓ | 31 | | | 373.2 | 24,648,757.0 | 1,706,452.407 | 17,236.893 | .4785 | .0385 | .5170 | 1,603,031.049 | 1,637,504.835 | .4055 | .2136 | .6191 |
| ↓ | 32 | | | 372.0 | 24,304,019.1 | 1,706,452.407 | 10,342.1358 | .4771 | .0381 | .5157 | 1,999,479.588 | 2,102,900.946 | .5075 | .1034 | .6109 |
| ↓ | 33 | | | 432.6 | 23,786,912.3 | 1,827,110.658 | 86,184.465 | .4839 | .0539 | .5379 | 2,085,664.053 | 2,258,032.983 | .5184 | .1179 | .6363 |
| ↓ | 34 | | | 383.2 | 23,959,281.3 | 1,723,689.3 | 48,263.3004 | .4785 | .0444 | .5229 | 1,982,242.695 | 2,189,085.411 | .5130 | .1079 | .6209 |

*VALUES ARE LOWEST RECORDED. ACTUAL TEMPERATURE VARIANCE WAS FROM 491.5 TO 379.25

TABLE 13. (Continued)

| BUILD NO. | TEST NO. | TIME MIN. | SPEED RAD/SEC | INLET TEMP. K | INLET PR N/M ² | PUMP END SEAL | | | | | | THRIFINE END SEAL | | | | | |
|-----------|----------|-----------|---------------|---------------|---------------------------|---------------------------|----------------------------|----------------|-------|-------|----------------------------|----------------------------|----------------|------|-------|--|--|
| | | | | | | PR DRAIN N/M ² | SEC DRAIN N/M ² | LEAKAGE KG/SEC | | | PRI DRAIN N/M ² | SEC DRAIN N/M ² | LEAKAGE KG/SEC | | | | |
| | | | | | | | | PRI | SEC | TOTAL | | | PRI | SEC | TOTAL | | |
| 8 (CONT.) | 35 | 2.5 | 3351.04 | 391.5 | 23,786,912.3 | 1,740,926.193 | 51,710.679 | .4771 | .0476 | .5248 | 2,033,953.374 | 2,223,559.197 | .5075 | 1065 | .6141 | | |
| | 36 | | | 360.9 | 23,786,912.3 | 1,723,689.3 | 51,368.5432 | .4540 | .0394 | .4935 | 1,482,372.798 | 1,534,083.477 | .3914 | 2100 | .6014 | | |
| | 37 | | | 374.8 | 23,959,281.3 | 1,792,636.872 | 55,158.0576 | .4785 | .0439 | .5225 | 1,999,479.588 | 2,102,900.946 | .5084 | 1147 | .6232 | | |
| | 38 | | | 373.2 | 24,131,650.2 | 1,809,873.765 | 41,368.5432 | .4785 | .0439 | .5225 | 1,999,479.588 | 2,120,137.839 | .5093 | 1147 | .6241 | | |
| | 39 | | | 372.0 | 23,786,912.3 | 1,758,165.086 | 41,368.5432 | .4622 | .0421 | .5043 | 1,965,005.802 | 2,033,953.374 | .5252 | 1111 | .6363 | | |
| | 40 | | | 368.7 | 23,786,912.3 | 1,878,821.337 | 72,394.9506 | .4826 | .0480 | .5307 | 2,051,190.267 | 2,154,611.625 | .5184 | 1233 | .6418 | | |
| | 41 | | | 388.7 | 23,614,543.4 | 1,878,821.337 | 55,158.0576 | .4889 | .0467 | .5356 | 2,033,953.374 | 2,137,374.732 | .5121 | 1202 | .6323 | | |
| | 42 | | | 387.0 | 23,442,174.5 | 1,861,584.444 | 51,710.679 | .4835 | .0467 | .5302 | 2,016,716.481 | 2,137,374.732 | .5003 | 1179 | .6182 | | |
| | 43 | | | 377.6 | 23,786,912.3 | 1,878,821.337 | 34,473.786 | .4898 | .0435 | .5334 | 2,033,953.374 | 2,137,374.732 | .5066 | 1188 | .6255 | | |
| | 44 | | | 385.9 | 23,614,543.4 | 1,878,821.337 | 51,710.679 | .4889 | .0498 | .5388 | 2,016,716.481 | 2,154,611.625 | .5057 | 1206 | .6264 | | |
| | 45 | | | 378.7 | 23,786,912.3 | 1,844,347.551 | 41,368.5432 | .4880 | .0458 | .5338 | 1,999,479.588 | 2,120,137.839 | .5048 | 1161 | .6209 | | |
| | 46 | | | 375.9 | 23,614,543.4 | 1,827,110.658 | 68,947.572 | .4880 | .0462 | .5343 | 1,965,005.802 | 2,171,848.518 | .5057 | 1161 | .6218 | | |
| | 47 | | | 399.8 | 23,614,543.4 | 1,896,058.23 | 96,526.6008 | .4767 | .0539 | .5307 | 1,585,794.156 | 1,758,163.086 | .3978 | 1206 | .5184 | | |
| | 48 | | | 376.2 | 1,499,609.7 | 1,758,163.086 | 44,815.922 | .4785 | .0435 | .5220 | 1,930,532.016 | 2,154,611.625 | .4962 | 1115 | .6078 | | |
| | 49 | | | 380.4 | 1,551,320.4 | 1,740,926.193 | 48,263.300 | .4672 | .0453 | .5125 | 1,896,058.230 | 2,120,137.839 | .4853 | 1111 | .5964 | | |
| | 50 | | | 372.0 | 1,447,899.0 | 1,861,584.444 | 51,710.680 | .4848 | .0435 | .5284 | 2,016,716.481 | 2,240,796.090 | .5166 | 1156 | .6232 | | |
| | 51 | | | 385.9 | 1,620,267.9 | 1,809,873.765 | 51,710.680 | .4907 | .0471 | .5379 | 1,965,005.802 | 2,189,085.411 | .4944 | 1133 | .6078 | | |
| | 52 | | | 405.4 | 1,861,584.4 | 1,999,479.588 | 103,421.358 | .4844 | .0576 | .5420 | 1,568,557.263 | 1,723,689.300 | .4005 | 2326 | .4332 | | |
| | 53 | | | 392.6 | 1,703,005.0 | 1,878,821.337 | 75,842.330 | .4867 | .0517 | .5384 | 1,947,768.909 | 1,447,899.012 | .5030 | 1229 | .6253 | | |
| | 54 | | | 375.9 | 1,496,162.3 | 1,809,873.765 | 51,710.680 | .4839 | .0444 | .5284 | 1,913,295.123 | 2,085,664.053 | .5007 | 1188 | .6196 | | |
| | 55 | | | 406.5 | 1,875,374.0 | 2,051,190.267 | 110,316.115 | .5347 | .0625 | .5973 | 2,120,137.839 | 2,344,217.448 | .5443 | 1342 | .6785 | | |
| | 56 | | | 383.2 | 1,858,794.2 | 1,896,058.230 | 62,052.815 | .5057 | .0503 | .5561 | 1,999,479.585 | 2,171,848.518 | .5220 | 1215 | .6436 | | |
| | 57 | | | 375.9 | 1,496,162.3 | 1,827,110.658 | 55,158.058 | .4980 | .0503 | .5483 | 1,930,532.016 | 2,137,374.732 | .5084 | 1188 | .6273 | | |
| | 58 | | | 416.5 | 1,999,479.6 | 1,896,058.230 | 93,079.222 | .7584 | .0566 | .8151 | 1,982,242.695 | 2,137,374.732 | .4939 | 1211 | .6150 | | |
| | 59 | | | 398.2 | 1,771,952.6 | 1,896,058.230 | 62,052.815 | .7207 | .0526 | .7733 | 1,982,242.695 | 2,154,611.625 | .5057 | 1161 | .6218 | | |
| | 60 | | | 385.9 | 1,620,268.0 | 1,827,110.658 | 44,815.922 | .6803 | .0494 | .7298 | 1,913,295.123 | 2,068,427.160 | .4953 | 1111 | .6064 | | |
| | 61 | | | 375.9 | 1,496,162.3 | 1,827,110.658 | 62,052.815 | .4889 | .0462 | .5352 | 1,930,532.016 | 2,102,900.946 | .4989 | 1188 | .6177 | | |
| | 62 | | | 374.8 | 1,482,372.8 | 1,740,926.193 | 51,710.680 | .4644 | .0408 | .5053 | 1,827,110.658 | 1,999,479.588 | .4812 | 1170 | .5982 | | |
| | 63 | | | 383.2 | 1,585,794.2 | 1,827,110.658 | 65,500.193 | .4785 | .0480 | .5266 | 1,896,058.230 | 2,085,664.053 | .4880 | 1233 | .6114 | | |
| | 64 | | | 380.4 | 1,441,320.4 | 1,827,110.658 | 68,947.572 | .4794 | .0444 | .5238 | 1,930,532.016 | 2,102,900.946 | .4953 | 1183 | .6137 | | |
| | 65 | | | 403.7 | 1,840,900.2 | 1,930,532.016 | 103,421.358 | .4867 | .0557 | .542 | 1,947,768.909 | 2,171,848.518 | .4975 | 1283 | .6259 | | |
| | 66 | | | 387.0 | 1,634,057.5 | 1,792,636.872 | 58,605.440 | .4853 | .0471 | .5325 | 1,878,821.337 | 2,102,900.946 | .4953 | 1197 | .6150 | | |
| | 67 | | | 377.6 | 1,516,846.6 | 1,775,399.979 | 51,710.680 | .4848 | .0435 | .5284 | 1,878,821.337 | 2,102,900.946 | .5007 | 1165 | .6173 | | |
| | 68 | | | 377.6 | 1,516,846.6 | 1,792,636.872 | 51,710.680 | .4740 | .0449 | .5189 | 1,878,821.337 | 2,102,900.946 | .5007 | 1161 | .6168 | | |

TABLE 13. (Continued)

| BUILD NO. | TEST NO. | TIME MIN. | SPEED RAD/SEC | INLET TEMP. K | INLET PR N/M ² | PUMP END SEAL | | | | | | TURBINE END SEAL | | | | | |
|--------------|----------|--------------|---------------|---------------|---------------------------|---------------------------|----------------------------|----------------|---------------|---------------|----------------------------|----------------------------|----------------|-------|-------|--|--|
| | | | | | | PR DRAIN N/M ² | SEC DRAIN N/M ² | LEAKAGE KG/SEC | | | PRI DRAIN N/M ² | SEC DRAIN N/M ² | LEAKAGE KG/SEC | | | | |
| | | | | | | | | PRI | SEC | TOTAL | | | PRI | SEC | TOTAL | | |
| 8 (CONT.) | 69 | 2.5 | 3351.04 | 399.8 | 1,792,637.0 | 1,861,584.444 | 89,631.844 | .4894 | .0503 | .5397 | 1,965,005.802 | 2,171,848.518 | .5057 | .1238 | .6295 | | |
| | 70 | | | 373.2 | 1,461,688.5 | 1,723,689.3 | 41,368.543 | .4690 | .0435 | .5125 | 1,827,110.658 | 2,016,716.481 | .4848 | .1237 | .6146 | | |
| | 71 | | | 372.0 | 1,447,899.0 | 1,723,689.3 | 48,263.300 | .4735 | .0439 | .5175 | 1,827,100.658 | 2,033,953.374 | .4903 | .1143 | .6137 | | |
| | 72 | | | 378.7 | 1,530,636.1 | 1,775,399.979 | 62,052.511 | .4821 | .0462 | .5284 | 1,876,821.337 | 2,102,900.946 | .5048 | .1161 | .6209 | | |
| | 73 | | | 374.81 | 1,482,372.8 | 1,706,452.407 | 48,253.360 | .4644 | .0435 | .5080 | 1,792,636.872 | 1,999,479.588 | .4812 | .1106 | .5919 | | |
| | 74 | | | 381.48 | 1,565,109.9 | 1,740,926.193 | 55,158.058 | .4672 | .0471 | .5143 | 1,844,347.551 | 2,033,953.374 | .4844 | .1156 | .6001 | | |
| | 75 | | | 377.6 | 23,097,436.6 | 1,775,399.980 | 58,605.4362 | .4812 | .0498 | .5311 | 1,861,584.444 | 2,085,664.053 | .4980 | .1211 | .6191 | | |
| | 76 | | | 383.2 | 22,580,329.8 | 1,740,326.193 | 62,052.8148 | .0544 | .0485 | .5134 | 1,827,110.658 | 2,033,953.374 | .4889 | .1192 | .6082 | | |
| | 77 | | | 397.0 | 23,097,436.6 | 1,913,295.123 | 113,763.4938 | .0535 | .0553 | .5088 | 1,551,320.37 | 1,740,926.193 | .4173 | .2381 | .6554 | | |
| | 78 | | | 384.3 | 23,269,805.6 | 1,827,110.660 | 75,842.3292 | .0576 | .0485 | .5061 | 1,896,058.23 | 2,187,374.732 | .5102 | .1292 | .6395 | | |
| | 79 | | | 383.2 | 22,752,698.8 | 1,758,163.090 | 62,052.8148 | .0557 | .0462 | .5019 | 1,844,347.551 | 2,051,109.267 | .4980 | .1233 | .6214 | | |
| | 80 | | | 394.3 | 22,580,329.8 | 1,758,163.090 | 68,947.572 | .0562 | .0480 | .5042 | 1,827,110.658 | 2,033,953.374 | .4916 | .1224 | .6141 | | |
| 9 | 81 | 194.3 | 22,925,067.7 | 1,913,295.123 | 99,973.9794 | 1.229 | .0544 | .5079 | 1,878,821.337 | 2,102,900.946 | .4889 | .1338 | .6227 | | | | |
| | 82 | 388.7 | 23,097,436.6 | 1,930,532.016 | 72,394.9506 | .4689 | .0485 | .5175 | 1,913,295.123 | 2,137,374.732 | .4989 | .1283 | .6273 | | | | |
| | 83 | 384.3 | 23,269,805.6 | 1,878,821.340 | 75,842.3292 | .4907 | .0539 | .5447 | 1,896,058.23 | 2,120,137.839 | .5016 | .1301 | .6318 | | | | |
| | 84 | 419.3 | 22,407,960.9 | 2,016,716.481 | 120,658.251 | .5007 | .0580 | .5587 | 1,982,242.695 | 2,223,559.197 | .4989 | .1338 | .6327 | | | | |
| | 85 | 399.8 | 22,752,698.8 | 1,878,821.340 | 62,052.8148 | .4898 | .0485 | .5384 | 1,878,821.337 | 2,102,900.946 | .4944 | .1283 | .6001 | | | | |
| | 86 | 389.8 | 22,925,067.7 | 1,896,058.23 | 79,289.7078 | .4880 | .0503 | .5384 | 1,930,532.016 | 2,120,137.839 | .4926 | .1265 | .6191 | | | | |
| | 87 | 392.6 | 22,752,698.8 | 1,896,058.23 | 79,289.7078 | .4803 | .0508 | .5311 | 1,913,295.123 | 2,102,900.946 | .4907 | .1247 | .6155 | | | | |
| | 88 | 381.5 | 22,580,329.8 | 1,844,347.551 | 65,500.1934 | .4681 | .0489 | .5170 | 1,844,347.551 | 2,085,664.053 | .4812 | .1224 | .6037 | | | | |
| | 89 | 398.2 | 22,580,329.8 | 1,930,532.016 | 86,184.465 | .4762 | .0539 | .5332 | 1,965,005.802 | 2,137,374.732 | .4862 | .1270 | .6132 | | | | |
| | 90 | 381.5 | 22,580,329.8 | 1,792,636.872 | 65,500.1934 | .4603 | .0471 | .5075 | 1,809,873.765 | 2,016,716.481 | .4848 | .1279 | .6128 | | | | |
| | 91 | 384.3 | 22,752,698.8 | 1,947,768.909 | 82,737.0864 | .4785 | .0521 | .5307 | 1,982,242.695 | 2,154,611.625 | .5016 | .1338 | .6354 | | | | |
| | 92 | 384.3 | 22,307,960.8 | 1,913,295.123 | 33,079.2222 | .4862 | .0553 | .5405 | 1,965,005.802 | 2,102,900.946 | .5039 | .1374 | .6413 | | | | |
| 93 | 405.4 | 22,580,329.8 | 2,016,716.481 | 113,763.4938 | .5093 | .0589 | .5682 | 2,016,716.481 | 2,223,559.197 | .5193 | .1383 | .6577 | | | | | |
| 94 | 384.3 | 22,925,067.7 | 1,982,242.695 | 79,289.7078 | .5166 | .0535 | .5701 | 1,965,005.802 | 2,187,374.732 | .5279 | .1356 | .6636 | | | | | |
| 95 | 375.9 | 22,580,329.8 | 1,947,768.909 | 72,394.9506 | .5075 | .0553 | .5628 | 1,982,242.695 | 2,154,611.625 | .5175 | .1324 | .6499 | | | | | |
| 96 | 374.8 | 22,580,329.8 | 1,947,768.909 | 68,947.572 | .5007 | .0553 | .5561 | 1,913,295.123 | 2,137,374.732 | .5111 | .1306 | .6418 | | | | | |
| 97 | 374.8 | 22,407,960.9 | 1,947,768.909 | 65,500.1934 | .4935 | .0539 | .5474 | 1,982,242.695 | 2,120,137.839 | .5111 | .1297 | .6409 | | | | | |
| 98 | 377.6 | 22,063,223.0 | 1,947,768.909 | 68,947.572 | .4916 | .0562 | .5478 | 1,896,058.23 | 2,120,137.839 | .4962 | .1297 | .6259 | | | | | |
| 99 | 378.7 | 22,063,223.0 | 1,965,005.802 | 68,947.572 | .4916 | .0535 | .5451 | 1,982,242.695 | 2,120,137.839 | .5007 | .1279 | .6286 | | | | | |
| 100 | 381.5 | 22,235,592.0 | 2,016,716.481 | 75,842.3292 | .5025 | .0498 | .5523 | 2,033,953.374 | 2,171,848.518 | .5066 | .1329 | .6395 | | | | | |
| 101 | 380.4 | 22,235,592.0 | 1,982,242.695 | 110,316.1152 | .5057 | .0616 | .5673 | 1,947,768.909 | 2,154,611.625 | .5030 | .1428 | .6459 | | | | | |
| 102 | 366.5 | 22,407,960.9 | 1,947,768.909 | 75,842.3292 | .5180 | .0544 | .5724 | 1,930,532.016 | 2,120,137.839 | .5148 | .1369 | .6518 | | | | | |

TABLE 13. (Continued)

| BUILD NO. | TEST NO. | TIME MIN. | SPEED RAD/SEC | INLET TEMP, K | INLET PR N/M ² | PUMP END SEAL | | | | | TURBINE END SEAL | | | | | | |
|-----------|----------|-----------|---------------|---------------|---------------------------|---------------------------|----------------------------|----------------|--------------|-------|----------------------------|----------------------------|----------------|-------------|-------|-------|-------|
| | | | | | | PR DRAIN N/M ² | SEC DRAIN N/M ² | LEAKAGE KG/SEC | | | PRI DRAIN N/M ² | SEC DRAIN N/M ² | LEAKAGE KG/SEC | | | | |
| | | | | | | | | PRI | SEC | TOTAL | | | PRI | SEC | TOTAL | | |
| 9 ↓ | 103 | 2.5 ↓ | 3351.04 ↓ | 363.7 | 22,407,960.9 | 1,965,005.802 | 72,394.9506 | .5266 | .0535 | .5801 | 1,878,821.337 | 2,120,137.839 | .5170 | .1369 | .5540 | | |
| | 104 | | | 375.9 | 22,063,223.0 | 2,016,716.401 | 86,184.465 | .5225 | .0576 | .5801 | 1,930,532.016 | 2,137,374.732 | .5130 | .1355 | .6495 | | |
| | 105 | | | 360.9 | 21,890,854.1 | 1,947,768.909 | 68,947.572 | .5234 | .0557 | .5792 | 1,930,532.016 | 2,102,900.946 | .5139 | .1338 | .6477 | | |
| | 106 | | | 364.8 | 21,546,116.3 | 1,947,768.909 | 75,842.3292 | .5216 | .0562 | .5778 | 1,861,584.444 | 2,102,900.946 | .5121 | .1338 | .6459 | | |
| | 107 | | | 519.3 | 18,788,213.4 | 2,102,900.946 | 241,316.502 | .4894 | .1229 | .6123 | 3,137,114.526 | 3,585,273.744 | .5116 | .2912 | .7075 | | |
| | 10 ↓ | | | PRE 108 | 0 | 302.6 | 3,447,378.6 | 448,159.218 | 10,342.1358 | .1211 | .0185 | .139 | 310,264.074 | 430,922.325 | .1283 | .1995 | .1483 |
| | | | | 108 | 0 | 297.0 | 6,894,757.2 | 948,029.115 | 113,763.4938 | .2485 | .0376 | .2862 | 689,475.720 | 137,895.144 | .2558 | .0417 | .2975 |
| | | | | 109 | 0 | 290.4 | 10,342,135.8 | 1,447,899.012 | 230,974.3662 | .3746 | .0585 | .4331 | 896,318.436 | 310,264.074 | .3828 | .0639 | .4467 |
| | | | | 110 | 0 | 290.4 | 13,789,514.4 | 1,809,873.8 | 179,263.6872 | .4844 | .0779 | .5824 | 1,172,108.724 | 465,396.111 | .5161 | .0866 | .6028 |
| | | | | 111 | 0 | 293.1 | 16,547,417.2 | 1,965,005.802 | 337,843.1028 | .5461 | .1537 | .6998 | 1,344,477.654 | 551,580.576 | .6010 | .1011 | .7021 |
| 11 ↓ | 112 | 2.5 | 3089.24 | 495.4 | 3,619,747.5 | 361,974.753 | 3,447,3786 | .0861 | .0403 | .1265 | 396,448.539 | 17,236.893 | .0997 | .0172 | .1170 | | |
| | 113 | 2.5 | 3089.24 | 533.2 | 6,722,388.2 | 758,423.292 | 3,447,3786 | .1524 | .0385 | .1909 | 792,897.078 | 120,658.251 | .1655 | .0272 | .1927 | | |
| | 114 | 2.5 | 3115.42 | 527.6 | 10,342,135.8 | 1,378,951.440 | 10,342.1358 | .2662 | .0381 | .3043 | 1,344,477.654 | 344,737.860 | .2753 | .0598 | .3352 | | |
| | 115 | 2.5 | 3089.24 | 516.5 | 13,444,776.5 | 1,737,478.814 | 62,052.8148 | .3447 | .0394 | .3841 | 1,806,426.386 | 430,922.325 | .3483 | .0680 | .4163 | | |
| | 116 | 2.7 | 3036.88 | 480.4 | 17,064,524.1 | 1,965,005.802 | 279,237.6666 | .4377 | .0689 | .5066 | 2,068,427.160 | 620,538.148 | .4368 | .0979 | .5347 | | |
| | 117 | 2.9 | 3036.88 | 498.1 | 20,339,533.7 | 2,585,533.950 | 134,447.7654 | .5434 | .0399 | .5833 | 2,654,481.522 | 586,054.362 | .5365 | .0911 | .6277 | | |
| | 118 | 2.5 | 3036.88 | 459.3 | 22,407,960.9 | 2,792,376.666 | 206,842.7160 | .6082 | .1070 | .7153 | 2,836,166.180 | 737,739.020 | .6032 | .1170 | .7203 | | |
| | 119 | 3.0 | 3036.88 | 505.4 | 23,614,543.4 | 2,723,429.094 | 199,947.9588 | .5629 | .0952 | .6581 | 2,826,850.452 | 806,686.592 | .565 | .1179 | .6835 | | |
| | 120 | 2.5 | 3089.24 | 529.8 | 23,442,174.4 | 2,557,954.921 | 246,142.8320 | .5216 | .1097 | .6314 | 2,902,692.781 | 903,213.193 | .566 | .1247 | .6917 | | |
| | 12 ↓ | 121 | 3.0 | 3010.70 | 513.7 | 22,132,170.61 | 2,592,428.707 | 148,237.2798 | .5166 | .0839 | .6005 | 2,620,007.736 | 948,029.115 | .5184 | .1446 | .6631 | |
| 122 | | 2.5 | 2994.99 | 506.5 | 24,131,650.2 | 2,757,902.88 | 155,132.0370 | .5583 | .0938 | .6522 | 2,782,034.530 | 1,075,582.123 | .5524 | .1610 | .7135 | | |
| 123 | | 2.5 | 3052.58 | 521.5 | 25,510,601.6 | 2,850,982.102 | 172,368.9300 | .5715 | .0943 | .6658 | 3,188,825.205 | 1,034,213.580 | .5710 | .1573 | .7284 | | |
| 124 | | 2.5 | 2947.86 | 509.8 | 24,648,756.9 | 2,954,403.460 | 194,432.1530 | .5851 | .0943 | .6794 | 3,230,193.748 | 1,006,634.551 | .5991 | .1555 | .7547 | | |
| 125 | | 2.5 | 3047.35 | 530.9 | 24,131,650.2 | 2,930,271.810 | 179,263.6872 | .5620 | .0970 | .6590 | 3,247,430.641 | 844,607.757 | .6014 | .1288 | .7302 | | |
| 126 | | 2.5 | 3193.96 | 515.9 | 25,510,601.6 | 2,954,403.460 | 206,842.7160 | .5892 | .1052 | .6944 | 3,154,351.419 | 1,103,161.152 | .5724 | .1651 | .7375 | | |
| 127 | | 2.5 | 2984.52 | 524.8 | 25,855,339.5 | 2,792,376.666 | 193,053.2016 | .5529 | .1038 | .6568 | 3,144,009.283 | 1,063,687.366 | .5579 | .1642 | .7221 | | |
| 128 | | 2.5 | 2785.55 | 522.0 | 24,717,704.5 | 2,930,271.810 | 182,711.0658 | .5860 | .1056 | .6917 | 3,171,588.312 | 972,160.765 | .5465 | .1510 | .6976 | | |
| 129 | | 2.5 | 2947.86 | 533.2 | 24,717,704.5 | 2,826,850.452 | 217,184.8518 | .5932 | .1097 | .7030 | 3,171,588.312 | 1,027,318.822 | .5733 | .1419 | .7153 | | |
| 130 | | 2.5 | 2932.16 | 483.7 | 24,304,019.1 | 2,706,192.201 | 184,090.0172 | .6137 | .0966 | .7103 | 3,068,166.954 | 1,068,687.366 | .5892 | .1605 | .7457 | | |

C-2

TABLE 13. (Continued)

| BUILD NO. | TEST NO. | TIME MIN. | SPEED RAD/SEC | INLET TEMP, K | INLET PR N/M ² | PUMP END SEAL | | | | | TURBINE END SEAL | | | | |
|-----------|----------|-----------|---------------|---------------|---------------------------|---------------------------|----------------------------|----------------|----------|-------|----------------------------|----------------------------|----------------|----------|-------|
| | | | | | | PR DRAIN N/M ² | SEC DRAIN N/M ² | LEAKAGE KG/SEC | | | PRI DRAIN N/M ² | SEC DRAIN N/M ² | LEAKAGE KG/SEC | | |
| | | | | | | | | PRI | SEC | TOTAL | | | PRI | SEC | TOTAL |
| 12 | 131 | 2.5 | 2916.452 | 510.9 | 235,455.958.4 | 2,913,034.9 | 210,290.09 | .5928 | .0948 | .6876 | 3,343,957.2 | 896,318.4 | .5951 | .1270 | .7221 |
| | 132 | | 3000.228 | 508.7 | 24,821,125.9 | 2,654,481.5 | 181,332.11 | .5728 | .0934 | .6663 | 3,033,693.2 | 1,068,687.4 | .5556 | .1528 | .7085 |
| | 133 | | 3036.88 | 515.9 | 24,993,494.9 | 2,654,481.5 | 179,263.69 | .5769 | .0914 | .6685 | 3,047,482.7 | 1,034,213.6 | .5434 | .1528 | .8777 |
| | 134 | | 3036.88 | 527.6 | 24,372,966.7 | 2,930,271.8 | 179,263.69 | .5597 | .0986 | .6581 | 3,171,588.3 | 982,502.9 | .5461 | .1415 | .6876 |
| | 135 | | 3036.88 | 530.4 | 24,200,597.8 | 2,930,271.8 | 193,053.20 | .5597 | .1018 | .6613 | 3,171,588.3 | 1,034,213.6 | .5678 | .1514 | .7193 |
| | 136 | | 3036.88 | 533.2 | 24,304,019.1 | 2,930,271.8 | 206,842.72 | .5597 | .0985 | .6581 | 3,185,377.8 | 1,103,161.152 | .5542 | .1583 | .7125 |
| | 137 | | 3036.88 | 504.3 | 23,959,281.3 | 2,919,929.7 | 203,395.34 | .5705 | .0992 | .6699 | 3,171,558.3 | 1,023,871.4 | .5778 | .1501 | .7280 |
| | 138 | | 3010.70 | 507.6 | 23,683,491.0 | 2,913,034.9 | 193,053.20 | .5678 | .0951 | .6631 | 3,068,166.9 | 1,127,292.8 | .5456 | .1619 | .7076 |
| | 139 | | 2994.992 | 492.6 | 24,200,597.8 | 2,809,613.5 | 213,737.47 | .5624 | .1041 | .6663 | 3,033,693.2 | 1,041,108.3 | .5470 | .1587 | .7057 |
| | 140 | | 3010.70 | 533.2 | 24,131,650.2 | 2,964,745.6 | 199,947.96 | .5443 | .1023 | .6468 | 3,102,640.7 | 1,241,056.3 | .5211 | .1728 | .6929 |
| | 141 | | 3036.88 | 502.6 | 23,087,436.6 | 2,482,112.6 | 168,921.55 | .5089 | .1060 | .6150 | 2,502,796.9 | 1,214,856.2 | .4472 | .1809 | .6282 |
| | 142 | | 3036.88 | 494.3 | 24,372,966.7 | 2,826,850.5 | 224,079.61 | .5656 | .1067 | .6722 | 2,909,587.5 | 1,344,477.7 | .5234 | .2013 | .7248 |
| | 143 | | 2984.52 | 489.8 | 24,476,388.1 | 2,854,429.5 | 220,632.23 | .5774 | .1034 | .6808 | 2,882,008.5 | 1,314,830.2 | .5257 | .1964 | .7221 |
| | 144 | | 3036.88 | 516.5 | 22,752,698.8 | 2,482,112.6 | 199,947.96 | .4916 | .1106 | .6023 | 2,344,217.5 | 1,249,330.0 | .4262 | .1900 | .6164 |
| | 145 | | 3099.712 | 535.9 | 24,821,125.9 | 2,913,034.9 | 195,121.63 | .5620 | .1011 | .6631 | 3,116,430.3 | 1,413,425.2 | .5198 | .1973 | .7171 |
| | 146 | | 3089.24 | 530.4 | 24,752,178.4 | 2,947,508.7 | 194,432.15 | .5620 | .1029 | .6649 | 3,157,798.8 | 1,396,188.3 | .5443 | .1954 | .7398 |
| | 147 | | 3036.88 | 522.6 | 24,407,440.5 | 2,826,850.5 | 193,053.20 | .5483 | .0997 | .5483 | 2,895,798.0 | 1,547,872.9 | .4912 | .2159 | .7071 |
| | 148 | | 3036.88 | .531.5 | 24,717,704.6 | 2,878,561.1 | 194,432.15 | .5706 | .1029 | .6735 | 2,999,219.4 | 1,559,594.1 | .5084 | .2168 | .7252 |
| | 149 | | 2869.328 | 523.7 | 24,407,440.5 | 2,895,798.0 | 193,053.20 | .5760 | .1056 | .6817 | 3,323,272.9 | 1,141,082.3 | .5778 | .1646 | .7425 |
| | 150 | | 3036.88 | 533.2 | 24,752,178.4 | 2,819,955.7 | 193,053.20 | .5706 | .1029 | .6735 | 2,895,798.0 | 1,482,372.8 | .5143 | .2054 | .7198 |
| | 151 | | 3036.88 | 516.5 | 24,476,388.1 | 2,826,850.5 | 191,674.25 | .5574 | .1016 | .6590 | 3,240,535.9 | 1,103,161.52 | .5633 | .1682 | .7316 |
| | 152 | | 2932.16 | 525.4 | 24,821,125.9 | 2,888,903.3 | 220,632.23 | .5756 | .1056 | .6892 | 3,033,693.2 | 1,559,594.0 | .5111 | .2236 | .7348 |
| | 153 | | 2974.048 | 504.8 | 24,821,125.9 | 2,826,850.5 | 272,342.91 | .5860 | .1052 | .6912 | 2,909,587.5 | 1,551,320.4 | .4482 | .2277 | .6758 |
| | 154 | | 2958.34 | 529.8 | 24,890,073.5 | 2,823,403.1 | 265,448.15 | .576.5 | .1052 | .6817 | 2,861,324.2 | 1,585,794.2 | .4371 | .2286 | .6658 |
| | 155 | | 3026.408 | 523.7 | 25,441,654.1 | 2,902,692.8 | 262,000.77 | .5742 | .1038 | .6781 | 2,792,376.6 | 1,478,925.4 | .4558 | .2136 | .6695 |
| | 156 | | 2932.16 | 489.8 | 24,476,388.1 | 2,888,903.3 | 268,895.5 | .5887 | .1070 | .6958 | 2,930,271.8 | 1,568,557.3 | .4912 | .2290 | .7203 |
| | 157 | | 3036.88 | 527.0 | 24,476,388.1 | 2,826,850.5 | 241,316.5 | .5728 | .1002 | .6731 | 2,895,798.0 | 1,387,225.1 | .4681 | .2258 | .6939 |
| | 158 | | 3036.88 | 560.4 | 24,648,756.9 | 2,937,166.6 | 224,079.6 | .5796 | .1030 | .6826 | 3,068,166.9 | 1,275,530.0 | .540 | .1879 | .7284 |
| | 13 | | PRE | 159 | - | 299.8 | 24,752,178.3 | 413,685.4 | 13,789.5 | .1283 | .0439 | .1723 | 248,211.3 | 68,947.6 | .1315 |
| STATIC | | - | 294.3 | | 3,447,378.6 | 89,631.8 | 41,368.5 | .2535 | .0535 | .3070 | 482,633.0 | 241,316.5 | .2676 | .0566 | .3243 |
| LEAK | | - | 288.7 | | 6,894,757.2 | 1,437,556.9 | 96,526.6 | .4055 | .0712 | .4767 | 758,423.3 | 439,196.0 | .4114 | .0907 | .5021 |
| - | | - | 289.3 | | 10,342,135.8 | 1,861,584.4 | 155,132.0 | .5329 | .0938 | .6268 | 979,055.5 | 611,564.9 | .5347 | .1242 | .6590 |
| - | | - | 293.1 | | 13,789,514.4 | 2,223,559.2 | 210,290.1 | .5317 | .1156 | .8972 | 1,179,003.5 | 744,633.8 | .7946 | .1800 | .9747 |
| - | | - | 299.8 | | 16,547,417.28 | 2,557,954.9 | 248,211.3 | .7252 | .1283 | .8536 | 1,378,951.4 | 896,318.4 | .7447 | .1691 | .9139 |

TABLE 13. (Continued)

| BUILD NO. | TEST NO. | TIME MIN. | SPEED RAD/SEC | INLET TEMP, K | INLET PR N/M ² | PUMP END SEAL | | | | | TURBINE END SEAL | | | | |
|-----------|----------|-----------|---------------|---------------|---------------------------|---------------------------|----------------------------|----------------|-------|-------------|----------------------------|----------------------------|----------------|-------|-------|
| | | | | | | PR DRAIN N/M ² | SEC DRAIN N/M ² | LEAKAGE KG/SEC | | | PP: DRAIN N/M ² | SEC DRAIN N/M ² | LEAKAGE KG/SEC | | |
| | | | | | | | | PRI | SEC | TOTAL | | | PRI | SEC | TOTAL |
| 13 | 159 | 2.5 | 3036.88 | 463.7 | 19,305,320.2 | 2,688,955.3 | 193,053.2 | .5756 | .0957 | .6713 | 2,895,798.0 | 751,528.5 | .6078 | .1183 | .7262 |
| CONGT. | 160 | 1.3 | 3036.88 | 533.2 | 22,683,751.1 | 2,661,376.3 | 179,263.7 | .5252 | .0920 | .6173 | 2,895,798.0 | 758,423.3 | .5892 | .1147 | .7039 |
| | 161 | 2.5 | 3036.88 | 533.2 | 23,959,281.3 | 2,557,954.9 | 165,474.2 | .5275 | .0884 | .6159 | 2,826,850.5 | 723,949.5 | .5728 | .1111 | .6840 |
| | 162 | | 3026.408 | 516.5 | 22,752,698.8 | 2,633,797.3 | 193,053.2 | .5615 | .0979 | .6595 | 2,792,376.7 | 820,476.1 | .5860 | .1310 | .7171 |
| | 163 | | 3036.88 | 533.2 | 24,821,125.9 | 2,888,903.3 | 193,053.2 | .5765 | .1061 | .6826 | 3,136,114.5 | 889,423.7 | .6291 | .1360 | .7652 |
| | 164 | | 3036.88 | 533.2 | 25,510,601.6 | 2,757,902.8 | 193,053.2 | .5443 | .0988 | .6431 | 3,019,903.7 | 875,634.2 | .5910 | .1274 | .7184 |
| | 165 | | 3036.88 | 533.2 | 24,752,178.3 | 2,723,429.1 | 191,674.3 | .5642 | .0984 | .6626 | 2,964,745.6 | 848,055.1 | .5969 | .1270 | .7239 |
| | 166 | | 3036.88 | 490.9 | 24,304,019.1 | 2,730,323.9 | 206,842.7 | .5937 | .1038 | .6976 | 2,916,482.3 | 772,212.8 | .6245 | .1224 | .7470 |
| | 167 | | 3036.88 | 533.2 | 24,821,125.9 | 2,861,324.2 | 184,779.5 | .5819 | .0970 | .6790 | 3,157,798.8 | 772,212.8 | .6191 | .1124 | .7316 |
| | 168 | 2974.048 | 517.0 | 24,821,125.9 | 2,792,376.7 | 205,463.8 | .5805 | .1038 | .6844 | 2,930,271.8 | 868,739.4 | .6114 | .1319 | .7434 | |
| | 169 | | 3036.88 | 520.4 | 25,269,285.1 | 2,826,850.5 | 198,569.0 | .5805 | .1034 | .6840 | 3,032,693.2 | 868,739.4 | .6268 | .1319 | .7588 |
| | 170 | | 2827.44 | 533.2 | 25,165,863.8 | 2,757,902.8 | 212,358.5 | .5756 | .1038 | .6794 | 2,978,535.1 | 875,634.2 | .6050 | .1356 | .7404 |
| | 171 | | 3036.88 | 533.2 | 24,993,494.9 | 2,702,744.8 | 206,842.7 | .5756 | .1011 | .6767 | 2,888,903.3 | 854,949.9 | .5919 | .1329 | .7248 |
| | 172 | | 2984.52 | 527.5 | 24,648,756.9 | 2,688,955.3 | 193,053.3 | .5715 | .0984 | .6699 | 2,964,745.6 | 848,055.1 | .5937 | .1319 | .7257 |
| | 173 | | 2927.44 | 533.2 | 24,131,650.2 | 2,702,744.8 | 186,158.4 | .5810 | .0979 | .6790 | 3,019,903.7 | 841,160.4 | .5996 | .1301 | .7298 |
| | 174 | | 3010.70 | 527.6 | 24,821,125.9 | 2,702,744.8 | 182,711.1 | .5783 | .0988 | .6772 | 2,964,745.6 | 827,370.9 | .5932 | .1260 | .7193 |
| | 175 | | 2984.52 | 530.4 | 25,165,863.8 | 2,757,902.9 | 193,053.2 | .5869 | .1029 | .6899 | 3,060,166.9 | 896,312.4 | .6128 | .1401 | .7529 |
| | 176 | | 2879.80 | 510.9 | 24,752,178.3 | 2,757,902.9 | 205,463.8 | .5996 | .1011 | .7008 | 3,095,745.9 | 923,897.5 | .6132 | .1433 | .7565 |
| | 177 | | 2958.34 | 528.2 | 25,165,863.8 | 2,757,902.9 | 206,153.2 | .5942 | .1002 | .6944 | 3,157,798.8 | 965,266.0 | .6087 | .1465 | .7552 |
| | 178 | 2974.048 | 508.1 | 25,234,811.4 | 2,751,008.1 | 199,948.0 | .6059 | .1016 | .7076 | 3,102,640.7 | 985,950.3 | .6250 | .1524 | .7774 | |
| | 179 | | 3036.88 | 533.2 | 24,821,125.9 | 2,957,850.8 | 179,263.7 | .6046 | .0993 | .6903 | 3,240,535.9 | 882,528.9 | .6318 | .1297 | .7615 |
| | 180 | | 2984.52 | 522.0 | 24,476,388.1 | 2,792,376.7 | 203,395.3 | .5964 | .1038 | .7003 | 3,047,482.7 | 999,739.8 | .6273 | .1528 | .7801 |
| | 181 | | 3036.88 | 525.9 | 24,821,125.9 | 2,826,850.5 | 193,053.2 | .6005 | .1025 | .7030 | 3,171,588.3 | 999,739.3 | .6441 | .1510 | .7951 |
| | 182 | | 2958.34 | 519.3 | 24,304,019.1 | 2,757,902.9 | 193,053.2 | .6019 | .1002 | .7021 | 3,171,588.3 | 1,013,529.3 | .6001 | .1587 | .7588 |
| | 183 | | 3036.88 | 533.2 | 23,442,174.5 | 2,819,955.7 | 179,263.7 | .5955 | .0961 | .6917 | 3,206,062.1 | 951,476.5 | .6073 | .1392 | .7466 |
| | 184 | | 3010.70 | 533.2 | 25,165,863.8 | 2,654,481.5 | 194,432.2 | .5860 | .0988 | .6849 | 3,171,588.3 | 1,137,634.9 | .6177 | .1818 | .7996 |
| | 185 | | 3036.88 | 527.6 | 24,304,019.1 | 2,757,902.9 | 179,263.7 | .5923 | .0984 | .6908 | 3,171,588.3 | 1,323,793.4 | .6245 | .1732 | .7978 |
| | 186 | 2942.632 | 512.0 | 23,442,174.5 | 2,661,376.3 | 191,674.3 | .6137 | .1002 | .7139 | 2,022,693.2 | 1,137,634.9 | .6059 | .1796 | .7856 | |
| | 187 | | 3036.88 | 507.0 | 22,580,329.8 | 2,551,060.2 | 187,537.4 | .5669 | .1020 | .6690 | 2,826,850.5 | 1,103,161.2 | .5774 | .1682 | .7457 |
| | 188 | | 3036.88 | 530.4 | 23,442,174.5 | 2,833,745.2 | 193,053.2 | .5801 | .0970 | .6772 | 3,157,798.8 | 1,116,950.7 | .6159 | .1632 | .7792 |
| | 189 | | 2816.968 | 533.2 | 24,131,650.2 | 2,620,007.7 | 193,053.2 | .5483 | .1002 | .6853 | 2,840,640.0 | 1,206,582.5 | .5869 | .1773 | .7643 |
| | 190 | | 3036.88 | 533.2 | 24,131,650.2 | 2,868,219.0 | 179,263.7 | .5996 | .0961 | .6958 | 3,144,009.3 | 1,172,108.7 | .6209 | .1619 | .7829 |
| | 191 | | 3036.88 | 533.2 | 23,442,174.5 | 2,840,640.0 | 189,605.8 | .5964 | .0979 | .6944 | 3,171,588.3 | 1,206,582.5 | .6096 | .1759 | .7856 |
| | 192 | | 3036.88 | 533.2 | 23,442,174.5 | 2,826,850.5 | 193,053.2 | .6011 | .1006 | .7021 | 3,137,114.5 | 1,227,266.8 | .6332 | .1787 | .8119 |

TABLE 13. (Continued)

| BUILD NO. | TEST NO. | TIME MIN. | SPEED RAD/SEC | INLET TEMP, K | INLET PP N/M ² | PUMP END SEAL | | | | | | TURBINE END SEAL | | | | | |
|---------------|----------|-----------|---------------|---------------|---------------------------|---------------------------|----------------------------|----------------|-------|-------------|----------------------------|----------------------------|----------------|-------|--------|--|--|
| | | | | | | PR DRAIN N/M ² | SEC DRAIN N/M ² | LEAKAGE KG/SEC | | | PRI DRAIN N/M ² | SEC DRAIN N/M ² | LEAKAGE KG/SEC | | | | |
| | | | | | | | | PPI | SEC | TOTAL | | | PRI | SEC | TOTAL | | |
| 13 (CONT.) | 193 | 2.5 | 3036.88 | 533.2 | 22,752,698.8 | 2,806,166.2 | 189,166.2 | .5892 | .0975 | .6867 | 3,137,114.5 | 1,137,634.9 | .6164 | .1642 | .7806 | | |
| | 194 | | 3036.88 | 533.2 | 23,786,912.3 | 2,826,850.5 | 193,053.2 | .6059 | .1006 | .7066 | 3,185,377.8 | 1,275,530.1 | - | .1855 | - | | |
| | 195 | | 3036.88 | 533.2 | 22,063,223.0 | 2,771,692.4 | 182,711.1 | .5774 | .0957 | .6731 | 3,019,903.7 | 1,130,740.2 | .6023 | .1614 | .7638 | | |
| | 196 | | 3015.936 | 533.2 | 22,683,751.2 | 2,757,902.9 | 179,263.7 | .5824 | .0966 | .6790 | 3,033,693.2 | 1,206,582.5 | .5919 | .1737 | .7656 | | |
| | 197 | | 2984.52 | 530.4 | 23,442,174.5 | 2,792,376.7 | 213,737.5 | .6037 | .1025 | .7062 | 3,171,588.3 | 1,310,003.9 | .6277 | .1932 | .8210 | | |
| | 198 | | 3036.88 | 533.2 | 24,062,702.6 | 2,833,745.2 | 203,395.3 | .5801 | .1002 | .6985 | 3,150,904.0 | 1,310,003.9 | .6209 | .1873 | .8083 | | |
| | 199 | | 3141.60 | 533.2 | 23,924,807.5 | 2,840,640.0 | 206,153.2 | .6028 | .0993 | .7021 | 3,157,798.8 | 1,303,109.1 | .6191 | .1859 | .8051 | | |
| | 200 | | 3036.88 | 533.2 | 24,131,650.2 | 2,888,903.3 | 215,116.4 | .5987 | .1025 | .7012 | 3,150,904.0 | 1,351,372.4 | .6196 | .1982 | .8178 | | |
| | 201 | | 3036.88 | 533.2 | 24,131,650.2 | 2,826,850.5 | 189,695.8 | .5923 | .0997 | .6921 | 3,102,740.7 | 1,275,530.1 | .6114 | .1832 | .7946 | | |
| | 202 | | 3036.88 | 502.6 | 22,925,067.7 | 2,751,008.1 | 193,053.2 | .5991 | .0984 | .6976 | 3,026,798.4 | 1,316,898.6 | .6186 | .1959 | .8146 | | |
| | 203 | | 3120.666 | 532.6 | 23,442,174.5 | 2,854,429.5 | 193,053.2 | .6001 | .1006 | .7008 | 3,144,009.3 | 1,344,477.7 | .6141 | .1918 | .8060 | | |
| | 204 | | 2932.16 | 527.6 | 22,925,067.7 | 2,599,323.5 | 191,674.3 | .5570 | .0997 | .6568 | 3,013,008.9 | 1,344,477.7 | .6005 | .1936 | .7942 | | |
| | 205 | | 3036.88 | 533.2 | 23,786,912.3 | 2,895,798.0 | 195,121.6 | .5982 | .1025 | .6917 | 3,171,588.3 | 1,344,477.7 | .6332 | .2018 | .8350 | | |
| | 206 | | 3036.88 | 533.2 | 23,097,436.6 | 2,826,859.5 | 191,674.3 | .5837 | .0988 | .7008 | 3,137,114.5 | 1,310,003.9 | .6295 | .1791 | .8087 | | |
| | 207 | | 3036.88 | 516.5 | 24,304,019.1 | 2,806,166.2 | 206,842.7 | .6082 | .1034 | .7116 | 3,137,114.5 | 1,468,583.3 | .6395 | .2118 | .8513 | | |
| | 208 | | 3036.88 | 533.2 | 23,442,174.5 | 2,819,955.7 | 193,053.2 | .5951 | .1025 | .6976 | 3,102,640.7 | 1,441,004.3 | .6105 | .2004 | .8110 | | |
| | 209 | | 3089.24 | 533.2 | 23,614,543.4 | 2,833,745.2 | 196,500.6 | .5942 | .0984 | .6926 | 3,136,114.5 | 1,447,899.0 | .6105 | .2036 | .8141 | | |
| | 210 | | 3036.88 | 533.2 | 23,614,543.4 | 2,819,955.7 | 193,053.2 | .4887 | .0975 | .6862 | 3,088,851.2 | 1,426,214.0 | .6104 | .2000 | .8105 | | |
| | 211 | | 3089.24 | 533.2 | 23,786,912.3 | 2,833,745.2 | 193,053.2 | .5932 | .0997 | .6930 | 3,171,588.3 | 1,441,004.3 | .6105 | .2023 | .8128 | | |
| | 212 | | 3036.88 | 532.0 | 23,097,436.6 | 2,757,902.9 | 180,642.6 | .5837 | .0966 | .6803 | 3,033,693.2 | 1,365,161.9 | .5919 | .1973 | .7892 | | |
| | 213 | | 3036.88 | 533.2 | 23,442,174.5 | 2,861,324.2 | 195,121.6 | .6137 | .1043 | .7180 | 3,171,588.3 | 1,509,951.8 | .6118 | .2122 | .8241 | | |
| 214 | | 3036.88 | 533.2 | 22,407,950.9 | 2,702,744.8 | 196,500.6 | .5951 | .1047 | .6998 | 2,964,745.6 | 1,413,425.2 | .5928 | .2181 | .8110 | | | |
| 215 | | 3036.88 | 533.2 | 23,442,174.5 | 2,854,429.5 | 199,948.0 | .6023 | .1034 | .7057 | 3,109,535.5 | 1,482,372.8 | .6118 | .2050 | .8169 | | | |
| 216 | | 3089.24 | 533.2 | 23,614,543.4 | 2,861,324.2 | 206,842.7 | .6037 | .1047 | .7085 | 3,102,640.7 | 1,475,478.0 | .6141 | .2091 | .8232 | | | |
| 217 | | 3089.24 | 533.2 | 23,097,436.6 | 2,861,324.2 | 205,463.8 | .6046 | .1025 | .7071 | 3,116,430.3 | 1,413,425.2 | .6109 | .2086 | .8196 | | | |
| 218 | | 3089.24 | 533.2 | 23,269,805.6 | 2,826,859.5 | 193,053.2 | .6991 | .1025 | .7026 | 3,068,167.0 | 1,482,372.8 | .6105 | .2195 | .8300 | | | |
| 14 | PRE | - | 0 | 367.0 | 3,447,378.6 | 413,685.4 | 27,579.0 | .1197 | .1471 | .1669 | 496,422.5 | 55,158.1 | .1229 | .1265 | .2494 | | |
| | 219 | - | 0 | 365.4 | 6,894,757.2 | 1,016,976.7 | 72,395.0 | .2517 | .0612 | .3129 | 1,103,161.2 | 172,368.9 | .2685 | .2739 | .5424 | | |
| | STATIC | - | 0 | 344.3 | 10,342,135.8 | 1,551,320.4 | 137,895.1 | .3696 | .0843 | .4540 | 1,654,741.7 | 310,264.1 | .3950 | .3955 | .7906 | | |
| | LEAK | - | 0 | 316.5 | 13,789,514.4 | 2,009,821.7 | 208,221.7 | .5320 | .1084 | .6404 | 2,220,111.8 | 465,396.1 | .5620 | .5520 | 1.1140 | | |
| | | - | 0 | 294.5 | 15,237,413.4 | 2,240,796.1 | 235,800.7 | .6273 | .1143 | .7416 | 2,468,323.1 | 551,580.6 | .6513 | .6377 | 1.2891 | | |
| 219 | 2.5 | | 2827.44 | 533.2 | 22,752,698.8 | 2,861,324.2 | 193,053.2 | .5626 | .1025 | .6651 | 3,054,377.4 | 672,238.8 | .4716 | .2058 | .7774 | | |
| 220 | | | 2722.72 | 499.3 | 23,442,174.5 | 2,971,640.4 | 234,421.7 | .6149 | .1128 | .7277 | 3,102,640.7 | 723,949.5 | .6385 | .2278 | .8664 | | |
| 221 | | | 2827.44 | 526.8 | 23,442,174.5 | 2,964,745.6 | 206,842.7 | .6131 | .1168 | .7300 | 3,171,588.3 | 723,949.5 | .6210 | .2317 | .8535 | | |

TABLE 13. (Continued)

| BUILD NO. | TEST NO. | TIME MIN. | SPEED RAD/SEC | INLET TEMP, K | INLET PR N/M ² | PUMP END SEAL | | | | | TURBINE END SEAL | | | | |
|---------------|----------|--------------|---------------|---------------|---------------------------|---------------------------|----------------------------|----------------|-------------|-------------|----------------------------|----------------------------|----------------|-------|-------|
| | | | | | | PR DRAIN N/M ² | SEC DRAIN N/M ² | LEAKAGE KG/SEC | | | PRI DRAIN N/M ² | SEC DRAIN N/M ² | LEAKAGE KG/SEC | | |
| | | | | | | | | PRI | SEC | TOTAL | | | PRI | SEC | TOTAL |
| 14 (CONT.) | 222 | 2.5 | 2932.16 | 525.4 | 24,131,650.2 | 293,027.2 | 210,290.1 | .5990 | .1123 | .7113 | 3,088,851.2 | 775,660.2 | .5974 | .2386 | .8361 |
| | 223 | | 533.2 | 23,442,174.5 | 2,861,324.2 | 206,842.7 | .5947 | .1100 | .7048 | 3,019,903.7 | 727,397.0 | .5708 | .2322 | .8030 | |
| | 224 | | 505.4 | 23,786,912.3 | 2,895,798.0 | 186,158.4 | .6133 | .1139 | .7273 | 3,068,167.0 | 772,212.8 | .6270 | .2452 | .8723 | |
| | 225 | | 533.2 | 23,614,543.4 | 2,861,324.2 | 182,711.1 | .5877 | .1042 | .6920 | 3,025,798.4 | 827,370.8 | .6949 | .2421 | .8105 | |
| | 226 | | 529.3 | 24,304,019.1 | 2,868,219.0 | 206,842.7 | .6075 | .1049 | .7125 | 2,971,640.4 | 1,065,240.0 | .5327 | .3148 | .8476 | |
| | 227 | | 533.2 | 23,545,595.8 | 2,957,850.8 | 208,221.7 | .5970 | .1041 | .7012 | 2,826,850.5 | 970,437.1 | .5402 | .2789 | .8191 | |
| | 228 | | 499.8 | 23,442,174.5 | 2,775,139.8 | 206,842.7 | .6072 | .1075 | .7148 | 2,364,901.7 | 1,025,595.1 | .5230 | .3195 | .8425 | |
| | 229 | | 496.5 | 23,614,543.4 | 2,819,955.7 | 219,253.3 | .6105 | .1091 | .7197 | 2,220,111.8 | 1,310,003.9 | .4398 | .3989 | .8388 | |
| | 230 | | 532.6 | 24,062,702.6 | 2,826,850.5 | 241,316.5 | .5924 | .1101 | .7025 | 2,413,165.0 | 1,237,608.9 | .4685 | .3623 | .8308 | |
| | 231 | | 533.2 | 22,063,223.0 | 2,740,666.0 | 203,395.3 | .5566 | .1028 | .6595 | 1,944,321.5 | 1,272,082.7 | .4014 | .3596 | .7611 | |
| | 232 | | 524.8 | 23,649,017.2 | 2,837,192.6 | 208,911.1 | .5921 | .1104 | .7026 | 2,206,322.3 | 1,275,530.1 | .4024 | .3833 | .7858 | |
| | 233 | | 520.7 | 24,131,650.2 | 3,033,693.2 | 262,000.8 | .6154 | .1169 | .7324 | 1,813,321.1 | 1,551,320.4 | .3787 | .4603 | .8339 | |
| | 234 | | 527.6 | 24,338,492.9 | 2,964,745.6 | 234,421.7 | .6183 | .1141 | .7325 | 1,999,479.6 | 1,530,636.1 | .3841 | .4448 | .8389 | |
| | 235 | | 533.2 | 24,131,650.2 | 2,923,377.1 | 234,421.7 | .6006 | .1109 | .7116 | 2,413,165.0 | 1,361,714.5 | .4226 | .3910 | .8136 | |
| | 236 | | 533.2 | 23,580,069.6 | 2,888,903.3 | 217,184.9 | .5930 | .1063 | .6994 | 2,206,322.3 | 1,396,188.3 | .4002 | .3945 | .7948 | |
| | 237 | | 520.7 | 24,131,650.2 | 2,878,561.1 | 213,737.5 | .5974 | .1040 | .7014 | 2,206,322.3 | 1,430,662.1 | .3791 | .4217 | .8009 | |
| | 238 | | 527.6 | 24,131,650.2 | 2,999,219.4 | 248,211.3 | .6071 | .1153 | .7225 | 2,199,427.5 | 1,444,451.6 | .4026 | .4227 | .8254 | |
| | 239 | | 533.2 | 23,614,543.4 | 2,854,429.5 | 217,874.3 | .5834 | .1044 | .6678 | 2,376,691.2 | 1,310,003.9 | .4262 | .3945 | .8207 | |
| | 240 | | 521.5 | 23,786,912.3 | 2,895,798.0 | 224,079.6 | .5974 | .1085 | .7060 | 2,482,112.6 | 1,306,556.5 | .4488 | .3850 | .8339 | |
| | 241 | | 510.9 | 24,131,650.2 | 2,913,034.9 | 234,421.7 | .6029 | .1099 | .7128 | 2,206,322.3 | 1,447,899.0 | .3933 | .4199 | .8132 | |
| | 242 | | 522.6 | 24,131,650.2 | 2,861,324.2 | 234,421.7 | .6087 | .1119 | .7206 | 2,213,217.1 | 1,280,701.2 | .4287 | .3827 | .8114 | |
| | 243 | | 533.2 | 23,442,174.5 | 2,826,850.4 | 213,737.5 | .5848 | .1035 | .6384 | 2,358,007.0 | 1,272,082.7 | .4198 | .3661 | .7859 | |
| | 244 | | 533.2 | 23,959,281.3 | 2,930,271.8 | 213,737.5 | .5955 | .1026 | .6981 | 1,930,532.0 | 1,654,741.7 | .3437 | .4745 | .8182 | |
| | 245 | | 533.2 | 23,442,174.5 | 2,757,902.9 | 206,842.7 | .5804 | .1989 | .6793 | 2,240,796.1 | 1,387,569.9 | .3921 | .3982 | .7919 | |
| | 246 | | 533.2 | 23,373,226.9 | 2,826,850.5 | 205,463.8 | .5796 | .1018 | .6815 | 1,930,532.0 | 1,516,846.6 | .3558 | .4309 | .7867 | |
| | 247 | | 533.2 | 23,786,912.3 | 2,861,324.2 | 220,632.2 | .5941 | .1031 | .6972 | 1,758,163.1 | 1,585,794.2 | .3491 | .4569 | .8061 | |
| | 248 | | 527.0 | 23,442,174.5 | 2,826,850.5 | 213,737.5 | .5987 | .1006 | .6994 | 2,378,691.2 | 1,327,240.8 | .4273 | .4006 | .8279 | |
| 249 | 527.0 | 23,442,174.5 | 2,826,850.5 | 233,042.8 | .5972 | .1118 | .7091 | 1,654,741.7 | 1,478,925.4 | .3613 | .4399 | .8013 | | | |
| 250 | 523.2 | 23,786,912.3 | 2,826,850.5 | 213,737.5 | .5792 | .0989 | .6782 | 1,861,584.4 | 1,456,517.5 | .3645 | .4256 | .7903 | | | |
| 251 | 533.2 | 22,925,067.7 | 2,895,798.0 | 212,358.5 | .5800 | .1015 | .6816 | 2,192,532.8 | 1,430,662.1 | .3890 | .4021 | .7912 | | | |
| 252 | 533.2 | 22,063,223.0 | 2,799,271.4 | 193,053.2 | .5541 | .0961 | .6502 | 2,075,321.9 | 1,344,477.7 | .3890 | .3738 | .7629 | | | |
| 253 | 505.4 | 22,752,698.8 | 2,833,745.2 | 213,737.5 | .5986 | .1018 | .7005 | 2,233,901.3 | 1,409,977.8 | .4183 | .4093 | .8276 | | | |
| 254 | 533.2 | 23,959,281.3 | 2,930,271.8 | 220,632.2 | .5908 | .1015 | .6924 | 2,220,111.8 | 1,447,899.0 | .3970 | .4006 | .7977 | | | |
| 255 | 533.2 | 23,097,436.6 | 2,957,850.8 | 227,527.0 | .5865 | .1074 | .6940 | 2,061,532.4 | 1,444,451.6 | .3966 | .4163 | .8123 | | | |

TABLE 13. (Continued)

| BUILD NO. | TEST NO. | TIME MIN. | SPEED RAD/SEC | INLET TEMP. K | INLET PR N/M ² | PUMP END SEAL | | | | | TURBINE END SEAL | | | | |
|---------------|----------|-----------|---------------|---------------|---------------------------|---------------------------|----------------------------|----------------|-------------|-------------|----------------------------|----------------------------|----------------|-------|-------|
| | | | | | | PR DRAIN N/M ² | SEC DRAIN N/M ² | LEAKAGE KG/SEC | | | PRI DRAIN N/M ² | SEC DRAIN N/M ² | LEAKAGE KG/SEC | | |
| | | | | | | | | PRI | SEC | TOTAL | | | PRI | SEC | TOTAL |
| 14 (CONT.) | 256 | 2.5 | 3036.88 | 533.2 | 23,442,174.5 | 2,957,850.8 | 230,974.4 | .6035 | .1040 | .7076 | 2,192,532.8 | 1,482,372.8 | .3975 | .4203 | .8161 |
| | 257 | | 516.5 | 23,786,912.3 | 2,895,798.0 | 234,421.7 | .5939 | .1088 | .7027 | 1,792,636.9 | 1,465,135.9 | .3969 | .4086 | .8055 | |
| | 258 | | 526.5 | 24,821,125.9 | 2,826,850.8 | 220,632.2 | .5853 | .1081 | .6934 | 2,206,322.3 | 1,572,004.6 | .3733 | .4576 | .8309 | |
| | 259 | | 533.2 | 23,959,281.3 | 2,999,219.4 | 243,385.0 | .6341 | .1079 | .7110 | 2,047,742.9 | 1,516,846.6 | .3797 | .4432 | .8229 | |
| | 260 | | 533.2 | 23,717,964.8 | 2,871,666.4 | 213,737.5 | .5904 | .1055 | .6960 | 2,061,532.4 | 1,551,320.4 | .3826 | .3871 | .7697 | |
| | 261 | | 527.0 | 23,786,912.3 | 2,981,982.5 | 227,527.0 | .6031 | .1112 | .7235 | 2,068,427.2 | 1,536,530.9 | .3828 | .4500 | .8328 | |
| | 262 | | 533.2 | 23,649,017.2 | 2,964,745.6 | 232,353.3 | .5982 | .1133 | .7115 | 2,137,374.7 | 1,503,057.1 | .3917 | .4862 | .8780 | |
| | 263 | | 520.4 | 23,442,174.5 | 2,999,219.4 | 241,316.5 | .6017 | .1094 | .7111 | 2,109,795.7 | 1,485,820.2 | .3804 | .4357 | .8161 | |
| | 264 | | 528.2 | 24,131,650.2 | 2,888,903.3 | 241,316.5 | .6078 | .1133 | .7212 | 2,192,532.8 | 1,465,135.9 | .4027 | .4367 | .8395 | |
| | 265 | | 533.2 | 23,614,543.4 | 3,033,693.2 | 220,632.2 | .5878 | .1076 | .6955 | 2,199,427.5 | 1,465,135.9 | .3869 | .4095 | .7965 | |
| | 266 | | 530.9 | 23,442,174.5 | 3,050,930.1 | 227,527.0 | .5837 | .1050 | .6888 | 2,116,690.5 | 1,485,820.2 | .3785 | .4267 | .8053 | |
| | 267 | | 510.4 | 23,442,174.5 | 2,964,745.6 | 244,764.0 | .6038 | .1130 | .7165 | 2,206,322.3 | 1,485,820.2 | .4087 | .4397 | .8484 | |
| | 268 | | 533.2 | 23,786,912.3 | 2,971,640.4 | 234,421.7 | .5084 | .1077 | .6881 | 2,137,374.7 | 1,447,899.0 | .3963 | .4112 | .8074 | |
| | 269 | | 504.3 | 22,752,698.8 | 2,930,271.8 | 233,042.8 | .5825 | .1058 | .6884 | 2,054,637.6 | 1,477,899.0 | .3860 | .4344 | .8205 | |
| | 270 | | 532.6 | 23,442,174.5 | 2,930,271.8 | 228,906.0 | .5751 | .1034 | .6785 | 2,068,427.2 | 1,447,899.0 | .3829 | .4073 | .7903 | |
| | 271 | | 528.7 | 23,786,912.3 | 2,895,798.0 | 239,937.6 | .6038 | .1114 | .7153 | 2,102,900.9 | 1,375,504.1 | .3860 | .4098 | .7958 | |
| | 272 | | 533.2 | 23,959,281.3 | 3,033,693.2 | 222,700.7 | .6075 | .1078 | .7154 | 2,206,322.3 | 1,465,135.9 | .3729 | .4198 | .7928 | |
| | 273 | | 527.0 | 23,442,174.5 | 3,040,587.9 | 229,595.4 | .6322 | .1150 | .7472 | 2,206,322.3 | 1,447,899.0 | .4251 | .4380 | .8631 | |
| | 274 | | 533.2 | 23,511,122.1 | 3,050,930.1 | 239,937.6 | .6094 | .1108 | .7203 | 2,206,322.3 | 1,444,451.7 | .3987 | .4213 | .8200 | |
| | 275 | | 533.2 | 23,442,174.5 | 2,981,982.5 | 220,632.2 | .5908 | .1050 | .6958 | 2,206,322.3 | 1,378,951.5 | .4138 | .3878 | .8016 | |
| | 276 | | 531.5 | 23,614,543.4 | 2,999,219.4 | 226,148.0 | .6028 | .1064 | .7093 | 2,206,322.3 | 1,416,872.6 | .4191 | .4038 | .8229 | |
| | 277 | | 528.2 | 23,717,964.8 | 2,999,219.4 | 222,011.2 | .5979 | .1077 | .7056 | 2,185,638.0 | 1,444,451.7 | .3894 | .4263 | .8158 | |
| | 278 | | 533.2 | 23,786,912.3 | 3,033,693.2 | 248,211.3 | .6128 | .1144 | .7273 | 2,075,321.9 | 1,485,820.2 | .4007 | .4439 | .8446 | |
| | 15 | | 279 | 527.0 | 23,097,436.6 | 465,396.1 | 193,053.2 | .5796 | .0988 | .6785 | 2,240,796.1 | 1,146,598.1 | .4430 | .3520 | .7951 |
| | | | 280 | 528.2 | 24,752,178.4 | 1,492,714.9 | 220,632.2 | .6073 | .1096 | .7171 | 2,206,322.3 | 1,396,188.3 | .3609 | .4006 | .7615 |
| | | | 281 | 533.2 | 24,269,545.3 | 2,413,165.0 | 210,290.1 | .6268 | .1033 | .7302 | 2,468,323.1 | 1,278,977.5 | .4554 | .3689 | .8241 |
| | | | 282 | 533.2 | 23,683,491.0 | 2,420,059.8 | 206,842.7 | .6150 | .1008 | .7157 | 2,330,427.9 | 1,430,662.1 | .3954 | .3942 | .7897 |
| | | | 283 | 533.2 | 23,993,755.1 | 2,206,322.3 | 208,911.1 | .6150 | .1031 | .7180 | 2,468,323.1 | 1,241,056.3 | .4243 | .3619 | .7860 |
| 284 | | 528.2 | 24,131,650.2 | 2,033,953.4 | 220,632.2 | .6223 | .1048 | .7271 | 2,447,638.8 | 1,298,282.8 | .4398 | .3841 | .8241 | | |
| 285 | | 533.2 | 24,131,650.2 | 2,275,269.9 | 206,153.2 | .6109 | .0982 | .7094 | 2,516,586.4 | 1,275,530.1 | .4364 | .3681 | .8046 | | |
| 286 | | 519.3 | 23,959,281.3 | 1,799,531.6 | 219,253.3 | .6073 | .1043 | .7116 | 2,137,374.7 | 1,444,451.6 | .3791 | .4245 | .8037 | | |
| 287 | | 533.2 | 24,131,650.2 | 2,354,559.6 | 206,842.7 | .6050 | .1001 | .7053 | 2,344,217.4 | 1,513,399.2 | .4150 | .3844 | .7996 | | |
| 288 | | 500.7 | 23,442,174.5 | 2,378,691.2 | 220,632.2 | .6173 | .1063 | .7239 | 1,551,320.4 | 1,620,267.9 | .3491 | .4783 | .8273 | | |
| 289 | | 495.1 | 23,786,912.3 | 1,940,874.2 | 210,290.1 | .6182 | .1066 | .7248 | 1,378,951.4 | 1,723,689.3 | .3084 | .5180 | .8264 | | |

TABLE 13. (Continued)

| BUILD NO. | TEST NO. | TIME MIN. | SPEED RAD/SEC | INLET TEMP. K | INLET PR N/M ² | PUMP END SEAL | | | | | | TURBINE END SEAL | | | | | |
|---------------|----------|--------------|---------------|---------------|---------------------------|---------------------------|----------------------------|----------------|-------------|-------------|----------------------------|----------------------------|----------------|-------|-------|-------|--|
| | | | | | | PR DRAIN N/M ² | SEC DRAIN N/M ² | LEAKAGE KG/SEC | | | PRI DRAIN N/M ² | SEC DRAIN N/M ² | LEAKAGE KG/SEC | | | | |
| | | | | | | | | PPI | SEC | TOTAL | | | PRI | SEC | TOTAL | | |
| 15 (CONT.) | 290 | 2.5 | 3036.88 | 533.2 | 23,786,912.3 | 2,275,269.9 | 205,463.8 | .5978 | .1040 | .7017 | 2,309,743.7 | 1,344,477.7 | .3968 | .3835 | .7806 | | |
| | 291 | | | 533.2 | 22,959,541.5 | 2,344,217.4 | 206,842.7 | .5860 | .1023 | .6885 | 1,378,951.4 | 1,723,689.3 | .4128 | .4862 | .8990 | | |
| | 292 | | | 533.2 | 24,131,650.2 | 1,927,084.6 | 234,421.7 | .5793 | .1129 | .7103 | 1,447,899.0 | 1,758,163.1 | .4177 | .5102 | .9280 | | |
| | 293 | | | 533.2 | 24,269,545.3 | 1,737,478.8 | 221,321.7 | .6037 | .1113 | .7153 | 2,344,217.4 | 1,372,056.7 | .4022 | .4086 | .8110 | | |
| | 294 | | | 533.2 | 23,786,912.3 | 2,268,375.1 | 213,737.5 | .5919 | .1036 | .6958 | 1,516,846.6 | 1,654,741.7 | .4327 | .4703 | .9035 | | |
| | 295 | | | 533.2 | 22,407,960.9 | 2,320,085.8 | 196,500.6 | .5506 | .0979 | .6486 | 1,813,321.1 | 1,534,083.5 | .2967 | .4282 | .7248 | | |
| | 296 | | | 522.0 | 24,131,650.2 | 1,689,216.0 | 213,737.5 | .5778 | .1052 | .6831 | 1,930,532.0 | 1,603,031.0 | .2936 | .4740 | .7674 | | |
| | 297 | | | 533.2 | 23,442,174.5 | 2,351,112.2 | 213,737.5 | .5805 | .1020 | .6826 | 1,585,794.2 | 1,716,794.5 | .2901 | .4880 | .7783 | | |
| | 16 | | | 298 | 530.9 | 26,027,708.4 | 1,137,634.9 | 235,800.7 | .6128 | .1182 | .7311 | 1,516,846.6 | 275,790.3 | .5597 | .1110 | .6708 | |
| | | | | 299 | 533.2 | 25,510,601.6 | 2,757,902.9 | 213,737.5 | .6082 | .1056 | .7139 | 1,551,320.4 | 275,790.3 | .5715 | .1044 | .6758 | |
| 300 | | 533.2 | 26,200,077.4 | 2,551,060.2 | 206,842.7 | .6218 | .1060 | .7280 | 1,585,794.2 | 293,027.2 | .5978 | .1210 | .7189 | | | | |
| 301 | | 533.2 | 25,338,232.7 | 999,739.8 | 272,342.9 | .6223 | .1189 | .7411 | 1,599,583.7 | 310,264.1 | .6091 | .1076 | .7166 | | | | |
| PRE | | 0 | 355.4 | 2,757,902.9 | 275,790.3 | 5,515.8 | .5438 | .0394 | .1297 | 268,895.5 | 17,236.9 | .0912 | .0367 | .1279 | | | |
| 302 | | 0 | 347.8 | 6,894,757.2 | 768,765.4 | 28,958.0 | .2390 | .0476 | .2866 | 551,580.6 | 34,473.8 | .2425 | .0385 | .2812 | | | |
| STATIC | | 0 | 335.9 | 10,342,135.8 | 1,172,108.7 | 68,947.6 | .3683 | .0571 | .4254 | 827,370.9 | 95,147.6 | .3733 | .0517 | .4250 | | | |
| 0 | | 308.2 | 13,789,514.4 | 1,689,215.5 | 124,105.6 | .5057 | .0715 | .5774 | 1,034,213.6 | 172,369.0 | .5347 | .0821 | .6168 | | | | |
| 0 | | 294.3 | 17,236,893.0 | 2,154,611.6 | 193,053.2 | .6817 | .1025 | .7842 | 1,378,951.4 | 258,553.4 | .7130 | .1145 | .8278 | | | | |
| 302 | | 3036.88 | 533.2 | 26,200,077.4 | 2,792,376.7 | 220,632.2 | .6227 | .0960 | .7189 | 1,654,741.7 | 275,790.3 | .6059 | .0939 | .6998 | | | |
| 303 | | 533.2 | 26,200,077.4 | 2,792,376.6 | 220,632.2 | .6082 | .0988 | .7071 | 1,620,268.0 | 298,543.0 | .6032 | .0957 | .6989 | | | | |
| 304 | | 533.2 | 25,510,601.4 | 2,661,324.2 | 217,185.0 | .6173 | .0970 | .7144 | 1,654,741.7 | 258,533.4 | .6073 | .0863 | .6935 | | | | |
| 305 | | 533.2 | 25,510,601.4 | 2,706,192.2 | 220,632.2 | .6082 | .0987 | .7071 | 1,654,741.7 | 258,533.4 | .6132 | .0927 | .7057 | | | | |
| 306 | | 533.2 | 24,821,125.9 | 2,309,743.7 | 206,843.0 | .5756 | .0930 | .6685 | 1,572,004.6 | 272,342.9 | .5932 | .0946 | .6880 | | | | |
| 307 | | 533.2 | 25,372,707.0 | 2,544,165.4 | 213,738.0 | .6028 | .0956 | .6985 | 1,620,268.0 | 258,533.4 | .6059 | .0889 | .6949 | | | | |
| 308 | | 533.2 | 24,131,650.2 | 2,744,113.4 | 195,811.1 | .5864 | .0984 | .6758 | 1,585,794.1 | 227,527.0 | .5946 | .0805 | .6753 | | | | |
| 309 | | 518.4 | 24,821,125.9 | 1,896,058.2 | 233,043.0 | .6118 | .1042 | .7162 | 1,530,636.1 | 298,543.0 | .6132 | .1095 | .7230 | | | | |
| 310 | | 533.2 | 26,200,077.4 | 2,282,164.6 | 233,043.0 | .6291 | .1065 | .7357 | 1,640,952.2 | 244,764.0 | .6223 | .0969 | .7193 | | | | |
| 311 | 533.2 | 25,510,601.6 | 2,482,112.6 | 206,843.0 | .6010 | .0970 | .6980 | 1,654,741.7 | 241,317.0 | .6137 | .0815 | .6953 | | | | | |
| 312 | 533.2 | 25,510,601.6 | 2,336,322.7 | 220,632.2 | .6105 | .0998 | .7130 | 1,654,741.7 | 246,832.3 | .6200 | .0915 | .7116 | | | | | |
| 313 | 533.2 | 25,855,340.0 | 2,033,953.4 | 227,527.0 | .6250 | .1061 | .7311 | 1,654,741.7 | 277,853.0 | .6227 | .1016 | .7243 | | | | | |
| 314 | 533.2 | 25,510,601.6 | 2,344,217.4 | 206,153.2 | .6014 | .0971 | .6985 | 1,740,952.2 | 241,317.0 | .6137 | .0871 | .7008 | | | | | |
| 315 | 533.2 | 24,821,126.0 | 2,757,903.0 | 189,606.0 | .5955 | .0908 | .6862 | 1,654,741.7 | 220,632.2 | .5833 | .0795 | .6626 | | | | | |
| 316 | 533.2 | 25,510,601.6 | 1,965,006.0 | 220,632.2 | .6236 | .1022 | .7262 | 1,640,952.2 | 275,790.3 | .5892 | .1072 | .6962 | | | | | |
| 317 | 533.2 | 25,510,601.6 | 2,716,534.3 | 206,843.0 | .6059 | .0949 | .7008 | 1,654,741.7 | 229,595.4 | .5892 | .0868 | .6765 | | | | | |
| 318 | 533.2 | 24,821,126.0 | 2,516,586.4 | 124,106.0 | .5937 | .0913 | .6849 | 1,585,794.2 | 241,317.0 | .5565 | .0920 | .6486 | | | | | |

TABLE 13. (Continued)

| BUILD NO. | TEST NO. | TIME MIN. | SPEED RAD/SEC | INLET TEMP, K | INLET PR N/M ² | PUMP END SEAL | | | | | TURBINE END SEAL | | | | | |
|-----------|----------|-----------|---------------|---------------|---------------------------|---------------------------|----------------------------|----------------|-------|-------|----------------------------|----------------------------|----------------|-------|-------|--|
| | | | | | | PR DRAIN N/M ² | SEC DRAIN N/M ² | LEAKAGE KG/SEC | | | PRI DRAIN N/M ² | SEC DRAIN N/M ² | LEAKAGE KG/SEC | | | |
| | | | | | | | | PRI | SEC | TOTAL | | | PRI | SEC | TOTAL | |
| 16 (CONT) | 319 | 2.5 | 3036.88 | 533.2 | 25,510,601.6 | 2,482,112.6 | 199,948.0 | .6109 | .0967 | .7076 | 1,654,741.7 | 272,343.0 | .5765 | .1018 | .6785 | |
| | 320 | | | 533.2 | 25,510,601.6 | 2,482,112.6 | 262,000.8 | .6001 | .0910 | .6912 | 1,585,794.2 | 275,790.3 | .5770 | .1016 | .6586 | |
| | 321 | | | 528.7 | 25,338,232.7 | 1,737,479.0 | 206,842.7 | .6014 | .0974 | .6989 | 1,516,846.6 | 275,790.3 | .5770 | .1016 | .6586 | |
| | 322 | | | 533.2 | 25,510,601.6 | 2,344,217.4 | 234,421.7 | .5942 | .0900 | .6844 | 1,516,846.6 | 210,290.1 | .5715 | .0830 | .6545 | |
| | 323 | | | 522.0 | 25,510,601.6 | 1,758,163.1 | 233,043.0 | .6268 | .1098 | .7366 | 1,530,636.1 | 293,027.2 | .6214 | .1119 | .7334 | |
| | 324 | | | 529.8 | 24,993,495.0 | 1,868,479.2 | 217,185.0 | .6082 | .1041 | .7125 | 1,537,530.9 | 279,237.7 | .6023 | .1091 | .7116 | |
| | 325 | | | 405.4 | 25,510,601.6 | 1,671,978.6 | 220,632.2 | .6304 | .1094 | .7398 | 1,585,794.2 | 313,711.5 | .6177 | .1668 | .7348 | |
| | 326 | | | 533.2 | 25,165,863.8 | 1,958,111.0 | 199,948.0 | .6105 | .1036 | .7144 | 1,585,794.2 | 306,816.7 | .5978 | .1070 | .7048 | |
| | 327 | | | | 25,165,863.8 | 2,888,903.3 | 251,658.6 | .6114 | .0935 | .7048 | 1,654,741.7 | 258,553.4 | .6073 | .0831 | .6903 | |
| | 328 | | | | 25,510,601.6 | 2,446,638.8 | 193,948.0 | .6186 | .0966 | .7153 | 1,585,794.2 | 310,264.1 | .6118 | .1055 | .7175 | |
| | 329 | | | | 25,510,601.6 | 2,282,164.6 | 195,811.1 | .6128 | .0973 | .7103 | 1,544,425.6 | 327,501.0 | .6041 | .1122 | .7166 | |
| | 330 | | | | 25,510,601.6 | 2,206,322.3 | 197,190.1 | .6168 | .0983 | .7153 | 1,551,320.4 | 324,053.6 | .6032 | .1131 | .7166 | |
| | 331 | | | | 25,855,334.0 | 2,271,822.5 | 193,053.2 | .1686 | .0974 | .7162 | 1,585,794.2 | 336,464.2 | .6010 | .1143 | .7153 | |
| | 332 | | | 531.5 | 25,510,601.6 | 1,792,637.0 | 205,463.8 | .6005 | .0990 | .6994 | 1,516,846.6 | 344,737.9 | .5851 | .1202 | .7053 | |
| | 333 | | | 533.2 | 25,855,334.0 | 1,940,948.0 | 199,948.0 | .6173 | .0957 | .7130 | 1,516,846.6 | 351,632.6 | .5914 | .1186 | .7103 | |
| | 334 | | | 533.2 | 25,682,970.6 | 2,547,162.8 | 151,684.7 | .6218 | .0888 | .7112 | 1,516,846.6 | 310,264.1 | .5910 | .1073 | .6985 | |
| | 335 | | | 527.3 | 25,682,970.6 | 1,430,662.1 | 201,326.9 | .6418 | .1013 | .7434 | 1,585,794.2 | 367,490.6 | .6341 | .1270 | .7611 | |
| | 336 | | | 530.4 | 25,510,601.6 | 1,758,163.1 | 211,669.0 | .6286 | .1031 | .7320 | 1,562,004.6 | 344,737.9 | .6214 | .1157 | .7370 | |
| | 337 | | | 522.0 | 25,362,706.5 | 2,206,322.3 | 251,658.6 | .6368 | .0988 | .7357 | 1,551,320.4 | 351,632.6 | .6196 | .1184 | .7379 | |
| | 338 | | | 533.2 | 24,821,126.0 | 2,247,690.8 | 234,421.7 | .6046 | .0869 | .6917 | 1,516,846.6 | 310,264.1 | .5969 | .1032 | .7003 | |
| | 339 | | | 510.4 | 25,165,863.8 | 1,689,215.5 | 206,498.0 | .6341 | .1031 | .7370 | 1,516,846.6 | 375,764.3 | .6196 | .1206 | .7402 | |
| | 340 | | | 533.2 | 24,821,126.0 | 2,826,850.5 | 172,369.0 | .6087 | .0878 | .6967 | 1,516,846.6 | 313,711.5 | .5923 | .1003 | .6926 | |
| | 341 | | | | 25,165,863.8 | 2,544,165.4 | 179,263.7 | .6218 | .0909 | .7130 | 1,516,846.6 | 344,737.9 | .6177 | .1161 | .7339 | |
| | 342 | | | | 24,821,126.0 | 2,240,796.1 | 165,474.2 | .6055 | .0894 | .6949 | 1,516,846.6 | 327,501.0 | .6118 | .1157 | .7275 | |
| | 343 | | | 510.9 | 25,165,863.8 | 1,913,295.1 | 193,053.2 | .6386 | .0979 | .7366 | 1,516,846.6 | 344,738.0 | .6314 | .1319 | .7633 | |
| | 344 | | | | 25,855,340.0 | 2,171,848.5 | 137,895.1 | .5424 | .0775 | .6200 | 1,365,161.9 | 241,316.5 | .5420 | .1013 | .6431 | |
| | 345 | | | | 24,821,126.0 | 2,682,060.6 | 166,853.1 | .6082 | .0891 | .6976 | 1,516,846.6 | 296,474.6 | .6087 | .1107 | .7193 | |
| | 346 | | | | 25,165,863.8 | 2,533,823.3 | 164,784.7 | .6146 | .0864 | .7012 | 1,516,846.6 | 301,990.4 | .6105 | .1148 | .7252 | |
| | 347 | | | | 26,027,708.4 | 2,351,112.2 | 165,474.2 | .6223 | .0933 | .7157 | 1,516,846.6 | 336,464.2 | .5765 | .1137 | .6903 | |
| | 348 | | | | 24,821,126.0 | 2,533,823.3 | 193,053.2 | .6200 | .0983 | .7184 | 1,754,741.6 | 379,211.6 | .6091 | .1172 | .7262 | |
| | 349 | | | 527.6 | 24683,230.8 | 2,950,956.1 | 206,842.7 | .6226 | .1081 | .7311 | 1,634,057.5 | 379,211.6 | .5837 | .1226 | .7062 | |
| | 350 | | | 523.4 | 24,131,650.2 | 2,930,271.8 | 199,948.0 | .6023 | .1036 | .7062 | 1,551,320.4 | 358,527.4 | .6010 | .1255 | .7266 | |
| | 351 | | | 528.7 | 24,821,126.0 | 2,771,692.4 | 215,116.4 | .6073 | .1099 | .7175 | 1,530,636.1 | 379,211.6 | .6128 | .1268 | .7398 | |
| | 352 | | | 518.7 | 24,131,650.2 | 2,875,113.8 | 198,569.0 | .5955 | .0987 | .6944 | 1,530,636.1 | 379,211.6 | .6010 | .1239 | .7248 | |

TABLE 13. (Continued)

| BUILD NO. | TEST NO. | TIME MIN. | SPEED RAD/SEC | INLET TEMP. K | INLET PR N/M ² | PUMP END SEAL | | | | | | TURBINE END SEAL | | | | | |
|-----------|----------|-----------|---------------|---------------|---------------------------|---------------------------|----------------------------|----------------|-------|-------|----------------------------|----------------------------|----------------|-------|-------|--|--|
| | | | | | | PR DRAIN N/M ² | SEC DRAIN N/M ² | LEAKAGE KG/SEC | | | PRI DRAIN N/M ² | SEC DRAIN N/M ² | LEAKAGE KG/SEC | | | | |
| | | | | | | | | PRI | SEC | TOTAL | | | PRI | SEC | TOTAL | | |
| 16 | 353 | 2.5 | 3036.88 | 533.2 | 24,131,650.2 | 2,882,008.5 | 182,711.0 | .5751 | .0962 | .6713 | 1,585,794.2 | 344,737.9 | .6037 | .1089 | .7125 | | |
| (CONT.) | 354 | | | 523.4 | 24,890,073.5 | 2,847,534.7 | 217,185.0 | .6177 | .1037 | .7216 | 1,585,794.2 | 410,238.1 | .6382 | .1311 | .7692 | | |
| | 355 | | | 533.2 | 24,131,650.2 | 2,895,798.0 | 180,642.6 | .5805 | .0978 | .6785 | 1,516,846.6 | 375,764.3 | .6019 | .1171 | .7189 | | |
| | 356 | | | 528.7 | 25,338,233.0 | 2,882,908.5 | 213,737.5 | .6105 | .1080 | .7184 | 1,640,962.2 | 413,685.4 | .6209 | .1311 | .7520 | | |
| | 357 | | | 506.8 | 25,510,601.6 | 2,875,113.8 | 217,185.0 | .6232 | .1035 | .7266 | 1,640,952.2 | 244,764.0 | .6314 | .0910 | .7679 | | |
| 17 | 358 | | | 527.6 | 24,131,650.2 | 2,620,007.7 | 274,411.3 | .5928 | .1392 | .7320 | 1,516,846.6 | 244,764.0 | .5783 | .0848 | .6631 | | |
| | 359 | | | 533.2 | 24,131,650.2 | 2,675,165.8 | 289,579.8 | .5837 | .1342 | .7180 | 1,523,741.3 | 244,764.0 | .5665 | .0902 | .6568 | | |
| | 360 | | | 528.2 | 23,786,912.3 | 2,688,955.3 | 317,158.8 | .6091 | .1369 | .7461 | 1,516,846.6 | 310,264.1 | .5606 | .1211 | .6817 | | |
| | 361 | | | 533.2 | 24,476,388.1 | 2,675,165.8 | 303,369.3 | .5833 | .0893 | .7180 | 1,551,320.4 | 241,316.5 | .5515 | .0911 | .6427 | | |
| | 362 | | | 533.2 | 24,028,228.8 | 2,626,902.5 | 301,990.4 | .5946 | .1356 | .7302 | 1,516,846.6 | 279,237.7 | .5511 | .1056 | .6568 | | |
| | 363 | | | 533.2 | 24,200,597.8 | 2,737,218.6 | 310,264.1 | .6010 | .1387 | .7398 | 1,516,846.6 | 250,279.7 | .5620 | .0957 | .6577 | | |
| | 364 | | | 521.5 | 24,131,650.2 | 2,688,955.3 | 317,158.8 | .6123 | .1397 | .7520 | 1,516,846.6 | 275,790.3 | .5551 | .1025 | .6577 | | |
| | 365 | | | 533.2 | 24,131,650.2 | 2,688,955.3 | 324,053.6 | .5951 | .1387 | .7339 | 1,530,636.1 | 241,316.5 | .5397 | .0902 | .6300 | | |
| | 366 | | | | 23,590,069.2 | 2,702,744.8 | 330,948.3 | .5851 | .1369 | .7221 | 1,516,846.6 | 255,106.0 | .5148 | .0957 | .6105 | | |
| | 367 | | | | 24,131,650.2 | 2,613,113.0 | 296,474.6 | .5756 | .1301 | .7057 | 1,482,372.8 | 248,211.3 | .5238 | .0943 | .6182 | | |
| | 368 | | | | 23,442,174.5 | 2,613,113.0 | 358,527.4 | .5701 | .1333 | .7032 | 1,516,846.6 | 234,421.7 | .5429 | .0843 | .6273 | | |
| | 369 | | | | 23,304,279.3 | 2,654,481.5 | 358,527.4 | .5656 | .1338 | .6994 | 1,509,951.8 | 241,317.0 | .5456 | .0920 | .6377 | | |
| | 370 | | | | 23,442,174.5 | 2,633,797.3 | 351,632.6 | .5737 | .1369 | .7107 | 1,516,846.6 | 248,211.3 | .5474 | .0938 | .6413 | | |
| | 371 | | | | 23,649,017.2 | 2,633,797.3 | 317,158.6 | .5742 | .1342 | .7085 | 1,461,688.5 | 255,106.0 | .5424 | .0943 | .6368 | | |
| | 372 | | | | 23,580,070.0 | 2,564,849.7 | 344,738.0 | .5756 | .1347 | .7103 | 1,503,057.1 | 282,685.0 | .5443 | .1020 | .6459 | | |
| | 373 | | | | 23,511,27.1 | 2,620,007.7 | 303,369.3 | .5719 | .1347 | .7066 | 1,461,688.5 | 255,106.0 | .5406 | .0943 | .6350 | | |
| | 374 | | | | 23,442,174.5 | 2,585,534.0 | 289,579.8 | .5747 | .1265 | .7012 | 1,516,846.6 | 268,895.5 | .5483 | .0961 | .6445 | | |
| | 375 | | | | 22,990,593.9 | 2,599,323.5 | 296,474.6 | .5497 | .1306 | .6803 | 1,551,320.4 | 241,316.5 | .5502 | .0911 | .6413 | | |
| | 376 | | | | 23,304,279.3 | 2,544,165.4 | 303,369.3 | .5588 | .1342 | .6930 | 1,572,004.6 | 282,685.0 | .5452 | .1065 | .6651 | | |
| | 377 | | | | 23,442,174.5 | 2,585,534.0 | 296,474.6 | .5583 | .1315 | .6899 | 1,551,320.4 | 268,895.5 | .5629 | .1016 | .6645 | | |
| | 378 | | | | 23,373,226.9 | 2,551,060.2 | 296,474.6 | .5633 | .1315 | .6949 | 1,537,530.9 | 289,579.8 | .5629 | .1061 | .6690 | | |
| | 379 | | | | 22,683,751.2 | 2,551,060.2 | 296,474.6 | .5579 | .1342 | .6921 | 1,516,846.6 | 275,790.3 | .5483 | .1084 | .6568 | | |
| | 390 | | | | 23,442,174.5 | 2,688,955.3 | 289,579.8 | .5715 | .1297 | .7012 | 1,482,372.8 | 317,158.8 | .5220 | .6386 | | | |
| | 381 | | | | 23,442,174.5 | 2,633,797.3 | 317,158.8 | .5769 | .1347 | .7116 | 1,516,846.6 | 344,737.9 | .5438 | .1183 | .6622 | | |
| | 382 | | | | 22,545,856.0 | 2,688,955.3 | 303,369.3 | .5529 | .1310 | .6840 | 1,503,057.0 | 275,790.3 | .5161 | .1011 | .6173 | | |
| | 383 | | | | 23,373,226.9 | 2,688,955.3 | 303,369.3 | .5706 | .1365 | .7071 | 1,516,846.6 | 310,264.1 | .5329 | .1065 | .6395 | | |
| | 384 | | | | 22,890,593.9 | 2,654,481.5 | 324,053.6 | .5659 | .1333 | .7003 | 1,482,372.8 | 282,685.0 | .4971 | .1011 | .5982 | | |
| | 385 | | | | 23,304,279.3 | 2,695,850.1 | 317,158.8 | .5701 | .1360 | .7062 | 1,516,846.6 | 303,369.3 | .4939 | .1061 | .6001 | | |
| | 386 | | | | 23,442,174.5 | 2,695,850.1 | 317,158.8 | .5706 | .1356 | .7062 | 1,551,320.4 | 317,158.8 | .4971 | .1115 | .6087 | | |

TABLE 13. (Continued)

| BUILD NO. | TEST NO. | TIME MIN. | SPEED RAD/SEC | INLET TEMP. K | INLET PR N/M ² | PUMP END SEAL | | | | | TURBINE END SEAL | | | | |
|---------------|--------------|--------------|---------------|---------------|---------------------------|---------------------------|----------------------------|----------------|-----------|-------------|----------------------------|----------------------------|----------------|-------|-------|
| | | | | | | PR DRAIN N/M ² | SEC DRAIN N/M ² | LEAKAGE KG/SEC | | | PRI DRAIN N/M ² | SEC DRAIN N/M ² | LEAKAGE KG/SEC | | |
| | | | | | | | | PRI | SEC | TOTAL | | | PRI | SEC | TOTAL |
| 17 (CONT.) | 387 | 2.5 | 3036.88 | 533.2 | 23,097,436.6 | 2,654,481.5 | 296,474.6 | .5683 | .1288 | .6971 | 1,496,162.3 | 310,264.1 | .5216 | .1079 | .6295 |
| | 388 | | | 23,649,017.2 | 2,654,481.5 | 317,158.8 | .5828 | .1369 | .7198 | 1,516,846.6 | 344,737.9 | .5311 | .1220 | .6531 | |
| | 389 | | | 23,442,174.5 | 2,533,797.3 | 317,158.8 | .5824 | .1351 | .7175 | 1,447,899.0 | 344,737.9 | .5293 | .1233 | .6527 | |
| | 390 | | | 23,373,226.9 | 2,633,797.3 | 310,264.1 | .5724 | .1347 | .7071 | 1,516,846.6 | 317,158.8 | .5180 | .1147 | .6327 | |
| | 391 | | | 22,959,541.5 | 2,654,481.5 | 303,369.3 | .5556 | .1333 | .6890 | 1,516,846.6 | 317,158.8 | .5180 | .1143 | .6323 | |
| | 392 | | | 23,097,436.6 | 2,688,955.3 | 317,158.8 | .5697 | .1342 | .7039 | 1,516,846.6 | 310,264.1 | .5175 | .1147 | .6323 | |
| | 393 | | | 23,580,069.6 | 2,620,007.7 | 310,264.1 | .5824 | .1347 | .7171 | 1,496,162.3 | 351,632.6 | .5148 | .1288 | .6436 | |
| | 394 | | | 530.4 | 23,442,174.5 | 2,688,955.3 | 317,158.8 | .5778 | .1401 | .7180 | 1,378,951.4 | 330,948.3 | .5175 | .1211 | .6386 |
| | 395 | | | 533.2 | 22,959,541.5 | 2,640,692.0 | 317,158.8 | .5647 | .1360 | .7008 | 1,516,846.6 | 310,264.1 | .5143 | .1102 | .6245 |
| | 396 | | | 526.5 | 24,476,388.1 | 2,688,955.3 | 296,474.6 | .5828 | .1360 | .7189 | 1,378,951.4 | 337,843.1 | .4889 | .1233 | .6123 |
| | 397 | | | 533.2 | 24,131,650.2 | 2,723,429.1 | 306,816.7 | .5796 | .1401 | .7198 | 1,482,372.8 | 379,211.6 | .5007 | .1292 | .6300 |
| | 398 | | | 532.0 | 24,476,388.1 | 2,702,744.8 | 304,748.3 | .5842 | .1401 | .7243 | 1,447,899.0 | 393,001.2 | .5034 | .1301 | .6336 |
| | 399 | | | 533.2 | 24,131,650.2 | 2,675,165.8 | 295,921.9 | .5710 | .1356 | .7066 | 1,503,057.1 | 393,001.2 | .4980 | .1274 | .6255 |
| | 400 | | | 533.2 | 23,442,174.5 | 2,688,955.3 | 317,158.8 | .5624 | .1347 | .6971 | 1,516,846.6 | 358,527.4 | .4966 | .1197 | .6163 |
| | 401 | | | 533.2 | 23,442,174.5 | 2,620,007.7 | 310,264.1 | .5424 | .1238 | .6663 | 1,516,846.6 | 358,527.4 | .5402 | .1179 | .6581 |
| | 402 | | | 533.2 | 22,063,223.0 | 2,551,060.2 | 303,369.3 | .5352 | .1202 | .6554 | 1,503,057.1 | 344,737.9 | .5329 | .1124 | .6454 |
| | 403 | | | 533.2 | 22,407,961.0 | 2,551,060.2 | 310,264.1 | .5434 | .1220 | .6654 | 1,482,372.8 | 379,211.6 | .5307 | .1224 | .6531 |
| | 404 | | | 533.2 | 22,063,223.0 | 2,599,323.5 | 303,369.3 | .5452 | .1224 | .6676 | 1,516,846.6 | 372,316.9 | .5220 | .1188 | .6409 |
| | 405 | | | 533.2 | 23,442,174.8 | 2,620,007.7 | 317,158.8 | .5778 | .1301 | .7080 | 1,516,846.6 | 441,264.5 | .5388 | .1374 | .6763 |
| | 406 | | | 527.6 | 23,959,281.3 | 2,640,692.0 | 332,327.3 | .5987 | .1369 | .7357 | 1,516,846.6 | 468,843.5 | .5365 | .1537 | .6903 |
| | 407 | | | 533.2 | 23,442,174.5 | 2,613,113.0 | 317,158.8 | .5895 | .1324 | .7130 | 1,516,846.6 | 461,948.7 | .5443 | .1465 | .6908 |
| | 408 | | | 533.2 | 23,442,174.5 | 2,585,534.0 | 313,711.5 | .5810 | .1288 | .7098 | 1,516,846.6 | 461,948.7 | .5561 | .1460 | .7021 |
| | 409 | | | 533.2 | 22,407,960.9 | 2,551,060.2 | 318,537.8 | .5456 | .1251 | .6708 | 1,516,846.6 | 365,422.1 | .5429 | .1224 | .6654 |
| | 410 | | | 533.2 | 22,580,329.8 | 2,564,849.1 | 310,264.1 | .5538 | .1247 | .6785 | 1,503,057.1 | 434,369.7 | .5370 | .1351 | .6722 |
| | 411 | | | 533.2 | 22,752,698.8 | 2,613,113.0 | 330,948.3 | .5547 | .1265 | .6812 | 1,516,846.6 | 393,001.2 | .5597 | .1229 | .6826 |
| | 412 | | | 533.2 | 24,131,650.2 | 2,551,060.2 | 316,469.4 | .5783 | .1360 | .7144 | 1,061,792.6 | 461,948.7 | .5252 | .1505 | .6758 |
| | 413 | | | 530.4 | 21,718,485.2 | 2,530,375.9 | 295,095.6 | .5225 | .1192 | .6418 | 1,447,899.0 | 344,737.9 | .4889 | .1002 | .5892 |
| 414 | 533.2 | 21,373,747.3 | 2,482,112.6 | 289,579.8 | .5266 | .1220 | .6486 | 1,503,057.1 | 379,211.6 | .5116 | .1220 | .6336 | | | |
| 415 | 533.2 | 22,407,960.9 | 2,557,955.0 | 315,779.9 | .5474 | .1274 | .6749 | 1,516,846.6 | 379,211.6 | .4948 | .1233 | .6182 | | | |
| 416 | 533.2 | 22,925,067.7 | 2,606,218.2 | 313,711.5 | .5561 | .1297 | .6858 | 1,516,846.6 | 448,159.2 | .4953 | .1401 | .6354 | | | |
| 417 | 533.2 | 22,235,592.0 | 2,551,060.2 | 317,158.8 | .5370 | .1251 | .6706 | 1,516,846.6 | 399,895.9 | .4912 | .1206 | .6118 | | | |
| 18 | 418 | 22,235,592.0 | 2,606,218.2 | 304,748.3 | .5520 | .1268 | .6788 | 1,378,951.4 | 434,369.7 | .4994 | .1487 | .6481 | | | |
| 419 | 22,752,698.8 | 2,413,165.0 | 317,158.8 | .5624 | .1331 | .6955 | 1,378,951.4 | 434,369.7 | .4808 | .1397 | .6205 | | | | |
| 420 | 22,063,223.0 | 2,537,270.7 | 303,369.3 | .5547 | .1295 | .6842 | 1,378,951.4 | 455,053.9 | .5057 | .1514 | .6572 | | | | |

TABLE 13. (Continued)

| BUILD NO. | TEST NO. | TIME MIN. | SPEED RAD/SEC | INLET TEMP. °F | INLET PR N/M ² | PUMP END SEAL | | | | | | TURBINE END SEAL | | | | | |
|-----------|----------|-----------|---------------|----------------|---------------------------|---------------------------|----------------------------|----------------|-------|-------|----------------------------|----------------------------|----------------|-------|-------|--|--|
| | | | | | | PR DRAIN N/M ² | SEC DRAIN N/M ² | LEAKAGE KG/SEC | | | PRI DRAIN N/M ² | SEC DRAIN N/M ² | LEAKAGE KG/SEC | | | | |
| | | | | | | | | PRI | SEC | TOTAL | | | PRI | SEC | TOTAL | | |
| 18 | 421 | 2.5 | 3036.88 | 533.2 | 21,373,747.3 | 2,551,060.3 | 318,537.8 | .5377 | .1327 | .6706 | 1,447,899.0 | 379,211.6 | .5066 | .1247 | .6314 | | |
| 19 | 422 | | | | 22,752,698.8 | 2,723,429.1 | 289,579.8 | .5737 | .2178 | .7916 | 1,434,109.5 | 496,422.5 | .5184 | .1446 | .6631 | | |
| | 423 | | | | 22,235,592.0 | 2,695,850.1 | 296,474.6 | .5724 | .2240 | .7964 | 1,447,899.0 | 427,474.9 | .5071 | .1342 | .6413 | | |
| | 424 | | | | 21,890,854.1 | 2,626,902.5 | 289,579.8 | .5570 | .2187 | .7751 | 1,434,109.5 | 482,633.0 | .5007 | .1315 | .6323 | | |
| | 425 | | | | 22,925,067.7 | 2,166.6 | 317,158.8 | .5747 | .1319 | .7203 | 1,516,846.6 | 448,159.2 | .5338 | .1365 | .6704 | | |
| | 426 | | | 530.4 | 23,442,174.5 | 2,902.9 | 317,158.8 | .6100 | .1388 | .7488 | 1,482,372.8 | 496,422.5 | .5334 | .1655 | .6989 | | |
| | 427 | | | 533.2 | 22,407,960.9 | 2,757,902.9 | 315,779.9 | .5801 | .1337 | .7139 | 1,516,846.6 | 413,685.4 | .5325 | .1387 | .6713 | | |
| | 428 | | | 499.6 | 22,925,067.7 | 2,688,955.3 | 310,264.1 | .6128 | .1390 | .7518 | 1,413,425.2 | 496,422.5 | .5393 | .1723 | .7116 | | |
| | 429 | | | 533.2 | 22,683,751.2 | 2,682,060.6 | 303,369.3 | .5833 | .1310 | .7144 | 1,447,899.0 | 441,264.6 | .5229 | .1496 | .6726 | | |
| | 430 | | | 533.2 | 22,407,960.9 | 2,744,113.4 | 317,158.8 | .5828 | .1345 | .7174 | 1,496,162.3 | 427,474.9 | .5198 | .1483 | .6717 | | |
| | 433 | | | 533.2 | 22,752,698.8 | 2,654,481.5 | 303,369.3 | .5669 | .1319 | .6988 | 1,378,951.4 | 482,633.0 | .5007 | .1469 | .6477 | | |
| | 434 | | | 533.2 | 22,407,960.9 | 2,688,955.3 | 303,369.3 | .5724 | .1329 | .7054 | 1,447,899.0 | 427,474.9 | .5216 | .1306 | .6522 | | |
| | 435 | | | 533.2 | 22,235,592.0 | 2,633,797.3 | 303,369.3 | .5706 | .1321 | .7027 | 1,378,951.4 | 420,580.2 | .5016 | .5914 | .6395 | | |
| | 436 | | | 524.8 | 22,752,698.8 | 2,585,533.6 | 303,369.3 | .5846 | .1334 | .7181 | 1,275,530.1 | 448,159.2 | .4930 | .1546 | .6477 | | |
| | 437 | | | 508.2 | 22,925,067.7 | 2,620,007.7 | 282,685.0 | | | | 1,310,003.8 | 496,422.5 | | | | | |
| | 438 | | | 520.9 | 23,442,174.8 | 2,757,902.9 | 282,685.0 | | | | 1,378,951.4 | 482,633.0 | | | | | |
| 20 | 439 | | | 533.2 | 22,407,960.9 | 2,792,376.7 | 330,948.3 | | | | 1,378,951.4 | 337,843.1 | | | | | |
| | 440 | | | 533.2 | 22,235,592.0 | 2,709,639.6 | 262,000.8 | | | | 1,378,951.4 | 310,264.1 | | | | | |
| | 441 | | | 533.2 | 23,442,174.5 | 2,826,850.5 | 268,895.5 | | | | 1,392,741.0 | 351,632.6 | | | | | |
| | 442 | | | 528.7 | 24,131,650.2 | 2,826,850.5 | 262,000.7 | | | | 1,378,951.4 | 351,632.6 | | | | | |
| | 443 | | | 533.2 | 22,063,323.0 | 2,688,955.3 | 262,000.7 | | | | 1,275,530.1 | 262,000.8 | | | | | |
| | 444 | | | 526.5 | 24,131,650.2 | 2,757,902.9 | 255,106.0 | | | | 1,365,161.9 | 393,001.2 | | | | | |
| | 445 | | | 533.2 | 24,476,388.1 | 2,757,902.9 | 289,579.8 | | | | 1,516,846.6 | 365,422.1 | | | | | |
| | 446 | | | 533.2 | 24,131,650.2 | 2,723,429.1 | 275,790.3 | | | | 1,434,109.5 | 358,527.4 | | | | | |
| | 447 | | | 510.9 | 24,131,650.2 | 2,620,007.7 | 289,579.8 | | | | 1,344,477.7 | 337,843.1 | | | | | |
| | 448 | | | 533.2 | 23,442,174.5 | 2,792,376.7 | 289,579.8 | | | | 1,482,372.8 | 330,948.3 | | | | | |
| | 449 | | | 533.2 | 24,476,388.1 | 2,654,481.5 | 296,474.6 | | | | 1,378,951.4 | 337,843.1 | | | | | |
| | 450 | | | 533.2 | 22,752,698.8 | 2,688,955.3 | 268,895.5 | | | | 1,378,951.4 | 337,843.1 | | | | | |
| | 451 | | | 533.2 | 24,131,650.2 | 2,670,007.7 | 268,895.5 | | | | 1,365,161.9 | 379,211.6 | | | | | |
| | 452 | | | 533.2 | 24,131,650.2 | 2,757,902.9 | 282,685.0 | | | | 1,378,951.4 | 358,527.4 | | | | | |
| | 453 | | | 524.8 | 24,131,650.2 | 2,688,955.3 | 282,650.0 | | | | 1,447,899.0 | 379,211.6 | | | | | |
| | 454 | | | 533.2 | 24,131,650.2 | 2,861,324.2 | 289,579.8 | | | | 1,413,425.2 | 365,422.1 | | | | | |
| | 455 | | | 528.7 | 24,131,650.2 | 2,757,902.9 | 289,579.8 | | | | 1,344,477.7 | 344,737.9 | | | | | |
| | 456 | | | 533.2 | 23,614,545.4 | 2,620,007.7 | 289,579.8 | | | | 337,843.1 | 1,358,267.2 | | | | | |

*INSTRUMENTATION PROBLEM - INVALIDATED DATA

TABLE 13. (Concluded)

| BUILD NO. | TEST NO. | TIME MIN. | SPEED RAD/SEC | INLET TEMP. K | INLET PR N/M ² | PUMP END SEAL | | | | | TURBINE END SEAL | | | | |
|--|----------|-----------|---------------|---------------|---------------------------|---------------------------|----------------------------|----------------|-------|-------|----------------------------|----------------------------|----------------|-------|-------|
| | | | | | | PR DRAIN N/M ² | SEC DRAIN N/M ² | LEAKAGE KG/SEC | | | PRI DRAIN N/M ² | SEC DRAIN N/M ² | LEAKAGE KG/SEC | | |
| | | | | | | | | PRI | SEC | TOTAL | | | PRI | SEC | TOTAL |
| 20 (CONT.) | 457 | 2.5 | 3036.88 | 533.2 | 23,097,436.6 | 2,792,376.7 | 296,474.6 | .5846 | .1334 | .7181 | 337,843.1 | 1,413,425.2 | .4930 | .1546 | .6477 |
| | 458 | | | 533.2 | 23,097,436.6 | 2,757,902.9 | 275,790.3 | * | * | * | 337,843.1 | 1,413,425.2 | * | * | * |
| | 459 | | | 533.2 | 24,131,650.2 | 2,792,376.7 | 289,579.8 | .5846 | .1334 | .7181 | 330,948.3 | 1,378,951.4 | .4930 | .1546 | .6477 |
| | 460 | | | 533.2 | 23,442,174.5 | 2,930,271.8 | 330,948.3 | .5914 | .1422 | .7339 | 420,580.2 | 1,447,899.0 | .5134 | .1342 | .6477 |
| | 461 | | | 528.7 | 24,131,650.2 | 2,792,376.7 | 310,264.1 | .6227 | .1373 | .7602 | 482,633.0 | 1,378,951.4 | .5089 | .1619 | .6708 |
| | 462 | | | 533.2 | 22,752,698.8 | 2,826,850.5 | 317,158.8 | .5955 | .1388 | .7343 | 455,054.0 | 1,482,372.8 | .5102 | .1483 | .6586 |
| | 463 | | | 533.2 | 23,442,174.5 | 2,909,587.5 | 330,948.3 | .6019 | .1443 | .7461 | 482,633.0 | 1,503,057.1 | .5229 | .1537 | .6767 |
| | 464 | | | 533.2 | 22,925,067.7 | 2,895,798.0 | 337,843.1 | .5905 | .1427 | .7334 | 455,054.0 | 1,516,846.6 | .5189 | .1514 | .6704 |
| | 465 | | | 533.2 | 23,097,436.6 | 2,964,745.6 | 330,948.3 | .5937 | .1432 | .7370 | 448,159.2 | 1,516,846.6 | .5202 | .1496 | .6699 |
| | 466 | | | 533.2 | 23,097,436.6 | 2,964,745.6 | 317,158.8 | .5919 | .1386 | .7307 | 441,264.5 | 1,516,846.6 | .5198 | .1474 | .6672 |
| | 467 | | | 533.2 | 23,442,174.5 | 2,950,956.1 | 330,948.3 | .5955 | .1443 | .7398 | 448,159.2 | 1,503,057.1 | .5216 | .1528 | .6744 |
| | 468 | | | 533.2 | 23,442,174.5 | 3,019,903.7 | 324,053.6 | .5955 | .1376 | .7330 | 434,369.7 | 1,482,372.8 | .5111 | .1492 | .6604 |
| | 469 | | | 523.2 | 24,131,650.2 | 2,757,902.9 | 303,369.3 | .6137 | .1376 | .7516 | 358,527.4 | 1,413,425.2 | .5039 | .1814 | .6853 |
| | 470 | | | 533.2 | 24,131,650.2 | 2,826,850.5 | 317,158.8 | .6041 | .1389 | .7429 | 468,843.5 | 1,447,899.0 | .5470 | .1651 | .7121 |
| | 471 | | | 533.2 | 23,614,543.4 | 2,757,902.9 | 324,053.6 | .6037 | .1418 | .7457 | 468,843.5 | 1,422,372.8 | .5134 | .1551 | .6685 |
| | 472 | | | 533.2 | 24,131,650.2 | 2,757,902.9 | 337,843.1 | .6082 | .1470 | .7552 | 482,633.0 | 1,503,057.1 | .5184 | .1623 | .6808 |
| | 473 | | | 533.2 | 23,442,174.5 | 2,826,850.5 | 330,948.3 | .5905 | .1432 | .7339 | 489,527.8 | 1,516,846.6 | .5143 | .1501 | .6645 |
| | 474 | | | 533.2 | 24,131,650.2 | 2,861,324.2 | 330,948.3 | .6055 | .1427 | .7484 | 468,843.5 | 1,516,846.6 | .5229 | .1610 | .6840 |
| | 475 | | | 533.2 | 24,131,650.2 | 2,895,798.0 | 330,948.3 | .6001 | .1454 | .7457 | 461,948.7 | 1,516,846.6 | .5216 | .1537 | .6753 |
| | 476 | | | 533.2 | 23,786,912.3 | 2,964,745.6 | 330,948.3 | .5982 | .1443 | .7425 | 455,053.9 | 1,516,846.6 | .5202 | .1505 | .6708 |
| | 477 | | | 533.2 | 23,442,174.5 | 2,895,798.0 | 317,158.8 | .5919 | .1417 | .7339 | 448,159.2 | 1,503,057.1 | .5075 | .1483 | .6558 |
| *INCORPORATION PROBLEM - INVALIDATION DATA | | | | | | | | | | | | | | | |

approximately .25 second. The transient runout during coast down was slightly higher .0002032 m (.008 in.) P-P on most tests.

RAYLEIGH STEP SEAL PRELIMINARY CHECKOUT TESTING

Build No. 1 Assembly

The tester was assembled with two seals utilizing Rayleigh step self acting lift pads, installed back to back, for the Schedule 1 Preliminary Checkout Test at 3351 rad/sec (32000 rpm). Seal ring diametral clearances at assembly are given in the Inspection summary (Table 8).

Tests 001 through 003

Test points 1 through 3 of the Schedule I Preliminary Checkout test series were performed using ambient temperature gaseous nitrogen at pressures of 1723689, 3447378, and 6894757 n/m² (250, 500, and 1000 psig). The seals were pressurized to the test level prior to start of rotation. The tester was accelerated to 3351 rad/sec (32000 rpm) in 10 seconds and run for 2.5 minutes. Total of 3 tests for 7.5 minutes were performed stable data were obtained on all three tests. The seal leakage varied with pressure as shown below:

| TEST NO. | PRESSURE N/M ² (PSIG) | TURB. END SEAL KG/SEC(LB/SEC) | | PUMP END SEAL KG/SEC(LB/SEC) | |
|----------|----------------------------------|----------------------------------|-------------|---------------------------------|-------------|
| | | PRIMARY | SECONDARY | PRIMARY | SECONDARY |
| 001 | 1654741(24.0) | .0548(.121) | .0190(.042) | .0480(.106) | .0385(.085) |
| 002 | 3199167(464) | .0943(.208) | .1814(.040) | .0589(.130) | .0589(.089) |
| 003 | 6687914(970) | .1428(.315) | .0190(.042) | .1043(.230) | .0430(.095) |

Build 1 Disassembly

Inspection revealed that the seal rings had rubbed the mating ring sleeve and worn the carbon inside diameter. The seal ring diametral wear varied from .00001525 to .00005842 m (.0006 to .0023 in.). The inspection also revealed that the turbine end primary seal ring was installed backward which resulted in the lift pads facing the wrong direction relative to shaft rotation and reducing hydrodynamic lift. The post test 003 seal hardware and inspection data are tabulated in Tables 7 and 8. The lift pads were worn away on the turbine end seal primary ring and the pump end seal secondary ring.

The mating ring sleeve had a rub pattern with a deposit of carbon in the area of the seal ring. The tungsten carbide surface was in good condition with no measureable wear, except for one area at the pump end seal secondary ring. The surface was worn .00000635 m (.00025 in.) at the sealing dam location.

Build 2 Assembly

The tester was reassembled with the same seal hardware as Build 1 with no rework. The seal ring to shaft sleeve diametral clearances at assembly are given in Table 8 .

Tests 004 through 006

Test points 004 through 006 of the checkout test series were performed using ambient temperature gaseous nitrogen at pressure of 6894757, 10342135, and 13789514 n/m² (1000, 1500, and 2000 psig). The test procedure was changed to start the rotation at 344737 n/m² (50 psig) and increase the pressure to the test level after the tester was up to speed. The pressure was vented to 344737 n/m² (50 psig) prior to stopping the rotation.

Tests 004 and 005 were run at 3351 rad/sec (32000 rpm) for 2.5 minutes. Test 006 was cut at 1.75 minutes due to a speed drop. The total test time at steady speed was 6.75 minutes. The seal leakage varied with pressure as shown below:

| TEST NO. | PRESSURE N/M ² (PSIG) | TURB. END SEAL KG/SEC(LB/SEC) | | PUMP END SEAL KG/SEC(LB/SEC) | |
|----------|----------------------------------|----------------------------------|-------------|---------------------------------|-------------|
| | | PRIMARY | SECONDARY | PRIMARY | SECONDARY |
| 004 | 6618966 (760) | .1306(.288) | .0167(.037) | .0970(.214) | .0412(.091) |
| 005 | 10135293(1470) | .2140(.472) | .0090(.020) | .1555(.343) | .0185(.041) |
| 006 | 13444776(1950) | .2948(.650) | .0167(.037) | .2168(478) | .0117(.026) |

Build 2 Disassembly Posttest 006

Inspection revealed that the seal rings had continued to rub the mating ring sleeve and wear the carbon inside diameter; however, the rate of wear decreased from the previous build. The seal ring diametral wear varied from .00000254 to .00004064 m (.001 to .0016 in.).

The lift pads showed slight additional wear above the wear sustained during Build 1 testing. The mating ring sleeve wore an additional .00000508 m (.0002 in.) at the pump end secondary seal ring. The surface was worn .00001143 m (.00045 in.) at the sealing dam location.

Build 3 Assembly Pretest 007

The tester was reassembled with the same seal hardware. The tester rotating parts were rebalanced at 34.4 and 733 rad/sec (300 and 7000 rpm).

Tests 007 through 009

Test points 007 through 009 of the Schedule 1 Preliminary Checkout test series were performed using ambient temperature gaseous nitrogen at pressures of 13789514, 17236893, and 20684271 n/m² (2000, 2500, and 3000 psig). The same test procedure was used. A total of three tests for 75 minutes were performed. Stable data were obtained on all three tests. The seal leakage varied with pressure as shown below:

| TEST NO. | PRESSURE N/M ² (PSIG) | TURB. END SEAL KG/SEC (LB/SEC) | | PUMP END SEAL KG/SEC (LB/SEC) | |
|----------|----------------------------------|--------------------------------|-------------|-------------------------------|-------------|
| | | PRIMARY | SECONDARY | PRIMARY | SECONDARY |
| 007 | 13651619(1980) | .3048(.672) | .0195(.043) | .2431(.536) | .0290(.064) |
| 008 | 17236893(2500) | .3941(869) | .0244(.054) | .3238(.714) | .0458(.101) |
| 009 | 20684271(3000) | .4799(1.058) | .0385(.085) | .4318(.952) | .0657(.145) |

Build 3 Disassembly Posttest 009

Inspection revealed the tester shaft sleeve had rubbed the seal housing. Pretest measurements indicated a .00042672 m (.0168 in.) radial clearance, while test data indicated a maximum radial displacement at the seal of .0004572 m (.018 in.). The seal ring diametral wear varied from .00001016 to .00002286 m (.0004 to .0009 in.) during Build 3.

The wear on the lift pads continued. The turbine end primary and secondary and the pump end secondary lift pads were worn away. The mating ring sleeve tungsten carbide plating was worn in the area of the seal rings from .00000127 to .00000889 in. (.00005 to .00035 in.). The amount of wear varied slightly around the sleeve.

Build 4 Assembly Pretest 10

The tester was reassembled with the same seal hardware. The rotating parts were rebalanced at 733 rad/sec (7000 rpm).

Tests 010 through 012

Test 010 was expected to run using ambient nitrogen gas at 20684271 n/m² (3000 psig). However, the maximum pressure obtained in the facility was 18615844 n/m² (2700 psig). The test was run for 2.5 minutes at steady state. This series completed Schedule I Preliminary Checkout testing.

The nitrogen gas pressure problem was reviewed and it was determined that at ambient temperature, the pressure could not be applied at greater than 22752698 n/m² (3300 psig). It was decided to run Test 011 at 20684271 n/m² (3000 psig) and test 012 at the maximum obtainable pressure. Test 011 was run at

20684271 n/m^2 (3000 psig) and test 012 at 22063223 n/m^2 (3200 psi) for 2.5 minutes. A total of 3 runs for 7.5 minutes was performed. The seal leakage varied with pressure as shown below:

| TEST NO. | PRESSURE N/M^2 (PSIG) | TURB. END SEAL KG/SEC (LB/SEC) | | PUMP END SEAL KG/SEC (LB/SEC) | |
|----------|-------------------------|-----------------------------------|-------------|----------------------------------|-------------|
| | | PRIMARY | SECONDARY | PRIMARY | SECONDARY |
| 010 | 18271106(2650) | .4472(.986) | .0358(.079) | .3996(.881) | .0585(.129) |
| 011 | 20856640(3025) | .5279(1.164) | .0435(.096) | .4699(1.036) | .0771(.170) |
| 012 | 22063223(3200) | .5579(1.230) | .0512(.113) | .4984(1.099) | .0802(.177) |

Build 4 Disassembly Posttest 012

There was some erosion of the carbon seals at the leading edge of the sealing dam. The carbon seal diametral wear varied from 0 to .00000508 m (.0002 in.). The lift pads appeared to be completely worn away on all seal rings except for visible traces on the pump end primary seal ring. The mating ring sleeve wear in the pump end area was .00001397 m (.00055 in.). The seal hardware is shown in Fig. 33 through 37. The pump end primary seal surface profile trace is shown in Fig. 38.

At this time, it was noticed that excessive radial displacement of the tester shaft during critical speed 1256 rad/sec (12000 rpm) transient is sufficient to cause the turbine end of the shaft to rub the seal housing. It also causes excessive seal wear and leakage. It is believed that improved balancing will reduce the radial displacement. Shaft rework is being considered. Radial displacement measurements are shown in Table 14.

Discussion - Builds 1 through 4

The two sets of seals were used for 12 starts for 29.25 minutes of ambient GN_2 checkout testing at 3351 rad/sec (3200 rpm) from 17623689 n/m^2 (250 psi) to 22063223 n/m^2 (3200 psi) GN_2 inlet pressure.

The first assembly was tested for 3 starts and 7.5 minutes at 1723689, 3447378, and 6894757 n/m^2 (250, 500, and 1000 psig). The inside diameter of the carbon ring wore most noticeably on the turbine end primary ring and the pump end secondary ring. However, the turbine end primary ring was installed backward causing it to wear excessively. The lift pads on those two rings wore away also. The mating ring sleeve had one worn spot. Maximum seal leakage was .054 kg/sec (.121 lb/sec) at 1654741 n/m^2 (240 psig), .0943 kg/sec (.208 lb/sec) at 3199167 n/m^2 (464 psig) and .1428 kg/sec (.315 lb/sec) at 6687914 n/m^2 (970 psig).

The second build was tested for 3 starts and 6.75 minutes at 6894757, 10342135, and 13789514 n/m^2 (1000, 15000, and 2000 psig). The inside diameter of the carbon ring was noticeably worn only on the pump end secondary seal. Little




Figure 33. Pump End Primary Seal Ring, P/N 99RS010302, S/N 067602,
Build 4, Posttest 12



Figure 34. Pump End Secondary Seal Ring, P/N 99RS010304, S/N 067601,
Build 4, Posttest 12




Figure 35. Turbine End Primary Seal Ring, P/N 99RS010303, S/N 067601,
Build 4, Posttest 12





Figure 36. Turbine End Secondary Seal Ring, P/N 99R010305, S/N 067601,
Build 4, Posttest 12



PUMP END

TURBINE END

Figure 37. Mating Ring Sleeve, P/N RS005092X-00S, S/N 1,
Build 4, Posttest 12

PHOTOGRAPH BY
DAVID J. BROWN




Figure 38. Surface Profile Trace Pump End Primary Seal
 Lift Pad #2 P/N 99RS010302, S/N 02,
 Build 4, Posttest 12

TABLE 14. TESTER TURBINE WHEEL RADIAL
DISPLACEMENT SUMMARY (1)

| TEST NO. | CRITICAL INCREASING | | | | STEADY STATE | | | | CRITICAL DECREASING | | | |
|----------|---------------------|---------|----------|----------|--------------------|----------------------------|---------|----------|---------------------|---------|---------|----------|
| | M | INCH | RAD/SEC | RPM | M | INCH | RAD/SEC | RPM | M | INCH | RAD/SEC | RPM |
| 3 | .000170 | (.0067) | 1185.43 | (11,320) | .000045 | (.0018) | 3392.93 | (32,400) | .000330 | (.0130) | 1282.19 | (12,244) |
| 6 | .000213 | (.0084) | 1142.39 | (11,320) | .000045 | (.0018) | 3280.98 | (31,331) | .000457 | (.0180) | 1295.49 | (12,371) |
| 7 | .001447 | (.057) | 1142.39 | (10,909) | .000058 | (.0023) | 3306.85 | (31,578) | .000828 | (.0720) | 1231.92 | (11,764) |
| 9 | .000406 | (.016) | 1244.178 | (11,881) | .000086 .000101 | DUAL (.0032) (.0040) | 3306.85 | (31,578) | .000370 | (.0146) | 1256.64 | (12,000) |
| 12 | .000508 | (.020) | 1196.84 | (11,429) | .000033 | (.0013) | 3351.04 | (32,000) | .000203 | (.008) | 1275.70 | (12,182) |
| 17 | .000101 | (.0040) | 1142.39 | (11,320) | .000012 | (.0005) | 3351.04 | (32,000) | .000045 | (.0018) | 1231.92 | (11,764) |
| 20 | .000058 | (.0023) | 1256.64 | (12,000) | .000012 | (.0005) | 3351.04 | (32,000) | .000060 | (.0024) | 1396.23 | (13,333) |
| 81 | .000152 | (.0060) | 1256.64 | (12,000) | .000053 | (.0021) | 3351.04 | (32,000) | .000297 | (.0117) | 1214.12 | (11,594) |
| 91 | .000271 | (.0107) | 1174.33 | (11,214) | .000050 | (.0020) | 3351.04 | (32,000) | .000279 | (.0110) | 1403.56 | (13,403) |
| 105 | .000254 | (.0100) | 1196.74 | (11,428) | .000050 | (.0020) | 3351.04 | (32,000) | .000297 | (.0117) | 1351.20 | (12,903) |
| 106 | .000076 | (.0030) | 1219.98 | (11,650) | .000050 | (.0020) | 3351.04 | (32,000) | .000297 | (.0117) | 1269.31 | (12,121) |
| 107 | .000259 | (.0102) | 1168.88 | (11,162) | .000050 | (.0020) | 3242.96 | (30,968) | .000330 | (.0103) | 1351.20 | (12,903) |

(1) SHAFT DISPLACEMENT AT THE TEST SEAL IS APPROXIMATELY ONE-HALF OF THE TURBINE WHEEL DISPLACEMENT

additional wear on both the lift pads and the sleeve occurred. Maximum leakage again occurred at the turbine end primary seal measuring .1306 kg/sec (.288 lb/sec) at 6618966 n/m² (960 psig), 2140 kg/sec (.472 lb/sec) at 10135293 n/m² (1470 psig) and .2948 kg/sec (.650 lb/sec) at 13444776 n/m² (1950 psig).

The third build was tested for 3 starts and 7.5 minutes, at pressures of 13789514, 17236893, and 20684271 n/m² (2000, 2500, and 3000 psig). Carbon ring diametral wear increased slightly on the seals with the most being .00002286 m (.0009 in.) on the pump end secondary seal. All lift pads were worn away; and .00000127 to .00000889 m (.00005 to .00035 in.) wear occurred on the mating ring sleeve. Maximum seal leakage again occurred at the turbine end primary seal measuring .3048 kg/sec (.672 lb/sec) at 13651619 n/m² (1980 psig), 3941 kg/sec (.869 lb/sec) at 17236893 n/m² (2500 psig) and .4799 kg/sec (1.058 lb/sec) at 20684271 n/m² (3000 psig).

The fourth build was tested for 3 starts and 7.5 minutes at pressures of 18615844, 20684271, and 22063273 n/m² (2700, 3000, and 3200 psi). Carbon ring diametral wear was negligible on all rings. The lift pads appeared to be completely worn away on all pads. The mating sleeve wear was .00001397 m (.00055 in.). Maximum leakage again occurred at the turbine end primary seal, measuring .4472 kg/sec (.986 lb/sec) at 18615844 n/m² (2700 psig), .5279 kg/sec (1.164 lb/sec) at 20684271 n/m² (3000 psig), and .5579 kg/sec (1.230 lb/sec) at 22063223 n/m² (3200 psig).

RAYLEIGH STEP SEAL HOT GASEOUS NITROGEN TESTING

Build 5 Assembly Pretest 013

The tester was reassembled with new seal rings and shaft sleeve. The seal hardware summary is given in Table 7. The same seal housings were used. The seal ring diametral clearances at assembly are given in Table 8. The seal ring lift pad depths at assembly are given in Table 8. Shaft sleeve to housing diametral clearances was .0008306 m (.0327 in.) at the turbine end and .0008103 m (.0319 in.) at the pump end.

Tests 013 through 016

Test Points 1 through 4 (Tests 013 through 016) of the Schedule II Hot Gaseous Nitrogen test series were performed using gaseous nitrogen at a temperature of 533K (500 F) and pressures of 3447378, 6894757, 10342135, and 13789514 n/m² (500, 1000, 1500, and 2000 psig). The seals were pressurized to 344737 n/m² (50 psig) and increased to the test level after start of rotation. The pressure was vented to 344737 n/m² (50 psig) prior to stopping rotation. The tester was run at a steady speed of approximately 3351 rad/sec (32000 rpm) for 2.5 minutes. The total time at steady speed was 10 minutes. The tester shaft peak-to-peak radial displacement measured at the turbine wheel is given in Table 14. The shaft displacement at the seal is approximately one-half of the wheel displacement. Seal leakage data for these tests are given in Table 12.

Build 5 Disassembly Posttest 016

Inspection revealed that the seal rings had rubbed the mating ring sleeve and worn the carbon inside diameter. The seal ring diametral wear is shown in Table 8.

Visual inspection revealed that the lift pads were worn away on the turbine end secondary seal ring. The wear on the other lift pads was negligible. The lift pad wear data are shown in Table 8.

The mating ring sleeve had a rub pattern with a deposit of carbon in the area of the seal rings. The tungsten carbide surface was in good condition with no measureable wear, except for one area at the turbine end seal secondary ring. The surface was worn .000001778 m (.00007 in.) at the sealing dam location.

Inspection revealed the tester shaft had rubbed the seal housing. The original measurements indicated that there was a .0004064 m (.016 in.) radial clearance between the sleeve and the housing. The test data indicate a maximum radial displacement at the seal of .0002286 m (.009 in.) on Test 013, and .0002794 m (.011 in.) on Test 014. The data indicate that the displacement transducer rubbed the turbine wheel on Test 013.

At that point, it became necessary to revise the assembly procedures and refine the balancing procedures to eliminate the excessive radial shaft displacement.

Build 6 Assembly Pretest 17

Prior to assembly, the sleeve that locates the turbine wheel was inspected, assembled in the tester, and measured for axial and radial runout. The following values were measured: axial runout - .00000508 m (.0002 in.); radial runout - .00000508 m (.0002 in.). The results indicate that the runouts were satisfactory.

The tester assembly procedures were revised to increase the axial preload on the shaft stack-up by polycoating the threads and head of the bolt that loads the turbine wheel against the shaft sleeve. Also, the bolt torque was increased from 169 to 203 m-n (125 to 150 ft-lb). The higher axial loading increases the shaft stiffness to reduce radial displacement. The tester was rebalanced without the test seals using the three-point method at 31.4 and 733 rad/sec (300 and 7000 rpm). The turbine wheel was removed and reinstalled to check for balance repeatability at 31.4 and 733 rad/sec (300 and 7000 rpm) the radial displacement measured at the wheel indicated good repeatability (Table 15).

The wheel was removed and reinstalled without the test seals to measure the wheel radial displacement during the critical speed transient and at a steady speed of 3141 rad/sec (30000 rpm). A balance check at 733 rad/sec (7000 rpm) indicated excellent repeatability (Table 15). The tester was accelerated through the critical speed, run at 3141 rad/sec (30,000 rpm) for 30 seconds and coasted through the critical speed while stopping. The wheel was then removed and reinstalled to check for repeatability during the critical at steady speed. The wheel radial displacement repeated exactly. The values were .0001016 m (.0040 in.) at the critical speed and .00003556 m (.0014 in.) at 3141 rad/sec (30,000 rpm)

TABLE 15. BALANCE TEST RESULTS

| BALANCE RUN | SPEED RAD/SEC (RPM) | WHEEL RADIAL P-P DISPLACEMENT m (IN) | REMARKS |
|-------------|---------------------|--------------------------------------|--|
| 1 | 31.4 (300) | 0.00002031 (0.0008) | PRIOR TO BALANCE (NO SEALS) |
| 2 | 733 (7,000) | 0.000127 (0.0050) | PRIOR TO BALANCE (NO SEALS) |
| 3 | 314 (3,000) | 0.00002031 (0.0008) | BALANCE TEST (NO SEALS) |
| 4 | 733 (7,000) | 0.00005581 (0.0022) | BALANCE TEST (NO SEALS) REMOVED AND REINSTALLED WHEEL |
| 5 | 31.4 (300) | 0.00002031 (0.0008) | REPEAT OF BALANCE TEST (NO SEALS) |
| 6 | 733 (7,000) | 0.0000254 (0.0010) | REPEAT OF BALANCE TEST (NO SEALS) REMOVED AND REINSTALLED WHEEL |
| 7 | 733 (7,000) | 0.00002031 (0.0008) | REPEAT OF BALANCE TEST (NO SEALS) |
| 8 | 3193 (30,500) | 0.00003551 (0.0014) | STEADY STATE |
| 8 | 1196 (11,428) | 0.0001016 (0.0040) | CRITICAL SPEED COASTING DOWN REMOVED AND REINSTALLED WHEEL |
| 9 | 3141 (30,000) | 0.00003301 (0.0013) | REPEAT OF STEADY STATE (NO SEALS) |
| 9 | 1251 (11,952) | 0.0001014 (0.0040) | REPEAT OF CRITICAL SPEED (NO SEALS) REMOVED AND INSTALLED WHEEL INSTALLED TEST SEALS |
| 10 | 31.4 (300) | 0.00002031 (0.0008) | REPEAT OF BALANCE TEST WITH SEALS |
| 11 | 733 (7,000) | 0.00002031 (0.0008) | REPEAT OF BALANCE TEST WITH SEALS |

with indication of subsynchronous whirl. The results are given in Table 15 and shown in Fig. 39 and 40.

The wheel was removed again to install the test seals. The same seal hardware from Build 5 was reinstalled. A balance check at 31.4 and 733 rad/sec (300 and 7000 rpm) indicated excellent repeatability (Table 15). A total of 11 balancing tests were performed: 9 without the seals and 2 with seals installed.

Tests 017 through 020

Test Points 5 through 8 (Tests 017 through 020) of the Schedule II Hot Gaseous Nitrogen test series were performed using gaseous nitrogen at temperatures of 422 to 533K (300 to 500 F) and pressures of 17236893, 20684271, 22407960, and 26027708 n/m² (2500, 3000, 3500, and 3775 psig). The seals were pressurized to 344737 n/m² (50 psig) and increased to the test level after start of rotation. The pressure was vented to 344737 n/m² (50 psig) prior to stopping rotation.

The tester was accelerated to test speed, 3351 rad/sec (32000 rpm) and held steady for 2.5 minutes. The total time at steady speed was 10 minutes. The tester shaft peak-to-peak radial displacement measured at the turbine wheel throughout the test is shown in Table 14. The shaft displacement at the seal is approximately one-half of the wheel displacement. Seal leakage data are shown in Table 12. The test plan was revised to delete the second set of Schedule II seal testing. Therefore, this series of tests completed Schedule II testing.

Build 6 Disassembly Posttest 020


Measurement of the carbon seal ring inside diameters revealed no significant additional wear since Test 016. The seal ring diametral wear is shown in Table 8. The lift pads had previously worn away on the turbine end seal secondary ring. The wear on the other lift pads was negligible. The lift pad wear data are shown in Table 8. The upstream edge of the turbine end seal primary ring dam was eroded in the axial direction around the circumference from .0007366 to .001016 m (.029 to .040 in.). The erosion wear was apparently caused by the high-velocity gas leakage at the sealing dam. There was no significant erosion on the other seal rings. The axial sealing dam nose height on the side surface at the stationary housing was worn slightly on both primary seal rings. The measured wear is shown below:

| SEAL | TURBINE END | | PUMP END | |
|--------------|------------------|-----------|------------------|-----------|
| | PRIMARY | SECONDARY | PRIMARY | SECONDARY |
| WEAR M (IN.) | .00001524(.0006) | 0 | .00001778(.0007) | 0 |

The mating ring sleeve had a rub pattern with a deposit of carbon in the area of the seal rings. The tungsten carbide surface was in good condition with no measureable wear, since Test 016. Inspection revealed that there was no additional rubbing between the mating ring sleeve and the seal housing. The seal hardware and surface profile traces are shown in Fig. 41 through 48.




(a) Steady at 3193 rad/sec (30,500 rpm)
(Subsynchronous Whirl)




(b) Critical Coasting Down at 1196 rad/sec
(11,428 rpm)


Figure 39. Turbine Wheel Radial Displacement Traces From
High Frequency Data on Balance Test 8
(Calibration Notch = 0.0001016 m (0.004 inch))



(a) Critical Accelerating at 1185 rad/sec
(11,320 rpm)




(b) Steady at 3141 rad/sec (30,000 rpm)
(Subsynchronous Whirl)



(c) Critical Coasting Down at 1195 rad/sec
(11,320 rpm)


Figure 40. Turbine Wheel Radial Displacement Traces From High Frequency Data on Balance Test 9
(Calibration Notch = 0.0001016 m (0.004 inch))

11/10/78
10/11/78
10/11/78




1XY55-2/10/78-C1C

Figure 41. Pump End Primary Seal Ring, P/N 99RS010302,
S/N 04, Build 6, Posttest 20




LXY55-2/10/78-C1A

Figure 42. Pump End Secondary Seal Ring, P/N 99RS010304,
S/N 04, Build 6, Posttest 20




1XY55-2/10/78-C1D

Figure 43. Turbine End Primary Seal Ring, P/N 99RS010303,
S/N 06, Build 6, Posttest 20



1XY55-2/10/78-C1E

Figure 44. Turbine End Secondary Seal Ring, P/N 99RS010305,
S/N 05, Build 6, Posttest 20



PUMP END

TURBINE END

LXY55-2/10/78-C1B

Figure 45. Mating Ring Sleeve, P/N RS005092X-005, S/N 2,
Build 6, Posttest 20




Figure 46. Surface Profile Trace Turbine End Primary Seal Lift Pad 1, P/N 99RS010303, S/N 06, Build 6, Posttest 20




Figure 47. Surface Profile Trace Turbine End Secondary Seal
 P/N 99RS010305, S/N 05, Build 6, Posttest 20




Figure 48. Surface Profile Trace of Tester Mating Ring Sleeve,
 P/N RS005092X-005, S/N 2, Build 6, Posttest 20

Discussion - Build 5 and 6

A total of 8 tests for 20 minutes on 2 tester builds (5 and 6) was performed. The tests were run with gaseous nitrogen at temperatures from 422 to 533K (300 to 500 F) and pressures in increments of 3447378 n/m² (500 psi) beginning at 3447378 n/m² (500 psi) the last being run at 26027708 n/m² (3775 psi). The tester was accelerated through the critical speed (1256 rad/sec, 12000 rpm) and run at a steady speed of approximately 3351 rad/sec (32000 rpm) for 2.5 minutes each test. Seal performance appeared to be satisfactory. A summary of seal leakage is given in Table 12.

Postbuild 5 inspection showed excessive wear on the turbine end secondary seal ring lift pad height dimension. Some wear was also noticed on the seal ring internal bore on all four seal rings, as well as on the mating ring sleeve. Inspection also revealed the tester shaft sleeve had rubbed the seal housing. The data indicate excessive shaft displacement during rotation. The wear data summary are given in Table 8.

As a result, the balancing procedures were refined and the tester rebalanced. A total of 11 balancing tests were performed: 9 tests without the seals and 2 with seals installed. Test results indicated that tester shaft radial displacement had been reduced to an acceptable level. Build 6 testing was then performed.

Post Build 6 inspection revealed no significant additional wear since post Build 5, on both the carbon bore and the lift pad height dimensions. However, the turbine end primary seal ring dam was noticed to be worn in the axial direction around the circumference, apparently caused by high-velocity leakage. The axial sealing dam nose height on the side surface at the stationary housing was worn slightly on both primary seal rings. There was no additional rubbing between the mating ring sleeve and the seal housing. A summary of Build 6 wear data are given in Table 8.

RAYLEIGH STEP SEAL ACCELERATION TESTING

Build 7 Assembly Pretest 021

The tester was reassembled with new seal rings and shaft sleeve for the Schedule III testing. The same seal housing was used. A seal hardware summary is shown in Table 7. The seal ring diametral clearances at assembly is shown in Table 8. The seal lift pad depths at assembly is shown in Table 8. The shaft sleeve to housing diametral clearances was .0008382 m (.0330 in.) at the turbine end and .0008255 m (.0325 in.) at the pump end. The axial nose height was measured as:

| | TURBINE END | | PUMP END | |
|------------------------|-----------------|-----------------|------------------|-----------------|
| | PRIMARY | SECONDARY | PRIMARY | SECONDARY |
| NOSE HEIGHT M (IN.) | .0005588(.0220) | .0005384(.0212) | .00056876(.0224) | .0005588(.0220) |

Tests 021 Through 029

Test points 1 through 9 (Tests 021 through 029 of the Rayleigh Step Seal Acceleration Test series) were performed using gaseous nitrogen at temperatures of 394 to 533 K (250 to 500 F) and pressures of 23786912 to 25682970 n/m^2 (3450 to 3725 psig). The seals were pressurized to 344737 n/m^2 (50 psig) and increased to the test level concurrent with the speed acceleration to simulate the turbo-pump start transient. The pressure was vented to 344737 n/m^2 (50 psig) prior to stopping rotation. Total test time at a steady speed of 3351 rad/sec (32,000 rpm) was 29.15 minutes. The tester shaft peak-to-peak radial displacement measured at the turbine wheel throughout the test, is shown in Table 14. The shaft displacement at the seal is approximately one-half of the wheel displacement. The testing was terminated to inspect the seals due to higher than expected seal leakage and drain cavity pressures. The seal leakage varied from .5896 to .8164 kg/sec (1.3 to 1.8 lb/sec) on the primary seals and from .1315 to .0362 kg/sec (0.29 to 0.08 lb/sec) on the secondary seals. The hot-gas temperature typically decreased from approximately 533 K (500 F) at start to about 366 K (200 F) at cut-off. The heat exchanger used to bring the GN_2 up to temperature is not sufficient to maintain the temperature at the high flowrate. A summary of the test data is shown in Table 12 .

Build 7 Disassembly Posttest 029

Inspection revealed that the carbon seal rings had rubbed the mating ring sleeve and worn the carbon inside diameter. The seal ring diametral wear varied from .00001524 to .00005842 m (.0006 to .0023 in.). The wear was tapered across the inside diameter with no more wear on the dam side. A summary of the seal ring wear data is shown in Table 8.

The lift pads were worn away on the turbine end secondary seal ring. The wear on the other lift pads varied from zero to .00001524 m (.0006 in.). A summary of the lift pad wear data is shown in Table 8 .

Visual inspection revealed that the dam area of the turbine end primary seal ring was eroded away axially and chipped on the upstream edge of the carbon ring. The measured amount of axial dam wear on the turbine end primary seal ring is shown below. The axial dam wear on the other seal rings was negligible.

| POSITION | 1 | 2 | 3 | 4 |
|------------------|---------------|---|---|---------------|
| DAM WEAR m (IN.) | .000408(.020) | Ø | Ø | .000762(.030) |

The sealing dam nose on the side surface of the carbon rings was worn as shown below:

| SEAL | TURBINE END | | PUMP END | |
|----------------------|------------------|-----------------|------------------|-----------------|
| | PRIMARY | SECONDARY | PRIMARY | SECONDARY |
| NOSE WEAR m (IN.) | .00001016(.0004) | .0002515(.0099) | .00000508(.0002) | .0002642(.0104) |

The mating ring sleeve had a rub pattern with a deposit of carbon in the area of the seal rings. The tungsten carbide surface was in good condition with no measurable wear, except for .00000254 m (.0001 in.) at the sealing dam location. Inspection revealed the tester shaft sleeve had not rubbed the seal housing. There was no evidence of high vibration or shaft displacements.

Build 8 Assembly Pretest 030

The tester was reassembled with the same hardware as Build 7. The seal lift pad depths at assembly are given in Table 8. The axial nose height at assembly is shown below:

| SEAL | TURBINE END | | PUMP END | |
|------------------------|-----------------|------------------|-----------------|---|
| | PRIMARY | SECONDARY | PRIMARY | SECONDARY |
| NOSE HEIGHT m (IN.) | .0005486(.0216) | .00031242(.0123) | .0005683(.0222) | .000 2946 TO .00054356 (.0116 TO .0214) |

Tests 030 Through 080

Tests 30 through 80 were performed using gaseous nitrogen at temperatures of 394 to 533 K (250 to 500 F) and pressures of 23786912 to 25682970 n/m² (3450 to 3725 psig). The seals were pressurized to 344737 n/m² (50 psig) and increased to the test level concurrent with the speed acceleration to simulate the turbopump start transient. The pressure was vented to 344737 n/m² (50 psig) prior to stopping rotation.

A total of 51 tests for 121 minutes at a steady-state speed of 3351 rad/sec (32000 rpm) was performed. A minor modification in the facility was made to reduce the back pressure in the pump end drain cavity.

The tester shaft peak-to-peak radial displacement measured throughout the test is given in Table 14. The shaft displacement at the seal is approximately one-half of the wheel displacement.

The testing was terminated for a scheduled seal inspection. The seal leakage data are given in Table 12. The hot gas temperature typically decreased from about 533 K (500 F) at start to 366 K (200 F) at cut-off. The heat exchanger capacity is not sufficient to maintain the temperature at the high flowrate.

Build 8 Disassembly Posttest 080

Inspection revealed that the carbon seal rings had rubbed the mating ring sleeve and worn the carbon inside diameter. The seal ring diametral wear varied from .00000508 to .0000762 m (.0002 to .0030 in.). The wear was tapered from the turbine end secondary seal to the pump end seals with more wear on the turbine end. A summary of seal ring diametral wear is given in Table 8.

The lift pads were worn away on the turbine end secondary seal ring. Most of the lift pads were badly worn on the turbine end primary seal ring. The wear on the other lift pads varied from 0 to .00000508 M (.0002 in.). A summary of lift pad height wear is given in Table 8.

The dam area of the turbine end primary seal ring was eroded away axially and chipped on the upstream edge. The measured amount of axial dam wear on the turbine end primary seal ring is shown below. The axial dam wear on the other seal rings was negligible.

| POSITION | 1 | 2 | 3 | 4 |
|-----------------------|---------------|----|---------------|---------------|
| DAM WEAR M (IN.) | .000762(.030) | 0* | .000889(.035) | .000762(.030) |
| *SAME AS POST TEST 29 | | | | |

The sealing dam nose on the side surface of the carbon rings was worn as shown below:

| SEAL | TURBINE END | | PUMP END | |
|-------------------|------------------|------------------|------------------|----------------|
| | PRIMARY | SECONDARY | PRIMARY | SECONDARY |
| NOSE WEAR M (IN.) | | | | |
| ADDITIONAL | .00000508(.0002) | .00000508(.0002) | .00000508(.0002) | 0 |
| TOTAL | .00001016(.0004) | .0002667(.0105) | .00001016(.0004) | .000226(.0089) |

The mating ring sleeve had a rub pattern with signs of carbon in the area of the seal rings. The tungsten carbide surface was in good condition with no measurable wear, except for .000000508M(.00002 in.) at the sealing dam location. Inspection revealed that the test shaft sleeve had not rubbed the seal housing.

There was no evidence of high vibration or shaft displacements.

Build 9 Assembly Pretest 081

The tester was reassembled with the same seal hardware as Build 8. The seal ring lift pad depths at assembly are given in Table 8 . The axial nose height at assembly is shown below:

| SEAL | TURBINE END | | PUMP END | |
|-------------------------|-----------------|------------------|-----------------|---|
| | PRIMARY | SECONDARY | PRIMARY | SECONDARY |
| NOSE HEIGHT, M (IN.) | .0005486(.0216) | .00031242(.0123) | .0005588(.0220) | .0002921 TO .000381 (.0115 TO .015) |

Tests 081 Through 107


Tests 081 through 107 were performed using gaseous nitrogen at temperatures of 366 to 533 K (250 to 500 F) and pressures of 23786912 to 25682970 n/m² (3450 to 3725 psig). The seals were pressurized to 344737 n/m² (50 psig) and increased to the test level concurrent with the speed acceleration to simulate the turbo-pump start transient. The pressure was vented to 344737 n/m² (50 psig) prior to stopping rotation.

A total of 27 tests for 71.97 minutes were performed for an accumulated total time of 236.42 minutes on the first set of seals. Test 107 was terminated prematurely due to a sudden large increase in all of the seal drain cavities. The tester was then shut down for disassembly and inspection of the seals.

The tester shaft peak-to-peak radial displacement measured at the turbine wheel throughout the tests are shown in Table 14 . The shaft displacement at the seal is approximately one-half of the wheel displacement. The seal leakage data are given in Table 12 . The hot gas temperature typically decreased from about 533 K (500 F) at start to 366 K (200 F) at cut-off.

Build 9 Disassembly Posttest 107

Inspection revealed that the turbine end primary ring sealing dam had fragmented and broken away completely around the circumference. The pump end seal rings appeared to be in satisfactory condition, except for erosion and wear. The seal assemblies prior to disassembly are shown in Fig.48 through 51. The seal hardware condition is shown in Fig. 52 through 62.



1XY55-4/21/78-C1G

Figure 49. Pump End Assembly, P/N 99RS010309,
Build 9, Posttest 107




LXY55-4/21/78-C1A

Figure 50. Turbine End Assembly Position 1, P/N 99RS010310,
Build 9, Posttest 107



1XY55-4/21/78-C1E

Figure 51. Turbine End Assembly Position 2, P/N 99RS010310,
Build 9, Posttest 107



LXY55-4/24/78-C1A


Figure 52. Pump End Primary Seal Ring Position 1, P/N 99RS010302,
S/N 067605, Build 9, Posttest 107



1XY55-4/24/78-C1C


Figure 53. Pump End Primary Seal Ring Position 3, P/N 99RS010302,
S/N 067605, Build 9, Posttest 107

3



1XY55-4/24/78-C1E

Figure 54. Pump End Secondary Seal Ring, P/N 99RS010304,
S/N 067605, Build 9, Posttest 107



1XY55-4/24/78-C1G

Figure 55. Turbine End Primary Seal Ring Position 1, P/N 99RS010303, S/N 067605
Build 9, Posttest 107




1XY55-4/24/78-C1H

Figure 56. Turbine End Primary Seal Ring Position 3, P/N 99RS010303,
S/N 067605, Build 9, Posttest 107



1XY55-4/24/78-C11

Figure 57. Turbine End Secondary Seal Ring, P/N 99RS010305,
S/N 067604, Build 9, Posttest 107



SECONDARY
PUMP END

PRIMARY

PRIMARY
TURBINE END

SECONDARY

LXY55-4/24/78-C1F

Figure 58. Mating Ring Sleeve, P/N RS005092X-005, S/N 3,
Build 9, Posttest 107




Figure 59. Surface Profile Trace Turbine End Primary Seal Lift Pad 1, P/N 99RS010303, S/N 05, Build 9, Posttest 107




Figure 60. Surface Profile Trace Turbine End Secondary Seal Lift Pad 1, P/N 99RS010305, S/N 04, Build 9, Posttest 107




Figure 6l. Surface Profile Trace of Tester Mating Ring Sleeve Pump End,
P/N RS005092X-005, S/N 3, Build 9, Posttest 107




Figure 62. Surface Profile Trace of Tester Mating Ring Sleeve Turbine End, P/N RS005092X-005, S/N 3, Build 9, Posttest 107

A summary of seal ring diametral wear is given in Table 8 . The lift pads were completely worn away on the turbine end primary and secondary seal rings. The wear on the pump end seal lift pads varied from .00000508 to .00002032 m (.0002 to .0008 in.) with some of the pads completely worn away. A summary of the lift pad post test depths is given in Table 8 .

The sealing dam nose height on the side surface of the carbon ring did not change significantly from the assembly dimensions, except the turbine end primary seal which was broken away. The secondary seal rings were both worn on the axial face of the dam with a lip extending inside of the housing diameter. The axial nose height at disassembly is given below:

| SEAL | TURBINE END | | PUMP END | |
|------------------------|-------------|----------------|----------------|------------------|
| | PRIMARY | SECONDARY | PRIMARY | SECONDARY |
| NOSE HEIGHT M (IN.) | BROKEN | .0003302(.013) | .0005842(.023) | .00032512(.0128) |

The mating ring ring sleeve rub pattern appeared the same as pretest 081, except the turbine end primary seal ring area surface was worn .0002413 M(.0095 in.) at the dam location and .0001651 M (.0065 in.) at the lift pad location.

Failure analysis of the turbine end primary seal carbon ring indicated that the dam fracture occurred due to erosion of the upstream edge of the dam. The erosion apparently weakened the carbon dam until it broke away. Pretest 081 erosion was .000762 to .000889 m (.030 to .035 in.). Visual inspection indicated that the fracture started near the base of the dam in the circumferential vent channel between the lift pads and the dam. (Ref: Fig. 9 and 10 May 1978 monthly report RMME 8193-5166). The radius in the bottom of the vent channel measured .000381 to .000508 m(.015 to .020 in.), indicating that the fracture was not initiated by stress concentration from a sharp corner.

The failure analysis revealed that the wave spring was installed on the wrong side of the seal ring; however, dimensional inspection indicated that the spring inside diameter would not interfere with the seal dam.

As a result of the failure caused by erosion damage and wear due to shaft rubbing, it was concluded that a change to a hydrostatic convergent tapered bore design would decrease both the rubbing and erosive wear. An analysis by NASA showed a significant increase in radial stiffness with the tapered bore design compared to the Rayleigh step design. It is expected that the tapered bore seal ring will have sufficient radial gas film stiffness to center itself on the shaft without rubbing contact. The erosion wear should not be a problem since the narrow dam and vent channels are eliminated.

Testing of the Rayleigh step design was stopped. A hydrostatic convergent tapered bore design was procured. The test program was modified to include a hot (533 K, 500 F) gaseous nitrogen checkout test on the new design seals. One

set (two seals) of seals will be tested for 8 tests of 2.5 minutes each at progressively higher pressures in 3447378 n/m² (500 psi) increments from 3447378 to 25835339 n/m² (500 to 3750 psig). The seals will be inspected after the first four tests and at completion. The hot gaseous nitrogen acceleration testing will then be continued on two sets (four seals) of the tapered bore seals at 533 K (500 F) and 25855339 n/m² (3750 psia). Each set of seals will be tested for 180 tests of 2.5 minutes each for a total time of 7.5 hours per seal. The seals will be inspected at 2.5 hour intervals.

Discussion - Builds 7 Through 9

A total of 87 tests for 222.12 minutes on 3 Builds (7 through 9) were performed. The tests were run with gaseous nitrogen at 533 K (500 F) and 24682970 n/m² (3725 psig). The tester was accelerated through the critical speed and held steady at 3351 rad/sec (32,000 rpm) for 2.5 minutes each test. Testing was terminated due to failure of the turbine end primary seal.

Postbuild 7 inspection revealed that the dam area of the turbine end primary seal ring was eroded away axially and chipped on the upstream edge of the carbon ring. Dam wear varied from 0 to .000762 m (.030 in.). Dam wear was negligible on the other seals.

The lift pads were worn away on the turbine end secondary seal ring. The wear on the other lift pads varied from 0 to .00001524 m (.0006 in.). A summary of seal wear is given in Table 8 .

Postbuild 8 inspection showed some additional wear on the turbine end primary seal ring dam area. The lift pads on the turbine end primary seal ring also showed considerable wear. Lift pad wear on the other seal rings varied from 0 to .00000508 m (.0002 in.). The inspection also revealed that the carbon seal rings had rubbed the mating ring sleeve and worn the carbon bore. The wear varied from .00000000 to .000762 m (.0002 to .0030 in.) and was tapered from the turbine end secondary seal down toward the pump end seal.

Postbuild 9 inspection revealed that the turbine end primary seal sealing dam had fragmented and broken away apparently due to erosion of the upstream, edge of the dam. The lift pads were completely worn away on the turbine end primary and secondary seal rings. The pump end seals appeared to be in satisfactory condition except for some lift pad erosion and wear.

Plots of the Rayleigh step seal total leakage versus time and the drain cavity pressures versus time for tests 021 through 107 are shown in Fig. 63 and 64.

As a result of the failure caused by excessive wear due to shaft rubbing it was decided to change to a hydrostatic tapered bore design. The test program was modified to include testing of the new design.

PUMP END SEAL
 TURBINE END SEAL

3026 BB rad/sec
 (29000 rpm)

24131650.2 n/m²
 (3500 psia)

533.15 °K
 (500° F)




Figure 63. Rayleigh Step Seal Total Leakage vs Test Time, Tests 021-107




Figure 64. Rayleigh Step Seal Drain Pressure vs Test Time, Tests 021-107

TAPERED BORE SEAL HOT GASEOUS NITROGEN TESTING

Build 10 Assembly Pretest 108

The tester design was modified to incorporate a small disk on the end of the shaft in place of the dummy turbine wheel. Rebalancing of the system was performed and results indicated that the deflection was reduced to an acceptable value .0000508 to .00005588 m, (.0020 to .0022 in.) peak-to-peak by raising the critical speed above the operating point of 3036 rad/sec (29000 rpm). The shaft deflection was measured to be .00005588 m (.0022 in.) peak-to-peak.

The tester was assembled with the new tapered bore carbon insert seal rings and new seal housings. The seal ring to shaft sleeve diametral clearances at assembly are given below:

| | PUMP END SEAL-m (IN.) | | TURBINE END SEAL-m (IN.) | |
|-----------|-----------------------|------------------|--------------------------|-----------------|
| | INLET | OUTLET | INLET | OUTLET |
| PRIMARY | .0002921 (.0115) | .0002413 (.0095) | .00029972(.0118) | .0002413(.0095) |
| SECONDARY | .0002032 (.0080) | .00017526(.0069) | .0002413 (.0095) | .0001778(.0070) |

Pretest 108 static leakage tests using ambient temperature gaseous nitrogen at 3447378 n/m² (500 psi) increments from 3447378 to 19994795 n/m² (500 to 2900 psig) was measured. Higher pressure could not be obtained due to facility flow limitations. The results are given in Table 12 .

Test 108 to 111

Test Points 1 through 4 of the hot gaseous nitrogen checkout test series was performed for a total of 10-minute test time. The hot gas pressure was increased in 3447378 n/m² (500 psi) increments from 3447378 to 13789514 n/m² (500 to 2999 psig) at 3036 rad/sec (29000 rpm). Each test was started at 533 K (500 F) and 3447372 n/m² (50 psig). The temperature gradually decreased during the test to approximately 395 K (250 F) due to limited capacity of the heat exchanger. The pressure was increased to the test value after the tester was up to speed. The results are given in Table 12.

The seal performance was satisfactory, except the measured leakage was higher than expected. The results indicate that the operating clearance gap is larger than the theoretical prediction. The measured leakage varied from .1265 kg/sec (.279 lb/sec) at 3619747 n/m² (525 psig) to .3823 kg/sec (.843 lb/sec) at 1344476 n/m² (1950 psig).

Build 10 Disassembly Posttest 111

Inspection revealed the seals to be in good condition. There was no significant wear, except for the turbine end secondary ring bearing pad. The pad was worn

.00009398 m (.0037 in.) on one side. The inspection summary is given in Table 10. The calculated wear from the pre and post test measurements is given below: (negative wear is result of measurement tolerances)

| PUMP END SEAL WEAR-m (IN.) | | | | |
|----------------------------|----------|--------------------|--------------------|-------------------|
| | POSITION | INLET | OUTLET | PAD |
| PRIMARY | 1 | -.0000127(-.0005) | -.00001016(-.0004) | -.0000127(-.0005) |
| | 2 | -.00002032(-.0008) | 0 | 0 |
| | 3 | -.0000228 (-.0009) | -.0000050 (-.0002) | -.0000127(-.0005) |
| SECONDARY | 1 | -.0000025 (-.0001) | -.0000152 (-.0006) | --- |
| | 2 | -.0000177 (-.0007) | -.0000076 (-.0003) | --- |
| | 3 | -.0000177 (-.0007) | -.0000279 (-.0011) | --- |

| TURBINE END SEAL WEAR - m (IN.) | | | | |
|---------------------------------|----------|--------------------|--------------------|------------------|
| | POSITION | INLET | OUTLET | PAD |
| PRIMARY | 1 | -.0000101 (-.0004) | .0000127(.0005) | .0000203 (.0008) |
| | 2 | -.0000177 (-.0007) | .0000101 (.0004) | .0000254(.0010) |
| | 3 | -.0000736 (-.0029) | -.0000025 (-.0001) | .0000025 (.0001) |
| SECONDARY | 1 | -.0000635(-.0025) | .0000431 (-.0017) | .0000939 (.0037) |
| | 2 | -.0000431 (-.0017) | -.0000076 (-.0003) | .0000304 (.0012) |
| | 3 | -.0000431 (-.0017) | -.0000127(-.0005) | .0000101 (.0004) |

The surface profile traces of the seal ring inside diameters and the shaft sleeve surface at the seal ring locations indicate no measurable wear.

Build 11 Assembly Pretest 112

The tester was reassembled with the same hardware that was used on Build 10. No rework or modifications were made.

Tests 112 Through 115

Test points 5 through 8 of the hot gaseous nitrogen checkout test series were performed. The hot gas pressure was increased in 3447378 n/m^2 (500 psi)

increments from 17236893 to 24131650 n/m² (2500 to 3500 psig) at 533 K (500 F) and 3036 rad/sec (29000 rpm). The results are given in Table 12.

The seal performance was satisfactory, except the measured leakage was higher than expected.

The results indicate that the operating gap is larger than predicted, apparently due to the pressure deflection of the seal ring being less than predicted and/or the thermal growth of the shaft being less than predicted. The most probable cause of the larger gap is the seal ring heating up and expanding radially outward faster than the shaft due to the smaller mass. The data points are taken at the beginning of the test where the gas temperature is maximum. Since the gas temperature gradually decreases during the test, steady-state thermal conditions are not obtained. The measured leakage varied from .5066 kg/sec (1.117 lb/sec) at 17064524 n/m² (2475 psig) to .6581 kg/sec (1.451 lb/sec).

Build 11 Disassembly Posttest 115

Inspection revealed the seals to be in good condition with negligible wear, except for the turbine end secondary seal. The bearing pad was worn tapered across the ring with .0002311 m (.0091 in.) wear on one side and negligible wear on the opposite side. The tapered carbon bore was worn from .0000152 to .0000685 m (.0006 to .0027 in.) diametral on the smaller outlet side. The mating ring sleeve surface was worn .000000635 to .000001524 m (.000025 to .000060 in.). The hardware condition is shown in Fig. 65 through 73. The inspection summary is given in Table 10. The calculated wear from the pre- and posttest measurements is given below: (negative wear is result of measurement tolerances)

| PUMP END SEAL WEAR - m (IN.) | | | | |
|------------------------------|----------|--------------------|--------------------|--------------------|
| | POSITION | INLET | OUTLET | PAD |
| PRIMARY | 1 | -.0000101 (-.0004) | .0000025 (.0001) | .0000025 (.0001) |
| | 2 | -.0000025 (-.0001) | .0000050 (.0002) | -.0000406 (-.0016) |
| | 3 | .0000050 (.0002) | 0 | -.0000279 (-.0011) |
| SECONDARY | 1 | 0 | .0000152 (.0006) | .0000279 (.0011) |
| | 2 | -.0000177 (-.0007) | -.0000050 (-.0002) | -.0000152 (-.0006) |
| | 3 | -.0000152 (-.0006) | .0000050 (.0002) | .0000127 (.0005) |




Figure 65. Pump End Primary Seal, P/N 7R0011525, S/N 047906,
Build 11, Posttest 115




Figure 66. Pump End Secondary Seal, P/N 7R0011526, S/N 047902,
Build 11, Posttest 115




Figure 67. Turbine End Primary Seal, P/N 7R0011525, S/N 047901,
Build 11, Posttest 115




Figure 68. Turbine End Secondary Seal, P/N 7R0011526, S/N 047901,
Build 11, Posttest 115



LXY55-7/31/70-C1F

Figure 69. Pump End Primary Seal Ring, P/N 7R0011525, S/N 047906,
Build 11, Posttest 115




1XY55-7/31/79-C1G

Figure 70. Pump End Secondary Seal Ring, P/N 7R0011526, S/N 047902,
Build 11, Posttest 115




LXY55-7/31/79-C11

Figure 71. Turbine End Primary Seal Ring, P/N 7R0011525, S/N 047901,
Build 11, Posttest 115



1XY55-7/31/79-C1H

Figure 72. Turbine End Secondary Seal Ring, P/N 7R0011526, S/N 047901,
Build 11, Posttest 115



PUMP SIDE

TURBINE SIDE

Figure 73. Mating Ring Sleeve, P/N RS005092X-005, S/N 4
Build 11, Posttest 115

| TURBINE END SEAL WEAR - m (IN.) | | | | |
|---------------------------------|----------|--------------------|--------------------|--------------------|
| | POSITION | INLET | OUTLET | PAD |
| PRIMARY | 1 | -.0000076 (-.0003) | -.0000127(-.0005) | .0000177 (.0007) |
| | 2 | -.0000203 (-.0008) | -.0000076 (-.0003) | .0000177 (.0007) |
| | 3 | .0000533 (.0021) | -.0000050 (-.0002) | .0000406 (.0016) |
| SECONDARY | 1 | .0000812 (.0032) | .0000685 (.0027) | .0002311 (.0091) |
| | 2 | -.0000254(-.0010) | .0000406 (.0016) | -.0000177 (-.0007) |
| | 3 | -.0000152 (-.0006) | .0000152 (.0006) | .0000025 (.0001) |

The surface profile traces of the seal ring inside diameters indicate no significant wear. The surface profile traces of the mating ring sleeve at the seal contact locations also indicate no significant wear except for slight erosion at the turbine end secondary seal location. The surface profile traces are shown in Fig. 74 through 79. The seal hardware was in satisfactory condition to be used for the acceleration test series.

Discussion - Builds 10 and 11

The static seal leakage using ambient temperature gaseous nitrogen was measured pretest 108 at 3447378 n/m² (500 psi) increments from 3447378 to 19994795 n/m² (500 to 2900 psig). The results are given in Table 12. The total leakage varied from .136 kg/sec (3 lb/sec) at 3447378 n/m² (500 psig) to .8164 kg/sec (1.8 lb/sec) at 19994795 n/m² (2900 psig). The leakage on both seals was approximately the same.

A total of 8 Schedule II tests for 21.1 minutes was performed at 3447378 n/m² (500 psi) pressure increments from 3447378 to 24131650 n/m² (500 to 3500 psig) at 533 K (500 F) and 3036 rad/sec (29000 rpm). The seals were inspected after the first four tests and at completion. The seals were in good condition with negligible wear, except for the turbine end secondary seal. The bearing pad was worn .00023114 m (.009 in.) and the carbon bore was worn .0000152 to .0000685 m (.0006 to .0027 in.). The mating ring sleeve surface was worn .000000635 to .000001524 m (.000025 to .000060 in.). The wear was attributed to large radial displacement of the tester shaft at the overhung end. The test data summary is given in Table 12. The hardware summary is given in Table 7. The inspection summary is given in Table 10.




Figure 74. Surface Profile Trace Pump End, Primary Seal Ring, P/N 7R0011525, S/N 047906, Build 11, Posttest 115

8/1/79

7R0011526
S/N 047902
BUILD 11

MICROCODER
 LINEAR

"X"




Figure 75. Surface Profile Trace Pump End, Secondary Seal Ring,
P/N 7R0011526, S/N 047902, Build 11, Posttest 115




Figure 76. Surface Profile Trace Turbine End, Primary Seal Ring, P/N 7R0011525, S/N 047901, Build 11, Posttest 115






Figure 77. Surface Profile Trace Turbine End, Secondary Seal Ring, P/N 7R0011526, S/N 047901, Build 11, Posttest 115




PUMP END SECONDARY SEAL LOCATION




PUMP END PRIMARY SEAL LOCATION

Figure 78. Surface Profile Traces of Tester Mating Ring Sleeve Pump End, P/N RS005092X, S/N 4, Build 11, Posttest 115



TURBINE END SECONDARY SEAL LOCATION



TURBINE END PRIMARY SEAL LOCATION

Figure 79. Surface Profile Traces of Tester Mating Ring Sleeve Turbine End, P/N RS005092X, S/N 4, Build 11, Posttest 115

TAPERED BORE SEAL ACCELERATION TESTING

Build 12 Assembly Pretest 116

The tester was reassembled with the same seal hardware used on Build 11.

Tests 116 through 158

The hot gaseous nitrogen acceleration test series was initiated. The shaft speed was ramped to 3036 rad/sec (29000 rpm) in 10 seconds or less. The seal pressure was increased from 344737 to 24131650 n/m² (50 to 3500 psig) during the same period. The hot gas temperature was 533K (500 F) at start and gradually decayed to approximately 366K (200 F) at cutoff. A total of 43 tests of 2.5 minutes duration each for 107.5 minutes was performed. The results are given in Table 12.

The testing was terminated due to a sudden increase in vibration and leakage caused by a tester bearing failure. The seal performance was satisfactory with measured leakage rates from approximately .6350 to .7257 kgs/sec (1.4 to 1.6 lb/sec).

Build 12 Disassembly Posttest 158

Inspection revealed the turbine end tester bearing to be failed. The fiberglass-Teflon cage was broken-up and the balls were excessively worn. Investigation indicated that the cage failed due to softening caused by the high temperature at the turbine end of the tester. The tests utilized bearings which were originally designed for operation in liquid oxygen. Special silver-plated 4130 steel cages were fabricated as a replacement for the fiberglass-Teflon cages to withstand the high temperature.

The seals were in good condition with negligible wear, except for the turbine end secondary seal. The axial sealing dam and bearing pad was worn an additional .0003022 m (.0119 in.) for a total of .0003937 m (.0155 in.). The pad was worn with a taper across the ring. The pad height remaining was .0000635 m (.0025 in.) on one side and .00024892 m (.0098 in.) opposite. The carbon bore was worn .0001295 to .00027178 m (.0051 to .0107 in.) diametral on the inlet and .000076 to .0002463 m (.003 to .0097 in.) diametral on the outlet. The hardware condition is shown in Fig. 80 through 84. The inspection summary is



Figure 80. Pump End Primary Seal Ring, P/N 7R0011525, S/N 047906,
Build 12, Posttest 158



Figure 8L. Pump End Secondary Seal Ring, P/N 7R0011526, S/N 047902,
Build 12, Posttest 158




Figure 82. Turbine End Primary Seal Ring, P/N 7R0011525, S/N 047901,
Build 12, Posttest 158





Figure 83. Turbine End Secondary Seal Ring, P/N 7R0011526, S/N 047901,
Build 12, Posttest 158



PUMP END

TURBINE END

Figure 84. Mating Ring Sleeve, P/N RS005092X-005, S/N 4,
Build 12, Posttest 158

given in Table 10. The calculated wear from the pretest 116 and posttest 158 measurements is given below:

| PUMP END SEAL WEAR PRETEST 116 TO POST TEST 158-m (IN.) | | | | |
|---|---|--------------------|------------------|------------------|
| POSITION | | INLET | OUTLET | PAD |
| PRIMARY | 1 | -.0000101 (-.0004) | .0000304 (.0012) | .000025 (.0001) |
| | 2 | .0000152 (.0006) | .0000025 (.0001) | .0000304 (.0012) |
| | 3 | .0000076 (.0003) | .0000076 (.0003) | .0000330 (.0013) |
| SECONDARY | 1 | .0000025 (.0001) | .0000050 (.0002) | .0000025 (.0001) |
| | 2 | .0000127 (.0005) | 0 | .0000482 (.0019) |
| | 3 | .0000152 (.0006) | .0000076 (.0003) | .0000177 (.0007) |

| TURBINE END SEAL WEAR PRETEST 116 TO POST TEST 158-m (IN.) | | | | |
|--|---|------------------|------------------|--------------------|
| POSITION | | INLET | OUTLET | PAD |
| PRIMARY | 1 | .0000076 (.0003) | .0000101 (.0004) | 0 |
| | 2 | .0000355 (.0014) | .0000203 (.0008) | .0000050 (.0002) |
| | 3 | .0000203 (.0008) | .0000172 (.0006) | -.0000101 (-.0004) |
| SECONDARY | 1 | .0001651 (.0065) | .0001752 (.0069) | .0000685 (.0027) |
| | 2 | .0001295 (.0051) | .0000762 (.0030) | .0003022 (.0119) |
| | 3 | .0002717 (.0107) | .0002463 (.0097) | .0001955 (.0077) |

The surface profile traces (Fig. 85 through 88) of the tapered carbon seal ring inside diameters indicate the following wear from pretest 116 to posttest 158:

| | PUMP END | TURBINE END |
|-----------|------------------------|----------------------|
| PRIMARY | NONE | NONE |
| SECONDARY | .0000635m (.00025 in.) | .0000127 (.0005 in.) |

The surface profile traces of the shaft mating ring sleeve at the seal contact locations indicated no significant wear, except for the turbine end secondary seal which was worn .00000381 to .00000762m (.00015 to .00030 in.), (Fig. 89 and 90).




Figure 85. Surface Profile Trace Pump End, Primary Seal Ring,
 P/N 7R0011525, S/N 047906, Build 12, Posttest 158




Figure 86. Surface Profile Trace Pump End, Secondary Seal Ring,
P/N 7R0011526, S/N 047902, Build 12, Posttest 158




Figure 87. Surface Profile Trace Turbine End, Primary Seal Ring, P/N 7R0011525, S/N 047901, Build 12, Posttest 158






Figure 88. Surface Profile Trace Turbine End, Secondary Seal Ring,
 P/N 7R0011526, S/N 047901, Build 12, Posttest 158

ORIGINAL PAGE IS
 OF POOR QUALITY




PUMP END SECONDARY SEAL LOCATION




PUMP END PRIMARY SEAL LOCATION

Figure 89. Surface Profile Traces of Tester Mating Ring, Sleeve Pump End, P/N RS005092X, S/N 4, Build 12, Posttest 158



TURBINE END SECONDARY SEAL LOCATION



TURBINE END PRIMARY SEAL LOCATION

ORIGINAL PAGE IS
OF POOR QUALITY

Figure 90. Surface Profile Traces of Tester Mating Ring Sleeve Turbine End, P/N RS005092X, S/N 4, Build 12, Posttest 158

Build 13 Assembly Pretest 159

The tester was reassembled with the new tapered bore rings using the same housings as Build 12. A new shaft sleeve mating ring was installed. The seal ring to shaft sleeve diametral clearances at assembly are given below:

| | PUMP END SEAL-m (IN.) | | TURBINE END SEAL-m (IN.) | |
|-----------|-----------------------|------------------|--------------------------|------------------|
| | INLET | OUTLET | INLET | OUTLET |
| PRIMARY | .000241 (.0095) | .0002413 (.0095) | .0000289 (.0114) | .0002489 (.0098) |
| SECONDARY | .000220 (.0087) | .0001701 (.0067) | .0002413 (.0095) | .0001955 (.0077) |

Tests 159 through 218

The pretest static leakage using ambient temperature gaseous nitrogen was measured at 3447378 n/m² (500 psi) pressure increments from 3447378 to 19305320 n/m² (500 to 2800 psig). The leakage varied from .1723 kg/sec (.38 lb/sec) at 3447378 n/m² (500 psig) to .8536 kg/sec (1.882 lb/sec) at 19305320 n/m² (2800 psig). The results are given in Table 12.

The hot gaseous nitrogen acceleration test series was resumed with a new set of tapered bore carbon seal rings. The shaft speed was ramped to 3036 rad/sec (29000 rpm) in 10 seconds or less. The seal pressure was increased from 344737 to 24131650 n/m² (50 to 3500 psig) during the same period. The hot gas temperature was 533K (500 F) at start and gradually decayed to approximately 366K (200 F) at cutoff. A total of 60 tests for 150 minutes was performed to complete the test objective. The results are given in Table 12.

The seal performance was satisfactory with measured total leakage rates of .5896 to .6803 kg/sec (1.3 to 1.5 lb/sec) on the pump end seal and .6803 to .7257 kg/sec (1.5 to 1.6 lb/sec) from start of test through 150 minutes of accumulated test time. The turbine end seal total leakage shows a gradual increase from .7257 to .7711 kg/sec (1.6 to 1.7 lb/sec) at start to .8164 to .861 kg/sec (1.8 to 1.9 lb/sec) at 150 minutes. The leakage data indicate no significant wear on the pump end seal and gradual wearing of the turbine end seal.

The seal drain pressure data versus test time show constant drain pressures on the pump end primary and secondary seal drains. The turbine end seal showed constant primary drain pressure and gradually increasing secondary drain pressure. The drain pressure data indicate no significant wear on the pump end primary seal, the pump secondary seal, and the turbine end primary seal. The data indicate gradual wearing of the turbine end secondary seal.

Build 13 Disassembly Posttest 218

The scheduled inspection after 2.5 hours accumulated test time revealed the seals to be in good condition with negligible wear, except for the turbine end secondary seal. The axial sealing dam and bearing pad was worn .000312 to .000391m (.0123 to .0154) in.). The carbon bore was worn 0 to .000149m (.0059 in.) diametral on the inlet and 0 to .0001905 m (.0075 in.) diametral on the outlet. The carbon was chipped around the outlet edge. The inspection summary is given in Table 10. The measured wear from Pretest 159 to posttest 218 is given below: (negative wear is a result of measurement tolerances)

| PUMP END SEAL WEAR-m (IN.) (TESTS 159 TO 218) | | | | |
|---|---|--------------------|------------------|--------------------|
| POSITION | | INLET DIA. | OUTLET DIA. | PAD |
| PRIMARY | 1 | .0000279 (.0011) | 0 | -.0000254 (-.0001) |
| | 2 | 0 | .0000431 (.0017) | -.0000101 (-.0004) |
| | 3 | .0000254 (.0010) | .0000457 (.0018) | .0000076 (.0003) |
| SECONDARY | 1 | -.0000101 (-.0004) | .0000050 (.0002) | .0000558 (.0022) |
| | 2 | .0000177 (.0007) | .0000330 (.0013) | .0000346 (.0053) |
| | 3 | .0000177 (.0007) | .0000304 (.0012) | .0001397 (.0055) |

| TURBINE END SEAL WEAR-m (IN.) (TESTS 159 TO 218) | | | | |
|--|---|--------------------|--------------------|--------------------|
| POSITION | | INLET DIA. | OUTLET DIA. | PAD |
| PRIMARY | 1 | .0000177 (.0007) | .0000482 (.0019) | .0000025 (.0001) |
| | 2 | .0000127 (.0005) | .0000304 (.0012) | .0000101 (-.0004) |
| | 3 | .0000025 (.0001) | .0000330 (.0013) | -.0000101 (-.0004) |
| SECONDARY | 1 | .0001041 (.0041) | .0001295 (.0051) | .0003911 (.0154) |
| | 2 | .0001498 (.0059) | .0001905 (.0075) | .0003403 (.0134) |
| | 3 | -.0000711 (-.0028) | -.0000279 (-.0011) | .0003124 (.0123) |

The surface profile traces of the tapered carbon seal ring inside diameters indicate the following radial wear from pretest 159 to posttest 218:

| POSITION | PUMP END-m (IN.) | TURBINE END-m (IN.) |
|-------------|-------------------|----------------------|
| PRIMARY 1 | .0000050 (.00020) | .000023875 (.000094) |
| 2 | .0000048 (.00019) | .000010414 (.00041) |
| 3 | .0000076 (.00030) | .000009144 (.00036) |
| SECONDARY 1 | .0000099 (.00039) | .00002286 (.00090) |
| 2 | .0000096 (.00038) | .000013208 (.00052) |
| 3 | .0000060 (.00024) | .00001524 (.00060) |

The surface profile traces of the shaft mating ring sleeve at the seal contact locations indicate no significant wear, except for the turbine end secondary seal which was worn .0000030 m (.00012 in.).

The tester bearings with the special silver-plated 4130 cages were in good condition.

At that point, it was determined that the gradual increase of the turbine end seal leakage was imposing high thrust conditions on the bearings and that a new bearing arrangement would be needed to prevent possible seal damage. The modified bearings arrangement was designed to absorb a greater thrust load on the shaft caused by the increased pressure in the turbine end secondary seal drain cavity.

Build 14 Assembly Pretest 219

The tester was reassembled with the same seal hardware as Build 13. The seal ring to shaft sleeve diametral clearances at assembly are given below:

| BUILD 14 PRETEST 219 DIAMETRAL CLEARANCE-m (IN.) | | | | |
|--|---------------------|---------------------|---------------------|----------------------|
| | PUMP END SEAL | | TURBINE END SEAL | |
| | INLET | OUTLET | INLET | OUTLET |
| PRIMARY | .0002667 (.0105) | .0002387 (.0094) | .0003098 (.0122) | .0002917 (.00118) |
| SECONDARY | .0002083 (.0082) | .0001727 (.0068) | .0003479 (.0137) | .0003276 (.0129) |

Tests 219 through 278

The pretest static leakage using ambient temperature gaseous nitrogen was measured at 3447378 n/m² (500 psi) pressure increments from 3447378 to 15168465 n/m² (500 to 2200 psig). The leakage varied from .1669 to .74162 kg/sec (.368 to 1.635 lb/sec) on the pump end seal and from .2494 to 1.2891 kg/sec (.55 to 2.842 lb/sec) on the turbine end seal. The results are given in Table 12.

The seal performance was satisfactory with measured total leakage rates of .6803 to .7257 kg/sec (1.5 to 1.6 lb/sec) on the pump end seal and .1711 to .861 kg/sec (1.7 to 1.9 lb/sec) on the turbine end seal (Table 12). The pump end seal leakage was nearly constant during the test series. The turbine end seal leakage generally shows an increasing trend. The leakage data indicate no significant wear on the pump end seal and gradual wearing of the turbine end seal.

The pump end seal primary and secondary drain cavity pressures were essentially constant during the test series (Table 12). The turbine end seal primary drain pressure generally decreased and the secondary drain pressure increased, indicating no significant wear on the primary seal and excessive wear on the secondary seal.

Build 14 Disassembly Posttest 278

The scheduled inspection after an additional 2.5 hours and total of 5.0 hours test time revealed the seals to be in satisfactory condition with negligible wear, except for the turbine end secondary seal. The axial sealing dam and bearing pad was worn completely off at one location. The axial wear was .0000228 to .0001219 m (.0009 to .0048 in.) on this build and .000414 to .0006908 m (.0163 to .0272 in.) total, indicating that most of the axial wear occurred during the first 2.5 hours. The axial wear apparently stopped after the dam and bearing pad was worn off, resulting in full contact on the axial surface of the seal ring. There was evidence of contact between the axial surface of the metal retainer band and the seal housing.

The turbine end secondary seal carbon bore was worn .000762 to .001036 m (.0300 to .0408 in.) diametral on the inlet and .0007874 to .0010718 m (.0310 to .0422 in.) diametral on the outlet during Build 14. The total bore wear is .0008864 to .0009652 m (.0249 to .0380 in.) diametral on the inlet and .00955 to .001044 m (.0376 to .0411 in.) diametral on the outlet, indicating that most of the bore wear occurred during this build.

The bore wear apparently increased excessively after the axial dam was worn off due to the greater unbalanced axial pressure force which increased the radial friction force and results in excessive rubbing at the bore. Seal bore rubbing occurs when the radial friction and inertia forces exceed the hydrostatic centering force.

The pump end secondary seal axial dam and bearing pad was worn .0000609 to .000154 m (.0024 to .0061 in.) on this build and .0001168 to .0002895 m (.0046 to .0114 in.) total. There was no bore wear.

The inspection summary is given in Table 10. The hardware summary is given in Table 7. The seal wear on Build 14 and the total wear is given below: (negative wear is a result of measurement tolerances)

| PUMP END SEAL BUILD 14 WEAR-m (IN.) (TESTS 219-278) | | | |
|---|-------------------|--------------------|--------------------|
| POSITION | INLET DIA. | OUTLET DIA. | PAD |
| PRIMARY 1 | .0000254 (-.0010) | .0000152 (.0006) | -.0000050 (-.0002) |
| | .0000101 (-.0004) | -.0000025 (-.0001) | .0000050 (.0002) |
| | .0000254 (-.0001) | 0 | -.0000101 (-.0004) |
| | | 0 | |
| SECONDARY 1 | .0000177 (-.0007) | -.0000254 (-.0010) | .0000609 (.0024) |
| | 0 | -.0000050 (-.0002) | .0001549 (.0061) |
| | 0 | | |
| 3 | .0000025 (.0001) | -.0000152 (-.0006) | .0001143 (.0045) |

| TURBINE END SEAL BUILD 14 WEAR | | (TESTS 219 THROUGH 278)-m (IN.) | | |
|--------------------------------|---|---------------------------------|------------------|------------------|
| POSITION | | INLET DIA. | OUTLET DIA. | PAD |
| PRIMARY | 1 | .0000254 (.0010) | .0000050 (.0002) | .0000101 (.0004) |
| | 2 | .0000076 (.0003) | .0000025 (.0001) | .0000127 (.0005) |
| | 3 | .0000152 (.0006) | .0000025 (.0001) | .0000076 (.0003) |
| SECONDARY | 1 | .0007823 (.0308) | .0008255 (.0325) | .0000228 (.0009) |
| | 2 | .000762 (.0300) | .0007874 (.0310) | .0001066 (.0042) |
| | 3 | .0010363 (.0408) | .0010718 (.0422) | .0001219 (.0048) |

| PUMP END SEAL TOTAL WEAR (TEST 159 THROUGH 278) m (IN.) | | | | |
|---|---|---------------------|--------------------|--------------------|
| POSITION | | INLET DIA. | OUTLET DIA. | PAD |
| PRIMARY | 1 | .0000025 (.0001) | .0000152 (.0006) | -.0000076 (-.0003) |
| | 2 | -.0000101 (-.00004) | .0000406 (.0016) | -.0000050 (-.0002) |
| | 3 | .0000228 (.0009) | .0000304 (.0012) | -.0000025 (-.0001) |
| SECONDARY | 1 | -.0000279 (-.0011) | -.0000203 (-.0008) | .0001168 (.0046) |
| | 2 | .0000177 (.0007) | .0000279 (.0011) | .0002895 (.0114) |
| | 3 | .0000203 (.0008) | .0000152 (.0006) | .000254 (.0100) |

| TURBINE END SEAL TOTAL WEAR (TESTS 159 THROUGH 278)-m (IN.) | | | | |
|---|---|------------------|------------------|------------------|
| POSITION | | INLET DIA. | OUTLET DIA. | PAD |
| PRIMARY | 1 | .0000431 (.0017) | .0000533 (.0021) | .0000127 (.0005) |
| | 2 | .0000203 (.0008) | .0000330 (.0013) | .0000025 (.0001) |
| | 3 | .0000177 (.0007) | .0000355 (.0014) | .0000025 (.0001) |
| SECONDARY | 1 | .0008864 (.0349) | .0009550 (.0376) | .0004140 (.0163) |
| | 2 | .0009118 (.0359) | .0009779 (.0385) | .0004470 (.0176) |
| | 3 | .0009652 (.0380) | .001044 (.0411) | .0004343 (.0171) |

The surface profile traces of the tapered carbon seal ring inside diameters indicate negligible wear on the pump end seal rings. The turbine end primary seal ring trace indicates a diverging taper with .0000317 m (.00125 in.) radial wear on this build and .0000635 m (.0025 in.) total radial wear. The turbine end secondary seal ring trace indicates a diverging taper with heavy wear at the

C-3

exit. The amount of wear cannot be determined because the reference diameter at the inlet is worn. The wear indicated by the profile traces is given below:

| CARBON BORE PROFILE TRACE WEAR (TESTS 219 THROUGH 278)-m (IN.) | | |
|--|----------|-------------------|
| POSITION | PUMP END | TURBINE END |
| PRIMARY 1 | NONE | .0000317 (.00125) |
| | NONE | .0000154 (.00061) |
| | NONE | .0000063 (.00025) |
| SECONDARY 1 | NONE | .0000086 (.00034) |
| | NONE | .0000093 (.00037) |
| | NONE | .0000048 (.00019) |

The surface profile traces of the shaft mating ring sleeve at the seal contact locations indicate no significant wear, except for the turbine end secondary seal which was worn an additional .00003302 m (.0013 in.) during this build and .00003556 m (.0014 in.) total.

Build 15 Assembly Pretest 279

The tester was reassembled with the same seal hardware as Build 14. The seal ring to shaft diametral clearances at assembly are given below:

| | PUMP END SEAL-m (IN.) | | TURBINE END SEAL-m (IN.) | |
|-----------|-----------------------|------------------|--------------------------|------------------|
| | INLET | OUTLET | INLET | OUTLET |
| PRIMARY | .0002489 (.0098) | .0002616 (.0103) | .0003378 (.0133) | .000307 (.0121) |
| SECONDARY | .0001981 (.0078) | .0001549 (.0061) | .0011328 (.0446) | .0011557 (.0455) |

Tests 279 through 297

The hot gaseous nitrogen acceleration test series was resumed with the same seal hardware as Build 14. The shaft speed was ramped to 3036.88 rad/sec (29,000 rpm) in 10 seconds or less. The seal pressure was increased from 344737.86 to 24131650.2 n/m² (50 to 3500 psig) during the same period. The hot gas temperature was 533.15K (500 F) at start and gradually decayed to approximately 338.7K (150 F) at cutoff. A total of 19 test for 47.5 minutes was performed to complete the test objective of 7.5 hours. The results are given in Table 12.

The seal performance was satisfactory with measured total leakage rates of .63503 to .72574 kg/sec (1.4 to 1.6 lb/sec) on the pump end seal and .7711 to

.95254 kg/sec (1.7 to 2.1 lb/sec) on the turbine end seal (Table 12). The leakage rates adjusted to 24131640.2 n/m^2 (3500 psig) inlet pressure (Fig. 91) show nearly constant total leakage for the pump end seal from start of test through 358 minutes of accumulated test time. The turbine end seal total leakage shows a gradual increase from .72574 to .7711 kg/sec (1.6 to 1.7 lb/sec) at start to .86182 to .909185 kg/sec (1.9 to 2.0 lb/sec) at 358 minutes. The leakage data indicate relatively little wear on the pump end seal and gradual wearing of the turbine end seal.

The seal drain pressure plots versus test time (Fig. 92) show nearly constant drain pressures on the pump end primary and secondary seal drains. The turbine end primary seal shows a decreasing drain pressure. The secondary seal drain pressure also shows a decrease. This decrease, however, is due to a different size nozzle placed on the drain outlet pipe. Once this different nozzle is accounted for the pressure was found to be gradually increasing. The drain pressure data indicate relatively little wear on the pump end primary seal, the pump end secondary seal and the turbine end secondary seal. Both seals maintained satisfactory drain pressures throughout the total accumulated test time.

Build 15 Disassembly Posttest 297

The scheduled inspection after 47.5 minutes or total of 7.5 hours revealed the seals to be in satisfactory condition. The pump end primary seal was in very good condition with little wear throughout the total accumulated test time. The pump end secondary seal axial sealing dam and bearing pad total wear was .0001371 to .0003327 m (.0054 to .0131 in.). The carbon bore showed negligible wear. Visual inspection of the pump end secondary seal showed some chipping on the downstream edge of the face at the carbon bore and contact pattern half-way across the bore on the downstream side.

The turbine end primary seal was in good condition with negligible wear. Visual inspection revealed a uniform rubbing contact pattern over 90% of the bore toward the downstream edge. The turbine end secondary seal was worn .0007035 to .0010134 m (.0277 to .0399 in.) diametral on the inlet and .0007848 to .0010566 m (.0309 to .0416 in.) diametral on the outlet. The axial sealing dam and bearing pad showed .0004038 to .0004673 m (.0159 to .0184 in.) wear. Visual inspection showed heavy rubbing contact across the bore and excessive chipping on the downstream edge of the bore. The bearing pads were completely worn off over one-third of the face and nearly all worn off over the remainder.

The fact that the turbine end seals consistently showed more wear than the pump end seals implies that the wear may be a result of shaft deflections which caused contact at the turbine end of the shaft sleeve. Supporting this is the fact that shaft sleeve total wear at the turbine end .0000385 m (.001518 in.), was far greater than at the pump end, .0000127 m (.0005 in.). The hardware condition is shown on Fig. 93 through 105. The inspection summary is given in




Figure 91. Tapered Bore Seal Total Leakage vs Test Time Tests 159-297




Figure 92. Tapered Bore Seal Drain Pressure vs Test Time, Tests 159-297




Figure 93. Pump End Primary Seal, P/N 7R0011525, S/N 047909, Build 15,
Posttest 297




Figure 94. Pump End Secondary Seal, P/N 7R0011526, S/N 047909, Build 15,
Posttest 297

ORIGINAL PAGE IS
OF POOR QUALITY




Figure 95. Turbine End Primary Seal, P/N 7R0011525, S/N 047907, Build 15,
Posttest 297




Figure 96. Turbine End Secondary Seal, P/N 7R0011526, S/N 047907, Build 15,
Posttest 297



Figure 97. Pump End Primary Seal Ring (Position 1), P/N 7R0011525,
S/N 047909, Build 15, Posttest 297



ORIGINAL PAGE IS
OF POOR QUALITY

Figure 98. Pump End Primary Seal Ring (Position 2), P/N 7R0011525,
S/N 047909, Build 15, Posttest 297




Figure 99. Pump End Secondary Seal Ring (Position 1), P/N 7R0011526,
S/N 047909, Build 1., Posttest 297



Figure 100. Pump End Secondary Seal Ring (Position 2), P/N 7R0011526,
S/N 047909, Build 15, Posttest 297



Figure 101. Turbine End Primary Seal Ring (Position 1), P/N 7R0011525,
S/N 047909, Build 15, Posttest 297



Figure 102. Turbine End Primary Seal Ring (Position 2), P/N 7R0011525,
S/N 047907, Build 15, Posttest 297

ORIGINAL PAGE IS
OF POOR QUALITY




Figure 103. Turbine End Secondary Seal Ring (Position 1), P/N 7R00011526,
S/N, 047907, Build 15, Posttest 297





Figure 104. Turbine End Secondary Seal Ring (Position 2), P/N 7R00011526,
S/N, 047907, Build 15, Posttest 297



PUMP END

TURBINE END

Figure 105. Mating Ring Sleeve, P/N RS005092X-005, S/N 1, Build 15, Posttest 297

Table 10. The measured total wear from pretest 159 to post test 297 is given below: (negative wear is a result of measurement tolerances)

| PUMP END SEAL TOTAL WEAR (TESTS 159 THROUGH 297)-m (IN.) | | | | |
|--|------------|--------------------|------------------|--------------------|
| POSITION | INLET DIA. | OUTLET DIA. | PAD | |
| PRIMARY | 1 | .0000300 (.0013) | .0000040 (.0002) | -.0000076 (-.0003) |
| | 2 | .0000330 (-.0013) | .0000025 (.0001) | -.0000177 (-.0007) |
| | 3 | .0000152 (.0006) | .0000381 (.0015) | -.0000050 (-.0002) |
| SECONDARY | 1 | -.0000558 (-.0022) | .0000101 (.0004) | .0001371 (.0054) |
| | 2 | .0000025 (.0001) | .0000330 (.0013) | .0003327 (.0131) |
| | 3 | .0000127 (.0005) | .0000127 (.0005) | .0002286 (.0090) |

| TURBINE END SEAL TOTAL WEAR (TESTS 159 THROUGH 297)-m (IN.) | | | | |
|---|------------|-------------------|------------------|--------------------|
| POSITION | INLET DIA. | OUTLET DIA. | PAD | |
| PRIMARY | 1 | .0000050 (.0002) | .0000300 (.0013) | .0000127 (.0005) |
| | 2 | .0000050 (.0002) | .0000228 (.0009) | .0000076 (.0003) |
| | 3 | .0000101 (-.0004) | .0000254 (.0010) | -.0000025 (-.0001) |
| SECONDARY | 1 | .0010134 (.0399) | .0010566 (.0416) | .0004038 (.0159) |
| | 2 | .0008728 (.0346) | .0009118 (.0359) | .0004673 (.0184) |
| | 3 | .0007035 (.0277) | .0007848 (.0309) | .0004572 (.0180) |

The measured wear on Build 15 from Posttest 278 to Posttest 297 is as follows:

| PUMP END SEAL BUILD 15 WEAR (TESTS 279 THROUGH 297)-m (IN.) | | | | |
|---|------------|--------------------|--------------------|--------------------|
| POSITION | INLET DIA. | OUTLET DIA. | PAD | |
| PRIMARY | 1 | .0000304 (.0012) | -.0000101 (-.0004) | 0 |
| | 2 | -.0000225 (-.0009) | -.0000381 (-.0015) | -.0000127 (-.0005) |
| | 3 | -.0000076 (-.0003) | -.0000076 (-.0003) | -.0000025 (-.0001) |
| SECONDARY | 1 | -.0000381 (-.0015) | .0000304 (.0012) | .0000203 (.0008) |
| | 2 | -.0000152 (-.0006) | .0000050 (.0002) | .0000431 (.0017) |
| | 3 | -.0000076 (-.0003) | -.0000025 (-.0001) | -.0000254 (-.0010) |

| TURBINE END SEAL BUILD 15 WEAR (TESTS 279 THROUGH 297)-m (IN.) | | | |
|--|------------|--------------------|--------------------|
| POSITION | INLET DIA. | OUTLET DIA. | PAD |
| PRIMARY | 1 | -.0000381 (-.0015) | 0 |
| | 2 | -.0000152 (-.0006) | .0000050 (.0002) |
| | 3 | -.0000279 (-.0011) | 0 |
| SECONDARY | 1 | .000127 (.0050) | -.0000101 (-.0004) |
| | 2 | -.0000279 (-.0011) | .0000203 (.0008) |
| | 3 | -.0002616 (-.0103) | .0000228 (.0009) |

Surface Profile traces (Fig.106 through109) of the tapered carbon seal ring indicate the following radial wear from posttest 278 to posttest 297:

| POSITION | PUMP END-m (IN.) | TURBINE END-m (IN.) |
|-----------|------------------|---------------------|
| PRIMARY | 1 | .0000031 (.000125) |
| | 2 | .0000031 (.000125) |
| | 3 | .0000019 (.000078) |
| SECONDARY | 1 | .0000015 (.000062) |
| | 2 | NO WEAR |
| | 3 | .0000015 (.000062) |

The surface profile traces of the shaft mating ring sleeve at the seal contact locations (Fig.110 and111) indicate no significant wear except for the turbine end secondary seal which was worn .0000385 m (.001518 in.), after the total test time.

Build 16 Assembly Pretest 298

The tester was reassembled with all new hardware including a new seal housing and shaft sleeve as well as new seal rings. The seal ring to shaft sleeve diametral clearances at assembly are given below:

| | PUMP END SEAL-m (IN.) | | TURBINE END SEAL-m (IN.) | |
|-----------|-----------------------|------------------|--------------------------|------------------|
| | INLET | OUTLET | INLET | OUTLET |
| PRIMARY | .0002895 (.0114) | .0002489 (.0098) | .0000228 (.0090) | .0002641 (.0104) |
| SECONDARY | .0002032 (.0080) | .0001651 (.0065) | .0002235 (.0088) | .0001778 (.0070) |




Figure 106. Surface Profile Trace Pump End Primary Seal Ring, P/N 7R0011525, S/N 047909 Build 15, Posttest 297




Figure 107. Surface Profile Trace Pump End Secondary Seal Ring, P/N 7R0011526, S/N 047909, Build 15, Posttest 297




Figure 108. Surface Profile Trace Turbine End Primary Seal Ring, P/N 7R0011525, S/N 047907, Build 15, Posttest 297

ORIGINAL PAGE IS
OF POOR QUALITY






Figure 109. Surface Profile Trace Turbine End Secondary Seal Ring, P/N 7R0011526, S/N 047907, Build 15, Posttest 297




PUMP END SECONDARY SEAL LOCATION




PUMP END PRIMARY SEAL LOCATION

Figure 110. Surface Profile Traces of Tester Mating Ring Sleeve Pump End, P/N RS005092X. S/N 1, Build 15, Posttest 297



TURBINE END SECONDARY SEAL LOCATION



TURBINE END PRIMARY SEAL LOCATION

Figure 111. Surface Profile Traces of Tester Mating Ring Sleeve Turbine End, P/N RS005092X, S/N 1, Build 15, Posttest 297

Tests 298 through 357

The pretest static leakage using ambient temperature gaseous nitrogen was measured at 3447378 n/m^2 (500 psi) pressure increments from 2757902 to 17236893 n/m^2 (400 to 2500 psig). The leakage varied from .1279 kg/sec (.282 lb/sec) at 2757902 n/m^2 (400 psig) to .8278 kg/sec (1.825 lb/sec) at 17236893 n/m^2 (2500 psig). The results are given in Table 12.

The Hot Gaseous Nitrogen Acceleration test series was resumed with a new set of tapered bore carbon seal rings. The shaft speed was ramped to 3036 rad/sec (29,000 rpm) in 10 seconds or less. The seal pressure was increased from 34473796 to 24131650 n/m^2 (50 to 3500 psig) during the same period. The hot gas temperature was 533K(500 F) at start and gradually decayed to approximately 338K (150 F) at cutoff. A total of 60 tests for 150 minutes was performed to complete the test objective. The results are given in Table 12.

The seal performance was satisfactory with measured total leakage rates of .6350 to .7257 kg/sec (1.4 to 1.6 lb/sec) on the pump end seal and .6350 to .7711 kg/sec (1.4 to 1.7 lb/sec) on the turbine end seal (Table 12). The leakage rates show nearly constant total leakage for the pump end seal of .6803 to .7257 kg/sec (1.5 to 1.6 lb/sec) from start of test through 150 minutes of accumulated test time. The turbine end seal total leakage shows a gradual increase from .6350 to .7257 kg/sec (1.4 to 1.6 lb/sec) at start to .6803 to .7711 kg/sec (1.5 to 1.7 lb/sec) at 150 minutes. The leakage data indicate no significant wear on the pump end seal and gradual wearing of the turbine end seal.

The measured seal drain pressures (Table 12) show fairly constant drain pressures on the pump end primary and secondary seal drains. The turbine end seal showed constant primary drain pressure and gradually increasing secondary drain pressure. The drain pressure data indicate no significant wear on the pump end primary seal, the pump end secondary seal and the turbine end primary seal. The data indicate gradual wearing of the turbine end secondary seal.

Build 16 Disassembly Posttest 357

The scheduled inspection after 2.5 hours accumulated test time revealed the seals to be in good condition with negligible wear, except for the turbine end secondary seal. The axial sealing dam and bearing pad was worn .0002819 to .0003886 m (.0111 to .0153 in.). The carbon bore was worn 0 to .0003965 m (.0038 in.) diametral on the inlet and 0 to .0000990 m (.0039 in.) diametral on the outlet.

The inspection summary is given in Table 10. The hardware summary is given in Table 7. The measured wear from Pretest 297 to posttest 357 is given below:

| PUMP END SEAL BUILD 16 WEAR (TESTS 298 THROUGH 357)-m (IN.) | | | |
|---|------------|--------------------|------------------|
| POSITION | INLET DIA. | OUTLET DIA. | PAD |
| PRIMARY | 1 | -.0000025 (-.0001) | .0000050 (.0002) |
| | 2 | -.0000152 (-.0006) | .0000127 (.0005) |
| | 3 | -.0000050 (-.0002) | .0000101 (.0004) |
| SECONDARY | 1 | 0 | .0000127 (.0005) |
| | 2 | .0000254 (.0010) | .0000279 (.0011) |
| | 3 | -.0000228 (-.0009) | .0000330 (.0013) |

| TURBINE END SEAL BUILD 16 WEAR (TESTS 298 THROUGH 357)-m (IN.) | | | |
|--|------------|--------------------|--------------------|
| POSITION | INLET DIA. | OUTLET DIA. | PAD |
| PRIMARY | 1 | .0000254 (.0010) | .0000025 (.00010) |
| | 2 | .0000812 (.0032) | -.0000279 (-.0011) |
| | 3 | .0000279 (.0011) | -.0000431 (-.0017) |
| SECONDARY | 1 | -.0000300 (-.0013) | .0003860 (.0162) |
| | 2 | .0000152 (.0006) | .0000279 (.0011) |
| | 3 | .0000965 (.0038) | .0000990 (.0039) |

The surface profile traces of the shaft mating ring sleeve at the seal contact locations indicate no significant wear, except for the turbine end secondary seal which was worn .0000057 m (.000228 in.).

Build 17 Assembly Pretest 358

The tester was reassembled with the same seal hardware as Build 16. The seal ring to shaft sleeve diametral clearances at assembly are given below:

| | PUMP END SEAL-m (IN.) | | TURBINE END SEAL-m (IN.) | |
|-----------|-----------------------|------------------|--------------------------|------------------|
| | INLET | OUTLET | INLET | OUTLET |
| PRIMARY | .0002692 (.0106) | .0002286 (.0090) | .0002362 (.0093) | .0002489 (.0098) |
| SECONDARY | .0001854 (.0073) | .0001600 (.0063) | .0001727 (.0068) | .0001524 (.0060) |

Tests 358 through 417

The Hot Gaseous Nitrogen Acceleration Test series was resumed with the same seal hardware as Build 16. The shaft speed was ramped to 3036 rad/sec (29,000 rpm) in 10 seconds or less. The seal pressure was increased from 344737 to 24131650 n/m² (50 to 3500 psig) during the same period. The hot gas temperature was 533K (500 F) at start and gradually decayed to approximately 338K (150 F) at cutoff. A total of 60 tests for 150 minutes (2.5 hours) was performed to complete the test objective. The results are given in Table 12.

The seal performance was satisfactory with measured total leakage rates of .6350 to .7711 kg/sec (1.4 to 1.7 lb/sec) on the pump end seal and .5896 to .7257 kg/sec (1.3 to 1.6 lb/sec) on the turbine end seal (Table 12).

The leakage rates adjusted to 24131650 n/m² (3500 psig) inlet pressure show gradually increasing leakage for the pump end seal from .6350 to .6803 kg/sec (1.4 to 1.5 lb/sec) at start to .6803 to .7711 kg/sec (1.5 to 1.7 lb/sec) at 300 minutes total accumulated test time. The turbine end leakage shows a cyclical but gradually increasing pattern from .6350 to .6803 kg/sec (1.4 to 1.5 lb/sec) at start to .6803 to .7257 kg/sec (1.5 to 1.6 lb/sec) at 300 minutes total test time. The leakage data indicate gradual wearing of both the turbine end and the pump end seals.

The seal drain pressure data versus test time show nearly constant drain pressure in the pump end primary and turbine end primary drains. The pump end secondary and the turbine end secondary drain pressure both show a slight but gradual increase from start of test through 300 minutes total test time. The data indicate no significant wear of the pump end primary and the turbine end primary seals, and gradual wearing of the pump end secondary and the turbine end secondary seals.

Build 17 Disassembly Posttest 417

The scheduled inspection after 5 hours accumulated test time revealed the seals to be in satisfactory condition. The pump end primary seal was in very good condition with little wear throughout the total accumulated test time. The pump end secondary seal axial sealing dam and bearing pad total wear was .000231 to .0002845 m (.0091 to .0114 in.). The carbon bore was worn .0000838 to .000193 m (.0033 to .0076 in.) diametral on the inlet and 0 to .0002362 m (.0093 in.) diametral on the outlet. Visual inspection of the pump end secondary seal showed some chipping on the downstream edge of the carbon bore at the face and polishing halfway across the bore on the downstream side.

The turbine end primary seal was in good condition with negligible wear. Visual inspection revealed a uniform rubbing contact pattern halfway across the bore on the downstream side. The turbine end secondary seal carbon bore was worn .0000025 to .0001143 m (.0001 to .0045 in.) diametral on the inlet and .0000685 to .0001473 m (.0027 to .0058 in.) diametral on the outlet. The axial sealing dam and bearing pad showed .000345 to .0003835 m (.0136 to .0151 in.) wear. Visual inspection showed uniform rubbing contact across the bore and chipping

around the outlet edge. The bearing pads were almost totally worn off. The inspection summary is given in Table 10. The hardware summary is given in Table 7. The measured total wear from pretest 298 to posttest 417 is given below: (negative wear is a result of measurement tolerances)

| PUMP END SEAL TOTAL WEAR (TESTS 298 THROUGH 417)-m (IN.) | | | |
|--|--------------------|--------------------|------------------|
| POSITION | INLET DIA. | OUTLET DIA. | PAD |
| PRIMARY | 1 .0000279 (.0011) | .0000330 (.0013) | .0002354 (.0010) |
| | 2 .0000025 (.0001) | -.0000304 (-.0012) | .0000177 (.0007) |
| | 3 .0000406 (.0016) | -.0000076 (-.0003) | .0000101 (.0004) |
| SECONDARY | 1 .0001930 (.0076) | .0002362 (.0093) | .0003657 (.0144) |
| | 2 .0000838 (.0033) | -.0000127 (-.0005) | .0002311 (.0091) |
| | 3 .0000863 (.0034) | .0001473 (.0058) | .000320 (.0126) |

| TURBINE END SEAL TOTAL WEAR (TESTS 298 THROUGH 417)-m (IN.) | | | |
|---|----------------------|--------------------|--------------------|
| POSITION | INLET DIA. | OUTLET DIA. | PAD |
| PRIMARY | 1 -.0000203 (-.0008) | .0000203 (.0008) | -.0000050 (-.0002) |
| | 2 -.0001371 (-.0054) | -.0000609 (-.0024) | .0000076 (.0003) |
| | 3 -.0000508 (-.0020) | .0000228 (.0009) | .0000228 (.0009) |
| SECONDARY | 1 .0001143 (.0045) | .0001473 (.0058) | .0003454 (.0136) |
| | 2 .0000025 (.0001) | .0000685 (.0027) | .0003854 (.0151) |
| | 3 .0000330 (.0013) | .0000914 (.0036) | .0003632 (.0143) |

The measured wear on Build 17 from Post Test 357 to 417 is as follows:

| PUMP END SEAL BUILD 17 WEAR (TESTS 358 THROUGH 417)-m (IN.) | | | |
|---|----------------------|--------------------|--------------------|
| POSITION | INLET DIA. | OUTLET DIA. | PAD |
| PRIMARY | 1 -.0000304 (-.0012) | .0000508 (.0020) | -.0000177 (-.0007) |
| | 2 -.0000355 (-.0014) | -.0000101 (-.0004) | -.0000381 (-.0015) |
| | 3 -.0000076 (-.0003) | .0000177 (.0007) | .0000431 (-.0017) |
| SECONDARY | 1 .0002260 (.0089) | .0002362 (.0093) | .0030226 (.0019) |
| | 2 .000127 (.0035) | -.0000279 (-.0011) | .0001879 (.0074) |
| | 3 .0000990 (.0039) | .0016764 (.0066) | .0002896 (.0114) |

TURBINE END SEAL BUILD 17 WEAR (TESTS 358-417)-m (IN.)

| POSITION | INLET DIA. | OUTLET DIA. | PAD |
|-------------|--------------------|--------------------|--------------------|
| PRIMARY 1 | .0000152 (.0006) | .0000025 (.0001) | .0000177 (.0007) |
| 2 | -.0001651 (-.0065) | -.0000406 (-.0016) | .0000355 (.0014) |
| 3 | -.0000254 (-.0010) | .0000457 (.0018) | .0000533 (.0021) |
| SECONDARY 1 | .000127 (.0050) | .0001422 (.0056) | -.0000431 (-.0017) |
| 2 | -.0000431 (-.0017) | .0000279 (.0011) | .0000990 (.0039) |
| 3 | -.0000533 (-.0021) | .0000025 (.0001) | -.0000279 (-.0011) |

Surface profile traces of the tapered carbon seal ring revealed the following radial wear from Pretest 298 to Posttest 417:

| POSITION | PUMP END-m (IN.) | TURBINE END-m (IN.) |
|-------------|--------------------|---------------------|
| PRIMARY 1 | .0000087 (.000343) | .0000063 (.000250) |
| 2 | .0000064 (.000255) | .0000063 (.000250) |
| 3 | .0000067 (.000265) | .0000031 (.000125) |
| SECONDARY 1 | NEGLIGIBLE | .0000087 (.000343) |
| 2 | NEGLIGIBLE | .0000035 (.000140) |
| 3 | .0000063 (.000250) | .00000553 (.000218) |

The surface profile traces of the shaft mating ring sleeve at the seal contact locations indicate no significant wear except for the turbine end secondary seal which was worn .0000028m (.0001125 in.) after 5 hours of test time. A ring of carbon residue build up had formed in between the pump end primary and the pump end secondary seal locations as indicated on the pump end surface profile trace.

Build 18 Assembly Pretest 418

The tester was reassembled with the same seal hardware as Build 17. The seal ring to shaft sleeve diametral clearances at assembly are given below:

| | PUMP END SEAL-m (IN.) | | TURBINE END SEAL-m (IN.) | |
|-----------|-----------------------|------------------|--------------------------|------------------|
| | INLET | OUTLET | INLET | OUTLET |
| PRIMARY | .0002676 (.0103) | .0003022 (.0119) | .0002743 (.0108) | .0002743 (.0108) |
| SECONDARY | .0004216 (.0166) | .0004191 (.0165) | .0003225 (.0127) | .0003175 (.0125) |

Tests 418 through 421

The hot gaseous nitrogen acceleration test series was resumed with the same seal hardware as Build 17. The shaft speed was ramped to 3036 rad/sec (29000 rpm) in 10 seconds or less. The seal pressure was increased from 344737 to 24131650 n/m² (50 to 3500 psig) during the same period. The hot gas temperature was 533K (500 F) at start and gradually decayed to approximately 338K (150 F) at cutoff. A total of four tests for 10 minutes were performed. Further testing was delayed pending repair of the facility LN₂ pump. The results are given in Table 12 .

The seal performance was satisfactory with measured total leakage rates of .6350 to .6803 kg/sec (1.4 to 1.5 lb/sec) on the pump end seal and .5896 to .6803 kg/sec (1.3 to 1.5 lb/sec) on the turbine end seal (Table 12).

The leakage rates adjusted to 24131650 n/m² (3500 psig) inlet pressure show gradually increasing leakage for the pump end seal from .6350 to .6803 kg/sec (1.4 to 1.5 lb/sec) at start to .7257 to .7711 kg/sec (1.6 to 1.7 lb/sec) at 310 minutes total accumulated test time. The turbine end seal leakage shows a cyclical but gradually increasing pattern from .6350 to .6803 kg/sec (1.4 to 1.5 lb/sec) at start to .6803 to .7257 kg/sec (1.5 to 1.6 lb/sec) at 310 minutes total test time. The leakage data indicate gradual wearing of both turbine end and the pump end seals.

The seal drain pressure data versus test time show nearly constant drain pressure in the pump end primary and turbine end primary drains. The pump end secondary and the turbine end secondary drain pressure both show a slight but gradual increase from start of test through 310 minutes total test time. The data indicate no significant wear of the pump end primary and the turbine end primary seals, and gradual wearing of the pump and secondary and the turbine end secondary seals.

Build 18 Dissassembly Posttest 421

The seal tester was disassembled after 4 runs (10 minutes test time) due to problems with the facility LN₂ pumps. No posttest measurements were taken since the same hardware will be used to complete the test series.

Build 19 Assembly Pretest 422

The tester was reassembled with the same seal hardware as Build 18. No pretest measurements for this build were taken since Build 18 was discontinued after only four tests.

The shaft speed was ramped to 3036 rad/sec (29000 rpm) in 10 seconds or less. The seal pressure was increased from 344737 to 24131650 n/m² (50 to 3500 psig) during the same period. The hot gas temperature was 533K (500 F) at start and gradually decayed to approximately 338K (150 F) at cutoff. A total of 12 tests for 30 minutes was performed. Testing was discontinued due to problems with the facility LN₂ pump. Further testing was delayed pending repair of the LN₂ pump. The test results are given in Table 12.

The seal performance was satisfactory with measured total leakage rates of .6803 to .7711 kg/sec (1.5 to 1.7 lb/sec) on the pump end seal and .6350 to .7257 kg/sec (1.4 to 1.6 lb/sec) on turbine end seal (Table 12).

The leakage rates adjusted to 24131650 n/m² (3500 psig) inlet pressure show an increase in leakage for the pump end seal from .6350 to .6803 kg/sec (1.4 to 1.5 lb/sec) at start to .7257 to .7711 kg/sec (1.6 to 1.7 lb/sec) at 350 minutes total accumulated test time. The turbine end seal leakage shows a cyclical but gradually increasing pattern from .6350 to .6803 kg/sec (1.4 to 1.5 lb/sec) at start to .6803 to .7257 kg/sec (1.5 to 1.6 lb/sec) at 350 minutes total test time. The leakage data indicate gradual wearing of both the turbine end and the pump end seals.

The seal drain pressure data versus test time show nearly constant drain pressure in the pump end primary and turbine end primary drains. The pump end secondary and the turbine end secondary drain pressures both show a slight but gradual increase from start of testing through 350 minutes total test time.

The data indicate no significant wear of the pump end primary and the turbine end primary seals, and gradual wearing of the pump end secondary and turbine end secondary seals.

Build 19 - Disassembly Posttest 436

The seal tester was disassembled after 15 runs (37.5 minutes test time) due to problems with the facility LN₂ pumps. No post test measurements were taken since the same hardware will be used to complete the test series, once the pumps are repaired.

Build 20 - Assembly Pretest 437

The tester was reassembled using the same seal hardware as Build 19. No pretest measurements for Build 20 were taken due to the short duration of the Build 19 test series.

Tests 437 through 477

The hot gaseous nitrogen acceleration test series was resumed with the same seal hardware as Build 19. The shaft speed was ramped to 3036 rad/sec (29000 rpm) in ten seconds or less. The seal pressure was increased from 344737 to 24131650 n/m². (50 to 3500 psig) during the same period. The hot gas temperature was 533K (500 F) at start and gradually decayed to approximately 338K (150 F) at cutoff. A total of 41 tests for 102.5 minutes was performed. An instrumentation problem invalidated leakage data obtained for the first 23 tests; however, the situation was corrected and acceptable data was obtained for the subsequent tests. The results are given in Table 12.

The seal performance was satisfactory with measured total leakage rates of .7257 to .7711 kg/sec (1.6 to 1.7 lb/sec) on the pump end seal and .6350 to .7257 kg/sec (1.4 to 1.6 lb/sec) on the turbine end seal (Table 12). The leakage rates adjusted to 24131650 n/m² (3500 psig) inlet pressure (Fig. 112) show gradually increasing leakage for the pump end seal from .6350 to .6803 kg/sec (1.4 to 1.5 lb/sec) at start of test to .7257 to .7711 kg/sec (1.6 to 1.7 lb/sec) at 450 minutes accumulated test time. The turbine end seal total leakage shows a cyclical, but gradually increasing pattern from .6350 to .5896 kg/sec (1.4 to 1.3 lb/sec) at start to .6350 to .7257 kg/sec (1.4 to 1.6 lb/sec) at 450 minutes total test time. The leakage data indicate gradual wearing of both the turbine end and the pump end seals.

The seal drain pressure plots versus test time (Fig. 113) show nearly constant drain pressure in the pump end primary and the turbine end primary drains. The pump end secondary and the turbine end secondary drain pressure both show a slight but gradual increase from start of test through 450 minutes total test time. The data indicate no significant wear of the pump end primary and the turbine end primary seals, and gradual wearing of the pump end secondary and the turbine end secondary seals.

Build 20 Disassembly Post-test 477

The scheduled inspection after 7.5 hours accumulated test time revealed the seals to be in satisfactory condition. The pump end seal was in very good condition with little wear throughout the total accumulated test time. The pump end secondary seal axial sealing dam and bearing pad total wear was .0000325 to .0004114 m (.0128 to .0162 in.). The carbon bore was worn .00001279 to .0001244 m (.0005 to .0049 in.) diametral on the inlet and .0000279 to .0001168 m (.0011 to .0046 in.) diametral on the outlet. Visual inspection of the pump end secondary seal showed some chipping on




Figure 112. Tapered Bore Seal Total Leakage vs Test Time, Tests 298-477




Figure 113. Tapered Bore Seal Drain Pressure vs Test Time, Tests 298-477


SECTION 11.1.1.1
OF POOR QUALITY

the downstream edge of the carbon bore at the face and polishing all the way across the bore on the downstream side.

The turbine end primary seal was in good condition with little wear. Visual inspection revealed a uniform rubbing contact pattern halfway across the bore on the downstream side. The turbine end secondary seal carbon bore total wear was .0000635 to .0001092m(.0025 to .0043 in.) diametral on the inlet and .0000508 to .000114m(.0020 to .0045 in.) diametral on the outlet. The axial sealing dam and bearing pad showed .000414 to .0004368m(.0163 to .0172 in.) wear. Visual inspection showed uniform rubbing contact across the bore and chipping around the outlet edge. The bearing pads were almost totally worn off. The hardware condition is shown on Fig.114 through 122. The inspection summary is given in Table 10 . The hardware summary is given in Table 7 . The measured wear from pretest 298 to posttest 477 is given below:

| PUMP END SEAL TOTAL WEAR (TESTS 298-477)-m (IN.) | | | | |
|---|---|------------------|--------------------|------------------|
| POSITION | | INLET DIA. | OUTLET DIA. | PAD |
| PRIMARY | 1 | .0000584 (.0023) | .0000101 (.0004) | .0000076 (.0003) |
| | 2 | .0000537 (.0021) | -.0000050 (-.0002) | .0000076 (.0003) |
| | 3 | .0000533 (.0021) | -.0000025 (-.0001) | .0000076 (.0003) |
| SECONDARY | 1 | .0000127 (.0005) | .0000355 (.0014) | .0003937 (.0155) |
| | 2 | .0000152 (.0006) | .0000279 (.0011) | .0003251 (.0128) |
| | 3 | .0001244 (.0049) | .0001168 (.0046) | .001524 (.0162) |


| TURBINE END SEAL TOTAL WEAR (TESTS 298-477)-m (IN.) | | | | |
|--|---|------------------|--------------------|------------------|
| POSITION | | INLET DIA. | OUTLET DIA. | PAD |
| PRIMARY | 1 | .0000076 (.0003) | .0000177 (.0007) | .0000177 (.0007) |
| | 2 | .0000203 (.0008) | -.0000254 (-.0010) | .0000381 (.0015) |
| | 3 | .0000152 (.0006) | .0000355 (.0014) | .0000381 (.0015) |
| SECONDARY | 1 | .0001092 (.0043) | .0001143 (.0045) | .000414 (.0163) |
| | 2 | .0000635 (.0025) | .0000508 (.0020) | .0004368 (.0172) |
| | 3 | .0000990 (.0039) | .0000863 (.0034) | .0004267 (.0168) |



LXY55-5/23/80-C1E


Figure 114. Pump End Primary Seal, P/N 7R0011525, S/N 047905, Build 20, Posttest 477

10/21/80
LX 55-5/23/80-C1D
P/N 7R0011526
S/N 047905




LXY55-5/23/80-C1D

Figure 115. Pump End Secondary Seal, P/N 7R0011526, S/N 047905,
Build 20, Posttest 477




1XY55-5/23/80-C1D

Figure 116. Turbine End Primary Seal, P/N 7R0011525, S/N 047908, Build 20, Posttest 477




1XY55-5/23/80-C1C

Figure 117. Turbine End Secondary Seal, P/N 7R0011526, S/N 047903,
Build 20, Posttest 477




1XY55-5/23/80-C1F

Figure 118. Pump End Primary Seal Ring P/N 7R0011525, S/N 047905,
Build 20, Posttest 477




1XY55-5/23/80/C1G

Figure 119. Pump End Secondary Seal Ring P/N 7R0011526, S/N 047905,
Build 20, Posttest 477




LXY55-5/23/80-C1H

Figure 120. Turbine End Primary Seal Ring, P/N 7R0011525, S/N 047908,
Build 20, Posttest 477



1XY55-5/23/80-C1I

Figure 121. Turbine End Secondary Seal Ring, P/N 7R0011526, S/N 047903,
Build 20, Posttest 477



1XY55-5/23/80-C1A

Figure 122. Mating Ring Sleeve, P/N RS05092X-005, S/N 2,
Build 20, Posttest 477

The measured wear on build 18, 19 and 20 from post-test 417 to test 477 is as follows:

| PUMP END SEAL BUILD 18, 19 and 20 WEAR (TESTS 417-477)-m (IN.) | | | | |
|---|---|--------------------|----------------------|--------------------|
| POSITION | | INLET DIA. | OUTLET DIA. | PAD |
| PRIMARY | 1 | .0000304 (.0012) | -.0000228 (-.0009) | -.0000177 (-.007) |
| | 2 | .0000508 (.0020) | .0000254 (.0010) | -.0000101 (-.0004) |
| | 3 | .0000127 (.0005) | .0000050 (.0002) | -.0000025 (-.0001) |
| SECONDARY | 1 | -.0001803 (-.0071) | -.000206 (-.0079) | .0000279 (.0011) |
| | 2 | -.0000685 (-.0027) | -.00000351 (-.00014) | .0000939 (.0037) |
| | 3 | .0000381 (.0015) | -.00003041 (-.0012) | .0000914 (.0036) |

| TURBINE END SEAL BUILD 18, 19 and 20 WEAR (TESTS 417-477)-m (IN.) | | | | |
|--|---|--------------------|--------------------|------------------|
| POSITION | | INLET DIA. | OUTLET DIA. | PAD |
| PRIMARY | 1 | .0000279 (.0011) | -.0000025 (-.0001) | .0000229 (.0009) |
| | 2 | .0001041 (.0041) | .0000355 (.0014) | .0000304 (.0012) |
| | 3 | .0000660 (.0026) | .0000127 (.0005) | .0000152 (.0006) |
| SECONDARY | 1 | -.0000050 (-.0002) | -.0000330 (-.0013) | .0000685 (.0027) |
| | 2 | .0000609 (.0024) | -.0000177 (-.0007) | .0000533 (.0021) |
| | 3 | .0000660 (.0026) | -.0000050 (-.0002) | .0000635 (.0025) |

Surface profile traces (Fig. 123 through 126) of the tapered carbon seal ring indicate the following radial wear from pretest 298 to posttest 477:

| POSITION | | PUMP END-m (IN.) | TURBINE END-m (IN.) |
|-----------|---|--------------------|---------------------|
| PRIMARY | 1 | .0000110 (.000437) | .0000064 (.0000252) |
| | 2 | .0000036 (.000145) | .0000043 (.000172) |
| | 3 | .0000063 (.000250) | .0000063 (.000250) |
| SECONDARY | 1 | .0000063 (.000250) | .0000058 (.000230) |
| | 2 | .0000063 (.000250) | .0000047 (.000187) |
| | 3 | .0000063 (.000250) | .0000055 (.000218) |

The surface profile traces of the shaft mating ring sleeve at the seal contact locations (Fig. 127 through 128) indicate no significant wear except for the turbine and secondary seal which was worn .0000028 m (.0001125 in.) after 7.5 hours test time. A ring of carbon residue buildup had formed in between the pump end primary and the pump end secondary seal locations as indicated on the sleeve pump end surface profile trace.

Discussion - Builds 12 through 20

Two sets of tapered bore seals were used for 362 starts for 905 minutes of hot gas acceleration testing at 3036 rad/sec (29000 rpm) and 24131650 n/m² (3500 psig) GN₂ inlet pressure and nine assemblies.

Build 12 was tested for 43 starts and 107.5 minutes at 24131650 n/m² (3500 psig). The seal performance was satisfactory with measured leakage rates of approximately .6350 to .7257 kg/sec (1.4 to 1.6 lb/sec). The seals were in good condition with negligible wear except for the turbine end secondary seal which was worn a total of .0003937 m (.0155 in.) in the pad height dimension. The carbon bore was worn .0001295 to .0002717 m (.0051 to .0107 in.) diametral on the inlet and .0000762 to .0002464 m (.003 to .000 in.) diametral on the outlet. Testing was discontinued due to a bearing failure which could have contributed to the seal wear.

Build 13 was tested with new hardware for 60 starts for 150 minutes at acceleration testing conditions, in addition to pretest static leakage tests. The seal performance was satisfactory with measured total leakage rates of .5896 to .6803 kg/sec (1.3-1.5 lb/sec) on the pump end seal and .6803 to .8164 kg/sec (1.5 to 1.8 lb/sec) on the turbine end seal. The seals were in good condition with negligible wear except for the turbine end secondary seal. The axial sealing dam and bearing pad was worn .0003124 to .0003911 m (.0123 to .0154 in.). The carbon bore was worn 0 to .0001498 m (.0059 in.) diametral on the inlet and 0 to .0001905 m (.0075 in.) diametral on the outlet.




Figure 123. Surface Profile Trace Pump End, Primary Seal Ring, P/N 7R0011525, S/N 047905, Build 20, Posttest 477




Figure 124. Surface Profile Trace Pump End, Secondary Seal Ring, P/N 7R0011526, S/N 047905, Build 20, Posttest 477

CONTROL CORPORATION
BUFFALO, NEW YORK




Figure 125. Surface Profile Trace Turbine End, Primary Seal Ring, P/N 7R0011525, S/N 047908, Build 20, Posttest 477






Figure 126. Surface Profile Trace Turbine End, Secondary Seal Ring, P/N 7R0011526, S/N 047903, Build 20, Posttest 477




Pump End Secondary Seal Location




Pump End Primary Seal Location

Figure 127. Surface Profile Traces of Testing Mating Ring Sleeve Pump End, P/N RS005092X-005, S/N 2, Build 20, Posttest 477



Turbine End Secondary Seal Location



Turbine End Primary Seal Location

Figure 128. Surface Profile Traces of Testing Mating Ring Sleeve Turbine End, P/N RS005092X-005, S/N 2, Build 20, Posttest 477

Build 14 was tested for 60 starts and 150 minutes (scheduled duration) at 533K (500 F), 3036 rad/sec (29000 rpm) and 24131650 n/m² (3500 psig). Seal performance was satisfactory with measured total leakage rates of .680 to .7257 kg/sec (1.5 to 1.6 lb/sec) on the pump end seal and .7711 to .8618 kg/sec (1.7 to 1.9 lb/sec) on the turbine end seal. The seals were in good condition with negligible wear except for the turbine end secondary seal. The axial sealing dam and lift pads were completely worn off at one place. The carbon bore was worn .0008864 to .0009652 m (.0349 to .0380 in.) diametral on the inlet and .0009550 to .001044 m (.0376 to .0411 in.) diametral on the outlet. Most of the total wear occurred during this build.

Build 15 was tested for 19 runs and 47.5 minutes at acceleration test conditions to complete the testing on the first set of seals. The seal performance was satisfactory with measured total leakage rates of .6350 to .7257 kg/sec (1.4-1.6 lb/sec) on the pump end seal and .7711 to .9525 kg/sec (1.7 to 2.1 lb/sec) on the turbine end seal. The primary seals were in good condition with little wear. The pump end secondary seals showed some wear on the lift pads but a negligible amount on the carbon bore. The turbine end secondary seal lift pads were worn off over one-third of the face and the carbon bore chipped on the downstream edge.

Build 16 was tested with new hardware for 60 starts and 150 minutes of acceleration test conditions. Pretest static leakage tests were also conducted. The seal performance was satisfactory with measured total leakage rates of .6350 to .7257 kg/sec (1.4 to 1.6 lb/sec) on the pump end seals and .6350 to .7711 kg/sec (1.4 to 1.7 lb/sec) on the turbine end seals. The seals were in good condition with negligible wear except for the turbine end secondary seal which was worn in the pad height dimension.

Build 17 was tested for 60 starts and 150 minutes at acceleration test conditions. The seal performance was satisfactory with total measured leakage rates of .6350 to .7711 kg/sec (1.4 to 1.7 lb/sec) on the pump end seals and .5896 to .7257 kg/sec (1.3 to 1.6 lb/sec) on the turbine end seals. The two primary seals were in good condition with negligible wear. The pump end secondary seal was worn on the pad height and carbon bore dimensions. The turbine end secondary seal total wear was .0003454 to .0003835 m (.0136 to .0151 in.) on the pad height dimension and .0000025 to .0001473 m (.0001 to .0058 in.) on the carbon bore.

Build 18 was tested for 4 starts for 10 minutes at acceleration test conditions. The seal performance was satisfactory with measured total leakage rates of .6350 to .6803 kg/sec (1.4 to 1.5 lb/sec) on the pump end seal and .5896 to .6803 kg/sec (1.3 to 1.5 lb/sec) on the turbine end seal. Testing was discontinued due to problems with the facility LN₂ pumps. No posttest inspections were done since the same seal hardware will be used to complete the test series when the pumps are fixed.

Build 19 was tested for 15 starts for 37.5 minutes at acceleration test conditions. The seal performance was satisfactory with measured total leakage rates of .6803 to .7711 kg/sec (1.5 to 1.7 lb/sec) on the pump end seal and .6350 to .7257 kg/sec (1.4 to 1.6 lb/sec) on the turbine end seal. Testing was discontinued due to problems with the facility LN₂ pumps. No posttest measurements

were taken since the same seal hardware will be used to complete the test series once the pumps are repaired.

Build 20 was tested for 41 starts for 102.5 minutes at acceleration test conditions to complete testing for the program. The seal performance was satisfactory with total measured leakage rates of .7257 to .7711 kg/sec (1.6 to 1.7 lb/sec) on the pump end seal and .6350 to .7257 kg/sec (1.4 to 1.6 lb/sec) on the turbine end seal. The primary seals were in good condition with little wear. The pump end secondary seal was worn .0003251 to .0004114 m (.0128 to .0162 in.) on the pad height dimension and was chipped on the downstream edge of the carbon bore. The turbine end secondary seal was worn .0004140 to .0004368 m (.0163 to .0172 in.) on the pad height dimension and was chipped on the outlet edge of the bore. The shaft sleeve showed no appreciable wear.

CONCLUSIONS

1. The tapered bore hydrostatic floating ring shaft seal is feasible for high-pressure hot-gas seals. Theoretical analysis indicates that the convergent tapered bore provides a significant increase in centering force compared to the straight bore or Rayleigh step. Satisfactory operation was demonstrated for 370 starts and 15.93 hours total at approximately 24132500 n/m^2 (3500 psig), 533K (500 F), and 3142 rad/sec (30000 rpm).
 - a. The results indicate that the analysis procedures are adequate to predict the seal performance.
 - b. The hydrostatic centering force exceeds the radial friction force by a significant margin.
 - c. The optimum ratio of the inlet clearance to the outlet clearance is 1.8.
 - d. The data indicate negligible wear of the primary seal rings and gradual but acceptable wearing of the secondary seal rings.
 - e. The measured leakage of 0.59 to 0.77 kg/sec (1.3 to 1.7 lb/sec) on the pump end seal compared to the calculated leakage of 0.59 kg/sec (1.3 lb/sec) indicates that the seal was operating with a slightly larger clearance than predicted.
2. The Rayleigh step hydrodynamic floating ring shaft seal was unsatisfactory due to excessive wear caused by inadequate centering force and failure of the sealing dam caused by erosion damage.

REFERENCES

1. Zuk, J., L. P. Ludwig, and R. L. Johnson, Design Study of Shaft Face Seal With Self-Acting Lift Augmentation, I - Self-Acting Pad Geometry, NASA TN D-5744, 1970.
2. Zuk, J., L. P. Ludwig, and R. L. Johnson, Quasi-One-Dimensional Compressible Flow Across Face Seals and Narrow Slots, I - Analysis, NASA TN D-6668, 1972.
3. Fleming, D. P., Stiffness of Straight and Tapered Annular Gas Path Seals, ASME Paper No. 78-Lub-18, 1978.