





Electric Motors for Non-Cryogenic Hybrid Electric and Turboelectric Propulsion

Kirsten P. Duffy – University of Toledo / NASA GRC

Hybrid Electric Propulsion



Turboelectric Propulsion




"N3-X" Distributed Turboelectric Propulsion System



From Dr. Gerald Brown "Efficient Flight-Weight Electric Systems"

Room Temperature Turboelectric Propulsion

(Assume 60,000 hp total into 15 fans for N3-X BWB aircraft)



Net extra fuel burn: 8% *increase!* (before iterating)

*Need to determine combination of power density
And efficiency to give net benefit*

From Dr. Gerald Brown "Efficient Flight-Weight Electric Systems"




Background

Turboelectric Propulsion Benefits

Electric drive = motor + other electrical components

Break-Even on Weight



Each aircraft configuration will yield combinations of power density and efficiency required to achieve net benefit

From Jansen et al. "Turboelectric Aircraft Drive Key Performance Parameters and Functional Requirements"



Application



- 1 MW motor application
 - Small eight-passenger aircraft, or distributed fans for larger aircraft
 - 7000 RPM fan speed
 - 0.8-meter fan diameter
- Motors
 - Permanent magnet, induction, synchronous reluctance
 - Target baseline motor performance
 - 5.8 kW/kg (3.5 HP/lb) power density
 - 96% efficiency
 - *Based on electromagnetic weight and electromagnetic losses*



Application




- How can motor performance be improved by using better component materials?

Electromagnetic
analysis

- Conductor
 - Copper windings → windings with CNT
 - *Assume double conductivity*
- Permanent magnets
 - NdFeB → nanocomposite material
 - *Remanence flux increase to $B_r = 2.0 T$*
- Core material (soft magnetic material)
 - Hiperco 50 → composite material with hard and soft magnetic materials
 - *Assume 50% loss, 75% saturation compared to baseline*

Structural
analysis

- Structural materials – composite sleeve
 - Carbon fiber composite → materials with CNT
 - *Assume double strength*




Standard Motor




Tip Drive Motor

Parameter	Value
Standard motor outer diameter, OD	0.5 m maximum
Tip drive motor inner diameter, ID	0.8 m minimum
Stator winding current density, J	10 A/mm ² rms maximum
Target flux density in teeth, B	2.0 T rms maximum
Target flux density in backiron, B	1.5 T rms maximum
Frequency, f	1 kHz


Increases power density, but also increases losses




Standard Motor




Surface-Mounted
PM Motor (SPM)



Interior
PM Motor (IPM)




Synchronous
Reluctance
Motor (SRM)




Induction
Motor (IM)


Baseline Motor Designs




Tip Drive Motor



Surface-Mounted
PM Motor (SPM)



Interior
PM Motor (IPM)



Synchronous
Reluctance
Motor (SRM)



Baseline Motor Designs



Parameter	Standard Motor				Tip Drive Motor		
	SPM	IPM	SRM	IM	SPM	IPM	SRM
Outer diameter, OD (mm)	500	500	500	500	1184	1184	1184
Inner diameter, ID (mm)	292	292	255	290	800	800	800
Length, L (mm)	97	99	234	310	16.0	15.5	22.5
Stator copper mass (kg)	18.4	18.5	29.4	38.0	40.3	40.2	41.9
Stator core mass (kg)	58.3	59.5	140.7	186.8	39.3	38.1	55.3
Rotor copper mass (kg)	0.0	0.0	0.0	12.4	0.0	0.0	0.0
Permanent magnet mass (kg)	3.4	3.5	0.0	0.0	1.6	1.6	0.0
Rotor core mass (kg)	13.9	14.5	45.9	50.1	22.9	22.3	20.6
Total mass (kg)	94.0	96.1	216.0	287.2	104.1	102.2	117.7
Power density (HP/lb)	6.4	6.3	2.8	2.1	5.8	6.0	5.2
Power density (kW/kg)	10.6	10.4	4.6	3.5	9.6	9.8	8.5

SPM = surface-mounted PM motor
IPM = interior PM motor

SRM = synchronous reluctance motor
IM = induction motor



Baseline Motor Designs




Parameter	Standard Motor				Tip Drive Motor		
	SPM	IPM	SRM	IM	SPM	IPM	SRM
Winding Loss (kW)	3.6	3.6	5.7	4.5	7.9	7.8	8.1
Core Loss (kW)	20.4	20.5	59.7	41.7	12.4	12.8	28.0
Solid Loss (kW)	24.9	9.7	0.0	6.1	70.6	13.9	0.0
Efficiency (%)	95.3%	96.8%	93.7%	95.0%	91.6%	97.3%	96.8%

SPM = surface-mounted PM motor
IPM = interior PM motor

SRM = synchronous reluctance motor
IM = induction motor



Improved Motor Performance




Conductor:

- *Efficiency benefit with increased conductivity*
- *Power density benefit if winding loss kept constant*

- SPM Standard
- ▲— IPM Standard
- SRM Standard
- ◆— IM Standard
- SPM Tip Drive
- △— IPM Tip Drive
- SRM Tip Drive



Improved Motor Performance




Core material:

- *Efficiency benefit with decreased loss*
- *Torque reduction with decreased saturation B_{sat}*

- SPM Standard
- ▲— IPM Standard
- SRM Standard
- ◆— IM Standard
- SPM Tip Drive
- △— IPM Tip Drive
- SRM Tip Drive



Improved Motor Performance



Permanent magnet:


- *Power density benefit with increased remanence flux B_r*

—●— SPM Standard —▲— IPM Standard
—○— SPM Tip Drive —△— IPM Tip Drive



Improved Motor Performance Standard Motors – Power Density


Combined Benefits





Improved Motor Performance Standard Motors – Efficiency

Combined Benefits




- Baseline
- Improved Materials
- Improved Materials, Same Winding Loss



Improved Motor Performance

Tip Drive Motors – Power Density


Combined Benefits



- Baseline
- Improved Materials
- Improved Materials, Same Winding Loss



Improved Motor Performance Tip Drive Motors – Power Density *Combined Benefits*



- Baseline
- Improved Materials
- Improved Materials, Same Winding Loss



Summary



- 1 MW Application – Target 5.8 kW/kg, 96% efficiency

Drive	Motor Type	Baseline Materials		Improved Materials	
		Power Density kW/kg (HP/lb)	Efficiency	Power Density kW/kg (HP/lb)	Efficiency
Standard	SPM	10.6 (6.4)	95.1%	14.5 (8.8)	97.4%
	IPM	10.4 (6.3)	96.6%	14.0 (8.5)	98.3%
	SRM	4.6 (2.8)	93.5%	4.9 (3.0)	97.1%
	IM	3.5 (2.1)	94.8%	4.9 (3.0)	97.6%
Tip Drive	SPM	9.6 (5.8)	90.9%	12.0 (7.3)	93.3%
	IPM	9.8 (6.0)	96.5%	12.0 (7.3)	97.7%
	SRM	8.7 (5.3)	96.4%	9.6 (5.8)	98.3%



Summary



- 1 MW Application – Benefits

Drive	Motor Type	Power Density Increase	Winding Loss + Core Loss Decrease
Standard	SPM	37%	14.3 kW / 60%
	IPM	35%	14.4 kW / 60%
	SRM	7%	36.7 kW / 56%
	IM	40%	27.6 kW / 60%
Tip Drive	SPM	25%	8.1 kW / 40%
	IPM	22%	8.6 kW / 42%
	SRM	10%	19.0 kW / 53%



Next Steps



- 1 MW motor design and analysis
 - Combine effects of materials into re-design
 - Tradeoffs
- Design, *build, and test* high performance non-cryogenic motors
 - State-of-the-art materials
 - New configurations
 - Maximize power density and efficiency