

# NASA TECH BRIEF



NASA Tech Briefs are issued to summarize specific innovations derived from the U.S. space program, to encourage their commercial application. Copies are available to the public at 15 cents each from the Clearinghouse for Federal Scientific and Technical Information, Springfield, Virginia 22151.

## Design of Multilayer Insulation Systems

### The problem:

To design a multilayer insulation system for spacecraft application which can operate at temperatures in the 300° to 700°K range.

### The solution:

Develop analytical models of insulation system heat transfer to study the types of materials best suited for a near-solar environment, and confirm the models with experimental investigations.

### How it's done:

Computer programs were developed to study various materials which might meet the requirements of thermally anisotropic, multilayer insulation systems. These programs were designed to include assessment of heat leaks through the insulation layers due to penetration by struts, joints, circular ports or booms. Consideration was also given to different values for conductivity in two different directions for the multilayers (anisotropic) conditions. Experimental investigations were conducted to verify the analytical models and to provide insulation thermal performance data.

### Notes:

1. Results of these studies indicate the most desirable materials to be used for the 300° to 700°K range, are metallized polyimide film for the reflective shields and submicron-size glass fiber paper for the spacer.
2. The following documentation may be obtained from:

The Clearinghouse for Federal Scientific  
and Technical Information  
Springfield, Virginia 22151  
Single document price \$3.00  
(or microfiche \$0.65)

Reference: NASA CR-907 (N67-39508),  
Performances of Multilayer Insulation  
Systems for Temperatures to 700°K.

### Patent status:

No patent action is contemplated by NASA.

Source: G. R. Cunnington, Jr. of  
Lockheed Missiles and Space Company  
under contract to  
Ames Research Center  
and  
Elmer R. Stread of  
Ames Research Center  
(ARC-10166)

Category 05