

FINAL REPORT

NASA CR-

140300

PROBABILITY OF ILLNESS DEFINITION FOR THE  
SKYLAB FLIGHT CREW HEALTH STABILIZATION PROGRAM

(NASA-CR-140300) PROBABILITY OF ILLNESS  
DEFINITION FOR THE SKYLAB FLIGHT CREW  
HEALTH STABILIZATION PROGRAM Final  
Report (Texas Univ.) 96 p HC \$4.75

N75-10691


Unclassified  
52708

CSCL 06E G3/52

CONTRACT NUMBER NAS 9-12783

JOHNSON SPACE CENTER

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION



THE UNIVERSITY OF TEXAS HEALTH SCIENCE CENTER AT HOUSTON  
SCHOOL OF PUBLIC HEALTH

## **TABLE OF CONTENTS**

### **1. Introduction**

### **2. Data Management System**

- a. Organization**
- b. SMEAT and Skylab Data Bases**
- c. Summary Tables**
- d. Computer Programs**

### **3. Personnel**

**Appendix: Microbiology Data Form Instructions**

## 1. Introduction

Monitoring the kind and numbers of microorganisms present at certain sites on spacecraft crewmembers and their quarters provides information about two important aspects of the crew's health status. First, observations taken prior to flight could reveal the presence of pathogens which could cause illness during flight and second, changes in microflora due to special conditions imposed by spaceflight such as isolation, diet and weightlessness, could be indicated by comparison of pre- and postflight data. Such data were collected during the Apollo flights and that practice, with some refinement, was continued for SMEAT and Skylab.

This project was concerned with the management and analysis of crew and environmental microbiological data from SMEAT and Skylab. Samples were collected from ten different body sites on each SMEAT and Skylab crewmember on approximately 50 occasions and since several different organisms could be isolated from each sample, several thousand lab reports were generated. These lab reports were coded and entered in a computer file and from the file various tabular summaries were constructed. Data presented in this form could be more easily interpreted and statistical analyses more readily performed.

The data management system was begun in May of 1972 with the initial decisions about the content and format of the Microbiology Data Forms to be used to transfer information from the microbiology labs to keypunch and thence to the computer files. As the files grew with the accumulation of SMEAT reports, data grooming techniques were developed and the first draft summary tables were constructed after consultation with Dr. J. L. McQueen, Task Monitor, and other JSC personnel. After a few month's experience a

suitable data handling system and report format evolved and from that point on, the major effort was in keeping up with the volume of reports and maintaining the accuracy of the entries.

As the summary tables were produced, they were given to JSC microbiologists. Statistical consultation was provided upon request and the results of these investigations published in various reports.

This final report contains a detailed description of this system and its operation along with the resulting summaries and analyses of the microbiology data. Computer tapes containing the various data bases and the programs developed during the course of this contract have already been furnished to JSC.

## 2. Data Management System

### a. Organization

Associated with each sample processed by the microbiology lab is information concerning the sample date, type, source and area as well as the identity and quantity of organisms detected. Unique numerical codes were assigned to each of these items, including the names of several hundred microorganisms. These codes, as well as prose descriptions were entered by the lab personnel on MSC Form 1238, illustrated in Figure 1.

MICROBIOLOGY DATA												WORK NO. <u>00034</u>		
ID	<u>01 - 00034</u>			1	3	TECHNICIAN	<u>19</u>	8	STATUS	<input type="checkbox"/>	10	TEST	<u>3</u>	12
SAMPLE DATE	<u>26</u>	8	-	<u>73</u>	13	16	SAMPLE TYPE	<u>Reg</u>	19	SAMPLE SOURCE	<u>Louma</u>	12	20	
SAMPLE AREA	<u>Gardin</u>			22	24	27	28	29	X 10	30	06			
ORGANISM	<u>Aero</u>			<u>Cory</u>			<u>sp.</u>			<u>Lia III</u>				
GROUP	<u>01</u>	32	GENUS	<u>b06</u>	35	SPECIES	<u>03</u>	39	VARIETY	<u>8</u>	42			
MED. SGNF.	<u>no</u>	43	HEMOLYSIS	<u>no</u>	44	COAGULASE	<u>no</u>	45	GRAM	<u>02</u>	46			
PHAGE	<u>1</u>	48	49	51	54	57	60	63	66	69	72			
UPDATE I.D.	<input type="checkbox"/> - <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>													
DELETE I.D.	<input type="checkbox"/> - <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> - <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> - <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> - <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>				

MSC FORM 1238 (JUN 72)  
U.S. GOVERNMENT PRINTING OFFICE: 1972-779-479/15

COMPLETE/CONTRACTOR COPY

Figure 1 - MSC Form 1238

Instructions for completion of this form and the disposition of the various copies were given to the lab personnel and all others involved in the use of the system. These instructions appear in the Appendix to this report, Microbiology Data Form Instructions.

Once the forms were completed, one copy (COMPLETE/MSC) was sent to be keypunched and verified and then returned to a file maintained at JSC. The forms were filed by ID number (columns 1-7) within SMEAT and each Skylab flight. This file will be returned to JSC at the end of the contract.

The cards keypunched from the Microbiology Data forms were read into computer files at University of Texas at Houston Education and Research Computer Center (UTHERRC). Editing of these files was then accomplished from a terminal located at JSC.

Summary tables generated from these files were printed at M. D. Anderson Hospital (the line printer there was best suited to our purposes) and delivered to JSC.

The essential steps in the data handling procedures are illustrated in Figure 2.




Figure 2 - Data Management System

b. SMEAT and Skylab Data Bases

Separate computer files were established for SMEAT, SMEAT food, and each of the three Skylab flights. After the data were entered in the system, preliminary data editing procedures were used to detect the presence of incomplete or duplicate reports.

To insure the completeness of the computer files, each of the crew microbiology records was matched with the corresponding Microbiology Data Form and all inconsistencies were resolved. The accuracy of the coded information was checked by randomly selecting 237 cards and comparing each of the 48 columns used on each card with the corresponding entry in the computer record. Of the approximately 11,376 entries thus checked, only four were found to be in error.

As the files were readied, tape copies were made and delivered to JSC for use on computers located there. Table 1 lists the various data bases, their source and the number of records (Microbiology Data reports) in each.

<u>Data Base</u>	<u>Source</u>	<u>Records</u>
SMEAT1	SMEAT	4221
SMFOOD	SMEAT Food	289
SL2DB	SL 2	2035
SL3DB	SL 3	1546
SL4DB	SL 4	<u>1432</u>
TOTAL		9523

Table 1 - Microbiology Data Bases

c. Summary Tables

As experience with the system was gained, it appeared that two basic types of summary tables, the Incidence and Quantitation Tables, would be most helpful in analysing the data.

The Incidence Table, illustrated in Figure 3, reports the presence (by a 1) of given organisms by date, astronaut and sample site. These tables were also used to detect duplicate entries since only Staph.aureus (differentiated by phage type) can be reported more than once at a given location and time.

Flight, Astronaut, Sample Site					
Sample Date	1	2	3	4	Total
Organism 1	0	1	1	0	2
Organism 2	1	0	1	0	2
Organism 3	0	0	0	1	1
Genus Total	1	1	2	1	

Figure 3 - Incidence Table Format

The names (genus, species, variety) of the organisms present are listed in alphabetical order within each of the four groups (aerobic bacteria, anaerobic bacteria, filamentous fungi, yeast) as indicated in Appendix A of the Microbiology Data Form Instructions. Within each group, the organisms are divided by genus and column totals for both genera and groups are printed. Row totals for each organism are also printed.

Quantitation Tables are organized in the same way with the report of incidence (0 or 1) being replaced by the count (quantitation) of the organism. In a few instances, the presence of an organism was noted, but because of some special circumstance in the lab, the quantitation was not obtained. In these few cases, these organisms appear in the Incidence Table but not in the corresponding Quantitation Table. Figure 4 illustrates the organization of the Quantitation Tables.

Flight, Astronaut, Sample Site					
Sample Date	1	2	3	Total	
Organism 1	.3000E+03	.5100E+02	0.	.351E+03	
Organism 2	0.	0.	.1000E+02	.100E+02	
Organism 3	.7700E+04	.9000E+02	.1000E+03	.789E+04	
Genus Total	.8000E+04	.141E+03	.110E+03		

Figure 4 - Quantitation Table Format

For each flight, astronaut and sample site, both Incidence and Quantitation Tables were constructed. In addition, composite tables for the seven skin sites were made for each astronaut and a composite table for each sample site over the three astronauts was made for each flight.

The crew microbiology tables show both incidence and quantitation of organisms for the sample sites indicated in Table 2.

7 Skin Sites	(composite of those below)
Skin Site 1	(Neck)
Skin Site 3	(Ear)
Skin Site 4	(Axilla)
Skin Site 5	(Hands)
Skin Site 6	(Umbillicus)
Skin Site 7	(Groin)
Skin Site 8	(Toe Web)
Gargle	
Nasal	
Feces	

Table 2 - Crew Microbiology Sample Sites

Tables showing incidence of microorganisms in SMEAT food were also generated.

Due to space limitations on the computer paper (particularly for the Quantitation Tables) it was necessary to break these individual tables into as many as five different segments. These segments are bound together and accompanied by an index indicating the arrangement in each instance. This collection of tables will be presented to the JSC task monitor at the end of the contract period.

To simplify coding and calculations, Julian dates were used throughout the data management system. Table 3 shows the number of sample dates for each flight and Tables 4, 5, 6, and 7 show the actual dates of each sample.

	Preflight	Intraflight	Postflight
SMEAT	12	8	8
Skylab 2	5	0	3
Skylab 3	4	0	3
Skylab 4	5	0	3

Table 3 - Number of Sample Dates for SMEAT and Skylab

	<u>S</u>	<u>M</u>	<u>T</u>	<u>W</u>	<u>T</u>	<u>F</u>	<u>S</u>	<u>Sample</u>	<u>Closure Date</u>
1972									
May	7	8	9	<b>131</b>	11	12	13	F	T-77 (First T-70 Samples) T-63
	14	15	16	<b>138</b>	18	19	20		
	21	22	23	<b>145</b>	25	26	27	F	
June	28	29	30	<b>152</b>	1	2	3		T-56
	4	5	6	<b>159</b>	8	9	10	F	T-49
	11	12	13	<b>166</b>	15	16	17		T-42
	18	19	20	<b>173</b>	22	23	24	F	T-35
	25	26	27	<b>180</b>	29	30	1		T-28
July	2	3	4	<b>187</b>	6	7	8	F	T-21
	9	10	11	<b>194</b>	13	14	15		T-14
	16	17	18	<b>201</b>	20	21	22		T-7
	23	24	25	<b>208</b>	27	28	29	F	C+0 (Chamber closed)
August	30	31	1	<b>215</b>	3	4	5	F	C+7
	6	7	8	<b>222</b>	10	11	12		C+14
	13	14	15	<b>229</b>	17	18	19	F	C+21
	20	21	22	<b>236</b>	24	25	26		C+28
September	27	28	29	<b>243</b>	31	1	2	F	C+35
	3	4	5	<b>250</b>	7	8	9		C+42
	10	11	12	<b>257</b>	14	15	16		C+49
	17	18	19	<b>264</b>	21	22	23		C+56 (Chamber R+7 opened)
October	1	2	3	<b>278</b>	5	6	7		R+14
	8	9	10	<b>285</b>	12	13	14		R+21
	15	16	17	<b>292</b>	19	20	21		R+28
	22	23	24	<b>299</b>	26	27	28		R+35
November	29	30	31	<b>306</b>	2	3	4		R+42
	5	6	7	<b>313</b>	9	10	11		R+49
	12	13	14	<b>320</b>	16	17	18		R+56

Table 4 - SMEAT Calendar (Julian Sample Date in BOLD TYPE)

REPRODUCIBILITY OF THE  
ORIGINAL PAGE IS POOR

	<u>S</u>	<u>M</u>	<u>T</u>	<u>W</u>	<u>T</u>	<u>F</u>	<u>S</u>
<b>1973</b>							
<b>March</b>	11	12	13	14	<b>74</b>	16	17
	18	<b>19</b>	20	21	22	23	24
	25	26	27	28	29	30	31
<b>April</b>	1	2	3	4	5	6	7
	8	9	10	11	12	13	14
	15	<b>106</b>	17	18	19	20	21
	22	23	24	25	26	27	28
<b>May</b>	29	30	<b>121</b>	2	3	4	5
	6	7	8	9	10	<b>131</b>	12
	13	14	15	16	17	18	19
	20	21	22	23	24	<b>145</b>	26
							Launch II
<b>June</b>	27	28	29	30	31	1	2
	3	4	5	6	7	8	9
	10	11	12	13	14	15	16
	17	18	19	20	21	<b>173</b>	23
	24	25	26	27	28	<b>180</b>	30
<b>July</b>	1	2	3	4	5	6	7
	8	<b>190</b>	10	11	12	13	14

Table 5 - Skylab II Calendar (Julian Sample Date in BOLD TYPE)

REPRODUCIBILITY OF THE  
ORIGINAL PAGE IS POOR.

	<u>S</u>	<u>M</u>	<u>T</u>	<u>W</u>	<u>T</u>	<u>F</u>	<u>S</u>
1973							
June	10	11	12	<b>164</b>	14	15	16
	17	18	19	20	21	22	23
	24	25	26	27	28	29	30
July	1	2	3	4	5	6	7
	8	9	10	11	<b>193</b>	13	14
	15	16	17	18	19	20	21
	22	<b>204</b>	24	25	26	27	<b>209</b>
							Launch III
August	29	30	31	1	2	3	4
	5	6	7	8	9	10	11
	12	13	14	15	16	17	18
	19	20	21	22	23	24	25
September	26	27	28	29	30	31	1
	2	3	4	5	6	7	8
	9	10	11	12	13	14	15
	16	17	18	19	20	21	22
	23	24	<b>268</b>	26	27	28	29
							Recovery III
October	30	1	2	3	<b>277</b>	5	6
	7	8	9	10	11	12	13
	14	<b>288</b>	16	17	18	19	20

Table 6 - Skylab III Calendar (Julian Sample Dates in BOLD TYPE)

	<u>S</u>	<u>M</u>	<u>T</u>	<u>W</u>	<u>T</u>	<u>F</u>	<u>S</u>
<b>1973</b>							
August	19	20	<b>23</b>	22	23	24	25
September	26	27	28	29	30	31	1
	2	3	4	5	6	7	8
	9	10	11	12	13	14	15
	16	17	18	19	20	21	22
	23	24	25	26	27	28	29
October	30	1	2	3	4	5	6
	7	8	9	10	11	<b>28</b>	13
	14	15	16	17	18	19	20
	21	22	23	24	25	<b>29</b>	27
November	28	29	<b>30</b>	31	1	2	3
	4	5	<b>31</b>	7	8	9	10
	11	12	13	14	15	<b>32</b>	17
							Launch IV

<b>1974</b>							
February	3	4	5	6	7	<b>39</b>	9
	10	11	12	13	14	15	16
	17	18	<b>50</b>	20	21	22	23
March	24	<b>56</b>	26	27	28	1	2

Table 7 - Skylab IV Calendar (Julian Sample Date in BOLD TYPE)

d. Computer Programs

The main purpose of the computer programs generated in the course of this contract was to tabulate and print information selected from the rather large data files. These programs were copied on tape and delivered to the JSC task monitor. The UT programmer provided consultation to JSC programmers to enable them to run the programs on the JSC computer system. Sample data bases were also provided to check the programs. These programs are now operational on the JSC system.

### 3. Personnel

The time of the principal investigator, Dr. Thomas D. Downs, was furnished without cost to the project. Nine other individuals were involved as indicated in Table 8.

<u>Employee</u>	<u>Job</u>	<u>Employed</u>	<u>Terminated</u>
Bradley, Joyce	Secretary II	4-26-73	7-17-73
Dunn, Kay	Research Statistical Aide	6-18-73	9-16-73
Green, Stacy (Welker)	Research Statistical Aide	8-2-73	5-27-74
Harrist, Ronald	Biostatistician	5-1-72	8-31-74
Hokanson, James	Programmer II	6-1-72	6-7-74
Ward, Mary	Research Statistical Aide	4-30-73	7-31-73
West, Stewart	Research Statistical Aide	6-18-73	6-30-74
Wiggins, Gretchen	Secretary II	7-5-72	5-2-73
Wilcox, Beverly	Secretary II	9-17-73	9-30-74

Table 8 - Personnel

**APPENDIX A**

**ORGANISM CODES**

## 01 - AEROBIC BACTERIA

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			<u>35,36,37</u>	<u>39,40</u>	<u>42</u>
<u>Aeromonas</u>	<u>hydrophilia</u>	001	02	1	
	<u>shigelloides</u>	001	03	1	
<u>Alcaligenes</u>	<u>species</u>	002	01	1	
<u>Bacillus</u>	<u>alvei</u>	003	11	1	
	<u>badius</u>	003	02	1	
	<u>brevis</u>	003	12	1	
	<u>cereus</u>	003	03	1	
	<u>circulans</u>	003	18	1	
	<u>coagulans</u>	003	04	1	
	<u>firmis</u>	003	05	1	
	<u>lateroparus</u>	003	19	1	
	<u>lentus</u>	003	06	1	
	<u>licheniformis</u>	003	07	1	
	<u>macerans</u>	003	20	1	
	<u>megaterium</u>	003	08	1	
	<u>mycoides</u>	003	09	1	
	<u>pantothenticus</u>	003	21	1	
	<u>pasteurii</u>	003	15	1	
	<u>pumilus</u>	003	14	1	
	<u>sphaericus</u>	003	13	1	
	<u>stearothermophilus</u>	003	17	1	

## 01 - AEROBIC BACTERIA

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			35,36,37	39,40	42
<u>Bacillus</u>	<u>stearothermophilus</u>	<u>55°C</u>	003	17	2
	<u>subtilis</u>		003	10	1
	<u>species</u>		003	01	1
	<u>species</u>	<u>55°C</u>	003	22	1
	<u>species</u>	<u>2030</u>	003	01	2
	<u>species</u>	<u>1010</u>	003	01	3
	<u>species</u>	<u>1040</u>	003	01	4
	<u>species</u>	<u>900</u>	003	01	5
	<u>species</u>	<u>1000</u>	003	01	6
	<u>species</u>	<u>1041</u>	003	01	7
	<u>species</u>	<u>1050</u>	003	01	8
	<u>species</u>	<u>1063</u>	003	01	9
	<u>species</u>	<u>1090</u>	003	41	1
	<u>species</u>	<u>1081</u>	003	41	2
	<u>species</u>	<u>1080</u>	003	41	3
	<u>species</u>	<u>1030</u>	003	41	4
	<u>species</u>	<u>1061</u>	003	41	5
<u>Citrobacter</u>	<u>species</u>		004	01	1
<u>Corynebacterium</u>	<u>pyogenes</u>		006	02	1
	<u>species</u>	<u>lipopholic</u>	006	03	1
		<u>group I</u>	006	03	2
		<u>II</u>	006	03	3

## 01 - AEROBIC BACTERIA

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			35,36,37	39,40	42
<u>Corynebacterium</u>		<u>III</u>	006	03	4
		<u>IV</u>	006	03	5
		<u>V</u>	006	03	6
		<u>VI</u>	006	03	7
		<u>VII</u>	006	03	8
	<u>species</u>	<u>Evan's group</u>			
		<u>A</u>	006	04	2
		<u>B</u>	006	04	3
		<u>C</u>	006	04	4
		<u>D</u>	006	04	5
		<u>E</u>	006	04	6
		<u>F</u>	006	04	7
		<u>G</u>	006	04	8
	<u>species</u>		006	01	1
<u>Diplococcus</u>	<u>pneumoniae</u>		007	02	1
<u>Enterobacter</u>	<u>aerogenes</u>		008	02	1
	<u>cloacae</u>		008	03	1
	<u>hafniae</u>		008	04	1
	<u>liquefaciens</u>		008	05	1

## 01 - AEROBIC BACTERIA

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
<u>Enterococcus</u>	<u>species</u>		<u>35,36,37</u>	<u>39,40</u>	<u>42</u>
			039	01	1
<u>Escherichia</u>	<u>coli</u>		009	02	1
	<u>intermedia</u>		009	03	1
<u>Erwinia</u>	<u>species</u>		010	01	1
<u>Flavobacterium</u>	<u>species</u>		011	01	1
<u>Haemophilus</u>	<u>influenzae</u>	<u>A</u>	012	02	2
		<u>B</u>	012	02	3
		<u>C</u>	012	02	4
		<u>D</u>	012	02	5
		<u>E</u>	012	02	6
		<u>F</u>	012	02	7
		<u>Non-typable</u>	012	02	8

## 01 - AEROBIC BACTERIA

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			<u>35,36,37</u>	<u>39,40</u>	<u>42</u>
<u>Haemophilus</u>	<u>haemolyticus</u>		012	03	1
	<u>parahaemolyticus</u>		012	04	1
	<u>parainfluenzae</u>		012	05	1
	<u>species</u>		012	01	1
	<u>aprophilies</u>		012	06	1
<u>Herella</u>	<u>vaginicola</u>		013	02	1
	<u>species</u>		013	01	1
<u>Klebsiella</u>	<u>pneumoniae</u>		014	02	1
<u>Lactobacillus</u>	<u>acidophilus</u>		015	13	1
	<u>brevis</u>		015	03	1
	<u>buchneri</u>		015	04	1
	<u>bulgaris</u>		015	10	1
	<u>casei</u>	<u>alactosus</u>	015	15	3
		<u>casei</u>	015	15	2
		<u>rhamnosus</u>	015	15	4
	<u>cellobiosus</u>		015	05	1

## 01 - AEROBIC BACTERIA

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			35,36,37	39,40	42
<u>Lactobacillus</u>	<u>delbrueckii</u>		015	12	1
	<u>fermenti</u>		015	02	1
	<u>helveticus</u>		015	08	1
	<u>jugurti</u>		015	07	1
	<u>lactis</u>		015	09	1
	<u>leichmanii</u>		015	11	1
	<u>planterum</u>		015	16	1
	<u>salivarius</u>	<u>salicanius</u>	015	14	3
		<u>salivarius</u>	015	14	2
	<u>species</u>		015	01	1

<u>Micrococcus</u>	<u>subgroup</u>	<u>1</u>	016	02	1
		<u>2</u>	016	03	1
		<u>3</u>	016	04	1
		<u>4</u>	016	05	1
		<u>5</u>	016	06	1
		<u>6</u>	016	07	1
		<u>7</u>	016	08	1
		<u>8</u>	016	09	1
	<u>species</u>		016	01	1

<u>Mima</u>	<u>polymorpha</u>	017	02	1
	<u>oxidans</u>	017	02	2

## 01 - AEROBIC BACTERIA

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>
<u>Moraxella</u>	<u>nonliquefaciens</u>		<u>35,36,37</u> <u>39,40</u> <u>42</u>
	<u>saccharolytica</u>		018    02    1
	<u>species</u>	<u>I</u>	018    03    1
		<u>II</u>	018    04    1
		<u>III</u>	018    05    1
	<u>species</u>		018    01    1
<u>Neisseria</u>	<u>catarrhalis</u>		019    02    1
	<u>caviae</u>		019    03    1
	<u>flava</u>		019    04    1
	<u>flavescens</u>		019    05    1
	<u>gonorrhoeae</u>		019    06    1
	<u>haemolysans</u>		019    07    1
	<u>meningitidis</u>		019    08    1
	<u>perflava</u>		019    09    1
	<u>subflava</u>		019    10    1
	<u>sicca</u>		019    11    1
	<u>species</u>		019    01    1
<u>Paracolobactrum</u>	<u>aerogenoides</u>		020    02    1
	<u>arizonae</u>		020    03    1
	<u>coliforme</u>		020    04    1
	<u>intermedium</u>		020    05    1

## 01 - AEROBIC BACTERIA

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			<u>35,36,37</u>	<u>39,40</u>	<u>42</u>
<u>Pasteurella</u>	<u>species</u>		021	01	1
<u>Pectobacterium</u>	<u>species</u>		022	01	1
<u>Proteus</u>	<u>mirabilis</u>		023	02	1
	<u>morganii</u>		023	03	1
	<u>rettgerii</u>		023	04	1
	<u>vulgaris</u>		023	05	1
<u>Providencia</u>	<u>alcalifaciens</u>		024	02	1
	<u>stuartii</u>		024	03	1
<u>Pseudomonas</u>	<u>aeruginosa</u>		025	02	1
	<u>fluorescens</u>		025	05	1
	<u>maltophilia</u>		025	03	1

## OL - AEROBIC BACTERIA

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			35,36,37	39,40	42
<u>Pseudomonas</u>	<u>stutzeri</u>		025	04	1
	<u>species</u>		025	01	1
<u>Rothia</u>	<u>species</u>		026	01	1
<u>Salmonella</u>	<u>species</u>		027	01	1
<u>Sarcina</u>	<u>species</u>	1	038	01	1
	<u>species</u>	2	038	01	2
	<u>species</u>	3	038	01	3
<u>Serratia</u>	<u>marcescens</u>	<u>pigmented</u>	028	02	2
		<u>non-pigmented</u>	028	02	3

## 01 - AEROBIC BACTERIA

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			35,36,37	39,40	42
<u>Shigella</u>	<u>species</u>		029	01	1
<u>Staphylococcus</u>	<u>aureus</u>		030	02	1
	<u>epidermidis</u>	<u>II</u>	030	03	2
		<u>III</u>	030	03	3
		<u>IV</u>	030	03	4
		<u>V</u>	030	03	5
		<u>VI</u>	030	03	6
		<u>unidentified</u>	030	03	1
	<u>species</u>		030	01	1
<u>Streptococcus</u>	<u>bovis</u>		031	05	1
	<u>faecalis</u>		031	02	1
		<u>liquefaciens</u>	031	02	2
		<u>zymogenes</u>	031	02	3
	<u>mitis</u>		031	03	1
	<u>salivarius</u>		031	04	1
	<u>species</u>	<u>Group A</u>	031	01	2
		<u>Not Group A</u>	031	01	3
		<u>alpha hemolytic</u>	031	01	4
		<u>gamma hemolytic</u>	031	01	5

## 01 - AEROBIC BACTERIA

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			35,36,37	39,40	42
<u>Unidentified</u>	<u>NCDC group</u>	<u>Ia</u>	035	02	1
		<u>Ib</u>	035	03	1
		<u>IIa</u>	035	14	1
		<u>IIb</u>	035	15	1
		<u>IIIa</u>	035	04	1
		<u>IIIb</u>	035	05	1
		<u>IVc</u>	035	06	1
		<u>IVd</u>	035	07	1
		<u>IVe</u>	035	08	1
		<u>Va</u>	035	16	1
		<u>VI</u>	035	13	1
		<u>HB-1</u>	035	09	1
		<u>HB-5</u>	035	10	1
		<u>EO-1</u>	035	11	1
		<u>unknown</u>	035	12	1
<u>Unidentified</u>	<u>gram positive coccus</u>		036	01	1
	<u>gram negative rod</u>		036	02	1
	<u>gram positive rod</u>		036	03	1

## 02 - ANAEROBIC BACTERIA

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			35,36,37	39,40	42
<u>Acidaminococcus</u>	<u>fermentans</u>		001	02	1
<u>Actinomyces</u>	<u>bovis</u>		002	02	1
	<u>israelii</u>		002	03	1
	<u>naeslundii</u>		002	04	1
	<u>viscosus</u>		002	05	1
	<u>species</u>		002	01	1
<u>Arachnia</u>	<u>propionica</u>		003	02	1
<u>Bacteroides</u>	<u>amylophilus</u>		004	02	1
	<u>biacutus</u>		004	03	1
	<u>capillosus</u>		004	04	1
	<u>clostridiiformis</u>	<u>clostridiiformis</u>	004	05	2
	<u>clostridiiformis</u>	<u>girans</u>	004	05	3
	<u>coagulans</u>		004	06	1
	<u>corrodens</u>		004	07	1
	<u>fragilis</u>		004	08	1
	<u>fragilis</u>	<u>distasonis</u>	004	08	2

## 02 - ANAEROBIC BACTERIA

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			<u>35,36,37</u>	<u>39,40</u>	<u>42</u>
<i>Bacteroides</i>	<u>fragilis</u>	<u>fragilis</u>	004	08	3
	<u>fragilis</u>	<u>ovatus</u>	004	08	4
	<u>fragilis</u>	<u>thetaiotaomicron</u>	004	08	5
	<u>fragilis</u>	<u>vulgatus</u>	004	08	6
	<u>furcosus</u>		004	09	1
	<u>hypermegas</u>		004	10	1
	<u>melaninogenicus</u>	<u>asaccharolyticus</u>	004	11	2
	<u>melaninogenicus</u>	<u>intermedius</u>	004	11	3
	<u>melaninogenicus</u>	<u>melaninogenicus</u>	004	11	4
	<u>nodosus</u>		004	12	1
	<u>oralis</u>		004	13	1
	<u>ochracens</u>		004	14	1
	<u>praeacutus</u>		004	15	1
	<u>pneumosintes</u>		004	16	1
	<u>putredinis</u>		004	17	1
	<u>ruminicola</u>	<u>brevis</u>	004	18	2
	<u>ruminicola</u>	<u>ruminicola</u>	004	18	3
	<u>succinogenes</u>		004	19	1
	<u>species</u>		004	01	1
<i>Bifidobacterium</i> <u>adolescentis</u>	<u>A</u>		005	02	2
	<u>B</u>		005	02	3
	<u>C</u>		005	02	4
	<u>D</u>		005	02	5
	<u>asteroides</u>		005	03	1
	<u>bifidum</u>		005	04	1
	<u> breve</u> (Syn. <i>B. parvulorum</i> )		005	05	1

## 02 - ANAEROBIC BACTERIA

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			35,36,37	39,40	42
<u>Bifidobacterium</u>	<u>cornutum</u> (Syn. <i>Eubacterium cornutum</i> )		005	06	1
	<u>dentium</u> group		005	07	1
	<u>eriksonii</u> (Syn. <i>Actinomyces eriksonii</i> )		005	08	1
	<u>infantis</u>	<u>infantis</u>	005	09	2
	<u>infantis</u>	<u>lactentis</u>	005	09	3
	<u>infantis</u>	<u>liberorum</u>	005	09	4
	<u>infantis</u>		005	09	1
	<u>longum</u>	<u>longum</u>	005	10	2
	<u>pseudolongum</u> (Syn. <i>B. globusum</i> and <i>B. longum ss animalis</i> )		005	11	1
	<u>thermophilum</u> (Syn. <i>B. runinale</i> )		005	12	1
	<u>species</u>		005	01	1
<u>Butyrivibrio</u>	<u>fibrisolvens</u>		007	02	1
<u>Clostridium</u>	<u>acetobutylicum</u>		008	02	1
	<u>aminovalericum</u>		008	03	1
	<u>aurantibutyricum</u>		008	04	1
	<u>barati</u>		008	05	1
	<u>barkeri</u>		008	06	1

## 02 - ANAEROBIC BACTERIA

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			<u>35,36,37</u>	<u>39,40</u>	<u>42</u>
<u>Clostridium</u>	<u>beijerinckii</u>		008	07	1
	<u>bif fermentans</u>		008	08	1
	<u>botulinum</u>	<u>AFB</u>	008	09	2
	<u>botulinum</u>	<u>BEF</u>	008	09	3
	<u>botulinum</u>	<u>CD</u>	008	09	4
	<u>botulinum</u>	<u>G (type)</u>	008	09	5
	<u>butyricum</u>		008	10	1
	<u>cadaveris</u>		008	11	1
	<u>carnis</u>		008	12	1
	<u>cellobioparum</u>		008	13	1
	<u>chauvoei</u>		008	14	1
	<u>cochlearium</u>		008	15	1
	<u>difficile</u>		008	16	1
	<u>fallax</u>		008	17	1
	<u>felsineum</u>		008	18	1
	<u>ghoni</u>		008	19	1
	<u>glycolicum</u>		008	20	1
	<u>haemolyticum</u>		008	21	1
	<u>hastiforme</u>		008	22	1
	<u>histolyticum</u>		008	23	1
	<u>indolis</u>		008	24	1
	<u>innocuum</u>		008	25	1
	<u>inulinum</u>		008	26	1
	<u>irregularis</u>		008	27	1
	<u>lentoputrescens</u>		008	28	1
	<u>limosum</u>		008	29	1
	<u>litus-eburensse</u>		008	30	1
	<u>malenominatum</u>		008	31	1
	<u>mangenotii</u>		008	32	1
	<u>novyi</u>	<u>A</u>	008	33	1
	<u>novyi</u>	<u>B</u>	008	33	2

## 02 - ANAEROBIC BACTERIA

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			<u>35,36,37</u>	<u>39,40</u>	<u>42</u>
<u>Clostridium</u>	<u>oceanicum</u>		008	35	1
	<u>oroticum</u>		008	36	1
	<u>paraputrificum</u>		008	37	1
	<u>pasteurianum</u>		008	38	1
	<u>perenne</u>		008	39	1
	<u>perfringens</u>		008	40	1
	<u>plagaru</u>		008	41	1
	<u>propionicum</u>		008	42	1
	<u>pseudotetanicum</u>		008	43	1
	<u>putrefaciens</u>		008	44	1
	<u>purificum</u>		008	45	1
	<u>ramosum</u>		008	46	1
	<u>rectum</u>		008	47	1
	<u>rubrum</u>		008	48	1
	<u>sardiniensis</u>		008	49	1
	<u>sartagoformum</u>		008	50	1
	<u>scatologenes</u>		008	51	1
	<u>speticum</u>		008	52	1
	<u>sphenoides</u>		008	53	1
	<u>sordellii</u>		008	54	1
	<u>sporogenes</u>		008	55	1
	<u>sporosphaeroides</u>		008	56	1
	<u>sticklandii</u>		008	57	1
	<u>subterminale</u>		008	58	1
	<u>tertium</u>		008	59	1
	<u>tetani</u>		008	60	1
	<u>thermosaccharolyticum</u>		008	61	1
	<u>tyrobutyricum</u>		008	62	1
	<u>species</u>		008	01	1

## 02 - ANAEROBIC BACTERIA

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			<u>35,36,37</u>	<u>39,40</u>	<u>42</u>
<u>Eubacterium</u>	<u>aerofaciens</u>		009	02	1
	<u>alactolyticum</u>		009	03	1
	<u>budayi</u> (Syn. <u>E. adaveris</u> )		009	04	1
	<u>cellulosolvens</u>		009	05	1
	<u>combesii</u>		009	06	1
	<u>contortum</u>		009	07	1
	<u>cylindroides</u>		009	08	1
	<u>lentum</u>		009	09	1
	<u>limosum</u>		009	10	1
	<u>moniliforme</u>		009	11	1
	<u>multiforme</u>		009	20	1
	<u>nitritogenes</u>		009	13	1
	<u>rectale</u>		009	14	1
	<u>ruminantium</u>		009	15	1
	<u>saburreum</u>		009	16	1
	<u>tenue</u>		009	17	1
	<u>tortuosum</u>		009	18	1
	<u>ventriosum</u>		009	19	1
	<u>species</u>		009	01	1
<u>Fusobacterium</u>	<u>bullosum</u>		010	02	1
	<u>glutinosum</u>		010	03	1
	<u>gonidiaformans</u>		010	04	1
	<u>mortiferum</u>		010	05	1
	<u>naviforme</u>		010	06	1
	<u>necrogenes</u>		010	07	1
	<u>necrophorum</u>		010	08	1

## 02 - ANAEROBIC BACTERIA

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			<u>35,36,37</u>	<u>39,40</u>	<u>42</u>
<u>Leptotrichia</u>	<u>buccalis</u>		014	02	1
<u>Megasphaera</u>	<u>elsdenii</u> (Syn, Peptostreptococcus elsdenii)		015	02	1
<u>Peptococcus</u> <u>(PC)</u>	<u>asaccharolyticus</u> <u>constellatus</u> <u>magnus</u> (formerly Peptostreptococcus magnus) <u>morbillorum</u> <u>prevotii</u> <u>saccharolyticus</u> <u>variabilis</u> <u>species</u>		016	02	1
<u>Peptostreptococcus</u> <u>(PS)</u>	<u>anaerobius</u> <u>intermedius</u> <u>micros</u>		017	02	1
			017	03	1
			017	04	1

## 02 - ANAEROBIC BACTERIA

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			35,36,37	39,40	42
<u>Fusobacterium</u>	<u>novum</u>		010	09	1
	<u>nucleatum</u>		010	10	1
	<u>plauti</u>		010	11	1
	<u>prausnitzii</u>		010	12	1
	<u>russii</u>		010	13	1
	<u>symbiosum</u> (Syn. <i>Bacteriodes symbiosus</i> )		010	14	1
	<u>varium</u>		010	15	1
	<u>species</u>		010	01	1
<u>Gaffkya</u>	<u>anaerobia</u>		011	02	1
<u>Lachnospira</u>	<u>multiparus</u>		012	02	1
<u>Lactobacillus</u>	<u>catenaforme</u>		013	02	1
	<u>minutus</u> (Syn. <i>Eubacterium minutum</i> )		013	03	1
	<u>species</u>		013	01	1

## 02 - ANAEROBIC BACTERIA

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			35,36,37	39,40	42
Peptostreptococcus (PS)	<u>parvulus</u>		017	05	1
	<u>productus</u>		017	06	1
	<u>species</u>		017	01	1
<u>Propionibacterium</u>					
	<u>acidipropionici</u>		018	02	1
	<u>acnes</u>		018	03	1
	<u>avidum</u>		018	04	1
	<u>freudenreichii</u>	<u>freudenreichii</u>	018	05	1
	<u>freudenreichii</u>	<u>globosum</u>	018	06	1
	<u>freudenreichii</u>	<u>shermanii</u>	018	06	2
	<u>granulosum</u>		018	07	1
	<u>jensenii</u>		018	08	1
	<u>lymphophilum</u>		018	10	1
	<u>thoenii</u>		018	09	1
	<u>species</u>		018	01	1
<u>Ruminococcus</u>	<u>albus</u>		019	02	1
	<u>bromii</u>		019	03	1
	<u>flavefaciens</u>		019	04	1

## 02 - ANAEROBIC BACTERIA

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
<u>Sarcina</u>	<u>ventriculi</u>		<u>35,36,37</u>	<u>39,40</u>	<u>42</u>
			020	02	1
<u>Selenomonas</u>	<u>ruminantium</u>		021	02	1
	<u>sputigena</u>		021	03	1
<u>Staphylococcus</u>	<u>epidermidis</u>	<u>unidentified</u>	030	03	1
<u>Succinimonas</u> <u>(SM)</u>	<u>amylolytica</u>		022	02	1
<u>Succinivibrio</u> <u>(SV)</u>	<u>dextrinosolvans</u>		023	02	1

## 02 - ANAEROBIC BACTERIA

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			35,36,37	39,40	42
Unidentified	<u>gram positive rod</u>		025	01	1
	<u>gram negative rod</u>		025	02	1
	<u>gram positive coccus</u>		025	03	1
	<u>gram negative rod</u>	<u>8737</u>	025	02	2
	<u>gram negative rod</u>	<u>8739</u>	025	02	3
Veillonella	<u>alcalescens</u>		024	02	1
	<u>parvula</u>		024	03	1
	<u>species</u>		024	01	1

## 03 - YEAST

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			35,36,37	39,40	42
<u>Brettanomyces</u>	<u>species</u>		001	01	1
<u>Bullera</u>	<u>alba</u>		002	02	1
	<u>species</u>		002	01	1
<u>Candida</u>	<u>albicans</u>		003	02	1
	<u>claussenii</u>		003	10	1
	<u>guilliermondii</u>		003	03	1
	<u>krusei</u>		003	04	1
	<u>parapsilosis</u>		003	05	1
	<u>pseudotropicalis</u>		003	06	1
	<u>ravautii</u>		003	13	1
	<u>rugosa</u>		003	12	1
	<u>solani</u>		003	11	1
	<u>stellatoidea</u>		003	07	1
	<u>tropicalis</u>		003	08	1
	<u>vini</u>		003	09	1
	<u>species</u>		003	01	1
<u>Citeromyces</u>	<u>species</u>		004	01	1

## 03 - YEAST

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			35,36,37	39,40	42
<u>Coccidiascus</u>	<u>species</u>		005	01	1
<u>Cryptococcus</u>	<u>albidus</u>	<u>albidus</u>	006	02	2
	<u>albidus</u>	<u>diffluens</u>	006	02	3
	<u>ater</u>		006	09	1
	<u>gastricus</u>		006	03	1
	<u>laurentii</u>	<u>laurentii</u>	006	04	1
	<u>laurentii</u>	<u>magnus</u>	006	04	2
	<u>luteolus</u>		006	05	1
	<u>macerans</u>		006	08	1
	<u>neoformans</u>		006	06	1
	<u>uniguttulatus</u>		006	07	1
	<u>species</u>		006	01	1
<u>Dekkera</u>	<u>species</u>		008	01	1
<u>Endomycopsis</u>	<u>burtonii</u>		009	02	1
	<u>species</u>		009	01	1

## 03 - YEAST

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			<u>35,36,37</u>	<u>39,40</u>	<u>42</u>
<u>Hanseniasposa</u>	<u>species</u>		010	01	1
<u>Hansenula</u>	<u>species</u>		011	01	1
<u>Kloeckera</u>	<u>species</u>		012	01	1
<u>Kluyveromyces</u>	<u>species</u>		013	01	1
<u>Leucosporidium</u>	<u>species</u>		014	01	1
<u>Lipomyces</u>	<u>species</u>		015	01	1
<u>Lodderomyces</u>	<u>species</u>		016	01	1
<u>Meschnikowia</u>	<u>species</u>		017	01	1
<u>Nadsonia</u>	<u>species</u>		018	01	1
<u>Oosporidium</u>	<u>species</u>		019	01	1
<u>Pachysolen</u>	<u>species</u>		020	01	1

## 03 - YEAST

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			<u>35,36,37</u>	<u>39,40</u>	<u>42</u>
<u>Pichia</u>	<u>species</u>	021	01	1	
	<u>ohmeri</u>	021	02	1	
<u>Pityrosporum</u>	<u>orbiculare</u>	022	02	1	
	<u>ovale</u>	022	03	1	
<u>Rhodosporidium</u>	<u>species</u>	023	01	1	
<u>Rhodotorula</u>	<u>aurantiaca</u>	024	07	1	
	<u>flava</u>	024	05	1	
	<u>glutinis</u>	024	02	1	
	<u>glutinis</u>	024	02	2	
	<u>graminis</u>	024	12	1	
	<u>lactosa</u>	024	09	1	
	<u>marina</u>	024	11	1	
	<u>minuta</u>	024	08	1	
	<u>texensis</u>	024	08	2	
	<u>mucilaginosa</u>	024	04	1	
	<u>pallida</u>	024	06	1	
	<u>pilimanae</u>	024	10	1	
	<u>rubra</u>	024	03	1	
	<u>species</u>	024	01	1	

## 03 - YEAST

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			35,36,37	39,40	42
Saccharomyces (SE)	<u>cerevisiae</u>		025	02	1
	<u>chevalieri</u>		025	04	1
	<u>rosei</u>		025	03	1
Saccharomycodes (SD)	<u>species</u>		026	01	1
Saccharomycopsis (SP)	<u>species</u>		027	01	1
<u>Schizoblastosporion</u>	<u>species</u>		028	01	1
<u>Schizosaccharomyces</u>	<u>species</u>		029	01	1

## 03 - YEAST

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			35,36,37	39,40	42
<u>Schwanniomyces</u>	<u>species</u>		030	01	1
<u>Sporidiobolus</u>	<u>species</u>		031	01	1
<u>Sporobolomyces</u>	<u>holsaticus</u>		032	02	1
	<u>roseus</u>		032	03	1
	<u>species</u>		032	01	1
<u>Sterigmatomyces</u>	<u>species</u>		033	01	1
<u>Torulopsis</u>	<u>aeria</u>		034	09	1
	<u>candida</u>		034	02	1
	<u>castellii</u>		034	07	1
	<u>famata</u>		034	04	1
	<u>glabrata</u>		034	03	1
	<u>haemulonii</u>		034	05	1
	<u>holmii</u>		034	08	1
	<u>igeniosa</u>		034	06	1
	<u>stellata</u>		034	10	1
	<u>species</u>		034	01	1

## 03 - YEAST

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			35,36,37	39,40	42
<u>Trichosporon</u>	<u>capitatum</u>		035	02	1
	<u>cutaneum</u>		035	03	1
	<u>penicillatum</u>		035	04	1
	<u>pullulans</u>		035	05	1
<u>Trigonopois</u>	<u>species</u>		036	01	1
<u>Wickerhamia</u>	<u>species</u>		037	01	1
<u>Wingea</u>	<u>species</u>		038	01	1
<u>Unidentified Yeast</u>			039	01	1

## 04 - FILAMENTOUS FUNGI

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			35,36,37	39,40	42
			001	01	1
<u>Acremonium</u>	<u>species</u>				
<u>Acrostaphulus</u>	<u>species</u>		002	01	1
<u>Actinomucor</u>	<u>species</u>		003	01	1
<u>Alternaria</u>	<u>alternata</u>		005	06	1
	<u>citri</u>		005	03	1
	<u>longipes</u>		005	04	1
	<u>radicina</u>		005	07	1
	<u>tenuis TN</u>		005	02	1
	<u>tenuissima TS</u>		005	05	1
	<u>species</u>		005	01	1
<u>Ambulosporium</u>	<u>species</u>		007	01	1

## 04 - FILAMENTOUS FUNGI

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			<u>35, 36, 37</u>	<u>39, 40</u>	<u>42</u>
<u>Aphanoascus</u>	<u>fulvescens</u>		008	02	1
	<u>species</u>		008	01	1
	<u>species</u>	(group 1)	008	03	1
	<u>species</u>	(group 4)	008	04	1
	<u>species</u>	(group 5)	008	05	1
<u>Arthrinium</u>	<u>phaerospermum</u>		009	03	1
	<u>sacchri</u>		009	02	1
<u>Aschochyta</u>	<u>species</u>		010	01	1
<u>Aspergillus</u>	<u>aculeatus</u>		011	02	1
	<u>allahobodii</u>		011	31	1
	<u>ambiguus</u>		011	42	1
	<u>amsteladomi</u>		011	36	1
	<u>aureolatus</u>		011	40	1
	<u>awamori</u>		011	03	1
	<u>caesiellus</u>		011	32	1
	<u>caespitosus</u>		011	04	1
	<u>candidum</u>		011	05	1
	<u>candidus</u>		011	39	1
	<u>carneus</u>		011	36	1

## 04 - FILAMENTOUS FUNGI

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>35, 36, 37</u>	<u>39, 40</u>	<u>COLUMNS 42</u>
<u>Aspergillus</u>	<u>chevaliere</u>		011	28	1
	<u>eburneo-cremeus</u>		011	41	1
	<u>ficuum</u>		011	06	1
	<u>fischeri</u>	<u>spinulosus</u>	011	29	1
	<u>flavus</u>	<u>columnaris</u>	011	07	2
	<u>flavus</u>		011	07	1
	<u>foetidus</u>		011	08	1
	<u>foetidus</u>	<u>pallidus</u>	011	08	2
	<u>fumigatus</u>		011	09	1
	<u>ianus</u>	<u>brevis</u>	011	34	2
	<u>jaysonicus</u>		011	27	1
	<u>microcysticus</u>		011	33	1
	<u>montevidensis</u>		011	38	1
	<u>nidulans</u>		011	10	1
	<u>nidulans</u>	<u>noascosporic</u>	011	11	3
	<u>niger</u>		011	12	1
	<u>oryzae</u>		011	43	1
	<u>phoenicus</u>		011	37	1
	<u>pseudoglaucus</u>		011	13	1
	<u>pulvinus</u>		011	14	1
	<u>pulvinus</u>	<u>A</u>	011	14	2
		<u>B</u>	011	14	3
		<u>C</u>	011	14	4
	<u>punicum</u>		011	15	1
	<u>restrictus</u>		011	16	1
	<u>ruber</u>		011	17	1
	<u>sclerotiorum</u>		011	30	1
	<u>sulphureus</u>		011	26	1
	<u>sydowi</u>		011	18	1

## 04 - FILAMENTOUS FUNGI

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			<u>35, 36, 37</u>	<u>39, 40</u>	<u>42</u>
<u>Aspergillus</u>	<u>sydowi</u>	<u>A</u>	011	18	2
		<u>B</u>	011	18	3
		<u>C</u>	011	18	4
		<u>D</u>	011	18	5
		<u>E</u>	011	18	6
		<u>F</u>	011	18	7
		<u>G</u>	011	18	8
	<u>terreus</u>		011	19	1
	<u>terricola</u>		011	20	1
	<u>terricola</u>	<u>americana</u>	011	21	1
	<u>tonaphilus</u>		011	25	1
	<u>unquis</u>		011	22	1
	<u>uster</u>		011	35	1
	<u>versicolor</u>		011	23	1
	<u>versicolor</u>	<u>A</u>	011	23	2
		<u>B</u>	011	23	3
		<u>C</u>	011	23	4
		<u>D</u>	011	23	5
		<u>E</u>	011	23	6
		<u>F</u>	011	23	7
		<u>G</u>	011	23	8
		<u>H</u>	011	23	9
		<u>I</u>	011	23	10
		<u>J</u>	011	23	11
		<u>K</u>	011	23	12
	<u>viridinutans</u>		011	24	1

## 04 - FILAMENTOUS FUNGI

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			<u>35,36,37</u>	<u>39,40</u>	<u>42</u>
<u>Aureobasidium</u>	<u>mansonii</u>		012	02	1
	<u>pullulans</u>		012	03	1
	<u>species</u>		012	01	1
<u>Beauveria</u>	<u>species</u>		112	01	1
<u>Beniowskia</u>	<u>sphaevoidea</u>		012	02	1
<u>Bipolaris</u>	<u>maydis</u>		014	02	1
	<u>species</u>		014	01	1
<u>Botrytis</u>	<u>allii</u>		109	03	1
	<u>cinerea</u>		109	02	1
<u>Cephaloascus</u>	<u>fragrans</u>		136	02	1

## 04 - FILAMENTOUS FUNGI

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			35,36,37	39,40	42
<u>Cephalosporium</u>	<u>acremonium</u>		015	02	1
	<u>incoloratum</u>		015	03	1
	<u>roseum</u>	<u>brevis</u>	015	04	4
	<u>roseo-griseum</u>		015	05	1
	<u>species</u>		015	01	1
<u>Cercospora</u>	<u>species</u>		017	01	1
<u>Ceratocystis</u>	<u>species</u>		113	01	1
<u>Cirincella</u>	<u>tenellus</u>		116	02	1
<u>Chaetomium</u>	<u>globosum</u>		018	02	1
	<u>indicom</u>		018	04	1
	<u>mollicellum</u>		018	05	1
	<u>spiculipilum</u>		018	03	1

## 04 - FILAMENTOUS FUNGI

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			<u>35,36,37</u>	<u>39,40</u>	<u>42</u>
<u>Chaetophoma</u>	<u>species</u>		019	01	1
<u>Chrondoplea</u>	<u>populea</u>		139	02	1
<u>Chrysosporium</u>	<u>keratinophilum</u>		020	06	1
	<u>species 1</u>		020	03	1
	<u>species 2</u>		020	04	1
	<u>species 3</u>		020	05	1
	<u>tropicum</u>		020	02	1
<u>Cladorrhinum</u>	<u>species</u>		021	01	1
<u>Cladosporium</u>	<u>avellaneum</u>		022	02	1
	<u>carpophilum</u>		022	03	1
	<u>cladospoioides</u>		022	04	1
	<u>colocasiae</u>		022	05	1
	<u>cucumerinum</u>		022	06	1
	<u>elatum</u>		022	07	1
	<u>herbarum</u>		022	08	1
	<u>macrocarpum</u>		022	09	1
	<u>pallidum</u>		022	10	1
	<u>sphaerospermum</u>		022	11	1
	<u>werneckii</u>		022	12	1

## 04 - FILAMENTOUS FUNGI

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			35,36,37	39,40	42
<u>Coniella</u>	<u>species</u>		023	01	1
<u>Coniothyrium</u>	<u>species</u>		024	01	1
<u>Cornularia</u>	<u>species</u>		120	01	1
<u>Curvularia</u>	<u>erogrostidis</u>		025	08	1
	<u>intermedius</u>		025	02	1
	<u>lunata</u>		025	03	1
	<u>lunata</u>	<u>aeria</u>	025	03	2
	<u>oryzae</u>		025	07	1
	<u>pallescens</u>		025	04	1
	<u>senegalensis</u>		025	05	1
	<u>trifolii</u>		025	06	1
<u>Cylindrocephalum</u>	<u>species</u>		123	01	1

## 04 - FILAMENTOUS FUNGI

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			35,36,37	39,40	42
<u>Diplococcum</u>	<u>spicatum</u>		026	02	1
	<u>species</u>		026	01	1
<u>Drechslera</u>	<u>australiensis</u>		114	04	1
	<u>erythrospila</u>		114	03	1
	<u>hawaiiensis</u>		114	02	1
	<u>monocerus</u>		114	05	1
<u>Ectosticta</u>	<u>species</u>		027	01	1
<u>Emericellopsis</u>	<u>minima</u>		028	02	1
	<u>terrieda</u>		028	03	1
	<u>species</u>		028	01	1
<u>Epicoccum</u>	<u>nigrum</u>		029	02	1
	<u>purpurascens</u>		029	03	1
	<u>species</u>		029	01	1

## 04 - FILAMENTOUS FUNGI

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			35, 36, 37	39, 40	42
<u>Epidermophyton</u>	<u>floccosum</u>		030	02	1
<u>Fonsecaea</u>	<u>compactum</u>		031	02	1
<u>Fusarium</u>	<u>avenaceum</u>		032	02	1
	<u>chlamydosporium</u>		032	03	1
	<u>conglutinas</u>		032	05	1
	<u>lateutium</u>		032	04	1
	<u>species</u>		032	01	1
<u>Fusidium</u>	<u>griseum</u>		033	02	1
	<u>species</u>		033	01	1
<u>Geotrichum</u>	<u>candidum</u>		034	02	1
	<u>species</u>		034	01	1

## 04 - FILAMENTOUS FUNGI

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			<u>35,36,37</u>	<u>39,40</u>	<u>42</u>
<u>Gillmaniella</u>	<u>humicola</u>		035	02	1
	<u>species</u>		035	01	1
<u>Gliomastix</u>	<u>species</u>		036	01	1
<u>Gliocladium</u>	<u>deliquescens</u>		111	03	1
	<u>virens</u>		111	02	1
<u>Hansfordia</u>	<u>togoensis</u>		037	02	1
<u>Haplobasidion</u>	<u>lelebae</u>		038	03	1
	<u>thalictri</u>		038	02	1
	<u>species</u>		038	01	1
<u>Harposporium</u>	<u>species</u>		130	01	1

## 04 - FILAMENTOUS FUNGI

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
<u>Helicodendron</u>	<u>species</u>		<u>35,36,37</u>	<u>39,40</u>	<u>42</u>
			039	01	1
<u>Helicosporium</u>	<u>species</u>		040	01	1
<u>Helminthosporium</u>	<u>nodulosum</u>		041	02	1
<u>Hendersonia</u>	<u>species</u>		042	01	1
<u>Hormiactis</u>	<u>alba</u>		043	02	1
	<u>species</u>		043	01	1
<u>Hyalodendron</u>	<u>species</u>		044	01	1

## 04 - FILAMENTOUS FUNGI

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			35,36,37	39,40	42
<u>Idriella</u>	<u>species</u>		045	01	1
<u>Illiosporium</u>	<u>species</u>		046	01	1
<u>Kabatiella</u>	<u>species</u>		137	01	1
<u>Leptosphaerulina</u>	<u>species</u>		047	01	1
<u>Libertia</u>	<u>species</u>		122	01	1
<u>Melanconium</u>	<u>species</u>		127	01	1
<u>Melanopsamma</u>	<u>pomiformis</u>		133	02	1
<u>Microascus</u>	<u>intermedus</u>		138	02	1

## 04 - FILAMENTOUS FUNGI

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			35,36,37	39,40	42
<u>Micromonospora</u>	<u>fusca</u>		048	02	1
	<u>species</u>		048	01	1
<u>Microsporum</u>	<u>canis</u>		049	02	1
<u>Microthecium</u>	<u>retisporum</u>	<u>inferior</u>	050	02	2
<u>Monilia</u>	<u>species</u>		124	01	1
<u>Monocillium</u>	<u>species</u>		051	01	1
<u>Mucor</u>	<u>globosus</u>		052	03	1
	<u>hiemalis</u>		052	05	1
	<u>lamprosporum</u>		052	02	1
	<u>racemosus</u>		052	04	1
	<u>species</u>		052	01	1

## 04 - FILAMENTOUS FUNGI

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			<u>35,36,37</u>	<u>39,40</u>	<u>42</u>
<u>Myrothecium</u>	<u>indicum</u>		053	02	1
	<u>species</u>		053	01	1
<u>Nigrospora</u>	<u>oryzae</u>		054	04	1
	<u>panici</u>		054	02	1
	<u>sphaerica</u>		054	03	1
	<u>species</u>		054	01	1
<u>Nodulisporium</u>	<u>species</u>		055	01	1
<u>Oedocephalum</u>	<u>species</u>		056	01	1
<u>Oidiodendron</u>	<u>griseum</u>		057	02	1
	<u>species</u>		057	01	1
<u>Ostracoderma</u>	<u>species</u>		058	01	1

## 04 - FILAMENTOUS FUNGI

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			<u>35,36,37</u>	<u>39,40</u>	<u>42</u>
<u>Paecilomyces</u>	<u>elegans</u>		059	02	1
	<u>carneus</u>		059	11	1
	<u>flavescens</u>		059	09	1
	<u>griseoviridis</u>		059	03	1
	<u>ochroceus</u>		059	10	1
	<u>parvus</u>		059	08	1
	<u>roseobus</u>		059	04	1
	<u>terricola</u>		059	05	1
	<u>variabilis</u>		059	06	1
	<u>varioti</u>		059	07	1
<u>Penicillium</u>	<u>aurantio-virens</u>		061	02	1
	<u>aurantio-violaceum</u>		061	39	1
	<u>brevi-compactum</u>		061	37	1
	<u>capsulatum</u>		061	35	1
	<u>camberti</u>	<u>rogeri</u>	061	36	2
	<u>chevalieri</u>		061	54	1
	<u>chrysogenum</u>		061	03	1
	<u>citrium</u>		061	04	1
	<u>claviforme</u>		061	05	1
	<u>corylophilum</u>		061	06	1
	<u>corymbiferum</u>		061	07	1
	<u>crustosum</u>		061	08	1
	<u>cyclopium</u>		061	09	1
	<u>decumbens</u>		061	40	1
	<u>digitatum</u>		061	41	1
	<u>duclauxii</u>		061	10	1
	<u>expansum</u>		061	11	1
	<u>frequentans</u>		061	12	1
	<u>funiculosum</u>		061	22	1

## 04 - FILAMENTOUS FUNGI

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			35,36,37	39,40	42
<u>Penicillium</u>	<u>fuscum</u>		061	31	1
	<u>granulatum</u>		061	13	1
	<u>implacatum</u>		061	24	1
	<u>islandicum</u>		061	46	1
	<u>italicum</u>		061	14	1
	<u>lanoso-coeruleum</u>		061	26	1
	<u>lanoso-griseum</u>		061	32	1
	<u>lanosum</u>		061	27	1
	<u>lavendulum</u>		061	42	1
	<u>lilacinum</u>		061	15	1
	<u>multicolor</u>		061	44	1
	<u>nalgievensis</u>		061	53	1
	<u>notatum</u>		061	16	1
	<u>ochraceum</u>		061	48	1
	<u>ochro-chloron</u>		061	52	1
	<u>palitans</u>		061	43	1
	<u>purpurogenum</u>		061	17	1
	<u>purpurrescens</u>		061	23	1
	<u>raistrickii</u>		061	18	1
	<u>restrictum</u>		061	49	1
	<u>roqueforti</u>		061	30	1
	<u>simplicissima</u>		061	33	1
	<u>spinulosum</u>		061	25	1
	<u>steckii</u>		061	20	1
	<u>stipitatum</u>		061	51	1
	<u>stoloniforum</u>		061	34	1
	<u>tardum</u>		061	21	1
	<u>variabile</u>		061	28	1
	<u>vermiculatum</u>		061	50	1
	<u>verruculosum</u>		061	19	1
	<u>vinaciūm</u>		061	38	1
	<u>virdicatam</u>		061	47	1
	<u>waksmani</u>		061	45	1
	<u>species</u>		061	01	1

## 04 - FILAMENTOUS FUNGI

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			35,36,37	39,40	42
<u>Periconia</u>	<u>digitata</u>		062	06	1
	<u>igniaria</u>		062	02	1
	<u>lateralis</u>		062	03	1
	<u>minutissima</u>		062	04	1
	<u>venezuelana</u>		062	05	1
	<u>species</u>		062	01	1
<u>Pestalotia</u>	<u>species</u>		065	01	1
<u>Petriella</u>	<u>species</u>		121	01	1
<u>Phialophora</u>	<u>jeanselmei</u>		066	02	2
	<u>species</u>		066	01	1
<u>Phyalocephala</u>	<u>species</u>		129	01	1

## 04 - FILAMENTOUS FUNGI

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			35,36,37	39,40	42
<u>Pyrenophora</u>	<u>tritici-repentis</u>		125	01	1
<u>Phoma</u>	<u>glomerata</u>		068	02	1
	<u>herbarum</u>		068	03	1
	<u>species</u>		068	01	1
<u>Phomatosphora</u>	<u>berkeleyi</u>		070	02	1
<u>Phomopsis</u>	<u>species</u>		071	01	1
<u>Phyllosticta</u>	<u>species</u>		072	02	1
<u>Pithomyces</u>	<u>atro-olivaceus</u>		073	03	1
	<u>chartarum</u>		073	05	1
	<u>maydicus</u>		073	02	1
	<u>species</u>		073	01	1

## 04 - FILAMENTOUS FUNGI

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			<u>35,36,37</u>	<u>39,40</u>	<u>42</u>
<u>Pseudotorula</u>	<u>species</u>		076	01	1
<u>Ramularia</u>	<u>species</u>		077	01	1
<u>Rhinocladiella</u>	<u>atrovirens</u>		078	02	1
	<u>species</u>		078	01	1
<u>Rhizopus</u>	<u>oryzae</u>		079	02	1
<u>Sadasiviania</u>	<u>species</u>		080	01	1
<u>Saturnomyces</u>	<u>species</u>		081	01	1

## 04 - FILAMENTOUS FUNGI

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			<u>35,36,37</u>	<u>39,40</u>	<u>42</u>
<u>Scolocobasidium</u>					
	<u>constrictum</u>		082	02	1
	<u>humicola</u>		082	04	1
	<u>verruculosum</u>		082	03	1
	<u>species</u>		082	01	1
<u>Scopulariopsis</u>	<u>brevicaulis</u>		083	02	1
	<u>species</u>		083	01	1
<u>Selenophomia</u>	<u>species</u>		132	01	1
<u>Septonema</u>	<u>species</u>		084	01	1
<u>Sordaria</u>	<u>fimicola</u>		085	02	1
	<u>species</u>		085	01	1

## 04 - FILAMENTOUS FUNGI

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			35,36,37	39,40	42
<u>Sphaeriales</u>	<u>species</u>		126	01	1
<u>Sphaeropsis</u>	<u>species</u>		086	01	1
<u>Spicaria</u>	<u>species</u>		087	01	1
<u>Spegazzinia</u>	<u>tessartha</u>		088	02	1
	<u>species</u>		088	01	1
<u>Sporothrix</u>	<u>species</u>		089	01	1
	<u>species 2</u>		089	02	1
<u>Sporonema</u>	<u>species</u>		131	01	1

## 04 - FILAMENTOUS FUNGI

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			<u>35,36,37</u>	<u>39,40</u>	<u>42</u>
<u>Sporormia</u>	<u>splendens</u>		115	02	1
<u>Staphospora</u>	<u>species</u>		128	01	1
<u>Staphylotrichum</u>	<u>coccosporum</u>		090	02	1
	<u>species</u>		090	01	1
<u>Streptomyces</u>	<u>section retinaculum - apertum</u>		091	04	1
	<u>section rectus flexibilis</u>		091	03	1
	<u>section spira</u>		091	02	1
	<u>species</u>		091	01	1
<u>Streptosporangium</u>					
	<u>roseum</u>		092	02	1
<u>Stilbum</u>	<u>species</u>		093	01	1

## 04 - FILAMENTOUS FUNGI

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			<u>35,36,37</u>	<u>39,40</u>	<u>42</u>
<u>Syncephalastrum</u>	<u>racemosum</u>		094	02	1
<u>Tetraploa</u>	<u>ellisii</u>		134	02	1
<u>Thermoactinomyces</u>	<u>species</u>		117	01	1
<u>Thermomonospora</u>	<u>virdis</u>		118	02	1
<u>Thysanophora</u>	<u>penicilloides</u>		095	02	1
<u>Tilletiopsis</u>	<u>species</u>		096	01	1

## 04 - FILAMENTOUS FUNGI

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			35,36,37	39,40	42
<u>Torula</u>	<u>herbarum</u>		097	02	1
	<u>species</u>		097	01	1
<u>Torulomyces</u>	<u>lagena</u>		098	02	1
	<u>species</u>		098	01	1
<u>Trichocladium</u>	<u>species</u>		100	01	1
<u>Trichoderma</u>	<u>koningi</u>		101	02	1
	<u>lignorum</u>		101	04	1
	<u>t. viride</u>		101	03	1
	<u>species</u>		101	01	1
<u>Trichophyton</u>	<u>mentagrophytes</u>		102	02	1
	<u>rubrum</u>		102	03	1
<u>Trichothecium</u>	<u>roseum</u>		135	02	1

## 04 - FILAMENTOUS FUNGI

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			<u>35,36,37</u>	<u>39,40</u>	<u>42</u>
<u>Ulocladium</u>	<u>botrytis</u>		103	02	1
<u>Varicosporium</u>	<u>species</u>		104	01	1
<u>Vermicularia</u>	<u>species</u>		110	01	1
<u>Verticillium</u>	<u>species</u>		105	01	1
<u>Wallemia</u>	<u>ichthyophage</u>		106	02	1
<u>Zygosporium</u>	<u>masonii</u>		107	02	1
<u>Zythia</u>	<u>species</u>		119	01	1

## 04 - FILAMENTOUS FUNGI

<u>GENUS</u>	<u>SPECIES</u>	<u>VARIETY</u>	<u>COLUMNS</u>		
			35,36,37	39,40	42
Unidentified	<u>dematiaceous</u> <u>sterile mycelium</u>		108	02	2
		1	108	02	3
		2	108	02	4
		3	108	02	5
		4	108	02	6
	<u>filamentous fungi</u>		108	01	1
	<u>moniliaceous</u> <u>sterile mycelius</u>		108	03	2
		1	108	03	3
		2	108	03	4

**MICROBIOLOGY**

**DATA FORM INSTRUCTIONS**

## **CONTENTS**

<b>1.</b>	<b>Introduction</b>	<b>1</b>
<b>2.</b>	<b>Microbiology Data Card Format</b>	<b>5</b>
<b>Appendix A - Organism Codes</b>		
<b>Appendix B - Gram Codes</b>		
<b>Appendix C - Medically Important Organisms</b>		
<b>Appendix D - Technician Codes</b>		

## 1. INTRODUCTION

The purpose of the Microbiology Data form is to allow information from the various microbiology labs to be reported in such a way that it may be readily key punched and then entered in a computer storage system. This requires that the information be coded as explained in the Microbiology Data Card Format and the various copies handled as described in this instruction sheet.

### 1. Disposition of Copies

The Microbiology Data Form consists of six copies which are identical except for color and a notation in the lower right corner indicating the intended use. Beginning with the original (copy 1) the designations are:

- |                                   |              |
|-----------------------------------|--------------|
| Copy 1 - Complete/Contractor copy | (white)      |
| Copy 2 - Complete/JSC file        | (blue)       |
| Copy 3 - Bacteriology copy        | (green)      |
| Copy 4 - First partial            | (yellow)     |
| Copy 5 - Second partial           | (pink)       |
| Copy 6 - Initiator copy           | (golden rod) |

Since evaluation of a given sample may involve more than one lab, provision has been made to allow partial reports. Any unneeded copies may be discarded.

### 2. Open Lists

The codes listed for each of the items on the Microbiology Data Card Format sheet are intended to uniquely designate each possible response for that item. If additional responses are needed, these can be coded and added to the list by data collection personnel.

### 3. Abbreviations

Some items (e.g., Sample Type, Col. 19) require a written as well as a coded response. This provides a means for checking the consistency of the response (i.e., the code should match the word). Acceptable abbreviations are indicated by underlining on the Data Card Format sheet.

### 4. Missing Data

If the appropriate response for a given item is not available because of accident or error, that item should be given the code for "datum missing" which in most cases is all zeros, and in every case is clearly indicated. Note that this is different than "not applicable".

Blank columns are permissible on partial reports, but not on the final report (copies 1 and 2). Any item still missing when the final report is submitted should be shown as "datum missing".

### 5. Explanation of Coded Items

It is important to use code exactly as described in the Microbiology Data Card Format and to make entries in all appropriate columns, even if the response might be "not applicable". This allows those handling the reports to distinguish among incomplete reports, non-applicable items, and missing data. Do not omit leading zeros; they are a part of the code also.

Columns 1-2: Identifies the lab area from which the information comes, this becomes a part of the ID number of this report. This number is to be assigned by the initiating lab, even though the report might be updated in other labs.

- Columns 3-7: Preprinted ID number which is used to link the lab worksheets, the report forms, the IBM cards punched from these forms, and ultimately the card image on magnetic tape. This number must be transferred to the lab worksheet.
- Columns 8-9: Identifies the technician making the initial report.
- Column 10: This space may be ignored; except in the case of the SMEAT food study as explained below.
- Column 12: Identifies the test (e.g., SMEAT, SL-2, SL-3, SL-4) in which the data originated.
- Columns 13-17: The Julian date of the sample collection, e.g. June 21, 1972, is 173-72.
- Columns 24-25: Codes 00, 01, 02, 05, 06, 08, 09 constitute full reporting of quantitation; if these are used, draw a line thru columns 27-31.
- Columns 27-31: If 4,7, or 10 appears in columns 24-25, enter the appropriate quantitation in scientific notation. If the colonies are TNTC, enter the value of the last dilution in columns 27-31. Use zeros to avoid leaving any blank columns.
- Column 48: If a 0, 1, 2, or 3 are coded in column 48, a line should be drawn through "boxes" 49 thru 72.
- Column 49-71: Enter the phage type in the usual notation. Use a zero in unneeded columns to right justify within each triplet boxes; e.g.: 32A/052/053/60B. Draw a line through any unused boxes.

6. Update ID - Delete ID

If it is found for any reason (such as summing of counts to get correct quantitation or correcting mistakes) that previously reported data must be changed, proceed as follows: Make out a new data form with the correct data and at the bottom under the Delete ID section, indicate the complete number of all previously submitted data forms which must be deleted from the data system. The Update ID column at the bottom of the form is not to be used at this time.

## 2. MICROBIOLOGY DATA CARD FORMAT

Columns	Contents	Code	Description
1-2	Lab area	01 - 13	Crew aerobic bacteriology Crew anaerobic bacteriology Crew mycology Environmental bacteriology Environmental mycology Crew mycoplasma Crew virology Serology Crew parasitology IMSS - Bacteriology IMSS - Mycology SMEAT food Skylab food
3-7	Identification Number		(pre-numbered)
8-9	Technician		See appendix D
10	Report status		IGNORE, except for Skylab food study, use these codes only: 1 - Frozen 0 hours 2 - Frozen 4 hours 3 - Frozen 8 hours 4 - Frozen 24 hours 5 - Control 6 - A Can 7 - B Can
12	Test number	1 - 4	SMEAT Skylab 2 Skylab 3 Skylab 4
13-15	Sample Date		Day of year
16-17	Sample Date		Year
19	Sample Type	0 - 7	Datum <u>missing</u> <u>Regular</u> (crew) <u>Illness contingency</u> <u>Hardware contingency</u> <u>OWS preflight</u> <u>CM preflight</u> <u>CM postflight</u> <u>IMSS preflight</u>

<u>Columns</u>	<u>Contents</u>	<u>Code</u>	<u>Description</u>
		8 - 9 - 10 -	<u>IMSS mid-mission (MM)</u> <u>IMSS end of mission (EM)</u> <u>IMSS Illness contingency</u>
20-21	Sample Source	00 - 01 - 02 - 03 - 04 - 05 - 06 - 07 - 08 - 09 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 -	Datum <u>missing</u> <u>Conrad</u> <u>Kerwin</u> <u>Weitz</u> <u>McCandless</u> <u>Musgrave</u> <u>Schweickhart</u> <u>Air</u> <u>Hardware</u> <u>Special Studies</u> <u>Bean</u> <u>Garriott</u> <u>Lousma</u> <u>Carr</u> <u>Gibson</u> <u>Pogue</u> <u>Brand</u> <u>Lenoir</u> <u>Lind</u>
22-23	Sample Area	00 -	Datum <u>missing</u>
		CREW (sample type 1)	
		01 - 02 - 03 - 04 - 05 - 06 - 07 - 08 - 09 - 10 - 11 - 12 -	<u>Neck</u> <u>Nasal</u> <u>Ear</u> <u>Axilla</u> <u>Hands</u> <u>Umbillicus</u> <u>Groin</u> <u>Toe Web</u> <u>Urine</u> <u>Gargle</u> <u>Throat Swab</u> <u>Feces</u>
		OWS (sample type 4)	
		15 - 18 - 17 - 24 - 14 - 19 - 07 - 08 -	<u>MDA S190</u> <u>MDA 124</u> <u>MDA Con. Pan. 105</u> <u>MDA inside Vent. Duct by CSM hatch</u> <u>MDA 129</u> <u>MDA 143</u> <u>ATM Panel</u> <u>MDA Tape Rec. #2, 149</u>

<u>Columns</u>	<u>Contents</u>	<u>Code</u>	<u>Description</u>
			OWS (sample type 4) continued
		21	- MDA 126
		23	- MDA rim next to pan. 301
		16	- MDA 150
		20	- MDA 192
		26	- AM hatch rim entering OWS
		25	- AM suit util. sys. 317
		27	- AM rim
		28	- AM window
		51	- MDA hatch 100, CSM entry
		50	- MDA ledge
		55	- OWS food cab. 551
		46	- OWS water pur. equip. 505
		45	- OWS solar photog. unit 597
		48	- OWS UV astro. mirror cover 593
		53	- OWS locker 444
		54	- OWS locker 446
		56	- OWS locker 448
		57	- OWS locker 400
		49	- Tank 10
		47	- Tank 01
		52	- OWS light switch 630
		38	- OWS, hand rail waste mgt.
		39	- OWS, lip of housing above locker 802
		37	- OWS, speaker intercom 903
		33	- OWS, window vent valve sill PNL 704
		35	- OWS, top of food table
		34	- OWS, Urine receiver
		36	- OWS, trash disp. airlock lid
		29	- OWS, pressure dev. next to ch. SW. LBNPD
		30	- OWS, front of ergometer
		32	- OWS, Box 628 cover
		31	- OWS, radiant heater #4
		41	- Air plenum dome
		40	- Air plenum ledge
		43	- Air plenum crotch area
		42	- Air plenum crotch area
		44	- Air plenum dome
			CM (sample type 5,6)
		58	- CM, left X-X head strut
		59	- CM, right X-X head strut
		60	- CM, crew couch, right-hand stabilizer beam
		61	- CM, crew couch, left-hand stabilizer beam
		62	- CM, right-hand rotational hand controller pistol grip (both sides)

<u>Columns</u>	<u>Contents</u>	<u>Code</u>	<u>Description</u>
<b>CM (sample type 5, 6) continued</b>			
	63	- CM, left-hand rotational hand controller pistol grip (both sides)	
	64	- CM, right-hand girth shelf	
	65	- CM, panel 325	
	66	- CM, left-hand girth shelf (above U3)	
	67	- CM, cover plate, ordeal cable stowage locker (U3)	
	68	- CM, volume B1 (above snaps)	
	69	- CM, water dispenser/fire extinguisher assy (barrel area)	
	70	- CM, top of locker A8 (AEB)	
	71	- CM, ledge below window 5	
	72	- CM, volume R6	
	73	- CM, below window 5, right of fire port above volume R13	
<b>SUITS</b>			
	74	- Suit - left arm	
	75	- Suit - right leg	
	76	- Suit - groin area	
	77	- Suit - chest area	
	78	- Pink neck (liner at top of zipper)	
	79	- Brown growth in leg liner (calf area)	
	80	- Leg liner (thigh area)	
	81	- Collar neck	
	82	- Liner near label	
	83	- Near base of zipper on inside in crevice (front zipper neck area)	
	84	- Outside in chest area	
	85	- Back outside in chest area	
	86	- Inner zipper on back, lower part	
	87	- Leg knee area - outside	
	88	- Outside sock - toe area	
	89	- Inner side front zipper and liner (chest area)	
<b>IMSS (sample type 7, 8, 9, 10)</b>			
	01	- Nose	
	02	- Throat	
	03	- Ear	
	04	- Toes	
	05	- OWS hatch - 1 min. (air)	
	06	- OWS hatch - 5 min. (air)	
	07	- OWS hatch - 10 min. (air)	
	08	- Exps. area - 1 min. (air)	
	09	- Exps. area - 5 min. (air)	
	10	- Exps. area - 10 min. (air)	

<u>Columns</u>	<u>Contents</u>	<u>Code</u>	<u>Description</u>
			IMSS (sample type 7, 8, 9, 10) continued
		11	- Site 1e or 1E
		12	- Site 2e or 2E
		13	- Site 3e or 3E
		14	- Site 4e or 4E
		15	- Site 5e or 5E
		16	- Site 6e or 6E
		17	- Site 7e or 7E
		18	- Site 8e or 8E
		19	- Site 9e or 9E
		20	- Site 10e or 10E
		21	- Site 11e or 11E
		22	- Site 12e or 12E
		23	- Site 13e or 13E
		24	- Site 14e or 14E
		25	- Site 15e or 15E
			FOOD (sample source 08)
		01	- Applesauce
		02	- Asparagus
		03	- Bacon Wafers
		04	- Beef Hash
		05	- Biscuit
		06	- Black Coffee
		07	- Butterscotch Pudding
		08	- Canadian Bacon and Applesauce
		09	- Catsup
		10	- Cheddar Cheese Crackers
		11	- Chicken and Gravy
		12	- Chicken and Rice
		13	- Cocoa
		14	- Cocoa Flavored Instant Breakfast
		15	- Coffee Cake
		16	- Cream of Tomato Soup
		17	- Cream Style Corn
		18	- Creamed Peas
		19	- Dried Apricots
		20	- Dry Roasted Peanuts
		21	- Filet Mignon
		22	- Fruit Jam
		23	- German Potato Salad
		24	- Grape Drink
		25	- Grapefruit Crystals
		26	- Green Beans
		27	- Ham and Cheese Crackers
		28	- Ham Sandwich Spread
		29	- Hard Candy
		30	- Hot Dogs
		31	- Lemonade

<u>Columns</u>	<u>Contents</u>	<u>Code</u>	<u>Description</u>
			<p>FOOD (sample source 08) continued</p> <p>32 - Lemon Pudding      33 - Lobster Newburg      34 - Macaroni and Cheese      35 - Mashed Potatoes      36 - Mashed Sweet Potatoes      37 - Mints      38 - Orange Crystals      39 - Orange Drink      40 - Peach Ambrosia      41 - Peaches      42 - Peanut Butter      43 - Pears      44 - Pea Soup      45 - Pineapple      46 - Pork and Scalloped Potatoes      47 - Pork Tenderloin w/Dressing      48 - Potato Soup      49 - Pre-Buttered Roll      50 - Prime Rib      51 - Rice Krispies      52 - Salmon Salad      53 - Sausage Patties      54 - Scrambled Eggs      55 - Shrimp Cocktail      56 - Sliced Dried Beef      57 - Spaghetti and Meat Sauce      58 - Stewed Tomatoes      59 - Strawberries      60 - Sugar Coated Corn Flakes      61 - Sugar Cookie Wafers      62 - Tea with Lemon and Sugar      63 - Tuna Sandwich Spread      64 - Turkey Rice Soup      65 - Vanilla Ice Cream      66 - Vanilla Wafers      67 - Veal and BBQ Sauce      68 - White Bread      69 - Turkey and Gravy      70 - Chili with Meat</p> <p>24-25      Quantitation</p> <p>00 - Datum missing      01 - Less than 10      02 - Less than 100      03 - Less than 1000      04 - TNTC      05 - Heat shock      06 - Concentrate      07 - Quantitation follows in      columns 27-31</p>

Columns	Contents	Code	Description
		08 - 09 - 10 - 11 - 12 -	Quantitation unsuccessful Not applicable Less than 30; quantitation follows Present, not quantified Contact plates (100 mm)
27-31	Quantitation		Use correct scientific notation when applicable; e.g. 1124 colonies should be coded as : <u>1</u> . <u>1</u> <u>2</u> x 10 <u>0</u> <u>3</u> ,
32-33	Organism group	00 - 01 - 02 - 03 - 04 - 05 - 06 - 07 -	Datum <u>missing</u> <u>Aerobic</u> bacteria <u>Anaerobic</u> bacteria <u>Yeast</u> <u>Filamentous</u> fungi <u>Parasite</u> <u>Virus</u> <u>Mycoplasma</u>
35-37	Organism genus		See appendix A
39-40	Organism species		See appendix A
42	Organism variety		See appendix A
43	Medical significance	0 - 1 - 2 -	Datum <u>missing</u> (see appendix C) <u>No</u> <u>Yes</u>
44	Hemolysis	0 - 1 - 2 - 3 - 4 -	Datum <u>missing</u> <u>Not applicable</u> (NA) <u>Alpha</u> <u>Beta</u> <u>Gamma</u>
45	Coagulase	0 - 1 - 2 - 3 -	Datum <u>missing</u> <u>Not applicable</u> (NA) <u>Positive</u> <u>Negative</u>
46-47	Gram		See appendix B
48	Phage Type	0 - 1 - 2 - 3 -	Datum <u>missing</u> <u>Not applicable</u> <u>Not typable</u> Typable; type follows
49	Phage Type		

<u>Columns</u>	<u>Contents</u>	<u>Code</u>	<u>Description</u>
72	Titer	1 - 10x 2 - 100x 3 - 1000x 4 - 10000x	

**APPENDIX B**  
**GRAM CODES**

**APPENDIX B****Codes for Gram columns 46-47**

- 00 - Datum missing
- 01 - Not applicable
- 02 - Gram positive rod
- 03 - Gram negative rod
- 04 - Gram positive cocci in pairs or chains
- 05 - Gram negative cocci in pairs or clusters
- 06 - Gram positive cocci in clusters
- 07 - Gram negative cocco-bacilli
- 08 - Gram positive sporulating rod
- 09 - Gram negative sporulating rod
- 10 - Gram positive rod, bifidated end
- 11 - Gram negative rod, rounded ends
- 12 - Gram negative rod, tapered ends
- 13 - Gram positive branching rods

**APPENDIX C**  
**MEDICALLY IMPORTANT ORGANISMS**

## APPENDIX C

### Organisms to be Coded as MEDICALLY IMPORTANT\*

#### GENERAL

##### 1. ALL ORGANISMS isolated from CONTINGENCY SPECIMENS

#### SKIN

1. Staph. aureus
2. Strep. spp. (B-hemolytic, group A)
3. Strep. spp. (B-hemolytic, not group A if predominant organism)
4. Proteus spp.
5. Pseudomonas spp.
6. Clostridium spp.
7. Shigella spp.
8. Salmonella spp.
9. Moraxella spp.
10. Herellea spp.
11. Candida albicans
12. Aspergillus spp.

#### THROAT

1. Strep. spp. (B-hemolytic, group A)
2. Strep. spp. (B-hemolytic, not group A but predominant organism)
3. Strep. spp. (A or G hemolytic if predominating organism)
4. Staph. aureus
5. Diplococcus pneu.
6. Proteus spp.
7. Pseudomonas spp.
8. Klebsiella spp.
9. Other coliforms
10. Haemophilus spp.
11. Neisseria mening.
12. Cory. diph.
13. Candida albicans

#### URINE

1. ANY ORGANISM  $\geq 10^5$  per ml
2. ANY GRAM NEG.  $\geq 10^3$  per ml
3. Salmonella spp. (regardless of count)
4. Shigella spp. (regardless of count)

5. *Candida albicans* (regardless of count)
6. *Proteus* spp. (regardless of count)
7. *Pseudomonas* spp. (regardless of count)
8. *Herella* spp. (regardless of count)
9. *Gonococcus* (regardless of count)
10. *Mima polymor.* (regardless of count)
11. *Strep.* spp. (B-hemolytic, A or not A)

\* All organisms associated with a specific disease or syndrome (e.g. Myco. tuberculosis or Gonococcus) should be reported as medically significant regardless of the specimen or quantitation.

**APPENDIX D**  
**TECHNICIAN CODES**

**APPENDIX D****TECHNICIAN CODES****Microbiology**

01	Jones, Sandra
02	Decelle, Glee
03	Bryan, Nem
05	Carter, Edward
06	
07	Poel, Corinne
08	Gehring, Nina
09	Groves, Theron
10	Carmichael, Carolyn
11	Henney, Mary
13	Dropp, Kathryn
15	Molina, Thomas
20	McQueen-Graves

**Virology - Tissue Culture**

50	Gammage, Bryon
51	
52	Pipes, Florence