



Catherine Marx (NASA-GSFC) Dave Content (NASA-GSFC) Feng Zhao (JPL/Caltech)



- WFIRST was highest ranked large space mission in 2010 Astrophysics Decadal Survey
- Re-Use of existing 2.4m telescope enables
 - Hubble quality imaging over 100x more sky
 - Imaging of exoplanets with 10⁻⁹ contrast with coronagraph


Dark Energy






Exoplanets

Astrophysics



WIDE-FIELD INFRARED SURVEY TELESCOPE DARK ENERGY • EXOPLANETS • ASTROPHYSICS



Wide-Field Instrument

- Imaging & spectroscopy over 1000s of sq. deg.
- Monitoring of SN and microlensing fields
- 0.7-2.0 μm (imaging), 1.35-1.89 μm (spec.), 0.42-2.0 μm (IFU)
- 0.28 deg² FoV (100x JWST FoV), 9 asec² & 36 asec² (IFU)
- 18 H4RG detectors (288 Mpixels), 2 H1RG detectors (IFU)
- 6 filter imaging, grism + IFU spectroscopy

Coronagraph


- Image and spectra of exoplanets from super-Earths to giants
- Images of debris disks
- 430 970 nm (imaging) & 600 970 nm (spec.)
- Final contrast of 10⁻⁹ or better
- Exoplanet images from 0.1 to 0.9 arcsec



- Huge progress on WFIRST over the past two years \geq
- SDT studies & NRC Harrison committee report confirm that WFIRST-AFTA exceeds NWNH requirements in all areas.
- \$107M in FY14 & 15 has enabled major steps forward and NRC-Harrison committee recommendations have been addressed (H4RGs, coronagraph, mission design). Planning against \$56M in FY16, exact amount depends on appropriations.
- Coronagraph on track, technology development on schedule. Wide Field detector technology development on schedule
- MCR scheduled for Dec 8-9. Prepared for start of formulation (KDP-A) as early as January 2016.
- SDT 2014 & 15 studies completed
- Preparatory Science teams selected \succ
- Pasadena conferences held \geq
- Special session at AAS's & IAU
- Science team NRA released
- Industry study RFIs received
- Significant international interest (Canada, ESA, Japan, Korea)

WFIRST H4RG-10






Shaped-Pupil Coronagraph Mask



- Produce <u>NIR sky images and spectra over 1000's of sq deg</u> (J = 27AB imaging, F_line = 10⁻¹⁶ erg cm⁻² sec⁻¹)
- 2) Determine the <u>expansion history of the Universe</u> and the growth history of its largest structures in order to test possible explanations of its apparent accelerating expansion including Dark Energy and modifications to Einstein's gravity.
- 3) <u>Complete the statistical census of planetary systems</u> in the Galaxy, from the outer habitable zone to free floating planets
- 4) <u>Directly image giant planets and debris disks</u> from habitable zones to beyond the ice lines and characterize their physical properties.
- 5) <u>Provide a robust guest observer program</u> utilizing a minimum of 25% of the time over the 6 year baseline mission and 100% in following years.



WFIRST Dark Energy Program







WFIRST Microlensing for Exoplanets


Completes the Census Begun by Kepler

WFIRST MICROLENSING FIELD





SAGITTARIUS




Semimajor axis in AU


100 Freefloating



Multi-band imaging at high contrast provides for direct detection and preliminary characterization of exoplanets



Simulated WFIRST-AFTA coronagraph image of the star 47 Ursa Majoris, showing two directly detected planets.



Simulated WFIRST-AFTA CGI images of a 30 zodi disk around 47 UMa.

WFIRST Brings Humanity Closer to Characterizing exo-Earths


WFIRST-AFTA advances many of the key elements needed for a coronagraph to image an exo-Earth

ESCOPE

✓ Coronagraph

WEIRST


- ✓ Wavefront sensing & control
- ✓ Detectors
- ✓ Algorithms






#1 Large-Scale Priority - Dark Energy, Exoplanets #1 Medium-Scale Priority - New Worlds Tech. Development (prepare for 2020s planet imaging mission)

WFIRST covers many other NWNH science goals





WFIRST-AFTA Observatory Concept



Key Features

- **Telescope**: 2.4m aperture primary
- Instruments
 - Wide Field Imager/Spectrometer & Integral Field Unit
 - Internal Coronagraph with Integral Field Spectrometer
- Max Data Downlink Rate: 275 Mbps downlink
- Data Volume: 11 Tb/day
- **Orbit**: Sun-Earth L2
- Launch Vehicle: Delta IV Heavy
- Serviceability: Observatory designed to be robotically serviceable
- GSFC: leads mission and I&T, wide field instrument, spacecraft
- > JPL: leads telescope, coronagraph



Telescope Overview




- 2.4 m, two-mirror telescope provided to NASA. Built by Harris (Kodak/ITT/Exelis).
 - Ultra Low Expansion (ULE[®]) glass mirrors
 - All composite structure
 - Secondary mirror actuators provide 6 degree of freedom control
 - Additional secondary mirror fine focus actuator
 - Active thermal control of structure
 - Designed for operation at room temperature (293 K) with design minimum temperature of 277 K, OBA design minimum temperature of 216 K
 - Outer barrel includes recloseable doors
 - Passive damping via D-struts at the spacecraft interface



Telescope Assembly








NASA

Wide Field Instrument


Key Features

- Wide field channel for both imaging and spectroscopy
 - 3 mirrors, 1 powered
 - 18 4k x 4k HgCdTe detectors cover 0.76 - 2.0 μm
 - 0.11 arc-sec plate scale
 - Single element wheel for filters and grism
 - Grism used for GRS survey covers 1.35 – 1.89 μm with R = 461λ (~620 – 870)
- IFU channel for SNe spectra, single HgCdTe detector covers 0.6 – 2.0 µm with R between 80-120
- Auxiliary guider for guiding during grism spectroscopy mode





Wide Field Instrument Layout and Major Subassemblies






Coronagraph Instrument – see also talk by R. Demers



- Completed design for 2015 SDT Report
 - Coronagraph met all WFIRST interface constraints
 - Initial end-end simulations indicate that the coronagraph is likely to achieve all performance goals with the current, unmodified telescope
- Coronagraph cost estimate within expectations
 - NICMs
 - CATE by Aerospace
- Currently working on refining design
 - Improved I&T flow
 - Improved optical throughput (less fold mirrors)





Coronagraph Development Summary



- Team is making good progress on coronagraph technology program to achieve appropriate TRL by Phase A/B
- Coronagraph design is advanced and detailed, not driving mission complexity
- WFIRST coronagraph addresses key 2010 NWNH technology and science goals
 - WFIRST coronagraph brings wavefront-controlled coronagraphy to flight levels on the path to future Earth finding missions, not just hardware, but algorithms
 - As Kepler and microlensing complete the exoplanet census, the WFIRST coronagraph moves into the era of characterization



WFIRST technology overview



Technology needs in 2 areas

- Coronagraph technology: deformable mirrors, exquisite diffraction control using masks & stops, and very low noise Si detectors
 - Next pages for Milestones & TRL timeline, and also see R. Demers talk
- Wide field instrument, NIR detector technology
 - Progressing steadily towards TRL6
- WFI has significant engineering challenges also:
 - Lightweight cold M3 (tertiary mirror, 170K, ~0.6m)
 - Cold filters, grisms, large fold mirrors
 - Integral field unit image slicer
 - Cold precision composite structures
- CGI has small but high precision optics also, few nm rms wavefront error class

Coronagraph Technology Milestones

MS #	Milestone	Date
1	First-generation reflective Shaped-Pupil apodizing mask has been fabricated with black silicon specular reflectivity of less than 10 ⁻⁴ and 20 μm pixel size.	7/21/14
2 📀	Shaped Pupil Coronagraph in the High Contrast Imaging Testbed demonstrates 10 ⁻⁸ raw contrast with narrowband light at 550 nm in a static environment.	9/30/14
3	First-generation PIAACMC focal plane phase mask with at least 12 concentric rings has been fabricated and characterized; results are consistent with model predictions of 10 ⁻⁸ raw contrast with 10% broadband light centered at 550 nm.	12/15/14
4	Hybrid-Lyot Coronagraph in the High Contrast Imaging Testbed demonstrates 10 ⁻⁸ raw contrast with narrowband light at 550 nm in a static environment.	2/28/15
5 🤡	Occulting Mask Coronagraph in the High Contrast Imaging Testbed demonstrates 10 ⁻⁸ raw contrast with 10% broadband light centered at 550 nm in a static environment.	9/15/15
6 📀	Low Order Wavefront Sensing and Control subsystem provides pointing jitter sensing better than 0.4 mas and meets pointing and low order wavefront drift control requirements.	9/30/15
7	Spectrograph detector and read-out electronics are demonstrated to have dark current less than 0.001 e/pix/s and read noise less than 1 e/pix/frame.	8/25/16
8	PIAACMC coronagraph in the High Contrast Imaging Testbed demonstrates 10 ⁻⁸ raw contrast with 10% broadband light centered at 550 nm in a static environment; contrast sensitivity to pointing and focus is characterized.	9/30/16
9	Occulting Mask Coronagraph in the High Contrast Imaging Testbed demonstrates 10 ⁻⁸ raw contrast with 10% broadband light centered at 550 nm in a simulated dynamic environment.	9/30/16
	Excellent progress on technology development	


WEIRST

WIDE-FIELD INFRARED SURVEY TELESCOPE DARK ENERGY • EXOPLANETS • ASTROPHYSICS




Coronagraph TRL6 timeline

WIDE-FIELD INFRARED $\mathbf{R} \mathbf{V} \mathbf{E} \mathbf{Y}$ ESCOPE





- Over the past two years, increased funding has enabled significant progress in technology maturation as well as additional fidelity in the design reference mission.
- WFIRST with the 2.4-m telescope and coronagraph provides an exciting science program, superior to that recommended by NWNH and also advances exoplanet imaging technology (the highest ranked medium-class NWNH recommendation).
- Great opportunity for astronomy and astrophysics discoveries. Broad community support for WFIRST.
- Key development areas are anchored in a decade of investments in JPL's High contrast imaging tested (HCIT) and GSFC's Detector characterization Lab (DCL).
- Great progress made in pre-formulation, ready for KDP-A and launch in mid-2020s.







Telescope Reuse Approach

- JPL and the Study Office have worked closely with Harris to understand the telescope hardware.
 - The Observatory design provides an instrument carrier as the prime optical bench for the payload, supporting both the telescope and the instruments, providing substantial structural margin.
 - Set operating temperature at 282K, within heritage hardware design specifications.
 - Continuing to evaluate the feasibility of taking the telescope slightly colder to optimize system design (minimize heater power & improve science performance/margin).
 - Instituted a thorough inheritance audit process to ensure hardware is consistent with the WFIRST application.
 - Includes reviews of original hardware build books and analyses along with new assessments for aging and WFIRST environments.
 - No major issues with planned reuse have emerged to date
 - Detailed build plan, schedule, and cost estimate prepared and reviewed as part of Aerospace CATE.



Acronym list

