

Technical Report No. 32-694

*Ranger VII Flight Path and Its
Determination From Tracking Data*

W. R. Wollenhaupt
D. W. Trask
W. L. Sjogren
E. G. Piaggi
D. W. Curkendall
R. A. Winneberger
A. S. Liu
A. L. Berman

GPO PRICE \$ _____

OTS PRICE(S) \$ _____

Hard copy (HC) 6.00

Microfiche (MF) 1.25

FACILITY FORM 602

N65 13279

(ACCESSION NUMBER) 207

(PAGES) 31

(NASA CR OR TMX OR AD NUMBER)

(THRU)

(CODE)

(CATEGORY)



JET PROPULSION LABORATORY
CALIFORNIA INSTITUTE OF TECHNOLOGY
PASADENA, CALIFORNIA

December 15, 1964

Technical Report No. 32-694

*Ranger VII Flight Path and Its
Determination From Tracking Data*

W. R. Wollenhaupt

D. W. Trask

W. L. Sjogren

E. G. Piaggi

D. W. Curkendall

R. A. Winneberger

A. S. Liu

A. L. Berman



T. W. Hamilton, Chief
Systems Analysis Section

**JET PROPULSION LABORATORY
CALIFORNIA INSTITUTE OF TECHNOLOGY
PASADENA, CALIFORNIA**

December 15, 1964

Copyright © 1964
Jet Propulsion Laboratory
California Institute of Technology

Prepared Under Contract No. NAS 7-100
National Aeronautics & Space Administration

CONTENTS

I. Introduction	
D. W. Trask	1
 II. Analysis of DSIF Transponder Tracking Data	
W. R. Wollenhaupt, W. L. Sjogren, D. W. Trask	2
A. Introduction	2
B. Summary of Data Used in Orbit Determination	2
C. Data weighting and error sources	8
D. Premaneuver Orbit Based on Premaneuver Tracking Only	12
E. Postmaneuver Orbit Based on Postmaneuver Tracking Only	26
F. Combined Estimates Based on Premaneuver and Postmaneuver Tracking	38
1. Method of Combining Premaneuver and Postmaneuver Data	38
2. Results of Combining Premaneuver and Postmaneuver Data	40
3. Observations and Conclusions	44
4. Limitations	48
 III. Midcourse and Terminal Maneuver Analysis	
E. G. Piaggi, D. W. Curkendall	55
A. Introduction	55
1. Mission	55
2. Spacecraft and Geometry	55
B. Inflight Maneuver Considerations	58
C. Comparison of Commanded and Actual Maneuver	60
 IV. Trajectory	
R. A. Winneberger	62
A. Launch Phase	62
B. Premaneuver Cruise Phase	62
C. Midcourse Maneuver Phase	63
D. Postmaneuver Cruise Phase	65
E. Encounter Phase	68
 V. Analysis of ETR Tracking Data	
A. S. Liu	74
A. Introduction	74
B. Acquisition Information	74
C. Analysis of Parking Orbit Data	75
D. Analysis of <i>Agena</i> Preretro Transfer Orbit Data	77
E. Analysis of <i>Agena</i> Postretro Data	79
F. Conclusions	80

CONTENTS (Cont'd)

VI. DSIF Tracking of Ranger VII	82
A. L. Berman	82
A. Introduction	82
B. Transponder Tracking	83
1. Premaneuver Phase	83
2. Maneuver Phase	83
3. Postmaneuver Phase	83
C. Determination of Impact Time	84
Appendixes	88
A. Definition of the Miss Parameter B	88
B. <i>Ranger VII</i> Space Trajectory for Premaneuver Orbit	89
C. <i>Ranger VII</i> Space Trajectory for Postmaneuver Orbit	96
D. Tables Related to Trajectory Printout	111
E. <i>Ranger VII</i> Premaneuver ODP Printout	119
F. <i>Ranger VII</i> Postmaneuver ODP Printout	141
G. ODP Format Description	183
References	186

TABLES

1. Summary of data used in orbit determination.	7
2. Sensitivity coefficients g_i for HA, Dec and two-way doppler	9
3. Contribution from individual error sources to total weight for <i>Ranger VII</i> mission	10
4. Statistics on premaneuver data	12
5. Estimated parameter statistics	15
6. Values of estimated parameters	22
7. Impact parameter estimates	23
8. Statistics in the B plane system	23
9. Correlation matrix on premaneuver data at injection epoch	24
10. Correlation matrix on premaneuver data at maneuver epoch	25
11. Data statistics on postmaneuver data	26
12. Positions at maneuver epoch	38
13. Correlation matrix on postmaneuver data at maneuver epoch with no a priority	39

TABLES (Cont'd)

14. Correlation matrix on premaneuver data at injection epoch with postmaneuver data as a priority	41
15. Correlation matrix on premaneuver data at maneuver epoch with postmaneuver data as a priority	42
16. Correlation matrix on postmaneuver data at maneuver epoch with premaneuver data as a priority	43
17. <i>Ranger VII</i> maneuver estimate based on constrained solutions	45
18. Station location statistics	46
19. Station location comparison	46
20. Physical constants estimates	47
21. Lunar elevation results (<i>Ranger</i> impact point from center-of-gravity)	48
22. Limitations of <i>Ranger VII</i> analysis which will be overcome for <i>Ranger Block III Summary Analysis</i>	53
23. Physical constant statistics: comparison between <i>Ranger VII</i> analysis and <i>Ranger Block III Summary Analysis</i>	54
24. Maneuver target conditions	58
25. Expected target dispersions from orbit determination and midcourse maneuver execution errors	58
26. Commanded maneuver	59
27. Data used in maneuver error computations	60
28. <i>Ranger VII</i> maneuver execution error estimates	60
29. <i>Ranger VII</i> premidcourse orbit	66
30. Definition of terms	66
31. Postmidcourse orbit of <i>Ranger VII</i>	66
32. ETR and NASA station locations	74
33. Tracking station data coverage	74
34. Parking orbit parameter solutions	75
35. Inflight parking orbit data statistics	75
36. Postflight parking orbit data statistics	76
37. Bermuda station coordinate solutions	77
38. Transfer orbit and postretro <i>Agna</i> orbit parameter solutions	77
39. Preretro orbit data statistics	77
40. Postretro orbit data statistics	79
41. DSIF station locations	82
42. Nominal view periods vs actual tracking at DSIF stations	82

TABLES (Cont'd)

43. Ground station tracking modes	83
44. Ground commands from DSIF to <i>Ranger VII</i>	84
D-1. <i>Ranger VII</i> trajectory key	111
D-2. <i>Ranger VII</i> trajectory key definition	113
D-3. <i>Ranger VII</i> trajectory constants and conversion factors	118

FIGURES

1. <i>Ranger VII</i> tracking station view periods and data coverage.	3
2. Station 12 trajectory trace	4
3. Station 41 trajectory trace	5
4. Station 51 trajectory trace	6
5. Station 41 doppler variation during Sun acquisition	11
6. Station 41 angular residuals	13
7. Station 51 angular residuals	14
8. Station 12 premaneuver pass No. 1 two-way doppler residuals	16
9. Station 41 premaneuver pass No. 1 two-way doppler residuals (start 17:53 GMT)	17
10. Station 41 premaneuver pass No. 1 two-way doppler residuals (start 23:53 GMT)	18
11. Station 51 premaneuver pass No. 2 two-way doppler residuals (start 21:53 GMT)	19
12. Station 51 premaneuver pass No. 2 two-way doppler residuals (start 03:53 GMT)	20
13. Station 59 premaneuver pass No. 1 two-way doppler residuals	21
14. Station 12 postmaneuver pass No. 1 two-way doppler residuals (start 10:41 GMT)	27
15. Station 12 postmaneuver pass No. 1 two-way doppler residuals (start 16:41 GMT)	28
16. Station 12 postmaneuver pass No. 2 two-way doppler residuals (start 07:18 GMT)	29
17. Station 12 postmaneuver pass No. 2 two-way doppler residuals (start 13:18 GMT)	30
18. Station 12 postmaneuver pass No. 3 two-way doppler residuals	31

FIGURES (Cont'd)

19. Station 41 postmaneuver pass No. 1 two-way doppler residuals (start 18:46 GMT)	32
20. Station 41 postmaneuver pass No. 1 two-way doppler residuals (start 00:46 GMT)	33
21. Station 41 postmaneuver pass No. 2 two-way doppler residuals	34
22. Station 51 postmaneuver pass No. 1 two-way doppler residuals	35
23. Station 51 postmaneuver pass No. 2 two-way doppler residuals (start 23:44 GMT)	36
24. Station 51 postmaneuver pass No. 2 two-way doppler residuals (start 05:44 GMT)	37
25. X_1, X_2, X_3 coordinate system	45
26. Advance unedited proof of <i>Ranger VII</i> lunar chart RLC 2	49
27. Unedited sectional detail of <i>Ranger VII</i> lunar chart RLC 2	50
28. Advance unedited proof of <i>Ranger VII</i> lunar chart RLC 3	51
29. Unedited sectional detail of <i>Ranger VII</i> lunar chart RLC 3	52
30. <i>Ranger</i> midcourse maneuver	56
31. <i>Ranger</i> terminal maneuver	57
32. Capability ellipse of target parameter 16 hr after injection	57
33. <i>Ranger VII</i> constraints mapped onto the B plane	58
34. Approach geometry with no terminal maneuver	59
35. Ascent trajectory profile	62
36. Sequence of events to Earth acquisition	63
37. Date and time chart of significant events	64
38. Probe geocentric radius vs time from launch	65
39. Probe geocentric velocity vs time from launch	65
40. Earth-probe-Sun (EPS), Sun-probe-Moon (SPM), and Earth-probe- Moon (EPM) angle vs time from launch	65
41. Geocentric spatial trace <i>Ranger VII</i> trajectory	67
42. Lunar gravitational affect on <i>Ranger VII</i> trajectory near encounter	68
43. Trace of <i>Ranger VII</i> trajectory on the lunar surface.	69
44. Traces of lunar trajectory for premidcourse and postmidcourse orbits	70
45. Geocentric distance of probe vs GMT at lunar encounter	72
46. Geocentric inertial speed of probe vs GMT at lunar encounter	72
47. Selenocentric altitude of probe vs GMT at lunar encounter	72

FIGURES (Cont'd)

48. Selenocentric inertial speed of probe vs GMT at lunar encounter . . .	73
49. Earth-probe-Sun (EPS), Sun-probe-Moon (SPM), and Earth-probe-Moon (EPM) angle vs GMT at lunar encounter	73
50. Antigua parking orbit residuals	75
51. Ascension Island parking orbit residuals	76
52. Bermuda parking orbit residuals	77
53. Pretoria preretro residuals (start 17:21 GMT)	78
54. Pretoria preretro residuals (start 17:26 GMT)	79
55. Pretoria postretro residuals (start 17:30 GMT)	80
56. Pretoria postretro residuals (start 17:35 GMT)	81
57. Doppler during midcourse maneuver	84
58. Station 12 impact recording	85
59. Station 12 analog of selected receiver functions at lunar impact . . .	86
60. Station 11 analog of selected receiver functions at lunar impact . . .	87
A-1. Definition of B·T, B·R system	88

ABSTRACT

13279

This Report describes the current best estimate of the *Ranger VII* spacecraft flight path and the way in which it was determined. Deep Space Instrumentation Facility tracking of the spacecraft was virtually continuous from injection to lunar impact. Dramatic TV photos of the lunar surface were received at the Goldstone tracking station during the last 17 min before impacting the Moon, in what was later to be named the lunar "Mare Cognitum." This event marked the first time that man has succeeded in obtaining closeup photographs of the front side of the Moon. Postflight analysis of the tracking data resulted in valuable determinations of the masses of the Earth and the Moon, tracking station locations, lunar ephemeris scale factor, and lunar radius to the *Ranger VII* impact point, to within 0.4 km.

author

I. INTRODUCTION

This Report describes the current best estimate of the *Ranger VII* spacecraft flight path and the way in which it was determined. Deep Space Instrumentation Facility (DSIF) tracking of the spacecraft was virtually continuous from injection to lunar impact. Postflight analysis of the tracking data resulted in valuable determinations of the masses of the Earth and the Moon, tracking station locations, lunar ephemeris scale factor, and radius of the Moon at the *Ranger VII* impact point. The impact location of *Ranger VII* is known to within 1.0 km, using the standard deviation as a measure of uncertainty.

The primary objective of the *Ranger* Block III (*Ranger* 6 through 9) flights is to obtain TV pictures of the lunar surface which will be of benefit to both the scientific

program and the U.S. manned lunar flight program. The *Ranger VII* spacecraft, which was launched from Cape Kennedy on July 20, 1964, and 68 hr 36 min later impacted the Moon on target on July 31, accomplished its primary objective. This flight, as did *Ranger VI*, dramatically demonstrated the capabilities of Earth-based radio guidance. The *Ranger VII* postflight analysis provided significant determinations of the physical constants mentioned above, which are in excellent agreement with similar determinations realized from the *Ranger VI* postflight analysis.

During the launch phase the *Atlas* and *Agena* stages performed within tolerance and injected the spacecraft into a grazing, backside impact trajectory with the Moon.

The Sea of Storms was selected as the general area of impact, since it was the most favorable location for the prevailing lunar surface lighting conditions. Seventeen hours after launch a near perfect midcourse maneuver was executed. The resultant impact point was only 13 km from the center of the chosen target area. This difference is well within the bound expected and is a combination of the errors in the orbit at the time the desired maneuver was determined plus the tolerances of the spacecraft guidance hardware.

Section II of this Report describes the DSIF transponder orbit determination. Comparisons are made among determinations based on premaneuver tracking only, postmaneuver tracking only, and combined estimates based on premaneuver and postmaneuver tracking. Solutions for the masses of the Earth and the Moon, lunar ephemeris scale factor, and tracking station locations are compared to determinations based upon the *Mariner II* (Venus) and previous *Ranger* missions. The determination of the lunar radius at the *Ranger VII* impact point is also presented. The final TV pictures serve as an independent check on the lunar impact point as estimated from the orbit determination process.

Section III discusses the operational considerations associated with the midcourse maneuver policy and the

execution of the maneuver. The postflight evaluation described in this Section shows that the response of the spacecraft to the maneuver turn and velocity increment commands was well within the expected tolerances.

Section IV summarizes the key spacecraft events for the mission, and it describes the *Ranger VII* orbit in terms of its trajectory parameters near the Earth, in translunar flight, and near the Moon.

Section V describes the Air Force Eastern Test Range (AFETR) tracking of the *Agena* launch vehicle. The Eastern Test Range (ETR) orbit analysis is divided into three parts: (1) the parking orbit; (2) the postinjection but preretrorocket phases, during which the spacecraft was still attached to the *Agena*; and (3) the postretrorocket orbit of the *Agena*.

Section VI summarizes the key events in the DSIF tracking of the *Ranger VII* mission and gives a general description of the DSIF stations and tracking modes. The determination of the lunar radius at the *Ranger VII* impact point is a direct function of the "recorded" time of impact. The recordings of this event time, as measured by the DSIF Goldstone tracking stations, are presented and discussed.

II. ANALYSIS OF DSIF TRANSPONDER TRACKING DATA

A. Introduction

The purpose of this Section is to present the techniques used to determine the best estimate of the *Ranger VII* spacecraft flight path, and other significant results obtained from the DSIF tracking data. Not only was it possible to determine the spacecraft flight path to a high degree of accuracy, but, in addition, certain physical constants and station location parameters were derived. The 0.06 sec time difference between predicted and observed landing time, and the close agreement between the predicted and observed landing point are both excellent measures of the accuracy of the estimated flight path.

The tracking data are divided into two logical blocks: (1) data taken prior to midcourse maneuver execution, and (2) data taken after midcourse maneuver execution. Consistent answers are obtained when these blocks are analyzed either independently or combined. In the latter, the uncertainties are significantly smaller. The Orbit Determination Program (ODP) of the Jet Propulsion Laboratory (JPL) (Ref. 1) is the principal analysis tool. This Program utilizes an iterative, modified-least-squares technique to find the initial conditions at injection epoch which causes the weighted sum of squares of the residuals (observed minus computed) to be minimized. The

term "modified" is used to indicate that the weighting of individual data types is accomplished in a different manner than in the usual least-squares method.

The initial real-time estimate of the *Ranger VII* spacecraft orbital elements, and initial DSIF acquisition information were provided by ETR. These elements were obtained from tracking the *Agena* vehicle C-band transponder during the period from injection into lunar transfer orbit to *Agena*-spacecraft separation by the ETR tracking stations. ETR tracking data were not used for the flight path determination results presented in this Section. A complete discussion of the ETR data may be found in Section V.

B. Summary of Data Used in Orbit Determination

The DSIF tracking stations provided continuous tracking data from shortly after transfer orbit injection until lunar impact. Figure 1 summarizes the tracking station view periods and their data coverage for the entire mission. Figures 2, 3 and 4 are tracking station stereographic projections which show the trace of the spacecraft trajectory for the view periods shown in Fig. 1. A more complete sequence of tracking events and ground station tracking modes may be found in Section VI.

Table 1 summarizes the tracking data used for both the inflight and postflight orbital calculations and analyses. This Table provides a general picture of the performance of the data recording and handling systems. The JPL Tracking Data Editing Program (TDEP) (Ref. 2)

is used to edit all incoming tracking data, and to prepare a data tape for input to the ODP. The total number of data points received are shown in column 3, and the number of points rejected by the editing program are shown in columns 5, 6, and 7. The points in column 5 are the result of applying a doppler differencing test to detect gross errors. Hence, whenever a bad point is found, the following point will automatically fail the difference test and be rejected. It should be noted that during flight operations, no attempt is made to reconstruct data points which were rejected for bad format. A data point is given a bad data condition code when automatic detectors, at the tracking stations, sense that the data would be unusable. These detectors have manual overrides which are used whenever an equipment malfunction is suspected, and during periods when the transmitter is being retuned prior to sending commands to the spacecraft or transferring transmitting assignment to another station. The reason for the excessive number of points shown in column 7 for the first pass for Stations 51 and 59 is given in Section VI. Otherwise, the number of rejected points shown in columns 5, 6, and 7 appear reasonable.

The blunder points shown in column 8 result from applying the rejection limits seen in column 9. These limits are based on experience gained in previous missions, and on the philosophy that it is better to immediately reject questionable points, which could create difficulties in converging to an orbit, than to attempt to salvage every point. This is particularly true when very few data are available during the early phase of the mission. The data shown in column 10 were obtained from the data tapes punched at the stations and mailed to JPL at the conclusion of each tracking pass.




Fig. 1. *Ranger VII* tracking station view periods and data coverage





Fig. 2. Station 12 trajectory trace



LEGEND	
-----	AZ - EL 10° COORDINATES
-----	AZ - EL 5° COORDINATES
-----	HA - DEC 10° COORDINATES
-----	HA - DEC 5° COORDINATES

- 1 PREMANEUVER PASS NO. 1
- 2 PREMANEUVER PASS NO. 2
- 3 POSTMANEUVER PASS NO. 1
- 4 POSTMANEUVER PASS NO. 2

Fig. 4. Station 51 trajectory trace

Table 1. Summary of data used in orbit determination

Station (1)	Data type (2)	Points received (3)	Number of points used in real time/ (% of received) (4)	Bad format/ (% of received) (5)	Points lost due to bad adjacent point/ (% of received) (6)	Bad data condition code/ (% of received) (7)	Blunder points/ (% of received) (8)	Rejection limits on blunder points (9)	Points used in postflight analysis, obtained from station tapes ^a (10)
Premidcourse									
12 Pass No. 1	2-way doppler	335 ^b	66/(19.7)	0/(0.0)	1/(0.3)	5/(1.5)	0/(0.0)	0.2 cps	158
41 Pass No. 1	2-way doppler	323	267/(82.7)	2/(0.6)	12/(3.7)	36/(11.1)	6/(1.9)	0.2 cps	258
	HA	399	325/(81.4)	5/(1.3)	0/(0.0)	9/(2.3)	60/(15.0)	1 deg	0
	Dec	399	325/(81.4)	5/(1.3)	0/(0.0)	9/(2.3)	60/(15.0)	0.1 deg	0
51 Pass No. 1	2-way doppler	78	0/(0.0)	0/(0.0)	4/(5.1)	65/(83.3)	9/(11.5)	0.2 cps	0
	HA	162	23/(14.2)	0/(0.0)	0/(0.0)	127/(78.4) ^o	12/(7.4)	0.3 deg	0
	Dec	162	24/(14.8)	0/(0.0)	0/(0.0)	127/(78.4) ^o	11/(6.8)	0.1 deg	0
51 Pass No. 2	2-way doppler	493	420/(85.2)	15/(3.0)	15/(3.0)	36/(7.3)	7/(1.4)	0.2 cps	428
	HA ^c	700	80/(11.4)	23/(3.3)	0/(0.0)	16/(2.3)	17/(2.4)	0.3 deg	0
	Dec ^c	700	79/(11.3)	23/(3.3)	0/(0.0)	16/(2.3)	18/(2.6)	0.1 deg	0
59 ^d Pass No. 1	2-way doppler	71	5/(7.0)	0/(0.0)	1/(1.4)	29/(40.8)	36/(50.7)	0.4 cps	5
Postmidcourse									
12 Pass No. 1	2-way doppler	485	414/(85.4)	8/(1.6)	26/(5.4)	0/(0.0)	37/(7.6)	0.2 cps	414
12 Pass No. 2	do.	721	688/(95.4)	5/(0.7)	3/(0.4)	8/(1.1)	17/(2.4)	do.	687
12 Pass No. 3	do.	675	236/(35.0) ^f	14/(2.1)	15/(2.2)	18/(2.7)	1/(0.1)	do.	634
41 Pass No. 1	do.	447	356/(79.6)	5/(1.1)	32/(7.2)	34/(7.6)	20/(4.5)	do.	355
41 Pass No. 2	do.	295	264/(89.5)	3/(1.0)	6/(2.0)	18/(6.1)	4/(1.4)	do.	251
51 Pass No. 1	do.	329	256/(77.8)	13/(4.0)	15/(4.6)	38/(11.6)	7/(2.1)	do.	256
51 Pass No. 2	do.	474	365/(77.0)	20/(4.2)	35/(7.4)	34/(7.2)	20/(4.2)	do.	381

^aData points are obtained from station data tapes to avoid transmission errors.

^bIncludes 161 points of 10-sec data taken during spacecraft reorientation prior to midcourse motor ignition. These data were not included in postflight orbital computations.

^cApproximately 564 angle pairs were ignored during real-time computations.

^dNot scheduled to provide tracking data after pass No. 1.

^eIncludes 43 angle pairs taken while spacecraft was below station horizon.

^fThe last real-time orbit was calculated approximately 1 hr before impact. Hence, 378 good doppler points were not used during flight operations.

C. Data Weighting and Error Sources

In the modified-least-squares method used in the ODP, the weighting values for the individual data points are determined by the expected (or measured) "effective variances."¹ The weighting scheme used in the program developed by T. W. Hamilton² considers all known error sources to determine the "effective variance." Two classes of error sources are associated with the data used in the *Ranger VII* orbital calculations namely: (1) two-way doppler, and (2) hour angle (HA) and declination (Dec).

The error sources for two-way doppler are:

1. Trajectory computation errors due to rounding errors in the Cowell integration (Ref. 5).
2. Doppler counter rounding errors due to "start" and "stop" gate pulses not occurring at times such that an integral number of cycles has passed, or by variations between "start" and "stop" pulses.
3. Ground station transmitter reference frequency errors either in absolute frequency or reference oscillator frequency drift. The reference frequency is controlled by a temperature stabilized, voltage controlled oscillator (VCO) at Stations 41, 51 and 59, and by either a VCO or a frequency synthesizer (SYNTHESIZER) driven by a rubidium frequency standard at Station 12. The drift rate is 1 part in 10⁸/15 min for the VCO, and 3 parts in 10¹¹/hr for the rubidium standard.
4. Doppler counter error due to dropped or added cycles in the presence of a low signal-to-noise ratio.
5. Refraction correction errors due to the difference between the atmospheric model in the ODP and the actual atmosphere at a given time.
6. Spacecraft antenna motion caused by spacecraft tumbling or stabilization motion.

¹This approach was first used at JPL by A. R. M. Noton in "Effect of Correlated Data in Orbit Determination From Radio Tracking Data," August 1959 (internal communication). Further discussion was given by A. R. M. Noton, E. Cutting, and F. Barnes (Ref. 3). T. A. Magness and J. B. McGuire have developed mathematical expressions to contrast the performance of least-squares, modified-least-squares, and minimum covariance estimators in terms of the eigenvalues and eigenvectors of the data noise covariance matrix (Ref. 4).

²T. W. Hamilton, "Apriori Weighting Coefficients," April 12, 1962 (internal communication).

The error sources associated with angular (HA and Dec) are:

1. Angle jitter or variation about the aiming point caused by the antenna drive servomechanisms.
2. Angle correction errors caused by differences between the empirical correction model, which is based on the antenna optical axis, and the RF pointing axis.
3. Angular encoder readout errors caused by inaccuracies in compensation cams. Resolution is plus or minus one count which corresponds to 0.002 deg.
4. Refraction correction errors due to the difference between the atmospheric model used in the ODP and the actual atmosphere at a given time.

The manner in which the error sources enter into the weighting scheme may be seen in the following expression which is used to compute the effective variance σ^2 for weighting a given data point

$$\sigma^2 = \sum_{i=1}^6 s_i^2 g_i^2 \text{ Max} \left\{ 1, \frac{T_{\text{correlation}}}{T_{\text{sample}}} \right\}$$

where

i = basic error source

s_i^2 = variance of the basic error source

g_i = sensitivity coefficient

$T_{\text{correlation}}$ = "correlation width," in seconds, of the basic error source

T_{sample} = sample spacing, in seconds

Table 2 shows the functional form of the sensitivity coefficients associated with HA, Dec, and two-way doppler. These coefficients are computed in the ODP, and $T_{\text{correlation}}$, T_{sample} , and the variances (s_i^2) are on the data input record supplied by the TDEP. Specifically, T_{sample} is obtained directly from the sample time indicated in the tracking data. $T_{\text{correlation}}$ and s_i^2 are obtained from control cards read into the TDEP in a single-weight code word³ by the orbit engineer. The numerical values used for $T_{\text{correlation}}$ and s_i^2 are based on a priori knowledge of the individual tracking stations gained from previous

³Two-way doppler data for Station 12 requires the use of two-weight codes to reflect the two methods of controlling the transmitter reference frequency; i.e., VCO and SYNTHESIZER.

Table 2. Sensitivity coefficients, g_i , for HA, Dec and two-way doppler

Error source	Sensitivity coefficient		
	Hour angle	Declination	Two-way doppler
1	$1/\cos(\text{Dec})$	1	1
2	1	1	$1/T_c$
3	1	1	ρ/c
4	$\Delta r(\text{HA})$	$\Delta r(\text{Dec})$	$1/\sqrt{3T_c}$
5	--	--	$\Delta r \dot{\rho}$
6	--	--	1

$$\Delta r(\text{HA}) = \frac{\cos \phi \sin^2(\text{HA})}{\cos^2 \gamma \sin \sigma} (\Delta r \gamma)$$

$$\Delta r(\text{Dec}) = \frac{\cos \gamma \sin \phi - \sin \gamma \cos \phi \cos \sigma}{\cos(\text{Dec})} (\Delta r \gamma)$$

ϕ = geocentric latitude of tracking station

γ = elevation angle

σ = azimuth angle

$\Delta r \gamma$ = refraction correction for elevation angle
 $= 57.2957795 n b_1 b_2 / 340.0$, for $\gamma < 0.3$ rad
 $= 57.2957795 n \times 10^{-8} \cot \gamma$, for $\gamma \geq 0.3$ rad
 n = index of refraction, nominally 340.0

$$b_1 = 1.0 - (1.216 \times 10^5 b_3 \gamma) - (51.0 - 300.0 \gamma) \sqrt{b_3}$$

$$b_2 = [7.0 \times 10^{-4} / (0.0589 + \gamma)] - 1.26 \times 10^{-3}$$

$$b_3 = 1/10^8 (r - RE)$$

r = geocentric radius to spacecraft

RE = Earth's radius

$$\Delta r \dot{\rho} = 0.0018958 [(\sin A + 0.06483)^{-1.4} - (\sin B + 0.06483)^{-1.4}] n / 340.0$$

$$A = \gamma + T_c \dot{\gamma} / 2$$

$$B = \gamma - T_c \dot{\gamma} / 2$$

T_c = doppler count interval, sec

ρ = range from station to spacecraft

of usable data from Station 41. Figure 4 presents a dramatic example of doppler sensitivity to spacecraft motion. The doppler residuals seen in the Figure were observed at Station 41 during Sun Acquisition sequence. The residuals to the left of 18:00:00 GMT show spacecraft tumbling prior to exit from the Earth's shadow, and those to the right show the motion of the spacecraft while it was searching for the Sun. When the spacecraft was in the cruise mode maintaining Sun-Earth lock, the maximum change in doppler phase due to the limit cycle was 0.1 cycles.

In Table 2 it may be seen that the effect on the total weight for the doppler counter error sources (rounding and added or dropped cycles) may be minimized by using a long counting base. This is accomplished at the DSIF stations by taking continuous count doppler with a dual counter system. That is, one counter continuously counts cycles that have passed from some start time. When it receives a pulse to supply a doppler sample, it transfers its contents to another counter without interrupting its counting action. The contents of the second are then translated from binary-coded decimal (BCD) to decimal and punched on paper tape. Doppler refraction correction (error source 5) is not a predominant error source except possibly for the early part of a mission when the elevation angle rates are high. For this mission, only 30 sec of early usable doppler data were available from Station 59. The transmitter reference frequency drift (error source 3) is a major contributor to the total doppler weight for stations using the VCO; but is negligible for Station 12 when using the SYNTHESIZER. For example, near lunar encounter where the contribution from this source is a maximum, the error attributed to the frequency drift for the SYNTHESIZER is $\sigma^2 = 0.03756 \times 10^{-4}$, and for the VCO it is $\sigma^2 = 375.6 \times 10^{-4}$.

missions and on error models for the various error sources. Table 3 presents values of g_i , s_i^2 , $T_{\text{correlation}}$, and the resulting contribution to the total weight from each basic error source computed at two different times along the trajectory. The individual data weights for the entire trajectory for a given orbital calculation may be seen in the tracking data residual listings in Appendix E. It is interesting to note the change in data weight when the transmitter was switched from SYNTHESIZER to VCO at 08:41:32 GMT on July 29th in the premaneuver orbit.

The contribution to the total weight due to spacecraft tumbling was considered to be zero since the only tumbling occurred between injection at 17:20:01 and Sun acquisition at 18:06:52 GMT. During this period 30 sec of usable data were received from Station 59, and 8 min

For the angular data types (HA, Dec), the predominant error sources are angle correction errors and encoder errors. During *Ranger VII* correction errors of 0.1 deg and encoder errors of approximately 0.02 deg peak-to-peak were noted. Plots of these errors may be seen in Figs. 5 and 6 in which the residuals represent the error remaining after the angle corrections had been applied. Due to these large errors, angular data were not used in the orbit calculations except during the early phase of the mission. They were very helpful in obtaining the first orbital estimates since there was a scarcity of usable data during the first two hours after injection. The contribution due to refraction correction errors was relatively small and was not used for local elevation angles greater than 17 deg. The affect of angle jitter errors on

Table 3. Contribution from individual error sources to total weight for Ranger VII mission

Error source	Early doppler (range = 55,000 km)				Late doppler (range ≈ 383,000 km)			
	g_i^2	s_i^2	Correlation width, sec	σ_i^2 , cps ²	g_i^2	s_i^2	Correlation width, sec	σ_i^2 , cps ²
(1) Computing error	1	1.1×10^{-5}	36,000	65.6×10^{-4}	1	1.1×10^{-5}	36,000	65.6×10^{-4}
(2) Counter rounding error	2.78×10^{-4}	0.16	1	0.47×10^{-4}	2.78×10^{-4}	0.16	1	0.47×10^{-4}
(3) Transmitter reference frequency error	0.0189	0.41×10^{-2}	600	7.76×10^{-4} (for VCO)	0.917	0.41×10^{-2} (VCO) 0.41×10^{-6} (SYNTHESIZER)	600	376.1×10^{-4} (VCO) 0.03761×10^{-4} (SYNTHESIZER)
(4) Dropped or added cycles	5.56×10^{-3}	0.96	1	5.43×10^{-4}	5.56×10^{-3}	0.96	1	5.34×10^{-4}
(5) Refraction correction error	1.11×10^{-6}	0.04	1,000	0.007×10^{-4}	3.92×10^{-6}	0.04	1,000	0.026×10^{-4}
(6) Spacecraft motion		Zero for Ranger VII				Zero for Ranger VII		
Total	$\sum_{i=1}^6 \sigma_i^2 = 79.24 \times 10^{-4}$ $\sigma = 0.089$				$\sum_{i=1}^6 \sigma_i^2 \begin{cases} = 446.6 \times 10^{-4} \text{ (VCO)} \\ = 71.5 \times 10^{-4} \text{ (SYNTHESIZER)} \end{cases}$ $\sigma \begin{cases} = 0.211 \text{ (VCO)} \\ = 0.085 \text{ (SYNTHESIZER)} \end{cases}$			
Error source	Early angles (range = 55,000 km)				Late angles (range ≈ 383,000 km)			
	g_i^2	s_i^2	Correlation width, sec	σ_i^2 , deg ²	g_i^2	s_i^2	Correlation width, sec	σ_i^2 , deg ²
(1) Angle jitter	Dec = 1 HA = 1.026	9.0×10^{-6}	1	Dec = 0.09×10^{-4} HA = 0.0924×10^{-4}	Dec = 1 HA = 1.008	9.0×10^{-6}	1	Dec = 0.09×10^{-4} HA = 0.0907×10^{-4}
(2) Angle correction error	1	1.0×10^{-4}	20,000	333.33×10^{-4}	1	1.0×10^{-4}	20,000	333.33×10^{-4}
(3) Angle encoder error	1	1.44×10^{-6}	1	0.0144×10^{-4}	1	1.44×10^{-6}	1	0.0144×10^{-4}
(4) Refraction correction error	Dec = 1.26×10^{-4} HA = 2.48×10^{-4}	4.0×10^{-2}	1,000	Dec = 0.84×10^{-4} HA = 1.65×10^{-4}	Dec = 4.12×10^{-4} HA = 2.44×10^{-4}	4.0×10^{-2}	1,000	Dec = 2.75×10^{-4} HA = 1.63×10^{-4}
Total	$\sum_{i=1}^6 \sigma_i^2 \begin{cases} = 334.27 \times 10^{-4} \text{ (Dec)} \\ = 335.06 \times 10^{-4} \text{ (HA)} \end{cases}$ $\sigma \begin{cases} = 0.183 \text{ (Dec)} \\ = 0.183 \text{ (HA)} \end{cases}$				$\sum_{i=1}^6 \sigma_i^2 \begin{cases} = 336.18 \times 10^{-4} \text{ (Dec)} \\ = 335.06 \times 10^{-4} \text{ (HA)} \end{cases}$ $\sigma \begin{cases} = 0.183 \text{ (Dec)} \\ = 0.183 \text{ (HA)} \end{cases}$			
<p>Note: sample rate = count time = 60 sec</p> $\sigma = \left[\sum_{i=1}^6 \sigma_i^2 \right]^{1/2} = \left[\sum_{i=1}^6 g_i^2 s_i^2 \text{Max} \left\{ 1, \frac{T_{\text{correlation}}}{T_{\text{sample}}} \right\} \right]^{1/2}$								




Fig. 5. Station 41 doppler variation during Sun acquisition

the total HA weight was determined by the declination angles seen during the mission. For *Ranger VII*, declination angles ranged between 349 and 7.8 deg. In Table 2 it may seem that this error source contributes very heavily to total HA weight for declination angles near 90 and 270 deg.

For both doppler and angular data, an additional error source exists; namely, the differences in absolute time between the station clocks. For *Ranger VII*, an experimental method was used to determine these differences to within 1 msec during flight operations. This method is based on two stations measuring the time of a specific telemetered event (occurring when both stations have the spacecraft in view) and correcting these times for differences in station-probe range. The event measured was a telemetry synchronization pulse which occurred every 1000 sec. At the stations the event time was measured using an analog recorder operating at a paper speed of 60 in./sec. In addition to the synchronization pulse, a BCD time code and a 100 pps timing reference was recorded. It was assumed that the signal transit time through the equipment (i.e., from antenna to recording device) was the same for all stations. Results of these measurements indicate a 6 msec difference between the clocks at Stations 12 and 41, and a 3 msec difference between Stations 12 and 51. The detailed affect of these biases on the estimate of the *Ranger VII* flight path is small but is being carefully investigated.

The sample spacing to be used at the tracking stations is determined by the tradeoff between doppler counter rounding errors and truncation errors occurring in the

doppler frequency computations. The expression used in the ODP for these computations is

$$f(t_{ob}) = \int_{T - \frac{1}{2}\tau}^{T + \frac{1}{2}\tau} \ddot{F}(t) dt$$

where $f(t_{ob})$ = the integrated doppler frequency, which should be observed by a station at time t_{ob} .

$$T = t_{ob} - \frac{1}{2}\tau$$

$$\tau = \text{sample spacing}$$

$F(t)$ = the instantaneous frequency of the doppler shift which should have been observed at time t .

This integral is evaluated by expanding a Taylor series about T and integrating term by term leading to

$$f(t_{ob}) = \tau F(T) + \frac{\tau^3}{24} \ddot{F}(T) + O(F^{iv})$$

Thus, the truncation error is a function of τ and the fourth derivative of the frequency (which is, in turn, dependent on the fifth derivative of range). For this mission sample spacing had to be reduced during three phases of the flight: (1) near Earth, (2) during maneuver motor thrusting, and (3) near lunar encounter. For these phases sample spacings of 5, 10, and 10 sec, respectively, were used. At all other times a sample spacing of 60 sec was used.

It is believed that the total weight applied to angular and two-way doppler data is somewhat conservative, and that all error sources which contribute a measurable amount of the total weight have been taken into account.

D. Premaneuver Orbit Based on Premaneuver Tracking Only

Table 4 summarizes the data used for the postflight analysis of the premaneuver data, and presents the statistics pertaining to these data. It will be noted that only two-way doppler data were used in the orbit calculation. Angular data were not used because of biases due to the inadequacy of the angular correction model. These biases may be seen in Figs. 6 and 7, and the correction model errors will be explained more fully in Section VI. From Table 4 it may be seen that the noise level for all stations except Station 59 varied between 0.001 and 0.022 m/sec. At Station 59 the noise level was higher (0.031 m/sec), since a higher sample rate of 1/5 sec was required due to high spacecraft acceleration. Residual plots for the premaneuver data may be seen in Figs. 8 through 13. It should be noted that these plots do not pertain to this particular calculation; but, as will be pointed out in the section on combined results, they deviate by an insignificant amount from the residuals of this orbit.

Table 5, columns 1 through 3, shows the parameters which were estimated and the a priori information used. For this orbital calculation, large a priori uncertainties were placed on all parameters so that the final solution would be determined solely by the tracking data. For the station location uncertainties, the X_1, X_2, X_3 coordinate system (centered at the tracking station) was used. In this system, X_1 and X_2 are in the equatorial plane with X_2 in the longitude direction and X_1 normal to the Earth's spin axis. X_3 is in the direction of the Earth's spin axis. A $1-\sigma$ a priori of 500, 500, and 100 m was used for $X_1, X_2,$ and $X_3,$ respectively, and then rotated into the station spherical coordinate system (radius, latitude, and longitude) for input into the ODP.

Column 4 of the Table contains the statistics associated with this orbital calculation at injection epoch, maneuver epoch, and lunar impact. At injection epoch, the smallest uncertainty in the Cartesian orbital elements appears in the X direction, and the largest in the Z direction. This is as expected since the spacecraft orbital plane is almost coincident with the $X-Y$ plane, and the spacecraft motion is predominantly in the X direction. The doppler measurement is also in this direction; therefore, X and Y should be well determined. Since Z is normal to the doppler measurement, it will not be as well determined. The uncertainty in the universal gravitational constant times the mass of Earth (GM_\oplus) was re-

Table 4. Statistics on premaneuver data

Station	Number of doppler points	No a priority from postmaneuver			With postmaneuver as a priority		With postmaneuver as a priority plus REM constraint	
		Standard deviation ^a , cps	Mean, cps	Remarks ^b	Standard deviation, cps	Mean, cps	Standard deviation, cps	Mean, cps
12	61	0.0079	+0.0031	Data taken below 17-deg elevation using rubidium frequency standard	0.0082	0.0018	0.0079	-0.0003
	23	0.0105	-0.0055	Data taken above 17-deg elevation using rubidium frequency standard	0.0105	-0.0040	0.0102	-0.0041
	74	0.0142	+0.0036	Data taken above 17-deg elevation using voltage controlled osc (VCO)	0.0142	-0.0023	0.0141	0.0000
41	252	0.0100	+0.0012	Data taken above 17-deg elevation using VCO	0.0102	-0.0003	0.0100	-0.0006
	6	0.0059	-0.0016	do.	0.0060	-0.0003	0.0060	-0.0041
51	428	0.0100	-0.0019	do.	0.0102	0.0026	0.0100	-0.0010
59	5	0.2010	-0.0203	do.	0.1980	-0.0080	0.1970	0.1390

^aIn the Ranger VII station configuration for L-band frequency, 1 counted doppler cycle \cong 0.156 m.

^bRemarks concerning rubidium frequency standard and VCO refer to method used to provide ground station transmitter reference frequency.




Fig. 6. Station 41 angular residuals




Fig. 7. Station 51 angular residuals

Table 5. Estimated parameter statistics

Estimated parameter (1)	Units (2)	A priority (one sigma) (3)		Standard deviations on parameters using premaneuver data only (4)			Standard deviation on parameters using premaneuver data with a priority from postmaneuver data (5)			Standard deviations with REM constraint applied to premaneuver orbit (using postmaneuver data as a priority) at injection epoch (6)	Standard deviations on parameters using postmaneuver data only (7)		Standard deviations on parameters using postmaneuver data with a priority from premaneuver data (8)		Standard deviations with REM constraint applied to postmaneuver orbit at impact epoch (9)	
		Actually used ^d	Presently accepted ^a	Injection epoch	Maneuver epoch	Impact epoch	Injection epoch	Maneuver epoch	Impact epoch	Maneuver epoch	Impact epoch	Maneuver epoch	Impact epoch			
X ^b	km	1x10 ⁴	5	0.240	3.498	29.713	0.068	0.550	2.671	0.054	2.528	2.382	0.554	0.277	0.216	
Y	km	1x10 ⁴	5	0.318	8.838	45.244	0.109	1.887	4.340	0.102	3.946	3.719	1.891	1.577	0.270	
Z	km	1x10 ⁴	5	0.465	19.809	24.532	0.150	3.675	4.299	0.136	8.500	6.435	3.616	4.335	0.834	
DX	m/sec	1x10 ⁷	10	0.588	0.059	13.292	0.076	0.007	1.162	0.074	0.016	0.666	0.006	0.411	0.076	
DY	m/sec	1x10 ⁷	10	0.679	0.082	35.636	0.323	0.016	3.170	0.295	0.029	1.918	0.018	1.212	0.195	
DZ	m/sec	1x10 ⁷	10	1.788	0.157	12.264	0.463	0.033	3.417	0.372	0.061	3.134	0.035	2.044	0.376	
GM _⊕	km ³ /sec ²	10	4	6.315			1.531			1.402	8.746		1.530		1.401	
GM _☾	km ³ /sec ²	5	0.3	4.999			0.167			0.156	0.402		0.167		0.154	
REM	m	50	20	50.000			36.300			7.341	44.948		36.230		7.339	
GB	—	0.3	0.2	0.300			0.300			0.300	0.300		0.300		0.300	
Station 12		For all Stations: X ₁ = 500 m X ₂ = 500 m X ₃ = 500 m														
Radius	m			133				58			58	59		58		57
Latitude	deg			0.00107				0.00074			0.00074	0.00074		0.00074		0.00074
Longitude	deg			0.00348				0.00062			0.00026	0.00098		0.00062		0.00026
Station 41																
Radius	m	96				58			57	64		58		56		
Latitude	deg	0.00093				0.00077			0.00077	0.00079		0.00077		0.00077		
Longitude	deg	0.00375				0.00064			0.00032	0.00107		0.00064		0.00032		
Station 51																
Radius	m	75				25			24	44		25		23		
Longitude	deg	0.00346				0.00062			0.00028	0.00101		0.00062		0.00028		
Station 59 ^c																
Radius	m	439				320			320	452		320		320		
Longitude	deg	0.00420				0.00148			0.00148	0.00499		0.00148		0.00148		

^aIndicates approximate known uncertainty before estimate, which in most cases is a magnitude smaller than a priority actually used.

^bSpace-fixed geocentric equatorial Cartesian coordinates.

^cStation 59 provided only 30 sec (5 points) of early data and was not scheduled to provide tracking data during subsequent view periods.

^dThese a priori values were used in the orbital calculations for premaneuver data only (column 4), and postmaneuver data only (column 7).

NOTE: All impact statistics are in geocentric coordinate system rather than selenocentric.




Fig. 8. Station 12 premaneuver pass No. 1 two-way doppler residuals




Fig. 9. Station 41 premaneuver pass No. 1 two-way doppler residuals (start 17:53 GMT)




Fig. 10. Station 41 premaneuver pass No. 1 two-way doppler residuals (start 23:53 GMT)

INITIAL
ELEVATION \approx 18 deg




Fig. 11. Station 51 premaneuver pass No. 2 two-way doppler residuals (start 21:53 GMT)




Fig. 12. Station 51 premaneuver pass No. 2 two-way doppler residuals (start 03:53 GMT)




Fig. 13. Station 59 premaneuver pass No. 1 two-way doppler residuals

duced below the input a priority; however, the reduction was not as great as that in *Ranger VI* where it dropped from 10 to 4.25 km³/sec². This is because only 30 sec of usable early data were available for *Ranger VII*; whereas in *Ranger VI*, approximately 2 min of early data were available. Station radius uncertainties were appreciably below the input a priority for all stations except Station 59 where only 5 data points were available.

Numerical values of the estimated parameters are presented in Table 6, column 4. The encounter conditions obtained by mapping the trajectory forward to impact may be seen in Table 7, column 3. For certain parameters, the **B** plane system (defined in Appendix A) is

used (Ref. 6). The statistics associated with the encounter parameters are given in Table 8, column 1. In this Table, the semimajor axis (SMAA) and the semiminor axis (SMIA) define the dispersion ellipse in which impact will occur. *DEL T* is the uncertainty in linearized time of flight along the incoming asymptote. Other terms used in this Table are defined in Appendix G. The correlation matrices at injection and maneuver epochs are presented in Tables 9 and 10.

The conclusions of the premaneuver data analysis are that a good fit was made to all the doppler data, and that the solutions for the physical constants are consistent with presently accepted values.

Table 6. Values of estimated parameters^a

Estimated parameters (1)	Units (2)	Nominal (3)	Premaneuver — no a priority from postmaneuver (4)	Premaneuver with a priority from postmaneuver (5)	With REM constraint applied to column (5) solution (6)	Postmaneuver — no a priority from premaneuver (7)	Postmaneuver with a priority from postmaneuver (8)	With REM constraint applied to column (8) solution (9)
X ^b	km		-4833.5892	-4833.6123	-4833.6187	156675.56	156674.52	156674.59
Y	km		-4206.2476	-4206.2479	-4206.2420	63040.265	63041.633	63041.361
Z	km		-1441.2768	-1441.3998	-1441.4092	8080.9613	8077.6773	8078.2511
DX	m/sec		7.0599831	7.0601073	7.0601102	1434.2599	1434.2616	1434.2624
DY	m/sec		-6.8710693	-6.8712135	-6.8712333	972.56744	972.57020	972.56707
DZ	m/sec		-4.7802324	-4.7797462	-4.7797043	281.16677	281.16151	281.16743
GM _⊕	km ³ /sec ²	398603.20	398601.77	398601.46	398601.36	398602.35	398601.38	398601.28
REM	km	6378.3254	6378.3253	6378.3100	6378.3153	6378.3292	6378.3080	6378.3144
GB	—	0.40	0.40007859	0.38294392	0.38309627	0.39878235	0.39224036	0.39241809
GM _☾	km ³ /sec ²	4902.7779	4902.7693	4902.6957	4902.6865	4902.6064	4902.5900	4902.5801
Station 12								
Radius	km	6372.0164	6371.8724	6371.9891	6371.9902	6371.9857	6371.8802	6371.8816
Latitude	deg	35.116540	35.117447	35.118841	35.118834	35.118650	35.117430	35.117422
Longitude	deg	243.19539	243.19473	243.19465	243.19456	243.19417	243.19448	243.19438
Station 41								
Radius	km	6372.6076	6372.5922	6372.5850	6372.5865	6372.6095	6372.6016	6372.6033
Latitude	deg	-31.212360	-31.212461	-31.211878	-31.211866	-31.212158	-31.212264	-31.212250
Longitude	deg	136.88617	136.88810	136.88773	136.88764	136.88736	136.88756	136.88746
Station 51								
Radius	km	6375.5503	6375.4628	6375.4826	6375.4839	6375.4951	6375.4784	6375.4799
Longitude	deg	27.685588	27.685950	27.685600	27.685516	27.685035	27.685339	27.685241
Station 59								
Radius	km	6375.6602	6375.6696	6375.6523	6375.6513	6375.7122	6375.6449	6375.6438
Longitude	deg	27.704570	27.704883	27.705576	27.705564	27.706088	27.705178	27.705165

^a Maneuver epoch (end of midcourse motor burn) occurred on July 29, 1964 at 10:27:58 GMT.

^b Space-fixed geocentric equatorial Cartesian coordinates.

Note: Differences between premaneuver and postmaneuver solution values for both position and velocity are a result of the midcourse maneuver. Premaneuver values refer to the time prior to midcourse motor ignition, whereas the postmaneuver values refer to the time after the end of the midcourse motor burn.

Table 7. Impact parameter estimates

Parameter ^a (1)	Units (2)	Premaneuver data only (3)	Postmaneuver data only (4)	Premaneuver as a priority for postmaneuver (5)	postmaneuver as a priority for premaneuver (6)	Best impact location (to date) and time of impact (7)
B • TT	km	-3797.4251	1624.5096	1623.9820	-3801.1085	
B • TT	km	755.19018	800.90869	803.61322	745.15017	
TF ^b	hr	67.393811	50.964119	50.964090	67.395797	
Selenocentric latitude	deg	-12.300271	-10.649078	-10.701728	-12.166415	-10.62°
Selenocentric longitude	deg	203.80992	-20.66196	-20.66850	203.40361	-20.59°
GMT	hms	12:43:33.722 ^d	13:25:48.833 ^e	13:25:48.728 ^e	12:43:40.875 ^e	13:25:48.799 ^f

^a See Appendixes A and G for definitions.
^b Time of flight for closest approach or impact.
^c Preliminary values based on analyses of lunar TV photos and Air Force lunar maps.
^d Based on the nominal lunar radius of 1738.09 km (Ref. 12).
^e Based on a lunar radius of 1735.6 km.
^f Time at which Station 12 recorded loss of signal from spacecraft corrected for signal transmit time.
 Resolution of recording measurements is ± 1 msec.

Table 8. Statistics in the B plane system

Premaneuver data only (1)					Postmaneuver data only (2)					Premaneuver as a priority for postmaneuver (3)				
Standard deviation	Correlation matrix				Standard deviation	Correlation matrix				Standard deviation	Correlation matrix			
		B • R	B • T	TL			B • R	B • T	TL			B • R	B • T	TL
34.6399 km	B • R	1.000	0.361	-0.310	11.556 km	B • R	1.000	-0.889	-0.746	5.707 km	B • R	1.000	-0.977	0.505
20.9206 km	B • T		1.000	-0.795	4.286 km	B • T		1.000	0.363	3.217 km	B • T		1.000	-0.670
14.603 sec	TL			1.000	1.213 sec	TL			1.000	0.196 sec	TL			1.000
SMAA = 35.793 km SMIA = 18.880 km DEL T = 14.603 sec $\theta^b = 107.240$ deg					SMAA = 12.184 km SMIA = 1.860 km DEL T = 1.213 sec $\theta^b = 71.296$ deg					SMAA = 6.523 km SMIA = 0.605 km DEL T = 0.196 sec $\theta^b = 60.888$ deg				
Postmaneuver as a priority for premaneuver (4)					With constraint on REM ^a (lunar scale factor) (5)									
Standard deviation	Correlation matrix				Standard deviation	Correlation matrix								
		B • R	B • T	TL			B • R	B • T	TL					
10.391 km	B • R	1.000	-0.782	-0.807	1.578 km	B • R	1.000	-0.467	-0.970					
5.184 km	B • T		1.000	0.701	0.410 km	B • T		1.000	0.256					
3.042 sec	TL			1.000	0.189 sec	TL			1.000					
SMAA = 11.221 km SMIA = 2.990 km DEL T = 3.042 sec $\theta^b = 66.950$ deg					SMAA = 1.590 km SMIA = 0.360 km DEL T = 0.189 sec $\theta^b = 82.699$ deg									

^a Based on the postmaneuver orbit using premaneuver data as a priority. REM constraint is applied and results converted to selenocentric coordinate system. All other results are in geocentric coordinate system.
^b θ is measured counterclockwise from lunar equator to SMAA.

Table 9. Correlation matrix on premaneuver data at injection epoch

Standard deviation	Correlation coefficients																			
	X	Y	Z	DX	DY	DZ	GM _⊕	REM	G	GM _⊙	RI(1)	LO(1)	RI(3)	LA(3)	LO(3)	RI(4)	LA(4)	LO(4)	RI(5)	LO(5)
X 0.240 km	1.000	-0.728	0.321	0.379	0.620	-0.240	0.192	0.0	0.0	0.020	0.154	0.489	0.247	0.193	0.937	-0.037	-0.098	0.845	-0.036	0.959
Y 0.318 km		1.000	0.289	-0.620	-0.491	-0.106	-0.384	0.0	0.0	0.004	-0.037	-0.861	0.110	-0.086	-0.642	-0.285	-0.077	-0.336	-0.495	-0.583
Z 0.465 km			1.000	-0.592	0.290	-0.706	0.236	0.0	0.0	0.017	0.318	-0.665	-0.497	0.390	0.417	-0.431	-0.272	0.466	-0.446	0.465
DX 0.588 m/sec				1.000	-0.228	0.782	-0.397	0.0	0.0	-0.003	0.243	0.838	0.541	-0.425	0.239	0.478	0.327	0.258	0.377	0.233
DY 0.679 m/sec					1.000	-0.755	0.527	0.0	-0.001	-0.001	-0.489	0.219	-0.552	0.434	0.668	-0.441	-0.328	0.495	-0.221	0.664
DZ 1.788 m/sec						1.000	-0.565	0.0	0.0	-0.010	0.331	0.459	0.721	-0.567	-0.360	0.592	0.405	-0.261	0.419	-0.373
GM _⊕ 6.315 km ³ /sec ²							1.000	0.0	0.002	0.020	-0.018	-0.015	-0.742	0.583	0.263	-0.009	-0.009	-0.212	0.467	0.171
REM 0.050 km								1.000	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.001	0.0	0.0	0.002	0.0
G 0.300 —									1.000	0.0	0.0	0.0	0.0	0.0	-0.002	0.0	0.0	0.001	-0.006	0.0
GM _⊙ 4.99 km ³ /sec ²										1.000	0.0	-0.001	0.001	-0.001	-0.018	0.027	0.015	0.016	-0.060	0.015
RI(1) 439 km											1.000	-0.154	0.102	-0.080	0.130	0.362	0.191	0.080	0.331	0.113
LO(1) 0.00420 deg												1.000	0.239	-0.188	0.355	0.387	0.188	0.207	0.435	0.321
RI(3) 0.133 km													1.000	-0.360	-0.285	0.180	0.124	-0.054	-0.065	-0.316
LA(3) 0.00101														1.000	0.225	-0.142	-0.097	0.042	0.051	0.248
LO(3) 0.00348 deg															1.000	-0.173	-0.070	0.826	-0.068	0.958
RI(4) 0.096 km																1.000	-0.041	-0.344	0.582	-0.206
LA(4) 0.0093 deg																	1.000	-0.179	0.435	-0.096
LO(4) 0.00375 deg																		1.000	-0.467	0.906
RI(5) 0.075 km																			1.000	-0.175
LO(5) 0.00346 deg																				1.000

	R	φ	λ	V	γ	σ
R 0.233 km	1.000	-0.917	0.181	-0.901	0.310	0.589
φ 0.00373 deg		1.000	-0.035	0.970	-0.390	-0.727
λ 0.00331 deg			1.000	-0.039	-0.079	-0.039
V 0.243 m/sec				1.000	-0.207	-0.842
γ 0.00227 deg					1.000	-0.269
σ 0.01078 deg						1.000

Table 10. Correlation matrix on premaneuver data at maneuver epoch

Standard deviation	Correlation coefficients																			
	X	Y	Z	DX	DY	DZ	GM _⊕	REM	G	GM _⊙	RI(1)	LO(1)	RI(3)	LA(3)	LO(3)	RI(4)	LA(4)	LO(4)	RI(5)	LO(5)
X 3.498 km	1.000	-0.942	-0.120	0.941	-0.989	-0.090	0.228	0.0	0.001	0.0	-0.160	-0.637	-0.156	0.123	-0.794	-0.003	-0.066	-0.849	0.065	-0.834
Y 8.838 km		1.000	-0.216	-0.789	0.953	-0.241	-0.021	0.0	-0.001	0.005	0.141	0.453	-0.803	0.065	0.919	-0.172	-0.066	0.932	-0.176	0.958
Z 19.809 km			1.000	-0.407	0.068	0.988	-0.584	0.0	0.0	-0.014	0.067	0.535	0.737	-0.579	-0.417	0.505	0.377	-0.305	0.355	-0.429
DX 0.059 m/sec				1.000	-0.926	-0.372	0.264	0.0	0.004	0.018	-0.230	-0.790	-0.302	0.238	-0.625	-0.235	-0.226	-0.632	-0.189	-0.641
DY 0.082 m/sec					1.000	0.022	-0.174	0.0	-0.005	-0.004	0.275	0.587	0.129	-0.102	0.817	0.019	0.059	0.849	-0.027	0.849
DZ 0.157 m/sec						1.000	-0.545	0.0	-0.001	-0.017	-0.077	0.572	0.709	-0.557	-0.434	0.455	0.350	-0.336	0.337	-0.449
GM _⊕ 6.315 km ³ /sec ²							1.000	-0.001	0.002	0.020	0.018	-0.015	-0.742	0.583	0.263	-0.009	-0.009	-0.212	0.467	0.171
REM 0.050 km								1.000	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.002	0.0
G 0.300									1.000	0.0	0.0	0.0	0.0	0.0	-0.002	0.0	0.0	0.001	-0.006	0.0
GM _⊙ 5.000 km ³ /sec ²										1.000	0.0	-0.001	0.001	-0.001	-0.018	0.027	0.015	0.016	-0.060	0.015
RI(1) 0.439 km											1.000	-0.154	0.102	-0.080	0.130	0.362	0.191	0.080	0.331	0.113
LO(1) 0.004 deg												1.000	0.239	-0.188	0.355	0.387	0.188	0.207	0.435	0.321
RI(3) 0.133 km													1.000	-0.360	-0.285	0.180	0.124	-0.054	-0.065	-0.316
LA(3) 0.001 deg														1.000	0.225	-0.142	-0.097	0.042	0.051	0.248
LO(3) 0.003 deg															1.000	-0.173	-0.070	0.826	-0.068	0.958
RI(4) 0.096 km																1.000	0.041	-0.344	0.582	-0.206
LA(4) 0.001 deg																	1.000	-0.179	0.435	-0.096
LO(4) 0.004 deg																		1.000	-0.467	0.906
RI(5) 0.076 km																			1.000	-0.175
LO(5) 0.003 deg																				1.000

	R	φ	λ	V	γ	σ
R 0.219 km	1.000	-0.701	0.132	0.758	-0.647	0.627
φ 0.00672 deg		1.000	-0.171	-0.990	0.959	-0.881
λ 0.00320 deg			1.000	0.166	-0.109	0.064
V 0.111 m/sec				1.000	-0.935	0.912
γ 0.00012 deg					1.000	-0.888
σ 0.00025 deg						1.000

E. Postmaneuver Orbit Based on Postmaneuver Tracking Only

Table 11 summarizes the data used for the postflight analysis of the postmaneuver data, and presents the statistics pertaining to these data. The noise level in the postmaneuver data varied between 0.001 and 0.003 m/sec, except for the last entry shown for Station 12. The noise level for this block of data was higher, 0.008 m/sec, since a higher sample rate of 1/10 sec was required due to a higher spacecraft acceleration near lunar encounter. Residual plots for the postmaneuver data

may be seen in Figs. 14 through 24. It should be noted that these plots do not pertain to this particular calculation; but, as will be pointed out in the section on combined results, they deviate by an insignificant amount from the residuals of this orbit. The difference in noise characteristics between the two methods of controlling the transmitter reference frequency (i.e., VCO or SYNTHESIZER) may clearly be seen in both the residual plots and the standard deviations of Table 11. For example, in Fig. 14 Station 12 was using the VCO for approximately the first 48 min and then switched to the SYNTHESIZER for the remainder of the view period.

Table 11. Data statistics on postmaneuver data

Station	Number of doppler points	No a priority from premaneuver			With premaneuver data as a priority		With premaneuver data as a priority plus REM constraint	
		Standard deviation, ^a cps	Mean, cps	Remarks ^b	Standard deviation, cps	Mean, cps	Standard deviation, cps	Mean, cps
12	31	0.0116	-0.0008	Data taken above 17-deg elevation using VCO	0.0116	-0.0008	0.0115	-0.0003
	341	0.0086	0.0009	Data taken above 17-deg elevation using rubidium frequency standard	0.0085	0.0011	0.0086	0.0013
	42	0.0093	-0.0090	Data taken below 17-deg elevation using rubidium frequency standard	0.0095	-0.0127	0.0096	-0.0128
	62	0.0104	0.0045	Data taken below 17-deg elevation using rubidium frequency standard	0.0104	0.0038	0.0112	0.0040
	564	0.0089	-0.0002	Data taken above 17-deg elevation using rubidium frequency standard	0.0089	-0.0001	0.0089	0.0002
	61	0.0093	-0.0036	Data taken below 17-deg elevation using rubidium frequency standard	0.0092	-0.0024	0.0093	-0.0020
	46	0.0096	0.0017	Data taken below 17-deg elevation using rubidium frequency standard	0.0097	0.0030	0.0097	0.0033
	151	0.0088	0.0001	Data taken above 17-deg elevation using rubidium frequency standard	0.0088	0.0005	0.0088	0.0008
	74	0.0334	-0.0088	Data taken above 17-deg elevation using VCO	0.0334	-0.0069	0.0334	-0.0069
58 ^c	0.0522	-0.0043	Data taken above 17-deg elevation at 10-sec sample rate using VCO	0.0511	0.0048	0.0511	0.0070	
41	290	0.0172	0.0003	Data taken above 17-deg elevation using VCO	0.0170	0.0026	0.0170	0.0026
	61	0.0152	-0.0009	Data taken below 17-deg elevation using VCO	0.0151	-0.0027	0.0151	-0.0027
	224	0.0183	-0.0003	Data taken above 17-deg elevation using VCO	0.0183	0.0017	0.0183	0.0020
51	256	0.0141	-0.0009	Data taken above 17-deg elevation using VCO	0.0140	-0.0016	0.0140	-0.0013
	357	0.0155	0.0007	Data taken above 17-deg elevation using VCO	0.0156	-0.0027	0.0156	-0.0019

^a In the Ranger VII station configuration for L-band frequency, 1 counted doppler cycle \cong 0.156 m.

^b Remarks concerning rubidium frequency standard and VCO refer to method used to provide ground station transmitter reference frequency.

^c These data taken at a 10-sec sample rate and compressed to 60 sec; all other statistics refer to 60-sec sample rate data.




Fig. 14. Station 12 postmaneuver pass No. 1 two-way doppler residuals (start 10:41 GMT)




Fig. 15. Station 12 postmaneuver pass No. 1 two-way doppler residuals (start 16:41 GMT)




Fig. 16. Station 12 postmaneuver pass No. 2 two-way doppler residuals (start 07:18 GMT)




Fig. 17. Station 12 postmaneuver pass No. 2 two-way doppler residuals (start 13:18 GMT)




Fig. 18. Station 12 postmaneuver pass No. 3 two-way doppler residuals




Fig. 19. Station 41 postmaneuver pass No. 1 two-way doppler residuals (start 18:46 GMT)




Fig. 20. Station 41 postmaneuver pass No. 1 two-way doppler residuals (start 00:46 GMT)




Fig. 21. Station 41 postmaneuver pass No. 2 two-way doppler residuals




Fig. 22. Station 51 postmaneuver pass No. 1 two-way doppler residuals




Fig. 23. Station 51 postmaneuver pass No. 2 two-way doppler residuals (start 23:44 GMT)




Fig. 24. Station 51 postmaneuver pass No. 2 two-way doppler residuals (start 05:44 GMT)

The noise level for the VCO period was 0.002 m/sec versus a noise level of 0.001 m/sec for the SYNTHESIZER period.

The a priori information for this orbital calculation was the same as that used for the premaneuver study. Statistics associated with the estimated parameters are displayed in Table 5, column 7. The orbital Cartesian uncertainties have been reduced by as much as a factor of 2 from the uncertainties at maneuver epoch based on the premaneuver data only. An even greater reduction may be noted in the statistics at impact epoch. Station location statistics are considered smaller, and the uncertainty in the universal gravitational constant times the mass of the Moon (GM_q) has been reduced in magnitude from ± 4.999 to ± 0.402 km³/sec². The statistics on the scalar for lunar ephemeris (REM) and GM_\oplus indicate a rather weak solution for these parameters.

Numerical values for the estimated parameters are given in Table 6, column 7. A consistency check between the premaneuver and postmaneuver orbits was made using the position vector at maneuver epoch. This was accomplished by correcting the premaneuver position vector by an amount determined by the velocity change due to maneuver execution, and comparing this new value with the postmaneuver value. Results of these computations are shown in Table 12. The solutions are well within the 1- σ uncertainties and assure consistency.

Encounter conditions for this orbit are shown in Table 7, column 4. Of significant interest is the fact that the impact time is based on a lunar radius of 1735.6 km.

Table 12. Positions at maneuver epoch

Premaneuver only ^a		Postmaneuver only	Postmaneuver-premaneuver
X	156674.70		
ΔX	-0.61		
$X + \Delta X$	156674.09 ± 3.5	156675.56 ± 2.5	1.5 km
Y	63043.938		
ΔY	-0.371		
$Y + \Delta Y$	63043.567 ± 8.8	63040.365 ± 3.9	-3.3 km
Z	8073.3712		
ΔZ	-0.152		
$Z + \Delta Z$	8073.2192 ± 19.8	8080.9613 ± 8.5	7.7 km

^a Δ 's are the positional changes during maneuver motor burn from the relationship $\Delta X = \frac{1}{2} a_x t^2 = \frac{v_x t}{2}$, $\Delta X \rightarrow \Delta Y \rightarrow \Delta Z$.


This value was indicated by the results of the *Ranger VI* postflight analysis. During flight operations, using a value based on this, predicted impact was within 0.06 sec of observed impact. It is significant to note that this prediction was made 1 hr before impact. The basis for this lunar radius will be examined in greater detail in a later section. **B** plane statistics associated with the encounter conditions are given in Table 8, column 2. It can be seen that the size of the dispersion ellipse has been considerably reduced from that of the premaneuver orbit. Table 13 shows the correlation matrix of the postmaneuver data at maneuver epoch.

Conclusions based on the analysis of the postmaneuver data are: (1) good fit was made to all data, (2) the solution vector for the physical constants showed a reduction in uncertainties, except for REM and GM_\oplus in which a weak solution still exists, and (3) the orbital solution is consistent with that obtained from the premaneuver data.

F. Combined Estimates Based on Premaneuver and Postmaneuver Tracking

1. Method of Combining Premaneuver and Postmaneuver Data

In order to obtain a better estimate on the postmaneuver orbit, the solution vector and its associated covariance matrix from the premaneuver data were used as a priority for the postmaneuver data. The same was done for the premaneuver orbit where the postmaneuver data were used as an a priori covariance matrix for the premaneuver data. The method used for obtaining the premaneuver estimate using postmaneuver data is⁴



$$\Delta q_1^* = (A_1^T W A_1 + \Lambda_{21}^{-1})^{-1} [A_1^T W (O_1 - C_1) + \Lambda_{21}^{-1} (q_{21} - q_1)]$$

⁴This method was applied by W. L. Sjogren during the postflight analysis of *Ranger VI* tracking data.

Table 13. Correlation matrix on postmaneuver data at maneuver epoch with no a priority

Standard deviation	Correlation coefficients																			
	X	Y	Z	DX	DY	DZ	GM _⊕	REM	G	GM _⊙	RI(1)	LO(1)	RI(3)	LA(3)	LO(3)	RI(4)	LA(4)	LO(4)	RI(5)	LO(5)
X 2.5283 km	1.000	0.293	0.390	-0.754	0.510	-0.576	0.803	0.519	-0.022	0.683	0.0	0.0	0.045	-0.026	0.269	0.175	0.074	0.389	-0.083	0.931
Y 3.9455 km		1.000	-0.177	-0.679	0.696	-0.811	0.616	-0.296	-0.010	0.755	0.0	0.0	-0.165	0.094	0.939	-0.157	-0.073	0.929	-0.474	0.932
Z 8.4990 km			1.000	-0.389	-0.355	-0.049	-0.174	0.742	-0.001	0.295	0.0	0.0	0.174	-0.063	-0.324	0.415	0.172	-0.052	0.420	-0.101
DX 0.0161 m/sec				1.000	-0.697	0.921	-0.641	-0.102	-0.014	-0.897	0.0	0.0	0.025	-0.022	-0.670	-0.147	-0.056	-0.817	0.232	-0.805
DY 0.0288 m/sec					1.000	-0.878	0.778	-0.457	0.018	0.619	0.0	0.0	-0.128	0.067	0.824	-0.148	-0.064	0.776	-0.528	0.806
DZ 0.0608 m/sec						1.000	-0.666	0.252	0.026	-0.813	0.0	0.0	0.095	-0.063	-0.846	0.006	0.009	-0.915	0.412	-0.919
GM _⊕ 8.746 km ³ /sec ²							1.000	0.094	0.0	0.702	0.0	0.0	-0.080	0.036	0.624	-0.090	-0.037	0.596	-0.393	0.624
REM 0.0449 km								1.000	-0.001	0.156	0.0	0.0	0.163	-0.079	-0.489	0.300	0.128	-0.316	0.409	-0.346
G 0.3000 —									1.000	0.014	0.0	0.0	0.001	-0.001	-0.004	-0.001	0.0	-0.006	0.005	-0.005
GM _⊙ 0.4018 km ³ /sec ²										1.000	0.0	0.0	-0.037	0.036	0.703	0.080	0.028	0.817	-0.262	0.807
RI(1) 0.452 km											1.000	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LO(1) 0.00498 deg												1.000	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RI(3) 0.059 km													1.000	0.929	-0.171	0.082	0.036	-0.137	0.122	-0.144
LA(3) 0.00074 deg														1.000	0.095	-0.041	-0.018	0.074	-0.061	0.078
LO(3) 0.00098 deg															1.000	-0.174	-0.080	0.938	-0.532	0.953
RI(4) 0.064 km																1.000	-0.629	-0.109	0.196	-0.085
LA(4) 0.00079 deg																	1.000	-0.046	0.084	-0.043
LO(4) 0.00107 deg																		1.000	-0.441	0.966
RI(5) 0.044 km																			1.000	-0.485
LO(5) 0.0010 deg																				1.000

	R	φ	λ	V	γ	σ
R 3.221 km	1.000	0.313	0.432	0.982	-0.994	-0.725
φ 0.00287 deg		1.000	-0.300	0.178	-0.226	-0.808
λ 0.00119 deg			1.000	0.574	-0.495	-0.175
V 0.218 m/sec				1.000	-0.993	-0.631
γ 0.00016 deg					1.000	0.666
σ 0.00052 deg						1.000

and

$$\mathbf{q}_1^* = \mathbf{q}_{2_1} + \Delta\mathbf{q}_1^* = \text{best maneuver estimate}$$

where

$$\Lambda_{2_1} = U (\Lambda_2 + \Lambda_M) U^T$$

$$\Lambda_2 = (A_2^T W A_2 + \tilde{\Lambda}^{-1})^{-1}$$

U = matrix which maps $(\mathbf{q}_2 - \mathbf{q}_m)$ to injection

$\tilde{\Lambda}$ = a priori covariance

$$A_2 = \frac{\partial \text{observable in block (2) (postmaneuver)}}{\partial \text{estimated parameter}}$$

$$\mathbf{q}_{2_1} = U (\mathbf{q}_2 - \mathbf{q}_m)$$

\mathbf{q}_2 = solution vector of estimated parameters from block (2) data only

$\Lambda_2 = (A_2^T W A_2)^{-1}$ = covariance on estimated parameters from block (2) data only

W = diagonal weighting matrix on observables

$O - C$ = residuals (i.e., observed data minus calculated data)

Λ_M = covariance on maneuver (diagonal purposely set to a very pessimistic value of 100 m/sec)

\mathbf{q}_m = nominal inflight maneuver estimate

The following expression for the postmaneuver estimate using premaneuver data is very similar

$$\begin{aligned} \Delta\mathbf{q}_2^* &= (A_2^T W A_2 + \Lambda_{1_2}^{-1})^{-1} [A_2^T W (O_2 - C_2) \\ &\quad + \Lambda_{1_2}^{-1} (\mathbf{q}_{1_2} - \mathbf{q}_2)] \\ \text{and } \mathbf{q}_2^* &= \Delta\mathbf{q}_2^* + \mathbf{q}_m \end{aligned}$$

2. Results of Combining Premaneuver and Postmaneuver Data

The estimated parameter statistics based on combining the postmaneuver data with the premaneuver estimate are given in Table 5, column 5. It may be seen that the uncertainties have been significantly reduced from those based on the premaneuver data only. A stronger solution for GM_\oplus , GM_ζ , and REM is now indicated. Numerical values for the estimated parameters are shown in Table 6, column 6. The differences between the solution vectors of the premaneuver-data-only orbit and this orbit are well within the uncertainties seen in column 5 of Table 5, except for radius and latitude of Station 12. It may be seen in Table 14 that a high correlation (0.966) exists between the radius $RI(3)$ and latitude $LA(3)$ of Station 12. A comparison based on computing the term $R \cos$ (latitude) for the two solutions shows a difference of

6.3 m. From this it may be concluded that the two solutions for Station 12 location are consistent. Encounter conditions seen in Table 7, column 6, indicate a predicted impact time difference of 7.15 sec between the two premaneuver estimates. This is accounted for by the fact that a different lunar radius was used for the two calculations. That is, without correction, the spacecraft would impact the dark side of the Moon on a grazing trajectory; therefore, the difference in lunar radius is significant. A comparison of the **B** plane statistics (Table 7, columns 1 and 4) reveals a significant reduction in the statistics and the dispersion ellipse for the combined estimate. The correlation matrix for the premaneuver data at maneuver epoch is given in Table 15. The trajectory and the ODP printout, including the data weights and the doppler residuals, for this orbital estimate may be seen in Appendixes B, C, E, and F. Explanations of the printout forms are given in Appendixes D and G.

For the postmaneuver orbit, using premaneuver data as a priority, the estimated parameter statistics (Table 5, column 8) reveal a significant reduction in the uncertainties when compared with the orbit obtained from postmaneuver data only. It may be seen that the uncertainties on the physical constants and the station locations are the same as those obtained by using the postmaneuver data as a priority for the premaneuver estimate. This indicates that the method of combining the two blocks of data was consistent. The differences between the parameter values of the orbit based on postmaneuver data only and this orbit (Table 6, columns 7 and 8) are again well within the uncertainties except for Station 12. The explanation for this is the same as in the preceding paragraph. Encounter conditions (Table 7, column 5) show good agreement with those obtained from the postmaneuver data only, and the **B** plane statistics (Table 8, column 3) are reduced by almost a factor of 2. The correlation matrix from this orbital calculation at maneuver epoch is given in Table 16. The trajectory and the ODP printout, including the data weights and the doppler residuals, for this orbital estimate may be seen in Appendixes C and F, respectively.

The differences between the estimated physical constants and station locations, using the $r \cos \phi$ relationship for Station 12, for the above orbits are well within the respective uncertainties. This, plus the fact that the statistics for these orbits were identical, gives assurance that a better estimate has been obtained for both the premaneuver and postmaneuver orbit. In addition, GM_\oplus and GM_ζ are measured at least a factor of 2 better than each separate estimate, and REM by a factor of 1.25.

Table 14. Correlation matrix on premaneuver data at injection epoch with postmaneuver data as a priority

Standard deviation	Correlation coefficients																			
	X	Y	Z	DX	DY	DZ	GM _⊕	REM	G	GM _⊙	RI(1)	LO(1)	RI(3)	LA(3)	LO(3)	RI(4)	LA(4)	LO(4)	RI(5)	LO(5)
X 0.068 km	1.000	-0.849	0.030	0.401	0.497	-0.423	0.539	-0.541	0.025	0.367	-0.524	0.607	-0.087	0.046	0.642	0.225	-0.436	0.583	-0.204	0.621
Y 0.109 km		1.000	0.306	-0.375	-0.671	0.496	-0.667	0.224	-0.037	-0.286	0.237	-0.796	0.061	-0.048	-0.378	-0.197	0.525	-0.294	0.154	-0.369
Z 0.150 km			1.000	-0.021	-0.591	0.400	0.151	-0.415	-0.038	0.047	0.806	-0.758	-0.048	0.011	0.394	-0.083	0.173	0.337	0.252	0.350
DX 0.076 m/sec				1.000	-0.268	0.539	0.002	0.286	0.109	0.366	0.327	0.286	0.091	0.036	-0.154	0.524	-0.343	-0.118	0.280	-0.118
DY 0.323 m/sec					1.000	-0.930	0.337	-0.358	0.003	0.197	-0.757	0.768	-0.083	0.035	0.432	-0.178	-0.218	0.412	-0.526	0.447
DZ 0.463 m/sec						1.000	-0.379	0.556	0.033	-0.115	0.658	-0.519	0.123	-0.026	-0.584	0.351	0.057	-0.542	0.545	-0.575
GM _⊕ 1.532 km ² /sec ²							1.000	-0.211	0.014	0.053	0.114	0.262	-0.108	0.014	0.333	-0.227	-0.067	0.161	0.143	0.262
REM 0.036 km								1.000	0.009	-0.353	0.003	0.007	0.114	-0.056	-0.896	0.141	0.093	-0.882	0.394	-0.888
G 0.300 —									1.000	0.089	-0.006	0.048	0.002	0.0	0.016	0.006	0.008	0.023	0.011	0.025
GM _⊙ 0.167 km ² /sec ²										1.000	-0.006	0.194	0.008	0.037	0.475	-0.039	-0.023	0.516	-0.128	0.516
RI(1) 0.320 km											1.000	-0.695	0.018	0.004	0.008	0.158	0.019	-0.044	0.468	-0.025
LO(1) 0.00148 deg												1.000	-0.016	0.021	0.083	0.204	-0.416	0.082	-0.298	0.102
RI(3) 0.058 km													1.000	0.966	-0.105	0.035	0.011	-0.099	0.043	-0.118
LA(3) 0.00074 deg														1.000	0.072	-0.015	-0.013	0.064	-0.025	0.062
LO(3) 0.00062 deg															1.000	-0.163	-0.098	0.927	-0.361	0.957
RI(4) 0.057 km																1.000	-0.770	-0.210	0.077	-0.141
LA(4) 0.00077 deg																	1.000	-0.094	0.096	-0.108
LO(4) 0.00064 deg																		1.000	-0.412	0.934
RI(5) 0.025 km																			1.000	-0.396
LO(5) 0.00062 deg																				1.000

	R	φ	λ	V	γ	σ
R 0.063 km	1.000	-0.855	0.437	-0.890	0.680	-0.366
φ 0.00123 deg		1.000	-0.167	0.898	-0.814	0.288
λ 0.00109 deg			1.000	-0.126	0.131	-0.513
V 0.052 m/sec				1.000	-0.601	0.029
γ 0.00155 deg					1.000	-0.702
σ 0.00270 deg						1.000

Table 15. Correlation matrix on premaneuver data at maneuver epoch with postmaneuver data as a priority

Standard deviation	Correlation coefficients																			
	X	Y	Z	DX	DY	DZ	GM _⊕	REM	G	GM _⊙	RI(1)	LO(1)	RI(3)	LA(3)	LO(3)	RI(4)	LA(4)	LO(4)	RI(5)	LO(5)
X 0.550 km	1.000	-0.940	0.580	0.858	-0.853	0.445	-0.136	0.694	-0.049	-0.653	-0.069	-0.164	0.064	-0.090	-0.838	0.136	0.105	-0.864	0.386	-0.896
Y 1.887 km		1.000	-0.805	-0.741	0.895	-0.657	0.427	-0.765	0.018	0.540	-0.023	0.199	-0.099	0.084	0.906	-0.205	-0.118	0.873	-0.343	0.920
Z 3.675 km			1.000	0.284	-0.667	0.868	-0.678	0.801	0.053	-0.145	-0.042	-0.102	0.159	-0.034	-0.841	0.237	0.116	-0.722	0.249	-0.784
DX 0.007 m/sec				1.000	-0.871	0.368	-0.066	0.415	-0.074	-0.734	-0.272	0.016	0.007	-0.089	-0.601	-0.022	0.083	-0.638	0.084	-0.676
DY 0.016 m/sec					1.000	-0.745	0.386	-0.636	0.010	0.559	0.371	-0.058	-0.062	0.087	0.792	-0.063	-0.128	0.757	-0.092	0.804
DZ 0.033 m/sec						1.000	-0.604	0.703	0.046	-0.114	-0.492	0.250	0.128	-0.027	-0.729	0.104	0.078	-0.607	-0.022	-0.662
GM _⊕ 1.53 km ³ /sec ²							1.000	-0.211	0.014	0.053	0.114	0.262	-0.108	0.014	0.333	-0.227	-0.067	0.161	0.143	0.262
REM 0.036 km								1.000	0.009	-0.353	0.003	0.007	0.114	-0.056	-0.896	0.141	0.093	-0.882	0.394	-0.888
G 0.300 —									1.000	0.089	-0.006	0.048	0.002	0.0	0.016	0.006	0.008	0.023	0.011	0.025
GM _⊙ 0.167 km ³ /sec ²										1.000	-0.006	0.194	0.008	0.037	0.475	-0.039	-0.023	0.516	-0.128	0.516
RI(1) 0.320 km											1.000	-0.695	0.018	0.004	0.008	0.158	0.019	-0.044	0.468	-0.025
LO(1) 0.0014 deg												1.000	-0.016	0.021	0.083	0.204	-0.416	0.082	-0.298	0.102
RI(3) 0.058 km													1.000	0.966	-0.105	0.035	0.011	-0.099	0.043	-0.118
LA(3) 0.00074 deg														1.000	0.072	-0.015	-0.013	0.064	-0.025	0.062
LO(3) 0.00062 deg															1.000	-0.163	-0.098	0.927	-0.361	0.957
RI(4) 0.057 km																1.000	-0.770	-0.210	0.077	-0.141
LA(4) 0.00077 deg																	1.000	-0.094	0.096	-0.108
LO(4) 0.00064 deg																		1.000	-0.412	0.934
RI(5) 0.025 km																			1.000	-0.396
LO(5) 0.00062 deg																				1.000

	R	φ	λ	V	γ	σ
R 0.128 km	1.000	-0.738	0.622	0.820	-0.700	0.342
φ 0.00125 deg		1.000	-0.786	-0.938	0.951	-0.476
λ 0.00066 deg			1.000	0.787	-0.643	0.451
V 0.026 m/sec				1.000	-0.911	0.695
γ 0.00002 deg					1.000	-0.538
σ 0.00009 deg						1.000

Table 16. Correlation matrix on postmaneuver data at maneuver epoch with premaneuver data as a priority

Standard deviation	Correlation coefficients																			
	X	Y	Z	DX	DY	DZ	GM _⊕	REM	G	GM _C	RI(1)	LO(1)	RI(3)	LA(3)	LO(3)	RI(4)	LA(4)	LO(4)	RI(5)	LO(5)
X 0.554 km	1.000	-0.941	0.579	0.633	-0.570	0.633	-0.136	0.696	-0.047	-0.658	0.080	-0.176	0.064	-0.089	-0.840	0.141	0.100	-0.866	0.389	-0.897
Y 1.891 km		1.000	-0.802	-0.612	0.670	-0.712	0.425	-0.763	0.018	0.550	-0.028	0.208	-0.098	0.084	0.906	-0.205	-0.115	0.873	-0.340	0.920
Z 3.616 km			1.000	0.558	-0.784	0.726	-0.680	0.796	0.053	-0.157	-0.054	-0.104	0.157	-0.034	-0.838	0.229	0.117	-0.718	0.235	-0.781
DX 0.006 m/sec				1.000	-0.913	0.936	0.075	0.934	-0.113	-0.475	0.013	0.060	0.070	-0.045	-0.791	0.061	0.057	-0.827	0.394	-0.793
DY 0.018 M/sec					1.000	-0.978	0.259	-0.978	0.037	0.299	0.015	-0.010	-0.108	0.050	0.809	-0.140	-0.086	0.794	-0.341	0.797
DZ 0.035 m/sec						1.000	-0.127	0.984	0.010	-0.330	0.017	0.013	0.093	-0.066	-0.826	0.126	0.087	-0.844	0.400	-0.837
GM _⊕ 1.530 km ² /sec ²							1.000	-0.208	0.014	0.056	0.116	0.264	-0.107	0.013	0.330	-0.224	-0.066	0.159	0.148	0.260
REM 0.036 km								1.000	0.009	-0.366	0.002	0.0	0.112	-0.056	-0.895	0.137	0.092	-0.881	0.388	-0.887
G 0.300									1.000	0.088	-0.005	0.047	0.002	0.0	0.016	0.006	0.008	0.023	0.011	0.024
GM _C 0.167 km ³ /sec ²										1.000	-0.013	0.197	0.006	0.038	0.486	-0.045	-0.022	0.526	-0.137	0.527
RI(1) 0.320 km											1.000	-0.701	0.017	0.004	0.006	0.157	0.017	-0.049	0.467	-0.029
LO(1) 0.00148 deg												1.000	-0.018	0.021	0.091	0.198	-0.412	0.091	-0.304	0.112
RI(3) 0.058 km													1.000	0.966	-0.104	0.034	0.011	-0.098	0.041	-0.117
LA(3) 0.00074 deg														1.000	0.072	-0.015	-0.013	0.063	-0.025	0.062
LO(3) 0.00062 deg															1.000	-0.161	-0.095	0.927	-0.357	0.957
RI(4) 0.058 km																1.000	-0.773	-0.210	0.072	-0.141
LA(4) 0.00077 deg																	1.000	-0.091	0.095	-0.105
LO(4) 0.00064 deg																		1.000	-0.409	0.934
RI(5) 0.025 km																			1.000	-0.394
LO(5) 0.00062 deg																				1.000

	R	φ	λ	V	γ	σ
R 0.128 km	1.000	-0.737	0.619	0.874	-0.799	0.648
φ 0.00123 deg		1.000	-0.784	-0.719	0.828	-0.415
λ 0.00066 deg			1.000	0.797	-0.696	0.131
V 0.029 m/sec				1.000	-0.872	0.654
γ 0.00002 deg					1.000	-0.710
σ 0.00012 deg						1.000

Up to this point, *REM* has been treated as an independent parameter within the ODP. In reality, *REM* is related to GM_{\oplus} and GM_{ζ} by the following constraint (Refs. 7 and 8)

$$REM = 86.315745 (GM_{\oplus} + GM_{\zeta})^{1/3}$$

The *REM* value obtained from the above equation, using the ODP solutions for GM_{\oplus} and GM_{ζ} , is 6378.3144 km, and the ODP solution is 6378.3080 km. The difference between these two values is well within the uncertainty; however, the estimated parameter statistics are corrupted by treating *REM* as an independent parameter. To show this, an approach by D. L. Cain⁵ was used to apply the constraint to both the best premaneuver and postmaneuver solutions (i.e., the premaneuver orbit with postmaneuver data as a priority, and the postmaneuver orbit with premaneuver data as a priority). Briefly, this method sets the constraint equation equal to G ,

$$G = REM - 86.315745 (GM_{\oplus} + GM_{\zeta})^{1/3} = 0$$

and then uses the method of Lagrange multipliers to minimize the original function and constrain G . That is

$$\mathbf{q}_o = A^T W A$$

and

$$\mathbf{q}_c = A^T W A + \lambda G$$

where

\mathbf{q}_o = original function

\mathbf{q}_c = constrained function

A = residual = observed value - computed value

W = weight on data

λ = vector of Lagrange multipliers

When the first order terms are collected after taking partials to minimize \mathbf{q} , the resulting solution can be expressed in terms of the original solution plus one additional term. The new solution vector \mathbf{q}_n is obtained by

$$\mathbf{q}_n = \mathbf{q}_o + \delta \mathbf{q}$$

where

$$\delta \mathbf{q} = \Lambda_o C^T (C \Lambda_o C^T)^{-1} D$$

$$C = \frac{\partial G}{\partial \mathbf{q}}$$

D = the value of G when the estimates for *REM*, GM_{\oplus} , and GM_{ζ} from the original orbit solution are placed in the constraint equation

Λ_o = covariance matrix from the orbit solution

The constrained statistics are

$$\Lambda_c = \Lambda_o - \Lambda_o C^T (C \Lambda_o C^T)^{-1} C \Lambda_o$$

The above computations were performed using the solutions from both the premaneuver orbit with postmaneuver data, and the postmaneuver orbit with premaneuver data. These results are presented in columns 6 and 9 of Table 5, in which it can be seen that the uncertainties in the Cartesian coordinates and the physical constants have been significantly reduced. Again note the consistency of the statistics in station locations and physical constants for the two cases.

It remains to be established that the orbit solution is not corrupted by treating *REM* as an independent parameter. This is most easily accomplished by passing the orbit defined by the constrained or new solution vector \mathbf{q}_n through the data. If the constraint does corrupt the orbit, the noise level in the data will increase. Figures 8 through 13 show the premaneuver doppler residuals based on the premaneuver orbit with postmaneuver data as a priority plus the constrained solution vector. Figures 14 through 24 show the residuals from the postmaneuver orbit with premaneuver data a priority plus the constraint. In both cases, deviations from the residuals seen in the previous orbital estimates were insignificant. This can be verified by comparing the residuals in the Figures to those listed in the ODP printouts in Appendixes E and F for the appropriate data block. It is to be noted that these listings pertain to previous orbit estimates and not the constrained solutions. Further verification can be obtained by referring to Tables 4 and 11. For both orbits, the data statistics are almost identical with those of other estimates.

The best estimate of the maneuver can now be obtained by using the constrained solutions. The numerical values are shown in Table 17, and a more complete discussion of the estimated maneuver is given in Section III C.

Conclusions based on the foregoing analysis are that the best estimates for both the premaneuver and postmaneuver orbits are obtained by combining the two data blocks for a given calculation. Further, the most realistic statistics for the estimated parameters are obtained by applying the *REM* constraint to the combined estimates.

3. Observations and Conclusions

a. Station locations. There is considerable information available in the tracking data for determining station

⁵D. L. Cain, "Least Squares With Side Constraints," January 2, 1963 (internal communication).

Table 18. Station location statistics

Standard deviations, m.		X ₁ (59)	X ₂ (59)	X ₁ (12)	X ₂ (12)	X ₃ (12)	X ₁ (41)	X ₂ (41)	X ₃ (41)	X ₁ (51)	X ₂ (51)
288.294	X ₁ (59)	1.000	-0.704	0.095	-0.035	0.008	0.301	-0.134	-0.034	0.503	-0.107
148.640	X ₂ (59)		1.000	-0.153	0.091	0.009	-0.268	0.080	-0.367	-0.302	0.131
8.814	X ₁ (12)			1.000	-0.130	-0.035	0.195	-0.045	-0.007	0.029	-0.205
23.491	X ₂ (12)				1.000	0.044	-0.027	0.677	-0.008	-0.140	0.781
99.880	X ₃ (12)					1.000	-0.007	0.028	-0.004	-0.005	0.015
29.225	X ₁ (41)						1.000	-0.214	0.0	0.126	-0.001
30.913	X ₂ (41)							1.000	0.028	-0.257	0.723
98.520	X ₃ (41)								1.000	0.044	-0.037
21.564	X ₁ (51)									1.000	-0.228
28.322	X ₂ (51)										1.000

Table 19. Station location comparison

Station ^a	(12)	(41)	(51)	(12)-(41)	(12)-(51)	(41)-(51)	Station ^a	(12)	(41)	(51)	(12)-(41)	(12)-(51)	(41)-(51)
Mariner II $\Delta^b = (\text{Mariner II}) - (\text{old survey})$							Ranger VI $\Delta = (\text{Ranger VI}) - (\text{old survey})$						
ΔX_1	-157.8						ΔX_1	-169.5	25.0	-81.9	-194.5	-87.6	106.9
ΔX_2	-93.2						ΔX_2	-123.2	122.1	-45.5	-245.3	-77.7	167.6
ΔX_3	-110.4						ΔX_3	-1.6	48.3	-49.0	-49.9	47.4	97.3
σX_1	13.5						σX_1	9.6	38.0	19.0	39.2	21.6	43.6
σX_2	44.0						σX_2	35.5	43.3	40.0	21.5	18.8	22.2
σX_3	99.9						σX_3	99.8	83.0	92.0	128.4	135.9	111.3
New survey $\Delta = (\text{new survey}) - (\text{old survey})$							Ranger VII $\Delta = (\text{Ranger VII}) - (\text{old survey})$						
ΔX_1	-133.3	-63.5	-17.8				ΔX_1	-166.4	2.7	-63.4	-169.1	-103.0	66.1
ΔX_2	-103.2	-3.3	0.0				ΔX_2	-112.1	143.2	-38.9	-255.3	-73.2	182.1
ΔX_3	191.0	41.4	-16.1				ΔX_3	2.7	-12.7	-30.6	15.4	33.3	17.9
σX_1	26.0	26.0	26.0	36.8	36.8	36.8	σX_1	8.8	29.2	21.6	30.5	23.3	36.3
σX_2	26.0	26.0	26.0	36.8	36.8	36.8	σX_2	23.5	30.9	28.3	22.9	17.7	22.2
σX_3	26.0	26.0	26.0	36.8	36.8	36.8	σX_3	99.9	98.5	100.0	140.3	141.4	140.4

^a DSIF 12 — Goldstone Echo site, California.
 DSIF 41 — Woomera, Australia.
 DSIF 51 — Johannesburg, South Africa.

^b All differences and uncertainties, σ 's, are in meters.

refers to a reevaluation⁷ of locations required when the basic reference, the Clarke spheroid of 1866, was changed to the "Kaula" or "165" spheroid. In addition, new survey data for Station 41 (Woomera, Australia) was included. Stations 41 and 51 will soon use rubidium frequency standards which should bring their data quality up to that of Station 12. It will then be possible to use pseudo

two-way doppler⁸ to obtain horizon to horizon data for each station. Hence, in future missions it should be possible to reduce the location uncertainties for these stations.

⁸This data type is obtained when one station is transmitting and another station is receiving. Thus one station is receiving two-way and the other pseudo two-way. For the *Ranger* missions the data quality of the pseudo two-way was too poor to use for location studies.

⁷J. Heller and H. Kieffer, "DSIF Station Locations," May 1964 (internal communication).

b. Physical constants. Excellent estimates of the physical constants GM_{\oplus} , GM_{ζ} , and REM were obtained from the tracking data. In Table 20 it may be seen that the uncertainty in GM_{\oplus} is only 38% of that estimated by the International Astronomical Union in 1961. Comparison between the *Ranger VI* and *VII* results show very close agreement. Results of *Ranger 3*, *4*, and *5* have been included to show the consistency obtained from the *Ranger* missions. Solution uncertainties for *Ranger 4* and *5* are large due to the limited amount of available data (first 8 hr of mission).

Table 20. Physical constants estimate

GM _{Earth} estimates = GM _⊕			
Source	Value, km ³ /sec ²	Standard deviation, km ³ /sec ²	Remarks
Nominal JPL ^a	398603.20	±4.0	
<i>Ranger 3</i>	398600.49	±4.1	4 days of tracking
<i>Ranger 4</i>	398601.87	±13.3	8 hr of tracking
<i>Ranger 5</i>	398599.20	±13.2	8 hr of tracking
<i>Ranger VI</i> ^b	398600.61	±1.1	65 hr of tracking
<i>Ranger VII</i> ^b	398601.28	±1.5	68 hr of tracking
GM _{Moon} estimates = GM _ζ			
Nominal JPL (Prior to <i>Mariner</i> '62)	4900.7589	±5.0	
Nominal JPL (After <i>Mariner</i> '62)	4902.7779	±0.3	Venus cruise data taken during <i>Mariner</i> '62
<i>Ranger VI</i> ^b	4902.6182	±0.14	65 hr of tracking
<i>Ranger VII</i> ^b	4902.5801	±0.17	68 hr of tracking

^aKaula, 1961 (adopted by the Ad Hoc NASA Standard Constants Committee, Ref. 12).
^bWith REM constraint applied.

The uncertainty in the GM_{ζ} solution for *Ranger VII* has been reduced to 57% of the nominal JPL value adopted after the *Mariner II* mission. Comparison between *Ranger VI* and *VII* shows even better agreement than that seen for the GM_{\oplus} uncertainties. The consistency between the two *Ranger* solutions and the *Mariner* solution is of significant interest since they were obtained by two different methods. That is, the *Mariner* solution was obtained by the 28-day periodic effect of the Moon in *Mariner's* cruise phase data (Ref. 9), whereas the *Ranger* solution was derived solely from the direct gravitational force of the Moon. Estimates for GM_{ζ} were not made from *Ranger 3*, *4*, and *5* data.

Since large a priori values (uncertainties) were used for the physical constants in the initial estimations (Table 5), it may be stated that the solutions were truly determined from the tracking data. With the constrained estimates on GM_{\oplus} and GM_{ζ} , an Earth-Moon mass ratio can be determined as follows:

$$\mu^{-1} = \frac{GM_{\oplus}}{GM_{\zeta}} = \frac{398601.28}{4902.5801} = 81.3044 \pm 0.0026$$

This value may be compared with the *Mariner* and *Ranger VI* results given below

$$\mu_{Mariner}^{-1} = 81.3015 \pm 0.0034 \text{ (Ref. 9)}$$

$$\mu_{Ranger VI}^{-1} = 81.3036 \pm 0.0023 \text{ (Ref. 10)}$$

c. Impact point. The 1.5 sec difference between the ODP-predicted and the station-observed impact time during *Ranger VI* (Ref. 10) caused an extensive reexamination of the JPL Trajectory Program and the ODP, the mathematical models used within these Programs, and the physical system at the observing station. No error sources were found which could account for this time difference. This led to the hypothesis that the actual lunar elevation at the impact point differed from that shown on Air Force Lunar Map LAC 60 (Ref. 11). To account for the time difference, a 3 km decrease in elevation would be required. An elevation of 1735.3 ± 0.2 km resulted from subtracting 3 km from the 1738.3-km elevation shown on LAC 60. For *Ranger VII*, a time difference of 1.14 sec results from using the nominal lunar radius of 1738.09 km (Ref. 12). To account for this, a decrease in elevation of 2.7 km would be required. This amount, when subtracted from the 1737.9 km elevation shown on map LAC 76 (Ref. 13) gives a lunar elevation of 1735.2 ± 0.4 km at the *Ranger VII* impact point. The *Ranger VI* and *VII* results (summarized in Table 21) are consistent. A comparison between the *Ranger VI* lunar radius and Yaplee's measurements (Ref. 14) may be found in Ref. 10.

The best ODP estimate of the lunar latitude and longitude of the *Ranger VII* impact point is -10.70 and -20.67 deg (Table 7, column 5), respectively. The uncertainty on this point is bounded by the selenocentric dispersion ellipse having a $SMAA$ of 1.59 km and a $SMIA$ of 0.36 km (Table 8, column 5). Preliminary values of latitude and longitude, based on analysis of *Ranger VII* lunar TV photos and Air Force lunar maps, are -10.62 and -20.59 deg (Table 7, column 6), respectively.⁹ In

⁹These are preliminary values obtained by personal communication with D. E. Willingham of JPL.

Table 21. Lunar elevation results (Ranger impact point from center of gravity)

Mission	Recorded impact time ^a , GMT	Calculated impact time ^b , GMT	$\Delta T =$ recorded minus calculated, sec	$VN =$ velocity normal to lunar surface	$VN \times \Delta T$, km	Radius of Moon to match recorded time, km	Best radius R_c from Air Force lunar map, km	R_c (lunar map) minus R_c (Ranger), km	Latitude of impact, deg	Longitude of impact, deg
Ranger VI	09:24:31.86 ($\pm 0.005^s$)	09:24:30.29 ($\pm 0.15^s$)	1.57	1.80 km/sec	2.83 (± 0.3)	1735.3 (± 0.3)	1738.4	3.1	9.44	21.50
Ranger VII	13:25:48.80 ($\pm 0.005^s$)	13:25:47.66 ($\pm 0.19^s$)	1.14	2.35 km/sec	2.68 (± 0.4)	1735.2 (± 0.4)	1737.9	2.7	-10.70	-20.67

^a Recorded impact time corrected for signal transit time.
^b ODP calculated impact time based on a lunar radius of 1738.09 km.

the TV records, the location of the impact point is well known with respect to surrounding topographic features. However, at control points located within a 2-deg circle of the impact point, there is a 1/2-km uncertainty in the location of the grid lines. The difference between the ODP estimate and the TV estimate (ODP - TV) is -0.08 deg for both latitude and longitude. On the lunar surface, these differences are approximately equivalent to 2.4 km. Figures 26 and 28 are advance unedited proofs of new lunar charts based on *Ranger VII* TV records, and Figs. 27 and 29 are unedited sectional details of Figs. 26 and 28, respectively. All Figures show the trace of the TV camera lens reticles converging to the impact point. The numbers appearing near the traces are TV frame numbers. In Figs. 28 and 29 the spacecraft trajectory as determined from the TV photos (represented by the heavy dashed line in the upper left portion) is also shown converging to the impact point.

4. Limitations

This section discusses the limitations of the *Ranger VII* flight path analysis described in this Report, and predicts the outcome to be expected from a more extensive analysis which will be undertaken after the completion of the *Ranger Block III* (*Ranger 6* through *9*) missions. The *Ranger Block III Summary Analysis* will be performed with the aid of the "next generation" ODP now being developed at JPL.

The ODP used for the *Ranger VII* analysis lacks certain desirable capabilities which will be incorporated in the next generation ODP. The principal items are summarized in Table 22. It is significant to note that errors introduced during computations due to interpolation and the buildup of roundoff error are the major contributions to the two-way doppler weighting sigma discussed in

Section II C. This means that the full potential of the DSIF tracking data has not been realized in the *Ranger VII* analysis. The two-way doppler weighting sigma (for one sample/min at Station 12 at lunar encounter) can be reduced from 0.013 m/sec to less than 0.005 m/sec if the computing noise is made negligible compared to the other error sources. The buildup of computing error acts as a low frequency noise source. Such an error usually is not detectable in plots of the doppler residuals such as Figs. 8 through 24. These plots tend to illustrate only the high frequency noise sources.

In addition to the computing noise discussed above, other numerical limitations exist in the analysis. Their existence is illustrated by the fact that certain constraints hold only to a limited precision. Examples include the physical constant solutions and the spacecraft position at the midcourse maneuver epoch. The physical constant solutions obtained from using the results of premaneuver data as a priori information when processing postmaneuver data should be identical to the physical constant solutions obtained when using the results of postmaneuver data as a priori information when processing premaneuver data, in that both orbits use the same set of data but in a different order. Table 6 compares the physical constant solutions from these two orbits. Although the standard deviation of each physical constant shown in Table 5 exceeds the discrepancy between the two solutions, it is still clear that numerical difficulties do exist. For example, $\Delta GM_c = 0.10 \text{ km}^3/\text{sec}^2$ is a variation in the 5th digit where a variation in the 8th digit may be expected due to roundoff, in that although the same computations are performed, they are accomplished in a different sequence for the two solutions. Notice that ΔGM_c is overshadowed by the $\sigma_{GM_c} = 0.15 \text{ km}^3/\text{sec}^2$ for




Fig. 26. Advance unedited proof of Ranger VII lunar chart RLC 2




Fig. 27. Unedited sectional detail of Ranger VII lunar chart RLC 2

RANGER VII LUNAR CHART

SCALE 1:100,000
 Compiled and Published for
 NATIONAL AERONAUTICS AND SPACE ADMINISTRATION
 by
 AERONAUTICAL CHART AND INFORMATION CENTER
 UNITED STATES AIR FORCE
 3100, WASH. DC 20334

BONPLAND H
MARE COGNITUM
RLC 3

Meridian Position
 Scale 1:100,000 at 11°00'40"
 137 EDITION OCTOBER 1964

NOTES
 This chart was prepared in cooperation with Dr. Gerard P. Kuiper and the staff of the Lunar and Planetary Laboratory, University of Arizona. AIC, per instruction, in part, was supported by NASA Contract 8-598.




FORMAT
 This is one of a series of five Ranger VII charts (RLC 1 through RLC 5) compiled from the television records of the Ranger VII mission. Reference marks are 1:1,000,000 (0.00005", 0.00010", 0.00020" and 0.00040").

The extent of effective coverage of the television records, the location of the optical centers of the individual camera exposures and the point of impact of the Ranger vehicle are emphasized on appropriate sheets of the series.


CONTROL
 The lunar features on this chart are identified by reference with the other graphic materials and legends designated on AIC Lunar Chart (LC 7). The coordinate position established for the impact point is provisional since it was located in regard to surrounding features.

NAME
 Feature names are adapted from the 1955 International Astronomical Union nomenclature system as amended by Commission 14 of the I.A.U. (1952 and 1954). Names of supplementary lunar features are defined when association with the named feature is apparent.

RELIEF
 In the vicinity of lunar topography is delineated by contour of varying diameter. Analysis through stereo measurement, photometric and photogrammetric techniques indicates a significant proportion of the crater floor interior slopes in excess of 30° and provides the distribution and depth-diameter relationship of the smaller craters. Relative height and depth of craters are established for the larger features through stereoscopic study data derived from earth-based photographs. The preliminary height are not sufficiently complete to assign vertical dimensions to the smaller features.



RLC 3
 1st EDITION JULY 1964
 Prepared by AIC 71-248



BONPLAND H
MARE COGNITUM
RLC 3
 SCALE 1:100,000

SEE REVERSE SIDE FOR CLARIFICATION OF SYMBOLS

Fig. 28. Advance unedited proof of Ranger VII lunar chart RLC 3

JPL TECHNICAL REPORT NO. 32-694




Fig. 29. Unedited sectional detail of Ranger VII lunar chart RLC 3

Table 22. Limitations of Ranger VII analysis which will be overcome for Ranger Block III Summary Analysis

Limitation of ODP used for Ranger VII analysis	Characteristics of "next generation" ODP which will be used for Ranger Block III Summary Analysis
<ol style="list-style-type: none"> 1. Trajectory and most other computations are in single precision. Errors are introduced during computations due to interpolation and the buildup of roundoff error, which are the main contributions to the data weighting sigma, e.g., computing noise contributed 0.012 m/sec out of a total station weighting sigma of 0.013 m/sec for 12 two-way doppler near lunar encounter. 2. A fixed empirical correction is applied for tropospheric effects. Ionospheric effects are ignored but could appear as an "inward" displacement for a daylight tracking pass. 3. Certain operations must be carried out external to the ODP. This sometimes makes an exact iterative solution cumbersome and impractical. These external operations include: <ol style="list-style-type: none"> a. The application of the GM_{\oplus}, GM_{ζ}, REM constraint (maintains the "calculated" period consistent with the "observed" period of the Moon).^a b. Velocity increments due to the midcourse maneuver (and the spring separation of the spacecraft from the launch vehicle when applicable) are not automatically "solved for" and the ODP does not properly constrain the spacecraft position at these maneuver points. 4. Size of solution vector is limited to 20 parameters. Twenty parameters were used for the Ranger VII analysis which did not include the maneuver velocity increments, nor all of the tracking station location parameters in the solution vector. 	<ol style="list-style-type: none"> 1. Double precision will be used throughout. The computing program will be formulated and the trajectory integration step size can be chosen to ensure that computing noise is a minor contributor to the data weighting sigma. 2. Ionospheric corrections will be applied and a more sophisticated model will be incorporated for the troposphere. 3. Maneuver velocity increments will be added to the solution vector and the necessary constraints will be incorporated in the ODP. Tracking data from injection to lunar impact can be processed in a single run as opposed to the premaneuver and postmaneuver segments which had to be treated separately for the Ranger VII analysis. 4. Size of solution vector will be nominally 50 parameters but will vary depending on nature of run. This will allow the inclusion of added parameters mentioned under (3) above.
<p>^a The lunar ephemeris is an input to the ODP, and the "observed" angular position of the Moon with respect to the Earth is fixed, independent of the GM_{\oplus}, GM_{ζ}, REM solutions.</p>	

this analysis, but it will not be acceptable for the *Summary Analysis* which should yield a $\sigma_{GM_{\zeta}} = 0.03 \text{ km}^3/\text{sec}^2$ as discussed below.

The discrepancies in spacecraft position at the midcourse maneuver epoch are shown in Table 17, in which, for example, the spacecraft is displaced 1.3 km in the Z direction above what the magnitude of the maneuver would indicate. The current ODP constrains these positions statistically through the application of an a priori covariance matrix but does not include a physical constraint. The GM_{\oplus} , GM_{ζ} , REM constraint was applied as a side condition (Section II F 2), after the ODP processed the postmaneuver data, using the results of the premaneuver data as a priori information. That is, the constraint is not applied in the iterative process but only after the orbit has converged without recognizing the constraint.

The next generation ODP will be formulated and the trajectory integration step size can be chosen to ensure

that during postflight analysis computing noise will be a minor contributor to the data weighting sigma. In addition, the maneuver velocity increments will be added to the list of "solve for" parameters, and the equations which constrain the spacecraft positions at maneuver epoch and which constrain the GM_{\oplus} , GM_{ζ} , REM parameters will be added to the regression model. Also, the atmospheric refraction model will be improved in that the ionosphere effects will be added, and the tropospheric model will be increased in sophistication. In addition, the size of the solution vector will be increased from its present limit of 20 parameters to allow the inclusion of the maneuver velocity increments, the remainder of tracking station location parameters, and, possibly, timing biases which may be important within the first few hours after launch.

It is desirable to develop a model complete enough so that the "fitters world" will contain all the parameters necessary to represent the "real world" data (remove all trends from the residuals) so that realistic statistics are

Table 23. Physical constant statistics: comparison between *Ranger VII* analysis and *Ranger Block III Summary Analysis*

Physical constant	Standard deviation	
	<i>Ranger VII</i> postflight analysis	<i>Ranger Block III Summary Analysis</i>
GM_{\oplus}	$1.40 \text{ km}^3/\text{sec}^2 = (3.5 \times 10^{-6}) GM_{\oplus}$	$0.4 \text{ km}^3/\text{sec}^2 = (1 \times 10^{-6}) GM_{\oplus}$
GM_{ζ}	$0.15 \text{ km}^3/\text{sec}^2 = (30 \times 10^{-6}) GM_{\zeta}$	$0.03 \text{ km}^3/\text{sec}^2 = (6 \times 10^{-6}) GM_{\zeta}$
REM	$7.3 \text{ m} = (1.1 \times 10^{-6}) \text{ REM}$	$2 \text{ m} = (0.3 \times 10^{-6}) \text{ REM}$
Station locations ^a		
x_i (outward radial distance normal to Earth's spin axis)	17.7 m	5 m
$x_{2j} - x_{1j}$ (difference in longitude between two stations)	8.8 m	5 m

^aThe *Ranger VII* analysis quotes results for Station 12 and ignores the effect of the ionosphere. The majority of the Station 12 doppler were obtained at night when ionospheric effects were at a minimum.

associated with the solution vector parameters. Table 23 is a comparison of the physical constant statistics between the *Ranger VII* postflight analysis and the *Ranger Block III Summary Analysis*. An improvement factor of 3 is realized for GM_{\oplus} and 5 for GM_{ζ} . The slow relative motion of points on the Earth's crust (which will not be included in the ODP model) may limit the knowledge of station locations to 5 m in the radial direction normal to the Earth's spin axis, and 5 m in the difference in longitude between two stations. The major reduction in

statistics is the result of the improved model (i.e., double precision, built-in constraints, midcourse maneuver model, improved refraction model) to be used for the *Summary Analysis*; however, some improvement will also be realized from combining the results of the *Mariner* (Venus and Mars) and the other *Ranger* flights for a consistent solution of the physical constants (GM_{\oplus} , GM_{ζ} , REM, and tracking station locations). Also, data such as TV pictures of the spacecraft lunar impact point will be available as a check on the orbit determination process.

III. MIDCOURSE AND TERMINAL MANEUVER ANALYSIS

A. Introduction

The function of the Maneuver Analysis Group (MAG) of the Flight Path Analysis and Command Team was fully described in the maneuver part of the Report on the flight path of *Ranger VI* (Ref. 10). Summarized briefly here are the guidelines under which the exploration of maneuver alternatives is carried out for both standard and nonstandard flight sequences. The constraints and restraints imposed are as follows:

1. Mission

- a. The impact location must have suitable lighting conditions at arrival. A precise quantitative criteria for measuring these conditions is given in Ref. 15 which predicts best results for regions with a lighting angle of 50–80 deg.
- b. It is desirable to land in a mare area not far from the lunar equator (approximately within ± 10 deg) for compatibility with the *Apollo* program.
- c. If no suitable impact location can be achieved, it is desirable to maximize camera coverage of previously unphotographed portions of the Moon with a west-side flyby.

2. Spacecraft and Geometry

- a. The magnitude of the corrective maneuver cannot exceed the maximum available.
- b. The Earth–probe–near limb of the Moon angle must not fall below 15 deg in order to maintain Earth lock.
- c. It is desirable that the flight time be adjusted so that the automatic preset timer on board the spacecraft will activate the fully scanned cameras no later than 5 min and no earlier than 45 min prior to impact.
- d. The angle that the roll axis of the spacecraft makes with the probe–Earth line should not be less than 40 deg during the entire midcourse maneuver sequence. Violation of this constraint may or may not result in loss of telemetry during this critical time. Coordination with the Spacecraft Performance Analysis and Command Group (SPACG) is required in flight to determine the severity of the loss, if any, should the null cone be entered. If (c) and (d) may not be simultaneously attained, the timer takes preference over the telemetry.

- e. It is desirable that both the midcourse and terminal phases occur well within a Goldstone viewing period.
- f. In the terminal maneuver sequence the second pitch turn may not be less than -47 deg. In addition, it may not be greater than $+55$ deg if accurate roll stabilization is required.

Figure 30 shows several of these constraints mapped onto the **B** plane. The MAG is further able to evaluate in real time, during the execution of the midcourse maneuver sequence, the consequence of any roll and pitch (with some assumed velocity magnitude increment) should telemetry indicate that the turns being executed are significantly different from those commanded. The evaluation, using linear analysis, estimates target parameters for the maneuver being performed and weighs these against the target parameters for the trajectory with no midcourse perturbation. In carrying out the evaluation, a representative from the JPL Space Sciences Division is consulted before the recommendation is made as to whether or not the maneuver is to be inhibited and the spacecraft returned to its cruise mode by sending real-time command (RTC) 8.

The investigation as to the most desired terminal maneuver can be broken into four main possibilities:

- a. The nominal terminal maneuver, which aligns the primary optical axis of the TV subsystem along the velocity vector at the point of impact by performing in sequence a pitch, a yaw, and a second pitch.
- b. The optimum terminal maneuver, which seeks to make the optimum trade-off between camera smear due to misalignment between the cameras and the velocity and the viewing geometry.
- c. A restricted maneuver, which pitches the spacecraft an amount equalling the algebraic sum of the first and second pitch computed in (a), above, thus increasing reliability.
- d. No terminal maneuver at all, which further increases reliability.

The constraints on the midcourse maneuver mentioned above, apply here also in choosing the proper terminal maneuver. Figures 31 and 32 depict the midcourse roll–pitch turn and the terminal pitch–yaw–pitch turn sequences.




Fig. 30. Ranger midcourse maneuver




Fig. 31. Ranger terminal maneuver




Fig. 32. Capability ellipse of target parameters 16 hr after injection

B. Inflight Maneuver Considerations

Among the various sites considered as a destination for *Ranger VII* for the July 28, 1964 launch, the northern part of Mare Nubium at 11 deg South latitude and 21 deg West longitude was selected as most desirable.¹⁰

With the computation of the first orbit early in the mission, it became clear that the most desired impact point could be achieved with much less than the total 60 m/sec capability of the midcourse rocket motor. The magnitude of the correction needed remained the same, as the orbit estimation was refined prior to the midcourse maneuver. The orbit upon which the final midcourse maneuver computation was based was the nominal pre-midcourse orbit. Table 24 shows the estimate of the arrival parameters of the nominal pre-midcourse orbit, the target parameters of launch, the desired impact parameters prior to midcourse, and the required change in the terminal conditions. Note that the target point at launch differs by 1700 km from the target point at midcourse, the difference being that the target point at launch is chosen so as to optimize the probability of impacting in the visible lighted portion of the Moon should a spacecraft malfunction preclude a midcourse maneuver, while the target point at midcourse is chosen by the criterion outlined above. The ellipse shown in Fig. 33 centers on the estimate of the target parameters from the nominal pre-midcourse orbit and describes the total range of the ability to alter these parameters with the 60 m/sec capability of the midcourse rocket.

A summary of statistics of dispersion at the target for the maneuver required is given in Table 25. Listed are the 1-σ values for the SMAA and SMIA of the dispersion ellipse in the **B** plane along with the uncertainty in time of flight. These quantities are given as contributed by orbit determination uncertainties, maneuver execution uncertainties, and the combined contribution.

¹⁰Letter dated June 18, 1964 from E. A. Whitaker to D. E. Willingham of JPL describing *Ranger VII* landing sites for the July launch window.

Table 24. Maneuver target conditions

	Aiming point at launch	Premaneuver orbit	Desired arrival point	Correction required
B·RT, km	222	759	820	61
B·TT, km	75	-3799	1607	5406
TF, hr	68.2	67.23	68.09	0.86




Fig. 33. Ranger VII constraints mapped onto the B plane

The flight time of *Ranger VII* was to have been adjusted so that impact would occur 30 min after the backup clock turned on the channel cameras. The maneuver to achieve the impact point and the desired flight time, however, violated the nominal antenna constraint angle of 40 deg. Because of the particular antenna radiation patterns and the particular rotations to be performed by the spacecraft, the number of channels and the time spent by each in the antenna nulls could be reduced by reducing the time from camera activation to impact. Several maneuvers for varying arrival times were computed; each was examined in detail by the SPACG for expected telemetry loss. A flight time with impact occurring 18 min after automatic camera turnon was ultimately decided upon. If, at this time, no terminal orienting maneuver were made, the lunar terminator would be within the field of view of the B camera, thus giving the cameras a wide range of surface illumination. The desired time of flight from injection to impact would be 68.09 hr.

Table 25. Expected target dispersions from orbit determination and midcourse maneuver execution errors

1σ	Orbit determination	Maneuver execution	Combined
Semimajor axis, km	14.6	45.7	47.7
Semiminor axis, km	6.3	35.9	36.8
Flight time uncertainty, sec	5.2	31.4	31.9
Orientation — angle from +T axis and T to +R, deg	6.9	-83.9	-88.3

Having determined the desired target parameters at approximately 3 hr prior to the initiation of the maneuver at 07:27:00 GMT, the final computation was made using the latest determination of the orbit. The resulting required maneuver parameters are entered in Table 26.

Table 26. Commanded maneuver

	Magnitude	Duration, sec	Initiated at GMT
Roll turn	5.56 deg	25	10:00:44
Pitch turn	-86.80 deg	392	10:10:09
Velocity increment	29.89 m/sec	48	10:27:09

Well before the maneuver was to be executed, consideration was given to the possibility of stopping the maneuver sequence with RTC-8, which interrupts the maneuver and returns the spacecraft to its cruise mode attitude, should a malfunction occur during the turning sequence of the midcourse maneuver. This decision of whether or not to halt the maneuver is particularly difficult to make in real time because once the maneuver is stopped, a period of 10,000 sec must elapse before a second attempt is undertaken. This delay due to the recycling period presents the possible problem of having to perform the maneuver over an overseas station with the further thought that the same malfunction that occurred in the first attempt might occur in the second attempt. Furthermore, the delay decreases the capability of the midcourse motor. Taking these considerations into account, the MAG was then prepared to evaluate in real time the direct telemetry readings on the duration and polarity of the turns, assuming the correct motor burn. Fortunately, such preparation was never utilized since the measurements observed in real time during the performance of the maneuver all had the correct polarity and, to within the accuracy of these measurements, were of the exact duration commanded. This, coupled with the real-time doppler reduction discussed elsewhere in this Report, gave almost instant verification that the maneuver had been executed correctly.

After subsequent tracking and determination of the postmaneuver orbit showed that the correction to the trajectory was indeed very close to that desired, consideration was given to performing a terminal orienting maneuver. Prior to computing a terminal maneuver the best estimate of the impact parameters was as follows:

Latitude of impact 10.84 deg South


Longitude of impact 20.46 deg West

GMT of impact 31 day 7 mo 64 yr 13 hr 25 min 44 sec

Automatic camera turnon 31 day 7 mo 64 yr 13 hr 9 min 0 sec

Figure 34 depicts the impact geometry with the cameras in the cruise mode orientation. The C vector represents the central pointing direction of the four P cameras, A and B represent the pointing directions for the 25 and 8.4 deg field of view F cameras. The nominal terminal maneuver, if performed, would have aligned the C vector with the impact velocity vector. In the cruise mode the C vector was 6.8 deg from the velocity vector, and with the path angle shown of 64.1 deg, an impact velocity of 2.62 km/sec, and a shutter speed of 2 msec, the resultant blurring due to camera motion was 0.8 m. That is, the center of the field of view at the time the shutter closed would be observing a point on the surface 0.8 m away from the point viewed at the time the shutter opened. This is an acceptable level of blur; an amount nine times this figure could probably be tolerated and still meet mission objectives.

Examination of the expected picture quality and coverage obtained with various proposed terminal maneuvers revealed that improvement, if any, would be negligible. Adding to this the consideration of greater reliability by not changing the attitude of the spacecraft, the decision not to perform a terminal maneuver was reached.



34. Approach geometry with no terminal maneuver

C. Comparison of Commanded and Actual Maneuver

This section examines quantitatively the midcourse maneuver execution errors in terms of effective pitch and yaw pointing errors and midcourse motor shutoff errors, and the uncertainties associated with the estimates of these errors.

Using the estimate of the executed maneuver obtained from Section II F 2, the estimated errors may be summarized as follows:

Estimated error in yaw: -2.04 mrad or -0.117 deg

Estimated error in pitch: 0.83 mrad or 0.047 deg

Estimated error in velocity magnitude: -0.073 m/sec

Mapping these errors to the target results in a miss of 18.0 km in $\mathbf{B} \cdot \mathbf{RT}$ and 17.1 km in $\mathbf{B} \cdot \mathbf{TT}$ and 19 sec in time of flight. The estimated errors compare with the expected standard deviation for the maneuver performed as follows:

$$1 - \sigma_{\text{yaw}} = 7.6 \text{ mrad}$$

$$1 - \sigma_{\text{pitch}} = 3.7 \text{ mrad}$$

$$1 - \sigma_{\text{vel. mag.}} = 0.8 \text{ m/sec}$$

The uncertainties associated with these estimates are 1.29 mrad, 0.19 mrad, and 0.0037 m/sec, respectively.

Some of the errors involved in executing the maneuver may be accounted for in postflight analysis. These errors consist of limit cycle errors in roll, pitch, and yaw, and resolution errors in the roll and pitch commanded and the magnitude of the velocity added. If these identifiable error sources are removed, then the resulting estimate in the errors is as follows:

Estimated error in yaw with identifiable error sources removed: -2.12 mrad (-0.122 deg)

Table 27. Data used in maneuver error computations

	Roll, deg	Pitch, deg	Yaw, deg
Ideal turn	5.563	-86.803	
Resolution error	-0.103	0.053	
Limit cycle error	0.103	0.126	-0.092

Ideal velocity magnitude = 29.7704 m/sec.
 Resolution velocity magnitude error = 0.0914 m/sec.
 \vec{V}_E (estimated midcourse velocity vector in m/sec) = (-25.063, -15.223, -6.164)

$$\Delta v = \begin{bmatrix} 0.31406381E-10 & -0.92115033E-10 & 0.18141402E-9 \\ & 0.32439815E-9 & -0.60889906E-9 \\ & & 0.11959307E-8 \end{bmatrix}$$

Table 28. Ranger VII maneuver execution error estimates

	Yaw			Pitch			Velocity, magnitude		
	mrad	deg	ratio to standard deviation	mrad	deg	ratio to standard deviation	m/sec	ratio to standard deviation	
Estimated error	-2.04	-0.117	0.27	0.83	0.047	0.22	-0.073	0.41	All error sources included
Standard deviation of expected error	7.6	0.436	---	3.7	0.212	---	0.18	---	
Estimated error	-2.12	0.122	0.38	3.96	0.227	1.28	-0.082	0.51	All identifiable error sources removed
Standard deviation of expected errors	5.6	0.321	---	3.1	0.178	---	0.16	---	
Standard deviation of the error in the estimate	1.29	0.074	---	0.19	0.011	---	0.0037	---	Applicable to both sets of results

Estimated error in pitch with identifiable error sources removed: 3.96 mrad (0.227 deg)

Estimated error in velocity magnitude with identifiable error sources removed: 0.16 m/sec

Table 27 shows the data used to arrive at all of the results which are then summarized in Table 28.

The estimate of the velocity added at midcourse \bar{V}_E , and the covariance matrix of uncertainties Λ_V associated with it were obtained from the best orbit determination. In this estimate of \bar{V}_E tracking data alone were used (no use being made of the spacecraft's maneuver doppler data). (Further details of this orbit appear elsewhere in

this Report.) G. D. Pace was the source¹¹ used for estimating the value of the standard deviation for the pitch and yaw pointing error and for the velocity magnitude error, while estimates for the resolution and the limit cycle errors were obtained from R. E. Hill.¹²

Again, as in *Ranger VI*, the maneuver happened to be initiated near the zero crossing of the roll limit cycle, thus appreciably reducing the chief contribution to the standard deviation of maneuver execution errors.

¹¹G. D. Pace, "Ranger Block III Midcourse Execution Capabilities," October 10, 1963 (internal communication).

¹²R. E. Hill, "Ranger VII Attitude Control Flight Performance," August 7, 1964 (internal communication).

IV. RANGER VII TRAJECTORY

A. Launch Phase

Ranger VII was launched from ETR at Cape Kennedy, Florida on Tuesday, July 28, 1964 using an Atlas D/ Agena B boost vehicle. Launch occurred at 16:50:07.873 GMT with an inertial launch azimuth of 96.6 deg East of North. After liftoff, the booster rolled to an azimuth of 97.1 deg and performed a programmed pitch maneuver until booster cutoff. During sustainer and vernier stages, adjustments in vehicle attitude and engine cutoff times were commanded as required by the ground guidance computer to adjust the altitude and velocity at Atlas vernier engine cutoff. After Atlas-Agena separation, there was a short coast period prior to the first ignition of the Agena engine. At a preset value of selected velocity increase, the Agena engine was cut off. At this time the Agena-spacecraft combination were coasting in a nearly circular parking orbit in a southeasterly direction at an altitude of 188 km and an inertial speed of 7.80 km/sec. After an orbit coast time of 19.97 min, determined by the ground guidance computer and transmitted to the Agena during the Atlas vernier stage, a second ignition of Agena engine occurred. Eighty-nine seconds later the Agena was cutoff, injecting the Agena-spacecraft combination in a nominal Earth-Moon transfer orbit. The launch

phase ascent trajectory profile is illustrated in Fig. 35, while a sequence of events from launch to acquisition of the Earth by the spacecraft is shown in Fig. 36.

B. Premaneuver Cruise Phase

Injection (second Agena cutoff) occurred at 17:20:01 GMT, over the western coast of South Africa at a geocentric latitude and longitude of -12.89 and 15.07 deg, respectively. The Agena-spacecraft were at an altitude of 192 km and traveling at an inertial speed of 10.949 km/sec. One minute and 32 sec after injection the Agena-spacecraft combination entered the Earth's shadow. The Agena separated from the spacecraft 2 min 35 sec after injection, performed a programmed 180 deg yaw maneuver, and ignited its retrorocket. The retrorocket impulse was designed to eliminate interference with the spacecraft operation and reduce the chance of the Agena impacting the Moon. Tracking data indicated that the Agena would pass the upper trailing edge of the Moon at an altitude of 3660 km about 3 hr after Ranger VII impact.

Ranger VII left the Earth's shadow 40 min 5 sec after injection for a total shadow duration of 38 min 33 sec.




Fig. 35. Ascent trajectory profile




Fig. 36. Sequence of events to Earth acquisition

Sun acquisition had been initiated 9 min 58 sec prior to leaving the Earth's shadow. Five minutes after leaving the Earth's shadow the Sun was acquired. Within an hour after injection, the spacecraft was receding from the Earth in an almost radial direction with decreasing speed. This reduced the geocentric angular rate of the spacecraft (in inertial coordinates) until, at 1.4 hr after injection, the angular rate of the Earth's rotation exceeded that of the spacecraft. This caused the Earth's track of the spacecraft (Fig. 37) to reverse its direction from increasing to decreasing Earth longitude. Plots of geocentric distance and inertial speed for *Ranger VII* as well as Earth-Probe-Sun (EPS), Sun-Probe-Moon (SPM), and Earth-Probe-Moon (EPM) angles as a function of time from launch are presented in Figs. 38 through 40.

Final analysis of premidcourse tracking data showed that without a correction the spacecraft would have impacted the back side of the Moon at a selenocentric latitude and longitude of -12.4 and 201.2 deg, respectively. The transit time from injection to impact would have been 67.396 hr.

C. Midcourse Maneuver Phase

In order to alter the trajectory so as to impact a selected aiming point at a selenocentric latitude of -11 deg and longitude of -21 deg, midcourse maneuver calculations indicated a requirement of 29.89 m/sec increment of velocity (60 m/sec maximum capability). In addition, this correction was selected to adjust the flight time from injection to impact to be 68.09 hr, thus allowing the TV camera backup turn on clock to be utilized as designed. To properly align the thrust direction of the midcourse motor for the burn, a $+5.56$ deg roll turn and -86.80 deg pitch turn were required. The midcourse motor was ignited at 10:27:09 GMT on July 29, 1964 when the spacecraft was at a geocentric distance of 169,000 km and traveling with an inertial speed of 1.786 km/sec relative to Earth. At the end of a 50 sec burn of the midcourse motor, the geocentric distance had increased to 169,075 km, and the inertial speed relative to Earth had decreased to 1.756 km/sec. Analog data received at Goldstone and relayed to the Space Flight Operations Facility (SFOF) at JPL positively indicated that the midcourse maneuver and motor burn had been executed precisely. This was further verified by the observed




Fig. 37. Date and time chart of significant events




Fig. 38. Probe geocentric radius vs time from launch




Fig. 39. Probe geocentric velocity vs time from launch

doppler data being essentially the same as those predicted. Injection and encounter conditions for the pre-midcourse orbit are given in Table 29. Terms used in Table 29 are defined in Table 30.




Fig. 40. Earth-probe-Sun (EPS), Sun-probe-Moon (SPM), and Earth-probe-Moon (EPM) angles vs time from launch

D. Postmaneuver Cruise Phase

Following the midcourse maneuver the spacecraft re-acquired the Sun and Earth, thus returning to the cruise mode. At about 63 hr after injection and at a geocentric distance of 355,300 km the spacecraft's inertial speed relative to the Earth reached a minimum value of 0.850 km/sec. At this point, the spacecraft was about 28,300 km from the lunar surface with an inertial speed of 1.36 km/sec relative to the Moon. Because of the lunar gravitational field the spacecraft's velocity began to increase.

Postmidcourse tracking data resolved the trajectory's lunar encounter conditions to a high degree of accuracy, with the lunar impact occurring at a selenocentric latitude and longitude of -10.70 and -20.67 deg, respectively, with a flight time of 68.097 hr from injection. The encounter conditions along with the corresponding postmidcourse initial conditions are presented in Table 31. The geocentric spatial trace of the trajectory from injection to impact is illustrated in Fig. 41.

Table 29. Ranger VII premidcourse orbit

Initial conditions ^a	
Epoch	July 28, 1964; 17:19:56 GMT
Earth fixed sphericals	
R	6567.6447 km
ϕ	-12.677893 deg
θ	14.648313 deg
V	10.533192 km/sec
γ	1.3797469 deg
σ	117.37653 deg
Inertial Cartesian	
x	-4833.6123 km
y	-4206.2479 km
z	-1441.3998 km
\dot{x}	7.0601073 km/sec
\dot{y}	-6.8712135 km/sec
\dot{z}	-4.7797462 km/sec
Orbital elements	
a	269557.04 km
e	0.97564865
i	28.955996 deg
Ω	17.040849 deg
ω	204.26939 deg
ν	2.6875478 deg
Impact parameters	
Impact epoch	July 31, 1964; 12:43:40.933 GMT
Selenocentric latitude	-12.166318 deg
Selenocentric longitude	203.40645 deg
Time of flight from injection	67.394 hr ^b
B	3873.4142 km ^c
B · T ^d	-3801.0655 km
B · R ^d	745.14347 km
^a See Table 30 for definition of terms.	
^b 1 σ uncertainty of 5.2 sec	
^c 1 σ uncertainty of 15.9 km	
^d B · T and B · R are referenced to the true lunar equator (see Appendix A). For Ranger VII work, the true lunar equator is used as the reference plane. If N is a unit vector in the lunar North direction, then T = S _L × N and R = S _L × T.	

Table 31. Postmidcourse orbit of Ranger VII

Postmidcourse conditions ^a	
Epoch	July 29, 1964; 10:27:58 GMT
Earth-fixed sphericals	
R	169075.12 km
ϕ	2.7383859 deg
θ	277.82480 deg
V	12.070912 km/sec
γ	8.1207516 deg
σ	270.95862 deg
Inertial Cartesian	
x	156674.52 km
y	63041.633 km
z	8077.6773 km
\dot{x}	1.4342616 km/sec
\dot{y}	0.97257020 km/sec
\dot{z}	0.28116151 km/sec
Orbital elements	
a	244087.05 km
e	0.97401691
i	28.707653 deg
Ω	16.908152 deg
ω	203.78266 deg
ν	161.92552 deg
Impact parameters	
Impact epoch	July 31, 1964; 13:25:48.724 GMT
Selenocentric latitude	-10.701742 deg
Selenocentric longitude	-20.66861 deg
Time of flight from injection	68.0966 hr ^b
B	1811.9285 km ^c
B · T ^d	1623.9736 km
B · R ^d	803.61342 km
^a See Table 30 for definition of terms.	
^b 1 σ uncertainty of 1.0 sec	
^c 1 σ uncertainty of 14.7 km	
^d B · T and B · R are referenced to the true lunar equator (Appendix A). For Ranger VII work, the true lunar equator is used as the reference plane. If N is a unit vector in the lunar North direction, then T = S _L × N and R = S _L × T.	

Table 30. Definition of terms

Parameter	Definition (Earth as central body)	Parameter	Definition (Earth as central body)
R	Probe radius distance, km	x, y, z	is the Earth equatorial plane of date. z is along the direction of the Earth's spin axis of date, km
ϕ	Probe geocentric latitude, deg	(Cont'd)	
θ	Probe East longitude, deg	$\dot{x}, \dot{y}, \dot{z}$	First time derivatives of x, y, and z, respectively, i.e., Cartesian components of the probe space-fixed velocity vector, km/sec
V	Probe Earth-fixed velocity, km/sec	a	Semimajor axis, km
γ	Path angle of the probe Earth-fixed velocity vector with respect to the local horizontal, deg	e	Eccentricity
σ	Azimuth angle of the probe Earth-fixed velocity vector measured East of true North, deg	i	Inclination, deg
x, y, z	Vernal equinox Cartesian coordinates in a geocentric equatorial system. The origin is the center of the central body. The principal direction (x) is the vernal equinox direction of date, and the principal plane (x, y)	Ω	Longitude of the ascending node, deg
		ω	Argument of pericenter, deg
		ν	True anomaly, deg




Fig. 41. Geocentric spatial trace Ranger VII trajectory

E. Encounter Phase

During the encounter phase the spacecraft raced toward impact with increasing acceleration due to the pull of the lunar gravity field. This effect is shown in Fig. 42 in which the *Ranger VII* trajectory trace to lunar encounter is compared with a hypothetical *Ranger VII* trajectory resulting from a massless Moon. One hour before impact, the speed of the probe relative to the Moon had increased to 1.551 km/sec and was at a lunar altitude of 6390 km. No terminal maneuver was needed at this time to realign the TV cameras' pointing direction.

About 45.5 min before impact, the spacecraft crossed the lunar equator at an altitude of 4933 km. At 13:08:36 GMT at 2126 km above the lunar surface, F channel full power was verified. At 13:12:09 GMT and at 1723 km, P channel full power was also verified. Minutes later at 13:25:50 GMT on July 31, 1964, *Ranger VII* crashed into what was to be named the lunar "Mare Cognitum" at an impact speed of 2.616 km/sec and at a path angle of -64.1 deg. The spacecraft had encountered the Moon in a direct motion along a hyperbolic trajectory with the incoming asymptote direction at an angle of -5.57 deg

to the lunar equator, and the orbit plane inclined 26.84 deg to the lunar equator.

The trace of the trajectory on the lunar surface from injection to impact is given in Fig. 43, while the traces of the lunar approach portions of the premidcourse and postmidcourse orbits are illustrated in Fig. 44. The probe's geocentric distance and velocity are given in Figs. 45 and 46, respectively, for the last few hours of flight. The selenocentric altitude and velocity are given in Figs. 47 and 48, and the EPS, SPM and EPM angles for the last hours of flight are in Fig. 49.

A study of the *Ranger VII* trajectory can be made by examining the detailed trajectory printout (Appendixes B and C). Appendix B contains the trajectory listing for the premidcourse orbit from the initial epoch to the midcourse epoch and a lunar impact printout. Appendix C contains the trajectory listing for the postmidcourse orbit from midcourse to lunar encounter. Appendix D, Table D-1, is a key to the trajectory printout. Table D-2 contains the definitions of the trajectory printed quantities. Constants and conversion factors used in *Ranger VII* trajectory computation are listed in Table D-3. The miss parameter **B**, used to measure the miss distance for the lunar trajectory, is defined in Appendix A.




Fig. 42. Lunar gravitational effect on *Ranger VII* trajectory near encounter




Fig. 43. Trace of Ranger VII trajectory on the lunar surface





Fig. 44. Traces of lunar trajectory for premidcourse and postmidcourse orbits



← Fig. 45. Geocentric distance of probe vs GMT at lunar encounter





Fig. 47. Selenocentric altitude of probe vs GMT at lunar encounter



← Fig. 46. Geocentric inertial speed of probe vs GMT at lunar encounter




Fig. 48. Selenocentric inertial speed of probe vs GMT at lunar encounter




Fig. 49. Earth-probe-Sun (EPS), Sun-probe-Moon (SPM), and Earth-probe-Moon (EPM) angles vs GMT at lunar encounter

V. ANALYSIS OF AIR FORCE EASTERN TEST RANGE TRACKING DATA

A. Introduction

For the *Ranger* missions, the AFETR is responsible for providing classical orbital elements for both the parking and transfer orbits, and for providing initial acquisition information to the DSIF tracking stations. These calculations are performed on an IBM 7094 computer located at AFETR using *Agena* vehicle tracking data obtained from the downrange AFETR tracking stations. Results of these calculations are transmitted to the JPL SFOF in Pasadena. The acquisition information is relayed to the DSIF stations, and the initial orbital elements are used in the JPL orbital calculations.

In addition to fulfilling these requirements, AFETR transmits tracking data obtained during the parking orbit, transfer orbit, and *Agena* postretro orbit to the SFOF. The parking orbit data are very useful for detecting non-standard flight conditions, and the transfer orbit data are

used during flight operations to verify the initial orbital estimates based on DSIF data. *Agena* postretro data are important for verifying *Agena* retrofiring, and are further used to establish the *Agena* vehicle postretro orbit.

During this mission, AFETR stations tracked the *Ranger VII Agena* vehicle from launch until it was lost by Pretoria 8 min after *Agena* retrofiring. Additional tracking data were supplied by two National Aeronautics and Space Administration (NASA) stations located at Bermuda and Carnarvon, Australia. The names, locations, and radar types for the AFETR and NASA stations are given in Table 32. Table 33 summarizes the tracking data coverage provided by these stations.

B. Acquisition Information

Twenty-four minutes of initial acquisition information was provided for DSIF Stations 41, 51, and 59, based on the actual parking orbit and nominal second *Agena* burn. Shortly after injection, this information was updated for 100 min, based on the actual transfer orbit. These predictions included pointing angles, receiver doppler detector output for both one-way and two-way doppler, and the ground station transmitter reference frequency required to establish uplink lock with the spacecraft. A comparison between the AFETR predicted pointing angles and the actual tracking angles showed that the predicted values were well within the beam width of all station antennas.

Table 32. AFETR and NASA station locations^a

Station name	Controlling agency	Latitude deg	Longitude deg	Radar type
Antigua	AFETR	17.0 N	298.2 E	FPQ-6
Ascension	AFETR	7.9 S	345.6 E	FPS-16
Bermuda	NASA	32.2 N	295.3 E	FPS-16
Carnarvon	NASA	24.7 S	113.7 E	FPQ-6
Pretoria	AFETR	25.8 S	28.3 E	FPS-16

^a See Ref. 16.

Table 33. Tracking station data coverage

Station name	Mission phase	Start data			End data			Maximum elevation, deg	Number of data points
		GMT	Range, km	Elevation, deg	GMT	Range, km	Elevation, deg		
Bermuda	Parking orbit	16:58:42	905	8.0	17:01:12	1,656	1.2	8.0	26
Antigua	Parking orbit	17:00:00	950	7.2	17:02:48	1,600	0.0	7.2	28
Ascension	Parking orbit	17:11:12	1424	1.4	17:15:30	1,281	0.0	4.0	44
Pretoria	Preretrol orbit	17:21:30	1245	6.3	17:29:06	3,683	9.8	27.2	74
Pretoria	Postretro orbit	17:29:12	5421	9.6	17:37:06	7,761	1.1	9.6	77
Carnarvon	Postretro orbit	17:35:12	5161	22.4	18:04:48	11,153	88.1	88.1	241

C. Analysis of Parking Orbit Data

In the parking orbit phase, angular and range data were obtained by Antigua, Ascension and Bermuda. During flight operations, only Antigua data were used for the parking orbit calculation made at JPL. Numerical values for the parameters in this solution are given in Table 34, column 3. These values are in good agreement with orbital elements obtained from the AFETR solution seen in column 2, except for Ω (longitude of ascending node) and ω (argument of pericenter passages). Table 35 shows the number of data points and associated statistics for this calculation. The residuals, observed minus computed, may be seen in Fig. 50.

For the postflight analysis an orbital estimate was made using data from Ascension and Bermuda only. The data points used and the associated statistics are given in Table 36. Bermuda angular data were not used for this calculation, and it was necessary to correct the ranging

Table 34. Parking orbit parameter solutions
(Epoch = 16 hr 58 min 32.00 sec)

Orbital parameter	Orbit reported by ETR ^a (2)	Real time orbit ^b (3)	Post analysis orbit ^c (4)
R_0 , km	6561	6559.7937	6560.7722
Φ_0 , deg	24.660	25.031393	25.035432
λ_0 , deg	299.336	297.90737	297.91529
V_0 , km/sec	7.386	7.3827313	7.3820695
γ_0 , deg	-0.002	0.038837308	-0.028649228
σ_0 , deg	106.315	105.64363	105.633888
a , km	6575.9	6572.9758	6570.5272
C	0.002372	0.001467387	0.0015632628
i , deg	28.826	28.854379	28.828694
Ω , deg	16.980	16.194773	16.989216
ω , deg	120.906	20.027	136.34901
C_3 , km/sec ²	-60.62	-60.64	-60.66

^aEpoch from ETR = 16 hr 58 min 52.9 sec. Orbit based on best data set(s) selected from various tracking stations.

^bOrbit from Antigua data only (calculated at JPL).

^cOrbit from Bermuda and Ascension (calculated at JPL).

Note: the ETR orbit is received prior to obtaining the solution shown in column 3.

Table 35. Inflight parking orbit data statistics

Station name	Data type	Number of points used	Standard deviation	Mean
Antigua	Range, m	15	5	16.1
	Azimuth, deg	23	0.0080	0.0000
	Elevation, deg	23	0.0437	0.0202




Fig. 50. Antigua parking orbit residuals

data values to account for range reference oscillator timing errors.¹³ The number of points and the associated statistics are given in Table 36, and the residual plots may be seen in Figs. 51 and 52. Parameter values, given in Table 34, column 4, show good agreement with the two real-time orbital solutions seen in columns 2 and 3 of the Table. The solutions for argument of pericenter passage do not appear consistent. However, this parameter is not well defined for this orbit due to the near zero values for both the eccentricity e and path angle γ_0 . Using these data, the latitude and longitude of the Bermuda tracking station were determined. This solution

¹³This type of error is apparently a characteristic of the C-band pulse radar systems used by these AFETR and NASA stations (Ref. 16).

Table 36. Postflight parking orbit data statistics

Station name	Data type	Number of points used	Standard deviation	Mean
Bermuda Ascension	Range, m	20	16	2.85
	Range, m	32	7	1.53
	Azimuth, deg	32	0.0187	0.0000
	Elevation, deg	31	0.0185	0.0031

shows good agreement with the solution obtained during the *Ranger VI* mission. These results may be seen in Table 37.

When a combined orbital calculation was made using data from all three stations, the Antigua data appeared to be somewhat inconsistent with the data from the other two stations. This is still being investigated.




Fig. 51. Ascension Island parking orbit residuals




Fig. 52. Bermuda parking orbit residuals

Table 37. Bermuda station coordinate solutions

Coordinate	Nominal value ^a	Ranger VI solution, deg	Ranger VII solution, deg	Ranger VI - Ranger VII, deg
Latitude	32.1709	32.170257 ± 0.0004	32.177880 ± 0.0129	-0.00752
Longitude	295.3465	295.34705 ± 0.0007	295.35219 ± 0.0108	-0.00514

^aSee Ref. 16.

Table 38. Transfer orbit and postretro Agena retro orbit parameter solutions (Epoch = 16 hr 19 min 56 sec)

Orbital parameter	DSIF orbit	ETR orbit (Pretoria)	ETR postretro orbit (Pretoria)
R_0 , km	6567.6442	6567.4832	6566.0807
Φ_0 , deg	-12.677881	-12.675307	-12.738016
λ_0 , deg	14.648304	14.645455	146.90039
V_0 , km/sec	10.533192	10.533181	10.520717
γ_0 , deg	1.3797452	1.3787070	1.4308913
σ_0 , deg	117.37655	117.36825	-117.32460
a , km	269557.25	269050.88	223732.21
e	0.97564866	0.97560342	0.97066925
i , deg	28.956008	28.947857	28.935328
Ω , deg	17.0450877	17.034816	16.935673
ω , deg	204.26936	204.27300	204.31778
C_3 , (km/sec) ²	-1.4787266	-1.4815107	-1.7816077

D. Analysis of Agena Preretro Transfer Orbit Tracking Data


Preretro tracking data were received from Pretoria from 17:21:30 to 17:29:06 GMT July 28. These data were used during flight operations to determine the Agena transfer orbit. This solution agreed very well with the transfer orbit solution previously reported by AFETR. In addition, portions of the Pretoria data were used in the JPL orbital calculations to verify the initial orbit estimates based on DSIF data.

In the postflight analysis, a comparison between the best postflight estimate of the premaneuver orbit based on DSIF data only and the estimate based on the Pretoria data showed the two solutions to be in remarkably good agreement. The values of the parameters for these solu-

Table 39. Preretro orbit data statistics

Station name	Data type	Number of points used	Standard deviation	Mean
Pretoria	Range, m	47	10	1.07
	Azimuth, deg	65	0.0082	0.0000
	Elevation, deg	65	0.0091	-0.00381

tions may be seen in Table 38, columns 2 and 3. Tracking data statistics for the Pretoria estimate are given in Table 39, and the residual plots may be seen in Figs. 53 and 54.



TIME 17 hr 21 min FROM JULY 28, 1964, min (ITERATION 6)

Fig. 53. Pretoria preretro residuals (start 17:21 GMT)




Fig. 54. Pretoria preretro residuals (start 17:26 GMT)

E. Analysis of Agena Postretro Tracking Data

Agena postretro tracking data were received from Pretoria and Carnarvon. An estimate of the *Agena* postretro orbit was made using only Pretoria data. This solution revealed that the *Agena* vehicle would miss the Moon's surface by 3660 km and go into a heliocentric orbit. Parameter values for this estimate are given in Table 38, column 4. The number of points and associated statistics are given in Table 40, and the residual plots may be seen Figs. 55 and 56.

Table 40. Postretro orbit data statistics

Station name	Data type	Number of points used	Standard deviation	Mean
Pretoria	Range, m	25	38	1.17
	Azimuth, deg	45	0.0143	0.0000
	Elevation, deg	45	0.0299	-0.0150

A combined estimate based on both Pretoria and Carnarvon data has not yet been satisfactorily made (apparently due to an error in the station coordinates at Carnarvon). The Carnarvon data appeared to be relatively noise free, but a good estimate of the data accuracy is not possible at this time.

F. Conclusions

The Pretoria tracking data were very useful during flight operations for verifying the initial orbit estimates based on DSIF data. It is anticipated that these data will be more fully utilized in conjunction with the DSIF data as continued confidence is obtained from flight experience.





Fig. 55. Pretoria postretro residuals (start 17:30 GMT)



TIME 17 hr 35 min FROM JULY 28, 1964, min (ITERATION 7)

Fig. 56. Pretoria postretro residuals (start 17:35 GMT)

VI. DEEP SPACE INSTRUMENTATION FACILITY TRACKING OF RANGER VII

A. General Information

The DSIF is primarily composed of various tracking stations located around the world and interfaces which connect these tracking stations with the main control center at JPL. The names and locations of the DSIF stations employed in the *Ranger VII* mission are given in Table 41. Since Station 71, located at Cape Kennedy, does not obtain postinjection tracking data, it is not listed in Table 41. This station performs the vital task of prelaunch checkout of the spacecraft radio, telemetry, and TV systems. It also provides spacecraft frequencies to the Tracking Data Analysis Group at the SFOF for use in computing acquisition predictions. Detailed characteristics of the stations are available elsewhere.¹⁴

Table 42 shows the nominal view periods of the spacecraft to the DSIF stations during the course of the mission. Rise and set times (in GMT) refer to that time at which the spacecraft is at a 5-deg geometrical elevation angle. Since the spacecraft signal can frequently be received when the spacecraft is lower than 5 deg, it is possible that acquisition of the spacecraft will occur before nominal rise time and loss of signal after nominal

¹⁴Jet Propulsion Laboratory, *Space Flight Operations Plan, Ranger VII*, May 28, 1964 (internal communication).

Table 41. DSIF station locations

Station	Location	Geodetic latitude, deg	Astronomic longitude, deg
12	Goldstone, California	35.4 N	116.8 W
41	Woomera, Australia	31.4 S	136.9 E
51	Johannesburg, South Africa	25.9 S	27.7 E
59	Johannesburg, South Africa	25.9 S	27.7 E

set time. The modes of operation of the DSIF are identified as ground modes (GM) and can be seen in Table 43.

During *Ranger VII*, the DSIF stations provided both angular and doppler data throughout the mission. Both data types were used during the early part of the mission, and the angular data were very useful in obtaining the initial orbit estimates. For the postflight analysis, only two-way doppler data were used. Plots of the doppler residuals for both premaneuver and postmaneuver tracking may be seen in Figs. 8 through 24. Relatively large biases were seen in the angular data from Stations 41 and 51. This is mainly due to angular correction model errors which, in turn, were caused by recent extensive equipment changes and RF feed realignment at the angle tracking stations. New correction coefficients are being determined to remove these biases during future missions.

Table 42. Nominal^a view periods vs actual tracking at DSIF stations

Date	DSIF Station	Nominal rise, GMT	Nominal set, GMT	Nominal view period	Acquisition by Station	Loss of signal by Station	Actual view period
July 28, 1964	51	17:21:17	17:32:00	00 ^h 10 ^m 43 ^s	17:21:38	17:32:55	00 ^h 11 ^m 17 ^s
	59	17:21:17	17:32:00	00 ^h 10 ^m 43 ^s	17:20:50	17:37:53	00 ^h 17 ^m 03 ^s
	41	17:36:54	00:46:21 ^b	07 ^h 09 ^m 27 ^s	17:35:24	01:17:00	07 ^h 41 ^m 36 ^s
	51	20:42:52	08:28:04 ^b	11 ^h 45 ^m 12 ^s	20:45:50	08:54:29	12 ^h 08 ^m 39 ^s
July 29, 1964	12	07:11:54	18:36:01	11 ^h 24 ^m 07 ^s	06:44:10	18:45:35	12 ^h 01 ^m 25 ^s
	41	14:38:45	01:24:04 ^b	10 ^h 45 ^m 19 ^s	14:13:55	01:49:00	11 ^h 35 ^m 05 ^s
	51	22:00:10	08:48:32 ^b	10 ^h 48 ^m 22 ^s	22:02:45	09:12:03	11 ^h 09 ^m 18 ^s
July 30, 1964	12	07:20:28	18:59:03	11 ^h 38 ^m 35 ^s	06:55:30	18:59:49	12 ^h 04 ^m 19 ^s
	41	14:59:08	01:31:08 ^b	10 ^h 32 ^m 00 ^s	14:36:03	01:59:00	11 ^h 22 ^m 57 ^s
	51	22:14:05	08:53:41 ^b	10 ^h 39 ^m 36 ^s	22:13:17	09:14:37	11 ^h 01 ^m 20 ^s
July 31, 1964	12	07:22:02	13:25:50 ^c	06 ^h 03 ^m 48 ^s	07:00:56	13:25:50	06 ^h 24 ^m 54 ^s

^aBased on 5-deg elevation angle.

^bSet occurs on day after rise.

^cTime of lunar impact.

Table 43. Ground station tracking modes

This mode description is used to define the station configuration. The code is broken into two parts. The first defines the transmit/receive mode and the second the antenna feed configuration.			
Transmit/receive		Antenna feed	
GM-0 ^a	No receive (transmit only)	0	Not used
GM-1	One-way doppler (receive only)	1	Horn feed diplexer combination (85-ft D reflector)
GM-2	Two-way, one-station (transmit/receive)	2	Tracking feed diplexer combination (85-ft D reflector)
GM-3	Two-way, two-station noncoherent (receive only)	3	Acquisition antenna
GM-4	Two-way, two-station coherent (receive only with reference signal from transmit station)	4	Dipole (6-ft D reflector)
GM-5	Receive only (no doppler)	5	Horn feed, no diplexer (receive only) (85-ft D reflector)
^a Telemetry will be available in all receive modes except GM-0. Example: GM-2-1; transmitting to spacecraft and receiving two-way doppler; horn feed and diplexer.			

B. Transponder Tracking

1. Premaneuver Phase

Initial acquisition of the spacecraft transponder was made by Station 59 at 17:20:50 GMT on July 28, 1964. Two-way lock was immediately established and the servo system was put in auto track at 17:21:00. Auto track was terminated at 17:21:39 and the receiver dropped lock at 17:23:12. From this time until the end of the pass at 17:37:53, the receiver was unable to maintain continuous lock, primarily due to high spacecraft angular rates and operational procedure difficulties. From this pass only five 5-sec count two-way doppler points were usable in the ODP. At 17:28:07 Station 51 switched on their transmitter, and two-way lock was established at 17:30:14. Station 51 also experienced difficulty in maintaining continuous receiver lock due to high angle rates, and the antenna reached its mechanical limit at 17:31:42. During this interval, no good two-way doppler samples were obtained.

At 17:38:48, Station 41 achieved two-way lock in GM-2-2. They did not get any good doppler samples until 17:54:00 because of an overloaded counter monitoring the doppler mixer output. This situation arose as a

direct result of a changed configuration in the L-band receiver following L-S band conversion work and was easily corrected when discovered. Telemetry event blips B-2-1 through B-2-4 observed by Station 41 starting at 17:50:00 indicated that solar panel extension had occurred. At 17:53:00 a B-2-1 blip was observed which indicated the start of the Sun acquisition sequence. Earth acquisition event blip was noted by Stations 41 and 51. The first ground station command sequence was transmitted to the spacecraft by Station 41, commencing at 21:15:00. Two "clear" commands were sent followed by an antenna switchover command which switches the spacecraft from the low gain omniantenna to the high gain directional antenna. During the mutual view period of Stations 41 and 51, transfers of two-way lock were executed three times. The first transfer, from Station 41 to 51, occurred at 21:58:00. The second transfer, from Station 51 to 41, occurred at 23:10:00. The third and last transfer of this pass, from Station 41 to 51, occurred at 24:00:00. Tracking continued without incident until the maneuver phase began on July 29.

2. Maneuver Phase

At 08:50:00 July 29, Station 12 started transmitting the midcourse maneuver command sequence. At 09:40:00 Station 12 transmitted the antenna changeover command which switched the spacecraft back to the low gain omniantenna, and at 10:00:00 the maneuver execute command was transmitted. At 10:27:09, after the programmed delay, an event blip was observed which indicated midcourse motor ignition. This was immediately followed by a decrease in received doppler frequency, as predicted. The decrease continued until motor cutoff, and then the observed doppler started to rise slightly, again as predicted. A plot showing predicted doppler and observed doppler during the maneuver period may be seen in Fig. 57.

3. Postmaneuver Phase

Following the maneuver, the spacecraft reacquired the Sun at 10:36:00, and the Earth at 10:58:39. At 11:21:00 Station 12 started transmitting the command sequence to switch the spacecraft back to the high gain antenna. Transponder tracking then continued in a normal manner with a minimum amount of data being lost when transferring from one station to another. At 11:15:30 on July 31, Station 12 began transmitting a terminal maneuver command sequence. While an orientation maneuver was not required, a terminal maneuver sequence was commanded to set an additional backup timer for the TV system. The terminal maneuver was then inhibited by




Fig. 57. Doppler during midcourse maneuver

an override command transmitted at 11:55:00. The terminal maneuver execute command was transmitted at 12:25:08. Subsequent event blips indicated that the spacecraft responded properly. At 13:08:40 Channel F video appeared, and at 13:12:07 Channel P video went to full power. From 13:12:08 until impact, Station 12 was receiving excellent photographs of the lunar surface. A summary of all commands transmitted to the spacecraft by the DSIF is given in Table 44.¹⁵

C. Determination of Impact Time

The primary method of determining observed impact time is by measuring the time at which the spacecraft signal is lost. Various functions related to the spacecraft signal are continuously recorded by the stations during their respective tracking periods. Two recording methods are used: one is magnetic tape, and the other is direct-write oscillograph.

Stations 11¹⁶ and 12 were tracking the spacecraft on July 31 when an abrupt loss of signal occurred at approxi-

Table 44. Ground commands from DSIF to Ranger VII

Command ^a	Initiated (date/GMT)	Verified, GMT	DSIF Station	T/M event blips recorded at Station
RTC-0	28/21:15:00	21:15:38	41	
RTC-0	28/21:16:00	21:16:38	41	
RTC-3	28/21:19:00	21:19:38	41	B-20
RTC-0	29/08:50:00	08:50:39	12	
RTC-0	29/08:52:00	08:52:39	12	
SC-1	29/08:54:00	08:54:40	12	B-20
SC-2	29/08:56:00	08:56:41	12	B-20
SC-3	29/08:58:00	08:58:41	12	B-20
RTC-0	29/09:36:00	09:36:38	12	
RTC-0	29/09:38:00	09:38:39	12	
RTC-3	29/09:40:00	09:40:39	12	B-20
RTC-4	29/10:00:00	10:00:38	12	B-20
RTC-0	29/11:21:00	11:21:38	12	
RTC-0	29/11:23:00	11:23:39	12	
RTC-3	29/11:25:00	11:25:39	12	B-20
RTC-0	31/11:15:30	11:16:08	12	
RTC-0	31/11:17:30	11:18:09	12	
SC-4	31/11:19:30	11:20:10	12	B-20
SC-5	31/11:21:30	11:22:10	12	B-20
SC-6	31/11:23:30	11:24:10	12	B-20
RTC-0	31/11:51:00	11:51:38	12	
RTC-0	31/11:53:00	11:53:39	12	
RTC-8	31/11:55:00	11:55:38	12	B-20
RTC-6	31/12:25:08	12:25:47	12	B-20

^aReal-Time Commands:
 RTC-0 = clear command
 RTC-3 = antenna switchover
 RTC-4 = begin midcourse maneuver
 RTC-6 = initiate terminal maneuver
 RTC-8 = maneuver override

Stored Commands:
 SC-1 = midcourse maneuver roll duration
 SC-2 = midcourse maneuver pitch duration
 SC-3 = midcourse maneuver velocity increment
 SC-4 = terminal maneuver first pitch duration
 SC-5 = terminal maneuver yaw duration
 SC-6 = terminal maneuver second pitch duration

mately 13:25:50. Figure 58 shows the *unfiltered* received signal strength recorded at Station 12 at lunar encounter. High speed recording rate (approximately 60 in./sec) was not used until shortly before predicted impact. This recording was referenced by a 100 pps timing reference and the NASA 28-bit time code which is synchronized to WWV. At the time noted by the arrow in Fig. 58 (13:25:50.029), the transponder signal was lost. Figure 59 is a playback of the receiver functions recorded on magnetic tape at Station 12 starting just prior to impact. The drastic changes seen in the telemetry channels (the traces labeled Channel 2 and Channel 3) provide further confidence that impact occurred at the time noted by the abrupt change in received signal strength.

¹⁵Jet Propulsion Laboratory, *Tracking Operations Memorandum, Ranger VII*, September 21, 1964 (internal communication).

¹⁶Station 11 was committed to provide TV backup support only. They tracked the spacecraft only during the last Goldstone view period, but did not obtain tracking data.




Fig. 58. Station 12 impact recording

Figure 60 is a playback of the magnetic tape recorded at Station 11. In this Figure, no abrupt change in the received signal strength can be seen at the impact time indicated by the drastic change in the telemetry channel traces. This is due to the fact that the receiver automatic gain control (AGC) time constant was set at 300 sec. The best estimate of impact time observed at Station 11 is 13:25:50.095. It will be noted that there is a 66-msec difference between the impact times recorded at the two Stations. After postflight analysis of station operations at Stations 11 and 12 in regard to this discrepancy, it was concluded that: (1) Station 11 impact time is incorrect

because of a time synchronization problem at Station 11, and (2) the impact time recorded at Station 12 is correct. This large discrepancy should not be considered a measure of the system accuracy since in *Ranger VI*, when Stations 11 and 12 were committed for full mission support, the impact times recorded at the two Stations agreed to within 1 msec.

The conclusion is that, neglecting signal transit time, *Ranger VII* impacted the Moon at 13:25:50.029 +0.02 or -0.03 sec.




Fig. 59. Station 12 analog of selected receiver functions at lunar impact




Fig. 60. Station 11 analog of selected receiver functions at lunar impact

APPENDIX A

Definition of the miss parameter \mathbf{B}

The miss parameter \mathbf{B} is used at JPL to measure miss distances for lunar and interplanetary trajectories and is described by W. Kizner in Ref. 6. \mathbf{B} has the desirable feature of being very nearly a linear function of changes in injection conditions.

The osculating conic at closest approach to the target body is used in defining \mathbf{B} . \mathbf{B} is the vector from the target's center of mass perpendicular to the incoming asymptote. Let \mathbf{S}_I be a unit vector in the direction of the incoming asymptote. The orientation of \mathbf{B} in the plane normal to \mathbf{S}_I is described in terms of two unit vectors \mathbf{R} and \mathbf{T} , normal to \mathbf{S}_I . \mathbf{T} is taken parallel to a fixed *reference plane* and \mathbf{R} completes a right-handed orthogonal system. Figure A-1 illustrates the situation.

The *Ranger VII* work has used the orbital plane of the Moon as the reference plane. If \mathbf{W} is a unit vector normal to the orbital plane (\mathbf{W} in direction of $\mathbf{R}_M \times \mathbf{V}_M$, where \mathbf{R}_M is radius vector to Moon from Earth, and \mathbf{V}_M is the space-fixed velocity of the Moon relative to the Earth's center), then $\mathbf{T} = \mathbf{S}_I \times \mathbf{W}$ defines our coordinate system.




Fig. A-1. Definition of $\mathbf{B} \cdot \mathbf{T}$, $\mathbf{B} \cdot \mathbf{R}$ system

APPENDIX B

Ranger VII space trajectory for premaneuver orbit

SPACE TRAJECTORY
RA-7 PREMIOURSE CRBIT.

GME .39860145 06 J .16234500-02 H -.57499999-05 D .78749999-05 RE .63781650 04 REM .63783100 04
G .66709998-19 A .88762497 29 B .88800499 29 C .88837498 29 OME .41780741-02 AU .14959900 09
GMW .49022937 04 GMS .13271544 12 GMV .32476950 06 GMA .42977799 03 GMC .37918700 08 GMJ .12671060 09
EGM .39860320 06 MGM .49027779 04 JA .29200000-02 HA .00000000 00 DA .00000000 00 RA .34170000 04
ARA .35670000 01 GB .38294392 00 MAS .37410000 03 GB1 .00000000 00 GB2 .00000000 00 SC .10200000 09

INJECTION CONDITIONS POON 23566645C25720200000000 J.D.= 2438605.22217592 JULY 28,1964 17 19 56.000

GEOCENTRIC XO-.48336122 04 YO--42062479 04 ZO-.14413998 04 DXO .70601073 01 DYO-.68712132 01 DZO--47797462 01
CARTESIAN GNC .00000000 00 SGC .00000000 00 TO .62396000 05 GHA .20638174 03 GHO .30568664 03

0 DAYS 0 HRS. 0 MIN. 0.000 SEC. 23566645C25720200000000 J.D.= 2438605.22217592 JULY 28,1964 17 19 56.000
TFL 0 DAYS 0 HRS. 29 MIN. 48.127 SEC.

GEOCENTRIC			EQUATORIAL COORDINATES								
X	-48336120 04	Y	-42062476 04	Z	-14413997 04	DX	.70601070 01	DY	-.68712132 01	DZ	-.47797460 01
R	.65676446 04	DEC	-.12677894 02	RA	.22103005 03	V	.10950098 02	PTH	.13272056 01	AZ	.11625194 03
R	.65676447 04	LAT	-.12677893 02	LN	.14648313 02	VE	.10533192 02	PTE	.13797469 01	AZE	.11737653 03
XS	-.88492690 08	YS	.11325740 09	ZS	.49113300 08	DXS	-.23722515 02	DYS	-.15814255 02	DZS	-.68579680 01
XM	.38246584 06	YM	-.30198953 05	ZM	-.50845670 05	DXM	.82773604-01	DYM	.93299925 00	DZM	.39361317 00
XT	.38246584 06	YT	-.30198953 05	ZT	-.50845670 05	DXT	.82773604-01	DYT	.93299925 00	DZT	.39361317 00
RS	.15188914 09	VS	.29323712 02	RM	.38701081 06	VM	.10159979 01	RT	.38701081 06	VT	.10159979 01
GEO	-.12761470 02	ALT	.19047821 03	LDS	.28162025 03	RAS	.12800198 03	RAM	.35548537 03	LDM	.14903364 03
DUT	.35000000 02	DT	.15000000 02	DR	.25362684 00	SHA	.65203969 04	DES	.18865618 02	DEM	-.75493738 01

GEOCENTRIC CONIC 23566645C247202760426660 J.D.= 2438605.22185045 JULY 28,1964 17 19 27.879
SMA .26955704 06 ECC .97564865 00 B .59124444 05 SLR .12968310 05 APD .53254998 06 RCA .65640771 04
VH .13505527 00 C3 -.14787277 01 C1 .71897060 05 TFP .28120745 02 TF .-78113180-02 PER .23213209 05
TA .26875478 01 MTA .00000000 00 EA .29842760 00 MA .72684679-02 C3J .-18712444 01 TFI .00000000 00

EPOCH OF PERICENTER PASSAGE			ALL VECTORS REFERENCED TO EARTH EQUATOR PLANE								
X	-48336120 04	Y	-42062476 04	Z	-14413997 04	DX	.70601070 01	DY	-.68712132 01	DZ	-.47797460 01
INC	.28955996 02	LAN	-.17040849 02	APF	-.20426939 03	MX	.66197170 00	MY	-.61289320 00	MZ	-.43153497 00
WX	.14187827 00	WY	-.46288226 00	WZ	.87499177 00	PX	-.76620357 00	PY	-.61101017 00	PZ	-.19899402 00
QX	.62673967 00	QY	-.64218889 00	QZ	-.44135110 00	RX	.15581845 00	RY	.12406866 00	RZ	-.98000067 00
BX	-.62673967 00	BY	.64218889 00	BZ	.44135111 00	TX	-.62347934 00	TY	.78183983 00	TZ	.00000000 00
DAP	-.11478139 02	RAP	.21857066 03	B	.59124444 05	THA	.33323335 03				
BTQ	.52789146 05	BRQ	-.26627162 05								

HELIOCENTRIC			EQUATORIAL COORDINATES								
X	.88487856 08	Y	-.11326160 09	Z	-.49114741 08	DX	.30782622 02	DY	-.89430414 01	DZ	.20782219 01
R	.15188993 09	LAT	-.18866090 02	LN	.30799943 03	V	.32122684 02	PTH	.19253930 02	AZ	.78943384 02
XS	.88492690 08	YS	.11325740 09	ZE	-.49113300 08	DXE	.23722515 02	DYE	.15814255 02	DZE	.68579680 01
XM	.88875155 08	YM	-.11328760 09	ZT	-.49164145 08	DXT	.23805288 02	DYT	.16747264 02	DZT	.72515811 01
LTE	-.18865604 02	LOE	.30800204 03	LTY	-.18852117 02	LDT	.30811457 03	RST	.15215119 09	VST	.29995789 02
EPS	.83120780 02	ESP	.27493512-18	SEP	.96876758 02	EPN	.48837777 02	EMP	.73198500 00	MEP	.13043019 03
MPS	.13183428 03	MSP	.10992114 00	SMP	.48055927 02	SEM	.13256592 03	EMS	.47326738 02	ESM	.10698938 00
RPM	.39130200 06	SPN	.69231548 01	SIP	.13158023 03	CPT	.90011781 02	SIN	.89757735 02	D1	.13301877 00
GCE	.27829543 03	GCT	.28210141 03	CPE	.80398073 02	CPS	.76802219 02	D2	.89203712-01	D3	.53001657-03
REP	.65676446 04	VEP	-.10950098 02								

0 DAYS 0 HRS. 0 MIN. 5.000 SEC. 23566645C260202200000000 J.D.= 2438605.22223379 JULY 28,1964 17 20 01.000
TFL 0 DAYS 0 HRS. 29 MIN. 53.127 SEC.

GEOCENTRIC			EQUATORIAL COORDINATES								
X	-.47982264 04	Y	-.42405294 04	Z	-.14652728 04	DX	.70940173 01	DY	-.68414752 01	DZ	-.47694813 01
R	.65690250 04	DEC	-.12688701 02	RA	.22146929 03	V	.10949918 02	PTH	.15626542 01	AZ	.11615460 03
R	.65690250 04	LAT	-.12688701 02	LN	.15016658 02	VE	.10531952 02	PTE	.16245366 01	AZE	.11727488 03
XS	-.88492690 08	YS	.11325732 09	ZS	.49113265 08	DXS	-.23722498 02	DYS	-.15814276 02	DZS	-.68579772 01
XM	.38246625 06	YM	-.30194288 05	ZM	-.50843702 05	DXM	.82760305-01	DYM	.93299919 00	DZM	.39361490 00
XT	.38246625 06	YT	-.30194288 05	ZT	-.50843702 05	DXT	.82760305-01	DYT	.93299919 00	DZT	.39361490 00
RS	.15188914 09	VS	.29323712 02	RM	.38701066 06	VM	.10159983 01	RT	.38701066 06	VT	.10159983 01
GEO	-.12973572 02	ALT	.19189282 03	LDS	.28159941 03	RAS	.12800204 03	RAM	.35548607 03	LDM	.14903364 03
DUT	.35000000 02	DT	.50000000 01	DR	.29857805 00	SHA	.65150630 04	DES	.18865604 02	DEM	-.75490844 01

GEOCENTRIC CONIC 23566645C2472027613002420 J.D.= 2438605.22185053 JULY 28,1964 17 19 27.886
SMA .26949663 06 ECC .97564818 00 B .59117748 05 SLR .12968278 05 APD .53242917 06 RCA .65640789 04
VH .13503574 00 C3 -.14790591 01 C1 .71896970 05 TFP .33114219 02 TF .-78548607 02 PER .23203406 05
TA .31643331 01 MTA .00000000 00 EA .35143499 00 MA .85620267-02 C3J .-18715458 01 TFI .13888889-02

EPOCH OF PERICENTER PASSAGE			ALL VECTORS REFERENCED TO EARTH EQUATOR PLANE								
X	-.47982264 04	Y	-.42405294 04	Z	-.14652728 04	DX	.70940173 01	DY	-.68414752 01	DZ	-.47694813 01
INC	.28955870 02	LAN	-.17040714 02	APF	.20427014 03	MX	.66808686 00	MY	-.60747611 00	MZ	-.42968909 00
WX	.14187660 00	WY	-.46288072 00	WZ	.87499284 00	PX	-.76619674 00	PY	-.61101718 00	PZ	-.19899899 00
QX	.62674684 00	QY	-.64218335 00	BZ	-.44134673 00	TX	-.62348710 00	TY	.78183364 00	TZ	.00000000 00
DAP	-.11478429 02	RAP	.21857123 03	B	.59117748 05	THA	.33323360 03				
BTQ	.52783288 05	BRQ	-.26623911 05								

HELIOCENTRIC			EQUATORIAL COORDINATES								
X	.88488009 08	Y	-.11326156 09	Z	-.49114731 08	DX	.30816516 02	DY	.89728008 01	DZ	.20884959 01
R	.15188998 09	LAT	-.18866079 02	LN	.30799949 03	V	.32164119 02	PTH	.19217327 02	AZ	.78943203 02
XS	.88492690 08	YS	.11325732 09	ZE	-.49113265 08	DXE	.23722498 02	DYE	.15814276 02	DZE	.68579772 01
XM	.88875274 08	YM	-.11328751 09	ZT	-.49164109 08	DXT	.23805258 02	DYT	.16747266 02	DZT	.72515921 01
LTE	-.18865604 02	LOE	.30800204 03	LTY	-.18852117 02	LDT	.30811457 03	RST	.15215119 09	VST	.29995789 02
EPS	.82648540 02	ESP	.27493512-18	SEP	.97349001 02	EPN	.49307519 02	EMP	.73734523 00	MEP	.12995507 03
MPS	.13182829 03	MSP	.10992114 00	SMP	.48061920 02	SEM	.13256523 03	EMS	.47327432 02	ESM	.10676052 00
RPM	.39124154 06	SPN	.64998379 01	SIP	.13157421 03	CPT	.90011039 02	SIN	.89756966 02	D1	.13303253 00
GCE	.27822519 03	GCT	.28209986 03	CPE	.80365963 02	CPS	.76802228 02	D2	.89202610-01	D3	.53001469-03
REP	.65690250 04	VEP	-.10949918 02								

0 DAYS 0 HRS. 40 MIN. 4.000 SEC. 235666451410202000000000 J.D.= 2438605.25000000 JULY 28,1964 18 00 00.000
TFL 0 DAYS 1 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC			EQUATORIAL COORDINATES								
X	.14133998 05	Y	-.79897407 04	Z	-.65075322 04	DX	.65614168 01	DY	.74185279 00	DZ	-.66640706 00
R	.17491536 05	DEC	-.21841418 02	RA	.33052116 03	V	.66367638 01	PTH	.51736660 02	AZ	.70518666 02
R	.17491536 05	LAT	-.21841418 02	LN	.11409534 03	VE	.60227493 01	PTE	.59907895 02	AZE	.63005507 02
XS	-.88549711 08	YS	.11321937 09	ZS	.49096807 08	DXS	-.23714533 02	DYS	-.15824559 02	DZS	-.68624289 01
XM	.38265713 06	YM	-.27955511 05	ZM	-.49898428 05	DXM	.76375878-01	DYM	.93342563 00	DZM	.39443802 00
XT	.38265713 06	YT	-.27955511 05	ZT	-.49898428 05	DXT	.76375878-01	DYT	.93342563 00	DZT	.39443802 00
RS	.15188869 09	VS	.29323858 02	RM	.38690805 06	VM	.10162175 01	RT	.38690805 06	VT	.10162175 01
GEO	-.21976129 02	ALT	.11116318 05	LDS	.27160339 03	RAS	.12802923 03	RAM	.35582160 03	LDM	.13939578 03
DUT	.35000000 02	DT	.12000000 03	DR	.52110063 01	SHA	.63476066 04	DES	.18859101 02	DEM	-.74099125 01

JPL TECHNICAL REPORT NO. 32-694

HELIOCENTRIC

X	.88563844	08	Y	-.11322736	09	Z	-.49103315	08	DX	.30275949	02	DY	-.16566412	02	DZ	.61960218	01
R	.15190498	09	LAT	-.18859597	02	LOX	.30803170	03	V	.35063796	02	PTH	.54008952	01	AZ	.77299199	02
XE	.88549711	08	YE	-.11321937	09	ZE	-.49096807	08	DXE	.23714533	02	DYE	-.15824559	02	DZE	.68624289	01
XT	.88932368	08	YT	-.11324732	09	ZT	-.49146705	08	DXT	.23790908	02	DYT	-.16757985	02	DZT	.72568669	01
LTE	-.18959101	02	LOE	-.30862923	03	LTO	-.18845472	02	LOT	.30814231	03	RST	-.15214901	09	VST	.29991657	02
EPS	.21278752	02	ESP	.27453512	-18	SEP	.15872185	03	EMP	.15038071	03	EMF	-.12802993	01	MFP	-.28338988	02
MPS	.13099385	03	MSP	.10560881	00	SMP	.48905252	02	SEM	.13223181	03	EMS	.47660310	02	ESM	-.10767302	00
RPM	.37160557	06	SPN	-.10927629	00												
GCE	.12130756	03	GCT	.28173927	03	SIP	.13072634	03	CPT	.90012081	02	SIN	.89744569	02	D1	.14006939	00
REP	.17491536	05	VEP	.66367638	01	CPE	.88331660	02	CPS	.76806234	02	D0	.57049258	-01	D3	.14006939	-03

0 DAYS 1 HRS. 40 MIN. 4.000 SEC. 235666453214202000000000 J.D.= 2438605.2916666 JULY 28,1964 19 00 00.000
TFL 0 DAYS 2 HRS. 9 MIN. 52.127 SEC.

EQUATORIAL COORDINATES

GEOCENTRIC

X	.33222362	05	Y	-.36139479	04	Z	-.72726185	04	DX	.44486546	01	DY	-.14096569	01	DZ	-.27990459	-01
R	.34200539	05	DEC	-.12277478	02	RA	.35379174	03	V	.46667380	01	PTH	.63228434	02	AZ	.63577902	02
RS	.88635067	08	YS	.11316237	09	ZS	.49072091	08	OXS	-.23702569	02	OYS	-.15839986	02	OZS	.32934351	03
XS	-.88635067	08	YS	.11316237	09	ZS	.49072091	08	OXS	-.23702569	02	OYS	-.15839986	02	OZS	-.68621069	01
XM	.38291482	06	YM	-.24594091	05	ZM	-.48476264	05	DXM	.66779521	-01	DYM	.93400983	00	DZM	.39564490	00
XT	.38291482	06	YM	-.24594091	05	ZM	-.48476264	05	DXT	.66779521	-01	DYT	.93400983	00	DZT	.39564490	00
RS	.15188801	09	VS	.29324078	02	RM	.38675389	06	VM	.10165475	01	RT	.38675389	06	VT	.10165475	01
GED	-.12358584	02	ALT	.27823309	05	L0S	.25660313	03	RAS	.12807002	03	RAM	.35632502	03	L0M	.12485812	03
DUT	.35000000	02	DT	.24000000	03	DR	.41665079	01	SHA	.23935082	05	DES	.18849337	02	DEM	-.72004715	01

EQUATORIAL COORDINATES

HELIOCENTRIC

X	.88668289	08	Y	-.11316598	09	Z	-.49079363	08	DX	.28151223	02	DY	-.17249643	02	DZ	.68970973	01
R	.15191244	09	LAT	-.18849089	02	LOX	.30807956	03	V	.33728496	02	PTH	.22990638	01	AZ	.76705508	02
XE	.88635067	08	YE	-.11316237	09	ZE	-.49072091	08	DXE	.23702569	02	DYE	-.15839986	02	DZE	.68691069	01
XT	.89017981	08	YT	-.11316496	09	ZT	-.49120567	08	DXT	.23769348	02	DYT	-.16773996	02	DZT	.72647518	01
LTE	-.18849337	02	LOE	.30807003	03	LTT	-.18835495	02	LOT	.30818393	03	RST	-.15214872	09	VST	.29991657	02
EPS	.44405553	02	ESP	.98911702	-02	SEP	.13585842	03	EMP	.17379502	03	EMF	.54751208	00	MFP	.56573230	01
MPS	.13135258	03	MSP	.99650790	-01	SMP	.48547699	02	SEM	.13173113	03	EMS	.48160176	02	ESM	-.10857785	00
RPM	.35273604	06	SPN	.33657638	02												
GCE	.10785988	03	GCT	.28161274	03	SIP	.13107076	03	CPT	.90207570	02	SIN	.89925747	02	D1	.14756255	00
REP	.34200539	05	VEP	.46667380	01	CPE	.92693329	02	CPS	.76811382	02	D0	.98046137	-01	D3	.64107799	-03

0 DAYS 2 HRS. 40 MIN. 4.000 SEC. 235666455020202000000000 J.D.= 2438605.33333333 JULY 28,1964 20 00 00.000
TFL 0 DAYS 3 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC

X	.47538591	05	Y	-.15599436	04	Z	-.68452390	04	DX	.35982859	01	DY	-.14413985	01	DZ	-.18201312	00
R	.48054222	05	DEC	-.81854101	01	RA	.18794456	01	V	.38805179	01	PTH	.47323476	02	AZ	.62137302	02
RS	.48054222	05	LAT	-.81854101	01	LOX	.11537149	03	VE	.42324548	01	PTE	.57776242	02	AZE	-.28804743	03
XS	-.88720372	08	YS	.11310532	09	ZS	.49047352	08	OXS	-.23690595	02	OYS	-.15855405	02	OZS	-.68757819	01
XM	.38313793	06	YM	-.21230733	05	ZM	-.47049823	05	DXM	.57165073	-01	DYM	.93451068	00	DZM	.39681765	00
XT	.38313793	06	YM	-.21230733	05	ZM	-.47049823	05	DXT	.57165073	-01	DYT	.93451068	00	DZT	.39681765	00
RS	.15188732	09	VS	.29324299	02	RM	.38659946	06	VM	.10168787	01	RT	.38659946	06	VT	.10168787	01
GED	-.82444662	01	ALT	.41674654	05	L0S	.24160285	03	RAS	.12811081	03	RAM	.35682892	03	L0M	.11032037	01
DUT	.35000000	02	DT	.48000000	03	DR	.35805389	01	SHA	.38454989	05	DES	.18839563	02	DEM	-.69903263	01

EQUATORIAL COORDINATES

HELIOCENTRIC

X	.88767910	08	Y	-.11310376	09	Z	-.49054197	08	DX	.27288881	02	DY	-.17296803	02	DZ	.70577950	01
R	.15191615	09	LAT	-.18835883	02	LOX	.30812610	03	V	.33070755	02	PTH	.13667131	01	AZ	.76485091	02
XE	.88720372	08	YE	-.11310532	09	ZE	-.49047352	08	DXE	.23690595	02	DYE	-.15855405	02	DZE	.68757819	01
XT	.89103509	08	YT	-.11312655	09	ZT	-.49094402	08	DXT	.23747760	02	DYT	-.16789915	02	DZT	.72725996	01
LTE	-.18839563	02	LOE	.30811081	03	LTT	-.18825510	02	LOT	.30822554	03	RST	.15214240	09	VST	.29997912	02
EPS	.53138674	02	ESP	.98911702	-02	SEP	.12844682	03	EMP	.17412231	03	EMF	.72934040	00	MFP	.51483493	01
MPS	.13185658	03	MSP	.94872782	-01	SMP	.48048394	02	SEM	.13123005	03	EMS	.48660454	02	ESM	-.10925196	00
RPM	.33876649	06	SPN	.45511581	02												
GCE	.10557584	03	GCT	.28156552	03	SIP	.13156314	03	CPT	.90389438	02	SIN	.90095994	02	D1	.15344767	00
REP	.48054222	05	VEP	.38805179	01	CPE	.94149206	02	CPS	.76816137	02	D0	.10310525	00	D3	.70734355	-03

0 DAYS 3 HRS. 40 MIN. 4.000 SEC. 235666456624202000000000 J.D.= 2438605.37500000 JULY 28,1964 21 00 00.000
TFL 0 DAYS 4 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC

X	.59546763	05	Y	.66919147	04	Z	-.60675792	04	DX	.31096832	01	DY	.14059146	01	DZ	.24208696	00
R	.60228018	05	DEC	-.57819839	01	RA	.64120432	01	V	.34213055	01	PTH	.69580915	02	AZ	.61585277	02
RS	.60228018	05	LAT	-.57819839	01	LOX	.10486302	03	VE	.46501270	01	PTE	.43591700	02	AZE	.27970911	03
XS	.88805640	08	YS	.11304821	09	ZS	.49022587	08	OXS	-.23678608	02	OYS	-.15870818	02	OZS	-.68824544	01
XM	.38332639	06	YM	-.17865706	05	ZM	-.45619216	05	DXM	.47533251	-01	DYM	.93492800	00	DZM	.39795607	00
XT	.38332639	06	YM	-.17865706	05	ZM	-.45619216	05	DXT	.47533251	-01	DYT	.93492800	00	DZT	.39795607	00
RS	.15188664	09	VS	.29324521	02	RM	.38644458	06	VM	.10172113	01	RT	.38644458	06	VT	.10172113	01
GED	-.58211172	01	ALT	.53850031	05	L0S	.22660257	03	RAS	.12815160	03	RAM	.35733154	03	L0M	.95782512	02
DUT	.35000000	02	DT	.48000000	03	DR	.32063307	01	SHA	.51152511	05	DES	.18829780	02	DEM	-.67794920	01

EQUATORIAL COORDINATES

HELIOCENTRIC

X	.88865186	08	Y	-.11304152	09	Z	-.49028654	08	DX	.26788291	02	DY	-.17276733	02	DZ	.71245413	01
R	.15191845	09	LAT	-.18828109	02	LOX	.30817190	03	V	.32662778	02	PTH	.90387920	00	AZ	.76357554	02
XE	.88805640	08	YE	-.11304821	09	ZE	-.49022587	08	DXE	.23678608	02	DYE	-.15870818	02	DZE	.68824544	01
XT	.89188986	08	YT	-.11306607	09	ZT	-.49068205	08	DXT	.23726141	02	DYT	-.16805746	02	DZT	.72804104	01
LTE	-.18928018	02	LOE	.30815186	03	LTT	-.18815516	02	LOT	.30826716	03	RST	.15213907	09	VST	.29972775	02
EPS	.58117861	02	ESP	.19782341	-01	SEP	.12186284	03	EMP	.16925407	03	EMF	.16651865	01	MFP	.90807154	01
MPS	.13236748	03	MSP	.90923484	-01	SMP	.47541504	02	SEM	.13072857	03	EMS	.49161142	02	ESM	-.11058666	00
RPM	.32710955	06	SPN	.52038979	02												
GCE	.10450602	03	GCT	.28154460	03	SIP	.13206357	03	CPT	.90554344	02	SIN	.90250442	02	D1	.15912324	00
REP	.60228018	05	VEP	.34213055	01	CPE	.94971955	02	CPS	.76820711	02	D0					

HELIOCENTRIC EQUATORIAL COORDINATES
X .88960980 08 Y -.11297937 09 Z -.49002935 08 DX .26447313 02 DY .17246268 02 DZ .71600323 01
R .15191990 09 LAT -.18817463 02 LON .30821722 03 V .32379302 02 PTH .62258625 00 AZ .76289077 02
R .88890865 08 YE -.11299104 09 ZE -.48997797 08 DX .23666610 02 DYE .15886225 02 DZE .68891238 01
XT .89274345 08 YT -.11300554 09 ZT -.49004181 08 DXT .23704495 02 DYT .16821486 02 DZT .72881837 01
LTE -.18819988 02 LOE .30819238 03 LTT -.18805513 02 LOT .30830872 03 RST .15213572 09 VST .29966362 02
EPS .61471794 02 ESP .22117329-01 SEP .11850458 03 EPM .16554256 03 EMP .26399439 01 MEP .11817482 02
MPS .13286451 03 MSP .87076018-01 SMP .47048021 02 SEM .13022668 03 EMS .49662242 02 ESM .11058666 00
RPM .31687020 06 SPN .56537199 02
GCE .10385194 03 GCT .28153676 03 SIP .13255078 03 CPT .90705702 02 SIN .90391980 02 D1 .16426531 00
REP .71266019 05 VEP .31073174 01 CPE .95906234 02 CPS .76825176 02 D2 .11237662 00 D3 .83732973 00
0 DAYS 5 HRS. 40 MIN. 4.000 SEC. 23566646223402000000000 J.D.= 2438605.45833333 JULY 28,1964 23 00 00.000
TFL 0 DAYS 6 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC EQUATORIAL COORDINATES
X .79670782 05 Y .16485287 05 Z -.41330882 04 DX .25386541 01 DY .13148349 01 DZ .28605484 00
R .81463369 05 DEC -.29081801 01 RA .11690525 02 V .28732181 01 PTH .72113998 02 AZ .61184029 02
R .81463365 05 LAT -.29081801 01 LON .80059373 02 VE .58548217 01 PTE .27841421 02 AZE .27471253 03
XS -.88976042 08 YS .11293382 09 ZS .48972986 08 DXS .23654601 02 DYS .15901624 02 DZS .68957903 01
XM .38359915 06 YM .11131917 05 ZM .42746023 05 DXM .28220959-01 DYM .93551101 00 DZM .40012920 00
XT .38359915 06 YT -.11131917 05 ZT -.42746023 05 DXT .28220959-01 DYT .93551101 00 DZT .40012920 00
RS .15188528 09 VS .29324967 02 RM .38613398 06 VM .10178805 01 RT .38613398 06 VT .10178805 01
GED -.29275643 01 ALT .175085218 05 LOS .19660201 03 RAS .12823316 03 RAM .35833776 03 LOM .66706604 02
DUT .35000000 02 DT .48000000 03 DR .27343540 01 SHA .73201279 05 DES .18810190 02 DEM .63558179 01
HELIOCENTRIC EQUATORIAL COORDINATES
X .89055712 08 Y -.11291734 09 Z -.48977119 08 DX .26193254 02 DY .17216459 02 DZ .71818451 01
R .15192104 09 LAT -.18807242 02 LON .30826216 03 V .32156989 02 PTH .43249355 00 AZ .76201302 02
R .88976042 08 YE -.11293382 09 ZE -.48972986 08 DXE .23654601 02 DYE .15901624 02 DZE .68957903 01
XT .89359641 08 YT -.11294495 09 ZT -.49015732 08 DXT .23682821 02 DYT .16837135 02 DZT .72959195 01
LTE -.18810190 02 LOE .30823316 03 LTT -.18795502 02 LOT .30835029 03 RST .15213234 09 VST .29959899 02
EPS .63944309 02 ESP .25217635-01 SEP .11602808 03 EPM .16264583 03 EMP .36078911 01 MEP .13746265 02
MPS .13343953 03 MSP .83344499-01 SMP .46572208 02 SEM .12972439 03 EMS .50163756 02 ESM .11168705 00
RPM .30761359 06 SPN .59453864 02
GCE .10339768 03 GCT .28153666 03 STP .13302037 03 CPT .90846159 02 SIN .90522998 02 D1 .16920848 00
REP .81463369 05 VEP .28732181 01 CPE .95889083 02 CPS .76829565 02 D2 .11679722 00 D3 .90039308-03
0 DAYS 6 HRS. 40 MIN. 4.000 SEC. 23566646404020000000000 J.D.= 2438605.50000000 JULY 29,1964 00 00 00.000
TFL 0 DAYS 7 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC EQUATORIAL COORDINATES
X .88457831 05 Y -.21141938 05 Z -.30870670 04 DX .23501867 01 DY .12727788 01 DZ .29422427 00
R .91001644 05 DEC -.19440281 01 RA .13441860 02 V .26888494 01 PTH .72916260 02 AZ .61109238 02
R .91001644 05 LAT -.19440281 01 LON .66769594 02 VE .64839453 01 PTE .23353045 02 AZE .27367576 03
XS -.89061177 08 YS .11287655 09 ZS .48948152 08 DXS .23642580 02 DYS .15917017 02 DZS .69024539 01
XM .38368332 06 YM .77637567 04 ZM .41303686 05 DXM .18542117-01 DYM .93567621 00 DZM .40116353 00
XT .38368332 06 YT -.77637567 04 ZT -.41303686 05 DXT .18542117-01 DYT .93567621 00 DZT .40116353 00
RS .15188459 09 VS .29325192 02 RM .38597818 06 VM .10182170 01 RT .38597818 06 VT .10182170 01
GED -.19572659 01 ALT .84623463 05 LOS .18160166 03 RAS .12827393 03 RAM .35884079 03 LOM .52168518 02
DUT .35000000 02 DT .95999999 03 DR .25702078 01 SHA .83072371 05 DES .18800381 02 DEM .61430080 01

HELIOCENTRIC EQUATORIAL COORDINATES
X .89149634 08 Y -.11285541 09 Z -.48951239 08 DX .25992766 02 DY .17189795 02 DZ .71966782 01
R .15192177 09 LAT -.18796838 02 LON .30830681 03 V .31928888 02 PTH .29477559 00 AZ .76144056 02
R .89061177 08 YE -.11287655 09 ZE -.48948152 08 DXE .23642580 02 DYE .15917017 02 DZE .69024539 01
XT .89444860 08 YT -.11288431 09 ZT -.48989455 08 DXT .23661122 02 DYT .16852693 02 DZT .73036174 01
LTE -.18803381 02 LOE .30827393 03 LTT -.18785483 02 LOT .30839185 03 RST .15212895 09 VST .29953376 02
EPS .65873232 02 ESP .29673510-01 SEP .11409544 03 EPM .16028323 03 EMP .45622200 01 MEP .15154551 02
MPS .13380434 03 MSP .80660059-01 SMP .46114365 02 SEM .12922169 03 EMS .50665688 02 ESM .11190583 00
RPM .29908885 06 SPN .61854268 02
GCE .10305767 03 GCT .28154164 03 STP .13347196 03 CPT .90977596 02 SIN .90645223 02 D1 .17403148 00
REP .91001644 05 VEP .28888494 01 CPE .96181048 02 CPS .76833903 02 D2 .12114677 00 D3 .97103892-03
0 DAYS 7 HRS. 40 MIN. 4.000 SEC. 2356664656442020000000000 J.D.= 2438605.54166666 JULY 29,1964 01 00 00.000
TFL 0 DAYS 8 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC EQUATORIAL COORDINATES
X .96634863 05 Y .25653528 05 Z -.20193274 04 DX .21975617 01 DY .12342340 01 DZ .29846922 00
R .10000239 06 DEC -.11570391 01 RA .14867312 02 V .25380494 01 PTH .73549204 02 AZ .61069863 02
R .10000239 06 LAT -.11570391 01 LON .53153981 02 VE .71010397 01 PTE .20046813 02 AZE .27298770 03
XS -.89146271 08 YS .11281922 09 ZS .48923289 08 DXS .23630547 02 DYS .15932404 02 DZS .69091148 01
XM .38373263 06 YM .43951412 04 ZM .39857683 05 DXM .88492171-02 DYM .93575701 00 DZM .40216284 00
XT .38373263 06 YT -.43951412 04 ZT -.39857683 05 DXT .88492171-02 DYT .93575701 00 DZT .40216284 00
RS .15188391 09 VS .29325417 02 RM .38582208 06 VM .10185551 01 RT .38582208 06 VT .10185551 01
GED -.11649220 01 ALT .93624190 05 LOS .16660137 03 RAS .12831470 03 RAM .35934378 03 LOM .37630451 02
DUT .35000000 02 DT .95999999 03 DR .24341500 01 SHA .92371781 05 DES .18790561 02 DEM .59295698 01

HELIOCENTRIC EQUATORIAL COORDINATES
X .89242905 08 Y -.11279356 09 Z -.48925309 08 DX .25828108 02 DY .17166638 02 DZ .72075840 01
R .15192225 09 LAT -.18786445 02 LON .30835124 03 V .31839188 02 PTH .19018405 00 AZ .76099076 02
R .89146271 08 YE -.11281922 09 ZE -.48923289 08 DXE .23630547 02 DYE .15932404 02 DZE .69091148 01
XT .89530003 08 YT -.11282361 09 ZT -.48963147 08 DXT .23639396 02 DYT .16868161 02 DZT .73112776 01
LTE -.18790561 02 LOE .30831470 03 LTT -.18775454 02 LOT .30843339 03 RST .15212554 09 VST .29946797 02
EPS .67437641 02 ESP .32893301-01 SEP .11252780 03 EPM .15829056 03 EMP .55017063 01 MEP .16207723 02
MPS .13424775 03 MSP .78196572-01 SMP .45673696 02 SEM .12871858 03 EMS .51168093 02 ESM .11320963 00
RPM .29113535 06 SPN .63780942 02
GCE .10279032 03 GCT .28155018 03 SIP .13390630 03 CPT .91101380 02 SIN .90759926 02 D1 .17878600 00
REP .10000239 06 VEP .25380494 01 CPE .96413475 02 CPS .76838198 02 D2 .12545824 00 D3 .10407149-02
0 DAYS 8 HRS. 40 MIN. 4.000 SEC. 2356664674502020000000000 J.D.= 2438605.58333334 JULY 29,1964 02 00 00.000
TFL 0 DAYS 9 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC EQUATORIAL COORDINATES
X .10431062 06 Y .30032377 05 Z -.94089186 03 DX .20703478 01 DY .11989770 01 DZ .30035464 00
R .10895199 06 DEC -.49662647 00 RA .16061793 02 V .24112442 01 PTH .74062856 02 AZ .61051660 02
R .10895199 06 LAT -.49662647 00 LON .29367400 02 VE .77004187 01 PTE .17523435 02 AZE .27250127 03
XS -.89231324 08 YS .11274183 09 ZS .48898404 08 DXS .23618502 02 DYS .15947784 02 DZS .69157726 01
XM .38374702 06 YM .10263871 04 ZM .38408146 05 DXM .85688286-03 DYM .93575315 00 DZM .40312693 00
XT .38374702 06 YT -.10263871 04 ZT -.38408146 05 DXT .85688286-03 DYT .93575315 00 DZT .40312693 00
RS .15188322 09 VS .29325644 02 RM .38566567 06 VM .10188945 01 RT .38566567 06 VT .10188945 01
GED -.50001069 00 ALT .10217378 06 LOS .15160107 03 RAS .12835547 03 RAM .35984675 03 LOM .23092354 02
DUT .35000000 02 DT .95999999 03 DR .23185644 01 SHA .10119260 06 DES .18780733 02 DEM .57155167 01

JPL TECHNICAL REPORT NO. 32-694

HELIOCENTRIC

X .89335634 08	Y -11273180 09	Z -48899345 08	DX .25688850 02	DY .17146761 02	DZ .72161272 01
R .15192255 09	LAT -18776064 02	LOK .30839548 03	V .31717518 02	PTH .10797419 00	AZ .76057896 02
XE .89231324 08	YE -11276183 09	ZE -48898404 08	DXE .23618502 02	DYE .15947784 02	DZE .69157726 01
XT .89615071 08	YT -11276286 05	ZT -48936813 08	DXT .23617645 02	DYT .16883537 02	DYT .73188996 01
LTE -18780733 02	LOE .30835547 03	LTT -18765418 02	LDT .30847492 03	RST .15212210 09	VST .29940161 02
EPS .68742859 02	ESP .38308338-01	SEP .11121897 03	EPH .15656736 03	EMP .64266308 01	MEP .17006001 02
MPS .13467490 03	MSP .75652909-01	SMP .45249126 02	SEM .12821507 03	EMS .51670799 02	ESM .11471201 00
RPM .28364263 06	SPN .65374491 02				
GCE .10257265 03	GCT .28156132 03	SIP .13432443 03	CPT .91218539 02	SIN .90868066 02	D1 .18350900 00
REP .10855199 06	VEP .24112442 01	CPE .96604408 02	CPS .76842463 02	D2 .12975627 00	D3 .112717990-02

0 DAYS 9 HRS. 40 MIN. 4.000 SEC. 235666471254202000000000 J.D.= 2438605.62500000 JULY 29,1964 03 00 00.000
TFL 0 DAYS 10 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC

X .11156386 06	Y .34289674 05	Z .14145645 03	DX .19619511 01	DY .11666457 01	DZ .30075305 00
R .11671460 06	DEC .69442531-01	RA .17085054 02	V .23023394 01	PTH .74488644 02	AZ .61046696 02
XE .11671460 06	LAT .69442531-01	LOK .25289595 02	VE .92804863 01	PTE .15540348 02	AZE .27214118 03
XS .89316327 08	YS .11270439 09	ZS .48873498 08	DXS -.23608447 02	DYS -.15963157 02	DZS -.69224277 01
XM .38372644 06	YM .23421869 04	ZM .36955209 05	DXM -.10575301-01	DYM .93566444 00	DZM .40405566 00
XT .38372644 06	YT .23421869 04	ZT .36955205 05	DXT -.10575301-01	DYT .93566444 00	DZT .40405566 00
RS .15188254 09	VS .29325871 02	RM .38550895 06	VM .10192354 01	RT .38550895 06	VT .10192354 01
GED .69915766-01	ALT .11033639 06	LOS .13660077 03	RAS .12839623 03	RAM .34971507 00	LDM .85542526 01
DUT .35000000 02	DT .95999999 03	DR .22184825 01	SHA .10960374 06	DES .18770897 02	DEM .-55008686 01

HELIOCENTRIC 0 DAYS 10 HRS. 40 MIN. 4.000 SEC. 235666473060202000000000 J.D.= 2438605.66666666 JULY 29,1964 04 00 00.000
TFL 0 DAYS 11 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC

X .89427890 08	Y -11267010 09	Z -48873356 08	DX .25568398 02	DY .17129803 02	DZ .72231807 01
R .15192269 09	LAT -18765695 02	LOK .30843954 03	V .31612457 02	PTH .41638540-01	AZ .76020978 02
XE .89316327 08	YE -11270439 09	ZE -48873498 08	DXE .23606447 02	DYE .15963157 02	DZE .69224277 01
XT .89700053 08	YT -11270205 09	ZT -48910453 08	DXT .23595871 02	DYT .16598821 02	DZT .73264834 01
LTE -18770897 02	LOE .30839623 03	LTT -18765375 02	LDT .30851644 03	RST .15211865 09	VST .29933740 02
EPS .69855429 02	ESP .41377794-01	SEP .11010323 03	EPH .15504854 03	EMP .75376903 01	MEP .17613767 02
MPS .13508688 03	MSP .73354886-01	SMP .44839575 02	SEM .12771114 03	EMS .52173982 02	ESM .11471201 00
RPM .27653078 06	SPN .66722876 02				
GCE .10239079 03	GCT .28157443 03	SIP .13472740 03	CPT .91329865 02	SIN .90970378 02	D1 .18822368 00
REP .11671460 06	VEP .23023394 01	CPE .96765053 02	CPS .76846699 02	D2 .13406039 00	D3 .11876353-02

HELIOCENTRIC 0 DAYS 10 HRS. 40 MIN. 4.000 SEC. 235666473060202000000000 J.D.= 2438605.66666666 JULY 29,1964 04 00 00.000
TFL 0 DAYS 11 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC

X .11845391 06	Y .38435300 05	Z .12223761 04	DX .18679676 01	DY .11368759 01	DZ .30018227 00
R .12459354 06	DEC .56283661 00	RA .17976937 02	V .22072739 01	PTH .74887467 02	AZ .61050277 02
XS .89401293 08	YS .11264690 09	ZS .48848564 08	DXS -.23594378 02	DYS -.15978524 02	DZS -.69290798 01
XM .38367087 06	YM .57103020 04	ZM .35498986 05	DXM -.20305276-01	DYM .93549066 00	DZM .40494881 00
XT .38367087 06	YT .57103020 04	ZT .35498986 05	DXT -.20305276-01	DYT .93549066 00	DZT .40494881 00
RS .15188185 09	VS .29326099 02	RM .3853194 06	VM .10193777 01	RT .3853194 06	VT .10193777 01
GED .56667197 00	ALT .11816134 06	LOS .12160045 03	RAS .12843699 03	RAM .85268763 00	LDM .35401615 03
DUT .35000000 02	DT .95999999 03	DR .21304997 01	SHA .11765810 06	DES .18761052 02	DEM .-52856366 01

HELIOCENTRIC 0 DAYS 11 HRS. 40 MIN. 4.000 SEC. 235666474642020000000000 J.D.= 2438605.70833333 JULY 29,1964 05 00 00.000
TFL 0 DAYS 12 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC

X .89119746 08	Y -11260846 09	Z -48847340 08	DX .25462346 02	DY .17115400 02	DZ .72292620 01
R .15192272 09	LAT -18755329 02	LOK .30848344 03	V .31520314 02	PTH .-12998412-01	AZ .75987300 02
XE .89401293 08	YE -11264690 09	ZE -48848564 08	DXE .23594378 02	DYE .15978524 02	DZE .69290798 01
XT .89784963 08	YT -11264118 09	ZT -48884662 08	DXT .23574073 02	DYT .16914015 02	DZT .73340286 01
LTE -18761052 02	LOE .30843699 03	LTT -18745321 02	LDT .3085794 03	RST .15211518 09	VST .29926724 02
EPS .70819938 02	ESP .43114612-01	SEP .10913569 03	EPH .15368987 03	EMP .82356411 01	MEP .18007448 02
MPS .13548474 03	MSP .70922504-01	SMP .44444028 02	SEM .12720681 03	EMS .52677385 02	ESM .11556174 00
RPM .269767 06	SPN .6784386 02				
GCE .10223579 03	GCT .28158905 03	SIP .13511620 03	CPT .91435990 02	SIN .91067452 02	D1 .19296782 00
REP .12453954 06	VEP .22072379 01	CPE .96902783 02	CPS .76850915 02	D2 .13838687 00	D3 .12654446-02

HELIOCENTRIC 0 DAYS 12 HRS. 40 MIN. 4.000 SEC. 235666476470202000000000 J.D.= 2438605.75000000 JULY 29,1964 06 00 00.000
TFL 0 DAYS 13 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC

X .12502680 06	Y .42477865 05	Z .23019992 04	DX .17853263 01	DY .11093403 01	DZ .29896470 00
R .13206578 06	DEC .99875636 00	RA .18765196 02	V .21230651 01	PTH .75153830 02	AZ .61059467 02
XS .89401293 08	YS .11264690 09	ZS .48823607 08	DXS -.23582299 02	DYS -.15939885 02	DZS -.69357291 01
XM .38358024 06	YM .90776332 04	ZM .34039613 05	DXM -.30045901-01	DYM .93523166 00	DZM .40580625 00
XT .38358024 06	YT .90776332 04	ZT .34039613 05	DXT -.30045901-01	DYT .93523166 00	DZT .40580625 00
RS .15188116 09	VS .29326328 02	RM .38519462 06	VM .10199214 01	RT .38519462 06	VT .10199214 01
GED .10055613 01	ALT .12568758 06	LOS .10660014 03	RAS .12847774 03	RAM .13556832 01	LDM .33947808 03
DUT .35000000 02	DT .95999999 03	DR .20521914 01	SHA .12539734 06	DES .18751197 02	DEM .-50698359 01

HELIOCENTRIC 0 DAYS 12 HRS. 40 MIN. 4.000 SEC. 235666476470202000000000 J.D.= 2438605.75000000 JULY 29,1964 06 00 00.000
TFL 0 DAYS 13 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC

X .89611239 08	Y -11254687 09	Z -48821305 08	DX .25367625 02	DY .17103225 02	DZ .72346938 01
R .15192265 09	LAT -18744969 02	LOK .30852725 03	V .31438472 02	PTH .-58748163-01	AZ .75956160 02
XE .89486213 08	YE -11258934 09	ZE -48823607 08	DXE .23582299 02	DYE .15939885 02	DZE .69357291 01
XT .89869793 08	YT -11258027 09	ZT -48857646 08	DXT .23552253 02	DYT .16929116 02	DZT .73415354 01
LTE -18751197 02	LOE .30847774 03	LTT -18735261 02	LDT .30859942 03	RST .15211169 09	VST .29919922 02
EPS .11667535 02	ESP .45863470-01	SEP .10875167 03	EPH .15245999 03	EMP .911212867 01	MEP .18418713 02
MPS .13586939 03	MSP .67810450-01	SMP .44061568 02	SEM .12670206 03	EMS .53181608 02	ESM .11556174 00
RPM .26322265 06	SPN .68899408 02				
GCE .10210157 03	GCT .28160485 03	SIP .13549173 03	CPT .91537429 02	SIN .91159768 02	D1 .19774564 00
REP .13206578 06	VEP .21230651 01	CPE .97022681 02	CPS .76855113 02	D2 .14274988 00	D3 .13648570-02

HELIOCENTRIC 0 DAYS 12 HRS. 40 MIN. 4.000 SEC. 235666476470202000000000 J.D.= 2438605.75000000 JULY 29,1964 06 00 00.000
TFL 0 DAYS 13 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC

X .13131918 06	Y .46442489 05	Z .33753994 04	DX .17118100 01	DY .10837566 01	DZ .29730888 00
R .13932477 06	DEC .13882308 01	RA .19469883 02	V .22072739 01	PTH .75418191 02	AZ .61072365 02
XS .89571086 08	YS .11253174 09	ZS .48798629 08	DXS -.23570209 02	DYS -.16009238 02	DZS -.69423756 01
XM .38345452 06	YM .12443873 05	ZM .32577221 05	DXM -.39796321-01	DYM .93488721 00	DZM .40662782 00
XT .38345452 06	YT .12443873 05	ZT .32577221 05	DXT -.39796321-01	DYT .93488721 00	DZT .40662782 00
RS .15188047 09	VS .29326558 02	RM .38503700 06	VM .10202666 01	RT .38503700 06	VT .10202666 01
GED .13976876 01	ALT .13294657 06	LOS .91599824 02	RAS .12851849 03	RAM .18587139 01	LDM .32494005 03
DUT .35000000 02	DT .19200000 04	DR .19817747 01	SHA .13285507 06	DES .18741334 02	DEM .-48534862 01

HELIOCENTRIC EQUATORIAL COORDINATES

X .89720405 08	Y -.11248531 09	Z -.48795253 08	DX .25282019 02	DY .17092994 02	DZ .72398645 01
R .15192249 09	LAT -.18734614 02	LN .30857092 03	V .13165011 02	PTH -.97579496-01	AZ .75927051 02
XE .89571086 08	YE -.11253174 09	ZE -.48798629 08	DXE .23570209 02	DYE .16009238 02	DZE .69423756 01
XT .89954540 08	YT -.11251929 09	ZT -.488031205 08	DXT .23530412 02	DYT .16944125 02	DZT .73490033 01
LTE -.18741334 02	LOE .30851849 03	LTT -.18725192 02	LOT .30864089 03	RST .15210818 09	VST .29913066 02
EPS -.72420751 02	ESP .47949227-01	SEP .10752914 03	EPN .15133598 03	EMP .99953578 01	MEP .18668654 02
MPS .13624169 03	MSP .466719594-01	SMP .43691371 02	SEM .12619690 03	EMS .53686057 02	ESM .11703392 00
RPM .25694266 06	SPN .69786952 02				
GCE .10198383 03	GCT .28162160 03	SIP .13585479 03	CPT .91634609 02	SIN .91247717 02	D1 .20257900 00
REP .13932477 06	VEP .20477339 01	CPE .97128369 02	CPS .76859295 02	D2 .14716213 00	D3 .14319009-02

0 DAYS 13 HRS. 40 MIN. 4.000 SEC. 23566650C27420200000000 J.D.= 2438605.79166666 JULY 29,1964 07 00 00.000
TFL 0 DAYS 14 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC EQUATORIAL COORDINATES

X .13736079 06	Y .50282966 05	Z .44422671 04	DX .16457714 01	DY .10598851 01	DZ .29535378 00
R .14634239 06	DEC .17394963 01	RA .20105907 02	V .19796852 01	PTH .75648275 02	AZ .61087704 02
XS -.89655919 08	YS .11247408 09	ZS .48773624 08	DXS -.23558106 02	DYS -.16024585 02	DZS -.69490191 01
XM .38329368 06	YM .15808725 05	ZM -.31111934 05	DXM -.49555712-01	DYM .93445717 00	DZM .40741333 00
XT .38329368 06	YT .15808725 05	ZT -.31111934 05	DXT -.49555712-01	DYT .93445717 00	DZT .40741333 00
RS .15187978 09	VS .29326789 02	RM .38487905 06	VM .10206133 01	RT .38487909 06	VT .10206133 01
GED .17513433 01	ALT .13996421 06	LOS .76599500 02	RAS .12855923 03	RAM .23617949 01	LDM .31040206 03
DUT .35000000 02	DT .19200000 04	DR .19179046 01	SHA .14005888 06	DES .18731462 02	DEM -.46365979 01

HELIOCENTRIC EQUATORIAL COORDINATES

X .89793279 08	Y -.11242379 09	Z -.48769181 08	DX .25203877 02	DY .17084470 02	DZ .72443729 01
R .15192227 09	LAT -.18724260 02	LN .30861448 03	V .31298490 02	PTH -.13091338 00	AZ .75899603 02
XE .89655919 08	YE -.11247408 09	ZE -.48773624 08	DXE .23558106 02	DYE .16024585 02	DZE .69490191 01
XT .89954540 08	YT -.11251929 09	ZT -.488031205 08	DXT .23530412 02	DYT .16944125 02	DZT .73490033 01
LTE -.18731462 02	LOE .30855923 03	LTT -.18715114 02	LGT .30868236 03	RST .15210465 09	VST .29906156 02
EPS -.72420751 02	ESP .51869734-01	SEP .10685079 03	EPN .15030056 03	EMP .10858536 02	MEP .18840895 02
MPS .13660238 03	MSP .63719410-01	SMP .43332694 02	SEM .12569132 03	EMS .54190928 02	ESM .11724273 00
RPM .25086961 06	SPN .70598487 02				
GCE .10187946 03	GCT .28163909 03	SIP .13620611 03	CPT .91727888 02	SIN .91331629 02	D1 .20748326 00
REP .14634239 06	VEP .19796852 01	CPE .97222514 02	CPS .76863466 02	D2 .15163549 00	D3 .15210205-02

0 DAYS 14 HRS. 40 MIN. 4.000 SEC. 23566650Z1C0202000000000 J.D.= 2438605.83333333 JULY 29,1964 08 00 00.000
TFL 0 DAYS 15 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC EQUATORIAL COORDINATES

X .14317620 06	Y .54057874 05	Z .55017041 04	DX .15895968 01	DY .10375227 01	DZ .29319434 00
R .15314028 06	DEC .20588452 01	RA .20684626 02	V .19177266 01	PTH .75849983 02	AZ .61104602 02
XS -.89740704 08	YS .11241636 09	ZS .48740898 08	DXS -.23545993 02	DYS -.16039925 02	DZS -.69556597 01
XM .38309771 06	YM .19171862 05	ZM -.29643890 05	DXM -.59323158-01	DYM .93394135 00	DZM .40816265 00
XT .38309771 06	YT .19171862 05	ZT -.29643890 05	DXM -.59323158-01	DYM .93394135 00	DZM .40816265 00
RS .15187909 09	VS .29327021 02	RM .38487906 06	VM .10206115 01	RT .38472090 06	VT .10206115 01
GED .20728636 01	ALT .14676210 06	LOS .61599175 02	RAS .12859997 03	RAM .28649386 01	LDM .29586414 03
DUT .35000000 02	DT .19200000 04	DR .18959408 01	SHA .14703179 06	DES .18721582 02	DEM -.44191904 01

HELIOCENTRIC EQUATORIAL COORDINATES

X .89883880 08	Y -.11236230 09	Z -.48743096 08	DX .25131949 02	DY .17077447 02	DZ .72488540 01
R .15192198 09	LAT -.18713910 02	LN .30865795 03	V .31237797 02	PTH -.15979996 00	AZ .75873531 02
XE .89740704 08	YE -.11241636 09	ZE -.48740898 08	DXE .23545993 02	DYE .16039925 02	DZE .69556597 01
XT .90123801 08	YT -.11239719 09	ZT -.48787242 08	DXT .23486669 02	DYT .16973866 02	DZT .73638222 01
LTE -.18721582 02	LOE .30859997 03	LTT -.18705031 02	LOT .30872380 03	RST .15210110 09	VST .29899191 02
EPS .73707238 02	ESP .55451057-01	SEP .10623731 03	EPN .14934044 03	EMP .11711433 02	MEP .18948115 02
MPS .13695213 03	MSP .61770341-01	SMP .42984873 02	SEM .12518533 03	EMS .54696225 02	ESM .11786692 00
RPM .24497873 06	SPN .71320289 02				
GCE .10178610 03	GCT .28165718 03	SIP .13654634 03	CPT .91817574 02	SIN .91411787 02	D1 .21247275 00
REP .15314028 06	VEP .19177266 01	CPE .97307128 02	CPS .76867627 02	D2 .15618124 00	D3 .16145788-02

0 DAYS 15 HRS. 40 MIN. 4.000 SEC. 2356665037042020000000000 J.D.= 2438605.87500000 JULY 29,1964 09 00 00.000
TFL 0 DAYS 16 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC EQUATORIAL COORDINATES

X .14878597 06	Y .57754737 05	Z .65531033 04	DX .15313925 01	DY .10164977 01	DZ .29089677 00
R .15973672 06	DEC .23511842 01	RA .21214883 02	V .18609276 01	PTH .76027860 02	AZ .61122447 02
XS -.89825452 08	YS .11235859 05	ZS .48723545 08	DXS -.23533866 02	DYS -.16055259 02	DZS -.69622974 01
XM .38286655 06	YM .22533003 05	ZM -.28173205 05	DXM -.69097876-01	DYM .93333960 00	DZM .40887559 00
XT .38286655 06	YT .22533003 05	ZT -.28173205 05	DXM -.69097876-01	DYM .93333960 00	DZM .40887559 00
RS .15187839 09	VS .29327253 02	RM .38456243 06	VM .10213112 01	RT .38456243 06	VT .10213112 01
GED .23671888 01	ALT .15335854 06	LOS .46598846 02	RAS .12864071 03	RAM .33681669 01	LDM .28132631 03
DUT .35000000 02	DT .19200000 04	DR .18058688 01	SHA .15379327 06	DES .18711692 02	DEM -.42012766 01

HELIOCENTRIC EQUATORIAL COORDINATES

X .89974237 08	Y -.11230083 09	Z -.48716991 08	DX .25065259 02	DY .17071757 02	DZ .72531942 01
R .15192164 09	LAT -.18703559 02	LN .30870134 03	V .31182060 02	PTH -.18503665 00	AZ .75848618 02
XE .89825452 08	YE -.11235859 05	ZE -.48723545 08	DXE .23533866 02	DYE .16055259 02	DZE .69622974 01
XT .90209318 08	YT -.11235605 09	ZT -.48751718 08	DXT .23444768 02	DYT .16988599 02	DZT .73711730 01
LTE -.18711692 02	LOE .30864671 03	LTT -.18694538 02	LOT .30874523 03	RST .15209753 09	VST .29892773 02
EPS .74263292 02	ESP .57674939-01	SEP .10567870 03	EPN .14844513 03	EMP .12554664 02	MEP .19000217 02
MPS .13729156 03	MSP .60165642-01	SMP .42647307 02	SEM .12467892 03	EMS .55201948 02	ESM .11889995 00
RPM .23924925 06	SPN .71974967 02				
GCE .10170195 03	GCT .28167573 03	SIP .13687605 03	CPT .91903935 02	SIN .91488431 02	D1 .21756126 00
REP .15973672 06	VEP .18609276 01	CPE .97383762 02	CPS .76871777 02	D2 .16081042 00	D3 .17129640-02

0 DAYS 16 HRS. 40 MIN. 4.000 SEC. 2356665055102020000000000 J.D.= 2438605.91666666 JULY 29,1964 10 00 00.000
TFL 0 DAYS 17 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC EQUATORIAL COORDINATES

X .15420759 06	Y .61378092 05	Z .75960550 04	DX .14813088 01	DY .99666358 00	DZ .28850785 00
R .16614737 06	DEC .26204046 01	RA .21703671 02	V .18085493 01	PTH .76185527 02	AZ .61140798 02
XS -.89910155 08	YS .11230076 09	ZS .48698467 08	DXS -.23521729 02	DYS -.16070587 02	DZS -.69689323 01
XM .38260020 06	YM .25891824 05	ZM -.26700020 05	DXM -.78878950-01	DYM .93265176 00	DZM .40955202 00
XT .38260020 06	YT .25891824 05	ZT -.26700020 05	DXM -.78878950-01	DYM .93265176 00	DZM .40955202 00
RS .15187770 09	VS .29327487 02	RM .38440368 06	VM .10216624 01	RT .38440368 06	VT .10216624 01
GED .26382369 01	ALT .15976921 06	LOS .31598511 02	RAS .12868144 03	RAM .38719316 01	LDM .26678854 03
DUT .35000000 02	DT .19200000 04	DR .17562353 01	SHA .16035997 06	DES .18701792 02	DEM -.39828728 01

JPL TECHNICAL REPORT NO. 32-694

HELIOCENTRIC				EQUATORIAL COORDINATES			
X .90064362 08	Y -1.1223938 09	Z -4.48690871 08	DX .25003038 02	DY -1.7067250 02	DZ .72574401 01		
R .15192125 09	LAT -1.8693208 02	LN .30874464 03	V -3.1130585 02	PTH -2.0723733 00	AZ .75826492 02		
XE .89910155 08	YE -1.1230076 09	ZE -4.48698467 08	DXE .23521729 02	DYE -1.6070587 02	DZE .69689323 01		
XT .90292755 08	YT -1.1227486 09	ZT -4.48725168 08	DXT -.23442950 02	DYT -1.7003238 02	DZT -.73784843 01		
LTE -.18701792 02	LDE .30868144 03	LTT -.18684836 02	LDT .30880665 03	RST -1.5209394 09	VST -.29885102 02		
EPS .74772452 02	ESP .59347024-01	SEP .10516707 03	EPM .14760627 03	EMP -1.3388677 02	NEP -1.9005045 02		
MPS .13762122 03	MSP .58933450-01	SMP .42319448 02	SEM -1.2417209 03	EMS .55780100 02	ESM -1.1951548 00		
RPM .23366361 06	SPN .72572464 02						
GCE .10162561 03	GCT .28169465 03	SIP .13719578 03	CPT .91987205 02	SIN .91561767 02	D1 .22276227 00		
REP .16614737 06	VEP .18085493 01	CPE .97453627 02	CPS .76875922 02	DZ .18165398 00	D3 .18165398-02		
0 DAYS 17 HRS. 7 MIN. 13.000 SEC.				235666506337202200000000 J.D. = 2438605.93552083 JULY 29, 1964 10 27 09.000			
				TFL 0 DAYS 17 HRS. 37 MIN. 1.127 SEC.			
GEOCENTRIC				EQUATORIAL COORDINATES			
X .15660314 06	Y .62994607 05	Z -.80813795 04	DX .14599478 01	DY -.98804557 00	DZ .28740624 00		
R .16899086 06	DEC -.27354959 01	RA -2.10217772 02	V .17861366 01	PTH .76251031 02	AZ .61149168 02		
XS -.89946465 08	YS .11227458 09	ZS .48687116 08	DXS -.23516234 02	DYS -.16077519 02	DZS -.69719336 01		
XM .38246810 06	YM .27410829 05	ZM -.26032624 05	DXM -.83306693-01	DYM .93231218 00	DZM .40984608 00		
XT .38246810 06	YT .27410829 05	ZT -.26032624 05	DXT -.83306693-01	DYT .93231218 00	DZT .40984608 00		
RS .15187739 09	VS .29327593 02	RM .38433176 06	VM .10218218 01	RT .38433176 06	VT .10218218 01		
GED .27541091 01	ALT .18261270 06	LDS .24810858 02	RAS .12869987 03	RAM .40992793 01	LDM .26021027 03		
DUT .35000000 02	DT .19200000 04	DR .17349573 01	SHA .16327133 06	DES .18697310 02	DEM -.38838905 01		
HELIOCENTRIC				EQUATORIAL COORDINATES			
X .90105068 08	Y -1.1221158 09	Z -4.48679050 08	DX .24976181 02	DY -1.7065565 02	DZ .72593398 01		
R .15192107 09	LAT -1.8688525 02	LN .30876420 03	V .31108538 02	PTH -2.1641881 00	AZ .75814153 02		
XE .89948465 08	YE -1.1227458 09	ZE -4.48687116 08	DXE .23516234 02	DYE -1.6077519 02	DZE .69719336 01		
XT .90330933 08	YT -1.1234766 09	ZT -4.4871148 08	DXT -.2343927 02	DYT -1.7009831 02	DZT -.73817797 01		
LTE -.18697310 02	LDE .30869986 03	LTT -.18680264 02	LDT .30882538 03	RST -1.5209232 09	VST -.29881885 02		
EPS .74789193 02	ESP .61373100-01	SEP .10494923 03	EPM .14724336 03	EMP .13763194 02	NEP -1.8993440 02		
MPS .13776732 03	MSP .58933450-01	SMP .42174144 02	SEM -1.2394261 03	EMS .55937274 02	ESM .12012787 00		
RPM .23117924 06	SPN .72826240 02						
GCE .10159332 03	GCT .28170332 03	SIP .13733730 03	CPT .92023927 02	SIN .91593917 02	D1 .22515631 00		
REP .16899086 06	VEP .17861366 01	CPE .97483286 02	CPS .76877794 02	DZ .16770539 00	D3 .18659308-02		
2 DAYS 19 HRS. 23 MIN. 44.933 SEC.				23566636637202167332511 J.D. = 2438608.03033487 JULY 31, 1964 12 43 40.933			
				TFL 2 DAYS 19 HRS. 53 MIN. 33.060 SEC.			
GEOCENTRIC				EQUATORIAL COORDINATES			
X .32423682 06	Y .18747958 06	Z .48415612 05	DX .11899592 01	DY -.10553151 01	DZ -.28984795 03		
R .37765352 06	DEC .73656563 01	RA -3.0037273 02	V .16166956 01	PTH .16552819 02	AZ .25687876 02		
XS .37765351 06	LAT .73656563 01	LN .24995051 03	VE .28826744 02	PTE .91551257 00	AZE .26930065 03		
XS -.94148619 08	YS .10929542 09	ZS .47395290 08	DXS -.22890601 02	DYS -.16839264 02	DZS -.73016810 01		
XM .32335553 06	YM .18600810 06	ZM .48150340 05	DXM -.56216485 00	DYM .78362970 00	DZM .39332854 00		
XT .32335553 06	YT .18600810 06	ZT .48150340 05	DXT -.56216485 00	DYT .78362970 00	DZT .39332854 00		
RS .15184125 09	VS .29340329 02	RM .37613331 06	VM .10415432 01	RT .37613331 06	VT .10415432 01		
GED .74152949 01	ALT .37127567 02	LDS .35065531 03	RAS .13074207 03	RAM .29909375 02	LDM .24982261 03		
DUT .35000000 02	DT .59999999 02	DR .46059519 00	SHA .37419654 06	DES .18188070 02	DEM .73548466 01		
HELIOCENTRIC				EQUATORIAL COORDINATES			
X .94472856 08	Y -1.0910794 09	Z -4.7346875 08	DX .24080560 02	DY .15783949 02	DZ .70118330 01		
R .15189269 09	LAT -1.8162472 02	LN .31088817 03	V .29633970 02	PTH .28119137 01	AZ .74607190 02		
XE .94148619 08	YE -1.0929542 09	ZE -4.7395290 08	DXE .22890601 02	DYE .16839264 02	DZE .73016810 01		
XT .94471975 08	YT -1.0910941 09	ZT -4.7347141 08	DXT .22328436 02	DYT .17622893 02	DZT .76950095 01		
LTE -.18188070 02	LDE .31074208 03	LTT -.18162504 02	LDT .31088753 03	RST .15189328 09	VST .29467585 02		
EPS .82100467 02	ESP .14162006 00	SEP .97758377 02	EPM .28784700 02	EMP .15108799 03	NEP .12724677 00		
MPS .10992753 03	MSP .27453512-18	SMP .70071851 02	SEM .97881501 02	EMS .81977955 02	ESM .14075386 00		
RPM .17355999 04	SPN .81132781 02						
GCE .10048671 03	GCT .10796722 03	SIP .21434090 02	CPT .11102878 03	SIN .22535339 02	D1 .11406909 04		
REP .37765352 06	VEP .16166956 01	CPE .98337669 02	CPS .77086569 02	DZ .16978404 03	D3 .15724741 05		
SELENCENTRIC				EQUATORIAL COORDINATES			
X .88129493 03	Y .14714812 04	Z .26527224 03	DX .17521241 01	DY -.18389448 01	DZ -.68317650 00		
R .17355999 04	DEC .87916512 01	RA .59081898 02	V .26302826 01	PTH -.17109632 02	AZ .25685680 03		
RS .17355998 04	LAT -.12166318 02	LN .20340645 03	VP .26346417 01	PTP -.17080452 02	AZP .26757569 03		
LTS .9422630 00	LNS .27278050 03	LNE .58681954 01	LNE .35481263 03				
ALT .59994507 00	SHA -.16316736 04	ALP .17580840 03	DR -.77383181 00	DP .82988284-01	ASD .88493441 02		
HGE .22788953 03	SVL -.70362778 01	HNG .24991503 03	SIA -.59708741 02				
SELENCENTRIC CCNIC				EQUATORIAL COORDINATES			
EPOCH OF PERICENTR PASSAGE				23566636756202325760311 J.D. = 2438608.03400082 JULY 31, 1964 12 48 57.672			
SMA -.38639872 04	ECC .14159395 01	B .38734127 04	SLR .38828616 04	APD .00000000 00	RCA .16071850 04		
WH .11264181 01	C3 .12688178 01	C1 .43630625 04	TFF -.31673861 03	TF .67483795 02	LTF .67152395 02		
TA -.29101803 02	NTA .13493020 03	EA -.12389662 02	PA -.52903887 01	C3J -.19274104 01	TFFI .67395814 02		
ZAE .13386468 03	ZAP .14411525 03	ZAC .93066534 02	DEF .89860404 02	TR .40519452 04	GP .83246857 00		
OP1 .78995323 01	OY -.26064495 01	OP2 .26957408 02					
ALL VECTORS REFERENCED TO EARTH EQUATOR PLANE				EQUATORIAL COORDINATES			
X .88129493 03	Y .14714812 04	Z .26527224 03	DX .17521241 01	DY -.18389448 01	DZ -.68317650 00		
INC .15423059 03	LAN .20587461 03	APF .17487574 03	PK .85328472 00	MY -.47053737 00	HZ -.22471383 00		
WX -.11859938 00	NW .29452206 00	HZ -.96236326 00	PK .85867921 00	PV .51193922 00	PZ .24254143 01		
QX .49860216 00	QY -.82348481 00	QZ -.27068185 00	RX -.17003426 00	PY .39245544-01	RZ -.98465634 00		
BX .25578187 00	BY .94401832 00	BZ .20833882 00	TX -.22489689 00	TY -.97438257 00	TZ .00000000 00		
SXI .95943198 00	SYI -.22144615 00	SZI -.17450462 00	DAI -.10049833 02	RAI .34700318 03			
SXD -.25344359 00	SYD .94455504 00	SZO -.20876335 00	DAO -.12049891 02	RAO .25498014 03			
ETE .20052762 03	ETD .17164485 02	ETC .30508904 03					
BTQ -.37897169 04	BRQ -.81955720 03	B .38734127 04	THA .19221527 03				

ALL VECTORS REFERENCED TO ORBIT PLANE OF TARGET																	
X	-.73515624	03	Y	-.15509747	04	Z	-.25754600	03	DX	-.19492724	01	DY	.17469618	01	DZ	.25854990	00
INC	.17084982	03	LAN	.17595697	03	APF	.32017221	03	MX	.86127904	00	MY	-.50302756	00	MZ	-.71041039	-01
WX	-.11211956	-01	WY	-.15862682	00	WZ	-.98727494	00	PX	-.81064478	00	PY	-.57661202	00	PZ	-.10185110	00
QX	-.58543090	00	QY	.80147123	00	QZ	.12212505	00	RX	-.14341097	-01	RY	.23275524	-02	RZ	-.99989443	00
BX	-.16045259	00	BY	-.97425761	00	BZ	-.15835748	00	TX	.16020322	00	TY	.98708405	00	TZ	.00000000	00
SXI	-.98697986	00	SVI	.16018631	00	SZI	.14528749	-01	DAI	.83246516	00	RAI	.17078130	03			
SXD	.15804769	00	SYD	.97464496	00	SZD	.15839240	00	DAO	.91135981	01	RAO	.80789132	02			
ETE	.16270409	03	ETS	.32633398	03	ETC	.26124023	03									
BTO	-.38245276	04	BRC	.61344869	03	B	.38734133	04	THA	.17088745	03						
ALL VECTORS REFERENCED TO TRUE LUNAR EQU. PLANE																	
X	-.15570033	04	Y	-.67398376	03	Z	-.36577796	03	DX	-.28293685	00	DY	.26143560	01	DZ	.58949589	-01
INC	.16759721	03	LAN	.10202748	03	APF	.28798169	03	MX	.83487689	00	MY	-.52803198	00	MZ	.15537392	00
WX	.21006774	00	WY	.44756613	-01	WZ	-.97666186	00	PX	-.97289418	00	PY	.10835946	00	PZ	-.20429167	00
QX	.96687149	-01	QY	.99210374	00	QZ	-.66306277	-01	RX	.60505079	-01	RY	-.76247537	-01	RZ	-.99525142	00
BX	-.75706221	00	BY	-.62465972	00	BZ	-.19146033	00	TX	.78333312	00	TY	.62160215	00	TZ	.00000000	00
SXI	-.61865041	00	SVI	.77961340	00	SZI	-.97337307	-01	DAI	-.55858627	01	RAI	.12843322	03			
SXD	.75555311	00	SYD	.62655671	00	SZD	.19122267	00	DAO	.11024147	02	RAO	.39667863	02			
ETE	.51934452	00	ETS	.18133279	03	ETC	.25517839	03									
BTT	-.38010655	04	BRT	.74514347	03	B	.38734142	04	THA	.16890865	03						
615457037246	615405732311	613546531003	203702012004	1956000		603671143305	603462416420	000000000000									

APPENDIX C

Ranger VII space trajectory for postmaneuver orbit

SPACE TRAJECTORY
RA-7 POST MIDCOURSE ORBIT

GHE .39860138 06 J .16234500-02 H -.57499999-05 D .78749999-05 RE .63781650 04 REM .63783079 04
G .66709998-19 A .88782497 29 B .88800499 29 C .88837498 29 DME .41780741-02 AU .14959900 09
GMH .49025900 04 GMS .13271544 12 GMV .32476550 06 GHA .42977799 05 GMC .37918700 08 GMJ .12671660 09
EGM .39860320 06 MGM .49027779 04 JA .29200000-02 HA .00000000 00 DA .00000000 00 RA .34170000 04
ARA .35670000 01 GB .39224636 00 MA .37410000 03 MAS .37410000 03 GB1 .00000000 00 SB .10200000 09

INJECTION CONDITIONS NOON 235666506353202400000000 J.D.= 2438605.93608796 JULY 29,1964 10 27 58.000

GEOCENTRIC XO .15667452 06 YO .63041633 05 ZO .80776772 04 DXO .14342616 01 DYO .97257020 00 DZO .28116151 00
CARTESIAN GMC .00000000 00 SGC .00000000 00 TO .37678000 05 GHA .10409373 03 GHD .30667227 03

0 DAYS 0 HRS. 0 MIN. 0.000 SEC. 235666506353202400000000 J.D.= 2438605.93608796 JULY 29,1964 10 27 58.000
TFL 0 DAYS 17 HRS. 37 MIN. 50.127 SEC.

GEOCENTRIC EQUATORIAL COORDINATES
X .15667451 06 Y .63041630 05 Z .80776771 04 DX .14342615 01 DY .97257015 00 DZ .28116150 00
R .16907512 06 DEC .27383859 01 RA .21918536 02 V .17555770 01 PTH .76231923 02 AZ .61412209 02
R .16907512 06 LAT .27383859 01 LCN .27782480 03 VE .12070910 02 PTE .81207516 01 AZE .27095862 03
XS -.89949617 08 YS .11227379 09 ZS .48686774 08 DXS -.23516068 02 DYS -.16077728 02 DZS -.69720238 01
XM .38246389 06 YM .27456503 05 ZM -.26012533 05 DXM -.83439898-01 DYM .93230139 00 DZM .40985468 00
XT .38246389 06 YT .27456503 05 ZT -.26012533 05 DXT -.83439898-01 DYT .93230139 00 DZT .40985468 00
RS .15187738 09 YS .29327596 02 RM .38432947 06 VM .10218263 01 RT .38432947 06 VT .10218263 01
GED .27570187 01 ALT .16269697 06 LOS .24066686 02 RAS .12870042 03 RAM .41061312 01 LOM .26001239 03
DUT .35000000 02 DT .48000000 03 DR .17051341 01 SHA .16335720 06 DES .18697176 02 DEM -.38809100 01

GEOCENTRIC CCNIC EQUATORIAL COORDINATES
EPOCH OF PERICENTER PASSAGE 235666450062202626540000 J.D.= 2438605.21642566 JULY 28,1964 17 11 39.177
SMA .24408705 06 ECC .97401691 00 B .55279668 05 SLR .12519482 05 APD .48183196 06 PCA .63421350 04
VH .14661113 00 C3 -.16330296 01 C1 .70641933 05 TFP .62178823 05 TF -.17271895 02 PER .20002134 05
TA .16192552 03 MTA .00000000 00 EA .71608135 02 MA .18651656 02 C3J -.20370907 01 TFI .00000000 00

ALL VECTORS REFERENCED TO EARTH EQUATOR PLANE
X .15667451 06 Y .63041630 05 Z .80776771 04 DX .14342615 01 DY .97257015 00 DZ .28116150 00
INC .28707653 02 LAN .16908152 02 APF .20378266 03 MX .34898679 00 MY .80607913 00 MZ .47795822 00
WX .13970132 00 WY .-45957602 00 WZ .87708201 00 PX .-77265534 00 PY .-60455082 00 PZ .-19370604 00
QX .61926340 00 QY .-65662103 00 QZ .-43955038 00 RX .15295570 00 RY .11936598 00 RZ .-98105660 00
BX .-61926358 00 BY .65062122 00 BZ .43955038 00 TX .-61622231 00 TY .78757226 00 TZ .00000000 00
DAP .-11169144 02 RAP .21804679 03
BTQ .49420867 05 BRQ .-24767310 05 B .55279668 05 C5 THA .33398222 03

HELIOCENTRIC EQUATORIAL COORDINATES
X .90106291 08 Y -.11221075 09 Z -.48678696 08 DX .24950329 02 DY .17050298 02 DZ .72531853 01
R .15192106 09 LAT .-18688384 02 LON .30876480 03 V .31077970 02 PTH .-21990135 00 AZ .75813411 02
XE .89949617 08 YE -.11227379 09 ZE -.48686774 08 DXE .23516068 02 DYE .16077728 02 DZE .69720238 01
XT .90332080 08 YT .-11224633 09 ZT -.48712787 08 DXT .23432628 02 DYT .17010029 02 DZT .73818785 01
LTS .-18697176 02 LXE .30870042 03 LETT .-18680127 02 LOT .30882594 03 RST .15209227 09 VST .29881788 02
EPS .74995023 02 EYP .60570802-01 SEP .10494336 03 EPM .14723360 03 EMP .13773992 02 MEP .18922397 02
MPS .13777124 03 MSP .57674939-01 SMP .42170244 02 SEM .12393571 03 EMS .55944169 02 ESM .11992408 00
RPM .23110450 06 SPN .72833151 02
GPE .10159271 03 GCT .28117032 01 STP .13734109 03 CPT .92025127 02 SIN .91594978 02 D1 .22522914 00
REC .16907512 06 VEP .17555770 01 CPE .97484329 02 CPT .76877848 02 D2 .16777019 00 D3 .18667930-02

0 DAYS 0 HRS. 32 MIN. 2.000 SEC. 235666507314202000000000 J.D.= 2438605.95833333 JULY 29,1964 11 00 00.000
TFL 0 DAYS 18 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC EQUATORIAL COORDINATES
X .15940771 06 Y .64901358 05 Z .86168121 04 DX .14100239 01 DY .96267305 00 DZ .27985019 00
R .17232891 06 DEC .28661053 01 RA .22153237 02 V .17300933 01 PTH .76296975 02 AZ .61421977 02
R .17232891 06 LAT .28661053 01 LCN .27022925 03 VE .12307687 02 PTE .78493600 01 AZE .27092133 03
XS -.89994810 08 YS .11224288 09 ZS .48673370 08 DXS -.23509580 02 DYS -.16085906 02 DZS .-69755662 01
XM .38229850 06 YM .29247986 05 ZM -.25224465 05 DXM .-88665452-01 DYM .93187739 00 DZM .41019167 00
XT .38229850 06 YT .29247986 05 ZT -.25224465 05 DXT .-88665452-01 DYT .93187739 00 DZT .41019167 00
RS .15187701 09 YS .29327722 02 RM .38424454 06 VM .10220148 01 RT .38424454 06 VT .10220148 01
GED .28856042 01 ALT .16595076 06 LOS .16598171 02 RAS .12872216 03 RAM .43742552 01 LOM .25225093 03
DUT .35000000 02 DT .20000000 01 DR .16888490 01 SHA .16668788 06 DES .18691886 02 DEM .-37639968 01

HELIOCENTRIC EQUATORIAL COORDINATES
X .90154217 08 Y -.11217798 09 Z -.48664754 08 DX .24919604 02 DY .17048579 02 DZ .72554144 01
R .15192083 09 LAT .-18682863 02 LON .30878784 03 V .31052886 02 PTH .-23016115 00 AZ .75801190 02
XE .89994810 08 YE .-11224288 09 ZE .-48673370 08 DXE .23509580 02 DYE .16085906 02 DZE .69755662 01
XT .90377108 08 YT .-11221363 09 ZT .-48698954 08 DXT .23420915 02 DYT .17017784 02 DZT .73857559 01
LTS .-18691886 02 LXE .30872216 03 LETT .-18674727 02 LOT .30884805 03 RST .15209035 09 VST .29877979 02
EPS .75236712 02 EYP .63334395-01 SEP .10470042 03 EPM .14683203 03 EMP .14203434 02 MEP .18964535 02
MPS .13793101 03 MSP .57674939-01 SMP .42011374 02 SEM .12366484 03 EMS .56214681 02 ESM .12053439 00
RPM .22824701 06 SPN .73115676 02
GCE .10155817 03 GCT .28111135 03 STP .13749567 03 CPT .92066024 02 SIN .91630400 02 D1 .22804901 00
REP .17232891 06 VEP .17300933 01 CPE .97518579 02 CPS .76880056 02 D2 .17030467 00 D3 .19245283-02

0 DAYS 1 HRS. 32 MIN. 2.000 SEC. 235666511120202000000000 J.D.= 2438606.00000000 JULY 29,1964 12 00 00.000
TFL 0 DAYS 19 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC EQUATORIAL COORDINATES
X .16440562 06 Y .68334626 05 Z .96198208 04 DX .13671075 01 DY .94484521 00 DZ .27737203 00
R .17830135 06 DEC .30927574 01 RA .22570458 02 V .16848296 01 PTH .76407958 02 AZ .61440191 02
R .17830135 06 LAT .30927574 01 LON .25540498 03 VE .12742325 02 PTE .73840781 01 AZE .27085830 03
XS -.90079426 08 YS .11218494 09 ZS .48648245 08 DXS .-23497419 02 DYS .-16101221 02 DZS .-69821934 01
XM .38196168 06 YM .32601234 05 ZM .-23746674 05 DXM .-98456609-01 DYM .93101695 00 DZM .-41079462 00
XT .38196168 06 YT .32601234 05 ZT .-23746674 05 DXT .-98456609-01 DYT .93101695 00 DZT .-41079462 00
RS .15187631 09 YS .29327957 02 RM .38408524 06 VM .10223690 01 RT .38408524 06 VT .10223690 01
GED .31137925 01 ALT .17192320 06 LOS .15978260 01 RAS .12876289 03 RAM .48784894 01 LOM .23771343 03
DUT .35000000 02 DT .48000000 03 DR .16376437 01 SHA .17279896 06 DES .18681896 02 DEM .-35446624 01

HELIOCENTRIC EQUATORIAL COORDINATES
X .90243831 08 Y -.11211660 09 Z -.48638625 08 DX .24864527 02 DY .17046066 02 DZ .72595654 01
R .15192036 09 LAT .-18672521 02 LON .30883095 03 V .31008295 02 PTH .-24778008 00 AZ .75778842 02
XE .90079426 08 YE .-11218494 09 ZE .-48648245 08 DXE .23497419 02 DYE .16101221 02 DZE .69821934 01
XT .90461387 08 YT .-11215234 09 ZT .-48671991 08 DXT .23398963 02 DYT .17032238 02 DZT .73929890 01
LTS .-18681968 02 LXE .30876289 03 LETT .-18664610 02 LOT .30888943 03 RST .15208672 09 VST .29870803 02
EPS .75663674 02 EYP .64860743-01 SEP .10427115 03 EPM .14611306 03 EMP .15000678 02 MEP .18886258 02
MPS .13822273 03 MSP .54625775-01 SMP .41721301 02 SEM .12315717 03 EMS .56721691 02 ESM .12073474 00
RPM .22298170 06 SPN .73613715 02
GCE .10149759 03 GCT .28112658 01 STP .13777691 03 CPT .92140429 02 SIN .91694611 02 D1 .23343300 00
REP .17830135 06 VEP .16848296 01 CPE .97578967 02 CPS .76884183 02 D2 .17513483 00 D3 .20371412-02

0 DAYS 2 HRS. 32 MIN. 2.000 SEC. 235666512724202000000000 J.D.= 2438606.04166666 JULY 29,1964 13 00 00.000
TFL 0 DAYS 20 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC EQUATORIAL COORDINATES
X .16925436 06 Y .71705259 C5 Z .10613874 05 DX .13270946 01 DY .92786752 00 DZ .27487869 00
R .18412316 06 DEC .33046760 C1 RA .22960133 02 V .16424605 01 PTH .76506319 02 AZ .61458153 02
R .18412316 06 LAT .33046769 01 LON .24075400 03 VE .13165986 02 PTE .69675186 01 AZE .27080284 03
XS -.90163993 08 YS .11212694 09 ZS .48623100 08 DXS -.23485247 02 DYS -.16116528 02 DZS -.69888195 01
XM .38158961 06 YM .35951212 05 ZM .22266784 05 DXM .10825144 00 DYM .93006999 00 DZM .41136063 00
XT .38158961 06 YT .35951212 05 ZT .22266784 05 DXT .10825144 00 DYT .93006999 00 DZT .41136063 00
RS .15187562 09 VS .29328192 02 RM .38925268 06 VM .10227248 01 RT .38925268 06 VT .10227248 01
GED .33271471 01 ALT .17774503 06 LOS .34659748 03 RAS .12880360 03 RAM .53821950 01 LOM .22317607 03
DUT .35000000 02 DT .95999599 03 DR .15971215 01 SHA .17875290 06 DES .18672043 02 DEM .-33248857 01

HELIOCENTRIC EQUATORIAL COORDINATES
X .90333247 08 Y -.11205524 09 Z -.48612485 08 DX .24812341 02 DY .17044395 02 DZ .72636981 01
R .15191986 09 LAT .-18662179 02 LON .30887400 03 V .30966514 02 PTH .-26356846 00 AZ .75757129 02
XE .90163993 08 YE .-11212694 09 ZE .-48623100 08 DXE .23485247 02 DYE .16116528 02 DZE .69888195 01
XT .90545582 08 YT .-11205939 09 ZT .-48645366 08 DXT .23376995 02 DYT .17046598 02 DZT .74001801 01
LTE .-18672043 02 LOE .30880360 03 LTT .-18654485 02 LOT .30890081 03 RST .15208308 09 VST .29863574 02
EPS .76064745 02 ESP .67448792-01 SEP .10387211 03 EPM .14543370 03 EMP .15788934 02 MEP .1877367 02
MPS .13850493 03 MSP .53265584-01 SMP .41440695 02 SEM .12264908 03 EMS .57229136 02 ESM .12154474 00
RPM .21782044 06 SPN .74075360 02 SIP .13804855 03 CPT .92212095 02 SIN .91755713 02 D1 .23896587 00
GCE .10144167 03 GCT .28174169 03 CPE .97634970 02 CPS .76888305 02 D2 .18008233 00 D3 .21559962-02
REP .18412316 06 VEP .16424605 01

0 DAYS 3 HRS. 32 MIN. 2.000 SEC.
235666514530202000000000 J.D. = 2438606.08333333 JULY 29,1964 14 00 00.000
TFL 0 DAYS 21 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC EQUATORIAL COORDINATES
X .17396378 06 Y .75016198 05 Z .11598946 05 DX .12894489 01 DY .91166118 00 DZ .27238246 00
R .18980348 06 DEC .35036438 01 RA .23236544 02 V .16026580 01 PTH .74593611 02 AZ .61475122 02
R .18980348 06 LAT .35035438 01 LON .22607935 03 VE .13579293 02 PTE .65924421 01 AZE .27075370 03
XS -.90284823 08 YS .11206890 09 ZS .48597927 08 DXS -.23473063 02 DYS -.16131829 02 DZS -.69954430 01
XM .38118227 06 YM .39297640 05 ZM .20784918 05 DXM .11804914 00 DYM .92903642 00 DZM .41188951 00
XT .38118227 06 YT .39297640 05 ZT .20784918 05 DXT .11804914 00 DYT .92903642 00 DZT .41188951 00
RS .15187492 09 VS .29328429 02 RM .3876587 06 VM .10230822 01 RT .3876587 06 VT .10230822 01
GED .35273526 01 ALT .18424535 06 LOS .33159713 03 RAS .12884432 03 RAM .58860606 01 LOM .20863881 03
DUT .35000000 02 DT .19200000 04 DR .15589856 01 SHA .18455932 06 DES .18662108 02 DEM .-31046812 01

HELIOCENTRIC EQUATORIAL COORDINATES
X .90422486 08 Y -.11199388 09 Z -.48586328 08 DX .24762711 02 DY .17043490 02 DZ .72678255 01
R .15191934 09 LAT .-18651833 02 LON .30891698 03 V .30927232 02 PTH .-27716586 00 AZ .75735979 02
XE .90284823 08 YE .-11206890 09 ZE .-48597927 08 DXE .23473063 02 DYE .16131829 02 DZE .69954430 01
XT .90629705 08 YT .-11202960 09 ZT .-48618711 08 DXT .23355014 02 DYT .17060865 02 DZT .74073325 01
LTE .-18662108 02 LOE .30884432 03 LTT .-18644352 02 LOT .30897216 03 RST .15207943 09 VST .29856294 02
EPS .76430557 02 ESP .69590554-01 SEP .10349883 03 EPM .14479018 03 EMP .16568528 02 MEP .18641284 02
MPS .13877795 03 MSP .51869734-01 SMP .41169223 02 SEM .12214056 03 EMS .57737013 02 ESM .12234704 00
RPM .21275346 06 SPN .74504874 02 SIP .13831070 03 CPT .92281166 02 SIN .91813916 02 D1 .24465751 00
GCE .10138996 03 GCT .28175661 03 CPE .97687113 02 CPS .76892424 02 D2 .18515836 00 D3 .22816197-02
REP .18980348 06 VEP .16026580 01

0 DAYS 4 HRS. 32 MIN. 2.000 SEC.
235666516334202000000000 J.D. = 2438606.12500000 JULY 29,1964 15 00 00.000
TFL 0 DAYS 22 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC EQUATORIAL COORDINATES
X .17854258 06 Y .78270077 05 Z .12575041 05 DX .12544879 01 DY .89615725 00 DZ .26989228 00
R .19535042 06 DEC .36907789 01 RA .23671862 02 V .15651452 01 PTH .76671132 02 AZ .61492798 02
R .19535042 06 LAT .36907789 01 LON .21138358 03 VE .13982807 02 PTE .62529698 01 AZE .27070989 03
XS -.90333006 08 YS .11201079 09 ZS .48572730 08 DXS -.23460866 02 DYS -.16147123 02 DZS -.70020634 01
XM .38073965 06 YM .42640190 05 ZM .19301216 05 DXM .12784878 00 DYM .92791609 00 DZM .41238116 00
XT .38073965 06 YT .42640190 05 ZT .19301216 05 DXT .12784878 00 DYT .92791609 00 DZT .41238116 00
RS .15187422 09 VS .29328667 02 RM .35360575 06 VM .10234412 01 RT .38360579 06 VT .10234412 01
GED .37158605 01 ALT .18897231 06 LOS .31659677 03 RAS .12888503 03 RAM .63901008 01 LOM .19410184 03
DUT .35000000 02 DT .19200000 04 DR .15229867 01 SHA .19022679 06 DES .18652164 02 DEM .-28840670 01

HELIOCENTRIC EQUATORIAL COORDINATES
X .90511548 08 Y -.11193252 09 Z -.48560154 08 DX .24715354 02 DY .17043280 02 DZ .72719557 01
R .15191879 09 LAT .-18641486 02 LON .30895991 03 V .30890184 02 PTH .-29057930 00 AZ .75715329 02
XE .90333006 08 YE .-11201079 09 ZE .-48572730 08 DXE .23460866 02 DYE .16147123 02 DZE .70020634 01
XT .90713745 08 YT .-11196815 09 ZT .-48592031 08 DXT .23330181 02 DYT .17075039 02 DZT .74144445 01
LTE .-18652164 02 LOE .30888503 03 LTT .-18634211 02 LOT .30901351 03 RST .15207575 09 VST .29848964 02
EPS .76776812 02 ESP .71668340-01 SEP .10315144 03 EPM .14417933 03 EMP .17339764 02 MEP .18480903 02
MPS .13904210 03 MSP .51396029-01 SMP .40906584 02 SEM .12163162 03 EMS .58245324 02 ESM .12294532 00
RPM .20777209 06 SPN .74905830 02 SIP .13856364 03 CPT .92347770 02 SIN .91869315 02 D1 .25052361 00
GCE .10134194 03 GCT .28177130 03 CPE .97735836 02 CPS .76896539 02 D2 .19037468 00 D3 .24145902-02
REP .19535042 06 VEP .15651452 01

0 DAYS 5 HRS. 32 MIN. 2.000 SEC.
235666520140202000000000 J.D. = 2438606.16666666 JULY 29,1964 16 00 00.000
TFL 0 DAYS 23 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC EQUATORIAL COORDINATES
X .18299854 06 Y .81449301 05 Z .13542187 05 DX .12213724 01 DY .88129509 00 DZ .26741466 00
R .20077127 06 DEC .38675835 01 RA .23998198 02 V .15296870 01 PTH .76740012 02 AZ .61509280 02
R .20077127 06 LAT .38675835 01 LON .19666887 03 VE .14377040 02 PTE .59442820 01 AZE .27067062 03
XS -.90417441 08 YS .11195263 09 ZS .48547513 08 DXS -.23448660 02 DYS -.16162410 02 DZS -.70086808 01
XM .38026176 06 YM .45978535 05 ZM .17815817 05 DXM .13764942 00 DYM .92670888 00 DZM .41283545 00
XT .38026176 06 YT .45978535 05 ZT .17815817 05 DXT .13764942 00 DYT .92670888 00 DZT .41283545 00
RS .15187352 09 VS .29328906 02 RM .38344547 06 VM .10238016 01 RT .38344547 06 VT .10238016 01
GED .33918854 01 ALT .19439316 06 LOS .30159512 03 RAS .23892573 03 RAM .68943288 01 LOM .17956501 03
DUT .35000000 02 DT .19200000 04 DR .14889645 01 SHA .19576296 06 DES .18642213 02 DEM .-26630600 01

HELIOCENTRIC EQUATORIAL COORDINATES
X .90600439 08 Y -.11187117 09 Z -.48533970 08 DX .24670032 02 DY .17043705 02 DZ .72760954 01
R .15191821 09 LAT .-18631137 02 LON .30900277 03 V .30855144 02 PTH .-30217440 00 AZ .75695131 02
XE .90417441 08 YE .-11195263 09 ZE .-48547513 08 DXE .23448660 02 DYE .16162410 02 DZE .70086808 01
XT .90797702 08 YT .-11190666 09 ZT .-48545328 08 DXT .23311010 02 DYT .17089119 02 DZT .74215162 01
LTE .-18642213 02 LOE .30892573 03 LTT .-18624062 02 LOT .30905484 03 RST .15207206 09 VST .29841583 02
EPS .77101701 02 ESP .73354886-01 SEP .10282446 03 EPM .14359841 03 EMP .18102903 02 MEP .18298683 02
MPS .13929765 03 MSP .49455853-01 SMP .40652503 02 SEM .12112225 03 EMS .58754074 02 ESM .12354070 00
RPM .20286866 06 SPN .75281253 02 SIP .13880763 03 CPT .92412023 02 SIN .91922005 02 D1 .25657932 00
GCE .10129722 03 GCT .28178568 03 CPE .97781510 02 CPS .76900651 02 D2 .19574371 00 D3 .25555441-02
REP .20077127 06 VEP .15296870 01

0 DAYS 6 HRS. 32 MIN. 2.000 SEC.
235666521744202000000000 J.D. = 2438606.20833333 JULY 29,1964 17 00 00.000
TFL 1 DAYS 0 HRS. 9 MIN. 52.127 SEC.

JPL TECHNICAL REPORT NO. 32-694

GEOCENTRIC				EQUATORIAL COORDINATES													
X	.18733866	06	Y	.84616106	05	Z	-.14500448	05	DX	-.11900975	01	DY	-.86702129	00	DZ	-.26495428	00
R	.20607261	06	DEC	.40349931	01	RA	-.24307483	02	V	-.14960811	01	PTH	-.76801215	02	AZ	-.61525100	02
R	.20607261	06	LAT	.40349931	01	LN	-.18193709	03	VE	-.14762463	02	PTE	-.54623864	01	AZE	-.27063522	03
XS	-.90501837	08	YS	-.11189442	09	ZS	.48522269	08	DXS	-.23436440	02	DYS	-.16177691	02	DZS	-.70152955	01
XM	.37974856	06	YM	.49312390	05	ZM	-.16328845	05	DXM	-.14745025	00	DYM	.92541473	00	DZM	-.41325220	00
XT	.37974856	06	YT	.49312390	05	ZT	-.16328845	05	DXT	-.14745025	00	DYT	.92541473	00	DZT	-.41325220	00
RS	.15187282	09	VS	.29329145	02	RM	.38328491	06	VM	.10241637	01	RT	.38328491	06	VT	.10241637	01
GED	.40623589	01	ALT	.19696451	06	LCS	-.28659604	03	RAS	-.12896644	03	RAM	-.73987634	01	LDM	-.16502837	03
DUT	.35000000	02	DT	.19200000	04	DR	-.14565603	01	SHA	-.20117479	06	DES	-.18632251	02	DEM	-.24416739	01

HELIOCENTRIC				EQUATORIAL COORDINATES													
X	.90689175	08	Y	-.11180891	09	Z	-.48507769	08	DX	.24626538	02	DY	-.17044712	02	DZ	.72802497	01
R	.15191762	09	LAT	-.18620784	02	LN	-.30964558	03	V	.30821917	02	PTH	-.31269374	00	AZ	-.75675395	02
RE	.90501837	08	YE	-.11189442	09	ZE	-.48522269	08	DVE	-.23436440	02	DVE	-.16177691	02	DZE	-.70152955	01
XT	.90881585	08	YT	-.11184511	09	ZT	-.48538598	08	DXT	-.23288990	02	DYT	-.17103105	02	DZT	-.74285477	01
LTE	-.18622251	02	LOE	.30896644	03	LTT	-.18613905	02	LDT	.30909615	03	RST	.15206836	09	VST	.29834151	02
EPS	.77473333	02	ESP	.75975525	-01	SEP	.10251679	03	EPM	.14304508	03	EMP	.18858195	02	MEP	.18096720	02
MPS	.13954486	03	MSP	.47949227	-01	SMP	.40406722	02	SEM	.12061245	03	EMS	.59263260	02	ESM	.12433010	00
RPM	.19836269	06	SPN	.75633731	02	SIP	.13904288	03	CPT	.92474035	02	SIN	.91972059	02	D1	.26284071	00
GCE	.10125546	03	GCT	.28179970	03	CPE	.97824449	02	CPS	.76904761	02	D2	.20127865	00	D3	.27051861	-02
REP	.20607261	06	VEP	.14960811	06												

0 DAYS 7 HRS. 32 MIN. 2.000 SEC. 2356665235020200000000 J.D. = 2438606.25000000 JULY 29, 1964 18 00 00.000
TFL 1 DAYS 1 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC				EQUATORIAL COORDINATES													
X	.19156924	06	Y	.87712503	05	Z	-.15449885	05	DX	-.11604872	01	DY	-.85328837	00	DZ	.26251443	00
R	.21126040	06	DEC	.41938958	01	RA	-.24601301	02	V	.14641535	01	PTH	-.76855829	02	AZ	-.61540185	02
R	.21126040	06	LAT	.41938958	01	LN	-.16718985	03	VE	.15139502	02	PTE	.54039525	01	AZE	.27060317	03
XS	-.90586184	08	YS	-.11183616	09	ZS	.48497006	08	DXS	-.23424210	02	DYS	-.16192964	02	DZS	-.70219070	01
XM	.37920011	06	YM	.52641415	05	ZM	-.14840446	05	DXM	-.15725028	00	DYM	.92403351	00	DZM	-.41363133	00
XT	.37920011	06	YT	.52641415	05	ZT	-.14840446	05	DXT	-.15725028	00	DYT	.92403351	00	DZT	-.41363133	00
RS	.15187212	09	VS	.29329386	02	RM	.38312410	06	VM	.10245274	01	RT	.38312410	06	VT	.10245274	01
GED	.42237302	01	ALT	.20488231	06	LDS	-.27159568	03	RAS	-.12900713	03	RAM	-.79034184	01	LDM	-.15049197	03
DUT	.35000000	02	DT	.19200000	04	DR	-.14257927	01	SHA	-.20646852	06	DES	-.18622282	02	DEM	-.22199267	01

HELIOCENTRIC				EQUATORIAL COORDINATES													
X	.90777753	08	Y	-.11174844	09	Z	-.48481556	08	DX	.24584697	02	DY	-.17044252	02	DZ	.72844215	01
R	.15191762	09	LAT	-.18610430	02	LN	-.30968834	03	V	.30790336	02	PTH	-.32225771	00	AZ	-.75655905	02
RE	.90586184	08	YE	-.11183616	09	ZE	-.48497006	08	DXE	.23424210	02	DYE	.16192964	02	DZE	.70219070	01
XT	.90756384	08	YT	-.11178351	09	ZT	-.48511846	08	DXT	.23266960	02	DYT	.17116997	02	DZT	.7435384	01
LTE	-.18622282	02	LOE	.30900713	03	LTT	-.18603742	02	LDT	.30913745	03	RST	.15206464	09	VST	.29826702	02
EPS	.77695525	02	ESP	.77252514	-01	SEP	.10222660	03	EPM	.14251728	03	EMP	.19605879	02	MEP	.17876836	02
MPS	.13978396	03	MSP	.45863470	-01	SMP	.40169616	02	SEM	.12010223	03	EMS	.59772886	02	ESM	.12433010	00
RPM	.19326880	06	SPN	.75965490	02	SIP	.13924960	03	CPT	.92533906	02	SIN	.92019546	02	D1	.26932489	00
GCE	.10121634	03	GCT	.28181329	03	CPE	.97846423	02	CPS	.76908872	02	D2	.20699359	00	D3	.28642952	-02
REP	.21126040	06	VEP	.14641535	01												

0 DAYS 8 HRS. 32 MIN. 2.000 SEC. 235666525354202000000000 J.D. = 2438606.29166666 JULY 29, 1964 19 00 00.000
TFL 1 DAYS 2 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC				EQUATORIAL COORDINATES													
X	.19569598	06	Y	.90760379	05	Z	-.16390580	05	DX	-.11323896	01	DY	-.84005421	00	DZ	-.26009737	00
R	.21634004	06	DEC	.43450666	01	RA	-.24881048	02	V	.14337531	01	PTH	-.76903872	02	AZ	-.61554475	02
R	.21634004	06	LAT	.43450666	01	LN	-.15242853	03	VE	.15508551	02	PTE	.51661792	01	AZE	.27057403	03
XS	-.90670492	08	YS	-.11177783	09	ZS	.48471713	08	DXS	-.23411967	02	DYS	-.16208232	02	DZS	-.70285160	01
XM	.37861638	06	YM	.55965329	05	ZM	-.13350743	05	DXM	-.16704869	00	DYM	.92256514	00	DZM	-.41397267	00
XT	.37861638	06	YT	.55965329	05	ZT	-.13350743	05	DXT	-.16704869	00	DYT	.92256514	00	DZT	-.41397267	00
RS	.15187142	09	VS	.29329627	02	RM	.38296308	06	VM	.10248927	01	RT	.38296308	06	VT	.10248927	01
GED	.43745627	01	ALT	.20996196	06	LDS	-.25659530	03	RAS	-.12904782	03	RAM	-.84083144	01	LDM	-.13595739	03
DUT	.35000000	02	DT	.19200000	04	DR	-.13964630	01	SHA	-.21164985	06	DES	-.18612304	02	DEM	-.19978320	01

HELIOCENTRIC				EQUATORIAL COORDINATES													
X	.90866187	08	Y	-.11168707	09	Z	-.48455322	08	DX	.24544357	02	DY	-.17048286	02	DZ	.72886133	01
R	.15191637	09	LAT	-.18600071	02	LN	-.30913106	03	V	.30760296	02	PTH	-.33096620	00	AZ	-.75656808	02
RE	.90670492	08	YE	-.11177783	09	ZE	-.48471713	08	DXE	.23411967	02	DYE	.16208232	02	DZE	.70285160	01
XT	.91049108	08	YT	-.11172187	09	ZT	-.48485063	08	DXT	.23244919	02	DYT	.17130797	02	DZT	.74424887	01
LTE	-.18612304	02	LOE	.30904783	03	LTT	-.18593568	02	LDT	.30917874	03	RST	.15206090	09	VST	.29819139	02
EPS	.77967853	02	ESP	.79437864	-01	SEP	.10195232	03	EPM	.14201324	03	EMP	.20346152	02	MEP	.17640604	02
MPS	.14001517	03	MSP	.45863470	-01	SMP	.39939172	02	SEM	.11959157	03	EMS	.60282952	02	ESM	.12511453	00
RPM	.18856064	06	SPN	.76278452	02	SIP	.13948797	03	CPT	.92591731	02	SIN	.92064528	02	D1	.27605021	00
GCE	.10117964	03	GCT	.28182642	03	CPE	.97903167	02	CPS	.76912979	02	D2	.21290369	00	D3	.30337369	-02
REP	.21634004	06	VEP	.14337531	01												

0 DAYS 9 HRS. 32 MIN. 2.000 SEC. 235666527160202000000000 J.D. = 2438606.33333333 JULY 29, 1964 20 00 00.000
TFL 1 DAYS 3 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC				EQUATORIAL COORDINATES													
X	.19972410	06	Y	.93761457	05	Z	.17322619	05	DX	.11056720	01	DY	-.82728092	00	DZ	-.25770453	00
R	.22131651	06	DEC	.44891776	01	RA	.25147938	02	V	.14047476	01	PTH	.76946738	02	AZ	.61567913	02
R	.22131651	06	LAT	.44891776	01	LN	.13765435	03	VE	.15869972	02	PTE	.49466927	01	AZE	.27054742	03
XS	-.90754758	08	YS	.11171945	09	ZS	.48446398	08	DXS	-.23399713	02	DYS	-.16223493	02	DZS	-.70351222	01
XM	.37799736	06	YM	.59283800	05	ZM	-.11859879	05	DXM	-.17684453	00	DYM	.92100954	00	DZM	.41427610	00
XT	.37799736	06	YT	.59283800	05	ZT	-.11859879	05	DXT	-.17684453	00	DYT	.92100954	00	DZT	.41427610	00
RS	.15187072	09	VS	.29329869	02	RM	.38280182	06	VM	-.10252596	01	RT	.38280182	06	VT	-.10252596	01
GED	.45196441	01	ALT	.21493844	06	LDS	.24159493	03	RAS	-.12908852	03	RAM	.89134642	01	LDM	.12141988	03
DUT	.35000000	02	DT	.19200000	04	DR	.13684497	01	SHA	-.21672399	06	DES	.18602315	02	DEM	-.17754086	01

HELIOCENTRIC				EQUATORIAL COORDINATES													
X	.90954482	08	Y	-.11162569	09	Z	-.48429075	08	DX	.24505385	02	DY	-.17050773	02	DZ	.72928267	01
R	.15191572	09	LAT	-.18589708	02	LN	-.30917372	03	V	.30731548	02	PTH	-.33890459	00	AZ	-.75618016	02
RE	.907547																

GEOCENTRIC				EQUATORIAL COORDINATES													
X	-20365834	06	Y	.96717321	05	Z	.18246086	05	DX	-.10802188	01	DY	-.81493457	00	DZ	-.25533671	00
R	-22619434	06	DEC	-.46268213	01	RA	-.25403037	02	V	-.13770214	01	PTH	-.76984775	02	AZ	-.61580438	02
R	-22619434	06	LAT	-.46268213	01	LON	-.12286839	03	VE	-.16224097	02	PTE	-.47434707	01	AZE	-.27052302	03
XS	-.90838971	08	YS	.11166102	09	ZS	-.48421061	08	DXS	-.23387447	02	DYS	-.16238746	02	DZS	-.70417250	01
XM	-.37734310	06	YM	.62596498	05	ZM	-.10367998	05	DXM	-.18663683	00	DYM	-.91936664	00	DZM	-.41454153	00
XT	-.37734310	06	YT	.62596498	05	ZT	-.10367998	05	DXT	-.18663683	00	DYT	-.91936664	00	DZT	-.41454153	00
RS	-.15187001	09	VS	.29330111	02	RM	-.38264034	06	VM	-.10256281	01	RT	-.38264034	06	VT	-.10256281	01
GED	-.46582138	01	ALT	-.21981627	06	LOS	-.22659455	03	RAS	-.12912920	03	RAM	-.94188815	01	LDM	-.10688423	03
DUT	-.35000000	02	DT	-.19200000	04	DR	-.13416461	01	SHA	-.22169572	06	DES	-.18592319	02	DEM	-.15526710	01

HELIOCENTRIC				EQUATORIAL COORDINATES													
X	-.91042629	08	Y	-.11156430	09	Z	-.48402815	08	DX	-.24467666	02	DY	-.17053680	02	DZ	-.72970617	01
R	-.15191506	09	LAT	-.18579344	02	LON	-.30921635	03	V	-.30704100	02	PTH	-.34615057	00	AZ	-.75599504	02
R	-.15191506	09	LAT	-.18579344	02	LON	-.30921635	03	VE	-.23387447	02	DYE	-.16238746	02	DZE	-.70417250	01
XS	-.91216314	08	YS	-.11159842	09	ZS	-.48431429	08	DXS	-.23200810	02	DYS	-.17158113	02	DZS	-.74562665	01
LTE	-.18592319	02	LOE	.30912920	03	LTT	-.18573201	02	LOT	-.30926126	03	RST	-.15205337	09	VST	-.29803931	02
EPS	-.78470249	02	ESP	-.83637439	-01	SEP	-.10144613	03	EPM	-.14107032	03	EMP	-.21805245	02	MEP	-.17124428	02
MPS	-.14045649	03	MSP	-.41964682	-01	SMP	-.39502286	02	SEM	-.11856896	03	EMS	-.61304411	02	ESM	-.12647557	00
RPM	-.17930251	06	SPN	-.76854466	02	SIP	-.13990627	03	CPT	-.92701600	02	SIN	-.92147175	02	D1	-.29030512	06
GCE	-.10111259	03	GCT	-.28185103	03	CPE	-.97973742	02	CPS	-.76921193	02	D2	-.22537595	00	D3	-.34075980	-02
REP	-.22619434	06	VEP	-.13770214	01												

0 DAYS 11 HRS. 32 MIN. 2.000 SEC. 23566653270202000000000 J.D. = 2438606.41666666 JULY 29, 1964 22 00 00.000
 TFL 1 DAYS 5 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC				EQUATORIAL COORDINATES													
X	-.20750307	06	Y	.99629466	05	Z	.19161077	05	DX	-.10559284	01	DY	-.80298459	00	DZ	-.25299427	00
R	-.23097771	06	DEC	-.47585193	01	RA	-.25647287	02	V	-.13504722	01	PTH	-.77018547	02	AZ	-.61591992	02
R	-.23097771	06	LAT	-.47585193	01	LON	-.10807157	03	VE	-.16571235	02	PTE	-.45547790	01	AZE	-.27050059	03
XS	-.90923149	08	YS	.11160253	09	ZS	-.48395699	08	DXS	-.23375169	02	DYS	-.16253994	02	DZS	-.70483252	01
XM	-.37665359	06	YM	.65903141	05	ZM	-.88752233	04	DXM	-.19642476	00	DYM	-.91763636	00	DZM	-.41476879	00
XT	-.37665359	06	YT	.65903141	05	ZT	-.88752233	04	DXT	-.19642476	00	DYT	-.91763636	00	DZT	-.41476879	00
RS	-.15186931	09	VS	.29330355	02	RM	-.38247665	06	VM	-.10259882	01	RT	-.38247665	06	VT	-.10259882	01
GED	-.47907571	01	ALT	-.22459965	06	LOS	-.21159416	03	RAS	-.12916588	03	RAM	-.99245879	01	LDM	-.92348377	02
DUT	-.35000000	02	DT	-.19200000	04	DR	-.13159580	01	SHA	-.22656940	06	DES	-.18582313	02	DEM	-.13296380	01

HELIOCENTRIC				EQUATORIAL COORDINATES													
X	-.91130652	08	Y	-.11150290	09	Z	-.48376537	08	DX	-.24431097	02	DY	-.17056978	02	DZ	-.73013195	01
R	-.15191439	09	LAT	-.18560973	02	LON	-.30925892	03	V	-.30677814	02	PTH	-.35276478	02	AZ	-.75581247	02
R	-.15191439	09	LAT	-.18560973	02	LON	-.30925892	03	VE	-.23375169	02	DYE	-.16253994	02	DZE	-.70483252	01
XS	-.90923149	08	YS	.11153663	09	ZS	-.48404574	08	DXS	-.23178744	02	DYS	-.17171630	02	DZS	-.74630940	01
LTE	-.18582313	02	LOE	.30916988	03	LTT	-.18563005	02	LOT	-.30930250	03	RST	-.15204958	09	VST	-.29796255	02
EPS	-.78702585	02	ESP	-.85374042	-01	SEP	-.10121196	03	EPM	-.14062885	03	EMP	-.22524396	02	MEP	-.16846450	02
MPS	-.14066335	03	MSP	-.41377734	-01	SMP	-.39294909	02	SEM	-.11805700	03	EMS	-.61815809	02	ESM	-.12705441	00
RPM	-.17474381	06	SPN	-.77120274	02	SIP	-.14009446	03	CPT	-.92753807	02	SIN	-.92184917	02	D1	-.29787932	00
GCE	-.10108189	03	GCT	-.28186240	03	CPE	-.98064606	02	CPS	-.76925299	02	D2	-.23197506	00	D3	-.36143027	-02
REP	-.23097771	06	VEP	-.13504722	01												

0 DAYS 12 HRS. 32 MIN. 2.000 SEC. 235666534374202000000000 J.D. = 2438606.45833333 JULY 29, 1964 23 00 00.000
 TFL 1 DAYS 6 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC				EQUATORIAL COORDINATES													
X	-.21126231	06	Y	.10249926	06	Z	-.20067680	05	DX	-.10327113	01	DY	-.79140329	00	DZ	-.25067715	00
R	-.23567048	06	DEC	-.48847336	01	RA	-.25881517	02	V	-.13250097	01	PTH	-.77048535	02	AZ	-.61602513	02
R	-.23567048	06	LAT	-.48847336	01	LON	-.93264741	02	VE	-.16911673	02	PTE	-.43791194	01	AZE	-.27047990	03
XS	-.91007280	08	YS	.11154399	09	ZS	-.48370311	08	DXS	-.23362880	02	DYS	-.16269235	02	DZS	-.70549224	01
XM	-.37592885	06	YM	.69203393	05	ZM	-.73816995	04	DXM	-.20620736	00	DYM	-.91581865	00	DZM	-.41495780	00
XT	-.37592885	06	YT	.69203393	05	ZT	-.73816995	04	DXT	-.20620736	00	DYT	-.91581865	00	DZT	-.41495780	00
RS	-.15186860	09	VS	.29330600	02	RM	-.38231675	06	VM	-.10263699	01	RT	-.38231675	06	VT	-.10263699	01
GED	-.49178592	01	ALT	-.22929242	06	LOS	-.19659378	03	RAS	-.12921056	03	RAM	-.10430599	02	LDM	-.77813820	02
DUT	-.35000000	02	DT	-.19200000	04	DR	-.12913019	01	SHA	-.23134909	06	DES	-.18572298	02	DEM	-.11063242	01

HELIOCENTRIC				EQUATORIAL COORDINATES													
X	-.91218542	08	Y	-.11144149	09	Z	-.48350244	08	DX	-.24395591	02	DY	-.17060638	02	DZ	-.73055595	01
R	-.15191370	09	LAT	-.18558599	02	LON	-.30930146	03	V	-.30652602	02	PTH	-.35880008	00	AZ	-.75563228	02
R	-.15191370	09	LAT	-.18558599	02	LON	-.30930146	03	VE	-.23362880	02	DYE	-.16269235	02	DZE	-.70549224	01
XS	-.91383208	08	YS	-.11147478	09	ZS	-.48377693	08	DXS	-.23156672	02	DYS	-.17180563	02	DZS	-.74698807	01
LTE	-.18572298	02	LOE	.30921055	03	LTT	-.18552801	02	LOT	-.30934373	03	RST	-.15204578	09	VST	-.29788532	02
EPS	-.78923641	02	ESP	-.80760618	-01	SEP	-.10098910	03	EPM	-.14020587	03	EMP	-.23236624	02	MEP	-.16557305	02
MPS	-.14086480	03	MSP	-.40178123	-01	SMP	-.39094706	02	SEM	-.11754461	03	EMS	-.62327652	02	ESM	-.12763062	00
RPM	-.17022677	06	SPN	-.77372845	02	SIP	-.14028081	03	CPT	-.92804298	02	SIN	-.92220312	02	D1	-.30578448	00
GCE	-.10105285	03	GCT	-.28187306	03	CPE	-.98037504	02	CPS	-.76929407	02	D2	-.23884356	00	D3	-.38359518	-02
REP	-.23567048	06	VEP	-.13250097	01												

0 DAYS 13 HRS. 32 MIN. 2.000 SEC. 23566653620202000000000 J.D. = 2438606.50000000 JULY 30, 1964 00 00 00.000
 TFL 1 DAYS 7 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC				EQUATORIAL COORDINATES													
X	-.21493978	06	Y	.10532798	06	Z	-.20965984	05	DX	-.10104883	01	DY	-.78016444	00	DZ	-.24838499	00
R	-.24027623	06	DEC	-.50058720	01	RA	-.26106463	02	V	-.13005536	01	PTH	-.77075231	02	AZ	-.61611938	02
R	-.24027623	06	LAT	-.50058720	01	LON	-.78448575	02	VE	-.17245677	02	PTE	-.42151940	01	AZE	-.27046074	03
XS	-.91091362	08	YS	.11148539	09	ZS	-.48344905	08	DXS	-.23350579	02	DYS	-.16284468	02	DZS	-.70615166	01
XM	-.37516890	06	YM	.72496929	05	ZM	-.58875716	04	DXM	-.21598359	00	DYM	-.91391341	00	DZM	-.41510842	00
XT	-.37516890	06	YT	.72496929	05	ZT	-.58875716	04	DXT	-.21598359	00	DYT	-.91391341	00	DZT	-.41510842	00
RS	-.15186790	09	VS	.29330845	02	RM	-.38215464	06	VM	-.10267432	01	RT	-.38215464	06	VT	-.10267432	01
GED	-.50398108	01	ALT	-.23389819	06	LOS	-.18159333	03	RAS	-.12925122	03	RAM	-.10936927	02	LDM	-.63279037	02
DUT	-.35000000	02	DT	-.19200000	04	DR	-.12676036	01	SHA	-.23603854	06	DES	-.18562277	02	DEM	-.88274730	00

HELIOCENTRIC				EQUATORIAL COORDINATES										
X	-.91306301	08	Y	-.11138006	09	Z	-.48323939	08	DX	-.24361068	02	DY	-.17064634	02

JPL TECHNICAL REPORT NO. 32-694

GEOCENTRIC				EQUATORIAL COORDINATES													
X	.21853893	06	Y	-.10811684	06	Z	-.21856082	05	DX	-.98918905	00	DY	-.76924823	00	DZ	-.24611723	00
R	-.24479829	06	DEC	-.51223028	01	RA	-.26322787	02	V	-.12770323	01	PTH	-.77099073	02	AZ	-.61620193	02
R	-.24479828	06	LAT	-.51223028	01	LN	-.63622831	02	VE	-.17573497	02	PTE	-.40618776	01	AZE	-.27044296	03
XS	-.91175403	08	YS	-.11142674	05	ZS	-.48319471	08	DXS	-.23338266	02	DYS	-.16299695	02	DZS	-.70681081	01
XM	-.37437377	06	YM	-.75783464	05	ZM	-.43929651	04	DXM	-.22575273	00	DYM	-.91192069	00	DZM	-.41522055	00
XT	-.37437377	06	YT	-.75783464	05	ZT	-.43929651	04	DXT	-.22575273	00	DYT	-.91192069	00	DZT	-.41522055	00
RS	-.15186719	09	VS	-.29331091	02	RM	-.38195234	04	VM	-.10271182	01	RT	-.38199234	06	VT	-.10271182	01
GED	-.5170226	01	ALT	-.23842025	06	LOS	-.16659293	03	RAS	-.12929189	03	RAM	-.11443594	02	LOM	-.48744636	02
DUT	-.35000000	02	DT	-.19200000	04	DR	-.12447969	01	SHA	-.24064124	06	DES	-.18552244	02	DEM	-.65892371	00

HELIOCENTRIC				EQUATORIAL COORDINATES													
X	.91393941	08	Y	-.11131862	09	Z	-.48297614	08	DX	-.24327455	02	DY	-.17068943	02	DZ	-.73142253	01
R	.15191230	09	LAT	-.18537839	02	LN	-.30938644	03	V	-.30605094	02	PTH	-.36932625	00	AZ	-.75527837	02
XE	.91175403	08	YE	-.11142674	05	ZE	-.48319471	08	DXE	-.23338266	02	DYE	-.16299695	02	DZE	-.70681081	01
XT	.91549776	08	YT	-.11135096	09	ZT	-.48323863	08	DXT	-.23112513	02	DYT	-.17211616	02	DZT	-.7483286	01
LTE	-.18552244	02	LOE	-.30929189	03	LTT	-.18532372	02	LOT	-.30942613	03	RST	-.15203813	09	VST	-.29772944	02
EPS	.79335160	02	ESP	-.90923484	-01	SEP	-.10057408	03	EPH	-.13941161	03	EMP	-.24642019	02	MEP	-.15946370	02
MPS	-.14124665	03	MSP	-.38308338	-01	SMP	-.38715295	02	SEM	-.11651850	03	EMS	-.63352684	02	ESM	-.12877532	00
RPM	-.16130393	06	SPN	-.77842202	02	SIP	-.14063036	03	CPT	-.92900430	02	SIN	-.92284139	02	D1	-.32270145	00
GCE	-.10099930	03	GCT	-.28189201	03	CPE	-.98095475	02	CPS	-.76937623	02	D2	-.25348287	00	D3	-.43306546	-02
REP	-.24479829	06	VEP	-.12770323	01												

0 DAYS 15 HRS. 32 MIN. 2.000 SEC. 235666541610202000000000 J.D. = 2438606.58333334 JULY 30, 1964 02 00 00.000
 TFL 1 DAYS 9 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC				EQUATORIAL COORDINATES													
X	.22206297	06	Y	-.11086693	06	Z	-.22738060	05	DX	-.96875120	00	DY	-.75863059	00	DZ	-.24387308	00
R	-.24923976	06	DEC	-.52343538	01	RA	-.26531075	02	V	-.12543816	01	PTH	-.77120482	02	AZ	-.61627205	02
R	-.24923976	06	LAT	-.52343538	01	LN	-.48791051	02	VE	-.17895364	02	PTE	-.39181772	01	AZE	-.27042640	03
XS	-.91259402	08	YS	-.11136803	09	ZS	-.48294012	08	DXS	-.23325942	02	DYS	-.16314916	02	DZS	-.70746968	01
XM	-.37354349	06	YM	-.79062670	05	ZM	-.28980230	04	DXM	-.23551377	00	DYM	-.90984040	00	DZM	-.41529410	00
XT	-.37354349	06	YT	-.79062670	05	ZT	-.28980230	04	DXT	-.23551377	00	DYT	-.90984040	00	DZT	-.41529410	00
RS	-.15186648	09	VS	-.29331338	02	RM	-.38182986	06	VM	-.10274947	01	RT	-.38182986	06	VT	-.10274947	01
GED	-.52698246	01	ALT	-.24286173	06	LOS	-.15159253	03	RAS	-.12933256	03	RAM	-.11950615	02	LOM	-.34210590	02
DUT	-.35000000	02	DT	-.19200000	04	DR	-.12228226	01	SHA	-.24516042	06	DES	-.18542202	02	DEM	-.43486960	00

HELIOCENTRIC				EQUATORIAL COORDINATES													
X	.91481464	08	Y	-.11125716	09	Z	-.48271273	08	DX	-.24294693	02	DY	-.17073547	02	DZ	-.73185699	01
R	.15191159	09	LAT	-.18527451	02	LN	-.30942883	03	V	-.30582667	02	PTH	-.37389224	02	AZ	-.75510436	02
XE	.91125942	08	YE	-.11136803	09	ZE	-.48294012	08	DXE	-.23325942	02	DYE	-.16314916	02	DZE	-.70746968	01
XT	.91632945	08	YT	-.11128897	09	ZT	-.48296910	08	DXT	-.23090428	02	DYT	-.17224757	02	DZT	-.74899909	01
LTE	-.18542202	02	LOE	-.30933256	03	LTT	-.18522145	02	LOT	-.30946730	03	RST	-.15203428	09	VST	-.29765081	02
EPS	-.79527032	02	ESP	-.92523435	-01	SEP	-.10038050	03	EPH	-.13903870	03	EMP	-.25335013	02	MEP	-.15626285	02
MPS	-.14142727	03	MSP	-.36342480	-01	SMP	-.38535859	02	SEM	-.11600479	03	EMS	-.63865875	02	ESM	-.12877532	00
RPM	-.15689190	06	SPN	-.78060684	02	SIP	-.14079365	03	CPT	-.92946210	02	SIN	-.92312586	02	D1	-.33177738	00
GCE	-.10097455	03	GCT	-.28190016	03	CPE	-.98122549	02	CPS	-.76941731	02	D2	-.26130679	00	D3	-.46069051	-02
REP	-.24923976	06	VEP	-.12543816	01												

0 DAYS 16 HRS. 32 MIN. 2.000 SEC. 235666543414202000000000 J.D. = 2438606.62500000 JULY 30, 1964 03 00 00.000
 TFL 1 DAYS 10 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC				EQUATORIAL COORDINATES													
X	.22551491	06	Y	-.11357931	06	Z	-.23611997	05	DX	-.94911923	00	DY	-.74829320	00	DZ	-.24165159	00
R	-.25360355	06	DEC	-.53423151	01	RA	-.26731852	02	V	-.12325443	01	PTH	-.77139886	02	AZ	-.61632881	02
R	-.25360354	06	LAT	-.53423151	01	LN	-.33950765	02	VE	-.18211497	02	PTE	-.37832712	01	AZE	-.27041096	03
XS	-.91343351	08	YS	-.11130927	09	ZS	-.48286533	08	DXS	-.23313605	02	DYS	-.16330129	02	DZS	-.70812822	01
XM	-.37267808	06	YM	-.82334214	05	ZM	-.14028917	04	DXM	-.24526571	00	DYM	-.90767258	00	DZM	-.41532896	00
XT	-.37267808	06	YT	-.82334214	05	ZT	-.14028917	04	DXT	-.24526571	00	DYT	-.90767258	00	DZT	-.41532896	00
RS	-.15186677	09	VS	-.29331585	02	RM	-.38184718	06	VM	-.10278790	01	RT	-.38184718	06	VT	-.10278790	01
GED	-.53785091	01	ALT	-.24722553	06	LOS	-.13659212	03	RAS	-.12937321	03	RAM	-.12458005	02	LOM	-.19676918	02
DUT	-.35000000	02	DT	-.19200000	04	DR	-.12016277	01	SHA	-.24959911	06	DES	-.18532154	02	DEM	-.21060290	00

HELIOCENTRIC				EQUATORIAL COORDINATES													
X	.91568865	08	Y	-.11119569	09	Z	-.48244921	08	DX	-.24262725	02	DY	-.17078423	02	DZ	-.73229337	01
R	.15191086	09	LAT	-.18517061	02	LN	-.30947121	03	V	-.30561048	02	PTH	-.37803645	00	AZ	-.75493215	02
XE	.91343351	08	YE	-.11130927	09	ZE	-.48286533	08	DXE	-.23313605	02	DYE	-.16330129	02	DZE	-.70812822	01
XT	.91716029	08	YT	-.11122693	09	ZT	-.48269936	08	DXT	-.23068340	02	DYT	-.17237802	02	DZT	-.74966112	01
LTE	-.18532154	02	LOE	-.30937321	03	LTT	-.18511913	02	LOT	-.30950847	03	RST	-.15203042	09	VST	-.29757172	02
EPS	-.79710464	02	ESP	-.94614623	-01	SEP	-.10019539	03	EPH	-.13868098	03	EMP	-.26021730	02	MEP	-.15297281	02
MPS	-.14160116	03	MSP	-.34970568	-01	SMP	-.38363139	02	SEM	-.11549064	03	EMS	-.64379517	02	ESM	-.13028593	00
RPM	-.15259002	06	SPN	-.78269353	02	SIP	-.14094932	03	CPT	-.92990560	02	SIN	-.92338727	02	D1	-.34131338	00
GCE	-.10095103	03	GCT	-.28190733	03	CPE	-.98184861	02	CPS	-.76945842	02	D2	-.26950699	00	D3	-.49058101	-02
REP	-.25360355	06	VEP	-.12325443	01												

0 DAYS 17 HRS. 32 MIN. 2.000 SEC. 235666545220202000000000 J.D. = 2438606.66666666 JULY 30, 1964 04 00 00.000
 TFL 1 DAYS 11 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC				EQUATORIAL COORDINATES													
X	-.22889753	06	Y	-.11625496	06	Z	-.24477978	05	DX	-.93024357	00	DY	-.73821837	00	DZ	-.23945168	00
R	-.25789236	06	DEC	-.54464559	01	RA	-.26925597	02	V	-.12114688	01	PTH	-.77157694	02	AZ	-.61637127	02
R	-.25789235	06	LAT	-.54464559	01	LN	-.19103442	02	VE	-.18522100	02	PTE	-.36562442	01	AZE	-.27039650	03
XS	-.91427263	08	YS	-.11125045	09	ZS	-.48243028	08	DXS	-.23301257	02	DYS	-.16345337	02	DZS	-.70878651	01
XM	-.37177758	06	YM	-.85597811	05	ZM	-.92301445	02	DXM	-.25500771	00	DYM	-.90541714	00	DZM	-.41332502	00
XT	-.37177758	06	YT	-.85597811	05	ZT	-.92301445	02	DXT	-.25500771	00	DYT	-.90541714	00	DZT	-.41332502	00
RS	-.15186506	09	VS	-.29331833	02	RM	-.38150434	06	VM	-.10282529	01	RT	-.38150434	06	VT	-.10282529	01
GED	-.54833469	01	ALT	-.25151434	06	LOS	-.12949171	03	RAS	-.12941387	03	RAM	-.12965785	02	LOM	-.51436274	01
DUT	-.35000000	02	DT	-.19200000	04	DR	-.11811645	01	SHA	-.25396014	06	DES	-.18522096	02	DEM	-.13862183	-01

HELIOCENTRIC				EQUATORIAL COORDINATES							
X	-.91656160	08	Y	-.11113420	09	Z	-.48218549	08	DX	-.24231500	02

GEOCENTRIC EQUATORIAL COORDINATES
X .23221350 06 Y -11889479 06 Z .25336075 05 DX .91208014 00 DY .72838961 00 DZ .23727216 00
R .26210875 06 DEC .55470134 01 RA -27112734 02 V .11911086 01 PTH .77174324 02 AZ .61639831 02
R .26210875 06 LAT .55470134 01 LON -42495097 01 VE .18827368 02 PTE .35366087 01 AZE .27038295 03
XS -.91511127 08 YS .11119158 09 ZS .48217499 08 DXS -.23288897 02 DYS -.16360537 02 DZS -.70944449 01
XM .37084203 06 YM .88853133 05 ZM .15874106 04 DXM -.26473879 00 DYM .90307409 00 DZM .41528217 00
XT .37084203 06 YT .88853133 05 ZT .15874106 04 DXT -.26473879 00 DYT .90307409 00 DZT .41528217 00
RS .15186435 09 VS .29332082 02 RM .38134132 06 VM .10286344 01 RT .38134132 06 VT .10286344 01
GED .55845769 01 ALT .25573075 06 LOS .10659130 03 RAS .12945452 03 RAM .13473970 02 LOM .35061074 03
DUT .35000000 02 DT .19200000 04 DR .11613504 01 SHA .25824619 06 DES .18512028 02 DEM .23050594 00

HELIOCENTRIC EQUATORIAL COORDINATES
X .91743340 08 Y -.1107268 09 Z -.48192262 08 DX .24200977 02 DY .17088927 02 DZ .73317170 01
R .15190940 09 LAT -.18496261 02 LON .30955988 03 V .30520039 02 PTH .38515522 00 AZ .75459266 02
XE .91511127 08 YE -.11119158 09 ZE -.48217499 08 DXE .23288897 02 DYE .16360537 02 DZE .70944449 01
XT .91881969 08 YT -.11110272 09 ZT -.48215912 08 DXT .23024158 02 DYT .17263611 02 DZT .75097270 01
LTE -.18512028 02 LOE .30945452 03 LTT -.18491421 02 LOT .30959075 03 RST .15202265 09 VST .29741219 02
EPS .80054107 02 ESP .97917601-01 SEP .99848489 02 EPM .13800876 03 EMP .27376648 02 MEP .14614585 02
MPS .14192903 03 MSP .32805301-01 SMP .38037541 02 SEM .11446101 03 EMS .65408164 02 ESM .13066085 00
RPM .14382061 06 SPN .78659767 02 SIP .14123782 03 CPT .93075239 02 SIN .92384026 02 D1 .36193552 00
GCE .10090733 03 GCT .28191837 03 CPE .98197100 02 CPS .76954067 02 D2 .28717696 00 D3 .55814223-02
REP .26210875 06 VEP .11911086 01

0 DAYS 19 HRS. 32 MIN. 2.000 SEC. 23566655630202000000000 J.D.= 2438606.75000000 JULY 30,1964 06 00 00.00
TFL 1 DAYS 13 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC EQUATORIAL COORDINATES
X .23546532 06 Y .12149965 06 Z .26186363 05 DX .89458968 00 DY .71879160 00 DZ .23511169 00
R .26625515 06 DEC .56442019 01 RA .27293645 02 V .11714220 01 PTH .77190197 02 AZ .61640866 02
R .26625515 06 LAT .56442019 01 LON .34938935 03 VE .19127484 02 PTE .34236604 01 AZE .27037020 03
XS -.91594943 08 YS .11113265 09 ZS .48191949 08 DXS -.23276526 02 DYS -.16375730 02 DZS -.71010217 01
XM .36987147 06 YM .92099845 05 ZM .30822892 04 DXM -.27445794 00 DYM .90064344 00 DZM .41520035 00
XT .36987147 06 YT .92099845 05 ZT .30822892 04 DXT -.27445794 00 DYT .90064344 00 DZT .41520035 00
RS .15186363 09 VS .29332332 02 RM .38117816 06 VM .10290175 01 RT .38117816 06 VT .10290175 01
GED .56824150 01 ALT .25987715 06 LOS .19590877 02 RAS .12949517 03 RAM .13982573 02 LOM .33607828 03
DUT .35000000 02 DT .19200000 04 DR .11422670 01 SHA .26245975 06 DES .18501952 02 DEM .46331136 00

HELIOCENTRIC EQUATORIAL COORDINATES
X .91830408 08 Y -.11161115 05 Z -.48165762 08 DX .24171115 02 DY .17094522 02 DZ .73361333 01
R .15190866 09 LAT -.18495855 02 LON .30959816 03 V .30500563 02 PTH .38817075 00 AZ .75442521 02
XE .91594943 08 YE -.1113265 09 ZE -.48191949 08 DXE .23276526 02 DYE .16375730 02 DZE .71010217 01
XT .91964814 08 YT -.11104559 09 ZT -.48188866 08 DXT .23002068 02 DYT .17276374 02 DZT .75162220 01
LTE -.18501952 02 LOE .30949517 03 LTT -.18481165 02 LOT .30963187 03 RST .15201874 09 VST .29733176 02
EPS .80215233 02 ESP .98911715-01 SEP .99685772 02 EPM .13769321 03 EMP .28044962 02 MEP .14261824 02
MPS .14208314 03 MSP .32051055-01 SMP .37884548 02 SEM .11394552 03 EMS .65923172 02 ESM .13122123 00
RPM .13951044 06 SPN .78842613 02 SIP .14137057 03 CPT .93115703 02 SIN .92403135 02 D1 .37311922 00
GCE .10088701 03 GCT .28192206 03 CPE .98219952 02 CPS .76958182 02 D2 .29672752 00 D3 .59644289-02
REP .26625515 06 VEP .11714220 01

0 DAYS 20 HRS. 32 MIN. 2.000 SEC. 2356665524342020000000000 J.D.= 2438606.79166666 JULY 30,1964 07 00 00.00
TFL 1 DAYS 14 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC EQUATORIAL COORDINATES
X .23865532 06 Y .12407036 06 Z .27028906 05 DX .87773722 00 DY .70941010 00 DZ .23296884 00
R .27033382 06 DEC .57382186 01 RA .27686863 02 V .11523714 01 PTH .77205765 02 AZ .61640990 02
R .27033382 06 LAT .57382186 01 LON .33452332 03 VE .19422622 02 PTE .33168884 01 AZE .27035819 03
XS -.91678720 08 YS .11107367 09 ZS .48166372 08 DXS -.23264142 02 DYS -.16390917 02 DZS -.71075957 01
XM .36886595 06 YM .95337664 05 ZM .45768085 04 DXM -.28416430 00 DYM .89812518 00 DZM .41507942 00
XT .36886595 06 YT .95337664 05 ZT .45768085 04 DXT -.28416430 00 DYT .89812518 00 DZT .41507942 00
RS .15186292 09 VS .29332582 02 RM .38101484 06 VM .10294023 01 RT .38101484 06 VT .10294023 01
GED .57770596 01 ALT .26392580 06 LOS .17659042 02 RAS .12953581 03 RAM .14491617 02 LOM .32154626 03
DUT .35000000 02 DT .19200000 04 DR .11237599 01 SHA .26660321 06 DES .18491867 02 DEM .68826108 00

HELIOCENTRIC EQUATORIAL COORDINATES
X .91917375 08 Y -.11094960 09 Z -.48139343 08 DX .24141879 02 DY .17100327 02 DZ .73405645 01
R .15190791 09 LAT -.18475443 02 LON .30964401 03 V .30481722 02 PTH .39084562 00 AZ .75425917 02
XE .91678720 08 YE -.1107367 09 ZE -.48166372 08 DXE .23264142 02 DYE .16390917 02 DZE .71075957 01
XT .92047585 08 YT -.11097834 09 ZT -.48161795 08 DXT .22979978 02 DYT .17289042 02 DZT .75226751 01
LTE -.18491867 02 LOE .30953581 03 LTT -.18470901 02 LOT .30967297 03 RST .15201482 09 VST .29725090 02
EPS .80369771 02 ESP .10087055 00 SEP .99529669 02 EPM .13739078 03 EMP .28707231 02 MEP .13901982 02
MPS .14223074 03 MSP .32805301-01 SMP .37738037 02 SEM .11342959 03 EMS .66438639 02 ESM .13177923 00
RPM .13522009 06 SPN .79017864 02 SIP .14149556 03 CPT .93155009 02 SIN .92419830 02 D1 .38495969 00
GCE .10086762 03 GCT .28192439 03 CPE .98241898 02 CPS .76962300 02 D2 .30681725 00 D3 .63825909-02
REP .27033382 06 VEP .11523714 01

0 DAYS 21 HRS. 32 MIN. 2.000 SEC. 2356665542402020000000000 J.D.= 2438606.83333333 JULY 30,1964 08 00 00.00
TFL 1 DAYS 15 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC EQUATORIAL COORDINATES
X .24178575 06 Y .12640765 06 Z .27863761 05 DX .86149202 00 DY .70023170 00 DZ .23084207 00
R .27434692 06 DEC .58292385 01 RA .27638158 02 V .11339228 01 PTH .77221467 02 AZ .61637338 02
R .27434692 06 LAT .58292385 01 LON .31965173 03 VE .19712948 02 PTE .32158118 01 AZE .27034684 03
XS -.91762447 08 YS .11101464 09 ZS .48140775 08 DXS -.23251747 02 DYS -.16406097 02 DZS -.71141664 01
XM .36782552 06 YM .98566245 05 ZM .60708170 04 DXM -.29385683 00 DYM .89551934 00 DZM .41491934 00
XT .36782552 06 YT .98566245 05 ZT .60708170 04 DXT -.29385683 00 DYT .89551934 00 DZT .41491934 00
RS .05186221 09 VS .29332833 02 RM .38085137 06 VM .10297887 01 RT .38085137 06 VT .10297887 01
GED .58686871 01 ALT .26796893 06 LOS .61590225 02 RAS .12957644 03 RAM .15001116 02 LOM .30701469 03
DUT .35000000 02 DT .19200000 04 DR .11058982 01 SHA .27067879 06 DES .18481774 02 DEM .91339372 00

HELIOCENTRIC EQUATORIAL COORDINATES
X .92004232 08 Y -.11088803 09 Z -.48112911 08 DX .24113239 02 DY .17106328 02 DZ .73450085 01
R .15190716 09 LAT -.18465026 02 LON .30968263 03 V .30463485 02 PTH .39319264 00 AZ .75409449 02
XE .91762447 08 YE -.11101464 05 ZE -.48140775 08 DXE .23251747 02 DYE .16406097 02 DZE .71141664 01
XT .92130272 08 YT -.11091607 09 ZT -.48134704 08 DXT .22957890 02 DYT .17301516 02 DZT .75290857 01
LTE -.18481774 02 LOE .30957644 03 LTT -.18460632 02 LOT .30971406 03 RST .15201089 09 VST .29716961 02
EPS .80518076 02 ESP .10231507 00 SEP .99379827 02 EPM .13710113 03 EMP .29363469 02 MEP .13535420 02
MPS .14237187 03 MSP .30486634-01 SMP .37597993 02 SEM .11291321 03 EMS .66954564 02 ESM .13233487 00
RPM .13094760 06 SPN .78185947 02 SIP .14161270 03 CPT .93193226 02 SIN .92434058 02 D1 .39752212 00
GCE .10084910 03 GCT .28192524 03 CPE .98262989 02 CPS .76966418 02 D2 .31750012 00 D3 .68404336-02
REP .27434692 06 VEP .11339228 01

0 DAYS 22 HRS. 32 MIN. 2.000 SEC. 2356665560442020000000000 J.D.= 2438606.87500000 JULY 30,1964 09 00 00.00
TFL 1 DAYS 16 HRS. 9 MIN. 52.127 SEC.

JPL TECHNICAL REPORT NO. 32-694

GEOCENTRIC
 X .24485875 06 Y .12911225 06 Z .28690988 05 DX .84582683 00 DY .69124380 00 DZ .22872973 00
 R .27829653 06 DEC .59174257 01 RA .27823256 02 V .11160458 01 PTH .77237808 02 AZ .61632416 02
 R .27829652 06 LAT .59174257 01 LON .30477407 03 VE .19998619 02 PTE .31200056 01 AZE .27033610 03
 XS -.91846132 08 YS .11095555 09 ZS .48115151 08 DXS -.23239340 02 DYS -.16421270 02 DZS -.71207345 01
 XM .36675020 06 YM .10178530 06 ZM .75641824 04 DXM -.30353467 00 DYM .89282593 00 DZM .41471998 00
 XT .36675020 06 YT .10178530 06 ZT .75641824 04 DXT -.30353467 00 DYT .89282593 00 DZT .41471998 00
 RS .15184149 09 VS .29333085 02 RM .38086775 05 VM .10301767 01 RT .38086775 06 VT .10301767 01
 GED .59574626 01 ALT .27191855 06 LOS .46589593 02 RAS .12961708 03 RAM .15511090 02 LOM .29248360 03
 DUT .35000000 02 DT .19200000 04 DR .10884743 01 SHA .27468864 06 DES .18471672 02 DEM .11385276 01

HELIOCENTRIC
 X .92090990 08 Y -.11082644 09 Z -.48086460 08 DX .24085167 02 DY .17112514 02 DZ .73494642 01
 R .15190641 09 LAT -.18454604 02 LON .30972482 03 V .30445820 02 PTH .39521950 00 AZ .75393111 02
 XE .91846132 08 YE -.11095555 09 ZE -.48115151 08 DXE .23239340 02 DYE .16421270 02 DZE .71207345 01
 XT .92212882 08 YT -.11085376 09 ZT -.48107586 08 DXT .22935805 02 DYT .17314096 02 DZT .75354544 01
 LTE -.18471672 02 LOE .30961708 03 LTT -.18450352 02 LOT .30975152 03 RST .15200695 09 VST .29708789 02
 EPS .80660470 02 ESP .10397499 00 SEP .99235921 02 EPM .13682385 03 EMP .30013679 02 MEP .13162464 02
 MPS .14250652 03 MSP .30486634-01 SMP .37464413 02 SEM .11239638 03 EMS .67470951 02 ESM .13251956 00
 RPM .12659107 06 SPN .79347251 02
 GCE .10083140 03 GCT .28192447 03 SIP .14172184 03 CPT .93230429 02 SIN .92445753 02 D1 .41088042 00
 REP .27829653 06 VEP .11160458 01 CPE .98283266 02 CPS .76970541 02 D2 .32883730 00 D3 .73432410-02

0 DAYS 23 HRS. 32 MIN. 2.000 SEC. 235666557650202000000000 J.D. = 2438606.91666666 JULY 30, 1964 10 00 00.000
 TFL 1 DAYS 17 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC
 X .24787637 06 Y .13158482 06 Z .29510635 05 DX .83071815 00 DY .68243442 00 DZ .22663002 00
 R .28218457 06 DEC .60029234 01 RA .27961534 02 V .10987131 01 PTH .77255323 02 AZ .61625101 02
 R .28218457 06 LAT .60029234 01 LON .28989298 03 VE .20279788 02 PTE .30290898 01 AZE .27032590 03
 XS -.91929776 08 YS .11089640 09 ZS .48089503 08 DXS -.23226921 02 DYS -.16436437 02 DZS -.71272998 01
 XM .36544008 06 YM .10499450 06 ZM .90567602 04 DXM -.31319682 00 DYM .89004498 00 DZM .41448129 00
 XT .36544008 06 YT .10499450 06 ZT .90567602 04 DXT -.31319682 00 DYT .89004498 00 DZT .41448129 00
 RS .15186078 09 VS .29333338 02 RM .38052402 06 VM .10305664 01 RT .38052402 06 VT .10305664 01
 GED .60435303 01 ALT .27580060 06 LOS .31589156 02 RAS .12965771 03 RAM .16021556 02 LOM .27793003 03
 DUT .35000000 02 DT .19200000 04 DR .10716440 01 SHA .27863477 06 DES .18461559 02 DEM .13638112 01

HELIOCENTRIC
 X .92177652 08 Y -.11076482 09 Z -.48059992 08 DX .24057639 02 DY .17118871 02 DZ .73539298 01
 R .15190565 09 LAT -.18444175 02 LON .30976697 03 V .30428704 02 PTH .39693046 00 AZ .75376893 02
 XE .91929776 08 YE -.11089640 09 ZE -.48089503 08 DXE .23226921 02 DYE .16436437 02 DZE .71272998 01
 XT .92295416 08 YT -.11079141 09 ZT -.48080446 08 DXT .22913724 02 DYT .17326482 02 DZT .75417811 01
 LTE -.18461559 02 LOE .30965771 03 LTT -.18440666 02 LOT .30979618 03 RST .15200299 .09 VST .29700575 02
 EPS .80797242 02 ESP .10491170 00 SEP .99097461 02 EPM .13655876 03 EMP .30657835 02 MEP .12783399 02
 MPS .14263466 03 MSP .27976454-01 SMP .37337321 02 SEM .11187910 03 EMS .67987797 02 ESM .13325579 00
 RPM .12244876 06 SPN .79502120 02
 GCE .10081448 03 GCT .28192193 03 SIP .14182280 03 CPT .93266688 02 SIN .92454826 02 D1 .42511845 00
 REP .28218457 06 VEP .10987131 01 CPE .98302767 02 CPS .76974665 02 D2 .34089823 00 D3 .78972032-02

1 DAYS 0 HRS. 32 MIN. 2.000 SEC. 235666561454202000000000 J.D. = 2438606.95833333 JULY 30, 1964 11 00 00.000
 TFL 1 DAYS 18 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC
 X .25084056 06 Y .13402598 06 Z .30322739 05 DX .81614577 00 DY .67379209 00 DZ .22454100 00
 R .28610297 06 DEC .60858658 01 RA .28115919 02 V .10819003 01 PTH .77275822 02 AZ .61615139 02
 R .28610296 06 LAT .60858658 01 LON .27500630 03 VE .20556602 02 PTE .29427169 01 AZE .27031619 03
 XS -.92013369 08 YS .11083720 09 ZS .48063835 08 DXS -.23214491 02 DYS -.16451596 02 DZS -.71338619 01
 XM .36449520 06 YM .10819352 06 ZM .10548403 05 DXM -.32284227 00 DYM .88717656 00 DZM .41420318 00
 XT .36449520 06 YT .10819352 06 ZT .10548403 05 DXT -.32284227 00 DYT .88717656 00 DZT .41420318 00
 RS .15186066 09 VS .29333591 02 RM .38036016 06 VM .10309576 01 RT .38036016 06 VT .10309576 01
 GED .61270253 01 ALT .27963500 06 LOS .16588714 02 RAS .12969833 03 RAM .16532527 02 LOM .26342291 03
 DUT .35000000 02 DT .19200000 04 DR .10553256 01 SHA .28251913 06 DES .18451440 02 DEM .15891673 01

HELIOCENTRIC
 X .92264209 08 Y -.11070318 09 Z -.48033512 08 DX .24030637 02 DY .17125387 02 DZ .73584028 01
 R .15190489 09 LAT -.18433742 02 LON .30980910 03 V .30412111 02 PTH .39833150 00 AZ .75360794 02
 XE .92013369 08 YE -.11083720 09 ZE -.48063835 08 DXE .23214491 02 DYE .16451596 02 DZE .71338619 01
 XT .92377864 08 YT -.11072901 09 ZT -.48053287 08 DXT .22891649 02 DYT .17338772 02 DZT .75480650 01
 LTE -.18451440 02 LOE .30969833 03 LTT -.18429773 02 LOT .30983722 03 RST .15199902 09 VST .29692321 02
 EPS .80928658 02 ESP .10721774 00 SEP .98964778 02 EPM .11363056 03 EMP .31295892 02 MEP .12398491 02
 MPS .14275627 03 MSP .27976454-01 SMP .37216759 02 SEM .11136136 03 EMS .68505109 02 ESM .13380930 00
 RPM .11821993 06 SPN .79450876 02
 GCE .10079829 03 GCT .28191746 03 SIP .14191535 03 CPT .93302087 02 SIN .92461175 02 D1 .44033225 00
 REP .28610297 06 VEP .10819003 01 CPE .98321526 02 CPS .76978791 02 D2 .35376236 00 D3 .85096272-02

1 DAYS 1 HRS. 32 MIN. 2.000 SEC. 235666563260202000000000 J.D. = 2438607.00000000 JULY 30, 1964 12 00 00.000
 TFL 1 DAYS 19 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC
 X .25375323 06 Y .13643632 06 Z .31127343 05 DX .80209263 00 DY .66530585 00 DZ .22246056 00
 R .28978351 06 DEC .61663732 01 RA .28265272 02 V .10655858 01 PTH .77296239 02 AZ .61602614 02
 R .28978351 06 LAT .61663732 01 LON .26011503 03 VE .20829202 02 PTE .28605865 01 AZE .2703694 03
 XS -.92096923 08 YS .11077795 09 ZS .48038140 08 DXS -.23202048 02 DYS -.16466749 02 DZS -.71404214 01
 XM .36331563 06 YM .11138207 06 ZM .12038978 05 DXM -.33247014 00 DYM .88422067 00 DZM .41388557 00
 XT .36331563 06 YT .11138207 06 ZT .12038978 05 DXT -.33247014 00 DYT .88422067 00 DZT .41388557 00
 RS .15185934 09 VS .29333846 02 RM .38019620 06 VM .10313505 01 RT .38019620 06 VT .10313505 01
 GED .62080687 01 ALT .28340555 06 LOS .15882702 01 RAS .12973895 03 RAM .17044025 02 LOM .24889334 03
 DUT .35000000 02 DT .19200000 04 DR .10395004 01 SHA .28634357 06 DES .18441311 02 DEM .18145823 01

HELIOCENTRIC
 X .92350676 08 Y -.11064151 09 Z -.48007012 08 DX .24004141 02 DY .17132055 02 DZ .73628819 01
 R .15190413 09 LAT -.18423303 02 LON .30985121 03 V .30396021 02 PTH .39942092 00 AZ .75344408 02
 XE .92096923 08 YE -.11077795 09 ZE -.48038140 08 DXE .23202048 02 DYE .16466749 02 DZE .71404214 01
 XT .92460238 08 YT -.11066656 09 ZT -.48026101 08 DXT .22869578 02 DYT .17350970 02 DZT .75543070 01
 LTE -.18441311 02 LOE .30973896 03 LTT -.18419471 02 LOT .30987824 03 RST .15199503 09 VST .29684024 02
 EPS .81054554 02 ESP .10744563 00 SEP .98837039 02 EPM .13606423 03 EMP .31927777 02 MEP .12007982 02
 MPS .14287126 03 MSP .25211735-01 SMP .37102797 02 SEM .11084317 03 EMS .69022884 02 ESM .13398797 00
 RPM .11400000 06 SPN .79793799 02
 GCE .10078279 03 GCT .28191085 03 SIP .14199922 03 CPT .93336713 02 SIN .92464679 02 D1 .45663185 00
 REP .28978351 06 VEP .10655858 01 CPE .98339575 02 CPS .76982919 02 D2 .36752080 00 D3 .91891720-02

1 DAYS 2 HRS. 32 MIN. 2.000 SEC. 235666565064202000000000 J.D. = 2438607.04166666 JULY 30, 1964 13 00 00.000
 TFL 1 DAYS 20 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC

X .25661623 06 Y .13881637 06 Z .31924468 05 DX .78854511 00 DY .65696500 00 DZ .22038640 00
R .29349795 06 DEC .62445541 01 RA .28411139 02 V .10497507 01 PTH .77320994 02 AZ .61589575 02
R .29349794 06 LAT .62445541 01 LCN .24521938 03 VE .21097727 02 PTE .27824158 01 AZE .27029810 03
XS -.92180430 08 YS .11071864 09 ZS .48012421 08 DXS -.23189594 02 DYS -.16481895 02 DZS -.71469779 01
XM .36210143 06 YM .11455982 06 ZM .13528340 05 DXM -.34207943 00 DYM .88117741 00 DZM .41352839 00
XT .36210143 06 YT .11455982 06 ZT .13528340 05 DXT -.34207943 00 DYT .88117741 00 DZT .41352839 00
RS .15185862 09 VS .29334100 02 RM .38003212 06 VM .10317450 01 RT .38003212 06 VT .10317450 01
GED .62867698 01 ALT .28712000 06 LOS .34658782 03 RAS .12977957 03 RAM .17556066 02 LOM .23436431 03
DUT .35000000 02 DT .19200000 04 DR .10241526 01 SHA .29010989 06 DES .18431173 02 DEM .20400392 01

EQUATORIAL COORDINATES

HELIOCENTRIC

X .92437046 08 Y -.11057982 09 Z -.47980497 08 DX .23978139 02 DY -.17138860 02 DZ .73673642 01
R .15190236 09 LAT -.18412857 02 LON .30989328 03 V .30380416 02 PTH .40018700 02 AZ .75328933 02
XE .92180430 08 YE -.11071864 09 ZE -.48012421 08 DXE .23189594 02 DYE .16481895 02 DZE .71469779 01
XT .92342531 08 YT .11060408 09 ZT -.47998893 08 DXT .22847514 02 DYT .17363073 02 DZT .75605062 01
LTE -.18431173 02 LOE .30977957 03 LTT -.18409163 02 LOT .30991925 03 RST .15199104 09 VST .29675687 02
EPS .81176346 02 ESP .10969840 00 SEP .98714228 02 EPM .13583452 03 EMP .32553389 02 MEP .11612083 02
MPS .14297554 03 MSP .27088886-01 SMP .36995942 02 SEM .11032453 03 EMS .69541126 02 ESM .13453449 00
RPM .10979037 06 SPN .79391154 02 SIP .14207406 03 CPT .93370654 02 SIN .92465180 02 D1 .47414450 00
GCE .10076794 03 GCT .28190190 03 CPE .98356936 02 CPS .76987052 02 D2 .38227880 00 D3 .99461753-02
REP .29349795 06 VEP .10497507 01

EQUATORIAL COORDINATES

1 DAYS 3 HRS. 32 MIN. 2.000 SEC. 23566656670202000000000 J.D.= 2438607.08333333 JULY 30,1964 14 00 00.000
TFL 1 DAYS 21 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC

X .25949135 06 Y .14116663 06 Z .32714131 05 DX .77549295 00 DY .64875905 00 DZ .21831596 00
R .29715797 06 DEC .63205067 01 RA .28552319 02 V .10343788 01 PTH .77349669 02 AZ .61565980 02
R .29715796 06 LAT .63205067 01 LON .23031950 03 VE .21362312 02 PTE .27079625 01 AZE .27028061 03
XS -.92263888 08 YS .11165928 09 ZS .47986681 08 DXS -.23177129 02 DYS -.16497034 02 DZS -.71535312 01
XM .36085268 06 YM .11772645 06 ZM .15016338 05 DXM -.35166913 00 DYM .87804683 00 DZM .41313159 00
XT .36085268 06 YT .11772645 06 ZT .15016338 05 DXT -.35166913 00 DYT .87804683 00 DZT .41313159 00
RS .15185790 09 VS .29334356 02 RM .37986796 06 VM .10321410 01 RT .37986796 06 VT .10321410 01
GED .63632274 01 ALT .29078002 06 LOS .33158736 03 RAS .12982018 03 RAM .18068666 02 LOM .21983585 03
DUT .35000000 02 DT .19200000 04 DR .10092690 01 SHA .29381981 06 DES .18421028 02 DEM .22655148 01

EQUATORIAL COORDINATES

HELIOCENTRIC

X .92522319 08 Y -.11051811 09 Z -.47953967 08 DX .23952622 02 DY -.17145793 02 DZ .73718472 01
R .15190260 09 LAT -.18402407 02 LON .30993532 03 V .30365283 02 PTH .40065121 00 AZ .75313163 02
XE .92263888 08 YE -.11055928 09 ZE -.47986681 08 DXE .23177129 02 DYE .16497034 02 DZE .71535312 01
XT .92264740 08 YT .11054155 09 ZT -.47971664 08 DXT .22825459 02 DYT .17375081 02 DZT .75666627 01
LTE -.18421028 02 LOE .30982018 03 LTT -.18398848 02 LOT .30996025 03 RST .15198703 09 VST .29667312 02
EPS .81293019 02 ESP .11102813 00 SEP .98599155 02 EPM .13561644 03 EMP .33172582 02 MEP .11210971 02
MPS .14308097 03 MSP .23196850-01 SMP .36895126 02 SEM .10980543 03 EMS .70059838 02 ESM .13453449 00
RPM .10958854 06 SPN .80063167 02 SIP .14213944 03 CPT .93404008 02 SIN .92462499 02 D1 .49301779 00
GCE .10075371 03 GCT .28189035 03 CPE .98373635 02 CPS .76991186 02 D2 .39815850 00 D3 .10793056-01
REP .29715797 06 VEP .10343788 01

EQUATORIAL COORDINATES

1 DAYS 4 HRS. 32 MIN. 2.000 SEC. 23566657047420200000000 J.D.= 2438607.12500000 JULY 30,1964 15 00 00.000
TFL 1 DAYS 22 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC

X .26220035 06 Y .14348759 06 Z .33496346 05 DX .76292921 00 DY .64067767 00 DZ .21624642 00
R .30076522 06 DEC .63943206 01 RA .28689419 02 V .10194564 01 PTH .77383184 02 AZ .61541726 02
R .30076522 06 LAT .63943206 01 LON .21541554 03 VE .21623091 02 PTE .26370045 01 AZE .27028146 03
XS -.92347308 08 YS .11059986 09 ZS .47960915 08 DXS -.23164650 02 DYS -.16512167 02 DZS -.71600819 01
XM .35956945 06 YM .12088166 06 ZM .16502843 05 DXM -.36123834 00 DYM .87482901 00 DZM .41269308 00
XT .35956945 06 YT .12088166 06 ZT .16502843 05 DXT -.36123834 00 DYT .87482901 00 DZT .41269308 00
RS .15185718 09 VS .29334411 02 RM .37970376 06 VM .10323877 01 RT .37970376 06 VT .10323877 01
GED .64375319 01 ALT .29438728 06 LOS .31658693 03 RAS .12986079 03 RAM .18581845 02 LOM .20530796 03
DUT .35000000 02 DT .19200000 04 DR .99483900 00 SHA .29747502 06 DES .18410871 02 DEM .24909964 01

EQUATORIAL COORDINATES

HELIOCENTRIC

X .92609508 08 Y -.11045637 09 Z -.47927419 08 DX .23927579 02 DY -.17152844 02 DZ .73736282 01
R .15190183 09 LAT -.18391950 02 LON .30997735 03 V .30350607 02 PTH .40077244 00 AZ .75297496 02
XE .92347308 08 YE -.11059986 09 ZE -.47960915 08 DXE .23164650 02 DYE .16512167 02 DZE .71600819 01
XT .92706877 08 YT .11047897 09 ZT -.47944412 08 DXT .22803412 02 DYT .17386996 02 DZT .7572769 01
LTE -.18410871 02 LOE .30986079 03 LTT -.18388526 02 LOT .31000122 03 RST .15198301 09 VST .29658896 02
EPS .81405140 02 ESP .11212418 00 SEP .98482652 02 EPM .13540998 03 EMP .33785180 02 MEP .10804835 02
MPS .14317537 03 MSP .19782341-01 SMP .36801722 02 SEM .10928987 03 EMS .70579015 02 ESM .13525975 00
RPM .10139203 06 SPN .80190041 02 SIP .14219489 03 CPT .93436889 02 SIN .92456417 02 D1 .51342408 00
GCE .10074007 03 GCT .28187591 03 CPE .98389688 02 CPS .76995324 02 D2 .41530246 00 D3 .1174834-01
REP .30076522 06 VEP .10194564 01

EQUATORIAL COORDINATES

1 DAYS 5 HRS. 32 MIN. 2.000 SEC. 23566657230020200000000 J.D.= 2438607.16666666 JULY 30,1964 16 00 00.000
TFL 1 DAYS 23 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC

X .26492502 06 Y .14577965 06 Z .34271105 05 DX .75085090 00 DY .63271033 00 DZ .21417459 00
R .30432134 06 DEC .64660734 01 RA .28822562 02 V .10049727 01 PTH .77422620 02 AZ .61512573 02
R .30432134 06 LAT .64660734 01 LON .20050762 03 VE .21880197 02 PTE .25693421 01 AZE .27027360 03
XS -.92430678 08 YS .11054639 09 ZS .47935129 08 DXS -.23152161 02 DYS -.16527292 02 DZS -.71666291 01
XM .35825180 06 YM .12425212 06 ZM .17987698 05 DXM -.37078602 00 DYM .87152404 00 DZM .41221883 00
XT .35825180 06 YT .12425212 06 ZT .17987698 05 DXT -.37078602 00 DYT .87152404 00 DZT .41221883 00
RS .15185646 09 VS .29334868 02 RM .37953937 06 VM .10329379 01 RT .37953937 06 VT .10329379 01
GED .65097613 01 ALT .29794341 06 LOS .30158644 03 RAS .12990139 03 RAM .19095618 02 LOM .19078067 03
DUT .35000000 02 DT .19200000 04 DR .98085621 00 SHA .30107716 06 DES .18400709 02 DEM .27164644 01

EQUATORIAL COORDINATES

HELIOCENTRIC

X .92695603 08 Y -.11039461 09 Z -.47900857 08 DX .23903012 02 DY -.17160002 02 DZ .73808037 01
R .15190107 09 LAT -.18381489 02 LON .31001934 03 V .30336379 02 PTH .40054534 00 AZ .75281931 02
XE .92430678 08 YE -.11054639 09 ZE -.47935129 08 DXE .23152161 02 DYE .16527292 02 DZE .71666291 01
XT .92788929 08 YT .11041636 09 ZT -.47917141 08 DXT .22781375 02 DYT .17398816 02 DZT .75788480 01
LTE -.18400709 02 LOE .30990139 03 LTT -.18378197 02 LOT .31004218 03 RST .15197898 09 VST .29650443 02
EPS .81512862 02 ESP .11342548 00 SEP .98373571 02 EPM .13521524 03 EMP .34390951 02 MEP .10393800 02
MPS .14326251 03 MSP .19782341-01 SMP .36715568 02 SEM .10876585 03 EMS .71098663 02 ESM .13544046 00
RPM .97202347 05 SPN .80311964 02 SIP .14223976 03 CPT .93469418 02 SIN .92446671 02 D1 .53556221 00
GCE .10072699 03 GCT .28185824 03 CPE .98405114 02 CPS .76999465 02 D2 .43387853 00 D3 .12819846-01
REP .30432134 06 VEP .10049727 01

EQUATORIAL COORDINATES

1 DAYS 6 HRS. 32 MIN. 2.000 SEC. 23566657410420200000000 J.D.= 2438607.20833333 JULY 30,1964 17 00 00.000
TFL 2 DAYS 0 HRS. 9 MIN. 52.127 SEC.

JPL TECHNICAL REPORT NO. 32-694

GEOCENTRIC EQUATORIAL COORDINATES

X	-26760707	06	Y	-14804323	06	Z	-35038398	05	DX	.73925903	00	DY	.62484653	00	DZ	-.21209685	00
R	.30782793	06	DEC	.65358370	01	RA	.28951857	02	V	.99091986	00	PTH	.77469193	02	AZ	.61477777	02
R	.30782792	06	LAT	.65358370	01	RON	.18559584	03	VE	.22133763	02	PTE	.25048045	01	AZE	.27026600	03
XS	-.92514004	08	YS	.11048086	09	ZS	.47909316	08	DXS	-.23139659	02	DYS	-.16542411	02	DZS	-.71731738	01
XM	.35689981	06	YM	.12715653	06	ZM	.19470771	05	DXM	-.38031124	00	DYM	.86813200	00	DZM	-.41170275	00
XT	.35689981	06	YT	.12715653	06	ZT	.19470771	05	DXT	-.38031124	00	DYT	.86813200	00	DZT	-.41170275	00
RS	.15185573	09	YS	.29335126	02	RM	.37937497	06	VM	.10333387	01	RT	.37937497	06	VT	.10333387	01
RE	.65799880	01	ALT	.30145000	06	LOS	.28658598	03	RAS	.12994199	03	RAM	.19610007	02	LOM	.17625399	03
DUT	.35000000	02	DT	.19200000	04	DR	.96731566	00	SHA	.30462784	06	DES	.18390535	02	DEM	-.29418990	01

HELIOCENTRIC EQUATORIAL COORDINATES

X	-.92781611	08	Y	-.11033282	09	Z	-.47874277	08	DX	.23878918	02	DY	-.17167258	02	DZ	.73852706	01
R	.15190031	09	LAT	-.18371019	02	LOX	-.31006132	03	V	.30322593	02	PTH	-.39995112	00	AZ	.75266445	02
RE	.92514004	08	YE	-.11048086	09	ZE	-.47909316	08	DXE	.23139659	02	DYE	.16542411	02	DZE	-.71731738	01
XT	.92879093	08	YT	-.11035370	09	ZT	-.47889845	08	DXT	.22759348	02	DYT	.17410543	02	DZT	.75848765	01
LTE	-.18395535	02	LOE	.30994199	03	LTT	-.18367860	02	LOT	.31008312	03	RST	.15197494	09	VST	.28641951	02
EPS	.81616308	02	ESP	.11471201	00	SEP	.98268786	02	SEM	.13503239	03	EMP	.34989994	02	MEP	.99780111	01
XN	.14334210	03	YN	.13027558	06	ZN	.20951916	05	DXN	-.38981302	00	DYN	.86465300	00	DZN	-.41116680	00
RPN	.93015037	05	SPN	.80429091	02	SMP	.36636959	02	SEM	.10824537	03	EMS	.71618784	02	ESM	.13580115	00
GCE	.10071445	03	GCT	.28183693	03	SIP	.14227330	03	CPT	.93501730	02	SIN	.92432936	02	D1	.55968431	00
REP	.30782793	06	VEP	.99091986	00	CPE	.98419923	02	CPS	.77003609	02	D2	.45408528	00	D3	.14046300	-01

1 DAYS 7 HRS. 32 MIN. 2.000 SEC. 235666575710202000000000 J.D.= 2438607.25000000 JULY 30,1964 18 00 00.000
TFL 2 DAYS 1 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC EQUATORIAL COORDINATES

X	.27204827	06	Y	.15027867	06	Z	.35798195	05	DX	.72815944	00	DY	.61707520	00	DZ	.21000909	00
R	.31128655	06	DEC	.66036710	01	RA	.29077398	02	V	.97729307	00	PTH	.77524392	02	AZ	.61436388	02
R	.31128655	06	LAT	.66036710	01	RON	.17068632	03	VE	.22383924	02	PTE	.24432337	01	AZE	.27025862	03
XS	-.92597287	08	YS	.11042128	09	ZS	.47883480	08	DXS	-.23127146	02	DYS	-.16557523	02	DZS	-.71797156	01
XN	.35551357	06	YN	.13027558	06	ZN	.20951916	05	DXN	-.38981302	00	DYN	.86465300	00	DZN	-.41116680	00
XT	.35551357	06	YT	.13027558	06	ZT	.20951916	05	DXT	-.38981302	00	DYT	.86465300	00	DZT	-.41116680	00
RS	.15185501	09	YS	.29335384	02	RM	.37921050	06	VM	.10337411	01	RT	.37921050	06	VT	.10337411	01
RE	.66482721	01	ALT	.30490862	06	LOS	.27158551	03	RAS	.12998259	03	RAM	.20125025	02	LOM	.16172795	03
DUT	.35000000	02	DT	.19200000	04	DR	.95421725	00	SHA	.30812862	06	DES	.18380354	02	DEM	-.31672842	01

HELIOCENTRIC EQUATORIAL COORDINATES

X	-.92867535	08	Y	-.11027100	09	Z	-.47847681	08	DX	.23855305	02	DY	-.17174598	02	DZ	.73897246	01
R	.15189955	09	LAT	-.18360544	02	LOX	-.31010326	03	V	.30309246	02	PTH	-.39895988	00	AZ	.75251096	02
RE	.92597287	08	YE	-.11042128	09	ZE	-.47883480	08	DXE	.23127146	02	DYE	.16557523	02	DZE	-.71797156	01
XT	.92952800	08	YT	-.11029100	09	ZT	-.47862528	08	DXT	.22737333	02	DYT	.17422176	02	DZT	.75908624	01
LTE	-.18380354	02	LOE	.30998259	03	LTT	-.18357915	02	LOT	.31012405	03	RST	.15197088	09	VST	.29633422	02
EPS	.81715585	02	ESP	.11640527	00	SEP	.98168188	02	SEM	.13486170	03	EMP	.35580740	02	MEP	.95575556	01
XN	.35551357	06	YN	.13027558	06	ZN	.20951916	05	DXN	-.38981302	00	DYN	.86465300	00	DZN	-.41116680	00
RPN	.93015037	05	SPN	.80541560	02	SMP	.36566255	02	SEM	.10772444	03	EMS	.72139378	02	ESM	.13598114	00
GCE	.10070241	03	GCT	.28181152	03	SIP	.14229462	03	CPT	.93533988	02	SIN	.92414830	02	D1	.58606480	00
REP	.31128655	06	VEP	.97729307	00	CPE	.98434120	02	CPS	.77007757	02	D2	.47615962	00	D3	.15435163	-01

1 DAYS 8 HRS. 32 MIN. 2.000 SEC. 235666577514202000000000 J.D.= 2438607.29166666 JULY 30,1964 19 00 00.000
TFL 2 DAYS 2 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC EQUATORIAL COORDINATES

X	.27285042	06	Y	.15248627	06	Z	.36550448	05	DX	.71756338	00	DY	.60938466	00	DZ	.20790648	00
R	.31469882	06	DEC	.66696276	01	RA	.29199250	02	V	.96409126	00	PTH	.77589921	02	AZ	.61387239	02
R	.31469883	06	LAT	.66696276	01	RON	.15756111	03	VE	.22630820	02	PTE	.20285118	01	AZE	.27025142	03
XS	-.92680522	08	YS	.11036164	09	ZS	.47857623	08	DXS	-.23114621	02	DYS	-.16572627	02	DZS	-.71862541	01
XN	.35409318	06	YN	.13338193	06	ZN	.22430983	05	DXN	-.39929032	00	DYN	.86108716	00	DZN	.41055095	00
XT	.35409318	06	YT	.13338193	06	ZT	.22430983	05	DXT	-.39929032	00	DYT	.86108716	00	DZT	.41055095	00
RS	.15185428	09	YS	.29335642	02	RM	.37904599	06	VM	.10341450	01	RT	.37904599	06	VT	.10341450	01
RE	.67146660	01	ALT	.30832091	06	LOS	.25658503	03	RAS	.13002218	03	RAM	.20640900	02	LOM	.14720254	03
DUT	.35000000	02	DT	.19200000	04	DR	.94156480	00	SHA	.31158114	06	DES	.18370165	02	DEM	-.33926010	01

HELIOCENTRIC EQUATORIAL COORDINATES

X	.92953372	08	Y	-.11020916	09	Z	-.47821072	08	DX	.23832184	02	DY	-.17182012	02	DZ	.73941606	01
R	.15189879	09	LAT	-.18350064	02	LOX	-.31014518	03	V	.30296339	02	PTH	-.39753835	00	AZ	.75235826	02
RE	.92680522	08	YE	-.11036164	09	ZE	-.47857623	08	DXE	.23114621	02	DYE	.16572627	02	DZE	.71862541	01
XT	.93034615	08	YT	-.11022826	09	ZT	-.47835192	08	DXT	.22715331	02	DYT	.17433714	02	DZT	.75968050	01
LTE	-.18370165	02	LOE	.31002318	03	LTT	-.18347165	02	LOT	.31016496	03	RST	.15196682	09	VST	.29262456	02
EPS	.81810775	02	ESP	.11703392	00	SEP	.98071696	02	SEM	.13470352	03	EMP	.36163932	02	MEP	.91325361	01
MPS	.14347709	03	MSP	.15639313	-01	SMP	.36503914	02	SEM	.10720054	03	EMS	.72660445	02	ESM	.13634040	00
RPN	.84644649	05	SPN	.80649482	02	SMP	.80649482	02	SMP	.80649482	02	EMS	.72660445	02	ESM	.13634040	00
GCE	.10069086	03	GCT	.28178145	03	SIP	.14230259	03	CPT	.93566377	02	SIN	.92391878	02	D1	.61505277	00
REP	.31469882	06	VEP	.96409126	00	CPE	.98447715	02	CPS	.77011908	02	D2	.50038698	00	D3	.17038548	-01

1 DAYS 9 HRS. 32 MIN. 2.000 SEC. 235666601320202000000000 J.D.= 2438607.33333333 JULY 30,1964 20 00 00.000
TFL 2 DAYS 3 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC EQUATORIAL COORDINATES

X	.27541534	06	Y	.15466632	06	Z	.37295100	05	DX	.70748863	00	DY	.60176250	00	DZ	.20578340	00
R	.31806635	06	DEC	.67337502	01	RA	.29317467	02	V	.95131753	00	PTH	.77667882	02	AZ	.61328860	02
R	.31806635	06	LAT	.67337502	01	RON	.14083826	03	VE	.22874594	02	PTE	.20224877	01	AZE	.27024437	03
XS	-.92763715	08	YS	.11030195	09	ZS	.47831739	08	DXS	-.23102084	02	DYS	-.16587726	02	DZS	-.71927901	01
XN	.35263871	06	YN	.13647531	06	ZN	.23907839	05	DXN	-.40874224	00	DYN	.85743459	00	DZN	.40991512	00
XT	.35263871	06	YT	.13647531	06	ZT	.23907839	05	DXT	-.40874224	00	DYT	.85743459	00	DZT	.40991512	00
RS	.15185356	09	YS	.29335902	02	RM	.37888144	06	VM	.10345505	01	RT	.37888144	06	VT	.10345505	01
RE	.67792135	01	ALT	.31168844	06	LCS	.24158455	03	RAS	.13006376	03	RAM	.21157023	02	LOM	.13267781	03
DUT	.35000000	02	DT	.19200000	04	DR	.92936686	00	SHA	.31498696	06	DES	.18359966	02	DEM	-.36178308	01

HELIOCENTRIC EQUATORIAL COORDINATES

X	.93039130	08	Y	-.11014729	09	Z	-.47794444	08	DX	.23809572	02	DY	-.17189489	02	DZ	.73985735	01
R	.15189803	09	LAT	-.18339576	02	LOX	-.31018709	03	V	.30283875	02	PTH	-.39564297	00	AZ	.75220654	02
RE	.92763715	08	YE	-.11030195	09	ZE	-.47831739	08	DXE	.23102084	02	DYE	.16587726	02	DZE	.71927901	01
XT	.93116253	08	YT	-.11016548	09	ZT	-.47807832	08	DXT	.22693341	02	DYT	.17445161	02	DZT	.76027052	01
LTE	-.18359966	02	LOE	.31006376	03	LTT	-.18336										

GEOCENTRIC EQUATORIAL COORDINATES
X .27794499 06 Y .15681905 06 Z .38032064 05 DX .69796108 00 DY .59419481 00 DZ .20363315 00
R .32139083 06 DEC .67960723 01 RA .29432077 02 V .93898008 00 PTH .77760765 02 AZ .61259363 02
R .32139083 06 LAT .67960723 01 LON .12591180 03 VE .23115401 02 PTE .22751317 01 AZE .27023743 03
XS -.92846863 08 YS .11024221 09 ZS .47805832 08 DXS -.23089535 02 DYS -.16602818 02 DZS -.71993231 01
XM .35115026 06 YM .13955538 06 ZM .25382333 05 DXM -.41816774 00 DYM .85369540 00 DZM .40923528 00
XT .35115026 06 YT .13955538 06 ZT .25382333 05 DXT -.41816774 00 DYT .85369540 00 DZT .40923528 00
RS -.15185283 09 VS .29336162 02 RM .37871687 06 VM .10349574 01 RT .37871687 06 VT .10349574 01
GED .68419484 01 ALT .31501292 06 LOS .22658407 03 RAS .13010435 03 RAM .21674040 02 LOM .11815376 03
DUT .35000000 02 DT .19200000 04 DR .91763797 00 SHA .31834775 06 DES .18349758 02 DEM .38429530 01

HELIOCENTRIC EQUATORIAL COORDINATES
X .93124607 08 Y -.11008539 09 Z -.47767799 08 DX .23787496 02 DY .17197012 02 DZ .74029562 01
R .15189728 09 LAT -.18329082 02 LON .31022897 03 V .30271867 02 PTH -.39321399 00 AZ .75205582 02
XE .92846863 08 YE -.11024221 09 ZE -.47805832 08 OXE .23089535 02 DYE .16602818 02 DZE .71993231 01
XT .93198013 08 YT -.11010265 09 ZT -.47780450 08 DXT .22671367 02 DYT .17456513 02 DZT .76085623 01
LTE -.18349758 02 LOE .31010435 03 LTT .18326440 02 LOT .31024674 03 RST .15195866 09 VST .29607161 02
EPS .81989127 02 ESP .12033130 00 SEP .97890792 02 EPM .13442704 03 EMP .37303952 02 MEP .82690050 01
MPS .14357612 03 MSP .18504685-01 SMP .36406797 02 SEM .10615883 03 EMS .73704009 02 ESM .13723445 00
RPM .75289665 05 SPN .80852018 02
GCE .10066913 03 GCT .28170447 03 SIP .14227268 03 CPT .93632451 02 SIN .92328962 02 D1 .68262359 00
REP .32139083 06 VEP .93898008 00 CPE .98473082 02 CPS .77020220 02 D2 .55676639 00 D3 .21062537-01

1 DAYS 11 HRS. 32 MIN. 2.000 SEC. 235666604730202000000000 J.D.= 2438607.41666666 JULY 30,1964 22 00 00.00
TFL 2 DAYS 5 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC EQUATORIAL COORDINATES
X .28044137 06 Y .15894458 06 Z .38761219 05 DX .68901668 00 DY .58666610 00 DZ .20144765 00
R .32467394 06 DEC .68566151 01 RA .29543079 02 V .92709344 00 PTH .77871657 02 AZ .61176301 02
R .32467394 06 LAT .68566151 01 LON .11098175 03 VE .23353403 02 PTE .22243407 01 AZE .27023057 03
XS -.92929961 08 YS .11018241 09 ZS .47779903 08 DXS -.23076975 02 DYS -.16617902 02 DZS -.72058529 01
XM .34962792 06 YM .14262182 06 ZM .26854316 05 DXM -.42756500 00 DYM .84986977 00 DZM .40852340 00
XT .34962792 06 YT .14262182 06 XT .26854316 05 DXT -.42756500 00 DYT .84986977 00 DZT .40852340 00
RS .15185210 09 VS .29336423 02 RM .37855227 06 VM .10353659 01 RT .37855227 06 VT .10353659 01
GED .69028929 01 ALT .31829604 06 LOS .22191755 03 RAS .13014493 03 RAM .22191755 02 LOM .10363042 03
DUT .35000000 02 DT .19200000 04 DR .90640020 00 SHA .32166514 06 DES .18339542 02 DEM .40679513 01

HELIOCENTRIC EQUATORIAL COORDINATES
X .93210402 08 Y -.11002347 09 Z -.47741142 08 DX .23765991 02 DY .17204568 02 DZ .74073005 01
R .15189654 09 LAT -.18318583 02 LON .31027082 03 V .30260330 02 PTH -.39018565 00 AZ .75190610 02
XE .92929961 08 YE -.11018241 09 ZE -.47779903 08 OXE .23076975 02 DYE .16617902 02 DZE .72058529 01
XT .93279588 08 YT -.11003579 09 ZT -.47753049 08 DXT .22649409 02 DYT .17467772 02 DZT .76143762 01
LTE -.18335542 02 LOE .31014493 03 LTT .18316068 02 LOT .31028760 03 RST .15195456 09 VST .29598944 02
EPS .82072337 02 ESP .12114162 00 SEP .97806326 02 EPM .13431032 03 EMP .37859128 02 MEP .78305399 01
MPS .14361221 03 MSP .15639313-01 SMP .36373661 02 SEM .10563603 03 EMS .74226508 02 ESM .13723445 00
RPM .72076257 05 SPN .80946727 02
GCE .10065892 03 GCT .28165572 03 SIP .14223087 03 CPT .93666711 02 SIN .92287371 02 D1 .72236113 00
REP .32467394 06 VEP .92709344 00 CPE .98484851 02 CPS .77024382 02 D2 .58987331 00 D3 .23614176-01

1 DAYS 12 HRS. 32 MIN. 2.000 SEC. 235666606534202000000000 J.D.= 2438607.45833333 JULY 30,1964 23 00 00.00
TFL 2 DAYS 6 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC EQUATORIAL COORDINATES
X .28290666 06 Y .16104307 06 Z .39482434 05 DX .68070435 00 DY .57915846 00 DZ .19922170 00
R .32791753 06 DEC .69153948 01 RA .29650457 02 V .91568028 00 PTH .78004373 02 AZ .61076432 02
R .32791753 06 LAT .69153948 01 LON .96048056 02 VE .23588780 02 PTE .21760888 01 AZE .27022373 03
XS -.93013020 08 YS .11012256 09 ZS .47753949 08 DXS -.23064402 02 DYS -.16632980 02 DZS -.72123799 01
XM .34807181 06 YM .14567434 06 ZM .28323656 05 DXM -.43693550 00 DYM .84595782 00 DZM .40776743 00
XT .34807181 06 YT .14567434 06 ZT .28323656 05 DXT -.43693550 00 DYT .84595782 00 DZT .40776743 00
RS .15185287 09 VS .29336485 02 RM .37838767 06 VM .10367758 01 RT .37838767 06 VT .10367758 01
GED .69622607 01 ALT .32153964 06 LOS .19658310 03 RAS .13018550 03 RAM .22710193 02 LOM .89107788 02
DUT .35000000 02 DT .19200000 04 DR .89568502 00 SHA .32494089 06 DES .18329317 02 DEM .42928071 01

HELIOCENTRIC EQUATORIAL COORDINATES
X .93295926 08 Y -.10996151 09 Z -.47714467 08 DX .23745106 02 DY .17212138 02 DZ .74115969 01
R .15185580 09 LAT -.18308077 02 LON .31031266 03 V .30249289 02 PTH -.38646320 00 AZ .75175744 02
XE .93013020 08 YE -.11012256 09 ZE -.47753949 08 OXE .23064402 02 DYE .16632980 02 DZE .72123799 01
XT .93361091 08 YT -.10997688 09 ZT -.47725628 08 DXT .22627466 02 DYT .17478938 02 DZT .76201472 01
LTE -.18329317 02 LOE .31018550 03 LTT .18305689 02 LOT .31032845 03 RST .15195046 09 VST .29590237 02
EPS .82151557 02 ESP .12254679 00 SEP .97725870 02 EPM .13420946 03 EMP .38402919 02 MEP .73876046 01
MPS .67876457 05 SPN .81037083 02 SMP .36352295 02 SEM .10511277 03 EMS .13747948 02 ESM .13741256 00
RPM .10064912 03 GCT .28159859 03 SIP .14216782 03 CPT .93702274 02 SIN .92237569 02 D1 .76708499 00
REP .32791753 06 VEP .91568028 00 CPE .98495988 02 CPS .77028549 02 D2 .62710029 00 D3 .26650182-01

1 DAYS 13 HRS. 32 MIN. 2.000 SEC. 235666610340202000000000 J.D.= 2438607.50000000 JULY 31,1964 00 00 00.00
TFL 2 DAYS 7 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC EQUATORIAL COORDINATES
X .28534327 06 Y .16311453 06 Z .40195518 05 DX .67309006 00 DY .57165062 00 DZ .19692926 00
R .33112356 06 DEC .69724064 01 RA .29754147 02 V .90477388 00 PTH .78163691 02 AZ .60955834 02
R .33112356 06 LAT .69724064 01 LON .81110628 02 VE .23821735 02 PTE .21303718 01 AZE .27021685 03
XS -.93096028 08 YS .11006265 09 ZS .47727973 08 DXS -.23051817 02 DYS -.16648050 02 DZS -.72189038 01
XM .34648203 06 YM .14871262 06 ZM .29790198 05 DXM -.44627570 00 DYM .84195970 00 DZM .40697135 00
XT .34648203 06 YT .14871262 06 ZT .29790198 05 DXT -.44627570 00 DYT .84195970 00 DZT .40697135 00
RS .15185064 09 VS .29336996 02 RM .37822307 06 VM .10361871 01 RT .37822307 06 VT .10361871 01
GED .70194494 01 ALT .32474567 06 LOS .18158255 03 RAS .13022607 03 RAM .23229364 02 LOM .74585845 02
DUT .35000000 02 DT .19200000 04 DR .88553624 00 SHA .32817688 06 DES .18319083 02 DEM .45174981 01

HELIOCENTRIC EQUATORIAL COORDINATES
X .93381371 08 Y -.10989954 09 Z -.47687777 08 DX .23724907 02 DY .17219701 02 DZ .74158330 01
R .15189507 09 LAT -.18297563 02 LON .31035447 03 V .30238781 02 PTH -.38193222 00 AZ .75160988 02
XE .93096028 08 YE -.11006265 09 ZE -.47727973 08 OXE .23051817 02 DYE .16648050 02 DZE .72189038 01
XT .93422510 08 YT -.10991394 09 ZT -.47698183 08 DXT .22605541 02 DYT .17490010 02 DZT .76258751 01
LTE -.18319083 02 LOE .31022607 03 LTT .18295303 02 LOT .31036928 03 RST .15194635 09 VST .29581496 02
EPS .82226737 02 ESP .12393603 00 SEP .97649470 02 EPM .13412601 03 EMP .38933832 02 MEP .69401497 01
MPS .14364157 03 MSP .15639313-01 SMP .36344196 02 SEM .10458903 03 EMS .75272939 02 ESM .13794551 00
RPM .63668147 05 SPN .81123055 02
GCE .10063971 03 GCT .28153134 03 SIP .14208002 03 CPT .93739634 02 SIN .92178093 02 D1 .81782396 00
REP .33112356 06 VEP .90477388 00 CPE .98506448 02 CPS .77032720 02 D2 .66929813 00 D3 .30301315-01

1 DAYS 14 HRS. 32 MIN. 2.000 SEC. 235666612144202000000000 J.D.= 2438607.54166666 JULY 31,1964 01 00 00.00
TFL 2 DAYS 8 HRS. 9 MIN. 52.127 SEC.

JPL TECHNICAL REPORT NO. 32-694

GEOCENTRIC					EQUATORIAL COORDINATES												
X	.28775385	06	Y	-.16515892	06	Z	-.40900239	05	DX	.66626292	00	DY	.56411685	00	DZ	.19456880	00
R	.33429414	06	DEC	.70276371	01	RA	.29854056	02	V	.89442223	00	PTH	.78355716	02	AZ	.60807104	02
R	.33429413	06	LAT	.70276371	01	LON	.66169472	02	VE	.24052497	02	PTE	.20872264	01	AZE	.27020989	03
XS	-.93178993	08	YS	-.11000269	09	ZS	.47701973	08	DXS	-.23039221	02	DYS	-.16663114	02	DZS	-.72254246	01
XM	.34485867	06	YM	.15173635	06	ZM	.31253802	05	DXM	-.45558560	00	DYM	.83787561	00	DZM	.40613513	00
XT	.34485867	06	YT	.15173635	06	XT	.31253802	05	DXT	-.45558560	00	DYT	.83787561	00	DZT	.40613513	00
RS	.15184991	09	VS	-.29337209	02	RM	.37805849	06	VM	.10366000	01	RT	.37805849	06	VT	.10366000	01
GD	.70750451	01	ALT	.32791626	06	LDS	.16658205	03	RAS	.13026663	03	RAM	.23749292	02	LDM	.60064708	02
DUT	.35000000	02	DT	.19200000	04	DR	.87601463	00	SHA	.33137510	06	DES	.18308841	02	DEM	.47420099	01

HELIOCENTRIC					EQUATORIAL COORDINATES												
X	.93466746	08	Y	-.10983753	09	Z	-.47661673	08	DX	-.23705484	02	DY	.17227230	02	DZ	.74199934	01
R	.15189435	09	LAT	-.18287044	02	LON	.31039427	03	V	.30228856	02	PTH	-.37643819	00	AZ	.75146349	02
XE	.93178993	08	YE	-.11000269	09	ZE	-.47701973	08	DXE	.23039221	02	DYE	.16663114	02	DZE	.72254246	01
XT	.93252851	08	YT	-.10985095	09	ZT	-.47670719	08	DXT	.22583635	02	DYT	.17500989	02	DZT	.76315597	01
LTE	-.18308841	02	LOE	.31026663	03	LTT	-.18284910	02	LOT	.31041009	03	RST	.15194223	09	VST	.29572722	02
EPS	.82297778	02	ESP	.12472294	00	SEP	.97577223	02	EPM	.13406207	03	EMP	.39449852	02	MEP	.64880654	01
MPS	.14363533	03	MSP	.15639313	-01	SMP	.36351378	02	SEM	.10406483	03	EMS	.75796881	02	ESM	.13829968	00
RPM	.59448962	05	SPN	.81204566	02												
GCE	.10063069	03	GCT	.28145209	03	SIP	.14196293	03	CPT	.93779394	02	SIN	.92106197	02	D1	.87591404	00
REP	.33429414	06	VGP	.89442223	00	CPE	.98516224	02	CPS	.77036893	02	D2	.71757124	00	D3	.34747674	-01

1 DAYS 15 HRS. 32 MIN. 2.000 SEC. 235666613750202000000000 J.D.= 2438607.58333334 JULY 31,1964 02 00 00.000
TFL 2 DAYS 9 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC					EQUATORIAL COORDINATES												
X	.29014145	06	Y	-.16717611	06	Z	-.41596305	05	DX	.66034385	00	DY	.55652490	00	DZ	.19211601	00
R	.33743171	06	DEC	.70810509	01	RA	.29950040	02	V	.88469345	00	PTH	.78588337	02	AZ	.60622980	02
R	.33743171	06	LAT	.70810509	01	LON	.51224392	02	VE	.24281341	02	PTE	.20467421	01	AZE	.27202074	03
XS	-.93261913	08	YS	.10994267	09	ZS	.47675950	08	DXS	-.23026613	02	DYS	-.16678170	02	DZS	-.72319426	01
XM	.34320185	06	YM	.15474523	06	ZM	.32714325	05	DXM	-.46486416	00	DYM	.83370572	00	DZM	.40525876	00
XT	.34320185	06	YT	.15474523	06	XT	.32714325	05	DXT	-.46486416	00	DYT	.83370572	00	DZT	.40525876	00
RS	.15184917	09	VS	-.29337472	02	RM	.37789392	06	VM	.10370143	01	RT	.37789392	06	VT	.10370143	01
GD	.71288118	01	ALT	.33105383	06	LDS	.15158155	03	RAS	.13030720	03	RAM	.24269992	02	LDM	.65544342	02
DUT	.35000000	02	DT	.19200000	04	DR	.86720389	00	SHA	.33453780	06	DES	.18298590	02	DEM	.49663192	01

HELIOCENTRIC					EQUATORIAL COORDINATES												
X	.93552054	08	Y	-.10977550	09	Z	-.47634353	08	DX	-.23686956	02	DY	.17234695	02	DZ	.74240585	01
R	.15189364	09	LAT	-.18276518	02	LON	.31043805	03	V	.30219584	02	PTH	-.36977875	00	AZ	.75131827	02
XE	.93261913	08	YE	-.10994267	09	ZE	-.47675950	08	DXE	.23026613	02	DYE	.16678170	02	DZE	.72319426	01
XT	.93605114	08	YT	-.10978793	09	ZT	-.47643235	08	DXT	.22561748	02	DYT	.17511876	02	DZT	.76372012	01
LTE	-.18298590	02	LOE	.31030720	03	LTT	-.18274509	02	LOT	.31045089	03	RST	.15193809	09	VST	.29563916	02
EPS	.82344536	02	ESP	.12647557	00	SEP	.97509269	02	EPM	.13402038	03	EMP	.39948886	02	MEP	.60312232	01
MPS	.14361121	03	MSP	.12745312	-18	SMP	.36376433	02	SEM	.10356015	03	EMS	.76321299	02	ESM	.13829968	00
RPM	.55216140	05	SPN	.81281489	02												
GCE	.10062203	03	GCT	.28135815	03	SIP	.14181057	03	CPT	.93822374	02	SIN	.92021732	02	D1	.94312485	00
REP	.33743171	06	VGP	.88469345	00	CPE	.98525263	02	CPS	.77041072	02	D2	.71733838	00	D3	.40252031	-01

1 DAYS 16 HRS. 32 MIN. 2.000 SEC. 235666615542020000000000 J.D.= 2438607.62500000 JULY 31,1964 03 00 00.000
TFL 2 DAYS 10 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC					EQUATORIAL COORDINATES												
X	.29250961	06	Y	-.16916579	06	Z	-.42283335	05	DX	.65549936	00	DY	.54883336	00	DZ	.18954510	00
R	.34053900	06	DEC	.71325915	01	RA	.30041891	02	V	.87568533	00	PTH	.78871977	02	AZ	.60390320	02
R	.34053899	06	LAT	.71325923	01	LON	.36275180	02	VE	.24508598	02	PTE	.20090830	01	AZE	.27019534	03
XS	-.93344787	08	YS	.10988261	09	ZS	.47649902	08	DXS	-.23013993	02	DYS	-.16693221	02	DZS	-.72384576	01
XM	.34151167	06	YM	.15773894	06	ZM	.34171620	05	DXM	-.47411037	00	DYM	.82945022	00	DZM	.40434222	00
XT	.34151167	06	YT	.15773894	06	XT	.34171620	05	DXT	-.47411037	00	DYT	.82945022	00	DZT	.40434222	00
RS	.15184846	09	VS	-.29337316	02	RM	.37717289	06	VM	.10374300	01	RT	.37717289	06	VT	.10374300	01
GD	.71806937	01	ALT	.33416113	06	LDS	.13658104	03	RAS	.13034775	03	RAM	.24791482	02	LDM	.31024769	02
DUT	.35000000	02	DT	.19200000	04	DR	.85922106	00	SHA	.33766752	06	DES	.18288331	02	DEM	.51904100	01

HELIOCENTRIC					EQUATORIAL COORDINATES												
X	.93637296	08	Y	-.10971344	09	Z	-.47607619	08	DX	.23669492	02	DY	.17242054	02	DZ	.74280027	01
R	.15189295	09	LAT	-.18265985	02	LON	.31047981	03	V	.30211066	02	PTH	-.36168498	00	AZ	.75117464	02
XE	.93344787	08	YE	-.10988261	09	ZE	-.47649902	08	DXE	.23013993	02	DYE	.16693221	02	DZE	.72384576	01
XT	.93686298	08	YT	-.10972487	09	ZT	-.47615730	08	DXT	.22539862	02	DYT	.17522671	02	DZT	.76427998	01
LTE	-.18288331	02	LOE	.31034775	03	LTT	-.18264101	02	LOT	.31049167	03	RST	.15193395	09	VST	.29555079	02
EPS	.82426801	02	ESP	.12743884	00	SEP	.97445826	02	EPM	.13400471	03	EMP	.40425873	02	MEP	.55694013	01
MPS	.14356563	03	MSP	.12743351	-18	SMP	.36422950	02	SEM	.10301500	03	EMS	.76846206	02	ESM	.13882922	00
RPM	.50966413	05	SPN	.81356388	02												
GCE	.10061373	03	GCT	.28124599	03	SIP	.14161479	03	CPT	.93869640	02	SIN	.91918799	02	D1	.10218531	00
REP	.34053900	06	VGP	.87568533	00	CPE	.98533500	02	CPS	.77045255	02	D2	.83871592	00	D3	.47170306	-01

1 DAYS 17 HRS. 32 MIN. 2.000 SEC. 235666617360202000000000 J.D.= 2438607.66666666 JULY 31,1964 04 00 00.000
TFL 2 DAYS 11 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC					EQUATORIAL COORDINATES												
X	.29466259	06	Y	-.17112753	06	Z	-.42960848	05	DX	.65196283	00	DY	.54098728	00	DZ	.18682160	00
R	.34361928	06	DEC	.71821752	01	RA	.30129319	02	V	.86753667	00	PTH	.79220676	02	AZ	.60089666	02
R	.34361928	06	LAT	.71821752	01	LON	.21321538	02	VE	.24734682	02	PTE	.19745120	01	AZE	.27018752	03
XS	-.93427617	08	YS	.10982248	09	ZS	.47623831	08	DXS	-.23001360	02	DYS	-.16708264	02	DZS	-.72449698	01
XM	.33978828	06	YM	.16071717	06	ZM	.35625545	05	DXM	-.48332322	00	DYM	.82510930	00	DZM	.40338548	00
XT	.33978828	06	YT	.16071717	06	XT	.35625545	05	DXT	-.48332322	00	DYT	.82510930	00	DZT	.40338548	00
RS	.15184771	09	VS	-.29338000	02	RM	.37756491	06	VM	.10378471	01	RT	.37756491	06	VT	.10378471	01
GD	.72306038	01	ALT	.33724141	06	LDS	.12158052	03	RAS	.13038831	03	RAM	.25313779	02	LDM	.16505941	02
DUT	.35000000	02	DT	.19200000	04	DR	.85223179	00	SHA	.34076722	06	DES	.18278062	02	DEM	.54142601	01

HELIOCENTRIC					EQUATORIAL COORDINATES												
X	.93722479	08	Y	-.10965135	09	Z	-.47580871	08	DX	.23653323	02	DY	.17249251	02	DZ	.74317914	01
R	.15189227	09	LAT	-.18255443	02	LON	.31052156	03	V	.30203441	02	PTH	-.35177950	00	AZ	.75103249	02
XE	.93427617	08	YE	-.10982248	09	ZE	-.47623831	08	DXE	.23001360							

GEOCENTRIC EQUATORIAL COORDINATES

X	.29720570	06	Y	.17306663	06	Z	-.43628215	05	DX	.65007001	00	DY	.53291134	00	DZ	.18389813	00
R	.34667655	06	DEC	.72296749	01	RA	.30211917	02	V	.96046733	00	PTH	.79653840	02	AZ	.59689594	02
R	.34667654	06	LAT	.72296749	01	LN	.63630677	01	VE	-.24960195	02	PTE	-.19434518	01	AZE	-.27017513	03
XS	-.93510403	08	YS	-.10976230	09	ZS	.47597737	08	DXS	-.22988717	02	DYS	-.16723300	02	DZS	-.72514790	01
XM	.33803178	06	YM	.16367563	06	ZM	-.37075952	05	DXM	-.49250170	00	DYM	.82068316	00	DZM	.40238855	00
XT	.33803178	06	YT	.16367563	06	ZT	-.37075952	05	DXT	-.49250170	00	DYT	.82068316	00	DZT	.40238855	00
RS	.15184697	09	VS	.29338265	02	RW	-.37740049	06	VM	.10382655	01	RT	.37740049	06	VT	.10382655	01
GED	.72784170	01	ALT	.34029868	06	LDS	.10658001	03	RAS	.13042886	03	RAM	.25836903	02	LDM	.19880521	01
DUT	.35000000	02	DT	.19200000	04	DR	.84647671	00	SHA	-.34384051	06	DES	-.18267784	02	DEM	.56378519	01

HELIOCENTRIC EQUATORIAL COORDINATES

X	.93807608	08	Y	-.10958924	09	Z	-.47554105	08	DX	-.23638786	02	DY	.17256211	02	DZ	.74353770	01
R	.15189161	09	LAT	-.18244896	02	LN	.31056329	03	V	.30196918	02	PTH	-.33952956	00	AZ	.75089216	02
XE	.93510403	08	YE	-.10976230	09	ZE	-.47597737	08	DXE	.22988717	02	DYE	.16723300	02	DZE	.72514790	01
XT	.93807608	08	YT	-.10958924	09	ZT	-.47554105	08	DXT	.22988717	02	DYT	.16723300	02	DZT	.72514790	01
LTE	-.18267784	02	LOE	.31042886	03	LTT	-.18243267	02	LOT	.31057318	03	RST	.15192565	09	VST	.29537310	02
EPS	.82536519	02	ESP	.12972151	00	SEP	.97333776	02	EPH	.13407436	03	EMP	.41296060	02	MEP	.46295607	01
MPS	.14338824	03	MSP	.13988227	-01	SMP	.36602218	02	SEM	.10196329	03	EMS	.77897470	02	ESM	.13882922	00
RPM	.42399342	05	SPN	.81482358	02	SIP	.14104301	03	CPT	.93983527	02	SIN	.91638304	02	D1	.12286425	01
GCE	.10059814	03	GCT	.28094591	03	CPE	.98547216	02	CPS	.77053636	02	D2	.10101663	01	D3	.67748769	-01
REP	.34667655	06	VEP	.86046733	00												

1 DAYS 19 HRS. 32 MIN. 2.000 SEC. 23566622770202000000000 J.D.= 2438607.75000000 JULY 31,1964 06 00 00.000
 TFL 2 DAYS 13 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC EQUATORIAL COORDINATES

X	.29954566	06	Y	.17496408	06	Z	-.44284596	05	DX	.65031997	00	DY	.52449829	00	DZ	.18070771	00
R	.34971582	06	DEC	.72749095	01	RA	.30289121	02	V	.85479225	00	PTH	.80199046	02	AZ	.59139949	02
R	.34971581	06	LAT	.72749095	01	LN	.35139923	03	VE	-.25185688	02	PTE	.19165716	01	AZE	.27016991	03
XS	-.93593138	08	YS	.10970207	09	ZS	.47571620	08	DXS	-.22976060	02	DYS	-.16738328	02	DZS	-.72579850	01
XM	.33624231	06	YM	.16662600	06	ZM	-.38522696	05	DXM	-.50164480	00	DYM	.81617203	00	DZM	.40135140	00
XT	.33624231	06	YT	.16662600	06	ZT	-.38522696	05	DXT	-.50164480	00	DYT	.81617203	00	DZT	.40135140	00
RS	.15184623	09	VS	.29338529	02	RW	.37723614	06	VM	.10386853	01	RT	.37723614	06	VT	.10386853	01
GED	.73237499	01	ALT	.34333796	06	LDS	.91579480	02	RAS	.13046940	03	RAM	.26360868	02	LDM	.34747093	03
DUT	.35000000	02	DT	.24000000	03	DR	.84231663	00	SHA	-.34689188	06	DES	-.18257498	02	DEM	.58611628	01

HELIOCENTRIC EQUATORIAL COORDINATES

X	.93826884	08	Y	-.10952711	09	Z	-.47527335	08	DX	-.23626380	02	DY	.17262827	02	DZ	.74368927	01
R	.15189098	09	LAT	-.18234342	02	LN	.31066002	03	V	.30191806	02	PTH	-.32415223	00	AZ	.75075400	02
XE	.93593138	08	YE	-.10970207	09	ZE	-.47571620	08	DXE	.22976060	02	DYE	.16738328	02	DZE	.72579850	01
XT	.93826884	08	YT	-.10952711	09	ZT	-.47527335	08	DXT	.22474416	02	DYT	.17554501	02	DZT	.76593365	01
LTE	-.18257498	02	LOE	.31046940	03	LTT	-.18232880	02	LOT	.31061391	03	RST	.15192148	09	VST	.29528381	02
EPS	.82582968	02	ESP	.13084791	00	SEP	.97286175	02	EPH	.13417793	03	EMP	.41671513	02	MEP	.41505451	01
MPS	.14323893	03	MSP	.98911702	-02	SMP	.36752475	02	SEM	.10143672	03	EMS	.78423832	02	ESM	.13935676	00
RPM	.38070555	05	SPN	.81537969	02	SIP	.14062687	03	CPT	.94055260	02	SIN	.91443200	02	D1	.13686203	01
GCE	.10059803	03	GCT	.28074153	03	CPE	.98552424	02	CPS	.77057834	02	D2	.11261467	01	D3	.83606271	-01
REP	.34971582	06	VEP	.85479225	00												

SELENCENTRIC EQUATORIAL COORDINATES

X	-.36696648	05	Y	.83380871	04	Z	-.57618991	04	DX	.11519648	01	DY	-.29167374	00	DZ	-.22064369	00
R	.38070555	05	DEC	.87050495	01	RA	.16719879	03	V	.12086273	01	PTH	-.87164411	02	AZ	.14263917	03
R	.38070552	05	LAT	.84277623	01	LN	.31283843	03	VP	.12093925	01	PTP	-.86939368	02	AZP	.24851000	03
LTS	.93672287	00	LNS	.27620483	03	LTE	.60749665	01	LNE	.35466258	03						
ALT	.36335555	05	SHA	-.22779867	05	ALP	.39570814	01	DR	-.12076675	01	DP	.72476656	-04	ASD	.16220598	01
HGE	.27741703	03	SVL	.90190084	-01	HNG	.14323902	03	SIA	.13156587	03						

1 DAYS 20 HRS. 32 MIN. 2.000 SEC. 23566624574202000000000 J.D.= 2438607.79166666 JULY 31,1964 07 00 00.000
 TFL 2 DAYS 14 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC EQUATORIAL COORDINATES

X	.30189148	06	Y	.17682643	06	Z	-.44928874	05	DX	.65348665	00	DY	.51558823	00	DZ	.17715202	00
R	.35274380	06	DEC	.73176247	01	RA	.30360130	02	V	.85103400	00	PTH	.80896907	02	AZ	.58327045	02
R	.35274380	06	LAT	.73176247	01	LN	.39642915	03	VE	.25412387	02	PTE	.18949531	01	AZE	-.27012948	03
XS	-.93675832	08	YS	.10964178	09	ZS	.47549478	08	DXS	-.22963393	02	DYS	-.16753351	02	DZS	-.72644881	01
XM	.33441998	06	YM	.16955598	06	ZM	-.39965637	05	DXM	-.51075156	00	DYM	.81157612	00	DZM	.40027404	00
XT	.33441998	06	YT	.16955598	06	ZT	-.39965637	05	DXT	-.51075156	00	DYT	.81157612	00	DZT	.40027404	00
RS	.15184550	09	VS	.29338796	02	RW	.37707188	06	VM	.10391065	01	RT	.37707188	06	VT	.10391065	01
GED	.73669466	01	ALT	.34636594	06	LDS	.76578955	02	RAS	.13050994	03	RAM	.26885695	02	LDM	.33295470	03
DUT	.35000000	02	DT	.48000000	03	DR	.84031546	00	SHA	.34992730	06	DES	.18247204	02	DEM	.60841762	01

HELIOCENTRIC EQUATORIAL COORDINATES

X	.93977723	08	Y	-.10964495	09	Z	-.47500549	08	DX	-.23616879	02	DY	.17268939	02	DZ	.74416402	01
R	.15189039	09	LAT	-.18223777	02	LN	.31064671	03	V	.30188595	02	PTH	-.30445226	00	AZ	.75061850	02
XE	.93675832	08	YE	-.10964178	09	ZE	-.47549478	08	DXE	.22963393	02	DYE	.16753351	02	DZE	.72644881	01
XT	.94010252	08	YT	-.10947223	09	ZT	-.47505512	08	DXT	.22452641	02	DYT	.17564927	02	DZT	.76647622	01
LTE	-.18247204	02	LOE	.31050994	03	LTT	-.18222404	02	LOT	.31065463	03	RST	.15191731	09	VST	.29519423	02
EPS	.82622775	02	ESP	.13270400	00	SEP	.97245222	02	EPH	.13434754	03	EMP	.41988000	02	MEP	.36644387	01
MPS	.14302960	03	MSP	.98911702	-02	SMP	.36962754	02	SEM	.10090967	03	EMS	.78950685	02	ESM	.13988231	00
RPM	.33700774	05	SPN	.81586748	02	SIP	.14007856	03	CPT	.94142531	02	SIN	.91191497	02	D1	.15465258	01
GCE	.10058382	03	GCT	.28048294	03	CPE	.98556255	02	CPS	.77062037	02	D2	.12734992	01	D3	.10594151	00
REP	.35274380	06	VEP	.85103400	00												

SELENCENTRIC EQUATORIAL COORDINATES

X	-.32528503	05	Y	.72804507	04	Z	-.49632370	04	DX	.11642382	01	DY	-.29598789	00	DZ	-.22312202	00
R	.33700774	05	DEC	.84689666	01	RA	.16738411	03	V	.12218195	01	PTH	-.87381160	02	AZ	.14175774	03
R	.33700771	05	LAT	.84282082	01	LN	.31255185	03	VP	.12215310	01	PTP	-.87695763	02	AZP	.23718593	03
LTS	.93754078	00	LNS	.27569590	03	LTE	.60460074	01	LNE	.35468368	03						
ALT	.31965774	05	SHA	-.20264131	05	ALP	.37315782	01	DR	-.12205434	01	DP	.94912533	-04	ASD	.29510327	01
HGE	.27737722	03	SVL	-.60666592	-01	HNG	.14302964	03	SIA	.13139651	03						

1 DAYS 21 HRS. 32 MIN. 2.000 SEC. 235666264C0202000000000 J.D.= 2438607.83333333 JULY 31,1964 08 00 00.000
 TFL 2 DAYS 15 HRS. 9 MIN. 52.127 SEC.

JPL TECHNICAL REPORT NO. 32-694

GEOCENTRIC						EQUATORIAL COORDINATES											
X	.30425574	06	Y	-.17867544	06	Z	-.45559479	05	DX	.66083973	00	DY	-.50592980	00	DZ	-.17308061	00
R	-.35576978	06	DEC	-.73574378	01	RA	-.30423760	02	V	.05007706	00	PTH	-.81809615	02	AZ	-.57047776	02
R	-.35576978	06	LAT	-.73574378	01	LN	-.32145171	03	VE	-.25641811	02	PTE	-.18804313	01	AZE	-.27014727	03
XS	-.93758477	08	YS	-.10958144	09	ZS	-.47519313	08	DXS	-.22950713	02	DYS	-.16768366	02	DZS	-.72709884	01
XM	-.33256494	06	YM	-.17246926	06	ZM	-.41404626	05	DXM	-.51982092	00	DYM	-.80689567	00	DZM	-.39915648	00
XT	-.33256494	06	YT	-.17246926	06	ZT	-.41404626	05	DXT	-.51982092	00	DYT	-.80689567	00	DZT	-.39915648	00
RS	-.15184475	09	VS	-.29339062	02	RM	-.37690772	06	VM	-.10395289	01	RT	-.37690772	06	VT	-.10395289	01
GED	-.74070222	01	ALT	-.34939192	06	LGS	-.61578427	02	RAS	-.13055048	03	RAM	-.27411400	02	LDM	-.31843935	03
DUT	-.35000000	02	DT	-.48000000	03	DR	-.84140640	00	SHA	-.35295496	06	DES	-.18236900	02	DEM	-.63068711	01

HELIOCENTRIC						EQUATORIAL COORDINATES											
X	.94062732	08	Y	-.10940277	09	Z	-.47473754	08	DX	-.23611552	02	DY	-.17274296	02	DZ	-.74440690	01
R	-.15188983	09	LAT	-.18213204	02	LN	-.31068841	03	V	-.30188091	02	PTH	-.27848645	00	AZ	-.75048632	02
RE	-.93758477	08	YE	-.10958144	09	ZE	-.47519313	08	DXE	-.22950713	02	DYE	-.16768366	02	DZE	-.72709884	01
XT	-.94091042	08	YT	-.10940897	05	ZT	-.47477908	08	DXT	-.22430892	02	DYT	-.17575262	02	DZT	-.76701449	01
LTE	-.18236900	02	LOE	-.31055047	03	LTT	-.18211962	02	LDT	-.31069532	03	RST	-.15191313	09	VST	-.29510436	02
EPS	-.82654708	02	ESP	-.13288819	00	SEP	-.97212148	02	EPH	-.13461013	03	EMP	-.42219804	02	MEP	-.31700421	01
MPS	-.14273379	03	MSP	-.27453512	-18	SMP	-.37259520	02	SEM	-.10038214	03	EMS	-.79478025	02	ESM	-.13988231	00
RPM	-.29277805	05	SPN	-.81627493	02	SIP	-.13933646	03	CPT	-.94252907	02	SIN	-.90855575	02	D1	-.17809270	01
GCE	-.10057707	03	GCT	-.28014667	03	CPE	-.98558389	02	CPS	-.77066246	02	D2	-.14676053	01	D3	-.13898536	00
REP	-.35576978	06	VEP	-.85007706	00												

SELENOCENTRIC						EQUATORIAL COORDINATES											
X	-.28309192	05	Y	.62061829	04	Z	-.41548527	04	DX	-.11806607	01	DY	-.30096588	00	DZ	-.22607587	00
R	-.29277805	05	DEC	-.81584635	01	RA	-.16763475	03	V	-.12392136	01	PTH	-.86969321	02	AZ	-.14108713	03
R	-.29277805	05	LAT	-.40959423	01	LN	-.31235437	03	VP	-.12380280	01	PTP	-.88295552	02	AZP	-.21394404	03
LTS	-.93858700	00	LNS	-.27518695	03	LTE	-.60164258	01	LNE	-.35470520	03						
ALT	-.27542805	05	SHA	-.17725551	05	ALP	-.34412585	01	DR	-.12374804	01	DP	-.12821575	-03	ASD	-.33973318	01
HGE	-.27734529	03	SVL	-.26061013	00	HNG	-.14273456	03	SIA	-.13121280	03						

1 DAYS 22 HRS. 32 MIN. 2.000 SEC. 2356666302C4202000000000 J.D.= 2438607.87500000 JULY 31,1964 09 00 00.000
TFL 2 DAYS 16 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC						EQUATORIAL COORDINATES											
X	.30665716	06	Y	.18047774	06	Z	.46174154	05	DX	-.67462447	00	DY	.49510014	00	DZ	.16825085	00
R	-.35880757	06	DEC	-.73937719	01	RA	-.30478196	02	V	.85355180	00	PTH	-.83036599	02	AZ	.54755004	02
R	-.35880757	06	LAT	-.73937728	01	LN	-.30646508	03	VE	.25876536	02	PTE	.18763264	01	AZE	.27013229	03
XS	-.93841081	08	YS	-.10952105	09	ZS	-.47493125	08	DXS	-.22938021	02	DYS	-.16783374	02	DZS	-.72774854	01
XM	-.33067732	06	YM	-.17536553	06	ZM	-.42839519	05	DXM	-.52885193	00	DYM	-.80213095	00	DZM	-.39799871	00
XT	-.33067732	06	YT	-.17536553	06	ZT	-.42839519	05	DXT	-.52885193	00	DYT	-.80213095	00	DZT	-.39799871	00
RS	-.15184402	09	VS	-.29339329	02	RM	-.37674365	06	VM	-.10399526	01	RT	-.37674365	06	VT	-.10399526	01
GED	-.74435965	01	ALT	-.35242973	06	LGS	-.64577892	02	RAS	-.13059101	03	RAM	-.30392480	02	LDM	-.30392480	03
DUT	-.35000000	02	DT	-.48000000	03	DR	-.84725584	00	SHA	-.35598702	06	DES	-.18226587	02	DEM	-.65292262	01

HELIOCENTRIC						EQUATORIAL COORDINATES											
X	-.94147738	08	Y	-.10934057	09	Z	-.47446951	08	DX	-.23612646	02	DY	-.17278474	02	DZ	-.74457363	01
R	-.15188983	09	LAT	-.18202623	02	LN	-.31073011	03	V	-.30191749	02	PTH	-.24286957	00	AZ	-.75035847	02
RE	-.93841081	08	YE	-.10952105	09	ZE	-.47493125	08	DXE	-.22938021	02	DYE	-.16783374	02	DZE	-.72774854	01
XT	-.94171759	08	YT	-.10934568	09	ZT	-.47450286	08	DXT	-.22409170	02	DYT	-.17585505	02	DZT	-.76754842	01
LTE	-.18226587	02	LOE	-.31059101	03	LTT	-.18201515	02	LDT	-.31073601	03	RST	-.15190895	09	VST	-.29501422	02
EPS	-.82676873	02	ESP	-.13417039	00	SEP	-.97188838	02	EPH	-.13501262	03	EMP	-.42321838	02	MEP	-.26655208	01
MPS	-.14230473	03	MSP	-.27453512	-18	SMP	-.37689551	02	SEM	-.99854144	02	EMS	-.80005854	02	ESM	-.13988231	00
RPM	-.24783506	05	SPN	-.81658355	02	SIP	-.13829038	03	CPT	-.94399649	02	SIN	-.90385303	02	D1	-.21055525	01
GCE	-.10057053	03	GCT	-.27969558	03	CPE	-.98558301	02	CPS	-.77070465	02	D2	-.17362648	01	D3	-.19123863	00
REP	-.35880757	06	VEP	-.85355180	00												

SELENOCENTRIC						EQUATORIAL COORDINATES											
X	-.24020153	05	Y	.51122044	04	Z	.33346352	04	DX	-.12034764	01	DY	-.07030081	00	DZ	-.22974786	00
R	-.24783506	05	DEC	-.77326346	01	RA	-.16798502	03	V	-.12630944	01	PTH	-.86437691	02	AZ	-.14063484	03
R	-.24783506	05	LAT	-.38419634	01	LN	-.31229364	03	VP	-.12611723	01	PTP	-.88356459	02	AZP	-.17487676	03
LTS	-.93917662	00	LNS	-.27467801	03	LTE	-.59862262	01	LNE	-.35472715	03						
ALT	-.23048506	05	SHA	-.15152207	05	ALP	-.30540350	01	DR	-.12606536	01	DP	-.18144545	-03	ASD	-.40143454	01
HGE	-.27732312	03	SVL	-.53682042	00	HNG	-.14230798	03	SIA	-.13099827	03						

1 DAYS 23 HRS. 32 MIN. 2.000 SEC. 235666632010202000000000 J.D.= 2438607.91666666 JULY 31,1964 10 00 00.000
TFL 2 DAYS 17 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC						EQUATORIAL COORDINATES											
X	-.30912585	06	Y	.18223786	06	Z	.46769492	05	DX	-.69925626	00	DY	.48232034	00	DZ	.16224628	00
R	-.36187956	06	DEC	-.74257064	01	RA	-.30520471	02	V	.86482141	00	PTH	-.84740169	02	AZ	-.49604837	02
R	-.36187956	06	LAT	-.74257064	01	LN	-.29146630	03	VE	.26121229	02	PTE	-.18893020	01	AZE	-.27011276	03
XS	-.93923636	08	YS	-.10946060	09	ZS	-.47466914	08	DXS	-.22925317	02	DYS	-.16798376	02	DZS	-.72839797	01
XM	-.32875724	06	YM	.17824451	06	ZM	-.44270173	05	DXM	-.53784354	00	DYM	-.79728218	00	DZM	-.39680075	00
XT	-.32875724	06	YT	.17824451	06	ZT	-.44270173	05	DXT	-.53784354	00	DYT	-.79728218	00	DZT	-.39680075	00
RS	-.15184328	09	VS	-.29339597	02	RM	-.37657971	06	VM	-.10403775	01	RT	-.37657971	06	VT	-.10403775	01
GED	-.74757405	01	ALT	-.35550171	06	LGS	-.61577353	02	RAS	-.13063153	03	RAM	-.28465915	02	LDM	-.28941133	03
DUT	-.35000000	02	DT	-.48000000	03	DR	-.86117989	00	SHA	-.35904312	06	DES	-.18216268	02	DEM	-.67512227	01

HELIOCENTRIC						EQUATORIAL COORDINATES											
X	.94232762	08	Y	-.10927836	09	Z	-.47420144	08	DX	.23624574	02	DY	-.17280696	02	DZ	-.74462260	01
R	-.15188983	09	LAT	-.18192030	02	LN	-.31077181	03	V	.30202470	02	PTH	-.19107454	00	AZ	-.75023618	02
RE	-.93923636	08	YE	-.10946060	09	ZE	-.47466914	08	DXE	-.22925317	02	DYE	-.16798376	02	DZE	-.72839797	01
XT	.94252394	08	YT	-.10928236	09	ZT	-.47422644	08	DXT	-.22387474	02	DYT	-.17595558	02	DZT	-.76807805	01
LTE	-.18216268	02	LOE	-.31063153	03	LTT	-.18191059	02	LDT	-.31077667	03	RST	-.15190475	09	VST	-.29492381	02
EPS	-.82686187	02	ESP	-.13525975	00	SEP	-.97178372	02	EPH	-.13564575	03	EMP	-.42206363	02	MEP	-.21478767	01
MPS	-.14169033	03	MSP	-.27453512	-18	SMP	-.38344940	02	SEM	-.99325661	02	EMS	-.80534176	02	ESM	-.14023158	00
RPM	-.20188732	05	SPN	-.81676316	02	SIP	-.13672031	03	CPT	-.94608550	02	SIN	-.89678524	02	D1	-.25877444	01
GCE	-.10056410	03	GCT	-.27904504	03	CPE	-.98555130	02	CPS	-.77074689	02	D2	-.21359120	01	D3	-.28218266	00

SELENCENTRIC EQUATORIAL COORDINATES
 X -.19631390 05 Y .39933513 04 Z .24993193 04 DX .12370998 01 DY -.31496184 00 DZ -.23455447 00
 R .20188731 05 DEC -.7111324 01 RA .16850196 03 V .12979340 01 PTH -.85702498 02 AZ .14036327 03
 R .20188731 05 LAT .34742235 01 LON .-31264281 03 VP .12954454 01 PTP -.87574251 02 AZP .14372974 03
 LTS .93999936 00 LNS .-27416904 03 LTE .59554058 01 LNE .-35474990 03
 ALT .18453732 05 SHA .-12524976 05 ALP .25180851 01 DR .-12942847 01 DP .27602750-03 ASD .49300245 01
 HGE .27731381 03 SVL .-94244572 00 HNG .14166013 03 SIA .13071572 03

2 DAYS 0 HRS. 32 MIN. 2.000 SEC. 235666633614202000000000 J.D.= 2438607.95833333 JULY 31,1964 11 00 00.000
 TFL 2 DAYS 18 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC EQUATORIAL COORDINATES
 X .31171641 06 Y .18394624 06 Z .47340034 05 DX .74492919 00 DY .46596135 00 DZ .15430614 00
 R .36502660 06 DEC .74516381 01 RA .30545177 02 V .89210417 00 PTH .87095193 02 AZ .30159509 02
 R .36502660 06 LAT .74516381 01 LON .-27644993 03 VE .26385722 02 PTE .19350540 01 AZE .-27008493 03
 XS .-94006147 08 YS .10940010 09 ZS .47440679 08 DXS .-22912602 02 DYS .-16813370 02 DZS .-72904710 01
 XM .32680488 06 YP .18110588 06 ZM .45696440 05 DXM .-54679476 00 DYM .79234964 00 DZM .39556261 00
 XT .32680488 06 YQ .18110588 06 ZT .45696440 05 DXT .-54679476 00 DYT .79234964 00 DZT .39556261 00
 RS .15184253 09 VS .29339865 02 RM .37641590 06 VM .10408036 01 RT .37641590 06 VT .10408036 01
 GED .75018430 01 ALT .35864876 06 LOS .16576813 02 RAS .13067206 03 RAM .28993958 02 LOM .27489871 03
 DUT .35000000 02 DT .24000000 03 DR .89095794 00 SHA .36215916 06 DES .18209939 02 DEM .69728392 01

HELIOCENTRIC EQUATORIAL COORDINATES
 X .94317863 08 Y -.10921615 09 Z -.47353335 08 DX .23657531 02 DY .17279331 02 DZ .74447772 01
 R .15188863 09 LAT -.18181423 02 LON .31081353 03 V .30227119 02 PTH .-10841303 00 AZ .75012011 02
 XE .94006147 08 YE -.10940010 09 ZE .-47440679 08 DXE .22912602 02 DYE .16813370 02 DZE .72904710 01
 XT .94332052 08 YT -.10921899 09 ZT .-47394983 08 DXT .22365807 02 DYT .17605720 02 DZT .76860336 01
 LTE .-18205939 02 LOE .-31067206 03 LTT .-18181353 02 LDT .21081353 02 DST .15190055 09 VST .29483313 02
 EPS .82677043 02 ESP .13669873 00 SEP .97186339 02 EPM .13671458 03 EMP .41673710 02 MEP .16116918 01
 MPS .14055750 03 MSP .18000000 03 SMP .39438798 02 SEM .98796699 02 EMS .81062986 02 ESM .14023158 00
 RPM .15441205 05 SPN .81675881 02
 GCE .10055750 03 GCT .27803952 03 SIP .13410602 03 CPT .94938326 02 SIN .88486849 02 D1 .33923332 01
 REP .36502660 06 VEP .89210417 00 CPE .98947232 02 CPS .77078923 02 D2 .28034234 01 D3 .46635502 00

SELENCENTRIC EQUATORIAL COORDINATES
 X -.15088464 05 Y .28403666 04 Z .16435937 04 DX .12917239 01 DY -.32638830 00 DZ -.24125647 00
 R .15441205 05 DEC .61102564 01 RA .16933897 03 V .13539884 01 PTH .-84579439 02 AZ .14024974 03
 R .15441205 05 LAT .28844845 01 LON .-31307572 03 VP .13511256 01 PTP .-86060692 02 AZP .12854752 03
 LTS .94081246 00 LNS .-27366007 03 LTE .59239690 01 LNE .-35477229 03
 ALT .13706205 05 SHA .-98090815 04 ALP .14877161 01 DR .-13479336 01 DP .47460112-03 ASD .64514764 01
 HGE .27732296 03 SVL .-15993793 01 HNG .14058465 03 SIA .13026311 03

2 DAYS 1 HRS. 32 MIN. 2.000 SEC. 2356666354202000000000 J.D.= 2438608.00000000 JULY 31,1964 12 00 00.000
 TFL 2 DAYS 19 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC EQUATORIAL COORDINATES
 X .31454879 06 Y .18558384 06 Z .47876595 05 DX .84271238 00 DY .44189690 00 DZ .14311788 00
 R .36834015 06 DEC .74683568 01 RA .30740609 02 V .92274724 01 PTH .86956417 02 AZ .29109829 03
 R .36834015 06 LAT .74683568 01 LON .-26140429 03 VE .26696863 02 PTE .20626736 01 AZE .-27003947 03
 XS .-94088612 08 YS .10933954 09 ZS .47414421 08 DXS .-22899874 02 DYS .-16828357 02 DZS .-72969541 01
 XM .32482037 06 YP .18394934 06 ZM .47118180 05 DXM .-55570460 00 DYM .47833362 00 DZM .39428431 00
 XT .32482037 06 YQ .18394934 06 ZT .47118180 05 DXT .-55570460 00 DYT .47833362 00 DZT .39428431 00
 RS .15184179 09 VS .29340134 02 RM .37625224 06 VM .10412310 01 RT .37625224 06 VT .10412310 01
 GED .75187120 01 ALT .36196232 06 LOS .15762634 01 RAS .13071258 03 RAM .29923351 02 LOM .26038703 03
 DUT .35000000 02 DT .12000000 03 DR .96089190 00 SHA .36541573 06 DES .18195601 02 DEM .71940563 01

HELIOCENTRIC EQUATORIAL COORDINATES
 X .94403161 08 Y -.10915396 09 Z -.47366545 08 DX .23742587 02 DY .17270254 02 DZ .74400771 01
 R .15188865 09 LAT .-18170793 02 LON .31085530 03 V .30287404 02 PTH .47925729-01 AZ .75000118 02
 XE .94088612 08 YE .-10933954 09 ZE .-47414421 08 DXE .22899874 02 DYE .16828357 02 DZE .72969592 01
 XT .94413433 08 YT .-10915559 09 ZT .-47367303 08 DXT .22344170 02 DYT .17615691 02 DZT .76912436 01
 LTE .-18195601 02 LOE .31071258 03 LTT .-18170130 02 LDT .31085796 03 RST .15189635 09 VST .29474221 02
 EPS .82673423 02 ESP .13741256 00 SEP .97224731 02 EPM .13882450 03 EMP .40129924 02 MEP .10455950 01
 MPS .13837408 03 MSP .27453512-18 SMP .41623305 02 SEM .98267257 02 EMS .80159292 02 ESM .14057798 00
 RPM .10428417 05 SPN .81645267 02
 GCE .10054985 03 GCT .27621877 03 SIP .12879711 03 CPT .95563982 02 SIN .85987014 02 D1 .50617151 01
 REP .36834016 06 VEP .96224724 00 CPE .98930790 02 CPS .77083170 02 D2 .41945804 01 D3 .96113168 00

SELENCENTRIC EQUATORIAL COORDINATES
 X -.10271567 05 Y .16345024 04 Z .75841539 03 DX .13984170 01 DY -.34543671 00 DZ -.25116643 00
 R .10428417 05 DEC .41705655 01 RA .17095839 03 V .14621837 01 PTH .-82535466 02 AZ .14023003 03
 R .10428415 05 LAT .17443509 01 LON .-31477895 03 VP .14591995 01 PTP .-83490510 02 AZP .12126005 03
 LTS .94163036 00 LNS .-27315108 03 LTE .58919166 01 LNE .-35479549 03
 ALT .86934166 04 SHA .-69248704 04 ALP .26485467 00 DR .-14497921 01 DP .10436551-02 ASD .95769668 01
 HGE .27736257 03 SVL .-28754481 01 HNG .13845542 03 SIA .12924753 03

2 DAYS 2 HRS. 32 MIN. 2.000 SEC. 235666637224202000000000 J.D.= 2438608.04166666 JULY 31,1964 13 00 00.000
 TFL 2 DAYS 20 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC EQUATORIAL COORDINATES
 X .31802455 06 Y .18710406 06 Z .48369947 05 DX .11756720 01 DY .39760666 00 DZ .13512609 00
 R .37213868 06 DEC .74683388 01 RA .30469665 02 V .12484208 01 PTH .78232968 02 AZ .26460562 03
 R .37213867 06 LAT .74683388 01 LON .24629228 03 VE .27187535 02 PTE .25765343 01 AZE .26994950 03
 XS .-94171030 08 YS .10927893 09 ZS .47388139 08 DXS .-22887135 02 DYS .-16843337 02 DZS .-73034444 01
 XM .32280385 06 YP .18677459 06 ZM .48353243 05 DXM .-56457204 00 DYM .78234400 00 DZM .39296588 00
 XT .32280385 06 YQ .18677459 06 ZT .48353243 05 DXT .-56457204 00 DYT .78234400 00 DZT .39296588 00
 RS .15184104 09 VS .29340403 02 RM .37608875 06 VM .10416594 01 RT .37608875 06 VT .10416594 01
 GED .75186536 01 ALT .36576083 06 LOS .13465757 03 RAS .13075309 03 RAM .30053709 02 LOM .24587633 03
 DUT .35000000 02 DT .10874232 02 DR .12221852 01 SHA .36909683 06 DES .18185254 02 DEM .74148533 01

JPL TECHNICAL REPORT NO. 32-694

HELIOCENTRIC

X .94489054 08 Y -.10909183 09 Z -.47339769 08
R .15188998 09 LAT -.18160111 02 LON -.31089722 03
XE .94171030 08 YE -.10927893 09 ZE -.47388139 08
XT .94493834 08 YT -.10909216 09 ZT -.47339604 08

DX .24062807 02 DY .17240944 02 DZ .74385705 01
V .30522142 02 PTH .50283682 00 AZ .74967017 02
DXE .22887135 02 DYE .16843337 00 DZE .73034444 01
DXT .22322563 02 DYT .17625572 02 DZT .76964103 01

EQUATORIAL COORDINATES

RST .15189214 09 VST .29465103 02
RSM .34300631 02 MES .14075386 00
SEM .97737333 02 EMP .82122090 02
SIP .10999385 03 CPT .97461787 02 SIN .76241881 02
CPE .98491662 02 CPS .77087439 02 D2 .98312970 01

SELENOCENTRIC

X -.47793061 04 Y .32947533 03 Z -.16529600 03
R .47935001 04 DEC -.19761419 01 RA .17656439 03
R .7934998 04 LAT -.18640482 01 LON .32135277 03

DX .17402440 01 DY -.38462794 00 DZ -.25783979 00
V .18007968 01 VE .27791636 02 PTE .40938113 01
VP .17981981 01 VNE .35481910 03
DR .17526367 01 DP .49446745-02 ASD .21219905 02

EQUATORIAL COORDINATES

PTH .76719273 02 AZE .27004674 03
PTP -.77074736 02 AZP .11764555 03
LNE .35481910 03 LNE .35481910 03
DR .17526367 01 DP .49446745-02 ASD .21219905 02

2 DAYS 2 HRS. 57 MIN. 50.724 SEC.

23566664C027202134471652 J.D.- 2438608.05959170 JULY 31,1964 13 25 48.724

GEOCENTRIC

X .32029137 06 Y .18771490 06 Z .48627681 05
R .37441700 06 DEC .74624118 01 RA .30373517 02
LAT .74624118 01 LON .23572546 03

DX .20228714 01 DY .43325334 00 DZ .28010270 00
V .20876241 01 VE .27791636 02 PTE .40938113 01
DYS -.16849780 02 DYS -.16849780 02 DZS -.73062334 01
DYM .78001519 00 DYM .78001519 00

EQUATORIAL COORDINATES

PTH .71875024 02 AZ .27199566 03
DYS -.16849780 02 DYS -.16849780 02
DYM .78001519 00 DYM .78001519 00
RT .37601845 06 VT .10418441 01

HELIOCENTRIC

X .94526763 08 Y -.10906512 09 Z -.47328199 08
R .15188966 09 LAT -.18155434 02 LON .31091548 03
YE -.10925284 09 ZE -.47376826 08

DX .24904522 02 DY .17283033 02 DZ .75863361 01
V .31248854 02 VE .26167540 01 PTH .13294297 01
DYE .16849780 02 DYE .16849780 02 DZE .73062334 01
DXT .22313277 02 DYT .17629795 02 DZT .76964103 01

EQUATORIAL COORDINATES

PTH .13294297 01 AZ .74741742 02
DYE .16849780 02 DZE .73062334 01
DYM .78001519 00 DYM .78001519 00
RT .37601845 06 VT .10418441 01

SELENOCENTRIC

X -.16351617 04 Y -.26943836 03 Z -.51570976 03
R .17356000 04 DEC -.17285682 02 RA .18935699 03
LAT -.10701742 02 LON .33933139 03

DX .25912449 01 DY -.34676184 00 DZ -.11228365 00
V .26167540 01 VE .26149378 01 PTH -.64108713 02
VP .26149378 01 VNE .35482939 03
DR .23540952 01 DP .37721088-01 ASD .88493376 02

EQUATORIAL COORDINATES

PTH .13294297 01 AZ .74741742 02
DYE .16849780 02 DZE .73062334 01
DYM .78001519 00 DYM .78001519 00
RT .37601845 06 VT .10418441 01

SELENOCENTRIC CONIC

EPOCH OF PERICENTER PASSAGE

INC -.50359882 02 LAN .35441699 03 APF .32215206 03
WX .74917743-01 WY .76641383 00 WZ .63796332 00
QX .65966680 00 QY .44168070 00 QZ .60807719 00

SLR .80222497 03 APO .00000000 00 RCA .38317434 03
TFP .57248583 03 TF .51123112 02 LTF .51030153 02
HA .87724788 01 MA .87724788 01 C3J .-21690818 01

23566664C246202232631252 J.D.- 2438608.06621769 JULY 31,1964 13 35 21.209

ALL VECTORS REFERENCED TO EARTH EQUATOR PLANE

X -.16351617 04 Y -.26943836 03 Z -.51570976 03
INC .50359882 02 LAN .35441699 03 APF .32215206 03
WX .74917743-01 WY .76641383 00 WZ .63796332 00

DX .25912449 01 DY -.34676184 00 DZ -.11228365 00
MX .32676819 00 MY -.62330548 00 MZ -.71043144 00
PX .74781483 00 PY .46639898 00 PZ .-47248803 00

RY .46846439-01 RZ .98257589 00
TX .-25204997 00 TY .-96771422 00 TZ .00000000 00
RAI .34540115 03 RAO .12454716 03

ALL VECTORS REFERENCED TO ORBIT PLANE OF TARGET

X .15283933 04 Y .64237390 03 Z -.51349501 03
INC .28507792 02 LAN .16808234 03 APF .33776319 03
WX .99000716-01 WY .46689763 00 WZ .87875222 00

DX .-26025240 01 DY .46405144-01 DZ .25854588 00
MX .-23128111-02 MY .-79848254 00 MZ .42430940 00
PX .-83651551 00 PY .51731867 00 PZ .-18061887 00

RY .25021907-02 RZ .-99990619 00
TY .98317048 00 TZ .00000000 00
DAI .78476568 00 RAI .16947348 03
DAO .20121210 02 RAO .30560937 03

ALL VECTORS REFERENCED TO TRUE LUNAR EQU. PLANE

X .15956483 04 Y -.60194627 03 Z -.32229479 03
INC .26870079 02 LAN .13743128 03 APF .32371401 03
WX .30574512 00 WY .33286006 00 WZ .89203367 00

DX .-18813893 01 DY .18184166 01 DZ .-33690046-01
MX .39576458-01 MY .-74995615 00 MZ .26613307 00
PX .-23652238 00 PY .93408262 00 PZ .-26748232 00

RY .59244396 00 TY .59244396 00 TZ .00000000 00
DAI .-55716532 01 RAI .12633063 03
DAO .23083622 02 RAO .26016727 03

222462325462 220750470503 215759222072 201566037435

20075472124 177435676652 000000000000

APPENDIX D

Tables related to trajectory printout

Table D-1. Ranger VII trajectory key

COLUMN ROW	1	2	3	4	5	6		
	1	GME	J	H	D	RE	REM	
	2	G	A	B	C	OME	AU	
GROUP A	3	GMM	GMS	GMV	GMA	GMB	GMJ	
	4	EGM	MGM	JA			RA	
	5	ARA	GB	MAS			SC	
	INJECTION CONDITIONS		TARGET	JULIAN DATE		MONTH, DAY, YEAR	hr, min, sec	
GROUP B	6	GEOCENTRIC	XO	YO	ZO	DXO	DYO	DZO
	7	CARTESIAN			TO	GHA	GHO	
	TIME PAST INJECTION			JULIAN DATE		MONTH, DAY, YEAR	hr, min, sec	
	GEOCENTRIC				EQUATORIAL COORDINATES			
	8	X	Y	Z	DX	DY	DZ	
	9	R	DEC	RA	V	PTH	AZ	
	10	R	LAT	LON	VE	PTE	AZE	
	11	XS	YS	ZS	DXS	DYS	DZS	
GROUP C	12	XM	YM	ZM	DXM	DYM	DZM	
	13	XT	YT	ZT	DXT	DYT	DZT	
	14	RS	VS	RM	VM	RT	VT	
	15	GED	ALT	LOS	RAS	RAM	LOM	
	16	DUT	DT	DR	SHA	DES	DEM	
	GEOCENTRIC CONIC							
	EPOCH PERICENTER PASSAGE			JULIAN DATE		MONTH, DAY, YEAR	hr, min, sec	
GROUP D	17	SMA	ECC	B	SLR	APO	RCA	
	18	VH	C3	C1	TFP	TF	PER	
	19	TA	MTA	EA	MA	C3J	TFI	
	ALL VECTORS REFERENCED TO EARTH EQUATOR PLANE							
	20	X	Y	Z	DX	DY	DZ	
	21	INC	LAN	APF	MX	MY	MZ	
	22	WX	WY	WZ	PX	PY	PZ	
GROUP E	23	QX	QY	QZ	RX	RY	RZ	
	24	BX	BY	BZ	TX	TY	TZ	
	25	DAP	RAP					
	26	BTQ	BRQ	B	THA			
	HELIOCENTRIC				EQUATORIAL COORDINATES			
	27	X	Y	Z	DX	DY	DZ	
	28	R	LAT	LON	V	PTH	AZ	
	29	XE	YE	ZE	DXE	DYE	DZE	
	30	XT	YT	ZT	DXT	DYT	DZT	
	31	LTE	LOE	LTT	LOT	RST	VST	
GROUP F	32	EPS	ESP	SEP	EPM	EMP	MEP	
	33	MPS	MSP	SMP	SEM	EMS	ESM	
	34	EPT	ETP	TEP	TPS	TSP	STP	
	35	SET	STE	EST	RPM	RPT	SPN	
	36	GCE	GCT	SIP	CPT	SIN	D1	
	37	REP	VEP	CPE	CPS	D2	D3	

Table D-1. Ranger VII trajectory key (Cont'd)

COLUMN ROW	1	2	3	4	5	6	
	SELENOCENTRIC			EQUATORIAL COORDINATES			
	38	X	Y	Z	DX	DY	DZ
	39	R	DEC	RA	V	PTH	AZ
GROUP G	40	R	LAT	LON	VP	PTP	AZP
	41	LTS	LNS	LTE	LNE		
	42	ALT	SHA	ALP	DR	DP	ASD
	43	HGE	SVL	HNG	SIA		
	SELENOCENTRIC CONIC						
	EPOCH OF PERICENTER PASSAGE			JULIAN DATE		MONTH, DAY, YEAR	hr, min, sec
	44	SMA	ECC	B	SLR	APO	RCA
	45	VH	C3	C1	TFP	TF	LTF
GROUP H	46	TA	MTA	EA	MA	C3J	TFI
	47	ZAE	ZAP	ZAC	DEF	IR	GP
	48	OPI	OY	OP2			
	ALL VECTORS REFERENCED TO PRINCIPAL PLANE						
	49	X	Y	Z	DX	DY	DZ
	50	INC	LAN	APF	MX	MY	MZ
	51	WX	WY	WZ	PX	PY	PZ
	52	QX	QY	QZ	RX	RY	RZ
GROUP I	53	BX	BY	BZ	TX	TY	TZ
	54	SXI	SYI	SZI	DAI	RAI	
	55	SXO	SYO	SZO	DAO	RAO	
	56	ETE	ETS	ETC			
	57	BT—	BR—	B	THA		
GROUP J	58	XOCTAL	YOCTAL	ZOCTAL	XOCTAL	YOCTAL	ZOCTAL
	59		YYMMDDHH		TTSSSSS		SOCTAL

Table D-2. Ranger VII trajectory key definitions

Group A			Row 5	ARA	Frontal area of spacecraft, m ²
Row 1	GME	Universal gravitational constant times the mass of Earth, km ³ /sec ²		GB	Multiple of % of reflected radiant energy
	J	Coefficient of the second harmonic in the Earth's potential function		MAS	Mass of spacecraft, kg
	H	Coefficient of the third harmonic in the Earth's potential function		SC	Solar radiation constant (kg-km/sec ²) 10 ⁻⁸
	D	Coefficient of the fourth harmonic in the Earth's potential function	Group B		Injection conditions are vernal equinox Cartesian coordinates in a geocentric equatorial system. The principal direction X is the vernal equinox direction of date, and the principal plane XY is the equatorial plane of date. Z is along the direction of the Earth's spin axis of date.
	RE	Earth radius used in the potential function, km			
	REM	Conversion factor for converting lunar ephemerides into km	Row 6	XO } YO } ZO }	Cartesian components of the probe radius vector, km
Row 2	G	Universal constant of gravitation, km ³ /kg sec ²		DXO } DYO } DZO }	Cartesian components of the probe space-fixed velocity vector, km/sec
	A } B } C }	Moments of inertia about principal axis for the Moon, kg km ²	Row 7	TO	Time of injection in seconds past midnight of day before launch, sec
	OME	Sidereal rotation rate of the Earth, deg/sec		GHA	HA of Greenwich at injection epoch, deg
	AU	Astronomical unit, km		GHO	HA of Greenwich at midnight of day before launch, deg
Row 3	GMM	Universal gravitational constant times the mass of Moon, km ³ /sec ²	Group C		Inertial position and velocity of the probe, Sun, Moon and target body in a geocentric equatorial system. The principal direction X is the vernal equinox direction of date, and the principal plane XY is the equatorial plane of date. Z is along the direction of the Earth's spin axis of date. Miscellaneous parameters are also included.
	GMS	Universal gravitational constant times the mass of Sun, km ³ /sec ²	Row 8	X } Y } Z }	Cartesian components of the probe radius vector, km
	GMV	Universal gravitational constant times the mass of Venus, km ³ /sec ²		DX } DY } DZ }	Cartesian components of the probe space-fixed velocity vector, km/sec
	GMA	Universal gravitational constant times the mass of Mars, km ³ /sec ²	Row 9	R	Probe radius distance, km
	GMB	Universal gravitational constant times the mass of Earth-Moon, km ³ /sec ²		DEC	Probe declination angle, deg
	GMJ	Universal gravitational constant times the mass of Jupiter, km ³ /sec ²		RA	Probe right-ascension angle, deg
Row 4	EGM	Universal gravitational constant times the mass of Earth used for scaling ephemeris, km ³ /sec ²		V	Probe space-fixed velocity, km/sec
	MGM	Universal gravitational constant times the mass of Moon used for scaling ephemeris, km ³ /sec ²		PTH	Pitch angle of the probe space-fixed velocity vector with respect to the local horizontal, deg
	JA	Coefficient of second harmonic in Mars potential function		AZ	Azimuth angle of the probe space-fixed velocity vector measured East of true North, deg
	RA	Mars radius used in the potential function			

Table D-2. Ranger VII trajectory key definitions (Cont'd)

Row 10* R	Probe radius distance, km	Row 16 DUT	Ephemeris time minus Universal Time, sec
LAT	Probe geocentric latitude, deg	DT	Adams-Moulton step size, sec
LON	Probe East longitude, deg	DR	Radial velocity of probe, km/sec
VE	Probe Earth-fixed velocity, km/sec	SHA	Sun shadow parameter, km
PTE	Pitch angle of the probe Earth-fixed velocity vector with respect to the local horizontal, deg	DES	Declination of the Sun, deg
AZE	Azimuth angle of the probe Earth-fixed velocity vector measured East of true North, deg	DEM	Declination of the Moon, deg
Row 11 XS } YS } ZS }	Cartesian components of the Sun radius vector, km	Group D	General characteristics of the geocentric conic
DXS } DYS } DZS }	Cartesian components of the Sun space-fixed velocity vector, km/sec	Row 17 SMA	Semimajor axis, km
Row 12 XM } YM } ZM }	Cartesian components of the Moon radius vector, km	ECC	Eccentricity
DXM } DYM } DZM }	Cartesian components of the Moon space-fixed velocity vector, km/sec	B	Magnitude of the impact parameter,** km
Row 13 XT } YT } ZT }	Cartesian components of the target radius vector, km	SLR	Semilatus rectum, km
DXT } DYT } DZT }	Cartesian components of the target space-fixed velocity vector, km/sec	APO	Apogee distance, km
Row 14 RS	Sun radius distance, km	RCA	Magnitude of the closest approach vector, km
VS	Sun space-fixed velocity, km/sec	Row 18 VH	Hyperbolic excess speed, km/sec
RM	Moon radius distance, km	C3	Twice the energy (vis viva energy integral, km ² /sec ²)
VM	Moon space-fixed velocity, km/sec	C1	Angular momentum, km ² /sec
RT	Target radius distance, km	TFP	Time from pericenter passage, sec
VT	Target space-fixed velocity, km/sec	TF	Time from injection to pericenter passage, hr
Row 15 GED	Geodetic latitude of the probe, deg	PER	Period, min
ALT	Altitude of the probe above the Earth's surface, km	Row 19 TA	True anomaly, deg
LOS	East longitude of the Sun in coordinate system defined in Row 10, deg	MTA	Maximum true anomaly, deg
RAS	Right ascension of the Sun, deg	EA	Eccentric anomaly, deg
RAM	Right ascension of the Moon, deg	MA	Mean anomaly, deg
LOM	East longitude of the Moon in coordinate system defined in Row 10, deg	C3J	Earth-Moon Jacobi constant, km ² /sec ²
		TFI	Time from injection, hr
		Group E	Characteristics of the Earth conic in the geocentric equatorial system described under Group B
		Row 20 X } Y } Z }	Cartesian components of the probe radius vector, km
		DX } DY } DZ }	Cartesian components of the probe space-fixed velocity vector, km/sec
		Row 21 INC	Inclination of the orbit plane to the equatorial plane, deg
		LAN	Longitude of the ascending node, deg
		APF	Argument of pericenter, deg

*These are Earth-fixed spherical coordinates in a geocentric equatorial system. The principal direction X is directed toward Greenwich and is the intersection of the meridian plane of Greenwich with the equatorial plane. The principal plane is the Earth's geometrical equatorial plane. X, Y, Z is along the direction of the Earth's geometrical North direction.

**See Appendix A.

Table D-2. Ranger VII trajectory key definitions (Cont'd)

Row 21 (Cont'd)	$\mathbf{M} = \mathbf{W} \times \frac{\mathbf{R}}{ \mathbf{R} }$	Components of a unit vector which lies in the orbit plane and is normal to the radius vector \mathbf{R}	Row 27	\mathbf{X} \mathbf{Y} \mathbf{Z} \mathbf{DX} \mathbf{DY} \mathbf{DZ}	Cartesian components of the probe radius vector, km Cartesian components of the probe space-fixed velocity vector, km/sec
Row 22	$\mathbf{W} = \frac{\mathbf{R} \times \mathbf{V}}{ \mathbf{R} \times \mathbf{V} }$	Components of a unit vector normal to the conic Components of a unit vector in the direction of perigee	Row 28	\mathbf{R} LAT LON \mathbf{V} PTH AZ	Sun-probe radius distance, km Probe celestial declination, deg Probe celestial right ascension, deg Probe space-fixed velocity, km/sec Pitch angle of the probe space-fixed velocity vector with respect to the local horizontal, deg Azimuth angle of the probe space-fixed velocity vector measured East of true North, deg
Row 23	$\mathbf{Q} = \mathbf{W} \times \mathbf{P}$	Components of a unit vector perpendicular to the perigee direction, vector \mathbf{P} , and being in the orbit plane Components of the unit vector \mathbf{R}^{**}	Row 29	\mathbf{XE} \mathbf{YE} \mathbf{ZE} \mathbf{DXE} \mathbf{DYE} \mathbf{DZE}	Cartesian components of the Earth radius vector, km Cartesian components of the Earth space-fixed velocity vector, km/sec
Row 24		Components of the impact parameter \mathbf{B}^{**} , km Components of the unit vector \mathbf{T}^{**}	Row 30	\mathbf{XT} \mathbf{YT} \mathbf{ZT} \mathbf{DXT} \mathbf{DYT} \mathbf{DZT}	Cartesian components of the target radius vector, km Cartesian components of the target space-fixed velocity vector, km/sec
Row 25		Declination of the asymptote, deg Right ascension of the asymptote, deg	Row 31	LTE LOE LTT LOT RST VST	Celestial latitude of the Earth, deg Celestial longitude of the Earth, deg Celestial latitude of the target, deg Celestial longitude of the target, deg Sun-target range, km Sun-target velocity, km/sec
Row 26		Projection of the impact parameters \mathbf{B}^{**} upon the vector \mathbf{T} , km Projection of the impact parameters \mathbf{B}^{**} upon the vector \mathbf{R} , km The magnitude of the impact parameter, ** km Angle between the parameter \mathbf{B}^{**} and the vector \mathbf{T} measured clockwise from \mathbf{T} , deg	Row 32	EPS ESP SEP EPM EMP MEP	Earth-probe-Sun angle, deg Earth-Sun-probe angle, deg Sun-Earth-probe angle, deg Earth-probe-Moon angle, deg Earth-Moon-probe angle, deg Moon-Earth-probe angle, deg
Group F		Inertial position and velocity of the probe, Sun, Moon, and target body in a heliocentric equatorial system. The principal direction \mathbf{X} is the vernal equinox direction of date and the principal plane \mathbf{XY} is the equatorial plane of date. \mathbf{Z} is along the direction of the Earth's spin axis of date. Miscellaneous parameters are also included.	Row 33	MPS MSP SMP SEM EMS ESM	Moon-probe-Sun angle, deg Moon-Sun-probe angle, deg Sun-Moon-probe angle, deg Sun-Earth-Moon angle, deg Earth-Moon-Sun angle, deg Earth-Sun-Moon angle, deg
			Row 34	EPT ETP TEP TPS TSP STP	Earth-probe-target angle, deg Earth-target-probe angle, deg Target-Earth-probe angle, deg Target-probe-Sun angle, deg Target-Sun-probe angle, deg Sun-target-probe angle, deg

**See Appendix A.

Table D-2. Ranger VII trajectory key definitions (Cont'd)

Row 35	SET STE EST RPM RPT SPN	Sun-Earth-target angle, deg Sun-target-Earth angle, deg Earth-Sun-target angle, deg Moon-probe radius distance, km Target-probe radius distance, km Sun-probe-near limb of Earth angle, deg	Row 39	PTH (Cont'd) AZ	Pitch angle of the probe space-fixed velocity vector with respect to the local horizontal, deg Azimuth angle of the probe space-fixed velocity vector measured East of true North, deg
Row 36	GCE GCT SIP CPT SIN D1	Clock angle of Earth, deg Clock angle of target, deg Sun-probe-near limb of target angle, deg Canopus-probe-near limb of target angle, deg Canopus-probe-near limb of target angle, deg Radius of a circle (target) used in construction of visible planet, cm	Row 40	R LAT LON VP PTP AZP	Probe radius distance, km Probe selenocentric latitude, deg Probe selenocentric East longitude, deg Probe selenocentric-fixed velocity, km/sec Pitch angle of the probe selenocentric-fixed velocity vector with respect to the local horizontal, deg Azimuth angle of the probe selenocentric fixed velocity vector measured East of the Moon's mean spin axis, deg
Row 37	REP VEP CPE CPS D2 D3	Earth-probe distance, km Velocity of the probe with respect to Earth, km/sec Canopus-probe-Earth angle, deg Canopus-probe-Sun angle, deg Semiminor axis of ellipse used in construction of visible planet, cm Distance from intersection of ellipse with circle to the diameter (of the circle) that is perpendicular to D1, in construction of visible planet, cm	Row 41	LTS LNS LTE LNE	Selenocentric latitude of the Sun, deg Selenocentric longitude of the Sun, deg Selenocentric latitude of the Earth, deg Selenocentric longitude of the Earth, deg
Group G Row 38, 39		Inertial position of probe in a selenocentric equatorial system. The principal direction X is the vernal equinox direction of date and the principal plane XY is the geocentric equatorial plane of date. Z is along the direction of the Earth's spin axis of date.	Row 42	ALT SHA ALP DR DP ASD	Altitude of the probe above the Moon's surface, km Sun shadow parameter, km Illuminated crescent orientation viewing angle, deg First time derivative of the probe radius distance, km/sec First time derivative of the probe radius direction, deg/sec Angular semidiameter of Moon as seen from the probe, deg
Row 40, 41, 42		Selenocentric-fixed spherical coordinates of the probe, Sun, and Earth in a selenocentric equatorial system. The principal direction X is in the direction of the mean Moon-Earth line. The principal plane XY is the mean selenocentric equatorial plane. Z is along the direction of the Moon's mean spin axis. Miscellaneous parameters are also included.	Row 43	HGE SVL HNG SIA	Right ascension of Earth in probe coordinate system, [†] deg Declination of the Moon in probe coordinate system, [†] deg Right ascension of the Moon in probe coordinate system, [†] deg Earth-probe-Moon angle minus ASD, deg
Row 38	X Y Z DX DY DZ	Cartesian components of the probe radius vector, km Cartesian components of the probe velocity vector, km/sec	Group H		Characteristics of the selenocentric conic in the geocentric equatorial system described under Group B, except centered at the Moon.
Row 39	R DEC RA V	Probe radius distance, km Probe declination angle, deg Probe right-ascension angle, deg Probe space-fixed velocity, km/sec			
[†] Same coordinate system as defined under Group B except centered at the probe.					

Table D-2. Ranger VII trajectory key definitions (Cont'd)

Row 44	SMA ECC B SLR APO RCA	Semimajor axis, km Eccentricity The magnitude of the impact parameter,** km Semilatus rectum, km Apogee distance, km Magnitude of the closest approach vector, km	Row 50	INC LAN APF MX MY MZ	Inclination of the orbit plane to the equatorial plane, deg Longitude of the ascending node, deg Argument of pericenter, deg Components of a unit vector which lies in the orbit plane and is normal to the radius vector R $\mathbf{M} = \mathbf{W} \times \frac{\mathbf{R}}{ \mathbf{R} }$
Row 45	VH C3 C1 TFP TF LTF	Hyperbolic excess speed, km/sec Twice the energy (<i>vis viva</i> energy integral, km ² /sec ²) Angular momentum, km ² /sec Time from pericenter passage, sec Time from injection to pericenter passage, hr Linearized time-of-flight, hr	Row 51	WX WY WZ PX PY PZ	Components of a unit vector normal to the conic $\mathbf{W} = \frac{\mathbf{R} \times \mathbf{V}}{ \mathbf{R} \times \mathbf{V} }$ Components of a unit vector in the direction of perigee
Row 46	TA MTA EA MA C3J TFI	True anomaly, deg Maximum true anomaly, deg Eccentric anomaly, deg Mean anomaly, deg Earth-Moon Jacobi constant, km ² /sec ² Time from injection, hr	Row 52	QX QY QZ RX RY RZ	Components of a unit vector perpendicular to the perigee direction, vector P , and being in the orbit plane $\mathbf{Q} = \mathbf{W} \times \mathbf{P}$ Components of the unit vector R **
Row 47	ZAE ZAP ZAC DEF IR GP	Angle between the incoming asymptote and the Moon-Earth vector, deg Angle between the incoming asymptote and the Moon-Sun vector, deg Angle between the incoming asymptote and the Moon-Canopus vector, deg Angle between the incoming and outgoing asymptotes, deg Maximum B vector magnitude for lunar impact, km Angle between the incoming asymptote and its projection on the lunar orbital plane.	Row 53	BX BY BZ TX TY TZ	Components of the impact parameter B ,** km Components of the unit vector T **
Row 48	OP1 OY OP2	Spacecraft nominal terminal maneuver first pitch turn, deg Spacecraft nominal terminal maneuver yaw turn, deg Spacecraft nominal terminal maneuver second pitch turn, deg	Row 54	SXI SYI SZI DAI RAI	Components of the unit vector S_I ** along the direction of the incoming asymptote Declination of the outgoing asymptote,** deg Right ascension of the incoming asymptote,** deg
Row 49	X Y Z DX DY DZ	Cartesian components of the probe radius vector, km Cartesian components of the probe space-fixed velocity vector, km/sec	Row 55	SXO SYO SZO DAO RAO	Components of the unit vector S_O ** along the direction of the outgoing asymptote Declination of the outgoing asymptote,** deg Right ascension of the outgoing asymptote,** deg
Group 1		Characteristics of the selenocentric conic in the specified "principal plane" coordinate system	Row 56	ETE ETS ETC	Angle between the T vector and the projection of the Moon-Earth vector on the R-T plane, deg Angle between the T vector and the projection of the Moon-Sun vector on the R-T plane, deg Angle between the T vector and the projection of the Moon-Canopus vector on the R-T plane, deg

**See Appendix A.

Table D-2. Ranger VII trajectory key definitions (Cont'd)

Row 57	BT††	Projection of the impact parameter B ** upon the vector T , km	Row 59	Epoch of injection	
	BR††	Projection of the impact parameter B ** upon the vector R , km	YY	Years past 1900	
	B	The magnitude of the impact parameter,** km	MM	Month	
	THA	Angle between the parameter B and the vector T , measured clockwise from T , deg	DDD	Day of month	
			HH	Hours	
			TT	Minutes	
			SSSSS	Milliseconds	
			SOCTAL	Seconds in octal representation, GMT	
Group J		Cartesian coordinates and epoch of injection conditions in the geocentric equatorial system described under Group B.		Time past midnight on day (DD), month (MM), and year (YY + 1900) at which the injection epoch occurs is the time determined by the sum of HH, TT, SSSSS and SOCTAL.	
Row 58	XOCTAL YOCTAL ZOCTAL	Cartesian components of the probe radius vector at injection in octal representation, km	††Principal planes: Q Earth equatorial plane C Ecliptic plane O Lunar orbital plane T True lunar equator.		
	ẊOCTAL ẎOCTAL ŻOCTAL				Cartesian components of the probe space-fixed velocity vector at injection in octal representation, km/sec
**See Appendix A.					

Table D-3. Ranger VII trajectory constants and conversion factors

Constants	Conversion factors	Constants	Conversion factors
GM _{Sun}	$1.32715445 \times 10^{11} \text{ km}^3/\text{sec}^2$	Moon moments of inertia about principal axis	A = $0.88746 \times 10^{29} \text{ kg km}^2$ B = $0.88764 \times 10^{29} \text{ kg km}^2$ C = $0.88801 \times 10^{29} \text{ kg km}^2$
GM _{Venus}	$3.247695 \times 10^5 \text{ km}^3/\text{sec}^2$	Lunar and solar ephemerides	The Moon and Sun positions are obtained from the joint JPL-STL ephemerides. For purposes of converting into kilometers, the conversion factors are: 1 AU = $1.495990 \times 10^8 \text{ km}$ 1 e.r. = 6378.3149
GM _⊕ *	$3.986032 \times 10^5 \text{ km}^3/\text{sec}^2$	Geometrical Earth model, used in locating tracking and launching facilities upon the Earth	Clarke spheroid of 1866 a = 6378.2064 km b = 6356.5838 km e ² = 0.006768657997291
GM _{⊕-C}	$4.03503 \times 10^5 \text{ km}^3/\text{sec}^2$	Earth potential function:	
GM _C **	$4.900759 \times 10^3 \text{ km}^3/\text{sec}^2$	$\Phi(R, \phi) = \frac{GM_{\oplus}}{R} \left[1 + \frac{JR_{\oplus}^2}{3R^2} (1 - 3 \sin^2 \phi) + \frac{H R_{\oplus}^3}{5 R^3} (3 - 5 \sin^2 \phi) (\sin \phi) + \frac{D R_{\oplus}^4}{35 R^4} (3 - 30 \sin^2 \phi + 35 \sin^4 \phi) \right]$	
GM _{Mars}	$4.297780 \times 10^4 \text{ km}^3/\text{sec}^2$	where	
GM _{Jupiter}	$1.267106 \times 10^8 \text{ km}^3/\text{sec}^2$	R = geocentric distance	
M _{Sun} /M _{Venus}	408645	φ = geocentric latitude	
M _{Sun} /M _{Earth}	332951.3	J = 1.62345×10^{-3}	
M _{Earth} /M _{Moon}	81.335	H = -0.575×10^{-5}	
M _{Sun} /M _{Earth-Moon}	328908	D = 0.7875×10^{-6}	
M _{Sun} /M _{Mars}	3,088,000		
M _{Sun} /M _{Jupiter}	1047.39		
Equatorial radius of Earth	6378.3149 km		
1 AU	$1.495990 \times 10^8 \text{ km}$		
Ellipticity of Earth	1/298.3		
Conversion from feet to meters	0.3048		
Atmospheric model	1959 ARDC		
Sidereal rotation rate of Earth	$4.1780742 \times 10^{-3} \text{ deg/sec}$		
Universal constant of gravitation	$6.671 \times 10^{-20} \text{ km}^3/\text{kg sec}^2$		
Speed of light	$2.997925 \times 10^5 \text{ km/sec}$		
Mean Moon radius	1738.09 km		
* $3.9860005 \times 10^5 \text{ km}^3/\text{sec}^2$ was used for the premidcourse orbit.			
** $4.9007604 \times 10^3 \text{ km}^3/\text{sec}^2$ was used for the premidcourse orbit.			

APPENDIX E

Ranger VII premaneuver ODP printout

LINE	TEXT	LINE
	PAGE HEADING	123
	(RAY PRE M/C WITH POST DATA AS APRIORI 17 NOV)	
	EPDCH	101
	640702817,1956000	
	PROBE POSITION AND VELOCITY AT EPOCH	102
	X=-.48336203E4,Y=-.42062278E4,Z=-.14413927E4	
	DX=-70601156E1,DY=-.68713167E1,DZ=-.47795962E1	
	OTHER PARAMETER VALUES	103
	KE=.3986128E6,RE=-.63783173E4,GM00N=-.38917128E0	
	KM=.49026712E4,RI(1)=-.63757069E4,LO(1)=-.27705399E2	
	RI(3)=-.63719898E4,LA(3)=-.35118806E2,LO(3)=-.24319449E3	
	RI(4)=-.63725939E4,LA(4)=-.31211947E2,LO(4)=-.13688761E3	
	RI(5)=-.63754893E4,LO(5)=-.27685391E2	
	ARM00N=3.567,MSMCCN=374.1	
	RSTOP=1735.6	
	ESTIMATE THESE PARAMETERS	104
	X,Y,Z,DX,DY,DZ,KE,RE,G,KM,RI(1),LO(1)	
	RI(3),LA(3),LO(3),RI(4),LA(4),LO(4),RI(5),LO(5)	
	COVARIANCE MATRIX OF ESTIMATED PARAMETERS	110
	R01 234670572060201750161208/8 634743044454601467110646/8 \$	
	634906647174601567325322/8 22267416743416794015044/8 \$	
	22267416743416794015044/8 22267416743416794015044/8 \$	
	20667323104415323013454/8 175631473155142571011460/8 \$	
	573652674661540567670226/8 202426456474147731714456/8 \$	
	4000000000000000000000/8 4000000000000000000000/8 \$	
	5715224666452659771354/8 561479352761526015584246/8 \$	
	170702301363135637772532/8 174556079330141112712336/8 \$	
	164711671671131070475600/8 171435437644136455704326/8 \$	
	575446500596542712757472/8 171422775276136146060132/8 \$	
	R02 634743044454601467110652/8 235426351170202131750070/8 \$	
	234564426167201045166762/8 622754747114567623377424/8 \$	
	622756242356567430024346/8 62155700642456673033064/8 \$	
	606661144708553763451712/8 575411739433542037463504/8 \$	
	17142536350513657156476/8 601836115175463446454/8 \$	
	0000000000000000000000/8 0000000000000000000000/8 \$	
	172456405660137464245542/8 162547433754127356043230/8 \$	
	570561042342353730062554/8 572532573521937157337322/8 \$	
	56342002677353035230766/8 570637625344535775277604/8 \$	
	R03 175506026200142412205702/8 570637415106539057271514/8 \$	
	634906647174601567325322/8 234564426167201045166762/8 \$	
	6225142262415671757650/8 6225142262415671757650/8 \$	
	62251415560756765017476/8 620736203251565236672110/8 \$	
	606433231066553152077010/8 57462326627541646343412/8 \$	
	171446567577136333277106/8 601417212263346552243610/8 \$	
	4000000000000000000000/8 4000000000000000000000/8 \$	
	171545754454136566355556/8 1624411251212116270512/8 \$	
	56772227370334023230716/8 5724036635143760662140/8 \$	
	5624211117327433235452/8 5704076234033578310052/8 \$	
	174626067060141467322006/8 570407421302535574062004/8 \$	
	R04 222674167434167340150446/8 622754747114567623377422/8 \$	
	622514226241567107567446/8 210701142117155611240612/8 \$	
	210664167444155626550372/8 207500451760154270236766/8 \$	
	174675706373141311473152/8 163840516426130426427624/8 \$	
	5645512403173266665594/8 56146342344652693251350/8 \$	
	0000000000000000000000/8 0000000000000000000000/8 \$	
	556746550711523515376610/8 547760633072514022606716/8 \$	
	15666715600123515376776/8 162553044117127472732002/8 \$	
	152736001673117331225750/8 157427345623126641166554/8 \$	
	563441722570530776256006/8 15741543312612437673500/8 \$	
	R05 222653671253187614475014/8 622756242356567430023444/8 \$	
	622514155607567650174502/8 21064416744415562659374/8 \$	
	210672361062155770646036/8 20747314632315447654462/8 \$	
	174537453200141710137040/8 161757525040126370742220/8 \$	
	155606672207122051367644/8 167414024474134730057612/8 \$	
	4000000000000000000000/8 4000000000000000000000/8 \$	
	566765105035250670120000/8 547472622305514005173332/8 \$	
	156437105607123266665594/8 56146342344652693251350/8 \$	
	551544426431518131050766/8 156425613232123730574702/8 \$	
	563462737077530563255044/8 156437412363123232415524/8 \$	
	R06 221466313268166677051130/8 62155700642456673033070/8 \$	
	620736203251565236672116/8 207500451760154270236772/8 \$	
	207473146323154476654470/8 208425067153153718672734/8 \$	
	173501314371140152224000/8 163404622464130253313476/8 \$	
	57405171257372476407/8 16673740623124736716/8 \$	
	0000000000000000000000/8 0000000000000000000000/8 \$	
	160561364631125136675504/8 551427156121516136502014/8 \$	
	154774013037121246110750/8 162620610272127760516552/8 \$	
	15341031276112066467452/8 155652163337122050261762/8 \$	
	R07 56047450342525431425162/8 155620231502122430069510/8 \$	
	20861232104415323013454/8 60664114706557634651714/8 \$	
	606433231066553152077010/8 17467570637314311473154/8 \$	
	174537453200141710137042/8 173501314371140152224002/8 \$	
	20746177073015407210014/8 17445556613214440164720/8 \$	
	566577206064533036511174/8 20247375546614563752634/8 \$	
	0000000000000000000000/8 0000000000000000000000/8 \$	
	57452313666754151453434/8 16471040036131674833210/8 \$	
	171536677223136175437644/8 57464006301541017302512/8 \$	
	574220574152332511646656/8 17155622315513606604272/8 \$	
	576473767756543340103660/8 171554065755136360154234/8 \$	
	R08 175631473155142571011462/8 575411733433542037463506/8 \$	
	57462326627541646343416/8 163640516426130426427626/8 \$	
	161757525040126370742232/8 163404622464130253313500/8 \$	
	17445556613214440164720/8 17041064042235117046736/8 \$	
	56433273712327311672/8 170560442723253466746/8 \$	
	0000000000000000000000/8 0000000000000000000000/8 \$	
	165706354753132724203562/8 55654124276252344551650/8 \$	
	561552022344526457606526/8 166705477501133304103170/8 \$	
	157463710430124376540044/8 56077406332525143555342/8 \$	
	166661107404133445117606/8 56114136666526150056392/8 \$	
	5745366406522556402442/8 171423363505136057156600/8 \$	
	550731014425155504152442/8 56155240317526165574644/8 \$	
	163423575254130674064742/8 555674503631522626515604/8 \$	
	R10 202426456474147731714456/8 60163617165754633646556/8 \$	
	60147212263546552243610/8 170424110254135663074570/8 \$	
	167414024474134730057612/8 16674374042213325226716/8 \$	
	202473755466147563752634/8 170560442072135344604746/8 \$	
	172707201434563752634/8 1745125334641325336600/8 \$	
	0000000000000000000000/8 0000000000000000000000/8 \$	
	56671521421753335417370/8 160554010730125341013602/8 \$	
	165442460564132713203010/8 170417447105135465034404/8 \$	
	16045704067125135422152/8 165561351107132167707366/8 \$	
	571465537017536155020372/8 16553221520132575661770/8 \$	

INPUT COVARIANCE MATRIX OF ESTIMATED PARAMETERS ITERATION NUMBER 2. Table with columns X, Y, Z, DX, DY, DZ, KE, RE, G and rows for parameters X through G, including covariance values.

Table with columns KM, RI(01), LO(01), RI(02), LA(01), LO(02), RI(03), LA(02), LO(03) and rows for parameters X through G, including covariance values.

Table with columns RI(05), LO(05) and rows for parameters X through G, including covariance values.

INPUT MATRIX OF ESTIMATED PARAMETERS ITERATION NUMBER 2. Table with columns X, Y, Z, DX, DY, DZ, KE, RE, G and rows for parameters X through G, including covariance values.

Table with columns KM, RI(01), LO(01), RI(02), LA(01), LO(02), RI(03), LA(02), LO(03) and rows for parameters X through G, including covariance values.

Table with columns RI(05), LO(05) and rows for parameters X through G, including covariance values.

J MATRIX ITERATION NUMBER 3. Table with columns X, Y, Z, DX, DY, DZ, KE, RE, G and rows for variables X through L0(5).

CORRELATIONS BASED ON J MATRIX ITERATION NUMBER 3. Table with columns X, Y, Z, DX, DY, DZ, KE, RE, G and rows for variables X through L0(5).

JPL TECHNICAL REPORT NO. 32-694

RAT PRE W/C WITH POST DATA AS APRIORI 17 NOV

ITERATION	NUMBER	3	EPOCH	64/07/28	171956.000	CLOCK	143720	SOS	-10197 02	QSOS	-10435 02
Q	DQ	STDEVQ	OLD Q	NEW Q	NOMINAL Q	DQ (NOM)					
X	-7887296-03	68321287-01	-48336127 04	-48336123 04	-48336202 04	-78735352-02					
Y	-95926800-03	10873465 00	-42062469 04	-42062479 04	-42062276 04	-20080846-01					
Z	-16497839-02	15011882 00	-14413982 04	-14413998 04	-14413927 04	-71258544-02					
DX	18244558-05	76218855-04	70601055 01	70601073 01	70601156 01	-82254410-05					
DY	58344559-06	32286250-03	-68712140 01	-68712135 01	-68713167 01	10317544-03					
DZ	31351139-05	46305674-03	-47797493 01	-47797462 01	-47795961 01	-15002489-03					
KE	-53798468-03	12318561 01	329860146 06	329860146 06	329860128 06	-1798750 00					
RE	15257236-03	2429421-01	63783098 04	63783100 04	63783173 04	-73242188-02					
G	-77723676-04	25962612 00	38302165 00	38294392 00	38917128 00	-62273591-02					
KM	-12872056-02	16693766 00	49026944 04	49026957 04	49026712 04	24475097-01					
STA 1											
RI	11554015-02	31962442 00	63756511 04	63756523 04	63757069 04	-54626464-01					
LO	14220297-04	14778946-02	27705561 02	27705576 02	27705399 02	17666817-03					
STA 3											
RI	77832179-04	58137191-01	63719890 04	63719891 04	63719898 04	-67138477-03					
LA	22804043-06	73879037-03	35118841 02	35118841 02	35118806 02	34809113-04					
LO	19373587-05	62449276-03	24319465 03	24319465 03	24319449 03	16403198-03					
STA 4											
RI	14137724-03	57807282-01	63725884 04	63725850 04	63725939 04	-88500977-02					
LA	96984683-06	77342942-03	-31211879 02	-31211878 02	-31211947 02	68664551-04					
LO	32252007-05	64238346-03	13688773 03	13688773 03	13688761 03	12588501-03					
STA 5											
RI	-15898277-04	25492887-01	63754826 04	63754826 04	63754893 04	-66528320-02					
LO	23796551-05	61779560-03	27685598 02	27685600 02	27685391 02	20909309-03					

COVARIANCE MATRIX OF ESTIMATED PARAMETERS

ITERATION NUMBER 3

X	Y	Z	DX	DY	DZ	KE	RE	G	
X	46677983-02	-63089756-02	30632731-03	20867369-05	-10957668-04	-13377846-04	56456436-01	-13415631-02	51077855-03
Y	-63089756-02	11823224-01	49895839-02	-31043212-05	-29370972-04	24966729-04	-11117983 00	88521590-03	-12048698-02
Z	30532731-03	49895839-02	22535660-01	-24350192-06	-28659974-04	23600843-04	34649735-01	-22596328-02	-16942589-02
DX	20867369-05	-31043212-05	-24350192-06	58093139-08	65861075-08	19014308-07	21114945-06	79233998-06	24799734-05
DY	10957668-04	23570972-04	-28659974-04	-65861075-08	10424020-06	-13903219-06	16663406-03	-41968200-05	29590266-06
DZ	-13377846-04	24966729-04	23600843-04	19014308-07	-13903219-06	21442155-06	-26889595-03	93396261-05	45702814-05
KE	56456436-01	-11117983 00	34649735-01	21114945-06	16663406-03	-26889595-03	23465833 01	-11756211-01	65221256-02
RE	-13415631-02	88521590-03	-22596328-02	79233998-06	-41968200-05	93396261-05	-11756211-01	13176632-02	97060890-04
G	51077855-03	-12048698-02	-16942589-02	24799734-05	29590266-06	43702814-05	65221256-02	97060890-04	89775812-01
KM	41851987-02	-51825403-02	11870358-02	56629326-05	10621712-04	88637199-05	13448153-01	-21379248-02	44422520-02
RI(01)	-11450525-02	82417164-02	-38668580-01	79711918-05	-78118619-05	97390784-04	96008879-01	40500537-04	-53195161-03
LO(01)	61324203-04	-12792243-03	-16811770-03	32258980-07	36663976-06	-35542113-06	59361497-03	39275721-06	21207963-04
RI(03)	34721164-03	38531289-03	-41982807-03	40261963-06	-15548962-05	33183475-05	-96134286-02	24052494-03	32125143-04
LA(03)	23237719-05	-38391946-05	12564581-05	-20218015-08	84421534-08	-87654296-08	15511219-04	-15129666-05	-28041700-07
LO(03)	27391556-04	-25684303-04	36894302-04	-73127272-08	87149335-07	-16880971-06	31833395-03	-20314296-04	30281011-05
RI(04)	88781101-03	82417164-02	-12792243-03	38531289-03	-41982807-03	40261963-06	-15548962-05	33183475-05	-96134286-02
LA(04)	23030658-04	-44181606-04	20075231-04	-20247408-07	54393047-07	20286715-07	-78954978-04	26220665-05	18040700-05
LO(04)	25574654-04	-20543318-04	32528309-04	-57997016-08	85459674-07	-16118337-06	15858899-03	-20564735-04	44901486-05
RI(05)	-35570747-03	42651425-03	96532851-03	54339592-06	-43325225-05	64318345-05	55667437-02	36458491-03	81797683-05
LO(05)	26214145-04	-24788966-04	32421404-04	-55470767-08	89209792-07	-16453923-06	24824384-03	-1920318-04	43779927-05
KM	41851987-02	-11450525-02	61324203-04	34721164-03	23237719-05	27391556-04	88781101-03	-23030658-04	25574654-04
X	-51825403-02	82417164-02	-12792243-03	38531289-03	-41982807-03	40261963-06	-15548962-05	33183475-05	-96134286-02
Z	11870358-02	38668580-01	-16811770-03	41982807-03	12564581-05	36894302-04	-72365639-03	20075231-04	32528309-04
DX	46625326-05	79711918-05	32258980-07	40261963-06	20218015-08	-73127272-08	23088198-05	-20247408-07	57997016-08
DY	10621712-04	-78118619-04	36663976-06	-15548962-05	84421534-08	87149335-07	-33307029-05	-54393047-07	89459674-07
DZ	-88637199-05	97390784-04	-35542113-06	33183475-05	-16880971-06	93983746-05	20314296-04	-30281011-05	16118337-06
KE	56456436-01	-11117983 00	34649735-01	21114945-06	16663406-03	-26889595-03	23465833 01	-11756211-01	65221256-02
RE	-13415631-02	88521590-03	-22596328-02	79233998-06	-41968200-05	93396261-05	-11756211-01	13176632-02	97060890-04
G	51077855-03	-12048698-02	-16942589-02	24799734-05	29590266-06	43702814-05	65221256-02	97060890-04	89775812-01
RI(01)	-11450525-02	82417164-02	-12792243-03	38531289-03	-41982807-03	40261963-06	-15548962-05	33183475-05	-96134286-02
LO(01)	61324203-04	-12792243-03	-16811770-03	32258980-07	36663976-06	-35542113-06	59361497-03	39275721-06	21207963-04
RI(03)	34721164-03	38531289-03	-41982807-03	40261963-06	-15548962-05	33183475-05	-96134286-02	24052494-03	32125143-04
LA(03)	23237719-05	-38391946-05	12564581-05	-20218015-08	84421534-08	-87654296-08	15511219-04	-15129666-05	-28041700-07
LO(03)	27391556-04	-25684303-04	36894302-04	-73127272-08	87149335-07	-16880971-06	31833395-03	-20314296-04	30281011-05
RI(04)	88781101-03	82417164-02	-12792243-03	38531289-03	-41982807-03	40261963-06	-15548962-05	33183475-05	-96134286-02
LA(04)	23030658-04	-44181606-04	20075231-04	-20247408-07	54393047-07	20286715-07	-78954978-04	26220665-05	18040700-05
LO(04)	25574654-04	-20543318-04	32528309-04	-57997016-08	85459674-07	-16118337-06	15858899-03	-20564735-04	44901486-05
RI(05)	-35570747-03	42651425-03	96532851-03	54339592-06	-43325225-05	64318345-05	55667437-02	36458491-03	81797683-05
LO(05)	26214145-04	-24788966-04	32421404-04	-55470767-08	89209792-07	-16453923-06	24824384-03	-1920318-04	43779927-05
KM	41851987-02	-11450525-02	61324203-04	34721164-03	23237719-05	27391556-04	88781101-03	-23030658-04	25574654-04
X	-51825403-02	82417164-02	-12792243-03	38531289-03	-41982807-03	40261963-06	-15548962-05	33183475-05	-96134286-02
Z	11870358-02	38668580-01	-16811770-03	41982807-03	12564581-05	36894302-04	-72365639-03	20075231-04	32528309-04
DX	46625326-05	79711918-05	32258980-07	40261963-06	20218015-08	-73127272-08	23088198-05	-20247408-07	57997016-08
DY	10621712-04	-78118619-04	36663976-06	-15548962-05	84421534-08	87149335-07	-33307029-05	-54393047-07	89459674-07
DZ	-88637199-05	97390784-04	-35542113-06	33183475-05	-16880971-06	93983746-05	20314296-04	-30281011-05	16118337-06
KE	56456436-01	-11117983 00	34649735-01	21114945-06	16663406-03	-26889595-03	23465833 01	-11756211-01	65221256-02
RE	-13415631-02	88521590-03	-22596328-02	79233998-06	-41968200-05	93396261-05	-11756211-01	13176632-02	97060890-04
G	51077855-03	-12048698-02	-16942589-02	24799734-05	29590266-06	43702814-05	65221256-02	97060890-04	89775812-01
RI(01)	-11450525-02	82417164-02	-12792243-03	38531289-03	-41982807-03	40261963-06	-15548962-05	33183475-05	-96134286-02
LO(01)	61324203-04	-12792243-03	-16811770-03	32258980-07	36663976-06	-35542113-06	59361497-03	39275721-06	21207963-04
RI(03)	34721164-03	38531289-03	-41982807-03	40261963-06	-15548962-05	33183475-05	-96134286-02	24052494-03	32125143-04
LA(03)	23237719-05	-38391946-05	12564581-05	-20218015-08	84421534-08	-87654296-08	15511219-04	-15129666-05	-28041700-07
LO(03)	27391556-04	-25684303-04	36894302-04	-73127272-08	87149335-07	-16880971-06	31833395-03	-20314296-04	30281011-05
RI(04)	88781101-03	82417164-02	-12792243-03	38531289-03	-41982807-03	40261963-06	-15548962-05	33183475-05	-96134286-02
LA(04)	23030658-04	-44181606-04	20075231-04	-20247408-07	54393047-07	20286715-07	-78954978-04	26220665-05	18040700-

CORRELATION MATRIX OF ESTIMATED PARAMETERS										ITERATION NUMBER	
										3	
X	Y	Z	DX	DY	DZ	KE	RE	G			
X	.99999999	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000
Y	-.84924863	0.10000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000
Z	.29867201	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000
DX	-.37457283	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000
DY	-.49675753	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000
DZ	-.42289933	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000
KE	.53943538	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000
RE	-.54094467	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000
G	.24951516	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000
RI(01)	-.52435981	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000
LO(01)	.60734072	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000
RI(03)	-.87414642	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000
LA(03)	.46037975	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000
LO(03)	.64199737	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000
RI(04)	.22474192	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000
LA(04)	-.43584253	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000
LO(04)	.58271927	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000
RI(05)	-.20422924	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000
LO(05)	.62106183	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000

CORRELATION MATRIX OF ESTIMATED PARAMETERS										ITERATION NUMBER	
										3	
X	Y	Z	DX	DY	DZ	KE	RE	G			
X	.36649491	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000
Y	-.28550940	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000
Z	.47366836	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000
DX	.36644192	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000
DY	-.19707094	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000
DZ	-.11466411	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000
KE	.53943538	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000
RE	-.54094467	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000
G	.24951516	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000
RI(05)	-.20422924	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000
LO(05)	.62106183	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000	0.00000000

STATION NUMBER	59	64/07/28	ITERATION NUMBER	3	PASS NUMBER	07/281	PAGE	1
FREQUENCY	7253.4							
TIME	TC	Q	CC3					
172238	5	59	.87039559	05	.127	01	.0400	
172243	5	59	.90912920	05	.110	01	-.3213	
172248	5	59	.94877206	05	.957	00	+.1934	
172253	5	59	.98890349	05	.834	00	-.7500*	
172258	5	59	.10290761	06	.734	00	.1865	
172303	5	59	.10688374	06	.652	00	-.1387	

DATA STATISTICS		STATION 3			ITERATION 3			
PASS	DATA TYPE	BEGINNING TIME	END TIME	NUMBER OF POINTS	STD DEV	RMS	FIRST MOMENT	SECOND MOMENT
07/281	CC3	7/28-172238	7/28-172303	5	.198	.00	-.801-02	.392-01

JPL TECHNICAL REPORT NO. 32-694

STATION NUMBER 12		64/07/29		ITERATION NUMBER 3		PASS NUMBER 07/291	
FREQUENCY 8300.C							
TIME	TC	Q	CC3				
071132	60	12	.10983475	06	.113	00	-.0146
071232	60	12	.10982933	06	.111	00	-.0020
071332	60	12	.10982397	06	.108	00	.0127
071432	60	12	.10981866	06	.106	00	.0098
071532	60	12	.10981339	06	.104	00	.0215
071632	60	12	.10980818	06	.103	00	-.0029
071732	60	12	.10980303	06	.101	00	.0059
071832	60	12	.10979792	06	.996	-01	-.0107
071932	60	12	.10979287	06	.984	-01	-.0010
072032	60	12	.10978786	06	.972	-01	.0010
072132	60	12	.10978291	06	.962	-01	.0020
072232	60	12	.10977802	06	.952	-01	-.0166
072332	60	12	.10977317	06	.945	-01	-.0029
072432	60	12	.10976837	06	.935	-01	.0088
072532	60	12	.10976363	06	.930	-01	.0020
072632	60	12	.10975894	06	.923	-01	-.0068
072732	60	12	.10975430	06	.918	-01	.0166
072832	60	12	.10974971	06	.913	-01	.0039
072932	60	12	.10974517	06	.908	-01	-.0098
073032	60	12	.10974069	06	.903	-01	-.0078
073132	60	12	.10973626	06	.898	-01	.0088
073232	60	12	.10973188	06	.896	-01	-.0107
073332	60	12	.10972755	06	.891	-01	.0195
073432	60	12	.10972327	06	.889	-01	-.0029
073532	60	12	.10971904	06	.886	-01	-.0098
073632	60	12	.10971487	06	.884	-01	.0156
073732	60	12	.10971074	06	.881	-01	.0059
073832	60	12	.10970667	06	.879	-01	-.0068
073932	60	12	.10970265	06	.876	-01	-.0020
074032	60	12	.10969868	06	.874	-01	.0000
074132	60	12	.10969476	06	.874	-01	.0020
074232	60	12	.10969090	06	.872	-01	.0020
074332	60	12	.10968708	06	.869	-01	.0000
074432	60	12	.10968332	06	.869	-01	-.0020
074532	60	12	.10967961	06	.867	-01	-.0059
074632	60	12	.10967594	06	.867	-01	.0049
074732	60	12	.10967233	06	.864	-01	-.0010
074832	60	12	.10966877	06	.864	-01	.0088
074932	60	12	.10966526	06	.864	-01	.0010
075032	60	12	.10966181	06	.862	-01	-.0088
075132	60	12	.10965840	06	.862	-01	-.0020
075232	60	12	.10965504	06	.862	-01	-.0127
075332	60	12	.10965174	06	.859	-01	.0088
075432	60	12	.10964849	06	.859	-01	-.0039
075532	60	12	.10964528	06	.859	-01	.0000
075632	60	12	.10964213	06	.859	-01	.0020
075732	60	12	.10963903	06	.857	-01	.0039
075832	60	12	.10963598	06	.857	-01	-.0117
075932	60	12	.10963298	06	.857	-01	.0059
080032	60	12	.10963003	06	.857	-01	-.0098
080132	60	12	.10962712	06	.857	-01	.0068
080232	60	12	.10962428	06	.854	-01	-.0098
080332	60	12	.10962148	06	.854	-01	.0049
080432	60	12	.10961873	06	.854	-01	.0039
080532	60	12	.10961603	06	.854	-01	.0039
080632	60	12	.10961338	06	.854	-01	-.0146
080732	60	12	.10961078	06	.854	-01	.0010
080832	60	12	.10960823	06	.854	-01	-.0010
080932	60	12	.10960573	06	.854	-01	-.0020
081032	60	12	.10960329	06	.852	-01	-.0029
081132	60	12	.10960089	06	.852	-01	.0127

STATION NUMBER 12		64/07/29		ITERATION NUMBER 3		PASS NUMBER 07/292	
FREQUENCY 8300.0							
TIME	TC	Q	CC3				
081232	60	12	.10959854	06	.852	-01	-.0049
081332	60	12	.10959624	06	.852	-01	-.0234
081432	60	12	.10959399	06	.852	-01	.0117
081532	60	12	.10959179	06	.851	-01	-.0049
081632	60	12	.10958964	06	.852	-01	-.0049
081732	60	12	.10958754	06	.852	-01	.0137
081832	60	12	.10958548	06	.852	-01	-.0186
081932	60	12	.10958348	06	.852	-01	.0010
082032	60	12	.10958153	06	.852	-01	.0049
082132	60	12	.10957962	06	.852	-01	-.0078
082232	60	12	.10957777	06	.852	-01	-.0020
082332	60	12	.10957596	06	.852	-01	-.0127
082432	60	12	.10957420	06	.850	-01	.0107
082532	60	12	.10957250	06	.850	-01	-.0137
082632	60	12	.10957084	06	.850	-01	-.0039
082732	60	12	.10956922	06	.850	-01	-.0098
082832	60	12	.10956766	06	.850	-01	.0029
082932	60	12	.10956615	06	.850	-01	-.0166
083032	60	12	.10956468	06	.850	-01	.0156
083132	60	12	.10956327	06	.850	-01	-.0166
083232	60	12	.10956190	06	.850	-01	.0020
083332	60	12	.10956058	06	.850	-01	-.0107
083432	60	12	.10955930	06	.850	-01	-.0039

STATION NUMBER 12 64/07/29 ITERATION NUMBER 3 PASS NUMBER 07/293

FREQUENCY 8300.0

TIME TC 0 CC3

084132	60	12	.10955174	06	.116	00	-.0039
084232	60	12	.10955085	06	.116	00	-.0127
084332	60	12	.10955000	06	.116	00	-.0029
084432	60	12	.10954920	06	.116	00	.0264
084532	60	12	.10954846	06	.116	00	.0088
084632	60	12	.10954775	06	.116	00	-.0049
084732	60	12	.10954710	06	.116	00	-.0010
084832	60	12	.10954649	06	.116	00	.0078
084932	60	12	.10954593	06	.116	00	.0020
085032	60	12	.10954542	06	.116	00	.0000
085132	60	12	.10954495	06	.116	00	-.0156
085232	60	12	.10954453	06	.116	00	-.0098
085332	60	12	.10954415	06	.116	00	-.0020
085432	60	12	.10954382	06	.116	00	-.0283
085532	60	12	.10954354	06	.116	00	-.0225
085632	60	12	.10954330	06	.116	00	-.0020
085732	60	12	.10954311	06	.116	00	-.0117
085832	60	12	.10954296	06	.116	00	-.0166
085932	60	12	.10954287	06	.116	00	-.0176
090032	60	12	.10954281	06	.116	00	-.0029
090132	60	12	.10954280	06	.116	00	-.0049
090232	60	12	.10954284	06	.116	00	.0068
090332	60	12	.10954292	06	.116	00	-.0088
090432	60	12	.10954305	06	.116	00	-.0029
090532	60	12	.10954323	06	.116	00	-.0059
090632	60	12	.10954344	06	.116	00	-.0117
090732	60	12	.10954371	06	.116	00	.0088
090832	60	12	.10954401	06	.116	00	.0020
090932	60	12	.10954437	06	.116	00	-.0166
091032	60	12	.10954469	06	.117	00	-.0244
091132	60	12	.10954522	06	.117	00	.0127
091232	60	12	.10954579	06	.117	00	-.0107
091332	60	12	.10954641	06	.117	00	-.0117
091432	60	12	.10954707	06	.117	00	-.0234
091532	60	12	.10954788	06	.117	00	.0215
091632	60	12	.10954878	06	.117	00	.0059
091732	60	12	.10954953	06	.117	00	-.0195
091832	60	12	.10955032	06	.117	00	-.0059
091932	60	12	.10955115	06	.117	00	-.0010
092032	60	12	.10955203	06	.117	00	-.0234
092132	60	12	.10955296	06	.117	00	.0107
092232	60	12	.10955392	06	.117	00	.0029
092332	60	12	.10955493	06	.117	00	-.0146
092432	60	12	.10955598	06	.117	00	.0254
092532	60	12	.10955707	06	.117	00	-.0264
092632	60	12	.10955821	06	.117	00	-.0049
092732	60	12	.10955939	06	.117	00	.0254
092832	60	12	.10956061	06	.117	00	-.0215
092932	60	12	.10956187	06	.117	00	.0068
093032	60	12	.10956324	06	.117	00	.0107
093132	60	12	.10956472	06	.117	00	-.0264
093232	60	12	.10956631	06	.117	00	-.0049

093732	60	12	.10957187	06	.117	00	.0244
093832	60	12	.10957347	06	.117	00	-.0039
093932	60	12	.10957510	06	.117	00	-.0049
094032	60	12	.10957678	06	.117	00	-.0029
094132	60	12	.10957850	06	.117	00	.0029
094232	60	12	.10958025	06	.117	00	-.0039
094332	60	12	.10958205	06	.117	00	.0146
094432	60	12	.10958389	06	.118	00	-.0234
094532	60	12	.10958577	06	.118	00	-.0176
094632	60	12	.10958768	06	.118	00	-.0195
094732	60	12	.10958964	06	.118	00	.0244
094832	60	12	.10959164	06	.118	00	.0098
094932	60	12	.10959367	06	.118	00	-.0264
095032	60	12	.10959575	06	.118	00	-.0020
095132	60	12	.10959786	06	.118	00	.0000
095232	60	12	.10960002	06	.118	00	.0127
095332	60	12	.10960221	06	.118	00	.0029
095432	60	12	.10960445	06	.118	00	-.0127
095532	60	12	.10960671	06	.118	00	.0000
095632	60	12	.10960902	06	.118	00	-.0078
095732	60	12	.10961137	06	.118	00	-.0215
095832	60	12	.10961376	06	.118	00	.0107

DATA STATISTICS

STATION 3

ITERATION 3

PASS	DATA TYPE	BEGINNING TIME	END TIME	NUMBER OF POINTS	STD DEV	RMS	FIRST MOMENT	SECOND MOMENT
07/291	CC3	7/29-071132	7/29-081132	61	.822-02	.842-02	.181-02	.709-04
07/292	CC3	7/29-081232	7/29-083432	23	.105-01	.112-01	-.395-02	.126-03
07/293	CC3	7/29-084132	7/29-092832	74	.142-01	.144-01	-.230-02	.207-03

JPL TECHNICAL REPORT NO. 32-694

STATION NUMBER		41		64/07/28		ITERATION NUMBER		3		PASS NUMBER		07/281		
FREQUENCY 8169.0														
TIME	TC	Q	CC3											
175332	60	41	.12837663	06	.850-01									-.0107
175432	60	41	.12885581	06	.850-01									-.0078
175532	60	41	.12926856	06	.850-01									-.0283
175632	60	41	.12962240	06	.850-01									-.0039
175732	60	41	.12992403	06	.850-01									-.0059
175832	60	41	.13017943	06	.850-01									-.0166
180432	60	41	.13099978	06	.852-01									-.0117
180532	60	41	.13105673	06	.852-01									-.0225
180632	60	41	.13108427	06	.852-01									-.0078
180732	60	41	.13110242	06	.852-01									-.0117
180832	60	41	.13110692	06	.852-01									-.0059
180932	60	41	.13109936	06	.852-01									-.0156
181032	60	41	.13108112	06	.852-01									-.0098
181132	60	41	.13105343	06	.852-01									-.0029
181232	60	41	.13101740	06	.852-01									-.0029
181332	60	41	.13097398	06	.852-01									-.0000
181432	60	41	.13092406	06	.852-01									-.0098
181532	60	41	.13086440	06	.852-01									-.0020
181632	60	41	.13080769	06	.852-01									-.0049
181732	60	41	.13074254	06	.852-01									-.0059
181832	60	41	.13067352	06	.852-01									-.0156
181932	60	41	.13060109	06	.852-01									-.0078
182032	60	41	.13052571	06	.852-01									-.0215
182132	60	41	.13044776	06	.854-01									-.0020
182232	60	41	.13036740	06	.854-01									-.0039
182332	60	41	.13028554	06	.854-01									-.0049
182432	60	41	.13020187	06	.854-01									-.0010
182532	66	41	.13011682	06	.854-01									-.0098
182632	60	41	.13003064	06	.854-01									-.0098
182732	60	41	.12994353	06	.854-01									-.0068
182832	60	41	.12985666	06	.854-01									-.0098
182932	60	41	.12976720	06	.854-01									-.0010
183032	60	41	.12967630	06	.854-01									-.0020
183132	60	41	.12958272	06	.854-01									-.0146
183232	60	41	.12948733	06	.854-01									-.0010
183332	60	41	.12939016	06	.857-01									-.0107
183432	60	41	.12929315	06	.857-01									-.0166
183532	60	41	.12919626	06	.857-01									-.0068
183632	60	41	.12909948	06	.857-01									-.0078
183732	60	41	.12899978	06	.857-01									-.0059
183832	60	41	.12889824	06	.857-01									-.0098
183932	60	41	.12879497	06	.857-01									-.0049
184032	60	41	.12868824	06	.857-01									-.0078
184132	60	41	.12857822	06	.857-01									-.0068
184232	60	41	.12846474	06	.857-01									-.0078
184332	60	41	.12834773	06	.857-01									-.0000
184432	60	41	.12822733	06	.857-01									-.0039
184532	60	41	.12810374	06	.857-01									-.0010
184632	60	41	.12797630	06	.857-01									-.0068
184732	60	41	.12784522	06	.857-01									-.0078
184832	60	41	.12771074	06	.857-01									-.0078
184932	60	41	.12757291	06	.859-01									-.0078
185032	60	41	.12743174	06	.859-01									-.0010
185132	60	41	.12728725	06	.859-01									-.0010
185232	60	41	.12713944	06	.859-01									-.0059
185332	60	41	.12698833	06	.859-01									-.0127
185432	60	41	.12683391	06	.859-01									-.0039
185532	60	41	.12667630	06	.859-01									-.0010
185632	60	41	.12651525	06	.862-01									-.0010
185732	60	41	.12635076	06	.862-01									-.0039
185832	60	41	.12618279	06	.862-01									-.0127
185932	60	41	.12601164	06	.862-01									-.0068
190032	60	41	.12583799	06	.862-01									-.0039
190132	60	41	.12566164	06	.862-01									-.0010
190232	60	41	.12548299	06	.862-01									-.0039
190332	60	41	.12530164	06	.862-01									-.0068
190432	60	41	.12511703	06	.862-01									-.0010
190532	60	41	.12492929	06	.862-01									-.0049
190632	60	41	.12473824	06	.862-01									-.0010
190732	60	41	.12454379	06	.862-01									-.0029
190832	60	41	.12434594	06	.862-01									-.0078
190932	60	41	.12414374	06	.864-01									-.0000
191032	60	41	.12393729	06	.864-01									-.0088
191132	60	41	.12372658	06	.864-01									-.0107
191232	60	41	.12351179	06	.864-01									-.0020
191332	60	41	.12329392	06	.864-01									-.0000
191432	60	41	.12307207	06	.864-01									-.0088
191532	60	41	.12284634	06	.864-01									-.0107
191632	60	41	.12261674	06	.864-01									-.0020
191732	60	41	.12238329	06	.864-01									-.0000
191832	60	41	.12214599	06	.864-01									-.0088
191932	60	41	.12190484	06	.864-01									-.0107
192032	60	41	.12165984	06	.864-01									-.0020
192132	60	41	.12141099	06	.864-01									-.0000
192232	60	41	.12115829	06	.867-01									-.0088
192332	60	41	.12090174	06	.867-01									-.0049
192432	60	41	.12064134	06	.867-01									-.0010
192532	60	41	.12037709	06	.867-01									-.0039
192632	60	41	.12010899	06	.867-01									-.0049
192732	60	41	.11983604	06	.867-01									-.0029
192832	60	41	.11955924	06	.867-01									-.0176
192932	60	41	.11927859	06	.867-01									-.0039
193032	60	41	.11899409	06	.869-01									-.0117
193132	60	41	.11870574	06	.869-01									-.0127
193232	60	41	.11841354	06	.869-01									-.0215
193332	60	41	.11811749	06	.869-01									-.0039
193432	60	41	.11781759	06	.869-01									-.0029
193532	60	41	.11751394	06	.869-01									-.0078
193632	60	41	.11720654	06	.869-01									-.0049
193732	60	41	.11689539	06	.869-01									-.0078
193832	60	41	.11658049	06	.869-01									-.0029
193932	60	41	.11626184	06	.872-01									-.0020
194032	60	41	.11593934	06	.872-01									-.0010
194132	60	41	.11561299	06	.872-01									-.0068
194232	60	41	.11528279	06	.872-01									-.0020
194332	60	41	.11494874	06	.872-01									-.0010
194432	60	41	.11461084	06	.872-01									-.0068
194532	60	41	.11426909	06	.872-01									-.0020
194632	60	41	.11392349	06	.872-01									-.0029
194732	60	41	.11357404	06	.872-01									-.0215
194832	60	41	.11322084	06	.872-01									-.0137
194932	60	41	.11286389	06	.872-01									-.0176
195032	60	41	.11250319	06	.874-01									-.0059
195132	60	41	.11213874	06	.874-01									-.0117
195232	60	41	.11177054	06	.874-01									-.0039
195332	60	41	.11140869	06	.874-01									-.0107
195432	60	41	.11104319	06	.874-01									-.0166

STATION NUMBER 41 64/07/28 ITERATION NUMBER 3 PASS NUMBER 07/281

FREQUENCY 8169.0

TIME	TC	Q	CC3
195532	60	41	.12396991 06 .874-01 .0078
195632	60	41	.12392603 06 .874-01 -.0146
195732	60	41	.12388295 06 .874-01 .0020
195832	60	41	.12383945 06 .874-01 -.0029
195932	60	41	.12379674 06 .876-01 .0117
200032	60	41	.12375440 06 .876-01 -.0049
200132	60	41	.12371244 06 .876-01 -.0107
200232	60	41	.12367085 06 .876-01 -.0020
200332	60	41	.12362962 06 .876-01 -.0088
200432	60	41	.12358876 06 .876-01 -.0078
200532	60	41	.12354825 06 .876-01 .0029
200632	60	41	.12350809 06 .876-01 -.0039
200732	60	41	.12346827 06 .876-01 -.0078
200832	60	41	.12342880 06 .879-01 .0117
200932	60	41	.12338967 06 .879-01 -.0068
201032	60	41	.12335088 06 .879-01 -.0107
201132	60	41	.12331241 06 .879-01 .0068
201232	60	41	.12327427 06 .879-01 -.0020
201332	60	41	.12323645 06 .879-01 -.0010
201432	60	41	.12319895 06 .879-01 -.0020
201532	60	41	.12316176 06 .879-01 -.0156
201632	60	41	.12312489 06 .891-01 -.0078
201732	60	41	.12308832 06 .881-01 .0078
201832	60	41	.12305206 06 .881-01 -.0107
201932	60	41	.12301610 06 .881-01 .0039
202032	60	41	.12298043 06 .881-01 .0059
202132	60	41	.12294505 06 .881-01 -.0010
202232	60	41	.12290996 06 .881-01 .0020
202332	60	41	.12287516 06 .881-01 -.0127
202432	60	41	.12284064 06 .881-01 .0068
202532	60	41	.12280640 06 .884-01 -.0020
202632	60	41	.12277244 06 .884-01 -.0205
202732	60	41	.12273874 06 .884-01 .0078
202832	60	41	.12270532 06 .884-01 -.0020
202932	60	41	.12267216 06 .884-01 .0068
203032	60	41	.12263928 06 .884-01 -.0127
203132	60	41	.12260662 06 .884-01 -.0098
203232	60	41	.12257424 06 .884-01 .0049
203332	60	41	.12254212 06 .886-01 -.0010
203432	60	41	.12251024 06 .886-01 -.0244
203532	60	41	.12247861 06 .886-01 .0225
203632	60	41	.12244723 06 .886-01 -.0098
203732	60	41	.12241608 06 .886-01 .0010
203832	60	41	.12238518 06 .886-01 -.0117
203932	60	41	.12235451 06 .886-01 .0078
204032	60	41	.12232407 06 .886-01 -.0068
204132	60	41	.12229387 06 .889-01 -.0020
204232	60	41	.12226389 06 .889-01 -.0078
204332	60	41	.12223414 06 .889-01 .0059
204432	60	41	.12220461 06 .889-01 -.0088
204532	60	41	.12217530 06 .889-01 .0166
204632	60	41	.12214621 06 .889-01 -.0078

204732	60	41	.12211733 06 .889-01 .0195
204832	60	41	.12208866 06 .891-01 .0010
204932	60	41	.12206021 06 .891-01 -.0117
205032	60	41	.12203196 06 .891-01 .0020
205132	60	41	.12200392 06 .891-01 .0117
205232	60	41	.12197608 06 .891-01 -.0156
205332	60	41	.12194844 06 .891-01 .0059
205432	60	41	.12192100 06 .891-01 -.0020
205532	60	41	.12189376 06 .891-01 .0088
205632	60	41	.12186671 06 .894-01 -.0078
205732	60	41	.12183985 06 .894-01 .0029
205832	60	41	.12181318 06 .894-01 .0059
205932	60	41	.12178669 06 .894-01 .0059
210032	60	41	.12176039 06 .894-01 -.0117

FREQUENCY 8510.2

211132	60	41	.12148298 06 .898-01 .0176
211232	60	41	.12145874 06 .898-01 -.0137
211332	60	41	.12143467 06 .898-01 .0137
211432	60	41	.12141075 06 .898-01 .0166
211532	60	41	.12138699 06 .898-01 -.0039
211632	60	41	.12136338 06 .898-01 .0059
211732	60	41	.12133992 06 .898-01 .0127
211832	60	41	.12131661 06 .901-01 -.0146
211932	60	41	.12129346 06 .901-01 .0088
212032	60	41	.12127028 06 .901-01 .0000
212132	60	41	.12124784 06 .901-01 .0039
212232	60	41	.12122555 06 .903-01 .0186
212332	60	41	.12120339 06 .903-01 -.0049
212432	60	41	.12118134 06 .903-01 .0029
212532	60	41	.12115947 06 .903-01 .0088
212632	60	41	.12113771 06 .903-01 -.0166
213032	60	41	.12104809 06 .903-01 .0088
213132	60	41	.12102660 06 .903-01 .0029
213232	60	41	.12100523 06 .906-01 .0039
213332	60	41	.12098399 06 .906-01 .0088
213432	60	41	.12096287 06 .906-01 .0078
213532	60	41	.12094188 06 .906-01 .0146
213632	60	41	.12092102 06 .906-01 -.0176
213732	60	41	.12090027 06 .906-01 .0107
213832	60	41	.12087965 06 .906-01 .0029

FREQUENCY 8470.0

214132	60	41	.12081845 06 .908-01 .0000
214232	60	41	.12079829 06 .908-01 .0088
214332	60	41	.12077824 06 .908-01 .0039
214432	60	41	.12075831 06 .908-01 -.0137
214532	60	41	.12073849 06 .908-01 .0088
214632	60	41	.12071878 06 .911-01 .0039
214732	60	41	.12069917 06 .911-01 .0078

JPL TECHNICAL REPORT NO. 32-694

STATION NUMBER	41	64/07/28	ITERATION NUMBER	3	PASS NUMBER	07/281
FREQUENCY 8470.0						
TIME TC 0 CC3						
214832	60 41	.12067968	06 .911-01			.0039
214932	60 41	.12066029	06 .911-01			.0117
215032	60 41	.12064100	06 .911-01			-.0195
FREQUENCY 8448.0						
230832	60 41	.11937767	06 .940-01			.0078
230932	60 41	.11936370	06 .942-01			.0127
231032	60 41	.11934977	06 .942-01			-.0022
231132	60 41	.11933587	06 .942-01			.0098
231232	60 41	.11932201	06 .942-01			.0186
231332	60 41	.11930819	06 .942-01			-.0098
231432	60 41	.11929440	06 .945-01			.0107
231532	60 41	.11928065	06 .945-01			-.0059
231632	60 41	.11926694	06 .945-01			.0273
231732	60 41	.11925326	06 .945-01			.0088
231832	60 41	.11923961	06 .945-01			-.0107
231932	60 41	.11922599	06 .945-01			.0215
232032	60 41	.11921241	06 .947-01			-.0146
232132	60 41	.11919886	06 .947-01			.0010
232232	60 41	.11918535	06 .947-01			.0186
232332	60 41	.11917186	06 .947-01			.0049
232432	60 41	.11915841	06 .947-01			-.0088
232532	60 41	.11914498	06 .950-01			-.0156
232632	60 41	.11913159	06 .950-01			.0293
233032	60 41	.11907829	06 .952-01			-.0107
233132	60 41	.11906504	06 .952-01			.0088
233232	60 41	.11905181	06 .952-01			.0186
233332	60 41	.11903861	06 .952-01			.0020
233432	60 41	.11902544	06 .952-01			-.0078
233532	60 41	.11901229	06 .955-01			.0078
233632	60 41	.11899917	06 .955-01			-.0039
233732	60 41	.11898607	06 .955-01			-.0049
233832	60 41	.11897300	06 .955-01			-.0146
234132	60 41	.11893391	06 .957-01			-.0156
234232	60 41	.11892093	06 .957-01			-.0010
234332	60 41	.11890797	06 .957-01			-.0078
234432	60 41	.11889504	06 .959-01			.0137
234532	60 41	.11888212	06 .959-01			-.0029
234632	60 41	.11886922	06 .959-01			-.0078
234732	60 41	.11885635	06 .959-01			.0020
234832	60 41	.11884349	06 .962-01			.0078
234932	60 41	.11883068	06 .962-01			-.0088
235032	60 41	.11881784	06 .962-01			-.0068
235132	60 41	.11880504	06 .962-01			.0068
235232	60 41	.11879226	06 .964-01			.0049
235332	60 41	.11877950	06 .964-01			-.0125
235432	60 41	.11876676	06 .964-01			.0088
235532	60 41	.11875403	06 .967-01			-.0146
235632	60 41	.11874132	06 .967-01			.0117
235732	60 41	.11872863	06 .967-01			-.0117
235832	60 41	.11871595	06 .969-01			.0156
235932	60 41	.11870329	06 .969-01			-.0059

STATION NUMBER	41	64/07/29	ITERATION NUMBER	3	PASS NUMBER	07/291
FREQUENCY 8448.0						
TIME TC 0 CC3						
000032	60 41	.11869064	06 .969-01			-.0107
000132	60 41	.11867801	06 .972-01			.0039
000232	60 41	.11866539	06 .972-01			.0039
000332	60 41	.11865279	06 .972-01			.0059
000432	60 41	.11864020	06 .974-01			-.0059
000532	60 41	.11862763	06 .974-01			.0020

DATA STATISTICS		STATION 4			ITERATION 3			
PASS	DATA TYPE	BEGINNING TIME	END TIME	NUMBER OF POINTS	STD DEV	RMS	FIRST MOMENT	SECOND MOMENT
07/281	CC3	7/28-175332	7/28-235932	252	.102-01	.103-01	-.271-03	.105-03
07/291	CC3	7/29-000032	7/29-000532	6	.603-02	.603-02	-.163-03	.364-04

STATION NUMBER 51 64/07/28 ITERATION NUMBER 3 PASS NUMBER 07/282

FREQUENCY 8424.0

TIME	TC	Q	CC3	
215332	60	51	.11694786 C6 .918-C1	.0059
215632	60	51	.11687403 C6 .918-C1	.0059
215732	60	51	.11684976 C6 .918-01	.0020
215832	60	51	.11682567 C6 .920-C1	.0098
220232	60	51	.11673100 C6 .920-01	-.0049
220332	60	51	.11670776 C6 .920-C1	.0058
220432	60	51	.11668467 C6 .920-01	.0088
220732	60	51	.11661641 C6 .920-C1	.0058
220832	60	51	.11659398 C6 .920-01	.0029
220932	60	51	.11657171 C6 .923-C1	.0068
221032	60	51	.11654960 C6 .923-01	.0000
221132	60	51	.11652765 C6 .923-C1	.0020
221232	60	51	.11650585 C6 .923-01	.0137
221332	60	51	.11648421 C6 .923-C1	.0166
221432	60	51	.11646273 C6 .923-01	-.0029
221532	60	51	.11644141 C6 .923-01	-.0088
221632	60	51	.11642023 C6 .923-01	.0146
221732	60	51	.11639922 C6 .923-01	-.0010
221832	60	51	.11637835 C6 .923-01	.0000
221932	60	51	.11635763 C6 .925-01	.0166
222032	60	51	.11633707 C6 .925-01	-.0010
222132	60	51	.11631665 C6 .925-01	.0146
222232	60	51	.11629638 C6 .925-01	-.0010
222332	60	51	.11627626 C6 .925-01	.0020
222432	60	51	.11625629 C6 .925-01	.0068
222532	60	51	.11623646 C6 .925-01	.0000
222632	60	51	.11621678 C6 .925-01	.0146
222732	60	51	.11619725 C6 .925-01	.0176
222832	60	51	.11617786 C6 .928-01	.0098
222932	60	51	.11615861 C6 .928-01	-.0078
223032	60	51	.11613950 C6 .928-01	.0166
223132	60	51	.11612048 C6 .928-01	.0244
223232	60	51	.11610167 C6 .928-01	.0000
223332	60	51	.11608279 C6 .930-01	-.0117
223432	60	51	.11606406 C6 .930-01	.0225
223532	60	51	.11599166 C6 .930-01	.0039
223632	60	51	.11597380 C6 .930-01	.0010
224032	60	51	.11595607 C6 .930-01	.0127
224132	60	51	.11593847 C6 .930-01	.0068
224232	60	51	.11592101 C6 .930-01	.0205
224332	60	51	.11590368 C6 .930-01	.0000
224432	60	51	.11588649 C6 .930-01	-.0039
224532	60	51	.11586942 C6 .933-01	.0146
224632	60	51	.11585248 C6 .933-01	.0010
224732	60	51	.11583567 C6 .933-01	.0088
224832	60	51	.11581900 C6 .933-01	.0039
224932	60	51	.11580244 C6 .933-01	.0039
225032	60	51	.11578602 C6 .933-01	.0098
225132	60	51	.11576973 C6 .933-01	.0059
225232	60	51	.11575356 C6 .933-01	.0088
225332	60	51	.11573751 C6 .935-01	.0039
225432	60	51	.11572159 C6 .935-01	-.0107

FREQUENCY 8391.6

64/07/29

TIME	TC	Q	CC3	
001132	60	51	.11482482 C6 .959-01	-.0068
001232	60	51	.11481632 C6 .959-01	-.0020
001332	60	51	.11480809 C6 .959-01	.0049
001432	60	51	.11479912 C6 .959-01	.0068
001732	60	51	.11477863 C6 .959-01	.0000
001832	60	51	.11477122 C6 .962-C1	.0137
001932	60	51	.11476389 C6 .962-01	-.0049
002032	60	51	.11475664 C6 .962-C1	-.0039
002132	60	51	.11474947 C6 .962-01	-.0010
002232	60	51	.11474238 C6 .962-01	.0068
002332	60	51	.11473536 C6 .962-01	.0020
002432	60	51	.11472843 C6 .964-01	.0010
002532	60	51	.11472158 C6 .964-01	.0059
002632	60	51	.11471480 C6 .964-01	-.0176
002732	60	51	.11470810 C6 .964-01	.0146
002832	60	51	.11470148 C6 .964-01	.0020
002932	60	51	.11469493 C6 .964-01	-.0020
003032	60	51	.11468846 C6 .964-01	.0000
003132	60	51	.11468207 C6 .964-01	-.0059
003232	60	51	.11467575 C6 .967-01	-.0039
003332	60	51	.11466951 C6 .967-01	.0049
003432	60	51	.11466334 C6 .967-01	.0059
003532	60	51	.11465725 C6 .967-01	-.0176
003632	60	51	.11465123 C6 .967-01	.0029
003732	60	51	.11464528 C6 .967-01	-.0166
003832	60	51	.11463941 C6 .967-01	.0225
003932	60	51	.11463361 C6 .967-01	-.0088
004032	60	51	.11462788 C6 .969-01	.0029
004132	60	51	.11462222 C6 .969-01	.0098
004232	60	51	.11461664 C6 .969-01	-.0205
004332	60	51	.11461112 C6 .969-01	-.0059
004432	60	51	.11460564 C6 .969-01	.0049
004532	60	51	.11460030 C6 .969-01	.0127
004632	60	51	.11459500 C6 .969-01	-.0176
004732	60	51	.11458976 C6 .972-01	.0020
004832	60	51	.11458460 C6 .972-01	.0020
004932	60	51	.11457950 C6 .972-01	-.0010
005032	60	51	.11457447 C6 .972-01	.0176
005132	60	51	.11456951 C6 .972-01	-.0107
005232	60	51	.11456462 C6 .972-01	.0010
005332	60	51	.11455979 C6 .972-01	.0098

JPL TECHNICAL REPORT NO. 32-694

STATION NUMBER 51		64/07/29		ITERATION NUMBER 3		PASS NUMBER 07/282	
FREQUENCY 8391.6							
TIME	TC	Q	CC3				
005432	60	51	.11455503	C6	.974-C1		-.0029
005532	60	51	.11455034	C6	.974-C1		-.0029
005632	60	51	.11454571	C6	.974-C1		-.0088
005732	60	51	.11454114	C6	.974-C1		-.0205
005832	60	51	.11453665	C6	.974-C1		-.0156
005932	60	51	.11453221	C6	.974-C1		-.0010
010032	60	51	.11452785	C6	.974-C1		-.0127
010132	60	51	.11452354	C6	.977-C1		-.0254
010232	60	51	.11451930	C6	.977-C1		-.0010
010332	60	51	.11451512	C6	.977-C1		-.0068
010432	60	51	.11451101	C6	.977-C1		-.0088
010532	60	51	.11450695	C6	.977-C1		-.0059
010632	60	51	.11450296	C6	.977-C1		-.0186
010732	60	51	.11449903	C6	.977-C1		-.0020
010832	60	51	.11449517	C6	.977-C1		-.0176
010932	60	51	.11449136	C6	.979-C1		-.0059
011032	60	51	.11448761	C6	.979-C1		-.0020
011132	60	51	.11448393	C6	.979-C1		-.0117
011232	60	51	.11448030	C6	.979-C1		-.0156
011332	60	51	.11447673	C6	.979-C1		-.0010
011432	60	51	.11447323	C6	.979-C1		-.0068
011532	60	51	.11446977	C6	.979-C1		-.0088
011632	60	51	.11446638	C6	.981-C1		-.0010
011732	60	51	.11446305	C6	.981-C1		-.0010
011832	60	51	.11445978	C6	.981-C1		-.0078
011932	60	51	.11445656	C6	.981-C1		-.0068
012032	60	51	.11445339	C6	.981-C1		-.0049
012132	60	51	.11445029	C6	.981-C1		-.0107
012232	60	51	.11444724	C6	.981-C1		-.0068
012332	60	51	.11444424	C6	.984-C1		-.0127
012432	60	51	.11444131	C6	.984-C1		-.0098
012532	60	51	.11443842	C6	.984-C1		-.0107
012632	60	51	.11443559	C6	.984-C1		-.0107
012732	60	51	.11443282	C6	.984-C1		-.0020
012832	60	51	.11443010	C6	.984-C1		-.0029
012932	60	51	.11442743	C6	.984-C1		-.0039
013032	60	51	.11442481	C6	.986-C1		-.0020
013132	60	51	.11442225	C6	.986-C1		-.0029
013232	60	51	.11441974	C6	.986-C1		-.0068
013332	60	51	.11441728	C6	.986-C1		-.0029
013432	60	51	.11441488	C6	.986-C1		-.0137
013532	60	51	.11441253	C6	.986-C1		-.0078
013632	60	51	.11441022	C6	.986-C1		-.0059
013732	60	51	.11440797	C6	.989-C1		-.0029
013832	60	51	.11440576	C6	.989-C1		-.0010
013932	60	51	.11440361	C6	.989-C1		-.0127
014032	60	51	.11440151	C6	.989-C1		-.0078
014132	60	51	.11439945	C6	.989-C1		-.0107
014232	60	51	.11439745	C6	.989-C1		-.0156
014332	60	51	.11439549	C6	.989-C1		-.0078
014432	60	51	.11439358	C6	.991-C1		-.0166
014532	60	51	.11439172	C6	.991-C1		-.0049
014632	60	51	.11438991	C6	.991-C1		-.0088
014732	60	51	.11438814	C6	.991-C1		-.0088
014832	60	51	.11438642	C6	.991-C1		-.0205
014932	60	51	.11438475	C6	.991-C1		-.0215
015032	60	51	.11438312	C6	.991-C1		-.0176
015132	60	51	.11438153	C6	.994-C1		-.0176
015232	60	51	.11437998	C6	.994-C1		-.0098
015332	60	51	.11437848	C6	.994-C1		-.0234
015432	60	51	.11437707	C6	.996-C1		-.0098
020032	60	51	.11436928	C6	.996-C1		-.0010
020132	60	51	.11436814	C6	.996-C1		-.0059
020232	60	51	.11436704	C6	.996-C1		-.0146
020332	60	51	.11436597	C6	.996-C1		-.0215
020432	60	51	.11436495	C6	.999-C1		-.0156
020532	60	51	.11436397	C6	.999-C1		-.0127
020632	60	51	.11436303	C6	.999-C1		-.0127
020732	60	51	.11436213	C6	.999-C1		-.0049
020832	60	51	.11436127	C6	.999-C1		-.0010
020932	60	51	.11436045	C6	.999-C1		-.0029
021032	60	51	.11435966	C6	.999-C1		-.0029
021132	60	51	.11435892	C6	.100 00		-.0127
021232	60	51	.11435821	C6	.100 00		-.0010
021332	60	51	.11435755	C6	.100 00		-.0137
021432	60	51	.11435692	C6	.100 00		-.0010
021532	60	51	.11435632	C6	.100 00		-.0254
021632	60	51	.11435577	C6	.100 00		-.0020
021732	60	51	.11435525	C6	.100 00		-.0176
021832	60	51	.11435477	C6	.100 00		-.0010
021932	60	51	.11435432	C6	.100 00		-.0039
022032	60	51	.11435391	C6	.100 00		-.0059
022132	60	51	.11435353	C6	.100 00		-.0010
022232	60	51	.11435319	C6	.100 00		-.0059
022332	60	51	.11435289	C6	.100 00		-.0117
022432	60	51	.11435262	C6	.100 00		-.0166
022532	60	51	.11435238	C6	.101 00		-.0117
022632	60	51	.11435217	C6	.101 00		-.0088
022732	60	51	.11435200	C6	.101 00		-.0137
022832	60	51	.11435187	C6	.101 00		-.0166
022932	60	51	.11435176	C6	.101 00		-.0107
023032	60	51	.11435169	C6	.101 00		-.0049
023132	60	51	.11435165	C6	.101 00		-.0029
023232	60	51	.11435164	C6	.101 00		-.0049
023332	60	51	.11435166	C6	.101 00		-.0059
023432	60	51	.11435171	C6	.101 00		-.0029
023532	60	51	.11435180	C6	.101 00		-.0029
023632	60	51	.11435191	C6	.101 00		-.0117
023732	60	51	.11435205	C6	.101 00		-.0117
023832	60	51	.11435223	C6	.101 00		-.0127
023932	60	51	.11435243	C6	.101 00		-.0176
024032	60	51	.11435264	C6	.101 00		-.0020
024132	60	51	.11435292	C6	.101 00		-.0088

STATION NUMBER	51	6470729	ITERATION NUMBER	3	PASS NUMBER	07/202
FREQUENCY 8391.6						
TIME	TC	Q	CC3			
024232	60	51	.11435321	C6	.101	00 .0186
024332	60	51	.11435353	C6	.101	00 .0020
024432	60	51	.11435388	C6	.101	00 -.0107
024532	60	51	.11435425	C6	.101	00 .0010
024632	60	51	.11435465	C6	.101	00 .0000
024732	60	51	.11435507	C6	.101	00 .0078
024832	60	51	.11435553	C6	.101	00 .0049
024932	60	51	.11435601	C6	.101	00 -.0068
025032	60	51	.11435651	C6	.101	00 .0049
025132	60	51	.11435704	C6	.102	00 .0078
025232	60	51	.11435760	C6	.102	00 -.0146
025332	60	51	.11435818	C6	.102	00 .0049
025432	60	51	.11435878	C6	.102	00 .0000
025532	60	51	.11435941	C6	.102	00 .0039
025632	60	51	.11436006	C6	.102	00 .0010
025732	60	51	.11436074	C6	.102	00 .0078
025832	60	51	.11436144	C6	.102	00 -.0098
025932	60	51	.11436216	C6	.102	00 .0010
030032	60	51	.11436291	C6	.102	00 .0059
030132	60	51	.11436368	C6	.102	00 .0039
030232	60	51	.11436447	C6	.102	00 .0146
030332	60	51	.11436528	C6	.102	00 .0029
030432	60	51	.11436611	C6	.102	00 .0029
030532	60	51	.11436697	C6	.102	00 .0146
030632	60	51	.11436784	C6	.102	00 -.0098
030732	60	51	.11436874	C6	.102	00 -.0049
030832	60	51	.11436965	C6	.102	00 .0127
030932	60	51	.11437059	C6	.102	00 .0068
031032	60	51	.11437154	C6	.102	00 .0059
031132	60	51	.11437252	C6	.102	00 .0146
031232	60	51	.11437351	C6	.102	00 .0049
031332	60	51	.11437452	C6	.102	00 -.0078
031432	60	51	.11437555	C6	.102	00 .0117
031532	60	51	.11437660	C6	.102	00 -.0029
031632	60	51	.11437767	C6	.102	00 -.0029
031732	60	51	.11437875	C6	.103	00 .0146
031832	60	51	.11437985	C6	.103	00 -.0029
031932	60	51	.11438097	C6	.103	00 -.0049
032032	60	51	.11438210	C6	.103	00 .0127
032132	60	51	.11438325	C6	.103	00 -.0215
032232	60	51	.11438442	C6	.103	00 .0117
032332	60	51	.11438560	C6	.103	00 -.0029
032432	60	51	.11438680	C6	.103	00 .0000
032532	60	51	.11438801	C6	.103	00 .0059
032632	60	51	.11438924	C6	.103	00 -.0059
032732	60	51	.11439048	C6	.103	00 .0029
032832	60	51	.11439173	C6	.103	00 -.0020
032932	60	51	.11439300	C6	.103	00 -.0039
033032	60	51	.11439428	C6	.103	00 -.0029
033132	60	51	.11439558	C6	.103	00 .0176
033232	60	51	.11439689	C6	.103	00 -.0078
033332	60	51	.11439821	C6	.103	00 .0029
033432	60	51	.11439955	C6	.103	00 .0029
033532	60	51	.11440089	C6	.103	00 .0059
033632	60	51	.11440225	C6	.103	00 .0156
033732	60	51	.11440362	C6	.103	00 -.0039
033832	60	51	.11440500	C6	.103	00 .0126
033932	60	51	.11440639	C6	.103	00 .0078
034032	60	51	.11440779	C6	.103	00 .0059
034132	60	51	.11440921	C6	.103	00 -.0068
034232	60	51	.11441063	C6	.104	00 .0039
034332	60	51	.11441206	C6	.104	00 .0215
034432	60	51	.11441350	C6	.104	00 -.0029
034532	60	51	.11441495	C6	.104	00 .0127
034632	60	51	.11441641	C6	.104	00 .0029
034732	60	51	.11441788	C6	.104	00 .0010
034832	60	51	.11441936	C6	.104	00 .0244
034932	60	51	.11442084	C6	.104	00 -.0107
035032	60	51	.11442233	C6	.104	00 -.0029
035132	60	51	.11442384	C6	.104	00 .0137
035232	60	51	.11442534	C6	.104	00 .0059
035332	60	51	.11442686	C6	.104	00 .0078
035432	60	51	.11442838	C6	.104	00 .0039
035532	60	51	.11442991	C6	.104	00 .0098
035632	60	51	.11443144	C6	.104	00 -.0078
035732	60	51	.11443298	C6	.104	00 .0205
040132	60	51	.11443453	C6	.104	00 -.0068
040232	60	51	.11443607	C6	.104	00 -.0029
040332	60	51	.11443762	C6	.104	00 .0117
040432	60	51	.11443917	C6	.104	00 .0049
040532	60	51	.11444072	C6	.104	00 .0127
040632	60	51	.11444228	C6	.104	00 .0000
040732	60	51	.11444383	C6	.104	00 .0010
040832	60	51	.11444539	C6	.104	00 -.0020
040932	60	51	.11444696	C6	.104	00 .0117
041032	60	51	.11444853	C6	.104	00 -.0127
041132	60	51	.11445010	C6	.104	00 .0127
041232	60	51	.11445168	C6	.104	00 -.0146
041332	60	51	.11445326	C6	.105	00 .0059
041432	60	51	.11445484	C6	.105	00 .0098
041532	60	51	.11445643	C6	.105	00 -.0049
041632	60	51	.11445802	C6	.105	00 -.0029
041732	60	51	.11445961	C6	.105	00 -.0020
041832	60	51	.11446120	C6	.105	00 .0156
041932	60	51	.11446279	C6	.105	00 .0010
042032	60	51	.11446438	C6	.105	00 .0020
042132	60	51	.11446597	C6	.105	00 .0039
042232	60	51	.11446756	C6	.105	00 .0068
042332	60	51	.11446916	C6	.105	00 -.0068
042432	60	51	.11447075	C6	.105	00 -.0186
042532	60	51	.11447234	C6	.105	00 .0098
043032	60	51	.11448527	C6	.105	00 .0078
043732	60	51	.11449624	C6	.106	00 -.0254
044932	60	51	.11450848	C6	.106	00 .0068

JPL TECHNICAL REPORT NO. 32-694

STATION	NUMBER	51	64/07/29	ITERATION	NUMBER	3	PASS	NUMBER	07/282
		FREQUENCY	8391.6						
TIME	TC	Q	CC3						
044632	60	51	.11450998 06 .106 00						-.0059
044732	60	51	.11451147 06 .106 00						-.0049
044832	60	51	.11451296 06 .106 00						-.0078
044932	60	51	.11451444 06 .106 00						.0127
045032	60	51	.11451591 06 .106 00						.0078
045132	60	51	.11451737 06 .106 00						-.0059
045232	60	51	.11451883 06 .106 00						.0059
045332	60	51	.11452031 06 .106 00						-.0088
045432	60	51	.11452178 06 .106 00						-.0107
045532	60	51	.11452325 06 .106 00						.0117
045632	60	51	.11452472 06 .106 00						-.0059
045732	60	51	.11452619 06 .106 00						.0029
045832	60	51	.11452766 06 .106 00						.0049
045932	60	51	.11452913 06 .106 00						-.0020
050032	60	51	.11453060 06 .107 00						-.0088
050132	60	51	.11453207 06 .107 00						.0254
050232	60	51	.11453354 06 .107 00						-.0127
050332	60	51	.11453501 06 .107 00						.0098
050432	60	51	.11453648 06 .107 00						.0107
050532	60	51	.11453795 06 .107 00						.0068
050632	60	51	.11453942 06 .107 00						-.0186
050732	60	51	.11454089 06 .107 00						.0029
050832	60	51	.11454236 06 .107 00						.0068
050932	60	51	.11454383 06 .107 00						-.0078
051032	60	51	.11454530 06 .107 00						-.0010
051132	60	51	.11454677 06 .107 00						-.0029
051232	60	51	.11454824 06 .107 00						.0254
051332	60	51	.11454971 06 .107 00						-.0107
051432	60	51	.11455118 06 .108 00						-.0010
051532	60	51	.11455265 06 .108 00						.0098
051632	60	51	.11455412 06 .108 00						-.0029
051732	60	51	.11455559 06 .108 00						.0205
051832	60	51	.11455706 06 .108 00						-.0068
051932	60	51	.11455853 06 .108 00						.0020
052032	60	51	.11456000 06 .108 00						.0127
052132	60	51	.11456147 06 .108 00						-.0098
052232	60	51	.11456294 06 .108 00						.0029
052332	60	51	.11456441 06 .108 00						.0127
052432	60	51	.11456588 06 .108 00						-.0117
052532	60	51	.11456735 06 .108 00						.0166
052632	60	51	.11456882 06 .108 00						-.0020
052732	60	51	.11457029 06 .109 00						.0146
052832	60	51	.11457176 06 .109 00						.0039
052932	60	51	.11457323 06 .109 00						-.0107
053032	60	51	.11457470 06 .109 00						.0078
053132	60	51	.11457617 06 .109 00						-.0020
053232	60	51	.11457764 06 .109 00						.0059
053332	60	51	.11457911 06 .109 00						-.0078
053432	60	51	.11458058 06 .109 00						.0049
053532	60	51	.11458205 06 .109 00						-.0020
053632	60	51	.11458352 06 .109 00						.0059
053732	60	51	.11458499 06 .109 00						
053832	60	51	.11458646 06 .109 00						.0273
053932	60	51	.11458793 06 .109 00						-.0029
054032	60	51	.11458940 06 .109 00						-.0098
054132	60	51	.11459087 06 .109 00						-.0049
054232	60	51	.11459234 06 .109 00						.0244
054332	60	51	.11459381 06 .109 00						-.0166
054432	60	51	.11459528 06 .109 00						-.0020
054532	60	51	.11459675 06 .109 00						.0186
054632	60	51	.11459822 06 .109 00						.0107
054732	60	51	.11459969 06 .109 00						-.0156
054832	60	51	.11460116 06 .109 00						-.0049
054932	60	51	.11460263 06 .109 00						.0137
055032	60	51	.11460410 06 .109 00						.0088
055132	60	51	.11460557 06 .110 00						.0059
055232	60	51	.11460704 06 .110 00						-.0059
055332	60	51	.11460851 06 .110 00						.0078
055432	60	51	.11461000 06 .110 00						-.0127
055532	60	51	.11461147 06 .110 00						-.0078
055632	60	51	.11461294 06 .110 00						.0293
055732	60	51	.11461441 06 .110 00						-.0088
055832	60	51	.11461588 06 .110 00						.0107
055932	60	51	.11461735 06 .110 00						.0049
060032	60	51	.11461882 06 .110 00						.0244
060132	60	51	.11462029 06 .110 00						-.0068
060232	60	51	.11462176 06 .110 00						-.0029
060332	60	51	.11462323 06 .110 00						.0176
060432	60	51	.11462470 06 .110 00						-.0088
060532	60	51	.11462617 06 .110 00						-.0039
060632	60	51	.11462764 06 .110 00						-.0078
060732	60	51	.11462911 06 .110 00						.0156
060832	60	51	.11463058 06 .110 00						-.0176
060932	60	51	.11463205 06 .110 00						.0088
061032	60	51	.11463352 06 .110 00						-.0059
061132	60	51	.11463499 06 .110 00						.0078
061232	60	51	.11463646 06 .110 00						-.0127
061332	60	51	.11463793 06 .110 00						-.0078
061432	60	51	.11463940 06 .110 00						.0293
061532	60	51	.11464087 06 .110 00						-.0088
061632	60	51	.11464234 06 .110 00						.0107
061732	60	51	.11464381 06 .110 00						.0049
061832	60	51	.11464528 06 .110 00						.0244
061932	60	51	.11464675 06 .110 00						-.0068
062032	60	51	.11464822 06 .110 00						-.0029
062132	60	51	.11464969 06 .110 00						.0176
062232	60	51	.11465116 06 .110 00						-.0088
062332	60	51	.11465263 06 .110 00						-.0039
062432	60	51	.11465410 06 .110 00						-.0078
062532	60	51	.11465557 06 .110 00						.0156
062632	60	51	.11465704 06 .110 00						-.0176
062732	60	51	.11465851 06 .110 00						.0088
062832	60	51	.11466000 06 .110 00						-.0059
062932	60	51	.11466147 06 .110 00						.0078
063032	60	51	.11466294 06 .110 00						-.0127
063132	60	51	.11466441 06 .110 00						-.0088
063232	60	51	.11466588 06 .110 00						.0244
063332	60	51	.11466735 06 .110 00						-.0068
063432	60	51	.11466882 06 .110 00						-.0029
063532	60	51	.11467029 06 .110 00						.0176
063632	60	51	.11467176 06 .110 00						-.0176
063732	60	51	.11467323 06 .110 00						.0088
063832	60	51	.11467470 06 .110 00						-.0059
063932	60	51	.11467617 06 .110 00						.0078
064032	60	51	.11467764 06 .110 00						-.0127
064132	60	51	.11467911 06 .110 00						-.0088
064232	60	51	.11468058 06 .110 00						.0244
064332	60	51	.11468205 06 .110 00						-.0068
064432	60	51	.11468352 06 .110 00						-.0029
064532	60	51	.11468499 06 .110 00						.0176
064632	60	51	.11468646 06 .110 00						-.0176
064732	60	51	.11468793 06 .110 00						.0088
064832	60	51	.11468940 06 .110 00						-.0059
064932	60	51	.11469087 06 .110 00						.0078
065032	60	51	.11469234 06 .110 00						-.0127
065132	60	51	.11469381 06 .110 00						-.0088
065232	60	51	.11469528 06 .110 00						.0244
065332	60	51	.11469675 06 .110 00						-.0068
065432	60	51	.11469822 06 .110 00						-.0029
065532	60	51	.11469969 06 .110 00						.0176
065632	60	51	.11470116 06 .110 00						-.0176
065732	60	51	.11470263 06 .110 00						.0088
065832	60	51	.11470410 06 .110 00						-.0059
065932	60	51	.11470557 06 .110 00						.0078
066032	60	51	.11470704 06 .110 00						-.0127
066132	60	51	.11470851 06 .110 00						-.0088
066232	60	51	.11471000 06 .110 00						.0244
066332	60	51	.11471147 06 .110 00						-.0068
066432	60	51	.11471294 06 .110 00						-.0029
066532	60	51	.11471441 06 .110 00						.0176
066632	60	51	.11471588 06 .110 00						-.0176
066732	60	51	.11471735 06 .110 00						.0088
066832	60	51	.11471882 06 .110 00						-.0059
066932	60	51	.11472029 06 .110 00						.0078
067032	60	51	.11472176 06 .110 00						-.0127
067132	60	51	.11472323 06 .110 00						-.0088
067232	60	51	.11472470 06 .110 00						

Table with columns: STATION NUMBER 51, 64/07/29, ITERATION NUMBER 3, PASS NUMBER 07/282, FREQUENCY 8391.6, TIME TC Q, CC3. Contains data rows for various station numbers and times.

Table with columns: DATA STATISTICS, STATION 5, ITERATION 3. Includes columns for PASS, DATA TYPE, BEGINNING TIME, END TIME, NUMBER OF POINTS, STD DEV, RMS, FIRST MOMENT, SECOND MOMENT.

CASE 1 SPACE TRAJECTORIES

EPHEMERIS TAPE IV WITH MARS VELOCITIES. B-B IS

Table listing ephemeris data with columns: GME, G, GMM, EGM, ARA, J, A, GMS, MGM, GB, H, B, GMV, JA, MAS, D, C, GMA, GMC, HA, DA, G82, RE, GME, AU, GMJ, RA, SC.

Table with columns: INJECTION CONDITIONS, MOON, J.D.= 2438605.22217592, JULY 28, 1964 17 19 56.000. Includes GEOCENTRIC and GEODESIC coordinates.

Table with columns: GEOCENTRIC, EQUATORIAL COORDINATES. Lists X, Y, Z, DX, DY, DZ, R, PTH, AZE, DZE, XS, YS, ZS, DXS, DYS, DZS, XM, YM, ZM, DXM, DYM, DZM, XT, YT, ZT, DXT, DYT, DZT, RS, RT, RM, VM, RT, VT, GED, RAM, LDM, DUT, SHA, DES, DAC, MCL, TCI.

Table with columns: GEOCENTRIC CONIC, EPOCH OF PERICENTER PASSAGE, J.D.= 2438605.22185045, JULY 28, 1964 17 19 27.879. Includes SMA, VH, TA, ECC, C3, C1, EA, MA, C3J, TFI.

Table with columns: ALL VECTORS REFERENCED TO EARTH EQUATOR PLANE. Lists X, Y, Z, DX, DY, DZ, INC, LAN, APF, MX, MY, MZ, WX, WY, WZ, PX, PY, PZ, QX, QY, QZ, RX, RY, RZ, BX, BY, BZ, TX, TY, TZ, DAP, RAP, B, DAP, BRQ, B, THA.

Table with columns: HELIOCENTRIC, EQUATORIAL COORDINATES. Lists X, Y, Z, DX, DY, DZ, R, PTH, AZE, DZE, XS, YS, ZS, DXS, DYS, DZS, XM, YM, ZM, DXM, DYM, DZM, XT, YT, ZT, DXT, DYT, DZT, RS, RT, RM, VM, RT, VT, GED, RAM, LDM, DUT, SHA, DES, DAC, MCL, TCI.

JPL TECHNICAL REPORT NO. 32-694

CASE 1		SPACE TRAJECTORIES															
2 DAYS 11 HRS. 23 MIN. 24.138 SEC. 235666620572202021560001 J.D.= 2438607.69676086 JULY 31,1964 04 43 20.138																	
GEOCENTRIC						EQUATORIAL COORDINATES											
X	.30123205	06	Y	.17510859	06	Z	.44375166	05	DX	.69213917	00	DY	-.55107218	00	DZ	.18901508	00
R	.35124481	06	DEC	.72579655	01	RA	.30169775	02	V	.90468994	00	PTH	.80467153	02	AZ	.59112921	02
R	.35124481	06	LAT	.72579655	01	LOW	.10498424	02	VE	.25295223	02	PIE	.20213176	01	AZE	.27017432	03
XS	-.93487412	08	YS	-.10977902	09	ZS	-.47604987	08	DXS	-.22992229	02	DYS	-.16719124	02	DZS	-.72496713	01
XM	-.33852305	06	YM	-.16285849	06	ZM	-.36673489	05	DXM	-.48995613	00	DYM	-.82192130	00	DZM	-.40266960	00
XT	-.33852305	06	YT	.16285849	06	ZT	.36673489	05	DXT	-.48995613	00	DYT	.82192130	00	DZT	.40266960	00
RS	.15184718	09	VS	.29338191	02	RM	-.37744627	06	VM	.10381495	01	RT	-.37744627	06	VT	.10381495	01
GEO	.73268942	01	ALT	.34486695	06	LOS	.11074624	03	RAS	.13041759	03	RAM	.25691527	02	LDM	.60201721	01
DUT	.35000000	02	DT	.48000000	03	DR	.89219692	00	SHA	.34835661	06	DES	.18270639	02	DEM	.55757779	01
DAC	.00000000	00	CCL	.25944511	03	MCL	.13177535	01	TCL	.13177535	01						
GEOCENTRIC CONIC																	
EPOCH OF PERICENTER PASSAGE 23566645333202977360001 J.D.= 2438605.29535873 JULY 28,1964 19 05 18.996																	
SMA	.27467280	06	ECC	.98727095	00	B	.43685982	05	SLR	.69481407	04	APD	.54584926	06	RCA	.34963228	04
VH	.96411978	-01	C3	-.14911865	01	C1	-.92628410	05	TFP	.20748114	06	TF	-.17563877	01	PER	.23877459	05
TA	.17314751	03	MTA	.00000000	00	EA	.10640167	03	MA	.52137142	02	C3J	-.19574547	01	TFI	.59390038	02
ALL VECTORS REFERENCED TO EARTH EQUATOR PLANE																	
X	.30123205	06	Y	.17510859	06	Z	.44375166	05	DX	.69213917	00	DY	-.55107218	00	DZ	.18901508	00
INC	.31646180	02	LAN	.18244076	02	APF	.20078576	03	MX	-.48736016	00	MY	.70933779	00	MZ	.50923444	00
WK	.16425678	00	WY	-.49829753	00	WZ	.85130432	00	PX	-.79333797	00	PY	-.57960942	00	PZ	-.18619288	00
QX	.58620342	00	QY	-.64478861	00	QZ	-.49052312	00	RX	.15034289	00	RY	.10983989	00	RZ	-.98251320	00
EX	-.58620342	00	BY	.64478861	00	BZ	.49052312	00	TX	-.15034289	00	TY	-.10983989	00	TZ	.00000000	00
DAP	-.10730688	02	RAP	.21615171	03												
BTQ	.37851979	05	BRQ	-.21810380	05	B	.43685982	05	THA	.33004938	03						
HELIOCENTRIC																	
EQUATORIAL COORDINATES																	
X	.93788644	08	Y	-.10960391	09	Z	-.47560611	08	DX	.23684368	02	DY	.17270196	02	DZ	.74388663	01
R	.15189253	09	LAT	-.18247354	02	LOW	-.31055378	03	V	.30241412	02	PTH	-.31613787	00	AZ	.75094854	02
XE	.93487412	08	YE	-.10977902	09	ZE	-.47604987	08	DXE	.22992229	02	DYE	.16719124	02	DZE	.72496713	01
XT	.93625935	08	YT	-.10961616	09	ZT	-.47568313	08	DXT	.22502273	02	DYT	.17541045	02	DZT	.76523408	01
LTE	-.18270639	02	LOE	.31041759	03	LTT	-.18246161	02	LOT	.31056187	03	RST	.15192680	09	VST	.29529785	02
EPS	.82515936	02	ESP	.13177923	00	SEP	.97352658	02	EPM	.12850096	03	EMP	.46741683	02	MEP	.47573431	01
MPS	.14897320	03	MSP	.98911702	-02	SMP	-.31019022	02	SEM	.10210948	03	EMS	.77751366	02	ESM	.13918114	00
RPM	.39999994	05	SPN	.81475485	02												
SAC	.58297147	-10															
GCE	.10055488	03	GCT	.28187264	03	SIP	.14648291	03	CPT	.95085891	02	SIN	.92595606	02	D1	.13047324	01
REP	.35124481	06	VEP	.90468994	00	CPE	-.98500405	02	CPS	.77052739	02	D2	.11426803	01	D3	.94367258	-01
2 DAYS 11 HRS. 23 MIN. 24.138 SEC. 235666620572202021560001 J.D.= 2438607.69676086 JULY 31,1964 04 43 20.138																	
CHANGE OF PHASE OCCURS AT THIS POINT EARTH IS THE CENTRAL BODY FOR INTEGRATION COWELL EQUATIONS OF MOTION																	
2 DAYS 19 HRS. 23 MIN. 44.875 SEC. 235666636637202160037141 J.D.= 2438608.03033420 JULY 31,1964 12 43 40.875																	
GEOCENTRIC						EQUATORIAL COORDINATES											
X	.32423694	06	Y	.18747950	06	Z	.48418571	05	DX	.11899230	01	DY	-.10553463	01	DZ	-.28985249	00
R	.37765357	06	DEC	.73656494	01	RA	.30037253	02	V	.16166902	01	PTH	.16551153	02	AZ	.25687890	03
R	.37765356	06	LAT	.73656494	01	LOW	.24995073	03	VE	.28826736	02	PIE	.91541951	00	AZE	.26930068	03
XS	-.94148621	08	YS	-.10929542	09	ZS	-.47395290	08	DXS	-.22899001	02	DYS	-.16839263	02	DZS	-.73016809	01
XM	-.32335556	06	YM	.18400806	06	ZM	.48150318	05	DXM	-.56216471	00	DYM	.78362978	00	DZM	.39328577	00
XT	.32335556	06	YT	-.18400806	06	ZT	-.48150318	05	DXT	.56216471	00	DYT	-.78362978	00	DZT	-.39328577	00
RS	.15184125	09	VS	.29340330	02	RM	-.37613331	06	VM	.10415431	01	RT	-.37613331	06	VT	.10415431	01
GEO	.74152888	01	ALT	.37127572	06	LOS	.35065555	03	RAS	.13074207	03	RAM	.29909366	02	LDM	.24982284	03
DUT	.35000000	02	DT	.30000000	02	DR	.48024859	00	SHA	.37419657	06	DES	.18188070	02	DEM	.73548432	01
DAC	.00000000	00	CCL	.25951328	03	MCL	.18748032	03	TCL	.18748032	03						
HELIOCENTRIC																	
EQUATORIAL COORDINATES																	
X	.94472857	08	Y	-.10910794	09	Z	-.47346875	08	DX	.24080524	02	DY	.15783917	02	DZ	.70118284	01
R	.15189269	09	LAT	-.18162472	02	LOW	-.31088817	03	V	.29633923	02	PTH	.28119222	01	AZ	.74607173	02
XE	.94148621	08	YE	-.10929542	09	ZE	-.47395290	08	DXE	.22899001	02	DYE	.16839263	02	DZE	.73016809	01
XT	.94471976	08	YT	-.10910941	09	ZT	-.47347140	08	DXT	.22328837	02	DYT	.17622893	02	DZT	.76950094	01
LTE	-.18188070	02	LOE	.31074208	03	LTT	-.18162504	02	LOT	.31088753	03	RST	.15189928	09	VST	.29467586	02
EPS	.82100447	02	ESP	.14162004	00	SEP	.97758400	02	EPM	.12878187	02	EMP	.46741683	02	MEP	.47573431	01
MPS	.10992463	03	MSP	.98911702	-02	SMP	.70074748	02	SEM	.97881510	02	EMS	.81977945	03	ESM	.14057998	00
RPM	.17356019	04	SPN	.81132760	02												
SAC	.58297019	-10															
GCE	.10048671	03	GCT	.10796703	03	SIP	.10992463	03	CPT	.11102827	03	SIN	.11102827	03	D1	.57128389	03
REP	.37765357	06	VEP	.16166902	01	CPE	.98337663	02	CPS	.77085659	02	D2	.17481927	03	D3	-.39435102	04
SELENCENTRIC																	
EQUATORIAL COORDINATES																	
X	.88137109	03	Y	.14714414	04	Z	.26525342	03	DX	.17520877	01	DY	-.18389761	01	DZ	-.68318105	00
R	.17356019	04	DEC	.87910116	01	RA	.59079031	02	V	.26302815	01	PTH	-.17107776	02	AZ	.25685635	03
R	.17355999	04	LAT	.12166415	02	LOW	.20340561	03	VP	.26346406	01	PTP	-.17078711	02	AZP	.26757628	03
XS	-.94148621	08	YS	-.10929542	09	ZS	-.47395290	08	DXS	-.22899001	02	DYS	-.16839263	02	DZS	-.73016809	01
XM	-.32335556	06	YM	.18400806	06	ZM	.48150318	05	DXM	-.56216471	00	DYM	.78362978	00	DZM	.39328577	00
XT	.32335556	06	YT	-.18400806	06	ZT	-.48150318	05	DXT	.56216471	00	DYT	-.78362978	00	DZT	-.39328577	00
RS	.15184125	09	VS	.29340330	02	RM	-.37613331	06	VM	.10415431	01	RT	-.37613331	06	VT	.10415431	01
GEO	.74152888	01	ALT	.37127572	06	LOS	.35065555	03	RAS	.13074207	03	RAM	.29909366	02	LDM	.24982284	03
DUT	.35000000	02	DT	.30000000	02	DR	.48024859	00	SHA	.37419657	06	DES	.18188070	02	DEM	.73548432	01
DAC	.00000000	00	CCL	.25951328	03	MCL	.18748032	03	TCL	.18748032	03						
SELENCENTRIC CONIC																	
EPOCH OF PERICENTER PASSAGE 235666636756202312552141 J.D.= 2438608.03399981 JULY 31,1964 12 48 57.584																	
SMA	.38639851	04	ECC	.14159473	01	B	.38734530	04	SLR	.38829447	04	APD	.00000000	00	RCA	.16072142	04
VH	.11264184	01	C3	.12688185	01	C1	.43631291	04	TFP	-.31670817	03	TF	.67483771	02	LTF	.67152365	02
TA	.29098600	02	MTA	.13492988	03	EA	-.12388325	02	MA	-.52898867	01	C3J	-.19274051	01	TFI	.67395797	02
ZAE	.13386467	03	ZAP	.14411526	03	ZAC	.93066530	02	DEF	.89859775	02	IR	.40560888	04	GP	.83246089	00
OP1	.00000000	00	OY	.00000000	00	OP2	.38000000	02									
ALL VECTORS REFERENCED TO ORBIT PLANE OF TARGET																	
X	-.73523713	03	Y	-.15509394	04	Z	-.25754064	03	DX	-.19492388	01	DY	.17469969	01	DZ	.25855484	00
INC	.17084985	03	LAN	.17595691	03	APF	.32017186	03	MX	.86125365	00	MY	-.50307026	00	MZ	-.71047833	-01
WX	.11212093	-01	WY	.15862637	00	WZ	-.98727502	00	PX	-.81064188	00	PY	-.57661595	00	PZ	-.10185154	00
QX	.58543485	00	QY	.80146844	00	QZ	.12212410	00	RX	-.14360982	-01	RY	.23275427	-02	RZ	-.99989441	00
EX	-.58543485	00	BY	-.80146844	00	B											

CASE 1

SPACE TRAJECTORIES

BTO -.38245674 04		BRO .61345336 03		B .38734534 04		THA .17088748 03	
ALL VECTORS REFERENCED TO TRUE LUNAR EQU. PLANE							
X	-.15570362 04	Y	-.67390634 03	Z	-.36578085 03	DX	-.28289038 00
INC	.16759723 03	LAN	.10202740 03	APF	.28798141 03	MX	.83485302 00
WX	.21006751 00	WY	.44756255-01	NZ	-.97666192 00	PX	-.97289459 00
QX	.96683661-01	QY	.29210416 00	QZ	.66305153-01	RX	.60505214-01
BX	-.75706211 00	BY	-.62485997 00	BZ	-.19145989 00	TX	.78335296 00
SK1	-.61865061 00	SV1	.77961322 00	SZ1	-.97337492-01	DA1	-.59386729 01
SX0	-.75954883 00	SY0	.62656222 00	SZ0	.19122158 00	DAD	-.11024083 02
ETE	.34505075 03	ETS	.14661640 03	ETC	.23277492 03	RAD	.39668271 02
BTT	-.38011085 04	BRT	.74515017 03	B	.38734577 04	THA	.16890867 03

U MATRIX FOR MAPPING FORWARD

ITERATION NUMBER 3

	X	Y	Z	DX	DY	DZ	KE	RE	G
X	-.14719602 03	.10875338 02	.25615991 02	-.32595615-02	-.32476319-03	.31037056-03	.00000000 00	.00000000 00	.00000000 00
Y	-.13731668 03	.27705322 02	-.42665246 02	-.29962331-02	.12978018-03	.25986924-03	.00000000 00	.00000000 00	.00000000 00
Z	-.52840490 02	-.25753984 02	-.20270947 01	-.11193822-02	.12916691-03	-.23568188-04	.00000000 00	.00000000 00	.00000000 00
DX	.14987902 06	-.25554160 04	-.24631602 05	.33314858 01	.39713632 00	-.32372415 00	.00000000 00	.00000000 00	.00000000 00
DY	-.16111938 04	.37160500 05	.42711773 05	-.34919704 01	-.72810351-01	.51352034 00	.00000000 00	.00000000 00	.00000000 00
DZ	-.10863741 06	.17132176 05	.32217422 05	-.23841064 01	-.11388957 00	.24561500 00	.00000000 00	.00000000 00	.00000000 00
KE	-.32545975 01	.52209142 00	.80158117 00	-.73065969-04	-.39913808-05	.96725029-05	.10000000 01	.00000000 00	.00000000 00
RE	-.21171868-01	.41325331-02	.33220201-02	.10446693-05	.24882848-06	.18432593-06	.00000000 00	.10000000 01	.00000000 00
G	.65223812-01	-.49480572-01	-.25215953-01	.20072020-05	.15301703-05	-.76044533-06	.00000000 00	.00000000 00	.10000000 01
KM	.73758212-02	-.12324642-02	-.11560148-02	.38080588-06	-.67960636-07	.59256844-07	.00000000 00	.00000000 00	.00000000 00
RI(01)	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00
LI(01)	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00
RI(03)	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00
LI(03)	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00
RI(04)	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00
LI(04)	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00
RI(05)	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00
LI(05)	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00	.00000000 00

	RI(05)	LI(05)
X	.00000000 00	.00000000 00
Y	.00000000 00	.00000000 00
Z	.00000000 00	.00000000 00
DX	.00000000 00	.00000000 00
DY	.00000000 00	.00000000 00
DZ	.00000000 00	.00000000 00
KE	.00000000 00	.00000000 00
RE	.00000000 00	.00000000 00
G	.00000000 00	.00000000 00
KM	.00000000 00	.00000000 00
RI(01)	.00000000 00	.00000000 00
LI(01)	.00000000 00	.00000000 00
RI(03)	.00000000 00	.00000000 00
LI(03)	.00000000 00	.00000000 00
RI(04)	.00000000 00	.00000000 00
LI(04)	.00000000 00	.00000000 00
RI(05)	.00000000 00	.00000000 00
LI(05)	.00000000 00	.00000000 00

JPL TECHNICAL REPORT NO. 32-694

CONDITIONS AFTER FORWARD MAPPING 64/07/28 171956.000 TO 64/07/29 102758.000

X= .15667468 06 Y= .63043005 05 Z= .80792135 04 DX= .14593175 01 DY= .98778960 00 DZ= .28737287 00

STANDARD DEVIATIONS

X= .55002608 00 Y= .18868941 01 Z= .36752176 01 DX= .66092543-05 DY= .15756591-04 DZ= .32719456-04

COVARIANCE MATRIX AFTER MAPPING ITERATION NUMBER 3

	X	Y	Z	DX	DY	DZ	KE	RE	G
X	.30252868 00	-.97532915 00	.11724207 01	.31265503-05	-.73959872-05	-.80026759-05	-.11479975 00	.13854552-01	-.80316016-02
Y	-.97532915 00	.35603695 01	-.35809793 01	-.92428594-05	-.26619923-04	-.40547314-04	.12356904 01	-.52365176-01	.10453919-01
Z	.11724207 01	-.35809793 01	.13507225 02	-.68940546-05	-.48940546-05	-.38646601-04	.10442858-03	-.38156873 01	-.10688461 00
DX	.31265503-05	-.92428594-05	.68940546-05	.43683565-10	-.90717219-10	.79557373-10	-.66746527-06	.99492951-07	-.14717053-06
DY	-.73959872-05	.26619923-04	-.38646601-04	-.90717219-10	.24827016-09	-.38425991-09	.93201879-05	-.36369286-06	.45994417-07
DZ	-.80026759-05	-.40547314-04	.10442858-03	.79557373-10	-.38425991-09	.10705628-08	-.30283843-04	.83532136-06	-.44714390-06
KE	-.11479975 00	.12355904 01	-.38156873 01	-.66746527-06	.93201879-05	-.30283843-04	.23465833 01	-.11756211-01	.65221256-02
RE	.13854552-01	-.52365176-01	.10688461 00	.99492951-07	-.36369286-06	.83532136-06	-.11756211-01	.13176632-02	-.97060890-04
G	-.80316016-02	.10453919-01	-.58438504-01	-.14717053-06	.45994417-07	.44714390-06	.65221256-02	.97060890-04	.89775812-01
KM	-.59946271-01	.17019344 00	-.88679043-01	-.81013622-06	.14708319-05	-.62425256-06	.13448153-01	-.21379249-02	.44422620-02
RI(01)	.12086512-01	-.13751965-01	-.48763499-01	-.57543598-06	.18685316-05	-.51465294-05	.56008875-01	.40580537-04	-.53195161-03
LI(01)	-.13339052-03	.55473381-03	-.55134491-03	.15141253-09	-.13494466-08	.12093531-07	.59361497-03	-.39275721-06	.21207963-04
RI(03)	.20390984-02	-.10891439-01	.33964888-01	.25202176-08	-.56368032-07	.24294704-06	-.96134286-02	.24052494-03	.32125143-04
LA(03)	-.36587529-04	.11772512-03	-.92875793-04	-.43445218-09	.10144869-08	-.65708112-09	.15511219-04	-.15129666-05	-.28041700-07
LI(03)	-.28800569-03	.16746988-02	-.19298502-02	-.24822534-08	.77924581-08	-.14900661-07	.31833395-03	-.20314296-04	.30281011-05
RI(04)	.43294151-02	-.22373741-01	.50381951-01	-.85561658-08	-.57128668-07	.12688825-06	.20066952-01	.28635388-03	.26861058-04
LA(04)	.44586662-04	-.17261220-03	.32921882-03	.42474036-09	-.15626263-08	.19843803-08	-.18954978-04	.26220665-05	.18607000-05
LI(04)	-.30525284-03	.10582262-02	-.17040638-02	-.27091396-08	.76622416-08	-.12751728-07	.15858899-03	-.20564735-04	.44201486-05
RI(05)	.54176781-02	-.16481845-01	.23357156-01	.14208972-07	-.36927928-07	-.18288466-07	.55667437-02	.36458491-03	.81797685-04
LI(05)	-.30433225-03	.10728225-02	-.17806065-02	-.27596164-08	.78256537-08	-.13376233-07	.24824384-03	-.19920318-04	.45779927-05
KM	RI(01)	LI(01)	RI(03)	LA(03)	LI(03)	RI(04)	LA(04)	LI(04)	
X	-.59946271-01	.12086512-01	-.13339052-03	-.20390984-02	-.36587529-04	-.28800569-03	.43294151-02	.44586662-04	
Y	.17019344 00	-.13751965-01	.55473381-03	-.10891439-01	.11772512-03	.10674698-02	-.22373741-01	-.13726182-03	
Z	-.88679043-01	-.48763499-01	-.55134491-03	.33964888-01	-.92875793-04	-.19298502-02	.50381951-01	-.37221882-03	
DX	-.81013622-06	-.57543598-06	.15141253-09	.25202176-08	-.43445218-09	-.24822534-08	-.85561658-08	.42474036-09	
DY	.14708319-05	.18685316-05	-.13494466-08	-.56368032-07	.10144869-08	.77924581-08	-.37128668-07	.15626263-08	
DZ	-.62425256-06	-.51465294-05	.12093531-07	.24294704-06	-.65708112-09	-.14900661-07	.19668525-06	-.12751728-07	
KE	-.13448153-01	.56008875-01	.59381951-01	-.85561658-08	.15129666-05	.20314296-04	-.29635388-03	.26220665-05	
RE	.21379249-02	.40580537-04	.39275721-06	.24052494-03	-.15129666-05	-.20314296-04	.29635388-03	.26220665-05	
G	.44422620-02	-.53195161-03	.21207963-04	.32125143-04	-.28041700-07	.30281011-05	.96861058-04	.18607000-05	
KM	.27868181-01	-.29954928-03	.47840111-04	.72925800-04	.46100390-05	.49514367-05	-.37939258-03	.29477555-05	
RI(01)	-.29954928-03	.10215977 00	-.32849937-03	.33020425-03	.87855413-06	.15896580-05	.29121702-02	.46823161-05	
LI(01)	.47840111-04	-.32849937-03	.21841726-05	-.14115985-05	.23197022-07	.76188639-07	.17466902-04	-.47580248-06	
RI(03)	.72925800-04	.33020425-03	-.15115285-05	.32789331-02	.54481401-04	-.38036767-05	.11756580-03	.42909319-06	
LA(03)	.46100390-05	.87855413-06	.23197022-07	-.41461401-04	.54581121-06	.33394948-07	-.62986649-06	.73467366-08	
LI(03)	.49514367-05	.15896580-05	.76188639-07	-.38036767-05	.32394948-07	.38993122-06	-.58725345-05	.47319934-07	
RI(04)	.37939258-03	.29121702-02	.17466902-04	.11756580-03	-.62986649-06	-.58725345-05	.33446189-02	-.34445197-04	
LA(04)	.29477555-05	.46823161-05	-.47580248-06	.49209819-06	.73467366-08	-.47319934-07	-.34445197-04	.59819307-06	
LI(04)	.55282620-04	-.91115239-05	.77427723-07	-.36916917-05	.30306559-07	.37188360-06	-.78030309-05	-.46649328-07	
RI(05)	.54633714-03	.38130845-02	-.11245593-04	.62320936-04	-.41186493-06	-.57478522-05	.11245237-03	.18911019-05	
LI(05)	.53243634-04	-.48447363-05	.93368597-07	-.42476017-05	.28521603-07	.36938152-06	-.50297353-05	-.51642048-07	
RI(05)	LI(05)								
X	.54176781-02	-.16481845-01	.23357156-01	.14208972-07	-.36927928-07	-.18288466-07	.55667437-02	.36458491-03	
Y	-.16481845-01	.10728225-02	-.17806065-02	-.27596164-08	.78256537-08	-.13376233-07	.24824384-03	-.19920318-04	
Z	.23357156-01	-.17806065-02	.93368597-07	-.42476017-05	.28521603-07	.36938152-06	-.50297353-05	-.51642048-07	
DX	.14208972-07	-.27596164-08	.78256537-08	-.13376233-07	.24824384-03	-.19920318-04	-.51642048-07	.37078005-06	
DY	-.36927928-07	.78256537-08	-.13376233-07	.24824384-03	-.19920318-04	-.51642048-07	.37078005-06	.45779927-05	
DZ	-.18288466-07	-.13376233-07	.24824384-03	-.19920318-04	-.51642048-07	.37078005-06	.45779927-05	.41265651-06	
KE	.55667437-02	.36458491-03	-.19920318-04	-.51642048-07	.37078005-06	.45779927-05	.41265651-06	.41265651-06	
RE	.36458491-03	-.19920318-04	-.51642048-07	.37078005-06	.45779927-05	.41265651-06	.41265651-06	.41265651-06	
G	.81797685-04	.45779927-05	.41265651-06	.41265651-06	.41265651-06	.41265651-06	.41265651-06	.41265651-06	
KM	-.54633714-03	.38130845-02	-.11245593-04	.62320936-04	-.41186493-06	-.57478522-05	.11245237-03	.18911019-05	
RI(01)	.38130845-02	-.11245593-04	.62320936-04	-.41186493-06	-.57478522-05	.11245237-03	.18911019-05	.41265651-06	
LI(01)	-.11245593-04	.62320936-04	-.41186493-06	-.57478522-05	.11245237-03	.18911019-05	.41265651-06	.41265651-06	
RI(03)	.62320936-04	-.41186493-06	-.57478522-05	.11245237-03	.18911019-05	.41265651-06	.41265651-06	.41265651-06	
LA(03)	-.41186493-06	-.57478522-05	.11245237-03	.18911019-05	.41265651-06	.41265651-06	.41265651-06	.41265651-06	
LI(03)	-.57478522-05	.11245237-03	.18911019-05	.41265651-06	.41265651-06	.41265651-06	.41265651-06	.41265651-06	
RI(04)	.11245237-03	.18911019-05	.41265651-06	.41265651-06	.41265651-06	.41265651-06	.41265651-06	.41265651-06	
LA(04)	.18911019-05	.41265651-06	.41265651-06	.41265651-06	.41265651-06	.41265651-06	.41265651-06	.41265651-06	
LI(04)	.41265651-06	.41265651-06	.41265651-06	.41265651-06	.41265651-06	.41265651-06	.41265651-06	.41265651-06	
RI(05)	.44988731-03	-.62438415-05	.38167141-06						
LI(05)	-.62438415-05	.38167141-06							

U MATRIX FOR MAPPING FORWARD ITERATION NUMBER 3. Table with columns X, Y, Z, DX, DY, DZ, KE, RE, G and rows for variables X, Y, Z, DX, DY, DZ, KE, RE, G, and various RI, LA, LI, and LQ indices.

COVARIANCE MATRIX AT IMPACT ITERATION NUMBER 3. Table with columns X, Y, Z, DX, DY, DZ, KE, RE, G and rows for variables X, Y, Z, DX, DY, DZ, KE, RE, G, and various RI, LA, LI, and LQ indices.

JPL TECHNICAL REPORT NO. 32-694

IMPACT PARAMETERS 64/07/31 124340

N MATRIX (TARGET ORBITAL PLANE)

	B.RD	B.TO	TL	C3	S.TS	S.RS
B.RD	.10797725 C3	-.42141458 C2	-.70828736-02	-.58231506-01	-.97720680-02	-.24702021-02
B.TO	-.42141455 C2	.26870146 C2	.32450478-02	.30892370-01	.10486382-02	.12970878-02
TL	-.70828734-02	.32450471-02	.71401307-06	.50120152-05	.19664682-05	.20351964-06
C3	-.58231506-01	.30892370-01	.50120153-05	.40896348-04	.83996087-05	.16927951-05
S.TS	-.97720660-02	.10486345-02	.19664680-05	.83996060-05	.10947644-04	.30553659-06
S.RS	-.24702029-02	.12970881-02	.20351973-06	.16937956-05	.30553670-06	.70493541-07

NORMALIZED N MATRIX

	B.RD	B.TO	TL	C3	S.TS	S.RS
B.RD	.99999999 C0	-.78236318 C0	-.80665954 C0	-.87629358 C0	-.28422352 C0	-.89534764 C0
B.TO	-.78236314 C0	.99999999 C0	.74085462 C0	.93190993 C0	.61140689-01	.94245298 C0
TL	-.80665952 C0	.74085446 C0	.99999999 C0	.92750665 C0	.70335326 C0	.90714890 C0
C3	-.87629358 C0	.93190995 C0	.92750667 C0	.10000000 C1	.39696886 C0	.92757130 C0
S.TS	-.28422346 C0	.61140472-01	.70335317 C0	.39696874 C0	.99999999 C0	.34779891 C0
S.RS	-.89534792 C0	.94245320 C0	.90714930 C0	.99757160 C0	.34779904 C0	.10000000 C1

DM/DQO MATRIX

	B.RD	B.TO	TL	C3	S.TS	S.RS
X	-.41490960 C2	.48283439 C3	.71555889 C3	-.11197635-01	.49906201 C0	-.35648690-02
Y	-.77556913 C2	.37485942 C3	.66241056 C3	-.10040979-01	.51863909 C0	-.33999262-02
Z	.31745284 C2	.11629480 C3	.23962952 C3	-.35340999-02	.21265436 C0	-.14141163-02
DX	.48945640 C5	-.51206953 C6	-.73261156 C6	.11558908 C2	-.49476513 C3	.35861535 C1
DY	-.55775649 C5	.43395378 C6	.77000485 C6	-.11669693 C2	.60923413 C3	-.40259533 C1
DZ	-.44701258 C5	.31296403 C6	.52561710 C6	-.80485114 C1	.40053946 C3	-.27077486 C1

B

.38735080 C4

B.RD

.61346638 C3

B.TO

-.38246207 C4

B.RT

.74515017 C3

B.TT

-.38011085 C4

TL

.67152357 C2

SMAA

.11220904 C2

SMIA

.29897686 C1

THETA

.66949971 C2

DEL T

.30419746 C1

DEL B

.11612381 C2

DEL S

.34264471 C1

TF

.67395797 C2

N MATRIX (TARGET EQUATORIAL PLANE)

	B.RT	B.TT	TL
B.RT	.11078899 C3	-.39242118 C2	-.71906973-02
B.TT	-.39242115 C2	.24058399 C2	.29985502-02
TL	-.71906970-02	.29985496-02	.71401307-06

APPENDIX F

Ranger VII postmaneuver ODP printout

PAGE HEADING	(23
(RAT POST M/C WITH PRE DATA AS APRIORI 14 NOV)	
EPOCH	101
640702910.2758000	
PROBE POSITION AND VELOCITY AT EPOCH	102
X=.15667453E6 Y=.63041615E5 Z=.38077204E4	
DX=.14342616E1 DY=-.97256996E0 DZ=-.28116199E0	
OTHER PARAMETER VALUES	103
KE=.39860138E6 RE=.63783085E4 GBMOON=.39225373E0	
KM=.49025908E4 R(1)=.63756450E4 L(1)=.27705180E2	
R(3)=.63718804E4 LA(3)=.35117429E2 L(3)=.24319447E3	
R(4)=.63726016E4 LA(4)=.31212263E2 L(4)=.13688755E3	
R(5)=.63754785E4 LA(5)=.27685332E2	
RSTOP=1735.5	
ARMOON=3.567 MSMOON=374.1	
ESTIMATE THESE PARAMETERS	104
X,Y,Z,DX,DY,DZ,KE,RE,GM,KM,R(1),L(1)	
R(3),LA(3),L(3),R(4),LA(4),L(4),R(5),LA(5),L(5)	
COVARIANCE MATRIX OF ESTIMATED PARAMETERS	110
R01	
604411727402551050574704/8	164631011765131066170002/8
5654252694215321601446027/8	5626354302165276424207717/8
203501715147150046176174/8	556416463531523577906511/8
1674159461411342672625607/8	1718545530241362550770007/8
576767112402543640126027/8	5724626524715375651729037/8
979042768315842557081707/8	1687837154451322005952167/8
572475171170537573530727/8	567415160000534315063040/8
5647051050215314644504067/8	5725550446443371635553217/8
173431761704140553405730/8	572513250265537103557352/8
R02	
6057221212015522121500407/8	2074703322741544702716607/8
606455733505537351667427/8	5656613253765321166114367/8
1665533317641331126044147/8	5653360716545320812750147/8
601445555720541031143434/8	56271523416555271651130247/8
57060003513335335131707/8	1766436083651434555273227/8
2004306471741455562316757/8	1734235410621407414364737/8
5756204433405426357755227/8	1665013361751334006066267/8
173717704551406160464407/8	5764541716075434515265467/8
5664335167649332156443147/8	1737717655731400736731367/8
5757423246245200275157/8	17374072367140725737157/8
R03	
604411727402551050574704/8	604455733505537351667427/8
2116103135041565264115527/8	5657652526725326110035267/8
1637171630321300021451367/8	1706222425041351534644227/8
6074442734175547473643667/8	16560672507132247735077/8
1704527174171355667130167/8	6015320737275467335640407/8
2004507625751490226653167/8	17455455607314415633100247/8
201762747581466017781017/8	5724626524715375651729037/8
5737301467525402151352347/8	2007541710121452203202027/8
1717100714161366717715247/8	5735627773305406645141247/8
2004205515661457152235047/8	573425677765403003543467/8
R04	
1646310117651310661500727/8	5656613253765321166073367/8
5657652526725326110025207/8	(1725100000001370000000007/8
54546635313512006270007/8	544733065251312775612347/8
163626524341303276173527/8	54264211023510366276317/8
1514417560601163562050247/8	1575471075101240333715607/8
5576213412575245164411547/8	55264654235751506331017/8
5565006167765236400513247/8	1474031576631145610264127/8
552425321765171020610127/8	5554667663165221164026207/8
546655367135131363171427/8	552453504235171224320167/8
5547100712515214764637167/8	552426530125177460649037/8
R05	
5654525694215321601445107/8	1665533317641331126044367/8
1637171630321300021447227/8	545466363173512006262747/8
(1725100000001370000000007/8	1414644013401061265770627/8
5635724454215304160406007/8	14245312212107263464327/8
552433303035175623737567/8	5556124724469224350134767/8
1605161378512515757417007/8	1526643260461170366420727/8
13557005025122546477437/8	554436381145136705723647/8
1527676230411174051701047/8	1525043400301171320277467/8
1484664550621127061003367/8	1534314000431205030404367/8
552560445203517751520747/8	1534041673471207751556467/8
R06	
5626354302165276424310307/8	5653360716545320612750247/8
17062242504135193464447/8	544733065251312775612347/8
1474654401301061285756167/8	(1725100000001370000000007/8
56643926070135750134447/8	1454051355021123441604317/8
5504354245115156105437127/8	560711143200525354176627/8
5575452666235245207146167/8	153624761421120702277367/8
1607615524531255102177107/8	5516214470315160577427347/8
5527754007235177173307307/8	1577151531761240265301507/8
1506702002061152437624107/8	55265058117517606334627/8
161970207642125423366027/8	55240374314652023251627/8
R07	
2035017151471500461761747/8	6014455530241362550770007/8
6074442734175547473643667/8	1636365254341303276173527/8
563724245215304160406007/8	5664332607075335755013447/8
20647022354153522654417/8	564552006005317020146517/8
1705743624711356631665627/8	200507117521454710327157/8
5746210006475412272061307/8	56563264244532474746727/8
600500001412549536600207/8	17740212705136323349007/8
1715740550051363767023257/8	5715526257425364752474357/8
562723000731527730255047/8	5715116232175367377473157/8
176711747751432042716527/8	1707916406541351026123327/8
R08	
5564164635315235775065117/8	5627162341655277651130247/8
165606725071132247735077/8	5436421110235103662076317/8
142453122121107263464327/8	1494051355021123441604317/8
5645520060517/8	1705075340561351736322107/8
14782740004114641567027/8	1574005642161257020055747/8
1534446100651203562620377/8	145453566076112246347227/8
550574354635154013606147/8	1407755761641054453353307/8
151546077551162420372307/8	5567404032455233017563307/8
5479154790065144062476087/8	5515403761013161537180707/8
15762612772124307257707/8	5514745251765163427113007/8
161970207642125423366027/8	57040003513353535131707/8
R09	
1704527174171355667130167/8	1514417560601163562050247/8
552433303035175623737567/8	5504354245115156105437127/8
1705743624711356631665627/8	147457240004114641567027/8
175560506714142306177727/8	5634214251613303532340727/8
157526075371242415741047/8	1524102435001170510126647/8
161970207642125423366027/8	552403232135176457437/8
555715364765225253273707/8	557570511647524174302217/8
5477353640135145001042107/8	1556561512001223277171447/8
5644605366525310310104747/8	550665546543515321036507/8
R10	
1716545530241362550770007/8	1766436063651434555273227/8
6015320737275467335640407/8	1575471075101240333715607/8
5556124724465224350134767/8	56071143200525354176627/8
2005017151471500461761747/8	1574005642161257020055747/8
60321425161330333240727/8	205417614370152424035207/8
56746420554540023446357/8	561535037655526627440107/8
166675276624133324366227/8	5575341352755240672754457/8
5655000011645320662765047/8	1726464054721373731464447/8
1634450200261303472666737/8	1655005007151322044243507/8
5735663511539405170521517/8	1654246026341323053735747/8

INPUT COVARIANCE MATRIX OF ESTIMATED PARAMETERS										ITERATION NUMBER 1									
X	Y	Z	DX	DY	DZ	KE	RE	G		X	Y	Z	DX	DY	DZ	KE	RE	G	
X	-30720474 00	-98617319 00	11670562 01	-19741225-05	-57202592-05	-12778592-04	-11634068 00	-13977072-01	-78934420-02	X	-30720474 00	-98617319 00	11670562 01	-19741225-05	-57202592-05	-12778592-04	-11634068 00	-13977072-01	-78934420-02
Y	-98617319 00	-35752713 01	-35595235 01	-65191049-05	-22981024-04	-46884604-04	-12319001 01	-32323912-01	-10115762-01	Y	-98617319 00	-35752713 01	-35595235 01	-65191049-05	-22981024-04	-46884604-04	-12319001 01	-32323912-01	-10115762-01
Z	11670562 01	-35595235 01	11375714 02	-11417489-04	-51604056-04	-91959812-04	-37732524 01	10408984 00	57592501-01	Z	11670562 01	-35595235 01	11375714 02	-11417489-04	-51604056-04	-91959812-04	-37732524 01	10408984 00	57592501-01
DX	-19741225-05	-65191049-05	-11417489-04	31561914-10	-92768448-10	-16271801-09	62786280-06	-18999239-06	-18950078-06	DX	-19741225-05	-65191049-05	-11417489-04	31561914-10	-92768448-10	-16271801-09	62786280-06	-18999239-06	-18950078-06
DY	-57202592-05	-22981024-04	-65160405-04	-92768448-10	32733648-09	-61494687-09	-71918989-05	-64000404-06	-20204923-06	DY	-57202592-05	-22981024-04	-65160405-04	-92768448-10	32733648-09	-61494687-09	-71918989-05	-64000404-06	-20204923-06
DZ	-12778592-04	-46884604-04	-91959812-04	-10271681-09	-61494687-09	12086176-08	-68528222-05	-13905311-05	-10301515-06	DZ	-12778592-04	-46884604-04	-91959812-04	-10271681-09	-61494687-09	12086176-08	-68528222-05	-13905311-05	-10301515-06
KE	-11634068 00	-12319001 01	-37732524 01	10408984 00	62786280-06	-18999239-06	-68528222-05	23419371 01	-11567408-01	KE	-11634068 00	-12319001 01	-37732524 01	10408984 00	62786280-06	-18999239-06	-68528222-05	23419371 01	-11567408-01
RE	-13977072-01	-32323912-01	-10115762-01	-10408984 00	-18999239-06	-68528222-05	-23419371 01	-11567408-01	65543526-02	RE	-13977072-01	-32323912-01	-10115762-01	-10408984 00	-18999239-06	-68528222-05	-23419371 01	-11567408-01	65543526-02
G	57592501-01	57592501-01	57592501-01	-18950078-06	20024923-06	10301515-06	65543526-02	97464764-04	89790878-01	G	57592501-01	57592501-01	57592501-01	-18950078-06	20024923-06	10301515-06	65543526-02	97464764-04	89790878-01
KN	-50599300-01	17221287 00	-91472869-01	-44107103-06	88426222-06	-16884650-05	14084781-01	-21768502-02	44107651-02	KN	-50599300-01	17221287 00	-91472869-01	-44107103-06	88426222-06	-16884650-05	14084781-01	-21768502-02	44107651-02
RI(01)	14225339-01	-16967811-01	-61892913-01	23243114-07	-86549513-07	19183479-06	-56798055-01	-21124966-04	-48810467-03	RI(01)	14225339-01	-16967811-01	-61892913-01	23243114-07	-86549513-07	19183479-06	-56798055-01	-21124966-04	-48810467-03
LU(01)	-14435072-03	58304517-03	-55474857-03	10373703-07	-28949075-09	10907097-09	-39854031-03	38222756-07	70788321-04	LU(01)	-14435072-03	58304517-03	-55474857-03	10373703-07	-28949075-09	10907097-09	-39854031-03	38222756-07	70788321-04
RI(03)	20765293-02	-10862372-01	33251959-01	-82288746-07	-11480141-06	18885913-06	-95430532-02	23760432-03	32326313-04	RI(03)	20765293-02	-10862372-01	33251959-01	-82288746-07	-11480141-06	18885913-06	-95430532-02	23760432-03	32326313-04
LA(03)	-38996539-04	11768452-03	-91235793-04	-10931209-09	87699413-09	-17033705-08	-19350096-04	-19560008-05	-22843160-07	LA(03)	-38996539-04	11768452-03	-91235793-04	-10931209-09	87699413-09	-17033705-08	-19350096-04	-19560008-05	-22843160-07
LU(03)	-29078044-03	10692853-02	-19000876-02	-27185394-08	91407601-08	-17928803-07	21607657-03	-20358181-04	28959717-05	LU(03)	-29078044-03	10692853-02	-19000876-02	-27185394-08	91407601-08	-17928803-07	21607657-03	-20358181-04	28959717-05
RI(04)	-45227233-02	-22475388-01	48183991-01	20247215-07	-18709723-06	25403800-05	-19859759-04	22885728-03	98577405-04	RI(04)	-45227233-02	-22475388-01	48183991-01	20247215-07	-18709723-06	25403800-05	-19859759-04	22885728-03	98577405-04
LA(04)	-43163997-04	-16896307-03	32912927-03	2496839-09	-12169293-08	-23627895-08	-78493258-04	-25863392-05	-17611511-05	LA(04)	-43163997-04	-16896307-03	32912927-03	2496839-09	-12169293-08	-23627895-08	-78493258-04	-25863392-05	-17611511-05
LU(04)	-30953006-03	-10213322-02	-16788393-02	-29117005-07	92483004-08	-18885805-07	-25711915-03	-20353808-04	-43870921-05	LU(04)	-30953006-03	-10213322-02	-16788393-02	-29117005-07	92483004-08	-18885805-07	-25711915-03	-20353808-04	-43870921-05
RI(05)	-54887732-02	-16412332-01	21938301-01	56438318-07	-15791287-06	35491922-06	-57136919-02	35846677-03	81461253-04	RI(05)	-54887732-02	-16412332-01	21938301-01	56438318-07	-15791287-06	35491922-06	-57136919-02	35846677-03	81461253-04
LU(05)	-30767977-03	10768485-02	-17552225-02	-27587562-08	89323061-08	-18017585-07	-24679526-03	-19893234-04	4451171-05	LU(05)	-30767977-03	10768485-02	-17552225-02	-27587562-08	89323061-08	-18017585-07	-24679526-03	-19893234-04	4451171-05
KN	RI(01)	LU(01)	RI(03)	LA(03)	LU(03)	RI(04)	LA(04)	LU(04)		KN	RI(01)	LU(01)	RI(03)	LA(03)	LU(03)	RI(04)	LA(04)	LU(04)	
X	-60599300-01	-14225339-01	-16967811-01	-61892913-01	-23243114-07	-86549513-07	-19183479-06	-56798055-01	-21124966-04	X	-60599300-01	-14225339-01	-16967811-01	-61892913-01	-23243114-07	-86549513-07	-19183479-06	-56798055-01	-21124966-04
Y	17221287 00	-16967811-01	-61892913-01	-23243114-07	-86549513-07	-19183479-06	-56798055-01	-21124966-04	-48810467-03	Y	17221287 00	-16967811-01	-61892913-01	-23243114-07	-86549513-07	-19183479-06	-56798055-01	-21124966-04	-48810467-03
Z	-91472869-01	-44107103-06	88426222-06	-16884650-05	14084781-01	-21768502-02	44107651-02	-78934420-02	-30856006-03	Z	-91472869-01	-44107103-06	88426222-06	-16884650-05	14084781-01	-21768502-02	44107651-02	-78934420-02	-30856006-03
DX	-44410703-06	23243114-07	86549513-07	19183479-06	-56798055-01	-21124966-04	-48810467-03	10621332-02	10621332-02	DX	-44410703-06	23243114-07	86549513-07	19183479-06	-56798055-01	-21124966-04	-48810467-03	10621332-02	10621332-02
DY	-38996539-04	11768452-03	-91235793-04	-10931209-09	87699413-09	-17033705-08	-19350096-04	-19560008-05	-22843160-07	DY	-38996539-04	11768452-03	-91235793-04	-10931209-09	87699413-09	-17033705-08	-19350096-04	-19560008-05	-22843160-07
DZ	-18684650-05	14084781-01	-21768502-02	44107651-02	-78934420-02	-30856006-03	10621332-02	10621332-02	32438008-08	DZ	-18684650-05	14084781-01	-21768502-02	44107651-02	-78934420-02	-30856006-03	10621332-02	10621332-02	32438008-08
KE	-11634068 00	-12319001 01	-37732524 01	10408984 00	62786280-06	-18999239-06	-68528222-05	23419371 01	-11567408-01	KE	-11634068 00	-12319001 01	-37732524 01	10408984 00	62786280-06	-18999239-06	-68528222-05	23419371 01	-11567408-01
RE	-13977072-01	-32323912-01	-10115762-01	-10408984 00	-18999239-06	-68528222-05	-23419371 01	-11567408-01	65543526-02	RE	-13977072-01	-32323912-01	-10115762-01	-10408984 00	-18999239-06	-68528222-05	-23419371 01	-11567408-01	65543526-02
G	57592501-01	57592501-01	57592501-01	-18950078-06	20024923-06	10301515-06	65543526-02	97464764-04	89790878-01	G	57592501-01	57592501-01	57592501-01	-18950078-06	20024923-06	10301515-06	65543526-02	97464764-04	89790878-01
KN	-50599300-01	17221287 00	-91472869-01	-44107103-06	88426222-06	-16884650-05	14084781-01	-21768502-02	44107651-02	KN	-50599300-01	17221287 00	-91472869-01	-44107103-06	88426222-06	-16884650-05	14084781-01	-21768502-02	44107651-02
RI(01)	14225339-01	-16967811-01	-61892913-01	23243114-07	-86549513-07	19183479-06	-56798055-01	-21124966-04	-48810467-03	RI(01)	14225339-01	-16967811-01	-61892913-01	23243114-07	-86549513-07	19183479-06	-56798055-01	-21124966-04	-48810467-03
LU(01)	-14435072-03	58304517-03	-55474857-03	10373703-07	-28949075-09	10907097-09	-39854031-03	38222756-07	70788321-04	LU(01)	-14435072-03	58304517-03	-55474857-03	10373703-07	-28949075-09	10907097-09	-39854031-03	38222756-07	70788321-04
RI(03)	20765293-02	-10862372-01	33251959-01	-82288746-07	-11480141-06	18885913-06	-95430532-02	23760432-03	32326313-04	RI(03)	20765293-02	-10862372-01	33251959-01	-82288746-07	-11480141-06	18885913-06	-95430532-02	23760432-03	32326313-04
LA(03)	-38996539-04	11768452-03	-91235793-04	-10931209-09	87699413-09	-17033705-08	-19350096-04	-19560008-05	-22843160-07	LA(03)	-38996539-04	11768452-03	-91235793-04	-10931209-09	87699413-09	-17033705-08	-19350096-04	-19560008-05	-22843160-07
LU(03)	-29078044-03	10692853-02	-19000876-02	-27185394-08	91407601-08	-17928803-07	21607657-03	-20358181-04	28959717-05	LU(03)	-29078044-03	10692853-02	-19000876-02	-27185394-08	91407601-08	-17928803-07	21607657-03	-20358181-04	28959717-05
RI(04)	-45227233-02	-22475388-01	48183991-01	20247215-07	-18709723-06	25403800-05	-19859759-04	22885728-03	98577405-04	RI(04)	-45227233-02	-22475388-01	48183991-01	20247215-07	-18709723-06	25403800-05	-19859759-04	22885728-03	98577405-04
LA(04)	-43163997-04	-16896307-03	32912927-03	2496839-09	-12169293-08	-23627895-08	-78493258-04	-25863392-05	-17611511-05	LA(04)	-43163997-04	-16896307-03	32912927-03	2496839-09	-12169293-08	-23627895-08	-78493258-04	-25863392-05	-17611511-05
LU(04)	-30953006-03	-10213322-02	-16788393-02	-29117005-07	92483004-08	-18885805-07	-25711915-03	-20353808-04	-43870921-05	LU(04)	-30953006-03	-10213322-02	-16788393-02	-29117005-07	92483004-08	-18885805-07	-25711915-03	-20353808-04	-43870921-05
RI(05)	-54887732-02	-16412332-01	21938301-01	56438318-07	-15791287-06	35491922-06	-57136919-0												

JPL TECHNICAL REPORT NO. 32-694

CASE 1		SPACE TRAJECTORIES									
EPHEMERIS TAPE IV WITH MARS VELOCITIES. B-8 IS											
GME	.39860138 06	J	.16234500-02	H	.57499999-05	D	.78749999-05	RE	.63781650 04	REM	.63783080 04
G	.56709998-19	A	.88782497 29	B	.88800499 29	C	.88837498 29	DME	.41780741-02	AU	.14959900 09
GMM	.49025898 06	GMS	.13271544 12	GNV	.32476952 06	GNA	.42977799 05	GNC	.37918700 08	GMJ	.12671062 09
ESM	.39860320 08	EGM	.49027779 04	JA	.29200000-02	HA	.00000000 00	UA	.00000000 00	RA	.38170000 04
ARA	.35670000 01	GB	.39220320 00	MAS	.37410000 03	G81	.00000000 00	G82	.00000000 00	SC	.10200000 09
INJECTION CONDITIONS			MOON			23566650635202400000000 J.D.= 2438605.93608796 JULY 29,1964 10 27 58.000					
GEOCENTRIC			X0 .15667452 06 Y0 .63041634 05 Z0 .80776752 04			DX0 .14342615 01 DY0 .97257024 00 DZ0 .28116142 00					
CARTESIAN			GMC .00000000 00 SGC .00000000 00 TG .37678000 05			GHA .1949373 03 GRU .30667228 03					
DATE OF RUN 111464A 000000			EARTH			IS THE CENTRAL BODY FOR INTEGRATION COMELL EQUATIONS OF MOTION					
0 DAYS 0 HRS. 0 MIN. 0.000 SEC.			23566650635202400000000 J.D.= 2438605.93608796 JULY 29,1964 10 27 58.000								
GEOCENTRIC						EQUATORIAL COORDINATES					
X	.15667452 06	Y	.63041634 05	Z	.80776751 04	DX	.14342615 01	DY	.97257021 00	DZ	.28116141 00
R	.16907513 06	DEC	.27383850 01	LN	.21918537 02	V	.17555770 01	PTH	.76231921 02	AZ	.61412219 02
R	.16907513 06	LAT	.27383850 01	LOA	.27782480 03	VE	.12070910 02	PTE	.81207508 01	AZE	.27095862 03
XS	-.89949617 08	YS	-.11227379 09	ZS	.48686774 08	DXS	-.23510608 02	DYS	-.16077728 02	DZS	-.69720238 01
XM	.38246390 06	YM	.27456503 05	ZM	-.26012533 05	DXM	-.83439838-01	DYM	.93230140 00	DZM	.40985468 00
XT	-.38246390 06	YT	.27456503 05	ZT	-.26012533 05	DXT	-.83439838-01	DYT	.93230140 00	DZT	.40985468 00
RS	.15181778 09	VS	.29927596 02	RM	.38432947 06	VM	.10218263 01	RT	.38632947 06	VT	.10218263 01
GED	.27370319 01	ALT	.18263897 06	LOS	.24806586 02	RAS	.12870042 03	RAM	.41061312 01	LDM	.26001239 03
DUT	.35000000 02	DT	.12000000 03	DR	.17051341 01	SHA	.16355721 06	DES	.18697176 02	DEM	-.38809100 01
DAL	.00000000 00	CCL	.25840728 03	MCL	.11049367 00	TCL	.11049367 00				
GEOCENTRIC CONIC											
EPOCH OF PERICENTER PASSAGE			23566648062202625600000 J.D.= 2438605.21642558 JULY 28,1964 17 11 39.170								
SMA	.24408708 06	ECC	.97401691 00	B	.55279673 05	SLR	.12519484 05	APD	.48183202 06	RCA	.63421363 04
VH	.14661113 00	C3	-.16330294 01	C1	.70641940 05	TFP	.62178830 05	YF	-.17271897 02	PER	.20002138 05
TA	.16192552 03	MTA	.00000000 00	EA	.71608130 02	MA	.18651655 02	C3J	-.20370906 01	TFI	.00000000 00
ALL VECTORS REFERENCED TO EARTH EQUATOR PLANE											
X	.15667452 06	Y	.63041634 05	Z	.80776751 04	DX	.14342615 01	DY	.97257021 00	DZ	.28116141 00
INC	.28701647 02	LAM	.16908152 02	APF	.20318266 03	MX	.34898680 00	MY	.80607918 00	MZ	.40795805 00
WX	.13970127 00	WY	-.45957585 00	WZ	-.87708205 00	PX	-.77265532 00	PY	-.60455085 00	PZ	-.19370598 00
QX	.61926342 00	QY	-.65062106 00	QZ	-.43955022 00	RX	.15255746 00	RY	.11936595 00	RZ	-.98105961 00
BX	-.61926342 00	BY	.65062106 00	BZ	.43955037 00	TX	-.61622234 00	TY	.78757224 00	TZ	.00000000 00
DAP	-.11169141 02	RAP	.21804079 03								
BTQ	.49420875 05	BRQ	-.24767304 05	B	.55279673 05	THA	.33338223 03				
HELIOCENTRIC											
EPOCH OF PERICENTER PASSAGE			23566648062202625600000 J.D.= 2438605.21642558 JULY 28,1964 17 11 39.170								
X	.90106291 08	Y	-.11221075 09	Z	-.48678696 08	DX	.24950329 02	DY	-.17050298 02	DZ	.72531852 01
R	.15192106 09	LAT	-.18688384 02	LOA	.30876480 03	V	.31077971 02	PTH	-.21990135 00	AZ	.75813411 02
XS	.89949617 08	YS	-.11227379 09	ZS	-.48686774 08	DXS	.23510608 02	DYS	-.16077728 02	DZS	.69720238 01
XM	.38246390 06	YM	.27456503 05	ZM	.37879808 05	DXM	-.49758344 00	DYM	.81818858 00	DZM	.40181758 00
XT	-.38246390 06	YT	.27456503 05	ZT	-.48712787 08	DXT	.23432628 02	DYT	.17010029 02	DZT	.73818785 01
LTE	-.18262074 02	LOE	.31045137 03	LTY	-.18234776 02	LDT	.31059580 03	RST	.15209227 09	VST	.29818788 02
EPS	.74955023 02	ESP	.65070802-01	SEP	.10494336 03	EPM	.14723360 03	EMP	.13773992 02	MEP	.18992400 02
RPM	.23110450 06	SPN	.72833151 02	SMP	.42170243 02	SEM	.12393571 03	EMS	.55944169 02	ESH	.11992408 00
SAC	.58665419-10										
GCE	.10159272 03	GCT	.28170321 03	SIP	.13734035 03	CPT	.92025128 02	SIN	.91594236 02	D1	.22561861 00
REP	.16907513 06	VEP	.17555770 01	CPE	.97484330 02	CPS	.76877848 02	D2	.16806176 00	D3	.18732349-02
1 DAYS 19 HRS. 5 MIN. 21.124 SEC. 2356666221472026177000000 J.D.= 2438607.73147134 JULY 31,1964 05 33 19.124											
GEOCENTRIC						EQUATORIAL COORDINATES					
X	.29850499 06	Y	.17412140 06	Z	.43994121 05	DX	.64990290 00	DY	.52828979 00	DZ	.18216474 00
R	.34836614 06	DEC	.72508466 01	LOA	.35805416 03	VE	.25085318 02	PTE	.19279506 01	AZE	.27017413 03
XS	-.93556354 08	YS	-.10972886 09	ZS	.47583237 08	DXS	-.22981690 02	DYS	-.16731646 02	DZS	-.72550923 01
XM	.33704213 06	YM	.16531779 06	ZM	.37879808 05	DXM	-.49758344 00	DYM	.81818858 00	DZM	.40181758 00
XT	-.33704213 06	YT	.16531779 06	ZT	.37879808 05	DXT	-.49758344 00	DYT	.81818858 00	DZT	.40181758 00
RS	.15184656 09	VS	.29938412 02	RM	.37730922 06	VM	.10384985 01	RT	.37730922 06	VT	.10384985 01
GED	.73039963 01	ALT	.34799828 06	LOS	.98250032 02	RAS	.13065157 03	RAM	.26127762 02	LDM	.33926242 03
DUT	.35000000 02	DT	.48000000 03	DR	.84393961 00	SHA	.34555736 06	DES	.18262074 02	DEM	.57618946 01
DAL	.00000000 00	CCL	.25940594 03	MCL	.24399954 00	TCL	.24399954 00				
GEOCENTRIC CONIC											
EPOCH OF PERICENTER PASSAGE			2356664933342027657000000 J.D.= 2438605.29541574 JULY 28,1964 19 05 23.921								
SMA	.25654037 06	ECC	.98661000 00	B	.41841011 05	SLR	.68241528 04	APD	.50964566 06	RCA	.34250742 04
VH	.10233529 00	C3	-.15337569 01	C1	.52154738 05	TFP	.21047520 06	YF	-.15376133 02	PER	.21592259 05
TA	.17357379 03	MTA	.00000000 00	EA	.11127205 03	MA	.58594841 02	C3J	-.20580706 01	TFI	.43089201 02
ALL VECTORS REFERENCED TO EARTH EQUATOR PLANE											
X	.29850499 06	Y	.17412140 06	Z	.43994121 05	DX	.64990290 00	DY	.52828979 00	DZ	.18216474 00
INC	.31361147 02	LAM	.18198797 02	APF	.20046971 03	MX	-.48923677 00	MY	.71115936 00	MZ	.50487547 00
WX	.12523817 00	WY	-.79939780 00	WZ	.85390389 00	PX	.79613050 00	PY	-.57027785 00	PZ	-.18200090 00
QX	.58206482 00	QY	-.65074913 00	QZ	-.48756878 00	RX	.14746864 00	RY	.10666456 00	RZ	-.98329834 00
BX	-.58206482 00	BY	.65074913 00	BZ	.48756889 00	TX	-.5806612 00	TY	.81026323 00	TZ	.00000000 00
DAP	-.10486329 02	RAP	.21587834 03								
BTQ	.36335066 05	BRQ	-.20746882 05	B	.41841011 05	THA	.33027416 03				
HELIOCENTRIC											
EPOCH OF PERICENTER PASSAGE			2356664933342027657000000 J.D.= 2438605.29541574 JULY 28,1964 19 05 23.921								
X	.93854858 08	Y	-.10954474 09	Z	-.47539242 08	DX	.23631593 02	DY	-.17259936 02	DZ	.74372569 01
R	.15189126 09	LAT	-.18239035 02	LOA	.31058646 03	V	.30193879 02	PTH	-.33143919 00	AZ	.75081515 02
XS	.93854858 08	YS	-.10972886 09	ZS	-.47583237 08	DXS	.22981690 02	DYS	-.16731646 02	DZS	.72550923 01
XM	.33704213 06	YM	.16531779 06	ZM	.37879808 05	DXM	-.49758344 00	DYM	.81818858 00	DZM	.40181758 00
XT	-.33704213 06	YT	.16531779 06	ZT	-.47545357 08	DXT	.22484106 02	DYT	.17549835 02	DZT	.76569098 01
LTE	-.18262074 02	LOE	.31045137 03	LTY	-.18234776 02	LDT	.31059580 03	RST	.15192334 09	VST	.29532335 02
EPS	.82563078 02	ESP	.13028593 00	SEP	.97306579 02	EPM	.13412485 03	EMP	.41510753 02	MEP	.43643786 01
RPM	.39999994 05	SPN	.81514030 02	SMP	.35679353 02	SEM	.10167094 03	EMS	.78189707 02	ESH	.13935676 00
SAC	.58688444-10										
GCE	.10059405 03	GCT	.28083805 03	SIP	.14082134 03	CPT	.94021796 02	SIN	.91531510 02	D1	.13047324 01
REP	.34836615 06	VEP	.17555770 01	CPE	.98550266 02	CPS	.77055966 02	D2	.10732508 01	D3	.76189489-01
1 DAYS 19 HRS. 5 MIN. 21.124 SEC. 2356666221472026177000000 J.D.= 2438607.73147134 JULY 31,1964 05 33 19.124											
CHANGE OF PHASE OCCURS AT THIS POINT EARTH IS THE CENTRAL BODY FOR INTEGRATION COMELL EQUATIONS OF MOTION											
2 DAYS 2 HRS. 57 MIN. 50.736 SEC. 235666640027202136121461 J.D.= 2438608.05959184 JULY 31,1964 13 25 48.736											

CASE 1 SPACE TRAJECTORIES																	
GEOCENTRIC						EQUATORIAL COORDINATES											
X	.32029139	06	Y	.18771491	06	Z	-.48627676	05	DX	-.20228715	01	DY	-.43325295	00	DZ	.28010776	00
R	.37441702	06	DEC	.74624110	01	RA	.30373517	02	V	.20876249	01	PTH	.71875013	02	AZ	.27199611	03
R	.37441702	06	LAT	.74624110	01	LON	.23972541	03	VE	-.27791638	02	PTE	.40938121	01	AZE	.27004676	03
XS	-.94206473	08	YS	-.10925284	09	ZS	.47376826	08	DXS	-.22881651	02	DYS	-.16849780	02	DZS	-.73062395	01
XM	-.32192553	06	YM	-.18798435	06	ZM	-.49143397	05	DXM	-.56837358	00	DYM	-.78001519	00	DZM	-.39238635	00
XT	.32192553	06	YT	.18798435	06	ZT	.49143397	05	DXT	-.56837358	00	DYT	.78001519	00	DZT	.39238635	00
RS	.15184073	09	VS	.29340519	02	RM	.37601846	06	VM	.10418442	01	RT	.37601846	06	VT	.10418442	01
GED	.75126868	01	ALT	.36803918	06	LOS	.34012241	03	RAS	.13077052	03	RAM	.30282173	02	LOM	.23963406	03
DUT	.35000000	02	DT	.30000000	02	DK	-.19840373	01	SHA	.37126506	06	DES	-.18180800	02	DEM	-.75097058	01
DAC	.00000000	00	CCL	.25948618	03	MCL	.34215978	03	TCL	.34215978	03						
HELIOCENTRIC						EQUATORIAL COORDINATES											
X	.94526764	08	Y	-.10906513	09	Z	-.47328198	08	DX	.24904522	02	DY	.17283033	02	DZ	-.75863412	01
K	.15188966	09	LAT	-.18155433	02	LON	.31091348	03	V	.31248856	02	PTH	.13294280	01	AZ	.74747132	02
XE	.94206473	08	YE	-.10925284	09	ZE	-.47376826	08	DXE	.22881651	02	DYE	.16849780	02	DZE	-.73062395	01
XT	.94526764	08	YT	-.10906513	09	ZT	-.47328198	08	DXT	.22313277	02	DYT	.17629795	02	DZT	.76986198	01
LTE	-.18180800	02	LOE	.31077052	03	LTT	-.18155146	02	LOT	.31091604	03	RST	.15189032	09	VST	.29461173	02
EPS	.82420258	02	ESP	.14023158	00	SEP	.97439692	02	EPN	.15727327	03	ENP	.22525560	02	NEP	.10207574	00
MPS	.11247367	03	MSP	.27453512	-18	SMP	.67525719	02	SEM	.97509209	02	EMS	.82350163	02	ESM	.14110097	00
RPM	.17359514	04	SPN	.81444207	02												
SAC	.58689680	-10															
GCE	.10051381	03	GCT	.26267359	03	SIP	.11247367	03	LPT	.10155258	03	SIN	.10155258	03	D1	.57002702	03
REP	.37441702	06	VEP	.20876249	01	CPE	.98443462	02	CPS	.77089278	02	D2	.15380381	03	D3	-.44806634	04
SELENOCENTRIC						EQUATORIAL COORDINATES											
X	-.16351484	04	Y	-.26944140	03	Z	-.51572119	03	DX	.25912451	01	DY	-.34676224	00	DZ	-.11227859	00
R	.17359514	04	DEC	-.17286166	02	RA	.18935717	03	V	.26167540	01	PTH	-.64108317	02	AZ	.13807651	03
R	.17359514	04	LAT	-.17286166	02	LON	.33933167	03	VP	.26149379	01	PTP	-.64190488	02	AZP	.11489072	03
LTS	-.94200089	00	LNS	-.27242131	03	LTE	-.58485094	01	LNE	.35482948	03						
ALT	-.24086304	01	SHA	-.16037753	04	ALP	.51317579	01	DR	-.23540874	01	DP	.37721811	-01	ASD	.90000000	02
HGE	.27757974	03	SVL	-.16445120	02	HNG	.11348841	03	SIA	.67273270	02						
SAC	.58689680	-10															
SELENOCENTRIC CONIC																	
EPOCH OF PERICENTER PASSAGE 235666640246202234142061 J.D.= 2438608.06621782 JULY 31,1964 13 35 21.220																	
SMA	-.40925620	04	ECC	.10936287	01	B	.18119645	04	SLR	-.80223978	03	APD	.00000000	00	RCA	.38318149	03
VH	.10944944	01	C3	.11972668	01	C1	.19831925	04	TFF	-.57248462	03	TF	.51123116	02	LTF	.51030153	02
YA	-.11945444	03	MYA	.15611883	03	EA	-.43489393	02	MA	-.87721557	01	C3J	-.21691096	01	YF1	.50964093	02
ZAE	.31175616	03	ZAP	.14584333	03	ZAC	.93425516	02	DEF	.13223766	03	IR	.41528773	04	GP	.78468457	00
DPI	.00000000	00	OY	.00000000	00	DP2	.38000000	02									
ALL VECTORS REFERENCED TO ORBIT PLANE OF TARGET																	
X	.15283784	04	Y	.64237957	03	Z	-.51350307	03	DX	-.26025235	01	DY	.46403378	-01	DZ	.26855069	00
INC	.28508090	02	LAN	.16802832	03	APP	.33776305	03	MX	-.23160707	-02	MY	-.79847646	00	MZ	.42451182	00
WX	.99001862	-01	WY	.46692111	00	WZ	.87874972	00	PX	-.83651419	00	PY	.51731984	00	PZ	-.18062169	00
QX	-.53892729	00	QY	-.71720470	00	QZ	.44178585	00	RX	-.13464395	-01	RY	.25019707	-02	RZ	-.39990620	00
BX	.15413292	00	BY	.86523502	00	BZ	-.47708635	00	TX	.18269385	00	TY	.98316985	00	TZ	.00000000	00
XKI	.98307745	00	SVI	.18267671	00	SZI	-.13694882	-01	DAT	-.78483871	00	RAT	-.15947329	03			
SXD	.54671790	00	SYD	-.76338446	00	SZD	.34401118	00	DAO	.20121445	02	RAO	.30560934	03			
EYE	.17929943	03	ETS	.35560455	03	ETC	.23295811	03	THA	.26328474	02						
BTT	.16239902	04	BRT	.80363043	03	B	.18119509	04	THA	.26328474	02						
2 DAYS 2 HRS. 57 MIN. 50.736 SEC. 235666640027202136121461 J.D.= 2438608.05959184 JULY 31,1964 13 25 48.736																	
CHANGE OF PHASE OCCURS AT THIS POINT EARTH IS THE CENTRAL BODY FOR INTEGRATION CORRELL EQUATIONS OF MOTION																	
2 DAYS 2 HRS. 58 MIN. 3.446 SEC. 235666640032202271106270 J.D.= 2438608.05973896 JULY 31,1964 13 26 01.446																	
GEOCENTRIC						EQUATORIAL COORDINATES											
X	.32031722	06	Y	.18772044	06	Z	-.48631275	05	DX	-.20426511	01	DY	-.43355695	00	DZ	.28642609	00
R	.37444236	06	DEC	.74624588	01	RA	.30372237	02	V	.21089276	01	PTH	.71852001	02	AZ	.27230830	03
K	.37444236	06	LAT	.74624597	01	LON	.23967102	03	VE	-.27801945	02	PTE	.41323993	01	AZE	.27005465	03
XS	-.94206764	08	YS	-.10925263	09	ZS	.47376733	08	DXS	-.22881605	02	DYS	-.16849832	02	DZS	-.73062563	01
XM	-.32191931	06	YM	-.18799427	06	ZM	-.49148384	05	DXM	-.56840474	00	DYM	-.77999692	00	DZM	-.39238157	00
XT	.32191931	06	YT	.18799427	06	ZT	.49148384	05	DXT	-.56840474	00	DYT	.77999692	00	DZT	.39238157	00
RS	.15184073	09	VS	.29340519	02	RM	.37601788	06	VM	.10418457	01	RT	.37601788	06	VT	.10418457	01
GED	.75127357	01	ALT	.36804452	06	LOS	.34006944	03	RAS	.13077066	03	RAM	.30280407	02	LOM	.23958283	03
DUT	.35000000	02	DT	.32107851	01	DK	-.20034491	01	SHA	.37128907	06	DES	-.18180764	02	DEM	-.75104936	01
DAC	.00000000	00	CCL	.25948661	03	MCL	.34198665	03	TCL	.34198665	03						
HELIOCENTRIC						EQUATORIAL COORDINATES											
X	.94527081	08	Y	-.10906491	09	Z	-.47328101	08	DX	.24924256	02	DY	.17286389	02	DZ	-.75926824	01
K	.15188967	09	LAT	-.18155394	02	LON	.31091353	03	V	.31267980	02	PTH	.13432352	01	AZ	.74739561	02
XE	.94206764	08	YE	-.10925263	09	ZE	-.47376733	08	DXE	.22881605	02	DYE	.16849832	02	DZE	-.73062563	01
XT	.94527081	08	YT	-.10906491	09	ZT	-.47328101	08	DXT	.22313200	02	DYT	.17629829	02	DZT	.76986378	01
LTE	-.18180764	02	LOE	.31077066	03	LTT	-.18155110	02	LOT	.31091618	03	RST	.15189031	09	VST	.29461141	02
EPS	.82418928	02	ESP	.13988231	00	SEP	.97441012	02	EPN	.15742806	03	ENP	.22472177	02	NEP	.99405042	-01
MPS	.11201326	03	MSP	.27453512	-18	SMP	.67986140	02	SEM	.97507337	02	EMS	.82352034	02	ESM	.14057998	00
RPM	.17056085	04	SPN	.81444292	02												
SAC	.58689674	-10															
GCE	.10051338	03	GCT	.26250002	03	SIP	.11201326	03	CPY	.10163627	03	SIN	.10163627	03	D1	.15611640	03
REP	.37444236	06	VEP	.21083276	01	CPE	.98442715	02	CPS	.77089293	02	D2	.20720501	03	D3	-.32844401	03
SELENOCENTRIC						EQUATORIAL COORDINATES											
X	-.16020976	04	Y	-.27382812	03	Z	-.51710888	03	DX	.26110558	01	DY	-.34343996	00	DZ	-.10595548	00
R	.17056085	04	DEC	-.17468789	02	RA	.18929818	03	V	.25367674	01	PTH	-.63822188	02	AZ	.13797364	03
R	.17056085	04	LAT	-.17468789	02	LON	.33978083	03	VP	.26338731	01	PTP	-.63902027	02	AZP	.11480232	03
LTS	.94280430	00	LNS	.27242131	03	LTE	.58448925	01	LNE	.35482948	03						
ALT	-.32391510	02	SHA	-.15812580	04	ALP	.51008391	01	DR	-.23653332	01	DP	.39059785	-01	ASD	.90000000	02
HGE	.27758107	03	SVL	-.16660146	02	HNG	.11303198	03	SIA	.67428062	02						
SAC	.58689674	-10															

JPL TECHNICAL REPORT NO. 32-694

CASE 1 SPACE TRAJECTORIES

SELENOCENTRIC ORBIT

EPOCH OF PERICENTER PASSAGE		2356666402462022343670 J.D. = 2438608.06621785 JULY 31, 1964 13 35 21.222									
SMA	-40923017 04	ECC	.10936349 01	B	.18119113 04	SLR	.80224361 03	APD	.00000000 00	RCA	.38318219 03
WH	.10945332 01	C3	.11980030 01	C1	.19831972 04	TFP	-.55977584 03	TF	.51123117 02	LTF	.51030157 02
TA	-.11896641 03	MTA	.15611811 03	EA	-.43027463 02	MA	-.85782381 01	C3J	-.21707725 01	TFI	.50967623 02
ZAE	.13175450 03	ZAP	.14584314 03	ZAC	.93425743 02	DEF	.13223621 03	IR	-.41527683 04	GP	.78500558 00
DPI	.00000000 00	DY	.00000000 00	DP2	.76000000 02						

ALL VECTORS REFERENCED TO ORBIT PLANE OF TARGET

X	.14951697 04	Y	.64297388 03	Z	-.51005141 03	DX	-.26210278 01	DY	.38446821-01	DZ	.27481774 00
INC	.28507907 02	LAN	.16803009 03	APF	.33776301 03	MX	-.47645158-03	MY	-.79541015 00	MZ	.42267499 00
WX	.98986872-01	WY	.46690253 00	WZ	.87875125 00	PX	-.83652968 00	PY	.51729508 00	PZ	-.18062099 00
QX	.15409478 00	QY	-.71172238 00	QZ	.44178322 00	RX	-.13470000-01	RY	.25024393-02	RZ	-.99990611 00
SXI	-.98308511 00	SVI	.18263600 00	SZI	.13700478-01	DAI	.78500303 00	RAI	.16947566 03	TAZ	.00000000 00
SKD	.54673020 00	SYD	-.76337459 00	SZD	.34401364 00	DAO	.20121595 02	RAO	.30561030 03		
ETE	.17929918 03	ETS	.35560502 03	ETC	.28369054 03						
BTD	.15923687 04	BRO	.86451402 03	B	.18119113 04	THA	.28498008 02				

ALL VECTORS REFERENCED TO TRUE LUNAR EQU. PLANE

X	.15715911 04	Y	-.57883000 03	Z	-.32270775 03	DX	-.19007108 01	DY	.18257060 01	DZ	-.29734712-01
INC	.26870192 02	LAN	.13742901 03	APF	.32371397 03	MX	.42298317-01	MY	-.74519100 00	MZ	.26356072 00
WX	.30575956 00	WY	.33284923 00	WZ	.89203278 00	PX	-.23648495 00	PY	.93409173 00	PZ	-.26748364 00
QX	-.92227216 00	QY	-.12916664 00	QZ	.36432130 00	RX	.57516250-01	RY	-.78216498-01	RZ	-.99527586 00
SKX	.74756947 00	SKY	.49627442 00	SKZ	-.44141996 00	TK	.80563077 00	TKY	.59241799 00	TKZ	.00000000 00
SXI	-.58961932 00	SVI	.80182485 00	SZI	-.97087278-01	DAI	-.55714680 01	RAI	.12632878 03	TAZ	.00000000 00
SKD	-.15714355 00	SYD	-.90547095 00	SZD	.39207789 00	DAO	-.23083853 02	RAO	.26016445 03		
ETE	.34498536 03	ETS	.14469855 03	ETC	.23295823 03						
BTD	.16239669 04	BRT	.80361553 03	B	.18119234 04	THA	.26328379 02				

J MATRIX

ITERATION NUMBER 2

X	Y	Z	DX	DY	DZ	KE	RE	G	
X	.16970309 05	.39899749 04	.63881525 03	.18980165 10	-.16279886 09	-.65764090 07	-.24389978 04	-.40540256 06	.47755162 04
Y	.39899749 04	.96720529 03	.16312822 03	.43763136 09	-.31242166 08	.97231213 06	-.56712879 03	-.92734499 05	.10792825 04
Z	.63881525 03	.16312822 03	.32964515 02	.69654358 08	-.22005730 07	.11297926 07	-.88601646 02	-.14283404 05	.16039950 03
DX	.18980165 10	.43763136 09	.69654358 08	.22551448 15	-.17691077 14	.56911370 12	-.28748439 09	.47282010 11	.56030034 09
DY	-.16279886 09	-.31242166 08	-.22005730 07	-.17491077 14	.48911218 13	.10120460 13	.20432735 08	.47334932 10	-.56095477 08
DZ	-.65764090 07	.97231213 06	.11297926 07	-.54911370 12	.10120460 13	.38278893 12	.16779415 06	.25736805 09	-.48447285 07
KE	-.24389978 04	-.56712879 03	-.88601646 02	-.28748439 09	.20432735 08	.16779415 06	.37477857 03	.59619459 05	-.70956901 03
RE	-.40540256 06	.92773499 05	.14283404 05	-.47282010 11	.47334932 10	.25736805 09	.59619459 05	.10440718 08	-.12122856 06
G	.47755162 04	.10792825 04	.16039950 03	.56030034 09	-.56095477 08	-.48447285 07	-.70956901 03	-.12122856 06	.14492996 04
RI(01)	.10782327 03	-.39245117 02	-.10622564 02	.58088388-03	-.13701442-02	.30789632-02	-.71318755 01	-.91926836 00	.59659083 00
RI(02)	-.28437181 05	-.10315742 05	-.30037066 04	-.11522820-01	.11327891 00	-.29554281 00	-.20269867 04	-.24135998 03	.18845183 03
RI(03)	.14027254 04	-.30939179 03	-.15988280 02	-.64857917 08	.14131137 08	.59194472 07	.18721081 03	.91091532 04	-.21576971 03
RI(04)	.10386702 06	.22033429 05	.46152305 03	.44390734 10	-.13364346 10	-.51349976 09	-.13724351 05	-.70421673 06	.16498879 05
RI(05)	.37020680 06	.10064388 06	.30577152 05	.54186565 11	.11300600 11	.21674890 10	-.74800795 05	-.42059277 07	.71183721 05
RI(06)	.23789908 03	.10452200 03	.29361665 02	.23959719 08	.11239207 08	.30351139 07	.62116030 01	-.11397275 03	.85623980 01
RI(07)	.26193551 05	.85152803 04	-.41345714 04	.57039849 10	.12561695 10	.73586065 09	-.12493157 04	-.76882660 04	.17153717 03
RI(08)	.25989436 02	.11686282 02	-.10302046 02	.60972927 07	.17755313 07	.20925618 06	-.40858149 02	-.20012375 03	.12256203 02
RI(09)	.19642046 06	-.58587658 05	.14257273 05	.64955681 10	.26334543 10	.77967992 09	-.14964518 05	-.10384417 06	.49864408 07
RI(10)	.16795320 05	-.10782327 03	-.28437181 05	-.14027254 04	.10386702 06	.37020680 06	.23783908 03	-.90057119 04	.26193551 05
RI(11)	.37832119 04	-.39245117 02	-.10315742 05	-.30939179 03	-.22033429 05	.10064388 06	.10452200 03	-.19835784 04	.85152803 04
RI(12)	.55310068 03	-.10622564 02	-.30037066 04	-.15988280 02	.46152305 03	.30577152 05	.29361665 02	-.64455065 03	.45134571 04
RI(13)	.19738730 10	.58088388-03	-.11522820-01	-.64857917 08	.44390734 10	.54186565 11	.23959719 08	.15636342 10	.57039849 10
RI(14)	-.19236794 09	-.13701642-02	.11327891 00	.14131137 08	-.13663466 10	.11300600 11	.11239207 08	.73432201 09	.25616695 10
RI(15)	-.17652048 08	.30789632-02	-.29554281 00	.59194472 07	-.51349976 09	.21674890 10	.30351139 07	.19808052 09	.73586065 09
RI(16)	.25150989 04	.71318755 01	-.20269867 04	-.28437181 05	-.10315742 05	-.30939179 03	-.15988280 02	.46152305 03	.44390734 10
RI(17)	-.42246601 06	.10064388 06	.30577152 05	.54186565 11	.11300600 11	.21674890 10	-.74800795 05	-.42059277 07	.71183721 05
RI(18)	.50511039 04	.59659083 00	.18845183 03	-.21576971 03	.16498879 05	.77183721 05	.85623980 01	-.76882660 04	-.32671444 05
RI(19)	.17920411 05	.34664852 00	.91178983 02	-.13748997 04	.10586404 06	.31372414 06	.35086030 02	.23785339 04	.10091504 05
RI(20)	.34664852 00	.74304436 02	.16271992 05	.10387106 02	-.76509416 03	-.64090495 03	-.21371102 03	-.43902879 03	-.15809505 05
RI(21)	.91178983 02	.16271992 05	.44584900 07	.11263179 05	-.83060753 06	-.51771580 06	-.44771042 05	.69709881 06	-.35936073 07
RI(22)	.13748997 04	.10387106 02	.11263179 05	-.14393966 05	-.11055656 07	-.93382970 05	.14181401 03	.21913665 05	-.28513988 05
RI(23)	.10586404 06	.76509416 03	.83060753 06	-.11065666 07	.87287438 08	.41324117 07	-.10453449 05	-.16148046 07	-.21021726 07
RI(24)	.31372414 06	.64090495 03	-.51771580 06	-.93382970 05	-.41324117 07	.17420658 09	.73938430 04	-.10766111 07	.14249735 07
RI(25)	.35086030 02	-.21371102 03	-.44771042 05	.14181401 03	-.10453449 05	-.73938430 04	.22936632 04	.10642136 06	.19146267 06
RI(26)	.23785339 04	-.43902879 03	.69709881 06	.21901966 05	-.16148046 07	-.10766111 07	.10642136 06	.88037360 07	.90101978 07
RI(27)	.10091504 05	.15809505 05	-.35936073 07	.28513988 05	-.21021726 07	-.14249735 07	.19146267 06	.90101978 07	.46874339 08
RI(28)	.38419044 02	.26743580 05	.11263179 05	-.14393966 05	-.11055656 07	-.93382970 05	.14181401 03	.21913665 05	-.28513988 05
RI(29)	.12143414 05	-.34050930 07	.48244372 04	-.8244372 04	-.8244372 04	-.8244372 04	-.8244372 04	-.8244372 04	-.8244372 04
RI(30)	.90126955 03	-.35561785 06	.10386702 06	.22033429 05	.46152305 03	.44390734 10	-.13364346 10	-.51349976 09	-.13724351 05
RI(31)	.32313102 03	-.25206016 06	.10386702 06	.22033429 05	.46152305 03	.44390734 10	-.13364346 10	-.51349976 09	-.13724351 05
RI(32)	.20702050 03	-.56762017 05	.10386702 06	.22033429 05	.46152305 03	.44390734 10	-.13364346 10	-.51349976 09	-.13724351 05
RI(33)	.75700005 04	-.81964460 07	.10386702 06	.22033429 05	.46152305 03	.44390734 10	-.13364346 10	-.51349976 09	-.13724351 05
RI(34)	.18564167 05	-.89941672 07	.10386702 06	.22033429 05	.46152305 03	.44390734 10	-.13364346 10	-.51349976 09	-.13724351 05
RI(35)	.28108323 04	.18952934 05	.10386702 06	.22033429 05	.46152305 03	.44390734 10	-.13364346 10	-.51349976 09	-.13724351 05
RI(36)	.18952934 05	.92106505 08	.10386702 06	.22033429 05	.46152305 03	.44390734 10	-.13364346 10	-.51349976 09	-.13724351 05

RI(05) LO(05)

X	.25989436 02	.19642046 06	.11686282 02	.14257273 05	.60972927 07	.64955681 10	.17553313 07	.20925618 06	.77967992 09
Y	.11686282 02	.14257273 05	.60972927 07	.64955681 10	.17553313 07	.20925618 06	.77967992 09	.40858149 02	-.14964518 05
Z	-.10302046 02	.14257273 05	.60972927 07	.64955681 10	.17553313 07	.20925618 06	.77967992 09	.20012375 03	-.10384517 06
DX	.60972927 07	.64955681 10	.17553313 07	.20925618 06	.77967992 09	.40858149 02	-.14964518 05	.12256203 02	.49864408 07
DY	.17553313 07	.20925618 06	.77967992 09	.40858149 02	-.14964518 05	.12256203 02	.49864408 07	.38419044 02	.26743580 05
DZ	.40858149 02	-.14964518 05	.12256203 02	.49864408 07	.38419044 02	.26743580 05	.11263179 05	-.14393966 05	-.11055656

CORRELATIONS BASED ON J MATRIX										ITERATION NUMBER								
										2								
X	Y	Z	DX	DY	DZ	KE	RE	G										
X	-1.0000000	01	-98484065	00	-85407081	00	-97021483	00	.56506998	00	.81595133	-01	.96711732	00	.96311121	00	-.96293365	00
Y	-.98484065	00	-1.0000000	00	-.91355193	00	-.93704811	00	-.45690703	00	-.50532023	-01	.94196551	00	.92320772	00	-.91158403	00
Z	-.85407081	00	-.91355193	00	-1.0000000	01	-.80783852	00	.17329858	00	-.31804056	00	.79710935	00	.76989236	00	-.73381639	00
DX	-.97021483	00	-.93704811	00	-.80783852	00	-1.0000000	01	.52653655	00	-.59101074	-01	.98887110	00	.97474707	00	-.98005433	00
DY	.56506998	00	.45690703	00	.17329858	00	.52653655	00	-1.0000000	01	-.73963309	00	-.47723787	00	-.66238782	00	.66626119	00
DZ	.81595133	-01	.50532023	-01	.31804056	00	.59101074	-01	.73963309	00	-1.0000000	01	-.14009085	-01	-.12873889	00	.20568881	00
KE	.96711732	00	.94196551	00	.79710935	00	.98887110	00	-.47723787	00	-.14009085	-01	-1.0000000	01	-.95309345	00	.96278249	00
RE	.96311121	00	.92320772	00	.76989236	00	.79710935	00	.66238782	00	-.12873889	00	.95309345	00	-1.0000000	01	.98550917	00
G	-.96293365	00	-.91158403	00	-.73381639	00	-.98005433	00	.66626119	00	.20568881	00	.96278249	00	.98550917	00	-1.0000000	01
KM	-.96309569	00	-.90871429	00	-.71960421	00	-.98187909	00	.64976224	00	.21312846	00	.97049595	00	.97654201	00	-.99113595	00
RI(01)	.96019677	-01	.14639253	00	.21462754	00	-.44873995	-11	.71872208	-10	.57232110	-09	.42737489	-01	.33004241	-04	-.18170842	-02
LO(01)	.10338267	00	.15708953	00	.25775766	00	.36339393	-12	.24257744	-10	.22622824	-09	.49587205	-01	.35374913	-04	-.23447635	-02
RI(03)	.8990661	-01	.83058590	-01	.3248789	-01	.36058768	-01	.53346751	-01	.79879729	-01	-.80738123	-01	-.23536828	-01	.47320192	-01
LA(03)	-.85340840	-01	-.75831015	-01	-.86036155	-02	-.31639472	-01	.88835117	-01	.75880217	-01	.2327343	-01	.46387339	-01	-.46387339	-01
LO(03)	-.21531151	00	-.24518607	00	-.40348579	00	-.27338340	00	-.38713044	00	-.26542690	00	.29274303	00	.98619851	-01	-.15360818	00
RI(04)	-.38121811	-01	-.70175182	-01	-.10677740	00	-.33308934	-01	-.10611251	00	-.10243078	00	-.66996405	-02	.73649704	-03	-.48965717	-02
LA(04)	.23299128	-01	.21495944	-01	.37828545	-01	.35092510	-01	-.11190482	00	-.10790177	00	.21746602	-01	.80191755	-03	-.63523117	-02
LO(04)	-.29368510	-01	-.39991900	-01	-.10517836	00	-.55478355	-01	.16918088	00	-.17371960	00	.19544246	-01	.14768472	-02	-.94195546	-02
RI(05)	-.37630025	-02	-.70876060	-02	-.33843051	-01	-.76582997	-02	-.15142815	-01	-.63794190	-02	.39808320	-01	.11681967	-02	-.60723863	-02
LO(05)	-.15710743	00	-.19629157	00	-.25873476	00	-.43069711	-01	-.12407275	00	-.13130810	00	.80543447	-01	.33486980	-02	-.13647919	-01

RI(01)		LO(01)		RI(03)		LA(03)		LO(03)		RI(04)		LA(04)		LO(04)				
X	-.96309569	00	.96019677	-01	.10338267	00	.8990661	-01	-.85340840	-01	-.21531151	00	-.38121811	-01	.23299128	-01	-.29368510	-01
Y	-.90871429	00	.14639253	00	.15708953	00	.83058590	-01	-.75831015	-01	-.24518607	00	-.70175182	-01	.21495944	-01	-.39991900	-01
Z	-.71960421	00	.21462754	00	.25775766	00	.36339393	-12	.24257744	-10	.22622824	-09	.49587205	-01	.35374913	-04	-.23447635	-02
DX	-.98187909	00	-.44873995	-11	.36339393	-12	.36058768	-01	-.31639472	-01	-.27338340	00	-.33308934	-01	-.35092510	-01	-.94195546	-02
DY	.64976224	00	.21312846	00	-.57732110	-09	.22622824	-09	-.79879729	-01	.98835117	-01	-.26542690	00	-.10243078	00	-.10790177	00
DZ	.81595133	-01	.50532023	-01	.31804056	00	.59101074	-01	.73963309	00	-1.0000000	01	-.14009085	-01	-.12873889	00	.20568881	00
KE	.96711732	00	.94196551	00	.79710935	00	.98887110	00	-.47723787	00	-.14009085	-01	-1.0000000	01	-.95309345	00	.96278249	00
RE	.96311121	00	.92320772	00	.76989236	00	.79710935	00	.66238782	00	-.12873889	00	.95309345	00	-1.0000000	01	.98550917	00
G	-.96293365	00	-.91158403	00	-.73381639	00	-.98005433	00	.66626119	00	.20568881	00	.96278249	00	.98550917	00	-1.0000000	01
KM	-.96309569	00	-.90871429	00	-.71960421	00	-.98187909	00	.64976224	00	.21312846	00	.97049595	00	.97654201	00	-.99113595	00
RI(01)	.96019677	-01	.14639253	00	.21462754	00	-.44873995	-11	.71872208	-10	.57232110	-09	.42737489	-01	.33004241	-04	-.18170842	-02
LO(01)	.10338267	00	.15708953	00	.25775766	00	.36339393	-12	.24257744	-10	.22622824	-09	.49587205	-01	.35374913	-04	-.23447635	-02
RI(03)	.8990661	-01	.83058590	-01	.3248789	-01	.36058768	-01	.53346751	-01	.79879729	-01	-.80738123	-01	-.23536828	-01	.47320192	-01
LA(03)	-.85340840	-01	-.75831015	-01	-.86036155	-02	-.31639472	-01	.88835117	-01	.75880217	-01	.2327343	-01	.46387339	-01	-.46387339	-01
LO(03)	-.21531151	00	-.24518607	00	-.40348579	00	-.27338340	00	-.38713044	00	-.26542690	00	.29274303	00	.98619851	-01	-.15360818	00
RI(04)	-.38121811	-01	-.70175182	-01	-.10677740	00	-.33308934	-01	-.10611251	00	-.10243078	00	-.66996405	-02	.73649704	-03	-.48965717	-02
LA(04)	.23299128	-01	.21495944	-01	.37828545	-01	.35092510	-01	-.11190482	00	-.10790177	00	.21746602	-01	.80191755	-03	-.63523117	-02
LO(04)	-.29368510	-01	-.39991900	-01	-.10517836	00	-.55478355	-01	.16918088	00	-.17371960	00	.19544246	-01	.14768472	-02	-.94195546	-02
RI(05)	-.37630025	-02	-.70876060	-02	-.33843051	-01	-.76582997	-02	-.15142815	-01	-.63794190	-02	.39808320	-01	.11681967	-02	-.60723863	-02
LO(05)	-.15710743	00	-.19629157	00	-.25873476	00	-.43069711	-01	-.12407275	00	-.13130810	00	.80543447	-01	.33486980	-02	-.13647919	-01

RI(05)		LO(05)		
X	-.37630025	-02	-.15710743	00
Y	-.70876060	-02	-.19629157	00
Z	-.33843051	-01	-.76582997	-02
DX	-.98187909	-01	.36339393	-12
DY	.64976224	00	.21312846	00
DZ	.81595133	-01	.50532023	-01
KE	.96711732	00	.94196551	00
RE	.96311121	00	.92320772	00
G	-.96293365	00	-.91158403	00
KM	-.96309569	00	-.90871429	00
RI(01)	.96019677	-01	.14639253	00
LO(01)	.10338267	00	.15708953	00
RI(03)	.8990661	-01	.83058590	-01
LA(03)	-.85340840	-01	-.75831015	-01
LO(03)	-.21531151	00	-.24518607	00
RI(04)	-.38121811	-01	-.70175182	-01
LA(04)	.23299128	-01	.21495944	-01
LO(04)	-.29368510	-01	-.39991900	-01
RI(05)	-.37630025	-02	-.70876060	-02
LO(05)	-.15710743	00	-.19629157	00

RA7 POST M/C WITH PRE DATA AS APRIDRI 14 NOV

ITERATION NUMBER	Z	EPOCH	64/07/29	102758.000	CLOCK	139590	SOS	.30758	OZ	QSOS	.31895	OZ
Q	DQ	STOVEDQ	OLD Q	NEW Q	NOMINAL Q	DQ (NOM)						
X	-.75017260	-03	.55427790	00	.15667452	06	.15667452	06	.15667409	06	.43554688	00
Y	-.25883802	-02	.18909260	01	.63041636	05	.63041635	05	.63043567	05	-.19391055	01
Z	-.28580010	-02	.36300793	01	.80761572	04	.80761573	04	.80732194	04	-.44579468	01
DX	-.18229003	-07	.56184658	-05	.14342615	01	.14342616	01	.14343088	01	-.47236681	-04
DY	-.43179750	-07	.18094301	-04	.97257024	00	.97257020	00	.97265000	00	-.79803168	-04
DZ	.89194340	-07	.34768797	-04	.28116142	00	.28116151	00	.28112921	00	.32301992	-04
KE	.22880585	-02	.15303436	01	.39860138	06	.39860138	06	.39860177	06	-.38671875	00
RE	.37447305	-04	.36229695	-01	.63783080	04	.63783080	04	.63783254	04	-.17211914	-01
G	.37170726	-04	.29963458	00	.39220320	00	.39224036	00	.40007859	00	-.78382231	-02
KM	.13894891	-03	.16708637	00	.49025898	04	.49025900	04	.49027693	04	-.17932129	-01
STA 1												
RI	.29484530	-03	.32011900	00	.63756446	04	.63756449	04	.63756695	04	-.246582	

STATION NUMBER		12		64/07/29		ITERATION NUMBER		2		PASS NUMBER		07/291	
FREQUENCY 8300.0													
TIME	TC	Q	CC3										
104132	60	12	.10956325	06	.850-01								-.0029
104232	60	12	.10956714	06	.850-01								-.0225
104332	60	12	.10957107	06	.850-01								-.0039
104732	60	12	.10958708	06	.850-01								-.0049
104832	60	12	.10959115	06	.850-01								-.0215
104932	60	12	.10959525	06	.850-01								-.0107
105432	60	12	.10961623	06	.850-01								-.0049
105532	60	12	.10962051	06	.850-01								-.0098
105632	60	12	.10962461	06	.850-01								-.0146
105732	60	12	.10962915	06	.850-01								-.0166
105832	60	12	.10963351	06	.850-01								-.0029
105932	60	12	.10963790	06	.850-01								-.0215
110032	60	12	.10964232	06	.850-01								-.0107
110132	60	12	.10964677	06	.850-01								-.0020
110232	60	12	.10965124	06	.850-01								-.0254
110332	60	12	.10965574	06	.850-01								-.0078
110432	60	12	.10966027	06	.850-01								-.0000
110532	60	12	.10966482	06	.850-01								-.0039
110632	60	12	.10966939	06	.850-01								-.0068
111032	60	12	.10968797	06	.850-01								-.0078
111132	60	12	.10969268	06	.850-01								-.0166
111232	60	12	.10969741	06	.850-01								-.0156
111332	60	12	.10970217	06	.850-01								-.0098
111432	60	12	.10970695	06	.850-01								-.0059
111532	60	12	.10971176	06	.850-01								-.0039
111632	60	12	.10971659	06	.850-01								-.0059
112132	60	12	.10974111	06	.850-01								-.0059
112232	60	12	.10974608	06	.850-01								-.0010
112332	60	12	.10975114	06	.850-01								-.0078
112632	60	12	.10976620	06	.850-01								-.0107
112732	60	12	.10977129	06	.850-01								-.0088

STATION NUMBER		12		64/07/29		ITERATION NUMBER		2		PASS NUMBER		07/292	
FREQUENCY 8300.0													
TIME	TC	Q	CC3										
113132	60	12	.10979185	06	.850-01								-.0059
113232	60	12	.10979705	06	.850-01								-.0000
113332	60	12	.10980226	06	.850-01								-.0020
113432	60	12	.10980750	06	.850-01								-.0000
113532	60	12	.10981276	06	.850-01								-.0098
113632	60	12	.10981803	06	.850-01								-.0000
113732	60	12	.10982333	06	.850-01								-.0137
113832	60	12	.10982865	06	.850-01								-.0020
113932	60	12	.10983398	06	.850-01								-.0010
114032	60	12	.10983934	06	.850-01								-.0098
114132	60	12	.10984471	06	.850-01								-.0068
114232	60	12	.10985011	06	.850-01								-.0107
114332	60	12	.10985552	06	.850-01								-.0078
114432	60	12	.10986096	06	.850-01								-.0098
114532	60	12	.10986641	06	.850-01								-.0068
114632	60	12	.10987187	06	.850-01								-.0068
114732	60	12	.10987736	06	.850-01								-.0039
114832	60	12	.10988287	06	.850-01								-.0020
114932	60	12	.10988839	06	.850-01								-.0068
115032	60	12	.10989393	06	.850-01								-.0020
115132	60	12	.10989949	06	.850-01								-.0049
115232	60	12	.10990506	06	.850-01								-.0049
115332	60	12	.10991065	06	.850-01								-.0039
115432	60	12	.10991626	06	.850-01								-.0059
115532	60	12	.10992188	06	.850-01								-.0020
115632	60	12	.10992752	06	.850-01								-.0088
115732	60	12	.10993318	06	.850-01								-.0176
115832	60	12	.10993885	06	.850-01								-.0049
115932	60	12	.10994454	06	.850-01								-.0088
120032	60	12	.10995024	06	.850-01								-.0049
120132	60	12	.10995596	06	.850-01								-.0049
120232	60	12	.10996170	06	.850-01								-.0156
120332	60	12	.10996746	06	.850-01								-.0049
120432	60	12	.10997324	06	.850-01								-.0078
120532	60	12	.10997904	06	.850-01								-.0039
120632	60	12	.10998486	06	.850-01								-.0029
120732	60	12	.10999070	06	.850-01								-.0088
120832	60	12	.11000223	06	.850-01								-.0029
121032	60	12	.11000807	06	.850-01								-.0088
121132	60	12	.11001393	06	.850-01								-.0156
121232	60	12	.11001980	06	.850-01								-.0049
121332	60	12	.11002569	06	.850-01								-.0049
121432	60	12	.11003158	06	.850-01								-.0010
121532	60	12	.11003749	06	.850-01								-.0078
121632	60	12	.11004341	06	.850-01								-.0039
121732	60	12	.11004934	06	.850-01								-.0107
121832	60	12	.11005529	06	.850-01								-.0176
121932	60	12	.11006124	06	.850-01								-.0098
122032	60	12	.11006721	06	.850-01								-.0078
122132	60	12	.11007318	06	.850-01								-.0020
122232	60	12	.11007917	06	.850-01								-.0098
122332	60	12	.11008517	06	.850-01								-.0039
122432	60	12	.11009118	06	.850-01								-.0039
122532	60	12	.11009720	06	.850-01								-.0039
122632	60	12	.11010322	06	.850-01								-.0088

JPL TECHNICAL REPORT NO. 32-694

STATION	NUMBER	12	64/07/29	ITERATION	NUMBER	2	PASS	NUMBER	07/292
FREQUENCY		8300.0							
TIME	TC	Q	CC3						
122732	60	12	.11010926	06	.850-01				.0049
122832	60	12	.11011531	06	.850-01				.0068
122932	60	12	.11012136	06	.850-01				.0010
123032	60	12	.11012743	06	.850-01				.0020
123132	60	12	.11013350	06	.850-01				.0039
123232	60	12	.11013959	06	.850-01				-.0039
123332	60	12	.11014568	06	.850-01				.0166
123432	60	12	.11015178	06	.850-01				.0029
123532	60	12	.11015788	06	.850-01				.0029
123632	60	12	.11016400	06	.850-01				.0196
123732	60	12	.11017012	06	.850-01				.0059
123832	60	12	.11017625	06	.850-01				-.0166
123932	60	12	.11018238	06	.850-01				.0049
124032	60	12	.11018851	06	.850-01				.0137
124132	60	12	.11019464	06	.850-01				.0137
124232	60	12	.11020077	06	.850-01				.0010
124332	60	12	.11020690	06	.850-01				.0010
124432	60	12	.11021303	06	.850-01				.0068
124532	60	12	.11021916	06	.850-01				.0068
124632	60	12	.11022529	06	.850-01				.0020
124732	60	12	.11023142	06	.850-01				.0010
124832	60	12	.11023755	06	.850-01				.0068
124932	60	12	.11024368	06	.850-01				.0020
125032	60	12	.11024981	06	.850-01				.0010
125132	60	12	.11025594	06	.850-01				.0127
125232	60	12	.11026207	06	.850-01				.0127
125332	60	12	.11026820	06	.850-01				.0088
125432	60	12	.11027433	06	.850-01				.0059
125532	60	12	.11028046	06	.850-01				.0088
125632	60	12	.11028659	06	.850-01				.0020
125732	60	12	.11029272	06	.850-01				.0068
125832	60	12	.11029885	06	.850-01				.0146
125932	60	12	.11030498	06	.850-01				.0000
130032	60	12	.11031111	06	.850-01				.0010
130132	60	12	.11031724	06	.850-01				.0039
130232	60	12	.11032337	06	.850-01				.0088
130332	60	12	.11032950	06	.850-01				.0010
130432	60	12	.11033563	06	.850-01				.0088
130532	60	12	.11034176	06	.850-01				.0000
130632	60	12	.11034789	06	.850-01				.0117
130732	60	12	.11035402	06	.850-01				.0098
130832	60	12	.11036015	06	.850-01				.0029
130932	60	12	.11036628	06	.850-01				.0000
131032	60	12	.11037241	06	.850-01				.0029
131132	60	12	.11037854	06	.850-01				.0107
131232	60	12	.11038467	06	.850-01				.0078
131332	60	12	.11039080	06	.850-01				.0049
131432	60	12	.11039693	06	.850-01				.0010
131532	60	12	.11040306	06	.850-01				.0029
131632	60	12	.11040919	06	.850-01				.0088
131732	60	12	.11041532	06	.850-01				.0020
131832	60	12	.11042145	06	.850-01				.0059
131932	60	12	.11042758	06	.850-01				.0010
132032	60	12	.11043371	06	.850-01				.0098
132132	60	12	.11043984	06	.850-01				.0107
132232	60	12	.11044597	06	.850-01				.0049
132332	60	12	.11045210	06	.850-01				.0107
132432	60	12	.11045823	06	.850-01				.0098
132532	60	12	.11046436	06	.850-01				.0000
132632	60	12	.11047049	06	.850-01				.0088
132732	60	12	.11047662	06	.850-01				.0039
132832	60	12	.11048275	06	.850-01				.0127
132932	60	12	.11048888	06	.850-01				.0088
133032	60	12	.11049501	06	.850-01				.0029
133132	60	12	.11050114	06	.850-01				.0117
133232	60	12	.11050727	06	.850-01				.0059
133332	60	12	.11051340	06	.850-01				.0088
133432	60	12	.11051953	06	.850-01				.0059
133532	60	12	.11052566	06	.850-01				.0049
133632	60	12	.11053179	06	.850-01				.0117
133732	60	12	.11053792	06	.850-01				.0117
133832	60	12	.11054405	06	.850-01				.0098
133932	60	12	.11055018	06	.850-01				.0020
134032	60	12	.11055631	06	.850-01				.0068
134132	60	12	.11056244	06	.850-01				.0020
134232	60	12	.11056857	06	.850-01				.0098
134332	60	12	.11057470	06	.850-01				.0049
134432	60	12	.11058083	06	.850-01				.0117
134532	60	12	.11058696	06	.850-01				.0117
134632	60	12	.11059309	06	.850-01				.0098
134732	60	12	.11059922	06	.850-01				.0020
134832	60	12	.11060535	06	.850-01				.0068
134932	60	12	.11061148	06	.850-01				.0020
135032	60	12	.11061761	06	.850-01				.0098
135132	60	12	.11062374	06	.850-01				.0049
135232	60	12	.11062987	06	.850-01				.0088
135332	60	12	.11063600	06	.850-01				.0215
135432	60	12	.11064213	06	.850-01				.0078
135532	60	12	.11064826	06	.850-01				.0127
135632	60	12	.11065439	06	.850-01				.0059
135732	60	12	.11066052	06	.850-01				.0010
135832	60	12	.11066665	06	.850-01				.0010
135932	60	12	.11067278	06	.850-01				.0049
140032	60	12	.11067891	06	.850-01				.0020
140132	60	12	.11068504	06	.850-01				.0117
140232	60	12	.11069117	06	.850-01				.0029
140332	60	12	.11069730	06	.850-01				.0059
140432	60	12	.11070343	06	.850-01				.0127
140532	60	12	.11070956	06	.850-01				.0010
140632	60	12	.11071569	06	.850-01				.0029
140732	60	12	.11072182	06	.850-01				.0088
140832	60	12	.11072795	06	.850-01				.0010
140932	60	12	.11073408	06	.850-01				.0059
141032	60	12	.11074021	06	.850-01				.0068
141132	60	12	.11074634	06	.850-01				.0107
141232	60	12	.11075247	06	.850-01				.0029
141332	60	12	.11075860	06	.850-01				.0088
141432	60	12	.11076473	06	.850-01				.0010
141532	60	12	.11077086	06	.850-01				.0068
141632	60	12	.11077699	06	.850-01				.0059
141732	60	12	.11078312	06	.850-01				.0068
141832	60	12	.11078925	06	.850-01				.0107
141932	60	12	.11079538	06	.850-01				.0029
142032	60	12	.11080151	06	.850-01				.0039
142132	60	12	.11080764	06	.850-01				.0049
142232	60	12	.11081377	06	.850-01				.0068
142332	60	12	.11081990	06	.850-01				.0146
142432	60	12	.11082603	06	.850-01				.0010
142532	60	12	.11083216	06	.850-01				.0020
142632	60	12	.11083829	06	.850-01				.0020
142732	60	12	.11084442	06	.850-01				.0010
142832	60	12	.11085055	06	.850-01				.0020
142932	60	12	.11085668	06	.850-01				.0117
143032	60	12	.11086281	06	.850-01				

STATION NUMBER 12		64/07/29		ITERATION NUMBER 2		PASS NUMBER 07/292	
FREQUENCY 8300.0							
TIME	TC	Q	CC3				
143132	60	12	-11086287	06	.850-01		.0078
143232	60	12	-11086845	06	.850-01		.0039
143332	60	12	-11087400	06	.850-01		.0010
143432	60	12	-11087954	06	.850-01		-.0039
143532	60	12	-11088506	06	.850-01		-.0088
143632	60	12	-11089056	06	.850-01		-.0059
143732	60	12	-11089605	06	.850-01		-.0029
143832	60	12	-11090152	06	.850-01		.0000
144232	60	12	-11092321	06	.850-01		-.0020
144332	60	12	-11092859	06	.850-01		.0068
144432	60	12	-11093395	06	.850-01		-.0039
144532	60	12	-11093929	06	.850-01		.0049
144632	60	12	-11094462	06	.850-01		-.0020
144732	60	12	-11094992	06	.850-01		.0107
144832	60	12	-11095521	06	.850-01		-.0078
144932	60	12	-11096047	06	.850-01		-.0098
145032	60	12	-11096572	06	.850-01		-.0029
145132	60	12	-11097094	06	.850-01		.0049
145232	60	12	-11097615	06	.850-01		-.0010
145332	60	12	-11098133	06	.850-01		.0137
145432	60	12	-11098650	06	.850-01		-.0146
145532	60	12	-11099165	06	.850-01		-.0137
145632	60	12	-11099677	06	.850-01		.0117
145732	60	12	-11100187	06	.850-01		-.0078
145832	60	12	-11100695	06	.850-01		-.0068
145932	60	12	-11101202	06	.850-01		-.0029
150032	60	12	-11101706	06	.850-01		.0068
150132	60	12	-11102208	06	.850-01		.0049
150232	60	12	-11102707	06	.850-01		-.0088
150332	60	12	-11103205	06	.850-01		.0156
150432	60	12	-11103700	06	.850-01		-.0029
150532	60	12	-11104193	06	.850-01		.0156
150632	60	12	-11104684	06	.850-01		-.0098
150732	60	12	-11105173	06	.850-01		-.0039
150832	60	12	-11105659	06	.850-01		.0078
150932	60	12	-11106143	06	.850-01		.0000
151032	60	12	-11106625	06	.850-01		.0166
151132	60	12	-11107104	06	.850-01		.0059
151232	60	12	-11107581	06	.850-01		-.0010
151332	60	12	-11108056	06	.850-01		-.0039
151432	60	12	-11108529	06	.850-01		-.0029
151532	60	12	-11108999	06	.850-01		.0146
151632	60	12	-11109466	06	.850-01		.0049
151732	60	12	-11109931	06	.850-01		.0039
151832	60	12	-11110394	06	.850-01		-.0078
151932	60	12	-11110854	06	.850-01		.0068
152032	60	12	-11111312	06	.850-01		-.0117
152132	60	12	-11111767	06	.850-01		-.0078
152232	60	12	-11112220	06	.850-01		.0137
152332	60	12	-11112670	06	.850-01		-.0059
152432	60	12	-11113118	06	.850-01		.0000
152532	60	12	-11113563	06	.850-01		-.0020
152632	60	12	-11114005	06	.850-01		.0215
152732	60	12	-11114446	06	.850-01		-.0469
152832	60	12	-11114884	06	.850-01		-.0049
152932	60	12	-11115319	06	.850-01		.0127
153032	60	12	-11115751	06	.850-01		-.0098
153132	60	12	-11116182	06	.850-01		-.0020
153232	60	12	-11116610	06	.850-01		-.0020
153332	60	12	-11117037	06	.850-01		.0078
153432	60	12	-11117462	06	.850-01		.0127
153532	60	12	-11117872	06	.850-01		-.0049
153632	60	12	-11118278	06	.850-01		.0039
153732	60	12	-11118672	06	.850-01		.0078
153832	60	12	-11119113	06	.850-01		.0059
153932	60	12	-11119521	06	.850-01		-.0010
154032	60	12	-11119926	06	.850-01		.0029
154132	60	12	-11120328	06	.850-01		.0020
154232	60	12	-11120728	06	.850-01		.0107
154332	60	12	-11121125	06	.850-01		.0000
154432	60	12	-11121519	06	.850-01		.0176
154532	60	12	-11121910	06	.850-01		-.0029
154632	60	12	-11122298	06	.850-01		.0049
154732	60	12	-11122684	06	.850-01		-.0078
154832	60	12	-11123068	06	.850-01		.0068
154932	60	12	-11123446	06	.850-01		.0088
155032	60	12	-11123822	06	.850-01		-.0117
155132	60	12	-11124196	06	.850-01		.0137
155232	60	12	-11124567	06	.850-01		.0020
155332	60	12	-11124935	06	.850-01		.0039
155432	60	12	-11125299	06	.850-01		.0010
155532	60	12	-11125661	06	.850-01		.0117
155632	60	12	-11126020	06	.850-01		.0039
155732	60	12	-11126376	06	.850-01		.0088
155832	60	12	-11126729	06	.850-01		-.0059
155932	60	12	-11127079	06	.850-01		.0098
160032	60	12	-11127426	06	.850-01		.0049
160132	60	12	-11127769	06	.850-01		-.0010
160232	60	12	-11128110	06	.850-01		.0068
160332	60	12	-11128448	06	.850-01		-.0029
160432	60	12	-11128782	06	.850-01		.0000
160532	60	12	-11129113	06	.850-01		.0020
160632	60	12	-11129441	06	.850-01		.0010
160732	60	12	-11129766	06	.850-01		.0156
160832	60	12	-11130088	06	.850-01		-.0039
160932	60	12	-11130407	06	.850-01		.0068
161032	60	12	-11130722	06	.850-01		.0010
161132	60	12	-11131035	06	.850-01		.0088
161232	60	12	-11131344	06	.850-01		.0010
161332	60	12	-11131650	06	.850-01		-.0098
161432	60	12	-11131953	06	.850-01		.0127
161532	60	12	-11132252	06	.850-01		.0176
161632	60	12	-11132548	06	.850-01		-.0117
161732	60	12	-11132841	06	.850-01		.0078
161832	60	12	-11133131	06	.850-01		.0107
161932	60	12	-11133417	06	.850-01		.0078

JPL TECHNICAL REPORT NO. 32-694

STATION NUMBER 12		64/07/29		ITERATION NUMBER 2		PASS NUMBER 07/292	
FREQUENCY		8300.0					
TIME	TC	Q	CC3				
162032	60	12	.11133700	06	.850-01		-.0020
162132	60	12	.11133980	06	.850-01		.0000
162232	60	12	.11134256	06	.850-01		-.0195
162332	60	12	.11134529	06	.850-01		-.0059
162432	60	12	.11134799	06	.850-01		-.0088
162532	60	12	.11135065	06	.850-01		-.0059
162632	60	12	.11135328	06	.850-01		-.0146
162732	60	12	.11135588	06	.850-01		.0010
162832	60	12	.11135844	06	.850-01		-.0059
162932	60	12	.11136097	06	.850-01		-.0059
163032	60	12	.11136346	06	.850-01		-.0166
163132	60	12	.11136592	06	.850-01		-.0068
163232	60	12	.11136835	06	.850-01		-.0020
163332	60	12	.11137074	06	.850-01		-.0078
163432	60	12	.11137310	06	.850-01		-.0156
163532	60	12	.11137542	06	.850-01		-.0127
163632	60	12	.11137771	06	.850-01		-.0088
163732	60	12	.11137996	06	.850-01		-.0068
163832	60	12	.11138218	06	.850-01		-.0107
163932	60	12	.11138436	06	.850-01		-.0078
164032	60	12	.11138650	06	.850-01		-.0049
164132	60	12	.11138861	06	.850-01		.0000
164232	60	12	.11139069	06	.850-01		-.0068
164332	60	12	.11139273	06	.850-01		-.0010
164432	60	12	.11139474	06	.850-01		-.0117
164532	60	12	.11139671	06	.850-01		-.0088
164632	60	12	.11139864	06	.850-01		-.0078
164732	60	12	.11140054	06	.850-01		-.0117
164832	60	12	.11140240	06	.850-01		-.0010
164932	60	12	.11140423	06	.850-01		-.0068
165032	60	12	.11140601	06	.850-01		-.0020
165132	60	12	.11140777	06	.850-01		-.0020
165232	60	12	.11140949	06	.850-01		-.0029
165332	60	12	.11141116	06	.850-01		-.0176
165432	60	12	.11141281	06	.850-01		-.0088
165532	60	12	.11141441	06	.850-01		.0000
165632	60	12	.11141599	06	.850-01		-.0039
165732	60	12	.11141752	06	.850-01		-.0029
165832	60	12	.11141902	06	.850-01		-.0166
165932	60	12	.11142048	06	.850-01		-.0107
170032	60	12	.11142190	06	.850-01		-.0166
170132	60	12	.11142328	06	.850-01		-.0020
170232	60	12	.11142463	06	.850-01		.0000
170332	60	12	.11142594	06	.850-01		-.0117
170432	60	12	.11142722	06	.850-01		-.0146
170532	60	12	.11142845	06	.850-01		-.0049
170632	60	12	.11142965	06	.850-01		-.0029
170732	60	12	.11143081	06	.850-01		-.0029
171132	60	12	.11143508	06	.850-01		-.0039
171232	60	12	.11143605	06	.850-01		-.0010
171332	60	12	.11143698	06	.850-01		-.0029
171432	60	12	.11143788	06	.850-01		-.0029
171532	60	12	.11143874	06	.850-01		-.0049
171632	60	12	.11143955	06	.850-01		-.0107
171732	60	12	.11144034	06	.850-01		-.0029
171832	60	12	.11144108	06	.850-01		-.0049
171932	60	12	.11144178	06	.850-01		-.0020
172032	60	12	.11144245	06	.850-01		-.0029
172132	60	12	.11144307	06	.850-01		-.0068
172232	60	12	.11144366	06	.850-01		-.0107
172332	60	12	.11144421	06	.852-01		-.0098
172832	60	12	.11144637	06	.852-01		-.0176
172932	60	12	.11144668	06	.852-01		-.0010
173032	60	12	.11144696	06	.852-01		-.0078
173132	60	12	.11144719	06	.852-01		-.0088
173232	60	12	.11144739	06	.852-01		-.0068
173332	60	12	.11144755	06	.852-01		-.0029
173732	60	12	.11144778	06	.854-01		-.0137
173832	60	12	.11144774	06	.854-01		-.0068
173932	60	12	.11144766	06	.854-01		-.0068
174032	60	12	.11144754	06	.854-01		-.0049
174132	60	12	.11144738	06	.854-01		-.0127
174232	60	12	.11144718	06	.854-01		-.0039
174332	60	12	.11144694	06	.854-01		-.0059
174432	60	12	.11144666	06	.854-01		-.0088
174532	60	12	.11144634	06	.857-01		-.0049
174632	60	12	.11144598	06	.857-01		-.0039
174732	60	12	.11144558	06	.857-01		-.0049
174832	60	12	.11144514	06	.857-01		-.0215
174932	60	12	.11144466	06	.857-01		-.0068
175032	60	12	.11144413	06	.857-01		-.0029

STATION NUMBER 12		64/07/29		ITERATION NUMBER 2		PASS NUMBER 07/293	
FREQUENCY 8300.0							
TIME	TC	Q	CC3				
175132	60	12	.11144357	06	.859-01		-.0078
175232	60	12	.11144297	06	.859-01		-.0234
175332	60	12	.11144233	06	.859-01		-.0020
175432	60	12	.11144165	06	.859-01		-.0010
175532	60	12	.11144092	06	.862-01		-.0088
175632	60	12	.11144016	06	.862-01		-.0127
175732	60	12	.11143936	06	.862-01		-.0088
175832	60	12	.11143851	06	.864-01		-.0029
175932	60	12	.11143763	06	.864-01		-.0117
180332	60	12	.11143668	06	.869-01		-.0020
180432	60	12	.11143259	06	.872-01		-.0088
180532	60	12	.11143176	06	.872-01		-.0127
180632	60	12	.11143029	06	.874-01		-.0078
180732	60	12	.11142908	06	.876-01		-.0029
180832	60	12	.11142783	06	.879-01		-.0107
180932	60	12	.11142653	06	.879-01		-.0010
181032	60	12	.11142520	06	.881-01		-.0176
181432	60	12	.11141945	06	.894-01		-.0215
181532	60	12	.11141791	06	.896-01		-.0020
181632	60	12	.11141633	06	.901-01		-.0176
181732	60	12	.11141471	06	.906-01		-.0137
181832	60	12	.11141305	06	.908-01		-.0000
181932	60	12	.11141135	06	.913-01		-.0137
182032	60	12	.11140950	06	.920-01		-.0186
182132	60	12	.11140781	06	.925-01		-.0010
182232	60	12	.11140599	06	.933-01		-.0225
182332	60	12	.11140412	06	.940-01		-.0039
182432	60	12	.11140221	06	.947-01		-.0117
182532	60	12	.11140026	06	.957-01		-.0283
182632	60	12	.11139827	06	.964-01		-.0186
182732	60	12	.11139624	06	.977-01		-.0195
182832	60	12	.11139416	06	.989-01		-.0117
182932	60	12	.11139245	06	.105 00		-.0205
183032	60	12	.11139071	06	.107 00		-.0244
183132	60	12	.11138885	06	.109 00		-.0195
183232	60	12	.11138699	06	.112 00		-.0244
183332	60	12	.11137609	06	.114 00		-.0205
183432	60	12	.11137354	06	.117 00		-.0098
183532	60	12	.11137116	06	.121 00		-.0254
183632	60	12	.11136863	06	.125 00		-.0322
184032	60	12	.11136606	06	.129 00		-.0146
184132	60	12	.11136346	06	.133 00		-.0244

STATION NUMBER 12		64/07/30		ITERATION NUMBER 2		PASS NUMBER 07/301	
FREQUENCY 8200.0							
TIME	TC	Q	CC3				
071832	60	12	.10475343	06	.119 00		-.0234
071932	60	12	.10475193	06	.116 00		-.0049
072032	60	12	.10475048	06	.113 00		-.0244
072132	60	12	.10474907	06	.110 00		-.0146
072232	60	12	.10474771	06	.108 00		-.0088
072332	60	12	.10474639	06	.106 00		-.0234
072432	60	12	.10474512	06	.104 00		-.0068
072532	60	12	.10474390	06	.102 00		-.0000
072632	60	12	.10474272	06	.101 00		-.0283
072732	60	12	.10474159	06	.994-01		-.0098
072832	60	12	.10474050	06	.991-01		-.0039
072932	60	12	.10473945	06	.989-01		-.0176
073032	60	12	.10473847	06	.999-01		-.0049
073132	60	12	.10473752	06	.990-01		-.0107
073232	60	12	.10473662	06	.942-01		-.0127
073332	60	12	.10473576	06	.935-01		-.0029
073432	60	12	.10473495	06	.928-01		-.0127
073532	60	12	.10473419	06	.920-01		-.0068
073632	60	12	.10473347	06	.916-01		-.0117
073732	60	12	.10473280	06	.911-01		-.0020
073832	60	12	.10473217	06	.906-01		-.0107
073932	60	12	.10473159	06	.901-01		-.0088
074032	60	12	.10473106	06	.898-01		-.0098
074132	60	12	.10473057	06	.894-01		-.0010
074232	60	12	.10473012	06	.891-01		-.0088
074332	60	12	.10472973	06	.889-01		-.0049
074432	60	12	.10472938	06	.886-01		-.0068
074532	60	12	.10472907	06	.884-01		-.0049
074632	60	12	.10472881	06	.874-01		-.0088
075032	60	12	.10472823	06	.872-01		-.0010
075132	60	12	.10472820	06	.872-01		-.0146
075232	60	12	.10472821	06	.869-01		-.0000
075332	60	12	.10472828	06	.868-01		-.0068
075432	60	12	.10472838	06	.867-01		-.0000
075532	60	12	.10472853	06	.867-01		-.0146
075632	60	12	.10472873	06	.864-01		-.0010
075732	60	12	.10472898	06	.864-01		-.0059
075832	60	12	.10472926	06	.862-01		-.0137
075932	60	12	.10472960	06	.862-01		-.0000
080032	60	12	.10472998	06	.862-01		-.0020
080132	60	12	.10473040	06	.859-01		-.0107
080232	60	12	.10473088	06	.859-01		-.0068
080332	60	12	.10473139	06	.859-01		-.0098
080432	60	12	.10473195	06	.859-01		-.0117
080532	60	12	.10473256	06	.857-01		-.0117
080632	60	12	.10473321	06	.857-01		-.0146
080732	60	12	.10473391	06	.857-01		-.0049
080832	60	12	.10473465	06	.857-01		-.0117
080932	60	12	.10473544	06	.857-01		-.0098
081032	60	12	.10473627	06	.857-01		-.0078
081132	60	12	.10473715	06	.854-01		-.0039
081232	60	12	.10473808	06	.854-01		-.0107

JPL TECHNICAL REPORT NO. 32-694

STATION NUMBER 12		64/07/30		ITERATION NUMBER 2		PASS NUMBER 07/301	
FREQUENCY 8200.0							
TIME	TC	Q	CC3				
081332	60	12	-10473904	06	.854-01		-.0069
081432	60	12	-10474006	06	.854-01		-.0088
081532	60	12	-10474112	06	.854-01		-.0156
081632	60	12	-10474222	06	.854-01		-.0205
081732	60	12	-10474327	06	.854-01		-.0146
081832	60	12	-10474456	06	.852-01		-.0107
081932	60	12	-10474589	06	.852-01		-.0010
082032	60	12	-10474708	06	.852-01		-.0020
082132	60	12	-10474841	06	.852-01		-.0078
082232	60	12	-10474978	06	.852-01		.0039

STATION NUMBER 12		64/07/30		ITERATION NUMBER 2		PASS NUMBER 07/302	
FREQUENCY 8200.0							
TIME	TC	Q	CC3				
082332	60	12	-10475120	06	.852-01		.0039
082432	60	12	-10475265	06	.852-01		-.0059
082532	60	12	-10475416	06	.852-01		.0049
082632	60	12	-10475571	06	.852-01		-.0107
082732	60	12	-10475730	06	.852-01		-.0039
082832	60	12	-10475894	06	.852-01		-.0078
082932	60	12	-10476062	06	.852-01		-.0244
083032	60	12	-10476235	06	.852-01		-.0156
083132	60	12	-10476412	06	.852-01		-.0049
083232	60	12	-10476594	06	.852-01		-.0029
083332	60	12	-10476779	06	.850-01		-.0107
083432	60	12	-10476969	06	.850-01		-.0195
083532	60	12	-10477164	06	.850-01		-.0264
083632	60	12	-10477363	06	.850-01		-.0186
083732	60	12	-10477567	06	.850-01		-.0010
083832	60	12	-10477774	06	.850-01		-.0117
083932	60	12	-10477986	06	.850-01		-.0156
084032	60	12	-10478203	06	.850-01		-.0195
084132	60	12	-10478424	06	.850-01		-.0059
084232	60	12	-10478649	06	.850-01		-.0068
084332	60	12	-10478878	06	.850-01		-.0010
084432	60	12	-10479112	06	.850-01		-.0059
084532	60	12	-10479350	06	.850-01		.0127
084632	60	12	-10479593	06	.850-01		-.0117
084732	60	12	-10479839	06	.850-01		.0039
084832	60	12	-10480091	06	.850-01		-.0098
084932	60	12	-10480346	06	.850-01		-.0098
085032	60	12	-10480606	06	.850-01		-.0059
085132	60	12	-10480869	06	.850-01		.0049
085232	60	12	-10481137	06	.850-01		.0068
085332	60	12	-10481410	06	.850-01		.0000
085432	60	12	-10481687	06	.850-01		.0000
085532	60	12	-10481967	06	.850-01		-.0098
085632	60	12	-10482253	06	.850-01		.0225
085732	60	12	-10482542	06	.850-01		-.0049
085832	60	12	-10482836	06	.850-01		-.0068
085932	60	12	-10483133	06	.850-01		-.0010
090032	60	12	-10483435	06	.850-01		-.0117
090132	60	12	-10483741	06	.850-01		.0000
090232	60	12	-10484052	06	.850-01		-.0039
090332	60	12	-10484366	06	.850-01		-.0010
090432	60	12	-10484685	06	.850-01		-.0029
090532	60	12	-10485008	06	.850-01		.0020
090632	60	12	-10485335	06	.850-01		-.0020
090732	60	12	-10485666	06	.850-01		.0029
090832	60	12	-10486002	06	.850-01		.0000
090932	60	12	-10486341	06	.850-01		-.0059
091032	60	12	-10486684	06	.850-01		-.0127
091132	60	12	-10487032	06	.850-01		-.0107
091232	60	12	-10487384	06	.850-01		-.0059
091332	60	12	-10487740	06	.850-01		.0020
091432	60	12	-10488100	06	.850-01		-.0137

STATION	NUMBER	12	64/07/30	ITERATION	NUMBER	2	PASS	NUMBER	07/302
FREQUENCY 8200.0									
TIME	TC	Q	CC3						
091532	60	12	-10488465	06	.850	-01			-.0029
091632	60	12	-10488831	06	.850	-01			-.0176
091732	60	12	-10489203	06	.850	-01			-.0195
091832	60	12	-10489580	06	.850	-01			-.0195
091932	60	12	-10489960	06	.850	-01			-.0156
092032	60	12	-10490344	06	.850	-01			-.0098
092132	60	12	-10490732	06	.850	-01			-.0049
092232	60	12	-10491124	06	.850	-01			-.0098
092332	60	12	-10491520	06	.850	-01			-.0039
092432	60	12	-10491920	06	.850	-01			.0117
092532	60	12	-10492324	06	.850	-01			-.0127
092632	60	12	-10492732	06	.850	-01			.0078
092732	60	12	-10493144	06	.850	-01			-.0117
092832	60	12	-10493560	06	.850	-01			-.0029
092932	60	12	-10493980	06	.850	-01			-.0010
093032	60	12	-10494404	06	.850	-01			-.0049
093132	60	12	-10494831	06	.850	-01			.0029
093232	60	12	-10495263	06	.850	-01			.0039
093332	60	12	-10495698	06	.850	-01			.0000
093432	60	12	-10496137	06	.850	-01			-.0088
093532	60	12	-10496580	06	.850	-01			-.0039
093632	60	12	-10497027	06	.850	-01			.0088
093732	60	12	-10497478	06	.850	-01			.0010
093832	60	12	-10497933	06	.850	-01			.0049
093932	60	12	-10498391	06	.850	-01			-.0127
094032	60	12	-10498853	06	.850	-01			.0156
094132	60	12	-10499319	06	.850	-01			-.0107
094232	60	12	-10499789	06	.850	-01			-.0078
094332	60	12	-10500263	06	.850	-01			.0068
094432	60	12	-10500740	06	.850	-01			-.0156
094532	60	12	-10501221	06	.850	-01			-.0088
094632	60	12	-10501705	06	.850	-01			.0117
094732	60	12	-10502194	06	.850	-01			-.0068
094832	60	12	-10502686	06	.850	-01			-.0107
094932	60	12	-10503182	06	.850	-01			-.0020
095032	60	12	-10503681	06	.850	-01			.0029
095132	60	12	-10504184	06	.850	-01			-.0117
095232	60	12	-10504691	06	.850	-01			.0039
095332	60	12	-10505202	06	.850	-01			.0000
095432	60	12	-10505716	06	.850	-01			-.0078
095532	60	12	-10506233	06	.850	-01			.0000
095632	60	12	-10506755	06	.850	-01			.0039
095732	60	12	-10507279	06	.850	-01			-.0107
095832	60	12	-10507808	06	.850	-01			.0049
095932	60	12	-10508340	06	.850	-01			.0020
100032	60	12	-10508875	06	.850	-01			-.0029
100132	60	12	-10509414	06	.850	-01			.0039
100232	60	12	-10509957	06	.850	-01			-.0195
100332	60	12	-10510503	06	.850	-01			.0039
100432	60	12	-10511052	06	.850	-01			.0078
100532	60	12	-10511605	06	.850	-01			-.0059
100632	60	12	-10512162	06	.850	-01			-.0039
100732	60	12	-10512722	06	.850	-01			-.0039
100832	60	12	-10513285	06	.850	-01			-.0039
100932	60	12	-10513852	06	.850	-01			-.0049
101032	60	12	-10514422	06	.850	-01			.0088
101132	60	12	-10514995	06	.850	-01			.0068
101232	60	12	-10515573	06	.850	-01			-.0137
101332	60	12	-10516153	06	.850	-01			.0010
101432	60	12	-10516737	06	.850	-01			-.0029
101532	60	12	-10517324	06	.850	-01			-.0107
101632	60	12	-10517914	06	.850	-01			-.0107
101732	60	12	-10518508	06	.850	-01			.0029
101832	60	12	-10519105	06	.850	-01			.0000
101932	60	12	-10519705	06	.850	-01			-.0020
102032	60	12	-10520309	06	.850	-01			-.0039
102132	60	12	-10520915	06	.850	-01			.0127
102232	60	12	-10521525	06	.850	-01			-.0215
102332	60	12	-10522138	06	.850	-01			.0137
102432	60	12	-10522755	06	.850	-01			-.0166
102532	60	12	-10523374	06	.850	-01			.0049
102632	60	12	-10523997	06	.850	-01			-.0068
102732	60	12	-10524625	06	.850	-01			.0000
102832	60	12	-10525252	06	.850	-01			-.0059
102932	60	12	-10525884	06	.850	-01			.0049
103032	60	12	-10526520	06	.850	-01			.0020
103132	60	12	-10527158	06	.850	-01			-.0146
103232	60	12	-10527800	06	.850	-01			.0039
103332	60	12	-10528444	06	.850	-01			-.0088
103432	60	12	-10529092	06	.850	-01			-.0010
103532	60	12	-10529742	06	.850	-01			.0088
103632	60	12	-10530396	06	.850	-01			.0059
103732	60	12	-10531052	06	.850	-01			-.0264
103832	60	12	-10531712	06	.850	-01			.0098
103932	60	12	-10532375	06	.850	-01			.0010
104032	60	12	-10533040	06	.850	-01			-.0049
104132	60	12	-10533709	06	.850	-01			-.0038
104232	60	12	-10534380	06	.850	-01			-.0039
104332	60	12	-10535055	06	.850	-01			.0029
104432	60	12	-10535732	06	.850	-01			-.0020
104532	60	12	-10536412	06	.850	-01			-.0039
104632	60	12	-10537095	06	.850	-01			.0000
104732	60	12	-10537781	06	.850	-01			-.0068
104832	60	12	-10538469	06	.850	-01			.0059
104932	60	12	-10539161	06	.850	-01			-.0078
105032	60	12	-10539855	06	.850	-01			.0010
105132	60	12	-10540554	06	.850	-01			-.0078
105232	60	12	-10541259	06	.850	-01			.0068
105332	60	12	-10541967	06	.850	-01			-.0039
105432	60	12	-10542678	06	.850	-01			-.0107
105532	60	12	-10543391	06	.850	-01			.0059
105632	60	12	-10544107	06	.850	-01			-.0029
105732	60	12	-10544825	06	.850	-01			.0117
105832	60	12	-10545547	06	.850	-01			-.0029
105932	60	12	-10546272	06	.850	-01			-.0117
110032	60	12	-10546997	06	.850	-01			-.0176

JPL TECHNICAL REPORT NO. 32-694

STATION NUMBER 12		64/07/30		ITERATION NUMBER 2		PASS NUMBER 07/302	
FREQUENCY 8200.0							
TIME	TC	Q	CC3				
110132	60	12	.10547670	06	.850-01		.0117
110232	60	12	.10548397	06	.850-01		-.0186
110332	60	12	.10549126	06	.850-01		.0098
110432	60	12	.10549857	06	.850-01		-.0059
110532	60	12	.10550591	06	.850-01		.0039
110632	60	12	.10551328	06	.850-01		-.0059
110732	60	12	.10552083	06	.850-01		-.0020
110832	60	12	.10552808	06	.850-01		.0000
110932	60	12	.10553552	06	.850-01		-.0059
111032	60	12	.10554299	06	.850-01		-.0039
111132	60	12	.10555047	06	.850-01		.0078
111232	60	12	.10555799	06	.850-01		-.0049
111332	60	12	.10556552	06	.850-01		-.0088
111432	60	12	.10557308	06	.850-01		-.0010
111532	60	12	.10558067	06	.850-01		-.0020
111632	60	12	.10558827	06	.850-01		.0088
111732	60	12	.10559590	06	.850-01		-.0215
111832	60	12	.10560356	06	.850-01		.0088
111932	60	12	.10561129	06	.850-01		-.0070
112032	60	12	.10561893	06	.850-01		.0156
112132	60	12	.10562665	06	.850-01		-.0205
112232	60	12	.10563440	06	.850-01		.0020
112332	60	12	.10564216	06	.850-01		.0029
112432	60	12	.10564995	06	.850-01		-.0010
112532	60	12	.10565776	06	.850-01		-.0088
112632	60	12	.10566559	06	.850-01		.0107
112732	60	12	.10567344	06	.850-01		-.0088
112832	60	12	.10568131	06	.850-01		.0020
112932	60	12	.10568921	06	.850-01		-.0088
113032	60	12	.10569712	06	.850-01		-.0068
113132	60	12	.10570506	06	.850-01		.0078
113232	60	12	.10571301	06	.850-01		.0020
113332	60	12	.10572099	06	.850-01		-.0078
113432	60	12	.10572899	06	.850-01		.0137
113532	60	12	.10573700	06	.850-01		-.0195
113632	60	12	.10574504	06	.850-01		.0127
113732	60	12	.10575309	06	.850-01		-.0098
113832	60	12	.10576117	06	.850-01		.0156
113932	60	12	.10576926	06	.850-01		-.0098
114032	60	12	.10577737	06	.850-01		-.0059
114132	60	12	.10578550	06	.850-01		-.0029
114232	60	12	.10579365	06	.850-01		-.0029
114332	60	12	.10580182	06	.850-01		-.0029
114432	60	12	.10581000	06	.850-01		.0273
114532	60	12	.10581821	06	.850-01		-.0098
114632	60	12	.10582643	06	.850-01		.0146
114732	60	12	.10583467	06	.850-01		-.0029
114832	60	12	.10584293	06	.850-01		.0068
114932	60	12	.10585120	06	.850-01		.0010
115032	60	12	.10585949	06	.850-01		-.0068
115132	60	12	.10586780	06	.850-01		.0039
115232	60	12	.10587612	06	.850-01		-.0029
115332	60	12	.10588447	06	.850-01		-.0029
115432	60	12	.10589283	06	.850-01		.0029
120032	60	12	.10590120	06	.850-01		.0049
120132	60	12	.10590958	06	.850-01		.0029
120232	60	12	.10591797	06	.850-01		-.0029
120332	60	12	.10592637	06	.850-01		-.0068
120432	60	12	.10593478	06	.850-01		.0098
120532	60	12	.10594320	06	.850-01		-.0215
120632	60	12	.10595163	06	.850-01		-.0156
120732	60	12	.10596007	06	.850-01		-.0078
120832	60	12	.10596852	06	.850-01		.0059
120932	60	12	.10597698	06	.850-01		.0000
121032	60	12	.10598545	06	.850-01		.0059
121132	60	12	.10599393	06	.850-01		.0000
121232	60	12	.10600242	06	.850-01		.0059
121332	60	12	.10601092	06	.850-01		.0029
121432	60	12	.10601943	06	.850-01		-.0176
121532	60	12	.10602795	06	.850-01		-.0010
121632	60	12	.10603648	06	.850-01		.0059
121732	60	12	.10604502	06	.850-01		.0010
121832	60	12	.10605357	06	.850-01		.0000
121932	60	12	.10606213	06	.850-01		.0059
122032	60	12	.10607070	06	.850-01		.0000
122132	60	12	.10607928	06	.850-01		.0010
122232	60	12	.10608787	06	.850-01		-.0088
122332	60	12	.10609647	06	.850-01		.0039
122432	60	12	.10610508	06	.850-01		.0078
122532	60	12	.10611370	06	.850-01		.0000
122632	60	12	.10612233	06	.850-01		-.0156
122732	60	12	.10613097	06	.850-01		.0244
122832	60	12	.10613962	06	.850-01		.0059
122932	60	12	.10614828	06	.850-01		-.0059
123032	60	12	.10615695	06	.850-01		-.0078
123132	60	12	.10616563	06	.850-01		-.0029
123232	60	12	.10617432	06	.850-01		.0098
123332	60	12	.10618302	06	.850-01		-.0029
123432	60	12	.10619173	06	.850-01		-.0059
123532	60	12	.10620045	06	.850-01		.0000
123632	60	12	.10620918	06	.850-01		-.0186
123732	60	12	.10621792	06	.850-01		.0059
123832	60	12	.10622667	06	.850-01		.0059
123932	60	12	.10623543	06	.850-01		-.0010
124032	60	12	.10624420	06	.850-01		.0068
124132	60	12	.10625298	06	.850-01		.0020
124232	60	12	.10626177	06	.850-01		-.0010
124332	60	12	.10627057	06	.850-01		-.0117
124432	60	12	.10627938	06	.850-01		.0059
124532	60	12	.10628820	06	.850-01		.0176
124632	60	12	.10629703	06	.850-01		-.0098
124732	60	12	.10630587	06	.850-01		.0068
124832	60	12	.10631472	06	.850-01		-.0156
124932	60	12	.10632358	06	.850-01		.0078
125032	60	12	.10633245	06	.850-01		-.0098
125132	60	12	.10634133	06	.850-01		-.0020

STATION NUMBER 12		64/07/30		ITERATION NUMBER 2		PASS NUMBER 07/302	
FREQUENCY 8200.0							
TIME	TC	Q	CC3				
125232	60	12	.10639818	06	.850-01		.0029
125332	60	12	.10640713	06	.850-01		-.0117
125432	60	12	.10641608	06	.850-01		.0020
125532	60	12	.10642504	06	.850-01		-.0049
125632	60	12	.10643400	06	.850-01		.0186
125732	60	12	.10644296	06	.850-01		-.0127
125832	60	12	.10645193	06	.850-01		-.0069
125932	60	12	.10646090	06	.850-01		.0020
130032	60	12	.10646987	06	.850-01		-.0029
130132	60	12	.10647884	06	.850-01		-.0098
130232	60	12	.10648782	06	.850-01		.0137
130332	60	12	.10649680	06	.850-01		.0020
130432	60	12	.10650578	06	.850-01		.0059
130532	60	12	.10651476	06	.850-01		-.0088
130632	60	12	.10652374	06	.850-01		.0078
130732	60	12	.10653273	06	.850-01		-.0107
130832	60	12	.10654171	06	.850-01		.0049
130932	60	12	.10655069	06	.850-01		-.0137
131032	60	12	.10655968	06	.850-01		.0000
131132	60	12	.10656867	06	.850-01		.0137
131232	60	12	.10657765	06	.850-01		-.0059
131332	60	12	.10658664	06	.850-01		-.0088
131432	60	12	.10659563	06	.850-01		.0059
131532	60	12	.10660461	06	.850-01		.0039
131632	60	12	.10661360	06	.850-01		-.0020
131732	60	12	.10662258	06	.850-01		-.0146
131832	60	12	.10663156	06	.850-01		.0029
131932	60	12	.10664054	06	.850-01		.0059
132032	60	12	.10664952	06	.850-01		.0098
132132	60	12	.10665850	06	.850-01		-.0010
132232	60	12	.10666748	06	.850-01		-.0107
132332	60	12	.10667646	06	.850-01		-.0010
132432	60	12	.10668544	06	.850-01		-.0117
132532	60	12	.10669443	06	.850-01		-.0059
132632	60	12	.10670341	06	.850-01		-.0049
132732	60	12	.10671239	06	.850-01		.0000
132832	60	12	.10672137	06	.850-01		-.0088
132932	60	12	.10673035	06	.850-01		.0020
133032	60	12	.10673933	06	.850-01		.0000
133132	60	12	.10674831	06	.850-01		.0020
133232	60	12	.10675729	06	.850-01		.0088
133332	60	12	.10676627	06	.850-01		-.0137
133432	60	12	.10677525	06	.850-01		.0010
133532	60	12	.10678423	06	.850-01		.0049
133632	60	12	.10679321	06	.850-01		-.0039
133732	60	12	.10680219	06	.850-01		.0088
133832	60	12	.10681117	06	.850-01		-.0049
133932	60	12	.10682015	06	.850-01		.0029
134032	60	12	.10682913	06	.850-01		-.0010
134132	60	12	.10683811	06	.850-01		.0020
134232	60	12	.10684709	06	.850-01		-.0059
134332	60	12	.10685607	06	.850-01		.0098
134432	60	12	.10686505	06	.850-01		-.0010
134532	60	12	.10687403	06	.850-01		-.0059
134632	60	12	.10688301	06	.850-01		-.0039
134732	60	12	.10689199	06	.850-01		.0068
134832	60	12	.10690097	06	.850-01		-.0098
134932	60	12	.10690995	06	.850-01		.0156
135032	60	12	.10691893	06	.850-01		-.0186
135132	60	12	.10692791	06	.850-01		.0049
135232	60	12	.10693689	06	.850-01		.0049
135332	60	12	.10694587	06	.850-01		-.0049
135432	60	12	.10695485	06	.850-01		-.0059
135532	60	12	.10696383	06	.850-01		.0020
135632	60	12	.10697281	06	.850-01		-.0137
135732	60	12	.10698179	06	.850-01		.0127
135832	60	12	.10699077	06	.850-01		-.0176
135932	60	12	.10700000	06	.850-01		.0127
140032	60	12	.10700900	06	.850-01		.0010
140132	60	12	.10701800	06	.850-01		.0000
140232	60	12	.10702700	06	.850-01		-.0068
140332	60	12	.10703600	06	.850-01		-.0029
140432	60	12	.10704500	06	.850-01		.0107
140532	60	12	.10705400	06	.850-01		-.0137
140632	60	12	.10706300	06	.850-01		.0049
140732	60	12	.10707200	06	.850-01		.0029
140832	60	12	.10708100	06	.850-01		-.0049
140932	60	12	.10709000	06	.850-01		-.0010
141032	60	12	.10709900	06	.850-01		-.0020
141132	60	12	.10710800	06	.850-01		.0088
141232	60	12	.10711700	06	.850-01		.0000
141332	60	12	.10712600	06	.850-01		.0020
141432	60	12	.10713500	06	.850-01		.0020
141532	60	12	.10714400	06	.850-01		-.0029
141632	60	12	.10715300	06	.850-01		-.0117
141732	60	12	.10716200	06	.850-01		.0098
141832	60	12	.10717100	06	.850-01		-.0059
141932	60	12	.10718000	06	.850-01		.0098
142032	60	12	.10718900	06	.850-01		-.0107
142132	60	12	.10719800	06	.850-01		-.0010
142232	60	12	.10720700	06	.850-01		.0068
142332	60	12	.10721600	06	.850-01		-.0039
142432	60	12	.10722500	06	.850-01		.0000
142532	60	12	.10723400	06	.850-01		.0020
142632	60	12	.10724300	06	.850-01		-.0020
142732	60	12	.10725200	06	.850-01		.0010
142832	60	12	.10726100	06	.850-01		-.0020
142932	60	12	.10727000	06	.850-01		.0117
143032	60	12	.10727900	06	.850-01		-.0098
143132	60	12	.10728800	06	.850-01		-.0137
143232	60	12	.10729700	06	.850-01		.0137
143332	60	12	.10730600	06	.850-01		.0078
143432	60	12	.10731500	06	.850-01		-.0137
143532	60	12	.10732400	06	.850-01		-.0029

JPL TECHNICAL REPORT NO. 32-694

STATION NUMBER 12		64/07/30		ITERATION NUMBER 2		PASS NUMBER 07/302	
FREQUENCY 8200.0							
TIME	TC	Q	CC3				
143632	60	12	.10731149	06	.850-01		-.0098
143732	60	12	.10731973	06	.850-01		.0039
143832	60	12	.10732795	06	.850-01		-.0010
143932	60	12	.10733615	06	.850-01		-.0020
144032	60	12	.10734434	06	.850-01		-.0029
144132	60	12	.10735250	06	.850-01		-.0029
144232	60	12	.10736055	06	.850-01		-.0029
144332	60	12	.10736878	06	.850-01		.0010
144432	60	12	.10737689	06	.850-01		-.0215
144532	60	12	.10738499	06	.850-01		-.0049
144632	60	12	.10739306	06	.850-01		-.0127
144732	60	12	.10740112	06	.850-01		-.0010
144832	60	12	.10740915	06	.850-01		-.0233
144932	60	12	.10741717	06	.850-01		-.0205
145032	60	12	.10742517	06	.850-01		-.0010
145132	60	12	.10743314	06	.850-01		.0049
145232	60	12	.10744110	06	.850-01		-.0156
145332	60	12	.10744904	06	.850-01		-.0049
145432	60	12	.10745695	06	.850-01		-.0049
145532	60	12	.10746485	06	.850-01		.0000
145632	60	12	.10747273	06	.850-01		-.0068
145732	60	12	.10748058	06	.850-01		-.0127
145832	60	12	.10748841	06	.850-01		.0039
145932	60	12	.10749622	06	.850-01		.0088
150032	60	12	.10750401	06	.850-01		.0020
150132	60	12	.10751178	06	.850-01		.0000
150232	60	12	.10751952	06	.850-01		-.0029
150332	60	12	.10752725	06	.850-01		-.0039
150432	60	12	.10753496	06	.850-01		-.0088
150532	60	12	.10754264	06	.850-01		-.0039
150632	60	12	.10755029	06	.850-01		.0049
150732	60	12	.10755793	06	.850-01		.0029
150832	60	12	.10756554	06	.850-01		-.0078
150932	60	12	.10757313	06	.850-01		-.0029
151032	60	12	.10758069	06	.850-01		-.0039
151132	60	12	.10758824	06	.850-01		-.0059
151232	60	12	.10759576	06	.850-01		.0098
151332	60	12	.10760325	06	.850-01		-.0010
151432	60	12	.10761072	06	.850-01		-.0058
151532	60	12	.10761817	06	.850-01		-.0029
151632	60	12	.10762559	06	.850-01		-.0088
151732	60	12	.10763299	06	.850-01		.0107
151832	60	12	.10764036	06	.850-01		-.0127
151932	60	12	.10764771	06	.850-01		.0049
152032	60	12	.10765503	06	.850-01		-.0010
152132	60	12	.10766233	06	.850-01		.0010
152232	60	12	.10766961	06	.850-01		-.0059
152332	60	12	.10767685	06	.850-01		.0137
152432	60	12	.10768407	06	.850-01		-.0078
152532	60	12	.10769127	06	.850-01		-.0039
152632	60	12	.10769844	06	.850-01		-.0088
152732	60	12	.10770558	06	.850-01		-.0010
152832	60	12	.10771270	06	.850-01		-.0029
152932	60	12	.10771979	06	.850-01		-.0068
153032	60	12	.10772686	06	.850-01		.0088
153132	60	12	.10773389	06	.850-01		.0049
153232	60	12	.10774090	06	.850-01		.0107
153332	60	12	.10774789	06	.850-01		-.0059
153432	60	12	.10775486	06	.850-01		-.0117
153532	60	12	.10776177	06	.850-01		-.0068
153632	60	12	.10776867	06	.850-01		-.0078
153732	60	12	.10777555	06	.850-01		.0020
153832	60	12	.10778239	06	.850-01		-.0098
153932	60	12	.10778921	06	.850-01		.0059
154032	60	12	.10779600	06	.850-01		.0010
154132	60	12	.10780276	06	.850-01		.0068
154232	60	12	.10780949	06	.850-01		-.0088
154332	60	12	.10781619	06	.850-01		-.0117
154432	60	12	.10782287	06	.850-01		-.0029
154532	60	12	.10782951	06	.850-01		.0029
154632	60	12	.10783613	06	.850-01		-.0029
154732	60	12	.10784272	06	.850-01		-.0010
154832	60	12	.10784927	06	.850-01		-.0068
154932	60	12	.10785580	06	.850-01		-.0146
155032	60	12	.10786230	06	.850-01		.0010
155132	60	12	.10786877	06	.850-01		.0000
155232	60	12	.10787521	06	.850-01		.0039
155332	60	12	.10788161	06	.850-01		-.0068
155432	60	12	.10788799	06	.850-01		-.0020
155532	60	12	.10789433	06	.850-01		.0146
155632	60	12	.10790065	06	.850-01		-.0195
155732	60	12	.10790693	06	.850-01		-.0088
155832	60	12	.10791319	06	.850-01		.0029
155932	60	12	.10791941	06	.850-01		.0117
160032	60	12	.10792560	06	.850-01		-.0137
160132	60	12	.10793176	06	.850-01		.0234
160232	60	12	.10793789	06	.850-01		-.0068
160332	60	12	.10794399	06	.850-01		-.0215
160432	60	12	.10795005	06	.850-01		.0127
160532	60	12	.10795609	06	.850-01		-.0049
160632	60	12	.10796209	06	.850-01		.0098
160732	60	12	.10796806	06	.850-01		-.0098
160832	60	12	.10797399	06	.850-01		.0039
160932	60	12	.10797990	06	.850-01		.0000
161032	60	12	.10798577	06	.850-01		-.0049
161132	60	12	.10799160	06	.850-01		.0059
161232	60	12	.10799741	06	.850-01		.0010
161332	60	12	.10800318	06	.850-01		-.0039
161432	60	12	.10800892	06	.850-01		-.0098
161532	60	12	.10801463	06	.850-01		.0029
161632	60	12	.10802030	06	.850-01		.0137
161732	60	12	.10802594	06	.850-01		-.0068
161832	60	12	.10803154	06	.850-01		.0059
161932	60	12	.10803711	06	.850-01		-.0146
162032	60	12	.10804265	06	.850-01		

STATION NUMBER 12		64/07/30		ITERATION NUMBER 2		PASS NUMBER 07/302	
		FREQUENCY 8200.0					
TIME	TC	Q	CC3				
162132	60	12	.10804815	06	.850-01		.0166
162232	60	12	.10805362	06	.850-01		-.0010
162332	60	12	.10805905	06	.850-01		-.0010
162432	60	12	.10806445	06	.850-01		-.0010
162532	60	12	.10806981	06	.850-01		-.0020
162632	60	12	.10807514	06	.850-01		-.0107
162732	60	12	.10808044	06	.850-01		-.0107
162832	60	12	.10808570	06	.850-01		.0010
162932	60	12	.10809092	06	.850-01		-.0068
163032	60	12	.10809611	06	.850-01		.0049
163132	60	12	.10810127	06	.850-01		.0010
163232	60	12	.10810638	06	.850-01		-.0010
163332	60	12	.10811148	06	.850-01		.0156
163432	60	12	.10811651	06	.850-01		.0039
163532	60	12	.10812152	06	.850-01		-.0068
163632	60	12	.10812650	06	.850-01		.0010
163732	60	12	.10813144	06	.850-01		-.0049
163832	60	12	.10813634	06	.850-01		.0098
163932	60	12	.10814120	06	.850-01		-.0098
164032	60	12	.10814603	06	.850-01		-.0020
164132	60	12	.10815083	06	.850-01		-.0117
164232	60	12	.10815558	06	.850-01		-.0020
164332	60	12	.10816030	06	.850-01		.0117
164432	60	12	.10816499	06	.850-01		-.0049
164532	60	12	.10816963	06	.850-01		.0000
164632	60	12	.10817424	06	.850-01		.0088
164732	60	12	.10817881	06	.850-01		.0049
164832	60	12	.10818335	06	.850-01		.0039
164932	60	12	.10818784	06	.850-01		-.0088
165032	60	12	.10819230	06	.850-01		.0156
165132	60	12	.10819672	06	.850-01		-.0039
165232	60	12	.10820110	06	.850-01		-.0049
165332	60	12	.10820545	06	.850-01		.0156
165432	60	12	.10820976	06	.850-01		-.0078
165532	60	12	.10821403	06	.850-01		.0068
165632	60	12	.10821826	06	.850-01		.0088
165732	60	12	.10822243	06	.850-01		-.0010
165832	60	12	.10822660	06	.850-01		-.0049
165932	60	12	.10823072	06	.850-01		-.0039
170032	60	12	.10823480	06	.850-01		.0029
170132	60	12	.10823883	06	.850-01		.0146
170232	60	12	.10824283	06	.850-01		-.0020
170332	60	12	.10824680	06	.850-01		.0039
170432	60	12	.10825072	06	.850-01		-.0010
170532	60	12	.10825460	06	.850-01		.0166
170632	60	12	.10825844	06	.850-01		-.0107
170732	60	12	.10826225	06	.850-01		.0029
170832	60	12	.10826601	06	.850-01		.0049
170932	60	12	.10826974	06	.850-01		-.0049
171032	60	12	.10827342	06	.850-01		.0098
171132	60	12	.10827705	06	.850-01		-.0020
171232	60	12	.10828067	06	.850-01		.0078
171332	60	12	.10828424	06	.850-01		-.0088
171432	60	12	.10828777	06	.850-01		.0156
171532	60	12	.10829125	06	.850-01		.0127
171632	60	12	.10829470	06	.850-01		.0146
171732	60	12	.10829811	06	.850-01		-.0078
171832	60	12	.10830147	06	.850-01		-.0068
171932	60	12	.10830480	06	.850-01		.0010
172032	60	12	.10830808	06	.850-01		-.0010
172132	60	12	.10831133	06	.850-01		.0039
172232	60	12	.10831453	06	.850-01		.0010
172332	60	12	.10831770	06	.850-01		.0029
172432	60	12	.10832082	06	.850-01		-.0020
172532	60	12	.10832390	06	.850-01		-.0010
172632	60	12	.10832694	06	.850-01		.0078
172732	60	12	.10832994	06	.850-01		.0078
172832	60	12	.10833290	06	.850-01		-.0176
172932	60	12	.10833582	06	.850-01		.0156
173032	60	12	.10833869	06	.850-01		.0049
173132	60	12	.10834153	06	.850-01		.0039
173232	60	12	.10834432	06	.850-01		-.0078
173332	60	12	.10834707	06	.850-01		-.0098
173432	60	12	.10834979	06	.850-01		.0127
173532	60	12	.10835246	06	.850-01		-.0078
173632	60	12	.10835508	06	.850-01		-.0020
173732	60	12	.10835761	06	.850-01		.0127
173832	60	12	.10836021	06	.850-01		.0010
173932	60	12	.10836272	06	.850-01		-.0020
174032	60	12	.10836518	06	.850-01		-.0117
174132	60	12	.10836760	06	.850-01		.0029
174232	60	12	.10836997	06	.850-01		.0098
174332	60	12	.10837231	06	.850-01		.0068
174432	60	12	.10837460	06	.850-01		.0000
174532	60	12	.10837685	06	.852-01		.0000
174632	60	12	.10837906	06	.852-01		-.0078
174732	60	12	.10838122	06	.852-01		.0088
174832	60	12	.10838335	06	.852-01		.0029
174932	60	12	.10838543	06	.852-01		-.0107
175032	60	12	.10838746	06	.852-01		.0010
175132	60	12	.10838944	06	.852-01		.0049
175232	60	12	.10839141	06	.852-01		.0020
175332	60	12	.10839332	06	.852-01		-.0088
175432	60	12	.10839519	06	.852-01		-.0088
175532	60	12	.10839702	06	.852-01		.0000
175632	60	12	.10839880	06	.852-01		.0020

JPL TECHNICAL REPORT NO. 32-694

STATION NUMBER	12	6470730	ITERATION NUMBER	2	PASS NUMBER	077303
FREQUENCY 8200.0						
TIME	TC	Q	CLS			
175732	60	12	.10840054	06	.852-01	-.0039
175832	60	12	.10840223	06	.852-01	-.0010
175932	60	12	.10840389	06	.852-01	-.0039
180032	60	12	.10840550	06	.854-01	-.0195
180132	60	12	.10840706	06	.854-01	-.0137
180232	60	12	.10840839	06	.854-01	-.0117
180332	60	12	.10841007	06	.854-01	-.0020
180432	60	12	.10841151	06	.854-01	-.0059
180532	60	12	.10841290	06	.854-01	.0000
180632	60	12	.10841425	06	.854-01	-.0010
180732	60	12	.10841566	06	.854-01	-.0088
180832	60	12	.10841682	06	.857-01	.0107
180932	60	12	.10841804	06	.857-01	.0068
181032	60	12	.10841922	06	.857-01	-.0215
181132	60	12	.10842035	06	.857-01	.0117
181232	60	12	.10842144	06	.857-01	-.0117
181332	60	12	.10842249	06	.857-01	.0088
181432	60	12	.10842349	06	.859-01	-.0117
181532	60	12	.10842445	06	.859-01	-.0039
181632	60	12	.10842537	06	.859-01	.0137
181732	60	12	.10842624	06	.862-01	.0088
181832	60	12	.10842707	06	.862-01	-.0195
181932	60	12	.10842785	06	.862-01	.0127
182032	60	12	.10842859	06	.862-01	.0049
182132	60	12	.10842929	06	.864-01	-.0244
182232	60	12	.10843096	06	.864-01	.0049
182332	60	12	.10843055	06	.867-01	-.0039
182432	60	12	.10843112	06	.867-01	-.0020
182532	60	12	.10843164	06	.869-01	.0098
182632	60	12	.10843212	06	.869-01	-.0010
182732	60	12	.10843255	06	.872-01	.0000
182832	60	12	.10843296	06	.872-01	-.0058
182932	60	12	.10843328	06	.874-01	-.0010
183032	60	12	.10843358	06	.876-01	-.0020
183132	60	12	.10843384	06	.879-01	-.0088
183232	60	12	.10843405	06	.881-01	.0107
183332	60	12	.10843422	06	.881-01	-.0078
183432	60	12	.10843435	06	.884-01	.0010
183532	60	12	.10843443	06	.889-01	-.0137
183632	60	12	.10843447	06	.891-01	.0000
183732	60	12	.10843446	06	.894-01	.0078
183832	60	12	.10843441	06	.898-01	-.0068
183932	60	12	.10843431	06	.901-01	.0068
184032	60	12	.10843417	06	.906-01	-.0029
184132	60	12	.10843398	06	.911-01	-.0020
184232	60	12	.10843375	06	.916-01	-.0058
184332	60	12	.10843348	06	.920-01	.0000
184432	60	12	.10843316	06	.928-01	.0010
184532	60	12	.10843280	06	.933-01	-.0039
184632	60	12	.10843240	06	.940-01	-.0195
184732	60	12	.10843195	06	.950-01	.0010
184832	60	12	.10843145	06	.957-01	-.0049
184932	60	12	.10843091	06	.967-01	.0000
185032	60	12	.10843033	06	.979-01	-.0166
185132	60	12	.10842971	06	.991-01	-.0078
185232	60	12	.10842904	06	1.00 00	-.0029
185332	60	12	.10842832	06	1.02 00	-.0039
185432	60	12	.10842756	06	1.04 00	-.0117
185532	60	12	.10842676	06	1.05 00	-.0078
185632	60	12	.10842591	06	1.07 00	-.0107
185732	60	12	.10842502	06	1.10 00	-.0186

STATION	NUMBER	12	64/07/31	ITERATION	NUMBER	2	PASS	NUMBER	07/311
FREQUENCY 8200.0									
TIME	TC	Q	CC3						
073432	60	12	-10297812	06	.940-01				.0078
073532	60	12	-10297912	06	.933-01				.0156
073632	60	12	-10298016	06	.925-01				.0039
073732	60	12	-10298128	06	.920-01				.0068
073832	60	12	-10298241	06	.913-01				-.0107
073932	60	12	-10298361	06	.908-01				-.0205
074032	60	12	-10298487	06	.903-01				-.0010
074132	60	12	-10298617	06	.901-01				.0068
074232	60	12	-10298754	06	.896-01				.0137
074332	60	12	-10298895	06	.894-01				-.0009
074432	60	12	-10299042	06	.889-01				-.0166
074532	60	12	-10299193	06	.886-01				.0137
074632	60	12	-10299351	06	.884-01				.0088
074732	60	12	-10299513	06	.881-01				.0000
074832	60	12	-10299681	06	.879-01				.0059
074932	60	12	-10299856	06	.874-01				-.0088
075032	60	12	-10300032	06	.874-01				.0234
075132	60	12	-10300216	06	.874-01				-.0146
075232	60	12	-10300405	06	.872-01				-.0049
075332	60	12	-10300600	06	.872-01				.0176
075432	60	12	-10300801	06	.869-01				-.0137
075532	60	12	-10301004	06	.869-01				-.0205
075632	60	12	-10301215	06	.867-01				-.0010
075732	60	12	-10301431	06	.867-01				-.0078
075832	60	12	-10301652	06	.864-01				.0156
075932	60	12	-10301878	06	.864-01				-.0019
080032	60	12	-10302110	06	.862-01				.0000
080132	60	12	-10302347	06	.862-01				-.0117
080232	60	12	-10302590	06	.862-01				-.0127
080332	60	12	-10302837	06	.859-01				.0088
080432	60	12	-10303091	06	.859-01				.0098
080532	60	12	-10303349	06	.859-01				.0078
080632	60	12	-10303613	06	.859-01				.0020
080732	60	12	-10303882	06	.857-01				-.0078
080832	60	12	-10304157	06	.857-01				-.0049
080932	60	12	-10304437	06	.857-01				-.0107
081032	60	12	-10304723	06	.857-01				.0059
081132	60	12	-10305014	06	.857-01				-.0029
081232	60	12	-10305310	06	.854-01				.0020
081332	60	12	-10305611	06	.854-01				-.0020
081432	60	12	-10305918	06	.854-01				-.0020
081532	60	12	-10306231	06	.854-01				.0068
081632	60	12	-10306549	06	.854-01				-.0049
081732	60	12	-10306872	06	.854-01				-.0049
081832	60	12	-10307201	06	.854-01				.0088
081932	60	12	-10307535	06	.854-01				.0010

STATION	NUMBER	12	64/07/31	ITERATION	NUMBER	2	PASS	NUMBER	07/312
FREQUENCY 8200.0									
TIME	TC	Q	CC3						
082032	60	12	-10307874	06	.852-01				-.0059
082132	60	12	-10308179	06	.852-01				-.0107
082232	60	12	-10308470	06	.852-01				.0186
082332	60	12	-10308725	06	.852-01				-.0225
082432	60	12	-10308987	06	.852-01				-.0010
082532	60	12	-10309253	06	.852-01				.0156
082632	60	12	-10309526	06	.852-01				-.0059
082732	60	12	-10309803	06	.852-01				.0186
082832	60	12	-10310086	06	.852-01				.0049
082932	60	12	-10310375	06	.852-01				-.0137
083032	60	12	-10310669	06	.852-01				.0137
083132	60	12	-10310968	06	.852-01				-.0137
083232	60	12	-10311273	06	.852-01				-.0039
083332	60	12	-10311583	06	.852-01				.0010
083432	60	12	-10311899	06	.852-01				.0098
083532	60	12	-10312220	06	.852-01				-.0029
083632	60	12	-10312547	06	.850-01				-.0039
083732	60	12	-10312879	06	.850-01				-.0098
083832	60	12	-10313217	06	.850-01				.0127
083932	60	12	-10313560	06	.850-01				-.0020
084032	60	12	-10313909	06	.850-01				-.0059
084132	60	12	-10314263	06	.850-01				.0020
084232	60	12	-10314623	06	.850-01				.0039
084332	60	12	-10314988	06	.850-01				.0020
084432	60	12	-10315359	06	.850-01				-.0049
084532	60	12	-10315735	06	.850-01				-.0010
084632	60	12	-10316117	06	.850-01				-.0020
084732	60	12	-10316504	06	.850-01				.0088
084832	60	12	-10316897	06	.850-01				-.0029
084932	60	12	-10317295	06	.850-01				-.0029
085032	60	12	-10317699	06	.850-01				-.0088
085132	60	12	-10318108	06	.850-01				.0146
085232	60	12	-10318524	06	.850-01				-.0195
085332	60	12	-10318946	06	.850-01				-.0088
085432	60	12	-10319374	06	.850-01				-.0020
085532	60	12	-10319808	06	.850-01				-.0010
085632	60	12	-10320248	06	.850-01				-.0068
085732	60	12	-10320694	06	.850-01				-.0010
085832	60	12	-10321146	06	.850-01				.0000
085932	60	12	-10321604	06	.850-01				-.0068
090032	60	12	-10322068	06	.850-01				.0146
090132	60	12	-10322538	06	.850-01				-.0020
090232	60	12	-10323014	06	.850-01				-.0088
090332	60	12	-10323496	06	.850-01				-.0117
090432	60	12	-10323984	06	.850-01				-.0078
090532	60	12	-10324478	06	.850-01				.0010
090632	60	12	-10324978	06	.850-01				-.0146
090732	60	12	-10325484	06	.850-01				-.0146
090832	60	12	-10326006	06	.850-01				-.0117
090932	60	12	-10326534	06	.850-01				.0049
091032	60	12	-10327068	06	.850-01				-.0020
091132	60	12	-10327608	06	.850-01				-.0020

JPL TECHNICAL REPORT NO. 32-694

STATION NUMBER 12		64/07/31		ITERATION NUMBER 2		PASS NUMBER 07/312	
FREQUENCY 8200.0							
TIME	TC	Q	CC3				
091232	60	12	.10333095	06	.850-01		-.0010
091332	60	12	.10333728	06	.850-01		.0068
091432	60	12	.10334366	06	.850-01		-.0098
091532	60	12	.10335010	06	.850-01		.0020
091632	60	12	.10335659	06	.850-01		-.0117
091732	60	12	.10336315	06	.850-01		.0020
091832	60	12	.10336976	06	.850-01		.0088
091932	60	12	.10337642	06	.850-01		-.0088
092032	60	12	.10338315	06	.850-01		.0010
092132	60	12	.10338993	06	.850-01		.0029
092232	60	12	.10339677	06	.850-01		-.0020
092332	60	12	.10340366	06	.850-01		.0010
092432	60	12	.10341062	06	.850-01		-.0020
092532	60	12	.10341763	06	.850-01		.0039
092632	60	12	.10342470	06	.850-01		-.0146
092732	60	12	.10343182	06	.850-01		.0098
092832	60	12	.10343901	06	.850-01		-.0068
092932	60	12	.10344625	06	.850-01		.0010
093032	60	12	.10345355	06	.850-01		.0010
093132	60	12	.10346090	06	.850-01		.0098
093232	60	12	.10346832	06	.850-01		-.0059
093332	60	12	.10347580	06	.850-01		.0039
093432	60	12	.10348333	06	.850-01		-.0127
093532	60	12	.10349092	06	.850-01		.0127
093632	60	12	.10349857	06	.850-01		-.0029
093732	60	12	.10350628	06	.850-01		.0059
093832	60	12	.10351406	06	.850-01		-.0117
093932	60	12	.10352187	06	.850-01		-.0039
094032	60	12	.10352976	06	.850-01		.0107
094132	60	12	.10353770	06	.850-01		.0000
094232	60	12	.10354570	06	.850-01		-.0039
094332	60	12	.10355376	06	.850-01		.0010
094432	60	12	.10356189	06	.850-01		-.0059
094532	60	12	.10357007	06	.850-01		.0127
094632	60	12	.10357831	06	.850-01		-.0049
094732	60	12	.10358661	06	.850-01		-.0146
094832	60	12	.10359498	06	.850-01		.0068
094932	60	12	.10360340	06	.850-01		.0020
095032	60	12	.10361188	06	.850-01		-.0020
095132	60	12	.10362042	06	.850-01		-.0078
095232	60	12	.10362903	06	.850-01		.0059
095332	60	12	.10363769	06	.850-01		.0068
095432	60	12	.10364642	06	.850-01		-.0020
095532	60	12	.10365520	06	.850-01		-.0049
095632	60	12	.10366405	06	.850-01		-.0029
095732	60	12	.10367296	06	.850-01		.0029
095832	60	12	.10368193	06	.850-01		-.0020
095932	60	12	.10369097	06	.850-01		-.0020
100032	60	12	.10370006	06	.850-01		.0029
100132	60	12	.10370922	06	.850-01		-.0059
100232	60	12	.10371844	06	.850-01		.0234
100332	60	12	.10372773	06	.850-01		-.0098
100432	60	12	.10373707	06	.850-01		-.0059
100532	60	12	.10374648	06	.850-01		.0010
100632	60	12	.10375595	06	.850-01		-.0049
100732	60	12	.10376549	06	.850-01		.0098
100832	60	12	.10377509	06	.850-01		-.0078
100932	60	12	.10378475	06	.850-01		.0117
101032	60	12	.10379448	06	.850-01		-.0020
101132	60	12	.10380428	06	.850-01		-.0107
101232	60	12	.10381414	06	.850-01		-.0137
101332	60	12	.10382406	06	.850-01		-.0088
101432	60	12	.10383405	06	.850-01		.0186
101532	60	12	.10384410	06	.850-01		-.0186
101632	60	12	.10385422	06	.850-01		.0098
101732	60	12	.10386441	06	.850-01		-.0098
101832	60	12	.10387465	06	.850-01		.0205
101932	60	12	.10388498	06	.850-01		-.0146
102032	60	12	.10389537	06	.850-01		.0137
102132	60	12	.10390582	06	.850-01		-.0078
102232	60	12	.10391635	06	.850-01		.0029
102332	60	12	.10392694	06	.850-01		-.0039
102432	60	12	.10393759	06	.850-01		.0039
102532	60	12	.10394832	06	.850-01		.0088
102632	60	12	.10395912	06	.850-01		-.0049
102732	60	12	.10396999	06	.850-01		-.0059
102832	60	12	.10398092	06	.850-01		.0078
102932	60	12	.10399193	06	.850-01		.0000
103032	60	12	.10400301	06	.850-01		.0068
103132	60	12	.10401416	06	.850-01		.0098
103232	60	12	.10402537	06	.850-01		-.0059
103332	60	12	.10403667	06	.850-01		.0088
103432	60	12	.10404804	06	.850-01		-.0039
103532	60	12	.10405947	06	.850-01		.0088
103632	60	12	.10407096	06	.850-01		-.0020
103732	60	12	.10408250	06	.850-01		-.0039
103832	60	12	.10409410	06	.850-01		.0029
103932	60	12	.10410577	06	.850-01		-.0039
104032	60	12	.10411750	06	.850-01		.0029
104132	60	12	.10412929	06	.850-01		-.0049
104232	60	12	.10414114	06	.850-01		.0156
104332	60	12	.10415306	06	.850-01		-.0098
104432	60	12	.10416504	06	.850-01		.0020
104532	60	12	.10417708	06	.850-01		.0010
104632	60	12	.10418918	06	.850-01		-.0049
104732	60	12	.10420134	06	.850-01		.0020
104832	60	12	.10421356	06	.850-01		.0010
104932	60	12	.10422584	06	.850-01		.0020
105032	60	12	.10423818	06	.850-01		.0049
105132	60	12	.10425058	06	.850-01		-.0078
105232	60	12	.10426304	06	.850-01		.0137
105332	60	12	.10427556	06	.850-01		.0059
105432	60	12	.10428814	06	.850-01		.0049
105532	60	12	.10430078	06	.850-01		.0166
105632	60	12	.10431348	06	.850-01		.0078
105732	60	12	.10432624	06	.850-01		.0166
105832	60	12	.10433906	06	.850-01		.0078

STATION NUMBER	12	66/07/31	ITERATION NUMBER	2	PASS NUMBER	07/313	
FREQUENCY 8200.0							
TIME	TC	Q	CC3				
110232	60	12	.10439795	06	.201	00	.0625
110332	60	12	.10441168	06	.201	00	-.0146
110432	60	12	.10442550	06	.201	00	.0156
110532	60	12	.10443942	06	.201	00	-.0986
110832	60	12	.10448173	06	.201	00	-.0166
110932	60	12	.10449603	06	.201	00	-.0518
111032	60	12	.10451044	06	.201	00	-.0693
111132	60	12	.10452494	06	.201	00	-.0459
111232	60	12	.10453954	06	.201	00	.0254
111632	60	12	.10459900	06	.202	00	.0469
111732	60	12	.10461414	06	.202	00	-.0039
111832	60	12	.10462938	06	.202	00	-.0313
111932	60	12	.10464474	06	.202	00	-.0381
112032	60	12	.10466021	06	.202	00	-.0234
112132	60	12	.10467579	06	.202	00	-.0078
112232	60	12	.10469149	06	.202	00	.0088
112332	60	12	.10470731	06	.202	00	-.0107
112632	60	12	.10475549	06	.202	00	-.0293
112732	60	12	.10477180	06	.202	00	.0117
112832	60	12	.10478824	06	.202	00	.0078
112932	60	12	.10480481	06	.202	00	-.0264
113032	60	12	.10482151	06	.202	00	-.0596
113132	60	12	.10483834	06	.202	00	-.0078
113232	60	12	.10485531	06	.202	00	-.0098
113332	60	12	.10487242	06	.202	00	-.0010
113432	60	12	.10488966	06	.202	00	-.0488
113532	60	12	.10490706	06	.202	00	.0596
113632	60	12	.10492461	06	.202	00	-.0488
113932	60	12	.10497811	06	.202	00	.0098
114032	60	12	.10499525	06	.202	00	-.0029
114132	60	12	.10501456	06	.202	00	-.0107
114232	60	12	.10503303	06	.202	00	.0361
114332	60	12	.10505166	06	.202	00	.0000
114432	60	12	.10507047	06	.202	00	-.0551
114532	60	12	.10508945	06	.202	00	-.0010
114632	60	12	.10510861	06	.202	00	.0107
114732	60	12	.10512794	06	.202	00	-.0078
114832	60	12	.10514746	06	.202	00	-.0264
114932	60	12	.10516717	06	.202	00	.0000
115032	60	12	.10518706	06	.202	00	.0020
115132	60	12	.10520716	06	.202	00	-.0264
115232	60	12	.10522745	06	.202	00	-.0049
115332	60	12	.10524795	06	.202	00	-.0049
115432	60	12	.10526866	06	.202	00	-.0146
115932	60	12	.10528959	06	.202	00	.0430
115632	60	12	.10531073	06	.202	00	-.0508
115732	60	12	.10533210	06	.202	00	-.0205
115832	60	12	.10535370	06	.202	00	-.0459
115932	60	12	.10537554	06	.203	00	-.0244
120032	60	12	.10539762	06	.203	00	-.0039
120132	60	12	.10541995	06	.203	00	.0352
120232	60	12	.10544253	06	.203	00	-.0127
120332	60	12	.10546537	06	.203	00	-.0234
120432	60	12	.10548849	06	.203	00	-.0361
120532	60	12	.10551187	06	.203	00	.0098
120632	60	12	.10553554	06	.203	00	-.0439
120732	60	12	.10555951	06	.203	00	.0439
120832	60	12	.10558377	06	.203	00	-.0518
120932	60	12	.10560834	06	.203	00	-.0039
121032	60	12	.10563322	06	.203	00	-.0244
121132	60	12	.10565843	06	.203	00	.0469
121232	60	12	.10568398	06	.203	00	-.0342
121332	60	12	.10570988	06	.203	00	-.0117
121432	60	12	.10573613	06	.203	00	-.0127
121532	60	12	.10576275	06	.203	00	-.0488
121632	60	12	.10578974	06	.203	00	.0371
121732	60	12	.10581714	06	.203	00	-.0039
121832	60	12	.10584493	06	.203	00	-.0479
121932	60	12	.10587314	06	.203	00	.0059
122032	60	12	.10590179	06	.203	00	-.0215
122132	60	12	.10593088	06	.203	00	.0693
122232	60	12	.10596043	06	.203	00	.0488
122332	60	12	.10599047	06	.203	00	-.0176
122432	60	12	.10602099	06	.203	00	.0049

JPL TECHNICAL REPORT NO. 32-694

STATION NUMBER	12	64/07/31	ITERATION NUMBER	2	PASS NUMBER	07/314
FREQUENCY 8200.0						
TIME	TC	Q	CC3			
122548	60	12	.10606041	06	.203 00	.0273
122523	10	12	.10607882	06	.500 00	-.1211
122758	60	12	.10612984	06	.203 00	.0410
122833	10	12	.10614897	06	.500 00	-.0723
122958	60	12	.10619636	06	.203 00	.0166
123063	30	12	.10622193	06	.288 00	.0000
123208	60	12	.10627129	06	.203 00	-.0244
123308	60	12	.10630596	06	.203 00	-.0117
123408	60	12	.10634331	06	.203 00	-.0146
123443	10	12	.10636484	06	.500 00	-.1445
123618	60	12	.10642473	06	.203 00	.0215
123718	60	12	.10646358	06	.203 00	-.0166
123818	60	12	.10650330	06	.204 00	.0371
123918	60	12	.10654391	06	.204 00	.0088
124018	60	12	.10658546	06	.204 00	-.0098
124118	60	12	.10662800	06	.204 00	.0361
124158	20	12	.10665689	06	.354 00	.1621
124303	10	12	.10670491	06	.502 00	.0859
124408	60	12	.10675431	06	.204 00	.0195
124508	60	12	.10680111	06	.204 00	.0234
124608	60	12	.10684916	06	.204 00	-.0264
124653	30	12	.10688302	06	.283 00	.0498
124808	60	12	.10694930	06	.204 00	.0527
124908	60	12	.10700154	06	.204 00	-.0361
125008	60	12	.10705533	06	.204 00	.0156
125108	60	12	.10711078	06	.204 00	.0176
125208	60	12	.10716798	06	.204 00	-.0146
125298	40	12	.10721702	06	.250 00	-.0420
125418	60	12	.10729845	06	.204 00	.0352
125518	60	12	.10736195	06	.204 00	.0137
125608	40	12	.10741654	06	.250 00	.0791
125743	50	12	.10752507	06	.224 00	.0264
125928	40	12	.10765281	06	.250 00	-.0576
130023	10	12	.10772331	06	.502 00	-.0098
130133	30	12	.10781711	06	.289 00	-.0098
130318	40	12	.10796701	06	.250 00	.0176
130438	60	12	.10808961	06	.204 00	-.0303
130538	60	12	.10818678	06	.204 00	-.0156
130638	60	12	.10828894	06	.204 00	.0068
130718	20	12	.10835984	06	.354 00	.0625
130828	40	12	.10849066	06	.250 00	.0420
130958	60	12	.10867208	06	.205 00	-.0479
131058	60	12	.10880223	06	.205 00	.0156
131158	60	12	.10894080	06	.205 00	.0137
131258	60	12	.10908877	06	.205 00	-.0381
131358	60	12	.10924729	06	.205 00	.0967
131458	60	12	.10941770	06	.205 00	-.0889
131558	60	12	.10960133	06	.205 00	.0215
131658	60	12	.10980097	06	.205 00	.0273
131758	60	12	.11001805	06	.205 00	-.0479
131858	60	12	.11025566	06	.205 00	.0332
131938	20	12	.11042618	06	.355 00	.0166
132048	60	12	.11075673	06	.205 00	.0020
132143	50	12	.11104601	06	.225 00	-.0146
132308	60	12	.11136074	06	.205 00	.0771
132408	60	12	.11198449	06	.205 00	-.0049
132443	10	12	.11225748	06	.506 00	-.0830
132533	30	12	.11269622	06	.290 00	.0459

DATA STATISTICS			STATION 3			ITERATION 2			
PASS	DATA TYPE	BEGINNING TIME	END TIME	NUMBER OF POINTS	STD DEV	RMS	FIRST MOMENT	SECOND MOMENT	
07/291	CC3	7/29-104132	7/29-112732	31	.116-01	.116-01	-.756-03	.135-03	
07/292	CC3	7/29-113132	7/29-175032	341	.847-02	.854-02	.114-02	.730-04	
07/293	CC3	7/29-175132	7/29-184132	42	.953-02	.159-01	-.127-01	.253-03	
07/301	CC3	7/30-071832	7/30-082232	62	.104-01	.111-01	.381-02	.123-03	
07/302	CC3	7/30-082332	7/30-175632	564	.890-02	.890-02	-.102-03	.792-04	
07/303	CC3	7/30-175732	7/30-185732	61	.921-02	.953-02	-.245-02	.909-04	
07/311	CC3	7/31-073632	7/31-081932	46	.371-02	.102-01	.305-02	.104-03	
07/312	CC3	7/31-082032	7/31-105832	151	.885-02	.886-02	.485-03	.785-04	
07/313	CC3	7/31-110232	7/31-122432	74	.334-01	.341-01	-.694-02	.116-02	
07/314	CC3	7/31-122548	7/31-132533	58	.511-01	.514-01	.475-02	.264-02	

STATION NUMBER		6470729		ITERATION NUMBER		2		PASS NUMBER		07/292	
FREQUENCY		8249.3									
TIME	IC	Q	CC3								
184632	60	41	.10817721 06 .136 00	.0049							
184732	60	41	.10818449 06 .136 00	.0078							
184832	60	41	.10819172 06 .136 00	.0078							
184932	60	41	.10819901 06 .136 00	.0078							
185032	60	41	.10820631 06 .136 00	.0049							
185132	60	41	.10821363 06 .136 00	.0176							
185232	60	41	.10822097 06 .136 00	-.0215							
185332	60	41	.10822833 06 .136 00	.0059							
185432	60	41	.10823570 06 .136 00	.0322							
185532	60	41	.10824309 06 .136 00	.0088							
185632	60	41	.10825050 06 .136 00	-.0322							
185732	60	41	.10825792 06 .137 00	.0273							
185832	60	41	.10826536 06 .137 00	.0029							
185932	60	41	.10827282 06 .137 00	-.0039							
190032	60	41	.10828029 06 .137 00	.0068							
190132	60	41	.10828778 06 .137 00	.0010							
190232	60	41	.10829529 06 .137 00	-.0205							
190332	60	41	.10830281 06 .137 00	.0264							
190832	60	41	.10834063 06 .137 00	.0020							
191232	60	41	.10837115 06 .137 00	.0186							
191332	60	41	.10837881 06 .137 00	.0068							
191432	60	41	.10838649 06 .137 00	.0146							
191532	60	41	.10839417 06 .137 00	.0254							
191632	60	41	.10840188 06 .137 00	.0068							
191732	60	41	.10840959 06 .137 00	-.0234							
191832	60	41	.10841731 06 .137 00	.0176							
191932	60	41	.10842505 06 .137 00	.0127							
192332	60	41	.10845612 06 .137 00	-.0069							
192432	60	41	.10846391 06 .137 00	.0165							
192532	60	41	.10847172 06 .137 00	.0117							
192632	60	41	.10847954 06 .137 00	-.0205							
192732	60	41	.10848736 06 .137 00	.0195							
192832	60	41	.10849520 06 .138 00	.0166							
192932	60	41	.10850304 06 .138 00	-.0117							
193032	60	41	.10851090 06 .138 00	-.0020							
193132	60	41	.10851876 06 .138 00	-.0332							
193232	60	41	.10852664 06 .138 00	.0264							
193332	60	41	.10853452 06 .138 00	.0264							
193432	60	41	.10854241 06 .138 00	.0176							
193532	60	41	.10855031 06 .138 00	.0010							
193632	60	41	.10855822 06 .139 00	-.0078							
193732	60	41	.10856614 06 .138 00	.0254							
193832	60	41	.10857406 06 .138 00	-.0313							
194132	60	41	.10859788 06 .138 00	-.0166							
194232	60	41	.10860584 06 .138 00	.0293							
194332	60	41	.10861380 06 .138 00	.0195							
194432	60	41	.10862176 06 .138 00	.0029							
194532	60	41	.10862974 06 .138 00	-.0049							
194632	60	41	.10863772 06 .138 00	.0156							
194732	60	41	.10864570 06 .138 00	-.0186							
195032	60	41	.10866969 06 .138 00	.0098							
195132	60	41	.10867769 06 .138 00	.0205							
195232	60	41	.10868571 06 .138 00	-.0244							
195332	60	41	.10869372 06 .138 00	-.0068							
195432	60	41	.10870174 06 .138 00	-.0098							
195532	60	41	.10870976 06 .138 00	.0176							
195632	60	41	.10871779 06 .138 00	-.0107							
195732	60	41	.10872582 06 .138 00	.0078							
200032	60	41	.10874994 06 .139 00	.0098							
200132	60	41	.10875798 06 .139 00	.0000							
200232	60	41	.10876603 06 .139 00	-.0127							
200332	60	41	.10877408 06 .139 00	.0225							
200432	60	41	.10878213 06 .139 00	.0117							
200532	60	41	.10879018 06 .139 00	-.0146							
200632	60	41	.10879823 06 .139 00	-.0020							
200732	60	41	.10880629 06 .139 00	.0098							
200832	60	41	.10881435 06 .139 00	-.0137							
200932	60	41	.10882240 06 .139 00	.0283							
201032	60	41	.10883046 06 .139 00	.0029							
201132	60	41	.10883852 06 .139 00	-.0215							
201232	60	41	.10884658 06 .139 00	.0186							
201332	60	41	.10885464 06 .139 00	.0088							
201432	60	41	.10886270 06 .139 00	.0322							
201532	60	41	.10887076 06 .139 00	-.0088							
201632	60	41	.10887882 06 .139 00	-.0010							
201732	60	41	.10888687 06 .139 00	.0078							
201832	60	41	.10889493 06 .139 00	-.0313							
201932	60	41	.10890298 06 .139 00	.0137							
202032	60	41	.10891104 06 .139 00	.0264							
202132	60	41	.10891909 06 .139 00	-.0264							
202232	60	41	.10892714 06 .139 00	-.0098							
202332	60	41	.10893519 06 .139 00	.0244							
202432	60	41	.10894324 06 .139 00	-.0039							
202532	60	41	.10895128 06 .139 00	.0195							
202632	60	41	.10895932 06 .139 00	-.0039							
202732	60	41	.10896736 06 .139 00	.0088							
202832	60	41	.10897539 06 .140 00	.0068							
202932	60	41	.10898342 06 .140 00	-.0068							
203032	60	41	.10899145 06 .140 00	-.0010							
203132	60	41	.10899947 06 .140 00	.0088							
203232	60	41	.10900749 06 .140 00	.0234							
203332	60	41	.10901551 06 .140 00	-.0078							
203432	60	41	.10902352 06 .140 00	.0156							
203532	60	41	.10903152 06 .140 00	.0098							
203632	60	41	.10903952 06 .140 00	.0088							
203732	60	41	.10904752 06 .140 00	-.0195							
203832	60	41	.10905551 06 .140 00	-.0039							
203932	60	41	.10906349 06 .140 00	-.0283							
204232	60	41	.10908741 06 .140 00	-.0127							
204332	60	41	.10909537 06 .140 00	-.0215							
204632	60	41	.10911921 06 .140 00	-.0264							
204732	60	41	.10912714 06 .140 00	.0078							
204832	60	41	.10913506 06 .140 00	.0342							
204932	60	41	.10914298 06 .140 00	.0186							

JPL TECHNICAL REPORT NO. 32-694

STATION	NUMBER	41	64/07/29	ITERATION	NUMBER	2	PASS	NUMBER	07/292
		FREQUENCY		8249.3					
TIME	TC	Q	CC3						
205032	60	41	.10915089	06	.140	00			.0598
205132	60	41	.10915879	06	.140	00			-.0068
205232	60	41	.10916668	06	.140	00			-.0156
205332	60	41	.10917456	06	.140	00			.0020
205432	60	41	.10918244	06	.140	00			-.0059
205532	60	41	.10919030	06	.140	00			-.0039
205632	60	41	.10919816	06	.141	00			.0068
205732	60	41	.10920600	06	.141	00			.0107
205832	60	41	.10921384	06	.141	00			-.0254
205932	60	41	.10922167	06	.141	00			.0137
210032	60	41	.10922948	06	.141	00			-.0029
210132	60	41	.10923729	06	.141	00			-.0088
210232	60	41	.10924509	06	.141	00			.0293
210332	60	41	.10925287	06	.141	00			.0107
210432	60	41	.10926064	06	.141	00			-.0039
210532	60	41	.10926841	06	.141	00			.0244
210632	60	41	.10927616	06	.141	00			-.0107
210732	60	41	.10928390	06	.141	00			.0000
210832	60	41	.10929163	06	.141	00			.0225
210932	60	41	.10929934	06	.141	00			-.0098
211032	60	41	.10930705	06	.141	00			-.0039
211132	60	41	.10931474	06	.141	00			-.0049
211232	60	41	.10932240	06	.141	00			.0186
211332	60	41	.10933000	06	.141	00			-.0107
211432	60	41	.10933761	06	.141	00			.0234
211532	60	41	.10934521	06	.141	00			-.0264
212032	60	41	.10938336	06	.141	00			.0371
212132	60	41	.10939092	06	.141	00			-.0176
212232	60	41	.10939848	06	.141	00			.0244
212332	60	41	.10940598	06	.141	00			-.0176
212432	60	41	.10941349	06	.142	00			.0059
212532	60	41	.10942099	06	.142	00			.0117
212632	60	41	.10942847	06	.142	00			.0146
212732	60	41	.10943593	06	.142	00			-.0156
212832	60	41	.10944338	06	.142	00			-.0400
212932	60	41	.10945081	06	.142	00			-.0137
213032	60	41	.10945823	06	.142	00			.0215
213132	60	41	.10946562	06	.142	00			-.0107
213232	60	41	.10947300	06	.142	00			-.0088
213332	60	41	.10948035	06	.142	00			-.0010
213432	60	41	.10948766	06	.142	00			-.0313
213532	60	41	.10949495	06	.142	00			.0400
213632	60	41	.10950223	06	.142	00			.0293
213732	60	41	.10950950	06	.142	00			-.0137
213832	60	41	.10951674	06	.142	00			-.0039
213932	60	41	.10952409	06	.142	00			-.0098
214032	60	41	.10953144	06	.142	00			.0205
214132	60	41	.10953866	06	.142	00			-.0098
214232	60	41	.10954586	06	.142	00			.0205
214332	60	41	.10955305	06	.142	00			.0195
214432	60	41	.10956021	06	.142	00			-.0303
214532	60	41	.10956736	06	.142	00			-.0234
214632	60	41	.10957449	06	.142	00			-.0039
214732	60	41	.10958159	06	.142	00			.0234
215032	60	41	.10960279	06	.142	00			.0225
215132	60	41	.10960982	06	.143	00			.0127
215232	60	41	.10961682	06	.143	00			-.0098
215332	60	41	.10962381	06	.143	00			-.0283
215432	60	41	.10963077	06	.143	00			-.0078
215532	60	41	.10963772	06	.143	00			.0146
215632	60	41	.10964464	06	.143	00			-.0225
215932	60	41	.10966527	06	.143	00			.0107
220032	60	41	.10967211	06	.143	00			-.0234
220132	60	41	.10967892	06	.143	00			.0156
220232	60	41	.10968571	06	.143	00			-.0098
220332	60	41	.10969257	06	.143	00			.0098
220432	60	41	.10969921	06	.143	00			.0000
220532	60	41	.10970594	06	.143	00			-.0361
220632	60	41	.10971263	06	.143	00			.0332
220932	60	41	.10973258	06	.143	00			.0176
221032	60	41	.10973918	06	.143	00			.0146
221132	60	41	.10974576	06	.143	00			-.0049
221232	60	41	.10975232	06	.143	00			.0166
221332	60	41	.10975884	06	.143	00			-.0283
221432	60	41	.10976535	06	.143	00			.0176
221532	60	41	.10977183	06	.143	00			-.0049
221632	60	41	.10977828	06	.143	00			-.0156
221732	60	41	.10978471	06	.144	00			-.0039
221832	60	41	.10979111	06	.144	00			.0176
221932	60	41	.10979749	06	.144	00			.0391
222032	60	41	.10980384	06	.144	00			-.0127
222132	60	41	.10981017	06	.144	00			-.0068
222232	60	41	.10981647	06	.144	00			.0098
222332	60	41	.10982275	06	.144	00			-.0029
222432	60	41	.10982909	06	.144	00			-.0049
222532	60	41	.10983521	06	.144	00			.0342
222632	60	41	.10984141	06	.144	00			-.0107
222732	60	41	.10984758	06	.144	00			-.0273
223032	60	41	.10986592	06	.144	00			-.0166
223132	60	41	.10987197	06	.144	00			-.0078
223232	60	41	.10987800	06	.144	00			-.0293
223532	60	41	.10989593	06	.144	00			-.0098
223632	60	41	.10990184	06	.144	00			.0400
223732	60	41	.10990773	06	.144	00			-.0156
223832	60	41	.10991359	06	.144	00			-.0078
223932	60	41	.10991942	06	.144	00			-.0225
224032	60	41	.10992522	06	.144	00			.0088
224132	60	41	.10993100	06	.144	00			-.0332
224232	60	41	.10993674	06	.144	00			.0273
224332	60	41	.10994245	06	.145	00			-.0029
224432	60	41	.10994814	06	.145	00			-.0039
224532	60	41	.10995379	06	.145	00			-.0068
224632	60	41	.10995941	06	.145	00			.0186
224732	60	41	.10996501	06	.145	00			-.0078
224832	60	41	.10997057	06	.145	00			-.0117
224932	60	41	.10997610	06	.145	00			-.0205
225032	60	41	.10998161	06	.145	00			.0107

STATION	NUMBER	41	64/07/29	ITERATION	NUMBER	2	PASS	NUMBER	07/292
FREQUENCY		8249.3							
TIME	TC	Q	CC3						
225132	60	41	.10998708	06	.145	00	.0234		
225232	60	41	.10999252	06	.145	00	.0166		
225332	60	41	.10999793	05	.145	00	.0234		
225432	60	41	.11000330	06	.145	00	-.0205		
225532	60	41	.11000865	06	.145	00	.0156		
225632	60	41	.11001396	06	.145	00	.0010		
225732	60	41	.11001925	06	.145	00	.0020		
225832	60	41	.11002450	06	.145	00	.0176		
225932	60	41	.11002972	06	.145	00	-.0029		
230032	60	41	.11003490	06	.145	00	-.0225		
230132	60	41	.11004006	06	.145	00	-.0107		
230232	60	41	.11004518	06	.145	00	.0332		
230332	60	41	.11005027	06	.145	00	.0107		
230432	60	41	.11005533	06	.145	00	.0039		
230532	60	41	.11006035	06	.145	00	.0127		
230632	60	41	.11006534	06	.145	00	-.0117		
230732	60	41	.11007030	06	.145	00	.0146		
230832	60	41	.11007523	06	.146	00	.0059		
230932	60	41	.11008012	06	.146	00	-.0342		
231232	60	41	.11009459	06	.146	00	-.0225		
231332	60	41	.11009934	06	.146	00	.0215		
231432	60	41	.11010407	06	.146	00	-.0166		
231532	60	41	.11010875	06	.146	00	.0127		
231832	60	41	.11012261	06	.146	00	-.0088		
231932	60	41	.11012716	06	.146	00	.0078		
232032	60	41	.11013167	06	.146	00	-.0059		
232132	60	41	.11013615	06	.146	00	.0146		
232232	60	41	.11014059	06	.146	00	-.0117		
232332	60	41	.11014500	06	.146	00	-.0029		
232432	60	41	.11014938	06	.146	00	-.0107		
232532	60	41	.11015371	06	.146	00	.0020		
232632	60	41	.11015801	06	.146	00	.0176		
232732	60	41	.11016228	06	.146	00	.0020		
232832	60	41	.11016651	06	.146	00	.0215		
232932	60	41	.11017070	06	.146	00	-.0225		
233032	60	41	.11017486	06	.146	00	.0029		
233132	60	41	.11017898	06	.146	00	.0156		
233232	60	41	.11018307	06	.146	00	.0137		
233732	60	41	.11020294	06	.146	00	.0059		
233832	60	41	.11020681	06	.146	00	-.0068		
233932	60	41	.11021063	06	.146	00	-.0166		
234032	60	41	.11021442	06	.146	00	.0107		
234132	60	41	.11021817	06	.146	00	.0088		
234232	60	41	.11022189	06	.146	00	-.0049		
234332	60	41	.11022556	06	.146	00	.0029		
234432	60	41	.11022920	06	.146	00	.0137		
234532	60	41	.11023280	06	.147	00	-.0195		
234632	60	41	.11023636	06	.147	00	.0176		
234732	60	41	.11023989	06	.147	00	.0107		
235132	60	41	.11025360	06	.147	00	.0137		
235232	60	41	.11025693	06	.147	00	.0156		
235332	60	41	.11026023	06	.147	00	-.0107		
235432	60	41	.11026348	06	.147	00	.0020		
235532	60	41	.11026669	06	.147	00	-.0127		
235632	60	41	.11026987	06	.147	00	-.0215		
235732	60	41	.11027301	06	.147	00	.0254		
235832	60	41	.11027610	06	.147	00	.0107		
235932	60	41	.11027916	06	.147	00	.0029		
64/07/30									
000032	60	41	.11028218	06	.147	00	-.0166		
000132	60	41	.11028516	06	.147	00	.0215		
000232	60	41	.11028810	06	.147	00	.0156		
000332	60	41	.11029100	06	.147	00	-.0176		
000432	60	41	.11029386	06	.147	00	.0068		
000532	60	41	.11029668	06	.147	00	.0205		
000632	60	41	.11029946	06	.147	00	-.0254		
000732	60	41	.11030220	06	.147	00	-.0146		
000832	60	41	.11030490	06	.148	00	.0029		
000932	60	41	.11030755	06	.148	00	-.0049		
001032	60	41	.11031017	06	.148	00	.0098		
001132	60	41	.11031275	06	.148	00	.0332		
001232	60	41	.11031529	06	.148	00	-.0205		
001332	60	41	.11031778	06	.148	00	.0156		
001432	60	41	.11032024	06	.148	00	-.0234		
001532	60	41	.11032265	06	.148	00	.0117		
001632	60	41	.11032503	06	.148	00	-.0107		
001732	60	41	.11032736	06	.148	00	.0225		
001832	60	41	.11032965	06	.148	00	-.0186		
001932	60	41	.11033190	06	.148	00	.0146		
002032	60	41	.11033411	06	.148	00	-.0117		
002132	60	41	.11033628	06	.148	00	.0049		
002232	60	41	.11033840	06	.148	00	.0117		
002332	60	41	.11034049	06	.148	00	-.0234		

JPL TECHNICAL REPORT NO. 32-694

STATION NUMBER 41		64/07730		ITERATION NUMBER 2		PASS NUMBER 077293	
FREQUENCY 8249.3							
TIME	TC	Q	CC3				
002432	60	41	.11034253	06	.148	00	.0010
002532	60	41	.11034453	06	.148	00	.0000
002632	60	41	.11034649	06	.148	00	.0068
002732	60	41	.11034841	06	.148	00	-.0107
002832	60	41	.11035029	06	.149	00	.0137
002932	60	41	.11035212	06	.149	00	-.0215
003032	60	41	.11035391	06	.149	00	-.0137
003132	60	41	.11035576	06	.149	00	-.0127
003232	60	41	.11035737	06	.149	00	-.0127
003332	60	41	.11035903	06	.149	00	-.0352
003432	60	41	.11036066	06	.149	00	-.0088
003532	60	41	.11036226	06	.149	00	-.0059
003632	60	41	.11036378	06	.149	00	-.0107
003732	60	41	.11036527	06	.149	00	.0107
003832	60	41	.11036672	06	.149	00	.0068
003932	60	41	.11036814	06	.149	00	-.0029
004032	60	41	.11036950	06	.149	00	.0127
004132	60	41	.11037083	06	.149	00	-.0117
004232	60	41	.11037211	06	.150	00	-.0107
004332	60	41	.11037335	06	.150	00	.0000
004432	60	41	.11037456	06	.150	00	.0374
004532	60	41	.11037570	06	.150	00	.0000
004632	60	41	.11037681	06	.150	00	-.0098
004732	60	41	.11037787	06	.150	00	.0068
004832	60	41	.11037890	06	.150	00	-.0010
004932	60	41	.11037988	06	.150	00	-.0146
005032	60	41	.11038082	06	.150	00	-.0020
005132	60	41	.11038171	06	.150	00	-.0127
005232	60	41	.11038256	06	.151	00	-.0039
005332	60	41	.11038345	06	.151	00	-.0205
005432	60	41	.11038433	06	.151	00	.0195
005532	60	41	.11038516	06	.151	00	.0029
005632	60	41	.11038595	06	.151	00	-.0020
005732	60	41	.11038675	06	.151	00	.0020
005832	60	41	.11038730	06	.152	00	-.0020
010032	60	41	.11038780	06	.152	00	.0000
010132	60	41	.11038826	06	.152	00	-.0078
010232	60	41	.11038867	06	.152	00	-.0225
010332	60	41	.11038904	06	.153	00	-.0254
010432	60	41	.11038939	06	.153	00	-.0234
010732	60	41	.11039008	06	.154	00	-.0010
010832	60	41	.11039023	06	.154	00	-.0186
010932	60	41	.11039034	06	.155	00	.0088
011532	60	41	.11039005	06	.158	00	-.0186
011632	60	41	.11038985	06	.159	00	.0010
011732	60	41	.11038960	06	.160	00	-.0020
011832	60	41	.11038931	06	.161	00	.0059
011932	60	41	.11038897	06	.162	00	-.0088
012032	60	41	.11038859	06	.163	00	-.0283
012132	60	41	.11038817	06	.165	00	-.0117
012232	60	41	.11038770	06	.167	00	-.0195
012332	60	41	.11038719	06	.168	00	.0088
012432	60	41	.11038663	06	.170	00	-.0166
012532	60	41	.11038603	06	.173	00	.0010
012632	60	41	.11038539	06	.175	00	.0293
013232	60	41	.11038059	06	.202	00	.0294
013332	60	41	.11037964	06	.209	00	-.0225
013432	60	41	.11037864	06	.217	00	.0068
013532	60	41	.11037760	06	.227	00	.0127
013632	60	41	.11037652	06	.237	00	-.0215
013732	60	41	.11037540	06	.250	00	.0361
014032	60	41	.11037177	06	.302	00	.0029

STATION	NUMBER	41	64/07/30	ITERATION	NUMBER	2	PASS	NUMBER	07/302
FREQUENCY		8149.6							
TIME	TC	Q	CC3						
190132	60	41	.10522805	06	.178	00	.0137		
190232	60	41	.10523720	06	.179	00	.0166		
190332	60	41	.10524636	06	.179	00	-.0283		
190432	60	41	.10525554	06	.179	00	.0098		
190532	60	41	.10526474	06	.179	00	-.0361		
190632	60	41	.10527395	06	.179	00	.0195		
190732	60	41	.10528317	06	.179	00	.0098		
190832	60	41	.10529241	06	.179	00	-.0322		
191232	60	41	.10532953	06	.179	00	-.0010		
191332	60	41	.10533885	06	.179	00	.0156		
191432	60	41	.10534818	06	.179	00	-.0322		
191532	60	41	.10535753	06	.179	00	.0068		
191632	60	41	.10536688	06	.179	00	.0146		
191732	60	41	.10537626	06	.179	00	-.0078		
191832	60	41	.10538564	06	.179	00	.0225		
192232	60	41	.10542332	06	.179	00	.0166		
192332	60	41	.10543277	06	.179	00	.0166		
192432	60	41	.10544223	06	.179	00	.0219		
192732	60	41	.10547068	06	.179	00	-.0029		
192832	60	41	.10548019	06	.179	00	-.0273		
192932	60	41	.10548971	06	.179	00	-.0371		
193032	60	41	.10549924	06	.179	00	-.0107		
193132	60	41	.10550878	06	.179	00	-.0186		
193432	60	41	.10553747	06	.179	00	-.0039		
193532	60	41	.10554705	06	.179	00	-.0020		
193632	60	41	.10555664	06	.179	00	.0234		
193732	60	41	.10556624	06	.179	00	.0068		
193832	60	41	.10557585	06	.179	00	-.0195		
193932	60	41	.10558547	06	.179	00	.0283		
194032	60	41	.10559510	06	.179	00	-.0322		
194132	60	41	.10560473	06	.179	00	.0313		
194432	60	41	.10563369	06	.179	00	.0078		
194532	60	41	.10564336	06	.180	00	.0068		
194632	60	41	.10565305	06	.180	00	-.0010		
194732	60	41	.10566272	06	.180	00	-.0130		
194832	60	41	.10567241	06	.180	00	-.0068		
194932	60	41	.10568210	06	.180	00	-.0361		
195032	60	41	.10569181	06	.180	00	.0107		
195132	60	41	.10570151	06	.180	00	.0352		
195232	60	41	.10571123	06	.180	00	-.0137		
195332	60	41	.10572095	06	.180	00	.0146		
195432	60	41	.10573068	06	.180	00	.0049		
195532	60	41	.10574041	06	.180	00	.0059		
195832	60	41	.10576964	06	.180	00	-.0215		
195932	60	41	.10577939	06	.180	00	.0098		
200032	60	41	.10578915	06	.180	00	.0195		
200132	60	41	.10579891	06	.180	00	-.0078		
200232	60	41	.10580867	06	.180	00	-.0117		
200332	60	41	.10581844	06	.180	00	-.0068		
200432	60	41	.10582821	06	.180	00	.0049		
200532	60	41	.10583799	06	.180	00	.0137		
200832	60	41	.10586733	06	.180	00	.0039		
200932	60	41	.10587711	06	.180	00	.0176		
201032	60	41	.10588690	06	.180	00	-.0205		
201132	60	41	.10589669	06	.180	00	-.0225		
201232	60	41	.10590648	06	.180	00	-.0195		
201332	60	41	.10591628	06	.180	00	.0039		
201432	60	41	.10592607	06	.180	00	-.0078		
201532	60	41	.10593587	06	.180	00	-.0039		
201932	60	41	.10597506	06	.180	00	-.0605		
202032	60	41	.10598485	06	.180	00	-.0510		
202132	60	41	.10599466	06	.180	00	-.0068		
202232	60	41	.10600445	06	.180	00	.0117		
202332	60	41	.10601425	06	.180	00	-.0186		
202432	60	41	.10602405	06	.180	00	-.0137		
202532	60	41	.10603384	06	.181	00	-.0088		
202632	60	41	.10604366	06	.181	00	.0303		
202732	60	41	.10605343	06	.181	00	.0215		
202832	60	41	.10606322	06	.181	00	-.0029		
202932	60	41	.10607301	06	.181	00	.0264		
203032	60	41	.10608279	06	.181	00	-.0264		
203132	60	41	.10609258	06	.181	00	-.0264		
203232	60	41	.10610236	06	.181	00	.0244		
203332	60	41	.10611214	06	.181	00	-.0039		
203432	60	41	.10612191	06	.181	00	.0039		
203532	60	41	.10613168	06	.181	00	.0156		
203632	60	41	.10614145	06	.181	00	-.0293		
203732	60	41	.10615122	06	.181	00	-.0020		
204032	60	41	.10618049	06	.181	00	-.0059		
204132	60	41	.10619024	06	.181	00	.0137		
204232	60	41	.10619998	06	.181	00	.0205		
204332	60	41	.10620972	06	.181	00	-.0020		
204432	60	41	.10621945	06	.181	00	-.0176		
204532	60	41	.10622918	06	.181	00	-.0117		
204632	60	41	.10623890	06	.181	00	-.0166		
204732	60	41	.10624861	06	.181	00	.0342		
204832	60	41	.10625833	06	.181	00	.0068		
204932	60	41	.10626803	06	.181	00	-.0127		
205032	60	41	.10627773	06	.181	00	-.0107		
205132	60	41	.10628742	06	.181	00	-.0010		
205232	60	41	.10629710	06	.181	00	-.0010		
205332	60	41	.10630677	06	.181	00	-.0264		
205632	60	41	.10633576	06	.181	00	-.0098		
205732	60	41	.10634541	06	.181	00	-.0068		
205832	60	41	.10635504	06	.181	00	.0068		
205932	60	41	.10636467	06	.181	00	.0107		
210032	60	41	.10637429	06	.181	00	-.0078		
210132	60	41	.10638390	06	.181	00	-.0371		
210232	60	41	.10639351	06	.181	00	.0107		
210632	60	41	.10643182	06	.182	00	.0146		
210732	60	41	.10644137	06	.182	00	-.0273		
210832	60	41	.10645091	06	.182	00	-.0156		
210932	60	41	.10646045	06	.182	00	.0176		
211032	60	41	.10646997	06	.182	00	.0303		

JPL TECHNICAL REPORT NO. 32-694

STATION NUMBER 41		64/07/30		ITERATION NUMBER 2		PASS NUMBER 07/302	
FREQUENCY 8149.6							
TIME	TC	Q	CC3				
211332	60	41	.10649847	06	.182	00	.0137
211432	60	41	.10650795	06	.182	00	-.0293
211532	60	41	.10651741	06	.182	00	.0225
211632	60	41	.10652686	06	.182	00	.0039
211732	60	41	.10653630	06	.182	00	-.0074
211832	60	41	.10654573	06	.182	00	-.0156
211932	60	41	.10655515	06	.182	00	.0029
212032	60	41	.10656455	06	.182	00	.0176
212132	60	41	.10657394	06	.182	00	-.0225
212232	60	41	.10658331	06	.182	00	.0352
212332	60	41	.10659268	06	.182	00	-.0107
212432	60	41	.10660203	06	.182	00	-.0088
212532	60	41	.10661136	06	.182	00	.0059
212632	60	41	.10662068	06	.182	00	-.0146
212732	60	41	.10662999	06	.182	00	.0127
212832	60	41	.10663928	06	.182	00	.0039
212932	60	41	.10664856	06	.182	00	.0264
213032	60	41	.10665782	06	.182	00	-.0195
213132	60	41	.10666707	06	.182	00	.0000
213232	60	41	.10667630	06	.182	00	.0186
213332	60	41	.10668551	06	.182	00	-.0313
213432	60	41	.10669471	06	.182	00	.0186
213532	60	41	.10670390	06	.182	00	-.0156
213632	60	41	.10671307	06	.182	00	.0166
213732	60	41	.10672222	06	.182	00	-.0137
213832	60	41	.10673135	06	.183	00	.0117
213932	60	41	.10674047	06	.183	00	-.0234
214232	60	41	.10676772	06	.183	00	-.0098
214332	60	41	.10677677	06	.183	00	-.0088
214432	60	41	.10678581	06	.183	00	.0098
214532	60	41	.10679482	06	.183	00	-.0205
214632	60	41	.10680382	06	.183	00	.0166
214732	60	41	.10681279	06	.183	00	.0234
215032	60	41	.10683961	06	.183	00	.0039
215132	60	41	.10684851	06	.183	00	.0020
215232	60	41	.10685740	06	.183	00	.0029
215332	60	41	.10686626	06	.183	00	-.0098
215432	60	41	.10687510	06	.183	00	-.0195
215532	60	41	.10688393	06	.183	00	-.0098
215632	60	41	.10689273	06	.183	00	.0205
215732	60	41	.10690151	06	.183	00	-.0117
215832	60	41	.10691027	06	.183	00	-.0234
215932	60	41	.10691901	06	.183	00	.0010
220032	60	41	.10692773	06	.183	00	-.0029
220132	60	41	.10693644	06	.183	00	-.0029
220232	60	41	.10694511	06	.183	00	.0195
220332	60	41	.10695377	06	.183	00	.0127
220432	60	41	.10696241	06	.183	00	-.0225
220532	60	41	.10697102	06	.183	00	.0146
220632	60	41	.10697961	06	.183	00	-.0098
220732	60	41	.10698815	06	.183	00	.0205
220832	60	41	.10699672	06	.183	00	.0078
220932	60	41	.10700525	06	.183	00	-.0166
221032	60	41	.10701375	06	.183	00	.0000
221332	60	41	.10703911	06	.184	00	-.0322
221432	60	41	.10704752	06	.184	00	.0107
221532	60	41	.10705591	06	.184	00	.0088
221632	60	41	.10706427	06	.184	00	-.0010
221732	60	41	.10707260	06	.184	00	-.0283
221832	60	41	.10708092	06	.184	00	-.0166
221932	60	41	.10708920	06	.184	00	-.0215
222032	60	41	.10709747	06	.184	00	.0156
222132	60	41	.10710570	06	.184	00	-.0059
222232	60	41	.10711392	06	.184	00	.0146
222332	60	41	.10712211	06	.184	00	-.0058
222432	60	41	.10713027	06	.184	00	-.0029
222532	60	41	.10713841	06	.184	00	-.0068
222632	60	41	.10714652	06	.184	00	.0156
222732	60	41	.10715460	06	.184	00	-.0039
222832	60	41	.10716266	06	.184	00	.0029
222932	60	41	.10717070	06	.184	00	-.0303
223032	60	41	.10717870	06	.184	00	.0293
223132	60	41	.10718668	06	.184	00	-.0176
223232	60	41	.10719464	06	.184	00	.0127
223332	60	41	.10720256	06	.184	00	-.0137
223432	60	41	.10721046	06	.184	00	.0029
223532	60	41	.10721833	06	.184	00	-.0020
223632	60	41	.10722618	06	.184	00	.0195
223732	60	41	.10723400	06	.184	00	-.0146
223832	60	41	.10724179	06	.184	00	.0303
223932	60	41	.10724955	06	.184	00	.0020
224032	60	41	.10725728	06	.184	00	-.0146
224632	60	41	.10730308	06	.185	00	.0361
224732	60	41	.10731061	06	.185	00	-.0205
224832	60	41	.10731811	06	.185	00	-.0146
224932	60	41	.10732559	06	.185	00	-.0371
225032	60	41	.10733303	06	.185	00	.0205
225132	60	41	.10734044	06	.185	00	.0068
225232	60	41	.10734783	06	.185	00	-.0254
225332	60	41	.10735518	06	.185	00	.0381
225432	60	41	.10736250	06	.185	00	-.0176
225532	60	41	.10736979	06	.185	00	.0254
225632	60	41	.10737705	06	.185	00	-.0020
225932	60	41	.10739865	06	.185	00	.0020
230032	60	41	.10740578	06	.185	00	.0000
230132	60	41	.10741289	06	.185	00	-.0049
230232	60	41	.10741996	06	.185	00	-.0117
230332	60	41	.10742700	06	.185	00	.0146
230432	60	41	.10743401	06	.185	00	-.0107
230532	60	41	.10744099	06	.185	00	-.0059
230632	60	41	.10744793	06	.185	00	.0000
230732	60	41	.10745484	06	.185	00	.0215
230832	60	41	.10746172	06	.185	00	.0078
230932	60	41	.10746857	06	.185	00	-.0049

STATION NUMBER 41		64/07/30		ITERATION NUMBER 2		PASS NUMBER 07/302	
FREQUENCY 8149.6							
TIME	TC	Q	CC3				
231032	60	41	.10747539	06	.185	00	-.0195
231132	60	41	.10748217	06	.185	00	.0000
231232	60	41	.10748891	06	.185	00	-.0352
231332	60	41	.10749563	06	.185	00	-.0117
231432	60	41	.10750231	06	.185	00	.0234
231732	60	41	.10752215	06	.186	00	-.0332
231832	60	41	.10752809	06	.186	00	-.0205
231932	60	41	.10753521	06	.186	00	-.0068
232032	60	41	.10754168	06	.186	00	.0156
232132	60	41	.10754813	06	.186	00	.0068
232432	60	41	.10756724	06	.186	00	.0049
232932	60	41	.10759841	06	.186	00	.0068
233032	60	41	.10760435	06	.186	00	.0313
233132	60	41	.10761062	06	.186	00	.0244
233232	60	41	.10761668	06	.186	00	.0195
233332	60	41	.10762270	06	.186	00	.0186

DATA STATISTICS		STATION 4		ITERATION 2				
PASS	DATA TYPE	BEGINNING TIME	END TIME	NUMBER OF POINTS	STD DEV	RMS	FIRST MOMENT	SECOND MOMENT
07/292	CC3	7/29-184632	7/30-002332	290	.170-01	.172-01	.259-02	.295-03
07/293	CC3	7/30-002432	7/30-014032	61	.151-01	.154-01	-.266-02	.236-03
07/302	CC3	7/30-190132	7/30-233332	224	.183-01	.184-01	.168-02	.337-03

STATION NUMBER 51		64/07/30		ITERATION NUMBER 2		PASS NUMBER 07/302	
FREQUENCY 8226.7							
TIME	TC	Q	CC3				
015232	60	51	.10681091	06	.150	00	-.0127
015332	60	51	.10681926	06	.150	00	-.0059
015432	60	51	.10682762	06	.150	00	-.0049
015732	60	51	.10685285	06	.150	00	-.0146
015832	60	51	.10686130	06	.150	00	.0010
015932	60	51	.10686977	06	.150	00	-.0049
020032	60	51	.10687826	06	.150	00	-.0146
020132	60	51	.10688678	06	.150	00	.0049
020232	60	51	.10689531	06	.150	00	.0049
020532	60	51	.10692103	06	.150	00	-.0166
020632	60	51	.10692964	06	.150	00	.0039
020732	60	51	.10693828	06	.150	00	.0059
020832	60	51	.10694693	06	.150	00	-.0127
020932	60	51	.10695560	06	.150	00	.0010
021032	60	51	.10696429	06	.150	00	-.0039
021132	60	51	.10697299	06	.150	00	-.0117
021232	60	51	.10698172	06	.150	00	.0137
021332	60	51	.10699046	06	.150	00	.0205
021432	60	51	.10699922	06	.150	00	-.0059
021732	60	51	.10702561	06	.150	00	.0088
021832	60	51	.10703444	06	.150	00	-.0039
021932	60	51	.10704328	06	.150	00	.0176
022032	60	51	.10705214	06	.150	00	-.0107
022132	60	51	.10706102	06	.150	00	-.0049
022232	60	51	.10706991	06	.150	00	-.0156
022332	60	51	.10707882	06	.150	00	-.0078
022432	60	51	.10708775	06	.150	00	-.0176
022532	60	51	.10709669	06	.151	00	.0088
022632	60	51	.10710564	06	.151	00	-.0127
022732	60	51	.10711461	06	.151	00	.0176
022832	60	51	.10712360	06	.151	00	-.0010
022932	60	51	.10713260	06	.151	00	-.0010
023032	60	51	.10714161	06	.151	00	.0205
023132	60	51	.10715064	06	.151	00	-.0059
023232	60	51	.10715968	06	.151	00	.0029
023332	60	51	.10716873	06	.151	00	-.0010
023432	60	51	.10717780	06	.151	00	-.0010
023532	60	51	.10718688	06	.151	00	-.0313
023632	60	51	.10719597	06	.151	00	-.0078
023932	60	51	.10722333	06	.151	00	.0059
024032	60	51	.10723247	06	.151	00	-.0195
024132	60	51	.10724162	06	.151	00	-.0215
024232	60	51	.10725079	06	.151	00	.0137
024332	60	51	.10725996	06	.151	00	.0039
024432	60	51	.10726915	06	.151	00	-.0010
024532	60	51	.10727835	06	.151	00	-.0127
024632	60	51	.10728755	06	.151	00	.0127
024732	60	51	.10729677	06	.151	00	-.0117
024832	60	51	.10730600	06	.151	00	-.0342
024932	60	51	.10731524	06	.151	00	-.0049
025032	60	51	.10732448	06	.151	00	-.0029
025132	60	51	.10733374	06	.151	00	.0088

JPL TECHNICAL REPORT NO. 32-694

STATION NUMBER 51		64/07/30		ITERATION NUMBER 2		PASS NUMBER 07/302	
FREQUENCY		8224.7					
TIME	TC	Q	CC3				
025232	60	51	.10734301	06	.151	00	-.0068
025332	60	51	.10735228	06	.151	00	.0010
025432	60	51	.10736156	06	.151	00	.0010
025532	60	51	.10737086	06	.151	00	-.0244
025632	60	51	.10738016	06	.151	00	.0264
025732	60	51	.10738946	06	.151	00	.0010
025832	60	51	.10739878	06	.151	00	.0205
025932	60	51	.10740810	06	.152	00	.0137
030032	60	51	.10741743	06	.152	00	-.0156
030132	60	51	.10742677	06	.152	00	-.0195
030232	60	51	.10743611	06	.152	00	.0029
030332	60	51	.10744546	06	.152	00	-.0146
030432	60	51	.10745482	06	.152	00	-.0039
030532	60	51	.10746418	06	.152	00	.0000
030632	60	51	.10747355	06	.152	00	.0146
030732	60	51	.10748293	06	.152	00	-.0098
030832	60	51	.10749230	06	.152	00	-.0049
030932	60	51	.10750169	06	.152	00	-.0078
031032	60	51	.10751108	06	.152	00	.0039
031132	60	51	.10752047	06	.152	00	.0088
031232	60	51	.10752987	06	.152	00	-.0059
031332	60	51	.10753928	06	.152	00	.0078
031432	60	51	.10754868	06	.152	00	.0010
031532	60	51	.10755809	06	.152	00	.0068
031632	60	51	.10756751	06	.152	00	-.0244
031732	60	51	.10757692	06	.152	00	.0088
031832	60	51	.10758634	06	.152	00	.0225
031932	60	51	.10759577	06	.152	00	-.0010
032032	60	51	.10760519	06	.152	00	-.0273
032132	60	51	.10761462	06	.152	00	-.0215
032232	60	51	.10762405	06	.152	00	.0156
032332	60	51	.10763348	06	.152	00	-.0176
032432	60	51	.10764292	06	.152	00	.0156
032532	60	51	.10765235	06	.152	00	-.0029
032632	60	51	.10766179	06	.152	00	.0283
032732	60	51	.10767123	06	.152	00	-.0098
032832	60	51	.10768068	06	.152	00	.0029
032932	60	51	.10769013	06	.153	00	-.0098
033032	60	51	.10770000	06	.153	00	.0205
033132	60	51	.10770988	06	.153	00	.0010
033232	60	51	.10771977	06	.153	00	-.0156
033332	60	51	.10772966	06	.153	00	-.0117
033432	60	51	.10773955	06	.153	00	-.0059
033532	60	51	.10774944	06	.153	00	.0020
033632	60	51	.10775933	06	.153	00	.0127
033732	60	51	.10776922	06	.153	00	-.0088
033832	60	51	.10777911	06	.153	00	-.0098
033932	60	51	.10778900	06	.153	00	-.0098
034032	60	51	.10779889	06	.153	00	-.0020
034132	60	51	.10780878	06	.153	00	.0127
034232	60	51	.10781867	06	.153	00	-.0088
034332	60	51	.10782856	06	.153	00	-.0098
034432	60	51	.10783845	06	.153	00	-.0098
034532	60	51	.10784834	06	.153	00	-.0020
034632	60	51	.10785823	06	.153	00	-.0244
034732	60	51	.10786812	06	.153	00	.0049
034832	60	51	.10787801	06	.153	00	-.0098
034932	60	51	.10788790	06	.153	00	.0127
035032	60	51	.10789779	06	.153	00	.0225
035132	60	51	.10790768	06	.153	00	.0049
035232	60	51	.10791757	06	.153	00	-.0264
035332	60	51	.10792746	06	.153	00	-.0166
035432	60	51	.10793735	06	.153	00	.0137
035532	60	51	.10794724	06	.153	00	-.0156
035632	60	51	.10795713	06	.153	00	-.0059
035732	60	51	.10796702	06	.153	00	-.0098
040132	60	51	.10797691	06	.153	00	.0137
040232	60	51	.10800031	06	.153	00	-.0098
040332	60	51	.10800962	06	.153	00	.0078
040432	60	51	.10801893	06	.154	00	.0215
040532	60	51	.10802824	06	.154	00	-.0127
041132	60	51	.10803755	06	.154	00	-.0107
041232	60	51	.10804686	06	.154	00	.0156
041332	60	51	.10805617	06	.154	00	-.0293
041432	60	51	.10806548	06	.154	00	.0176
041532	60	51	.10807479	06	.154	00	-.0078
041632	60	51	.10808410	06	.154	00	.0088
041732	60	51	.10809341	06	.154	00	-.0127
041832	60	51	.10810272	06	.154	00	-.0088
041932	60	51	.10811203	06	.154	00	.0264
042032	60	51	.10812134	06	.154	00	.0039
042132	60	51	.10813065	06	.154	00	-.0068
042232	60	51	.10813996	06	.154	00	-.0391
042332	60	51	.10814927	06	.154	00	.0244
042432	60	51	.10815858	06	.154	00	-.0010
042532	60	51	.10816789	06	.154	00	-.0303
042632	60	51	.10817720	06	.154	00	.0039
042732	60	51	.10818651	06	.154	00	-.0166
042832	60	51	.10819582	06	.154	00	.0088
042932	60	51	.10820513	06	.154	00	-.0010
043032	60	51	.10821444	06	.154	00	.0020
043132	60	51	.10822375	06	.154	00	-.0020
043232	60	51	.10823306	06	.154	00	-.0010
043332	60	51	.10824237	06	.154	00	-.0068
043432	60	51	.10825168	06	.155	00	.0029
043532	60	51	.10826099	06	.155	00	.0088
043632	60	51	.10827030	06	.155	00	-.0029
043732	60	51	.10827961	06	.155	00	-.0156
044032	60	51	.10828892	06	.155	00	.0039
044132	60	51	.10829823	06	.155	00	-.0146
044232	60	51	.10830754	06	.155	00	.0176
044332	60	51	.10831685	06	.155	00	-.0010
044432	60	51	.10832616	06	.155	00	-.0039
044532	60	51	.10833547	06	.155	00	.0117
044632	60	51	.10834478	06	.155	00	-.0059
044732	60	51	.10835409	06	.155	00	-.0068
044832	60	51	.10836340	06	.155	00	-.0244
045132	60	51	.10837271	06	.155	00	.0137

STATION NUMBER 51		64/07/30		ITERATION NUMBER 2		PASS NUMBER 07/302	
FREQUENCY 8224.7							
TIME	TC	Q	CC3				
045232	60	51	.10845235	06	.158	00	-.0303
045332	60	51	.10846101	06	.158	00	-.0068
045432	60	51	.10846965	06	.155	00	-.0156
045532	60	51	.10847827	06	.155	00	-.0127
045832	60	51	.10850402	06	.155	00	.0098
045932	60	51	.10851257	06	.155	00	-.0352
050032	60	51	.10852109	06	.155	00	-.0058
050132	60	51	.10852960	06	.155	00	-.0020
050232	60	51	.10853808	06	.155	00	-.0322
050332	60	51	.10854654	06	.156	00	.0205
050432	60	51	.10855499	06	.156	00	-.0234
050532	60	51	.10856341	06	.156	00	-.0117
050632	60	51	.10857181	06	.156	00	-.0117
050732	60	51	.10858019	06	.156	00	.0244
050832	60	51	.10858855	06	.156	00	-.0166
050932	60	51	.10859689	06	.156	00	-.0195
051032	60	51	.10860520	06	.156	00	-.0176
051132	60	51	.10861349	06	.156	00	.0244
051232	60	51	.10862176	06	.156	00	-.0293
051332	60	51	.10863001	06	.156	00	.0254
051432	60	51	.10863826	06	.156	00	-.0166
051532	60	51	.10864643	06	.156	00	-.0010
051632	60	51	.10865461	06	.156	00	-.0117
051732	60	51	.10866276	06	.156	00	-.0176
051832	60	51	.10867090	06	.156	00	.0029
051932	60	51	.10867900	06	.156	00	-.0039
052032	60	51	.10868705	06	.156	00	-.0127
052132	60	51	.10869515	06	.156	00	-.0137
052232	60	51	.10870318	06	.156	00	-.0146
052332	60	51	.10871119	06	.156	00	.0088
052432	60	51	.10871917	06	.156	00	-.0098
052532	60	51	.10872713	06	.156	00	-.0029
052632	60	51	.10873507	06	.156	00	-.0059
052732	60	51	.10874298	06	.156	00	-.0020
052832	60	51	.10875086	06	.156	00	-.0176
052932	60	51	.10875874	06	.157	00	-.0098
053032	60	51	.10876660	06	.157	00	.0039
053132	60	51	.10877446	06	.157	00	-.0273
053232	60	51	.10878230	06	.157	00	-.0078
053332	60	51	.10879013	06	.157	00	-.0264
053432	60	51	.10879795	06	.157	00	-.0029
053532	60	51	.10880576	06	.157	00	.0186
053632	60	51	.10881356	06	.157	00	-.0137
053732	60	51	.10882135	06	.157	00	-.0010
053832	60	51	.10882913	06	.157	00	.0234
053932	60	51	.10883691	06	.157	00	-.0059
054032	60	51	.10884468	06	.157	00	-.0107
054132	60	51	.10885245	06	.157	00	.0068
054232	60	51	.10886021	06	.157	00	-.0342
054332	60	51	.10886797	06	.157	00	-.0313
054432	60	51	.10887572	06	.157	00	.0068
054532	60	51	.10888347	06	.157	00	-.0098
054632	60	51	.10889121	06	.157	00	-.0059
054732	60	51	.10889895	06	.157	00	-.0107
054832	60	51	.10890668	06	.157	00	.0068
054932	60	51	.10891441	06	.157	00	-.0342
055032	60	51	.10892214	06	.157	00	-.0313
055132	60	51	.10892987	06	.157	00	.0068
055232	60	51	.10893760	06	.157	00	-.0098
055332	60	51	.10894532	06	.157	00	-.0059
055432	60	51	.10895305	06	.158	00	-.0107
055532	60	51	.10896077	06	.158	00	.0049
055632	60	51	.10896849	06	.158	00	.0166
055732	60	51	.10897621	06	.158	00	-.0059
055832	60	51	.10898393	06	.158	00	.0029
055932	60	51	.10899165	06	.158	00	-.0068
060032	60	51	.10899937	06	.158	00	-.0225
060132	60	51	.10900709	06	.158	00	-.0205
060232	60	51	.10901481	06	.158	00	-.0156
060332	60	51	.10902253	06	.158	00	.0215
060432	60	51	.10903025	06	.158	00	-.0059
060532	60	51	.10903797	06	.158	00	-.0068
060632	60	51	.10904569	06	.158	00	-.0146
060732	60	51	.10905341	06	.158	00	-.0137
060832	60	51	.10906113	06	.158	00	-.0078
060932	60	51	.10906885	06	.158	00	-.0146
061032	60	51	.10907657	06	.158	00	-.0127
061132	60	51	.10908429	06	.158	00	-.0117
061232	60	51	.10909201	06	.158	00	.0039
061332	60	51	.10909973	06	.158	00	-.0029
061432	60	51	.10910745	06	.158	00	-.0088
061532	60	51	.10911517	06	.158	00	.0205
061632	60	51	.10912289	06	.158	00	-.0156
061732	60	51	.10913061	06	.158	00	.0000
061832	60	51	.10913833	06	.158	00	.0010
061932	60	51	.10914605	06	.158	00	-.0127
062032	60	51	.10915377	06	.158	00	-.0078
062132	60	51	.10916149	06	.159	00	.0000
062232	60	51	.10916921	06	.159	00	-.0059
062332	60	51	.10917693	06	.159	00	-.0098
062432	60	51	.10918465	06	.159	00	.0059
062532	60	51	.10919237	06	.159	00	-.0078
062632	60	51	.10919999	06	.159	00	-.0010
062732	60	51	.10920771	06	.159	00	-.0186
062832	60	51	.10921543	06	.159	00	-.0166
062932	60	51	.10922315	06	.159	00	-.0137
063032	60	51	.10923087	06	.159	00	-.0068
063132	60	51	.10923859	06	.159	00	.0195
063232	60	51	.10924631	06	.159	00	-.0010
063332	60	51	.10925403	06	.159	00	-.0029
063432	60	51	.10926175	06	.159	00	-.0068
063532	60	51	.10926947	06	.159	00	.0039
063632	60	51	.10927719	06	.159	00	-.0127
063732	60	51	.10928491	06	.159	00	-.0088
063832	60	51	.10929263	06	.159	00	-.0010
063932	60	51	.10930035	06	.159	00	-.0029
064032	60	51	.10930807	06	.159	00	-.0068
064132	60	51	.10931579	06	.159	00	.0039
064232	60	51	.10932351	06	.159	00	-.0127
064332	60	51	.10933123	06	.159	00	-.0088
064432	60	51	.10933895	06	.159	00	-.0010
064532	60	51	.10934667	06	.159	00	-.0020
064632	60	51	.10935439	06	.159	00	-.0020

JPL TECHNICAL REPORT NO. 32-694

STATION NUMBER		51		64/07/30		ITERATION NUMBER		2		PASS NUMBER		07/312	
FREQUENCY 8168.0													
TIME	TC	Q	CC3										
234432	60	51	.10344972	06	.187	00							-.0020
234932	60	51	.10347554	06	.187	00							.0068
235032	60	51	.10348084	06	.187	00							-.0078
235132	60	51	.10348618	06	.187	00							-.0166
235232	60	51	.10349157	06	.187	00							-.0020
235332	60	51	.10349700	06	.187	00							-.0313
235432	60	51	.10350247	06	.187	00							.0117
235532	60	51	.10350799	06	.187	00							-.0049
235632	60	51	.10351355	06	.187	00							.0020
235732	60	51	.10351915	06	.187	00							-.0176
235832	60	51	.10352480	06	.187	00							.0029
235932	60	51	.10353049	06	.187	00							-.0215
64/07/31													
000032	60	51	.10353622	06	.187	00							.0293
000132	60	51	.10354200	06	.187	00							-.0137
000232	60	51	.10354781	06	.187	00							-.0146
000332	60	51	.10355367	06	.187	00							-.0178
000432	60	51	.10355958	06	.187	00							-.0117
000532	60	51	.10356552	06	.187	00							-.0234
000632	60	51	.10357151	06	.187	00							.0225
000732	60	51	.10357754	06	.187	00							-.0244
000832	60	51	.10358361	06	.187	00							-.0127
000932	60	51	.10358973	06	.187	00							.0059
001032	60	51	.10359588	06	.187	00							-.0146
001132	60	51	.10360208	06	.187	00							-.0049
001232	60	51	.10360832	06	.187	00							.0166
001332	60	51	.10361462	06	.187	00							-.0049
001432	60	51	.10362098	06	.187	00							-.0146
001532	60	51	.10362739	06	.187	00							.0088
001632	60	51	.10363386	06	.187	00							-.0088
001732	60	51	.10364038	06	.187	00							-.0156
001832	60	51	.10364696	06	.187	00							-.0137
001932	60	51	.10365360	06	.187	00							-.0176
002032	60	51	.10366030	06	.187	00							-.0020
002132	60	51	.10366706	06	.187	00							-.0303
002232	60	51	.10367388	06	.187	00							.0020
002332	60	51	.10368076	06	.187	00							-.0039
002432	60	51	.10368769	06	.187	00							-.0137
002532	60	51	.10369467	06	.187	00							.0059
002632	60	51	.10370170	06	.187	00							-.0078
002732	60	51	.10370878	06	.187	00							-.0107
002832	60	51	.10371591	06	.187	00							-.0176
002932	60	51	.10372309	06	.187	00							-.0166
003032	60	51	.10373032	06	.187	00							-.0029
003132	60	51	.10373760	06	.187	00							-.0254
003232	60	51	.10374493	06	.187	00							-.0003
003332	60	51	.10375231	06	.188	00							.0049
003432	60	51	.10375974	06	.188	00							-.0107
003532	60	51	.10376722	06	.188	00							-.0117
003632	60	51	.10377475	06	.188	00							.0029
003732	60	51	.10378233	06	.188	00							-.0078
003832	60	51	.10378996	06	.188	00							-.0205
003932	60	51	.10379764	06	.188	00							-.0010
004032	60	51	.10380537	06	.188	00							-.0166
004132	60	51	.10381315	06	.188	00							-.0342
004232	60	51	.10382098	06	.188	00							-.0029
004332	60	51	.10382886	06	.188	00							-.0059
004432	60	51	.10383679	06	.188	00							-.0273
004532	60	51	.10384477	06	.188	00							-.0176
004632	60	51	.10385280	06	.188	00							-.0225
004732	60	51	.10386088	06	.188	00							.0059
004832	60	51	.10386901	06	.188	00							.0186
004932	60	51	.10387719	06	.188	00							-.0205
005032	60	51	.10388542	06	.188	00							-.0098
005132	60	51	.10389370	06	.188	00							-.0078
005232	60	51	.10390203	06	.188	00							-.0068
005332	60	51	.10391041	06	.188	00							-.0166
005432	60	51	.10391884	06	.188	00							-.0342
005532	60	51	.10392732	06	.188	00							-.0029
005632	60	51	.10393585	06	.188	00							-.0059
005732	60	51	.10394443	06	.188	00							-.0273
005832	60	51	.10395306	06	.188	00							-.0176
005932	60	51	.10396174	06	.188	00							-.0225
010032	60	51	.10397047	06	.188	00							.0059
010132	60	51	.10397925	06	.188	00							.0186
010232	60	51	.10398808	06	.188	00							-.0205
010332	60	51	.10399696	06	.188	00							-.0098
010432	60	51	.10400589	06	.188	00							-.0078
010532	60	51	.10401487	06	.188	00							-.0068
010632	60	51	.10402390	06	.188	00							-.0166
010732	60	51	.10403298	06	.188	00							-.0342
010832	60	51	.10404211	06	.188	00							-.0029
010932	60	51	.10405129	06	.188	00							-.0059
011032	60	51	.10406052	06	.188	00							-.0273
011132	60	51	.10406980	06	.188	00							-.0176
011232	60	51	.10407913	06	.188	00							-.0225
011332	60	51	.10408851	06	.188	00							-.0098
011432	60	51	.10409794	06	.188	00							-.0078
011532	60	51	.10410742	06	.188	00							-.0068
011632	60	51	.10411695	06	.188	00							-.0166
011732	60	51	.10412653	06	.188	00							-.0342
011832	60	51	.10413616	06	.188	00							-.0029
011932	60	51	.10414584	06	.188	00							-.0059
012032	60	51	.10415557	06	.188	00							-.0273
012132	60	51	.10416535	06	.188	00							-.0176
012232	60	51	.10417518	06	.188	00							-.0225
012332	60	51	.10418506	06	.188	00							-.0098
012432	60	51	.10419499	06	.188	00							-.0078
012532	60	51	.10420497	06	.188	00							-.0068
012632	60	51	.10421499	06	.188	00							-.0166
012732	60	51	.10422506	06	.188	00							-.0342
012832	60	51	.10423518	06	.188	00							-.0029
012932	60	51	.10424535	06	.188	00							-.0059
013032	60	51	.10425557	06	.188	00							-.0273
013132	60	51	.10426584	06	.188	00							-.0176
013232	60	51	.10427616	06	.188	00							-.0225
013332	60	51	.10428653	06	.188	00							-.0098
013432	60	51	.10429695	06	.188	00							-.0078
013532	60	51	.10430742	06	.188	00							-.0068
013632	60	51	.10431794	06	.188	00							-.0166
013732	60	51	.10432851	06	.188	00							-.0342
013832	60	51	.10433913	06	.188	00							-.0029
013932	60	51	.10434980	06	.188	00							-.0059
014032	60	51	.10436052	06	.188	00							-.0273
014132	60	51	.10437129	06	.188	00							-.0176
014232	60	51	.10438211	06	.188	00							-.0225
014332	60	51	.10439298	06	.188	00							-.0098
014432	60	51	.10440390	06	.188	00							-.0078
014532	60	51	.10441487	06	.188	00							-.0068

STATION	NUMBER	51	64/07/31	ITERATION	NUMBER	2	PASS	NUMBER	07/312
		FREQUENCY		8168.0					
TIME	TC	Q	CC3						
014632	60	51	.10435802	06	.188	00			-.0049
014732	60	51	.10436748	06	.188	00			-.0117
014832	60	51	.10437696	06	.188	00			.0078
014932	60	51	.10438646	06	.188	00			-.0156
015032	60	51	.10439599	06	.188	00			-.0293
015132	60	51	.10440555	06	.188	00			-.0156
015232	60	51	.10441513	06	.188	00			.0020
015332	60	51	.10442473	06	.188	00			-.0029
015432	60	51	.10443436	06	.188	00			-.0137
015532	60	51	.10444402	06	.188	00			.0010
015632	60	51	.10445369	06	.188	00			.0078
015732	60	51	.10446339	06	.188	00			-.0078
015832	60	51	.10447311	06	.188	00			-.0127
015932	60	51	.10448286	06	.188	00			-.0088
020032	60	51	.10449263	06	.188	00			.0068
020132	60	51	.10450242	06	.188	00			-.0010
020232	60	51	.10451223	06	.188	00			.0020
020332	60	51	.10452206	06	.188	00			-.0156
020432	60	51	.10453192	06	.188	00			-.0098
020532	60	51	.10454180	06	.188	00			-.0186
020632	60	51	.10455170	06	.188	00			-.0195
020732	60	51	.10456162	06	.188	00			-.0078
020832	60	51	.10457157	06	.189	00			.0010
020932	60	51	.10458153	06	.189	00			-.0186
021032	60	51	.10459152	06	.189	00			-.0000
021132	60	51	.10460152	06	.189	00			-.0215
021232	60	51	.10461155	06	.189	00			-.0029
021332	60	51	.10462159	06	.189	00			-.0098
021432	60	51	.10463166	06	.189	00			.0234
021532	60	51	.10464174	06	.189	00			-.0283
021632	60	51	.10465185	06	.189	00			-.0156
021732	60	51	.10466197	06	.189	00			-.0068
021832	60	51	.10467212	06	.189	00			-.0000
021932	60	51	.10468228	06	.189	00			.0059
022032	60	51	.10469246	06	.189	00			-.0254
022132	60	51	.10470266	06	.189	00			.0088
022232	60	51	.10471287	06	.189	00			-.0078
022332	60	51	.10472311	06	.189	00			-.0098
022432	60	51	.10473336	06	.189	00			-.0127
022532	60	51	.10474363	06	.189	00			.0000
022632	60	51	.10475392	06	.189	00			-.0049
022732	60	51	.10476422	06	.189	00			-.0098
023032	60	51	.10479524	06	.189	00			-.0078
023132	60	51	.10480561	06	.189	00			-.0117
023232	60	51	.10481600	06	.189	00			.0010
023332	60	51	.10482640	06	.189	00			-.0195
023432	60	51	.10483682	06	.189	00			-.0039
023532	60	51	.10484725	06	.189	00			.0117
023632	60	51	.10485770	06	.189	00			-.0215
023732	60	51	.10486817	06	.189	00			-.0020
023832	60	51	.10487865	06	.189	00			-.0137
023932	60	51	.10488914	06	.189	00			-.0098
024032	60	51	.10489965	06	.189	00			.0020
024132	60	51	.10491017	06	.189	00			-.0029
024232	60	51	.10492070	06	.189	00			.0107
024332	60	51	.10493125	06	.189	00			-.0215
024432	60	51	.10494182	06	.189	00			.0000
024532	60	51	.10495239	06	.189	00			-.0098
024632	60	51	.10496298	06	.189	00			.0010
024732	60	51	.10497358	06	.189	00			.0010
024832	60	51	.10498420	06	.189	00			-.0137
025132	60	51	.10501611	06	.189	00			.0049
025232	60	51	.10502677	06	.189	00			-.0234
025332	60	51	.10505882	06	.189	00			.0068
025432	60	51	.10508997	06	.190	00			-.0098
025732	60	51	.10508025	06	.190	00			.0000
025832	60	51	.10509098	06	.190	00			-.0107
030132	60	51	.10512322	06	.190	00			.0146
030232	60	51	.10513398	06	.190	00			-.0176
030332	60	51	.10514476	06	.190	00			.0078
030432	60	51	.10515554	06	.190	00			-.0284
030532	60	51	.10516634	06	.190	00			.0137
030632	60	51	.10517714	06	.190	00			.0127
030732	60	51	.10518795	06	.190	00			-.0146
030832	60	51	.10519876	06	.190	00			-.0322
030932	60	51	.10520959	06	.190	00			.0254
031032	60	51	.10522042	06	.190	00			-.0410
031132	60	51	.10523126	06	.190	00			-.0146
031232	60	51	.10524210	06	.190	00			-.0020
032032	60	51	.10532912	06	.190	00			.0068
032132	60	51	.10534003	06	.190	00			-.0283
032232	60	51	.10535094	06	.190	00			.0303
032332	60	51	.10536185	06	.190	00			-.0146
032432	60	51	.10537276	06	.190	00			.0029
032532	60	51	.10538368	06	.190	00			-.0186
032632	60	51	.10539461	06	.190	00			.0234
032732	60	51	.10540554	06	.190	00			-.0049
032832	60	51	.10541647	06	.190	00			-.0039
032932	60	51	.10542741	06	.190	00			.0107
033032	60	51	.10543834	06	.190	00			-.0107
033132	60	51	.10544928	06	.190	00			-.0020
033432	60	51	.10548212	06	.190	00			-.0068
033532	60	51	.10549307	06	.190	00			-.0078
033632	60	51	.10550403	06	.190	00			.0068
033732	60	51	.10551498	06	.190	00			-.0146
033832	60	51	.10552594	06	.190	00			-.0039
034132	60	51	.10555881	06	.191	00			-.0078
034232	60	51	.10556976	06	.191	00			.0010
034332	60	51	.10558072	06	.191	00			.0078
034432	60	51	.10559168	06	.191	00			.0000
034532	60	51	.10560264	06	.191	00			-.0078
034632	60	51	.10561360	06	.191	00			-.0156
034732	60	51	.10562456	06	.191	00			-.0059
034832	60	51	.10563551	06	.191	00			.0049

JPL TECHNICAL REPORT NO. 32-694

STATION NUMBER	51	64/07/31	ITERATION NUMBER	2	PASS NUMBER	07/312
FREQUENCY 8168.0						
TIME	TC	Q	CC3			
034932	60	51	-10564847	06	.191	00 .0156
035032	60	51	-10565742	06	.191	00 .0117
035132	60	51	-10566837	06	.191	00 -.0234
035232	60	51	-10567932	06	.191	00 -.0234
035332	60	51	-10571216	06	.191	00 .0059
035832	60	51	-10574497	06	.191	00 -.0078
035932	60	51	-10575592	06	.191	00 .0117
040232	60	51	-10578867	06	.191	00 -.0098
040332	60	51	-10582141	06	.191	00 -.0088
041432	60	51	-10591932	06	.191	00 -.0010
041532	60	51	-10593016	06	.191	00 -.0146
041632	60	51	-10594100	06	.191	00 -.0215
041732	60	51	-10595184	06	.191	00 .0293
041832	60	51	-10596266	06	.191	00 .0039
042132	60	51	-10599509	06	.192	00 -.0234
042232	60	51	-10600588	06	.192	00 .0166
042332	60	51	-10601667	06	.192	00 -.0332
042432	60	51	-10602744	06	.192	00 .0244
042532	60	51	-10603821	06	.192	00 .0244
042632	60	51	-10604896	06	.192	00 -.0322
042732	60	51	-10605971	06	.192	00 .0205
042832	60	51	-10607045	06	.192	00 -.0166
042932	60	51	-10608118	06	.192	00 .0225
043032	60	51	-10609189	06	.192	00 .0049
043132	60	51	-10610260	06	.192	00 -.0186
043232	60	51	-10611330	06	.192	00 .0010
043332	60	51	-10612398	06	.192	00 -.0020
043432	60	51	-10613466	06	.192	00 -.0098
043532	60	51	-10614532	06	.192	00 -.0400
043632	60	51	-10617724	06	.192	00 -.0283
043732	60	51	-10618786	06	.192	00 -.0117
044032	60	51	-10619846	06	.192	00 -.0166
044132	60	51	-10620906	06	.192	00 -.0078
044232	60	51	-10621964	06	.192	00 .0127
044332	60	51	-10623020	06	.192	00 -.0371
044432	60	51	-10624076	06	.192	00 -.0234
044532	60	51	-10625129	06	.192	00 .0371
044632	60	51	-10626182	06	.192	00 -.0234
044732	60	51	-10627233	06	.192	00 -.0020
045032	60	51	-10630379	06	.192	00 .0273
045332	60	51	-10633511	06	.192	00 .0205
045432	60	51	-10634552	06	.192	00 -.0068
045532	60	51	-10635592	06	.192	00 .0137
045832	60	51	-10638701	06	.193	00 .0215
045932	60	51	-10639734	06	.193	00 .0059
050032	60	51	-10640766	06	.193	00 .0068
050132	60	51	-10641796	06	.193	00 -.0088
050232	60	51	-10642824	06	.193	00 -.0088
050332	60	51	-10643851	06	.193	00 .0107
050432	60	51	-10644878	06	.193	00 .0234
050532	60	51	-10645898	06	.193	00 -.0029
050632	60	51	-10646920	06	.193	00 .0166
050732	60	51	-10647939	06	.193	00 .0049
050832	60	51	-10648957	06	.193	00 -.0059
050932	60	51	-10649973	06	.193	00 .0010
051232	60	51	-10653010	06	.193	00 .0332
051332	60	51	-10654018	06	.193	00 -.0186
052032	60	51	-10661023	06	.193	00 -.0176
052132	60	51	-10662016	06	.193	00 -.0273
052232	60	51	-10663007	06	.193	00 .0166
052332	60	51	-10663995	06	.193	00 -.0186
052432	60	51	-10664981	06	.193	00 .0010
052532	60	51	-10665966	06	.193	00 .0078
052632	60	51	-10666948	06	.193	00 -.0146
052732	60	51	-10667928	06	.193	00 -.0303
052832	60	51	-10668906	06	.193	00 -.0088
052932	60	51	-10669881	06	.193	00 -.0156
FREQUENCY 8200.0						
054232	60	51	-10682358	06	.194	00 .0381
054332	60	51	-10683301	06	.194	00 -.0088
054432	60	51	-10684242	06	.194	00 .0176
054532	60	51	-10685180	06	.194	00 .0205
054632	60	51	-10686115	06	.194	00 .0137
054732	60	51	-10687048	06	.194	00 -.0010
054832	60	51	-10687979	06	.194	00 .0273
054932	60	51	-10688907	06	.194	00 -.0029
055232	60	51	-10691676	06	.194	00 .0098
055332	60	51	-10692593	06	.194	00 -.0010
055432	60	51	-10693508	06	.194	00 .0156
055532	60	51	-10694421	06	.194	00 .0068
055632	60	51	-10695331	06	.194	00 .0098
055732	60	51	-10696238	06	.194	00 .0059
055832	60	51	-10697142	06	.194	00 .0117
055932	60	51	-10698044	06	.194	00 -.0059
060032	60	51	-10698943	06	.194	00 .0049
060132	60	51	-10699839	06	.194	00 .0098
060232	60	51	-10700732	06	.194	00 -.0088
060332	60	51	-10701623	06	.194	00 .0352
060432	60	51	-10702511	06	.194	00 .0049
060532	60	51	-10703396	06	.195	00 .0205
060632	60	51	-10704278	06	.195	00 -.0186
060732	60	51	-10705158	06	.195	00 .0205
060832	60	51	-10706034	06	.195	00 .0205
060932	60	51	-10706908	06	.195	00 .0000
061032	60	51	-10707779	06	.195	00 -.0088
061132	60	51	-10708647	06	.195	00 .0283
061232	60	51	-10709512	06	.195	00 -.0225
061332	60	51	-10710374	06	.195	00 .0234
061432	60	51	-10711233	06	.195	00 -.0020
061532	60	51	-10712090	06	.195	00 .0010
061632	60	51	-10712943	06	.195	00 .0020
061732	60	51	-10713793	06	.195	00 -.0010

STATION NUMBER 51		64/07/31		ITERATION NUMBER 2		PASS NUMBER 07/312	
FREQUENCY 8200.0							
TIME	TC	Q	CC3				
061832	60	51	.10716641	06	.195	00	.0264
061932	60	51	.10715485	06	.195	00	.0166
062032	60	51	.10716326	06	.195	00	-.0127
062132	60	51	.10717164	06	.195	00	.0049
062232	60	51	.10717999	06	.195	00	-.0039
062332	60	51	.10718832	06	.195	00	-.0010
062432	60	51	.10719661	06	.195	00	-.0088
062532	60	51	.10720487	06	.195	00	-.0176
062632	60	51	.10721309	06	.195	00	-.0049
062732	60	51	.10722129	06	.195	00	-.0088
062832	60	51	.10722946	06	.195	00	-.0078
062932	60	51	.10723759	06	.195	00	-.0088
063032	60	51	.10724569	06	.195	00	-.0049
063132	60	51	.10725376	06	.195	00	-.0156
063232	60	51	.10726180	06	.195	00	-.0117
063332	60	51	.10726981	06	.195	00	-.0117
063432	60	51	.10727779	06	.195	00	-.0029
063532	60	51	.10728573	06	.195	00	-.0293
063632	60	51	.10729364	06	.195	00	-.0107
063732	60	51	.10730150	06	.196	00	-.0244
064032	60	51	.10732495	06	.196	00	-.0039
064132	60	51	.10733270	06	.196	00	-.0342
064232	60	51	.10734041	06	.196	00	-.0029
064332	60	51	.10734809	06	.196	00	-.0107
064432	60	51	.10735574	06	.196	00	-.0244
064532	60	51	.10736335	06	.196	00	-.0293
064632	60	51	.10737093	06	.196	00	-.0176
064732	60	51	.10737848	06	.196	00	-.0137
064832	60	51	.10738599	06	.196	00	-.0088
064932	60	51	.10739347	06	.196	00	-.0039
065032	60	51	.10740091	06	.196	00	-.0313
065132	60	51	.10740832	06	.196	00	-.0254
065432	60	51	.10743335	06	.196	00	-.0342
065532	60	51	.10743762	06	.196	00	-.0215
065632	60	51	.10744486	06	.196	00	-.0078
065732	60	51	.10745206	06	.196	00	-.0117
065832	60	51	.10745923	06	.196	00	.0205
070132	60	51	.10748052	06	.196	00	.0254
070232	60	51	.10748755	06	.196	00	-.0146
070332	60	51	.10749454	06	.196	00	-.0107
070432	60	51	.10750150	06	.196	00	-.0186
070532	60	51	.10750842	06	.196	00	-.0059
070632	60	51	.10751531	06	.196	00	.0088
070732	60	51	.10752216	06	.197	00	.0078
070832	60	51	.10752897	06	.197	00	-.0059
070932	60	51	.10753575	06	.197	00	-.0146
071032	60	51	.10754249	06	.197	00	-.0264
071132	60	51	.10754920	06	.197	00	.0010
071232	60	51	.10755587	06	.197	00	.0146
071332	60	51	.10756250	06	.197	00	-.0361
071432	60	51	.10756910	06	.197	00	.0000

DATA STATISTICS		STATION 5			ITERATION 2			
PASS	DATA TYPE	BEGINNING TIME	END TIME	NUMBER OF POINTS	STD DEV	RMS	FIRST MOMENT	SECOND MOMENT
07/302	CC3	7/30-015232	7/30-064632	256	.140-01	.141-01	-.156-02	.199-03
07/312	CC3	7/30-234432	7/31-071432	357	.156-01	.156-01	-.265-02	.249-03

CASE I SPACE TRAJECTORIES

EPHEMERIS TAPE IV WITH MARS VELOCITIES. B-8 IS

GME .39860138 06	J .16234500-02	H -.57499999-05	D .78749999-05	RE .63781650 04	REM .63783080 04
U .66709998-19	A .88782497 29	B .88800499 29	C .88837498 29	UME .41780741-02	AU .14959900 09
GMM .49025900 04	GMS .13271544 12	GMV .32476952 06	GMA .42977799 05	GMC .37918700 08	GMJ .12671062 09
EGM .39860320 06	MGM .49027779 04	JAV .29200000-02	HA .00000000 00	DA .00000000 00	RA .34170000 04
ARA .35670000 01	GR .39224036 00	MAS .37410000 03	GB1 .00000000 00	GB2 .00000000 00	SC .10200000 09

INJECTION CONDITIONS MOON 23566650635320240000000 J.D. = 2438605.93608796 JULY 29, 1964 10 27 58.000

GEOCENTRIC X0 .15667452 06 Y0 .63041633 05 Z0 .80776773 04 DX0 .14342616 01 DY0 .97257020 00 DZ0 .28116151 00

CARTESIAN GCM .00000000 00 SGC .00000000 00 TU .37678000 05 GHA .10499373 03 GBU .30667226 03

DATE OF RUN 111464A 000000 EARTH IS THE CENTRAL BODY FOR INTEGRATION COMELL EQUATIONS OF MOTION

0 DAYS 0 HRS. 0 MIN. 0.000 SEC. 23566650635320240000000 J.D. = 2438605.93608796 JULY 29, 1964 10 27 58.000

GEOCENTRIC			EQUATORIAL COORDINATES		
X .15667452 06	Y .63041632 05	Z .80776772 04	DX .14342615 01	DY .97257017 00	DZ .28116150 00
R .16907513 06	DEC .-27388859 01	RA .21918356 02	VE .12070911 02	PTH .-81207508 01	AZE .27095862 03
XS .-89949617 08	YS .-11227379 09	ZS .48686774 08	DXS .-23516068 02	DYS .-16077728 02	DZS .-69720238 01
XM .38246390 06	YM .27456503 05	ZM .-26012533 05	DXM .-83439838-01	DYM .93230140 00	DZM .40985468 00
XT .38246390 06	YT .-27456503 05	ZT .-26012533 05	DXT .-83439838-01	DYT .93230140 00	DZT .40985468 00
RS .15187738 09	VS .29327596 02	RM .38432947 06	VM .10218263 01	RT .38432947 06	VT .10218263 01
GED .27370787 01	ACT .16269697 06	LUS .24606686 02	RAS .12870042 03	KAM .41081312 01	LDM .26001239 03
DUT .35000000 02	DT .12000000 03	DR .17051341 01	SHA .16335721 06	DES .18697176 02	DEM .-38809100 01
DAC .00000000 00	LCL .25840728 03	MCL .11049391 00	TCL .11049391 00		

GEOCENTRIC CONIC

EPOCH OF PERICENTER PASSAGE 235666450062202631340000 J.D. = 2438605.21642591 JULY 28, 1964 17 11 39.199

SMA .24408708 06	ECC .97401692 00	B .55279679 05	SLR .12519479 05	APD .48183203 06	RCA .63421336 04
TA .16192552 03	MTA .00000000 00	EA .71608125 02	MA .18651446 02	C3J .-20370906 01	TF1 .00000000 00

ALL VECTORS REFERENCED TO EARTH EQUATOR PLANE					
X .15667452 06	Y .63041632 05	Z .80776772 04	DX .14342615 01	DY .97257017 00	DZ .28116150 00
INC .28707628 02	LAN .16908152 02	APF .20378266 03	MX .-34898686 00	MY .80607934 00	MZ .47795831 00
WX .13970134 00	WY .-43937610 00	WZ .87708221 00	PX .-77265330 00	PY .-60355082 00	PZ .-19370605 00
QX .61926354 00	QY .-68062117 00	QZ .-43955047 00	RX .15255751 00	RY .-11965999 00	RZ .-98105958 00
BX .-61926359 00	BY .68062121 00	BZ .43955050 00	TX .-61622233 00	TY .78737225 00	TZ .00000000 00
DAP .-11169144 02	RAP .21804079 03				
BTQ .49420877 05	BRQ .-24767313 05	B .55279679 05	THA .33338222 03		

HELIOCENTRIC

EQUATORIAL COORDINATES

X .90106291 08	Y .-11221075 09	Z .-48678694 08	DX .24950329 02	DY .17050298 02	DZ .72531853 01
R .15192106 09	LAT .-18688384 02	LOH .30876480 03	V .31077970 02	PTH .-21990138 00	AZ .75813411 02
XE .89949617 08	YE .-11227379 09	ZE .-48686774 08	DXE .23516068 02	DYE .-16077728 02	DZE .-69720238 01
XM .38246390 06	YM .27456503 05	ZM .-26012533 05	DXM .-83439838-01	DYM .93230140 00	DZM .40985468 00
XT .38246390 06	YT .-27456503 05	ZT .-26012533 05	DXT .-83439838-01	DYT .93230140 00	DZT .40985468 00
LTE .-18697176 02	LDE .30870042 03	LTY .-18680127 02	LOT .30882594 03	RST .15209227 09	VST .29881788 02
EPS .74995022 02	ESP .60570802-01	SEP .10494337 03	EPH .14723360 03	EMP .13773992 02	MEP .18992397 02
MPS .13777124 03	MSP .37874935-01	SMP .42170242 02	SEM .12393371 03	EMS .35944169 02	ESH .11992408 00
RPM .23110450 06	SPN .72833150 02				
SAC .58666985-10					
GCE .10159271 03	GCT .28170321 03	SIP .13734035 03	CPT .92025127 02	SIN .91594235 02	D1 .22561861 00
REP .16907513 06	VEP .17555770 01	CPE .97484329 02	CPS .76877848 02	D2 .16806176 00	D3 .18732549-02

1 DAYS 19 HRS. 5 MIN. 21.120 SEC. 235666622147202617300001 J.D. = 2438607.73147129 JULY 31, 1964 05 33 19.120

GEOCENTRIC			EQUATORIAL COORDINATES		
X .29850499 06	Y .17412139 06	Z .43994134 05	DX .64990292 00	DY .52828978 00	DZ .18216479 00
R .34836615 06	DEC .72550883 01	RA .30255502 02	VE .85711604 00	PTH .79940541 02	AZ .59606054 02
XS .-34836615 06	LAT .72550892 01	LOH .39805418 03	VE .25085318 02	PTE .19279506 01	AZE .27017413 03
XM .33704213 06	YM .16531779 06	ZM .37879808 05	DXM .-49758343 00	DYM .81818858 00	DZM .40181758 00
XT .33704213 06	YT .16531779 06	ZT .37879808 05	DXT .-49758343 00	DYT .81818858 00	DZT .40181758 00
RS .15184656 09	VS .29338412 02	RM .37730922 06	VM .10384985 01	RT .37730922 06	VT .10384985 01
GED .73039989 01	ACT .34198829 06	LUS .98250049 02	KAS .13045137 03	KAM .26127761 02	LDM .35392644 03
DUT .35000000 02	DT .48000000 03	DR .84393963 00	SHA .34553736 06	DES .57618937 01	DEM .57618937 01
DAC .00000000 00	LCL .25940995 03	MCL .24403796 00	TCL .24403796 00		

GEOCENTRIC CONIC

EPOCH OF PERICENTER PASSAGE 235666453334202765900001 J.D. = 2438605.29541572 JULY 28, 1964 19 05 23.919

SMA .25654037 06	ECC .98661000 00	B .41841011 05	SLR .68241528 04	APD .50964567 06	RCA .34350742 04
TA .17357379 03	MTA .00000000 00	EA .11127205 03	MA .58594840 02	C3J .-20580705 01	TF1 .43089200 02

ALL VECTORS REFERENCED TO EARTH EQUATOR PLANE					
X .29850499 06	Y .17412139 06	Z .43994134 05	DX .64990292 00	DY .52828978 00	DZ .18216479 00
INC .31361147 02	LAN .18198795 02	APF .20046971 03	MX .-48923678 00	MY .71115935 00	MZ .50487558 00
WX .16253819 00	WY .-49439772 00	WZ .85390389 00	PX .-79673050 00	PY .-37627783 00	PZ .-18200095 00
QX .58206676 00	QY .-65074910 00	QZ .-48756889 00	RX .14746868 00	RY .10666459 00	RZ .-98329834 00
BX .-58206690 00	BY .65074925 00	BZ .48756900 00	TX .-58606610 00	TY .81026325 00	TZ .00000000 00
DAP .-10486331 02	RAP .65074925 00				
BTQ .36335064 05	BRQ .-20746888 05	B .41841011 05	THA .33027415 03		

HELIOCENTRIC

EQUATORIAL COORDINATES

X .93854859 08	Y .-10955474 09	Z .-47539242 08	DX .22631593 02	DY .17299936 02	DZ .74372570 01
R .44151818 09	LAT .-1239035 02	LOH .-31108445 02	V .30158509 02	PTH .-33144005 00	AZ .75081514 02
XE .93854859 08	YE .-10972886 09	ZE .-47582337 08	DXE .22981690 02	DYE .-16731646 02	DZE .-72550923 01
XM .33704213 06	YM .16531779 06	ZM .37879808 05	DXM .-49758343 00	DYM .81818858 00	DZM .40181758 00
XT .33704213 06	YT .16531779 06	ZT .37879808 05	DXT .-49758343 00	DYT .81818858 00	DZT .40181758 00
LTE .-18262074 02	LDE .31045137 03	LTY .-18237476 02	LOT .31059580 03	RST .15192334 09	VST .29532355 02
EPS .82563077 02	ESP .13028593 02	SEP .37306579 02	EPH .13412486 03	EMP .41510751 02	MEP .43643786 01
MPS .14331163 03	MSP .98911702-02	SMP .36679356 02	SEM .10167094 03	EMS .78189705 02	ESH .13970734 00
RPM .39999995 05	SPN .81514029 02				
SAC .58590012-10					
GCE .10059405 03	GCT .28083808 03	SIP .14082134 03	CPT .94021776 02	SIN .91531491 02	D1 .13047323 01
REP .34836615 06	VEP .85711604 00	CPE .98550263 02	CPS .77055966 02	D2 .10732507 01	D3 .76185461-01

1 DAYS 19 HRS. 5 MIN. 21.120 SEC. 235666622147202617300001 J.D. = 2438607.73147129 JULY 31, 1964 05 33 19.120

CHANGE OF PHASE OCCURS AT THIS POINT EARTH IS THE CENTRAL BODY FOR INTEGRATION COMELL EQUATIONS OF MOTION

2 DAYS 2 HRS. 57 MIN. 50.728 SEC. 235666640027202135131643 J.D. = 2438608.05959175 JULY 31, 1964 13 25 48.728

JPL TECHNICAL REPORT NO. 32-694

CASE 1												SPACE TRAJECTORIES																							
GEOCENTRIC												EQUATORIAL COORDINATES																							
X	.32029138	06	Y	.18771490	06	Z	.48627684	05	DX	.20228714	01	DY	.43325396	00	DZ	.28010291	00	X	.32029138	06	Y	.18771490	06	Z	.48627684	05	DX	.20228714	01	DY	.43325396	00	DZ	.28010291	00
R	.37441702	06	DEC	.74624127	01	RA	.30913517	02	V	.20876244	01	PTH	.71875039	02	AZ	.27199568	03	R	.37441702	06	DEC	.74624127	01	RA	.30913517	02	V	.20876244	01	PTH	.71875039	02	AZ	.27199568	03
K	.37441701	06	LAT	.74824127	01	LDN	.23972544	03	VE	.27791635	02	FTE	.40938121	01	AZE	.27007674	03	K	.37441701	06	LAT	.74824127	01	LDN	.23972544	03	VE	.27791635	02	FTE	.40938121	01	AZE	.27007674	03
XS	-.94206473	08	YS	.10925284	09	ZS	.47376826	08	DXS	-.22881651	02	DYS	-.16849780	02	DZS	-.73062334	01	XS	-.94206473	08	YS	.10925284	09	ZS	.47376826	08	DXS	-.22881651	02	DYS	-.16849780	02	DZS	-.73062334	01
XM	.32192654	06	YM	.18798435	06	ZM	.49143394	05	DXM	-.56837355	00	DYM	.78001521	00	DZM	.39238635	00	XM	.32192654	06	YM	.18798435	06	ZM	.49143394	05	DXM	-.56837355	00	DYM	.78001521	00	DZM	.39238635	00
XT	.32192654	06	YT	.18798435	06	ZT	.49143394	05	DXT	-.56837355	00	DYT	.78001521	00	DZT	.39238635	00	XT	.32192654	06	YT	.18798435	06	ZT	.49143394	05	DXT	-.56837355	00	DYT	.78001521	00	DZT	.39238635	00
KS	.15184073	09	VS	.29340519	02	RM	.37601845	06	VM	.10418442	01	RT	.37601845	06	VT	.10418442	01	KS	.15184073	09	VS	.29340519	02	RM	.37601845	06	VM	.10418442	01	RT	.37601845	06	VT	.10418442	01
GEO	.75126885	01	ALT	.36803917	06	LGS	.34012244	03	RAS	.13077052	03	RAM	.30282171	02	LOM	.23963409	03	GEO	.75126885	01	ALT	.36803917	06	LGS	.34012244	03	RAS	.13077052	03	RAM	.30282171	02	LOM	.23963409	03
DUT	.35000000	02	DT	.30000000	02	DK	.19800371	01	SIA	.37126506	05	DES	.18180800	02	DEM	.75097041	01	DUT	.35000000	02	DT	.30000000	02	DK	.19800371	01	SIA	.37126506	05	DES	.18180800	02	DEM	.75097041	01
DAC	.90000000	00	GCL	.25948618	03	MCL	.34216015	03	TCL	.34216015	03						DAC	.90000000	00	GCL	.25948618	03	MCL	.34216015	03	TCL	.34216015	03							
HELIOCENTRIC												EQUATORIAL COORDINATES																							
X	.94526764	08	Y	-.10906513	09	Z	-.47328198	08	DX	.24904522	02	DY	.17283033	02	DZ	.75863364	01	X	.94526764	08	Y	-.10906513	09	Z	-.47328198	08	DX	.24904522	02	DY	.17283033	02	DZ	.75863364	01
R	.15188966	09	LAT	-.18195433	02	LUN	.31091548	05	V	.31248055	02	PTH	.13294285	01	AZ	.74741741	02	R	.15188966	09	LAT	-.18195433	02	LUN	.31091548	05	V	.31248055	02	PTH	.13294285	01	AZ	.74741741	02
XE	.94206473	08	YE	-.10925284	09	ZE	-.47376826	08	DXE	.22881651	02	DYE	-.16849780	02	DZE	.73062334	01	XE	.94206473	08	YE	-.10925284	09	ZE	-.47376826	08	DXE	.22881651	02	DYE	-.16849780	02	DZE	.73062334	01
XT	.94206473	08	YT	-.10925284	09	ZT	-.47376826	08	DXT	.22881651	02	DYT	-.16849780	02	DZT	.73062334	01	XT	.94206473	08	YT	-.10925284	09	ZT	-.47376826	08	DXT	.22881651	02	DYT	-.16849780	02	DZT	.73062334	01
LTE	-.18180800	02	LOE	.31077052	03	LTT	-.18155146	02	LST	.31091604	03	RST	.15189032	09	VST	.20461173	02	LTE	-.18180800	02	LOE	.31077052	03	LTT	-.18155146	02	LST	.31091604	03	RST	.15189032	09	VST	.20461173	02
EPS	.82420257	02	ESP	.13988231	00	SEP	.97439692	02	EPN	.15727339	03	EMP	.22624433	02	MEP	.10207574	00	EPS	.82420257	02	ESP	.13988231	00	SEP	.97439692	02	EPN	.15727339	03	EMP	.22624433	02	MEP	.10207574	00
MPS	.11247391	03	MSP	.27453512	-18	SMP	.67525483	02	EM	.97509211	02	EMS	.82350162	02	ESM	.14110097	00	MPS	.11247391	03	MSP	.27453512	-18	SMP	.67525483	02	EM	.97509211	02	EMS	.82350162	02	ESM	.14110097	00
RPM	.17355955	04	SPN	.81444206	02												RPM	.17355955	04	SPN	.81444206	02													
SAC	.58691248	-10															SAC	.58691248	-10																
GCE	.10351781	03	GCT	.26267398	03	SIP	.11247391	03	CPT	.10155228	03	SIN	-.10155228	03	D1	.57052062	03	GCE	.10351781	03	GCT	.26267398	03	SIP	.11247391	03	CPT	.10155228	03	SIN	-.10155228	03	D1	.57052062	03
REP	.37441702	06	VEP	.20876244	01	CPE	.98443460	02	CPS	.77089278	02	D2	.15379714	03	D3	.44884791	04	REP	.37441702	06	VEP	.20876244	01	CPE	.98443460	02	CPS	.77089278	02	D2	.15379714	03	D3	.44884791	04
SELENOCENTRIC												EQUATORIAL COORDINATES																							
X	-.16351562	04	Y	-.26944140	03	Z	-.51571044	03	DX	.25912450	01	DY	-.34676125	00	DZ	-.11228344	00	X	-.16351562	04	Y	-.26944140	03	Z	-.51571044	03	DX	.25912450	01	DY	-.34676125	00	DZ	-.11228344	00
R	.17355955	04	DEC	-.17285752	02	RA	.18935712	03	V	.26167540	01	PTH	-.64108583	02	AZ	.13607622	03	R	.17355955	04	DEC	-.17285752	02	RA	.18935712	03	V	.26167540	01	PTH	-.64108583	02	AZ	.13607622	03
K	.17355955	04	LAT	-.10701726	02	LDN	.33933150	03	VP	.26149379	01	PTP	-.64190717	02	ALP	.11489046	03	K	.17355955	04	LAT	-.10701726	02	LDN	.33933150	03	VP	.26149379	01	PTP	-.64190717	02	ALP	.11489046	03
LTS	.94280089	00	LNS	.27242310	03	LTE	.58450094	01	LNE	.35482939	03						LTS	.94280089	00	LNS	.27242310	03	LTE	.58450094	01	LNE	.35482939	03							
ALT	-.24044647	01	SHA	-.16037764	04	ALP	.51316673	01	DR	-.23540927	01	DP	.37721356	-01	ASD	.90000000	02	ALT	-.24044647	01	SHA	-.16037764	04	ALP	.51316673	01	DR	-.23540927	01	DP	.37721356	-01	ASD	.90000000	02
HSE	.27757974	03	SVL	-.16444751	02	HNG	.11348861	03	SIA	.67273393	02						HSE	.27757974	03	SVL	-.16444751	02	HNG	.11348861	03	SIA	.67273393	02							
SAC	.58691248	-10															SAC	.58691248	-10																
SELENOCENTRIC CONIC												EQUATORIAL COORDINATES																							
EPOCH OF PERICENTER PASSAGE												23566640246202233164243 J.D.= 24386608.06621774 JULY 31, 1964 13 35 21.213																							
SMA	-.40925170	04	ECC	.10936285	01	B	.18119414	04	SLR	.80222820	03	APU	.00000000	00	RCA	.38317602	03	SMA	-.40925170	04	ECC	.10936285	01	B	.18119414	04	SLR	.80222820	03	APU	.00000000	00	RCA	.38317602	03
WH	.10945045	01	C3	.11979400	01	C1	.19831782	04	TFP	-.57248478	03	YF	.51123114	02	LTF	.51030153	02	WH	.10945045	01	C3	.11979400	01	C1	.19831782	04	TFP	-.57248478	03	YF	.51123114	02	LTF	.51030153	02
YA	-.11945492	03	MYA	.15611886	03	EA	-.43489774	02	MA	-.87723029	01	C3J	-.21690962	01	TFT	.50564000	02	YA	-.11945492	03	MYA	.15611886	03	EA	-.43489774	02	MA	-.87723029	01	C3J	-.21690962	01	TFT	.50564000	02
ZAE	.13175625	03	ZAP	.14584324	03	ZAC	.93426533	02	DEF	.13223773	03	IR	-.41228584	04	GP	.78472725	00	ZAE	.13175625	03	ZAP	.14584324	03	ZAC	.93426533	02	DEF	.13223773	03	IR	-.41228584	04	GP	.78472725	00
DPI	.00000000	00	ZAY	.00000000	00	DPZ	.38000000	02									DPI	.00000000	00	ZAY	.00000000	00	DPZ	.38000000	02										
ALL VECTORS REFERENCED TO ORBIT PLANE OF TARGET												ALL VECTORS REFERENCED TO TRUE LUNAR EQU. PLANE																							
X	.15283875	04	Y	-.64237642	03	Z	-.51349394	03	DX	-.26025240	01	DY	.446404317	-01	DZ	-.26854581	00	X	.15283875	04	Y	-.64237642	03	Z	-.51349394	03	DX	-.26025240	01	DY	.446404317	-01	DZ	-.26854581	00
INC	.28507691	02	LAN	.16802832	03	APF	.33776319	03	MX	-.23108888	-02	MY	-.79848262	00	MZ	.42450748	00	INC	.28507691	02	LAN	.16802832	03	APF	.33776319	03	MX	-.23108888	-02	MY	-.79848262	00	MZ	.42450748	00
WX	.99000600	-01	WY	.46689615	00	WZ	.87879304	00	WZ	-.83651524	00	PV	.51731931	00	PZ	-.18061830	00	WX	.99000600	-01	WY	.46689615	00	WZ	.87879304	00	WZ	-.83651524	00	PV	.51731931	00	PZ	-.18061830	00
OX	-.53892587	00	OY	-.71720899	00	OZ	.44178065	00	PX	-.13465108	-01	PY	.25020790	-02	PZ	-.99595618	00	OX	-.53892587	00	OY	-.71720899	00	OZ	.44178065	00	PX	-.13465108	-01	PY	.25020790	-02	PZ	-.99595618	00
BX	.15413177	00	BY	.86523861	00	BZ	-.47708024	00	TX	.18269214	00	TY	.98317017	00	TZ	.00000000	00	BX	.15413177	00	BY	.86523861	00	BZ	-.47708024	00	TX	.18269214	00	TY	.98317017	00	TZ	.00000000	00
SXI	-.98307794	00	SVI	.18257500	00	SZI	.13695603	-01	DAI	.78472470	00	RAI	.16947339	03				SXI	-.98307794	00	SVI	.18257500	00	SZI	.13695603	-01	DAI	.78472470	00	RAI	.16947339	03			

U MATRIX FOR MAPPING FORWARD ITERATION NUMBER 2. Table with columns X, Y, Z, DX, DY, DZ, KE, RE, G and rows for X, Y, Z, DX, DY, DZ, KE, RE, G, and various coordinate systems (LUT01, LUT02, etc.).

Covariance matrix section with columns R1(05) and L0(05). Rows include X, Y, Z, DX, DY, DZ, KE, RE, G, and various coordinate systems.

Covariance Matrix AT IMPACT ITERATION NUMBER 2. Table with columns X, Y, Z, DX, DY, DZ, KE, RE, G and rows for X, Y, Z, DX, DY, DZ, KE, RE, G, and various coordinate systems (LUT01, LUT02, etc.).

IMPACT PARAMETERS 64/07731 132548

N MATRIX (TARGET ORBITAL PLANE)

	B.RU	B.TU	TL	C3	S.TS	S.RS
B.RU	.32967331 02	-.17931574 02	.15664596-03	.36250858-01	-.35001573-02	.20614282-02
B.TU	-.17931574 02	.10351956 02	-.11733032-03	-.20811617-01	.20081267-02	-.11816563-02
TL	.15664593-03	-.11733030-03	.29589390-08	.23679449-06	-.22815368-07	.13315637-07
C3	.36250857-01	-.20811617-01	.23679453-06	.42162143-04	-.40702855-05	.23993820-05
S.TS	-.35001566-02	.20081264-02	-.22815365-07	-.40702847-05	.39317660-06	-.23121759-06
S.RS	.20614276-02	-.11816559-02	.13315637-07	.23993814-05	-.23121759-06	.13599567-06

NORMALIZED N MATRIX

	B.RU	B.TU	TL	C3	S.TS	S.RS
B.RU	.99999999 00	-.97859862 00	.50461493 00	.97828606 00	-.97814363 00	.97952258 00
B.TU	-.97859861 00	.10000000 01	-.67039540 00	-.99616954 00	.99537345 00	-.99590380 00
TL	.50461483 00	-.67039531 00	.10000000 01	.67041273 00	-.66890684 00	.66379105 00
C3	.97828602 00	-.99616954 00	.67041284 00	.99999998 00	-.99970000 00	.99951227 00
S.TS	-.97814344 00	.99537332 00	-.66890677 00	-.99969982 00	.10000000 01	-.99991825 00
S.RS	.97952258 00	-.99590353 00	.66379105 00	.99951199 00	-.99991825 00	.10000000 01

DW/DQU MATRIX

	B.RU	B.TU	TL	C3	S.TS	S.RS
X	-.41882097-02	-.13192300 01	-.13722824 01	-.13644447-04	.19479215-03	.25684024-04
Y	.19841481 00	-.95093483 00	-.31187259 00	.12471388-04	.54902795-04	.87218704-05
Z	-.42064566 00	-.25896343 00	.82498427-02	.35388161-05	.14478806-04	-.18264600-05
DX	-.12347015 05	-.98304786 05	-.16077389 06	.27874441 01	.21518375 02	.29709148 01
DY	.69016132 05	-.17811702 06	.18506068 05	.17691553 00	.14253490 01	-.17516613 00
DZ	-.16050349 06	-.66460121 05	.22881221 05	-.18420148 00	-.43086767-01	.70506358 00

B .18119257 04

B.RU .86451081 03

B.TU .15923868 04

B.RT .80361322 03

B.TT .16239820 04

TL .51030154 02

SMAA .65232521 01

SMIA .60536616 00

THETA .60888041 02

DEL T .19582607 00

DEL B .65512814 01

DEL S .21433610 00

IF .50964090 02

N MATRIX (TARGET EQUATORIAL PLANE)

	B.RT	B.TT	TL
B.RT	.33892177 02	-.17039781 02	.16097540-03
B.TT	-.17039781 02	.90271094 01	-.11131613-03
TL	.16097536-03	-.11131611-03	.29589390-08

APPENDIX G

ODP format description

Block No. references are to Appendixes E and F. All units are in kilometers and seconds unless otherwise specified.

- Block No. 1 Control card input.
- Block No. 2 Input covariance matrix of estimated parameters from postmaneuver data a priority.
- Block No. 3 Inverse of Block No. 2
- Block No. 4 Trajectory based on injection conditions from previous iteration. Its format is explained in Appendix D.
- Block No. 5 The normal equation coefficients combined with the a priori matrix at injection epoch.
- Block No. 6 Correlation matrix based on Block No. 5
- Block No. 7 Solution vector and statistics of estimated parameters from last iteration (see next page for explanation of format).
- Block No. 8 Covariance matrix of estimated parameters, at injection epoch, from last iteration.
- Block No. 9 Correlation matrix of estimated parameters, at injection epoch, from last iteration.
- Block No. 10 Residual listings and data statistics for the tracking stations. First the residuals will be listed and then followed by the statistics.

BLOCK 8

The above sequence is repeated until the orbit converges. In the last iteration a trajectory based on the converged estimated parameters is run out to lunar encounter. See Appendix D for explanation of trajectory format.

Following the trajectory printout is the *U* matrix which maps the covariance matrix at injection to encounter. Immediately below the *U* matrix is the covariance matrix on the estimated parameters at impact or closest approach epoch. This is formed by mapping the covariance matrix at injection to impact in double precision.

There are three blocks following the covariance matrix. The first block is a covariance matrix *N* formed by mapping the upper 6×6 matrix of the covariance of impact into a new coordinate system (explained in Appendix A of this Report) (σ_{TL}^2 is in hr^2). The second block is simply the correlation matrix of the first block covariance matrix. The third block is a mapping matrix which maps injection components into the **B•T**, **B•R**, etc. system.

B = The vector measured from the center of the Moon perpendicular to the incoming asymptote (in kilometers).

B•RO = The **B** vector dotted on the **R** axis in km (**T** axis in the Moon's orbital plane).

B•TO = The **B** vector dotted on the **T** axis in km (**T** axis in the Moon's orbital plane).

B•RT = The **B** vector dotted on the **R** axis in km (**T** axis in the equatorial plane of the Moon).

RESIDUAL LISTING FORMAT

Frequency XXXX.X Last digits in transmitter, frequency 2966 XXXX.X in cps

GMT	TC	Q	CC3	
XX XX XX	X	X	.XXXXXXXX XX	.XXX XX .XXXX ¹⁶
hr min sec	Doppler count time in sec	Transmitting station	Two-way doppler (CC3) value in cps (floating point number)	Associated weight in floating point Residual (observed minus calculated) in cps

¹⁶Residuals followed by an asterisk (*) have been deleted from fit.

- B·TT** = The **B** vector dotted on the **T** axis in km **T** axis in the equatorial plane of the Moon).
- TL** = Linearized time of flight in hours.
- SMAA** = The largest eigenvalue of the upper 2×2 of the **N** matrix (commonly called the semimajor axis of a 40% dispersion ellipse in the **B** plane).
- SMIA** = The semiminor axis of the dispersion ellipse or the other eigenvalue of the upper 2×2 .
- THETA** = The orientation angle of the semimajor axis of the dispersion ellipse measured counterclockwise from the **T** axis.
- DEL T** = Uncertainty in the time of flight in sec.
- DEL B** = $(N_{11} + N_{22})^{1/2}$ where **N**'s are from the first block of this sheet.
- DEL S** = $V_{\infty} (\text{DEL } T)$ The position uncertainty in the direction of the incoming asymptote. Where V_{∞} = hyperbolic excess velocity in km/sec.
- TF** = Orbital time of flight, in hours from injection epoch to impact or closest approach.
- The block following the **B** plane parameters is formed by rotating the upper 3×3 of the covariance matrix **N** (target orbital plane) into the target equatorial plane.

BLOCK 7

JOB TITLE

Iteration number	Epoch year/month/day	XX XXX XX	Clock XXXXXX	SOS* XXXXX QSOS** XXXXX		
	GMT	hr, min, sec	(PC time now) hr, min, sec	Floating pointing numbers		
Q	DQ	STDEVDQ	OLD Q	NEW Q	NOMINAL Q	DQ (NOM)
<p>X, Y, Z = Position space-fixed Cartesian component in km</p> <p>DX, DY, DZ = Velocity space-fixed Cartesian in km/sec</p> <p>RI = Radius in KE = GM_e in km km^3/sec^2</p> <p>LA = Latitude RE in = Radius of Earth to scale ephemeris in km</p> <p>LO = Longitude KM = GM_c in in deg km^3/sec^2</p>	Difference in estimated parameters from previous iteration and this iteration	Standard deviations on estimated parameters	Value of estimated parameters from previous iteration (Initial estimate on 1st iteration)	Value of estimated parameters on this iteration	Initial estimate of parameters	Total difference in new Q and nominal Q
<p>*Weighted sum of the squares of the residuals.</p> <p>**Weighted sum of the squares of the residuals plus the product $\delta x^T \Gamma^{-1} \delta x$ where δx is the difference in the a priori Q and the value of Q on the particular iteration, and Γ is on a priori covariance on Q.</p>						

REFERENCES

1. Hudson, R. H., Nead, M. W., and Warner, M. R., *The Orbit Determination Program of the Jet Propulsion Laboratory*, Technical Memorandum No. 33-168, Jet Propulsion Laboratory, Pasadena, March 18, 1964.
2. Holzman, R. E., and Coltharp, C. D., *JPL Tracking Data Editing Program for the IBM 7094*, Technical Memorandum No. 33-170, Jet Propulsion Laboratory, Pasadena, August 1, 1964.
3. Noton, A. R. M., Cutting, E., and Barnes F. L., *Analysis of Radio-Command Midcourse Guidance*, Technical Report No. 32-28, Jet Propulsion Laboratory, Pasadena, September 8, 1960.
4. Magness, T. A., and McGuire, J. B., "Comparison of Least Squares and Minimum Variance Estimates of Regression Parameters," *The Annals of Mathematical Statistics*, Vol. 33, No. 2, June 1962.
5. Holdridge, D. B., *Space Trajectories Program for the IBM 7090 Computer*, Technical Report No. 32-223, Jet Propulsion Laboratory, Pasadena, March 2, 1962.
6. Kizner, W. A., *A Method of Describing Miss Distances for Lunar and Interplanetary Trajectories*, External Publication No. 674, Jet Propulsion Laboratory, Pasadena, August 1, 1959.
7. Clarke, V. C. Jr., "Earth Radius/Kilometer Conversion Factor for the Lunar Ephemeris," *AIAA Journal*, Vol. 2, February 1964.
8. Brouwer, D., "Relation Among Some Important Astronomical Constants," *The System of Astronomical Constants*, International Astronomical Union Symposium No. 21, Paris, France, May 1963.
9. Anderson, J. D., Null, G. W., Thornton, C. T., "The Evaluation of Certain Astronomical Constants From the Radio Tracking of Mariner II," *Progress in Astronautics and Aeronautics*, Vol. 14, Academic Press, Inc., New York, 1964.
10. Sjogren, W. L., Curkendall, D. W., Hamilton, T. W., Kirhofer, W. E., Liu, A. S., Trask, D. W., Winneberger, R. A., Wollenhaupt, W. R., *The Ranger VI Flight Path and Its Determination from Tracking Data*, Technical Report No. 32-605, Jet Propulsion Laboratory, Pasadena, December 15, 1964.
11. *Lunar Chart LAC 60*, First Edition, Aeronautical Chart and Information Center, United States Air Force, St. Louis, Missouri, September 1962.
12. Clarke, V. C., Jr., *Constants and Related Data for Use in Trajectory Calculations*, Technical Report No. 32-604, Jet Propulsion Laboratory, Pasadena, March 6, 1964.
13. *Lunar Chart LAC 76*, First Edition, Aeronautical Chart and Information Center, United States Air Force, St. Louis, Missouri, April 1964.
14. Yaplee, B. S., Knowles, S. H., Shapiro, A., and Craig, K. J., *The Mean Distance Determined by Radar*, NRL Report 6134, U.S. Naval Research Laboratory, Washington, D.C., September 16, 1964.

REFERENCES (Cont'd)

15. Rindfleisch, T. C., and Willingham, D. E., *Figure of Merit as a Measure of Picture Resolution*, Technical Report 32-666, Jet Propulsion Laboratory, Pasadena (to be published).
16. Mann, H. P., *The Accuracy of AMR Instrumentation*, Technical Documentary Report No. MTC-TDR-64-1, Air Force Missile Test Center, Air Force Systems Command, Patrick Air Force Base, Florida, December 13, 1963.

ACKNOWLEDGEMENT

The authors gratefully acknowledge the support of personnel in JPL Sections 312, 317, 318 and 332, especially the trajectory program developer D. B. Holdridge; the orbit determination program developers J. D. Anderson, M. R. Warner and M. W. Nead; the tracking data editing program developer R. E. Holzman; and the maneuver programmer R. W. Carpenter.

The advance unedited proofs of the new lunar charts were made available through the courtesy of the United States Air Force Aeronautical Chart and Information Center, St. Louis, Missouri.

Additional contributors who helped to analyze, program, and expedite this Report were D. L. Cain, T. W. Hamilton, W. E. Kirhofer, V. C. Clarke, J. D. Anderson, C. B. Solloway, T. Moyer, D. E. Willingham, J. P. Fearey, W. D. Chaney, C. Cary, G. L. Bolta, L. Dicken, J. M. Carnakis, J. Borthwick and P. M. Muller. The authors regret that the above list is incomplete and extend their appreciation to all other contributors.