

N 65-33966

(ACCESSION NUMBER)


(THRU)

15
(PAGES)

(CODE)

(NASA CR OR TMX OR AD NUMBER)

(CATEGORY)



ADVANCED REFRACTORY ALLOY CORROSION LOOP PROGRAM

Quarterly Progress Report No. 1
For Quarter Ending July 15, 1965

By
R. W. HARRISON
and
E. E. HOFFMAN

GPO PRICE \$ _____

CFSTI PRICE(S) \$ _____

Hard copy (HC) 1.00Microfiche (MF) .50

ff 653 July 65

prepared for
NATIONAL AERONAUTICS AND SPACE ADMINISTRATION
CONTRACT NAS 3-6474

SPACE POWER AND PROPULSION SECTION
MISSILE AND SPACE DIVISION

GENERAL  ELECTRIC

CINCINNATI, OHIO 45215

NOTICE

This report was prepared as an account of Government sponsored work. Neither the United States, nor the National Aeronautics and Space Administration (NASA), nor any person acting on behalf of NASA:

- A.) Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this report, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights; or
- B.) Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method or process disclosed in this report.

As used above, "person acting on behalf of NASA" includes any employee or contractor of NASA, or employee of such contractor, to the extent that such employee or contractor of NASA, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with NASA, or his employment with such contractor.

Requests for copies of this report
should be referred to:

National Aeronautics and Space Administration
Office of Scientific and Technical Information
Washington 25, D.C.
Attention: AFSS-A

CASCO
COPY
FILE

ADVANCED REFRACTORY ALLOY CORROSION LOOP PROGRAM

QUARTERLY PROGRESS REPORT 1

Covering the Period
April 15, 1965 to July 15, 1965

Edited by
R. W. Harrison
Project Metallurgist

Approved by
E. E. Hoffman
Manager, Corrosion Technology

Prepared for
NATIONAL AERONAUTICS AND SPACE ADMINISTRATION
Lewis Research Center

Under Contract NAS 3-6474

July 21, 1965

Technical Management
NASA - Lewis Research Center
Space Power Systems Division
R. L. Davies

SPACE POWER AND PROPULSION SECTION
MISSILE AND SPACE DIVISION
GENERAL ELECTRIC COMPANY
CINCINNATI, OHIO 45215

FOREWORD

The work described herein is sponsored by the National Aeronautics and Space Administration under Contract NAS 3-6474. For this program, Mr. R. L. Davies is the NASA Project Manager.

The program is being administered for the General Electric Company by Dr. J. W. Semmel, Jr., and E. E. Hoffman is acting as the Program Manager. J. Holowach, the Project Engineer, is responsible for the loop design, facilities procurement, and test operations. R. W. Harrison, the Project Metallurgist, is responsible for the materials procurement, utilization, and evaluation aspects of the program. Personnel making major contributions to the program during the current reporting period include:

Alkali Metal Purification and Handling - Dr. R. B. Hand, L. E. Dotson, and J. R. Reeves.

Refractory Alloy Procurement - R. G. Frank.

Quality Assurance and Reliability - G. L. Hilbrich.

TABLES

Table		Page
I	Room Temperature Compressive Properties of Valve Bellows 0.520-Inch OD x 0.350-Inch ID with 15 Convolutions in a 0.850-Inch Length.	4
II	Materials Specifications	6

CONTENTS

Section		Page
I	INTRODUCTION.	1
II	SUMMARY	2
III	PROGRAM STATUS.	3
	A. Material Procurement.	3
	B. Quality Assurance	5
IV	FUTURE PLANS. ,	8
	DISTRIBUTION.	9

ADVANCED REFRACTORY ALLOY CORROSION LOOP PROGRAM

I INTRODUCTION

This report covers the period, from April 15, 1965 to July 15, 1965, of a program to fabricate, operate for 10,000 hours, and evaluate a potassium corrosion test loop constructed of T-222, T-111, FS-85, or D-43 alloy. Candidate materials for evaluation in the turbine simulator include Mo-TZC and Cb-132M. The loop design will be similar to the Prototype Loop, a two-phase, forced convection, potassium corrosion test loop, which is being developed under Contract NAS 3-2547. Lithium will be heated by direct resistance in a primary loop. Heat rejection for condensation in the secondary loop will be accomplished by radiation in a high vacuum environment. The compatibility of the selected materials will be evaluated at conditions representative of space electric power system operating conditions, namely:

a. Boiling temperature	-	2050°F
b. Superheat temperature	-	2150°F
c. Condensing temperature	-	1400°F
d. Subcooling temperature	-	1000°F
e. Mass flow rate	-	40 lb/hr
f. Boiler exit vapor velocity	-	50 ft/sec
g. Average heat flux in boiler		
Plug (0 to 18 inches)	-	250,000 BTU/hr ft ²
Helix (18 to 250 inches)	-	5,000 BTU/hr ft ²

II SUMMARY

33966

During the first quarter of the program, work proceeded on the topics abstracted below:

Material vendors have been contacted, and the ordering of loop construction materials can commence promptly upon notification of the alloy selection by the NASA Project Manager.

A lithium shipping container has been designed and constructed. High purity lithium will be purchased from Lithium Corporation of America.

Mini-Flex Corporation, Lawndale, California, has demonstrated their capability to fabricate refractory alloy bellows, and an order for Cb-1Zr and T-111 bellows has been placed with this firm.

Author

The proposed quality assurance plan and equipment log has been sent to the NASA Contracting Officer and Project Manager. Materials specifications have been prepared and submitted to the NASA Project Manager for approval.

III PROGRAM STATUS

A. Material Procurement


Vendor's quotations for the proposed containment alloys, T-222, T-111, FS-85 and D-43, are being evaluated, and ordering of material can commence promptly upon notification of the alloy selections by the NASA Project Manager.

The lithium shipping container was designed and constructed. Lithium vendors were contacted and their quotations were reviewed. High purity lithium will be purchased from the Lithium Corporation of America. Preliminary calculations have indicated the potassium distillation system for the Prototype Corrosion Test Loop will be adaptable to lithium purification with minor revisions.

Present plans are to use T-111 alloy bellows in the valves of the Advanced Refractory Alloy Corrosion Test Loop. Attempts by Standard-Thomson Corporation to produce T-111 alloy bellows by the procedures which were used previously to manufacture Cb-1Zr bellows for the Prototype Corrosion Test Loop were unsuccessful because of the combined greater strength of the T-111 alloy and the limited capacity of the forming equipment. Additional manufacturers were contacted and Mini-Flex Corporation, Lawndale, California, was the only other firm with successful refractory alloy experience that replied to the inquiry. (Although designed valve bellows contain 26 convolutions, bellows with 15 convolutions were ordered to initially evaluate the vendors' capabilities.) Two Cb-1Zr alloy bellows and two T-111 alloy bellows were fabricated successfully by Mini-Flex from the tube blanks supplied by General Electric. Metallographic examination of the cross section of the convolutions indicated excellent uniformity of wall thickness in these bellows. The axial deflection of the bellows as a function of load, determined by using a compression load cell in an Instron Tester, are presented in Table I. While the spring rates of these bellows pose no difficulties for application in loop valves, the degree of permanent set bears consideration.

TABLE I. ROOM TEMPERATURE COMPRESSIVE PROPERTIES OF VALVE BELLOWS
0.520-INCH OD x 0.350-INCH ID WITH 15 CONVOLUTIONS IN A 0.850-INCH LENGTH

Alloy	Elastic Spring Rate lbs/Inch	Total Deflection at Yield Inch	Load at Yield lbs	Permanent Set In/In Deflection After Yield	Permanent Set In/Full 0.1 Inch Deflection
T-111	870	0.047	41	0.470	0.025
Cb-12r	314	0.070	22	0.900	0.027



While the spring rates of these bellows pose no difficulties for application in loop valves, the degree of permanent set bears consideration.

Permanent set begins as the bellows are deflected past the yield point. Each bellows was deflected 0.030 inch past the yield point producing 0.014 inch permanent set in the T-111 alloy bellows and 0.027 inch permanent set in the Cb-1Zr alloy bellows. For a full 0.10-inch deflection, the normal travel range of the metering valve, 0.025-inch permanent set would occur in the T-111 alloy bellows and 0.027-inch permanent set in the Cb-1Zr alloy bellows.

Although permanent set values for these two alloys appear similar, the extent of plastic deformation occurring after yield differs widely. In the Cb-1Zr alloy bellows, 90% of the deflection after yield results in permanent set as compared to only 47% in the T-111 alloy bellows. By increasing the number of bellows convolutions from 15 to 26, the amount of permanent set for a given amount of axial deflection will decrease. Bellows of this design have been ordered from Mini-Flex Corporation.

B. Quality Assurance

A proposed quality assurance plan and equipment log was prepared and sent to the NASA Contracting Officer and Project Manager. The procedures and specifications contained therein were prepared mainly for use on the Potassium Corrosion Test Loop Development Program, NAS 3-2547, and will be modified as experience gained on that program warrants.

To increase the expediency of inspection of incoming items, an inspection tag~~s~~ has been adopted. This form will replace the hold ticket, discrepancy report, and material identification tag which were used on the Potassium Corrosion Test Loop Development Program.

The materials specifications, Table II, have been submitted to the NASA Project Manager for approval:

TABLE II. MATERIALS SPECIFICATIONS

<u>Number</u>	<u>Title</u>
01-0010-00-A	Bar and Rod: (Cb-132M (Cb-20Ta-15W-5Mo-2Zr-0.13C) Alloy
01-0011-00-A	Bar and Rod: Mo-TZC (Mo-1.25Ti-0.15Zr-0.13C) Alloy
01-0013-00-B	Bar and Rod: D-43 (Cb-10W-1Zr-0.1C) Alloy
01-0014-00-C	Bar and Rod: T-222 (Ta-10.4W-2.4Hf-0.01C) Alloy
01-0015-00-B	Bar and Rod: T-111 (Ta-8W-2Hf) Alloy
01-0020-00-B	Sheet, Plate, and Strip: FS-85 (Cb-28Ta-10.5W-0.9Zr) Alloy
01-0021-00-B	Bar and Rod: FS-85 (Cb-28Ta-10.5W-0.9Zr) Alloy
01-0022-00-B	Seamless Tubing and Pipe: FS-85 (Cb-28Ta-10.5W-0.9Zr) Alloy
01-0035-00-B	Seamless Tubing and Pipe: T-111 (Ta-8W-2Hf) Alloy
01-0036-00-C	Seamless Tubing and Pipe: T-222 (Ta-10.4W-2.4Hf-0.01C) Alloy
01-0037-00-B	Seamless Tubing and Pipe: D-43 (Cb-10W-1Zr-0.1C) Alloy
01-0038-00-B	Sheet, Plate, and Strip: D-43 (Cb-10W-1Zr-0.1C) Alloy
01-0039-00-B	Sheet, Plate, and Strip: T-222 (Ta-10.4W-2.4Hf-0.01C) Alloy
01-0040-00-B	Sheet, Plate, and Strip: T-111 (Ta-8W-2Hf) Alloy
01-0041-00-A	Foil: D-43 (Cb-10W-1Zr-0.1C) Alloy
01-0042-00-A	Foil: FS-85 (Cb-28Ta-10.5W-0.9Zr) Alloy
01-0043-00-A	Foil: T-111 (Ta-8W-2Hf) Alloy
01-0044-00-B	Foil: T-222 (Ta-10.4W-2.4Hf-0.01C) Alloy

<u>Number</u>	<u>Title</u>
01-0045-00-A	Wire: D-43 (Cb-10W-1Zr-0.1C) Alloy
01-0046-00-A	Wire: FS-85 (Cb-28Ta-10.5W-0.9Zr) Alloy
01-0047-00-B	Wire: T-222 (Ta-10.4W-2.4Hf-0.01C) Alloy
01-0048-00-A	Wire: T-111 (Ta-8W-2Hf) Alloy

VI FUTURE PLANS

Accomplishments in the next reporting period are contingent upon the forthcoming selection by the NASA Project Manager of the refractory alloy to be employed in loop construction.

High purity lithium will be ordered and received. Procurement of materials for construction of the lithium purification system will be initiated.

T-111 alloy and Cb-1Zr alloy bellows will be received and evaluated for incorporation in loop valves.

DISTRIBUTION

REPORT DISTRIBUTION LIST - Contract NAS3-2547
Quarterly and Final

NASA
Washington, D.C., 20546
Attn: Walter C. Scott

NASA
Washington, D.C., 20546
Attn: James J. Lynch (RN)

NASA
Washington, D.C., 20546
Attn: George C. Deutsch (RR)

NASA
Scientific & Technical Information
Facility
Box 5700
Bethesda 14, Maryland
Attn: NASA Representative (2 copies +
2 repro.)

NASA
Ames Research Center
Moffett Field, California
Attn: Librarian

NASA
Goddard Space Flight Center
Greenbelt, Maryland
Attn: Librarian

NASA
Langley Research Center
Hampton, Virginia
Attn: Librarian

NASA-Lewis Research Center
21000 Brookpark Road
Cleveland, Ohio, 44135
Attn: Librarian MS 3-7

NASA-Lewis Research Center
21000 Brookpark Road
Cleveland, Ohio, 44135
Attn: Dr. Bernard Lubarsky MS 86-1

NASA-Lewis Research Center
21000 Brookpark Road
Cleveland, Ohio, 44135
Attn: Roger Mather (500-309)

NASA-Lewis Research Center
21000 Brookpark Road
Cleveland, Ohio, 44135
Attn: G. M. Ault MS 105-1

NASA-Lewis Research Center
21000 Brookpark Road
Cleveland, Ohio, 44135
Attn: John E. Dilley MS 86-1

NASA-Lewis Research Center
21000 Brookpark Road
Cleveland, Ohio, 44135
Attn: T. A. Moss MS 86-5

NASA-Lewis Research Center
21000 Brookpark Road
Cleveland, Ohio, 44135
Attn: R. L. Davies MS 86-5 (5)

NASA-Lewis Research Center
21000 Brookpark Road
Cleveland, Ohio, 44135
Attn: Dr. Louis Rosenblum MS 106-1

NASA-Lewis Research Center
21000 Brookpark Road
Cleveland, Ohio, 44135
Attn: Technology Utilization Officer
MS 3-16

NASA
Manned Spacecraft Center
Houston 1, Texas
Attn: Librarian

NASA
George C. Marshall Space Flight Center
Huntsville, Alabama, 35812
Attn: Librarian

Report Distribution List NAS3-2547 - Quarterly and Final - (Continued)

NASA
Jet Propulsion Laboratory
4800 Oak Grove
Pasadena, California 91103
Attn: Librarian

Bureau of Weapons
Research and Engineering
Material Division
Washington 25, D.C.
Attn: Librarian

NASA
Western Operations Office
150 Pico Boulevard
Santa Monica, California 90406
Attn: John Keeler

Dr. James Hadley
Head, Reactor Division
Lawrence Radiation Laboratory
Livermore, California

National Bureau of Standards
Washington 25, D.C.
Attn: Librarian

U.S. Atomic Energy Commission
Technical Reports Library
Washington 25, D.C.
Attn: J. M. O'Leary

Flight Vehicle Power Branch
Air Force Aero Propulsion Laboratory
Wright Patterson AFB, Ohio
Attn: Charles Armbruster ASRPP-10

U.S. Atomic Energy Commission
Germantown, Maryland
Attn: Col. E. L. Douthett

Flight Vehicle Power Branch
Air Force Aero Propulsion Laboratory
Wright Patterson AFB, Ohio
Attn: T. Cooper

U.S. Atomic Energy Commission
Germantown, Maryland
Attn: H. Rothen

Flight Vehicle Power Branch
Air Force Aero Propulsion Laboratory
Wright Patterson AFB, Ohio
Attn: Librarian

U.S. Atomic Energy Commission
Germantown, Maryland
Attn: Major Gordon Dicker
SNAP 50/SPUR Project Office

Flight Vehicle Power Branch
Air Force Aero Propulsion Laboratory
Wright Patterson AFB, Ohio
Attn: George M. Glenn

U.S. Atomic Energy Commission
Germantown, Maryland
Attn: Socrates Christopher

Army Ordnance Frankford Arsenal
Bridesburg Station
Philadelphia 37, Pennsylvania
Attn: Librarian

U.S. Atomic Energy Commission
Technical Information Service Extension
P.O. Box 62
Oak Ridge, Tennessee (3)

Bureau of Mines
Albany, Oregon
Attn: Librarian

U.S. Atomic Energy Commission
Washington 25, D.C.
Attn: M. J. Whitman

Bureau of Ships
Department of the Navy
Washington 25, D.C.
Attn: Librarian

Argonne National Laboratory
9700 South Cross Avenue
Argonne, Illinois
Attn: Librarian

Report Distribution List NAS3-2547 - Quarterly and Final - (Continued)

Brookhaven National Laboratory
Upton, Long Island, New York
Attn: Librarian

Oak Ridge National Laboratory
Oak Ridge, Tennessee
Attn: W. O. Harms

Oak Ridge National Laboratory
Oak Ridge, Tennessee
Attn: Dr. A. J. Miller

Oak Ridge National Laboratory
Oak Ridge, Tennessee
Attn: Librarian

Oak Ridge National Laboratory
Oak Ridge, Tennessee
Attn: J. H. DeVan

Office of Naval Research
Power Division
Washington 25, D.C.
Attn: Librarian

U.S. Naval Research Laboratory
Washington 25, D.C.
Attn: Librarian

Advanced Technology Laboratories
Division of American Standard
360 Whisman Road
Mountain View, California
Attn: Librarian

Aerojet-General Corporation
P.O. Box 296
Azusa, California, 91703
Attn: Librarian

Aerojet General Corporation
P.O. Box 296
Azusa, California, 91703
Attn: R. S. Carey

Oak Ridge National Laboratory
Oak Ridge, Tennessee
Attn: G. Goldberg

Aerojet General Nucleonics
P.O. Box 77
San Ramon, California
Attn: Librarian

AIResearch Manufacturing Company
Sky Harbor Airport
402 South 35th Street
Phoenix, Arizona
Attn: Librarian

AIResearch Manufacturing Company
Sky Harbor Airport
402 South 35th Street
Phoenix, Arizona
Attn: E. A. Kovacevich

AIResearch Manufacturing Company
9851-9951 Sepulveda Boulevard
Los Angeles 45, California
Attn: Librarian

Allis Chalmers
Atomic Energy Division
Milwaukee, Wisconsin
Attn: Librarian

Allison-General Motors
Energy Conversion Division
Indianapolis, Indiana
Attn: Librarian

AMF Atomics
140 Greenwich Avenue
Greenwich, Connecticut
Attn: Librarian

Armour Research Foundation
10 W. 35th Street
Chicago 18, Illinois
Attn: Librarian

Atomics International
8900 DeSoto Avenue
Canoga Park, California
Attn: Librarian

Report Distribution List NAS3-2547 - Quarterly and Final - (Continued)

AVCO

Research and Advanced Development
Department
201 Lowell Street
Wilmington, Massachusetts
Attn: Librarian

Babcock and Wilcox Company
Research Center
Alliance, Ohio
Attn: Librarian

Battelle Memorial Institute
505 King Avenue
Columbus, Ohio
Attn: Librarian

The Bendix Corporation
Research Laboratories Division
Southfield, Detroit 1, Michigan
Attn: Clayton A. Huben

The Boeing Company
Seattle, Washington
Attn: Librarian

Brush Beryllium Company
Cleveland, Ohio
Attn: Librarian

Carborundum Company
Niagara Falls, New York
Attn: Librarian

Chance Vought Aircraft, Incorporated
P.O. Box 5907
Dallas 22, Texas
Attn: Librarian

Climax Molybdenum Company of Michigan
Detroit, Michigan
Attn: Librarian

Convair Astronautics
5001 Kerrny Villa Road
San Diego 11, California
Attn: Librarian

Crucible Steel Company of America
Pittsburgh, Pennsylvania
Attn: Librarian

Curtiss-Wright Corporation
Research Division
Quenanna, Pennsylvania
Attn: Librarian

Douglas Aircraft Company
Santa Monica, California
Attn: Librarian

E. I. duPont de Nemours and Company, Inc.
Wilmington 98, Delaware
Attn: Librarian

E. I. duPont de Nemours and Company, Inc.
Wilmington 98, Delaware
Attn: E. M. Mahla

Electro-Optical Systems, Incorporated
Advanced Power Systems Division
Pasadena, California
Attn: Librarian

Fansteel Metallurgical Corporation
North Chicago, Illinois
Attn: Librarian

Firth Sterling, Incorporated
McKeesport, Pennsylvania
Attn: Librarian

Ford Motor Company
Aeronutronics
Newport Beach, California
Attn: Librarian

General Atomic
John Jay Hopkins Laboratory
P.O. Box 608
San Diego 12, California
Attn: Librarian

General Atomic
John Jay Hopkins Laboratory
P.O. Box 608
San Diego 12, California
Attn: Dr. Ling Yang

Report Distribution List NAS3-2547 - Quarterly and Final - (Continued)

General Electric Company
Atomic Power Equipment Division
P.O. Box 1131
San Jose, California

General Electric Company
Missile and Space Vehicle Department
3198 Chestnut Street
Philadelphia 4, Pennsylvania
Attn: Librarian

General Electric Company
P.O. Box 100
Richland, Washington, 99352
Attn: Technical Information Operation

General Electric Company
P.O. Box 100
Richland, Washington, 99352
Attn: Dr. T. T. Claudson

General Electric Company
Vallecitos Atomic Laboratory
Pleasanton, California
Attn: Librarian

General Dynamics/Fort Worth
P.O. Box 748
Fort Worth, Texas
Attn: Librarian

General Motors Corporation
Allison Division
Indianapolis 6, Indiana
Attn: Librarian

Grumman Aircraft
Bethpage, New York
Attn: Librarian

Hamilton Standard
Division of United Aircraft Corporation
Windsor Locks, Connecticut
Attn: Librarian

Hughes Aircraft Company
Engineering Division
Culver City, California
Attn: Librarian

Lockheed Georgia Company
Division, Lockheed Aircraft Company
Marietta, Georgia
Attn: Librarian

Lockheed Missiles and Space Division
Lockheed Aircraft Corporation
Sunnyvale, California
Attn: Librarian

Los Alamos Scientific Laboratory
University of California
Los Alamos, New Mexico
Attn: Librarian

Marquardt Aircraft Company
P.O. Box 2013
Van Nuys, California
Attn: Librarian

The Martin Company
Baltimore 3, Maryland
Attn: Librarian

The Martin Company
Nuclear Division
P.O. Box 5042
Baltimore 20, Maryland
Attn: Librarian

Martin Marietta Corporation
Metals Technology Laboratory
Wheeling, Illinois

Massachusetts Institute of Technology
Cambridge 39, Massachusetts
Attn: Librarian

Materials Research Corporation
Orangeburg, New York
Attn: Librarian

Report Distribution List NAS3-2547 - Quarterly and Final - (Continued)

United Nuclear Corporation
Five New Street
White Plains, New York
Attn: Librarian

Universal Cyclops Steel Corporation
Refractomet Division
Bridgeville, Pennsylvania
Attn: C. P. Mueller

University of Michigan
Department of Chemical and
Metallurgical Engineering
Ann Arbor, Michigan
Attn: Librarian

Vought Astronautics
P.O. Box 5907
Dallas 22, Texas
Attn: Librarian

Wah Chang Corporation
Albany, Oregon
Attn: Librarian

Westinghouse Electric Corporation
Astronuclear Laboratory
P.O. Box 10864
Pittsburgh 36, Pennsylvania
Attn: Librarian

Westinghouse Electric Corporation
Astronuclear Laboratory
P.O. Box 10864
Pittsburgh 36, Pennsylvania
Attn: R. T. Begley

Westinghouse Electric Corporation
Materials Manufacturing Division
RD #2 Box 25
Blairsville, Pennsylvania
Attn: F. L. Orell

Westinghouse Electric Corporation
Materials Manufacturing Division
RD #2 Box 25
Blairsville, Pennsylvania
Attn: Librarian

Westinghouse Electric Corporation
Aerospace Electrical Division
Wapak Road
Lima, Ohio
Attn: Paul Kueser

American Machine and Foundry Company
Alexandria Division
1025 North Royal Street
Alexandria, Virginia
Attn: Librarian

Douglas Aircraft Company, Inc.
Missile and Space Systems Division
300 Ocean Park Boulevard
Santa Monica, California
Attn: Librarian

Westinghouse Electric Corporation
Aerospace Electrical Division
Lima, Ohio
Attn: Librarian

Westinghouse Electric Corporation
Research and Development Laboratory
Pittsburgh 35, Pennsylvania

Ertel-McCullough, Inc.
301 Industrial Way
San Carlos, California
Attn: Dr. Leonard Reed

Mr. Rudolph Rust - MS 138-214
Jet Propulsion Laboratory
4800 Oak Grove Drive
Pasadena, California 91102

Mr. W. H. Podolny
United Aircraft Corporation
Pratt & Whitney Division
400 W. Main Street
Hartford 8, Connecticut

Varian Associates
Vacuum Products Division
611 Hansen Way
Palo Alto, California
Attention: J. Shields