

NSM-931

COMPARATIVE COCHLEAR RECONSTRUCTION
IN MAMMALS

Makoto Igarashi and Toshiko Yoshinobu

FACILITY FORM 802

N 65-36594

(ACCESSION NUMBER)


(THRU)

(PAGES)

(CODE)

(NASA CR OR TMX OR AD NUMBER)

(CATEGORY)



JOINT REPORT


GPO PRICE \$

CSFTI PRICE(S) \$

Hard copy (HC) 1.00

Microfiche (MF) .50

ff 653 July 65



UNITED STATES NAVAL SCHOOL OF AVIATION MEDICINE
NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

June 1965

Distribution of this document is unlimited.

Igarashi, M.
T. Yoshinobu

1965

COMPARATIVE COCHLEAR RECONSTRUCTION IN MAMMALS.
NSAM-931. NASA Order No. R-93. Pensacola, Fla.: Naval
School of Aviation Medicine, 11 June.

The size, length, and shape of the cochleas have been
compared in different mammalian species, with the use of graphic
cochlear reconstructions.

The ratio between the size of the cochlea and that of the skull
generally decreases when the skull size increases. In other words,
the size of the cochlea in small mammals is considerably larger.

The number of cochlear turns increases when the cochlea
protrudes into the well-pneumatized mastoid bulla instead of being
embedded in the thick otic capsule.

Ear
Histology
Anatomy
Laboratory animals

Igarashi, M.
T. Yoshinobu

1965

COMPARATIVE COCHLEAR RECONSTRUCTION IN MAMMALS.
NSAM-931. NASA Order No. R-93. Pensacola, Fla.: Naval
School of Aviation Medicine, 11 June.

The size, length, and shape of the cochleas have been
compared in different mammalian species, with the use of graphic
cochlear reconstructions.

The ratio between the size of the cochlea and that of the skull
generally decreases when the skull size increases. In other words,
the size of the cochlea in small mammals is considerably larger.

The number of cochlear turns increases when the cochlea
protrudes into the well-pneumatized mastoid bulla instead of being
embedded in the thick otic capsule.

Ear
Histology
Anatomy
Laboratory animals

Igarashi, M.
T. Yoshinobu

1965

COMPARATIVE COCHLEAR RECONSTRUCTION IN MAMMALS.
NSAM-931. NASA Order No. R-93. Pensacola, Fla.: Naval
School of Aviation Medicine, 11 June.

The size, length, and shape of the cochleas have been
compared in different mammalian species, with the use of graphic
cochlear reconstructions.

The ratio between the size of the cochlea and that of the skull
generally decreases when the skull size increases. In other words,
the size of the cochlea in small mammals is considerably larger.

The number of cochlear turns increases when the cochlea
protrudes into the well-pneumatized mastoid bulla instead of being
embedded in the thick otic capsule.

Ear
Histology
Anatomy
Laboratory animals

Igarashi, M.
T. Yoshinobu

1965

COMPARATIVE COCHLEAR RECONSTRUCTION IN MAMMALS.
NSAM-931. NASA Order No. R-93. Pensacola, Fla.: Naval
School of Aviation Medicine, 11 June.

The size, length, and shape of the cochleas have been
compared in different mammalian species, with the use of graphic
cochlear reconstructions.

The ratio between the size of the cochlea and that of the skull
generally decreases when the skull size increases. In other words,
the size of the cochlea in small mammals is considerably larger.

The number of cochlear turns increases when the cochlea
protrudes into the well-pneumatized mastoid bulla instead of being
embedded in the thick otic capsule.

Distribution of this document is unlimited.

COMPARATIVE COCHLEAR RECONSTRUCTION IN MAMMALS*

Makoto Igarashi and Toshiko Yoshinobu[#]

Bureau of Medicine and Surgery
Project MR005.13-6001
Subtask 1 Report No. 114

NASA Order No. R-93

Approved by

Captain Ashton Graybiel, MC USN
Director of Research

Released by

Captain H. C. Hunley, MC USN
Commanding Officer

11 June 1965

*This study was supported in part by the Office of Life Science Programs, National Aeronautics and Space Administration.

[#]Present address; Kyoto University School of Medicine, Kyoto, Japan.

U. S. NAVAL SCHOOL OF AVIATION MEDICINE
U. S. NAVAL AVIATION MEDICAL CENTER
PENSACOLA, FLORIDA

SUMMARY PAGE

THE PROBLEM

The size, length, and shape of the cochleas have been compared in different mammalian species, with the use of graphic cochlear reconstructions.

FINDINGS

The ratio between the size of the cochlea and that of the skull generally decreases when the skull size increases. In other words, the size of the cochlea in small mammals is considerably larger.

The number of cochlear turns increases when the cochlea protrudes into the well-pneumatized mastoid bulla instead of being embedded in the thick otic capsule.

ACKNOWLEDGMENT

We gratefully acknowledge the excellent technical assistance of Miss Glenda J. Sessions.

INTRODUCTION

Anatomical development of the cochlea progresses from the amphibian in which the initial form of the cochlea, macula basilaris, appears. Next in the progression are the cochlear duct (from the lagena), the perilymphatic ducts, and the organ of Corti (from the basilar macula); these are found in birds and crocodiles. The final stage is seen in mammals and appears as the cochlear spiral (1,6).

Cochlear spirals of mammalian ears are all of different sizes and shapes, and the basilar membrane of each varies in length. In addition, mammals have vastly differing skull sizes. The present study was designed to compare these anatomical aspects in various species.

PROCEDURE

Length of the basal membranes and the number of cochlear turns were measured in 17 human ears, 16 squirrel monkey (Saimiri sciureus) ears, 6 of the cat and rat, 4 of the guinea pig, 2 of the dog, and one each of the rabbit, kangaroo rat, and bat. All of these were adult inner ears. Only in the human, squirrel monkey, cat, guinea pig, and rat were the skull size and the diameter of the cochlea basal turn measured.

The temporal bones were fixed, decalcified, dehydrated, and embedded in celloidin. Those of the bat and rat were serially sectioned in horizontal plane at 16 microns, those of the guinea pig and kangaroo rat at 18 microns, and the remainder at 20 microns. One of each ten sections which were stained in hematoxylin-eosin made up a pilot set. Cochlea spirals were then graphically reconstructed according to the technique of Guild (2) and of Schuknecht (3).

Size of the skull was determined by measuring from the anterior edge of the frontal bone to the occipital point, long axis; and the distance between the two parietal bones at the widest point, short axis.

RESULTS

Average lengths of the basal membranes and the number of cochlear turns for each mammalian species examined are listed in Table I. Difference between the longest in length, that of the human, and the shortest (the bat and rat) was 24 mm. The basal membrane measurements of the other mammals fell in between. The number of cochlear turns of all species except the guinea pig and kangaroo rat was between 2-1/2 and 3.

A summary of the findings in the species whose skulls were measured is contained in Table II. From the measurement of the diameter of the cochlea basal turn, it can be seen that the size of the cochlea in the cat and in the squirrel monkey was approximately the same, yet the cat's skull was twice the size. In contrast, the skull of the guinea pig and rat was about the same size, but the cochlea of the former was larger and longer.

Table I

The Lengths of Basal Membranes and the Numbers of Cochlear Turns in
Different Mammals

Species	The Average Lengths of Basal Membrane (mm)	The Number of Turns
Human	32	2 1/2 - 2 3/4
Dog	25	2 1/2 - 2 3/4
Squirrel Monkey	22	2 3/4 - 3
Cat	22	2 1/2 - 2 3/4
Guinea Pig	21	4
Rabbit	14	2 1/2
Kangaroo Rat	12	3 1/2 - 3 3/4
Rat	8	2 1/2
Bat	8	2 1/2

Table II

Summary of Findings in Five Different Species

Species	Skull Size (mm, long axis x short axis)	Diameter of Cochlea Basal Turn (mm)	Length, Basal Membrane (mm)	Turns in Cochlea
Human	180 x 135	6.2	32	2 1/2 - 2 3/4
Cat	70 x 40	3.8	22	2 1/2 - 2 3/4
Squirrel Monkey	47 x 35	3.7	22	2 3/4 - 3
Guinea Pig	35 x 22	2.3	21	3 3/4 - 4
Rat	30 x 17	1.2	8	2 1/4 - 2 1/2

Representative spiral reconstructions of the mammalian cochleas are shown in Figures 1-9. The arrow line at the top of each figure indicates the 1 mm scale to which the drawings were made. Inasmuch as these figures were drawn in the same scale, the ratio between each species demonstrates a comparison of the actual size of the cochleas.

DISCUSSION

The discussion of the present study will be limited to the comparative cochlear reconstructions. Since the cochlea is merely a part of the auditory system, it is critical to compare the auditory activities (including frequency range, discrimination, etc.) among the different species by comparing the cochlear structures. Obviously, there are many other factors, such as external and middle ear structures and functions, neural functions including cortical and efferent system functions, et cetera, which comprise the auditory function.

The lengths of the basal membrane in several mammalian species were measured by von Békésy and Rosenblith (4) who stated that the lower limit of hearing fell as the size of the animal increased, but the upper limit of resolution could not be determined because the vibratory amplitudes for the high frequencies were too small to measure. Thus, they observed no correlation between the lengths of the basal membrane and the hearing activity, especially in the frequency range.

With the method used in the present study (2,3) the cochleas were reconstructed from a three-dimensional structure to a two-dimensional plane by using horizontal serial sections, and the technical errors inherent in such a procedure should be considered. According to Schuknecht's method (3), the measuring error was less than 5 per cent on the average, and the error from the height of the cochlea (or the steepness of the basal membrane) was less than 3 per cent. Therefore, when spiral reconstructions are compared among the different species, the actual error in comparison is usually negligible.

The exact tangential section of the top of the Corti tunnel (contact of the tops of the inner and outer pillar cells) is not frequently seen on slides. Typical tangential cuts from the cat and the squirrel monkey are demonstrated in Figures 10-12.

In comparing the size of the skull with the size of the cochlea, it becomes obvious that the ratio is not so pronounced as it is between other parts of the body and the skull. For example, the difference in size between the body of a small animal as compared to a larger one is much greater than that between the cochleas of the same animals. The ratio between the size of a human skull and the squirrel monkey skull is more than 10:1; when the size of cochleas in the two are compared, the ratio drops to less than 3:1. The cochlea spiral of the elephant, according to von Békésy (4), is 60 mm in length, but its skull is tremendous in size.

The length of the basal membrane could not be related to the diameter of the basal turn of cochlea, or to the number of cochlear turns. There was only 1 mm difference between the length of the basal membrane of the squirrel monkey and that of the guinea pig. However, the diameter of the cochlear base was 1.4 mm larger in the former, and the cochlea of the latter had $3/4$ to 1 more turn.

The cochlea of the guinea pig protrudes into the bulla while that of the other mammals was usually embedded in a thick, bony otic capsule. The kangaroo rat, which has about four cochlear turns, also has well-pneumatized mastoid bulla (5).

The length and shape of the cochlea hook area, which is a protruding vestibular cecum of the cochlear duct, vary to a large degree among different mammals. The human, cat, and guinea pig ears have a much longer formation of this structure than those of other mammals, and these three species have considerably long, well-developed cochlear spirals.




Figure 1



SQUIRREL

MONKEY

21.6mm




Figure 2



CAT

22.7mm




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8




Figure 9




Figure 10

A typical tangential section of apical turn of cochlea (Squirrel Monkey).
All important structures are labeled. 225X

- SV - Scala Vestibuli
- SM - Scala Media
- ST - Scala Tympani
- R - Reissner's Membrane
- T - Tectoria
- O - Outer Hair Cell
- H - Hensen's Cell
- C - Claudius' Cell
- D - Deiter's Cell
- X - Outer Pillar Cell
- P - Outer Pillar
- N - Tunnel Fiber (efferent)
- B - Basal Membrane




Figure 11

Another typical tangential section of apical turn of the Squirrel Monkey cochlea. 115X

When the animal is perfused successfully (intra-vital cardiac perfusion), all small vessels along the cochlea (large arrow), vessels in stria vascularis (small arrow), and vessels in spiral ligament become free from blood cells. This is an important sign of good fixation.




Figure 12

A typical tangential section of apical turn of the cochlea (cat). 150X

Note the artistic arrangement of end organ structures in cochlea. No post mortem change is seen.

REFERENCES

1. Brock, W., Phylogense und vergleichende Anatomie des Gehoerorgans. In Denker, A. und Kahler, O. (herausgegeben), Handbuch der Hals-, Nasen-, Ohrenheilkunde. Berlin: Julius Springer, 1926. Pp 1-69.
2. Guild, S. R., A graphic reconstruction method for the study of the organ of Corti. Anat. Rec. 22:141-157, 1921.
3. Schuknecht, H. F., Techniques for study of cochlear function and pathology in experimental animals. Arch. Otolaryng., 58:377-397, 1953.
4. von Békésy, G., and Rosenblith, W. A., The mechanical properties of the ear. In Stevens, S. S. (Ed.), Handbook of Experimental Psychology. N. Y.: John Wiley & Sons, 1951. Pp. 1075 - 1115.
5. Webster, D. B., The ear apparatus of the kangaroo rat. Am. J. Anat., 108:123-128, 1961.
6. Werner, D. F., Das Gehoerorgan der Wirbeltiere und des Menschen. Leipzig: Veb Goerg Thieme, 1960.

~~Unclassified~~

Security Classification

DOCUMENT CONTROL DATA - R&D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author) U.S. Naval School of Aviation Medicine Pensacola, Florida		2a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED	
		2b. GROUP	
3. REPORT TITLE Comparative Cochlear Reconstruction in Mammals			
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)			
5. AUTHOR(S) (Last name, first name, initial) Igarashi, Makoto and Yoshinobu, Toshiko			
6. REPORT DATE 11 June 1965		7a. TOTAL NO. OF PAGES 12	7b. NO. OF REFS 6
8a. CONTRACT OR GRANT NO. NASA Order No. R-93		9a. ORIGINATOR'S REPORT NUMBER(S) NSAM-931	
b. PROJECT NO. MR005.13-6001 Subtask 1			
c.		9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report) 114	
d.			
10. AVAILABILITY/LIMITATION NOTICES Qualified requesters may obtain copies of this report from DDC. Available for sale to the public, from Federal Clearinghouse for Scientific and Technical Information, Springfield, Virginia.			
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY	
13. ABSTRACT The size, length, and shape of the cochleas have been compared in different mammalian species, with the use of graphic cochlear reconstructions. The ratio between the size of the cochlea and that of the skull generally decreases when the skull size increases. In other words, the size of the cochlea in small mammals is considerably larger. The number of cochlear turns increases when the cochlea protrudes into the well-pneumatized mastoid bulla instead of being embedded in the thick otic capsule. 36594 author			

14. KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Mammals						
Inner ear anatomy						
Cochlea size and shape						

INSTRUCTIONS

1. **ORIGINATING ACTIVITY:** Enter the name and address of the contractor, subcontractor, grantee, Department of Defense activity or other organization (*corporate author*) issuing the report.
- 2a. **REPORT SECURITY CLASSIFICATION:** Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.
- 2b. **GROUP:** Automatic downgrading is specified in DoD Directive 5200.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as authorized.
3. **REPORT TITLE:** Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parenthesis immediately following the title.
4. **DESCRIPTIVE NOTES:** If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period is covered.
5. **AUTHOR(S):** Enter the name(s) of author(s) as shown on or in the report. Enter last name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.
6. **REPORT DATE:** Enter the date of the report as day, month, year; or month, year. If more than one date appears on the report, use date of publication.
- 7a. **TOTAL NUMBER OF PAGES:** The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.
- 7b. **NUMBER OF REFERENCES:** Enter the total number of references cited in the report.
- 8a. **CONTRACT OR GRANT NUMBER:** If appropriate, enter the applicable number of the contract or grant under which the report was written.
- 8b, 8c, & 8d. **PROJECT NUMBER:** Enter the appropriate military department identification, such as project number, subproject number, system numbers, task number, etc.
- 9a. **ORIGINATOR'S REPORT NUMBER(S):** Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unique to this report.
- 9b. **OTHER REPORT NUMBER(S):** If the report has been assigned any other report numbers (*either by the originator or by the sponsor*), also enter this number(s).
10. **AVAILABILITY/LIMITATION NOTICES:** Enter any limitations on further dissemination of the report, other than those

imposed by security classification, using standard statements such as:

- (1) "Qualified requesters may obtain copies of this report from DDC."
- (2) "Foreign announcement and dissemination of this report by DDC is not authorized."
- (3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through _____."
- (4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through _____."
- (5) "All distribution of this report is controlled. Qualified DDC users shall request through _____."

If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.

11. **SUPPLEMENTARY NOTES:** Use for additional explanatory notes.

12. **SPONSORING MILITARY ACTIVITY:** Enter the name of the departmental project office or laboratory sponsoring (*paying for*) the research and development. Include address.

13. **ABSTRACT:** Enter an abstract giving a brief and factual summary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (TS), (S), (C), or (U).

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.

14. **KEY WORDS:** Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context. The assignment of links, roles, and weights is optional.