

CATALOGUE  
OF THE  
METEORITE COLLECTION

MINERALOGICAL MUSEUM  
HARVARD UNIVERSITY  
CAMBRIDGE, MASSACHUSETTS

JUNE, 1965

## Introduction

The earliest history of the meteorite collection of Harvard University, from the founding of the Mineralogical Museum in 1784 to 1850, when Josiah P. Cooke became Curator, is not now clearly known. The incomplete accession records and specimen labels of the period identify only specimens of Weston, Nanjemoy, Nobleborough and Red River as existing at this time. One of the Atacama (Imilac) irons probably also dates from this period. Under Cooke, the collection grew to about 55 <sup>METEORITES</sup> ~~falls~~ by 1883. It included a number of specimens that had been obtained by exchange from C. U. Shepard. Among them is a small fragment of Charwallas obtained by Shepard from John Jameson, a chemist of Edinburgh who had a close connection with American mineralogy in the early 19th century, and a piece of Alais obtained from Vauquelin. Other <sup>METEORITES</sup> ~~falls~~ of this time were purchased from Ward and Howell, of Rochester, New York, and from Saemon in Paris. Some of the specimens in this "Old Collection", as it became known, cannot now be identified. The only other important meteorite collections in the United States in this period were those of Amherst College, built up chiefly by Shepard, and of Yale University. The Yale meteorite collection began in 1807 with the acquisition of the bulk of the stones from the meteoritic shower at Weston, Connecticut, in December of that year.

The main development of the Harvard meteorite collection came in 1883, when the private collection of the American chemist J. Lawrence Smith was purchased by a group of subscribers, among them

Alexander Agassiz, and was presented to the University. The Smith collection contained about 200 ~~falls~~<sup>METEORITES</sup>, and was rich in irons. A catalogue of the Smith collection as of 1883 is not extant, but a privately printed catalogue, dated January 1, 1876, listed 86 stony and 86 iron meteorites. Many of the specimens had been obtained by Smith by exchange with European investigators and collectors, including pieces of Braunau, Steinbach and Hainholz from Wöhler and a fragment of Lenarto from James Sowerby of London. The large meteorite collections of the U. S. National Museum and of the Chicago Museum of Natural History were started in 1880 and 1894. The American Museum of Natural History contained 25 ~~falls~~<sup>METEORITES</sup> in 1896, some dating back to at least 1874, and acquired an important part of the present collection with the gift of about 580 meteorites from C. S. Bement in 1901.

The first catalogue<sup>1</sup> of the Harvard Meteorite collection was published by O. W. Huntington in 1887. It listed 424 ~~falls~~<sup>METEORITES</sup>, but the actual number of authentic, non-synonymous meteorites represented was considerably smaller. The collection was further increased under the care of J. E. Wolff, from 1894 to 1922, and of Charles Palache, from 1923 to 1946. A second catalogue<sup>2</sup> of the collection was published by Palache in 1926. It listed representatives of 351 ~~falls~~<sup>METEORITES</sup>, with a total weight of 1,657 kilograms. Notable accessions made immediately prior

---

<sup>1</sup>Oliver W. Huntington. Catalogue of all recorded meteorites, with a description of specimens in the Harvard College collections. Proc. Amer. Acad. Arts and Sci., vol. 23, 37-110, 1887.

<sup>2</sup>Charles Palache. Catalogue of the collection of meteorites in the Mineralogical Museum of Harvard University. Proc. Amer. Acad. Arts and Sci., vol. 61, 151-159, 1926.

to 1926, chiefly from the A. F. Holden bequest of funds to the Mineralogical Museum in 1922, included a fine section of Gibson (Bethany) weighing 232 kg and the main mass or large portions of Ollague, Gun Creek, New Baltimore, Britstown, Cumpas, Mt. Ouray, Sierra Sandon and Tieraco Creek.

Among the more recent accessions was the entire mass of Carbo, weighing 546 kg, which has been the subject of numerous investigations, and the Washington County ataxite. Other large meteorites in the collection, in part old acquisitions, include three complete masses of the Coahuila hexahedrite weighing 317.5, 249.5, and 158.5 kg; a complete mass of Canyon Diablo weighing 70.1 kg; one of the larger masses of the Brenham fall, weighing 51.9 kg; and a 22 kg mass of Baquedano. A very recent acquisition (1964) is the entire 24.5 kg mass of the Seymour iron.

Among the notable chondritic meteorites are a complete individual of New Concord weighing 23 kg; the main part of Tullia, weighing 7.2 kg; and the main part of Cynthia, showing fine flight orientation, weighing 3.1 kg. The bulk of the Anderson pallasite from altars of prehistoric earth tombs in the Little Miami Valley of Ohio also is preserved in the collection.

The present catalogue lists 524 <sup>METEORITES</sup> ~~falls~~ with a total weight of about 2,140 kilograms. The detailed work of inventorying the collection, which included reweighing of all but the largest specimens, was done by Raymond Grant, Museum Assistant. During recent years the collection has been actively used for research purposes and for exchange.

Clifford Frondel  
Curator

NO.	LOCALITY	DATE	CLASSIFICATION	NO. OF SPECIMENS	WGT. OF LARGEST (Grams)	TOTAL WGT. (Grams)
682	Abee, Canada	Fell 1952	Enstatite chondrite	1	5	5
590	Adams Co., Colorado	Found 1928	Chondrite	1	458	458
24	Adargas, Mexico	Before 1780	Medium octahedrite	1	4	4
478	Admire, Kansas	Found 1881	Brecciated pallasite	3	3,067	3,202
74	Agen, France	Fell 1814	Chondrite	3	9	13
479	Ahumada, Mexico	Found 1909	Pallasite	1	49	49
459	Ainsworth, Nebraska	Found 1907	Coarsest octahedrite	2	275	371
136	Akbarpur, India	Fell 1838	Chondrite	1	5	5
49	Alais, France	Fell 1806	Carbonaceous chondrite	1	2	2
125	Aldsworth, England	Fell 1835	Chondrite	1	5.5	5.5
258	Alessandria, Italy	Fell 1860	Chondrite	1	6	6
412	Alfianello, Italy	Fell 1883	Bronzite-chondrite	3	726	756.5
480	Allegan, Michigan	Fell 1899	Bronzite-chondrite	4	237	295.5
605	Altonah, Utah	Found 1932	Fine octahedrite	1	1,264	1,264
1	Anderson, Ohio. Mound 4. Mound 3. (In Peabody Museum)	Before 1884	Pallasite	2	181	209
519	Anthony, Kansas	Found 1919	Chondrite	1	117	117
564	Appley Bridge, England	Fell 1914	Hypersthene chondrite	1	4	4
38	Apt, France	Fell 1803	Chondrite	1	120	120

NO.	LOCALITY	DATE	CLASSIFICATION	NO. OF SPECIMENS	WGT. OF LARGEST (Grams)	TOTAL WGT. (Grams)
481	Arispe, Mexico	Found 1896	Coarse octahedrite	1	570	570
536	Arlington, Minnesota	Found 1894	Medium octahedrite	1	24	24
428	Assisi, Italy	Fell 1886	Chondrite	1	3.5	3.5
680	Atlanta, Louisiana	Found 1938	Enstatite chondrite	1	17	17
311	Auburn, Alabama	Found 1867	Hexahedrite	1	20	20
297	Aumale, Algeria	Fell 1865	Chondrite	1	15	15
156	Aumières, France	Fell 1842	Chondrite	1	4	4
245	Ausson, France	Fell 1858	Hypersthene-chondrite	2	210	270
394	Australia	Found 1880	Pallasite	1	116	116
78	Babb's Mill, Tennessee	Found 1842	Nickel-rich ataxite	4	793	995
73	Bachmut, Ukraine	Fell 1814	Hypersthene-chondrite	1	1.5	1.5
537	Bacubirito, Mexico	Found 1863	Finest octahedrite	1	493	493
566	Ballinger, Texas	Found 1927	Coarsest octahedrite	1	89	89
482	Ballinoo, West Australia	Found 1892	Finest octahedrite	1	2,278	2,278
342	Bandong, Java	Fell 1871	Amphoterite (rodite)	1	1	1
583	Baquedano, Chile	Before 1932	Coarse octahedrite	1	22,000	22,000
27	Barbotan, France	Fell 1790	Chondrite	2	10	10.5

NO.	LOCALITY	DATE	CLASSIFICATION	NO. OF SPECIMENS	WGT. OF LARGEST (Grams)	TOTAL WGT. (Grams)
303	Barranca Blanca, Chile	Found 1855	Granular hexahedrite	1	27	27
168	Barratta, New South Wales	Found 1895	Hypersthene-chondrite	1	1,951	1,951
445	Bath, South Dakota	Fell 1892	Chondrite	1	1,200	1,200
547	Bath Furnace, Kentucky	Fell 1902	Chondrite	1	50	50
299	Bear Creek, Colorado	Found 1866	Medium octahedrite	1	38	38
592	Beardsley, Kansas	Fell 1929	Chondrite	1	1,000	1,000
446	Beaver Creek, British Columbia	Fell 1893	Bronzite-chondrite	1	406	406
645	Beenham, New Mexico	Found 1937	Hypersthene-chondrite	2	109	124
434	Bella Roca, Mexico	Before 1888	Fine octahedrite	1	1,925	1,925
548	Benares, India	Fell 1798	Chondrite	1	8	8
23	Bendegó, Brazil	Found 1784	Coarse octahedrite	1	14	14
65	Berlanguillas, Spain	Fell 1811	Chondrite	1	3	3
433	Bielokrymitschie, Ukraine	Fell 1887	Chondrite	2	5	9
483	Billings, Missouri	Found 1903	Coarse octahedrite	1	531	531
538	Bischtübe, Siberia	Found 1888	Coarse octahedrite	1	333	333
159	Bishopville, South Carolina	Fell 1843	Aubrite (enstatite-achondrite)	3	48	56
36	Bitburg, Rhenish Prussia	Before 1805	Pallasite	1	252	252

NO.	LOCALITY	DATE	CLASSIFICATION	NO. OF SPECIMENS	WGT. OF LARGEST (Grams)	TOTAL WGT. (Grams)
452	Bjurböle, Finland	Fell 1899	Hypersthene-chondrite	1	540	540
381	Bluff, Texas	Found 1878	Hypersthene-chondrite	1	8,040	8,040
666	Bogou, Upper Volta	Fell 1962	Iron	1	14.5	14.5
109	Bohumlitz, Bohemia	Found 1829	Hexahedrite	1	48	48
646	Bonita Springs, Florida	Found 1938	Hypersthene-chondrite	1	601	601
54	Borgo, San Donino, Italy	Fell 1808	Chondrite	1	0.5	0.5
200	Borkut, Ruthenia, Ukraine	Fell 1852	Chondrite	1	116	116
58	Brahin, Minsk, Russia	Found 1810	Pallasite	1	35	35
180	Braunau, Bohemia	Fell 1847	Hexahedrite	3	32	92
220	Bremervörde, Germany	Fell 1855	Bronzite-chondrite	1	3	3
425	Brenham, Kansas	Found 1882	Pallasite	6	51,900	61,773
616	Bristol, Tennessee	Found 1937	Fine octahedrite	1	1,103	1,103
527	Britstown, South Africa	Before 1910	Finest octahedrite	1	470	470
663	Bruderheim, Alberta, Canada	Fell 1960	Chondrite	1	1	1
534	Bur-Gheluai, Italian Somaliland	Fell 1919	Hypersthene-chondrite	2	585	843
82	Burlington, New York	Before 1819	Medium octahedrite	1	17	17
281	Buschhof, Latvia	Fell 1863	Hypersthene-chondrite	1	22	22

NO.	LOCALITY	DATE	CLASSIFICATION	NO. OF SPECIMENS	WGT. OF LARGEST (Grams)	TOTAL WGT. (Grams)
201	Bustee, India	Fell 1852	Brecciated aubrite	2	3.5	4.5
354	Butler, Missouri	Before 1874	Finest octahedrite	8	8,028	13,311
655	Cachari, Azul, Argentina	Found 1916	Brecciated eucrite	1	89	89
356	Cachiyuyal, Chile	Found 1874	Medium octahedrite	1	2	2
77	Cambria, New York	Found 1818	Fine octahedrite	1	79	79
608	Campbellsville, Kentucky	Found 1929	Medium octahedrite	1	459	459
309	Cangas de Onis, Spain	Fell 1866	Chondrite	2	731	738
520	Canton, Georgia	Found 1894	Medium octahedrite	1	122	122
484	Canyon City, California	Found 1875	Medium octahedrite	1	320	320
440	Canyon Diablo, Arizona	Found 1891	Coarsest octahedrite	6	70,100	79,958
29	Cape of Good Hope, South Africa	Found 1793	Nickel-rich ataxite	1	101	101
571	Carbo, Sonora, Mexico	Found 1923	Medium octahedrite			400 kg (est.)
430	Carlton, Texas	Found 1887	Fine octahedrite	1	3,284	3,284
144	Carthage, Tennessee	Found 1840	Medium octahedrite	9	9,980	11,208
518	Casas Grandes, Mexico	Found 1867	Medium octahedrite	2	1,860	1,974
373	Casey County, Kentucky	Before 1877	Coarse octahedrite	2	106	174
357	Castalia, North Carolina	Fell 1874	Bronzite-chondrite	2	211	212

NO.	LOCALITY	DATE	CLASSIFICATION	NO. OF SPECIMENS	WGT. OF LARGEST (Grams)	TOTAL WGT. (Grams)
181	Castine, Maine	Fell 1848	Hypersthene-chondrite	1	0.5	0.5
630	Cedartown, Georgia	Before 1898	Hexahedrite	1	245	245
626	Central Missouri	Found 1855	Coarsest octahedrite	1	1,020	1,020
137	Chandakapur, India	Fell 1836	Hypersthene-chondrite	1	12.5	12.5
68	Chantonmay, France	Fell 1812	Hypersthene-chondrite	1	37	37
40	Charcas, Mexico	Known 1804	Medium octahedrite	2	37	51
124	Charlotte, Tennessee	Fell 1835	Fine octahedrite	1	1,965	1,965
62	Charsonville, France	Fell 1810	Chondrite	2	25	30
121	Charwallas, India	Fell 1834	Chondrite	1	1.5	1.5
76	Chassigny, France	Fell 1815	Chassignite	1	3	3
154	Château-Renard, France	Fell 1841	Hypersthene-chondrite	2	44	71
650	Chaves, Portugal	Fell 1926	Amphoterite	1	78	78
177	Chesterville, South Carolina	Before 1849	Nickel-poor ataxite	1	24	24
589	Chihuahua City, Mexico	Before 1929	Brecciated hexahedrite	1	2,037	2,037
580	Chilkoot, Alaska	Known 1881	Medium octahedrite	1	155	155
485	Chinautla, Guatemala	Found 1902	Medium octahedrite	1	95	95
349	Chulafinnee, Alabama	Found 1873	Medium octahedrite	1	103	103

NO.	LOCALITY	DATE	CLASSIFICATION	NO. OF SPECIMENS	WGT. OF LARGEST (Grams)	TOTAL WGT. (Grams)
26	Chupaderos, Mexico	Before 1852	Fine octahedrite	1	95	95
577	Cincinnati, Ohio	Found 1870	Nickel-poor ataxite	2	37.5	38
261	Cleveland, Tennessee	Found 1860	Medium octahedrite	1	21	21
681	Clover Springs, Arizona	Found 1954	Mesosiderite	1	8	8
132	Coahuila, Mexico (Butcher irons, part)	Known 1837	Hexahedrite	29	317,500	819,200
407	Coahuila (Fort Duncan)		Hexahedrite	4	18	57
107	Coahuila (Sancha Estate)		Hexahedrite	3	820	865
410	Colby, Wisconsin	Fell 1917	Hypersthene-chondrite	1	83	83
139	Cold Bokkeveld, South Africa	Fell 1838	Carbonaceous chondrite	3	3	8
567	Coldwater, Kansas	Found 1924	Chondrite	1	18.5	18.5
486	Colfax, North Carolina	Found 1880	Medium octahedrite	1	743	743
549	Collescipoli, Italy	Fell 1890	Bronzite-chondrite	1	2	2
487	Cookeville, Tennessee	Found 1913	Coarsest octahedrite	1	79	79
637	Coolac, New South Wales	Found 1874	Coarse octahedrite (210)	1	155	155
550	Coon Butte, Arizona	Found 1905	Chondrite	1	19	19
254	Coopertown, Tennessee	Known 1860	Medium octahedrite	3	1,300	1,325
290	Copiapo, Chile	Found 1863	Brecciated octahedrite	2	320	333

NO.	LOCALITY	DATE	CLASSIFICATION	NO. OF SPECIMENS	WGT. OF LARGEST (Grams)	TOTAL WGT. (Grams)
620	Cortez, Colorado	Found 1940	Chondrite	1	116	116
143	Cosby's Creek, Tennessee	Before 1837	Coarse octahedrite	7	12,075	19,750
488	Costilla Peak, New Mexico	Found 1881	Medium octahedrite	1	1,551	1,551
591	Cotesfield, Nebraska	Found 1928	Chondrite	1	17	17
581	Covert, Kansas	Before 1896	Chondrite	1	586	586
602	Coya Norte, Chile	Found 1927	Hexahedrite	1	925	925
491	Crab Orchard Mountains, Tennessee	Found 1887	Mesosiderite	1	670	670
197	Cranberry Plains, Virginia	Found 1852	Fine octahedrite	3	16	29
214	Cranbourne, Australia	Found 1854	Coarse octahedrite	4	679	1,170
444	Cross Roads, North Carolina	Fell 1892	Chondrite	1	9	9
638	Cruz del Aire, Mexico	Found 1911	Fine octahedrite	1	198	198
539	Cuernavaca, Mexico	Found 1889	Fine octahedrite	1	1,315	1,315
521	Cullison, Kansas	Found 1911	Bronzite-chondrite	1	18	18
477	Cumberland Falls, Kentucky	Fell 1919	Aubrite	2	154	215
457	Cumpas, Mexico	Found 1903	Medium octahedrite	2	24,168	24,239
377	Cynthiana, Kentucky	Fell 1877	Hypersthene-chondrite	1	3,118	3,118

NO.	LOCALITY	DATE	CLASSIFICATION	NO. OF SPECIMENS	WGT. OF LARGEST (Grams)	TOTAL WGT. (Grams)
661	Dadín, Argentina	Known 1949	Coarse octahedrite	1	22	22
677	Dalgety Downs, Western Australia	Found 1941	Stony iron	4	373	736
372	Dalton, Georgia	Found 1877	Medium octahedrite	3	200	429
383	Dandapur, India	Fell 1878	Hypersthene-chondrite	1	212	212
319	Daniel's Kull, South Africa	Fell 1868	Enstatite chondrite	1	22	22
325	Danville, Alabama	Fell 1868	Hypersthene-chondrite	2	84	85
175	Deep Springs, North Carolina	Found 1846	Nickel-rich ataxite	1	103	103
223	Denton County, Texas	Before 1856	Medium octahedrite	1	49	49
599	Deport, Texas	Found 1926	Coarse octahedrite	4	2,724	3,875
416	Descubridora, Mexico	Found 1780	Medium octahedrite	2	1,292	1,328
262	Dhumsala, India	Fell 1860	Hypersthene-chondrite	2	540	542
633	Dimmitt, Texas	Known 1947	Chondrite	1	709	709
413	Djati-Pengilon, Java	Fell 1884	Bronzite-chondrite	3	270	272
105	Drake Creek, Tennessee	Fell 1827	Hypersthene-chondrite	1	1,200	1,200
639	Drum Mountains, Utah	Found 1944	Medium octahedrite	1	60	60
209	Duel Hill, (1854) North Carolina	Found 1854	Fine octahedrite	3	104	137
351	Duel Hill, (1873) North Carolina	Found 1873	Coarse octahedrite	1	219	219

NO.	LOCALITY	DATE	CLASSIFICATION	NO. OF SPECIMENS	WGT. OF LARGEST (Grams)	TOTAL WGT. (Grams)
75	Durala, India	Fell 1815	Hypersthene-chondrite	2	20	36
576	Durango, Mexico	Found 1904	Medium octahedrite	1	252	252
208	Duruma, Kenya	Fell 1853	Chondrite	1	1	1
379	Eagle Station, Kentucky	Found 1880	Pallasite	2	26	52
634	Edmonton, Kentucky	Found 1942	Fine octahedrite	1	165	165
664	Ehole, Angola, West Africa	Fell 1961	Chondrite	2	67	75
273	Ehrenberg, Arizona	Before 1862	Coarse octahedrite	2	35	46
4	Elbogen, Bohemia	Fell 1400	Medium octahedrite	2	146	169
490	El Capitan, New Mexico	Found 1893	Medium octahedrite	1	540	540
674	Elenovka, Russia	Fell 1951	Chondrite	1	15	15
561	Eli Elwah, New South Wales	Found 1888	Hypersthene-chondrite	1	171	171
458	Elm Creek, Kansas	Found 1906	Hypersthene-chondrite	1	485	485
653	El Perdido, Argentina	Found 1905	Chondrite	1	77	77
211	Emmitsburg, Maryland	Found 1854	Medium octahedrite	1	10	10
5	Ensisheim, Germany	Fell 1492	Hypersthene-chondrite	2	22	27
491	Ergheo, East Africa	Fell 1889	Hypersthene-chondrite	1	155	155
67	Erxleben, Prussia	Fell 1812	Bronzite-chondrite	1	1	1

NO.	LOCALITY	DATE	CLASSIFICATION	NO. OF SPECIMENS	WGT. OF LARGEST (Grams)	TOTAL WGT. (Grams)
456	Estacado, Texas	Found 1883	Bronzite-chondrite	3	17,800	17,803
390	Estherville, Iowa	Fell 1879	Mesosiderite	many	12,600	18,562
439	Farmington, Kansas	Fell 1890	Hypersthene-chondrite	2	2,792	2,857
522	Felix, Alabama	Fell 1900	Hypersthene-chondrite	1	14	14
541	Finmarken, Arctic Norway	Found 1902	Pallasite	2	340	341
447	Fisher, Minnesota	Fell 1894	Hypersthene-chondrite	1	471	471
438	Forest City, Iowa	Fell 1890	Bronzite-chondrite	18	527	968
110	Forsyth, Georgia	Fell 1829	Hypersthene-chondrite	2	57	58
492	Forsyth County, North Carolina	Found 1891	Nickel-poor ataxite	1	52	52
225	Fort Pierre, South Dakota	Found 1856	Medium octahedrite	2	35	63
525	Four Corners, New Mexico	Found 1924	Fine octahedrite	1	1,600	1,600
493	Franceville, Colorado	Found 1890	Medium octahedrite	1	2,260	2,260
326	Frankfort (stone), Alabama	Fell 1868	Howardite	1	57	57
301	Frankfort (iron), Kentucky	Found 1866	Medium octahedrite	1	5,400	5,400
91	Futtehpur, India	Fell 1822	Chondrite	2	31	53

NO.	LOCALITY	DATE	CLASSIFICATION	NO. OF SPECIMENS	WGT. OF LARGEST (Grams)	TOTAL WGT. (Grams)
618	Garnett, Kansas	Before 1938	Chondrite	1	331	331
515	Garraf, Spain	Found 1905	Chondrite	1	185	185
466	Gibson, South West Africa	Before 1836	Fine octahedrite	4	232,305	236,843
494	Gilgoin Station, New South Wales	Found 1889	Bronzite-chondrite	1	223	223
206	Girgenti, Italy	Fell 1853	Hypersthene-chondrite	1	15	15
573	Gladstone, Queensland	Found 1915	Coarse octahedrite	1	6,100	6,100
667	Gladstone, Union County, New Mexico	Found 1936	Chondrite	5	569	1,260
607	Glasgow, Kentucky	Found 1922	Coarse octahedrite	1	265	265
414	Glorieta Mountain, New Mexico	Found 1884	Medium octahedrite	4	545	1,229
316	Goalpara, India	Found 1868	Ureillite	1	37	37
603	Grady No. 2, New Mexico	Found 1937	Chondrite	1	511	511
409	Grand Rapids, Michigan	Found 1883	Fine octahedrite	1	1,008	1,008
662	Grant County, Kansas	Found 1936	Chondrite		Thin Section	
405	Greenbrier County, West Virginia	Found 1880	Coarse octahedrite	1	64	64
266	Grosnaja, Caucasus	Fell 1861	Hypersthene-chondrite	1	7	7
464	Gun Creek, Arizona	Found 1909	Medium octahedrite	2	16,813	16,920

NO.	LOCALITY	DATE	CLASSIFICATION	NO. OF SPECIMENS	WGT. OF LARGEST (Grams)	TOTAL WGT. (Grams)
227	Hainholz, Germany	Found 1856	Mesosiderite	3	209	335
420	Hammond Township, Wisconsin	Found 1884	Medium octahedrite	2	83	111
671	Harleton, Texas	Fell 1961	Chondrite	1	1	1
249	Harrison County, Indiana	Fell 1859	Hypersthene-chondrite	1	76	76
609	Harrisonville, Missouri	Found 1933	Chondrite	1	104	104
622	Hayes Center, Nebraska	Found 1941	Chondrite	1	442	442
500	Hedjaz, Arabia	Fell 1910	Bronzite-chondrite	2	14	21
601	Henbury, Australia	Found 1931	Medium octahedrite	4	1,110	2,023
465	Hermitage Plains, New South Wales	Found 1909	Hypersthene-chondrite	1	314	314
330	Hessle, Sweden	Fell 1869	Bronzite-chondrite	10	367	476
403	Hex River Mountains, South Africa	Found 1882	Hexahedrite	1	94	94
654	Hinojo, Argentina	Before 1928	Chondrite	1	12	12
647	Hoba, Southwest Africa	Found 1920	Nickel-rich ataxite	2	669	685
468	Hollbrook, Arizona	Fell 1912	Hypersthene-chondrite	93	250	7,000
361	Homestead, Iowa	Fell 1875	Bronzite-chondrite	19	5,425	17,456
99	Honolulu, Hawaiian Islands	Fell 1825	Hypersthene-chondrite	1	30	30
665	Horse Creek, Colorado	Found 1937	Pseudo-octahedrite	1	39	39

NO.	LOCALITY	DATE	CLASSIFICATION	NO. OF SPECIMENS	WGT. OF LARGEST (Grams)	TOTAL WGT. (Grams)
12	Hraschina, Yugoslavia	Fell 1751	Medium octahedrite	1	6	6
579	Huizopa, Mexico	Found 1907	Fine octahedrite	19	204	204
454	Hvittis, Finland	Fell 1901	Enstatite chondrite	1	43	43
544	Ilimaes, Chile	Found 1874	Medium octahedrite	1	237	237
35	Imilac, Chile	Before 1822	Pallasite	3	164	252
551	Indarch, Transcaucasia	Fell 1891	Enstatite chondrite	1	1,115	1,115
596	Indian Valley, Virginia	Found 1887	Hexahedrite	1	105	105
659	Indio Rico, Argentina	Found 1887	Chondrite	1	214	214
395	Ivanpah, California	Found 1880	Medium octahedrite	1	336	336
558	Jamestown, North Dakota	Found 1885	Fine octahedrite	1	98	98
437	Jelica, Serbia	Fell 1889	Chondrite	1	35	35
402	Jenny's Creek, West Virginia	Found 1883	Coarse octahedrite	1	32	32
352	Jhung, Pakistan	Fell 1873	Chondrite	1	44	44
241	Joel's Iron, Chile	Found 1858	Medium octahedrite	1	13	13
540	Joe Wright MOUNTAIN, Arkansas	Found 1884	Medium octahedrite	1	75	75
408	Johnstown, Colorado	Fell 1924	Diogenite	1	752	752
83	Jonzac, France	Fell 1819	Eucrite	1	1	1
87	Juvinas, France	Fell 1821	Eucrite	1	71	71

NO.	LOCALITY	DATE	CLASSIFICATION	NO. OF SPECIMENS	WGT. OF LARGEST (Grams)	TOTAL WGT. (Grams)
236	Kaba, Hungary	Fell 1857	Hypersthene-chondrite	1	1	1
244	Kakowa, Romania	Fell 1858	Hypersthene-chondrite	1	1	1
615	Karoonda, South Australia	Fell 1930	Chondrite	1	24	24
495	Kendall County, Texas	Known 1887	Brecciated hexahedrite	1	477	477
436	Kenton County, Kentucky	Found 1889	Medium octahedrite	1	3,856	3,856
332	Kernouvé, France	Fell 1869	Bronzite-chondrite	1	364	364
194	Kesen, Japan	Fell 1850	Hypersthene-chondrite	1	698	698
648	Keyes, Oklahoma	Found 1939	Chondrite	1	14	14
353	Khaipur, Pakistan	Fell 1873	Enstatite chondrite	1	66	66
467	Kilbourn, Wisconsin	Fell 1911	Chondrite	1	70	70
469	Kingston, New Mexico	Found 1891	Medium octahedrite	1	746	746
307	Knyahinya, Czechoslovakia	Fell 1866	Hypersthene-chondrite	5	532	689
269	Kokomo, Indiana	Found 1862	Nickel-rich ataxite	3	261	348
11	Krasnojarsk, Siberia	Found 1749	Pallasite	4	170	375
64	Kuleschovka, Ukraine	Fell 1749	Chondrite	1	0.3	0.3
672	Kumashak, Russia	Fell 1949	Chondrite	1	40	40
429	Kyushu, Japan	Fell 1886	Chondrite	1	32	32

NO.	LOCALITY	DATE	CLASSIFICATION	NO. OF SPECIMENS	WGT. OF LARGEST (Grams)	TOTAL WGT. (Grams)
6	La Caille, France	Found 1828	Medium octahedrite	1	304	304
255	La Grange, Kentucky	Found 1860	Finest octahedrite	1	193	193
37	L'Aigle, France	Fell 1803	Hypersthene-chondrite	2	90	159
347	Lancé, France	Fell 1872	Carbonaceous chondrite	1	33	33
562	La Primitiva, Chile	Found 1888	Nickel-poor ataxite	1	978	978
598	Leeds, Quebec, Canada	Before 1931	Medium octahedrite	1	77	77
529	Leighton, Alabama	Fell 1907	Chondrite	1	1	1
71	Lénártó, Czechoslovakia	Found 1814	Medium octahedrite	3	50	119
167	Le Pressoir, France	Fell 1845	Chondrite	1	4	4
388	Lick Creek, North Carolina	Found 1879	Hexahedrite	1	6	6
69	Limerick, Ireland	Fell 1813	Bronzite-chondrite	1	46	46
632	Linwood, Nebraska	Found 1940	Coarsest octahedrite	1	1,607	1,607
56	Lissa, Bohemia	Fell 1808	Hypersthene-chondrite	2	4	5
142	Little Piney, Missouri	Fell 1839	Chondrite	1	8	8
635	Livingston, Tennessee	Found 1937	Medium octahedrite	1	18	18
86	Lixna, Latvia	Fell 1820	Bronzite-chondrite	1	5	5
496	Locust Grove, Georgia	Found 1857	Nickel-poor ataxite	1	94	94
441	Long Island, Kansas	Found 1891	Hypersthene-chondrite	1	303	303

NO.	LOCALITY	DATE	CLASSIFICATION	NO. OF SPECIMENS	WGT. OF LARGEST (Grams)	TOTAL WGT. (Grams)
312	Losttown, Georgia	Found 1868	Medium octahedrite	1	13	13
541	Luis Lopez, New Mexico	Found 1896	Medium octahedrite	1	580	580
334	Lumpkin, Georgia	Fell 1869	Hypersthene-chondrite	2	45	47
497	Lundsgård, Sweden	Fell 1889	Chondrite	1	94	94
129	Macáu, Brazil	Fell 1836	Chondrite	1	15	15
212	Madoc, Ontario, Canada	Found 1854	Fine octahedrite	2	66	81
147	Magura, Czechoslovakia	Found 1840	Coarse octahedrite	8	204	772
191	Mainz, Germany	Found 1852	Hypersthene-chondrite	1	5	5
285	Manbhoom, India	Fell 1863	Chondrite	1	4	4
179	Marion, Iowa	Fell 1847	Hypersthene-chondrite	3	203	371
453	Marjalahti, Finland	Fell 1902	Pallasite	1	172	172
253	Marshall County, Kentucky	Found 1860	Medium octahedrite	2	68	127
604	Marsland, Nebraska	Found 1933	Chondrite	1	258	258
18	Mauerkirchen, Upper Austria	Fell 1768	Hypersthene-chondrite	1	8	8
34	Mauritius, Indian Ocean	Fell 1801	Chondrite	1	1	1
675	McCamey, Texas	Found 1955	Iron	1	72.8	72.8
498	McKinney, Texas	Found 1870	Hypersthene-chondrite	2	446	574

NO.	LOCALITY	DATE	CLASSIFICATION	NO. OF SPECIMENS	WGT. OF LARGEST (Grams)	TOTAL WGT. (Grams)
514	Mejillones, Atacama, Chile	Found 1905	Nickel-poor ataxite	1	65	65
610	Melrose, New Mexico	Before 1933	Hypersthene-chondrite	1	2,030	2,030
267	Menow, Germany	Fell 1862	Chondrite	2	91	93
415	Merceditas, Chile	Found 1884	Medium octahedrite	1	1,589	1,589
502	Mern, Denmark	Fell 1878	Chondrite	1	1	1
199	Mezö-Madaras, Transylvania	Fell 1852	Hypersthene-chondrite	1	51	51
552	Mighei, Ukraine	Fell 1889	Carbonaceous chondrite	1	54	54
155	Milena, Yugoslavia	Fell 1842	Chondrite	2	71	74
553	Minas Gerais, Brazil	Known 1888	Chondrite	1	25	25
256	Mincy, Missouri	Found 1857	Mesosiderite	3	104	126
559	Misshof, Latvia	Fell 1890	Bronzite-chondrite	1	145	145
41	Misteca, Mexico	Known 1804	Medium octahedrite	2	430	487
406	Mocs, Transylvania	Fell 1882	Hypersthene-chondrite	5	806	1,322
585	Moctezuma, Mexico	Found 1899	Medium octahedrite	1	37	37
460	Mbdoc, Kansas	Fell 1905	Hypersthene-chondrite	1	147	147
246	Molina, Spain	Fell 1858	Bronzite-chondrite	1	173	173
570	Mblong, New South Wales	Found 1912	Pallasite	1	90	90
619	Mbnahans, Texas	Found 1838	Nickel-rich ataxite	1	811	811

NO.	LOCALITY	DATE	CLASSIFICATION	NO. OF SPECIMENS	WGT. OF LARGEST (Grams)	TOTAL WGT. (Grams)
185	Mnroe, North Carolina	Fell 1849	Bronzite-chondrite	1	168	168
62	Mboresfort, Ireland	Fell 1810	Chondrite	1	7	7
25	Mbrito, Mexico	Known 1600	Medium octahedrite	17	10	35
623	Morrill, Nebraska	Found 1920	Medium octahedrite	1	29	29
545	Morristown, Tennessee	Found 1887	Mesosiderite	2	325	483
327	Moti-ka-nagla, India	Fell 1868	Chondrite	1	7	7
586	Mount Dyrning, New South Wales	Found 1903	Pallasite	1	98	98
475	Mount Edith, Western Australia	Found 1913	Medium octahedrite	1	30,500	30,500
432	Mount Joy, Pennsylvania	Found 1887	Granular hexahedrite	2	553	565
462	Mount Ouray, Colorado	Found 1898	Medium octahedrite	1	626	626
442	Mount Stirling, Western Australia	Known 1892	Coarse octahedrite	1	186	186
568	Mount Tabby, Utah	Found 1921	Coarse octahedrite	2	937	1,008
523	Mount Vernon, Kentucky	Known 1868	Pallasite	1	1,150	1,150
449	Mingindi, New South Wales	Found 1897	Fine octahedrite	1	31	31
176	Murfreesboro, Tennessee	Found 1847	Medium octahedrite	6	1,443	2,197
499	Murphy, North Carolina	Found 1899	Hexahedrite	1	212	212

NO.	LOCALITY	DATE	CLASSIFICATION	NO. OF SPECIMENS	WGT. OF LARGEST (Grams)	TOTAL WGT. (Grams)
489	Nakhla, Egypt	Fell 1911	Nakhlite	3	83	183
98	Nanjemoy, Maryland	Fell 1825	Chondrite	3	118	123
569	Narraburra Creek, New South Wales	Found 1855	Fine octahedrite	1	681	681
335	Nedagolla, India	Fell 1870	Nickel-poor ataxite	1	18	18
226	Nelson County, Kentucky	Found 1856	Coarsest octahedrite	1	2,800	2,800
287	Merft, Latvia	Fell 1864	Hypersthene-chondrite	1	24	24
507	Ness County, Kansas	Fell 1894	Bronzite-chondrite	2	684	730
172	Netschaëvo, Russia	Found 1846	Brecciated octahedrite	1	22	22
600	New Almelo, Kansas	Found 1917	Chondrite	1	199	199
526	New Baltimore, Pennsylvania	Found 1922	Granular hexahedrite	1	10,400	10,400
260	New Concord, Ohio	Fell 1860	Hypersthene-chondrite	3	23,030	27,859
582	Newport, Arkansas	Found 1923	Pallasite	1	482	482
636	New Westville, Ohio	Found 1941	Medium octahedrite	1	68	68
542	N'Goureyrna, French West Africa	Fell 1900	Brecciated octahedrite	1	7	7
93	Nobleborough, Maine	Fell 1823	Howardite	1	2	2
560	Nocoleche, New South Wales	Known 1895	Coarse octahedrite	1	141	141
649	Norcateur, Kansas	Found 1940	Chondrite	1	22	22
587	Norfolk, Virginia	Fell 1907	Medium octahedrite	1	200	200

NO.	LOCALITY	DATE	CLASSIFICATION	NO. OF SPECIMENS	WGT. OF LARGEST (Grams)	TOTAL WGT. (Grams)
656	Norquín, Argentina	Before 1945	Medium to coarse octahedrite	1	58	58
668	Norton County, Kansas	Fell 1948	Aubrite	1	18.8	18.8
535	Oakley, Kansas	Found 1895	Bronzite-chondrite	1	3,800	3,800
277	Obernkirchen, Germany	Before 1863	Fine octahedrite	2	225	284
501	Ochansk, Russia	Fell 1887	Bronzite-chondrite	3	234	271
624	Odessa, Texas	Before 1922	Coarse octahedrite	4	2,810	3,313
588	Ogallala, Nebraska	Found 1918	Medium octahedrite	1	17	17
238	Ohaba, Transylvania	Fell 1857	Bronzite-chondrite	1	26	26
472	Okano, Japan	Fell 1904	Hexahedrite	1	383	383
210	Oktibbeha County, Mississippi	Found 1854	Nickel-rich ataxite	2	3	6
424	Olivenza, Spain	Fell 1924	Hypersthene-chondrite	1	157	157
512	Ollague, Bolivia	Found 1924	Pallasite	2	4,956	5,267
580	Olmedilla, Spain	Fell 1929	Hypersthene-chondrite	1	233	233
224	Orange River, South Africa	Known 1855	Medium octahedrite	1	32	32
288	Orgueil, France	Fell 1864	Carbonaceous chondrite	2	10	12
322	Ormans, France	Fell 1868	Hypersthene-chondrite	1	2	2
448	Oscuro Mountains, New Mexico	Found 1895	Coarse octahedrite	1	57	57
20	Otumpa, Argentina	Found 1576	Granular hexahedrite	2	139	187

NO.	LOCALITY	DATE	CLASSIFICATION	NO. OF SPECIMENS	WGT. OF LARGEST (Grams)	TOTAL WGT. (Grams)
629	Paragould, Arkansas	Fell 1930	Chondrite	1	446	446
233	Parnallee, India	Fell 1857	Hypersthene-chondrite	5	276	327
606	Pasamonte, New Mexico	Fell 1933	Howardite	1	69	69
546	Pavlodar, Siberia	Found 1885	Pallasite	1	500	500
102	Pavlograd, Ukraine	Fell 1826	Chondrite	1	134	134
670	Peace River, Alberta, Canada	Fell 1963	Chondrite	1	28	57
640	Perryville, Missouri	Found 1906	Ataxite	1	597	597
222	Petersburg, Tennessee	Fell 1855	Howardite	2	6	9
282	Pillistfer, Estonia	Fell 1863	Enstatite chondrite	1	14	14
641	Pine River, Wisconsin	Found 1931	Octahedrite	1	58	58
431	Pipe Creek, Texas	Found 1887	Bronzite-chondrite	1	196	196
187	Pittsburg, Pennsylvania	Found 1850	Coarse octahedrite	1	33	33
524	Plainview, Texas	Found 1917	Chondrite	1	1,332	1,332
503	Plymouth, Indiana	Found 1893	Medium octahedrite	1	565	565
84	Pohlitz, Germany	Fell 1918	Chondrite	1	3	3
278	Ponca Creek, Nebraska	Found 1863	Coarsest octahedrite	1	81	81
621	Potter, Nebraska	Found 1941	Chondrite	1	515	515
617	Providence, Kentucky	Found 1903	Coarse octahedrite	1	299	299

NO.	LOCALITY	DATE	CLASSIFICATION	NO. OF SPECIMENS	WGT. OF LARGEST (Grams)	TOTAL WGT. (Grams)
317	Pultusk, Poland	Fell 1868	Bronzite-chondrite	18	658	1,301
411	Puquios, Chile	Found 1885	Medium octahedrite	1	208	208
141	Putnam County, Georgia	Found 1839	Fine octahedrite	4	2,105	2,308
239	Quenggouk, Lower Burma	Fell 1857	Chondrite	2	85	88
42	Rancho de la Pila, Mexico	Found 1882	Medium octahedrite	1	34	34
575	Rancho de la Presa, Mexico	Fell 1899	Chondrite	1	30	30
53	Red River, Texas	Found 1808	Medium octahedrite	2	1,740	1,762
471	Reed City, Michigan	Found 1895	Coarse octahedrite	1	490	490
95	Renazzo, Italy	Fell 1824	Chondrite	2	14	23
504	Richardton, North Dakota	Fell 1918	Bronzite-chondrite	1	3,164	3,164
108	Richmond, Virginia	Fell 1828	Hypersthene-chondrite	2	2	4
371	Rochester, Indiana	Fell 1876	Chondrite	1	58	58
528	Rodeo, Mexico	Found 1852	Fine octahedrite	1	1,732	1,732
443	Roebourne, Western Australia	Found 1892	Medium octahedrite	1	559	559
505	Rosario, Honduras	Found 1896	Coarse octahedrite	1	3	3
625	Rose City, Michigan	Found 1921	Chondrite	1	684	684
368	Rowton, England	Fell 1876	Medium octahedrite	1	17	17

NO.	LOCALITY	DATE	CLASSIFICATION	NO. OF SPECIMENS	WGT. OF LARGEST (Grams)	TOTAL WGT. (Grams)
186	Ruff's Mountain, South Carolina	Found 1844	Medium octahedrite	1	448	448
517	Rushville, Indiana	Found 1866	Chondrite	1	7	7
279	Russel Gulch, Colorado	Found 1863	Fine octahedrite	2	1,372	1,519
506	Sacramento Mountains, New Mexico	Found 1896	Medium octahedrite	1	1,234	1,234
275	St. Francois County, Missouri	Before 1863	Coarse octahedrite	2	27	44
510	St. Germain-du-Pinel, France	Fell 1890	Spherical chondrite	1	5	5
679	St. Marks, South Africa	Fell 1903	Enstatite chondrite	1	11	11
306	St. Mesmin, France	Fell 1866	Hypersthene-chondrite	2	3	4
470	St. Michel, Finland	Fell 1910	Chondrite	2	508	571
554	Saline Township, Kansas	Found 1901	Hypersthene-chondrite	1	113	113
33	Salles, France	Fell 1798	Chondrite	1	5	5
188	Salt River, Kentucky	Found 1850	Finest octahedrite	1	272	272
473	Sams Valley, Oregon	Found 1894	Medium octahedrite	1	1,160	1,160
450	San Angelo, Texas	Found 1897	Medium octahedrite	1	295	295
595	Sandia Mountains, New Mexico	Found 1925	Hexahedrite	1	765	765

NO.	LOCALITY	DATE	CLASSIFICATION	NO. OF SPECIMENS	WGT. OF LARGEST (Grams)	TOTAL WGT. (Grams)
310	San Francisco del Mezquital, Mexico	Before 1868	Nickel-poor ataxite	1	51	51
584	Santa Apolonia, Mexico	Found 1872	Medium octahedrite	1	3,380	3,380
360	Santa Catharina, Brazil	Found 1875	Nickel-rich ataxite	14	918	2,418
597	Santa Fe, New Mexico	Before 1930	Fine octahedrite	1	52	52
59	Santa Rosa, Colombia, South America	Found 1810	Octahedrite	4	14,250	14,259
508	São Julião de Moreira, Portugal	Before 1883	Coarse octahedrite	1	810	811
216	Sarepta, Russia	Found 1854	Coarse octahedrite	1	446	446
323	Sauguis, France	Fell 1868	Enstatite chondrite	1	6	6
576	Schönnenberg, Bavaria	Fell 1846	Hypersthene-chondrite	1	98	98
189	Schwetzwitz, Poland	Found 1850	Medium octahedrite	1	32	32
509	Scott City, Kansas	Found 1905	Chondrite	1	155	155
315	Scottsville, Kentucky	Found 1867	Hexahedrite	1	535	535
673	Scriba, Oswego County, New York	Found 1834	Doubtful iron	1	486	486
341	Searsmont, Maine	Fell 1871	Bronzite-chondrite	4	20	47
178	Seeläsgen, Poland	Before 1847	Coarsest octahedrite	2	701	944
207	Segowlie, India	Fell 1853	Chondrite	1	118	118
190	Seneca Falls, New York	Found 1850	Medium octahedrite	1	10	10

NO.	LOCALITY	DATE	CLASSIFICATION	NO. OF SPECIMENS	WGT. OF LARGEST (Grams)	TOTAL WGT. (Grams)
628	Seneca Township, Michigan	Found 1923	Medium octahedrite	1	165	165
80	Seres, Macedonia	Fell 1818	Hypersthene-chondrite	1	13	13
669	Seymour, Missouri	Known 1940	Coarse octahedrite	1	24,500	24,500
192	Shalka, India	Fell 1850	Hypersthene-chondrite	1	2	2
614	Shallowater, Texas	Found 1936	Aubrite	1	337	337
455	Shelburne, Canada	Fell 1904	Hypersthene-chondrite	1	476	476
329	Shingle Springs, California	Found 1869	Nickel-rich ataxite	1	30	30
463	Shrewsbury, Pennsylvania	Found 1907	Medium octahedrite	1	507	507
283	Shytal, Pakistan	Fell 1863	Hypersthene-chondrite	1	3	3
30	Siena, Italy	Fell 1794	Chondrite	1	6	6
513	Sierra Sandon, Chile	Found 1923	Coarse octahedrite	1	6,326	6,326
678	Sikhote-Alin, USSR	Fell 1947	Coarsest octahedrite	3	16	16
543	Silver Crown, Wyoming	Found 1887	Coarse octahedrite	1	26	26
611	Sioux County, Nebraska	Found 1933	Howardite	3	19	31
15	Siratik, West Africa	Found 1716	Nickel-poor ataxite	1	23	23
362	Sitathali, India	Fell 1875	Bronzite-chondrite	1	14	14
81	Slobodka, Russia	Fell 1818	Chondrite	2	3	4
148	Smithland, Kentucky	Found 1839	Nickel-rich ataxite	1	1,205	1,782

NO.	LOCALITY	DATE	CLASSIFICATION	NO. OF SPECIMENS	WGT. OF LARGEST (Grams)	TOTAL WGT. (Grams)
273	Smith's Mountain, North Carolina	Found 1863	Fine octahedrite	4	463	809
146	Smithville, Tennessee	Found 1840	Coarse octahedrite	1	2,240	3,304
380	Soko-Banja, Serbia	Fell 1877	Hypersthene-chondrite	2	196	239
594	South Bend, Indiana	Found 1893	Pallasite	1	172	172
613	Spearman, Texas	Found 1934	Medium octahedrite	1	656	656
370	Stålldalen, Sweden	Fell 1876	Bronzite-chondrite	1	78	78
55	Stannern, Czechoslovakia	Fell 1808	Eucrite	3	183	221
242	Staunton, Virginia	Found 1858	Medium octahedrite	3	2,740	4,595
3	Steinbach, Saxony	Found 1724	Siderophyre	12	225	675
292	Supuhee, India	Fell 1865	Chondrite	1	33	33
13	Tabor, Bohemia	Fell 1753	Bronzite-chondrite	1	11	11
314	Tadjera, Algeria	Fell 1867	Bronzite-chondrite	1	25	25
651	Tambo Quemado, Peru	Recognized 1949	Medium octahedrite	1	70	70
660	Tandil, Buenos Aires, Argentina	Fell 1916	Hexahedrite	1	65	65
657	Tarapaca, Chile	Before 1890	Medium octahedrite	3	60	100
682	Tatahouine, Tunisia	Fell 1931	Diogenite	1	16	16
203	Tazewell, Tennessee	Found 1853	Finest octahedrite	5	372	716

NO.	LOCALITY	DATE	CLASSIFICATION	NO. OF SPECIMENS	WGT. OF LARGEST (Grams)	TOTAL WGT. (Grams)
346	Tennasilm, Esthonia	Fell 1872	Hypersthene-chondrite	1	270	270
427	Thunda, Queensland	Known 1881	Medium octahedrite	1	51	51
532	Tieraco Creek, Western Australia	Found 1922	Fine octahedrite	1	18,160	18,160
382	Tieschitz, Czechoslovakia	Fell 1878	Hypersthene-chondrite	1	7	7
50	Tinochin, Russia	Fell 1807	Chondrite	1	1	1
593	Tlacotepec, Mexico	Found 1903	Nickel-rich ataxite	1	3,930	3,930
642	Tocopilla, Chile	Found 1927	Hexahedrite	1	1,080	1,080
22	Toluca, Mexico	Before 1776	Medium octahedrite	13	18,369	21,239
392	Tomatlan, Mexico	Fell 1879	Chondrite	1	1	1
474	Tombigbee River, Alabama	Found 1859	Nickel-poor ataxite	1	98	98
286	Tomhannock Creek, New York	Found 1863	Chondrite	2	10	11
426	Tonganoxie, Kansas	Found 1886	Medium octahedrite	1	220	220
511	Toubil River, Siberia	Found 1891	Medium octahedrite	1	41	41
284	Tourinnes-la-Grosse, Belgium	Fell 1863	Hypersthene-chondrite	1	12	12
243	Trenton, Wisconsin	Found 1858	Medium octahedrite	9	3,630	5,247
231	Trenzano, Italy	Fell 1856	Bronzite-chondrite	1	151	151
574	Troup, Texas	Fell 1917	Chondrite	1	37	37
193	Tucson, Arizona	Before 1850	Nickel-rich ataxite	6	594	1,141

NO.	LOCALITY	DATE	CLASSIFICATION	NO. OF SPECIMENS	WGT. OF LARGEST (Grams)	TOTAL WGT. (Grams)
531	Tulia, Texas	Found 1917	Hypersthene-chondrite	3	7,157	7,292
555	Tysnes Island, Norway	Fell 1884	Bronzite-chondrite	1	4	4
556	Uberaba, Brazil	Fell 1903	Chondrite	1	62	62
304	Udipi, India	Fell 1866	Veined grey chondrite	3	31	58
204	Union County, Georgia	Found 1853	Coarsest octahedrite	3	24	35
160	Utrecht, Holland	Fell 1843	Hypersthene-chondrite	1	6	6
563	Uwet, Nigeria	Before 1903	Hexahedrite	2	87	152
271	Vaca Muerta, Chile	Known 1861	Mesosiderite	8	275	770
399	Veramin, Persia	Fell 1880	Mesosiderite	2	142	152
213	Verkhne Udinsk, Siberia	Found 1854	Coarse octahedrite	1	46	46
293	Vernon County, Wisconsin	Fell 1865	Bronzite-chondrite	2	100	130
268	Victoria West, South Africa	Fell 1860	Fine octahedrite	2	137	181
533	Vigarano, Italy	Fell 1910	Chondrite	1	32	32
114	Vouillé, France	Fell 1831	Chondrite	1	103	103
344	Waconda, Kansas	Found 1873	Hypersthene-chondrite	2	1,675	1,727
557	Wairarapa Valley, New Zealand	Found 1864	Crystalline-chondrite	1	28	28
422	Waldron Ridge, Tennessee	Known 1887	Coarse octahedrite	1	12	12
116	Walker County, Alabama	Found 1832	Hexahedrite	3	1,890	2,301

NO.	LOCALITY	DATE	CLASSIFICATION	NO. OF SPECIMENS	WGT. OF LARGEST (Grams)	TOTAL WGT. (Grams)
376	Warrenton, Missouri	Fell 1877	Chondrite	2	175	341
565	Washington County, Colorado	Found 1926	Nickel-rich ataxite	1	5,750	5,750
572	Weekeroo Station, South Australia	Found 1924	Brecciated octahedrite	1	3,355	3,355
435	Welland, Canada	Found 1888	Medium octahedrite	1	138	138
51	Weston, Connecticut	Fell 1807	Chondrite	9	135	206
127	Wichita County, Texas	Before 1836	Coarse octahedrite	1	1,800	1,800
461	Williamstown, Kentucky	Found 1892	Medium octahedrite	2	309	359
612	Willow Creek, Wyoming	Found 1914	Medium octahedrite	1	1,005	1,005
627	Winona, Arizona	Prehistoric	Mesosiderite	1	410	410
31	Wold Cottage, England	Fell 1795	Chondrite	2	57	58
676	Wolf Creek, Western Australia	Found 1947	Iron	2	1,947	2,449
631	Wood's Mountain, North Carolina	Found 1918	Finest octahedrite	1	79	79
240	Wooster, Ohio	Before 1858	Medium octahedrite	2	4	7
198	Yatoor, India	Fell 1852	Chondrite	3	58	81

NO.	LOCALITY	DATE	CLASSIFICATION	NO. OF SPECIMENS	WGT. OF LARGEST (Grams)	TOTAL WGT. (Grams)
418	Youndegin, Western Australia	Found 1884	Coarse octahedrite	1	623	623
79	Zaborzika, Ukraine	Fell 1818	Chondrite	1	0.4	0.4
28	Zacatecas, Mexico	Before 1792	Granular hexahedrite	2	143	277
516	Zavid, Yugoslavia	Fell 1897	Hypersthene-chondrite	1	46	46

Thin Sections  
in  
Meteorite Collection,  
Harvard Mineralogical Museum

- |     |                               |     |                              |
|-----|-------------------------------|-----|------------------------------|
| 682 | Abee, Canada (2)              | 154 | Château-Renard, France       |
| 74  | Agen, France                  | 650 | Chaves, Portugal             |
| 136 | Akbarpur, India               | 681 | Clover Springs, Arizona      |
| 125 | Aldsworth, England            | 491 | Crab Orchard Mts., Tennessee |
| 412 | Alfianello, Italy             | 477 | Cumberland Falls, Kentucky   |
| 258 | Alessandria, Italy            | 377 | Cynthiana, Kentucky          |
| 38  | Apt, France                   | 325 | Danville, Alabama            |
| 680 | Atlanta, Louisiana            | 262 | Dhumsala, India              |
| 297 | Aumale, Algeria               | 105 | Drake Creek, Tennessee       |
| 156 | Aumières, France              | 75  | Durala, India                |
| 245 | Ausson, France                | 5   | Ensisheim, Germany           |
| 27  | Barbotan, France              | 447 | Fisher, Minnesota            |
| 168 | Barratta, New South Wales (2) | 438 | Forest City, Iowa            |
| 445 | Bath, South Dakota            | 110 | Forsyth, Georgia             |
| 592 | Beardsley, Kansas             | 326 | Frankfort, Alabama           |
| 159 | Bishopville, South Carolina   | 91  | Futtehpur, India             |
| 452 | Bjurböle, Finland             | 206 | Girgenti, Italy              |
| 220 | Bremervörde, Germany          | 316 | Goalpara, India              |
| 201 | Bustee, India                 | 603 | Grady No. 2, New Mexico (2)  |
| 655 | Cachari, Azul, Argentina (2)  | 227 | Hainholz, Germany            |
| 357 | Castalia, North Carolina      | 249 | Harrison County, Indiana     |
| 137 | Chandakapur, India            | 609 | Harrisonville, Missouri      |
| 68  | Chantonnay, France            | 330 | Hessle, Sweden               |
| 62  | Charsonville, France          | 361 | Homestead, Iowa (2)          |

- |                                  |                                |
|----------------------------------|--------------------------------|
| 99 Honolulu                      | 260 New Concord, Ohio (2)      |
| 454 Hvittis, Finland             | 238 Ohaba, Hungary             |
| 551 Indarch, Transcaucasia (3)   | 322 Ormans, France             |
| 361 Iowa (Ward), = Homestead (?) | 222 Petersburg, Tennessee      |
| 408 Johnstown, Colorado          | 524 Plainview, Texas (2)       |
| 87 Juvinas, France (2)           | 621 Potter, Nebraska           |
| 332 Kernouvé, France             | 317 Pultusk, Poland            |
| 353 Khaipur, Pakistan            | 95 Renazzo, Italy              |
| 307 Knyahinya, Czechoslovakia    | 306 Saint Mesmin, France       |
| 37 L'Aigle, France               | 33 Salles, France              |
| 69 Limerick, Ireland             | 341 Searsmont, Maine           |
| 56 Lissa, Bohemia                | 207 Segowlie, India            |
| 334 Lumpkin, Georgia             | 80 Seres, Macedonia            |
| 129 Macáu, Brazil                | 614 Shallowater, Texas         |
| 191 Mainz, Germany               | 611 Sioux County, Nebraska     |
| 285 Manbhoom, India              | 380 Soko-Banja, Serbia         |
| 179 Marion, Iowa                 | 55 Stannern, Czechoslovakia    |
| 18 Mauerkirchen, Bavaria         | 3 Steinbach, Saxony (3)        |
| 498 McKinney, Texas              | 292 Supuhee, India             |
| 155 Milena, Yugoslavia           | 13 Tabor, Bohemia              |
| 256 Mincy, Mississippi (2)       | 314 Tadjera, Algeria           |
| 406 Mocs, Austria                | 682 Tatahouine, Tunisia        |
| 185 Monroe, North Carolina       | 382 Tieschitz, Czechoslovakia  |
| 545 Mrrristown, Tennessee        | 22 Toluca, Mexico (nodule)     |
| 98 Nanjemoy, Maryland            | 286 Tomhannock Creek, New York |

(3)

- 284 Tourinnes-la-Grosse, Belgium
- 304 Udipi, India
- 160 Utrecht, Holland
- 271 Vaca Muerta, Chile (2)
- 399 Veramin, Persia
- 293 Vernon County, Wisconsin
- 114 Vouillé, France
- 344 Waconda, Kansas
- 376 Warrenton, Mississippi
- 627 Winona, Arizona
- 31 Wold Cottage, England
- 198 Yatoor, India (2)