

ELECTRICAL

FACILITY FORM 602

N66 26825

(ACCESSION NUMBER)

(THRU)

(PAGES)

(CODE)

(NASA CR OR TMX OR AD NUMBER)

(CATEGORY)

ANALYTIC PLATFORM SIMULATION

PREPARED BY
ADVANCED ~~STUDIES~~ GROUP
AUBURN UNIVERSITY
J. L. LOWRY, PROJECT LEADER

TECHNICAL REPORT
APRIL 1966

GPO PRICE \$

CFSTI PRICE(S) \$

Hard copy (HC)

Microfiche (MF)

ff 653 July 65

CONTRACT—NAS 8-20004

GEORGE C. MARSHALL SPACE FLIGHT CENTER
NATIONAL AERONAUTICS & SPACE ADMINISTRATION
HUNTSVILLE, ALABAMA 35812

AUBURN RESEARCH FOUNDATION
AUBURN UNIVERSITY
AUBURN, ALABAMA

ANALYTIC PLATFORM SIMULATION

Prepared by

ADVANCED STUDIES GROUP

AUBURN UNIVERSITY

J. L. Lowry, Project Leader

TECHNICAL REPORT


April 1966

Contract - NAS8-20004

George C. Marshall Space Flight Center
National Aeronautics and Space Administration
Huntsville, Alabama 35812

APPROVED BY:

SUBMITTED BY:


C. H. Holmes, Head Professor
Electrical Engineering
Department



J. L. Lowry, Professor
Electrical Engineering
Department

TABLE OF CONTENTS

LIST OF SYMBOLS.....	iii
LIST OF FIGURES.....	iv
FOREWORD.....	v
SUMMARY.....	vi
PERSONNEL.....	vii
I. INTRODUCTION.....	1
II. PROBLEM DEFINITION.....	3
A. General Problem.....	3
B. Symbols and Definitions.....	9
C. Equations and Abstracts.....	14
III. COMPUTER PROGRAM AND FLOW CHART.....	24
IV. TEST CASE.....	45
V. OPERATING INSTRUCTIONS.....	95

LIST OF SYMBOLS

(See Chapter II, Section B for a list of symbols and their Definitions.)

LIST OF FIGURES

I-1.	Simplified Block Diagram of the Analytic Platform Inertial Navigation Method.....	2
II-1.	Simplified Block Diagram of the Analytic Platform Concept.....	4
II-2.	Block Diagram of Either the Angular Velocity Sensor or the Linear Acceleration Sensor.....	5
II-3.	Block Diagram of the Coordinate Transformation Calculations.....	6
II-4.	Block Diagram of the Space-Fixed Position and Velocity Calculations with Corrections for Gravity.....	7
III-1.	Analytic Platform Simulation Program Flow Chart.....	43
IV-1.	Input Profiles for the Test Case.....	47
V-1.	Pictorial Listing of the Subroutines of the Analytic Platform Simulation Program in the Order of Their Entry.....	96
V-2.	Pictorial Listing of the Input Data for the Analytic Platform Simulation Program in the Order of Their Entry.....	97

FOREWORD

This is a technical report prepared by the Advanced Studies Group, Electrical Engineering Department, Auburn University, toward fulfillment of Contract NAS8-20004, granted to Auburn Research Foundation, Auburn, Alabama. This contract was awarded January 19, 1965, and extended to January 18, 1966. It was further extended to April 18, 1966.

SUMMARY

26825

This technical report is a documentation of the analytic platform simulation program. The simulation program is written in Fortran IV computer language and follows the modular form as outlined by the NASA Computation Center, Huntsville, Alabama. Chapter I states the need for such a simulation program. Chapter II states the capabilities of the program, presents the definitions of the various quantities used in the computer program, and lists the equations solved in the various subroutines. A complete program listing is presented in Chapter III along with the analytic platform simulation flow chart. Chapters IV and V presents a typical test case and explains the operating procedures for the use of the simulation program. For more detailed information on the theory behind the simulation program, one should consult the companion report:

"An Introduction to Analytic Platforms for Inertial Guidance,"

Technical Report, Advanced Studies Group, Auburn Research

Foundation, Auburn University, Auburn, Alabama, April 1966.

PERSONNEL

The following staff members of Auburn University have actively contributed in this study:

- | | |
|-----------------|--|
| C. L. Phillips- | Professor of Electrical Engineering
Project Leader, January 19, 1965 to October 19, 1965 |
| J. L. Lowry- | Professor of Electrical Engineering
Project Leader, October 19, 1965 to Present |
| C. L. Connor- | Graduate Assistant in Electrical Engineering
2/3 Time, September 1, 1965 to Present |
| W. B. Day- | Graduate Assistant in Electrical Engineering
Full Time, June 1, 1965 to September 1, 1965 |
| D. W. Kelly- | Graduate Assistant in Electrical Engineering
Full Time, January 19, 1965 to Present |
| R. J. Vinson- | Graduate Assistant in Electrical Engineering
Full Time, January 19, 1965 to September 1, 1965 |

I. INTRODUCTION

D. W. Kelly

The analytic platform system is one in which the mechanically stable platform is replaced by an analytic platform. A simplified block diagram of an analytic platform system is shown in Figure I-1. For more detailed information on the theory of analytic platforms, one should consult the companion report:

"An Introduction to Analytic Platforms for Inertial Guidance," Technical Report, Advanced Studies Group, Auburn Research Foundation, Auburn University, Auburn, Alabama, April 1966.

To study the feasibility of the analytic platform system, it was simulated using a digital computer. It was determined that the following computer program conditions should hold:

- (1). The program should be written in Fortram IV computer language, should be compatible with the IBM 7040 and IBM 7094 digital computer systems, and should be modular in form as outlined by NASA Computation Center, Huntsville, Alabama.
- (2). The program should be general in nature so as to allow the use of different angular velocity and linear acceleration sensors, different schemes for the calculation of the rotational matrix, and different numerical integration techniques.

This report is a documentation of the described analytic platform simulation program. The outline for documentation was provided by NASA Computation Center, Huntsville, Alabama.




Fig. I-1--Simplified Block Diagram of the Analytic Platform Inertial Navigation Method.

II. PROBLEM DEFINITION

D. W. Kelly

A. General Problem

The purpose of the analytic platform simulation program is to calculate vehicle velocities and positions in the space-fixed coordinate system, given the angular velocities and the linear accelerations of the vehicle in the vehicle-fixed coordinate system, using the analytic platform concept. Figure II-1 is a simplified block diagram of the analytic platform concept. Figures II-2,3, and 4 are further subdivisions, in block diagram form, of the individual blocks of Figure II-1. Figure II-2 is a block diagram of either the angular velocity sensors or the linear acceleration sensors. The outputs from the angular velocity sensors are angular velocities of the vehicle, and the outputs from the linear acceleration sensors are changes in linear velocity of the vehicle in the vehicle-fixed coordinate system. These velocities are the inputs to the coordinate transformation calculation block as shown in Figure II-3. The angular velocities are used to calculate the rotational matrix, and then the rotational matrix is used to transform the changes in linear velocity from the vehicle-fixed to the space-fixed coordinate system. Provision is also made in this block to calculate the Euler angles from the rotational matrix. Figure III-4 is a block diagram showing the necessary calculations to obtain the velocity and position in the space-fixed coordinate system, taking into account gravity and initial conditions.




Fig. II-1--Simplified Block Diagram of the Analytic Platform Concept.




Fig. II-2--Block Diagram of Either the Angular Velocity Sensor or the Linear Acceleration Sensor.




Fig. II-3--Block Diagram of the Coordinate Transformation Calculations.




Fig. II-4--Block Diagram of the Space-Fixed Position and Velocity Calculations with Corrections for Gravity.

The following statements list the capabilities of the simulation program:

- (1) The angular velocity and linear acceleration input data profiles are entered into the simulation program in tabular form at specified time intervals. Values between specified times are calculated from a straight-line interpolation.
- (2) The rotational matrix may be calculated by using either the angular velocity from the input profiles, an approximated value obtained from a change in angular displacement divided by the time interval or the approximated value rounded down to the nearest quantization level. A change in velocity or a quantized change in velocity may be transformed from the vehicle-fixed to the space-fixed coordinate system.
- (3) The quantization levels for the angular velocity and the linear acceleration sensors may be varied.
- (4) The time between calculations, that is, the period of updating the rotational matrix may be varied. The period of updating the space-fixed velocity and position may also be varied.
- (5) The rotational matrix may be calculated by either the direction cosines method, the Euler three angle method or the quaternion method.
- (6) Four different numerical integration techniques may be used: Simpson's, rectangular, trapezoidal or weighted averages.

- (7) Other quantities that may be controlled by the operator are cutoff time, printing time, velocity cutoff, initial conditions and input data printing.

B. Symbols and Definitions

This section lists the symbols, both mnemonic and mathematical, and their definitions as used in the analytic platform simulation program.

Mnemonic		Mathematical	Definition
Internal	Printed		
XS(1)	XS	X_s	Position of the vehicle in the space-fixed coordinate system.
XS(2)	YS	Y_s	
XS(3)	ZS	Z_s	
VXS(1)	VXS	$\dot{X}_s$	Velocity of the vehicle in the space-fixed coordinate system.
VXS(2)	VYS	$\dot{Y}_s$	
VXS(3)	VZS	$\dot{Z}_s$	
VXI(1)	VXI	$\dot{X}_i$	Velocity of the vehicle in the space-fixed coordinate system not corrected for gravity.
VXI(2)	VYI	$\dot{Y}_i$	
VXI(3)	VZI	$\dot{Z}_i$	
VXSG(1)	VXSG	$\dot{X}_{sg}$	Velocity of the vehicle due to gravity in the space-fixed coordinate system.
VXSG(2)	VYSG	$\dot{Y}_{sg}$	
VXSG(3)	VZSG	$\dot{Z}_{sg}$	
AXSG(1)	AXSG	$\ddot{X}_{sg}$	Acceleration of the vehicle due to gravity in the space-fixed coordinate system.
AXSG(2)	AYSG	$\ddot{Y}_{sg}$	
AXSG(3)	AZSG	$\ddot{Z}_{sg}$	
RS		R_s	Radial distance from the earth center to the vehicle.
VS		V_s	Magnitude of the vehicle velocity.
GAMMA		γ	Flight path angle relative to the local horizontal.

G		G	Flight path angle relative to the local vertical.
RSLL		R_o	Radial distance from the earth center to the launch site.
GME		μ_e	Earth gravitational constant.
NUMBER		Number	Number of points on the angular velocity and linear acceleration profiles.
TXYZ		T_{xyz}	Time between points on the angular velocity and linear acceleration input data profiles.
XINPUT (1, number)		$\dot{\phi}_x(\text{number})$	Angular velocity input profiles in the x, y, and z directions (radians/second).
XINPUT (2, number)		$\dot{\phi}_y(\text{number})$	
XINPUT (3, number)		$\dot{\phi}_z(\text{number})$	
XINPUT (4, number)		$\ddot{x}_v(\text{number})$	Linear acceleration input profiles in the x, y, and z directions (meters/second ²).
XINPUT (5, number)		$\ddot{y}_v(\text{number})$	
XINPUT (6, number)		$\ddot{z}_v(\text{number})$	
XINPUT (7, number)		$T(\text{number})$	Time for input profiles (seconds).
C(I,J)		$C(i,j)$	The ij^{th} element of the three by three orthogonal matrix, determined by angular velocities of the vehicle, used to transform from the vehicle-fixed to space-fixed coordinate systems.
VPHIX(1)	VPHIX	$\dot{\phi}_x$	The angular velocities of the vehicle.
VPHIX(2)	VPHIY		
VPHIX(3)	VPHIZ		
VPHIX(4)		$\Delta\phi_x/\Delta t$	The approximated values of angular velocities.
VPHIX(5)		$\Delta\phi_y/\Delta t$	
VPHIX(6)		$\Delta\phi_z/\Delta t$	
VPHIX(7)		$\Delta\phi_{xq}/\Delta t$	The approximated values of angular velocities rounded down to the nearest quantization level.
VPHIX(8)		$\Delta\phi_{yq}/\Delta t$	
VPHIX(9)		$\Delta\phi_{zq}/\Delta t$	
DEL VXV(1)		$\Delta\dot{x}_v$	The changes in linear velocity.
DEL VXV(2)		$\Delta\dot{y}_v$	
DEL VXV(3)		$\Delta\dot{z}_v$	
DEL VXV(4)		$\Delta\dot{x}_{vq}$	The changes in linear velocity rounded down to the nearest quantization level.
DEL VXV(5)		$\Delta\dot{y}_{vq}$	
DEL VXV(6)		$\Delta\dot{z}_{vq}$	

DELVXI(1)	DELVXI	$\Delta \dot{X}_i$	Change in velocity of the vehicle in space-fixed coordinates, not corrected for gravity.
DELVXI(2)	DELVYI	$\Delta \dot{Y}_i$	
DELVXI(3)	DELVZI	$\Delta \dot{Z}_i$	
P		P	The particular values of angular velocities that are used to calculate the transformation matrix. See KEXACT.
Q		Q	
R		R	
X		X	The particular values of changes in linear velocity that are transformed from the vehicle-fixed to space-fixed coordinate system. See KEXACT.
Y		Y	
Z		Z	
NX		N^x	Whole numbers representing the number of quantization levels in angular velocity.
NY		N^y	
NZ		N^z	
PX		P	Whole numbers representing the number of quantization levels in a change in linear velocity.
PY		P^x	
PZ		P^y P^z	
XOLD		$\dot{\phi}_x(t_0)$ or $\dot{X}_v(t_0)$	Previous values of both the quantities represented. Since they are in different subroutines the quantities retain their correct values.
YOLD		$\dot{\phi}_y(t_0)$ or $\dot{Y}_v(t_0)$	
ZOLD		$\dot{\phi}_z(t_0)$ or $\dot{Z}_v(t_0)$	
XLEFT		$\Delta \phi_{x1}(t_0)$ or $\Delta \dot{X}_{v1}$	Remainder terms which must be accounted for in the computations of VPHIX and DELVXV. Since they are in different subroutines the quantities retain their correct values.
YLEFT		$\Delta \phi_{y1}(t_0)$ or $\Delta \dot{Y}_{v1}$	
ZLEFT		$\Delta \phi_{z1}(t_0)$ or $\Delta \dot{Z}_{v1}$	
QANG		Qang	Quantization level of the angular velocity sensors (radians).
QVEL		Qvel	Quantization level of the linear acceleration sensors (meters/second).
TCLJ		Tcij	Period of updating the C(I,J) transformation matrix.
TOTCLJ		Totcij	Time at which the C(I,J) should be updated again.
TNAV		Tnav	Period of computing the position and velocity.

TOTNAV	Totnav	Time at which the next position and velocity should be computed.
TCUT	Tcut	Time at which the system should cutoff. Usually associated with burnout.
VCUT	Vcut	Velocity at which the system should cutoff. Usually the required velocity for orbit.
KREAD		Internal flag used to eliminate the necessity of reading all initial conditions when another run is desired.
KCUT		Internal flag used to start the final run through the system when indicated by TCUT or VCUT.
KEXACT		System option, externally controlled, used to select the quantities that are used to calculate the C(I,J) matrix and the quantities that are transformed to the space-fixed coordinate system. KEXACT = 1 P = VPHIX(1) Q = VPHIX(2) R = VPHIX(3) X = DELVXV(1) Y = DELVXV(2) Z = DELVXV(3) KEXACT = 2 P = VPHIX(4) Q = VPHIX(5) R = VPHIX(6) X = DELVXV(1) Y = DELVXV(2) Z = DELVXV(3) KEXACT = 3 P = VPHIX(7) Q = VPHIX(8) R = VPHIX(9) X = DELVXV(4) Y = DELVXV(5) Z = DELVXV(6)
KOPT		System option, externally controlled, used to select the particular method of calculating the C(I,J) matrix. KOPT = 1 Direction Cosines KOPT = 2 Euler Three Angles KOPT = 3 Quaternions

INNER			System option, externally controlled, used to select the particular integration scheme that will be used. INNER = 1 Weighted Averages Integration INNER = 2 Trapezoidal Integration INNER = 3 Simpson's Integration INNER = 4 Rectangular Integration
TPRINT		Tprint	Period of printing time.
TPRNOW		Tprnow	Time at which the next printing is due.
THX(1)	THX	θ_x	Euler angles.
THX(2)	THY	θ_y	
THX(3)	TYZ	θ_z	
VTHX(1)	VTHX	$\dot{\theta}_x$	Rates of change of Euler angles.
VTHX(2)	VTHY	$\dot{\theta}_y$	
VTHX(3)	VTHZ	$\dot{\theta}_z$	
E1		E_1	Cayley-Klein parameters
E2		E_2	
E3		E_3	
E4		E_4	
A1		A_1	Orthogonality checks of C(I,J) matrix.
A2		A_2	
A3		A_3	
A4		A_4	
A5		A_5	
A6		A_6	
B1		B_1	Normality checks of C(I,J) matrix.
B2		B_2	
B3		B_3	
B4		B_4	
B5		B_5	
B6		B_6	
AORBIT		A_{orbit}	Semimajor axis of orbit.
BORBIT		B_{orbit}	Semiminor axis of orbit.
EORBIT		E_{orbit}	Eccentricity of orbit.
RAORB		R_{aorb}	Apogee radius of orbit.

RPORB	R_{porb}	Perigee radius of orbit.
VAORB	V_{aorb}	Orbital velocity at apogee.
VPORB	V_{porb}	Orbital velocity at perigee.
D1		Dummy variables used only to save constants and/or for convenience.
D2		
KDUM		
K1		
K2		
K3		
L1		
L2		
L3		
A		
B		
D		
E		
F		

C. Equations and Abstracts

This section lists all the equations that are used in the analytic platform simulation program. The abstract for each routine is also given.

Routine MAIN

This routine controls the entire simulation program flow. It calls the different subroutines and directs the steps to be done.

Routine READ1

This routine reads and prints the input profiles of both angular velocity and linear acceleration of the vehicle.

Routine READ2

This routine reads and prints all initial conditions and all system options.

Routine ANGVEL

This routine simulates a simplified version of the encoder attached to the angular velocity sensor. The following equations are solved in this routine.

$$J = K + 1$$

$$\dot{\phi}_x(t) = \dot{\phi}_x(K) + \left[\dot{\phi}_x(J) - \dot{\phi}_x(K) \right] \left[t - T(K) \right] / T_{xyz}$$

$$\dot{\phi}_y(t) = \dot{\phi}_y(K) + \left[\dot{\phi}_y(J) - \dot{\phi}_y(K) \right] \left[t - T(K) \right] / T_{xyz}$$

$$\dot{\phi}_z(t) = \dot{\phi}_z(K) + \left[\dot{\phi}_z(J) - \dot{\phi}_z(K) \right] \left[t - T(K) \right] / T_{xyz}$$

$$\Delta\phi_x(t) = \left[\dot{\phi}_x(t) + \dot{\phi}_x(t_0) \right] T_{cij} / 2$$

$$\Delta\phi_y(t) = \left[\dot{\phi}_y(t) + \dot{\phi}_y(t_0) \right] T_{cij} / 2$$

$$\Delta\phi_z(t) = \left[\dot{\phi}_z(t) + \dot{\phi}_z(t_0) \right] T_{cij} / 2$$

$$\frac{\Delta\phi_x(t)}{\Delta t} = \frac{\Delta\phi_x(t)}{T_{cij}}$$

$$\frac{\Delta\phi_y(t)}{\Delta t} = \frac{\Delta\phi_y(t)}{T_{cij}}$$

$$\frac{\Delta\phi_z(t)}{\Delta t} = \frac{\Delta\phi_z(t)}{T_{cij}}$$

$$\left. \begin{aligned} N_{xq} &= \left[\Delta\phi_x(t) + \Delta\phi_{x1}(t_o) \right] / Q_{ang} \\ N_{yq} &= \left[\Delta\phi_y(t) + \Delta\phi_{y1}(t_o) \right] / Q_{ang} \\ N_{zq} &= \left[\Delta\phi_z(t) + \Delta\phi_{z1}(t_o) \right] / Q_{ang} \end{aligned} \right\} \begin{array}{l} \text{Rounded down to} \\ \text{whole number.} \end{array}$$

$$\frac{\Delta\phi_{xq}(t)}{\Delta t} = N_{xq} \cdot Q_{ang} / T_{cij}$$

$$\frac{\Delta\phi_{yq}(t)}{\Delta t} = N_{yq} \cdot Q_{ang} / T_{cij}$$

$$\frac{\Delta\phi_{zq}(t)}{\Delta t} = N_{zq} \cdot Q_{ang} / T_{cij}$$

$$\Delta\phi_{x1}(t_o) = \Delta\phi_x(t) - \Delta\phi_{xq}(t) + \Delta\phi_{x1}(t_o)$$

$$\Delta\phi_{y1}(t_o) = \Delta\phi_y(t) - \Delta\phi_{yq}(t) + \Delta\phi_{y1}(t_o)$$

$$\Delta\phi_{z1}(t_o) = \Delta\phi_z(t) - \Delta\phi_{zq}(t) + \Delta\phi_{z1}(t_o)$$

The calculations should be done in the order shown

Routine DIRCOS

This routine calculates the direction cosines from the vehicle angular velocities, that is, it updates the C(IJ) matrix. The following equations are solved in this routine:

$$\dot{C}(1,1) = C(1,2) R - C(1,3) Q$$

$$\dot{C}(1,2) = C(1,3) P - C(1,1) R$$

$$\dot{C}(1,3) = C(1,1) Q - C(1,2) P$$

$$\dot{C}(2,1) = C(2,2) R - C(2,3) Q$$

$$\dot{C}(2,2) = C(2,3) P - C(2,1) R$$

$$\dot{C}(2,3) = C(2,1) Q - C(2,2) P$$

$$\dot{C}(3,1) = C(3,2) R - C(3,3) Q$$

$$\dot{C}(3,2) = C(3,3) P - C(3,1) R$$

$$\dot{C}(3,3) = C(3,1) Q - C(3,2) P$$

These equations are then integrated according to some numerical technique to obtain the new values of the $C(I,J)$ matrix.

Routine INTEGR

This routine contains four different integration schemes; Simpson's, rectangular, trapezoidal, and weighted averages. The following computations are made to accomplish this.

Weighted averages

$$Z_n = Z_{n-1} + \frac{\Delta t}{2} (3\dot{Z}_n - \dot{Z}_{n-1})$$

Trapezoidal rule

$$Z_n = Z_{n-1} + \frac{\Delta t}{2} (\dot{Z}_n + \dot{Z}_{n-1})$$

Simpson's rule

$$Z_n = Z_{n-2} + \frac{\Delta t}{3} (\dot{Z}_n + 4\dot{Z}_{n-1} + \dot{Z}_{n-2})$$

Rectangular rule

$$Z_n = Z_{n-1} + \Delta t \dot{Z}_n$$

Routine EULER 3

This routine calculates the Euler angles from the vehicle angular

velocities. The following equations are solved in this routine:

$$\begin{aligned}\dot{\theta}_x &= P \cos \theta_y + R \sin \theta_y \\ \dot{\theta}_y &= P \sin \theta_y \tan \theta_x + Q - R \cos \theta_y \tan \theta_x \\ \dot{\theta}_z &= (-P \sin \theta_y / \cos \theta_x) + (R \cos \theta_y / \cos \theta_x)\end{aligned}$$

These equations are then integrated according to some numerical technique to obtain the new values of the Euler angles. Afterwards the following computations are performed to obtain the C(I,J) matrix.

$$C(1,1) = \cos \theta_y \cos \theta_z - \sin \theta_x \sin \theta_y \sin \theta_z$$

$$C(1,2) = -\cos \theta_x \sin \theta_z$$

$$C(1,3) = \sin \theta_y \cos \theta_z + \sin \theta_x \cos \theta_y \sin \theta_z$$

$$C(2,1) = \cos \theta_y \sin \theta_z + \sin \theta_x \sin \theta_y \cos \theta_z$$

$$C(2,2) = \cos \theta_x \cos \theta_z$$

$$C(2,3) = \sin \theta_y \sin \theta_z - \sin \theta_x \cos \theta_y \cos \theta_z$$

$$C(3,1) = -\cos \theta_x \sin \theta_y$$

$$C(3,2) = \sin \theta_x$$

$$C(3,3) = \cos \theta_x \cos \theta_y$$

Routine QUATER

This routine calculates the Cayley-Klein parameters from the vehicle

angular velocities. The following equations are solved in this routine.

$$\begin{aligned}\dot{E}_1 &= \frac{1}{2}(-E_4P - E_3Q - E_2R) \\ \dot{E}_2 &= \frac{1}{2}(-E_3P + E_4Q + E_1R) \\ \dot{E}_3 &= \frac{1}{2}(+E_2P + E_1Q - E_4R) \\ \dot{E}_4 &= \frac{1}{2}(+E_1P - E_2Q + E_3R)\end{aligned}$$

These equations are then integrated according to some numerical technique to obtain the new values of the parameters. Afterwards the following computations are performed to obtain the C(I,J) matrix.

$$\begin{aligned}C(1,1) &= E_1^2 - E_2^2 - E_3^2 + E_4^2 \\ C(1,2) &= 2(-E_1E_2 + E_3E_4) \\ C(1,3) &= 2(+E_2E_4 + E_1E_3) \\ C(2,1) &= 2(+E_3E_4 + E_1E_2) \\ C(2,2) &= E_1^2 - E_2^2 + E_3^2 - E_4^2 \\ C(2,3) &= 2(+E_2E_3 - E_4E_1) \\ C(3,1) &= 2(-E_1E_3 + E_2E_4) \\ C(3,2) &= 2(+E_2E_3 + E_1E_4) \\ C(3,3) &= E_1^2 + E_2^2 - E_3^2 - E_4^2\end{aligned}$$

Routine LINAC

This routine simulates a simplified version of the encoder attached to the linear acceleration sensor. The following equations are solved in this routine.

$$J = K + 1$$

$$\ddot{X}_v(t) = \ddot{X}_v(K) + [\ddot{X}_v(J) - \ddot{X}_v(K)] \frac{[t - T(K)]}{T_{xyz}}$$

$$\ddot{Y}_v(t) = \ddot{Y}_v(K) + [\ddot{Y}_v(J) - \ddot{Y}_v(K)] \frac{[t - T(K)]}{T_{xyz}}$$

$$\ddot{Z}_v(t) = \ddot{Z}_v(K) + [\ddot{Z}_v(J) - \ddot{Z}_v(K)] \frac{[t - T(K)]}{T_{xyz}}$$

$$\Delta \dot{X}_v(t) = \left[\ddot{X}_v(t) + \ddot{X}_v(t_0) \right] \frac{T_{nav}}{2}$$

$$\Delta \dot{Y}_v(t) = \left[\ddot{Y}_v(t) + \ddot{Y}_v(t_0) \right] \frac{T_{nav}}{2}$$

$$\Delta \dot{Z}_v(t) = \left[\ddot{Z}_v(t) + \ddot{Z}_v(t_0) \right] \frac{T_{nav}}{2}$$

$$P_{xq} = \left[\Delta \dot{X}_v(t) + \Delta \dot{X}_{v1}(t_0) \right] / Q_{vel}$$

$$P_{yq} = \left[\Delta \dot{Y}_v(t) + \Delta \dot{Y}_{v1}(t_0) \right] / Q_{vel}$$

$$P_{zq} = \left[\Delta \dot{Z}_v(t) + \Delta \dot{Z}_{v1}(t_0) \right] / Q_{vel}$$

Rounded down to
whole number.

$$\Delta \dot{X}_{vq} = P_{xq} Q_{vel}$$

$$\Delta \dot{Y}_{vq} = P_{yq} Q_{vel}$$

$$\Delta \dot{Z}_{vq} = P_{zq} Q_{vel}$$

$$\Delta \dot{X}_{v1}(t_0) = \Delta \dot{X}_v(t) - \Delta \dot{X}_{vq}(t) + \Delta \dot{X}_{v1}(t_0)$$

$$\Delta \dot{Y}_{v1}(t_0) = \Delta \dot{Y}_v(t) - \Delta \dot{Y}_{vq}(t) + \Delta \dot{Y}_{v1}(t_0)$$

$$\Delta \dot{Z}_{v1}(t_0) = \Delta \dot{Z}_v(t) - \Delta \dot{Z}_{vq}(t) + \Delta \dot{Z}_{v1}(t_0)$$

$$\ddot{X}_v(t_0) = \ddot{X}_v(t)$$

$$\ddot{Y}_v(t_0) = \ddot{Y}_v(t)$$

$$\ddot{Z}_v(t_0) = \ddot{Z}_v(t)$$

Routine TRANS

This routine transforms the velocities from vehicle-fixed coordinates to space-fixed coordinates. The following computations are made

$$\Delta \dot{X}_i(t) = C(1,1) \Delta \dot{X}_v(t) + C(1,2) \Delta \dot{Y}_v(t) + C(1,3) \Delta \dot{Z}_v(t)$$

$$\Delta \dot{Y}_i(t) = C(2,1) \Delta \dot{X}_v(t) + C(2,2) \Delta \dot{Y}_v(t) + C(2,3) \Delta \dot{Z}_v(t)$$

$$\Delta \dot{Z}_i(t) = C(3,1) \Delta \dot{X}_v(t) + C(3,2) \Delta \dot{Y}_v(t) + C(3,3) \Delta \dot{Z}_v(t)$$

$$\dot{X}_i(t) = \dot{X}_i(t_0) + \Delta \dot{X}_i(t)$$

$$\dot{Y}_i(t) = \dot{Y}_i(t_0) + \Delta \dot{Y}_i(t)$$

$$\dot{Z}_i(t) = \dot{Z}_i(t_0) + \Delta \dot{Z}_i(t)$$

$$\dot{X}_i(t_0) = \dot{X}_i(t)$$

$$\dot{Y}_i(t_0) = \dot{Y}_i(t)$$

$$\dot{Z}_i(t_0) = \dot{Z}_i(t)$$

Routine GRAV

This routine corrects the velocities and distances for gravity assuming a spherical earth. The following calculations are made.

$$\ddot{X}_{sg} = \mu_e X_s / (X_s^2 + Y_s^2 + Z_s^2)^{\frac{3}{2}}$$

$$\ddot{Y}_{sg} = \mu_e Y_s / (X_s^2 + Y_s^2 + Z_s^2)^{\frac{3}{2}}$$

$$\ddot{Z}_{sg} = \mu_e Z_s / (X_s^2 + Y_s^2 + Z_s^2)^{\frac{3}{2}}$$

These equations are then integrated to obtain the velocities due to gravity, $\dot{X}_{sg}$, $\dot{Y}_{sg}$, and $\dot{Z}_{sg}$. Then

$$\dot{X}_s = \dot{X}_i - \dot{X}_{sg}$$

$$\dot{Y}_s = \dot{Y}_i - \dot{Y}_{sg}$$

$$\dot{Z}_s = \dot{Z}_i - \dot{Z}_{sg}$$

These equations are then integrated to obtain the position of the vehicle in space-fixed coordinate system.

Routine PRINTO

This routine prints pertinent information for a complete analysis of the system. This routine performs a few calculations necessary for the print out. These calculations are:

$$R_s = \sqrt{X_s^2 + Y_s^2 + Z_s^2}$$

$$V_s = \sqrt{\dot{X}_s^2 + \dot{Y}_s^2 + \dot{Z}_s^2}$$

$$D_1 = X_s \dot{X}_s + Y_s \dot{Y}_s + Z_s \dot{Z}_s$$

$$D_2 = \sqrt{(V_s R_s)^2 - D_1^2}$$

$$\gamma = \tan^{-1} (D_1/D_2)$$

$$h = R_s - R_o$$

$$G = 90.0 - \frac{180\gamma}{\pi}$$

and

$$A_1 = C(1,1) C(1,2) + C(2,1) C(2,2) + C(3,1) C(3,2)$$

$$A_2 = C(1,1) C(1,3) + C(2,1) C(2,3) + C(3,1) C(3,3)$$

$$A_3 = C(1,2) C(1,3) + C(2,2) C(2,3) + C(3,2) C(3,3)$$

$$A_4 = C(1,1) C(2,1) + C(1,2) C(2,2) + C(1,3) C(2,3)$$

$$A_5 = C(1,1) C(3,1) + C(1,2) C(3,2) + C(1,3) C(3,3)$$

$$A_6 = C(2,1) C(3,1) + C(2,2) C(3,2) + C(2,3) C(3,3)$$

$$B_1 = C(1,1)^2 + C(2,1)^2 + C(3,1)^2$$

$$B_2 = C(1,2)^2 + C(2,2)^2 + C(3,2)^2$$

$$B_3 = C(1,3)^2 + C(2,3)^2 + C(3,3)^2$$

$$B_4 = C(1,1)^2 + C(1,2)^2 + C(1,3)^2$$

$$B_5 = C(2,1)^2 + C(2,2)^2 + C(2,3)^2$$

$$B_6 = C(3,1)^2 + C(3,2)^2 + C(3,3)^2$$

Routine ORBIT

This routine calculates and prints the orbital parameters. The following calculations are made.

$$D_1 = (R_s V_s^2) / \mu_e$$

$$Aorbit = R_s / (2 - D_1)$$

$$Borbit = Aorbit D_1 \cos^2(\gamma)$$

$$Eorbit = 1 - D_1(2 - D_1) \cos^2(\gamma)$$

$$Raorb = Aorbit (1 + Eorbit)$$

$$Rporb = Aorbit (1 - Eorbit)$$

$$D_2 = V_s / (D_1 \cos \gamma)$$

$$Vaorb = D_2 (1 - Eorbit)$$

$$Vporb = D_2 (1 + Eorbit)$$

III. COMPUTER PROGRAM AND FLOW CHART

This section contains:

- 1) Analytic Platform Simulation Program Listing.
- 2) Memory Map of Analytic Platform Simulation Program.
- 3) Analytic Platform Simulation Program Flow Chart.

Analytic Platform Simulation Program Listing.

```

$IBFTC MAIN      DECK
COMMON /COMM01/  NUMBER, TXYZ, XINPUT
COMMON /COMM02/  VXS, XS
COMMON /COMM03/  INNER
COMMON /COMM04/  RSL, GME
COMMON /COMM05/  QANG, J
COMMON /COMM06/  TCIJ, TOTCIJ
COMMON /COMM07/  QVFL, L
COMMON /COMM08/  TNAV, TOTNAV
COMMON /COMM09/  TCUT, VCUT
COMMON /COMM10/  VPHIX
COMMON /COMM11/  DELVXV
COMMON /COMM12/  VXI
COMMON /COMM13/  C
COMMON /COMM14/  P, Q, R
COMMON /COMM15/  X, Y, Z
COMMON /COMM16/  KRFAD, KFXACT, KOPT
COMMON /COMM17/  TPRINT, TPRNOW
COMMON /COMM18/  AXSG
COMMON /COMM19/  RS, VS, GAMMA
DIMENSION XINPUT(7,700), VXS(3), XS(3), VXI(3), DELVXV(6), VPHIX(9), C(3
1,3), AXSG(3), VXSG(3), THX(3), VTHX(3)
KREAD=1
CALL READ1
1 CALL READ2
KCUT=1
2 IF (TOTCIJ.GE.TCUT) GO TO 3
  IF (TOTCIJ.LE.TOTNAV) GO TO 4
  GO TO 5
3 TCIJ=TCUT-TOTCIJ+TCIJ
  TNAV=TCUT-TOTNAV+TNAV
  TOTCIJ=TCUT
  TOTNAV=TCUT
  KCUT=2
4 CALL ANGVEL
  K1=KEXACT*3-2
  K2=KEXACT*3-1
  K3=KEXACT*3
  P=VPHIX(K1)
  Q=VPHIX(K2)
  R=VPHIX(K3)
  GO TO (6,7,8), KOPT
6 CALL DIRCOS
  GO TO 9
7 CALL EULER3
  GO TO 9
8 CALL QUATER
9 IF (KCUT.EQ.2) GO TO 5
  TOTCIJ=TOTCIJ+TCIJ
  GO TO 2

```

Continued

```
5 CALL LINAC
  KDUM=1
  IF (KEXACT.GT.2) KDUM=2
  L1=KDUM*3-2
  L2=KDUM*3-1
  L3=KDUM*3
  X=DELVXV(L1)
  Y=DELVXV(L2)
  Z=DELVXV(L3)
  CALL TRANS
  CALL GRAV
  VS=SQRT(VXS(1)**2+VXS(2)**2+VXS(3)**2)
  IF (VCUT.LE.VS) KCUT=2
  IF (KCUR.EQ.2) GO TO 11
  IF (TPRNOW.LE.TOTNAV) GO TO 11
  TOTNAV=TOTNAV+TNAV
  GO TO 2
11 CALL PRINTO
  TPRNOW=TPRNOW+TPRINT
  TOTNAV=TOTNAV+TNAV
  IF (KCUR.EQ.2) GO TO 12
  GO TO 2
12 CALL ORBIT
  GO TO 1
END
```

Continued

\$IBFTC READ1 DECK

SUBROUTINE READ1

```

C   ABSTRACT.....THIS ROUTINE READS AND PRINTS THE INPUT PROFILES OF
C   BOTH ANGULAR VELOCITY AND LINEAR ACCELERATION OF THE VEHICLE.
COMMON /COMM01/ NUMBER,TXYZ,XINPUT
DIMENSION XINPUT(7,700)
10  FORMAT(5X,I5,5X,F7.4,5X,I2)
20  FORMAT(3(5X,E15.8),5X,F7.1)
30  FORMAT(30X,20H ERROR IN INPUT DATA,5X,F6.1)
40  FORMAT(1H1,6X,57HINPUT PROFILES...ANGULAR VELOCITY AND LINEAR ACCE
    1LERATION)
50  FORMAT(//,6X,23HTOTAL NUMBER OF POINTS=,I5)
55  FORMAT(//,6X,20HTIME BETWEEN POINTS=,F4.1,////)
60  FORMAT(6X,4HTIME,6X,11HX ANG. VEL.,8X,11HY ANG. VEL.,8X,11HZ ANG.
    1VEL.,//)
70  FORMAT(4X,F6.1,3(4X,E15.8))
80  FORMAT(//,5X,4HTIME,7X,14HX ACCELERATION,5X,14HY ACCELERATION,5X,1
    14HZ ACCELERATION,//)
    READ(5,10) NUMBER,TXYZ,KPRINT
    N=NUMBER
    DO 1 J=1,N
1  READ(5,20) XINPUT(1,J),XINPUT(2,J),XINPUT(3,J),XINPUT(7,J)
    DO 2 J=1,N
    READ(5,20) XINPUT(4,J),XINPUT(5,J),XINPUT(6,J),T
    IF (T.NE.XINPUT(7,J)) GO TO 3
2  CONTINUE
    IF (KPRINT.EQ.2) RETURN
    GO TO 4
3  WRITE(6,30) T
    STOP
4  WRITE(6,40)
    WRITE(6,50) NUMBER
    WRITE(6,55) TXYZ
    WRITE(6,60)
    DO 5 J=1,N
5  WRITE(6,70) XINPUT(7,J),XINPUT(1,J),XINPUT(2,J),XINPUT(3,J)
    WRITE(6,80)
    DO 6 J=1,N
6  WRITE(6,70) XINPUT(7,J),XINPUT(4,J),XINPUT(5,J),XINPUT(6,J)
    RETURN
END

```

Continued

```

$IBFTC READ2  DECK
      SUBROUTINE READ2
C      ABSTRACT.....THIS ROUTINE READS AND PRINTS ALL INITIAL CONDITIONS
C      AND ALL SYSTEM OPTIONS.
      COMMON /COMM02/ VXS,XS
      COMMON /COMM03/ INNER
      COMMON /COMM04/ RSLI,GME
      COMMON /COMM05/ QANG,J
      COMMON /COMM06/ TCIJ,TOTCIJ
      COMMON /COMM07/ QVEL,L
      COMMON /COMM08/ TNAV,TOTNAV
      COMMON /COMM09/ TCUT,VCUT
      COMMON /COMM12/ VXI
      COMMON /COMM13/ C
      COMMON /COMM16/ KREAD,KEXACT,KOPT
      COMMON /COMM17/ TPRINT,TPRNOW
      DIMENSION VXS(3),XS(3),VXI(3),C(3,3)
10  FORMAT(3(5X,E15.8))
20  FORMAT(/,30X,60HX-INITIAL VELOCITY (M/S).....
1.....,E15.8,/)
30  FORMAT(30X,60HY-INITIAL VELOCITY (M/S).....
1.....,E15.8,/)
40  FORMAT(30X,60HZ-INITIAL VELOCITY (M/S).....
1.....,E15.8,/)
50  FORMAT(30X,60HX-INITIAL DISPLACEMENT (METERS).....
1.....,E15.8,/)
60  FORMAT(30X,60HY-INITIAL DISPLACEMENT (METERS).....
1.....,E15.8,/)
70  FORMAT(30X,60HZ-INITIAL DISPLACEMENT (METERS).....
1.....,E15.8,/)
80  FORMAT(30X,60HINITIAL RADIAL DISPLACEMENT (METERS).....
1.....,E15.8,/)
90  FORMAT(30X,60HEARTH GRAVITY CONSTANT (M/S/S).....
1.....,E15.8,/)
100 FORMAT(3(I2,2X))
110 FORMAT(30X,60HPRINTING TIME (SEC).....
1.....,E15.8,/)
120 FORMAT(30X,60HCUTOFF TIME (SEC).....
1.....,E15.8,/)
130 FORMAT(30X,60HVELOCITY CUTOFF (M/S).....
1.....,E15.8,/)
140 FORMAT(30X,60HNAVIGATIONAL CYCLING TIME (SEC).....
1.....,E15.8,/)
150 FORMAT(30X,60HC(I,J) CYCLING TIME (SEC).....
1.....,E15.8,/)
160 FORMAT(30X,60HANGULAR DISPLACEMENT QUANTIZATION LEVEL (DEG).....
1.....,E15.8,/)
170 FORMAT(30X,60HLINEAR VELOCITY QUANTIZATION LEVEL (M/S).....
1.....,E15.8,/)
180 FORMAT(40X,29HANGULAR VELOCITY.....EXACT,/)
190 FORMAT(40X,37HCHANGE IN VELOCITY.....NOT QUANTIZED,/)

```

Continued

```

200 FORMAT(40X,37HANGULAR VELOCITY.....NOT QUANTIZED,/)
210 FORMAT(40X,33HANGULAR VELOCITY.....QUANTIZED,/)
220 FORMAT(40X,33HCHANGE IN VELOCITY.....QUANTIZED,/)
230 FORMAT(1H1)
250 FORMAT(40X,49HINPUT DATA.....INITIAL CONDITIONS AND CONSTANTS,/)
260 FORMAT(40X,26HINPUT DATA.....VARIABLES,///)
270 FORMAT(40X,36HOPTION ONE.....DIRECTION COSINES,/)
280 FORMAT(40X,37HOPTION TWO.....EULER THREE ANGLES,/)
290 FORMAT(40X,30HOPTION THREE.....QUATERNIONS,/)
300 FORMAT(40X,29HWEIGHTED AVERAGE INTEGRATION )
310 FORMAT(40X,24HTRAPEZOIDAL INTEGRATION )
320 FORMAT(40X,21HSIMPSONS INTEGRATION )
330 FORMAT(40X,24HRECTANGULAR INTEGRATION )
340 FORMAT(/////////)
    GO TO (1,2), KREAD
1  WRITE(6,230)
    WRITE(6,340)
    WRITE(6,250)
    READ(5,10) VXS(1),VXS(2),VXS(3)
    READ(5,10) XS(1),XS(2),XS(3)
    READ(5,10) RSLI,GMF
    WRITE(6,20) VXS(1)
    WRITE(6,30) VXS(2)
    WRITE(6,40) VXS(3)
    WRITE(6,50) XS(1)
    WRITE(6,60) XS(2)
    WRITE(6,70) XS(3)
    WRITE(6,80) RSLI
    WRITE(6,90) GME
    A=VXS(1)
    B=VXS(2)
    G=VXS(3)
    D=XS(1)
    E=XS(2)
    F=XS(3)
    KREAD=2
2  READ(5,100) KEXACT,KOPT,INNER
    READ(5,10) TPRINT,TCUT,VCUT
    READ(5,10) TNAV,TCIJ
    READ(5,10) QVEL,QANG
    DO 17 I=1,3
17 READ(5,10) (C(I,J),J=1,3)
    VXS(1)=A
    VXS(2)=B
    VXS(3)=G
    XS(1)=D
    XS(2)=E
    XS(3)=F
    VXI(1)=VXS(1)
    VXI(2)=VXS(2)
    VXI(3)=VXS(3)
    L=1

```

Continued

```
J=1
TPRNOW=0.0
TOTNAV=0.0
TOTCIJ=0.0
WRITE(6,230)
WRITE(6,340)
WRITE(6,260)
WRITE(6,110) TPRINT
WRITE(6,120) TCUT
WRITE(6,130) VCUT
WRITE(6,140) TNAV
WRITE(6,150) TCIJ
WRITE(6,160) QANG
WRITE(6,170) QVEL
QANG=QANG*3.14159265/180.0
GO TO (3,4,5), KEXACT
3 WRITE(6,180)
WRITE(6,190)
GO TO 6
4 WRITE(6,200)
WRITE(6,190)
GO TO 6
5 WRITE(6,210)
WRITE(6,220)
6 CONTINUE
GO TO (7,8,9), KOPT
7 WRITE(6,270)
GO TO 11
8 WRITE(6,280)
GO TO 11
9 WRITE(6,290)
11 CONTINUE
GO TO (12,13,14,15), INNER
12 WRITE(6,300)
GO TO 16
13 WRITE(6,310)
GO TO 16
14 WRITE(6,320)
GO TO 16
15 WRITE(6,330)
16 RETURN
END
```

Continued

\$IBFTC ANGVEL DECK

SUBROUTINE ANGVEL

C ABSTRACT.....THIS ROUTINE SIMULATES A SIMPLIFIED VERSION OF THE
C ENCODER ATTACHED TO THE S.A.R.

COMMON /COMM01/ NUMBER,TXYZ,XINPUT

COMMON /COMM05/ QANG,J

COMMON /COMM06/ TCIJ,TOTCIJ

COMMON /COMM10/ VPHIX

DIMENSION XINPUT(7,700),VPHIX(9)

IF (TOTCIJ.EQ.0.0) GO TO 1

2 IF (TOTCIJ.GT.XINPUT(7,J)) GO TO 3
GO TO 4

3 J=J+1
GO TO 2

4 K=J-1
XK=(TOTCIJ-XINPUT(7,K))/TXYZ
VPHIX(1)=(XINPUT(1,J)-XINPUT(1,K))*XK+XINPUT(1,K)
VPHIX(2)=(XINPUT(2,J)-XINPUT(2,K))*XK+XINPUT(2,K)
VPHIX(3)=(XINPUT(3,J)-XINPUT(3,K))*XK+XINPUT(3,K)
GO TO 5

1 VPHIX(1)=0.0
VPHIX(2)=0.0
VPHIX(3)=0.0
XOLD=0.0
YOLD=0.0
ZOLD=0.0
XLEFT=0.0
YLEFT=0.0
ZLEFT=0.0

5 VPHIX(4)=(VPHIX(1)+XOLD)*TCIJ/2.0
VPHIX(5)=(VPHIX(2)+YOLD)*TCIJ/2.0
VPHIX(6)=(VPHIX(3)+ZOLD)*TCIJ/2.0
NX=(VPHIX(4)+XLEFT)/QANG
NY=(VPHIX(5)+YLEFT)/QANG
NZ=(VPHIX(6)+ZLEFT)/QANG
VPHIX(4)=VPHIX(4)/TCIJ
VPHIX(5)=VPHIX(5)/TCIJ
VPHIX(6)=VPHIX(6)/TCIJ
PX=NX
PY=NY
PZ=NZ
VPHIX(7)=PX*QANG/TCIJ
VPHIX(8)=PY*QANG/TCIJ
VPHIX(9)=PZ*QANG/TCIJ
XLEFT=(VPHIX(4)-VPHIX(7))*TCIJ+XLEFT
YLEFT=(VPHIX(5)-VPHIX(8))*TCIJ+YLEFT
ZLEFT=(VPHIX(6)-VPHIX(9))*TCIJ+ZLEFT
XOLD=VPHIX(1)
YOLD=VPHIX(2)
ZOLD=VPHIX(3)
RETURN
END

Continued

\$IBFTC DIRCOS DECK

SUBROUTINE DIRCOS

C ABSTRACT.....THIS ROUTINE CALCULATES THE DIRECTION COSINES FROM
C THE VEHICLE ANGULAR VELOCITIES.

COMMON /COMM03/ INNER

COMMON /COMM06/ TCIJ,TOTCIJ

COMMON /COMM13/ C

COMMON /COMM14/ P,Q,R

DIMENSION C(3,3)

X1=C(1,2)*R-C(1,3)*Q

X2=C(1,3)*P-C(1,1)*R

X3=C(1,1)*Q-C(1,2)*P

X4=C(2,2)*R-C(2,3)*Q

X5=C(2,3)*P-C(2,1)*R

X6=C(2,1)*Q-C(2,2)*P

X7=C(3,2)*R-C(3,3)*Q

X8=C(3,3)*P-C(3,1)*R

X9=C(3,1)*Q-C(3,2)*P

IF (TOTCIJ.GT.0.0) GO TO 1

Y1=X1

Y2=X2

Y3=X3

Y4=X4

Y5=X5

Y6=X6

Y7=X7

Y8=X8

Y9=X9

Z1=Y1

Z2=Y2

Z3=Y3

Z4=Y4

Z5=Y5

Z6=Y6

Z7=Y7

Z8=Y8

Z9=Y9

GO TO 2

1 CALL INTEGR(TCIJ,Z1,Y1,X1,C(1,1))

CALL INTEGR(TCIJ,Z2,Y2,X2,C(1,2))

CALL INTEGR(TCIJ,Z3,Y3,X3,C(1,3))

CALL INTEGR(TCIJ,Z4,Y4,X4,C(2,1))

CALL INTEGR(TCIJ,Z5,Y5,X5,C(2,2))

CALL INTEGR(TCIJ,Z6,Y6,X6,C(2,3))

CALL INTEGR(TCIJ,Z7,Y7,X7,C(3,1))

CALL INTEGR(TCIJ,Z8,Y8,X8,C(3,2))

CALL INTEGR(TCIJ,Z9,Y9,X9,C(3,3))

2 RETURN

END

Continued

91RFTC INTEGR DECK

SUBROUTINE INTEGR(DT,Z3,Z2,Z1,Z)

C ABSTRACT.....THIS ROUTINE CONTAINS FOUR DIFFERENT INTEGRATION
 C SCHEMES,SIMPSON,RECTANGULAR,TRAPEZODIAL, AND WEIGHTED AVERAGES.
 COMMON /COMMON3/ INNER
 GO TO (1,2,3,4), INNER
 1 Z=Z+DT*(3.0*Z1-Z2)/2.0
 GO TO 5
 2 Z=Z+DT*(Z2+Z1)/2.0
 GO TO 5
 3 Z=Z+DT*(Z3+4.0*Z2+Z1)/6.0
 GO TO 5
 4 Z=Z+DT*Z1
 5 Z3=Z2
 Z2=Z1
 RETURN
 END

Continued

```

$IBFTC FULFR3  DECK
      SUBROUTINE EULER3
C      ABSTRACT.....THIS ROUTINE CALCULATES THE EULER ANGLES FROM
C      THE VEHICLE ANGULAR VELOCITIES.
      COMMON /COMM03/ INNER
      COMMON /COMM06/ TCIJ,TOTCIJ
      COMMON /COMM13/ C
      COMMON /COMM14/ P,Q,R
      DIMENSION C(3,3),THX(3),VTHX(3)
      IF (TOTCIJ.GT.0.0) GO TO 1
      THX(1)=ARSIN(C(3,2))
      THX(2)=ARCOS(C(3,3)/COS(THX(1)))
      THX(3)=ARCOS(C(2,2)/COS(THX(1)))
1     TAN=SIN(THX(1))/COS(THX(1))
      VTHX(1)=P*COS(THX(2))+R*SIN(THX(2))
      VTHX(2)=P*SIN(THX(2))*TAN+Q-R*COS(THX(2))*TAN
      VTHX(3)=-P*SIN(THX(2))/COS(THX(1))+R*COS(THX(2))/COS(THX(1))
      IF (TOTCIJ.GT.0.0) GO TO 2
      Y1=VTHX(1)
      Y2=VTHX(2)
      Y3=VTHX(3)
      Z1=Y1
      Z2=Y2
      Z3=Y3
      GO TO 3
2     CALL INTEGR(TCIJ,Z1,Y1,VTHX(1),THX(1))
      CALL INTEGR(TCIJ,Z2,Y2,VTHX(2),THX(2))
      CALL INTEGR(TCIJ,Z3,Y3,VTHX(3),THX(3))
      C(1,1)=COS(THX(2))*COS(THX(3))-SIN(THX(1))*SIN(THX(2))*SIN(THX(3))
      C(1,2)=-COS(THX(1))*SIN(THX(3))
      C(1,3)=SIN(THX(2))*COS(THX(3))+SIN(THX(1))*COS(THX(2))*SIN(THX(3))
      C(2,1)=COS(THX(2))*SIN(THX(3))+SIN(THX(1))*SIN(THX(2))*COS(THX(3))
      C(2,2)=COS(THX(1))*COS(THX(3))
      C(2,3)=SIN(THX(2))*SIN(THX(3))-SIN(THX(1))*COS(THX(2))*COS(THX(3))
      C(3,1)=-COS(THX(1))*SIN(THX(2))
      C(3,2)=SIN(THX(1))
      C(3,3)=COS(THX(1))*COS(THX(2))
3     RETURN
      END

```

Continued

\$IBFTC QUATER DECK

SUBROUTINE QUATER

C ABSTRACT.....THIS ROUTINE CALCULATES THE CALEY-KLEIN PARAMETERS
C FROM THE VEHICLE ANGULAR VELOCITIES.

COMMON /COMM03/ INNER

COMMON /COMM06/ TCIJ,TOTCIJ

COMMON /COMM13/ C

COMMON /COMM14/ P,Q,R

DIMENSION C(3,3)

IF (TOTCIJ.GT.0.0) GO TO 1

E1=1.0

E2=0.0

E3=0.0

E4=0.0

1 X1=0.5*(-E4*P-E3*Q-E2*R)

X2=0.5*(-E3*P+E4*Q+E1*R)

X3=0.5*(+E2*P+E1*Q-E4*R)

X4=0.5*(+E1*P-E2*Q+E3*R)

IF (TOTCIJ.GT.0.0) GO TO 2

Y1=X1

Y2=X2

Y3=X3

Y4=X4

Z1=Y1

Z2=Y2

Z3=Y3

Z4=Y4

GO TO 3

2 CALL INTEGR(TCIJ,Z1,Y1,X1,E1)

CALL INTEGR(TCIJ,Z2,Y2,X2,E2)

CALL INTEGR(TCIJ,Z3,Y3,X3,E3)

CALL INTEGR(TCIJ,Z4,Y4,X4,E4)

C(1,1)=E1*F1-E2*E2-E3*E3+E4*E4

C(1,2)=2.0*(-E1*E2+E3*E4)

C(1,3)=2.0*(+E2*E4+E1*E3)

C(2,1)=2.0*(+E3*E4+E1*E2)

C(2,2)=E1*E1-E2*E2+E3*E3-E4*E4

C(2,3)=2.0*(+E2*E3-E4*E1)

C(3,1)=2.0*(-E1*E3+E2*E4)

C(3,2)=2.0*(+E2*E3+E1*E4)

C(3,3)=E1*F1+E2*E2-E3*E3-E4*E4

3 RETURN

END

Continued

\$IBFTC LINAC DECK

SUBROUTINE LINAC

C ABSTRACT.....THIS ROUTINE SIMULATES A SIMPLIFIED VERSION OF THE
C ENCODER ATTACHED TO THE P.I.G.A.

COMMON /COMM01/ NUMBER, TXYZ, XINPUT

COMMON /COMM07/ QVEL, L

COMMON /COMM08/ TNAV, TOTNAV

COMMON /COMM11/ DELVXV

DIMENSION XINPUT(7,700), DELVXV(6)

IF (TOTNAV.EQ.0.0) GO TO 1

2 IF (TOTNAV.GT.XINPUT(7,L)) GO TO 3
GO TO 4

3 L=L+1
GO TO 2

1 XOLD=XINPUT(4,1)
YOLD=XINPUT(5,1)
ZOLD=XINPUT(6,1)
DELVXV(1)=0.0
DELVXV(2)=0.0
DELVXV(3)=0.0
DELVXV(4)=0.0
DELVXV(5)=0.0
DELVXV(6)=0.0
ZLEFT=0.0
YLEFT=0.0
XLEFT=0.0
GO TO 5

4 K=L-1
XK=(TOTNAV-XINPUT(7,K))/TXYZ
XNEW=(XINPUT(4,L)-XINPUT(4,K))*XK+XINPUT(4,K)
YNEW=(XINPUT(5,L)-XINPUT(5,K))*XK+XINPUT(5,K)
ZNEW=(XINPUT(6,L)-XINPUT(6,K))*XK+XINPUT(6,K)
DELVXV(1)=(XNEW+XOLD)*TNAV/2.0
DELVXV(2)=(YNEW+YOLD)*TNAV/2.0
DELVXV(3)=(ZNEW+ZOLD)*TNAV/2.0
NX=(DELVXV(1)+XLEFT)/QVEL
NY=(DELVXV(2)+YLEFT)/QVEL
NZ=(DELVXV(3)+ZLEFT)/QVEL
PX=NX
PY=NY
PZ=NZ
DELVXV(4)=PX*QVEL
DELVXV(5)=PY*QVEL
DELVXV(6)=PZ*QVEL
XLEFT=DELVXV(1)+XLEFT-DELVXV(4)
YLEFT=DELVXV(2)+YLEFT-DELVXV(5)
ZLEFT=DELVXV(3)+ZLEFT-DELVXV(6)
XOLD=XNEW
YOLD=YNEW
ZOLD=ZNEW
5 RETURN
END

Continued

\$IBFTC TRANS DECK

SUBROUTINE TRANS

C ABSTRACT.....THIS ROUTINE TRANSFORMS THE VELOCITIES FROM VEHICLE-
C FIXED COORDINATES TO SPACE-FIXED COORDINATES.

COMMON /COMM12/ VXI

COMMON /COMM13/ C

COMMON /COMM15/ X,Y,Z

DIMENSION C(3,3),VXI(3),DELVXI(3)

DO 1 I=1,3

DELVXI(I)=C(I,1)*X+C(I,2)*Y+C(I,3)*Z

1 VXI(I)=VXI(I)+DELVXI(I)

RETURN

END

Continued

\$IBFTC GRAV DECK

 SUBROUTINE GRAV

C ABSTRACT.....THIS ROUTINE CORRECTS THE VELOCITIES AND DISTANCES
C FOR GRAVITY ASSUMING A SPHERICAL EARTH.

 COMMON /COMM02/ VXS,XS

 COMMON /COMM03/ INNER

 COMMON /COMM04/ RSL, GME

 COMMON /COMM08/ TNAV, TOTNAV

 COMMON /COMM12/ VXI

 COMMON /COMM18/ AXSG

 DIMENSION XS(3), VXS(3), VXI(3), AXSG(3), VXSG(3)

 RS=SQRT(XS(1)*XS(1)+XS(2)*XS(2)+XS(3)*XS(3))

 AXSG(1)=GME*XS(1)/(RS*RS*RS)

 AXSG(2)=GME*XS(2)/(RS*RS*RS)

 AXSG(3)=GME*XS(3)/(RS*RS*RS)

 IF (TOTNAV.GT.0.0) GO TO 1

 VXSG(1)=0.0

 VXSG(2)=0.0

 VXSG(3)=0.0

 Y1=AXSG(1)

 Y2=AXSG(2)

 Y3=AXSG(3)

 Z1=Y1

 Z2=Y2

 Z3=Y3

 GO TO 2

1 CALL INTEGR(TNAV,Z1,Y1,AXSG(1),VXSG(1))

 CALL INTEGR(TNAV,Z2,Y2,AXSG(2),VXSG(2))

 CALL INTEGR(TNAV,Z3,Y3,AXSG(3),VXSG(3))

 VXS(1)=VXI(1)-VXSG(1)

 VXS(2)=VXI(2)-VXSG(2)

 VXS(3)=VXI(3)-VXSG(3)

 IF (TOTNAV.GT.0.0) GO TO 3

2 Y4=VXS(1)

 Y5=VXS(2)

 Y6=VXS(3)

 Z4=Y4

 Z5=Y5

 Z6=Y6

 GO TO 4

3 CALL INTEGR(TNAV,Z4,Y4,VXS(1),XS(1))

 CALL INTEGR(TNAV,Z5,Y5,VXS(2),XS(2))

 CALL INTEGR(TNAV,Z6,Y6,VXS(3),XS(3))

4 RETURN

 END

Continued

\$IRBTC PRINTO DECK

SUBROUTINE PRINTO

C ABSTRACT.....THIS ROUTINE PRINTS PERTINENT INFORMATION FOR A
C COMPLETE ANALYSIS OF THE SYSTEM.

COMMON /COMM02/ VXS,XS

COMMON /COMM04/ RSLL,GME

COMMON /COMM08/ TNAV,TOTNAV

COMMON /COMM10/ VPHIX

COMMON /COMM11/ DELVXV

COMMON /COMM12/ VXI

COMMON /COMM13/ C

COMMON /COMM18/ AXSG

COMMON /COMM19/ RS,VS,GAMMA

DIMENSION VXS(3),XS(3),VPHIX(9),DELVXV(6),VXI(3),C(3,3),AXSG(3)

100 FORMAT(1H1,////////,10X,13H TIME (SEC) =,E12.5)

101 FORMAT(/,28X,2HXS,18X,2HYS,18X,2HZS)

102 FORMAT(/,28X,3HVXS,17X,3HVYS,17X,3HVZS)

103 FORMAT(/,28X,3HVXI,17X,3HVYI,17X,3HVZI)

104 FORMAT(/,10X,21H ORTHOGONALITY CHECK)

105 FORMAT(/,10X,23H TRANSFORMATION MATRIX)

106 FORMAT(22X,6E20.8)

107 FORMAT(/,10X,21H HEIGHT ABOVE EARTH =,F15.8,1X,7H METERS)

108 FORMAT(14X,17H TOTAL VELOCITY =,E15.8,1X,8H MFT/SEC)

109 FORMAT(22X,8H GAMMA =E15.8,1X,8H DEGREES)

110 FORMAT(/,10X,16H NORMALITY CHECK)

111 FORMAT(/,32X,6H VPHIX,14X,6H VPHIY,14X,6H VPHIZ)

112 FORMAT(7X,15H(NOT QUANTIZED),3E20.8)

113 FORMAT(11X,11H(QUANTIZED),3E20.8)

114 FORMAT(/,32X,7H DELVXV,13X,7H DELVYV,13X,7H DELVZV)

115 FORMAT(22X,3E20.8)

116 FORMAT(/,28X,4HAXSG,16X,4HAYSG,16X,4HAZSG)

117 FORMAT(10X,12H(DERIVATIVE),3E20.8)

RS=SQRT(XS(1)*XS(1)+XS(2)*XS(2)+XS(3)*XS(3))

VS=SQRT(VXS(1)*VXS(1)+VXS(2)*VXS(2)+VXS(3)*VXS(3))

D1=XS(1)*VXS(1)+XS(2)*VXS(2)+XS(3)*VXS(3)

D2=SQRT((VS*RS)**2-D1**2)

GAMMA=ATAN2(D1,D2)

H=RS-RSLL

G=90.0-GAMMA*57.295779

B1=C(1,1)*C(1,1)+C(2,1)*C(2,1)+C(3,1)*C(3,1)

B2=C(1,2)*C(1,2)+C(2,2)*C(2,2)+C(3,2)*C(3,2)

B3=C(1,3)*C(1,3)+C(2,3)*C(2,3)+C(3,3)*C(3,3)

B4=C(1,1)*C(1,2)+C(1,2)*C(1,2)+C(1,3)*C(1,3)

B5=C(2,1)*C(2,1)+C(2,2)*C(2,2)+C(2,3)*C(2,3)

B6=C(3,1)*C(3,1)+C(3,2)*C(3,2)+C(3,3)*C(3,3)

A1=C(1,1)*C(1,2)+C(2,1)*C(2,2)+C(3,1)*C(3,2)

A2=C(1,1)*C(1,3)+C(2,1)*C(2,3)+C(3,1)*C(3,3)

A3=C(1,2)*C(1,3)+C(2,2)*C(2,3)+C(3,2)*C(3,3)

A4=C(1,1)*C(2,1)+C(1,2)*C(2,2)+C(1,3)*C(2,3)

A5=C(1,1)*C(3,1)+C(1,2)*C(3,2)+C(1,3)*C(3,3)

A6=C(2,1)*C(3,1)+C(2,2)*C(3,2)+C(2,3)*C(3,3)

Continued

```
WRITE(6,100) TOTNAV
WRITE(6,111)
WRITE(6,117) VPHIX(1),VPHIX(2),VPHIX(3)
WRITE(6,112) VPHIX(4),VPHIX(5),VPHIX(6)
WRITE(6,113) VPHIX(7),VPHIX(8),VPHIX(9)
WRITE(6,114)
WRITE(6,112) DELVXV(1),DELVXV(2),DELVXV(3)
WRITE(6,113) DELVXV(4),DELVXV(5),DELVXV(6)
WRITE(6,105)
DO 1 I=1,3
1 WRITE(6,106) C(I,1),C(I,2),C(I,3)
WRITE(6,104)
WRITE(6,106) A1,A2,A3
WRITE(6,106) A4,A5,A6
WRITE(6,110)
WRITE(6,106) B1,B2,B3
WRITE(6,106) B4,B5,B6
WRITE(6,116)
WRITE(6,115) AXSG(1),AXSG(2),AXSG(3)
WRITE(6,101)
WRITE(6,115) XS(1),XS(2),XS(3)
WRITE(6,102)
WRITE(6,115) VXS(1),VXS(2),VXS(3)
WRITE(6,103)
WRITE(6,115) VXI(1),VXI(2),VXI(3)
WRITE(6,107) H
WRITE(6,108) VS
WRITE(6,109) G
RETURN
END
```

Continued

\$IRBTC ORBIT DECK

SUBROUTINE ORBIT

C ABSTRACT.....THIS ROUTINE CALCULATES AND PRINTS THE ORBITAL
C PARAMETERS.

COMMON /COMM04/ RSLL,GME

COMMON /COVM19/ RS,VS,GAMMA

10 FORMAT(30X,39HSEMIMAJOR AXIS.....,E15.8,//)

20 FORMAT(30X,39HSEMIMINOR AXIS.....,E15.8,//)

30 FORMAT(30X,39HECCENTRICITY.....,E15.8,//)

40 FORMAT(30X,39HAPOGEE RADIUS.....,E15.8,//)

50 FORMAT(30X,39HPERIGEE RADIUS.....,E15.8,//)

60 FORMAT(30X,39HORBITAL VELOCITY AT APOGEE.....,E15.8,//)

70 FORMAT(30X,39HORBITAL VELOCITY AT PERIGEE.....,E15.8,//)

80 FORMAT(1H1)

90 FORMAT(//////////)

D1=(RS*VS**2)/GME

AORBIT=RS/(2.0-D1)

BORBIT=AORBIT*D1*COS(GAMMA)**2

EORBIT=SQRT(1.0-D1*(2.0-D1)*COS(GAMMA)**2)

RAORB=AORBIT*(1.0+EORBIT)

RPORB=AORBIT*(1.0-EORBIT)

D2=VS/(D1*COS(GAMMA))

VAORB=D2*(1.0-EORBIT)

VPORB=D2*(1.0+EORBIT)

WRITE(6,80)

WRITE(6,90)

WRITE(6,10) AORBIT

WRITE(6,20) BORBIT

WRITE(6,30) EORBIT

WRITE(6,40) RAORB

WRITE(6,50) RPORB

WRITE(6,60) VAORB

WRITE(6,70) VPORB

WRITE(6,80)

RETURN

END

Continued

Memory Map of Analytic Platform Simulation Program.

SYSTEM, INCLUDING IOCS

00000 THRU 12442

FILE BLOCK ORIGIN

12451

NUMBER OF FILES - 2

1.	S.FBIN	12451
2.	S.FBOU	12474

OBJECT PROGRAM

12517 THRU 40114

1.	DECK 'MAIN'	*	12517
2.	DECK 'READ1'	*	24631
3.	DECK 'READ2'	*	25323
4.	DECK 'ANGVEL'	•	27016
5.	DECK 'CIRCUS'	*	27352
6.	DECK 'INTEGR'	•	27713
7.	DECK 'EULER3'	•	30056
8.	DECK 'QUATER'	•	30701
9.	DECK 'LINAC'	*	31320
10.	DECK 'TRANS'	•	31637
11.	DECK 'GRAV'	*	31717
12.	DECK 'PRINTO'	*	32204
13.	DECK 'ORBIT'	*	33500
14.	SUBR 'INSYF5'		00000
15.	SUBR 'OUSYF5'		00000
16.	SUBR 'POSTX'		34141
17.	SUBR 'F05'		34207
18.	SUBR 'F06'		34210
19.	SUBR 'IOS'		34211
20.	SUBR 'RWD'		34463
21.	SUBR 'ECV'		35170
22.	SUBR 'FCV'		35436
23.	SUBR 'HCV'		35537
24.	SUBR 'ICV'		35642
25.	SUBR 'XCV'		35662
26.	SUBR 'INTJ'		35700
27.	SUBR 'FFC'		36214
28.	SUBR 'FPT'		36614
29.	SUBR 'XEM'		37164
30.	SUBR 'S.WRIT'		37241
31.	SUBR 'CNSTNT'	*	37255
32.	SUBR 'XIT'		37265
33.	SUBR 'ATN'		37267
34.	SUBR 'SCN'		37517
35.	SUBR 'ARSCN'		37676
36.	SUBR 'SQR'		40015

(* - INSERTIONS OR DELETIONS MADE IN THIS DECK)


INPUT - OUTPUT BUFFERS

77067 THRU 77776

UNUSED CORE

40115 THRU 77062

OBJECT PROGRAM IS BEING ENTERED INTO STORAGE.






Fig. III-1--Analytic Platform Simulation Program Flow Chart.

IV. TEST CASE

In an effort to check the accuracy of the analytic platform simulation program, a test case was assumed with the angular velocity and linear acceleration profiles shown in Figure IV-1. The following equations represent the vehicle accelerations in the space-fixed coordinate system where a spherical earth gravity model has been assumed.

$$\ddot{X}_s = (k_2 t + k_3) \cos(k_1 t) - \frac{\mu_e X_s}{(X_s^2 + Z_s^2)^{3/2}}$$

$$\ddot{Z}_s = (k_2 t + k_3) \sin(k_1 t) - \frac{\mu_e X_s}{(X_s^2 + Z_s^2)^{3/2}}$$

where

$$k_1 = \pi/1200 \quad 0 \leq t \leq 600$$

$$k_2 = \begin{matrix} 1/4 & 0 \leq t \leq 160 \\ -1759/44 & 160 < t \leq 161 \\ 1/44 & 161 < t \leq 600 \end{matrix}$$

$$k_3 = \begin{matrix} 10 & 0 \leq t \leq 160 \\ 70360/11 & 160 < t \leq 161 \\ 70/11 & 161 < t \leq 600 \end{matrix}$$

These differential equations are solved using a three-pass Runge-Kutta numerical technique on a digital computer with a Δt of 0.2 seconds. The results of this numerical solution is presented in the table at the end of the chapter.

This section contains:

- 1) Input profiles for the Test Case.
- 2) Input data for the Test Case.
- 3) Output data from the Analytic Platform Simulation, showing Vehicle Status.
- 4) Output data from the Analytic Platform Simulation, Showing Vehicle End-conditions.
- 5) Runge-Kutta numerical integration digital computer program.
- 6) Comparision of the Vehicle Position and Velocity as determined by both the numerical method and the simulation method.





Fig. IV-1--Input profile for the test case.

INPUT PROFILES.....ANGULAR VELOCITY

TOTAL NUMBER OF POINTS= 601

TIME BETWEEN POINTS= 1 SECOND

X ANG. VEL.	Y ANG. VEL.	Z ANG. VEL.	TIME
.	-0.26179938E-02	0.	0.0
.	-0.26179938E-02	0.	1.0
.	-0.26179938E-02	0.	2.0
.	-0.26179938E-02	0.	3.0
.	-0.26179938E-02	0.	4.0
.	-0.26179938E-02	0.	5.0
.	-0.26179938E-02	0.	6.0
.	-0.26179938E-02	0.	7.0
.	-0.26179938E-02	0.	8.0
.	-0.26179938E-02	0.	9.0
.	-0.26179938E-02	0.	10.0
.	-0.26179938E-02	0.	11.0
.	-0.26179938E-02	0.	12.0
.	-0.26179938E-02	0.	13.0
.	-0.26179938E-02	0.	14.0
.	-0.26179938E-02	0.	15.0
.	-0.26179938E-02	0.	16.0
.	-0.26179938E-02	0.	17.0
.	-0.26179938E-02	0.	18.0
.	-0.26179938E-02	0.	19.0
.	-0.26179938E-02	0.	20.0
.	-0.26179938E-02	0.	21.0
.	-0.26179938E-02	0.	22.0
.	-0.26179938E-02	0.	23.0
.	-0.26179938E-02	0.	24.0
.	-0.26179938E-02	0.	25.0
.	-0.26179938E-02	0.	26.0
.	-0.26179938E-02	0.	27.0
.	-0.26179938E-02	0.	28.0
.	-0.26179938E-02	0.	29.0
.	-0.26179938E-02	0.	30.0
.	-0.26179938E-02	0.	31.0
.	-0.26179938E-02	0.	32.0
.	-0.26179938E-02	0.	33.0
.	-0.26179938E-02	0.	34.0
.	-0.26179938E-02	0.	35.0
.	-0.26179938E-02	0.	36.0
.	-0.26179938E-02	0.	37.0
.	-0.26179938E-02	0.	38.0
.	-0.26179938E-02	0.	39.0
.	-0.26179938E-02	0.	40.0

Continued

•	-0.26179938E-02	0.	41.0
•	-0.26179938E-02	0.	42.0
•	-0.26179938E-02	0.	43.0
•	-0.26179938E-02	0.	44.0
•	-0.26179938E-02	0.	45.0
•	-0.26179938E-02	0.	46.0
•	-0.26179938E-02	0.	47.0
•	-0.26179938E-02	0.	48.0
•	-0.26179938E-02	0.	49.0
•	-0.26179938E-02	0.	50.0
•	-0.26179938E-02	0.	51.0
•	-0.26179938E-02	0.	52.0
•	-0.26179938E-02	0.	53.0
•	-0.26179938E-02	0.	54.0
•	-0.26179938E-02	0.	55.0
•	-0.26179938E-02	0.	56.0
•	-0.26179938E-02	0.	57.0
•	-0.26179938E-02	0.	58.0
•	-0.26179938E-02	0.	59.0
•	-0.26179938E-02	0.	60.0
•	-0.26179938E-02	0.	61.0
•	-0.26179938E-02	0.	62.0
•	-0.26179938E-02	0.	63.0
•	-0.26179938E-02	0.	64.0
•	-0.26179938E-02	0.	65.0
•	-0.26179938E-02	0.	66.0
•	-0.26179938E-02	0.	67.0
•	-0.26179938E-02	0.	68.0
•	-0.26179938E-02	0.	69.0
•	-0.26179938E-02	0.	70.0
•	-0.26179938E-02	0.	71.0
•	-0.26179938E-02	0.	72.0
•	-0.26179938E-02	0.	73.0
•	-0.26179938E-02	0.	74.0
•	-0.26179938E-02	0.	75.0
•	-0.26179938E-02	0.	76.0
•	-0.26179938E-02	0.	77.0
•	-0.26179938E-02	0.	78.0
•	-0.26179938E-02	0.	79.0
•	-0.26179938E-02	0.	80.0
•	-0.26179938E-02	0.	81.0
•	-0.26179938E-02	0.	82.0
•	-0.26179938E-02	0.	83.0
•	-0.26179938E-02	0.	84.0
•	-0.26179938E-02	0.	85.0
•	-0.26179938E-02	0.	86.0
•	-0.26179938E-02	0.	87.0
•	-0.26179938E-02	0.	88.0
•	-0.26179938E-02	0.	89.0
•	-0.26179938E-02	0.	90.0

Continued

PRECEDING PAGE BLANK NOT FILMED.

.	-0.26179938E-02	0.	91.0
.	-0.26179938E-02	0.	92.0
.	-0.26179938E-02	0.	93.0
.	-0.26179938E-02	0.	94.0
.	-0.26179938E-02	0.	95.0
.	-0.26179938E-02	0.	96.0
.	-0.26179938E-02	0.	97.0
.	-0.26179938E-02	0.	98.0
.	-0.26179938E-02	0.	99.0
.	-0.26179938E-02	0.	100.0
.	-0.26179938E-02	0.	101.0
.	-0.26179938E-02	0.	102.0
.	-0.26179938E-02	0.	103.0
.	-0.26179938E-02	0.	104.0
.	-0.26179938E-02	0.	105.0
.	-0.26179938E-02	0.	106.0
.	-0.26179938E-02	0.	107.0
.	-0.26179938E-02	0.	108.0
.	-0.26179938E-02	0.	109.0
.	-0.26179938E-02	0.	110.0
.	-0.26179938E-02	0.	111.0
.	-0.26179938E-02	0.	112.0
.	-0.26179938E-02	0.	113.0
.	-0.26179938E-02	0.	114.0
.	-0.26179938E-02	0.	115.0
.	-0.26179938E-02	0.	116.0
.	-0.26179938E-02	0.	117.0
.	-0.26179938E-02	0.	118.0
.	-0.26179938E-02	0.	119.0
.	-0.26179938E-02	0.	120.0
.	-0.26179938E-02	0.	121.0
.	-0.26179938E-02	0.	122.0
.	-0.26179938E-02	0.	123.0
.	-0.26179938E-02	0.	124.0
.	-0.26179938E-02	0.	125.0
.	-0.26179938E-02	0.	126.0
.	-0.26179938E-02	0.	127.0
.	-0.26179938E-02	0.	128.0
.	-0.26179938E-02	0.	129.0
.	-0.26179938E-02	0.	130.0
.	-0.26179938E-02	0.	131.0
.	-0.26179938E-02	0.	132.0
.	-0.26179938E-02	0.	133.0
.	-0.26179938E-02	0.	134.0
.	-0.26179938E-02	0.	135.0
.	-0.26179938E-02	0.	136.0
.	-0.26179938E-02	0.	137.0
.	-0.26179938E-02	0.	138.0
.	-0.26179938E-02	0.	139.0
.	-0.26179938E-02	0.	140.0

Continued

.	-0.26179938E-02	0.	141.0
.	-0.26179938E-02	0.	142.0
.	-0.26179938E-02	0.	143.0
.	-0.26179938E-02	0.	144.0
.	-0.26179938E-02	0.	145.0
.	-0.26179938E-02	0.	146.0
.	-0.26179938E-02	0.	147.0
.	-0.26179938E-02	0.	148.0
.	-0.26179938E-02	0.	149.0
.	-0.26179938E-02	0.	150.0
.	-0.26179938E-02	0.	151.0
.	-0.26179938E-02	0.	152.0
.	-0.26179938E-02	0.	153.0
.	-0.26179938E-02	0.	154.0
.	-0.26179938E-02	0.	155.0
.	-0.26179938E-02	0.	156.0
.	-0.26179938E-02	0.	157.0
.	-0.26179938E-02	0.	158.0
.	-0.26179938E-02	0.	159.0
.	-0.26179938E-02	0.	160.0
.	-0.26179938E-02	0.	161.0
.	-0.26179938E-02	0.	162.0
.	-0.26179938E-02	0.	163.0
.	-0.26179938E-02	0.	164.0
.	-0.26179938E-02	0.	165.0
.	-0.26179938E-02	0.	166.0
.	-0.26179938E-02	0.	167.0
.	-0.26179938E-02	0.	168.0
.	-0.26179938E-02	0.	169.0
.	-0.26179938E-02	0.	170.0
.	-0.26179938E-02	0.	171.0
.	-0.26179938E-02	0.	172.0
.	-0.26179938E-02	0.	173.0
.	-0.26179938E-02	0.	174.0
.	-0.26179938E-02	0.	175.0
.	-0.26179938E-02	0.	176.0
.	-0.26179938E-02	0.	177.0
.	-0.26179938E-02	0.	178.0
.	-0.26179938E-02	0.	179.0
.	-0.26179938E-02	0.	180.0
.	-0.26179938E-02	0.	181.0
.	-0.26179938E-02	0.	182.0
.	-0.26179938E-02	0.	183.0
.	-0.26179938E-02	0.	184.0
.	-0.26179938E-02	0.	185.0
.	-0.26179938E-02	0.	186.0
.	-0.26179938E-02	0.	187.0
.	-0.26179938E-02	0.	188.0
.	-0.26179938E-02	0.	189.0
.	-0.26179938E-02	0.	190.0

Continued

•	-0.26179938E-02	0.	191.0
•	-0.26179938E-02	0.	192.0
•	-0.26179938E-02	0.	193.0
•	-0.26179938E-02	0.	194.0
•	-0.26179938E-02	0.	195.0
•	-0.26179938E-02	0.	196.0
•	-0.26179938E-02	0.	197.0
•	-0.26179938E-02	0.	198.0
•	-0.26179938E-02	0.	199.0
•	-0.26179938E-02	0.	200.0
•	-0.26179938E-02	0.	201.0
•	-0.26179938E-02	0.	202.0
•	-0.26179938E-02	0.	203.0
•	-0.26179938E-02	0.	204.0
•	-0.26179938E-02	0.	205.0
•	-0.26179938E-02	0.	206.0
•	-0.26179938E-02	0.	207.0
•	-0.26179938E-02	0.	208.0
•	-0.26179938E-02	0.	209.0
•	-0.26179938E-02	0.	210.0
•	-0.26179938E-02	0.	211.0
•	-0.26179938E-02	0.	212.0
•	-0.26179938E-02	0.	213.0
•	-0.26179938E-02	0.	214.0
•	-0.26179938E-02	0.	215.0
•	-0.26179938E-02	0.	216.0
•	-0.26179938E-02	0.	217.0
•	-0.26179938E-02	0.	218.0
•	-0.26179938E-02	0.	219.0
•	-0.26179938E-02	0.	220.0
•	-0.26179938E-02	0.	221.0
•	-0.26179938E-02	0.	222.0
•	-0.26179938E-02	0.	223.0
•	-0.26179938E-02	0.	224.0
•	-0.26179938E-02	0.	225.0
•	-0.26179938E-02	0.	226.0
•	-0.26179938E-02	0.	227.0
•	-0.26179938E-02	0.	228.0
•	-0.26179938E-02	0.	229.0
•	-0.26179938E-02	0.	230.0
•	-0.26179938E-02	0.	231.0
•	-0.26179938E-02	0.	232.0
•	-0.26179938E-02	0.	233.0
•	-0.26179938E-02	0.	234.0
•	-0.26179938E-02	0.	235.0
•	-0.26179938E-02	0.	236.0
•	-0.26179938E-02	0.	237.0
•	-0.26179938E-02	0.	238.0
•	-0.26179938E-02	0.	239.0
•	-0.26179938E-02	0.	240.0

Continued

.	-0.26179938E-02	0.	241.0
.	-0.26179938E-02	0.	242.0
.	-0.26179938E-02	0.	243.0
.	-0.26179938E-02	0.	244.0
.	-0.26179938E-02	0.	245.0
.	-0.26179938E-02	0.	246.0
.	-0.26179938E-02	0.	247.0
.	-0.26179938E-02	0.	248.0
.	-0.26179938E-02	0.	249.0
.	-0.26179938E-02	0.	250.0
.	-0.26179938E-02	0.	251.0
.	-0.26179938E-02	0.	252.0
.	-0.26179938E-02	0.	253.0
.	-0.26179938E-02	0.	254.0
.	-0.26179938E-02	0.	255.0
.	-0.26179938E-02	0.	256.0
.	-0.26179938E-02	0.	257.0
.	-0.26179938E-02	0.	258.0
.	-0.26179938E-02	0.	259.0
.	-0.26179938E-02	0.	260.0
.	-0.26179938E-02	0.	261.0
.	-0.26179938E-02	0.	262.0
.	-0.26179938E-02	0.	263.0
.	-0.26179938E-02	0.	264.0
.	-0.26179938E-02	0.	265.0
.	-0.26179938E-02	0.	266.0
.	-0.26179938E-02	0.	267.0
.	-0.26179938E-02	0.	268.0
.	-0.26179938E-02	0.	269.0
.	-0.26179938E-02	0.	270.0
.	-0.26179938E-02	0.	271.0
.	-0.26179938E-02	0.	272.0
.	-0.26179938E-02	0.	273.0
.	-0.26179938E-02	0.	274.0
.	-0.26179938E-02	0.	275.0
.	-0.26179938E-02	0.	276.0
.	-0.26179938E-02	0.	277.0
.	-0.26179938E-02	0.	278.0
.	-0.26179938E-02	0.	279.0
.	-0.26179938E-02	0.	280.0
.	-0.26179938E-02	0.	281.0
.	-0.26179938E-02	0.	282.0
.	-0.26179938E-02	0.	283.0
.	-0.26179938E-02	0.	284.0
.	-0.26179938E-02	0.	285.0
.	-0.26179938E-02	0.	286.0
.	-0.26179938E-02	0.	287.0
.	-0.26179938E-02	0.	288.0
.	-0.26179938E-02	0.	289.0
.	-0.26179938E-02	0.	290.0

Continued

.	-0.26179938E-02	0.	291.0
.	-0.26179938E-02	0.	292.0
.	-0.26179938E-02	0.	293.0
.	-0.26179938E-02	0.	294.0
.	-0.26179938E-02	0.	295.0
.	-0.26179938E-02	0.	296.0
.	-0.26179938E-02	0.	297.0
.	-0.26179938E-02	0.	298.0
.	-0.26179938E-02	0.	299.0
.	-0.26179938E-02	0.	300.0
.	-0.26179938E-02	0.	301.0
.	-0.26179938E-02	0.	302.0
.	-0.26179938E-02	0.	303.0
.	-0.26179938E-02	0.	304.0
.	-0.26179938E-02	0.	305.0
.	-0.26179938E-02	0.	306.0
.	-0.26179938E-02	0.	307.0
.	-0.26179938E-02	0.	308.0
.	-0.26179938E-02	0.	309.0
.	-0.26179938E-02	0.	310.0
.	-0.26179938E-02	0.	311.0
.	-0.26179938E-02	0.	312.0
.	-0.26179938E-02	0.	313.0
.	-0.26179938E-02	0.	314.0
.	-0.26179938E-02	0.	315.0
.	-0.26179938E-02	0.	316.0
.	-0.26179938E-02	0.	317.0
.	-0.26179938E-02	0.	318.0
.	-0.26179938E-02	0.	319.0
.	-0.26179938E-02	0.	320.0
.	-0.26179938E-02	0.	321.0
.	-0.26179938E-02	0.	322.0
.	-0.26179938E-02	0.	323.0
.	-0.26179938E-02	0.	324.0
.	-0.26179938E-02	0.	325.0
.	-0.26179938E-02	0.	326.0
.	-0.26179938E-02	0.	327.0
.	-0.26179938E-02	0.	328.0
.	-0.26179938E-02	0.	329.0
.	-0.26179938E-02	0.	330.0
.	-0.26179938E-02	0.	331.0
.	-0.26179938E-02	0.	332.0
.	-0.26179938E-02	0.	333.0
.	-0.26179938E-02	0.	334.0
.	-0.26179938E-02	0.	335.0
.	-0.26179938E-02	0.	336.0
.	-0.26179938E-02	0.	337.0
.	-0.26179938E-02	0.	338.0
.	-0.26179938E-02	0.	339.0
.	-0.26179938E-02	0.	340.0

Continued

.	-0.26179938E-02	0.	341.0
.	-0.26179938E-02	0.	342.0
.	-0.26179938E-02	0.	343.0
.	-0.26179938E-02	0.	344.0
.	-0.26179938E-02	0.	345.0
.	-0.26179938E-02	0.	346.0
.	-0.26179938E-02	0.	347.0
.	-0.26179938E-02	0.	348.0
.	-0.26179938E-02	0.	349.0
.	-0.26179938E-02	0.	350.0
.	-0.26179938E-02	0.	351.0
.	-0.26179938E-02	0.	352.0
.	-0.26179938E-02	0.	353.0
.	-0.26179938E-02	0.	354.0
.	-0.26179938E-02	0.	355.0
.	-0.26179938E-02	0.	356.0
.	-0.26179938E-02	0.	357.0
.	-0.26179938E-02	0.	358.0
.	-0.26179938E-02	0.	359.0
.	-0.26179938E-02	0.	360.0
.	-0.26179938E-02	0.	361.0
.	-0.26179938E-02	0.	362.0
.	-0.26179938E-02	0.	363.0
.	-0.26179938E-02	0.	364.0
.	-0.26179938E-02	0.	365.0
.	-0.26179938E-02	0.	366.0
.	-0.26179938E-02	0.	367.0
.	-0.26179938E-02	0.	368.0
.	-0.26179938E-02	0.	369.0
.	-0.26179938E-02	0.	370.0
.	-0.26179938E-02	0.	371.0
.	-0.26179938E-02	0.	372.0
.	-0.26179938E-02	0.	373.0
.	-0.26179938E-02	0.	374.0
.	-0.26179938E-02	0.	375.0
.	-0.26179938E-02	0.	376.0
.	-0.26179938E-02	0.	377.0
.	-0.26179938E-02	0.	378.0
.	-0.26179938E-02	0.	379.0
.	-0.26179938E-02	0.	380.0
.	-0.26179938E-02	0.	381.0
.	-0.26179938E-02	0.	382.0
.	-0.26179938E-02	0.	383.0
.	-0.26179938E-02	0.	384.0
.	-0.26179938E-02	0.	385.0
.	-0.26179938E-02	0.	386.0
.	-0.26179938E-02	0.	387.0
.	-0.26179938E-02	0.	388.0
.	-0.26179938E-02	0.	389.0
.	-0.26179938E-02	0.	390.0

Continued

.	-0.26179938E-02	0.	391.0
.	-0.26179938E-02	0.	392.0
.	-0.26179938E-02	0.	393.0
.	-0.26179938E-02	0.	394.0
.	-0.26179938E-02	0.	395.0
.	-0.26179938E-02	0.	396.0
.	-0.26179938E-02	0.	397.0
.	-0.26179938E-02	0.	398.0
.	-0.26179938E-02	0.	399.0
.	-0.26179938E-02	0.	400.0
.	-0.26179938E-02	0.	401.0
.	-0.26179938E-02	0.	402.0
.	-0.26179938E-02	0.	403.0
.	-0.26179938E-02	0.	404.0
.	-0.26179938E-02	0.	405.0
.	-0.26179938E-02	0.	406.0
.	-0.26179938E-02	0.	407.0
.	-0.26179938E-02	0.	408.0
.	-0.26179938E-02	0.	409.0
.	-0.26179938E-02	0.	410.0
.	-0.26179938E-02	0.	411.0
.	-0.26179938E-02	0.	412.0
.	-0.26179938E-02	0.	413.0
.	-0.26179938E-02	0.	414.0
.	-0.26179938E-02	0.	415.0
.	-0.26179938E-02	0.	416.0
.	-0.26179938E-02	0.	417.0
.	-0.26179938E-02	0.	418.0
.	-0.26179938E-02	0.	419.0
.	-0.26179938E-02	0.	420.0
.	-0.26179938E-02	0.	421.0
.	-0.26179938E-02	0.	422.0
.	-0.26179938E-02	0.	423.0
.	-0.26179938E-02	0.	424.0
.	-0.26179938E-02	0.	425.0
.	-0.26179938E-02	0.	426.0
.	-0.26179938E-02	0.	427.0
.	-0.26179938E-02	0.	428.0
.	-0.26179938E-02	0.	429.0
.	-0.26179938E-02	0.	430.0
.	-0.26179938E-02	0.	431.0
.	-0.26179938E-02	0.	432.0
.	-0.26179938E-02	0.	433.0
.	-0.26179938E-02	0.	434.0
.	-0.26179938E-02	0.	435.0
.	-0.26179938E-02	0.	436.0
.	-0.26179938E-02	0.	437.0
.	-0.26179938E-02	0.	438.0
.	-0.26179938E-02	0.	439.0
.	-0.26179938E-02	0.	440.0

Continued

•	-0.26179938E-02	0.	441.0
•	-0.26179938E-02	0.	442.0
•	-0.26179938E-02	0.	443.0
•	-0.26179938E-02	0.	444.0
•	-0.26179938E-02	0.	445.0
•	-0.26179938E-02	0.	446.0
•	-0.26179938E-02	0.	447.0
•	-0.26179938E-02	0.	448.0
•	-0.26179938E-02	0.	449.0
•	-0.26179938E-02	0.	450.0
•	-0.26179938E-02	0.	451.0
•	-0.26179938E-02	0.	452.0
•	-0.26179938E-02	0.	453.0
•	-0.26179938E-02	0.	454.0
•	-0.26179938E-02	0.	455.0
•	-0.26179938E-02	0.	456.0
•	-0.26179938E-02	0.	457.0
•	-0.26179938E-02	0.	458.0
•	-0.26179938E-02	0.	459.0
•	-0.26179938E-02	0.	460.0
•	-0.26179938E-02	0.	461.0
•	-0.26179938E-02	0.	462.0
•	-0.26179938E-02	0.	463.0
•	-0.26179938E-02	0.	464.0
•	-0.26179938E-02	0.	465.0
•	-0.26179938E-02	0.	466.0
•	-0.26179938E-02	0.	467.0
•	-0.26179938E-02	0.	468.0
•	-0.26179938E-02	0.	469.0
•	-0.26179938E-02	0.	470.0
•	-0.26179938E-02	0.	471.0
•	-0.26179938E-02	0.	472.0
•	-0.26179938E-02	0.	473.0
•	-0.26179938E-02	0.	474.0
•	-0.26179938E-02	0.	475.0
•	-0.26179938E-02	0.	476.0
•	-0.26179938E-02	0.	477.0
•	-0.26179938E-02	0.	478.0
•	-0.26179938E-02	0.	479.0
•	-0.26179938E-02	0.	480.0
•	-0.26179938E-02	0.	481.0
•	-0.26179938E-02	0.	482.0
•	-0.26179938E-02	0.	483.0
•	-0.26179938E-02	0.	484.0
•	-0.26179938E-02	0.	485.0
•	-0.26179938E-02	0.	486.0
•	-0.26179938E-02	0.	487.0
•	-0.26179938E-02	0.	488.0
•	-0.26179938E-02	0.	489.0
•	-0.26179938E-02	0.	490.0

Continued

.	-0.26179938E-02	0.	491.0
.	-0.26179938E-02	0.	492.0
.	-0.26179938E-02	0.	493.0
.	-0.26179938E-02	0.	494.0
.	-0.26179938E-02	0.	495.0
.	-0.26179938E-02	0.	496.0
.	-0.26179938E-02	0.	497.0
.	-0.26179938E-02	0.	498.0
.	-0.26179938E-02	0.	499.0
.	-0.26179938E-02	0.	500.0
.	-0.26179938E-02	0.	501.0
.	-0.26179938E-02	0.	502.0
.	-0.26179938E-02	0.	503.0
.	-0.26179938E-02	0.	504.0
.	-0.26179938E-02	0.	505.0
.	-0.26179938E-02	0.	506.0
.	-0.26179938E-02	0.	507.0
.	-0.26179938E-02	0.	508.0
.	-0.26179938E-02	0.	509.0
.	-0.26179938E-02	0.	510.0
.	-0.26179938E-02	0.	511.0
.	-0.26179938E-02	0.	512.0
.	-0.26179938E-02	0.	513.0
.	-0.26179938E-02	0.	514.0
.	-0.26179938E-02	0.	515.0
.	-0.26179938E-02	0.	516.0
.	-0.26179938E-02	0.	517.0
.	-0.26179938E-02	0.	518.0
.	-0.26179938E-02	0.	519.0
.	-0.26179938E-02	0.	520.0
.	-0.26179938E-02	0.	521.0
.	-0.26179938E-02	0.	522.0
.	-0.26179938E-02	0.	523.0
.	-0.26179938E-02	0.	524.0
.	-0.26179938E-02	0.	525.0
.	-0.26179938E-02	0.	526.0
.	-0.26179938E-02	0.	527.0
.	-0.26179938E-02	0.	528.0
.	-0.26179938E-02	0.	529.0
.	-0.26179938E-02	0.	530.0
.	-0.26179938E-02	0.	531.0
.	-0.26179938E-02	0.	532.0
.	-0.26179938E-02	0.	533.0
.	-0.26179938E-02	0.	534.0
.	-0.26179938E-02	0.	535.0
.	-0.26179938E-02	0.	536.0
.	-0.26179938E-02	0.	537.0
.	-0.26179938E-02	0.	538.0
.	-0.26179938E-02	0.	539.0
.	-0.26179938E-02	0.	540.0

Continued

.	-0.26179938E-02	0.	541.0
.	-0.26179938E-02	0.	542.0
.	-0.26179938E-02	0.	543.0
.	-0.26179938E-02	0.	544.0
.	-0.26179938E-02	0.	545.0
.	-0.26179938E-02	0.	546.0
.	-0.26179938E-02	0.	547.0
.	-0.26179938E-02	0.	548.0
.	-0.26179938E-02	0.	549.0
.	-0.26179938E-02	0.	550.0
.	-0.26179938E-02	0.	551.0
.	-0.26179938E-02	0.	552.0
.	-0.26179938E-02	0.	553.0
.	-0.26179938E-02	0.	554.0
.	-0.26179938E-02	0.	555.0
.	-0.26179938E-02	0.	556.0
.	-0.26179938E-02	0.	557.0
.	-0.26179938E-02	0.	558.0
.	-0.26179938E-02	0.	559.0
.	-0.26179938E-02	0.	560.0
.	-0.26179938E-02	0.	561.0
.	-0.26179938E-02	0.	562.0
.	-0.26179938E-02	0.	563.0
.	-0.26179938E-02	0.	564.0
.	-0.26179938E-02	0.	565.0
.	-0.26179938E-02	0.	566.0
.	-0.26179938E-02	0.	567.0
.	-0.26179938E-02	0.	568.0
.	-0.26179938E-02	0.	569.0
.	-0.26179938E-02	0.	570.0
.	-0.26179938E-02	0.	571.0
.	-0.26179938E-02	0.	572.0
.	-0.26179938E-02	0.	573.0
.	-0.26179938E-02	0.	574.0
.	-0.26179938E-02	0.	575.0
.	-0.26179938E-02	0.	576.0
.	-0.26179938E-02	0.	577.0
.	-0.26179938E-02	0.	578.0
.	-0.26179938E-02	0.	579.0
.	-0.26179938E-02	0.	580.0
.	-0.26179938E-02	0.	581.0
.	-0.26179938E-02	0.	582.0
.	-0.26179938E-02	0.	583.0
.	-0.26179938E-02	0.	584.0
.	-0.26179938E-02	0.	585.0
.	-0.26179938E-02	0.	586.0
.	-0.26179938E-02	0.	587.0
.	-0.26179938E-02	0.	588.0
.	-0.26179938E-02	0.	589.0
.	-0.26179938E-02	0.	590.0

Continued

•	-0.26179938E-02	0.	591.0
•	-0.26179938E-02	0.	592.0
•	-0.26179938E-02	0.	593.0
•	-0.26179938E-02	0.	594.0
•	-0.26179938E-02	0.	595.0
•	-0.26179938E-02	0.	596.0
•	-0.26179938E-02	0.	597.0
•	-0.26179938E-02	0.	598.0
•	-0.26179938E-02	0.	599.0
•	-0.26179938E-02	0.	600.0

End of Input Profile ... Angular Velocity

INPUT PROFILES.....LINEAR ACCELERATION

TOTAL NUMBER OF POINTS= 601

TIME BETWEEN POINTS= 1 SECOND

X ACCELERATION	Y ACCELERATION	Z ACCELERATION	TIME
.10000000F 02	0.	0.	0.0
.10250000E 02	0.	0.	1.0
.10500000F 02	0.	0.	2.0
.10750000F 02	0.	0.	3.0
.11000000E 02	0.	0.	4.0
.11250000E 02	0.	0.	5.0
.11500000E 02	0.	0.	6.0
.11750000F 02	0.	0.	7.0
.12000000F 02	0.	0.	8.0
.12250000F 02	0.	0.	9.0
.12500000F 02	0.	0.	10.0
.12750000E 02	0.	0.	11.0
.13000000F 02	0.	0.	12.0
.13250000E 02	0.	0.	13.0
.13500000E 02	0.	0.	14.0
.13750000F 02	0.	0.	15.0
.14000000E 02	0.	0.	16.0
.14250000E 02	0.	0.	17.0
.14500000E 02	0.	0.	18.0
.14750000E 02	0.	0.	19.0
.15000000F 02	0.	0.	20.0
.15250000F 02	0.	0.	21.0
.15500000F 02	0.	0.	22.0
.15750000E 02	0.	0.	23.0
.16000000E 02	0.	0.	24.0
.16250000E 02	0.	0.	25.0
.16500000F 02	0.	0.	26.0
.16750000E 02	0.	0.	27.0
.17000000F 02	0.	0.	28.0
.17250000E 02	0.	0.	29.0
.17500000E 02	0.	0.	30.0
.17750000E 02	0.	0.	31.0
.18000000F 02	0.	0.	32.0
.18250000E 02	0.	0.	33.0
.18500000E 02	0.	0.	34.0
.18750000F 02	0.	0.	35.0
.19000000E 02	0.	0.	36.0
.19250000E 02	0.	0.	37.0
.19500000E 02	0.	0.	38.0
.19750000E 02	0.	0.	39.0
.20000000F 02	0.	0.	40.0

Continued

.20250000E 02	0.	0.	41.0
.20500000E 02	0.	0.	42.0
.20750000E 02	0.	0.	43.0
.21000000E 02	0.	0.	44.0
.21250000E 02	0.	0.	45.0
.21500000E 02	0.	0.	46.0
.21750000E 02	0.	0.	47.0
.22000000E 02	0.	0.	48.0
.22250000E 02	0.	0.	49.0
.22500000E 02	0.	0.	50.0
.22750000E 02	0.	0.	51.0
.23000000E 02	0.	0.	52.0
.23250000E 02	0.	0.	53.0
.23500000E 02	0.	0.	54.0
.23750000E 02	0.	0.	55.0
.24000000E 02	0.	0.	56.0
.24250000E 02	0.	0.	57.0
.24500000E 02	0.	0.	58.0
.24750000E 02	0.	0.	59.0
.25000000E 02	0.	0.	60.0
.25250000E 02	0.	0.	61.0
.25500000E 02	0.	0.	62.0
.25750000E 02	0.	0.	63.0
.26000000E 02	0.	0.	64.0
.26250000E 02	0.	0.	65.0
.26500000E 02	0.	0.	66.0
.26750000E 02	0.	0.	67.0
.27000000E 02	0.	0.	68.0
.27250000E 02	0.	0.	69.0
.27500000E 02	0.	0.	70.0
.27750000E 02	0.	0.	71.0
.28000000E 02	0.	0.	72.0
.28250000E 02	0.	0.	73.0
.28500000E 02	0.	0.	74.0
.28750000E 02	0.	0.	75.0
.29000000E 02	0.	0.	76.0
.29250000E 02	0.	0.	77.0
.29500000E 02	0.	0.	78.0
.29750000E 02	0.	0.	79.0
.30000000E 02	0.	0.	80.0
.30250000E 02	0.	0.	81.0
.30500000E 02	0.	0.	82.0
.30750000E 02	0.	0.	83.0
.31000000E 02	0.	0.	84.0
.31250000E 02	0.	0.	85.0
.31500000E 02	0.	0.	86.0
.31750000E 02	0.	0.	87.0
.32000000E 02	0.	0.	88.0
.32250000E 02	0.	0.	89.0
.32500000E 02	0.	0.	90.0

Continued

.32750000F 02	0.	0.	91.0
.33000000F 02	0.	0.	92.0
.33250000F 02	0.	0.	93.0
.33500000F 02	0.	0.	94.0
.33750000F 02	0.	0.	95.0
.34000000F 02	0.	0.	96.0
.34250000F 02	0.	0.	97.0
.34500000F 02	0.	0.	98.0
.34750000F 02	0.	0.	99.0
.35000000F 02	0.	0.	100.0
.35250000F 02	0.	0.	101.0
.35500000F 02	0.	0.	102.0
.35750000F 02	0.	0.	103.0
.36000000F 02	0.	0.	104.0
.36250000F 02	0.	0.	105.0
.36500000F 02	0.	0.	106.0
.36750000F 02	0.	0.	107.0
.37000000F 02	0.	0.	108.0
.37250000F 02	0.	0.	109.0
.37500000F 02	0.	0.	110.0
.37750000F 02	0.	0.	111.0
.38000000F 02	0.	0.	112.0
.38250000F 02	0.	0.	113.0
.38500000F 02	0.	0.	114.0
.38750000F 02	0.	0.	115.0
.39000000F 02	0.	0.	116.0
.39250000F 02	0.	0.	117.0
.39500000F 02	0.	0.	118.0
.39750000F 02	0.	0.	119.0
.40000000F 02	0.	0.	120.0
.40250000F 02	0.	0.	121.0
.40500000F 02	0.	0.	122.0
.40750000F 02	0.	0.	123.0
.41000000F 02	0.	0.	124.0
.41250000F 02	0.	0.	125.0
.41500000F 02	0.	0.	126.0
.41750000F 02	0.	0.	127.0
.42000000F 02	0.	0.	128.0
.42250000F 02	0.	0.	129.0
.42500000F 02	0.	0.	130.0
.42750000F 02	0.	0.	131.0
.43000000F 02	0.	0.	132.0
.43250000F 02	0.	0.	133.0
.43500000F 02	0.	0.	134.0
.43750000F 02	0.	0.	135.0
.44000000F 02	0.	0.	136.0
.44250000F 02	0.	0.	137.0
.44500000F 02	0.	0.	138.0
.44750000F 02	0.	0.	139.0
.45000000F 02	0.	0.	140.0

Continued

.45250000F 02	0.	0.	141.0
.45500000F 02	0.	0.	142.0
.45750000F 02	0.	0.	143.0
.46000000F 02	0.	0.	144.0
.46250000F 02	0.	0.	145.0
.46500000F 02	0.	0.	146.0
.46750000F 02	0.	0.	147.0
.47000000F 02	0.	0.	148.0
.47250000F 02	0.	0.	149.0
.47500000F 02	0.	0.	150.0
.47750000F 02	0.	0.	151.0
.48000000F 02	0.	0.	152.0
.48250000F 02	0.	0.	153.0
.48500000F 02	0.	0.	154.0
.48750000F 02	0.	0.	155.0
.49000000F 02	0.	0.	156.0
.49250000F 02	0.	0.	157.0
.49500000F 02	0.	0.	158.0
.49750000F 02	0.	0.	159.0
.50000000F 02	0.	0.	160.0
.10022727E 02	0.	0.	161.0
.10045455E 02	0.	0.	162.0
.10068182E 02	0.	0.	163.0
.10090909F 02	0.	0.	164.0
.10113636F 02	0.	0.	165.0
.10136364F 02	0.	0.	166.0
.10159091F 02	0.	0.	167.0
.10181818E 02	0.	0.	168.0
.10204545E 02	0.	0.	169.0
.10227273F 02	0.	0.	170.0
.10250000F 02	0.	0.	171.0
.10272727F 02	0.	0.	172.0
.10295454E 02	0.	0.	173.0
.10318182E 02	0.	0.	174.0
.10340909F 02	0.	0.	175.0
.10363636E 02	0.	0.	176.0
.10386364F 02	0.	0.	177.0
.10409091F 02	0.	0.	178.0
.10431818F 02	0.	0.	179.0
.10454545F 02	0.	0.	180.0
.10477273F 02	0.	0.	181.0
.10500000F 02	0.	0.	182.0
.10522727E 02	0.	0.	183.0
.10545454E 02	0.	0.	184.0
.10568182E 02	0.	0.	185.0
.10590909E 02	0.	0.	186.0
.10613636F 02	0.	0.	187.0
.10636364F 02	0.	0.	188.0
.10659091F 02	0.	0.	189.0
.10681818F 02	0.	0.	190.0

Continued

.10704545E 02	0.	0.	191.0
.10727273E 02	0.	0.	192.0
.10750000E 02	0.	0.	193.0
.10772727E 02	0.	0.	194.0
.10795455E 02	0.	0.	195.0
.10818182E 02	0.	0.	196.0
.10840909E 02	0.	0.	197.0
.10863636E 02	0.	0.	198.0
.10886364E 02	0.	0.	199.0
.10909091E 02	0.	0.	200.0
.10931818E 02	0.	0.	201.0
.10954545E 02	0.	0.	202.0
.10977273E 02	0.	0.	203.0
.11000000E 02	0.	0.	204.0
.11022727E 02	0.	0.	205.0
.11045454E 02	0.	0.	206.0
.11068182E 02	0.	0.	207.0
.11090909E 02	0.	0.	208.0
.11113636E 02	0.	0.	209.0
.11136364E 02	0.	0.	210.0
.11159091E 02	0.	0.	211.0
.11181818E 02	0.	0.	212.0
.11204545E 02	0.	0.	213.0
.11227273E 02	0.	0.	214.0
.11250000E 02	0.	0.	215.0
.11272727E 02	0.	0.	216.0
.11295455E 02	0.	0.	217.0
.11318182E 02	0.	0.	218.0
.11340909E 02	0.	0.	219.0
.11363636E 02	0.	0.	220.0
.11386364E 02	0.	0.	221.0
.11409091E 02	0.	0.	222.0
.11431818E 02	0.	0.	223.0
.11454545E 02	0.	0.	224.0
.11477273E 02	0.	0.	225.0
.11500000E 02	0.	0.	226.0
.11522727E 02	0.	0.	227.0
.11545454E 02	0.	0.	228.0
.11568182E 02	0.	0.	229.0
.11590909E 02	0.	0.	230.0
.11613636E 02	0.	0.	231.0
.11636364E 02	0.	0.	232.0
.11659091E 02	0.	0.	233.0
.11681818E 02	0.	0.	234.0
.11704545E 02	0.	0.	235.0
.11727273E 02	0.	0.	236.0
.11750000E 02	0.	0.	237.0
.11772727E 02	0.	0.	238.0
.11795454E 02	0.	0.	239.0
.11818182E 02	0.	0.	240.0

Continued

.11840909E 02	0.	0.	241.0
.11863636E 02	0.	0.	242.0
.11886364E 02	0.	0.	243.0
.11909091E 02	0.	0.	244.0
.11931818E 02	0.	0.	245.0
.11954545E 02	0.	0.	246.0
.11977273E 02	0.	0.	247.0
.12000000E 02	0.	0.	248.0
.12022727E 02	0.	0.	249.0
.12045455E 02	0.	0.	250.0
.12068182E 02	0.	0.	251.0
.12090909E 02	0.	0.	252.0
.12113636E 02	0.	0.	253.0
.12136364E 02	0.	0.	254.0
.12159091E 02	0.	0.	255.0
.12181818E 02	0.	0.	256.0
.12204545E 02	0.	0.	257.0
.12227273E 02	0.	0.	258.0
.12250000E 02	0.	0.	259.0
.12272727E 02	0.	0.	260.0
.12295454E 02	0.	0.	261.0
.12318182E 02	0.	0.	262.0
.12340909E 02	0.	0.	263.0
.12363636E 02	0.	0.	264.0
.12386364E 02	0.	0.	265.0
.12409091E 02	0.	0.	266.0
.12431818E 02	0.	0.	267.0
.12454545E 02	0.	0.	268.0
.12477273E 02	0.	0.	269.0
.12500000E 02	0.	0.	270.0
.12522727E 02	0.	0.	271.0
.12545455E 02	0.	0.	272.0
.12568182E 02	0.	0.	273.0
.12590909E 02	0.	0.	274.0
.12613636E 02	0.	0.	275.0
.12636364E 02	0.	0.	276.0
.12659091E 02	0.	0.	277.0
.12681818E 02	0.	0.	278.0
.12704545E 02	0.	0.	279.0
.12727273E 02	0.	0.	280.0
.12750000E 02	0.	0.	281.0
.12772727E 02	0.	0.	282.0
.12795454E 02	0.	0.	283.0
.12818182E 02	0.	0.	284.0
.12840909E 02	0.	0.	285.0
.12863636E 02	0.	0.	286.0
.12886364E 02	0.	0.	287.0
.12909091E 02	0.	0.	288.0
.12931818E 02	0.	0.	289.0
.12954545E 02	0.	0.	290.0

Continued

.12977273E 02	0.	0.	291.0
.13000000E 02	0.	0.	292.0
.13022727E 02	0.	0.	293.0
.13045454E 02	0.	0.	294.0
.13068182E 02	0.	0.	295.0
.13090909E 02	0.	0.	296.0
.13113636E 02	0.	0.	297.0
.13136364E 02	0.	0.	298.0
.13159091E 02	0.	0.	299.0
.13181818E 02	0.	0.	300.0
.13204545E 02	0.	0.	301.0
.13227273E 02	0.	0.	302.0
.13250000E 02	0.	0.	303.0
.13272727E 02	0.	0.	304.0
.13295455E 02	0.	0.	305.0
.13318182E 02	0.	0.	306.0
.13340909E 02	0.	0.	307.0
.13363636E 02	0.	0.	308.0
.13386364E 02	0.	0.	309.0
.13409091E 02	0.	0.	310.0
.13431818E 02	0.	0.	311.0
.13454545E 02	0.	0.	312.0
.13477273E 02	0.	0.	313.0
.13500000E 02	0.	0.	314.0
.13522727E 02	0.	0.	315.0
.13545454E 02	0.	0.	316.0
.13568182E 02	0.	0.	317.0
.13590909E 02	0.	0.	318.0
.13613636E 02	0.	0.	319.0
.13636364E 02	0.	0.	320.0
.13659091E 02	0.	0.	321.0
.13681818E 02	0.	0.	322.0
.13704545E 02	0.	0.	323.0
.13727273E 02	0.	0.	324.0
.13750000E 02	0.	0.	325.0
.13772727E 02	0.	0.	326.0
.13795455E 02	0.	0.	327.0
.13818182E 02	0.	0.	328.0
.13840909E 02	0.	0.	329.0
.13863636E 02	0.	0.	330.0
.13886364E 02	0.	0.	331.0
.13909091E 02	0.	0.	332.0
.13931818E 02	0.	0.	333.0
.13954545E 02	0.	0.	334.0
.13977273E 02	0.	0.	335.0
.14000000E 02	0.	0.	336.0
.14022727E 02	0.	0.	337.0
.14045454E 02	0.	0.	338.0
.14068182E 02	0.	0.	339.0
.14090909E 02	0.	0.	340.0

Continued

.14113636E 02	0.	0.	341.0
.14136364E 02	0.	0.	342.0
.14159091E 02	0.	0.	343.0
.14181818E 02	0.	0.	344.0
.14204545E 02	0.	0.	345.0
.14227273E 02	0.	0.	346.0
.14250000E 02	0.	0.	347.0
.14272727E 02	0.	0.	348.0
.14295454E 02	0.	0.	349.0
.14318182E 02	0.	0.	350.0
.14340909E 02	0.	0.	351.0
.14363636E 02	0.	0.	352.0
.14386364E 02	0.	0.	353.0
.14409091E 02	0.	0.	354.0
.14431818E 02	0.	0.	355.0
.14454545E 02	0.	0.	356.0
.14477273E 02	0.	0.	357.0
.14500000E 02	0.	0.	358.0
.14522727E 02	0.	0.	359.0
.14545455E 02	0.	0.	360.0
.14568182E 02	0.	0.	361.0
.14590909E 02	0.	0.	362.0
.14613636E 02	0.	0.	363.0
.14636364E 02	0.	0.	364.0
.14659091E 02	0.	0.	365.0
.14681818E 02	0.	0.	366.0
.14704545E 02	0.	0.	367.0
.14727273E 02	0.	0.	368.0
.14750000E 02	0.	0.	369.0
.14772727E 02	0.	0.	370.0
.14795454E 02	0.	0.	371.0
.14818182E 02	0.	0.	372.0
.14840909E 02	0.	0.	373.0
.14863636E 02	0.	0.	374.0
.14886364E 02	0.	0.	375.0
.14909091E 02	0.	0.	376.0
.14931818E 02	0.	0.	377.0
.14954545E 02	0.	0.	378.0
.14977273E 02	0.	0.	379.0
.15000000E 02	0.	0.	380.0
.15022727E 02	0.	0.	381.0
.15045455E 02	0.	0.	382.0
.15068182E 02	0.	0.	383.0
.15090909E 02	0.	0.	384.0
.15113636E 02	0.	0.	385.0
.15136364E 02	0.	0.	386.0
.15159091E 02	0.	0.	387.0
.15181818E 02	0.	0.	388.0
.15204545E 02	0.	0.	389.0
.15227273E 02	0.	0.	390.0

Continued

.15250000E 02	0.	0.	391.0
.15272727E 02	0.	0.	392.0
.15295454E 02	0.	0.	393.0
.15318182E 02	0.	0.	394.0
.15340909E 02	0.	0.	395.0
.15363636E 02	0.	0.	396.0
.15386364E 02	0.	0.	397.0
.15409091E 02	0.	0.	398.0
.15431818E 02	0.	0.	399.0
.15454545E 02	0.	0.	400.0
.15477273E 02	0.	0.	401.0
.15500000E 02	0.	0.	402.0
.15522727E 02	0.	0.	403.0
.15545454E 02	0.	0.	404.0
.15568182E 02	0.	0.	405.0
.15590909E 02	0.	0.	406.0
.15613636E 02	0.	0.	407.0
.15636364E 02	0.	0.	408.0
.15659091E 02	0.	0.	409.0
.15681818E 02	0.	0.	410.0
.15704545E 02	0.	0.	411.0
.15727273E 02	0.	0.	412.0
.15750000E 02	0.	0.	413.0
.15772727E 02	0.	0.	414.0
.15795455E 02	0.	0.	415.0
.15818182E 02	0.	0.	416.0
.15840909E 02	0.	0.	417.0
.15863636E 02	0.	0.	418.0
.15886364E 02	0.	0.	419.0
.15909091E 02	0.	0.	420.0
.15931818E 02	0.	0.	421.0
.15954545E 02	0.	0.	422.0
.15977273E 02	0.	0.	423.0
.16000000E 02	0.	0.	424.0
.16022727E 02	0.	0.	425.0
.16045455E 02	0.	0.	426.0
.16068182E 02	0.	0.	427.0
.16090909E 02	0.	0.	428.0
.16113636E 02	0.	0.	429.0
.16136364E 02	0.	0.	430.0
.16159091E 02	0.	0.	431.0
.16181818E 02	0.	0.	432.0
.16204545E 02	0.	0.	433.0
.16227273E 02	0.	0.	434.0
.16250000E 02	0.	0.	435.0
.16272728E 02	0.	0.	436.0
.16295455E 02	0.	0.	437.0
.16318182E 02	0.	0.	438.0
.16340909E 02	0.	0.	439.0
.16363637E 02	0.	0.	440.0

Continued

.16386364F 02	0.	0.	441.0
.16409091F 02	0.	0.	442.0
.16431818F 02	0.	0.	443.0
.16454546F 02	0.	0.	444.0
.16477273E 02	0.	0.	445.0
.16500000F 02	0.	0.	446.0
.16522728E 02	0.	0.	447.0
.16545455F 02	0.	0.	448.0
.16568182F 02	0.	0.	449.0
.16590909E 02	0.	0.	450.0
.16613637F 02	0.	0.	451.0
.16636364E 02	0.	0.	452.0
.16659091E 02	0.	0.	453.0
.16681818E 02	0.	0.	454.0
.16704546F 02	0.	0.	455.0
.16727273E 02	0.	0.	456.0
.16750000F 02	0.	0.	457.0
.16772727F 02	0.	0.	458.0
.16795455E 02	0.	0.	459.0
.16818182F 02	0.	0.	460.0
.16840909E 02	0.	0.	461.0
.16863636F 02	0.	0.	462.0
.16886364F 02	0.	0.	463.0
.16909091E 02	0.	0.	464.0
.16931818F 02	0.	0.	465.0
.16954545F 02	0.	0.	466.0
.16977273F 02	0.	0.	467.0
.17000000F 02	0.	0.	468.0
.17022728E 02	0.	0.	469.0
.17045455F 02	0.	0.	470.0
.17068182E 02	0.	0.	471.0
.17090909F 02	0.	0.	472.0
.17113637E 02	0.	0.	473.0
.17136364E 02	0.	0.	474.0
.17159091E 02	0.	0.	475.0
.17181818F 02	0.	0.	476.0
.17204546E 02	0.	0.	477.0
.17227273F 02	0.	0.	478.0
.17250000F 02	0.	0.	479.0
.17272728F 02	0.	0.	480.0
.17295455F 02	0.	0.	481.0
.17318182E 02	0.	0.	482.0
.17340909E 02	0.	0.	483.0
.17363637F 02	0.	0.	484.0
.17386364E 02	0.	0.	485.0
.17409091E 02	0.	0.	486.0
.17431818E 02	0.	0.	487.0
.17454546E 02	0.	0.	488.0
.17477273E 02	0.	0.	489.0
.17500000F 02	0.	0.	490.0

Continued

.17522728F 02	0.	0.	491.0
.17545455E 02	0.	0.	492.0
.17568182E 02	0.	0.	493.0
.17590909E 02	0.	0.	494.0
.17613637E 02	0.	0.	495.0
.17636364E 02	0.	0.	496.0
.17659091E 02	0.	0.	497.0
.17681818E 02	0.	0.	498.0
.17704546E 02	0.	0.	499.0
.17727273E 02	0.	0.	500.0
.17750000F 02	0.	0.	501.0
.17772727E 02	0.	0.	502.0
.17795455E 02	0.	0.	503.0
.17818182E 02	0.	0.	504.0
.17840909E 02	0.	0.	505.0
.17863636E 02	0.	0.	506.0
.17886364E 02	0.	0.	507.0
.17909091E 02	0.	0.	508.0
.17931818E 02	0.	0.	509.0
.17954545E 02	0.	0.	510.0
.17977273E 02	0.	0.	511.0
.18000000F 02	0.	0.	512.0
.18022728E 02	0.	0.	513.0
.18045455E 02	0.	0.	514.0
.18068182E 02	0.	0.	515.0
.18090909E 02	0.	0.	516.0
.18113637E 02	0.	0.	517.0
.18136364E 02	0.	0.	518.0
.18159091E 02	0.	0.	519.0
.18181818E 02	0.	0.	520.0
.18204546E 02	0.	0.	521.0
.18227273F 02	0.	0.	522.0
.18250000E 02	0.	0.	523.0
.18272728E 02	0.	0.	524.0
.18295455E 02	0.	0.	525.0
.18318182E 02	0.	0.	526.0
.18340909E 02	0.	0.	527.0
.18363637E 02	0.	0.	528.0
.18386364E 02	0.	0.	529.0
.18409091E 02	0.	0.	530.0
.18431818E 02	0.	0.	531.0
.18454546E 02	0.	0.	532.0
.18477273E 02	0.	0.	533.0
.18500000F 02	0.	0.	534.0
.18522727E 02	0.	0.	535.0
.18545455F 02	0.	0.	536.0
.18568182E 02	0.	0.	537.0
.18590909E 02	0.	0.	538.0
.18613636E 02	0.	0.	539.0
.18636364E 02	0.	0.	540.0

Continued

.18659091F 02	0.	0.	541.0
.18681818F 02	0.	0.	542.0
.18704545F 02	0.	0.	543.0
.18727273F 02	0.	0.	544.0
.18750000F 02	0.	0.	545.0
.18772728F 02	0.	0.	546.0
.18795455F 02	0.	0.	547.0
.18818182E 02	0.	0.	548.0
.18840909E 02	0.	0.	549.0
.18863637E 02	0.	0.	550.0
.18886364E 02	0.	0.	551.0
.18909091E 02	0.	0.	552.0
.18931818E 02	0.	0.	553.0
.18954546F 02	0.	0.	554.0
.18977273F 02	0.	0.	555.0
.19000000F 02	0.	0.	556.0
.19022728F 02	0.	0.	557.0
.19045455E 02	0.	0.	558.0
.19068182E 02	0.	0.	559.0
.19090909F 02	0.	0.	560.0
.19113637E 02	0.	0.	561.0
.19136364E 02	0.	0.	562.0
.19159091E 02	0.	0.	563.0
.19181818E 02	0.	0.	564.0
.19204546F 02	0.	0.	565.0
.19227273F 02	0.	0.	566.0
.19250000E 02	0.	0.	567.0
.19272728F 02	0.	0.	568.0
.19295455E 02	0.	0.	569.0
.19318182F 02	0.	0.	570.0
.19340909E 02	0.	0.	571.0
.19363637F 02	0.	0.	572.0
.19386364E 02	0.	0.	573.0
.19409091E 02	0.	0.	574.0
.19431818E 02	0.	0.	575.0
.19454546E 02	0.	0.	576.0
.19477273F 02	0.	0.	577.0
.19500000F 02	0.	0.	578.0
.19522727E 02	0.	0.	579.0
.19545455F 02	0.	0.	580.0
.19568182E 02	0.	0.	581.0
.19590909E 02	0.	0.	582.0
.19613636F 02	0.	0.	583.0
.19636364F 02	0.	0.	584.0
.19659091E 02	0.	0.	585.0
.19681818E 02	0.	0.	586.0
.19704545E 02	0.	0.	587.0
.19727273E 02	0.	0.	588.0
.19750000E 02	0.	0.	589.0
.19772728E 02	0.	0.	590.0

Continued

.19795455E 02	0.	0.	591.0
.19818182E 02	0.	0.	592.0
.19840909E 02	0.	0.	593.0
.19863637E 02	0.	0.	594.0
.19886364E 02	0.	0.	595.0
.19909091E 02	0.	0.	596.0
.19931818E 02	0.	0.	597.0
.19954546E 02	0.	0.	598.0
.19977273E 02	0.	0.	599.0
.20000000E 02	0.	0.	600.0

End of Input Profile ... Linear Acceleration

INPUT DATA.....INITIAL CONDITIONS AND CONSTANTS

X-INITIAL VELOCITY (M/S)..... 0.

Y-INITIAL VELOCITY (M/S)..... 0.

Z-INITIAL VELOCITY (M/S)..... 0.40000000E 03

X-INITIAL DISPLACEMENT (METERS)..... 0.63710000E 07

Y-INITIAL DISPLACEMENT (METERS)..... 0.

Z-INITIAL DISPLACEMENT (METERS)..... 0.

INITIAL RADIAL DISPLACEMENT (METERS)..... 0.63710000E 07

EARTH GRAVITY CONSTANT (M/S/S)..... 0.39818437E 15

INPUT DATA.....VARIABLES

PRINTING TIME (SEC)..... 0.5000000E 02
 CUTOFF TIME (SEC)..... 0.6000000E 03
 VELOCITY CUTOFF (M/S)..... 0.1000000E 05
 NAVIGATIONAL CYCLING TIME (SEC)..... 0.1000000E 01
 C(I,J) CYCLING TIME (SEC)..... 0.9999999E-01
 ANGULAR DISPLACEMENT QUANTIZATION LEVEL (DEG)..... 0.1111111E-01
 LINEAR VELOCITY QUANTIZATION LEVEL (M/S)..... 0.1000000E 01

ANGULAR VELOCITY.....EXACT

CHANGE IN VELOCITY.....NOT QUANTIZED

OPTION ONE.....DIRECTION COSINES

WEIGHTED AVERAGE INTEGRATION

Analytic Platform Simulation Program Output Showing Vehicle Status Every 50 Seconds

TIME (SEC) = 0.

(DERIVATIVE)
(NOT QUANTIZED)
(QUANTIZED)

VPHIX	0.	VPHIY	0.	VPHIZ	0.
	0.		0.		0.
	0.		0.		0.

(NOT QUANTIZED)
(QUANTIZED)

DELXV	0.	DELYV	0.	DELZV	0.
	0.		0.		0.

TRANSFORMATION MATRIX

0.1000000E 01	0.	0.1000000E 01	0.	0.1000000E 01
0.	0.	0.1000000E 01	0.	0.
0.	0.	0.	0.1000000E 01	0.

ORTHOGONALITY CHECK

0.	0.
0.	0.

NORMALITY CHECK

0.1000000E 01	0.1000000E 01	0.1000000E 01
0.1000000E 01	0.1000000E 01	0.1000000E 01

AXSG	AYSG	AZSG
0.98C99998E 01	0.	0.

XS	YS	ZS
0.6371000E 07	0.	0.

VXS	VYS	VZS
0.	0.	0.4000000E 03

VXI	VYI	VZI
0.	0.	0.4000000E 03

HEIGHT ABOVE EARTH = 0.	METERS
TOTAL VELOCITY = 0.4000000E 03	MET/SEC
GAMMA = 0.9000000E 02	DEGREES

TIME (SEC) = 0.50000E 02

	VPHIX	VPHIY	VPHIZ
(DERIVATIVE)	0.	-0.26179938E-02	0.
(NOT QUANTIZED)	0.	-0.26179938E-02	0.
(QUANTIZED)	0.	-0.38785093E-02	0.

	DELVXV	DELVYV	DELVZV
(NOT QUANTIZED)	0.22375000E 02	0.	0.
(QUANTIZED)	0.22000000E 02	0.	0.

TRANSFORMATION MATRIX

	0.99142603E 00	-0.13065570E 00
	0.	-0.
	0.13065570E 00	0.99142603E 00

ORTHOGONALITY CHECK

	-0.	0.
	0.	0.

NORMALITY CHECK

	0.99999647E 00	0.10000000E 01	0.99999647E 00
	0.99999647E 00	0.10000000E 01	0.99999647E 00

AXSG	AYSG	AZSG
0.97932123E 01	0.	0.31479781E-01

XS	YS	ZS
0.63767345E 07	0.	0.20958367E 05

VXS	VYS	VZS
0.31937882E 03	0.	0.46027913E 03

VXI	VYI	VZI
0.80964837E 03	0.	0.46106528E 03

HEIGHT ABOVE EARTH = 0.57689375E 04 METERS
TOTAL VELOCITY = 0.56023183E 03 MET/SEC
GAMMA = 0.55055652E 02 DEGREES

Continued

TIME (SEC) = 0.10000E 03

VPHIZ

VPHIY

VPHIX

(DERIVATIVE)
(NOT QUANTIZED)
(QUANTIZED)

-0.26179938E-02
-0.26179938E-02
-0.38785093E-02

0.
0.
0.

DELVZV

DELVYV

DELVXV

(NOT QUANTIZED)
(QUANTIZED)

0.34875000E 02
0.35000000E 02

0.
0.

TRANSFORMATION MATRIX

-0.25894435E 00
-0.
0.96588840E 00

-0.
0.10000000E 01
0.

0.96588840E 00
0.
0.25894435E 00

ORTHOGONALITY CHECK

-0.
0.

0.
0.

NORMALITY CHECK

0.99999257E 00
0.99999257E 00

0.10000000E 01
0.10000000E 01

AZSG
0.74569923E-01

AYSG
0.

AXSG
0.96812250E 01

ZS
0.50147001E 05

YS
0.

XS
0.64141978E 07

VZS
0.74661251E 03

VYS
0.

VXS
0.12391748E 04

VZI
0.75001393E 03

VYI
0.

VXI
0.22167734E 04

HEIGHT ABOVE EARTH = 0.43393750E 05 METERS
TOTAL VELOCITY = 0.14467151E 04 MET/SEC
GAMMA = 0.30621355E 02 DEGREES

Continued

TIME (SEC) = 0.15000E 03

VPHIZ

VPHIY

VPHIX

(DERIVATIVE)
(NOT QUANTIZED)
(QUANTIZED)

-0.26179938E-02
-0.26179938E-02
-0.38785093E-02

0.
0.
0.

DELVZV

DELVVV

DELVXV

(NOT QUANTIZED)
(QUANTIZED)

0.47375000E 02
0.47000000E 02

0.
0.

TRANSFORMATION MATRIX

-0.38280178E 00
-0.
0.92382430E 00

-0.
0.10000000E 01
0.

0.92382430E 00
0.
0.38280178E 00

ORTHOGONALITY CHECK

0.
0.

-0.
0.

-0.
0.

NORMALITY CHECK

0.99998854E 00
0.99998854E 00

0.10000000E 01
0.10000000E 01

0.99998854E 00
0.99998854E 00

AZSG

AYSG

AXSG

0.14645724E 00

0.93935213E 01

ZS

YS

XS

0.10291377E 06

0.65122437E 07

VZS

VYS

VXS

0.14129244E 04

0.27102130E 04

VZI

VYI

VXI

0.14217625E 04

0.41652586E 04

HEIGHT ABOVE EARTH = 0.14205681E 06 METERS
TOTAL VELOCITY = 0.30564047E 04 MET/SEC
GAMMA = 0.26629156E 02 DEGREES

Continued

TIME (SEC) = 0.20000E 03

(DERIVATIVE)	0.	VPHX	VPHY	VPHZ
(NOT QUANTIZED)	0.		-0.26179938E-02	0.
(QUANTIZED)	0.		-0.26179938E-02	0.
(QUANTIZED)	0.		-0.38785093E-02	0.

(NOT QUANTIZED)	0.10897727E 02	DELXV	DELYV	DELZV
(QUANTIZED)	0.11000000E 02		0.	0.
			0.	0.

TRANSFORMATION MATRIX

0.86595330E 00	-0.50010911E 00
0.	-0.
0.50010911E 00	0.86595330E 00

ORTHOGONALITY CHECK

-0.	0.
0.	0.

NORMALITY CHECK

0.99998423E 00	0.10000000E 01	0.99998423E 00
0.99998423E 00	0.10000000E 01	0.99998423E 00

AXSG	AYSG	AZSG
0.89620960E 01	0.	0.24826320E 00

XS	YS	ZS
0.66648264E 07	0.	0.18633734E 06

VXS	VYS	VZS
0.30895920E 04	0.	0.17948685E 04

VXI	VYI	VZI
0.50031138E 04	0.	0.18136529E 04

HEIGHT ABOVE EARTH = 0.29643075E 06 METERS
 TOTAL VELOCITY = 0.35731123E 04 MET/SEC
 GAMMA = 0.28552554E 02 DEGREES

Continued

TIME (SEC) = 0.25000E 03

(DERIVATIVE)	0.	VPHX	VPHY	VPHZ
(NOT QUANTIZED)	0.		-0.26179938E-02	0.
(QUANTIZED)	0.		-0.26179938E-02	0.
	0.		-0.38785093E-02	0.
(NOT QUANTIZED)	0.12034091E 02	DELXV	DELYV	DELZV
(QUANTIZED)	0.12000000E 02	0.	0.	0.
	0.	0.		0.
TRANSFORMATION MATRIX				
	0.79326594E 00	-0.	0.10000000E 01	-0.60885821E 00
	0.	0.		-0.
	0.60885821E 00	0.		0.79326594E 00
ORTHOGONALITY CHECK				
	-0.	-0.		0.
	0.	0.		0.
NORMALITY CHECK				
	0.99997916E 00	0.10000000E 01		0.99997916E 00
	0.99997916E 00	0.10000000E 01		0.99997916E 00
	AXSG	AYSG		AZSG
	0.85462966E 01	0.		0.35294244E 00
	XS	YS		ZS
	0.68202039E 07	0.		0.28363258E 06
	VXS	VYS		VZS
	0.31283722E 04	0.		0.20995393E 04
	VXI	VYI		VZI
	0.54791137E 04	0.		0.21334439E 04

HEIGHT ABOVE EARTH = 0.45509900E 06 METERS
 TOTAL VELOCITY = 0.37675957E 04 MET/SEC
 GAMMA = 0.31485288E 02 DEGREES

Continued

TIME (SEC) = 0.30000E 03

VPHIX

VPHIY

VPHIZ

(DERIVATIVE)
(NOT QUANTIZED)
(QUANTIZED)

0.
0.
0.

0.
0.
0.

DELVXV

DELVYV

DELVZV

(NOT QUANTIZED)
(QUANTIZED)

0.13170455E 02
0.13000000E 02

0.
0.

0.
0.

TRANSFORMATION MATRIX

0.70700575E 00
0.
0.70718939E 00

-0.
0.10000000E 01
0.

-0.70718939E 00
0.
0.70700575E 00

ORTHOGONALITY CHECK

-0.
0.

0.
0.

NORMALITY CHECK

0.99997395E 00
0.99997395E 00

0.10000000E 01
0.10000000E 01

0.99997395E 00
0.99997395E 00

AXSG

0.81454823E 01

AYSG
0.

AZSG
0.46248535E 00

XS

0.69780425E 07

YS
0.

ZS
0.39851963E 06

VXS

0.31843508E 04

VYS
0.

VZS
0.24957509E 04

VXI

0.59519327E 04

VYI
0.

VZI
0.25501253E 04

HEIGHT ABOVE EARTH = 0.61841306E 06 METERS
TOTAL VELOCITY = 0.40458450E 04 MET/SEC
GAMMA = 0.34819112E 02 DEGREES

Continued

TIME (SEC) = 0.35000E 03

(DERIVATIVE)	0.	VPHIX	VPHIY	VPHIZ
(NOT QUANTIZED)	0.		-0.26179938E-02	0.
(QUANTIZED)	0.		-0.26179938E-02	0.
	0.		-0.38785093E-02	0.
(NOT QUANTIZED)	0.14306818E 02	DELVXV	DELVYV	DELVZV
(QUANTIZED)	0.15000000E 02		0.	0.
			0.	0.
TRANSFORMATION MATRIX				
	0.60864879E 00		-0.	-0.79342007E 00
	0.		0.10000000E 01	-0.
	0.79342007E 00		0.	0.60864879E 00
ORTHOGONALITY CHECK				
	-0.		-0.	0.
	0.		0.	0.
NORMALITY CHECK				
	0.99996875E 00		0.10000000E 01	0.99996875E 00
	0.99996875E 00		0.10000000E 01	0.99996875E 00
	AXSG	AYS	AZSG	
	0.77556218E 01	0.	0.57898754E 00	
	XS	YS	ZS	
	0.71387248E 07	0.	0.53568452E 06	
	VXS	VYS	VZS	
	0.32390124E 04	0.	0.29872014E 04	
	VXI	VYI	VZI	
	0.64036916E 04	0.	0.30676971E 04	

HEIGHT ABOVE EARTH = 0.78779531E 06 METERS
 TOTAL VELOCITY = 0.44061971E 04 MET/SEC
 GAMMA = 0.38392621E 02 DEGREES

Continued

TIME (SEC) = 0.40000E 03

(DERIVATIVE)	0.	VPHIX	VPHIY	VPHIZ
(NOT QUANTIZED)	0.		-0.26179938E-02	0.
(QUANTIZED)	0.		-0.26179938E-02	0.
			-0.38785093E-02	0.
(NOT QUANTIZED)	0.15443182E 02	DELXV	DELVYV	DELVZV
(QUANTIZED)	0.15000000E 02		0.	0.
			0.	0.

TRANSFORMATION MATRIX

0.49987793E 00	-0.	-0.86607487E 00
0.	0.10000000E 01	-0.
0.86607487E 00	0.	0.49987793E 00

ORTHOGONALITY CHECK

-0.	0.
-0.	0.

NORMALITY CHECK

0.99996361E 00	0.10000000E 01	0.99996361E 00
0.99996361E 00	0.10000000E 01	0.99996361E 00

AXSG	AYSG	AZSG
0.73743604E 01	0.	0.70358174E 00
XS	YS	ZS
0.73016845E 07	0.	0.69991625E 06
VXS	VYS	VZS
0.32729890E 04	0.	0.35744099E 04
VXI	VYI	VZI
0.68155031E 04	0.	0.36870595E 04

HEIGHT ABOVE EARTH = 0.96415363E 06 METERS
TOTAL VELOCITY = 0.48465310E 04 MET/SEC
GAMMA = 0.42045059E 02 DEGREES

Continued

TIME (SEC) = 0.45000E 03

VPHIZ

VPHIY

VPHIX

(DERIVATIVE)
(NOT QUANTIZED)
(QUANTIZED)

-0.26179938E-02
-0.26179938E-02
-0.38785093E-02

0.
0.
0.

DELVZV

DELVYV

DELVXV

(NOT QUANTIZED)
(QUANTIZED)

0.16579546E 02
0.16000000E 02

0.
0.

TRANSFORMATION MATRIX

-0.92391077E 00
-0.
0.38255512E 00

-0.
0.10000000E 01
0.

0.38255512E 00
0.
0.92391077E 00

ORTHOGONALITY CHECK

-0.
0.

0.
0.

NORMALITY CHECK

0.99995953E 00
0.99995953E 00

0.10000000E 01
0.10000000E 01

AZSG
0.83651502E 00

AYSG
0.

ZS
0.89594407E 06

YS
0.

VZS
0.42545805E 04

VYS
0.

VZI
0.44058313E 04

VYI
0.

HEIGHT ABOVE EARTH = 0.11479437E 07 METERS
TOTAL VELOCITY = 0.53639084E 04 MET/SEC
GAMMA = 0.45640790E 02 DEGREES

Continued

TIME (SEC) = 0.50000E 03

(DERIVATIVE)	0.	VPHIX	VPHIY	VPHIZ
(NOT QUANTIZED)	0.		-0.26179938E-02	0.
(QUANTIZED)	0.		-0.26179938E-02	0.
	0.		-0.38785093E-02	0.

(NOT QUANTIZED)	0.17715910E 02	DELXVX	DELVYV	DELVZV
(QUANTIZED)	0.18000000E 02		0.	0.
			0.	0.

TRANSFORMATION MATRIX

0.25868694E 00	-0.	-0.96593814E 00
0.	0.10000000E 01	-0.
0.96593814E 00	0.	0.25868694E 00

ORTHOGONALITY CHECK

-0.	0.
0.	0.

NORMALITY CHECK

0.99995540E 00	0.10000000E 01	0.99995540E 00
0.99995540E 00	0.10000000E 01	0.99995540E 00

AXSG	AYS	AZSG
0.66332025E 01	0.	0.97725911E 00

XS	YS	ZS
0.76272558E 07	0.	0.11282697E 07

VXS	VYS	VZS
0.31998803E 04	0.	0.50215445E 04

VXI	VYI	VZI
0.74418064E 04	0.	0.52182499E 04

HEIGHT ABOVE EARTH = 0.13392544E 07 METERS
 TOTAL VELOCITY = 0.59544222E 04 MET/SEC
 GAMMA = 0.49078963E 02 DEGREES

Continued

TIME (SEC) = 0.55000E 03

(DERIVATIVE)	0.	VPHIX	VPHIY	VPHIZ
(NOT QUANTIZED)	0.		-0.26179938E-02	0.
(QUANTIZED)	0.		-0.26179938E-02	0.
			-0.38785093E-02	0.

(NOT QUANTIZED)	0.18852273E 02	DELXV	DELVYV	DELVZV
(QUANTIZED)	0.19C00000E 02		0.	0.
			0.	0.

TRANSFORMATION MATRIX

0.13039322E 00	-0.	-0.99143801E 00
0.	0.10000000E 01	-0.
0.99143801E 00	0.	0.13039322E 00

ORTHOGONALITY CHECK

-0.	0.
0.	0.

NORMALITY CHECK

0.99995171E 00	0.10000000E 01	0.99995171E 00
0.99995171E 00	0.10000000E 01	0.99995171E 00
AXSG	AYSG	AZSG
0.62722672E 01	0.	0.11246433E 01
XS	YS	ZS
0.77838250E 07	0.	0.14009991E 07
VXS	VYS	VZS
0.30540631E 04	0.	0.58657832E 04
VXI	VYI	VZI
0.76182381E 04	0.	0.61151589E 04

HEIGHT ABOVE EARTH = 0.15379018E 07 METERS
 TOTAL VELOCITY = 0.66132227E 04 MET/SEC
 GAMMA = 0.52292594E 02 DEGREES

Continued

TIME (SEC) = 0.6C000E 03

VPHIZ

VPHIY

VPHIX

(DERIVATIVE)
(NOT QUANTIZED)
(QUANTIZED)

-0.26179938E-02
-0.26179938E-02
-0.

0.
0.
0.

DELVZV

DELVYV

DELVXV

(NOT QUANTIZED)
(QUANTIZED)

0.19988637E 02
0.20000000E 02

0.
0.

0.
0.

TRANSFORMATION MATRIX

-0.99997396E 00
-0.
-0.15095221E-03

-0.
0.10000000E 01
-0.

-0.15095221E-03
0.
0.99997396E 00

ORTHOGONALITY CHECK
0.
-0.

0.
0.

NORMALITY CHECK

0.99994794E 00
0.99994794E 00

0.10000000E 01
0.10000000E 01

0.99994794E 00
0.99994794E 00

AZSG
0.12769906E 01

AYSG
0.

AXSG
0.59172478E 01

ZS
0.17176773E 07

YS
0.

XS
0.79306510E 07

VZS
0.67745299E 04

VYS
0.

VXS
0.28111888E 04

VZI
0.70840821E 04

VYI
0.

VXI
0.76797213E 04

HEIGHT ABOVE EARTH = 0.17435326E 07 METERS
TOTAL VELOCITY = 0.73346464E 04 MET/SEC
GAMMA = 0.55242517E 02 DEGREES

Continued

Analytic Platform Simulation Program Output
Showing Vehicle End-conditions.

SEMIMAJOR AXIS.....	0.89794392E 07
SEMIMINOR AXIS.....	0.66447497E 07
ECCENTRICITY.....	0.57557010E 00
APOGEE RADIUS.....	0.14147736E 08
PERIGEE RADIUS.....	0.38111425E 07
ORBITAL VELOCITY AT APOGEE.....	0.34562219E 04
ORBITAL VELOCITY AT PERIGEE.....	0.12830198E 05

\$IBFTC

```

C   ABSTRACT.....THIS ROUTINE CALCULATES FLIGHT CONDITIONS FOR THE
C   SIMPLIFIED VEHICLE PROFILES.
      DOUBLE PRECISION I,XS,ZS,TO,XO,ZO,A1,A2,A3,B1,B2,B3,DELT,VXO,VZO,P
      IIF,GME,XK1,XK2,XK3,PART1,PART2,DELXS,DELZS,DFLVXS,DFLVZS
10  FORMAT(5(5X,D15.8))
      TO=0.0
      DELT=0.2
      XO=6371000.0
      ZO=0.0
      VXO=0.0
      VZO=400.0
      GME=0.39818437E+15
      PIE=3.14159265
      XK1=PIE/1200.0
      XK2=0.25
      XK3=10.0
      GO TO 1
2  XK2=-1759.0/44.0
      XK3=70360.0/11.0
      GO TO 1
3  XK2=1.0/44.0
      XK3=70.0/11.0
1  T=TO
      XS=XO
      ZS=ZO
      PART1=(XK2*T*DCOS(XK1*T)+XK3*DCOS(XK1*T)-GME*XS/(DSQRT(XS**2+ZS**2
1)**3))*DELT
      PART2=(XK2*T*DSIN(XK1*T)+XK3*DSIN(XK1*T)-GME*ZS/(DSQRT(XS**2+ZS**2
1)**3))*DELT
      A1=PART1
      B1=PART2
      T=TO+DELT/2.0
      XS=XO+DELT*VXO/2.0+DELT*A1/8.0
      ZS=ZO+DELT*VZO/2.0+DELT*B1/8.0
      PART1=(XK2*T*DCOS(XK1*T)+XK3*DCOS(XK1*T)-GME*XS/(DSQRT(XS**2+ZS**2
1)**3))*DELT
      PART2=(XK2*T*DSIN(XK1*T)+XK3*DSIN(XK1*T)-GME*ZS/(DSQRT(XS**2+ZS**2
1)**3))*DELT
      A2=PART1
      B2=PART2
      T=TO+DELT
      XS=XO+DELT*VXO+DELT*A2/2.0
      ZS=ZO+DELT*VZO+DELT*B2/2.0
      PART1=(XK2*T*DCOS(XK1*T)+XK3*DCOS(XK1*T)-GME*XS/(DSQRT(XS**2+ZS**2
1)**3))*DELT
      PART2=(XK2*T*DSIN(XK1*T)+XK3*DSIN(XK1*T)-GME*ZS/(DSQRT(XS**2+ZS**2
1)**3))*DELT

```

Continued

```

A3=PART1
R3=PART2
DELXS=DELT*(VX0+(A1+2.0*A2)/6.0)
DELZS=DELT*(VZ0+(R1+2.0*R2)/6.0)
DELVXS=(A1+4.0*A2+A3)/6.0
DELVZS=(R1+4.0*R2+R3)/6.0
X0=X0+DELXS
Z0=Z0+DELZS
T0=T0+DELT
VX0=VX0+DELVXS
VZ0=VZ0+DELVZS
WRITE(6,10) T0,X0,Z0,VX0,VZ0
IF (T.GF.601.0) STOP
IF (T.LF.160.0) GO TO 1
IF (T.GF.161.0) GO TO 3
GO TO 2
END

```

Runge-Kutta Numerical Integration Digital Computer Program.

Time (Sec.)	XS(RK) (m)	XS(AP) (m)	% Diff. $100 \left \frac{XS(RK) - XS(AP)}{XS(RK)} \right $
0	6 371 000.0	6 371 000.0	0.0
50	6 376 416.8	6 376 734.5	0.004980
100	6 412 970.9	6 414 197.8	0.019130
150	6 509 580.7	6 512 243.7	0.040900
200	6 660 056.0	6 664 826.4	0.071627
250	6 813 163.3	6 820 203.9	0.103338
300	6 968 695.4	6 978 042.5	0.134129
350	7 127 049.3	7 138 724.8	0.163819
400	7 287 674.4	7 301 684.5	0.192243
450	7 449 040.7	7 465 373.3	0.219257
500	7 608 630.5	7 627 255.8	0.244791
550	7 762 956.0	7 783 825.0	0.268828

Time (Sec.)	ZS(RK) (m)	ZS(AP) (m)	% Diff $100 \left \frac{ZS(RK) - ZS(AP)}{ZS(RK)} \right $
0	0.0	0.0	0.0
50	20 872.473	20 958.367	0.961530
100	49 669.414	50 147.001	1.347870
150	101 545.07	102 913.77	1.572659
200	183 452.26	186 337.34	1.638587
250	279 059.94	283 632.58	1.625494
300	392 145.33	398 519.63	1.571972
350	527 394.03	535 684.52	1.496245
400	689 598.17	699 916.25	1.409218
450	883 493.71	895 944.07	1.317968
500	1 113 592.90	1 128 269.70	1.227117
550	1 384 015.60	1 400 999.10	

(RK) - Runge-Kutta Numerical Method

(AP) - Analytic Platform Simulation Method

Comparison of the Vehicle Position Between Solutions

Time (Sec.)	VXS(RK) (M/S)	VXS(AP) (M/S)	% Diff. 100 $\frac{VXS(RK) - VXS(AP)}{VXS(RK)}$
0	0.0	0.0	0.0
50	319.45018	319.37882	0.02233
100	1 239.5540	1 239.1748	0.03059
150	2 711.2843	2 710.2130	0.03951
200	3 045.0830	3 089.5920	1.461667
250	3 083.5393	3 128.3722	1.453942
300	3 139.0876	3 184.3508	1.441922
350	3 193.2432	3 239.0124	1.433313
400	3 226.6628	3 272.9890	1.435731
450	3 219.5907	3 266.5055	1.457170
500	3 152.3594	3 199.8803	1.507470
550	3 005.9277	3 054.0631	1.601349

Time (Sec.)	VZS(RK) (M/S)	VZS(AP) (M/S)	% Diff. 100 $\frac{VZS(RK) - VZS(AP)}{VZS(RK)}$
0	400.0	400.0	0.0
50	459.11773	460.27913	0.252960
100	743.44619	746.61251	0.425890
150	1 407.0174	1 412.9244	0.419820
200	1 767.4580	1 794.8685	1.550843
250	2 071.6470	2 099.5393	1.346382
300	2 467.4385	2 495.7509	1.147440
350	2 958.5376	2 987.2014	0.968850
400	3 545.4706	3 574.4099	0.816232
450	4 225.4483	4 254.5805	0.689446
500	4 992.3069	5 021.5445	0.585673
550	5 836.5303	5 865.7832	0.501204

(RK) - Runge-Kutta Numerical Method.

(AP) - Analytic Platform Simulation Method

Comparison of the Vehicle Velocities Between Solutions.

V. OPERATING INSTRUCTIONS

Figure V-1 is a pictorial listing of the subroutines of the analytic platform simulation program in the order of their entry. The header cards for the program and subroutines may vary among installations. Figure V-2 is a pictorial listing of the input data for the analytic platform simulation program in the order of their entry. The format for the data is given in subroutines READ1 and READ2. The symbols that are used are explained in Chapter II, Section B.




Fig. V-1--Pictorial Listing of the Subroutines of the Analytic Platform Simulation Program in the Order of Their Entry.




Fig. V-2--Pictorial Listing of the Input Data for the Analytic Platform Simulation Program in the order of their entry.

PHASE	MIN	SEC
LOADER	1	26
EXECUTION	8	48
SYSTEM	0	24
TOTAL	10	38

CARDS READ 1656

PAGES PRINTED 44

Time Page Showing the Time for the Test Case Analytic
Platform Simulation Computer Run.