

9[1967]10

67-27645
(ACCESSION NUMBER)
1034 (PAGES)
29CR84482 (NASA CR OR TMX OR AD NUMBER)
END
(THRU)
1
(CODE)
29
(CATEGORY)

4 STATUS REPORT 6

to
NATIONAL AERONAUTICS
and
SPACE ADMINISTRATION

3 Statistical Methods and Subjective Probability 4
Grant NGR 37-002-031 - 29A
6 Leroy Folks 9 Principal Investigator

GPO PRICE \$
CFSTI PRICE(S) \$
Hard copy (HC) \$3.00
Microfiche (MF) .65

ff 653 July 65

I. Introduction

Research was begun on this project in February, 1966 by the principal investigator and two part-time research assistants with the principal investigator devoting quarter time to this research. During June and July of 1966, the principal investigator devoted his full time to the project. Since August 1, 1966 the research has been carried on by two part-time research assistants.

II. Results

In the original proposal for this research grant, it was proposed "to make use of existing research in decision theory, subjective probability, Bayesian inference, and related areas to attempt to devise practical workable methods which use in a formal way the prior information." This attempt has resulted in the following:

1. Bibliography - A rather extensive review of the literature has been made and a bibliography resulting from this review is presented in appendix 1. This bibliography is being submitted to a professional

journal for publication. It is planned to supplement the bibliography as new articles are published or as other articles come to the attention of the investigators.

2. Contributions to Textbooks - The attempt to develop new methods which can be used in "cookbook" fashion has had a profound effect upon the attitude of the principal investigator toward the standard, or classical, statistical methods. Although these methods are generally presented in classrooms as decision making devices (for example, deciding whether to accept the null hypothesis or the alternative hypothesis, or deciding what number to use as an estimate for the population mean), the principal investigator is convinced that these same statistical methods are used in the majority of cases not as decision making tools but in a much more subjective way as devices for the description and presentation of data. The presentation of statistics from this point of view will appear in a forthcoming (early 1968) text book, co-authored by the principal investigator on probability and statistical inference.

3. Regression Analysis - The chief effort of the investigators has been in the area of regression analysis. The major results and / or problems which have been studied are as follows:

a. Variance of posterior marginal distribution - It was noted in a previous report that in a multiparameter model that a posterior marginal distribution may have larger variance than the corresponding prior marginal, even though the data appear to support quite strongly the prior marginal. This problem has been studied for the general linear regression model and conditions determined such that the posterior marginal will have smaller variance than the prior marginal (appendix 2).

b. Prior Distribution for Positive Slope - A problem frequently encountered in fitting straight lines to data is that the usual least

squares fit does not use the prior knowledge that the slope must be non-negative (as in growth problems, for example). A natural way of dealing with such knowledge is to use a prior distribution with all mass on the positive axis. For the simple linear model: $Y_i = \beta X_i + e_i$, $e_i \sim N(0, \sigma^2)$, a number of results have been obtained by using one and two parameter gamma distributions for β (appendices 3 and 4).

For the simple linear model $Y_i = \alpha + \beta X_i + e_i$, $e_i \sim N(0, \sigma^2)$, results have been obtained by using a negative exponential prior distribution for β with a uniform distribution for α (appendix 5).

c. Prior Distribution for Slope - Known to be in an Interval - In situations where straight lines are actually fitted to data, it is usually the case that a linear model is used because of a background of knowledge which indicates not only that the linear model is appropriate but also a range of likely values for β . The investigators have studied using a prior distribution with mass concentrated in an interval as compared with the usual classical estimates (appendix 6).

4. Parameter Estimation - Rectangular - Motivated by the problem described in 3c, the investigators have used a Bayes estimator for the parameter of a uniform distribution with classical estimators subject to the restriction that the estimate lie in the same range of values where the mass of the prior distribution is concentrated (appendix 7).

5. Testing Hypotheses - Prior Distribution on the Number of Significant Effects.

a. Single Test - For a single test of size α with power p , the posterior distribution of the number of non-zero effects (0 or 1) given the results of the test is obtained when the prior probability of a non-zero effect is m (appendix 8).

b. 2 x 2 Table - Preliminary results have been obtained for the posterior distribution of the number of non-zero effects in a 2 x 2 table given the number of effects judged significant (appendix 9).

III. Further Efforts

The appendices attached to this report should be viewed as preliminary reports inasmuch as additional work is either in progress or is planned for these topics.

APPENDIX I

Bibliography of Subjective Probability and Bayesian Procedures

- Abramson, Lee R. (1966) "Asymptotic Sequential Design of Experiments with Two Random Variables", JRSS, Ser B (28), 73-87.
- Aggarwal, Om. P., (1966) "Bayes and Minimax Procedures for Estimating the Arithmetic Mean of a Population with Two-Stage Sampling", Ann. Math Statist, (37) 1186 - 1195.
-, (1959) "Bayes and Minimax Procedures in Sampling from Finite and Infinite Populations", Ann. of Math Statist, (30), 206-218.
- Aitchison, J., (1964) "Bayesian Tolerance Region", (26), 161-210, J. Roy Statist. Soc, Series B.
-, (1966) "Expected-Cover and Linear Utility Tolerance Intervals", JRSS, Ser B. (28), 57-62.
- Albert, A.E., (1961) "The Sequential Design of Experiments for Infinitely Many States of Nature", Ann. of Math Statist, (32), 774-799.
- Alvise Braga-Illa, (1964) "A Simple Approach to the Bayes Choice Criterion; The Method of Critical Probabilities", J. Amer. Statist. Assoc. (59), 1227-1230.
- Amster. S.J., (1963), "A Modified Bayes Stopping Rule", Ann. of Math Statist, (34), 1404-1413.
- Anderson, T.W. (1964) "On Bayes Procedures for A Problem with Choice of Observation", Ann. of Math. Statist, (35), 1128-1135.
- Ando, A. and Kaufman, G.M., (1965) "Bayesian Analysis of the Independent Multinormal Process -- Neither Mean Nor Precision Known", J. Amer. Statist. Assoc. (60), 347-358.
- Anscombe, F.J., (1963) "Bayesian Inference Concerning Many Parameters with Reference to Super Saturated Designs", I.S.I. Bulletin, 34th Session, Ottawa.
-, (1963) "Tests of Goodness of Fit", J. Roy. Statist. Soc., Series B., (25), 81-94.
-, (1961) "Bayesian Statistics", The American Statistician, (15 No. 1), 21-24.

....., (1958), "Rectifying Inspection of a Continuous Output", J. Amer. Statist. Assoc., (53) 702-719.

....., (1954), "Fixed Sample-Size Analysis of Sequential Observations", Biometrics, (10), 89-100.

Anscombe, F.J. and Auman, R.J., (1963) "A Definition of Subjective Probability", Ann. of Math Statist, (34), 199-205.

Antelman, G.R., (1965) "Insensitivity to Non-optimal Design in Bayesian Decision Theory", J. Amer. Statist. Assoc., (60), 584-601.

Atkinson, F.I., Church, J.D., and Harris, B., (1964) "Decision Procedures for Finite Decision Problems Under Complete Ignorance" Ann. of Math Statist., (35), 1644-1655.

Bahadur, R.R., (1955) "A Characterization of Sufficiency", Ann. of Math Statist, (26), 286-293.

Bahadur, R.R., and Robbins, H., (1950) "The Problem of the Greater Mean", Ann. Math Statist, (21), 469-487.

Bhat, B.R., (1964) "Bayes Solutions of Sequential Decision Problem for Markov Dependent Observations", Ann. of Math. Statist, (35), 1656-1661.

Barankin, E.W. (1960) "Sufficient Parameters: Solution of the Minimal Dimensionality Problem", Ann. Inst. Statist. Math, Tokyo, (12), 91-118.

Barnard, G.A., (1963) "Some Logical Aspects of the Fiducial Argument", JRSS, B., (25), 111-114.

....., (1954), "Sampling Inspection and Statistical Decisions", J. Roy. Statist. Soc., Series B., (16), 151-174.

....., (1949), "Statistical Inference", J. Roy. Statist. Soc. Series B. (11), 115-139.

....., (1947), "A Review of Sequential Analysis by Abraham Wald", J. Amer. Statist. Assoc. (42), 658-669.

....., (1947) "The Meaning of Significance Level", Biometrika, (34), 179-182.

Bartlett, M.S., (1965), "R. A. Fisher and the Last Fifty Years of Statistical Methodology", J. Amer. Statist. Assoc., (60), 395-409.

Baticle, E. (1960) "A Posteriori Probability of the Parameters of a Normal Distribution", (In French), Publ. Int. Statist. Paris (9), 327-332.

Bayes, T. (1958) (1736) "Essay Toward Solving a Problem in the Doctrine of Chances", Biometrika, (45), 296-315.

Berk, R.H., (1966) "Limiting Behavior of Posterior Distributions When the Model is Incorrect", Ann. Math. Statist., (37), 51-58.

Bierlein, D., (1963), "Unified Principles for the Valuation of Statistical Methods", (In German) Blä Dtsh. Ges. Vers - Math, (6), 245-252.

....., (1961), "Uniformly Most Powerful Unbiased Test", (In German) Metrika, (4), 158-168.

Birnbaum, A., (1962), "Intrinsic Confidence Methods", Bull. Int. Statist. Inst. (39), II 276-383.

....., (1962) "Another View of the Foundations of Statistics", The American Statistician, (16), 1, 17-21.

....., (1962) "On the Foundations of Statistical Inference", J. Amer. Statist. Assoc. (57), 269-326.

....., (1961), "A Multi-Decision Procedure Related to the Analysis of Single Degrees of Freedom", Ann. Inst. Statist. Math, Tokyo, (12) 227-236.

Borges, R. (1962), "Subjective Most Selective Confidence Regions", (In German), Zeit. Wahrscheinlichkeitsthe, (1) 47-69.

Box, G.E.P. (1960), "Fitting Empirical Data", Ann. New York Acad. Sci., (86), 792-816.

Box, G.E.P. and Tiao, George C. (1965), "Multiparameter Problems from a Bayesian Point of View", Ann. of Math. Statist., (36), 1468-1482.

Box, G.E.P. and Tiao, G.C., (1962), "A Further Look at Robustness Via Bayes' Theorem", Biometrika, (49), 419-432.

Breakwell, J. and Chernoff, H. (1964), "Sequential Tests for the Mean of a Normal Distribution II (Large t)", Ann. of Math. Statist., (35), 162-173.

Bridgman, P.N., (1940), "Science: Public and Private", Phil. Sci., (7), 36-48.

Bulmer, M.G., (1957), "Confirming Statistical Hypotheses", J. Roy. Statist. Soc., Series B, (19), 125-132.

Bunke, O., (1961), "A General Class of Interval Estimates", (In German), Math Nachr., (23), 319-325.

Buhlmann, H., (1965), "The Aversion of Risk as Interpretation and Base of Construction of the Utility Function", (In German), Metrika, (9), 38-46.

Carnap, R., (1950), "Logical Foundations of Probability", University of Chicago Press.

Castellano, V., (1962), "A Deduction of Significance Tests From Bayes' Formula", Bull. Int. Statist. Inst., (39), II 449-454.

Castoldi, L., (1959), "A Reversal of Bayes' Formulae for Determining Direct Conditional Probabilities", (In Italian), R.C. Semin. Sci. Cag. Liari., (29), 26-31.

Chernoff, H., (1959), "Sequential Design of Experiments", Ann. of Math. Statist., (30), 755-770.

....., and Moses, L.E., (1959), "Elementary Decision Theory", New York, Wiley.

Chernoff, Harman and Roy, S.N., (1965), "A Bayes Sequential Sampling Inspection", Ann. of Math. Statist., (36), 1387-1407.

Chernoff, Harman, and Zacks, S., (1964), "Estimating the Current Mean of a Normal Distribution which is Subject to Changes in Time", Ann. of Math. Statist., (35), 999-1018.

Clutton-Brock, M., (1965), "Using the Observations to Estimate the Prior Distribution", J. Roy. Statist. Soc., B. (27), 17-27.

Cohen L., (1958), "On Mixed Single Sample Experiments", Ann. Math. Statist., (29), 947-971.

Cornfield, J., (1966), "A Bayesian Test of Some Classical Hypothesis - With Application to Sequential Clinical Trials", JASA, (61), 577-594.

Cox, D.R., (1960), "Regression Analysis when There is Prior Information About Supplementary Variables", J. Roy. Statist. Soc., Series B, (22), 172-176.

....., (1960), "Serial Sampling Acceptance Schemes Derived From Bayes' Theorem", Technometrics, (2), 353-360.

....., (1958), "Some Problems Connected with Statistical Inference", Ann. Math. Statist., (29), 357-372.

....., (1958), "The Regression Analysis of Binary Sequences", J. Roy. Statist. Soc., B. (20), 215-242.

de Finetti, Bruno, (1962), "An Anthology of Party Baked Ideas", Basic Books, New York, 357-363.

....., (1961), "The Bayesian Approach to the Rejection of Outliers", Proc. 4th Berkeley, Symp. Math. Statist. Prob (1), 199-210.

de Finetti, B., (1958), "Foundations of Probability", Philosophy in the Mid-Century, LaNuova Italia Editrice, Florence, 140-147.

....., (1949), "Sull Impostazione Assoimatica del Calcole delle Probabilita", Annali Triestini, Ser. 2, (19), 29-81.

....., (1937), "La Prevision: Ses lois Logiques, Ses Sources Subjectives", Ann. Inst. H. Poincare, (7), 1-68.

de Finetti, B. and Savage, L., (1962), "On the Way of Choosing Initial Probabilities", (In Italian), Biblioteca Metron, Series C, Rome (1), 81-154.

De Groot, M.H., (1962), "Uncertainty, Information, and Sequential Experiments", Ann. of Math. Statist., (33), 404-419.

....., (1959), "Unbiased Sequential Estimation for Binomial Populations", Ann. Math. Stat., (30), 80-101.

Dempster, A.P., (1966), "New Methods for Reasoning Toward Posterior Distributions Based on Sample Data", Ann. of Math. Statist., (37), 355-374.

....., (1964), "On the Difficulties Inherent in Fisher's Fiducial Argument", J. Amer. Statist. Assoc., (59), 56-66.

....., (1963), "On Direct Probabilities", J. Roy. Statist. Soc., Series B., 100-110.

....., (1963), "On A Paradox Concerning Inference About a Covariance Matrix", Ann. Math. Statist., (34), 1414-1418.

Duncan, D.B., (1965), "A Bayesian Approach to Multiple Comparisons", Technometrics, (7), No. 2, 171-222.

....., (1961), "Bayes Rules for a Common Multiple Comparisons Problem and Related Student Problems", Ann. Math. Statist., (32), 1013-1033.

Dunnett, C.W., (1960), "On Selecting the Largest of K Normal Population Means", J. Roy. Statist., Soc., Series B., (22), 1-40.

Edwards, W., Lindman, H., and Savage, L.J., (1963), "Bayesian Statistical Inference for Psychological Research", Psychological Review, 70, No. 3, May.

Efron, B., (1965), "Note on Decision Procedures for Finite Decisions Problems Under Complete Ignorance", Ann. of Math. Statist., (36), 691-697.

Eisenberg, E. and Gale, D., (1959), "Consensus of Subjective Probabilities: The Pari-Mutual Method", Ann. of Math. Statist., (30), 165-168.

Ellison, B.E., (1962), "A Classification Problem in which Information About Alternative Distributions is Based on Samples", Ann. Math. Statist., (33), 213-223.

Ericson, N.A., (1965), "Optimum Stratified Sampling Using Prior Information", J. Amer. Statist. Assoc., (60), 750-771.

Evans, I.G., (1965), "Bayesian Estimation of Parameters of a Multivariate Normal Distribution", J. Roy. Statist. Soc., Series B., (27), 279-283.

....., (1964), "Bayesian Estimation of the Variance of a Normal Distribution", J. Roy. Statist. Soc., Series B., (26), 63-68.

Fabius, J. (1964), "Asymptotic Behavior of Bayes Estimates", Ann. Math. Statist., (35), 846-856.

Faverge, J.M., (1961), "The Principle of Maximum Expected Utility in Human Decisions", (In French), Cahiers Cent. Recherche Ope'rat, (3), 165-176.

....., (1959), "Study on Subjective Comparisons", (In French), Cahiers Cent. Recherche Ope'rat., (1), 45-59.

Fisher, R.A., (1962), "Some Examples of Bayes' Method of the Experimental Determination of Probabilities A Prior", J. Roy. Statist. Soc., Series B., (24), 118-124.

....., (1960), "On Some Extensions of Bayesian Inference Proposed by Mr. Lindley", J. Roy. Statist. Soc., Series B., (22), 299-301.

....., (1955), "Statistical Methods and Scientific Induction", J. Roy. Statist. Soc., Series B., (17), 69-78.

Folks, J.L., Pierce, D., and Stewart, C., (1960), "Estimating the Fraction of Acceptable Product", Technometrics, (7), 43-50.

Fraser, D.A.S., (1963), "On the Sufficiency and Likelihood Principles", J. Amer. Statist. Assoc., (58), 641-647.

....., (1962), "On the Consistency of the Fiducial Method", J. Roy. Statist. Soc., Series B., (24), 425-434.

....., (1963), "On the Asymptotic Behavior of Bayes Estimates in the Discrete Case", Ann. Math. Statist., (34), 1386-1403.

Freeman, D., and Weiss, L., (1964), "Sampling Plans which Approximately Minimise the Maximum Expected Sample Size", J. Amer. Statist. Assoc., (59), 67-88.

Fry, I.C., (1937), "A Mathematical Theory of Rational Inference", Scripta Mathematica (2), 205-221.

Gart, J.J., (1966), "Alternative Analysis of Contingency Tables", JRSS, Series B, (28), 164-179.

Gerhardt, F., (1964), "On the Risk of Some Strategies for Outlying Observations", Ann. Math. Statist., (35), 1524-1536.

Geisser, S., (1965), "A Bayes' Approach for Combining Correlated Estimates", J. Amer. Statist. Assoc., (60), 602-607.

....., (1965), "Bayesian Estimation in Multivariate Analysis", Ann. Math. Statist., (36), 150-159.

....., (1964), "Bayesian Estimation in Multivariate Analysis", U.S. Army Math Res. Center, Univ. of Wisconsin, Report No. 503, August.

....., (1964), "Posterior Odds for Multivariate Normal Classifications", J. Roy. Statist. Soc., Series B, (26), 69-76.

Geisser, S. and Cornfield, J. (1963), "Posterior Distribution for Multivariate Normal Parameters", J. Roy. Statist. Soc., Series B, (25), 368-376.

Girshick, M.A. and Savage, L.J., (1950), "Bayes and Minimax Estimates for Quadratic Loss Function", Proc. of the Second Berkeley Symposium on Mathematical Statistics and Probability, 53-73.

Godambe, V.P., (1966), "A New Approach to Sampling Finite Populations I Sufficiency and Linear Estimation", JRSS, Series B, (28), 310-319.

....., (1966), "A New Approach to Sampling From Finite Populations II Distribution-Free Sufficiency", JRSS, Ser. B, (28), 320-328.

Godambe, V.P., and Joshi, V.M., (1965), "Admissability and Bayes Estimation in Sampling Finite Populations I", Ann. Math. Statist., (36), 1707-1722.

Good, I.J., (1965), "The Estimation of Probabilities; An Essay on Modern Bayesian Methods", Monograph No. 30, Cambridge, Mass., M.I.T. Press.

....., (1963), "Maximum Entropy for Hypothesis Formulations, Especially for Multidimensional Contingency Tables", Ann. Math. Statist., (34), 911-934.

....., (1960), "Weight of Evidence, Corroboration Explanatory Power, Information and the Utility of Experiments", J. Roy. Statist. Soc., Series B, (22), 319-331.

....., (1958), "Significance Tests in Parallel and in Series", J. Amer. Statist. Assoc., (53), 799-813.

Good, I.J., (1956), "On the Estimation of Small Frequencies in Contingency Tables", J. Roy. Statist. Soc., Series B., (18), 113-124.

....., (1955), "On the Weighted Combination of Significance Tests", J. Roy. Statist. Soc., Series B, (17), 264-265.

....., (1962), "Rational Decision", J. Roy. Statist. Soc., Series B, (14), 107-114.

....., (1950), "Probability and the Weighing of Evidence", London Griffin.

Grayson, (1960), Decisions Under Uncertainty: Drilling Decisions by Oil and Gas Operators, Harvard University Press.

Grundy, P.M., (1956), "Fiducial Distributions and Prior Distributions: An Example in Which the Former Cannot be Associated with the Latter", J. Roy. Statist. Soc., Ser. B, (18), 217-221.

Guthrie, D., and Johns, M.V., (1959), "Bayes Acceptance Sampling Procedures for Large Lots", Ann. Math. Statist., (30), 896-925.

Guttman, I. and Tiao, George C., (1964), "Bayesian Approach to Some Best Population Problems", Ann. Math. Statist., (35), 825-835.

Hald, A., (1960), "The Compound Hypergeometric Distribution and a System of Single Sampling Inspection Plans Based on Prior Distributions and Costs", Technometrics, (2), 275-340.

Hall, W.J. and Novick, M.R., (1963), "A Note on Classical and Bayesian Prediction Intervals for Locations, Scale, and Regression Models", Ann. Math. Statist., (34), 1619-1620.

Hartigan, J.A., (1966), "Estimation by Ranking Parameters", JRSS, Ser. B, (28), 32-44.

....., (1966), "Note on the Confidence-Prior of Welch and Peers", JRSS, Ser. B, (28), 55-56.

....., (1965), "The Asymptotically Unbiased Prior Distribution", Ann. Math. Statist., (36), 1137-1152.

....., (1964), "Invariant Prior Distributions", Ann. Math. Statist., (35), 836-845.

Hartley, H.O., (1963), "In Dr. Bayes' Consulting Room", The American Statistician, (17), 22-23.

Healy, M.J.R., (1963), "Fiducial Limits for a Variance Component", J. Roy. Statist. Soc., Series B, 128-130.

Hendricks, W.A., (1964), "Estimation of the Probability that an Observation will fall into a Specified Class", J. Amer. Statist. Assn., (59), 225-232.

Hewitt, E. and Savage, L.J., (1955), "Symmetric Measures on Cartesian Products", Trans. Amer. Math. Soc., (80), 470-501.

Hildreth, Clifford, (1963), "Bayesian Statisticians and Remote Clients", Econometrics, (31), 422-438.

Hill, B.M., (1965), "Inference About Variance Components in the One-Way Model", J. Amer. Statist. Assoc., (60), 806-825.

....., (1963), "The Three-Parameter Lognormal Distribution and Bayesian Analysis of A Point-Source Epidemic", J. Amer. Statist. Assoc., (58), 72-84.

Hills, M., (1966), "Allocation Rules and Their Error Rates", JRSS, Series B, (28), 1-31.

Hodges, J.L. and Lehman, E.L., (1952), "The Use of Previous Experience in Reaching Statistical Decisions", *Ann. Math. Stat.*, (23), 396-407.

Hoeffding, W., (1960), "Lower Bounds for the Expected Sample Size and the Average Risk of a Sequential Procedure", *Ann. of Math. Statist.*, (31), 352-368.

Huyberegts, Simone, (1960), "Some Thoughts About Decision Criteria", (In French), *Cahiers Centre Math Statist Appl. Sci. Sociales*, (2), 27-44.

Jeffreys, H. Theory of Probability, (3rd ed. 1961), Clarendon, 1939.

....., (1957), "Scientific Inference", Cambridge Univ. Press (2nd Edition).

....., (1948), "Theory of Probability", Oxford University Press, (2nd Edition).

Johns, M.V., (1961), "An Empirical Bayes Approach to Non-Parametric Two-Way Classification", Studies in Item Analysis and Prediction (ed. by Solomon, H.), Stanford University Press, 221-232.

....., (1959), "An Empirical Bayes Approach to Non-Parametric Classification", USAF School of Aviation Medicine, Report 60-16, 21 pages.

....., (1957), "Non-Parametric Empirical Bayes Procedures", *Ann. Math. Stat.*, (28), 649-669.

....., (1956), "Contributions to the Theory of Empirical Bayes Procedures in Statistics", Doctoral Thesis at Columbia University.

Jones, H.L. (1958), "Inadmissible Samples and Confidence Limits", *J. Amer. Statist. Assoc.*, (53), 482-490.

Joshi, V.M., (1965), "Admissibility and Bayes Estimation in Sampling Finite Populations II", *Ann. Math. Statist.*, (36), 1723-1729.

Karlin, S. and Rubin, H., (1956), "The Theory of Decision Procedures for Distributions with Monotone Likelihood Ratio", *Ann. Math. Statist.*, (27), 272-299.

Katti, S.K., (1962), "Use of Some Apriori Knowledge in the Estimation of Means from Double Samples", *Biometrics*, (18), 139-147.

Katz, M.W., (1963), "Estimating Ordered Probabilities", *Ann. Math. Statist.*, (34), 967-972.

Kieffer, J. and Schwartz, R., (1965), "Admissible Character of T^2 -, R^2 -, and other Fully Invariant Tests for Classical Multivariate Normal Problems", *Ann. Math. Statist.*, (36), 747-770.

Keiffer, J. and Sacks, J. (1963), "Asymptotically Optimum Sequential Inference and Design", *Ann. Math. Statist.*, (34), 705-750.

- Kerridge, D., (1963), "Bounds for the Frequency of Misleading Bayes Inferences", *Ann. Math. Statist.*, (34), 1109-1110.
-, (1961), "Inaccuracy and Inference", *J. Roy. Statist., Soc., Series B*, (23), 184-194.
- Kingston, C.R., (1965), "Applications of Probability Theory in Criminalistics II", *J. Amer. Statist. Assoc.*, (60), 1028-1034.
- Kitagawa, T., (1961), "The Logical Aspects of Successive Processes of Statistical Inferences and Controls", *Bull. Int. Statist., Inst.*, (38), IV, 151-164.
- Koopman, B.O., (1941), "Intuitive Probabilities and Sequences", *Ann. Math. Statist.*, (42), 169-187.
-, (1940), "The Base of Probability", *Bull. Amer. Math. Soc.*, (46), 763-774.
-, (1940), "The Axioms and Algebra of Intuitive Probability", *Ann. Math. Statist.*, (41), 269-292.
- Kraft, C., Pratt, J., and Seidenberg, A., (1959), "Intuitive Probability on Finite Sets", *Ann. of Math. Statist.*, (30), 408-419.
- Kraft, C.H. and Van Eeden, C., (1964), "Bayesian Bio-Assay", *Ann. Math. Statist.*, (35), 885-890.
- Krutckoff, R.G., (1964), "A Two Sample Non-Parametric Empirical Bayes Approach to Some Problems in Decision Theory", Doctorial Thesis at Columbia University.
- Kyburg and Smokler, Editors Studies in Subjective Probability, Wiley and Sons, New York, (1964).
- Laderman, J., (1955), "On the Asymptotic Behavior of Decision Procedures", *Ann. Math. Statist.*, (26), 551-575.
- Landenna, G., (1961), "Bayesian Procedure in Sequential Analysis", (In Italian), *Statistica*, (21), 797-811.
- Lasman, L.L., (1961), "Minimax Solutions to Trichotomies", *Sankya A*, (23), 405-408.
- Le Cam, L., (1958), "The Asymptotic Properties of Bayes Solutions", *Publ. Inst. Statist., Paris*, (2), 17-35.
- Lindley, D.V., (1964), "The Bayesian Analysis of Contingency Tables", *Ann. Math. Statist.*, (35), 1622-1643.
-, (1961), "The Robustness of Interval Estimates", *Bull. Int. Statist. Inst.*, (38), IV, 209-220.

-, (1961), "The Use of Prior Probability Distributions in Statistical Inferences and Decisions", Proc. Fourth Berkeley Symposium, (1), 453-468.
-, (1958), "Fiducial Distributions and Bayes' Theorem", J. Roy. Statist. Soc., Series B, (20), 102-107.
-, (1958), "Professor Hogben's 'Crisis' -- A Survey of the Foundations of Statistics", Appl. Statist., (7), 186-198.
-, (1957), "A Statistical Paradox", Biometrika, (44), 187-192.
-, (1956), "On a Measure of the Information Provided by an Experiment", Ann. Math. Statist., (27), 986-1005.
- Mallows, C.L., (1959), "The Information in an Experiment", J. Roy. Statist. Soc., Series B, (21), 67-72.
- Miyasawa, K. (1961), "An Empirical Bayes Estimation of a Mean of a Normal Population", Bull. Int. Statist. Inst., (38) IV, 181-188.
- Molina, E.D., (1931), "Bayes Theorem, an Expository Presentation", Bell Telephone Tech. Publ. Mon., Series B, 557.
- Mosteller, F. and Wallace, D.L., (1964), "Inference and Disputed Authorship", The Federalist, Reading, Mass, Addison - Wesley.
-, (1963), "Inference in an Authorship Problem", J. Amer. Statist. Assoc., (58), 275-310.
- Neyman, J., (1962), "Two Breakthroughs in Theory of Statistical Decision Making", Rev. Int. Statist. Inst., (30), 11-27.
- Neyman, J. and Pearson, E.S., (1933), "The Testing of Statistical Hypotheses in Relation to Probabilities a Priori", Procedures Cambridge Philosophical Society, (29), 492-510.
- Neyman, J. and Scott, Elizabeth L., (1961), "Further Comments on the Final Report of the Advisory Committee on Weather Control", J. Amer. Statist. Assoc., (56), 580-600.
- Novick, M.R., (1964), "On Bayesian Logical Probability", Research Bulletin, 64-22, Princeton, N.J., Educational Testing Service.
-, (1963), "Bayesian Indifference Procedures: Refinements and Extension", Research Bull, 63-64, Princeton, N.J., Educational Testing Service.
- Novick, M.R. and Grizzle, J.E., (1965), "A Bayesian Approach to the Analysis of Data from Clinical Trials", J. Amer. Statist. Assoc., (60), 81-96.
- Novick, M.R. and Hall, W.J., (1965), "A Bayesian Indifference Procedure", J. Amer. Statist. Assoc., (60), 1104-1117.

- Pearson, E.S., (1962), "Some Thoughts on Statistical Inference", Ann. Math. Statist., (33), 394-403.
- Peers, H.W., (1965), "On Points and Bayesian Probability Points in the Case of Several Parameters", J. Roy. Statist. Soc., Series B., (27), 9-16.
- Pinkham, R.S., (1966), "On A Fiducial Example of C. Stein", JRSS, Series B., (28), 53-54.
- Posten, H.O., (1963), "Robustness of Uniform Bayesian Encoding", Technometrics, (5), 121.
- Pratt, J.W., (1965), "Bayesian Interpretation of Standard Inference Statements", J. Roy. Statist. Soc., Ser B., (27), 169-203.
- Pratt, J., Raiffa, H. and Schlaifer, R., (1964), "The Foundations of Decisions Under Uncertainty: An Elementary Exposition", J. Amer. Statist. Assoc., (59), 353-375.
- Pugacev, V.S., (1960), "An Effective Method for Finding a Bayes Solution", (In Russian) Trans: 2nd Prague Conf. Inf. Theory 531-542, Prague: Czech. Acad. Sci. Publ. House.
- Raja Rao, B., (1959), "Properties of the Invariant I (m-odd) for Distributions Admitting Sufficient Statistics", Sankya,^m(21), 355-362.
- Rajski, C., (1958), "The Bayes Postulate and Entropy", (Polish with English Summary), Zastosowania Mate Matyki, (4), 91-94.
- Ramsey, E.P., (1931), "The Foundations of Mathematics and Other Logical Essays", London: Kegan Paul.
- Ray, S.N., (1965), "Bounds on the Maximum Sample Size of a Bayes Sequential Procedure", Ann. Math Statist., (36), 859-878.
- Raiffa, H. and Schlaifer, R., (1961), "Applied Statistical Decision Theory", Boston, Division of Research, Harvard Business School.
- Rao, M.M. and De Groot, M.H., (1963), "Bayes Estimation with Convex Loss", Ann. Math Statist., (34), 839-846.
- Richter, H., (1963), "Subjective Probability and Multisubjective Tests", (In German), Zeit. Wahrscheinlichkeitsth, (1), 271-277.
- Roberts, H.V., (1966), "Statistical Dogma: One Response to a Challenge", The American Statistician, (20), No. 4 25-27.
- Robbins, H., (1964), "The Empirical Bayes Approach to Statistical Decision Problems", Ann. Math Statist., (35), 1-20.
-, (1963), "The Empirical Bayes Approach to Testing Statistical Hypothesis", Rev. Inst. Internat. Statist., (31), 195-208.

Robbins, Herbert, (1955), "An Empirical Bayes Approach to Statistics", Proc. of the Third Berkeley Symposium of Math Statistics and Probability, Vol. 1, 157-163.

....., (1952), "Some Aspects of the Sequential Design of Experiments", Bull. Amer. Math Soc., (58), 527-535.

Roberts, H.V., (1965), "Probabilistic Prediction", J. Amer. Statist. Assoc., (60), 50-62.

Roy, A.D., (1960), "A Note on Prediction from an Auto Regressive Process Using Pistimetric Probability", J. Roy. Stat. Soc., Series B., (22), 97-103.

....., (1960), "Some Notes on Pistimetric Inference", J. Roy. Statist. Soc., Series B, (22), 338-347.

Sacks, J., (1963), "Generalized Bayes Solutions in Estimation Problems", Ann. Math Statist., (34), 751-768.

Samuel, E., (1965), "Note on Estimating Ordered Parameters", Ann. Math Statist., (36), 698-702.

....., (1963), "An Empirical Bayes Approach to the Testing of Certain Parametric Hypothesis", Ann. Math Statist., (34), 1370-1385.

Samuel, E., (1966), "Sequential Compound Rules for the Finite Decision Problem", JRSS, Ser B, (28), 63-72.

Särndal, Carl-Eric, (1965), "Derivation of a Class of Frequency Distributions, Via Bayes' Theorem", J. Roy. Statist. Soc., Series B, (27), 290-300.

Savage, L.J., (1962), Statistical Inference, John Wiley, New York.

....., (1961), "The Foundations of Statistics Reconsidered", Proc. 4th, Berkeley Symp. Math Statist. Prob., (1), 575-586.

....., (1954), The Foundations of Statistics, John Wiley and Sons.

....., (1947), "A Uniqueness Theorem for Unbiased Sequential Estimation", Ann. Math Statist., (18), 295-297.

Scarf, H., (1959), "Bayes Solutions of the Statistical Inventory Problem", Ann. Math Statist., (30), 490-508.

Schlaifer, R., (1959), Probability and Statistics for Business Decisions, New York: McGraw-Hill.

Schmetterer, L., (1960), "On Unbiased Estimation", Ann. Math Statist., (31), 1154-1163.

- Schneeweiss, H., (1964), "A Decision Rule for the Case of Partially Known Probabilities", (In German), Unternehmensforschung, (8), 86-95.
- Schneider, B., (1965), "The Problem of Statistical Inference and Its Significance for Biometrics", (In German), Biom. Zeit., (7), 102-115.
- Schutzenberger, M.P., (1958), "Concerning the Frechet-Cramer Inequality", (In French), Publ. Inst. Statist., Paris, (7), 3-6.
- Schwartz, G., (1962), "Asymptotic Shapes of Bayes Sequential Testing Regions", Ann. Math Statist., (33), 224-236.
- Shah, S.M., (1964), "Use of Apriori Knowledge in the Estimation of a Parameter from Double Samples", J. Indian Statist. Assn., (2), 41-51.
- Skibinsky, M., (1960), "Some Properties of a Class of Bayes Two-Stage Tests", Ann. Math Statist., (31), 322-351.
- Skibinsky, M. and Cote, L., (1963), "On the Inadmissibility of Some Standard Estimates in the Presence of Prior Information", Ann. Math Statist., (34), 539-548.
- Smith, C.A.B., (1961), "Consistency in Statistical Inference and Decision", J. Roy. Statist. Soc., Series B, (23), 1-37.
- Sprott, D.A., (1961), "An Example of an Ancillary Statistic and the Combination of Two Samples by Bayes Theorem", Ann. Math Statist., (32), 616-618.
-, (1961), "Similarities Between Likelihoods and Associated Distributions a Posteriori", J. Roy. Statist. Soc., Series B., (23), 460-468.
-, (1960), "Necessary Restrictions for Distributions a Posteriori", J. Roy. Statist. Soc., Series B., (22), 312-318.
- Stein, C.M., (1962), "Confidence Sets for the Mean of a Multivariate Normal Distribution", J. Roy. Statist. Soc., Series B., (24), 265-296.
-, (1959), "The Admissibility of Pitman's Estimator of a Single Location Parameter", Ann. Math Statist., (30), 970-979.
-, (1955), "A Necessary and Sufficient Condition for Admissibility", Ann. Math Statist., (26), 518-522.
- Steinhaus, H., (1963), "Probability, Credibility, Possibility", Zastosowania, Mat, (6), 341-361.
-, (1957), "The Problem of Estimation", Ann. Math Statist. (28), 633-648.
-, (1954), "Probability, Versimilitude, Credibility", (Polish with English Summary), Zastosowania Matematyki, (1), 149-182.

....., (1950), "Quality Control by Sampling, A Plea for Bayes' Rule", Colloquium Mathematicum, (2), 98.

Stone, M., (1965), "Right Haar Measure for Convergence in Probability to Quasi Posterior Distributions", *Ann. Math Statist.*, (36), 440-453.

....., (1964), "Comments on a Posterior Distribution of Geisser and Cornfield", *J. Roy. Statist. Soc., Series B.*, (26), 274-276.

....., (1963), "Robustness of Non-Ideal Decision Procedure", *J. Amer. Statist. Assoc.*, (58), 480-486.

....., (1963), "The Posterior t-Distribution", *Ann. Math Statist.*, (34), 568-573.

....., (1961), "The Opinion Pool", *Ann. Math Statist.*, (32), 1339-1342.

Strauch, R.E., (1965), "Conditional Expectations of Random Variables Without Expectations", *Ann. Math Statist.*, (36), 1556-1559.

Thatcher, A.R., (1964), "Relationships Between Bayesian and Confidence Limits for Predictions", *J. Roy. Statist. Soc., Series B.*, (26), 176-192.

Theil, H., (1963), "On the Use of Incomplete Prior Information In Regression Analysis", *J. Amer. Statist. Assoc.*, (58), 401-414.

Theil, H., and Goldberger, A.S., (1961), "On Pure and Mixed Statistical Estimation in Economics", *Int. Econ. Rev.*, (2), 65-77.

Tiao, G.C. and Zellner, A., (1964), "On the Bayesian Estimation of Multivariate Regression", *J. Roy. Statist. Soc., Series B.*, (26), 277-285.

....., (1964), "Bayes' Theorem and the Use of Prior Information in Regression Analysis", *Biometrika*, (51), 219-230.

Tintner, G., (1960), "An Application of Carnap's Probability Theory to a Problem of Operational Research", (In German), *Unternehmensforschung*, (4), 164-170.

....., (1959), "The Application of Decision Theory of Probability to a Simple Inventory Problem", *Trab. Esta Dist.*, (10), 239-247.

Van Dantzig, D., (1957), "Statistical Priesthood (Savage on Personal Probabilities)", *Statistica Neerlandica*, (2), 1-16.

Wald, A., (1950), Statistical Decision Functions, New York: Wiley.

Wald, A. and Wolfowitz, J., (1950), "Characterization of the Minimal Complete Class of Decision Functions when the Number of Distributions and Decisions is Finite", *Proc. Second Berkeley Symposium*, 149-157.

Wallace, D. L., (1959), "Conditional Confidence Level Properties", Ann. Math. Statist., (30), 864-876.

Weiler, H., (1965), "The Use of Incomplete Beta Functions for Prior Distributions in Binomial Sampling", Technometrics, (7), 335-347.

Welch, B. L. and Peers, H. W., (1963), "On Formulae for Confidence Points Based on Integrals of Weighted Likelihoods", J. Roy. Statist. Soc., Series B, (25), 318-329.

Wetherill, G. B., (1960), "Some Remarks on the Bayesian Solution of the Single Sample Inspection Plan", Technometrics, (2), 341-352.

Whittle, P., (1958), "On the Smoothing of Probability Density Functions", J. Roy. Statist. Assoc., Ser. B, (2), 334-343.

....., (1957), "Curve and Periodogram Smoothing", J. Roy. Statist. Assoc., Ser. B, (19), 38-47.

Williams, E. J., (1963), "A Comparison of the Direct and Fiducial Arguments in the Estimation of a Parameter", J. Roy. Statist. Soc., Series B, (25), 95-99.

Williams, E. J., (1962), "Exact Fiducial Limits in Non-Linear Estimation", J. Roy. Statist. Soc., Ser. B, (24), 125-139.

Wolfowitz, J., (1962), "Bayesian Inference and Axioms of Consistent Decision", Econometrica, (30), 470-479.

Zacks, S., (1964), "Generalized Least Squares Estimators for Randomized Fractional Replication Designs", Ann. Math. Statist., (35), 696-704.

Zellner, A. and Chetty, V. K., (1965), "Prediction and Decision Problems in Regression Models from a Bayesian Point of View", J. Amer. Statist. Assoc., (60), 608-616.

Zellner, A. and Tiao, G. C., (1964), "Bayesian Analysis of the Regression Model with Autocorrelated Errors", J. Amer. Statist. Assoc., (59), 763-778.

APPENDIX 2

Variance of Posterior Marginal in Regression Analysis

Assume $Y = X\beta + \epsilon$, $f_N(\epsilon | 0, h) = (2\pi)^{-\frac{1}{2}} e^{-\frac{1}{2}h\epsilon^2} h^{\frac{1}{2}}$, with predetermined X of rank p , sample size k . $n = X^t X$ is thus predetermined. Assume a joint prior distribution on $(\tilde{\beta}, \tilde{h})$ of Normal-Gamma with parameters (b', v', n', v') . Since n is predetermined, let $n' = n$. Then rank $n' = p' = p$ and $v' = v = k - p$.

Results

The joint posterior distribution of $(\tilde{\beta}, \tilde{h})$ is Normal-Gamma with parameters

$$\begin{aligned} n'' &= n' + n = 2n, \quad n''^{-1} = \frac{1}{2} n^{-1}, \\ b'' &= n''^{-1} (n'b' + nb) = \frac{1}{2} (b' + b), \quad \text{rank } n'' = p'' = p, \\ v'' &= v' + p' + v + p - p'' = 2k - p, \\ v'' &= \frac{1}{v''} [(v'v' + b'^t n b') + v v + b^t n b - b''^t n'' b''] \\ &= \frac{k - p}{2k - p} (v' + v) + \frac{(b - b')^t n (b - b')}{2(2k - p)}. \end{aligned}$$

The posterior marginal of $\tilde{\beta}$ is Student with

$$\begin{aligned} E''(\tilde{\beta} | b'', v'', v'', n'') &= b'' = \frac{b' + b}{2}, \\ V''(\tilde{\beta} | b'', v'', v'', n'') &= \frac{n''^{-1} v'' v''}{v'' - 2} = \frac{n^{-1} v' v'}{2(v'' - 2)}. \end{aligned}$$

The prior marginal of $\tilde{\beta}$ is Student with

$$\begin{aligned} E'(\tilde{\beta} | b', v', v', n') &= b', \\ V'(\tilde{\beta} | b', v', v', n') &= \frac{n'^{-1} v' v'}{v' - 2} = \frac{n^{-1} v' v'}{v' - 2}. \end{aligned}$$

For the posterior estimate b'' to be better than the prior estimate b' we would want the corresponding diagonal elements of V'' less than the corresponding diagonal elements of V' . That is,

$$\frac{v''v''}{2(v''-2)} < \frac{v'v'}{v'-2}, \text{ which implies}$$

$$v < \frac{3k - p - 2}{k - p - 2} v' - \frac{(b - b')^t n (b - b')}{2(k - p)}.$$

Now $g(k) = \frac{3k - p - 2}{k - p - 2}$ is decreasing and greater than three for $k - p > 2$.

Thus, if it results that $v < 3v'$, this implies $v < \frac{3k - p - 2}{k - p - 2} v'$ for $k - p > 2$. It would then seem that if the prior estimates b' and v' are based on "good" prior information $v < 3v'$ would readily follow and hence $v < \frac{3k - p - 2}{k - p - 2} v'$. Similarly, for a "good" prior estimate b' and (or) k sufficiently large $v < \frac{3k - p - 2}{k - p - 2} v' - \frac{(b - b')^t n (b - b')}{2(k - p)}$ would be expected to be satisfied. In the above sense, the posterior mean b'' should be a more precise estimate of β than the prior mean b' .

Special cases: $p = 2$ in previous model.

(a) If in addition to the previous assumptions we take $b = b'$ then the posterior estimate of β is $b'' = b'$ and this requires only $v < \frac{3k - 4}{k - 4} v'$ for b'' to be more precise than b' .

(b) If in addition to the previous assumptions we take $b = b' = \begin{pmatrix} b_0 \\ b_1 \end{pmatrix}$ and $v = v'$ we obtain $s_{b_0}^2 = s_E^2 \left[\frac{1}{k} + \frac{\bar{X}^2}{\Sigma x^2} \right]$ and $s_{b_1}^2 = \frac{s_E^2}{\Sigma x^2}$

which are the standard estimates generally used in elementary statistical methods courses.

APPENDIX 3

Gamma Prior Distribution for Regression Through the Origin

Consider the model $y_i = X_i \beta + e_i$; with each e_i independently normally distributed with mean 0 and variance σ^2 . Suppose we have the prior density on β of $f(\beta) = \frac{\beta^{v-1} e^{-\beta}}{\Gamma(v)}$; $0 < \beta < \infty$ and σ^2 is assumed to be known. Also v is specified.

The likelihood function is given by

$$L(y | \beta, \sigma^2) = (2\pi)^{-\frac{1}{2}n} \sigma^{-n} \exp\left\{-\frac{(Y - X\beta)'(Y - X\beta)}{2\sigma^2}\right\}.$$

The joint posterior is

$$P(y, \beta | \sigma^2, v) = \frac{(2\pi)^{-\frac{1}{2}n} \sigma^{-n} \beta^{v-1}}{\Gamma(v)} \exp\left\{-\frac{(Y - X\hat{\beta})'(Y - X\hat{\beta})}{2\sigma^2} - (\beta - \hat{\beta})^2 \frac{X'X}{2\sigma^2} - \beta\right\},$$

where $\hat{\beta} = (X'X)^{-1}X'Y$.

It then follows that the posterior of β is

$$\begin{aligned} P(\beta | y, \sigma^2, \hat{\beta}, v) &= \frac{1}{K} \beta^{v-1} \exp \frac{-X'X}{2\sigma^2} \beta - \left(\hat{\beta} - \frac{\sigma^2}{X'X}\right)^2 \\ &= \frac{1}{K} \beta^{v-1} \exp \frac{-X'X}{2\sigma^2} (\beta - \tilde{\beta})^2 \quad \text{where } \tilde{\beta} = \hat{\beta} - \frac{\sigma^2}{X'X}. \end{aligned}$$

Comments:

1. We attempted to determine the characteristic function associated with the posterior distribution of β for the given prior and were confronted with the incomplete gamma function in the form

$$C(\beta) = \frac{1}{K} e^{-it\beta - \frac{\sigma^2}{2X'X} t^2} \int_0^\infty \beta^{v-1} \exp \frac{-X'X}{2\sigma^2} \beta - \left(\hat{\beta} - \frac{i\sigma^2 t}{X'X}\right)^2 d\beta.$$

2. We reduced the form of the density $P(\beta|y, \sigma^2, \hat{\beta}, v)$ to

$$\frac{1}{K} \beta^{v-1} e^{-a(\beta - b)^2}, \text{ where } a = \frac{X'X}{2\sigma^2}, \quad b = \hat{\beta} - \frac{\sigma^2}{X'X},$$

and attempted to determine the form of K , which was dependent upon whether b was positive or negative. We obtained

$$K = \begin{cases} \sum_{\alpha=0}^{v-1} \frac{v-1}{\alpha} b^{v-1-\alpha} \frac{\Gamma(\frac{\alpha+1}{2})}{2a^{\frac{\alpha+1}{2}}} [1 - F_{\frac{\alpha+1}{2}}(ab^2)] & \text{if } b < 0, \\ \sum_{\alpha=0}^{v-1} \frac{v-1}{\alpha} b^{v-1-\alpha} \frac{\Gamma(\frac{\alpha+1}{2})}{2a^{\frac{\alpha+1}{2}}} [1 + (-1)^\alpha F_{\frac{\alpha+1}{2}}(ab^2)] & \text{if } b > 0, \end{cases}$$

where $F_\delta(x) = \int_0^x \frac{u^{\delta-1}}{\Gamma(\delta)} e^{-u} du$.

3. We considered the posterior expectation of β and obtained

$$E''(\beta|y) = \frac{1}{K} \sum_{\alpha=0}^v \frac{v}{\alpha} b^{v-\alpha} \frac{\Gamma(\frac{\alpha+1}{2})}{2a^{\frac{\alpha+1}{2}}} [1 - F_{\frac{\alpha+1}{2}}(ab^2)].$$

4. The posterior variance obtained was

$$V''(\beta|y) = \frac{1}{2a} + \frac{(v-1)(v-2)}{(2a)^2 I} \int_{-b}^{\infty} (u+b)^{v-3} e^{-au^2} du - \frac{(v-1)}{2aI} \int_{-b}^{\infty} (u+b)^{v-2} e^{-au^2} du^2.$$

APPENDIX 4

Two Parameter Gamma Prior Distribution for Regression Through the Origin

We consider the same problem as in Appendix 3 but with a two parameter gamma prior of the form

$$f(\beta) = \frac{1}{\Gamma(v)} \beta^{v-1} c^v e^{-c\beta}.$$

Conclusions:

1. The posterior density of β is

$$f(\beta|y) = \frac{1}{I_v} \beta^{v-1} e^{-a(\beta - b)^2} d\beta,$$

where $b = \bar{\beta} - \frac{c\sigma^2}{X'X}$, $a = \frac{X'X}{2\sigma^2}$, and $I_v = \int_0^\infty \beta^{v-1} e^{-a(\beta - b)^2} d\beta$.

2. The posterior mean of β is given by

$$E''(\beta|y) = \frac{I_{v+1}}{I_v} \text{ where } I_v = \int_0^\infty \beta^{v-1} e^{-a(\beta - b)^2} d\beta.$$

3. The posterior variance of β is given by

$$V''(\beta|y) = \frac{I_v I_{v+2} - I_{v+1}^2}{I_v^2}.$$

4. We established a recurrence relation for the incomplete gamma integrals which define the posterior mean and variance in (2) and (3) above. The relation is:

$$I_{v+1} = \frac{v-1}{2a} I_{v-1} + b I_v.$$

5. The posterior mode of β is given by

$$\beta_m = \frac{b}{2} + \frac{\sqrt{a^2 b^2 - 2a(v-1)}}{2a}.$$

APPENDIX 5

Simple Linear Regression with Prior Distributions on Three Parameters

Consider the model $y_i = \alpha + \beta x_i + e_i$, $e_i \sim n(0, \sigma^2)$, with prior densities

$$f(\beta) = c e^{-c\beta}, \quad 0 < \beta < \infty,$$

$$h(\alpha) = \frac{1}{\alpha_2 - \alpha_1}, \quad \alpha_1 \leq \alpha \leq \alpha_2,$$

$$g(\sigma) = \frac{1}{\log(\sigma_2/\sigma_1)} \frac{1}{\sigma}, \quad e^{\sigma_1} \leq \sigma \leq e^{\sigma_2}.$$

Conclusions:

1. The joint posterior distribution is given by

$$f''(\beta, \alpha, \sigma | y) = K \sigma^{-(n+1)} \exp \frac{-1}{2\sigma^2} \sum_{i=1}^n (y_i - \alpha - x_i \beta)^2 + 2c\sigma^2 \beta$$

where $K^{-1} = \int_{\alpha_1}^{\alpha_2} \int_{e^{\sigma_1}}^{e^{\sigma_2}} f(\beta, \alpha, \sigma | y) d\alpha d\sigma d\beta$.

2. The posterior marginal density on β is

$$f''(\beta | y) \propto \frac{e^{-c\beta}}{[L + (\beta - \hat{\beta})^2]^{\frac{1}{2}n+1}} \quad \text{where } L = \sum_{i=1}^n \frac{[y_i - \bar{y} - \hat{\beta}(x_i - \bar{x})]^2}{\sum_{i=1}^n (x_i - \bar{x})^2}$$

APPENDIX 6

Comparison of Estimators of Slope for Regression Through the Origin

Suppose we have the model $y_i = \beta X_i + e_i$, where the e_i are independently normally distributed with mean 0 and variance 1. Also it is believed that β lies between a and b , with $a < b$.

a. We have various alternatives:

(i) Set a prior distribution on β concentrated between a and b and obtain the Bayes estimate for β .

(ii) Use the least squares estimator of β subject to the restriction $a \leq \hat{\beta}_{ls} \leq b$.

b. Conjecture: method (i) results in a smaller mean square error than method (ii) regardless of the prior we pick for $\beta \in [a, b]$.

c. Results:

(i) Consider a truncated normal prior density on β ,

$$D'(\beta | t, v^2) = k(2\pi v^2)^{-1/2} \exp - \frac{1}{2v^2} (\beta - t)^2, \quad a \leq \beta \leq b, \quad t = \frac{a+b}{2},$$

$$v > 0 \text{ a constant, and } k^{-1} = \int_a^b D'(\beta | t, v^2) d\beta.$$

(1) The posterior distribution for β is given by

$$D''(\beta | Y) = k_2(2\pi Y^2)^{-1/2} \exp - \frac{1}{2Y^2} (\beta - \mu'')^2, \quad a \leq \beta \leq b$$

$$\text{where } k_2^{-1} = \int_a^b (2\pi Y^2)^{-1/2} \exp - \frac{1}{2Y^2} (\beta - \mu'')^2 d\beta$$

$$\mu'' = (r^2 t + v^2 \hat{\beta}) / (r^2 + v^2)$$

$$\hat{\beta} = (X'X)^{-1} X'Y$$

$$r^2 = (X'X)^{-1}$$

$$\gamma^2 = v^2 r^2 / (v^2 + r^2)$$

(2) The mean of the posterior distribution is given by

$$E''(\beta | Y) = \frac{(2\pi)^{1/2} v r \exp - \frac{1}{2}(c_1 d_a - c_2)^2 - \exp - \frac{1}{2}(c_1 d_b - c_2)^2}{(r^2 + v^2)^{1/2} [N(c_1 d_b + c_2 | 0, 1) - N(-(c_1 d_a + c_2) | 0, 1)]} + \frac{r^2(a + b) + 2v^2 \hat{\beta}}{2(v^2 + r^2)}$$

Where $c_1 = v / r (r^2 + v^2)^{1/2}$,

$$c_2 = r(b - a) / 2v (v^2 + r^2)^{1/2},$$

$$d_a = \ddot{\beta} - a,$$

$$d_b = b - \hat{\beta}, \text{ and}$$

$N(\cdot | 0, 1)$ denotes the cumulative normal distribution with mean 0 and variance 1.

(ii) If we attack the same problem using least squares subject to the constraint $a \leq \hat{\beta}_{LS} \leq b$ we obtain:

(1)

$$\ddot{\beta}_{LS} = \begin{cases} a & \text{if } (X'X)^{-1}X'Y < a \\ (X'X)^{-1}X'Y & \text{if } a \leq (X'X)^{-1}X'Y \leq b \\ b & \text{if } (X'X)^{-1}X'Y > b \end{cases}$$

(2)

$$E(\ddot{\beta}_{LS}) = \beta + (b - \beta)[1 - N((b - \beta)/\gamma | 0, 1)] - (\beta - a) N((a - \beta)/\gamma | 0, 1) + (2\pi)^{-1/2} \left[\exp - \frac{1}{2\gamma^2}(\beta - a)^2 - \exp - \frac{1}{2\gamma^2}(b - \beta)^2 \right].$$

APPENDIX 7

Comparison of Bayes Estimator with Classical Estimator

The variable x has density $f(x|\theta) = 1/\theta$, $0 \leq x \leq \theta$. Suppose we use the prior density on θ of $D'(\theta) = 1/(b - a)$, $a \leq \theta \leq b$. If we take a sample of size n from $f(x|\theta)$, $y = x_{\max}$ is a complete and sufficient statistic for θ and the density of y for given θ is

$$f(y|\theta) = \frac{ny^{n-1}}{\theta^n}, \quad 0 \leq y \leq \theta.$$

(A) We desire to compare the Bayes estimator for θ with estimators for θ obtained by other methods.

Results:

$$(1) \quad D''(\theta|y) = \begin{cases} \frac{(n-1)(ab)^{n-1}}{\theta^n(b^{n-1} - a^{n-1})}, & a \leq \theta \leq b, 0 < y \leq a \\ \frac{(n-1)(yb)^{n-1}}{\theta^n(b^{n-1} - y^{n-1})}, & y \leq \theta \leq b, a < y \leq b \end{cases}$$

is the posterior density of θ .

(2) The posterior mean of θ is given by

$$E''(\theta|y) = \begin{cases} \frac{n-1}{n-2} \frac{ab(b^{n-2} - a^{n-2})}{b^{n-1} - a^{n-1}} & \text{if } 0 \leq y \leq a \\ \frac{n-1}{n-2} \frac{by(b^{n-2} - y^{n-2})}{b^{n-1} - y^{n-1}} & \text{if } a < y \leq b. \end{cases}$$

$$\text{Note: } \lim_{n \rightarrow \infty} E''(\theta|y) = \begin{cases} a & \text{if } 0 \leq y \leq a \\ y & \text{if } a < y \leq b \end{cases}.$$

(3) $E_Y [E''(\theta|y)] = (a+b)/2$ where E_Y indicates the expected value taken with respect to the marginal density of $y = x_{\max}$.

$$(4) \text{ M.S.E.}[E''(\theta|y)] = E_Y [E''(\theta|y)]^2 - (a+b)\theta + \theta^2$$

$$E_Y [E''(\theta|y)]^2 = \frac{n-1}{(n-2)^2(b-a)} \cdot \frac{(b^{n-2} - a^{n-2})^2 a^3}{b^{n-1} - a^{n-1}} + n \int_a^b \frac{(b^{n-2} - y^{n-2})^2}{b^{n-1} - y^{n-1}} dy$$

(B) Now we try a "best" classical estimator $\hat{\theta}$ for θ subject to the restriction $a \leq \theta \leq b$.

Let $y = x_{\max}$ as before and consider the estimator of θ , n fixed, defined by

$$\hat{\theta} = \begin{cases} \frac{n}{n+1} a & \text{if } y < \frac{n}{n+1} a \\ \frac{n+1}{n} y & \text{if } \frac{n}{n+1} a < y < \frac{n}{n+1} b \\ \frac{n}{n+1} b & \text{if } y > \frac{n}{n+1} b \end{cases}$$

Results:

(1) $E[\hat{\theta}] = \theta$, So $\hat{\theta}$ is unbiased.

$$(2) V(\hat{\theta}) = \frac{1}{n(n+2)} \left[\theta^2 - \frac{n}{n+1} \frac{a^{n+2}}{\theta} + \frac{n}{n+1} a^2 \right]$$

APPENDIX 8


Hypothesis Testing in a Bayesian Setting

Consider the very simple situation for the model $y_{ij} = \mu + \alpha_i + e_{ij}$, $i = 1, 2$; $j = 1, 2, \dots, n$; with e_{ij} distributed normally independently with mean 0 and variance σ^2 . Then consider the testing of

$$\text{Hypothesis: } \alpha_1 - \alpha_2 = 0$$

against the Alternative: $\alpha_1 - \alpha_2 \neq 0$.

Student's t-test has certain nice properties in this setting and has a power function of the form shown in Fig. 1 below, as a function of $d = \alpha_1 - \alpha_2$.



Now suppose we have prior information of θ = the number of significant effects (i.e. $\theta = 0$ or 1) and are willing to assume the prior distribution

$$(1) \quad D'(\theta) = m^\theta (1 - m)^{1 - \theta}.$$

If we let k = the number of effects we declare significant from our t-test, with significance level α , then the distribution of k for given θ is

$$(2) \quad f(k | \theta = 0) = \alpha^k (1 - \alpha)^{1 - k}, \quad k = 0, 1$$

(3) $f(k|\theta = 1) = p^k (1 - p)^{1-k}$, where p is the value of the power function for each value of d . Combining (2) and (3) we may write

(4) $f(k|\theta) = [p^k (1 - p)^{1-k}]^\theta [\alpha^k (1 - \alpha)^{1-k}]^{1-\theta}$. Then on combining (1) and (4) we obtain

(5) $D''(\theta, k) = [mp^k (1 - p)^{1-k}]^\theta [(1 - m)\alpha^k (1 - \alpha)^{1-k}]^{1-\theta}$ which leads to

$$(6) \quad D''(\theta|k) = \frac{[mp^k (1 - p)^{1-k}]^\theta [(1 - m)\alpha^k (1 - \alpha)^{1-k}]^{1-\theta}}{mp^k (1 - p)^{1-k} + (1 - m)\alpha^k (1 - \alpha)^{1-k}}$$

Now for fixed values of θ and k various surfaces are generated by letting m and p take values $0 \leq m \leq 1$ and $\alpha \leq p \leq 1$. One such surface is indicated in figure 3. It is also mildly interesting to see the curves generated by varying m for fixed α and p , and those curves generated by varying p for fixed m and α . These curves are indicated in figs. 2a and 2b below respectively.




Fig. 2a




Fig. 2b




Figure 3

The surface generated by the posterior probability of "no effect" given that we accept the hypothesis at $\alpha = 0.05$ for the range of possible values of m , our prior probability of an "effect", and the possible values of the power function p .

APPENDIX 9

A Tabular Posterior Distribution

k	$\theta = 0$	$\theta = 1$	$\theta = 2$	$\theta = 3$
0	$(1-m)^3 (1-\alpha)^3$	$3m(1-m)^2 (1-\alpha)^2 (1-p)$	$3m^2 (1-m) (1-\alpha)$	$m^3 (1-p)^3$
1	$3(1-m)^3 \alpha (1-\alpha)^2$	$3m(1-m)^2 [p(1-\alpha)^2 + 2\alpha(1-\alpha)(1-p)]$	$3m^2 (1-m) [\alpha(1-p)^2 + 2p(1-p)(1-\alpha)]$	$3m^3 p(1-p)^2$
2	$3(1-m)^3 \alpha^2 (1-\alpha)$	$3m(1-m)^2 [\alpha^2 (1-p) + 2\alpha(1-\alpha)p]$	$3m^2 (1-m) [p^2 (1-\alpha) + 2p(1-p)\alpha]$	$3m^3 p^2 (1-p)$
3	$(1-m)^3 \alpha^3$	$3m(1-m)^2 \alpha^2 p$	$3m^2 (1-m) \alpha p^2$	$m^3 p^3$

The table above is the joint posterior distribution of θ = the number of significant effects and k = the number of effects we declare significant from a χ^2 test. The table was obtained from considerations similar to those for appendix 8, however the model here was $y_{ijh} = \mu + \alpha_i + \beta_j + (\alpha\beta)_{ij} + e_{ijh}$, $i, j = 1, 2$; $h = 1, \dots, n$ with e_{ijh} distributed normally independently with mean 0 and known variance σ^2 . Furthermore we tacitly assume the value of the power function for the χ^2 test is the same for each difference. Also the prior distribution becomes $D'(\theta) = \binom{3}{\theta} m^\theta (1-m)^{3-\theta}$.