

U.S. STANDARD  
ATMOSPHERE  
SUPPLEMENTS, 1966

Prepared under sponsorship of

ENVIRONMENTAL SCIENCE SERVICES ADMINISTRATION  
NATIONAL AERONAUTICS AND SPACE ADMINISTRATION  
UNITED STATES AIR FORCE

---

For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402 - Price \$4.00

U.S. STANDARD ATMOSPHERE SUPPLEMENTS, 1966

PRECEDING PAGE BLANK NOT FILMED.

## Abstract

The *U.S. Standard Atmosphere Supplements, 1966* was prepared in response to a need for atmospheric tables depicting conditions other than the mid-latitude mean represented by the tables of the *U.S. Standard Atmosphere, 1962*. Tables of typical winter and summer conditions for various latitudes are provided for the troposphere, stratosphere, and mesosphere. The models merge into three sets of boundary conditions at 120 kilometers in the lower thermosphere. Models starting from these boundary conditions then branch upward into atmospheric profiles which are related to the wide range of conditions in the heterosphere associated with varying solar activity, geomagnetic activity, and zenith angle of the sun.

The substance of this publication is two major sets of tables: those for the region below 120 kilometers, keyed to seasonal and latitudinal variations; and those for 120 to 1,000 kilometers, keyed to solar and geomagnetic activity and solar angle. These two sets of tables, though separated, have mutual boundary conditions so that users will be able to select for any location, season, and solar activity the appropriate continuous profiles from the surface up to 1,000 kilometers. Profiles of atmospheric properties for any orbital or re-entry trajectory can thus be estimated. In addition, this publication contains information on diurnal variations in density up to 90 kilometers, refined analytic expressions which can be used to represent pressure and density profiles of the 1962 Standard and these Supplementary Atmospheres to 80 kilometers, and a mid-latitude ozone model up to 50 kilometers. Tables providing the altitude variation of equal geopotential surfaces as a function of latitude are also included to facilitate application of the atmospheric tables to all locations. For those interested in aircraft pressure altimetry, a set of detailed pressure-altitude tables for levels from the surface up to 10 millibars is included.

The general background leading to development of these tables is contained in the foreword. Technical background is presented in Part 1—Basis of the Tables. Parts 2 and 3 provide detailed insight on the development of the two major sets of tables and include presentations of pertinent supporting data. Part 4 contains the additional material on analytic approximations, ozone, and latitude-altitude relations and Parts 5 and 6 are the major tables of the atmosphere. Throughout the document, figures and tables have been introduced to permit visual comparisons of the varying conditions presented. Major tables are presented in both English and metric systems below 120 kilometers. Above 120 kilometers only metric tables are provided.

PRECEDING PAGE BLANK NOT FILMED.

PRECEDING PAGE BLANK NOT FILMED.

PRECEDING PAGE BLANK NOT FILMED.

## Contents

	Page
ABSTRACT.....	v
LIST OF ILLUSTRATIONS.....	ix
LIST OF TABLES.....	xii
SYMBOLS AND ABBREVIATIONS.....	xiv
FOREWORD.....	xvii
<b>PART 1—BASIS OF THE TABLES.....</b>	<b>3</b>
1.0 INTRODUCTION.....	3
1.1 BACKGROUND.....	3
1.2 ATMOSPHERIC MODELS.....	5
1.2.1 MODELS UP TO 120 KILOMETERS.....	5
1.2.2 MODELS ABOVE 120 KILOMETERS.....	5
1.3 BASIC ASSUMPTIONS AND FORMULAS.....	5
1.3.1 PRIMARY CONSTANTS.....	5
1.3.2 PERFECT GAS LAW.....	6
1.3.3 MOLECULAR-SCALE TEMPERATURE.....	6
1.3.4 HYDROSTATIC EQUATION.....	6
1.3.5 GEOPOTENTIAL.....	6
1.3.6 PRESSURE.....	7
1.3.7 MODELS ABOVE 120 KILOMETERS.....	7
1.3.8 THERMAL WIND EQUATION.....	7
1.4 DERIVED QUANTITIES.....	7
1.4.1 SPEED OF SOUND.....	7
1.4.2 COEFFICIENT OF VISCOSITY.....	7
1.4.3 COEFFICIENT OF THERMAL CONDUCTIVITY.....	7
<b>PART 2—ATMOSPHERIC MODELS UP TO 120 KILOMETERS.....</b>	<b>11</b>
2.0 INTRODUCTION.....	11
2.1 CONSTRUCTION OF ATMOSPHERIC MODELS FOR ALTITUDES BELOW 120 KILOMETERS.....	11
2.1.1 BELOW 80 KILOMETERS.....	11
2.1.2 BETWEEN 80 AND 120 KILOMETERS.....	16
2.1.3 DEFINING PROPERTIES.....	17
2.2 LATITUDINAL AND SEASONAL VARIATIONS.....	17
2.2.1 TEMPERATURE.....	17
2.2.2 DENSITY AND PRESSURE.....	21
2.3 DIURNAL VARIATIONS OF DENSITY TO 90 KILOMETERS.....	21
2.4 SUPPORTING DATA.....	23
2.4.1 BELOW 80 KILOMETERS.....	23
2.4.2 BETWEEN 80 AND 120 KILOMETERS.....	27
<b>PART 3—ATMOSPHERIC MODELS ABOVE 120 KILOMETERS.....</b>	<b>39</b>
3.0 INTRODUCTION.....	39
3.1 CONSTRUCTION OF ATMOSPHERIC MODELS FOR ALTITUDES ABOVE 120 KILOMETERS.....	39
3.1.1 SPRING/FALL MODELS.....	39
3.1.2 SUMMER AND WINTER MODELS.....	40
3.2 SYSTEMATIC VARIATIONS IN THE ATMOSPHERE ABOVE 200 KILOMETERS.....	41
3.2.1 VARIATIONS WITH SOLAR ACTIVITY.....	42
3.2.2 SEMIANNUAL VARIATION.....	44
3.2.3 DIURNAL VARIATION.....	44
3.2.4 VARIATIONS WITH GEOMAGNETIC ACTIVITY.....	47
3.3 COMPUTATION OF EXOSPHERIC TEMPERATURE.....	47

	Page
3.4 EXPERIMENTAL DATA.....	48
3.5 DENSITY DATA FOR ALTITUDES ABOVE 250 KILOMETERS.....	53
3.5.1 COMPARISON OF MODELS WITH DENSITIES FROM SATELLITE DRAG.....	53
3.5.2 DIRECT MEASUREMENTS OF DENSITY.....	57
3.6 LIMITATIONS OF HIGH-ALTITUDE MODELS.....	60
PART 4—ADDITIONAL INFORMATION RELATING TO THE ATMOSPHERE.....	67
4.0 INTRODUCTION.....	67
4.1 ANALYTIC APPROXIMATIONS OF ATMOSPHERIC PRESSURE AND DENSITY.....	67
4.1.1 U.S. STANDARD ATMOSPHERE, 1962 .....	67
4.1.2 U.S. STANDARD ATMOSPHERE SUPPLEMENTS, 1966 .....	69
4.2 MID-LATITUDE OZONE MODEL TO 50 KILOMETERS.....	78
4.2.1 DATA.....	78
4.2.2 LIMITATIONS OF MODEL.....	78
4.2.3 VARIABILITY.....	79
4.3 GEOPOTENTIAL-GEOMETRIC ALTITUDE RELATIONS.....	80
4.3.1 INTRODUCTION.....	80
4.3.2 DEFINITION AND METHOD OF CALCULATION.....	80
4.3.3 DESCRIPTION OF THE GEOPOTENTIAL TABLE.....	83
REFERENCES.....	91
PART 5—TABLES OF PROPERTIES OF SUPPLEMENTARY ATMOSPHERES TO 120 KILOMETERS.....	95
PART 6—TABLES OF PROPERTIES OF SUPPLEMENTARY ATMOSPHERES ABOVE 120 KILOMETERS.....	217

## List of Illustrations

<i>Figure</i>		<i>Page</i>
2.1	Temperature-altitude cross section for January and July.....	11
2.2	Temperature-altitude profiles of the 30°, 45°, 60°, and 75° N. January and mid-latitude spring/fall Supplementary Atmospheres.....	14
2.3	Temperature-altitude profiles of the 30°, 45°, 60°, and 75° N. July and 15° N. mean annual Supplementary Atmospheres.....	15
2.4	Temperature-altitude profiles for 60° N. January mean and cold and warm regime atmospheres.....	17
2.5	Temperature-altitude profiles for 75° N. January mean and cold and warm regime atmospheres.....	18
2.6	Mean density variations with latitude and season, 80 to 120 km.....	19
2.7	Idealized mean seasonal and latitudinal density variations, 80 to 120 km.....	20
2.8	Departures of Supplementary Atmosphere densities from Standard.....	22
2.9	Departures of 75° N. Atmosphere densities from Standard.....	23
2.10	Departures of Supplementary Atmosphere pressures from Standard.....	24
2.11	Departures of 75° N. Atmosphere pressures from Standard.....	25
2.12	Approximate values of diurnal density variability up to 90 km.....	25
2.13	Comparison of some observed temperatures with 30° N. temperature-altitude profiles.....	26
2.14	Comparison of some observed temperatures with 60° N. temperature-altitude profiles.....	27
2.15	Approximate 95 percent range of observed values (indicated by arrows) around the density-altitude profiles for the January and July 30° N. Supplementary Atmospheres.....	28
2.16	Approximate 95 percent range of observed values (indicated by arrows) around the density-altitude profiles for the January and July 60° N. Supplementary Atmospheres.....	28
2.17	Departures of mean rocket grenade pressures from Standard for summer and winter at four locations.....	28
2.18	Zonal wind components between 30° and 45° N.....	29
2.19	Zonal wind components between 45° and 60° N.....	29
2.20	Departures from Standard of the mean and standard deviations of 13 density measurements at Kwajalein Island.....	30
2.21	Departures from Standard of two falling sphere density measurements at Wallops Island.....	30
2.22	Departures from Standard of IGY Churchill density data and of early curves for winter and summer 45° and 60° N.....	30
2.23	Departures from Standard of 12 recent density measurements at White Sands and Eglin.....	31
2.24	Mean summer and winter density data for White Sands and Eglin compared with idealized (Figure 2.7) 30° N. summer and winter density curves.....	32
2.25	Departures from Standard of the densities from three recent measurements at Churchill and of the 60° N. winter mean, cold and warm models.....	33
2.26	Departures from Standard of two pitot-static density measurements at Wallops Island and of the idealized (Figure 2.7) 45° summer and winter density curves.....	34
2.27	Departures from Standard of eight density measurements at Woomera and of the summer and winter models for 30° N.....	35
2.28	Molecular oxygen number density data between 60 and 170 km.....	36
3.1	Density departures from the spring/fall models for summer and winter with three exospheric temperatures.....	40
3.2	Matching altitudes ( $Z_m$ ) for summer and winter atmospheres as a function of exospheric temperature.....	41

	Page
3.3 Departures from Standard of densities for summer, winter, and spring/fall models with three exospheric temperatures.....	42
3.4 Contours of percentage departures of density from Standard at all latitudes corresponding to 1400 hours local time at northern hemisphere summer solstice with an equatorial bulge and a maximum exospheric temperature at 1200° K.....	43
3.5 Temperature distribution above the thermopause according to Eqs. (3.13) and (3.14), for the case when $T_0 = 1000^\circ \text{K}$ . Hours of local time, counted from midnight, are marked on the equator (Aitoff's equal-area projection).....	44
3.6 Typical summer, winter, and spring/fall temperatures, 0 to 300 km, for 45° latitude with an equatorial bulge.....	45
3.7 Contours of percentage departures of density from Standard at all latitudes corresponding to 1400 hours local time at northern hemisphere summer solstice with an equatorial bulge and a maximum exospheric temperature of 1500° K.....	46
3.8 Density versus latitude for polar regions and night side of earth from Discoverer satellites.....	48
3.9 Comparison of densities from drag of low-orbiting satellites with the present tables. $\Delta \log \rho$ is the difference between $\log \rho$ for the experimental data and $\log \rho$ for the 1100° K exospheric temperature spring/fall model.....	49
3.10 Diurnal variations of $\rho \sqrt{H}$ at altitudes between 190 and 240 km from Cosmos satellites. The abscissa is local time.....	50
3.11 Root mean square (rms) exospheric temperature residuals for Explorer XIX (1963-66) and Explorer XXIV (1964-66) as a function of $B$ and $m$ .....	51
3.12 Latitude variation of $n(O)/n(O_2)$ for nighttime measurements.....	52
3.13 Measured $N_2$ , $O_2$ , and $O$ profiles at White Sands compared with values from the appropriate Supplementary model.....	53
3.14 $N_2$ temperature profiles measured with an omegatron compared with model atmosphere profiles.....	54
3.15 Rotational temperature versus altitude at Churchill. Data for 1964 and 1965.....	55
3.16 Comparison of the EUV flux with the exospheric temperature, the 2800 Mc/sec solar flux, and the geomagnetic index $\sum K_p$ .....	56
3.17 Densities and temperatures derived from the drag of the Explorer I satellite (1958 $\alpha$ ), compared with solar and geomagnetic parameters. MJD is the abscissa in the Modified Julian Day (JD minus 2400000.5).....	57
3.18 Densities and temperatures derived from the drag of the Explorer IX satellite (1961 $\delta 1$ ), compared with the geomagnetic index $a_p$ and the 10.7-cm solar flux.....	58
3.19 Day and night density profiles in the upper atmosphere at sunspot minimum and at a time of exceptionally high solar activity.....	59
3.20 Daytime maximum and nighttime minimum temperatures above the thermopause as a function of the 10.7-cm solar flux. Open circles: individual maxima deduced from satellite drag curves. Circled dots: individual minima deduced from satellite drag curves. Dots: temperatures reduced to the nighttime minimum at times when the curve of the semiannual temperature variation was close to the annual average.....	60
3.21 Measured atmospheric density versus altitude obtained for passes over the northern hemisphere mid-latitude minitrack stations. Data plotted without regard for local time, geomagnetic or solar activity.....	61
3.22 Helium number densities versus altitude for local times between 0400 and 2100 hours during May, 1963. A diffusive model profile for $T = 800^\circ \text{K}$ (reduced in absolute value by three) is shown for reference.....	62
4.1 Errors in representing the 1962 Standard to 200 km by digital computer technique approximation.....	68
4.2 Errors in representing the 1962 Standard to 200 km by truncated Chebyshev expansion.....	69
4.3 Errors in representing the 1962 Standard to 80 km by truncated Chebyshev expansion.....	70
4.4 Errors in representing the 15° N. Supplementary Atmosphere by truncated Chebyshev expansion.....	70
4.5 Errors in representing the 30° N. Winter Supplementary Atmosphere.....	70
4.6 Errors in representing the 30° N. Summer Supplementary Atmosphere.....	71
4.7 Errors in representing the 45° N. Winter Supplementary Atmosphere.....	72



	Page
4.8 Errors in representing the 45° N. Summer Supplementary Atmosphere.....	73
4.9 Errors in representing the 60° N. Winter Supplementary Atmosphere.....	74
4.10 Errors in representing the 60° N. Summer Supplementary Atmosphere.....	74
4.11 Errors in representing the 60° N. Winter (Cold) Supplementary Atmosphere.....	74
4.12 Errors in representing the 60° N. Winter (Warm) Supplementary Atmosphere.....	75
4.13 Errors in representing the 75° N. Winter Supplementary Atmosphere.....	76
4.14 Errors in representing the 75° N. Summer Supplementary Atmosphere.....	77
4.15 Errors in representing the 75° N. Winter (Cold) Supplementary Atmosphere.....	78
4.16 Errors in representing the 75° N. Winter (Warm) Supplementary Atmosphere.....	78
4.17 Tentative mean annual mid-latitude ozone pressure.....	80
4.18 Tentative mean annual mid-latitude ozone density.....	80
4.19 Tentative mean annual mid-latitude ozone number density.....	81
4.20 Tentative mean annual mid-latitude ozone mixing ratio.....	81
4.21 Altitude difference ( $Z_\phi - Z_R$ ) as a function of reference altitude $Z_R$ for each of seven latitudes.....	82
4.22 Altitude difference ( $Z_\phi - Z_R$ ) as a function of latitude for each of five equal-geopotential surfaces equivalent at the reference latitude to the geometric altitudes 200, 400, 600, 800, and 1000 km.....	82

## List of Tables

<i>Table</i>	<i>Page</i>
1.1 Acceleration values.....	6
2.1 Virtual temperature structure to 10 km.....	12
2.2 Temperature ( $T_M$ , °K) structure below 120 km.....	16
2.3 Molecular weights for supplementary atmospheres.....	16
2.4 Number of January and July MRN thermistor observations.....	24
2.5 Number of grenade observations for altitudes above 50 km.....	24
3.1 Matching altitudes ( $Z_m$ ) for summer and winter atmospheres as a function of exo- spheric temperature.....	40
3.2 Boundary conditions of supplementary atmospheres, $Z = 120$ km.....	42
3.3 Values of the factor $f(d)$ for computing the semiannual effect.....	44
3.4 Ratio of exospheric temperature to minimum nighttime temperature on equator as a function of latitude and local solar time.....	47
3.5 Temperature increment as a function of geomagnetic indices.....	47
3.6 Difference table for sample density computation.....	48
3.7 San Marco satellite density data.....	50
3.8 Temperature range as a function of altitude.....	52
3.9 Satellites used for determining atmospheric densities.....	54
3.10 Departures from the models of Explorer VIII drag densities.....	55
4.1 Approximation of 1962 Standard up to 200 km by digital computer technique.....	68
4.2 Approximation of 1962 Standard up to 200 km by truncated Chebyshev expansion.....	69
4.3 Approximation of 1962 Standard up to 80 km by truncated Chebyshev expansion.....	69
4.4 Approximation of 15° N. Supplementary Atmosphere by truncated Chebyshev expansion.....	71
4.5 Approximation of 30° N. Winter Supplementary Atmosphere.....	71
4.6 Approximation of 30° N. Summer Supplementary Atmosphere.....	72
4.7 Approximation of 45° N. Winter Supplementary Atmosphere.....	72
4.8 Approximation of 45° N. Summer Supplementary Atmosphere.....	73
4.9 Approximation of 60° N. Winter Supplementary Atmosphere.....	73
4.10 Approximation of 60° N. Summer Supplementary Atmosphere.....	75
4.11 Approximation of 60° N. Winter (Cold) Supplementary Atmosphere.....	75
4.12 Approximation of 60° N. Winter (Warm) Supplementary Atmosphere.....	76
4.13 Approximation of 75° N. Winter Supplementary Atmosphere.....	76
4.14 Approximation of 75° N. Summer Supplementary Atmosphere.....	77
4.15 Approximation of 75° N. Winter (Cold) Supplementary Atmosphere.....	77
4.16 Approximation of 75° N. Winter (Warm) Supplementary Atmosphere.....	79
4.17 Mid-latitude ozone model.....	79
4.18 Standard deviation of observed ozone density about model.....	79
4.19 Values of $r_\phi$ and $g_\phi$ employed in the calculation of geopotential at various latitudes...	81
4.20 Geometric altitude differences $Z_\phi - Z_R$ of equal-geopotential surfaces $H_R$ as a function of latitude $\phi$ , where reference latitude $R = 45^\circ 32' 33''$ .....	84
5.1 Sea level to 120 km. Temperature, pressure, density, sound speed, coefficient of viscosity and thermal conductivity. Metric units.....	97
5.2 Sea level to 390,000 ft. Temperature, pressure, density, sound speed, coefficient of viscosity and thermal conductivity. English units.....	147
5.3 Sea level to 30 km. Geopotential altitude in meters as a function of pressure in millibars.....	205
5.4 Sea level to 100,000 ft. Geopotential altitude in feet as a function of pressure in millibars.....	211
6.1 120 km to 1000 km—winter models. Temperature, pressure, density, scale height, molecular weight, and number densities. Metric units.....	219

	Page
6.2 120 km to 1000 km—summer models. Temperature, pressure, density, scale height, molecular weight, and number densities. Metric units.....	243
6.3 120 km to 1000 km—spring/fall models. Temperature, pressure, density, scale height, molecular weight, and number densities. Metric units.....	267

## Symbols and Abbreviations

$A$	area, also empirical parameter
$A'$	coefficient
$\text{\AA}$	Angstrom
$a$	coefficient in Chebyshev expansion
$a_p$	geomagnetic planetary index
$B$	empirical parameter
BTU	British thermal unit
$b$	subscript indicating base or reference level
$^{\circ}\text{C}$	degrees, in thermodynamic Celsius scale
$C_D$	aerodynamic drag coefficient
$C_k$	Chebyshev polynomial
$C_s$	speed of sound
$c$	cycles
cal	calorie
cm	centimeter
CST	Central Standard Time
$D$	empirical parameter
$d$	days since January 1
$e$	vapor pressure
EST	Eastern Standard Time
$F$	function
$^{\circ}\text{F}$	degrees, in thermodynamic Fahrenheit scale
$F_{10.7}$	10.7 cm solar flux
$\bar{F}_{10.7}$	10.7 cm solar flux averaged over three solar rotations
$f$	function
$f(d)$	empirical parameter
ft	foot
$G$	Newton's universal gravitational constant
GMT	Greenwich Mean Time
$g$	acceleration due to gravity
$g$	gram (mass)
$H$	geopotential altitude
$H_b$	geopotential altitude of base of layer
$H^*$	hour angle of sun
$H_i$	scale height of individual atmospheric constituent
$H_p$	pressure scale height
$h$	$H - H_b$
in	inch
$j$	index
$^{\circ}\text{K}$	degrees, in thermodynamic Kelvin scale
$K_p$	geomagnetic planetary index
$k$	thermal conductivity; also Boltzmann constant
kg	kilogram (mass)
kg-cal	kilogram-calorie
km	kilometer
$L'_M$	gradient of molecular-scale temperature with geopotential altitude
lb	pound (mass)
LST	Local Standard Time
$M$	mean molecular weight of air
$M_0$	sea-level value of mean molecular weight
matm-cm	milli-atmosphere-centimeter

$m$	meter; also exponent
$m'$	geopotential meter
mm	millimeter
$m_i$	molecular (or atomic) mass of individual atmospheric constituent
mb	millibar
MST	Mountain Standard Time
$n$	number density; exponent and index
$o$	subscript indicating sea-level value
$P$	pressure
$p$	a constant
$q$	an exponent
$^{\circ}\text{R}$	degrees, in thermodynamic Rankine scale
$R$	a constant in the diurnal bulge equation
$R^*$	universal gas constant
$r$	effective earth radius; also a density or pressure ratio
$s$	an exponent associated with temperature profiles in thermosphere
$S$	Sutherland's constant
SD	standard deviation
STP	standard temperature and pressure
sec	second
$T$	temperature in absolute thermodynamic scale
$T_D$	daytime maximum exospheric temperature at particular latitude
$T_k$	Chebyshev polynomial
$T_M$	molecular-scale temperature in absolute thermodynamic scale
$T_{M^*}$	molecular-scale virtual temperature in absolute thermodynamic scale
$T_N$	nighttime minimum exospheric temperature at particular latitude
$\bar{T}_0$	nighttime global minimum temperature averaged over three solar rotations
$T_0$	nighttime global minimum exospheric temperature
$T'_0$	$\bar{T}_0$ corrected for day-to-day variation in solar flux
$T_v$	virtual temperature in absolute thermodynamic scale
$T_x$	daytime global maximum exospheric temperature
$T_{\pi}$	temperature at satellite perigee
$T_{\infty}$	exospheric temperature
$u$	east-west wind component
UV	ultraviolet
w	watt
$x$	independent variable
$Y$	horizontal north-south distance
$Z$	geometric altitude
$Z_m$	matching geometric altitude
$Z_s$	empirical function
$\alpha$	thermal-diffusion factor
$\alpha_{\pi}$	right ascension of satellite perigee
$\alpha_{\odot}$	right ascension of sun
$\beta$	a constant
$\gamma$	ratio of specific heats; also a constant
$\delta_{\pi}$	declination of satellite perigee
$\delta_{\odot}$	declination of sun
$\eta$	empirical parameter
$\theta$	empirical parameter
$\mu$	coefficient of viscosity
$\xi$	argument of Chebyshev polynomial
$\rho$	mass density
$\rho_j$	mass density for spring/fall atmospheric models
$\rho_s$	mass density for summer atmospheric models
$\rho_w$	mass density for winter atmospheric models
$\rho_{\pi}$	mass density at satellite perigee
$\rho_r$	mass density at reference altitude
$\tau$	empirical parameter

$\Phi$	geopotential
$\phi$	geographic latitude
$\phi_B$	geographic latitude of center of diurnal bulge
$\psi$	empirical parameter
$\omega$	angular velocity of earth

## Foreword

The *U.S. Standard Atmosphere, 1962* was developed to serve the aerospace community as a mean basis for design and operation of vehicles and for general scientific considerations. However, there are also requirements for realistic tables of the atmosphere for use in investigations of effects due to nonstandard atmospheric conditions, especially for systematic departures due to geography, season, time of day, and solar activity. The *U.S. Standard Atmosphere Supplements, 1966* provide tabulations of atmospheric parameters from the surface to 1,000 km, based upon latitude and season for lower altitudes and as a function of solar activity and angle for higher altitudes. Such tables, designated as supplementary atmospheres, must be judged, found acceptable, and published by a knowledgeable, responsible group such as the U.S. Committee on Extension to the Standard Atmosphere (COESA) in order to receive widest circulation and be utilized with confidence.

COESA is a group of organizations that banded together in 1953 to take actions required to provide the then newborn missile industry with a realistic description of the atmosphere extending beyond altitudes of conventional aircraft operations. Sponsors of this effort are the Environmental Science Services Administration (ESSA), the National Aeronautics and Space Administration (NASA), and the United States Air Force (USAF).<sup>\*</sup> Today, 30 participating organizations, representing government, industry, research institutions, and universities, support this effort. These organizations and the scientists and engineers that have participated at the COESA Working Group level are listed here:

Aerospace Corporation

R. W. Bruce

Air Force Cambridge Research Laboratories, OAR, USAF

K. S. W. Champion

A. E. Cole

A. J. Kantor

N. Sissenwine, Executive Secretary of Working Group

Air Force Systems Command, USAF

W. A. Finley

Air Weather Service, USAF

H. S. Appleman

R. S. Quiroz

D. A. Krider

Applied Physics Laboratory, Johns Hopkins University

Army Electronics Command, USA

W. Barr

Army Missile Command, USA

O. M. Essenwanger

Battelle Memorial Institute

Ballistics Research Laboratory, USA

W. W. Berning

Environmental Science Services Administration, Department of Commerce

S. Teweles

A. Kochanski

H. M. Woolf

Federal Aviation Agency

General Dynamics/Convair

GCA Technology Division

R. A. Minzner

---

<sup>\*</sup>Task responsibility assigned to the Air Force Cambridge Research Laboratories (AFCRL).

Goddard Space Flight Center, NASA

H. LaGow

W. Nordberg

N. W. Spencer

Graduate Research Center of the Southwest

F. S. Johnson

High Altitude Engineering Laboratory, University of Michigan

L. M. Jones

Langley Research Center, NASA

W. J. O'Sullivan, Jr.

R. A. Hord

G. M. Keating

Lockheed-California Company

A. Court

E. Ashburn

Marshall Space Flight Center, NASA

O. E. Smith

National Bureau of Standards, Department of Commerce

D. P. Johnson

National Center for Atmospheric Research

P. Julian

S. B. Solot

Naval Proving Grounds, USN

Naval Research Laboratory, USN

P. Mange

Navy Weather Research Facility, USN

H. B. Wobus

Office of Space Science and Applications, NASA

M. Dubin

R. Horowitz

Smithsonian Astrophysical Observatory and Harvard College Observatory

L. Jacchia, Chairman of the Working Group

Space Technology Laboratories, Inc.

The Boeing Company

The RAND Corporation

E. S. Batten

White Sands Missile Range, USA

For several years COESA has been attempting to assemble information permitting the tabulation of vertical profiles of atmospheric properties as functions of latitude, season, and other systematic influences. Such tables are required chiefly for scientific calculations and investigations of the effect on aerospace vehicle design, of atmospheric departures from the accepted base line, the *U.S. Standard Atmosphere, 1962*. They will also prove useful in long term planning of specific scientific experiments and aerospace vehicle flights in instances of great sensitivity to atmospheric conditions. For locations and seasons characterized by a minimum in variability of the type caused in the lower atmosphere by weather, supplementary tables may be quite satisfactory as predictions of atmospheric conditions to be encountered for a specific operation or experiment. In other instances a supplementary atmosphere may be the best prediction available even though it is suspected that effects due to nonsystematic variability around it are unacceptably large.

However, readers who intend to use these models operationally, as representations of variations in the real atmosphere, are advised to study carefully the material on limitations (Sections 2.4 and 3.6). This may be particularly important for precise applications during and immediately subsequent to geomagnetic storms (both planetary and polar) in the 120- to 200-km region and at all altitudes within the auroral oval. An example of such an application is precise ephemeris prediction for low-altitude satellites in nearly circular polar orbits.

Development of the new Supplementary Atmospheres has been well coordinated with that of CIRA 1965 (COSPAR International Reference Atmosphere, 1965). This has been achieved through participation of some of the major contributors in both preparatory Working Groups and by presentation of COESA models and studies at COSPAR meetings. Both sets of models give latitudinal and seasonal variations up to 80 km. Though these are somewhat similar there are



some important differences, particularly in the high latitude models, where the COESA profiles appear to be in better agreement with recent data. The new Supplementary Atmospheres give latitudinal variations in properties at all altitudes (up to 1,000 km) and seasonal variations up to about 250 km, so that *continuous* atmospheric profiles from the surface can be obtained for any location and time. No seasonal or latitudinal information is provided in CIRA above 80 km.

This document is the result of the efforts of all Working Group members listed previously. The cochairmen would like to take this opportunity to thank each of them for his unselfish contribution. However, for an effort of this type a small, hard core group of dedicated individuals is also required to bring to fruition the ideas of many people. Special recognition which must be given to them is provided in the following paragraphs.

In addition to guiding the Working Group through several major meetings, Dr. Luigi Jacchia, Working Group Chairman, is responsible for extension into the exosphere of what had originally started out to be a report on systematic variations below 90 km. He illustrated the manner in which satellite-determined density data can be classified by profiles which are logically related to solar activity and the time of day. He followed this contribution by developing a methodology for obtaining a family of exponential temperature curves which fitted these density data after application of the barometric equations. It was adopted with some modifications for this report. Finally, Dr. Jacchia is responsible for much of the text and tables describing the atmosphere above 120 km. These tables also include his findings on the geometry of upper-atmosphere parameters as related to the earth's coordinates and the relationship of solar (and geomagnetic) activity and exospheric temperature. Along with Dr. Jacchia, a great deal of credit must be given to his associate, Jack Slowey. His competence in the programming and computing of tables of atmospheric profiles was invaluable in the tedious process of joining together the families of lower altitude and higher altitude atmospheres.

During the several years of development of these tables, Dr. K. S. W. Champion was a source of strength and knowledge. As a responsible Task Group Convener, he refused to compromise toward a less exact but more convenient solution in joining the lower-altitude seasonally and latitudinally dependent atmospheres to the high-altitude atmospheres. With the aid of his associate, Frank Marcos, he performed extensive studies of the available data in order to present an interface family of curves above 90 km which gradually merge the seasonal and latitudinal variations below this altitude to the upper-altitude atmospheres. Thus the variability shown in the 100- to 250-km altitude interval is most likely to be fairly representative (excluding conditions during geomagnetic storms) of the true but insufficiently explored conditions in this region. Dr. Champion contributed extensively to the development of text and tables for altitudes above 90 km, especially those between 90 and 250 km. He was responsible for convening several Task Group meetings when the situation seemed rather dark during attempts to join the lower- and higher-altitude atmospheres. Through these discussions and presentations of data, Dr. Champion was able to provide the guidance required to overcome the grave difficulty encountered.

Allen E. Cole and Arthur J. Kantor deserve much gratitude for their major responsibility in development of the supplementary atmospheres up to 90 km and for their patience and continuing efforts during the several years required to modify and attach the upper portion of their already well used *Air Force Interim Supplementary Atmospheres* to the high-altitude atmospheres. Mr. Cole led a Task Group of several Working Group members for a number of years in these efforts and showed great skill in assimilating many of their modifications in the original presentations, including those of Dr. Arnold Court, Frederick G. Finger (ESSA), Stanley Batten, Dr. William Nordberg, and Roderick S. Quiroz. Mr. Quiroz also deserves recognition for preparing a section of this report describing diurnal variability of density up to 90 km. Special appreciation must be extended at this time to Paul F. Nee and Eugene A. Bertoni of AFCRL, who assisted in the programming and computation of the tables of surface to 120-km atmospheric properties.

Raymond A. Minzner has been an invaluable contributor in all phases of the development of this volume. He was extremely helpful in resolution of the problem involving the interface altitudes of the 0 to 90 km and the above 200-km atmospheres. He prepared many task level working papers on methodologies of joining the various families of atmospheres. He also prepared a subsidiary table applicable to the family of high-altitude atmospheres, which relates the geometric altitude of geopotential surfaces at all latitudes to that at the standard latitude, 45° N.

COESA's *U.S. Standard Atmosphere, 1962* includes presentations of temperature as approximate analytic functions of altitude, up to 200 km. Although very close fit of the temperature curve was obtained, density and pressure computed from this curve departed considerably from the Standard at certain altitudes. Therefore, it was decided that additional supplementary material

should be developed and included in this volume. Richard A. Hord (with the aid of his associate, Miss Jean P. Mason) and Hermann B. Wobus comprised a Task Group assigned this responsibility. They were able to prepare independent analytic approximations for density and pressure for the 1962 Standard up to 200 km and for the new Supplementary Atmospheres up to 80 km. These should prove invaluable to those concerned with machine programming of interactions of the sensible atmosphere with aerospace vehicles in the mesosphere, stratosphere, and troposphere.

Finally, the COESA Working Group decided there existed a requirement for presenting information on a minor but extremely important atmospheric constituent, ozone. Wayne Hering of the Air Force Cambridge Research Laboratories, though not previously associated with COESA efforts, was called upon and responded with a valuable section on ozone for this volume.

The technical contributions to this volume of course cannot end with the preparation of the draft material. There must be final overseers so that all material may tie together logically and accurately. Responsibility for this fell to the three co-sponsoring organizations. Assigned as technical editors were Dr. K. S. W. Champion, AFCRL; William O'Sullivan, Jr. with the aid of Gerald Keating, NASA; and Harold M. Woolf, ESSA. Major Donald A. Krider also provided informal aid in this phase of preparation. Their extensive efforts are indeed appreciated. They in turn had to be followed by an editorial group completely responsible for format and final preparation. To John Marple, AFCRL's Publication Chief, and his staff, including Eugene Pepin, cover-picture artist, we owe our thanks for completion and publication of this work.

MAURICE DUBIN, NASA

NORMAN SISSEWINE, AFCRL

SIDNEY TEWELES, ESSA

*Cochairmen, U.S. Committee on Extension to the Standard Atmosphere*

**PART 1**  
**Basis of the Tables**

## PART 1

# Basis of the Tables

### 1.0 INTRODUCTION

Part 1 contains the basis of the main tables of atmospheric properties that appear in Parts 5 and 6. The specifications of the model atmospheres that are included are listed (Section 1.2). Also included in Part 1 are background information, definitions, equations, physical constants, and conversion factors used in the computations.

### 1.1 BACKGROUND

Systematic variation in the troposphere due to season and latitude has been fairly well known for years. In fact, when COESA first started to update the Standard Atmosphere in 1953, rough data were presented which depicted this variability up to 30 km, the middle stratosphere. These data were obtained from a limited number of radiosonde flights. However, the requirement for presenting variability in a format similar to the tables in the Standard Atmosphere had not been established.

The current COESA effort to provide supplementary atmospheres received its impetus a little more than five years ago when expansion of the nation's space program generated requirements for information on the variability of atmospheric structure in the design of second-generation scientific and military aerospace vehicles. At that time, a decision was made to utilize a comparatively large mass of data coming into the inventory from a new sensor, the meteorological rocketsonde. It was thought that such data, in conjunction with the very much improved 30-km radiosonde data, would permit construction of typical January and July atmospheric profiles for 30°, 45°, 60°, and 75° N. latitudes and an annual average for 15° N. The extension of these nine atmospheric profiles to an altitude of 90 km was established as the goal. To attain this goal, data from a handful of specialized rocket experiments for altitudes above those of meteorological rockets were subjected to extrapolation techniques through which the wind field is related to gradients of pressure, temperature, and density.

In July 1963, the COESA Working Group, meeting at Fort Collins, Colorado was able to define a generally acceptable set of seasonally and latitudinally determined atmospheres. Seven of these extended to 90 km. The two 75° latitude atmospheres had to be limited to 30 km altitude because of a lack of data.

However, due to the different thermal regimes found at high latitudes in winter, four additional atmospheres were defined to represent the warm and cold stratospheric-mesospheric conditions at 60° (to 90 km) and 75° (to 30 km) in January.

At this point, very little additional effort would have been required to provide a follow-on COESA publication to the *U.S. Standard Atmosphere, 1962* with detailed tabulations of these 13 Supplementary Atmospheres. In fact, the Air Force, in response to urgent requirements, published preliminary tables as *Air Force Interim Supplemental Atmospheres*. However, at the Fort Collins meeting, Working Group Chairman Jacchia presented a summary of recent research indicating that it had become feasible to prepare models for altitudes above 200 km which would portray systematic variability resulting from changes in solar flux and zenith angle. New pressures from the aerospace community, this time from atmosphere-space interface interests, made it desirable to extend our supplementary atmospheres to orbital altitudes.

Unfortunately, there was little information on systematic variability for altitudes from 90 km up to 200 km, above the maximum altitude of most rocket sensors and below the minimum altitude of most satellites. Despite this difficulty the Working Group decided to try to provide a reasonable interpolation across this region for the seven basic surface-to-90 km (15° annual and 30°, 45°, and 60° January and July) atmospheres.

The contemplated interpolation required physical expressions for describing the atmospheric profiles obtained from satellite drag. Although the physical relationship was partially understood, it can still be only roughly specified. The final goal of spanning the 90- to 200-km "ignorosphere" was found difficult to attain in spite of intensive research by COESA students of the upper atmosphere.

To review the situation, the COESA Working Group met again in January 1965 at the University of Miami. It was agreed that an inadequate theory is worse than none when it must fit a great many accurate observations. Density profiles acceptably close to those deduced from satellite data can be computed from a family of empirically derived exponential temperature curves and the barometric equations. Thus temperature is continued as the defining parameter

of the atmosphere, as in the case of the lower altitude seasonally and latitudinally specified supplementary atmospheres. All profiles of atmospheric properties converged below altitudes of satellite data to a single boundary condition of density, temperature, pressure, and molecular weight at 120 km which differed only slightly from corresponding values in the 1962 Standard.

The arrangement of these atmospheric tables in terms of exospheric temperature, rather than solar activity, ensures that the family of tables will not become obsolete as relationships between exospheric temperature and solar activity are refined. In utilizing the tables, one notes that the basic high-altitude atmosphere selected will be that with exospheric temperature on the shaded side of the earth appropriate to prevailing solar activity. Exospheric temperatures for other locations can then be obtained from a functional expression requiring only the angle of the sun. These exospheric temperatures serve as the key in selecting the table of atmospheric properties for the location applicable to a specific solar angle.

The meeting at Miami was adjourned with our goal and procedure supposedly well established. The low-altitude supplementary atmospheres (15° N. annual and 30°, 45°, and 60° N. January and July) terminated at 90 km with seven sets of temperature, pressure, and density data. Though the 90-km temperatures and pressures differed substantially, density profiles of these atmospheres appear to be converging to a single value slightly above 90 km. Since an acceptable family of high-altitude atmospheres had been defined which now extended downward to a single set of boundary conditions at about 120 km, connection with the seven low-altitude atmospheres which reached 90 km appeared to be a simple chore. Some manipulation of the lapse rates between 90 and 120 km would be required since consistency through the barometric equation must be achieved. Also, consideration had to be given to several newly available soundings, some of which had been presented at Miami during Task Group sessions. Therefore, it was decided to permit modification of the seven low-altitude models to levels as low as 80 km, if necessary, to provide greater flexibility.

The implication of this decision to join all models at 120 km is that latitudinal/seasonal variability, so well defined in the lower layers, becomes essentially damped out and negligible above 90 km. This simplifying assumption was not borne out by examination of most recent data. More realistic conditions for winter, at least for middle latitudes, are represented if the 30°, 45°, and 60° N. January densities at 120 km are approximately 50 percent above the Standard. Mid-latitude summer and low-latitude data grouped around a density some 20 percent below standard at

120 km. The 15° annual and 30°, 45°, and 60° N. July atmospheres could be conveniently extended to that point. In so doing, the density-altitude profiles for all atmospheres had to pass through a density ranging from 10 percent to 15 percent above standard just above 90 km, a level recently noted to be isopycnic (near-constant density). The concept of such a singular point has proved to be most useful.

Two new families of temperature curves for the interface region above 120 km were developed to connect with the Jacchia high-altitude atmospheres. One family starts with 120-km winter conditions, each member joining smoothly at an altitude in the 200- to 250-km region with the corresponding curve in the family of high-altitude atmospheres, whereas the other family starts at 120-km summer conditions and in similar fashion joins high-altitude atmospheres. These continue upward to 1000 km.

Another important point arose. The available spring and fall soundings, although sparse, indicated that density at 120 km is probably very close to standard. In these soundings, densities near 90 km are also shown to approach isopycnic conditions. It is apparent that if we were developing a new Standard today, density should be 10 to 15 percent greater than the present Standard just above 90 km. Since density variability approaches a factor of 3 around 70 km and is known to amount to orders of magnitude at several hundred kilometers, such a small discrepancy is not sufficient justification for a revision of the 1962 Standard at this time. However, it does appear reasonable to provide additional realism in a report on supplementary atmospheres by including "spring/fall" atmospheres. The Standard appears to be a good representation of spring/fall conditions up to about 70 km, above which a departure is convenient through the 91-km isopycnic to 120 km, meeting exactly the basic family of high-altitude atmospheres suggested by Working Group Chairman Jacchia. With these considerations, a density profile can now be constructed which depicts mid-latitude spring/fall conditions at low altitudes and conditions for the heterosphere for any solar position and degree of solar and geomagnetic activity.

In summary, the goal of these efforts is a description of the complete range of atmospheric properties commensurate with known systematic variations for lower altitudes due to latitude and season, and for the heterosphere due to solar activity and angle. Continuity and internal consistency are maintained between all latitudes and altitudes. Two sets of tables, one for the family of atmospheres below 120 km and the other for 120 to 1000 km, are provided. These families are matched at 120 km.

Further refinements are likely in the future, especially between 100 and 200 km, but it is believed that

the greatest possible correspondence with data and theory currently available is presented by the tables of atmospheric profiles in this new COESA publication.

## 1.2 ATMOSPHERIC MODELS

1.2.1 MODELS UP TO 120 KILOMETERS. — Systematic (latitudinal and seasonal) variability of properties of the atmosphere is shown for altitudes up to 120 km by a family of internally consistent Supplementary Atmospheres. The following atmospheres are included:

Title	Latitude	Time of Year
Tropic	15° N.	Annual average up to 120 km.
Subtropic	30° N.	January and July to 80 km; winter and summer 80 to 120 km.
Mid-latitude	45° N.	January and July to 80 km; winter and summer 80 to 120 km. <i>U.S. Standard Atmosphere, 1962</i> to 69 km; spring/fall 69 to 120 km.
Subarctic	60° N.	January and July to 80 km; winter and summer 80 to 120 km. Cold and warm stratospheric-mesospheric regimes to 80 km for January.
Arctic	75° N.	January and July to 30 km. Cold and warm stratospheric regimes to 30 km for January.

Some special considerations employed in the development of this lower altitude family of atmospheres are:

a. The distribution of thermodynamic properties in the January and July atmospheres is consistent with the observed wind fields for altitudes up to 80 km.

b. Atmospheric profiles between 80 and 120 km are based on empirical density profiles for the winter, summer, and transitional months. They provide a hydrostatically consistent link between the season- and latitude-dependent atmospheres below 80 km and the families of atmospheres related to diurnal and solar flux variability above 120 km.

c. Atmospheric models are considered applicable to the northern hemisphere only. However, it is believed that they closely approximate conditions as far south as mid-latitudes in the southern hemisphere.

d. A north pole (90° N.) atmosphere is not provided in the low-altitude family of supplementary atmospheres. The 75° N. atmospheres are believed to be the best approximation to the 90° N. atmosphere that can be developed at this time. They are limited to an altitude of 30 km due to the sparsity of rocket observations at this latitude.

e. Models presenting the vertical distribution of thermodynamic properties are defined by tempera-

ture-altitude profiles in which the vertical gradients of molecular-scale temperature are linear with geopotential altitude.

f. Molecular weight is assumed to be constant, 28.96 to 80 km, decreasing above 80 km to 26.90 in the spring/fall, 27.12 in the winter, and 26.76 in the summer and 15° N. annual atmospheres at 120 km.

g. Special characteristics of these atmospheres, such as the trade inversion of the tropics and distribution of water vapor in the lower layers, are included.

h. Special attention is given to physical features of a global nature, such as isopycnic levels, which help to tie the family of supplementary atmospheres together.

i. A brief discussion on diurnal variability of atmospheric density for altitudes below 90 km is included in Part 2.

1.2.2 MODELS ABOVE 120 KILOMETERS. — A family of atmospheres between 120 and 1000 km is presented with the following 11 exospheric temperatures: 600°, 700°, 800°, 900°, 1000°, 1100°, 1300°, 1500°, 1700°, 1900°, and 2100° K. Each atmosphere corresponding to a single exospheric temperature divides into separate atmospheres denoting variation with season below the matching altitude,  $Z_m$ . These three atmospheres denote typical summer, winter, and spring/fall conditions. The altitude  $Z_m$  varies systematically with exospheric temperature within the range 195 to 255 km. For the lower exospheric temperatures the value of  $Z_m$  is higher for the winter models than for the summer models, but for exospheric temperatures above 1300° K,  $Z_m$  is independent of season.

All the summer atmospheres converge to approximately the same set of conditions at 120 km (density about 20 percent below the Standard), all the winter atmospheres approach another set of conditions (density about 46 percent above the Standard), and all the spring/fall atmospheres converge to a third set of conditions (density 1 percent above the Standard).

## 1.3 BASIC ASSUMPTIONS AND FORMULAS

1.3.1 PRIMARY CONSTANTS. — The numerical values for the various thermodynamic and physical constants used in the computations of atmospheric properties are the same as those given in Table 1.2.1 of the *U.S. Standard Atmosphere, 1962*, with two exceptions. Surface conditions for each of the atmospheres below 120 km are based on hemispheric mean sea-level values of temperature, pressure, density, and relative humidity for the appropriate latitude and month rather than on standard conditions; and accelerations due to gravity at sea level for latitudes other than 45° N. were obtained from the following expression by Lambert (List, 1963)

$$g_\phi = 9.780356 (1 + 0.0052885 \sin^2 \phi - 0.0000059 \sin^2 2\phi) \text{ m sec}^{-2}. \quad (1.1)$$

For 45° N. the value of the acceleration due to gravity at sea level ( $g_0$ ) was taken as 9.80665 m sec<sup>-2</sup>. This value had been used in most of the earlier standard atmospheres and was adopted for the *U.S. Standard Atmosphere, 1962*. It more precisely applies to a latitude of 45°32'33". The value at 45° N. from Lambert's formula is 9.80616 m sec<sup>-2</sup>. The following table shows values of  $g_0$  used in the computations:

TABLE 1.1 ACCELERATION VALUES

Latitude	Values of $g_0$ (m sec <sup>-2</sup> )
0°	9.78036
15° N.	9.78381
30° N.	9.79324
45° N.	9.80665
60° N.	9.81911
75° N.	9.82860
90° N.	9.83208

1.3.2 PERFECT GAS LAW.—It is assumed that dry air and water vapor-air mixture behave in accordance with the perfect gas law:

$$\rho = \frac{MP}{R^*T_v} \quad (1.2)$$

where  $M$  is the mean molecular weight,  $R^*$  is the universal gas constant, and  $T_v$  is the virtual temperature, obtained from the empirical formula

$$T_v = \frac{T}{1 - 0.379(e/P)} \quad (1.3)$$

This is the fictitious temperature which dry air must have at the given pressure  $P$ , in order to have the same density  $\rho$ , as a water vapor-air mixture at the same pressure  $P$ , temperature  $T$ , and vapor pressure  $e$ . The assumption that the mixture behaves as a perfect gas eliminates the necessity for considering minor deviations from the perfect gas law such as the compressibility factor of air which is a function of pressure, temperature, and relative humidity. The error in computed densities resulting from the assumption that air is a perfect gas may approach 0.05 percent below 10 km but becomes less than 0.01 percent above 20 km (List, 1963).

1.3.3 MOLECULAR-SCALE TEMPERATURE.—The molecular-scale temperature  $T_M$  is defined by

$$T_M = \frac{M_0}{M} T \quad (1.4)$$

and

$$T_{Mr} = \frac{M_0}{M} T_r \quad (1.5)$$

is the corresponding relation between  $T_{Mr}$  and the virtual temperature  $T_r$ ;  $M_0$  is the mean molecular weight of air at sea level. Due to molecular dissociation and diffusive separation, the mean molecular weight decreases with altitude above 80 km. Hence the value of  $T_M$  is larger than the value of  $T$  at these altitudes.

1.3.4 HYDROSTATIC EQUATION.—The air is assumed to be in hydrostatic equilibrium and to satisfy the differential equation

$$dP = -\rho g dZ \quad (1.6)$$

where  $Z$  denotes geometric altitude.

1.3.5 GEOPOTENTIAL.—The relationship between geopotential altitude and geometric altitude developed in the *U.S. Standard Atmosphere, 1962* is used at 45° N. For latitudes other than 45° N., the following expressions were used to obtain the relationship between geopotential altitude and geometric altitude. The geopotential at a point whose geometric altitude is  $Z$  is given by

$$\Phi = \int_0^Z g dZ \quad (1.7)$$

where the integration is performed along the line of force which passes through the point.

The geopotential altitude is given by

$$H = \frac{1}{G} \int_0^Z g dZ \quad (1.8)$$

and is in geopotential meters ( $m'$ ) when the unit geopotential  $G$  is set equal to 9.80665 m<sup>2</sup> sec<sup>-2</sup>( $m'$ )<sup>-1</sup>.

The inverse-square law of gravitation provides an expression of  $g$  as a function of altitude with sufficient accuracy for most model atmosphere computations:

$$g = \frac{g_0 r^2}{(r+Z)^2} \quad (1.9)$$

where  $r$  is an effective earth's radius at a specific latitude as given by Lambert's equations (List, 1963). Integration of Eq. (1.8) after substitution of Eq. (1.9) for  $g$ , yields

$$H = \frac{g_0}{G} \left( \frac{rZ}{r+Z} \right) \quad (1.10)$$

or

$$Z = \frac{rH}{\left( \frac{g_0 r}{G} \right) - H} \quad (1.11)$$

Differences between geopotential altitudes obtained from Eq. (1.10) and those computed from the more complex relationship used in developing the *U.S.*

*Standard Atmosphere, 1962* are small. For example, values from Eq. (1.10) for 45° N. are approximately 0.2, 0.4, and 33.3 meters greater at 90, 120, and 700 km, respectively, than those obtained from the relationship used in the Standard.

1.3.6 PRESSURE.—Initial pressures (sea-level values for each atmosphere) were obtained from monthly normal sea-level charts for the northern hemisphere (United States Weather Bureau, 1952) based upon a 40-year period of record and from 5-day normal sea-level charts (Lahey et al., 1958) based upon a 20-year period of record. Vertical pressure distributions for altitudes up to 120 km were calculated using the following equations with the appropriate temperature-altitude profiles in which  $T_M$  is a linear function of geopotential altitude

$$\frac{P}{P_b} = \left( \frac{T_{Mb}}{T_{Mb} + L'_M h} \right)^{\frac{g_0 M_0}{R^* L'_M}} \quad (L'_M \neq 0) \quad (1.12)$$

and

$$\frac{P}{P_b} = \exp \left( -\frac{g_0 M_0 h}{R^* T_{Mb}} \right) \quad (L'_M = 0) \quad (1.13)$$

where  $h = H - H_b$ .

The quantity  $H_b$  is the geopotential altitude at the base of a particular layer characterized by a specific value of  $L'_M$ , the gradient of the molecular-scale temperature with geopotential altitude.  $T_{Mb}$  and  $P_b$  are the respective values of  $T_M$  and  $P$  at the altitude  $H_b$ . It should be noted that  $T_{M_r}$  was substituted for  $T_M$  at levels below 10 km.

1.3.7 MODELS ABOVE 120 KILOMETERS.—The additional equations and specific techniques used to calculate the models above 120 km are described in Part 3, Section 3.1.

1.3.8 THERMAL WIND EQUATION.—The thermal wind equation is

$$\Delta u = \frac{gh}{2\omega \bar{T} \sin \phi} \frac{\partial T}{\partial Y} \quad (1.14)$$

where  $\Delta u$  is the change in east-west wind component through the vertical layer  $h = H - H_b$ ,  $\bar{T}$  is the mean temperature of the layer,  $\omega$  is angular velocity of earth,  $\phi$  is latitude, and  $\partial T / \partial Y$  the north-south temperature gradient.

## 1.4 DERIVED QUANTITIES

1.4.1 SPEED OF SOUND.—The expression adopted for the computation of the speed of sound is the same as that used in the *U.S. Standard Atmosphere, 1962*.

$$C_s = \left( \gamma \frac{R^*}{M_0} T_M \right)^{1/2} \quad (1.15)$$

where  $\gamma$  is the ratio of specific heat of air at constant pressure to that at constant volume and is taken to be 1.40 (dimensionless). Owing to the limitations of Eq. (1.15) at low pressures and high altitudes, tabulations of values for the speed of sound are terminated at 90 km.

1.4.2 COEFFICIENT OF VISCOSITY.—The coefficient of viscosity is defined as a coefficient of internal friction developed where gas regions move adjacent to each other at different velocities. The expression used to compute coefficients of viscosity in the *U.S. Standard Atmosphere, 1962* was used for computation of the tables:

$$\mu = \frac{\beta T^{3/2}}{T + S} \quad (1.16)$$

where  $\beta$  is a constant equal to  $1.458 \times 10^{-6} \text{ kg sec}^{-1} \text{ m}^{-1} (\text{°K})^{-1/2}$  and  $S$  is Sutherland's constant, equal to 110.4° K. Equation (1.16) fails for conditions of very high and very low temperatures and under conditions occurring at great altitudes. Consequently, tabular entries for the coefficient of viscosity have been terminated at 90 km.

1.4.3 COEFFICIENT OF THERMAL CONDUCTIVITY.—The same empirical expression as that adopted for the 1962 Standard was used to obtain the tabular values of the coefficient of thermal conductivity:

$$k = \frac{6.325 \times 10^{-7} T^{3/2}}{T + 245.4 \times 10^{-(12/T)}} \quad (1.17)$$

Tabular values of thermal conductivity are terminated at 90 km owing to the limitations of Eq. (1.17) at higher levels.

It should be noted that in computing the derived quantities at altitudes below 10 km,  $T_r$  was substituted for  $T$  and  $T_{M_r}$  for  $T_M$ .



PRECEDING PAGE BLANK NOT FILMED.

PART 2  
Atmospheric Models Up to 120 Kilometers

PRECEDING PAGE BLANK NOT FILMED.

PART 2

Atmospheric Models Up to 120 Kilometers

2.0 INTRODUCTION

The defining parameter of the Supplementary Atmospheres below 120 km is molecular-scale temperature presented by linear gradients in geopotential altitude. Relative humidity has been specified at levels up to and including 10 km in the mean annual 15° N. and all January and July atmospheres. The mid-latitude spring/fall atmosphere is the same as the 1962 Standard up to 69 km and consequently is a dry atmosphere.

Vertical pressure and density distributions were calculated from virtual temperature-altitude profiles using the barometric equations from Part 1 and appropriate sea-level pressures. Tables of the virtual temperatures and other properties of the 14 Supplementary Atmospheres, discussed in this section, are given in Part 5.

2.1 CONSTRUCTION OF ATMOSPHERIC MODELS FOR ALTITUDES BELOW 120 KILOMETERS

2.1.1 BELOW 80 KILOMETERS.—Temperature-altitude profiles of the mean January and July atmospheres at 30°, 45°, 60°, and 75° N., and the mean annual atmosphere at 15°N. are based on the temperature-altitude cross section in Figure 2.1. The temperature distribution shown for levels below 30 km was obtained from radiosonde observations. Mean northern hemispheric values were computed at various latitudes from available summaries by giving equal weight to observed and interpolated temperature data at each 10 degrees of longitude. Mean monthly values of relative humidity, Table 2.1, were obtained in a similar manner for levels below 10 km. The initial pressures (sea-level values for each atmosphere) were obtained from monthly




FIGURE 2.1.—Temperature-altitude cross section for January and July.

TABLE 2.1.—VIRTUAL TEMPERATURE STRUCTURE TO 10 KM

15° N. Annual						
Altitude <i>H</i> , m'	Temp <i>T</i> , °K	Virtual Temp <i>T<sub>v</sub></i> , °K	Humidity %			
0000	299.65	302.59	75			
1000	293.65	295.89	75			
2000	287.65	289.34	75			
2250	286.15	287.72	75			
2500	286.95	287.74	35			
4000	276.90	277.36	35			
6000	263.50	263.71	35			
8000	250.10	250.17	30			
10000	236.70	236.72	20			
January 30° N. July						
Altitude <i>H</i> , m'	Temp <i>T</i> , °K	Virtual Temp <i>T<sub>v</sub></i> , °K	Humidity %	Temp <i>T</i> , °K	Virtual Temp <i>T<sub>v</sub></i> , °K	Humidity %
0000	287.15	288.52	80	301.15	304.58	80
1000	284.15	285.24	70	293.65	295.58	65
2000	281.15	281.86	50	288.15	289.54	60
3000	274.65	275.10	45	282.65	283.72	60
4000	268.15	268.39	35	277.15	277.82	50
6000	255.15	255.24	30	266.15	266.44	40
8000	242.15	242.18	30	252.15	252.27	40
10000	229.15	229.16	30	238.15	238.18	30
January 45° N. July						
0000	272.15	272.59	77	294.15	296.22	75
1000	268.65	269.00	70	289.65	291.14	65
2000	265.15	265.43	65	285.15	286.19	55
3000	261.65	261.85	55	279.15	279.78	45
4000	255.65	255.77	50	273.15	273.55	40
6000	243.65	243.70	45	261.15	261.30	30
8000	231.65	231.66	35	248.15	248.21	30
10000	219.65	219.65	30	235.15	235.17	30
January 60° N. July						
0000	257.15	257.28	80	287.15	288.45	75
1000	259.15	259.31	70	281.75	282.68	70
2000	255.95	256.09	70	276.35	277.06	70
3000	252.75	252.86	65	270.95	271.45	65
3500	251.15	251.24	60	268.25	.....	.....
4000	247.75	247.82	60	265.55	265.89	60
5000	240.95	.....	.....	260.15	260.38	55
6000	234.15	234.17	50	253.15	253.28	50
8000	220.55	220.55	40	239.15	239.18	40
10000	.....	.....	.....	225.15	225.15	30

TABLE 2.1 (Continued)

Altitude <i>H</i> , m'	Temp <i>T</i> , °K	Virtual Temp <i>T<sub>v</sub></i> , °K	Humidity %	Temp <i>T</i> , °K	Virtual Temp <i>T<sub>v</sub></i> , °K	Humidity %
	January			July		
	75° N.					
0000	249.15	249.22	80	278.15	278.92	85
1000	252.15	252.23	65	275.55	276.19	75
1500	253.65	253.74	60	274.25	.....	.....
2000	250.90	250.98	60	272.95	273.46	65
2500	248.15	.....	.....	271.65	272.14	65
3000	245.40	245.45	55	268.40	.....	.....
4000	239.90	239.93	50	261.90	262.13	55
6000	228.90	228.91	45	248.90	248.98	45
8000	217.90	217.90	40	235.90	235.92	35
9500	.....	.....	.....	226.15	226.16	30
10000	.....	.....	.....	226.65	226.66	20

normal sea-level charts of the northern hemisphere (USWB 1952) based upon a 40-year period of record and from 5-day normal sea-level charts (Lahey et al., 1958) based on a 20-year period of record. In the development of the temperature field between 30 and 80 km, temperature, density, and pressure observations, taken from December through February and June through August, were considered in arriving at mean monthly values for January and July. The thermal wind equation was employed to obtain estimates of the latitudinal pressure and temperature distributions from available zonal wind observations at various heights above 30 km.

Observed characteristics of the atmosphere such as the level of minimum latitudinal and seasonal temperature variability near 65 km (Nordberg and Smith, 1962), the level of minimum density variability near 90 km (Cole, 1961), and the inverse relationship between mean monthly temperatures at 50 km and those near 70 km (Figures 2.2 and 2.3) were used in arriving at an internally consistent thermal structure for the Supplementary Atmospheres.

A mean annual atmosphere rather than monthly atmospheres was adopted for 15° N. since the monthly variability of the temperature-altitude structure in the tropics appears to be relatively small at levels for which data are available. In addition, the sparsity of observations above 30 km in tropical areas makes it impractical at this time to develop monthly atmospheres between 30 and 80 km. Recent meteorological rocket network observations at Ascension, 8° S., Antigua, 17° N., Grand Turk, 21° N., and San Salvador, 24° N., and falling sphere measurements at Kwajalein, 9° N. (Peterson et al., 1964) leave little doubt that at equatorial latitudes the seasonal variations are minimal.

Typical features of the thermal structure of the tropical atmosphere not evident in Figure 2.1 have

been incorporated into the mean annual temperature-altitude profile for 15° N. (Figure 2.3). For example, routine averaging of monthly temperature-altitude data indicates an isothermal layer about 2 km thick from 16 to 18 km. An examination of daily observations, however, reveals a sharp inversion at the tropopause. This sharp inversion, a feature typical of the tropical atmosphere, has been retained and appears at 16.5 km, the mean annual tropopause altitude at 15° N. The average altitude and magnitude of the trade wind inversion, characteristic of the temperature structure between 2 and 3 km over tropical ocean areas, also have been included in the 15° N. temperature-altitude profile. In addition, surface temperature inversions, normally observed during the winter in arctic and subarctic regions, are incorporated into the January temperature-altitude profiles for 60° and 75° N. (Figure 2.2).

Profiles representative of the cold and warm stratospheric regimes observed at 60° and 75° N. in January are shown in Figures 2.4 and 2.5. The frequency of occurrence of warm and cold stratospheric regimes varies with longitude at both 60° and 75° N. Temperature-altitude structures below 30 km for the cold and warm stratospheric regimes at 60° and 75° N. are based on radiosonde observations taken over northeastern Canada during January and the first week of February. Due to insufficient rocket observations at 75° N., temperature-altitude profiles for January and July and the cold and warm winter stratospheric regimes could not be provided for altitudes above 30 km. The two regimes above 30 km at 60° N. are based primarily on rocket observations taken at Fort Churchill (59° N.) during observed cold and warm stratospheric conditions. Most of the available winter grenade observations were taken during days with a cold stratosphere, whereas warm conditions were recorded by a number of thermistor and falling-sphere observations. The num-




FIGURE 2.2. — Temperature-altitude profiles of the 30°, 45°, 60°, and 75° N. January and mid-latitude spring/fall Supplementary Atmospheres.




FIGURE 2.3. — Temperature-altitude profiles of the 30°, 45°, 60°, and 75° N. July and 15° N. mean annual Supplementary Atmospheres.

ber of observations above 50 km, however, is inadequate for determining mean temperature-altitude profiles for these cold and warm January regimes. Consequently, the profiles above 50 km are intended only to depict temperatures typical of those obtained from the few rocket observations made during these regimes at Fort Churchill.

The first 69 km of the temperature-altitude profile of the mid-latitude spring/fall atmosphere (Figure 2.2) is the same as that for the *U.S. Standard Atmosphere, 1962*; the portion between 69 and 80 km is based on recent density observations and is intended to approximate mean conditions during the periods of March/April and September/October.

TABLE 2.2.—TEMPERATURE ( $T_M$ , °K) STRUCTURE BELOW 120 KM

15° N.			45° N.		
Altitude <i>H</i> , m'	Annual		Altitude <i>H</i> , m'	January	July
0000	299.65		0000	272.15	294.15
2250	286.15		2000	.....	285.15
2500	286.95		3000	261.65	.....
16500	193.15		6000	.....	261.15
22000	215.15		10000	219.65	.....
47000	270.15		13000	.....	215.65
51000	270.15		17000	.....	215.65
59000	254.15		19000	215.15	.....
81000	177.15		27000	215.15	227.65
89000	177.15		32000	219.15	238.15
100000	199.15		47000	265.65	275.65
110000	270.65		52000	265.65	275.65
117496	410.90		62000	.....	250.65
30° N.			64000	241.65	.....
<i>H</i> , m'    January    July			81000	.....	165.15
			84000	199.65	.....
0000    287.15    301.15			89000	.....	165.15
			90000	199.65	.....
1000    .....    293.65			100000	227.65	200.35
			110000	282.25	295.25
2000    281.15    .....    266.15			117776	355.90	410.90
			45° N.		
6000    .....    203.15			<i>H</i> , m'    Spring/Fall		
			0000    288.15		
12000    216.15    .....    203.15			11000    216.65		
			20000    216.65		
15000    .....    203.15			32000    228.65		
			47000    270.65		
16000    .....    203.15			52000    270.65		
			61000    252.65		
17000    203.15    .....    214.15			69000    220.65		
			79000    190.65		
18000    .....    214.15			90000    190.65		
			100000    210.65		
21000    .....    214.15			110000    254.25		
			117776    382.24		
22000    213.15    .....    236.15			0000    288.15		
			11000    216.65		
32000    233.15    236.15			20000    216.65		
			32000    228.65		
47000    269.15    272.15			47000    270.65		
			52000    270.65		
51000    269.15    272.15			61000    252.65		
			69000    220.65		
59000    253.15    256.15			79000    190.65		
			90000    190.65		
79000    191.15    .....    172.55			100000    210.65		
			110000    254.25		
81000    .....    172.55			117776    382.24		
			0000    288.15		
88000    191.15    .....    172.55			11000    216.65		
			20000    216.65		
89000    .....    172.55			32000    228.65		
			47000    270.65		
100000    233.15    198.95			52000    270.65		
			61000    252.65		
110000    290.85    283.25			69000    220.65		
			79000    190.65		
117612    355.90    410.90			90000    190.65		
			100000    210.65		
			110000    254.25		
			117776    382.24		

TABLE 2.2 (Continued)

60° N.			60° N.		
Altitude <i>H</i> , m'	January	July	<i>H</i> , m'	January Cold	January Warm
0000	257.15	287.15	50000	256.15	268.15
1000	259.15	.....	54000	256.15	268.15
3500	251.15	.....	59000	243.15	.....
5000	.....	260.15	71000	255.15	225.65
8500	217.15	.....	79108	238.93	221.60
10000	.....	225.15	75° N.		
15000	217.15	.....	<i>H</i> , m'    January    July		
23000	.....	225.15	0000    249.15    278.15		
25000	211.15	.....	1500    253.65    .....    271.65		
32000	.....	238.65	2500    .....    .....    271.65		
34000	220.15	.....	8500    215.15    .....    226.15		
43000	.....	271.65	9500    .....    .....    226.15		
48000	.....	277.15	11500    213.65    .....    230.15		
50000	260.15	.....	13500    .....    .....    230.15		
53000	.....	277.15	19000    207.65    .....    237.95		
54000	260.15	.....	30000    207.65    .....    237.95		
59000	251.15	265.15	75° N.		
69000	246.15	.....	<i>H</i> , m'    January Cold    January Warm		
81000	.....	161.75	0000    .....    249.15		
89000	202.15	161.75	1500    .....    253.65		
100000	226.35	200.25	8500    .....    215.15		
110000	273.15	303.45	11000    .....    222.15		
117930	355.90	410.90	17000    .....    222.15		
60° N.			25000    197.15    226.15		
<i>H</i> , m'    January Cold    January Warm			30000    197.15    233.65		
0000    .....    257.15			25500    .....    224.15		
1000    .....    259.15			30000    199.15    .....    235.65		
3500    .....    251.15			37000    .....    235.65		
8500    .....    217.15			40000    228.15    .....    228.15		
12000    217.15    224.15					
25500    .....    224.15					
30000    199.15    .....    206.15					
35000    206.15    .....    235.65					
37000    .....    235.65					
40000    228.15    .....    228.15					

2.1.2 BETWEEN 80 AND 120 KILOMETERS.—The Supplementary Atmospheres outlined in this section have been based on an analysis of experimental data, described in Section 2.4.2, as well as on theory.

Estimates of the mean density deviations from Standard, between 80 and 120 km, are shown as a function of latitude and season in Figure 2.6. These curves, which are based primarily on experimental data, connect at 80 km with the density profiles of the January and July atmospheres for 30°, 45°, and 60° N., the mean annual atmosphere for 15° N., and the mid-latitude spring/fall atmosphere for 45° N. which were discussed in the previous section. The approximate isopycnic level near 90 km should be noted, as well as the large density variation in the altitude region 110 to 120 km.

TABLE 2.3—MOLECULAR WEIGHTS FOR SUPPLEMENTARY ATMOSPHERES

<i>Z</i> , km	Summer	Winter	Spring/Fall
80	28.96	28.96	28.96
85	28.95	28.95	28.95
90	28.94	28.94	28.94
95	28.75	28.79	28.77
100	28.23	28.34	28.28
105	27.78	27.96	27.86
110	27.39	27.63	27.49
115	27.05	27.35	27.17
120	26.76	27.12	26.90




FIGURE 2.4.—Temperature-altitude profiles for 60° N. January mean and cold and warm regime atmospheres.

The density curves in Figure 2.7 are essentially an idealization of those plotted in Figure 2.6. The isopycnic is more pronounced. To reduce the number of boundary conditions at 120 km the curves have been drawn into three points. The first is for spring/fall conditions which match the boundary conditions used by Jacchia (1964) in the development of atmospheric models for levels above 120 km. Density is 1.01 percent higher than the *U.S. Standard Atmosphere, 1962*. The second point is for typical winter conditions with a density about 46 percent greater than Standard and the final point is for summer and tropical conditions with a density 20 percent lower than Standard.

Models for the region 80 to 120 km were developed by choosing suitable temperature-altitude profiles, consisting of straight-line segments of molecular temperature ( $T_M$ ) in terms of geopotential altitude, which yield density profiles approximately the same as those shown in Figure 2.7.

To obtain values of kinetic temperature ( $T$ ) from the molecular temperatures it is necessary to have values of mean molecular weight as a function of altitude for

levels between 80 and 120 km. Suitable values were derived (Champion, 1966a) and are given in Table 2.3.

**2.1.3 DEFINING PROPERTIES.**—Adopted molecular scale temperature-altitude structures for each of the 14 atmospheres are shown in Table 2.2. Mean monthly values of relative humidity, ambient temperature, and the resulting virtual temperatures for the lowest 10 km are shown in Table 2.1. Above 10 km the difference between virtual and ambient temperatures is insignificant, since humidity produces a negligible virtual temperature increment at the colder temperatures. It should be noted that the mid-latitude spring/fall atmosphere is the same as the 1962 Standard up to 69 km and is a dry atmosphere.

## 2.2 LATITUDINAL AND SEASONAL VARIATIONS

Maximum and minimum mean monthly temperature, pressure, and density do not occur at all latitudes between the surface and 120 km in the same month or season. Consequently, the tabulated properties of the January and July Supplementary Atmospheres presented in Part 5 do not represent extreme mean monthly conditions at all altitudes. They do, however, provide an indication of the magnitude of the latitudinal and seasonal variability which can be expected at these levels in the atmosphere.

**2.2.1 TEMPERATURE.**—Temperature extremes at altitudes below 20 km occur in January and July at most locations between 30° and 75° N. In the stratosphere, however, semiannual and biennial temperature oscillations complicate the annual temperature distribution. The magnitude of the annual cycle is largest at high latitudes, decreasing toward the equator. The amplitudes of the biennial and semiannual cycles are largest near the equator, decreasing toward the poles. The phases, as well as the amplitudes of these temperature oscillations, change with latitude and altitude. A sufficient sample of observations is not available above 30 km from which to establish the vertical extent and magnitude of the biennial oscillation in equatorial regions. North of 15° latitude, however, the annual and semiannual cycles appear to be stronger and tend to obscure the biennial oscillation. Observations show that the semiannual oscillation produces two pronounced maxima and minima within the annual stratospheric temperature cycle in tropical and subtropical regions (Cole et al., 1965). At mid-latitudes the combined semiannual and annual components shift the time of maximum temperature in the stratosphere toward early June or May (Batten, 1963).

Radiosonde data which extend to 30 km indicate that two thermal regimes exist in the winter stratosphere in arctic and subarctic regions (Figures 2.4 and 2.5). In January the cold regime predominates by roughly four-to-one over northeastern Canada (McClain, 1961; Belmont, 1962), whereas the warm regime prevails by nearly eight-to-one in the Aleutian area. Explosive






FIGURE 2.5. — Temperature-altitude profiles for 75° N. January mean and cold and warm regime atmospheres.




FIGURE 2.6.—Mean density variations with latitude and season, 80 to 120 km.




FIGURE 2.7.—Idealized mean seasonal and latitudinal density variations, 80 to 120 km.

warmings, the abrupt change from a cold to an extremely warm regime, occur during the winter in the arctic and subarctic stratosphere and mesosphere and can produce large departures in a given season or month from annual temperature cycles based on long-term averages. The frequency of such occurrences depends on longitude as well as on latitude. Recent meteorological rocket observations between 30 and 50 km indicate that these explosive warmings occasionally affect the stratospheric circulation as far south as Wallops Island, 38° N.

The meridional temperature gradient (Figure 2.1) varies with altitude and season. In the troposphere, from the surface to roughly 10 km, temperatures decrease toward the pole in both seasons. The north-south gradient, however, is much larger during January than July. In July there is a reversal of the meridional temperature gradients between 10 and 15 km; temperatures above these levels increase toward the pole rather than the equator. The thermal structure in this region is not as well defined in January because of the relatively large variations with latitude in the thickness of isothermal and near-isothermal regions immediately above the tropopause.

In the upper stratosphere and lower mesosphere, 25 to 60 km, temperatures increase toward the pole in July and toward the equator in January. This is in accord with expected seasonal variations in the solar heating at these altitudes. At the stratopause, the region of maximum temperature near 50 km, the mean monthly temperature at 60° N. is approximately 17° K warmer in July than in January. The corresponding change at 30° N. is 3° K.

The meridional temperature gradients reverse again above 65 km and temperatures increase toward the pole in January and decrease in July in the upper mesosphere and lower thermosphere, 70 to 110 km. Temperatures in this region are inversely related to those in the stratosphere. A warm stratopause, for example, is normally associated with a cold mesopause. Grenade soundings taken in northern Sweden during 1963 and 1964 (Witt et al., 1965) confirm the existence of this inverse relationship between stratopause and mesopause temperatures during the summer months at northern latitudes. Near 80 km temperatures average 50° K warmer in January than July at 60° N. Seasonal differences at this level, however, decrease with latitude to approximately 10° K at 30° N.

The step function in the north-south temperature gradient at 120 km (Figures 2.2 and 2.3) is the result of an arbitrary decision to establish three sets of boundary conditions at this altitude, the interface between seasonally- and latitudinally-defined atmospheres below 120 km and the family of atmospheres related to solar activity above 120 km. The altitude interval between 100 and 180 km is the least explored region of the atmosphere. Operational meteorological rockets

do not reach above 70 km, and satellites seldom orbit below 150 km. Consequently, data presented for this region are considered only an approximation of actual conditions.

**2.2.2 DENSITY AND PRESSURE.**—Density profiles for each of the Supplementary Atmospheres are shown in Figures 2.8 and 2.9 as percentage departure from Standard. The region of minimum seasonal and latitudinal variability in density near 8 km represents the first isopycnic level where density remains relatively constant throughout the year regardless of location. A second isopycnic level appears to exist just above 90 km where density profiles of all latitudes and seasons tend to converge or cross at a density roughly 10 percent greater than Standard (Cole, 1961; Champion, 1965). This concept of a second isopycnic level near 90 km is supported by density observations and observed wind and temperature distributions between 60 and 100 km. The levels of maximum seasonal and latitudinal variability in atmospheric density occur between 65 and 75 km and 100 to 120 km. Seasonal variability is greatest at high latitudes. To reduce the number of boundary conditions at 120 km the density profiles (Figures 2.6 and 2.7) have been arbitrarily drawn into three points. The limitations discussed in the previous section on temperature also apply to density between 100 and 120 km.

Density profiles associated with typical warm and cold stratospheric and mesospheric thermal regimes observed at 60° and 75° N. in January are shown in Figures 2.8 and 2.9, also in terms of percentage departures from Standard. The profiles for 60° N. in Figure 2.8 indicate that during January at 70 km, the warm regime density is approximately 80 percent greater than the cold regime density. Although these atmospheres are intended to depict typical January conditions, similar conditions can occur in the arctic and subarctic during other winter months.

The pressure profiles in Figures 2.10 and 2.11 are similar to those for density. A level of minimum seasonal pressure variability exists near 85 km which reflects the negative correlations between temperatures at altitudes above 70 km and below 60 km. The limitations that apply to the density between 100 and 120 km owing to the assumption of only three sets of boundary conditions at 120 km also apply to the pressure at these altitudes.

### 2.3 DIURNAL VARIATIONS OF DENSITY TO 90 KILOMETERS

One of the more important aspects of the variability of density is the diurnal variation, that is, the variation within a 24-hour period which remains after synoptic-scale effects are eliminated. Since sufficient observational evidence is not yet available to describe definitively the diurnal variation between 30 and 90 km, some speculation is necessary.




FIGURE 2.8.—Departures of Supplementary Atmosphere densities from Standard.

The diurnal variation of density is attributed, in part, to the rise and fall of the constant density surfaces in association with thermally- and gravitationally-produced oscillations of the atmosphere. From a consideration of the relative radiational and gravitational forces acting on the lower and upper atmosphere, and taking into account the high density of the lower atmosphere, one expects that oscillations of the lower atmosphere should be of relatively small amplitude. Thus, the diurnal variation of density due to atmospheric oscillations at the heights of interest should be correspondingly small.

Near sea level the diurnal range is generally 1 percent to 6 percent of the minimum density, depending on climatological regime. Maximum density tends to occur near the time of minimum temperature, as a rule, shortly before sunrise.

In the free air to a height of about 30 km, the expected diurnal range varies from less than 1 percent to as much as 2 percent of the minimum density. Maximum density is expected during nighttime below about 10 km, and in daytime above that altitude.

At about 30 to 40 km, the diurnal range is expected to be about 2 to 5 percent. However, suitable observational data are lacking for a final determination.

Minimum density is expected during the day in phase with diurnal heating due to the absorption of solar radiation by ozone.

From 45 to 90 km, the structure of diurnal density variability may be complicated by the variable influence of lunar gravitational oscillations of the atmosphere. When the lunar effect is combined with the effect of diurnal atmospheric expansion related to the absorption of heat in the ozonosphere, a complicated diurnal density wave with variable amplitude can be expected. Tentative observational evidence from three series of ROBIN falling-sphere soundings on 10 and 18 May 1961 and 12 October 1962 at Eglin Air Force Base, Florida, suggests a diurnal range of about 10 percent, possibly as high as 25 percent, in the vicinity of 60 km. Maximum density occurred during the afternoon. At about 95 km, results from meteor observations (Hall, 1960) suggest a diurnal density range of 30 percent or more with maximum density during late afternoon. However, the accuracy of density values deduced from meteor observations is rather uncertain.

From the foregoing, it may be estimated that the factor by which the daytime density exceeds the minimum at heights of from 50 to 90 km varies from




FIGURE 2.9.—Departures of 75° N. Atmosphere densities from Standard.

1.10 to 1.25. However, at times when the lunar tidal oscillation and the thermally induced oscillation are of the same or opposite phase, this factor might take on values greater than 1.25 or less than 1.10, respectively. Estimated ratios of the diurnal maximum and minimum densities for altitudes up to 90 km are presented in Figure 2.12.

The apparent existence of a quasi-isopycnic level near 90 km would seem to suggest that the diurnal variation has a minimum in this region. A minimum at 90 km, however, would be difficult to reconcile with the amplitude deduced at 95 km from meteor results. In view of the uncertainty, an alternate curve has been entered between 70 and 90 km in Figure 2.12. It is emphasized that sustained observational series which might permit a definitive evaluation of the diurnal variations between 30 and 90 km are not yet available. Although Figure 2.12 clearly does not provide final information, it is at least indicative of the various unsolved problems surrounding the diurnal variation.

### 2.4 SUPPORTING DATA

2.4.1 BELOW 80 KILOMETERS.—Data available for constructing the various atmospheres to 80 km com-

prise radiosonde observations at stations within a few degrees of latitudes 15°, 30°, 45°, 60°, and 75° N. and observations made from rockets and instruments released from rockets. The rockets were fired at the following locations:

Locations	Latitude
Kwajalein	9° N.
Eniwetok	11° N.
Guam	13° N.
Kauai	22° N.
Cape Kennedy	28° N.
Eglin AFB	30° N.
Kindley AFB	32° N.
White Sands Missile Range	32° N.
Point Mugu	34° N.
Wallops Island	38° N.
Tonopah Range	38° N.
Michikawa, Japan	40° N.
Fort Churchill, Canada	59° N.
Fort Greely, Alaska	64° N.
Point Barrow, Alaska	71° N.
Ascension Island	8° S.
Woomera, Australia	31° S.
Aboard Ship	North Atlantic

Although there has been a recent increase in the number of locations taking meteorological rocket observations, the preponderance of available data is for North America. This is particularly true for levels above 50 km.

Recently compiled distributions of observed data are compared to adopted mean monthly values for January and July in Figures 2.13, 2.14, 2.15, and 2.16. Temperatures obtained from thermistor and grenade observations taken at locations near 30° latitude are plotted with temperature-altitude profiles for the 30° N. atmospheres in Figure 2.13. The mean monthly thermistor temperatures that are shown for Point Mugu, 34° N., White Sands, 32° N., and Cape Kennedy, 28° N., are based on Meteorological Rocket Network (MRN) observations taken during the period 1961 through 1965. Mean seasonal grenade values are based on experimental observations taken at Wallops Island, 38° N. (Nordberg et al., 1965, Smith et al., 1964) and Woomera, 31° S. (Groves, 1965) during the period 1959 through 1964. Thermistor and grenade observations for each location and level, in approximate number, are given in Tables 2.4 and 2.5. Many of the observations were made after the atmospheric models were constructed. Seasonal rather than monthly means are presented for the grenade data because of the sparsity of January and July observations above 55 km.

A similar comparison is made in Figure 2.14 between the temperature-altitude profiles for the mean January




FIGURE 2.10.—Departures of Supplementary Atmosphere pressures from Standard.

TABLE 2.4.—NUMBER OF JANUARY AND JULY MRN THERMISTOR OBSERVATIONS

Altitude km	Point Mugu		White Sands		Cape Kennedy		Fort Churchill		Fort Greely		West Geirinish	
	Jan	July	Jan	July	Jan	July	Jan	July	Jan	July	Jan	July
30	17	17	21	30	25	22	8	11	10	2	10	
35	16	17	21	29	24	22	7	11	10	2	10	
40	13	15	22	27	25	22	6	11	10	2	9	
45	12	15	18	26	22	22	6	11	9	2	9	
50	5	14	9	23	19	21	5	10	8	2	8	
55		9	7	21	10	19					8	
60											8	

TABLE 2.5.—NUMBER OF GRENADE OBSERVATIONS FOR ALTITUDES ABOVE 50 KM

Season	Wallops	Woomera	Fort Churchill
Winter	17	3	13
Summer	10	3	8

and July atmospheres for 60° N. and temperature observations made at Fort Churchill, 59° N., Fort Greely, 64° N., and West Geirinish, 57° N. It should be noted that the Fort Greely January temperatures between 30 and 40 km are considerably warmer than those for Churchill and West Geirinish. Radiosonde data indicate that similar differences exist at 20 to 25 km. Consequently, it appears that these differences




FIGURE 2.11.—Departures of 75° N. Atmosphere pressures from Standard.

are due to longitudinal variations in stratospheric temperatures. The Fort Greely temperatures, however, are in close agreement with those for the 60° N. warm January atmosphere in Figure 2.4.

A summary of MRN and other density data for January and July from locations near 30° N. and 60° N. latitude is provided in Figures 2.15 and 2.16. Density is presented as percentage departure from the *U.S. Standard Atmosphere, 1962*. The horizontal arrows indicate a range in density at various levels which contains approximately 95 percent of the observed values. The data below 50 km are from MRN observations taken in January and July and the estimated 95 percent ranges are based on two standard devia-




FIGURE 2.12.—Approximate values of diurnal density variability up to 90 km.

tions. The density ranges at altitudes above 50 km are estimates based on departures of grenade, falling sphere, and pressure gage measurements from individual monthly means during the summer and winter seasons. Note that at the higher latitudes the distribution of observed densities around the monthly means is not symmetrical. The January density distributions for 60° N. are based primarily on Fort Churchill data and are undoubtedly influenced by the two thermal regimes which tend to produce bimodal temperature distributions in the arctic and subarctic winter stratosphere and mesosphere. The skewed July distribution is probably a result of the inadequate data sample.

The indicated density variability includes some diurnal and semi-diurnal variations due to solar and lunar effects since the observations on which the estimates are based were not all taken at the same hour of the day. They also include observational errors which comprise part of the observed variability. Re-






FIGURE 2.13.—Comparison of some observed temperatures with 30° N. temperature-altitude profiles.

cent experimental observations between 80 and 120 km are presented in Section 2.4.2.

Summer and winter pressure profiles based on approximately 61 rocket grenade soundings (Nordberg et al., 1965) are shown as percentage departure from Standard in Figure 2.17. These profiles, which are similar to those shown for the various models in Figure 2.10, indicate that in this altitude range winter pressures are lower and summer pressures generally higher than Standard. The seasonal variation is largest at high latitudes. It should also be noted that the range of seasonal and latitudinal variations is small at 85 km.

The thermal wind relationship was employed to obtain estimates of the temperature distribution with latitude from available zonal wind observations at various altitudes between 30 and 80 km. Geostrophic zonal wind components computed from the latitudinal pressure gradients of the Supplementary Atmospheres are compared with recent zonal wind summaries based on appropriate MRN and grenade observations (Figures 2.18 and 2.19).

Observed zonal winds at Wallops Island, 38° N., and Green River, 39° N. (Figure 2.18), locations approxi-

mately halfway between 30° and 45° N., compare favorably with the geostrophic values computed from the 30° and 45° N. atmospheres.

Observations are not available for a point midway between 45° and 60° N. Instead, January and July zonal wind observations at Fort Churchill, Fort Greely, and West Geirinish, locations near 60° N., have been compared in Figure 2.19 with the computed geostrophic winds between 45° and 60° N. The values observed in July at Fort Churchill and Fort Greely are in relatively good agreement with the computed winds. Observed winds for January, however, vary considerably with longitude. Fort Greely at 146° W. has the lightest and West Geirinish at 7° W. the strongest zonal winds, with Churchill values intermediate. An analysis of available data at Fort Churchill indicates that strong westerly winds above 30 km normally are associated with a cold stratosphere. The Churchill winds which were used to determine the temperature gradient in this region were weighted on a four-to-one basis, the ratio of cold to warm stratospheric regimes in January. This provides a January wind distribution which compares favorably with the geostrophic zonal




FIGURE 2.14. — Comparison of some observed temperatures with 60° N. temperature-altitude profiles.

winds computed from the pressure distribution between the January 45° and 60° N. atmospheres.

2.4.2 BETWEEN 80 AND 120 KILOMETERS.—Data available for extending the latitudinal and seasonal atmospheres from 80 to 120 km comprise primarily density measurements. Summaries of recent measurements and results of previous analyses of data in this region are presented and discussed in this section.

An analysis of data from 13 falling sphere firings at Kwajalein (Peterson et al., 1965) is contained in Figure 2.20. The plotted curve represents the mean density values given as percentage departure from Standard. On either side of the mean curve are plotted curves indicating the standard deviation (Crowley and Sandlin, 1964) of the individual observations about the observed means. The mean curve is considered the best available estimate of the annual average density for 10° latitude.

Results obtained by Peterson (1964) from two flights of radar tracked one-meter inflatable spheres at Wallops Island in June 1961 and 1962 are shown in Figure 2.21. Figure 2.21 also contains a mean curve and envelope curves which indicate the range of observed densities at 38° N. in June.

Estimates (Kantor and Cole, 1963) of the mean summer and winter density profiles for 45° and 60° N. are

plotted as percentage departures from Standard in Figure 2.22. The 45° N. profiles, based on observed wind and thermodynamic properties, are probably accurate up to 110 km but uncertain above that altitude. This applies particularly to the crossing of the curves and reversal above 123 km. The curves for 60° latitude are based on a few measurements at Churchill (59° N.). The observed values appear to verify the trend toward greater seasonal fluctuation with increasing latitude. The level of maximum seasonal variability appears to lie between 110 and 120 km at latitudes higher than 30°. Above this level the seasonal variability probably decreases.

Figure 2.23 contains the results of 12 falling sphere density measurements. Six were made at White Sands (Faure and Champion, 1965) and six at Eglin AFB (Faure and Champion, 1966). At levels between 60 and 80 km the measured densities range from 10 percent greater to approximately 16 percent less than Standard. Between 80 and 90 km there is a marked change in the data. The difference between the observed minimum densities and the 1962 Standard decreases until at 90 km the observed minimum values correspond to those of the Standard and the maximum densities are 30 percent greater than Standard. Thus, these data suggest a mean density approxi-




FIGURE 2.15.—Approximate 95 percent range of observed values (indicated by arrows) around the density-altitude profiles for the January and July 30° N. Supplementary Atmospheres.

mately 15 percent higher than Standard at 90 km. At higher altitudes the spread of data continues. The measurements range from several percent less to 65 percent more than Standard at 100 km and at 110 km from 20 percent less to 62 percent more than Standard. At 110 km the July measurements deviate from Standard by -15 and +5 percent. The density deviations of three November and three February measurements lie between +13 and +62 percent, with a mean of about +36 percent. Two February measurements have negative deviations at 110 km. It is believed that these do not represent typical winter conditions, but tropical conditions. Since 30° latitude is relatively close to 15° latitude, where there is no winter, there must be a large gradient in temperature and density between these two latitudes, and thus large variations in the properties at 30° latitude during the winter would be expected.

Mean seasonal curves have been deduced from the data in Figure 2.23 and plotted in Figure 2.24. Data from the two July measurements were used to produce




FIGURE 2.16.—Approximate 95 percent range of observed values (indicated by arrows) around the density-altitude profiles for the January and July 60° N. Supplementary Atmospheres.




FIGURE 2.17.—Departures of mean rocket grenade pressures from Standard for summer and winter at four locations.




FIGURE 2.18.—Zonal wind components between 30° and 45° N.




FIGURE 2.19.—Zonal wind components between 45° and 60° N.

the summer curve and the other ten measurements were grouped together to yield the winter curve. The 30° N. suggested summer and winter density curves are also plotted for comparison (Figure 2.24). The mean winter density curve is in very good agreement with the suggested curve up to 150 km, above that altitude the agreement is fair. The difficulty arises from the great variability of the atmosphere in this region (see Figure 2.23). This is also demonstrated by the sharp change in the mean density curve at 110 km. Up to 110 km the curve is the mean of results from ten rocket flights. Above this level it is the mean of two flights. It is obvious that the results of the latter measurements are significantly different from the mean of the other eight measurements. For the same reason the significance of the summer curve (based on only two rocket flights) is not high.

Figure 2.25 contains the results of three recent winter experimental observations at Churchill, Canada (Faure and Champion, 1966) obtained during the IQSY. The flights were made after completion of the models contained in this book. Thus, the relatively good agreement between the results and the other curves in Figure 2.25 constitutes confirmation of the models. The comparison curves are the 60° N. winter mean model and the 60° N. winter cold and warm models.

Other data that have been analyzed include the results of two pitot-static rocket probes at Wallops Island. The flights were made on 6 June and 1 December 1962 by Taesch and Nagy (1965). The data, shown in Figure 2.26, agree with the general trends of other data as represented by the suggested 45° N summer and winter density curves. The very high winter density values above 100 km may be partly attributed to outgassing effects.

The results of eight density measurements at Woomera, Australia, using radar tracked inflatable spheres (Pearson 1965), are plotted in Figure 2.27. It can be seen by comparison with Figure 2.23 that, in general, the data are very similar to those obtained at the corresponding latitude in the northern hemisphere. The suggested summer and winter models for 30° N. are also shown in Figure 2.27. However, there are some differences in the data. For example, near 70 km the Woomera data show a region where the densities are higher than Standard and this does not occur in the Eglin and White Sands data in Figure 2.23. An isopycnic level still appears to exist near 90 km, but the average density is 32 percent above Standard, as compared to 15 percent for northern hemisphere data. However, it is not clear whether these differences are the result of different measuring techniques, of relatively small samples, of differences




FIGURE 2.20.—Departures from Standard of the mean and standard deviations of 13 density measurements at Kwajalein Island.




FIGURE 2.21.—Departures from Standard of two falling sphere density measurements at Wallops Island.

between the northern and southern hemispheres, or of longitudinal effects.

Values of oxygen ( $O_2$ ) density as a function of altitude (Jursa et al., 1965) obtained by various experimenters are shown in Figure 2.28. The  $O_2$  density is determined primarily by the total atmospheric density but also, above about 100 km, by any large variations in the degree of dissociation (that is, the magnitude of the O density). Thus, at high altitudes the percentage variation in  $O_2$  density will be larger than in the total density. Like the total density, the observed  $O_2$  density has small variability at 90 km. The variation increases with altitude and is large at 120 km and higher altitudes. It is interesting to note that in Figure 2.28 the highest  $O_2$  densities at 120 km and adjacent altitudes are those of the theoretical models of Harris and Priester (1962). These authors developed a revised set of models, published as part of CIRA, 1965, in which the  $O_2$  density at 120 km has been reduced from  $1.2 \times 10^{11} \text{ cm}^{-3}$  to  $7.5 \times 10^{10} \text{ cm}^{-3}$ . The new value is almost identical with that at the 120 km end of the line drawn by Jursa et al. in Figure 2.28. Up to 150 km the theoretical values agree almost exactly with Hinteregger's (1964) experimental values indicated by crosses in the figure.




FIGURE 2.22.—Departures from Standard of IGY Churchill density data and of early curves for winter and summer 45° and 60° N.

Most values of temperature obtained for the upper atmosphere are derived, in principle, from the slope of density curves. These yield scale height or molecular temperature. At altitudes where oxygen dissociation is not significant, molecular temperature is the




FIGURE 2.23. — Departures from Standard of 12 recent density measurements at White Sands and Eglin.

same as kinetic temperature. At higher altitudes, values of the mean molecular weight must be known to deduce the kinetic temperature. Values of kinetic temperature can be deduced directly in the region of diffusive separation if the altitude profile of a single constituent, such as  $N_2$  or  $O_2$ , is measured. Independent methods of measuring kinetic temperature directly are mainly optical in nature. They include measurements of the Doppler broadening of resonance radiation from sodium or potassium and the deduction of temperature from the band emission of aluminum oxide by Armstrong (1963) and Blamont (1964).

Temperatures can also be measured on a synoptic basis by measuring the Doppler width of the atomic oxygen airglow lines. This is particularly convenient to do with the  $5577 \text{ \AA}$  line. This line is primarily emitted in the vicinity of 95 km, at or near the meso-

pause, a region of minimum temperature. Armstrong (1959) has obtained a considerable amount of temperature data from observations on the  $5577 \text{ \AA}$  line. The results of 15 early measurements gave temperatures in the range  $180^\circ$  to  $220^\circ \text{ K}$ , with a median value of  $190^\circ \text{ K}$ . More recent results have sometimes yielded temperatures as low as  $150^\circ \text{ K}$  and, on the other hand, sometimes as high as several hundred degrees. In the latter case, Armstrong believes that the observed radiation must be coming largely from higher altitudes, near where the red line ( $6300 \text{ \AA}$ ) is emitted.

Recent data include those of Hernandez and Turtle (1965). The temperatures measured at Bedford, Massachusetts (November, 1964 to February, 1965) lie between  $150$  and  $260^\circ \text{ K}$ , with a mean of  $210^\circ \text{ K}$ . This compares favorably with a kinetic temperature of  $208.5^\circ \text{ K}$  at 95 km in the  $45^\circ \text{ N}$ . winter model. The




FIGURE 2.24. — Mean summer and winter density data for White Sands and Eglin compared with idealized (Figure 2.7) 30° N. summer and winter density curves.




FIGURE 2.25.—Departures from Standard of the densities from three recent measurements at Churchill and of the 60° N. winter mean, cold and warm models.






FIGURE 2.26.—Departures from Standard of two pitot-static density measurements at Wallops Island and of the idealized (Figure 2.7) 45° summer and winter density curves.




FIGURE 2.27.—Departures from Standard of eight density measurements at Woomera and of the summer and winter models for 30° N.




FIGURE 2.28. - Molecular oxygen number density data between 60 and 170 km.

observed temperatures showed fluctuations up to  $65^\circ$  in time intervals of the order of 10 to 20 minutes. For example:

7 January 1965	
EST	$^\circ\text{K}$
0410	211
0427	150
0445	210

Certainly, from energy considerations, the average

temperature of the atmosphere cannot fluctuate in this way. Assuming that the fluctuations are not instrumental or due to processes peculiar to the excited oxygen atom, one notes that they suggest a fine structure in the atmosphere near 95 km. The instrument views a cross-sectional area with a diameter of 300 m. Zimmerman (1966) believes that large eddies exist at this altitude with diameters in the range 300 m to 2 km. It is possible that a part of the observed variability is due to the temperature fluctuations associated with these eddies.

PART 3

*Atmospheric Models Above 120 Kilometers*

## PART 3

# Atmospheric Models Above 120 Kilometers

### 3.0 INTRODUCTION

The basic defining parameter of the Supplementary Atmospheres above 120 km is a family of exponential temperature curves. These were empirically derived so as to provide density-altitude profiles which are in agreement with satellite-drag derived densities for various degrees of solar and geomagnetic activity and varying solar angles. Such a family of atmospheres was defined for one boundary condition of temperature, pressure, density, and molecular weight at its base, 120 km, by Jacchia (1965) and can be considered to represent the annual mean or spring and fall conditions in lower layers. However, the eight supplementary atmospheres below 120 km converge at three separate and distinct boundary conditions at 120 km and new mathematical treatment was required to join these families realistically.

Tables of atmospheric properties for 120 to 1000 km, the development of which is covered in this Part, are provided in Part 6

### 3.1 CONSTRUCTION OF ATMOSPHERIC MODELS FOR ALTITUDES ABOVE 120 KILOMETERS

**3.1.1 SPRING/FALL MODELS.**—For altitudes above 120 km the spring/fall atmospheric models presented here are identical with Jacchia's (1965) static diffusion models. Winter and summer models, which start from different boundary conditions at 120 km, join the spring/fall models at altitudes near 225 km. A description of the method followed in joining the homospheric and heterospheric models is given in Section 3.1.2. Here we shall give a brief description of how the spring/fall models were constructed.

These models assumed the following set of fixed boundary conditions at 120 km:

$$\begin{array}{ll}
 T = 355.0^\circ \text{K} & n(\text{N}_2) = 4.0 \times 10^{11} \text{ cm}^{-3} \\
 \rho = 2.461 \times 10^{-11} \text{ gm cm}^{-3} & n(\text{O}_2) = 7.5 \times 10^{10} \text{ cm}^{-3} \\
 M = 26.90 & n(\text{O}) = 7.6 \times 10^{10} \text{ cm}^{-3} \\
 & n(\text{He}) = 3.4 \times 10^7 \text{ cm}^{-3}
 \end{array}$$

This is the same set of boundary conditions that had been selected for the construction of the COSPAR International Reference Atmosphere 1965 (CIRA, 1965) except for argon, which was neglected in view of its small contribution to the total density, and helium

which has a density of  $2.4 \times 10^7 \text{ cm}^{-3}$  in CIRA. As a result of these changes  $\rho$  and  $M$  are also slightly different.

Above 120 km, diffusive equilibrium was assumed, and the number density  $n_i$  of each constituent  $i$  was computed as a function of the geometric altitude  $Z$  by integrating the diffusion equation:

$$\frac{dn_i}{n_i} = -\frac{dZ}{H_i} - \frac{dT}{T}(1 + \alpha). \quad (3.1)$$

Here,  $T$  is the temperature,  $\alpha$  the thermal-diffusion factor, and  $H_i$  the scale height of the individual constituent, defined by

$$H_i = \frac{kT}{m_i g} \quad (3.2)$$

where  $k$  is the Boltzmann constant,  $m_i$  the molecular (or atomic) mass of the constituent, and  $g$  the acceleration of gravity. For helium, following Kockarts and Nicolet (1962), a value  $\alpha = -0.38$  was adopted; for  $\text{N}_2$ ,  $\text{O}_2$ , and  $\text{O}$  it was assumed that  $\alpha = 0$ .

Hydrogen was assumed to be in diffusive equilibrium above 500 km, although this assumption is not entirely justified for temperatures above  $1500^\circ \text{K}$ . The values of  $n(\text{H})$  at 500 km were taken from Kockarts and Nicolet (1962, 1963), or rather the empirical equation

$$\log_{10} n(\text{H}) = 73.13 - 39.40 \log_{10} T + 5.5 (\log_{10} T)^2 \quad (3.3)$$

was taken to represent their numerical data.

Below 500 km it is known that hydrogen is not in diffusive equilibrium, but at the moment, theory is not adequate to calculate the density profile due to lack of knowledge of the flow rate.

A family of temperature profiles, which approach different asymptotic exospheric temperatures, was constructed by assuming exponential curves of the form

$$T = T_\infty - (T_\infty - T_{120}) \exp[-s(Z - 120)] \quad (3.4)$$

where  $T_\infty$  is dependent on solar activity and other parameters and  $T_{120}$  is the boundary temperature at 120 km. All temperatures are in  $^\circ \text{K}$ ,  $Z$  is in kilometers, and  $s$  is a constant, different for each profile

and therefore a function of  $T_\infty$ . Appropriate values of  $s$  such that realistic density variations are generated from the temperature profiles are determined by the empirical equation

$$s = 0.0291 \exp\left(-\frac{q^2}{2}\right) \quad (3.5)$$

where

$$q = \frac{T_\infty - 800}{750 + 1.722 \times 10^{-4}(T_\infty - 800)^2}$$

Once a set of models for a wide range of  $T_\infty$  was constructed, the problem remained of relating  $T_\infty$  to the various parameters that characterize the different factors of atmospheric variation: solar and geomagnetic activity, location of the observer with respect to the sun, and so forth. Equations and tables for these conditions, based on Jacchia (1965), are given in Section 3.2.

**3.1.2 SUMMER AND WINTER MODELS.**—As shown in Figure 2.7 (Champion, 1966) the eight supplementary atmospheres below 120 km converge at three different density values at 120 km. Starting with these boundary conditions, one observes that three sets of high-altitude models were developed: a single set applicable to transition season (spring and fall) conditions, a set for summer, and a set for winter. In order to represent atmospheric behavior observed at various times of day during an entire solar cycle, models with a range of exospheric temperatures from 600° to 2100° K were prepared.

The summer and winter atmospheres merge with the spring/fall atmospheres at altitudes near 225 km. The matching altitude depends on exospheric temperature and season. Thus, corresponding to each exospheric temperature, there are three models below the matching altitudes and a single model above.

In Figure 3.1 density departures are plotted for three typical cases corresponding to exospheric temperatures of 600°, 1500°, and 2100° K. For each exospheric temperature the reference line corresponds to a different density profile and furthermore the matching altitude  $Z_m$  is different. In fact, the matching altitude lies within the range 195 to 255 km, depending upon the exospheric temperature and season. One condition that can be satisfied by varying the matching altitude is the requirement that all the summer models have the same temperature at 120 km, so that they can be matched to the low-altitude models. Similarly, all the winter models must have the same temperature at 120 km. The matching altitudes for the summer and winter atmospheres are given in Table 3.1 and in Figure 3.2. For temperatures above 1300° K it can be seen that the summer and winter values of  $Z_m$  are the same.




FIGURE 3.1.—Density departures from the spring/fall models for summer and winter with three exospheric temperatures.

TABLE 3.1.—MATCHING ALTITUDES ( $Z_m$ ) FOR SUMMER AND WINTER ATMOSPHERES AS A FUNCTION OF EXOSPHERIC TEMPERATURE

$T_\infty$ °K	$Z_m$ (Summer) km	$Z_m$ (Winter) km
600	195	220
700	200	225
800	210	230
900	220	235
1000	230	240
1100	235	240
1300	245	245
1500	250	250
1700	255	255
1900	255	255
2100	255	255

The mathematical functions chosen to represent winter and summer density curves are

$$\rho_w = \rho_j(1.4848 - 0.4848 \psi) \quad (3.6)$$

and

$$\rho_s = \rho_j(0.7919 + 0.2081 \psi) \quad (3.7)$$

where

$$\psi = \tanh 1.75 D + 0.059 D^2 \quad (3.8)$$




FIGURE 3.2.—Matching altitudes ( $Z_m$ ) for summer and winter atmospheres as a function of exospheric temperature.

and

$$D = \frac{Z - 120}{Z_m - 120} \quad (3.9)$$

where  $\rho_j$  designates the appropriate density value from Jacchia's (1965) models,  $\rho_w$  the winter density,  $\rho_s$  the summer density,  $\psi$  a parameter defined by Eq. (3.8), and  $D$  a parameter defined by Eq. (3.9).

In Part 6 tables are given for models with exospheric temperatures of 600°, 700°, 800°, 900°, 1000°, 1100°, 1300°, 1500°, 1700°, 1900°, and 2100° K. The following procedure was used to obtain the values in the tables. Molecular-scale temperatures were calculated from the density curves described by Eqs. (3.6) and (3.7) using integration downward from the matching altitude. To convert to kinetic temperature, the molecular weight values of the spring/fall models were used as a first estimate. With this temperature profile, and boundary conditions for  $n(\text{O}_2)$ ,  $n(\text{O})$ ,  $n(\text{N}_2)$ , and  $n(\text{He})$  that were the spring/fall values multiplied by 1.4848 and 0.7919 for winter and summer models, respectively, a new set of tables was computed. Molecular weights obtained by this process were used with the  $T_M$  profile to obtain a revised set of kinetic temperatures. By an iterative process in which the temperature profile and boundary conditions were adjusted slightly, the sum-

mer and winter models were matched to the corresponding spring/fall models at  $Z_m$  and above.

The density departures shown in Figure 3.1 are replotted in Figure 3.3, but in this case the reference is the 1962 Standard. Densities are shown for an exospheric temperature of 600° K, separating below 200 km into curves for summer, winter, and spring/fall. Densities corresponding to exospheric temperatures of 1500° K and 2100° K are similarly represented. The density departures at 300 km for models with exospheric temperatures of 900°, 1100°, 1300°, 1700°, and 1900° K are also marked.

Figure 3.4 illustrates percentage density departure from the 1962 Standard at all latitudes corresponding to 1400 hours local time at the northern hemisphere summer solstice when the maximum daytime exospheric temperature is 1200° K. This figure is based on the type of temperature distribution in Figure 3.5.

Figure 3.6 contains typical summer, winter, and spring/fall temperature profiles for 45° latitude from sea level to an altitude of 300 km. The three temperature curves which start at 120 km and extend towards 300 km are plotted from values for the 1500° K exospheric temperature models in Part 5. The mean temperature curve from sea level to 120 km is the 1962 Standard, whereas the summer and winter temperature profiles up to 120 km are obtained from the appropriate tables in Part 5.

The values shown in Figure 3.6 are typical. Actual values at any particular time will depend on the latitude and, at the higher altitudes, also on solar flux and time of day. The present models are the first in which variations in temperature and density as functions of latitude, season, and other parameters are given continuously and at all altitudes from sea level to 1000 km. Figure 3.7 is the density plot appropriate to a maximum daytime exospheric temperature of 1500° K. It should be noted that, at the higher altitudes, the densities are larger in comparison with the Standard than those plotted in Figure 3.4.

The boundary conditions at 120 km of the high altitude Supplementary Atmospheres are given in Table 3.2. It can be seen that each of the tabulated quantities varies with season.

### 3.2 SYSTEMATIC VARIATIONS IN THE ATMOSPHERE ABOVE 200 KILOMETERS

Four types of atmospheric variation have been recognized at heights greater than 200 km, namely:

1. a variation with solar activity,
2. a semiannual variation,
3. a diurnal variation, and
4. a variation with geomagnetic activity.

Each of these variations has been found to be related to one or more observable parameters, and empirical formulas have been constructed to compute




FIGURE 3.3.—Departures from Standard of densities for summer, winter and spring/fall models with three exospheric temperatures.

the exospheric temperature when these parameters are known. Once the exospheric temperature  $T_x$  has been computed, atmospheric densities and related quantities can be found for any given height by interpolation between the individual profiles given in the Tables in Part 5. Following is a brief summary of the formulas to be used for computing  $T_x$ . The order in which the types of variation are listed does not reflect their relative importance; it is dictated by the sequence in which the computations to obtain  $T_x$  are to be performed.

3.2.1 VARIATIONS WITH SOLAR ACTIVITY.—The parameter that can be used to best advantage to characterize solar activity is the 10.7-centimeter flux which is monitored by the National Research Council in Ottawa, Ontario. The relation between this flux and  $T_x$  is different, however, according to whether

we consider the slow 11-year cycle variation or the day-to-day variation within one 27-day solar rotation.

Variation with the solar cycle.—Let  $\bar{F}_{10.7}$  be the 10.7-cm solar flux in units of  $10^{-22}$  watts/m<sup>2</sup>/cycle/sec averaged over three solar rotations, and  $\bar{T}_0$  the night-time global minimum value of exospheric temperature averaged over the same time interval. The formula

$$\bar{T}_0 = 362 + 3.60 \bar{F}_{10.7} \quad (3.10)$$

gives the relation between these two quantities for absolutely quiet geomagnetic conditions, that is when the 3-hour geomagnetic planetary index is zero. If a relation for average quiet geomagnetic conditions ( $K_p=2$ ) is desired, the absolute term should be changed from 362 to 418.

TABLE 3.2 BOUNDARY CONDITIONS OF SUPPLEMENTARY ATMOSPHERES, Z = 120 KILOMETERS

	T °K	*log n(O <sub>2</sub> )	*log n(O)	*log n(N <sub>2</sub> )	*log n(He)	M	H km	P mb	ρ kg m <sup>-3</sup>
Summer	379.7	16.759	16.808	17.497	13.502	26.76	12.49	2.283 × 10 <sup>-5</sup>	1.935 × 10 <sup>-8</sup>
Winter	333.5	17.056	16.958	17.764	13.568	27.12	10.83	3.641 × 10 <sup>-5</sup>	3.561 × 10 <sup>-8</sup>
Spring/Fall	355.0	16.875	16.881	17.602	13.531	26.90	11.62	2.700 × 10 <sup>-5</sup>	2.461 × 10 <sup>-8</sup>

\*n(O<sub>2</sub>), n(O), n(N<sub>2</sub>), and n(He) are in m<sup>-3</sup>.






FIGURE 3.4. — Contours of percentage departures of density from Standard at all latitudes corresponding to 1400 hours local time at northern hemisphere summer solstice with an equatorial bulge and a maximum exospheric temperature of 1200° K.

*Variation within one solar rotation.*—Let  $F_{10.7}$  be the daily mean of the 10.7-cm solar flux in the source units as above. We can account approximately for the day-to-day temperature variation superimposed on the 11-year cycle variations by using the formula

$$T'_0 = \bar{T}_0 + 1.8 (F_{10.7} - \bar{F}_{10.7}) \quad (3.11)$$

Here  $T'_0$  is the nighttime global minimum of the exospheric temperature corrected for the day-to-day variation in solar flux. There is some indication that the numerical coefficient in this formula might be somewhat smaller (1.5) near sunspot minimum and larger (possibly 2.4) near sunspot maximum.




FIGURE 3.5.—Temperature distribution above the thermopause according to Eqs. (3.13) and (3.14), for the case when  $T_0 = 1000^\circ \text{K}$ . Hours of local time, counted from midnight, are marked on the equator. (Aitoff's equal-area projection.)

3.2.2 SEMIANNUAL VARIATION.—The amplitude of this variation is a function of the solar cycle and can be related to  $\bar{F}_{10.7}$  by

$$T_0 = T'_0 + f(d)\bar{F}_{10.7} \quad (3.12)$$

where

$$f(d) = \left( 0.37 + 0.14 \sin 2\pi \frac{d-151}{365} \right) \sin 4\pi \frac{d-59}{365}$$

and  $d$  is the number of days elapsed since January 1 of each year.  $T_0$  is the nighttime global minimum exospheric temperature. The combination of these two sine terms produces two unequal maxima and two unequal minima in the course of the year: a secondary minimum on 8 January, a secondary maximum on 20 April, a primary minimum on 18 July, and a primary maximum on 14 October. Table 3.3 gives values of  $f(d)$  for the 1st, the 11th and the 21st day of each month.

3.2.3 DIURNAL VARIATION.—The distribution of exospheric temperature on the globe is such that the maximum is observed around 1400 hours local solar time, and the minimum around 0400 hours; both the maximum and the minimum are located at low latitudes. Since atmospheric densities at heights above 200 km are greater when the temperature is higher, the atmosphere bulges out slightly in the bright hemisphere, producing what is often referred to as the "diurnal bulge." Let  $\phi_B$  be the latitude of the

TABLE 3.3 VALUES OF THE FACTOR  $f(d)$  FOR COMPUTING THE SEMIANNUAL EFFECT

$f(d)$	$f(d)$	$f(d)$	$f(d)$
Jan 1 -0.267	Apr 1 +0.218	Jul 1 -0.383	Oct 1 +0.434
11 -0.276	11 +0.259	11 -0.453	11 +0.472
21 -0.255	21 +0.275	21 -0.469	21 +0.451
Feb 1 -0.203	May 1 +0.258	Aug 1 -0.418	Nov 1 +0.366
11 -0.138	11 +0.200	11 -0.312	11 +0.250
21 -0.063	21 +0.119	21 -0.163	21 +0.117
Mar 1 0.000	Jun 1 -0.010	Sep 1 +0.026	Dec 1 -0.016
11 +0.078	11 -0.143	11 +0.196	11 -0.130
21 +0.151	21 -0.273	21 +0.338	21 -0.215

center of the bulge, that is, of the point where the highest exospheric temperature,  $T_X$ , is observed. Satellite drag data from 1958 to 1965 have shown that the ratio  $T_X/T_0$  is nearly constant; we shall write

$$\frac{T_X}{T_0} = 1 + R$$

The daytime maximum temperature  $T_D$  and the nighttime minimum temperature  $T_N$  at any given latitude  $\phi$  can be related to the nighttime minimum global temperature by

$$\begin{aligned} T_D &= T_0(1 + R \cos^m \eta) \\ T_N &= T_0(1 + R \sin^m \theta) \end{aligned} \quad (3.13)$$




FIGURE 3.6. — Typical summer, winter and spring/fall temperatures, 0 to 300 km, for 45° latitude with an equatorial bulge.

where

$$\eta = \frac{1}{2} |\phi - \phi_B| \text{ and } \theta = \frac{1}{2} |\phi + \phi_B|$$

As can be seen, the exponent  $m$  controls the temperature decay from the center of the bulge in the north-south direction.

We shall represent the diurnal variation at a given latitude  $\phi$  by

$$T = T_N \left( 1 + A \cos^n \frac{\tau}{2} \right) \quad (3.14)$$

where

$$A = \frac{T_D - T_N}{T_N} = R \frac{\cos^m \eta - \sin^m \theta}{1 + R \sin^m \theta}$$

Here  $\tau$  is a function of  $H^*$ , the hour angle of the sun, that is, of the local solar time counted from culmination. This function must account for the asymmetry between the morning rise and evening decline of temperature,

and for the difference in sharpness between the maximum and the minimum in the temperature curve. A suitable expression for  $\tau$  is

$$\tau = H^* + \beta + p \sin(H^* + \gamma) \quad (-\pi < \tau < \pi) \quad (3.15)$$

In an earlier version of this model (Jacchia, 1964), the latitude of the bulge,  $\phi_B$ , had been assumed to be the same as that of the subsolar point (that is,  $\phi_B = \delta_\odot$ , where  $\delta_\odot$  is the declination of the sun), and the same value had been assigned to the exponents  $m$  and  $n$ . Information from the high-inclination satellites Explorer XIX and Explorer XXIV has led to a revised version of the model (Jacchia and Slowey, 1966), in which the bulge never moves much from the equator ( $\phi_B \approx 0$ ) and is elongated in the north-south direction ( $m < n$ ). This seems, at least, to be the picture of the bulge above the  $F_2$  layer. There is good indication that at lower altitudes the earlier version of the bulge might be correct, in which case  $m$  and  $\phi_B$  would become functions of altitude or, better, functions of density.




FIGURE 3.7.—Contours of percentage departures of density from Standard at all latitudes corresponding to 1400 hours local time at northern hemisphere summer solstice with an equatorial bulge and a maximum exospheric temperature of 1500° K.

The recommended constants for use in the diurnal-variation formulas are:

$R = 0.28$	$\beta = -45^\circ$
$m = 1.5$	$p = 12^\circ$
$n = 2.5$	$\gamma = +45^\circ$
$\phi_B = 0$	

With these constants we always have  $T_x/T_0 = 1.28$ ; the local solar time of the temperature minimum is 0347 hours and that of the maximum is 1413 hours. The distribution of exospheric temperature according to this model is given in Table 3.4 and shown in Figure 3.5.

TABLE 3.4 RATIO  $T/T_0$  OF EXOSPHERIC TEMPERATURE TO MINIMUM NIGHTTIME TEMPERATURE ON EQUATOR AS A FUNCTION OF LATITUDE AND LOCAL SOLAR TIME (HOURS FROM MIDNIGHT)

L.S.T.

Lat.	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
90°	1.166	1.166	1.166	1.166	1.166	1.166	1.166	1.166	1.166	1.166	1.166	1.166	1.166	1.166	1.166	1.166	1.166	1.166	1.166	1.166	1.166	1.166	1.166	1.166
75	1.142	1.138	1.135	1.133	1.133	1.134	1.137	1.142	1.150	1.160	1.171	1.182	1.190	1.196	1.198	1.197	1.194	1.188	1.182	1.175	1.167	1.160	1.153	1.147
60	1.116	1.108	1.102	1.099	1.099	1.101	1.106	1.117	1.132	1.152	1.174	1.194	1.210	1.221	1.226	1.224	1.217	1.207	1.194	1.181	1.166	1.152	1.139	1.127
45	1.091	1.079	1.071	1.067	1.066	1.068	1.076	1.092	1.114	1.143	1.174	1.203	1.227	1.242	1.248	1.246	1.237	1.222	1.204	1.184	1.163	1.143	1.124	1.106
30	1.068	1.053	1.043	1.038	1.037	1.040	1.049	1.069	1.097	1.133	1.172	1.208	1.238	1.258	1.266	1.263	1.251	1.232	1.209	1.184	1.159	1.133	1.109	1.087
15	1.049	1.032	1.020	1.014	1.013	1.016	1.028	1.050	1.083	1.124	1.168	1.210	1.245	1.267	1.276	1.273	1.259	1.238	1.212	1.183	1.153	1.124	1.096	1.071
0	1.038	1.020	1.007	1.001	1.000	1.003	1.015	1.039	1.074	1.118	1.165	1.210	1.246	1.270	1.280	1.276	1.262	1.239	1.211	1.180	1.149	1.118	1.088	1.061
-15	1.049	1.032	1.020	1.014	1.013	1.016	1.028	1.050	1.083	1.124	1.168	1.210	1.245	1.267	1.276	1.273	1.259	1.238	1.212	1.183	1.153	1.124	1.096	1.071
-30	1.068	1.053	1.043	1.038	1.037	1.040	1.049	1.069	1.097	1.133	1.172	1.208	1.238	1.258	1.266	1.263	1.251	1.232	1.209	1.184	1.159	1.133	1.109	1.087
-45	1.091	1.079	1.071	1.067	1.066	1.068	1.076	1.092	1.114	1.143	1.174	1.203	1.227	1.242	1.248	1.246	1.237	1.222	1.204	1.184	1.163	1.143	1.124	1.106
-60	1.116	1.108	1.102	1.099	1.099	1.101	1.106	1.117	1.132	1.152	1.174	1.194	1.210	1.221	1.226	1.224	1.217	1.207	1.194	1.181	1.166	1.152	1.139	1.127
-75	1.142	1.138	1.135	1.133	1.133	1.134	1.137	1.142	1.150	1.160	1.171	1.182	1.190	1.196	1.198	1.197	1.194	1.188	1.182	1.175	1.167	1.160	1.153	1.147
-90	1.166	1.166	1.166	1.166	1.166	1.166	1.166	1.166	1.166	1.166	1.166	1.166	1.166	1.166	1.166	1.166	1.166	1.166	1.166	1.166	1.166	1.166	1.166	1.166

3.2.4 VARIATIONS WITH GEOMAGNETIC ACTIVITY.— The temperature variations with geomagnetic activity closely follow those of the 3-hourly geomagnetic planetary index,  $K_p$  or  $a_p$ , with a lag of 6 to 7 hours. The relation between exospheric temperature and planetary index, whether one chooses  $a_p$  or its nearly logarithmic counterpart  $K_p$ , seems to be nonlinear; it can be approximated by the two nearly equivalent formulas:

$$\Delta T = 28 K_p + 0.03 \exp K_p \quad (3.16)$$

or

$$\Delta T = a_p + 100 [1 - \exp (-0.08 a_p)]. \quad (3.17)$$

Here  $\Delta T$  is the increase of temperature above the level that applies for the condition  $K_p = a_p = 0$ . The time lag should not be forgotten in computing the temperature. Table 3.5 gives  $\Delta T$  as a function of  $K_p$ , computed with the first of the two formulas, and at the same time shows the correspondence between  $K_p$  and  $a_p$ .

TABLE 3.5 TEMPERATURE INCREMENT AS A FUNCTION OF GEOMAGNETIC INDICES

$K_p$	$a_p$	$\Delta T$	$K_p$	$a_p$	$\Delta T$
0 <sub>0</sub>	0	0°	5-	39	134
0+	2	9	5 <sub>0</sub>	48	145
1-	3	19	5+	56	156
1 <sub>0</sub>	4	28	6-	67	167
1+	5	37	6 <sub>0</sub>	80	180
2-	6	47	6+	94	194
2 <sub>0</sub>	7	56	7-	111	210
2+	9	66	7 <sub>0</sub>	132	229
3-	12	75	7+	154	251
3 <sub>0</sub>	15	85	8-	179	279
3+	18	94	8 <sub>0</sub>	207	313
4-	22	104	8+	236	358
4 <sub>0</sub>	27	114	9-	300	417
4+	32	124	9 <sub>0</sub>	400	495

There is no indication that  $\Delta T/\Delta K_p$  varies with the hour of the day. There seems to be, however, a substantial increase in  $\Delta T/\Delta K_p$  at latitudes above 50° or 60°, that is, in the auroral zones. Occasional increases by a factor of 2 to 4 have been observed, but it is not known whether such enhancements are regular or just occasional features at high latitudes. There is some indication that the time lag decreases a little at high latitudes. Jacchia et al. (1966) find a mean time lag of  $7.2 \pm 0.2$  hours for latitudes lower than 55° and  $5.8 \pm 0.5$  hours for latitudes higher than 55°. An even greater variation of the time lag with latitude was found by DeVries et al. (1966) from low-altitude Agena satellites in high-inclination orbits.

### 3.3 COMPUTATION OF EXOSPHERIC TEMPERATURE

Suppose, in accordance with the preceding formulas and present tables, atmospheric density is desired on September 15, 1963, at 1600 GMT, at an altitude of 420 km above sea level, for a point on the globe located at longitude 75° east of Greenwich and latitude 44° north.

The procedure is as follows: First, look up the daily mean of the 10.7-cm solar flux  $F_{10.7}$  for the day in question, which in this case is  $99 \times 10^{-22}$  watts/m<sup>2</sup>/cycle/sec. Second, determine the value of the flux averaged over three solar rotations, that is, over roughly 3 months. The monthly means of  $F_{10.7}$  for August, September, and October, 1963, were 81, 85, and 85, respectively, in the same units as the foregoing. Therefore, to a close approximation,  $\bar{F}_{10.7} = 84$ . The needed value of the  $K_p$  index 7 hours earlier, that is at 0900 GMT, is found to be 4<sub>0</sub>. The local solar time is 1105 hours, which corresponds to a solar angle  $H^* = -14^\circ$ .

Summarizing, we have:

$$\begin{aligned}
 F_{10.7} &= 99 & \text{Local Solar Time} &= 1105 \text{ hours} \\
 \bar{F}_{10.7} &= 84 & & \\
 K_p &= 4_0 & \phi &= 44^\circ.
 \end{aligned}$$

Variation with solar cycle. Equation (3.10) gives  $\bar{T}_0 = 362 + 3.60 \times 84 = 644.4$ .

Variation with day-to-day solar activity. From Eq. (3.11)  $T'_0 = 644.4 + 1.8 (99 - 84) = 691.4$

Semiannual variation. In Table 3.3 by interpolation,  $f(d) = 0.257$ ; therefore

$$T_0 = 691.4 + 0.257 \times 84 = 713.0$$

Diurnal variation. By interpolation in Table 3.4,  $T/T_0 = 1.205$ ; therefore,

$$T = 1.205 \times 713.0 = 859.2$$

Variation with geomagnetic activity. From Table 3.5,  $\Delta T = 114^\circ$ ; therefore

$$T_\infty = 859 + 114 = 973$$

Computations of density.  $T_\infty$  is the final exospheric temperature which is used to enter the appropriate seasonal density table for an altitude of 420 km. Look up the logarithm of the density, which is easier to interpolate, for the models corresponding to  $T_\infty = 800^\circ, 900^\circ, 1000^\circ,$  and  $1100^\circ$  K, respectively, and form Table 3.6 complete with first and second differences.

By interpolation, for  $T_\infty = 973^\circ$  K, it is found that  $\log \rho = -11.695$ , from which  $\rho = 2.02 \times 10^{-12}$  kg m<sup>-3</sup>

### 3.4 EXPERIMENTAL DATA

From the time of the earliest satellite drag studies the density values have been analyzed to determine if

TABLE 3.6.—DIFFERENCE TABLE FOR SAMPLE DENSITY COMPUTATION

	$T_\infty$ (°K)	$\log \rho$	$\Delta'$	$\Delta''$
For $Z = 420$ km	800	-12.118	+0.264	
	900	-11.854	+0.211	-0.053
	1000	-11.643	+0.171	-0.040
	1100	-11.472		

they vary systematically with latitude or season. From analysis of density values from 1957 $\alpha$ , 1957 $\beta$ , 1958 $\delta$  (Sputniks I, II, III) and 1958 $\gamma$  (Explorer III) Champion and Minzner (1959) found that in the 170 to 230 km altitude region, densities in the northern hemisphere winter were higher than those at low latitudes or at high latitudes in the summer.

Groves (1961) computed density data from orbital observations on ten Discoverer satellites during the period April, 1959 to October, 1960. He found, in general, that the change of density with latitude was less than 20 percent. However, in the altitude range 190 to 240 km, he found that the density was higher at latitudes above 30° in the winter than in the summer or at lower latitudes. The increase was as much as 60 percent near the pole in some cases. Some of these data are shown in Figure 3.8.

Lidov (1958) reported that latitude variations of density at 230 km may be as large as 50 percent. Priester et al. (1960) and Paetzold and Zschörner (1961) pointed out similar variations. Schilling and Whit-




FIGURE 3.8.—Density versus latitude for polar regions (lat. > 65°) and night side of earth (L.T., 18-06 hrs) from Discoverer satellites, standardized to 20 cm solar flux of  $160 \times 10^{-22}$  watts/m<sup>2</sup>/cycle/sec.

ney (1959) did not find any important latitude effect in densities derived from Explorer IV (1958e) data. The perigee altitude was approximately 255 km and thus the result is consistent with the present models, which give no significant latitude variation at that altitude. Newton et al. (1965) found on analysis of Explorer XVII data for the latitude range 35° to 55° N. that any latitude variation of density at the satellite altitude (about 270 km) was less than a factor of 2.

Figure 3.9 shows some interesting satellite density data derived by Small (1964). The data for altitudes below 200 km are valuable because of the paucity of data in this altitude region. The data for 1962βσ with perigee between 126 and 134 km are unique for a satellite. In the plot (Jacchia, 1965) the satellite data are divided into four groups: (1) exospheric temperature greater than 1200° K; (2) between 1000° and 1200° K; (3) less than 1000° K; and (4) from 1958δ2 (Sputnik III). The data from (4) were plotted separately because they may contain a systematic error. The figure represents departures in log density from that of the spring/fall model with an exospheric temperature of 1100° K. Curves are also shown for the winter and summer models with the same exospheric temperature. The data for 1962βσ were obtained between 4 and 8 December 1962 with a perigee latitude of approximately 34° S. This corresponds to summer in the southern hemisphere and the agreement with the summer curve provides excellent confirmation of the models. At higher altitudes, the effect of varying exospheric temperature (with time of day, solar flux, and so forth) dominates over seasonal effects. For example, at 180 km the values of Δ log ρ are marked on the plot corresponding to exospheric temperature extremes of 600° and 2100° K.

During the period of low solar flux, and consequently low exospheric temperature, it would be expected that

appreciable diurnal density variations would be observed at relatively low altitudes. Figure 3.10 shows some interesting results obtained from observations of Cosmos satellites (Marov, 1966) which confirm this expectation. Perigee altitudes lay in the range 190 to 240 km. Note that the quantity  $\rho \sqrt{H}$ , where  $H$  is density scale height, is plotted, but the variation with time is primarily due to that in  $\rho$ . Maximum values occur near 1400 hours and minimum values near 0400 hours local time.

Roemer (1966) derived precise density data from Baker-Nunn observations of Explorer IX. Analysis of the data revealed a seasonal density variation of ± 25 percent at a latitude of 39° and an average altitude of 690 km. The atmospheric density at a given altitude was higher in winter than in summer when compared with the model of the atmospheric bulge discussed in Section 3.2. He also found that the average time lag between the maximum of a geomagnetic storm and the peak in atmospheric density was 5.2 hours. In order to decide whether the variations of the residuals in log ρ represent a seasonal variation or whether they are caused by a smaller amplitude of the diurnal effect, the correlation coefficient between the residuals and the curves was computed. A correlation coefficient of 0.47 was obtained, compared with a coefficient of 0.22 when the correlation was made with angular distance from the bulge.

More recently, from a study of Explorer XIX and Explorer XXIV data, Jacchia and Slowey (1966) found that lower residuals can be obtained with a model in which there is no seasonal variation at high altitudes, and the bulge is always centered near the equator and elongated in the north-south direction ( $m=1.5$ ,  $n=2.5$ ). Keating and Prior (1966) have analyzed data from the same satellites (and also Explorer IX). Some of the results of their study are shown in Figure




FIGURE 3.9.—Comparison of densities from drag of low-orbiting satellites with the present tables. Note that  $\Delta \log \rho$  is the difference between  $\log \rho$  for the experimental data and  $\log \rho$  for the 1100° K exospheric temperature spring/fall model.




FIGURE 3.10.—Diurnal variations of  $\rho\sqrt{H}$  at altitudes between 190 and 240 km from Cosmos satellites. The abscissa is local time.

3.11 where exospheric temperature residuals between predicted and observed values are plotted as a function of  $m$  and  $B$ ;  $B$  is a constant defined by  $\phi_B = B\delta_{\odot}$  so that negative  $B$  corresponds to a winter bulge. These results confirm that the new model of Jacchia and Slowey ( $m=1.5$ ,  $B=0$ ) gives smaller residuals than the earlier models ( $m=2.5$ ,  $B=1$ ), but indicate that the residuals are still lower with a model that has a density maximum in the winter hemisphere ( $m=1$ ,  $B=-1$ ). However, the residuals are almost as low for a bulge centered at the equator ( $m=1$ ,  $B=0$ ). The density measurements which indicate a winter bulge were made with balloon-type satellites, within the altitude interval 550 to 850 km and between 1961 and 1966. Data from other satellites, altitudes and levels of solar activity must be analyzed before the position and shape of the bulge can be more accurately defined.

Some recent precision-reduced density data from ground-based observations of the San Marco satellite (Bramson, 1966) are given in Table 3.7.

The data in the first line were obtained for a 1.5-day interval around 7 January 1965, and in the second line for a period of 12 hours on 9 September 1965. For 7 January 1965 the value of  $T_0$  (minimum nighttime exospheric temperature) calculated from the present models is  $652.5^\circ\text{K}$ . From the satellite data  $T_\pi = 772^\circ\text{K}$  for a latitude  $-34.3^\circ$  and hour angle  $103^\circ$ . The

TABLE 3.7.—SAN MARCO SATELLITE DENSITY DATA

$T_\pi$	$\alpha_\pi - \alpha_{\odot}$	$\delta_\pi$	$Z$	$\log \rho_\pi$	$\log \rho_s$
$772^\circ\text{K}$	103.0	$-34.3$	210.2 km	-12.815	-12.654 ( $s=200$ km)
614	25.2	$-31.5$	172.3	-12.243	-12.190 ( $s=170$ km)

$T_\pi$  = exospheric temperature at perigee  
 $\alpha_\pi, \alpha_{\odot}$  = right ascension of perigee and sun, respectively  
 $\delta_\pi$  = declination of perigee  
 $Z$  = perigee altitude  
 $\rho_\pi, \rho_s$  = density at perigee and reference altitude, respectively, in  $\text{g}\cdot\text{cm}^{-3}$ .

corresponding  $T_N$  (minimum nighttime exospheric temperature at the given latitude) was found to be  $682.0^\circ\text{K}$  and (with  $m=1.5$ ,  $B=0$ )  $T_0 = 652.6^\circ\text{K}$ , which is in excellent agreement with the theoretical value. The value of  $T_\pi$  on 9 September was computed to be  $614^\circ\text{K}$  from a density of  $6.46 \times 10^{-10} \text{ kg m}^{-3}$  at the perigee reference altitude. From these data  $T_N$  was calculated to be  $505.8^\circ\text{K}$  and  $T_0 = 486.8^\circ\text{K}$ . For this day the model predicts  $T_0 = 671.6^\circ\text{K}$  and  $T = 812.2^\circ\text{K}$  for a latitude of  $-31.5^\circ$  and an hour angle of  $25.2^\circ$ . This constitutes an apparently large discrepancy. However, the model density at 170 km corresponding






FIGURE 3.11.—Root mean square (rms) exospheric temperature residuals for Explorer XIX (1963–66) and Explorer XXIV (1964–66) as a function of B and m.

to  $T = 812.2^\circ \text{K}$  is  $8.08 \times 10^{-10} \text{ kg m}^{-3}$ . The observed density is only 20 percent below this density, which is not a large discrepancy, particularly when considering the differences between some gauge and drag density data. The result primarily points out that exospheric temperature is not a good parameter with which to characterize atmospheric density below 200 km.

DeVries et al. (1966) have used multiple regression techniques to determine the functional dependence of atmospheric density. One interesting finding is that the delay time for the density increase following a geomagnetic storm varies with latitude, from near-instantaneous at  $70^\circ$  latitude to almost 22 hours for a satellite with perigee point near  $20^\circ$  latitude. Roemer (1966), on the other hand, found no variation of the delay time with latitudes up to  $40^\circ$ . Jacchia has raised the question whether in DeVries' study the density changes can be genuinely referred to the perigee location since the eccentricity of the orbits of the satellites studied was very small (0.013 to 0.027).

Several experimenters have made mass spectrometric measurements of neutral composition above 120 km. One of these is Schaefer (1966) who has analyzed the results of four composition measurements made with mass filters. Two of the flights were at Churchill (1400 CST, 18 February 1965 and 0300 CST, 19 February 1965) and two were at Wallops Island (0300 EST, 28 March 1963 and 1300 EST, 26 November 1963). It should be noted that only the Churchill measurements constitute a genuine diurnal variation measurement. The data presented consist of ratios

of the ion currents for the different species and not the density ratios. However, the variation of the two ratios with latitude, season, and time of day should be the same. The data clearly show that the  $\text{O}/\text{O}_2$  ratio is larger during the daytime than at night and also larger at Wallops Island than at Churchill, as can be seen in Figure 3.12. Both observations are consistent with larger values of  $\text{O}/\text{O}_2$  occurring when the solar EUV flux which causes the dissociation is larger. Observations are also consistent with the present models which show that the  $\text{O}/\text{O}_2$  ratio is greater in the summer than in the winter.

Hedin et al. (1964) and Hedin and Nier (1965) have made a rather thorough analysis of the results obtained from a flight of a magnetic mass spectrometer at White Sands at 0730 MST on 6 June 1963. They give number densities of  $\text{N}_2$ ,  $\text{O}_2$ , O, and Ar. The temperature profile, as determined by the slopes of the curves, is in satisfactory agreement with the CIRA 1965 models. However, the number densities of the various species are lower than the model values. When compared with the corresponding CIRA model the measured  $\text{O}_2$  and O number densities are lower by a factor of 2.0, whereas the  $\text{N}_2$  densities are lower by a factor of 1.7. When compared with the models in Part 6, the densities are found to be much closer at 120 km, but the discrepancy is greater at 200 km, as can be seen in Figure 3.13. At 120 km the ratios are 1.5 for  $\text{O}_2$  and O and 1.1 for  $\text{N}_2$ ; at 200 km the ratios are 3.4 for  $\text{O}_2$ , 2.5 for O, and 2.1 for  $\text{N}_2$ . Some of the discrepancy is probably due to calibration inaccuracies. There are three sources of this: (1) statistical errors ranging




FIGURE 3.12.—Latitude variation of  $n(O)/n(O_2)$  for nighttime measurements.

from 5 percent at the highest altitude to 30 percent at the lowest altitude for the  $N_2$  profile and possibly higher for the other density curves; (2) an error of up to 50 percent in the laboratory calibration; (3) an error due to limitations of the theory used to relate the measurements made under dynamic conditions to the ambient density.

Some interesting density and temperature measurements have been made by Spencer et al. (1965). Results are available from six thermosphere probe flights in which the  $N_2$  density was measured as a function of altitude with an omegatron gauge. Temperatures are deduced from the slopes of the  $N_2$  profiles. The measurements were made at Wallops Island at various times of day and year between November 1962 and March 1965. In general, the densities are lower than the corresponding models by about a factor of 2. The temperature profiles from the four earlier flights are shown in Figure 3.14. They are in moderate agreement with the CIRA 1965 (Harris and Priester, 1964) model temperatures. For the two most recent flights the agreement of the temperature profile for the night measurement with both the CIRA and U.S. Supplementary models is satisfactory, but for the day measurement the agreement is much better with the U.S. Supplementary model. Spencer et al. (1965) conclude that "the assumption, for model atmosphere purposes, of constant boundary conditions at 120 km should be expanded to reflect, probably, a significant diurnal variation." The authors are in general agreement with this statement and had previously suggested the same conclusion with regard to latitude and seasonal variations (Champion, 1966). It is believed that there probably is also a diurnal variation of properties at 120 km, but the present data do not provide conclusive evidence as to its nature.

It should be noted that whereas the temperatures deduced by Spencer et al. (1965) tend to be low, those derived by Hedin et al. (1964) are higher than the supplementary models between 170 and 200 km and about the same as the models between 130 and 170 km.

Brandy (1964, 1965) has deduced rotational temperatures from the  $N_2^+$  3914 Å band emission during auroras at Churchill. Although there is a possibility that the rotational temperature may differ from the kinetic temperature, at least the altitude to be assigned to the measurement can be determined by means of the technique of triangulation. During the study over 800 measurements were made, which included 75 simultaneous altitude and temperature measurements. Data were obtained from auroras of intensity ranging from I to slightly over III. The observed rotational temperatures are plotted in Figure 3.15. Taking into account seasonal variations and the effects of solar flux and magnetic index, one notes the approximate expected temperature ranges from the tables in Parts 5 and 6, given as a function of altitude in Table 3.8.

TABLE 3.8.—TEMPERATURE RANGE AS A FUNCTION OF ALTITUDE

Altitude km	Temperature Range °K
80	171–224
100	190–218
120	334–380
140	467–574
160	550–671

Between 80 and 120 km, agreement between the experimental data and the models is reasonable, although the scatter of the experimental data is large. Probably the scatter is to be attributed primarily to disturbed atmospheric conditions that exist during aurora, but may also be partly attributed to differences between the rotational and kinetic temperatures. Above 140 km the observed temperatures are definitely lower than those of the models.

Bourdeau et al. (1964) have compared exospheric temperatures deduced from satellite drag observations with the intensity of extreme ultraviolet radiation measured by OSO-1. The EUV flux observed during the interval March to May 1962 is shown in Figure 3.16a. The plotted values represent the sum of the intensities of the twenty-two most prominent lines in the wavelength range 170 to 370 Å. Of course, these lines represent only a fraction of the UV up to 1750 Å which deposits energy in the atmosphere by either photo-dissociation or photo-ionization. In Figure 3.16b is plotted the exospheric temperature; in Figure 3.16c the 2800 Mc/sec solar flux; and in Figure 3.16d the geomagnetic index ( $\Sigma K_p$ ). Superficially there appears to be good correlation between the EUV flux and the observed exospheric temperatures. How-




FIGURE 3.13. — Measured  $N_2$ ,  $O_2$ , and  $O$  profiles at White Sands compared with values from the appropriate Supplementary model.

ever, the comparison is made for only a short period of time and much more observational evidence is required before conclusions can be made.

### 3.5 DENSITY DATA FOR ALTITUDES ABOVE 250 KILOMETERS

For altitudes greater than 250 km the observational material on which the present atmospheric models are based consists entirely of densities determined from the atmospheric drag on artificial satellites. Table 3.9 gives a list of the satellites that were used for drag analysis. The original density data up to the end of September 1963 have been published by Jacchia and

Slowey (1965). No suitable satellites with perigee altitudes lower than 250 km were available for drag analysis in the construction of the original density models (Jacchia, 1964) on which the present models are based.

Checks on the models were provided by the yearly average daytime and nighttime density profiles determined from many artificial satellites by King-Hele and collaborators at the Royal Aircraft Establishment, Farnborough, England. See, for example, King-Hele and Quinn (1965).

3.5.1 COMPARISON OF MODELS WITH DENSITIES FROM SATELLITE DRAG. — In the homosphere and lower




FIGURE 3.14. —  $N_2$  temperature profiles measured with an omegatron compared with model atmosphere profiles.

TABLE 3.9. — SATELLITES USED FOR DETERMINING ATMOSPHERIC DENSITIES

Satellites	Perigee Altitude km	Apogee Altitude km	Inclination deg	$A/m$ $cm^2/g$	Time Interval	Time resolution (days) of density determinations	
						Quiet Conditions	Magnetic Storms
*San Marco (1964-84A)	200	800	37.8	0.032	Dec 1964- Feb 1965	0.5	0.2
Injun III (1962 $\beta$ 72)	250	2500	70.3	0.070	Dec 1962- Aug 1965	1.0	0.2
Explorer XVII (1963t1)	270	800	57.6	0.036	Apr 1963- Oct 1963	1.0	0.2
Explorer I (1958 $\alpha$ )	350	2000	33.2	0.17	Feb 1958- Aug 1965	1.0	0.2-0.5
Explorer VIII (1960 $\xi$ 1)	425	2250	50.0	0.11	Nov 1960- Aug 1965	2.0	0.5
Vanguard III (1959 $\eta$ )	515	3720	33.3	0.17	Sept 1959- Sept 1962	2.0	0.5
*Explorer XXIV (1964-76A)	545	2400	81.4	12.2	Nov 1964- Aug 1965	1.0	0.5
Vanguard II (1959 $\alpha$ 1)	565	3300	32.9	0.24	Feb 1959- Aug 1965	2.5-5.0	1.0
*Explorer XIX (1963-53A)	615	2300	78.6	13.0	Dec 1963- Aug 1965	1.0-2.0	0.5
Vanguard I (1958 $\beta$ 2)	660	3950	34.2	0.25	May 1958- Oct 1961	2.5-5.0	1.0
Explorer IX (1961 $\delta$ 1)	450-760	2500	38.9	15.8	Feb 1961- Sept 1963	0.5	0.2

\*The satellites marked with an asterisk were launched too late to be used in the construction of the density models. They did, however, provide a further check on them and help to improve the model of the diurnal variation.




FIGURE 3.15.—Rotational temperature versus altitude at Churchill. Data for 1964 and 1965.

thermosphere, at altitudes below 150 km, density variations are relatively small, hardly ever exceeding a factor of 3. At greater altitudes, however, density variations rapidly increase, reaching a factor of 12 at 300 km, of 50 at 400 km, of 150 at 500 km, and a maximum of 200 or more near 600 km. In consideration of the magnitude of these variations, the systematic and even the random residuals obtained when comparing density observations with the present models are surprisingly small.

A typical example of the density errors that can be expected when the models are used with computed values of  $T_{\infty}$  is given in Table 3.10. This table lists mean deviations from the tables of Part 6, standard deviations for individual density determinations made at 2-day intervals and the standard deviations of the 10-day mean densities, all for 4 separate years of observations of the Explorer VIII satellite (1960ξ1). The deviations include the systematic and accidental errors in the determinations of the densities.

TABLE 3.10.—DEPARTURES FROM THE MODELS OF EXPLORER VIII DRAG DENSITIES

Time Interval	Mean Deviation %	SD of One Density Value %	SD of 10-Day Means %
Nov 1960–Oct 1961	+6	28	23
Nov 1961–Oct 1962	–3	22	17
Nov 1962–Oct 1963	–14	32	26
Nov 1963–Oct 1964	–15	30	26

The systematic trend in the mean deviation is attributable in part to imperfections in the relation between  $T_{\infty}$  and  $F_{10.7}$ , and in part to the failure of the tables to represent exactly the variation of density with  $T_{\infty}$  at the perigee altitude of the satellite (425 km).

Error statistics are not available for all satellites that have contributed data for the construction of these models. We can, however, give a few additional statistics. Ten-day density means from the drag of the Explorer I satellite (average perigee altitude 350 km), covering the 7½ years from February 1958 to October 1965, when converted to temperatures with the present models, are represented with a mean residual of  $-18^{\circ}$  and an arithmetic mean of the residuals, irrespective of sign, of  $44^{\circ}$ . If we assume that the mean exospheric temperature during this interval was about  $1000^{\circ}$  K, the corresponding mean residual in  $\log \rho$  would be  $-0.027$ , or about  $-6.5$  percent in  $\rho$ ; the mean of the absolute values of the individual residuals would turn out to be  $0.066$  in  $\log \rho$ , or about 15 percent in  $\rho$ . A similar analysis for Explorer XXIV, with an average perigee altitude of 545 km gives for 10-day means, from November 1964 to August 1965, a mean residual of  $3.6^{\circ}$  (corresponding to  $-3$  percent in density), and a mean absolute value of the residuals of  $19.7^{\circ}$  (17 percent in density).

Densities and temperatures derived from the drag of the Explorer I satellite (1958α) are compared in Figure 3.17 with solar and geomagnetic parameters. The decrease in density and temperature parallels the decrease in the 10.7-cm solar flux during the five-year period covered by the diagram. The regular oscillations with a period of about 250 days are caused by the motion of the satellite perigee in and out of the diurnal bulge. Visible also are the 27-day oscillations, in phase with those of the 10.7-cm solar flux, and a few perturbations caused by major magnetic storms. Schematic curves of the diurnal and semiannual variations are added to aid in their recognition in the plots of satellite data. The short period oscillations in the theoretical diurnal-variation curve are caused by the rapid variations in latitude of the satellite perigee.

Densities and temperatures derived from the drag of the Explorer IX satellite (1961δ1) are compared with the geomagnetic index  $a_p$  and the 10.7-cm solar flux (Figure 3.18). The drag was determined from




FIGURE 3.16. — Comparison of the EUV flux with the exospheric temperature, the 2800 Mc/sec solar flux, and the geomagnetic index  $\Sigma K_p$ .




FIGURE 3.17. — Densities and temperatures derived from the drag of the Explorer I satellite (1958 $\alpha$ ), compared with solar and geomagnetic parameters. MJD is the abscissa in the Modified Julian Day (JD minus 2400000.5).

precise position measurements on photographs taken with the Baker-Nunn cameras. Notice the 27-day oscillations in phase with the 10.7-cm flux and the perturbations in phase with geomagnetic disturbances. Day and night density profiles in the upper atmosphere corresponding to extreme conditions at sunspot minimum and at a time of exceptionally high solar activity are shown in Figure 3.19.

Daytime maximum and nighttime minimum temperatures above the thermopause deduced from density data are shown in Figure 3.20 as a function of the 10.7-cm solar flux. Data are averaged over two or three solar rotations. Open circles denote individual maxima deduced from satellite drag curves. Dots indicate temperatures reduced to the nighttime minimum at times when the curve of the semiannual temperature variation was close to the annual average. The temperatures in this diagram must be considered as referred to average quiet geomagnetic conditions ( $K_p = 2$  or  $a_p = 7$ ).

3.5.2 DIRECT MEASUREMENTS OF DENSITY.—A number of satellites have been instrumented with

pressure gauges, mass spectrometers or accelerometers. Each of these instruments can provide an instantaneous measurement of density, independent of that deduced from orbital observations of a satellite. The instrumented satellites include San Marco (accelerometer), Snapshot (ionization gauge) and Explorer XVII (gauges and mass spectrometers). Figure 3.21 contains data obtained from Explorer XVII (Newton et al., 1965) between April and June 1963 during passes over the northern hemisphere mid-latitude minitrack stations, and plotted without regard for local time, geomagnetic or solar activity. Due to orbit characteristics, the local times of the data for altitudes above 400 km are usually between 0 and 0600 hours. The data below 400 km are more generally distributed throughout the day. The comparison models in Figure 3.21 are from Harris and Priestler (1962). The Supplementary Atmosphere model with exospheric temperature 650°K (corresponding to  $\bar{F} = 82$ ,  $K_p = 0$ ) is almost identical with Harris and Priestler ( $S = 90$ , 0400 hours). If  $K_p = 2$  (a more typical value) the exospheric temperature is 700°K and the




FIGURE 3.18. — Densities and temperatures derived from the drag of the Explorer IX satellite (1961δ1), compared with the geomagnetic index  $a_p$  and the 10.7-cm solar flux.






FIGURE 3.19.—Day and night density profiles in the upper atmosphere at sunspot minimum and at a time of exceptionally high solar activity.

density curve is a little higher than the Harris and Priester 0400 hours curve.

There is evidence in the data of density fluctuations which do not correlate with any known index. For example, a density variation occurring on 1 June 1963 correlates with an increased zenith intensity of the 6300 Å oxygen line. It might be that these fluctuations reflect local perturbations with horizontal dimensions of the order of a few thousand kilometers. The implication of these variations is that caution should be exercised in interpreting results obtained by combining directly measured parameters with model atmosphere values.

Explorer XVII contained magnetic mass spectrometers to obtain data on the concentrations of the major neutral atmospheric components (Reber and Nicolet, 1965). Densities of  $N_2$ , O, and He were obtained. Figure 3.22 is representative of the results and shows helium number densities plotted versus altitude for local times between 0400 and 2100 hours. These measurements were made in both northern and south-

ern hemispheres during the last two weeks in May 1963. A diffusive model profile for  $T=800^\circ\text{K}$  (reduced in absolute value by 3) is shown for reference. (The exospheric temperature from the models for the time of the measurements was approximately  $700^\circ\text{K}$  and the theoretical curve for this temperature is in much better agreement with the data.)

An unexpected result of the observations was the large variability of the absolute concentrations and ratios of concentrations of the components measured at the same altitudes and local times (and with the same measuring equipment) on successive days. There is a strong sensitivity to changes in magnetic activity. Some of the variations cannot be explained entirely on the basis of temperature changes in the upper atmosphere, but must be attributed to changes in the boundary conditions at the base of the diffusive atmosphere. Further investigations are clearly required in order to define the source of these variations and their relation to the various energy inputs to the atmosphere.




FIGURE 3.20.—Daytime maximum and nighttime minimum temperatures above the thermopause as a function of the 10.7-cm solar flux. Open circles: individual maxima deduced from satellite drag curves. Circled dots: individual minima deduced from satellite drag curves. Dots: temperatures reduced to the nighttime minimum at times when the curve of the semiannual temperature variation was close to the annual average.

### 3.6 LIMITATIONS OF HIGH-ALTITUDE MODELS

Simple static models cannot represent to complete satisfaction the properties of the upper atmosphere through all its manifold variations. Even if they were perfect, static models would represent only idealized equilibrium conditions that are never realized owing to the perpetual presence of rapid temperature fluctuations, such as the diurnal variation and variation associated with geomagnetic activity. If the temperature variation necessary to produce a given density change at a given altitude is correct when the variation is caused by changes in solar activity in the 11-year cycle, then it cannot be correct when the same change in density is caused by the diurnal variation. This does not mean that we cannot reproduce, and even with good approximation, the diurnal variation in density; we can, but to obtain the observed density change we shall have to use a fictitious temperature variation that may be at some variance with reality. The equations in Section 3.2 that relate  $T_{\infty}$  to local solar time and to  $K_p$  or  $a_p$  must be considered in this light; the aim was to reproduce the observed density variations, and we cannot guarantee that the corresponding temperature variations are correct.

In addition, we must consider the fact that, owing to the many oversimplifications one is obliged to intro-

duce for construction of any atmospheric model, our models cannot be expected to reproduce to complete satisfaction even idealized static conditions. One of the most serious oversimplifications is certainly that of the invariance (except for seasonal variation) of the boundary conditions at 120 km through all the variations at greater altitudes, an assumption forced on us by lack of information. By systematically changing these boundary conditions with  $T_{\infty}$ , we could find different sets of temperature profiles that would reproduce the observed densities with comparable accuracy. Stein and Walker (1964) estimate that the present state of our knowledge concerning the lower thermosphere allows such a leeway that all exospheric temperatures could be in error by as much as 25 percent.

One of the consequences of the arbitrary isopycnic layer at 120 km is the emergence in the models of a quasi-isopycnic layer, which at times of low solar activity lies at 150 km, but rises to 200 km at times of high solar activity. In the region between 120 km and this second quasi-isopycnic layer, the variations in density with temperature are inverted with respect to those above it, that is, an increase in temperature engenders a decrease in density. We know that this is not so, at least for two types of variation. In 1957 and 1958, near sunspot maximum, the drag of Sputnik II (perigee height 200 to 210 km) showed lively fluctuations in phase with the decimetric solar flux, although according to the models there should not have been any; and in 1963 and 1964 (sunspot minimum) marked variations with geomagnetic activity were observed, in phase with those in the exosphere, at heights as low as 160 km.

The difficulties due to the arbitrary isopycnic level at 120 km are partially relieved by having three sets of boundary conditions at that altitude. This makes it possible to represent typical seasonal variations in properties at 120 km and higher altitudes. The same technique can be used to represent changes with time of day, solar flux, and magnetic index when these variations are known.

It should also be kept in mind that the mechanisms that cause the different types of atmospheric variation may involve energy dissipation at different altitude levels, and that this can be another source of distortion of the temperature profiles.

It must also be remembered that the relation between exospheric temperature and solar activity was derived from only the descending half of one solar cycle, which happened to be the most spectacular of all cycles observed since 1749. If the relation holds without change throughout a cycle and from one cycle to another, the exceptional nature of the last cycle may prove to have been a boon, inasmuch as it allowed the models to cover the largest possible range of density variation. Nevertheless, we cannot discount




FIGURE 3.21.—Measured atmospheric density versus altitude obtained for passes over the northern hemisphere mid-latitude minitrack stations. Data plotted without regard for local time, geomagnetic or solar activity.

the possibility, however unlikely, that the relation between atmospheric temperature and solar activity may not be maintained during a period of increasing sunspot activity.

We must not forget the possibility of a systematic error in the density tables caused by our imperfect knowledge of the drag coefficient of satellites. Atmospheric densities are generally determined assuming a constant value,  $C_D = 2.2$ . In a recent paper on satellite drag coefficients, Cook (1966) concluded: "Between heights of 140 and 400 km at times of low solar activity, or heights of 140 to 600 km at times of high solar activity, the drag coefficient is almost independent of height, and at present for most satellites, because of the lack of decisive evidence, there is perhaps not sufficient reason to abandon the value of 2.2, which has been widely used in recent years for the drag coefficient. It must be recognized, however, that this value is subject to some uncertainties and may be too low, perhaps by as much as 10 percent. At heights above 400 km (low solar activity) or 600 km (high solar

activity) the drag coefficient increases with height."

According to Cook, the drag coefficient  $C_D$  should increase to an asymptotic value of 2.6 to 2.7, which is nearly reached at 800 km at times of low solar activity. The relative uncertainty in  $C_D$ , however, should not increase with altitude; the likely error is estimated at 15 percent, while the maximum possible error is about 30 percent.

Since a density value computed from satellite drag is inversely proportional to the assumed value of  $C_D$ , we must count on similar uncertainties from this cause in the model densities below 600 km at times of high solar activity, and below 400 km at times of low solar activity. Above these levels there is the likelihood of a systematic error, increasing with altitude, that will make the computed densities a little too high, on account of the assumed constancy of  $C_D$ .

There has been much discussion about the discrepancy between the densities derived from satellite drag and those computed from the output of density




FIGURE 3.22.—Helium number densities versus altitude for local times between 0400 and 2100 hours during May, 1963. A diffusive model profile for  $T=800^\circ\text{K}$  (reduced in absolute value by three) is shown for reference.

gauges on the Explorer XVII satellite (Newton et al., 1964), which appear to be about half the former. It is the opinion of Cook (1965) that the uncertainty in the drag coefficient, the primary physical parameter for which some assumptions have to be made in the drag method, is too small to explain the discrepancy.

A word of caution about hydrogen is necessary. At times of high and even moderate solar activity the contribution of hydrogen to the total density is negligible for altitudes up to 1000 km. The situation is quite different at times of low solar activity. In the model corresponding to an exospheric temperature of 700° K, the number density of hydrogen overtakes that of helium at 900 km, whereas in the model for 600° K the crossover point is down to 510 km. Hydrogen is the only constituent for which the densities given in the model rely entirely on theory, and moreover it is the only constituent for which the total mass in the atmosphere should vary greatly with exospheric temperature, because of the effect of the latter on the escape rate.

In addition to the uncertainties that obviously exist in the theory, we must warn the reader that Eq. (3.3), which fixes the boundary conditions for hydrogen at 500 km, was fitted to Kockarts and Nicolet's (1962, 1963) theoretical hydrogen concentrations, which had been computed for temperatures between 2000 and 750° K. Thus, below 750° K the results from Eq. (3.3) represent an extrapolation. According to the models, in the region above 840 km there is an actual *increase* of density when the exospheric temperature drops from 700° to 600° K. Recent results from the Explorer XIX satellite (Jacchia and Slowey, 1966) indicate that the hydrogen concentrations given by the models for temperatures below 700° K are too high, so that it appears doubtful that the inversion of the covariance of density with temperature in the exosphere occurs in the real atmosphere within the tabular range of temperatures and altitudes. A useful rule is to distrust model densities when hydrogen is the major constituent. Only the models for 600° K and 700° K are affected; the first above 500 km and the second above 800 km.

The uncertainty concerning hydrogen is one of many that are encountered in the exosphere. There are disquieting signs that our models of atmospheric variations, derived from satellites with perigee altitudes mostly below 500 km, cannot be trusted at much greater altitudes. For example, Cook (1966) finds from the drag of Echo II during 1964 and 1965 that at an altitude of 1100 km there is little evidence for a diurnal variation. On the other hand, the semi-annual variation, with a range of a factor of 3 in the densities, emerges as the only significant fluctuation at that altitude. The ion density in the *F2* layer, as evidenced by observations of the critical frequency  $f_oF2$ , shows a large semiannual oscillation in phase with the density variations of the neutral atmosphere (Radicella and Cosio de Ragone, 1966). This lends support to the view expressed by King and Kohl (1965) and by Jacchia and Slowey (1966) that there might be a causal relation between ion density and neutral-gas temperature in the diurnal variation.

Ions propelled by electric forces in the geomagnetic field (Martyn, 1966) may be responsible for the 100 m sec<sup>-1</sup> mass transport of the neutral atmosphere in an easterly direction, at altitudes between 200 and 300 km, deduced by King-Hele and Scott (1966) from the secular variations in the orbital inclinations of satellites. Winds of this magnitude are bound to affect the global distribution of temperatures at thermospheric levels. At greater altitudes, where ions are free to move with little chance of collisions, we can expect the penetration of ions, driven along magnetic lines of force through the neutral atmosphere, to distort the density distribution computed according to the laws of diffusion. Under these conditions, the departure from hydrostatic equilibrium can also be expected to become a serious factor. The altitude at which the mean free path of a neutral particle is equal to the atmospheric scale height is about 900 km when the exospheric temperature is 2000° K, but it drops to 500 km for 1000° K and to 350 km for 600° K. At sunspot minimum, therefore, exospheric conditions prevail at altitudes as low as 350 to 400 km.

PRECEDING PAGE BLANK NOT FILMED.

PART 4

Additional Information Relating to the Atmosphere

PRECEDING PAGE BLANK NOT FILMED.

## PART 4

## Additional Information Relating to the Atmosphere

## 4.0 INTRODUCTION

During the period covering COESA's development of the major contributions of this publication, the supplementary tables of the atmosphere of Parts 5 and 6, the need for some related material has been recognized. This need includes mathematical expressions that can be used to approximate the detailed profiles of pressure and density of the 1962 Standard to 200 km and these 1966 Supplements to 80 km; ozone distribution to 50 km; and altitude-latitude relationships for locating at the correct geometric altitude the atmospheric data in the tables of Part 6 which are presented only for standard latitude.

## 4.1 ANALYTIC APPROXIMATIONS OF ATMOSPHERIC PRESSURE AND DENSITY

4.1.1 U.S. STANDARD ATMOSPHERE, 1962.—The basis for the *U.S. Standard Atmosphere, 1962* was the selected variation of molecular-scale temperature with altitude.\* The selected profile had a number of corners, that is, discontinuities in the lapse rate or first derivative. For those applications in which such discontinuities induce computational or other difficulties, approximate smoothed versions of the standard atmosphere were developed and presented in Part II.3 of the 1962 Standard. The standard molecular-scale temperature profile was approximated, in various degrees, by polynomial functions of geometric altitude from 0 to 200 km. The polynomials of degrees eight and ten were used to obtain approximations for the pressure and density which were mutually consistent with respect to the hydrostatic equation and perfect gas law.

For some applications it is preferable to have direct, simple approximations for the 1962 Standard pressure and density, as functions of geometric altitude, even though these may not be exactly compatible with respect to the hydrostatic equation. This will be especially true, for example, of an application in which the density profile is the basic requirement of all the atmospheric properties.

In what follows, the aforementioned direct approximations for pressure and density are developed.

Although this problem is not so restricted as to have a unique solution, the outstanding feature to be observed is that both pressure and density roughly are exponentially decreasing functions of altitude. Equivalently, the logarithms of both pressure and density roughly are linearly decreasing functions of altitude. This feature primarily influenced the two approaches taken to the solution of the approximation problem.

The first solution presented here is a generalization of a method used in digital computers for generating the exponential function. The variable  $f(Z)$  to be represented is expressed approximately:

$$f(Z) = 1/(A_0 + A_1Z + A_2Z^2 + \dots + A_nZ^n) \quad (4.1)$$

on a certain interval  $Z_0 \leq Z \leq Z_1$ . In the present case, the independent variable  $Z$  is the geometric altitude,  $Z_0=0$  is the lower or sea-level extreme, and  $Z_1=200$  km is the higher extreme altitude for which the approximation is attempted. The variable  $f(Z)$  represents the pressure, or the density, in ratio to its sea-level value. The constant coefficients  $A_0, \dots, A_n$  are selected to give a uniformly good approximation, on the given interval,† in the sense that the greatest fractional or percentage error in the variable  $f(Z)$  is to be as small as possible. Thus, the absolute error is small at high altitudes, where the pressure, or density, is also small. In Table 4.1 the two sets of coefficients presented are the results of successively refining the approximation 4.1 above, with  $n=11$ , for the cases  $f(Z) \equiv P/P_0$  and  $f(Z) \equiv \rho/\rho_0$ , the 1962 Standard pressure ratio and density ratio, respectively. Discrepancies between this approximation and the actual model are presented in Figure 4.1. In computations with these approximations, it is recommended that at least nine and preferably ten decimal digits be carried. The percentage error in each case is less than five percent for the geometric altitude interval 0 to 200 km. The detailed variation of the percentage error as a function of altitude is shown in the curves in Figure 4.1. The pressure was found to be more easily approximated within given limits. The approximation for the pressure has been developed so that its ratio to the approximate density

\*The technical basis of the selected profile is given by Champion and Minzner (1963).

† A different interval would generally require a different set of coefficients for best results.

TABLE 4.1.—APPROXIMATION OF 1962 STANDARD UP TO 200 KM BY DIGITAL COMPUTER TECHNIQUE

Altitude range: 0–200 km Surface values: $P_0 = 1.013250 \times 10^5$ newtons meter <sup>-2</sup> $\rho_0 = 1.2250$ kilograms meter <sup>-3</sup> Coefficient $A_j [j = 0, 1, \dots, 11; A_j \text{ has dimensions km}^{-j}; \text{ see Equation (4.1)}]$ :		
$j$	$f(Z) = \frac{P}{P_0}$	$f(Z) = \frac{\rho}{\rho_0}$
0	+0.100000000E+01	+0.100000000E+01
1	+0.3533367370E-01	+0.3393495800E-01
2	-0.7474788290E-03	-0.3433553057E-02
3	+0.2121572232E-03	+0.5497466428E-03
4	-0.1325255219E-04	-0.3228358326E-04
5	+0.5344159692E-06	+0.1106617734E-05
6	-0.1322745646E-07	-0.2291755793E-07
7	+0.1965359762E-09	+0.2902146443E-09
8	-0.1723714966E-11	-0.2230070938E-11
9	+0.8707590786E-14	+0.1010575266E-13
10	-0.2341816445E-16	-0.2482089627E-16
11	+0.2597772972E-19	+0.2548769715E-19

yields, through the perfect gas law, an approximation for the molecular-scale temperature which has a fractional error of less than five percent over the altitude interval 0 to 200 km. The approximations are much less accurate outside this altitude interval and should not be used there; this is also true of the second solution of the approximation problem which is discussed in the next paragraph. With reference to Eq. (4.1), it is noted that changing  $A_0$  or both  $A_0$  and  $A_1$  will produce changes which are appreciable at low altitudes but tend asymptotically toward zero change at high altitude.

The second solution presented here utilizes the truncated Chebyshev expansion† (Goodwin, 1961; National Bureau of Standards, 1952) for the variable  $f(x)$  on the interval  $-1 \leq x \leq 1$ . In the present case, the independent variable  $x$  is related linearly to the geometric altitude  $Z$  by

$$x = \frac{2Z}{Z_1} - 1 \text{ or } Z = \frac{Z_1}{2} (x + 1). \quad (4.2)$$

As  $x$  varies from  $-1$  to  $1$ ,  $Z$  increases from  $0$  to  $Z_1$ . The variable  $f(x)$  in the present case is  $\ln(P/P_0)$  or  $\ln(\rho/\rho_0)$ , the natural logarithm (base  $e$ ) of the 1962

†The Chebyshev expansion of a given function  $f(x)$  on the interval  $-1 \leq x \leq 1$  is the Fourier half-range cosine-series expansion of the corresponding function  $F(\theta) = f(\cos \theta)$  on the interval  $0 \leq \theta \leq \pi$ . The function  $\cos(k\theta) = \cos(k \cos^{-1} x) \equiv T_k(x)$  is expressible as a polynomial in  $x$ . The Chebyshev polynomials  $T_k(\xi)$  and  $C_k(\eta)$  are related by definition, according to:  $1/2 C_k(2\xi) \equiv T_k(\xi)$ ,  $k = 0, 1, 2, \dots$




FIGURE 4.1.—Errors in representing the 1962 Standard to 200 km by digital computer technique approximation.

Standard pressure ratio or density ratio, respectively. For small errors, the (absolute) error in approximating the logarithm  $\ln r$  is approximately equal to the corresponding fractional error in the (pressure or density) ratio  $r$  itself, that is,

$$\ln r_a - \ln r = \ln \left( 1 + \frac{r_a - r}{r} \right) \approx \frac{r_a - r}{r} \quad (4.3)$$

where  $|(r_a - r)/r|$  is much less than unity and the subscript  $a$  refers to the approximate value of  $r$ . Therefore, a uniformly good polynomial fit to  $\ln r$ , in the sense of minimizing the maximum absolute value of the error  $(\ln r_a - \ln r)$  on the interval  $0 \leq Z \leq Z_1$ , is of interest here. The best polynomial in this sense can be approximated with a truncated Chebyshev expansion. This standard approximation, for  $\ln r$ , is of the form

$$\ln r \approx \frac{a_0}{2} + \sum_{k=1}^n a_k T_k(x) = \frac{1}{2} \left[ a_0 + \sum_{k=1}^n a_k C_k(2x) \right] \quad (4.4)$$

where

$$a_k = \frac{2}{\pi} \int_0^\pi \ln[r(x)] \cos k\theta d\theta, \quad x \equiv \cos \theta \quad (4.5)$$

and (with  $\eta \equiv 2x$ ) the  $C_k(\eta)$  can be obtained recursively from

$$\begin{aligned} C_1(\eta) &= \eta, & C_2(\eta) &= \eta^2 - 2, \\ C_k(\eta) &= \eta C_{k-1}(\eta) - C_{k-2}(\eta), & & \\ & & k &= 3, 4, \dots \end{aligned} \quad (4.6)$$

Alternatively, the  $C_k(\eta)$  have been tabulated by the National Bureau of Standards (1952). As before, the approximations are not intended for application outside the interval  $0 \leq Z \leq Z_1$ . The first fifteen Chebyshev series expansion coefficients  $a_k$  are presented in Tables 4.2 and 4.3 for the 1962 Standard for the maximum altitudes  $Z_1 = 200$  km and  $Z_1 = 80$  km, respec-



TABLE 4.2.—APPROXIMATION OF 1962 STANDARD UP TO 200 KM BY TRUNCATED CHEBYSHEV EXPANSION

Altitude range: 0–200 km  
 Surface values:  $P_{z=0} = P_0$ ,  $\rho_{z=0} = \rho_0$   
 Chebyshev series expansion coefficients,  $a_k$ :

	$\ln \frac{P}{P_{z=0}}$	$\ln \frac{\rho}{\rho_{z=0}}$
$k = 0$	-0.24470569E+02	-0.25415229E+02
1	-0.10685861E+02	-0.11684380E+02
2	+0.22622605E+01	+0.18721406E+01
3	+0.63433398E+00	+0.81660876E+00
4	-0.27948959E-00	-0.93811118E-01
5	-0.31548574E-00	-0.30155735E-00
6	+0.90751361E-01	-0.77593291E-01
7	+0.18530467E-00	+0.21640168E-00
8	-0.95325843E-01	-0.34918422E-01
9	-0.50214309E-01	-0.70126799E-01
10	+0.45101378E-01	+0.36014616E-01
11	+0.88997472E-02	+0.14951351E-01
12	-0.18935899E-01	-0.21450283E-01
13	+0.35690621E-02	-0.12497995E-02
14	+0.63989880E-02	+0.18421866E-01

Maximum error, percent for

$n = 10$	+0.48716851E+01	+0.90159774E+01
11	+0.44642039E+01	+0.78204393E+01
12	+0.27651747E+01	+0.62153101E+01
13	+0.26185820E+01	+0.61527729E+01
14	+0.21790823E+01	+0.45074701E+01

TABLE 4.3.—APPROXIMATION OF 1962 STANDARD UP TO 80 KM BY TRUNCATED CHEBYSHEV EXPANSION

Altitude range: 0–80 km  
 Surface values:  $P_{z=0} = P_0$ ,  $\rho_{z=0} = \rho_0$   
 Chebyshev series expansion coefficients,  $a_k$ :

	$\ln \frac{P}{P_{z=0}}$	$\ln \frac{\rho}{\rho_{z=0}}$
$k = 0$	-0.11385925E+02	-0.10960632E+02
1	-0.56837011E+01	-0.55717132E+01
2	+0.52666476E-01	+0.99116555E-01
3	-0.77884294E-01	+0.61044847E-01
4	-0.11004083E-00	-0.14304157E-00
5	+0.17572339E-01	+0.29492088E-02
6	+0.48546337E-02	+0.58789604E-02
7	+0.17694805E-02	+0.20421324E-02
8	-0.18165298E-02	+0.71033206E-02
9	-0.26635086E-02	-0.10314086E-01
10	+0.35685433E-02	+0.34100737E-02
11	-0.82257517E-03	+0.41764325E-02
12	-0.10363683E-02	-0.39151559E-02
13	+0.57053477E-03	+0.11227828E-02
14	-0.19023078E-03	-0.15751053E-02

Maximum error, percent for

$n = 10$	+0.32537075E+00	+0.25532037E+01
11	+0.33326241E+00	+0.23517296E+01
12	+0.26060434E+00	+0.19785941E+01
13	+0.25006738E+00	+0.18775970E+01
14	+0.23898240E+00	+0.18222705E+01

tively. Discrepancies between these approximations and the actual model are presented in Figures 4.2 and 4.3. The two-digit number following the letter E in each numerical expression for  $a_k$  is the power of ten by which to multiply the number preceding the letter E. Maximum errors for the altitude interval  $0 \leq Z \leq Z_1$  for different truncations ( $n = 10$  to 14) and errors as a function of altitude are also presented for  $n = 10$  and  $n = 14$  in the figures. In Table 4.2 to Table 4.15,  $P_0$  and  $\rho_0$  denote sea-level values from the Standard. Eight decimal digits are recommended in computations.




FIGURE 4.2.—Errors in representing the 1962 Standard to 200 km by truncated Chebyshev expansion.

In summary, direct, simple approximations for the 1962 Standard pressure and density (first solution) and their logarithms (second solution) have been presented. The first solution is oriented to the needs for efficient digital-computer operation and requires little in the way of program and storage. The computation of the expansion coefficients in the second solution is very straightforward and can be performed in this or similar problems with little effort or skill in numerical analysis.

4.1.2 U.S. STANDARD ATMOSPHERE SUPPLEMENTS, 1966.—The approximation described in the preceding section and consisting of a truncated Chebyshev series expansion has been applied to the lower 80 km of 13 of the 14 Supplementary Atmospheres described in Parts 2 and 5 to obtain analytic representations of the logarithms of the pressure ratio and density ratio. Since the spring/fall atmosphere is identical to the 1962 Standard up to 69 km, analytic approximation of the spring/fall atmosphere is not described. The expansion coefficients and maximum errors are presented in Tables 4.4 to 4.16. Discrepancies from the Supplementary Atmospheres are illustrated in Figures 4.4 to 4.16. As before, the approximations should not be applied outside the indicated altitude range.




FIGURE 4.3.—Errors in representing the 1962 Standard to 80 km by truncated Chebyshev expansion.




FIGURE 4.4.—Errors in representing the 15° N. Supplementary Atmosphere by truncated Chebyshev expansion.




FIGURE 4.5.—Errors in representing the 30° N. Winter Supplementary Atmosphere.




FIGURE 4.6.—Errors in representing the 30° N. Summer Supplementary Atmosphere.

TABLE 4.4.—APPROXIMATION OF 15° N. SUPPLEMENTARY ATMOSPHERE BY TRUNCATED CHEBYSHEV EXPANSION

Altitude range: 0–80 km  
 Surface values:  $P_{z=0} = 1.0000000 P_0$   
 $\rho_{z=0} = 0.95265306 \rho_0$   
 Chebyshev series expansion coefficients,  $a_k$ :

	$\ln \frac{P}{P_{z=0}}$	$\ln \frac{\rho}{\rho_{z=0}}$
$k = 0$	$-0.11292681E + 02$	$-0.10795064E + 02$
1	$-0.56676704E + 01$	$-0.55402267E + 01$
2	$+0.45597384E - 01$	$+0.70185477E - 01$
3	$-0.72563273E - 01$	$+0.73327006E - 01$
4	$-0.11895318E - 00$	$-0.16736365E - 00$
5	$+0.38715330E - 01$	$+0.18269096E - 01$
6	$+0.10858011E - 02$	$+0.22595998E - 01$
7	$-0.72492028E - 02$	$-0.21316435E - 01$
8	$+0.89635745E - 02$	$+0.17031241E - 01$
9	$-0.68378613E - 02$	$-0.13859797E - 02$
10	$-0.33748665E - 04$	$-0.12925811E - 01$
11	$+0.47251073E - 02$	$-0.11510155E - 01$
12	$-0.36550791E - 02$	$-0.52981801E - 03$
13	$+0.31158274E - 03$	$-0.66618895E - 02$
14	$+0.18717224E - 02$	$+0.57506745E - 02$

Maximum error, percent for

$n = 10$	$+0.13981993E + 01$	$+0.46770841E + 01$
11	$+0.10743026E + 01$	$+0.38551524E + 01$
12	$+0.78751098E + 00$	$+0.38621232E + 01$
13	$+0.80631923E + 00$	$+0.32812089E + 01$
14	$+0.68477737E + 00$	$+0.27716085E + 01$

TABLE 4.5.—APPROXIMATION OF 30° N. WINTER SUPPLEMENTARY ATMOSPHERE BY TRUNCATED CHEBYSHEV EXPANSION

Altitude range: 0–80 km  
 Surface values:  $P_{z=0} = 1.00764866 P_0$   
 $\rho_{z=0} = 1.00653061 \rho_0$   
 Chebyshev series expansion coefficients,  $a_k$ :

	$\ln \frac{P}{P_{z=0}}$	$\ln \frac{\rho}{\rho_{z=0}}$
$k = 0$	$-0.11398712E + 02$	$-0.10988053E + 02$
1	$-0.56949156E + 01$	$-0.55952542E + 01$
2	$+0.66612249E - 01$	$+0.89859452E - 01$
3	$-0.66339880E - 01$	$+0.66752831E - 01$
4	$-0.10950316E - 00$	$-0.15432204E - 00$
5	$+0.34772284E - 01$	$+0.14787448E - 01$
6	$+0.36534654E - 02$	$+0.20988461E - 01$
7	$-0.50058098E - 02$	$-0.13602723E - 01$
8	$+0.42671657E - 02$	$+0.13072287E - 01$
9	$-0.49216313E - 02$	$-0.61097701E - 02$
10	$+0.12164620E - 02$	$-0.54250862E - 02$
11	$+0.24253896E - 02$	$+0.67921825E - 02$
12	$-0.19684564E - 02$	$-0.20118331E - 03$
13	$+0.95887702E - 05$	$-0.30992298E - 02$
14	$+0.79097901E - 03$	$+0.17320223E - 02$

Maximum error, percent for

$n = 10$	$+0.58665549E + 00$	$+0.16619980E + 01$
11	$+0.44876909E + 00$	$+0.13632268E + 01$
12	$+0.25192475E + 00$	$+0.13729185E + 01$
13	$+0.25144791E + 00$	$+0.10648638E + 01$
14	$+0.21190023E + 00$	$+0.95033348E + 00$




FIGURE 4.7.—Errors in representing the 45° N. Winter Supplementary Atmosphere.

TABLE 4.6.—APPROXIMATION OF 30° N. SUMMER SUPPLEMENTARY ATMOSPHERE BY TRUNCATED CHEBYSHEV EXPANSION

Altitude range: 0–80 km		
Surface values: $P_{z=0} = 1.00024673 P_0$		
$\rho_{z=0} = 0.94612245 \rho_0$		
Chebyshev series expansion coefficients, $a_k$ :		
	$\ln \frac{P}{P_{z=0}}$	$\ln \frac{\rho}{\rho_{z=0}}$
$k = 0$	-0.11236010E+02	-0.10724518E+02
1	-0.56476343E+01	-0.55094862E+01
2	+0.30694294E-01	+0.63777917E-01
3	-0.76259755E-01	+0.71771775E-01
4	-0.12104687E-00	-0.16437107E-00
5	+0.32464208E-01	+0.10906935E-01
6	+0.32257811E-02	+0.20640562E-01
7	-0.55074987E-02	-0.15827267E-01
8	+0.64346058E-02	+0.14407379E-01
9	-0.60729037E-02	-0.27857211E-02
10	+0.10370307E-02	-0.10184736E-01
11	+0.31451757E-02	+0.11202805E-01
12	-0.31532521E-02	-0.34389555E-02
13	+0.10123259E-02	-0.32617962E-02
14	+0.79967239E-03	+0.42496365E-02
Maximum error, percent for		
$n = 10$	+0.10690240E+01	+0.42787224E+01
11	+0.76824112E+00	+0.32592773E+01
12	+0.49861088E+00	+0.31749964E+01
13	+0.49004091E+00	+0.29780984E+01
14	+0.42920543E+00	+0.25532901E+01

TABLE 4.7.—APPROXIMATION OF 45° N. WINTER SUPPLEMENTARY ATMOSPHERE BY TRUNCATED CHEBYSHEV EXPANSION

Altitude range: 0–80 km		
Surface values: $P_{z=0} = 1.00468789 P_0$		
$\rho_{z=0} = 1.06204082 \rho_0$		
Chebyshev series expansion coefficients, $a_k$ :		
	$\ln \frac{P}{P_{z=0}}$	$\ln \frac{\rho}{\rho_{z=0}}$
$k = 0$	-0.11554944E+02	-0.11262047E+02
1	-0.57394208E+01	-0.56938867E+01
2	+0.10541182E-00	+0.10894386E-00
3	-0.31041097E-01	+0.74802921E-01
4	-0.90912415E-01	-0.12099027E-00
5	+0.19779769E-01	-0.18128609E-02
6	+0.13230478E-01	+0.17643137E-01
7	+0.15098489E-03	+0.79451649E-02
8	-0.65576137E-02	+0.75301915E-03
9	-0.13792823E-02	-0.13910341E-01
10	+0.45829969E-02	+0.61671438E-02
11	-0.11948063E-02	+0.26568258E-02
12	-0.40015894E-03	-0.22915218E-02
13	+0.27888930E-03	+0.21201550E-02
14	-0.33229920E-03	-0.24436811E-02
Maximum error, percent for		
$n = 10$	+0.26980507E+00	+0.19066200E+01
11	+0.23119020E+00	+0.18811271E+01
12	+0.21727996E+00	+0.17137662E+01
13	+0.19324141E+00	+0.15018404E+01
14	+0.17728639E+00	+0.13139173E+01




FIGURE 4.8. — Errors in representing the 45° N. Summer Supplementary Atmosphere.

TABLE 4.8. — APPROXIMATION OF 45° N. SUMMER SUPPLEMENTARY ATMOSPHERE BY TRUNCATED CHEBYSHEV EXPANSION

Altitude range: 0–80 km  
 Surface values:  $P_{z=0} = 1.00024673 P_0$   
 $\rho_{z=0} = 0.97306122 \rho_0$   
 Chebyshev series expansion coefficients,  $a_k$ :

	$\ln \frac{P}{P_{z=0}}$	$\ln \frac{\rho}{\rho_{z=0}}$
$k = 0$	$-0.11150426E + 02$	$-0.10692979E + 02$
1	$-0.55932330E + 01$	$-0.54516427E + 01$
2	$+0.21511737E - 01$	$+0.78517903E - 01$
3	$-0.89873604E - 01$	$+0.58080391E - 01$
4	$-0.11834978E - 00$	$-0.15258813E - 00$
5	$+0.22024347E - 01$	$+0.39089340E - 02$
6	$+0.26686517E - 02$	$+0.12920403E - 01$
7	$-0.23176521E - 02$	$-0.90474822E - 02$
8	$+0.24556559E - 02$	$+0.10975508E - 01$
9	$-0.38195797E - 02$	$-0.70757392E - 02$
10	$+0.25047988E - 02$	$-0.17159607E - 02$
11	$+0.66807698E - 03$	$+0.70322484E - 02$
12	$-0.18029543E - 02$	$-0.36113699E - 02$
13	$+0.82929434E - 03$	$-0.14795569E - 03$
14	$-0.37180569E - 03$	$+0.54964149E - 03$

Maximum error, percent for

$n = 10$	$+0.54767413E + 00$	$+0.30291855E + 01$
11	$+0.49553199E + 00$	$+0.23566723E + 01$
12	$+0.31653329E + 00$	$+0.20456657E + 01$
13	$+0.26599004E + 00$	$+0.20487174E + 01$
14	$+0.27117863E + 00$	$+0.20166874E + 01$

TABLE 4.9. — APPROXIMATION OF 60° N. WINTER SUPPLEMENTARY ATMOSPHERE BY TRUNCATED CHEBYSHEV EXPANSION

Altitude range: 0–80 km  
 Surface values:  $P_{z=0} = 1.00024673 P_0$   
 $\rho_{z=0} = 1.12000000 \rho_0$   
 Chebyshev series expansion coefficients,  $a_k$ :

	$\ln \frac{P}{P_{z=0}}$	$\ln \frac{\rho}{\rho_{z=0}}$
$k = 0$	$-0.11734579E + 02$	$-0.11559304E + 02$
1	$-0.57909640E + 01$	$-0.57942704E + 01$
2	$+0.15565977E + 00$	$+0.14085435E + 00$
3	$+0.43958965E - 03$	$+0.91568527E - 01$
4	$-0.73909307E - 01$	$-0.89026834E - 01$
5	$+0.10612036E - 01$	$-0.91508620E - 03$
6	$+0.81347044E - 02$	$+0.96263019E - 02$
7	$+0.17454704E - 02$	$+0.74983495E - 02$
8	$-0.70900109E - 02$	$+0.66805500E - 03$
9	$-0.10257863E - 02$	$-0.15687198E - 01$
10	$+0.36946803E - 02$	$+0.69099183E - 02$
11	$-0.53343711E - 03$	$-0.25275559E - 02$
12	$+0.16436473E - 02$	$+0.40577084E - 02$
13	$-0.12242473E - 02$	$+0.35777159E - 02$
14	$-0.84107635E - 03$	$-0.46009748E - 02$

Maximum error, percent for

$n = 10$	$+0.42302819E + 00$	$+0.17953478E + 01$
11	$+0.38139584E + 00$	$+0.16184054E + 01$
12	$+0.26048484E + 00$	$+0.15816823E + 01$
13	$+0.24649215E + 00$	$+0.13898768E + 01$
14	$+0.20221931E + 00$	$+0.96897483E + 00$




FIGURE 4.9.—Errors in representing the 60° N. Winter Supplementary Atmosphere.




FIGURE 4.10.—Errors in representing the 60° N. Summer Supplementary Atmosphere.




FIGURE 4.11.—Errors in representing the 60° N. Winter (Cold) Supplementary Atmosphere.




FIGURE 4.12.—Errors in representing the 60° N. Winter (Warm) Supplementary Atmosphere.

TABLE 4.10.—APPROXIMATION OF 60° N. SUMMER SUPPLEMENTARY ATMOSPHERE BY TRUNCATED CHEBYSHEV EXPANSION

Altitude range: 0–80 km  
 Surface values:  $P_{z=0} = 0.99679250 P_0$   
 $\rho_{z=0} = 0.99591837 \rho_0$   
 Chebyshev series expansion coefficients,  $a_k$ :

	$\ln \frac{P}{P_{z=0}}$	$\ln \frac{\rho}{\rho_{z=0}}$
$k = 0$	$-0.11113715E+02$	$-0.10702847E+02$
1	$-0.55552451E+01$	$-0.54172088E+01$
2	$+0.14711463E-01$	$+0.94875743E-01$
3	$-0.10813282E-00$	$+0.33971231E-01$
4	$-0.11288266E-00$	$-0.14385514E-00$
5	$+0.13886823E-01$	$-0.22402754E-02$
6	$+0.45754226E-02$	$+0.47746203E-02$
7	$+0.15378256E-02$	$+0.19455712E-02$
8	$-0.14691148E-02$	$+0.62006716E-02$
9	$-0.11931194E-02$	$-0.74573795E-02$
10	$+0.20596717E-02$	$+0.49698568E-02$
11	$-0.20676183E-02$	$-0.10657856E-02$
12	$+0.45563554E-03$	$-0.45141339E-02$
13	$+0.83081386E-03$	$+0.36185520E-02$
14	$-0.35421627E-03$	$-0.17352670E-02$

Maximum error, percent for

$n = 10$	$+0.47194607E+00$	$+0.26714161E+01$
11	$+0.31524203E+00$	$+0.26816413E+01$
12	$+0.33107898E+00$	$+0.23519516E+01$
13	$+0.25946698E+00$	$+0.19902498E+01$
14	$+0.24612195E+00$	$+0.18568054E+01$

TABLE 4.11.—APPROXIMATION OF 60° N. WINTER (COLD) SUPPLEMENTARY ATMOSPHERE BY TRUNCATED CHEBYSHEV EXPANSION

Altitude range: 0–80 km  
 Surface values:  $P_{z=0} = 1.00024673 P_0$   
 $\rho_{z=0} = 1.12000000 \rho_0$   
 Chebyshev series expansion coefficients,  $a_k$ :

	$\ln \frac{P}{P_{z=0}}$	$\ln \frac{\rho}{\rho_{z=0}}$
$k = 0$	$-0.11986395E+02$	$-0.11811448E+02$
1	$-0.59219413E+01$	$-0.59543981E+01$
2	$+0.19521780E-00$	$+0.13822599E-00$
3	$+0.49710290E-01$	$+0.13723169E-00$
4	$-0.78022972E-01$	$-0.85309979E-01$
5	$+0.84323914E-02$	$-0.80034570E-02$
6	$+0.17658515E-01$	$+0.24007255E-01$
7	$-0.84813241E-03$	$+0.16226391E-01$
8	$-0.14690644E-01$	$-0.85207421E-02$
9	$-0.62825929E-03$	$-0.23385217E-01$
10	$+0.72435819E-02$	$+0.92265872E-02$
11	$-0.75193853E-03$	$+0.48266426E-03$
12	$+0.31587886E-03$	$+0.17416397E-02$
13	$-0.15014646E-03$	$+0.30251177E-02$
14	$-0.35626103E-03$	$-0.13604895E-02$

Maximum error, percent for

$n = 10$	$+0.40051306E+00$	$+0.15021086E+01$
11	$+0.34523572E+00$	$+0.14942810E+01$
12	$+0.32561983E+00$	$+0.14713630E+01$
13	$+0.33805336E+00$	$+0.13232782E+01$
14	$+0.34828052E+00$	$+0.12660265E+01$




FIGURE 4.13.—Errors in representing the 75° N. Winter Supplementary Atmosphere.

TABLE 4.12.—APPROXIMATION OF 60° N. WINTER (WARM) SUPPLEMENTARY ATMOSPHERE BY TRUNCATED CHEBYSHEV EXPANSION

Altitude range: 0–80 km  
 Surface values:  $P_{z=0} = 1.00024673 P_0$   
 $\rho_{z=0} = 1.12000000 \rho_0$   
 Chebyshev series expansion coefficients,  $a_k$ :

	$\ln \frac{P}{P_{z=0}}$	$\ln \frac{\rho}{\rho_{z=0}}$
$k = 0$	$-0.11454033E + 02$	$-0.11290984E + 02$
1	$-0.56620422E + 01$	$-0.56411071E + 01$
2	$+0.96319649E - 01$	$+0.11306966E - 00$
3	$-0.44269729E - 01$	$+0.32309052E - 01$
4	$-0.66507997E - 01$	$-0.97161131E - 01$
5	$+0.11909655E - 01$	$-0.69107811E - 02$
6	$+0.10722589E - 01$	$+0.34919044E - 03$
7	$+0.96289317E - 02$	$+0.15701751E - 01$
8	$-0.52646790E - 02$	$+0.93187094E - 02$
9	$-0.27010841E - 02$	$-0.12750375E - 01$
10	$+0.19167302E - 02$	$+0.63867828E - 02$
11	$-0.75229670E - 03$	$-0.45595561E - 02$
12	$+0.17112380E - 02$	$+0.43776657E - 02$
13	$-0.16415112E - 02$	$+0.16522544E - 02$
14	$-0.26017816E - 03$	$-0.57111861E - 02$

Maximum error, percent for

$n$	$\ln \frac{P}{P_{z=0}}$	$\ln \frac{\rho}{\rho_{z=0}}$
10	$+0.57345495E + 00$	$+0.24867050E + 01$
11	$+0.53716466E + 00$	$+0.21675125E + 01$
12	$+0.37407592E + 00$	$+0.21099091E + 01$
13	$+0.30930995E + 00$	$+0.20290285E + 01$
14	$+0.29561429E + 00$	$+0.15065640E + 01$

TABLE 4.13.—APPROXIMATION OF 75° N. WINTER SUPPLEMENTARY ATMOSPHERE BY TRUNCATED CHEBYSHEV EXPANSION

Altitude range: 0–30 km  
 Surface values:  $P_{z=0} = 1.00024673 P_0$   
 $\rho_{z=0} = 1.15673469 \rho_0$   
 Chebyshev series expansion coefficients,  $a_k$ :

	$\ln \frac{P}{P_{z=0}}$	$\ln \frac{\rho}{\rho_{z=0}}$
$k = 0$	$-0.46585828E + 01$	$-0.43716063E + 01$
1	$-0.23793183E + 01$	$-0.22828183E + 01$
2	$-0.45720632E - 01$	$-0.93555254E - 01$
3	$+0.18766651E - 01$	$+0.28645270E - 01$
4	$-0.37170666E - 02$	$+0.23819977E - 02$
5	$-0.11334217E - 02$	$-0.10561099E - 01$
6	$+0.26667524E - 02$	$+0.10428505E - 01$
7	$-0.28777064E - 02$	$-0.50128486E - 02$
8	$+0.18202721E - 02$	$-0.79128043E - 03$
9	$-0.74578723E - 03$	$+0.18741237E - 02$
10	$+0.75868630E - 03$	$+0.54691744E - 03$
11	$-0.11158275E - 02$	$-0.13866626E - 02$
12	$+0.12249412E - 02$	$+0.14015084E - 03$
13	$-0.10232393E - 02$	$+0.11944472E - 02$
14	$+0.80900566E - 03$	$-0.16713684E - 02$

Maximum error, percent for

$n$	$\ln \frac{P}{P_{z=0}}$	$\ln \frac{\rho}{\rho_{z=0}}$
10	$+0.81750139E + 00$	$+0.10199890E + 01$
11	$+0.70591864E + 00$	$+0.88459402E + 00$
12	$+0.58342451E + 00$	$+0.87593496E + 00$
13	$+0.48110057E + 00$	$+0.82325637E + 00$
14	$+0.40020000E + 00$	$+0.65612495E + 00$






FIGURE 4.14.—Errors in representing the 75° N. Summer Supplementary Atmosphere.

TABLE 4.14.—APPROXIMATION OF 75° N. SUMMER SUPPLEMENTARY ATMOSPHERE BY TRUNCATED CHEBYSHEV EXPANSION

Altitude range: 0–30 km  
 Surface values:  $P_{z=0} = 0.99925981 P_0$   
 $\rho_{z=0} = 1.03265306 \rho_0$   
 Chebyshev series expansion coefficients,  $a_k$ :

$k$	$\ln \frac{P}{P_{z=0}}$	$\ln \frac{\rho}{\rho_{z=0}}$
0	-0.42278519E+01	-0.39573638E+01
1	-0.21708018E+01	-0.20952640E+01
2	-0.29043083E-01	-0.94215480E-01
3	+0.24327983E-01	+0.38691153E-01
4	-0.70768897E-02	-0.19255719E-02
5	+0.39061656E-03	-0.13326340E-01
6	+0.30080657E-02	+0.11360621E-01
7	-0.20413522E-02	+0.10086802E-02
8	-0.31845975E-03	-0.54632690E-02
9	+0.86191803E-03	+0.20982994E-02
10	-0.30671941E-03	+0.13258500E-02
11	-0.23462532E-03	-0.20557834E-02
12	+0.40526052E-03	-0.39581369E-03
13	+0.65274826E-04	+0.23348878E-02
14	-0.24468654E-03	-0.62716101E-03

Maximum error, percent for

$n = 10$	+0.12279234E+00	+0.14662445E+01
11	+0.99883296E-01	+0.12945935E+01
12	+0.74847855E-01	+0.12864456E+01
13	+0.71968951E-01	+0.10562479E+01
14	+0.52774628E-01	+0.10238126E+01

TABLE 4.15.—APPROXIMATION OF 75° N. WINTER (COLD) SUPPLEMENTARY ATMOSPHERE BY TRUNCATED CHEBYSHEV EXPANSION

Altitude range: 0–30 km  
 Surface values:  $P_{z=0} = 1.00024673 P_0$   
 $\rho_{z=0} = 1.15673469 \rho_0$   
 Chebyshev series expansion coefficients,  $a_k$ :

$k$	$\ln \frac{P}{P_{z=0}}$	$\ln \frac{\rho}{\rho_{z=0}}$
0	-0.46979427E+01	-0.44018058E+01
1	-0.24385498E+01	-0.23125096E+01
2	-0.70155064E-01	-0.11547751E-00
3	+0.19577885E-01	+0.22280943E-01
4	-0.30149859E-02	+0.46783411E-02
5	-0.21707308E-03	-0.10539889E-01
6	+0.14251117E-02	+0.89370371E-02
7	-0.12219627E-02	-0.40615459E-02
8	+0.50409209E-03	+0.32793775E-03
9	+0.12261519E-03	+0.13813689E-02
10	-0.30169548E-03	+0.14296263E-03
11	-0.43468288E-04	-0.14171108E-02
12	+0.31536786E-03	-0.67675316E-04
13	-0.45298677E-04	+0.14122584E-02
14	-0.19354323E-04	-0.13300160E-02

Maximum error, percent for

$n = 10$	+0.73231601E-01	+0.82924217E+00
11	+0.69713437E-01	+0.69087446E+00
12	+0.50113939E-01	+0.69505423E+00
13	+0.46390140E-01	+0.63276887E+00
14	+0.47741675E-01	+0.49977154E+00




FIGURE 4.15.—Errors in representing the 75° N. Winter (Cold) Supplementary Atmosphere.




FIGURE 4.16.—Errors in representing the 75° N. Winter (Warm) Supplementary Atmosphere.

## 4.2 MID-LATITUDE OZONE MODEL TO 50 KILOMETERS

Observations from the ozonesonde network in North America, established in January 1963 (Hering and Borden, 1964), have been combined with rocket measurements and photochemical equilibrium calculations to provide a Mid-latitude Ozone Model which is a tentative annual mean of mid-latitude ozone data to 50 km.

4.2.1. DATA.—The lower 34-km portion of the ozone model is based on the data obtained from the systematic program of weekly ozonesonde ascents made throughout the year 1963 at Seattle, Washington; Fort Collins, Colorado; Madison, Wisconsin; and Bedford, Massachusetts. The mean profile represents the average of mean annual profiles computed for these stations after first averaging individual sounding data over 2-km vertical intervals. Approximately 150 ozonesonde ascents were used in the determination of the mean ozone profile.

The mean annual ozone distribution for heights above 34 km has been determined by analysis of

photochemical equilibrium distributions as calculated by Dütsch (1956), Craig (1950), Leovy (1964), and London and Prabhakara (1962) in combination with rocket measurements over New Mexico by Johnson et al. (1951) in June 1949 and over Wallops Island by Reed and Scolnick (1964) in May 1960. Most weight was assigned to the rocket measurements in defining the ozone model, although there is rather good agreement with the theoretical distributions.

Table 4.17 gives the vertical distribution of ozone pressure, density, number density, and mixing ratio in the Mid-latitude Ozone Model to 50 km. Total ozone content, also provided, represents the depth of ozone contained in a square centimeter column of the atmosphere at standard pressure and temperature, STP (1013.25 mb and 273.15° K). Figures 4.17, 4.18, 4.19, and 4.20 show the partial pressure, density, number density, and mixing ratio profiles, respectively.

4.2.2 LIMITATIONS OF MODEL.—Although the ozonesonde observations to 34 km were taken at locations extending from Seattle, Washington, to Bedford, Massachusetts, a region covering 51° of longitude, results are considered, tentatively, as typical

TABLE 4.16.—APPROXIMATION OF 75° N. WINTER (WARM) SUPPLEMENTARY ATMOSPHERE BY TRUNCATED CHEBYSHEV EXPANSION

Altitude range: 0–30 km  
 Surface values:  $P_{z=0} = 1.00024673 P_0$   
 $\rho_{z=0} = 1.15673469 \rho_0$   
 Chebyshev series expansion coefficients,  $a_k$ :

	$\ln \frac{P}{P_{z=0}}$	$\ln \frac{\rho}{\rho_{z=0}}$
$k = 0$	-0.44657178E+01	-0.43199761E+01
1	-0.22651483E+01	-0.22321204E+01
2	-0.77951595E-02	-0.59124081E-01
3	+0.19291746E-01	+0.32498859E-01
4	-0.70020744E-02	-0.61137000E-02
5	+0.23696890E-02	-0.10065819E-01
6	+0.15803441E-02	+0.13643993E-01
7	-0.21835677E-02	-0.65008923E-02
8	+0.11009927E-02	-0.49258938E-03
9	+0.22904447E-03	+0.37893999E-02
10	-0.76817563E-03	-0.10783633E-02
11	+0.16950855E-03	-0.26967059E-02
12	+0.44253781E-03	+0.16621970E-02
13	-0.35313824E-03	+0.12531816E-02
14	-0.10111955E-04	-0.27423631E-02

Maximum error, percent for

$n = 10$	+0.15889272E+00	+0.18673599E+01
11	+0.14936939E+00	+0.16040519E+01
12	+0.12314335E+00	+0.15013710E+01
13	+0.89350497E-01	+0.14461011E+01
14	+0.89396691E-01	+0.11718735E+01

TABLE 4.17.—MID-LATITUDE OZONE MODEL

Altitude		Pressure		Density	Number Density	Mixing Ratio
$H, m'$	$Z, m$	$P, mb$	$P, mm$	$\rho, kg\ m^{-3}$	$n, m^{-3}$	$w, kgkg^{-1}$
2000	2001	2.4 -5	1.8 -5	5.4 -8	6.7 +17	5.0 -8
4000	4003	2.2	1.6	4.6	5.8	6.0
6000	6006	2.0	1.5	4.5	5.7	7.0
8000	8010	2.0	1.5	5.2	6.5	1.0 -7
10000	10016	3.5	2.6	9.0	1.13 +18	2.2
12000	12023	6.1	4.6	1.61 -7	2.02	5.2
14000	14031	7.0	5.2	1.87	2.34	8.2
16000	16040	8.8	6.6	2.35	2.94	1.42 -6
18000	18051	1.21 -4	9.1	3.22	4.05	2.67
20000	20063	1.42	1.06 -4	3.80	4.77	4.31
22000	22076	1.46	1.10	3.87	4.85	6.07
24000	24091	1.38	1.04	3.62	4.54	7.82
26000	26107	1.24	9.3 -5	3.21	4.03	9.53
28000	28124	1.00	7.5	2.58	3.23	1.048 -5
30000	30142	8.0 -5	6.0	2.03	2.55	1.129
32000	32162	6.4	4.8	1.61	2.02	1.217
34000	34183	5.0	3.8	1.24	1.56	1.294
36000	36205	3.8	2.8	9.2 -8	1.16	1.314
38000	38229	2.9	2.2	6.9	8.6 +17	1.324
40000	40253	2.1	1.6	4.9	6.1	1.267
42000	42279	1.4	1.0	3.2	4.1	1.124
44000	44307	9.0 -6	6.8 -6	2.1	2.6	9.52 -6
46000	46335	6.0	4.5	1.2	1.6	7.62
48000	48365	3.0	2.2	7.0 -9	9.0 +16	5.81
50000	50396	2.0	1.5	4.0	5.0	4.00

TOTAL OZONE=347 matm-cm (milli-atmosphere-centimeters), STP =0.347 cm, STP

- NOTE: 1. Values of ozone density in units of matm-cm/km may be obtained by multiplying the above values of ozone density by  $0.467 \times 10^6$ .  
 2. Values of ozone mixing ratio in units of parts per million by volume may be obtained by multiplying the above values of ozone mixing ratio by  $0.603 \times 10^6$ .

skewed rather than normal, particularly in the lower stratosphere.

The existence of longer-period fluctuations also has been investigated. Angell and Korshover (1964),

TABLE 4.18.—STANDARD DEVIATION OF OBSERVED OZONE DENSITY ABOUT MODEL

Altitude $H, m'$	SD, $\rho$ ( $kg\ m^{-3}$ )	Altitude $H, m'$	SD, $\rho$ ( $kg\ m^{-3}$ )
2000	3.0 -8	18000	9.8-8
4000	2.3	20000	7.8
6000	2.4	22000	6.5
8000	4.7	24000	4.9
10000	9.8	26000	4.4
12000	1.26 -7	28000	4.4
14000	1.18	30000	4.0
16000	1.13		

of mid-latitude conditions around the northern hemisphere. Also, the representativeness of the ozone model based on the 1963 data was checked by comparison with available 1964 observations. Since fully-processed 1964 data were incomplete, 8-month averages were compared. The difference in average density was only  $1 \times 10^{-9} kg\ m^{-3}$  or 0.3 percent at 20 km and  $2.1 \times 10^{-8} kg\ m^{-3}$  or 11 percent at 14 km. The relatively large difference at 14 km probably results from the inter-annual change in the mean position of the tropospheric wind maximum and the associated change in tropopause height.

4.2.3 VARIABILITY.—Standard deviations of ozone density about the model are presented in Table 4.18 for 2-km intervals between the surface and 30 km. They are based on 244 ozonesonde network observations taken during 1963 and 1964. Consequently, the computed rms values include seasonal as well as synoptic-scale variations.

It is apparent from these data that the level of maximum variability lies near 12 km, with minimum variations near 4 km and 30 km or higher. All values, however, must be considered as first estimates due to the limited number of observations currently available. Also, the distribution of ozone seems to be




FIGURE 4.17.—Tentative mean annual mid-latitude ozone pressure.

for example, analyzed quasi-biennial variations in total ozone. Statistically significant biennial oscillations were found at all latitudes. The amplitude in mid-latitudes averages roughly 5 matm-cm. These fluctuations are small compared to total ozone values and synoptic-scale variability in the stratosphere.

### 4.3 GEOPOTENTIAL-GEOMETRIC ALTITUDE RELATIONS

4.3.1 INTRODUCTION.—This section presents a geopotential table which leads to the geometric altitude of equal geopotential surfaces at various latitudes in 15-degree increments from 0 to 90 degrees.

4.3.2 DEFINITION AND METHOD OF CALCULATION.—Geopotential  $H_\phi$  of a unit mass, at a given latitude  $\phi$ , relative to the reference geopotential at the earth's surface  $Z_0$  at the same latitude, varies with geometric altitude  $Z$  and with the altitude-dependent acceleration of gravity  $g_\phi(Z)$  for that latitude in accordance with the following integral equation:

$$H_\phi = \int_{Z_0}^Z g_\phi(Z) dZ \quad (4.7)$$

Approaches of considerable though varying sophistication have been employed in recent years in the




FIGURE 4.18.—Tentative mean annual mid-latitude ozone density.

determination of a function of  $Z$  which permits the perfect integration of Eq. (4.7), and thus leads to numerical values of  $H_\phi$  (List, 1963; Minzner and Ripley, 1956; Minzner et al., 1958; *U.S. Standard Atmosphere, 1962*) for specified values of  $Z$ . The extreme differences in the values of  $H_\phi$  for a given value of  $Z$  as determined by any of these methods are very small compared with the uncertainties of the atmospheric properties tabulated in this document for the same value of  $Z$ . Thus, it is reasonable that the simpler of these sophisticated methods (List, 1963; Minzner and Ripley, 1956) be employed in the calculation of geopotential for use with atmospheric properties in these tables. The more complicated and more sophisticated of these referenced methods, that is, the method used in the *U.S. Standard Atmosphere, 1962*, yields a value of  $H_\phi$  at 700 km which differs by less than 0.007 percent from that computed for these *Supplementary Atmospheres for the same latitude*.

Analytical relationships for  $H_\phi$  as a function of  $Z$ , and for  $Z_\phi$  as a function of  $H$ , both stemming from Eq. (4.7), are arrived at by replacing  $g_\phi(Z)$  with a specialized form of the inverse-square law prior to the integration of Eq. (4.7). The resulting relationships are:

$$H_\phi(Z) \equiv H_\phi = \frac{r_\phi Z}{r_\phi + Z} \cdot \frac{g_\phi}{G} \quad (4.8)$$




FIGURE 4.19.—Tentative mean annual mid-latitude ozone number density.




FIGURE 4.20.—Tentative mean annual mid-latitude ozone mixing ratio.

and

$$Z_\phi(H) \equiv Z_\phi = \frac{r_\phi H}{\frac{r_\phi g_\phi}{G} - H} \quad (4.9)$$

where

$H_\phi(Z) \equiv H_\phi$  = geopotential at latitude  $\phi$  in geopotential meters (m') as a function of geometric altitude  $Z$

$Z_\phi(H) \equiv Z_\phi$  = geometric altitude at latitude  $\phi$  in geometric meters (m) as a function of geopotential  $H$ ,

$G = 9.80665 \text{ m}^2 \text{ sec}^{-2} (\text{m}')^{-1}$ , which value implicitly defines one standard geopotential meter

$g_\phi$  = the sea-level value of the acceleration of gravity at latitude  $\phi$ , ( $\text{m sec}^{-2}$ )

$r_\phi$  = the effective earth's radius for latitude  $\phi$ , (m)

For any latitude  $\phi$ , the value of  $r_\phi$  is generally not equal to the earth's radius for that latitude, but rather is a quantity calculated to meet certain boundary conditions (List, 1963; Minzner and Ripley, 1956, Appendix M), such that the relationships of Eqs. (4.8) and (4.9) retain a high degree of validity over an extended range of altitudes at all latitudes in the geopotential table.

Geopotentials have been calculated for eight latitudes listed in Table 4.19, which also shows the related values of  $r_\phi$  and  $g_\phi$  employed in the calculations.

TABLE 4.19.—VALUES OF  $r_\phi$  AND  $g_\phi$  EMPLOYED IN THE CALCULATION OF GEOPOTENTIAL AT VARIOUS LATITUDES

$\phi$	$r_\phi$	$g_\phi$
45°32'33"	6,356,766	9.80665
0°	6,334,984	9.78036
15°	6,337,838	9.78381
30°	6,345,653	9.79324
45°	6,356,360	9.80616
60°	6,367,103	9.81911
75°	6,374,972	9.82860
90°	6,377,862	9.83208

The values of  $g_\phi$  and  $r_\phi$  applicable to latitudes 0°, 15°, 30°, 45°, 60°, 75°, and 90° as used in the geopotential calculations of this document were taken from Table 167 and Table 49, respectively, of the Smithsonian Tables (List, 1963). No values of  $g_\phi$  and  $r_\phi$  are given in the Smithsonian Tables, however, for the reference latitude,  $R = 45^\circ 32' 33''$ .

The reference latitude is not an arbitrary value for which the appropriate value of  $g_\phi$  must be found but, rather,  $R$  is the latitude associated with the so-called standard acceleration of gravity equal to  $9.80665 \text{ m sec}^{-2}$  as designated in all U.S. Standard Atmospheres published after 1922. If the latitude variation of the sea-level value of the acceleration of gravity is assumed to follow the Lambert equation (List, 1963), that is,

$$g_\phi = 9.806160(1 - 0.0026373 \cos 2\phi + 0.0000059 \cos^2 2\phi) \quad (4.10)$$

the value of  $\phi$  which satisfies this equation for  $g_\phi = 9.80665 \text{ m sec}^{-2}$  is found to be  $\phi = 45^\circ 32' 33'' = R$ . The value of  $r_\phi$  for this latitude was computed in the manner described for the computation of values in Smithsonian Table 49 (List, 1963), or as previously discussed by Minzner and Ripley (1956). The use of this particular pair of values of  $g_\phi$  and  $r_\phi$  in Eq. (4.8) yields values of  $H_R$  as a function of  $Z$ . The corresponding values of  $Z$  and  $H$  for latitude  $R$  are hereafter referred to as  $Z_R$  and  $H_R$  and serve as the argument pair in the geopotential tables of this section. With the same values of  $g_\phi$  and  $r_\phi$ , Eq. (4.9) yields values of  $Z_R$  as a function of  $H_R$ , or as a function of the second member of the argument pair,  $Z_R$  and  $H_R$ .

Sets of values of  $Z_\phi$  as a function of the second member of the argument pair could be calculated for each latitude by means of Eq. (4.9) and the appropriate values of  $g_\phi$  and  $r_\phi$ . A considerable reduction in the number of columns of print is obtained, however, by listing values of the departure of  $Z_\phi$  from  $Z_R$ , in the form of  $Z_\phi - Z_R$ , as a function of the argument pair for each of the required latitudes.

A comparison of the values of geometric altitude as a function of  $H$  in the *U.S. Standard Atmosphere, 1962* with values of  $Z_R$  as computed by Eq. (4.9) for the same values of  $H = H_R$  at the reference latitude  $R$ , shows that these two sets of values of  $Z$  depart slowly from each other in accordance with some function of increasing values of  $H$ . The analytical expression for computing the 1962 Standard values of  $Z$  as a function of  $H$  (or vice versa) has not been published, but Minzner (1966) has shown that the unrounded 1962 Standard values of  $Z$  as a function of  $H$  are very closely approximated by an empirical function  $Z_s$  which is defined by the following pair of equations:

$$Z_s = \frac{r_R[H + f(H)]}{\frac{r_R g_R}{G} - [H + f(H)]} \quad (4.11)$$




FIGURE 4.21.—Altitude difference ( $Z_\phi - Z_R$ ) as a function of reference altitude  $Z_R$  for each of seven latitudes.




FIGURE 4.22.—Altitude difference ( $Z_\phi - Z_R$ ) as a function of latitude for each of five equal-geopotential surfaces equivalent at the reference latitude to the geometric altitudes 200, 400, 600, 800, and 1000 km.

and

$$f(H) = A' + B'H + C'H^2 + D'H^3 + E'H^4 \quad (4.12)$$

where

$$\begin{aligned} A' &= 0.2579651 \times 10^{-2} \text{ m}' \\ B' &= 0.2161710 \times 10^{-7} \text{ m}'/\text{m}' \\ C' &= 0.1807561 \times 10^{-10} \text{ m}'/(\text{m}')^2 \\ D' &= 0.9153012 \times 10^{-16} \text{ m}'/(\text{m}')^3 \\ E' &= 0.2006785 \times 10^{-22} \text{ m}'/(\text{m}')^4 \end{aligned}$$

Since the 1962 Standard like the earlier Standards used  $9.80665 \text{ m sec}^{-2}$  as the sea-level value of the acceleration of gravity, this 1962 Standard may be associated with the reference latitude  $45^\circ 32' 33''$ , at least at sea level. Consequently, a comparison of  $Z_s(H)$  with  $Z_R(H)$  in the form of  $(Z_s - Z_R)$  gives an overall indication of the uncertainties introduced into the  $H$  to  $Z$  relationship by using the simplified expressions

of Eqs. (4.8) and (4.9) rather than the complicated method used in the 1962 Standard.

**4.3.3 DESCRIPTION OF THE GEOPOTENTIAL TABLE.**—The basic format of Table 4.20 is such as to provide one set of values of  $Z_\phi - Z_R$  as a function of the argument pair,  $Z_R$  and  $H_R$ , for each of seven latitudes. The argument pair occupies columns 1 and 2 while the successive sets of values of  $Z_\phi - Z_R$ , corresponding respectively to each of the seven successive latitudes, occupy the columns 3 through 9. Column 10 contains the set of values of  $Z_s - Z_R$ .

The particular format of the table is dictated by the large number of entries in the column of  $Z_R$  as compared with the small number of values of latitude. Actually, the table will probably find its greatest usefulness in translating atmospheres computed for the reference latitude to other latitudes. From this point of view, latitude is the argument or independent variable and the table is found to provide differences in geometric altitudes for 256 equal geopotential surfaces as a function of latitude. The title of the table reflects this usage.

TABLE 4.20.—Geometric Altitude Differences  $Z_\phi - Z_R$  of Equal-Geopotential Surfaces  $H_R$  as a Function of Latitude  $\phi$ , where Reference Latitude  $R = 45^\circ 32' 33''$ 

Geometric Altitude $Z_R(m)$	Geopotential $H_R(m')$	$Z_\phi - Z_R(m)$ Latitude $\phi$ (Deg)							$Z_\phi - Z_R$
		0	15	30	45	60	75	90	
0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
250.	249.9	0.7	0.6	0.3	0.0	-0.3	-0.6	-0.6	0.0
500.	499.9	1.3	1.2	0.7	0.0	-0.6	-1.1	-1.3	0.0
750.	749.9	2.0	1.8	1.0	0.0	-1.0	-1.7	-1.9	0.0
1000.	999.8	2.7	2.3	1.4	0.0	-1.3	-2.2	-2.6	0.0
1250.	1249.7	3.4	2.9	1.7	0.1	-1.6	-2.8	-3.2	0.0
1500.	1499.6	4.0	3.5	2.1	0.1	-1.9	-3.4	-3.9	0.0
1750.	1749.5	4.7	4.1	2.4	0.1	-2.2	-3.9	-4.5	0.0
2000.	1999.3	5.4	4.7	2.7	0.1	-2.5	-4.5	-5.2	0.0
2250.	2249.2	6.1	5.3	3.1	0.1	-2.9	-5.0	-5.8	0.0
2500.	2499.0	6.7	5.8	3.4	0.1	-3.2	-5.6	-6.5	0.0
2750.	2748.8	7.4	6.4	3.8	0.1	-3.5	-6.1	-7.1	0.0
3000.	2998.5	8.1	7.0	4.1	0.2	-3.8	-6.7	-7.8	0.0
3250.	3248.3	8.7	7.6	4.5	0.2	-4.1	-7.3	-8.4	0.0
3500.	3498.0	9.4	8.2	4.8	0.2	-4.4	-7.8	-9.1	0.0
3750.	3747.7	10.1	8.8	5.1	0.2	-4.8	-8.4	-9.7	0.0
4000.	3997.4	10.8	9.4	5.5	0.2	-5.1	-8.9	-10.4	0.0
4250.	4247.1	11.4	9.9	5.8	0.2	-5.4	-9.5	-11.0	0.0
4500.	4496.8	12.1	10.5	6.2	0.2	-5.7	-10.1	-11.7	0.0
4750.	4746.4	12.8	11.1	6.5	0.2	-6.0	-10.6	-12.3	0.0
5000.	4996.0	13.5	11.7	6.9	0.3	-6.4	-11.2	-13.0	0.0
5250.	5245.6	14.1	12.3	7.2	0.3	-6.7	-11.7	-13.6	0.0
5500.	5495.2	14.8	12.9	7.5	0.3	-7.0	-12.3	-14.3	0.0
5750.	5744.8	15.5	13.5	7.9	0.3	-7.3	-12.9	-14.9	0.0
6000.	5994.3	16.2	14.0	8.2	0.3	-7.6	-13.4	-15.6	0.0
6250.	6243.8	16.8	14.6	8.6	0.3	-7.9	-14.0	-16.2	0.0
6500.	6493.3	17.5	15.2	8.9	0.3	-8.3	-14.5	-16.9	0.0
6750.	6742.8	18.2	15.8	9.3	0.3	-8.6	-15.1	-17.5	0.0
7000.	6992.3	18.9	16.4	9.6	0.4	-8.9	-15.7	-18.2	0.0
7250.	7241.7	19.5	17.0	10.0	0.4	-9.2	-16.2	-18.8	0.0
7500.	7491.1	20.2	17.6	10.3	0.4	-9.5	-16.8	-19.4	0.0
7750.	7740.5	20.9	18.1	10.6	0.4	-9.9	-17.4	-20.1	0.0
8000.	7989.9	21.6	18.7	11.0	0.4	-10.2	-17.9	-20.8	0.0
8250.	8239.3	22.2	19.3	11.3	0.4	-10.5	-18.5	-21.4	0.0
8500.	8488.6	22.9	19.9	11.7	0.4	-10.8	-19.0	-22.1	0.0
8750.	8737.9	23.6	20.5	12.0	0.4	-11.1	-19.6	-22.7	0.0
9000.	8987.2	24.3	21.1	12.4	0.5	-11.5	-20.2	-23.4	0.0
9250.	9236.5	24.9	21.7	12.7	0.5	-11.8	-20.7	-24.0	0.0
9500.	9485.8	25.6	22.3	13.1	0.5	-12.1	-21.3	-24.7	0.0
9750.	9735.0	26.3	22.8	13.4	0.5	-12.4	-21.8	-25.3	0.0



TABLE 4.20. — Continued

Geometric Altitude $Z_R(m)$	Geopotential $H_R(m')$	$Z_\phi - Z_R(m)$ Latitude $\phi$ (Deg)							$Z_s - Z_R$
		0	15	30	45	60	75	90	
10000.	9984.2	27.0	23.4	13.7	0.5	-12.7	-22.4	-26.0	0.0
10250.	10233.4	27.7	24.0	14.1	0.5	-13.1	-23.0	-26.6	0.0
10500.	10482.6	28.3	24.6	14.4	0.5	-13.4	-23.5	-27.3	0.0
10750.	10731.8	29.0	25.2	14.8	0.5	-13.7	-24.1	-27.9	0.0
11000.	10980.9	29.7	25.8	15.1	0.6	-14.0	-24.7	-28.6	0.0
11500.	11479.2	31.0	27.0	15.8	0.6	-14.7	-25.8	-29.9	0.0
12000.	11977.3	32.4	28.1	16.5	0.6	-15.3	-26.9	-31.2	0.0
12500.	12475.4	33.8	29.3	17.2	0.6	-15.9	-28.0	-32.5	0.0
13000.	12973.4	35.1	30.5	17.9	0.7	-16.6	-29.2	-33.8	0.0
13500.	13471.3	36.5	31.7	18.6	0.7	-17.2	-30.3	-35.1	0.0
14000.	13969.2	37.8	32.8	19.3	0.7	-17.9	-31.4	-36.4	0.0
14500.	14467.0	39.2	34.0	20.0	0.7	-18.5	-32.5	-37.7	0.0
15000.	14964.6	40.5	35.2	20.7	0.8	-19.1	-33.7	-39.0	0.0
15500.	15462.2	41.9	36.4	21.3	0.8	-19.8	-34.8	-40.3	0.0
16000.	15959.8	43.3	37.6	22.0	0.8	-20.4	-35.9	-41.6	0.0
16500.	16457.2	44.6	38.7	22.7	0.8	-21.1	-37.1	-42.9	0.0
17000.	16954.6	46.0	39.9	23.4	0.9	-21.7	-38.2	-44.2	0.0
17500.	17451.9	47.3	41.1	24.1	0.9	-22.3	-39.3	-45.5	0.0
18000.	17949.1	48.7	42.3	24.8	0.9	-23.0	-40.5	-46.9	0.0
18500.	18446.3	50.1	43.5	25.5	0.9	-23.6	-41.6	-48.2	0.0
19000.	18943.3	51.4	44.7	26.2	1.0	-24.3	-42.7	-49.5	0.0
19500.	19440.3	52.8	45.8	26.9	1.0	-24.9	-43.9	-50.8	0.0
20000.	19937.2	54.1	47.0	27.6	1.0	-25.6	-45.0	-52.1	0.0
20500.	20434.1	55.5	48.2	28.3	1.0	-26.2	-46.1	-53.4	0.0
21000.	20930.8	56.9	49.4	29.0	1.1	-26.8	-47.3	-54.7	0.0
21500.	21427.5	58.2	50.6	29.7	1.1	-27.5	-48.4	-56.0	0.0
22000.	21924.1	59.6	51.8	30.4	1.1	-28.1	-49.5	-57.3	0.0
22500.	22420.6	61.0	53.0	31.1	1.1	-28.8	-50.7	-58.7	0.0
23000.	22917.0	62.3	54.1	31.8	1.2	-29.4	-51.8	-60.0	0.0
23500.	23413.4	63.7	55.3	32.5	1.2	-30.1	-52.9	-61.3	0.0
24000.	23909.7	65.1	56.5	33.1	1.2	-30.7	-54.1	-62.6	0.0
24500.	24405.9	66.4	57.7	33.8	1.2	-31.4	-55.2	-63.9	0.0
25000.	24902.0	67.8	58.9	34.5	1.3	-32.0	-56.3	-65.2	0.0
25500.	25398.1	69.2	60.1	35.2	1.3	-32.7	-57.5	-66.6	0.0
26000.	25894.0	70.5	61.3	35.9	1.3	-33.3	-58.6	-67.9	0.0
26500.	26389.9	71.9	62.5	36.6	1.3	-33.9	-59.7	-69.2	0.0
27000.	26885.8	73.3	63.6	37.3	1.4	-34.6	-60.9	-70.5	0.0
27500.	27381.5	74.7	64.8	38.0	1.4	-35.2	-62.0	-71.8	0.0
28000.	27877.2	76.0	66.0	38.7	1.4	-35.9	-63.2	-73.1	0.0
28500.	28372.7	77.4	67.2	39.4	1.4	-36.5	-64.3	-74.5	0.0
29000.	28868.3	78.8	68.4	40.1	1.5	-37.2	-65.4	-75.8	0.0
29500.	29363.7	80.1	69.6	40.8	1.5	-37.8	-66.6	-77.1	0.0

TABLE 4.20. — Continued

Geometric Altitude $Z_R(m)$	Geopotential $H_R(m')$	$Z_\phi - Z_R(m)$ Latitude $\phi$ (Deg)							$Z_\phi - Z_R$
		0	15	30	45	60	75	90	
30000.	29859.0	81.5	70.8	41.5	1.5	-38.5	-67.7	-78.4	0.0
30500.	30354.3	82.9	72.0	42.2	1.5	-39.1	-68.9	-79.7	0.0
31000.	30849.5	84.3	73.2	42.9	1.6	-39.8	-70.0	-81.1	0.0
31500.	31344.6	85.6	74.4	43.6	1.6	-40.4	-71.1	-82.4	0.0
32000.	31839.7	87.0	75.6	44.3	1.6	-41.1	-72.3	-83.7	0.0
33000.	32829.5	89.8	78.0	45.7	1.7	-42.4	-74.6	-86.4	0.0
34000.	33819.1	92.5	80.3	47.1	1.7	-43.7	-76.9	-89.0	0.0
35000.	34808.3	95.3	82.7	48.5	1.8	-45.0	-79.1	-91.7	0.0
36000.	35797.2	98.0	85.1	49.9	1.8	-46.3	-81.4	-94.3	0.0
37000.	36785.8	100.8	87.5	51.3	1.9	-47.6	-83.7	-97.0	0.0
38000.	37774.1	103.5	89.9	52.7	1.9	-48.9	-86.0	-99.6	0.0
39000.	38762.1	106.3	92.3	54.2	2.0	-50.2	-88.3	-102.3	0.0
40000.	39749.8	109.1	94.7	55.6	2.0	-51.5	-90.6	-104.9	0.0
41000.	40737.2	111.8	97.1	57.0	2.1	-52.8	-92.9	-107.6	0.0
42000.	41724.3	114.6	99.5	58.4	2.1	-54.1	-95.2	-110.3	0.0
43000.	42711.0	117.4	101.9	59.8	2.2	-55.4	-97.5	-112.9	0.0
44000.	43697.5	120.1	104.3	61.2	2.2	-56.7	-99.8	-115.6	0.0
45000.	44683.6	122.9	106.8	62.6	2.3	-58.0	-102.1	-118.3	0.0
46000.	45669.5	125.7	109.2	64.0	2.3	-59.3	-104.4	-120.9	0.0
47000.	46655.0	128.5	111.6	65.4	2.4	-60.6	-106.7	-123.6	0.0
48000.	47640.2	131.3	114.0	66.9	2.4	-62.0	-109.0	-126.3	0.1
49000.	48625.1	134.0	116.4	68.3	2.5	-63.3	-111.3	-129.0	0.1
50000.	49609.7	136.8	118.8	69.7	2.5	-64.6	-113.7	-131.6	0.1
51000.	50594.0	139.6	121.2	71.1	2.6	-65.9	-116.0	-134.3	0.1
52000.	51578.0	142.4	123.7	72.5	2.6	-67.2	-118.3	-137.0	0.1
53000.	52561.7	145.2	126.1	74.0	2.7	-68.5	-120.6	-139.7	0.1
54000.	53545.1	148.0	128.5	75.4	2.7	-69.8	-122.9	-142.4	0.1
55000.	54528.2	150.8	130.9	76.8	2.8	-71.2	-125.2	-145.0	0.1
56000.	55510.9	153.6	133.4	78.2	2.9	-72.5	-127.6	-147.7	0.1
57000.	56493.4	156.4	135.8	79.7	2.9	-73.8	-129.9	-150.4	0.1
58000.	57475.5	159.2	138.2	81.1	3.0	-75.1	-132.2	-153.1	0.1
59000.	58457.4	162.0	140.7	82.5	3.0	-76.4	-134.5	-155.8	0.1
60000.	59438.9	164.8	143.1	83.9	3.1	-77.8	-136.9	-158.5	0.1
61000.	60420.2	167.6	145.5	85.4	3.1	-79.1	-139.2	-161.2	0.1
62000.	61401.1	170.4	148.0	86.8	3.2	-80.4	-141.5	-163.9	0.1
63000.	62381.7	173.2	150.4	88.2	3.2	-81.7	-143.9	-166.6	0.1
64000.	63362.0	176.0	152.8	89.7	3.3	-83.1	-146.2	-169.3	0.1
65000.	64342.0	178.8	155.3	91.1	3.3	-84.4	-148.5	-172.0	0.1
66000.	65321.7	181.6	157.7	92.5	3.4	-85.7	-150.9	-174.7	0.1
67000.	66301.1	184.4	160.2	93.9	3.4	-87.1	-153.2	-177.4	0.1
68000.	67280.2	187.3	162.6	95.4	3.5	-88.4	-155.5	-180.1	0.1
69000.	68259.0	190.1	165.1	96.8	3.5	-89.7	-157.9	-182.9	0.1

TABLE 4.20. - Continued

Geometric Altitude $Z_R(m)$	Geopotential $H_R(m')$	$Z_\phi$ $Z_R(m)$ Latitude $\phi$ (Deg)							$Z_\tau - Z_R$
		0	15	30	45	60	75	90	
70000.	69237.5	192.9	167.5	98.3	3.6	-91.0	-160.2	-185.6	0.1
71000.	70215.7	195.7	170.0	99.7	3.6	-92.4	-162.6	-188.3	0.1
72000.	71193.6	198.6	172.4	101.1	3.7	-93.7	-164.9	-191.0	0.1
73000.	72171.2	201.4	174.9	102.6	3.7	-95.0	-167.3	-193.7	0.1
74000.	73148.4	204.2	177.4	104.0	3.8	-96.4	-169.6	-196.4	0.1
75000.	74125.4	207.0	179.8	105.5	3.8	-97.7	-172.0	-199.2	0.1
76000.	75102.0	209.9	182.3	106.9	3.9	-99.1	-174.3	-201.9	0.1
77000.	76078.4	212.7	184.7	108.4	4.0	-100.4	-176.7	-204.6	0.1
78000.	77054.5	215.6	187.2	109.8	4.0	-101.7	-179.0	-207.4	0.2
79000.	78030.2	218.4	189.7	111.2	4.1	-103.1	-181.4	-210.1	0.2
80000.	79005.7	221.2	192.1	112.7	4.1	-104.4	-183.8	-212.8	0.2
81000.	79980.8	224.1	194.6	114.1	4.2	-105.8	-186.1	-215.6	0.2
82000.	80955.7	226.9	197.1	115.6	4.2	-107.1	-188.5	-218.3	0.2
83000.	81930.2	229.8	199.5	117.0	4.3	-108.5	-190.9	-221.0	0.2
84000.	82904.4	232.6	202.0	118.5	4.3	-109.8	-193.2	-223.8	0.2
85000.	83878.4	235.5	204.5	119.9	4.4	-111.1	-195.6	-226.5	0.2
86000.	84852.0	238.3	207.0	121.4	4.4	-112.5	-198.0	-229.3	0.2
87000.	85825.3	241.2	209.5	122.9	4.5	-113.8	-200.3	-232.0	0.2
88000.	86798.4	244.0	211.9	124.3	4.5	-115.2	-202.7	-234.8	0.2
89000.	87771.1	246.9	214.4	125.8	4.6	-116.5	-205.1	-237.5	0.2
90000.	88743.5	249.8	216.9	127.2	4.6	-117.9	-207.4	-240.3	0.2
92000.	90687.4	255.5	221.9	130.1	4.7	-120.6	-212.2	-245.8	0.2
94000.	92630.2	261.2	226.9	133.1	4.9	-123.3	-217.0	-251.3	0.2
96000.	94571.7	267.0	231.9	136.0	5.0	-126.0	-221.7	-256.8	0.2
98000.	96512.1	272.7	236.9	138.9	5.1	-128.7	-226.5	-262.3	0.3
100000.	98451.2	278.5	241.8	141.8	5.2	-131.4	-231.3	-267.9	0.3
102000.	100389.1	284.3	246.9	144.8	5.3	-134.2	-236.1	-273.4	0.3
104000.	102325.9	290.0	251.9	147.7	5.4	-136.9	-240.9	-279.0	0.3
106000.	104261.4	295.8	256.9	150.7	5.5	-139.6	-245.7	-284.5	0.3
108000.	106195.7	301.6	261.9	153.6	5.6	-142.3	-250.5	-290.1	0.3
110000.	108128.8	307.4	267.0	156.6	5.7	-145.1	-255.3	-295.7	0.3
112000.	110060.8	313.2	272.0	159.5	5.8	-147.8	-260.1	-301.3	0.4
114000.	111991.5	319.0	277.1	162.5	5.9	-150.6	-265.0	-306.8	0.4
116000.	113921.1	324.8	282.1	165.5	6.0	-153.3	-269.8	-312.5	0.4
118000.	115849.5	330.7	287.2	168.4	6.1	-156.1	-274.6	-318.1	0.4
120000.	117776.6	336.5	292.2	171.4	6.3	-158.8	-279.5	-323.7	0.4
125000.	122589.3	351.1	304.9	178.9	6.5	-165.7	-291.6	-337.7	0.5
130000.	127394.6	365.8	317.7	186.3	6.8	-172.6	-303.8	-351.9	0.5
135000.	132192.6	380.5	330.5	193.8	7.1	-179.6	-316.0	-366.0	0.6
140000.	136983.1	395.3	343.3	201.3	7.3	-186.6	-328.3	-380.2	0.6
145000.	141766.2	410.1	356.2	208.9	7.6	-193.5	-340.6	-394.4	0.7
150000.	146542.0	425.0	369.1	216.5	7.9	-200.6	-352.9	-408.7	0.7
155000.	151310.5	439.9	382.0	224.1	8.2	-207.6	-365.3	-423.1	0.8
160000.	156071.6	454.9	395.0	231.7	8.5	-214.6	-377.7	-437.5	0.8
165000.	160825.5	469.9	408.1	239.3	8.7	-221.7	-390.2	-451.9	0.9

TABLE 4.20. - Continued

Geometric Altitude $Z_R$ (km)	Geopotential $H_R$ (m')	$Z_\phi - Z_R$ (m) Latitude $\phi$ (Deg)							$Z_\phi - Z_R$
		0	15	30	45	60	75	90	
170.	165572.0	484.9	421.1	247.0	9.0	-228.9	-402.7	-466.4	1.0
175.	170311.3	500.1	434.3	254.7	9.3	-236.0	-415.2	-480.9	1.0
180.	175043.4	515.2	447.4	262.4	9.6	-243.1	-427.8	-495.5	1.1
185.	179768.2	530.4	460.6	270.2	9.9	-250.3	-440.4	-510.1	1.2
190.	184485.8	545.7	473.9	277.9	10.2	-257.5	-453.1	-524.7	1.3
195.	189196.2	561.0	487.2	285.7	10.4	-264.7	-465.8	-539.5	1.4
200.	193899.4	576.3	500.5	293.6	10.7	-271.9	-478.5	-554.2	1.5
205.	198595.4	591.7	513.9	301.4	11.0	-279.2	-491.3	-569.0	1.6
210.	203284.3	607.2	527.3	309.3	11.3	-286.5	-504.2	-583.9	1.7
215.	207966.1	622.7	540.8	317.2	11.6	-293.8	-517.0	-598.7	1.8
220.	212640.7	638.2	554.3	325.1	11.9	-301.1	-529.9	-613.7	1.9
225.	217308.2	653.8	567.8	333.0	12.1	-308.5	-542.9	-628.7	2.0
230.	221968.7	669.5	581.4	341.0	12.5	-315.9	-555.8	-643.7	2.1
235.	226622.1	685.1	595.0	349.0	12.7	-323.3	-568.9	-658.8	2.2
240.	231268.4	700.9	608.7	357.0	13.0	-330.7	-581.9	-673.9	2.3
245.	235907.7	716.7	622.4	365.0	13.3	-338.1	-595.0	-689.1	2.4
250.	240539.9	732.5	636.1	373.1	13.6	-345.6	-608.2	-704.3	2.6
255.	245165.2	748.4	650.0	381.2	13.9	-353.1	-621.3	-719.5	2.7
260.	249783.5	764.3	663.8	389.3	14.2	-360.6	-634.6	-734.9	2.8
265.	254394.8	780.3	677.6	397.4	14.5	-368.2	-647.8	-750.2	3.0
270.	258999.1	796.3	691.6	405.6	14.8	-375.7	-661.1	-765.6	3.1
275.	263596.5	812.4	705.5	413.8	15.1	-383.3	-674.5	-781.1	3.3
280.	268187.0	828.5	719.5	422.0	15.4	-390.9	-687.9	-796.6	3.5
285.	272770.5	844.7	733.6	430.2	15.7	-398.5	-701.2	-812.1	3.6
290.	277347.2	860.9	747.7	438.5	16.0	-406.2	-714.7	-827.7	3.8
295.	281917.0	877.2	761.8	446.8	16.3	-413.8	-728.2	-843.3	4.0
300.	286479.9	893.5	776.0	455.1	16.6	-421.5	-741.7	-859.0	4.1
310.	295585.2	926.3	804.4	471.8	17.2	-437.0	-768.9	-890.5	4.5
320.	304663.2	959.3	833.1	488.6	17.8	-452.6	-796.3	-922.2	4.9
330.	313714.0	992.5	861.9	505.5	18.4	-468.2	-823.8	-954.1	5.3
340.	322737.9	1025.9	890.9	522.5	19.1	-483.9	-851.5	-986.1	5.7
350.	331734.8	1059.4	920.0	539.6	19.7	-499.7	-879.3	-1018.3	6.2
360.	340704.9	1093.2	949.3	556.7	20.3	-515.7	-907.3	-1050.8	6.7
370.	349648.4	1127.1	978.8	574.0	20.9	-531.6	-935.5	-1083.4	7.2
380.	358565.3	1161.3	1008.5	591.4	21.6	-547.7	-963.8	-1116.1	7.7
390.	367455.8	1195.6	1038.2	608.9	22.2	-564.0	-992.3	-1149.1	8.3
400.	376320.0	1230.1	1068.2	626.4	22.8	-580.2	-1020.9	-1182.3	8.9
410.	385158.0	1264.9	1098.4	644.1	23.5	-596.6	-1049.7	-1215.6	9.5
420.	393969.9	1299.8	1128.7	661.9	24.2	-613.0	-1078.6	-1249.1	10.1
430.	402755.7	1334.9	1159.2	679.8	24.8	-629.6	-1107.8	-1282.9	10.8
440.	411515.8	1370.2	1189.9	697.8	25.5	-646.2	-1137.0	-1316.7	11.4
450.	420250.1	1405.7	1220.7	715.8	26.1	-663.0	-1166.4	-1350.8	12.2
460.	428958.9	1441.4	1251.7	734.0	26.8	-679.7	-1196.0	-1385.0	12.9
470.	437642.0	1477.2	1282.8	752.3	27.4	-696.7	-1225.8	-1419.5	13.7
480.	446299.8	1513.3	1314.2	770.6	28.1	-713.7	-1255.7	-1454.1	14.5
490.	454932.3	1549.6	1345.7	789.1	28.8	-730.8	-1285.7	-1488.9	15.3

TABLE 4.20. - Continued

Geometric Altitude $Z_R$ (km)	Geopotential $H_R$ (m')	$Z_\pm - Z_R$ (m) Latitude $\phi$ (Deg)							$Z_\pm - Z_R$
		0	15	30	45	60	75	90	
500.	463539.6	1586.1	1377.4	807.7	29.5	-747.9	-1316.0	-1523.9	16.2
510.	472121.8	1622.7	1409.2	826.3	30.1	-765.2	-1346.4	-1559.2	17.1
520.	480679.1	1659.6	1441.2	845.1	30.8	-782.6	-1376.9	-1594.5	18.0
530.	489211.6	1696.7	1473.4	864.0	31.5	-800.0	-1407.6	-1630.1	19.0
540.	497719.2	1733.9	1505.7	882.9	32.2	-817.6	-1438.5	-1665.8	20.0
550.	506202.3	1771.3	1538.2	902.0	32.9	-835.2	-1469.5	-1701.7	21.0
560.	514660.8	1809.0	1570.9	921.1	33.6	-853.0	-1500.7	-1737.8	22.1
570.	523095.0	1846.8	1603.7	940.4	34.3	-870.8	-1532.0	-1774.1	23.2
580.	531504.7	1884.8	1636.7	959.7	35.0	-888.7	-1563.5	-1810.6	24.3
590.	539890.3	1923.0	1669.9	979.2	35.7	-906.7	-1595.2	-1847.3	25.5
600.	548251.8	1961.4	1703.3	998.7	36.4	-924.8	-1627.0	-1884.1	26.7
610.	556589.3	2000.1	1736.8	1018.4	37.2	-942.9	-1658.9	-1921.1	28.0
620.	564902.8	2038.8	1770.5	1038.1	37.8	-961.3	-1691.1	-1958.4	29.3
630.	573192.6	2077.8	1804.3	1058.0	38.6	-979.6	-1723.4	-1995.7	30.6
640.	581458.6	2117.0	1838.4	1077.9	39.3	-998.0	-1755.8	-2033.3	32.0
650.	589701.1	2156.3	1872.5	1097.9	40.0	-1016.6	-1788.5	-2071.1	33.4
660.	597920.1	2195.9	1906.9	1118.1	40.8	-1035.2	-1821.3	-2109.1	34.8
670.	606115.7	2235.7	1941.4	1138.3	41.5	-1054.0	-1854.2	-2147.2	36.3
680.	614288.0	2275.7	1976.1	1158.7	42.3	-1072.8	-1887.3	-2185.5	37.8
690.	622437.0	2315.8	2011.0	1179.1	43.0	-1091.7	-1920.6	-2224.0	39.4
700.	630563.0	2356.2	2046.0	1199.7	43.7	-1110.7	-1954.0	-2262.7	41.0
710.	638666.1	2396.7	2081.2	1220.3	44.5	-1129.8	-1987.5	-2301.6	
720.	646746.2	2437.5	2116.6	1241.1	45.3	-1148.9	-2021.2	-2340.6	
730.	654803.4	2478.4	2152.1	1261.8	46.0	-1168.2	-2055.2	-2379.9	
740.	662838.0	2519.5	2187.8	1282.8	46.8	-1187.6	-2089.2	-2419.3	
750.	670850.0	2560.8	2223.7	1303.8	47.6	-1207.0	-2123.4	-2458.9	
760.	678839.5	2602.4	2259.8	1325.0	48.4	-1226.5	-2157.7	-2498.6	
770.	686806.5	2644.0	2296.0	1346.2	49.1	-1246.2	-2192.3	-2538.7	
780.	694751.3	2685.9	2332.3	1367.5	49.9	-1265.9	-2227.0	-2578.8	
790.	702673.8	2728.0	2368.9	1388.9	50.7	-1285.7	-2261.8	-2619.2	
800.	710574.1	2770.3	2405.6	1410.4	51.4	-1305.7	-2296.9	-2659.7	
820.	726308.7	2855.5	2479.6	1453.8	53.0	-1345.7	-2367.3	-2741.3	
840.	741955.9	2941.3	2554.1	1497.5	54.6	-1386.2	-2438.5	-2823.7	
860.	757516.4	3028.1	2629.4	1541.6	56.2	-1427.0	-2510.2	-2906.7	
880.	772990.8	3115.6	2705.4	1586.1	57.8	-1468.2	-2582.6	-2990.6	
900.	788380.0	3203.9	2782.0	1631.1	59.5	-1509.7	-2655.6	-3075.1	
920.	803684.5	3292.9	2859.3	1676.3	61.1	-1551.6	-2729.3	-3160.5	
940.	818905.2	3382.7	2937.3	1722.1	62.8	-1593.8	-2803.6	-3246.4	
960.	834042.7	3473.3	3015.9	1768.1	64.5	-1636.5	-2878.6	-3333.3	
980.	849097.6	3564.7	3095.3	1814.7	66.2	-1679.4	-2954.1	-3420.7	
1000.	864070.7	3656.7	3175.2	1861.5	67.8	-1722.8	-3030.4	-3509.0	

## REFERENCES

- ANGELL, J. K., and KORSHOVER, J.: Quasi-biennial Variations in Temperature, Total Ozone, and Tropopause Height. *J. Atm. Sci.*, vol. 21, 1964, p. 479.
- ARMSTRONG, E. B.: The Temperature in the Atmosphere Region Emitting the Nightglow OI 5577 Line and in Regions Above Faint Auroral Areas. *J. Atm. and Terr. Phys.*, vol. 13, 1959, p. 205.
- ARMSTRONG, E. B.: Observations of Luminous Clouds Produced in the Upper Atmosphere—II Emission of AIO Bands from Sunlit Clouds. *Planet. Space Sci.*, vol. 11, 1963, p. 743.
- BATTEN, E. S.: A Model of the Annual Temperature Variations at 30° N. and 60° N. Between 30 and 50 km. RAND Memo RM-3564-PR, 1963.
- BELMONT, A. D.: The Stratospheric Monsoon, Part I. Tech. Rep. No. 1, Contract No. 1589(20), General Mills Electronic Group, Minneapolis, Minn., 1962.
- BLAMONT, J. E., and LORY, M. L.: Temperature Measurements in the Ionosphere from 100 to 400 Kilometers Between 1960 and 1964, No. 15. Centre National de la Recherche Scientifique Service d'Aéronomie, 1964.
- BOURDEAU, R. E., CHANDRA, S., and NEUPERT, W. M.: Time Correlation of Extreme Ultraviolet Radiation and Thermospheric Temperature. *J. Geophys. Res.*, vol. 69, 1964, p. 4531.
- BRAMSON, A. S.: Atmospheric Density Determination via Numerical Integration and Differential Orbit Correction. AFCRL-66-332, 1966.
- BRANDY, J. H.: Rotational Temperatures of the Auroral 3914 Å Nitrogen Bands vs Height at Churchill, Manitoba. *Can. J. Phys.*, vol. 42, 1964, p. 1793.
- BRANDY, J. H.: A Temperature Curve for the Upper Atmosphere from 80 to 160 km Based on 3914 Å  $N_2^+$  Rotational Temperatures in Aurora. *Can. J. Phys.*, vol. 43, 1965, p. 1697.
- CHAMPION, K. S. W.: *U.S. Supplementary Atmospheres, Proceedings of 12th Annual Air Force Science and Engineering Symposium*, Brooks AFB, October 1965; and AFCRL-66-564, 1966.
- CHAMPION, K. S. W.: Variations with Season and Latitude of Density, Temperature and Composition in the Lower Thermosphere. Presented at the COSPAR 7th International Space Science Symposium, Vienna, May, 1966.
- CHAMPION, K. S. W., MARCOS, F. A., and SLOWEY, J.: New Model Atmospheres Giving Latitudinal and Seasonal Variations in the Thermosphere. Presented at the COSPAR 7th International Space Science Symposium, Vienna, May, 1966.
- CHAMPION, K. S. W., and MINZNER, R. A.: Atmospheric Densities from Satellites and Rocket Observation. *Planet. Space Sci.*, vol. 1, 1959, p. 259.
- CHAMPION, K. S. W., and MINZNER, R. A.: Revision of United States Standard Atmosphere 90 to 700 Kilometers. *Rev. Geophys.*, vol. 1, 1963, p. 57.
- COLE, A. E.: Suggestion of a Second Isopycnic Level at 80-90 km over Churchill. *J. Geophys. Res.*, vol. 66, 1961, p. 2773.
- COLE, A. E., KANTOR, A. J., and NEE, P.: Stratospheric Temperature Variations, 25 to 55 Kilometers, at Latitude 15° N. *J. Geophys. Res.*, vol. 70, 1965, p. 5001.
- COOK, G. E.: Satellite Drag Coefficients. Tech. Rep. No. 65005, Royal Aircraft Establishment; also in *Ann. Geophys.*, vol. 22, 1966, p. 53.
- COOK, G. E.: Variations in Exospheric Density Near Solar Minimum. Presented at the COSPAR 7th International Space Science Symposium, Vienna, May, 1966.
- COSPAR Working Group IV: COSPAR International Reference Atmosphere, 1965 (CIRA, 1965). North Holland Pub. Co. (Amsterdam), 1965.
- CRAIG, R. A.: The Observations and Photochemistry of Atmospheric Ozone and Their Meteorological Significance. *Meteorol. Monogr.*, vol. 1, no. 2, 1950.
- CROWLEY, J. D., and SANDLIN, J. R.: A Summary of Kwajalein Atoll Upper Atmosphere Measurements and Techniques. Project Report PPP-17, MIT Lincoln Laboratory, 1964.
- CROWLEY, J. D., and SANDLIN, J. R.: Addendum to Project Report PPP-17, MIT Lincoln Laboratory, 1964.
- DEVRIES, L. L., FRIDAY, E. W., and JONES, L. C.: Analysis of Density Data Deduced from Low-Altitude, High-Resolution Satellite Tracking Data. Presented at COSPAR 7th International Space Science Symposium, Vienna, May 1966.
- DÜTSCH, H. U.: Das Atmosphärische Ozon als Indikator für Strömungen in der Stratosphäre. *Arch. Meteorol. Geophys. Bioklimatol.*, A9, 1956, p. 87.
- FAIRE, A. C., and CHAMPION, K. S. W.: Falling Sphere Measurements of Atmospheric Density, Temperature and Pressure up to 115 Kilometers. Space Research V, Hilde Kallmann-Bijl, ed., Interscience Pub., Inc. (New York), 1965, p. 1039.
- FAIRE, A. C., and CHAMPION, K. S. W.: High Altitude Rocket Density Measurements at Eglin, Florida. Space Research VI, R. L. Smith-Rose, ed., Spartan Books (Washington, D.C.), 1966, p. 1048.
- FAIRE, A. C., and CHAMPION, K. S. W.: Falling Sphere Measurements of Atmospheric Density, Temperature and Pressure at Fort Churchill, Canada and Eglin, Florida. Presented at the COSPAR 7th International Space Science Symposium, Vienna, May 1966.
- FARMER, S. F. G.: Results from the Skua Meteorological Rocket Programme. *Meteorol. Magazine*, vol. 94, 1965, p. 332.
- GOODWIN, E. T., ed.: *Modern Computing Methods*. Philosophical Library (New York), 1961.
- GROVES, G. V.: Latitude and Diurnal Variations of Air Densities from 190 to 280 km as Derived from the Orbits of Discoverer Satellites. *COSPAR International Reference Atmosphere*, 1961. North Holland Pub. Co. (Amsterdam), 1961, p. 69.
- GROVES, G. V.: Seasonal Variations of Temperature, Pressure, Density, and Winds to 80 km Altitude at Woomera 1957-1963. Rep. of Dept. of Physics, Univ. College, London, 1965.
- HALL, J. E.: Meteor Trail Measurements by Radio Echo Detection Means. Nuffield Radio Astronomy Laboratory, Univ. of Manchester, Contract AF(052)-206, Final Rep., 1958.
- HARRIS, I., and PRIESTER, W.: Theoretical Models for the Solar Cycle Variation of the Upper Atmosphere. *J. Geophys. Res.*, vol. 67, 1962, p. 4585.
- HASTINGS, CECIL, JR.: *Approximations for Digital Computers*. Princeton University Press, 1955.
- HEDIN, A. E., AVERY, C. P., and TSCHETTER, C. D.: An Analysis of Spin Modulation Effects on Data Obtained with a Rocket-Borne Mass Spectrometer. *J. Geophys. Res.*, vol. 69, 1964, p. 4637.
- HEDIN, A. E., and NIER, A. O.: Diffusive Separation in the Upper Atmosphere. *J. Geophys. Res.*, vol. 70, 1965, p. 1273.
- HERING, W. S., and BORDEN, T. R.: Ozone Observations Over North America. OAR Research Report, AFCRL-64-30, vol. 2, 1964.
- HERNANDEZ, G. J., and TURTLE, J. P.: Nightglow 5577 Å (OI) Line Kinetic Temperature. *Planet. Space Sci.*, vol. 13, 1965, p. 901.
- JACCHIA, L. G.: Static Diffusion Models of the Upper Atmosphere with Empirical Temperature Profiles. Spec. Rep. No. 170. Smithsonian Astrophysical Observatory, 1964.
- JACCHIA, L. G.: Static Diffusion Models of the Upper Atmosphere with Empirical Temperature Profiles. Smithsonian Contributions to Astrophysics, vol. 8, 1965, no. 9.

- JACCHIA, L. G., and SLOWEY, J.: Densities and Temperatures from the Atmospheric Drag on Six Artificial Satellites. Spec. Rep. No. 171, Smithsonian Astrophysical Observatory, 1965.
- JACCHIA, L. G., and SLOWEY, J.: The Shape and Location of the Diurnal Bulge in the Upper Atmosphere. Spec. Rep. No. 207, Smithsonian Astrophysical Observatory, 1966.
- JACCHIA, L. G., SLOWEY, J., and VERNIANI, F.: Geomagnetic Perturbations and Upper-Atmosphere Heating. Spec. Rep. No. 218, Smithsonian Astrophysical Observatory, 1966.
- JOHNSON, F. S., PURCELL, J. D., and TOUSEY, R.: Measurement of the Vertical Ozone Distribution from Rockets. *J. Geophys. Res.*, vol. 56, 1951, p. 583.
- JURSA, A. S., NAKAMURA, M., and TANAKA, Y.: Molecular Oxygen Distribution in the Upper Atmosphere. 2. *J. Geophys. Res.*, vol. 70, 1965, p. 2699.
- KANTOR, A. J., and COLE, A. E.: Winter and Summer Atmospheres (30° and 45° N.) from 80 to 130 km. AFCRL, CRE Interim Notes on Atmospheric Properties No. 34, 1963.
- KEATING, G. M., and PRIOR, E. J.: Latitudinal and Seasonal Variations in Atmospheric Densities Obtained During Low Solar Activity by Means of the Inflatable Air Density Satellites. Presented at the COSPAR 7th International Space Science Symposium, Vienna, May, 1966.
- KING, J. W., and KOHL, H.: Upper Atmospheric Winds and Ionospheric Drifts Caused by Neutral Air Pressure Gradients. *Nature*, vol. 206, 1965, p. 699.
- KING-HELE, D. G., and QUINN, E.: The Variations of Upper-Atmosphere Density Between Sunspot Maximum (1957-1958) and Minimum (1964). *J. Atm. Terr. Phys.*, vol. 27, 1965, p. 197.
- KING-HELE, D. G., and SCOTT, D. W.: A Re-evaluation of the Rotational Speed of the Upper Atmosphere. Presented at the COSPAR 7th International Space Science Symposium, Vienna, May, 1966.
- KOCKARTS, G., and NICOLET, M.: Le problème aéronomique de l'hélium et de l'hydrogène neutres. *Ann. Geophys.*, vol. 18, 1962, p. 269.
- KOCKARTS, G., and NICOLET, M.: L'hélium et l'hydrogène atomique au cours d'un minimum d'activité solaire. *Ann. Geophys.*, vol. 19, 1963, p. 370.
- LAHEY, J. F., BRYSON, R. A., and WAHL, E. W.: Atlas of Five-day Normal Sea-level Pressure Charts for Northern Hemisphere. Scientific Rep. No. 7, Contract AF19(604)-992, Univ. Wisconsin Press, 1958.
- LEOVY, C.: Radiative Equilibrium of the Mesosphere. *J. Atm. Sci.*, vol. 21, 1964, p. 238.
- LIDOV, M. L.: Iskustvennye Sputniki Zemli. *Acad. Sci. USSR*, vol. 1, 1958, p. 9. Translated in: Determination of Atmospheric Density from the Observed Deceleration of the First Artificial Earth Satellites, *Artificial Earth Satellites*, L. V. Kulnosova, ed., Plenum Press (New York), 1960, p. 10.
- LIST, R. J., ed.: *Smithsonian Meteorological Tables*, Sixth Revised Edition, Washington, D.C., 1963.
- LONDON, J., and PRABHAKARA, C.: Absorption Processes in the Stratosphere and Mesosphere. (AFCRL-62-672), New York University, 1962, p. 39.
- MCCLAINE, E. P.: A Contribution to the Climatology of the Arctic Stratosphere. Scientific Rep. No. 3, Contract AF19(604)-7230, Univ. of Chicago, 1961.
- MAROV, M. Y.: The Density of the Upper Atmosphere. *Ann. Geophys.*, vol. 22, 1966, p. 65.
- MARTYN, D. F.: Reactions of F2-Layer Ionization on the Neutral Gas. Presented at the COSPAR 7th International Space Science Symposium, Vienna, May, 1966.
- MINZNER, R. A., CHAMPION, K. S. W., and POND, H. L.: The ARDC Model Atmosphere 1959. Air Force Surveys in Geophysics, No. 115, AFCRL-TR-59-267, 1959.
- MINZNER, R. A.: Studies of Atmospheric Structure and Variability of the Earth's Atmosphere. GCA Tech. Rep. 66-14-N, Final Rep. Contract NASW-1225, 1966.
- MINZNER, R. A., and RIPLEY, W. S.: The ARDC Model Atmosphere 1956. Air Force Surveys in Geophysics No. 86, AFCRL TN-56-204, 1956.
- MINZNER, R. A., RIPLEY, W. S., and CONDRON, T. P.: *U.S. Extension to the ICAO Standard Atmosphere*. U.S. Government Printing Office, Washington, D.C., 1958.
- MINZNER, R. A., and MELLO, S. M.: Geopotential Versus Geometric Altitude from 0 to 10,000 Kilometers for Various Latitudes. GCA Tech. Rep. 66-A, 1966, Contract No. AF19(628)-6085.
- NEWTON, G., HOROWITZ, R., and PRIESTER, W.: Atmospheric Densities from Explorer XVII Density Gages and a Comparison with Satellite Drag Data. *J. Geophys. Res.*, vol. 69, 1964, p. 4690.
- NEWTON, G. P., HOROWITZ, R., and PRIESTER, W.: Atmospheric Density and Temperature Variations from the Explorer XVII Satellite and a Further Comparison with Satellite Drag. *Planet. Space Sci.*, vol. 13, 1965, p. 599.
- NORDBERG, W., KATCHEN, L., THEON, J., and SMITH, W. S.: Rocket Observations of the Structure of the Mesosphere. *J. Atm. Sci.*, vol. 22, 1965, p. 611.
- NORDBERG, W., and SMITH, W.: Rocket Measurements of the Structure of the Upper Stratosphere and Mesosphere. *Proceedings of the International Symposium on Stratosphere and Mesosphere Circulation*, Free Univ., Berlin, August 1962.
- PAETZOLD, H. K., and ZSCHÖRNER, H.: The Structure of the Upper Atmosphere and its Variations After Satellite Observations. *Space Res. II*, North Holland Pub. Co. (Amsterdam), 1962, p. 958.
- PEARSON, P. H. O.: Basic Atmospheric Parameters as Measured by Four Falling Sphere Experiments at Woomera, August-November 1964. Australian Weapons Research Establishment, Tech. Note Pad. 99, April 1965.
- PEARSON, P. H. O.: Basic Atmospheric Parameters as Measured by Four Falling Sphere Experiments at Woomera, December 1964-March 1965. Australian Weapons Research Establishment, Tech. Note Pad 109, November, 1965.
- PETERSON, J. W., HANSEN, W. H., MCWATTERS, K. D., and BONFANTI, G.: Falling Sphere Measurements Over Kwajalein. *J. Geophys. Res.*, vol. 70, 1965, p. 4477.
- PETERSON, J. W., and MCWATTERS, K. D.: The Measurement of Upper-Air Density and Temperature by Two Radar-Tracked Falling Spheres. Univ. of Michigan Rep. NASA CR-29, 1964.
- PRIESTER, W., MARTIN, H. A., and KRAMP, K.: Diurnal and Seasonal Density Variations in the Upper Atmosphere. *Nature*, vol. 188, 1960, p. 202.
- RADICELLA, S. M., and COSIO DE RAGONE, A. H.: Seasonal Variations of  $f_0F_2$  and the Equatorial Anomaly. Estación Ionosférica, Universidad Nacional de Tucuman, Argentina, 1966.
- REBER, C. A., and NICOLET, M.: Investigation of the Major Constituents of the April-May 1963 Heterosphere by the Explorer XVII. *Planet. Space Sci.*, vol. 13, 1965, p. 617.
- REED, E. I., and SCOLNICK, R.: A Night-time Measurement of Ozone Above 50 km. Goddard Space Flight Center, NASA, 1964.
- ROEMER, M.: Atmospheric Densities and Temperatures from Precisely Reduced Observations of the Explorer IX Satellite. Spec. Rep. No. 199, Smithsonian Astrophysical Observatory, 1966.
- SCHAEFER, E. J.: Neutral Composition. High Altitude Engineering Laboratory Rep. 05627-3-S, Univ. of Michigan, 1966.
- SCHILLING, G. F., and WHITNEY, C. A.: Derivation and Analysis of Atmospheric Density from Observations of Satellite 1958 Epsilon. *Planet. Space Sci.*, vol. 1, 1959, p. 136.
- SMALL, H. W.: Atmospheric Density Between 70 and 200 Nautical Miles from Satellite Observations. Lockheed Missiles and Space Company, Tracking Note No. 23, 1964.
- SMITH, W., KATCHEN, L., SACHER, P., SWARTZ, P., and THEON, J.: Temperature, Pressure, Density and Wind Measurements with the Rocket Grenade Experiment 1960-1963. NASA Rep. X-651-64-106.
- SPENCER, N. W., TAEUSCH, D. R., and CARIGNAN, G. R.: N<sub>2</sub> Temperature and Density Data for the 150 to 300 Km Region and Their

- Implications. NASA Goddard Space Flight Center Rep. X-620-66-5, 1965.
- STEIN, J. A., and WALKER, J. C. G.: Models of the Upper Atmosphere for a Wide Range of Boundary Conditions. *J. Atm. Sci.*, vol. 22, 1965, p. 11.
- TAEUSCH, D. R., and NAGY, A. F.: Measurement of the Earth's Atmosphere. Univ. of Michigan, Space Physics Res. Laboratory Rep. 04673-6-F, 1965.
- U.S. ARMY ELECTRONIC RESEARCH AND DEVELOPMENT ACTIVITY, 1959-1966: Data Reports of the Meteorological Rocket Network, vols. 1-XLVII.
- U.S. NATIONAL BUREAU OF STANDARDS: *Tables of Chebyshev Polynomials*. Government Printing Office, Washington, D.C., 1952.
- U.S. COMMITTEE ON EXTENSION TO THE STANDARD ATMOSPHERE: *U.S. Standard Atmosphere, 1962*. Government Printing Office, Washington, D.C., 1962.
- U.S. WEATHER BUREAU: Normal Weather Charts for the Northern Hemisphere. USWB Tech. Paper No. 21, 1952.
- WITT, G., MARTIN-LÖF, J., WILHELM, N., and SMITH, W. S.: High Latitude Summer Mesospheric Temperatures and Winds with Particular Regard to Noctilucent Clouds. *Space Research V*, North Holland Pub. Co. (Amsterdam), 1965.
- ZIMMERMAN, S. P.: Transport Mechanisms in the Lower Ionosphere as Measured by Neutral Tracers. *Proceedings of Conference on Ground-Based Radio Wave Propagation Studies of the Lower Ionosphere*, Ottawa, 1966.



PRECEDING PAGE BLANK NOT FILMED.

PART 5

Tables of Properties of Supplementary Atmospheres to 120 Kilometers

PRECEDING PAGE BLANK NOT FILMED.

Table 5.1  
Sea level to 120 km  
TEMPERATURE, PRESSURE, DENSITY, SOUND SPEED, COEFFICIENT  
OF VISCOSITY AND THERMAL CONDUCTIVITY  
Metric Units

## GEOPOTENTIAL ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
H, m'	Z, m	T, °K	t, °C	T-T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> m sec <sup>-1</sup>	$\mu$ kg m <sup>-1</sup> sec <sup>-1</sup>	$k$ k-cal m <sup>-1</sup> sec <sup>-1</sup> (°K) <sup>-1</sup>
0	0	302.59	29.44	14.44	1.01325 + 3	1.000	1.167 + 0	0.952	348.7	1.858 - 5	6.322 - 6
250	251	300.91	27.76	14.39	9.850 + 2	1.001	1.140	0.953	347.7	1.850	6.291
500	501	299.24	26.09	14.34	9.573	1.003	1.115	0.955	346.8	1.842	6.260
750	752	297.57	24.42	14.29	9.303	1.004	1.089	0.956	345.8	1.834	6.229
1000	1002	295.89	22.74	14.24	9.039	1.006	1.064	0.957	344.8	1.827	6.198
1250	1253	294.25	21.10	14.23	8.781	1.007	1.040	0.958	343.9	1.819	6.167
1500	1504	292.61	19.46	14.21	8.529	1.009	1.015	0.960	342.9	1.811	6.137
1750	1755	290.98	17.83	14.20	8.283	1.010	9.917 - 1	0.961	342.0	1.803	6.106
2000	2005	289.34	16.19	14.19	8.043	1.012	9.684	0.963	341.0	1.795	6.075
2250	2256	287.72	14.57	14.19	7.809	1.013	9.455	0.963	340.0	1.787	6.045
2500	2507	287.74	14.59	15.84	7.580 + 2	1.015	9.177 - 1	0.959	340.1	1.787 - 5	6.045 - 6
2750	2758	286.01	12.86	15.74	7.358	1.017	8.962	0.961	339.0	1.779	6.013
3000	3008	284.28	11.13	15.63	7.141	1.019	8.750	0.963	338.0	1.771	5.980
3250	3259	282.55	9.40	15.53	6.929	1.020	8.543	0.964	337.0	1.762	5.948
3500	3510	280.82	7.67	15.42	6.722	1.022	8.339	0.966	335.9	1.754	5.915
3750	3761	279.09	5.94	15.32	6.520	1.024	8.138	0.968	334.9	1.745	5.882
4000	4012	277.36	4.21	15.21	6.323	1.026	7.941	0.970	333.9	1.737	5.849
4250	4263	275.66	2.51	15.13	6.130	1.028	7.748	0.971	332.8	1.728	5.817
4500	4514	273.95	0.80	15.05	5.943	1.029	7.557	0.973	331.8	1.720	5.784
4750	4765	272.24	-0.91	14.97	5.760	1.031	7.370	0.975	330.8	1.712	5.752
5000	5016	270.54	-2.61	14.89	5.581 + 2	1.033	7.187 - 1	0.976	329.7	1.703 - 5	5.719 - 6
5250	5267	268.83	-4.32	14.80	5.407	1.035	7.007	0.978	328.7	1.695	5.687
5500	5518	267.12	-6.03	14.72	5.238	1.037	6.831	0.980	327.6	1.686	5.654
5750	5769	265.42	-7.73	14.64	5.072	1.039	6.658	0.982	326.6	1.678	5.621
6000	6020	263.71	-9.44	14.56	4.911	1.041	6.488	0.983	325.5	1.669	5.588
6250	6271	262.02	-11.13	14.49	4.754	1.043	6.321	0.985	324.5	1.660	5.556
6500	6522	260.32	-12.83	14.42	4.601	1.045	6.158	0.987	323.4	1.652	5.523
6750	6773	258.63	-14.52	14.36	4.452	1.047	5.997	0.989	322.4	1.643	5.490
7000	7024	256.94	-16.21	14.29	4.307	1.049	5.840	0.991	321.3	1.635	5.458
7250	7275	255.25	-17.90	14.22	4.166	1.051	5.686	0.992	320.3	1.626	5.425
7500	7526	253.56	-19.59	14.16	4.028 + 2	1.053	5.535 - 1	0.994	319.2	1.617 - 5	5.392 - 6
7750	7778	251.86	-21.29	14.09	3.895	1.055	5.387	0.996	318.1	1.609	5.359
8000	8029	250.17	-22.98	14.02	3.764	1.057	5.242	0.998	317.1	1.600	5.326
8250	8280	248.49	-24.66	13.97	3.638	1.060	5.100	1.000	316.0	1.591	5.293
8500	8531	246.81	-26.34	13.91	3.514	1.062	4.960	1.002	314.9	1.583	5.260
8750	8783	245.13	-28.02	13.85	3.394	1.064	4.824	1.004	313.9	1.574	5.227
9000	9034	243.44	-29.71	13.79	3.278	1.066	4.690	1.006	312.8	1.565	5.194
9250	9285	241.76	-31.39	13.74	3.164	1.068	4.560	1.008	311.7	1.556	5.161
9500	9537	240.08	-33.07	13.68	3.054	1.071	4.432	1.010	310.6	1.547	5.128
9750	9788	238.40	-34.75	13.62	2.947	1.073	4.306	1.012	309.5	1.539	5.095
10000	10039	236.72	-36.43	13.57	2.843 + 2	1.075	4.184 - 1	1.014	308.4	1.530 - 5	5.062 - 6
10250	10291	235.04	-38.11	13.51	2.742	1.078	4.064	1.016	307.3	1.521	5.029
10500	10542	233.36	-39.79	13.46	2.644	1.080	3.946	1.018	306.2	1.512	4.995
10750	10793	231.68	-41.47	13.40	2.548	1.083	3.832	1.020	305.1	1.503	4.962
11000	11045	230.00	-43.15	13.35	2.456	1.085	3.720	1.022	304.0	1.494	4.929
11500	11548	226.65	-46.50	10.00	2.279	1.089	3.502	1.041	301.8	1.476	4.862
12000	12051	223.30	-49.85	6.65	2.112	1.093	3.295	1.060	299.6	1.458	4.795
12500	12554	219.95	-53.20	3.30	1.955	1.095	3.097	1.078	297.3	1.440	4.728
13000	13057	216.60	-56.55	-0.05	1.808	1.095	2.908	1.095	295.0	1.421	4.661
13500	13560	213.25	-59.90	-3.40	1.670	1.094	2.728	1.112	292.7	1.403	4.593
14000	14064	209.90	-63.25	-6.75	1.541 + 2	1.093	2.557 - 1	1.127	290.4	1.384 - 5	4.525 - 6
14500	14567	206.55	-66.60	-10.10	1.419	1.089	2.394	1.142	288.1	1.366	4.457
15000	15071	203.20	-69.95	-13.45	1.306	1.084	2.238	1.156	285.8	1.347	4.389
15500	15574	199.85	-73.30	-16.80	1.200	1.078	2.091	1.168	283.4	1.328	4.321
16000	16078	196.50	-76.65	-20.15	1.100	1.069	1.951	1.180	281.0	1.309	4.252
16500	16582	193.15	-80.00	-23.50	1.008	1.060	1.818	1.189	278.6	1.289	4.184
17000	17086	193.15	-80.00	-23.50	9.232 + 1	1.051	1.648	1.166	280.0	1.301	4.225
17500	17590	197.15	-76.00	-19.50	8.462	1.042	1.495	1.145	281.5	1.312	4.266
18000	18094	199.15	-74.00	-17.50	7.763	1.034	1.358	1.125	282.9	1.324	4.307
18500	18598	201.15	-72.00	-15.50	7.128	1.028	1.234	1.107	284.3	1.335	4.347
19000	19102	203.15	-70.00	-13.50	6.550 + 1	1.022	1.123 - 1	1.090	285.7	1.346 - 5	4.388 - 6
19500	19606	205.15	-68.00	-11.50	6.025	1.017	1.023	1.074	287.1	1.358	4.429
20000	20110	207.15	-66.00	-9.50	5.546	1.013	9.326 - 2	1.059	288.5	1.369	4.470
20500	20615	209.15	-64.00	-8.00	5.109	1.010	8.509	1.048	289.9	1.380	4.510
21000	21119	211.15	-62.00	-6.50	4.710	1.007	7.771	1.038	291.3	1.391	4.551
21500	21624	213.15	-60.00	-5.00	4.345	1.005	7.102	1.028	292.7	1.402	4.591
22000	22128	215.15	-58.00	-3.50	4.012	1.003	6.497	1.019	294.0	1.413	4.631
22500	22633	216.25	-56.90	-2.90	3.707	1.002	5.972	1.015	294.8	1.419	4.654
23000	23138	217.35	-55.80	-2.30	3.426	1.001	5.491	1.012	295.5	1.425	4.676
23500	23643	218.45	-54.70	-1.70	3.168	1.000	5.052	1.008	296.3	1.431	4.698
24000	24148	219.55	-53.60	-1.10	2.930 + 1	1.000	4.649 - 2	1.005	297.0	1.438 - 5	4.720 - 6
24500	24653	220.65	-52.50	-0.50	2.711	1.000	4.280	1.002	297.8	1.444	4.742
25000	25158	221.75	-51.40	0.10	2.510	0.999	3.943	0.999	298.5	1.449	4.764
25500	25663	222.85	-50.30	0.70	2.324	1.000	3.633	0.996	299.3	1.455	4.786
26000	26168	223.95	-49.20	1.30	2.153	1.000	3.349	0.994	300.0	1.461	4.808
26500	26674	225.05	-48.10	1.90	1.995	1.001	3.089	0.992	300.7	1.467	4.830
27000	27179	226.15	-47.00	2.50	1.850	1.001	2.849	0.990	301.5	1.473	4.852
27500	27685	227.25	-45.90	3.10	1.715	1.002	2.630	0.989	302.2	1.479	4.874
28000	28190	228.35	-44.80	3.70	1.592	1.004	2.428	0.987	302.9	1.485	4.896
28500	28696	229.45	-43.70	4.30	1.477	1.005	2.243	0.986	303.7	1.491	4.918

TABLE 5.1.  
15° N. Annual  
GEOMETRIC ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
Z, m	H, m'	T, °K	t, °C	T - T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , m sec <sup>-1</sup>	$\mu$ , kg m <sup>-1</sup> sec <sup>-1</sup>	$k$ , kcal m <sup>-1</sup> sec <sup>-1</sup> (°K) <sup>-1</sup>
0	0	302.59	29.44	14.44	1.01325 + 3	1.000	1.167 + 0	0.952	348.7	1.858 - 5	6.322 - 6
250	249	300.92	27.77	14.39	9.850 + 2	1.001	1.140	0.953	347.8	1.850	6.291
500	499	299.25	26.10	14.35	9.575	1.003	1.115	0.955	346.8	1.842	6.260
750	748	297.58	24.43	14.30	9.305	1.005	1.089	0.956	345.8	1.835	6.229
1000	998	295.91	22.76	14.26	9.042	1.006	1.064	0.957	344.8	1.827	6.198
1250	1247	294.27	21.12	14.23	8.785	1.008	1.040	0.958	343.9	1.819	6.168
1500	1496	292.64	19.49	14.24	8.533	1.009	1.016	0.960	342.9	1.811	6.137
1750	1745	291.01	17.86	14.23	8.288	1.011	9.922 - 1	0.961	342.0	1.803	6.107
2000	1995	289.37	16.22	14.22	8.048	1.012	9.689	0.962	341.0	1.795	6.076
2250	2244	287.76	14.61	14.23	7.814	1.014	9.460	0.964	340.1	1.787	6.046
2500	2493	287.74	14.59	15.84	7.586 + 2	1.016	9.185 - 1	0.960	340.1	1.787 - 5	6.045 - 6
2750	2742	286.07	12.92	15.78	7.364	1.017	8.968	0.961	339.1	1.779	6.014
3000	2992	284.34	11.19	15.68	7.148	1.019	8.757	0.963	338.0	1.771	5.981
3250	3241	282.62	9.47	15.58	6.936	1.021	8.550	0.965	337.0	1.763	5.949
3500	3490	280.89	7.74	15.48	6.730	1.023	8.347	0.967	336.0	1.754	5.916
3750	3739	279.17	6.02	15.38	6.529	1.025	8.147	0.968	334.9	1.746	5.884
4000	3988	277.44	4.29	15.28	6.332	1.027	7.951	0.970	333.9	1.737	5.851
4250	4237	275.74	2.59	15.20	6.140	1.029	7.757	0.972	332.9	1.729	5.819
4500	4486	274.04	0.89	15.12	5.953	1.031	7.567	0.974	331.9	1.720	5.786
4750	4735	272.34	-0.81	15.04	5.770	1.033	7.381	0.976	330.8	1.712	5.754
5000	4984	270.64	-2.51	14.97	5.592 + 2	1.035	7.198 - 1	0.978	329.8	1.704 - 5	5.721 - 6
5250	5233	268.94	-4.21	14.89	5.419	1.037	7.019	0.979	328.8	1.695	5.689
5500	5482	267.24	-5.91	14.81	5.250	1.039	6.843	0.981	327.7	1.687	5.656
5750	5731	265.54	-7.61	14.73	5.085	1.041	6.671	0.983	326.7	1.678	5.624
6000	5980	263.84	-9.31	14.66	4.924	1.043	6.501	0.985	325.6	1.670	5.591
6250	6229	262.16	-10.99	14.59	4.767	1.045	6.335	0.987	324.6	1.661	5.558
6500	6478	260.47	-12.68	14.53	4.614	1.047	6.172	0.989	323.5	1.653	5.526
6750	6727	258.79	-14.36	14.47	4.466	1.049	6.012	0.990	322.5	1.644	5.493
7000	6976	257.10	-16.05	14.40	4.321	1.051	5.855	0.992	321.4	1.636	5.461
7250	7225	255.42	-17.73	14.34	4.180	1.053	5.701	0.994	320.4	1.627	5.428
7500	7474	253.73	-19.42	14.28	4.043 + 2	1.056	5.551 - 1	0.996	319.3	1.618 - 5	5.395 - 6
7750	7723	252.05	-21.10	14.21	3.909	1.058	5.403	0.998	318.3	1.610	5.363
8000	7971	250.37	-22.78	14.15	3.779	1.060	5.258	1.000	317.2	1.601	5.330
8250	8220	248.69	-24.46	14.10	3.652	1.062	5.116	1.002	316.1	1.592	5.297
8500	8469	247.02	-26.13	14.04	3.529	1.065	4.977	1.004	315.1	1.584	5.264
8750	8718	245.34	-27.81	13.99	3.410	1.067	4.841	1.006	314.0	1.575	5.232
9000	8966	243.67	-29.48	13.94	3.293	1.069	4.708	1.008	312.9	1.566	5.199
9250	9215	242.00	-31.15	13.89	3.180	1.071	4.578	1.010	311.9	1.558	5.166
9500	9464	240.32	-32.83	13.83	3.070	1.074	4.450	1.012	310.8	1.549	5.133
9750	9712	238.65	-34.50	13.78	2.963	1.076	4.325	1.014	309.7	1.540	5.100
10000	9961	236.98	-36.17	13.73	2.859 + 2	1.079	4.203 - 1	1.016	308.6	1.531 - 5	5.067 - 6
10250	10210	235.31	-37.84	13.68	2.758	1.082	4.083	1.018	307.5	1.522	5.034
10500	10458	233.64	-39.51	13.63	2.660	1.084	3.966	1.021	306.4	1.513	5.001
10750	10707	231.97	-41.18	13.58	2.565	1.087	3.851	1.023	305.3	1.505	4.968
11000	10955	230.30	-42.85	13.53	2.472	1.089	3.739	1.025	304.2	1.496	4.935
11500	11452	226.97	-46.18	10.32	2.295	1.094	3.523	1.044	302.0	1.478	4.868
12000	11949	223.64	-49.51	6.99	2.128	1.097	3.316	1.063	299.8	1.460	4.802
12500	12446	220.31	-52.84	3.66	1.972	1.100	3.118	1.081	297.6	1.442	4.735
13000	12943	216.98	-56.17	0.33	1.824	1.100	2.929	1.099	295.3	1.423	4.668
13500	13440	213.65	-59.50	-3.00	1.686	1.100	2.749	1.115	293.0	1.405	4.601
14000	13937	210.32	-62.83	-6.33	1.556 + 2	1.098	2.578 - 1	1.131	290.7	1.387 - 5	4.534 - 6
14500	14433	207.00	-66.15	-9.65	1.435	1.095	2.415	1.147	288.4	1.368	4.467
15000	14930	203.67	-69.48	-12.98	1.321	1.091	2.260	1.160	286.1	1.349	4.399
15500	15426	200.34	-72.81	-16.31	1.215	1.085	2.112	1.173	283.7	1.331	4.331
16000	15923	197.02	-76.13	-19.63	1.115	1.078	1.972	1.185	281.4	1.312	4.263
16500	16419	193.69	-79.46	-22.96	1.023	1.068	1.839	1.195	279.0	1.292	4.195
17000	16915	190.36	-82.79	-26.29	9.370 + 1	1.059	1.676	1.178	279.8	1.299	4.218
17500	17411	187.03	-86.12	-29.62	8.593	1.050	1.521	1.156	281.2	1.310	4.258
18000	17907	183.70	-89.45	-32.95	7.888	1.043	1.382	1.137	282.6	1.322	4.299
18500	18403	180.37	-92.78	-36.28	7.246	1.036	1.257	1.118	284.0	1.333	4.340
19000	18899	177.04	-96.11	-39.61	6.663 + 1	1.030	1.145 - 1	1.101	285.4	1.344 - 5	4.380 - 6
19500	19395	173.71	-99.44	-42.94	6.131	1.025	1.043	1.085	286.8	1.355	4.420
20000	19891	170.38	-102.77	-46.27	5.647	1.021	9.516 - 2	1.070	288.2	1.366	4.461
20500	20386	167.05	-106.10	-49.60	5.204	1.018	8.688	1.059	289.6	1.378	4.501
21000	20882	163.72	-109.43	-52.93	4.801	1.015	7.938	1.048	291.0	1.389	4.541
21500	21377	160.39	-112.76	-56.26	4.432	1.013	7.260	1.039	292.3	1.400	4.581
22000	21873	157.06	-116.09	-59.59	4.094	1.012	6.645	1.030	293.7	1.411	4.621
22500	22368	153.73	-119.42	-62.92	3.785	1.010	6.105	1.025	294.6	1.418	4.648
23000	22863	150.40	-122.75	-66.25	3.500	1.010	5.618	1.021	295.3	1.424	4.670
23500	23359	147.07	-126.08	-69.58	3.238	1.009	5.172	1.018	296.1	1.430	4.692
24000	23854	143.74	-129.41	-72.91	2.997 + 1	1.009	4.763 - 2	1.015	296.8	1.436 - 5	4.714 - 6
24500	24349	140.41	-132.74	-76.24	2.775	1.009	4.389	1.012	297.6	1.442	4.735
25000	24844	137.08	-136.07	-79.57	2.571	1.009	4.045	1.009	298.3	1.448	4.757
25500	25339	133.75	-139.40	-82.90	2.382	1.009	3.730	1.007	299.0	1.454	4.779
26000	25833	130.42	-142.73	-86.23	2.208	1.009	3.441	1.004	299.8	1.459	4.801
26500	26328	127.09	-146.06	-89.56	2.048	1.010	3.176	1.002	300.5	1.465	4.823
27000	26823	123.76	-149.39	-92.89	1.900	1.011	2.932	1.001	301.2	1.471	4.844
27500	27317	120.43	-152.72	-96.22	1.763	1.012	2.708	0.999	301.9	1.477	4.866
28000	27812	117.10	-156.05	-99.55	1.637	1.013	2.502	0.998	302.7	1.483	4.888
28500	28306	113.77	-159.38	-102.88	1.520	1.014	2.313	0.996	303.4	1.489	4.909

TABLE 5.1.—Continued  
15° N. Annual

GEOPOTENTIAL ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity				
H, m'	Z, m	T, °K	t, °C	T-T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , m sec <sup>-1</sup>	$\mu$ , kg m <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{sec^{-1}(°K)^{-1}}$				
29000	29202	230.55	-42.60	4.90	1.371	+ 1	1.006	2.072	- 2	0.985	304.4	1.497	- 5	4.940	- 6
29500	29707	231.65	-41.50	5.50	1.274		1.008	1.915		0.984	305.1	1.503		4.962	
30000	30213	232.75	-40.40	6.10	1.183		1.010	1.771		0.983	305.8	1.509		4.983	
30500	30719	233.85	-39.30	6.70	1.100		1.012	1.638		0.983	306.6	1.515		5.005	
31000	31225	234.95	-38.20	7.30	1.023		1.014	1.516		0.983	307.3	1.520		5.027	
31500	31732	236.05	-37.10	7.90	9.510	+ 0	1.017	1.403		0.983	308.0	1.526		5.049	
32000	32238	237.15	-36.00	8.50	8.847		1.019	1.300		0.983	308.7	1.532		5.070	
33000	33251	239.35	-33.80	7.90	7.665		1.025	1.116		0.991	310.1	1.544		5.114	
34000	34264	241.55	-31.60	7.30	6.650		1.029	9.591	- 3	0.998	311.6	1.555		5.157	
35000	35277	243.75	-29.40	6.70	5.777		1.034	8.256		1.005	313.0	1.567		5.200	
36000	36291	245.95	-27.20	6.10	5.024	+ 0	1.037	7.117	- 3	1.012	314.4	1.578	- 5	5.244	- 6
37000	37305	248.15	-25.00	5.50	4.376		1.041	6.143		1.018	315.8	1.590		5.287	
38000	38319	250.35	-22.80	4.90	3.815		1.044	5.309		1.023	317.2	1.601		5.329	
39000	39334	252.55	-20.60	4.30	3.330		1.047	4.594		1.029	318.6	1.612		5.372	
40000	40349	254.75	-18.40	3.70	2.911		1.049	3.980		1.034	320.0	1.624		5.415	
41000	41364	256.95	-16.20	3.10	2.547		1.051	3.453		1.038	321.3	1.635		5.458	
42000	42380	259.15	-14.00	2.50	2.231		1.052	2.999		1.042	322.7	1.646		5.500	
43000	43395	261.35	-11.80	1.90	1.957		1.054	2.608		1.046	324.1	1.657		5.543	
44000	44412	263.55	-9.60	1.30	1.718		1.055	2.271		1.049	325.4	1.668		5.585	
45000	45428	265.75	-7.40	0.70	1.510		1.055	1.979		1.052	326.8	1.679		5.627	
46000	46445	267.95	-5.20	0.10	1.328	+ 0	1.055	1.727	- 3	1.054	328.1	1.690	- 5	5.670	- 6
47000	47463	270.15	-3.00	-0.50	1.170		1.055	1.509		1.056	329.5	1.701		5.712	
48000	48480	270.15	-3.00	-0.50	1.031		1.055	1.329		1.057	329.5	1.701		5.712	
49000	49498	270.15	-3.00	-0.50	9.085	- 1	1.054	1.172		1.056	329.5	1.701		5.712	
50000	50516	270.15	-3.00	-0.50	8.006		1.054	1.032		1.056	329.5	1.701		5.712	
51000	51535	270.15	-3.00	-0.50	7.055		1.054	9.097	- 4	1.056	329.5	1.701		5.712	
52000	52554	268.15	-5.00	-2.50	6.214		1.053	8.073		1.063	328.3	1.691		5.674	
53000	53573	266.15	-7.00	-2.50	5.468		1.052	7.157		1.062	327.0	1.681		5.635	
54000	54592	264.15	-9.00	-2.50	4.807		1.051	6.339		1.061	325.8	1.671		5.597	
55000	55612	262.15	-11.00	-2.50	4.222		1.049	5.610		1.059	324.6	1.661		5.558	
56000	56632	260.15	-13.00	-2.50	3.704	- 1	1.048	4.960	- 4	1.058	323.3	1.651	- 5	5.520	- 6
57000	57653	258.15	-15.00	-2.50	3.246		1.047	4.381		1.057	322.1	1.641		5.481	
58000	58674	256.15	-17.00	-2.50	2.843		1.045	3.866		1.056	320.8	1.631		5.442	
59000	59695	254.15	-19.00	-2.50	2.486		1.044	3.408		1.054	319.6	1.620		5.403	
60000	60716	250.65	-22.50	-4.00	2.172		1.042	3.018		1.059	317.4	1.602		5.335	
61000	61738	247.15	-26.00	-5.50	1.893		1.040	2.668		1.063	315.2	1.584		5.267	
62000	62760	243.65	-29.50	-5.00	1.647		1.037	2.355		1.058	312.9	1.566		5.198	
63000	63783	240.15	-33.00	-4.50	1.430		1.034	2.075		1.053	310.7	1.548		5.130	
64000	64805	236.65	-36.50	-4.00	1.239		1.031	1.824		1.048	308.4	1.529		5.061	
65000	65828	233.15	-40.00	-3.50	1.071		1.029	1.601		1.044	306.1	1.511		4.991	
66000	66852	229.65	-43.50	-3.00	9.244	- 2	1.027	1.402	- 4	1.040	303.8	1.492	- 5	4.922	- 6
67000	67876	226.15	-47.00	-2.50	7.957		1.025	1.226		1.036	301.5	1.473		4.852	
68000	68900	222.65	-50.50	-2.00	6.833		1.023	1.069		1.032	299.1	1.454		4.782	
69000	69924	219.15	-54.00	-1.50	5.854		1.022	9.306	- 5	1.029	296.8	1.435		4.712	
70000	70949	215.65	-57.50	-1.00	5.003		1.021	8.082		1.026	294.4	1.416		4.642	
71000	71974	212.15	-61.00	-0.50	4.264		1.021	7.002		1.023	292.0	1.397		4.571	
72000	72999	208.65	-64.50	-0.00	3.625		1.020	6.053		1.020	289.6	1.377		4.500	
73000	74025	205.15	-68.00	0.50	3.073		1.021	5.219		1.018	287.1	1.358		4.429	
74000	75051	201.65	-71.50	1.00	2.598		1.021	4.489		1.016	284.7	1.338		4.358	
75000	76077	198.15	-75.00	1.50	2.190		1.022	3.850		1.015	282.2	1.318		4.286	
76000	77104	194.65	-78.50	2.00	1.840	- 2	1.024	3.294	- 5	1.013	279.7	1.298	- 5	4.214	- 6
77000	78131	191.15	-82.00	2.50	1.542		1.026	2.810		1.013	277.2	1.278		4.142	
78000	79159	187.65	-85.50	3.00	1.287		1.029	2.390		1.013	274.6	1.257		4.070	
79000	80186	184.15	-89.00	3.50	1.071		1.032	2.026		1.013	272.0	1.237		3.998	
80000	81214	180.65	-92.50	-0.02	8.881	- 3	1.034	1.713		1.034	269.4	1.216		3.925	
81000	82243	177.12	-96.00	-3.53	7.337		1.032	1.443		1.052	266.8	1.196		3.852	
82000	83271	177.11	-96.00	-3.54	6.050		1.028	1.190		1.048	266.8	1.196		3.852	
83000	84300	177.10	-96.00	-3.55	4.989		1.024	9.811	- 6	1.045	266.8	1.196		3.852	
84000	85330	177.08	-96.00	-3.57	4.114		1.021	8.091		1.041	266.8	1.196		3.852	
85000	86359	177.07	-96.00	-3.58	3.393		1.017	6.672		1.037	266.8	1.196		3.852	
86000	87389	177.05	-96.00	-3.59	2.798	- 3	1.013	5.501	- 6	1.033	266.8	1.196	- 5	3.852	- 6
87000	88420	177.05	-96.00	-3.60	2.307		1.009	4.536		1.029	266.8	1.196		3.852	
88000	89450	177.03	-96.00	-3.62	1.902		1.005	3.741		1.025	266.8	1.196		3.852	
89000	90481	176.92	-96.00	-4.52	1.569		1.002	3.085		1.026	266.8	1.196		3.852	
90000	91513	176.87	-96.00	-5.84	1.295		0.997	2.518		1.026	268.3	1.207		3.894	
92000	93576	182.15	-90.99	-8.45	8.880	- 4	0.984	1.689		1.024	271.3	1.231		3.977	
94000	95641	185.32	-87.33	-11.39	6.140		0.968	1.143		1.019	274.2	1.255		4.060	
96000	97708	187.47	-85.23	-14.89	4.278		0.949	7.797	- 7	1.008	277.2	1.278		4.142	
98000	99775	190.42	-82.73	-18.29	3.003		0.928	5.361		0.995	280.0	1.301		4.225	
100000	101844	192.98	-80.17	-24.72	2.124		0.904	3.715		0.992	282.9	1.324		4.307	
102000	103914	205.45	-67.69	-22.13	1.525	- 4	0.880	2.489	- 7	0.945	292.9	1.404	- 5	4.597	- 6
104000	105986	217.34	-55.31	-19.52	1.118		0.865	1.711		0.909	302.5	1.482		4.884	
106000	108059	230.13	-43.02	-16.80	8.361	- 5	0.855	1.203		0.882	311.9	1.558		5.167	
108000	110133	242.33	-30.82	-14.11	6.356		0.850	8.637	- 8	0.862	321.0	1.632		5.446	
110000	112209	254.47	-18.63	-20.77	4.904		0.845	6.312		0.874	329.8	1.704		5.721	
112000	114286	268.19	-10.00	-6.38	3.871		0.844	4.377		0.824	351.9	1.884		6.424	
114000	116364	321.67	48.52	7.91	3.140		0.853	3.166		0.794	372.6	2.054		7.101	
116000	118444	354.95	81.80	22.23	2.602		0.868	2.368		0.776	392.3	2.215		7.754	

TABLE 5.1.—Continued  
15° N. Annual.  
GEOMETRIC ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity	
Z, m	H, m'	T, °K	t, °C	T-T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> m sec <sup>-1</sup>	$\mu$ kg m <sup>-1</sup> sec <sup>-1</sup>	k-cal m <sup>-1</sup> sec <sup>-1</sup> (°K) <sup>-1</sup>	
29000	28801	230.11	-43.04	4.59	1.413	+ 1	1.016	2.138 - 2	0.996	304.1	1.495 - 5	4.931 - 6
29500	29295	231.20	-41.95	5.18	1.313		1.018	1.978	0.995	304.8	1.500	4.953
30000	29789	232.29	-40.86	5.78	1.221		1.020	1.831	0.994	305.5	1.506	4.974
30500	30283	233.37	-39.78	6.37	1.135		1.022	1.695	0.994	306.2	1.512	4.996
31000	30777	234.46	-38.69	6.96	1.056		1.024	1.569	0.994	307.0	1.518	5.017
31500	31271	235.55	-37.60	7.55	9.830	+ 0	1.027	1.454	0.994	307.7	1.524	5.039
32000	31765	236.63	-36.52	8.14	9.152		1.029	1.347	0.994	308.4	1.529	5.060
33000	32753	238.80	-34.35	7.83	7.941		1.035	1.158	1.001	309.8	1.541	5.103
34000	33740	240.98	-32.17	7.23	6.900		1.040	9.974 - 3	1.009	311.2	1.552	5.146
35000	34727	243.15	-30.00	6.63	6.003		1.045	8.600	1.016	312.6	1.564	5.189
36000	35713	245.32	-27.83	6.04	5.229	+ 0	1.049	7.425 - 3	1.023	314.0	1.575 - 5	5.231 - 6
36700	36700	247.49	-25.66	5.44	4.561		1.053	6.419	1.029	315.4	1.586	5.274
38000	37686	249.66	-23.49	4.84	3.983		1.056	5.557	1.035	316.8	1.597	5.316
39000	38671	251.83	-21.32	4.24	3.482		1.059	4.817	1.041	318.1	1.609	5.358
40000	39657	253.99	-19.16	3.64	3.048		1.062	4.181	1.046	319.5	1.620	5.400
41000	40642	256.16	-16.99	3.05	2.671		1.064	3.633	1.051	320.8	1.631	5.442
42000	41626	258.33	-14.82	2.45	2.344		1.065	3.161	1.055	322.2	1.642	5.484
43000	42611	260.49	-12.66	1.85	2.059		1.067	2.753	1.059	323.6	1.653	5.526
44000	43595	262.66	-10.49	1.25	1.811		1.068	2.401	1.063	324.9	1.664	5.568
45000	44579	264.82	-8.33	0.66	1.594		1.069	2.097	1.067	326.2	1.675	5.610
46000	45562	266.99	-6.16	0.06	1.405	+ 0	1.070	1.833 - 3	1.069	327.6	1.685 - 5	5.651 - 6
47000	46545	269.15	-4.00	-0.54	1.239		1.070	1.604	1.072	328.9	1.696	5.693
48000	47528	270.15	-3.00	-0.50	1.094		1.070	1.411	1.072	329.5	1.701	5.712
49000	48511	270.15	-3.00	-0.50	9.665	- 1	1.070	1.246	1.072	329.5	1.701	5.712
50000	49493	270.15	-3.00	-0.50	8.536		1.070	1.101	1.072	329.5	1.701	5.712
51000	50475	270.15	-3.00	-0.50	7.539		1.070	9.722 - 4	1.072	329.5	1.701	5.712
52000	51457	269.24	-3.91	-1.41	6.658		1.070	8.615	1.076	328.9	1.697	5.694
53000	52438	267.27	-5.88	-2.25	5.876		1.069	7.659	1.078	327.7	1.687	5.657
54000	53419	265.31	-7.84	-2.25	5.181		1.068	6.803	1.077	326.5	1.677	5.619
55000	54400	263.35	-9.80	-2.24	4.564		1.068	6.038	1.077	325.3	1.667	5.581
56000	55380	261.39	-11.76	-2.24	4.017	- 1	1.067	5.354 - 4	1.076	324.1	1.657 - 5	5.544 - 6
57000	56360	259.43	-13.72	-2.23	3.532		1.066	4.743	1.075	322.9	1.647	5.506
58000	57340	257.47	-15.68	-2.23	3.103		1.065	4.199	1.074	321.7	1.637	5.468
59000	58320	255.51	-17.64	-2.23	2.724		1.064	3.714	1.074	320.4	1.627	5.430
60000	59299	253.10	-20.05	-2.07	2.388		1.063	3.287	1.075	318.9	1.615	5.383
61000	60278	249.68	-23.47	-4.13	2.091		1.062	2.917	1.079	316.8	1.597	5.316
62000	61256	246.25	-26.90	-4.79	1.827		1.060	2.585	1.080	314.6	1.580	5.249
63000	62235	242.83	-30.32	-4.30	1.594		1.057	2.286	1.076	312.4	1.562	5.182
64000	63213	239.40	-33.75	-3.80	1.387		1.055	2.019	1.072	310.2	1.544	5.115
65000	64190	235.98	-37.17	-3.30	1.206		1.053	1.780	1.068	308.0	1.526	5.047
66000	65168	232.56	-40.59	-2.80	1.045	- 1	1.052	1.566 - 4	1.065	305.7	1.508 - 5	4.980 - 6
67000	66145	229.14	-44.01	-2.30	9.047	- 2	1.050	1.375	1.061	303.5	1.489	4.912
68000	67121	225.72	-47.43	-1.80	7.812		1.049	1.206	1.058	301.2	1.471	4.844
69000	68098	222.31	-50.84	-1.31	6.731		1.049	1.055	1.055	298.9	1.453	4.775
70000	69074	218.89	-54.26	-0.81	5.787		1.048	9.210 - 5	1.052	296.6	1.434	4.707
71000	70050	215.47	-57.68	-0.31	4.963		1.048	8.024	1.050	294.3	1.415	4.638
72000	71025	212.06	-61.09	0.18	4.247		1.049	6.977	1.048	291.9	1.396	4.569
73000	72001	208.65	-64.50	0.68	3.625		1.049	6.052	1.046	289.6	1.377	4.500
74000	72976	205.23	-67.92	1.18	3.086		1.050	5.238	1.044	287.2	1.358	4.431
75000	73950	201.82	-71.33	1.67	2.620		1.052	4.523	1.043	284.8	1.339	4.361
76000	74925	198.41	-74.74	2.17	2.219	- 2	1.054	3.895 - 5	1.043	282.4	1.320 - 5	4.292 - 6
77000	75899	195.00	-78.15	2.66	1.873		1.057	3.347	1.043	279.9	1.300	4.222
78000	76872	191.60	-81.55	3.17	1.577		1.060	2.868	1.043	277.5	1.280	4.152
79000	77846	188.19	-84.96	3.66	1.324		1.066	2.451	1.043	275.0	1.261	4.081
80000	78819	184.78	-88.37	4.13	1.108		1.068	2.088	1.045	272.5	1.241	4.011
81000	79792	181.37	-91.78	0.72	9.238	- 3	1.072	1.774	1.068	270.0	1.221	3.940
82000	80764	177.95	-95.20	-2.70	7.678		1.071	1.503	1.087	267.4	1.200	3.870
83000	81736	174.11	-98.04	-3.54	6.366		1.068	1.252	1.089	266.8	1.196	3.852
84000	82708	170.10	-98.05	-3.55	5.278		1.064	1.038	1.085	266.8	1.196	3.852
85000	83680	177.09	-96.09	-3.56	4.376		1.061	8.006 - 6	1.082	266.8	1.196	3.852
86000	84651	177.04	-96.07	-3.57	3.629	- 3	1.058	7.136 - 6	1.078	266.8	1.196 - 5	3.852 - 6
87000	85622	177.05	-96.09	-3.59	3.009		1.054	5.917	1.075	266.8	1.196	3.852
88000	86593	177.05	-96.10	-3.60	2.495		1.051	4.907	1.072	266.8	1.196	3.852
89000	87563	177.04	-96.11	-3.61	2.069		1.047	4.070	1.068	266.8	1.196	3.852
90000	88533	177.03	-96.12	-3.62	1.716		1.044	3.375	1.065	266.8	1.196	3.852
92000	90472	179.57	-93.05	-7.12	1.184		1.034	2.290	1.071	269.0	1.213	3.914
94000	92410	182.88	-90.27	-9.68	8.227	- 4	1.020	1.558	1.068	271.9	1.236	3.994
96000	94347	185.77	-87.33	-12.68	5.763		1.003	1.069	1.060	274.8	1.259	4.074
98000	96283	188.23	-84.92	-16.05	4.067		0.983	7.391 - 7	1.049	277.6	1.281	4.154
100000	98217	190.70	-82.45	-19.32	2.891		0.961	5.150	1.035	280.4	1.303	4.234
102000	100151	193.92	-79.23	-25.74	2.070	- 4	0.936	3.601 - 7	1.031	283.7	1.330 - 5	4.329 - 6
104000	102083	205.98	-67.17	-23.20	1.505		0.912	2.449	0.983	293.3	1.407	4.609
106000	104014	217.92	-55.23	-20.66	1.116		0.896	1.707	0.946	302.6	1.482	4.886
108000	105943	229.73	-43.37	-18.07	8.429	- 5	0.885	1.215	0.918	311.6	1.556	5.159
110000	107872	241.55	-31.67	-15.45	6.466		0.879	8.818 - 8	0.897	320.4	1.627	5.428
112000	109799	253.25	-19.97	-22.60	5.030		0.873	6.509	0.910	328.9	1.697	5.694
114000	111725	263.97	10.42	-10.95	3.992		0.869	4.591	0.863	348.9	1.860	6.329
116000	113650	315.82	42.67	2.81	3.252		0.876	3.342	0.828	369.1	2.025	6.984
118000	115573	347.87	74.72	16.54	2.704		0.889	2.513	0.807	388.2	2.181	7.616

TABLE 5.1.—Continued  
30° N, January  
GEOPOTENTIAL ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
H, m'	Z, m	T, °K	t, °C	T-T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> m sec <sup>-1</sup>	$\mu$ kg m <sup>-1</sup> sec <sup>-1</sup>	$k$ k-cal m <sup>-1</sup> sec <sup>-1</sup> (°K) <sup>-1</sup>
0	0	288.52	15.37	0.37	1.02100 + 3	1.008	1.233 + 0	1.006	340.5	1.791 - 5	6.060 - 6
250	250	287.70	14.55	1.18	9.912 + 2	1.008	1.200	1.004	340.0	1.787	6.045
500	501	286.88	13.73	1.98	9.621	1.008	1.168	1.001	339.5	1.783	6.029
750	751	286.06	12.91	2.79	9.339	1.008	1.137	0.998	339.1	1.779	6.014
1000	1002	285.24	12.09	3.59	9.064	1.009	1.107	0.995	338.6	1.775	5.998
1250	1252	284.40	11.25	4.37	8.796	1.009	1.077	0.993	338.1	1.771	5.982
1500	1502	283.55	10.40	5.15	8.535	1.009	1.049	0.991	337.6	1.767	5.966
1750	1753	282.71	9.56	5.93	8.282	1.010	1.021	0.989	337.1	1.763	5.951
2000	2003	281.86	8.71	6.71	8.035	1.011	9.931 - 1	0.987	336.6	1.759	5.935
2250	2254	280.17	7.02	6.65	7.794	1.011	9.692	0.988	335.5	1.751	5.903
2500	2504	278.48	5.33	6.58	7.560 + 2	1.012	9.457 - 1	0.988	334.5	1.742 - 5	5.870 - 6
2750	2755	276.79	3.64	6.51	7.331	1.013	9.226	0.989	333.5	1.734	5.838
3000	3006	275.10	1.95	6.45	7.107	1.014	9.000	0.990	332.5	1.726	5.806
3250	3256	273.42	0.27	6.40	6.889	1.014	8.778	0.991	331.5	1.717	5.774
3500	3507	271.74	-1.41	6.34	6.677	1.015	8.559	0.992	330.5	1.709	5.742
3750	3757	270.07	-3.08	6.29	6.470	1.016	8.345	0.992	329.4	1.701	5.710
4000	4008	268.39	-4.76	6.24	6.268	1.017	8.135	0.993	328.4	1.692	5.678
4250	4259	266.75	-6.40	6.22	6.071	1.018	7.928	0.994	327.4	1.684	5.647
4500	4509	265.10	-8.05	6.20	5.879	1.018	7.725	0.995	326.4	1.676	5.615
4750	4760	263.46	-9.69	6.18	5.692	1.019	7.526	0.995	325.4	1.668	5.583
5000	5011	261.81	-11.34	6.16	5.510 + 2	1.020	7.331 - 1	0.996	324.4	1.659 - 5	5.552 - 6
5250	5262	260.17	-12.98	6.15	5.332	1.021	7.140	0.997	323.4	1.651	5.520
5500	5512	258.53	-14.62	6.13	5.160	1.021	6.953	0.997	322.3	1.643	5.488
5750	5763	256.88	-16.27	6.11	4.991	1.022	6.769	0.998	321.3	1.634	5.456
6000	6014	255.24	-17.91	6.09	4.828	1.023	6.589	0.999	320.3	1.626	5.425
6250	6265	253.61	-19.54	6.08	4.668	1.024	6.413	0.999	319.2	1.618	5.393
6500	6516	251.98	-21.17	6.08	4.513	1.025	6.240	1.000	318.2	1.609	5.361
6750	6766	250.34	-22.81	6.07	4.362	1.026	6.070	1.001	317.2	1.601	5.329
7000	7017	248.71	-24.44	6.06	4.216	1.027	5.905	1.002	316.2	1.592	5.298
7250	7268	247.08	-26.07	6.06	4.073	1.027	5.742	1.002	315.1	1.584	5.266
7500	7519	245.45	-27.70	6.05	3.934 + 2	1.028	5.583 - 1	1.003	314.1	1.576 - 5	5.234 - 6
7750	7770	243.82	-29.33	6.04	3.799	1.029	5.428	1.004	313.0	1.567	5.202
8000	8021	242.18	-30.97	6.03	3.668	1.030	5.276	1.005	312.0	1.559	5.170
8250	8272	240.56	-32.59	6.03	3.540	1.031	5.127	1.005	310.9	1.550	5.138
8500	8523	238.93	-34.22	6.03	3.416	1.032	4.981	1.006	309.9	1.541	5.106
8750	8774	237.30	-35.85	6.03	3.296	1.033	4.839	1.007	308.8	1.533	5.073
9000	9025	235.67	-37.48	6.02	3.179	1.034	4.699	1.008	307.8	1.524	5.041
9250	9276	234.05	-39.10	6.02	3.066	1.035	4.563	1.008	306.7	1.516	5.009
9500	9527	232.42	-40.73	6.02	2.955	1.036	4.430	1.009	305.6	1.507	4.977
9750	9778	230.79	-42.36	6.01	2.848	1.037	4.299	1.010	304.5	1.498	4.945
10000	10030	229.16	-43.99	6.01	2.744 + 2	1.038	4.172 - 1	1.011	303.5	1.490 - 5	4.912 - 6
10250	10281	227.53	-45.62	6.01	2.644	1.039	4.048	1.012	302.4	1.481	4.880
10500	10532	225.91	-47.24	6.01	2.546	1.040	3.926	1.013	301.3	1.472	4.847
10750	10783	224.28	-48.87	6.00	2.451	1.041	3.807	1.013	300.2	1.463	4.815
11000	11034	222.65	-50.50	6.00	2.359	1.043	3.691	1.014	299.1	1.454	4.782
11500	11537	219.40	-53.75	2.75	2.184	1.044	3.467	1.031	296.9	1.437	4.717
12000	12039	216.15	-57.00	-0.50	2.019	1.045	3.254	1.047	294.7	1.419	4.652
12500	12542	214.85	-58.30	-1.80	1.865	1.044	3.024	1.053	293.8	1.412	4.625
13000	13045	213.55	-59.60	-3.10	1.722	1.043	2.809	1.058	293.0	1.405	4.599
13500	13547	212.25	-60.90	-4.40	1.589	1.042	2.609	1.063	292.1	1.397	4.573
14000	14050	210.95	-62.20	-5.70	1.466 + 2	1.040	2.421 - 1	1.068	291.2	1.390 - 5	4.547 - 6
14500	14553	209.65	-63.50	-7.00	1.352	1.037	2.246	1.072	290.3	1.383	4.520
15000	15056	208.35	-64.80	-8.30	1.246	1.035	2.083	1.075	289.4	1.376	4.494
15500	15559	207.05	-66.10	-9.60	1.147	1.031	1.930	1.078	288.5	1.368	4.468
16000	16062	205.75	-67.40	-10.90	1.056	1.026	1.788	1.081	287.6	1.361	4.441
16500	16566	204.45	-68.70	-12.20	9.718 + 1	1.022	1.656	1.083	286.6	1.354	4.415
17000	17069	203.15	-70.00	-13.50	8.937	1.017	1.533	1.085	285.7	1.346	4.388
17500	17572	203.15	-70.00	-13.50	8.216	1.012	1.409	1.079	285.7	1.346	4.388
18000	18076	203.15	-70.00	-13.50	7.553	1.006	1.295	1.073	285.7	1.346	4.388
18500	18580	204.40	-68.75	-12.25	6.946	1.001	1.184	1.062	286.6	1.353	4.414
19000	19083	205.65	-67.50	-11.00	6.391 + 1	0.997	1.083 - 1	1.050	287.5	1.360 - 5	4.439 - 6
19500	19587	206.90	-66.25	-9.75	5.883	0.993	9.905 - 2	1.040	288.4	1.368	4.465
20000	20091	208.15	-65.00	-8.50	5.418	0.990	9.068	1.030	289.2	1.374	4.490
20500	20595	209.40	-63.75	-7.25	4.992	0.987	8.306	1.023	290.1	1.381	4.515
21000	21099	210.65	-62.50	-7.00	4.602	0.984	7.611	1.017	291.0	1.388	4.541
21500	21603	211.90	-61.25	-6.25	4.245	0.982	6.979	1.010	291.8	1.395	4.566
22000	22107	213.15	-60.00	-5.50	3.917	0.979	6.402	1.005	292.7	1.402	4.591
22500	22611	214.15	-59.00	-5.00	3.616	0.977	5.883	1.000	293.4	1.408	4.611
23000	23115	215.15	-58.00	-4.50	3.340	0.976	5.407	0.996	294.0	1.413	4.631
23500	23620	216.15	-57.00	-4.00	3.085	0.974	4.972	0.992	294.7	1.419	4.652
24000	24124	217.15	-56.00	-3.50	2.851 + 1	0.973	4.574 - 2	0.989	295.4	1.424 - 5	4.672 - 6
24500	24629	218.15	-55.00	-3.00	2.636	0.972	4.210	0.985	296.1	1.430	4.692
25000	25133	219.15	-54.00	-2.50	2.438	0.971	3.876	0.982	296.8	1.435	4.712
25500	25638	220.15	-53.00	-2.00	2.256	0.970	3.569	0.979	297.4	1.441	4.732
26000	26143	221.15	-52.00	-1.50	2.088	0.970	3.288	0.976	298.1	1.446	4.752
26500	26648	222.15	-51.00	-1.00	1.933	0.969	3.031	0.974	298.8	1.452	4.772
27000	27153	223.15	-50.00	-0.50	1.790	0.969	2.794	0.971	299.5	1.457	4.792
27500	27658	224.15	-49.00	-0.00	1.658	0.969	2.577	0.969	300.1	1.463	4.812
28000	28163	225.15	-48.00	0.50	1.537	0.969	2.378	0.967	300.8	1.468	4.832
28500	28668	226.15	-47.00	1.00	1.425	0.969	2.195	0.965	301.5	1.473	4.852

TABLE 5.1.—Continued  
30° N. January  
GEOMETRIC ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
Z, m	H, m'	T, °K	t, °C	T-T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> m sec <sup>-1</sup>	$\mu$ kg m <sup>-1</sup> sec <sup>-1</sup>	$k$ k-cal m <sup>-1</sup> sec <sup>-1</sup> (°K) <sup>-1</sup>
0	0	288.52	15.37	0.37	1.02100 + 3	1.008	1.233 + 0	1.006	340.5	1.791 - 5	6.060 - 6
250	250	287.70	14.55	1.18	9.912 + 2	1.008	1.200	1.004	340.0	1.787	6.045
500	499	286.88	13.73	1.98	9.622	1.008	1.168	1.001	339.5	1.783	6.029
750	749	286.07	12.92	2.79	9.340	1.008	1.137	0.999	339.1	1.779	6.014
1000	998	285.25	12.10	3.60	9.065	1.009	1.107	0.996	338.6	1.775	5.998
1250	1248	284.41	11.26	4.38	8.798	1.009	1.078	0.993	338.1	1.771	5.983
1500	1498	283.56	10.41	5.16	8.538	1.010	1.049	0.991	337.6	1.767	5.967
1750	1747	282.72	9.57	5.94	8.285	1.010	1.021	0.989	337.1	1.763	5.951
2000	1997	281.87	8.72	6.72	8.038	1.011	9.934 - 1	0.987	336.6	1.759	5.935
2250	2246	280.20	7.05	6.67	7.798	1.012	9.695	0.988	335.6	1.751	5.903
2500	2496	278.51	5.36	6.60	7.564 + 2	1.013	9.461 - 1	0.989	334.6	1.742 - 5	5.871 - 6
2750	2745	276.82	3.67	6.54	7.335	1.013	9.231	0.989	333.5	1.734	5.839
3000	2994	275.14	1.99	6.48	7.112	1.014	9.005	0.990	332.5	1.726	5.807
3250	3244	273.46	0.31	6.43	6.895	1.015	8.783	0.991	331.5	1.718	5.775
3500	3493	271.79	-1.36	6.38	6.682	1.016	8.565	0.992	330.5	1.709	5.743
3750	3743	270.12	-3.03	6.33	6.476	1.017	8.352	0.993	329.5	1.701	5.711
4000	3992	268.44	-4.71	6.28	6.274	1.018	8.142	0.994	328.5	1.693	5.679
4250	4241	266.80	-6.35	6.26	6.077	1.018	7.935	0.994	327.4	1.684	5.648
4500	4491	265.16	-7.99	6.24	5.886	1.019	7.733	0.995	326.4	1.676	5.616
4750	4740	263.52	-9.63	6.23	5.699	1.020	7.534	0.996	325.4	1.668	5.585
5000	4989	261.88	-11.27	6.21	5.517 + 2	1.021	7.340 - 1	0.997	324.4	1.660 - 5	5.553 - 6
5250	5238	260.25	-12.90	6.19	5.340	1.022	7.149	0.997	323.4	1.651	5.522
5500	5488	258.61	-14.54	6.18	5.168	1.023	6.962	0.998	322.4	1.643	5.490
5750	5737	256.97	-16.18	6.16	5.000	1.023	6.779	0.999	321.4	1.635	5.458
6000	5986	255.33	-17.82	6.14	4.837	1.024	6.599	1.000	320.3	1.626	5.426
6250	6235	253.70	-19.45	6.14	4.678	1.025	6.423	1.000	319.3	1.618	5.395
6500	6484	252.08	-21.07	6.13	4.523	1.026	6.250	1.001	318.3	1.610	5.363
6750	6734	250.45	-22.70	6.13	4.372	1.027	6.081	1.002	317.3	1.601	5.331
7000	6983	248.82	-24.33	6.12	4.226	1.028	5.916	1.003	316.2	1.593	5.300
7250	7232	247.20	-25.95	6.12	4.083	1.029	5.754	1.003	315.2	1.585	5.268
7500	7481	245.57	-27.58	6.12	3.944 + 2	1.030	5.595 - 1	1.004	314.1	1.576 - 5	5.236 - 6
7750	7730	243.95	-29.20	6.11	3.810	1.031	5.440	1.005	313.1	1.568	5.204
8000	7979	242.32	-30.83	6.11	3.679	1.032	5.288	1.006	312.1	1.559	5.172
8250	8228	240.70	-32.45	6.11	3.551	1.033	5.140	1.007	311.0	1.551	5.140
8500	8477	239.08	-34.07	6.10	3.428	1.034	4.994	1.007	310.0	1.542	5.109
8750	8726	237.46	-35.69	6.10	3.307	1.035	4.852	1.008	308.9	1.534	5.077
9000	8975	235.84	-37.31	6.10	3.191	1.036	4.713	1.009	307.9	1.525	5.045
9250	9224	234.22	-38.93	6.10	3.077	1.037	4.577	1.010	306.8	1.517	5.012
9500	9473	232.59	-40.56	6.10	2.967	1.038	4.444	1.011	305.7	1.508	4.980
9750	9722	230.97	-42.18	6.10	2.860	1.039	4.314	1.012	304.7	1.499	4.948
10000	9971	229.35	-43.80	6.10	2.757 + 2	1.040	4.187 - 1	1.013	303.6	1.491 - 5	4.916 - 6
10250	10219	227.73	-45.42	6.10	2.656	1.042	4.063	1.013	302.5	1.482	4.884
10500	10468	226.11	-47.04	6.10	2.558	1.042	3.941	1.014	301.4	1.473	4.851
10750	10717	224.49	-48.66	6.10	2.463	1.044	3.823	1.015	300.4	1.464	4.819
11000	10966	222.87	-50.28	6.10	2.372	1.045	3.707	1.016	299.3	1.456	4.787
11500	11464	219.64	-53.51	2.99	2.196	1.047	3.483	1.032	297.1	1.438	4.722
12000	11961	216.40	-56.75	-0.25	2.032	1.047	3.270	1.049	294.9	1.420	4.657
12500	12458	214.96	-58.19	-1.69	1.878	1.047	3.043	1.055	293.9	1.412	4.628
13000	12956	213.66	-59.49	-2.99	1.734	1.046	2.828	1.061	293.0	1.405	4.602
13500	13453	212.37	-60.78	-4.28	1.602	1.045	2.627	1.066	292.1	1.398	4.575
14000	13950	211.08	-62.07	-5.57	1.478 + 2	1.043	2.439 - 1	1.070	291.3	1.391 - 5	4.549 - 6
14500	14447	209.79	-63.36	-6.86	1.363	1.041	2.264	1.075	290.4	1.384	4.523
15000	14944	208.49	-64.66	-8.16	1.257	1.038	2.101	1.078	289.5	1.376	4.497
15500	15441	207.20	-65.95	-9.45	1.159	1.034	1.948	1.082	288.6	1.369	4.471
16000	15938	205.91	-67.24	-10.74	1.067	1.031	1.805	1.084	287.7	1.362	4.444
16500	16435	204.62	-68.53	-12.03	9.825 + 1	1.026	1.673	1.087	286.8	1.355	4.418
17000	16931	203.33	-69.82	-13.32	9.040	1.022	1.549	1.088	285.9	1.347	4.392
17500	17428	203.15	-70.00	-13.50	8.316	1.016	1.426	1.084	285.7	1.346	4.388
18000	17925	203.15	-70.00	-13.50	7.650	1.011	1.312	1.079	285.7	1.346	4.388
18500	18421	204.20	-68.95	-12.45	7.038	1.006	1.201	1.067	286.5	1.352	4.410
19000	18917	205.44	-67.71	-11.21	6.479 + 1	1.002	1.099 - 1	1.056	287.3	1.359 - 5	4.435 - 6
19500	19414	206.68	-66.47	-9.97	5.967	0.998	1.006	1.046	288.2	1.366	4.460
20000	19910	207.92	-65.23	-8.73	5.499	0.995	9.213 - 2	1.036	289.1	1.373	4.485
20500	20406	209.16	-63.99	-7.92	5.070	0.992	8.444	1.029	289.9	1.380	4.511
21000	20902	210.40	-62.75	-7.18	4.676	0.989	7.742	1.022	290.8	1.387	4.536
21500	21398	211.64	-61.51	-6.43	4.315	0.987	7.103	1.016	291.6	1.394	4.561
22000	21894	212.88	-60.27	-5.69	3.984	0.985	6.520	1.011	292.5	1.401	4.586
22500	22390	213.93	-59.22	-4.92	3.680	0.982	5.993	1.006	293.2	1.407	4.607
23000	22886	214.92	-58.23	-4.65	3.401	0.981	5.512	1.002	293.9	1.412	4.627
23500	23381	215.91	-57.24	-4.15	3.144	0.980	5.072	0.998	294.6	1.418	4.647
24000	23877	216.90	-56.25	-3.66	2.907 + 1	0.978	4.669 - 2	0.995	295.2	1.423 - 5	4.667 - 6
24500	24372	217.89	-55.26	-3.16	2.689	0.977	4.300	0.991	295.9	1.428	4.687
25000	24868	218.89	-54.26	-2.67	2.489	0.976	3.961	0.988	296.6	1.434	4.707
25500	25363	219.88	-53.27	-2.17	2.304	0.975	3.650	0.985	297.3	1.439	4.727
26000	25858	220.87	-52.28	-1.68	2.134	0.975	3.365	0.982	297.9	1.445	4.746
26500	26354	221.86	-51.29	-1.18	1.977	0.975	3.104	0.980	298.6	1.450	4.766
27000	26849	222.85	-50.30	-0.69	1.832	0.974	2.864	0.977	299.3	1.455	4.786
27500	27344	223.84	-49.31	-0.19	1.698	0.974	2.643	0.975	299.9	1.461	4.806
28000	27839	224.83	-48.32	0.30	1.575	0.975	2.440	0.973	300.6	1.466	4.826
28500	28334	225.82	-47.33	0.79	1.461	0.975	2.254	0.971	301.2	1.472	4.845



TABLE 5.1.—Continued  
30° N. January

GEOPOTENTIAL ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity	
<i>H</i> , m'	<i>Z</i> , m	<i>T</i> , °K	<i>t</i> , °C	<i>T</i> - <i>T</i> <sub>std</sub>	<i>P</i> , mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	<i>C</i> <sub>s</sub> , m sec <sup>-1</sup>	$\frac{\mu}{\mu_{std}}$ , kg m <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{k_{std}}$ , kcal m <sup>-1</sup> sec <sup>-1</sup> (°K) <sup>-1</sup>	
29000	29173	227.15	-46.00	1.50	1.321	+ 1	0.970	2.027 - 2	0.963	302.1	1.479 - 5	4.872 - 6
29500	29679	228.15	-45.00	2.00	1.226		0.970	1.872	0.961	302.8	1.484	4.892
30000	30184	229.15	-44.00	2.50	1.138		0.971	1.730	0.960	303.5	1.489	4.912
30500	30689	230.15	-43.00	3.00	1.056		0.972	1.599	0.959	304.1	1.495	4.932
31000	31195	231.15	-42.00	3.50	9.807	+ 0	0.973	1.478	0.958	304.8	1.500	4.952
31500	31701	232.15	-41.00	4.00	9.110		0.974	1.367	0.957	305.4	1.506	4.972
32000	32206	233.15	-40.00	4.50	8.465		0.975	1.265	0.957	306.1	1.511	4.991
33000	33218	235.55	-37.60	4.10	7.317		0.978	1.082	0.961	307.7	1.524	5.039
34000	34230	237.95	-35.20	3.70	6.334		0.980	9.273 - 3	0.965	309.2	1.536	5.086
35000	35243	240.35	-32.80	3.30	5.491		0.982	7.958	0.969	310.8	1.549	5.134
36000	36255	242.75	-30.40	2.90	4.766	+ 0	0.984	6.840 - 3	0.972	312.3	1.561 - 5	5.181 - 6
37000	37268	245.15	-28.00	2.50	4.144		0.986	5.888	0.976	313.9	1.574	5.228
38000	38282	247.55	-25.60	2.10	3.607		0.987	5.076	0.979	315.4	1.586	5.275
39000	39295	249.95	-23.20	1.70	3.144		0.988	4.382	0.981	316.9	1.599	5.322
40000	40309	252.35	-20.80	1.30	2.744		0.989	3.788	0.984	318.5	1.611	5.368
41000	41324	254.75	-18.40	0.90	2.398		0.989	3.280	0.986	320.0	1.624	5.415
42000	42338	257.15	-16.00	0.50	2.099		0.990	2.843	0.988	321.5	1.636	5.462
43000	43353	259.55	-13.60	0.10	1.839		0.990	2.468	0.990	323.0	1.648	5.508
44000	44368	261.95	-11.20	-0.30	1.613		0.990	2.145	0.991	324.5	1.660	5.554
45000	45384	264.35	-8.80	-0.70	1.417		0.990	1.867	0.992	325.9	1.672	5.601
46000	46400	266.75	-6.40	-1.10	1.246	+ 0	0.989	1.627 - 3	0.993	327.4	1.684 - 5	5.647 - 6
47000	47416	269.15	-4.00	-1.50	1.096		0.989	1.419	0.994	328.9	1.696	5.693
48000	48433	269.15	-4.00	-1.50	9.657	- 1	0.988	1.250	0.994	328.9	1.696	5.693
49000	49449	269.15	-4.00	-1.50	8.506		0.987	1.101	0.993	328.9	1.696	5.693
50000	50467	269.15	-4.00	-1.50	7.492		0.987	9.697 - 4	0.992	328.9	1.696	5.693
51000	51484	269.15	-4.00	-1.50	6.599		0.986	8.541	0.991	328.9	1.696	5.693
52000	52502	267.15	-6.00	-3.50	5.810		0.985	7.576	0.998	327.7	1.686	5.654
53000	53520	265.15	-8.00	-3.50	5.110		0.983	6.714	0.996	326.4	1.676	5.616
54000	54539	263.15	-10.00	-3.50	4.490		0.981	5.944	0.994	325.2	1.666	5.577
55000	55558	261.15	-12.00	-3.50	3.941		0.980	5.258	0.993	324.0	1.656	5.539
56000	56577	259.15	-14.00	-3.50	3.456	- 1	0.978	4.646 - 4	0.991	322.7	1.646 - 5	5.500 - 6
57000	57596	257.15	-16.00	-3.50	3.028		0.976	4.102	0.990	321.5	1.636	5.462
58000	58616	255.15	-18.00	-3.50	2.650		0.975	3.618	0.988	320.2	1.626	5.423
59000	59636	253.15	-20.00	-3.50	2.316		0.973	3.188	0.986	319.0	1.615	5.384
60000	60656	250.05	-23.10	-4.60	2.022		0.970	2.818	0.989	317.0	1.599	5.324
61000	61677	246.95	-26.20	-5.70	1.763		0.968	2.486	0.990	315.0	1.583	5.263
62000	62698	243.85	-29.30	-4.80	1.534		0.965	2.191	0.984	313.0	1.567	5.202
63000	63720	240.75	-32.40	-3.90	1.332		0.963	1.927	0.978	311.0	1.551	5.141
64000	64741	237.65	-35.50	-3.00	1.155		0.961	1.693	0.973	309.0	1.535	5.080
65000	65764	234.55	-38.60	-2.10	9.990	- 2	0.960	1.484	0.968	307.0	1.518	5.019
66000	66786	231.45	-41.70	-1.20	8.628	- 2	0.958	1.299 - 4	0.963	305.0	1.502 - 5	4.958 - 6
67000	67809	228.35	-44.80	-0.30	7.437		0.958	1.135	0.959	302.9	1.485	4.896
68000	68832	225.25	-47.90	0.60	6.397		0.958	9.893 - 5	0.955	300.9	1.468	4.834
69000	69855	222.15	-51.00	1.50	5.491		0.959	8.610	0.952	298.8	1.452	4.772
70000	70879	219.05	-54.10	2.40	4.703		0.960	7.479	0.949	296.7	1.435	4.710
71000	71903	215.95	-57.20	3.30	4.019		0.962	6.484	0.947	294.6	1.418	4.648
72000	72927	212.85	-60.30	4.20	3.427		0.965	5.609	0.946	292.5	1.401	4.585
73000	73952	209.75	-63.40	5.10	2.916		0.968	4.842	0.945	290.3	1.383	4.522
74000	74977	206.65	-66.50	6.00	2.474		0.973	4.171	0.944	288.2	1.366	4.459
75000	76002	203.55	-69.60	6.90	2.095		0.978	3.585	0.945	286.0	1.349	4.396
76000	77028	200.45	-72.70	7.80	1.769	- 2	0.984	3.074 - 5	0.946	283.8	1.331 - 5	4.333 - 6
77000	78054	197.35	-75.80	8.70	1.490		0.992	2.630	0.948	281.6	1.313	4.270
78000	79080	194.25	-78.90	9.60	1.251		1.000	2.244	0.951	279.4	1.296	4.206
79000	80107	191.15	-82.00	10.50	1.048		1.009	1.910	0.954	277.2	1.278	4.142
80000	81134	191.13	-82.02	10.48	8.764	- 3	1.020	1.597	0.964	277.2	1.278	4.142
81000	82161	191.12	-82.03	10.47	7.329		1.031	1.336	0.974	277.2	1.278	4.142
82000	83189	191.11	-82.04	10.46	6.130		1.042	1.117	0.984	277.2	1.278	4.142
83000	84217	191.09	-82.06	10.44	5.127		1.053	9.343 - 6	0.995	277.2	1.278	4.142
84000	85245	191.08	-82.07	10.43	4.287		1.064	7.814	1.005	277.2	1.278	4.142
85000	86274	191.07	-82.08	10.42	3.586		1.075	6.535	1.016	277.2	1.278	4.142
86000	87303	191.05	-82.10	10.40	2.999	- 3	1.086	5.465 - 6	1.026	277.2	1.278 - 5	4.142 - 6
87000	88332	191.04	-82.11	10.39	2.508		1.097	4.571	1.037	277.2	1.278	4.142
88000	89361	191.03	-82.12	10.38	2.098		1.109	3.823	1.048	277.2	1.278	4.142
89000	90391	194.44	-78.71	13.00	1.757		1.122	3.145	1.046	279.7	1.298	4.214
90000	91422	197.72	-75.43	13.21	1.477		1.137	2.596	1.058	282.2	1.318	4.286
92000	93483	204.27	-68.88	13.66	1.052		1.166	1.787	1.084	287.1	1.358	4.429
94000	95546	216.50	-62.65	13.79	7.583	- 4	1.195	1.245	1.110	292.0	1.397	4.571
96000	97610	216.04	-63.11	13.28	5.524		1.225	8.781 - 7	1.135	296.8	1.435	4.712
98000	99676	221.57	-51.58	12.86	4.064		1.256	6.260	1.162	301.5	1.473	4.852
100000	101742	227.07	-46.08	9.37	3.018		1.284	4.510	1.204	306.1	1.511	4.991
102000	103811	236.97	-36.18	9.38	2.267	- 4	1.309	3.228 - 7	1.226	313.6	1.572 - 5	5.219 - 6
104000	105880	246.83	-26.32	9.47	1.726		1.335	2.347	1.247	320.9	1.631	5.444
106000	107951	256.64	-16.51	9.71	1.330		1.360	1.730	1.268	328.0	1.689	5.666
108000	110023	266.44	-6.71	10.00	1.036		1.385	1.292	1.289	335.0	1.746	5.886
110000	112096	276.22	3.07	0.98	8.150	- 5	1.404	9.761 - 8	1.352	341.9	1.802	6.104
112000	114171	291.25	18.10	-3.32	6.486		1.414	7.338	1.381	351.8	1.883	6.421
114000	116247	306.25	33.10	-7.51	5.227		1.419	5.602	1.404	361.4	1.962	6.734
116000	118325	321.23	48.08	-11.49	4.258		1.421	4.336	1.422	370.8	2.039	7.041

TABLE 5.1.—Continued  
30° N. January

GEOMETRIC ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity				
Z, m	H, m'	T, °K	t, °C	T - T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> m sec <sup>-1</sup>	$\mu$ kg m <sup>-1</sup> sec <sup>-1</sup>	k k-cal m <sup>-1</sup> sec <sup>-1</sup> (°K) <sup>-1</sup>				
29000	28829	226.81	-46.34	1.29	1.356	+ 1	0.976	2.083	- 2	0.970	301.9	1.477	- 5	4.865	- 6
29500	29323	227.80	-45.35	1.78	1.259		0.976	1.925		0.968	302.6	1.482		4.885	
30000	29818	228.79	-44.36	2.28	1.169		0.977	1.780		0.967	303.2	1.488		4.905	
30500	30313	229.77	-43.38	2.77	1.086		0.977	1.646		0.966	303.9	1.493		4.924	
31000	30807	230.76	-42.39	3.26	1.009		0.979	1.523		0.965	304.5	1.498		4.944	
31500	31302	231.75	-41.40	3.76	9.380	+ 0	0.980	1.410		0.964	305.2	1.503		4.964	
32000	31796	232.74	-40.41	4.25	8.723		0.981	1.306		0.963	305.8	1.509		4.983	
33000	32284	235.03	-38.12	4.06	7.550		0.984	1.119		0.967	307.3	1.521		5.029	
34000	33773	237.40	-35.75	3.66	6.544		0.986	9.603	- 3	0.971	308.9	1.533		5.075	
35000	34760	239.77	-33.38	3.26	5.681		0.989	8.254		0.975	310.4	1.546		5.122	
36000	35748	242.14	-31.01	2.86	4.939	+ 0	0.991	7.105	- 3	0.979	311.9	1.558	- 5	5.169	- 6
37000	36735	244.51	-28.64	2.46	4.300		0.993	6.126		0.982	313.5	1.571		5.215	
38000	37722	246.88	-26.27	2.06	3.748		0.994	5.289		0.985	315.0	1.583		5.262	
39000	38709	249.25	-23.90	1.67	3.272		0.995	4.573		0.988	316.5	1.595		5.308	
40000	39695	251.62	-21.53	1.27	2.860		0.996	3.960		0.991	318.0	1.607		5.354	
41000	40681	253.98	-19.17	0.87	2.503		0.997	3.434		0.994	319.5	1.620		5.400	
42000	41667	256.35	-16.80	0.47	2.194		0.997	2.981		0.995	321.0	1.632		5.446	
43000	42652	258.71	-14.44	0.07	1.925		0.997	2.592		0.997	322.4	1.644		5.492	
44000	43637	261.08	-12.07	-0.32	1.691		0.998	2.257		0.999	323.9	1.656		5.538	
45000	44622	263.44	-9.71	-0.72	1.488		0.998	1.967		1.001	325.4	1.668		5.583	
46000	45606	265.81	-7.34	-1.12	1.310	+ 0	0.998	1.717	- 3	1.002	326.8	1.679	- 5	5.629	- 6
47000	46591	268.17	-4.98	-1.52	1.155		0.997	1.500		1.003	328.3	1.691		5.674	
48000	47575	269.15	-4.00	-1.50	1.019		0.996	1.319		1.002	328.9	1.696		5.693	
49000	48558	269.15	-4.00	-1.50	8.997	- 1	0.996	1.165		1.001	328.9	1.696		5.693	
50000	49541	269.15	-4.00	-1.50	7.941		0.995	1.028		1.001	328.9	1.696		5.693	
51000	50524	269.15	-4.00	-1.50	7.010		0.995	9.073	- 4	1.000	328.9	1.696		5.693	
52000	51507	268.14	-5.01	-2.51	6.187		0.994	8.038		1.004	328.3	1.691		5.673	
53000	52489	266.17	-6.98	-3.36	5.457		0.993	7.142		1.005	327.1	1.681		5.636	
54000	53471	264.21	-8.94	-3.35	4.808		0.992	6.340		1.004	325.8	1.671		5.598	
55000	54453	262.24	-10.91	-3.35	4.233		0.990	5.623		1.003	324.6	1.662		5.560	
56000	55434	260.28	-12.87	-3.35	3.723	- 1	0.989	4.983	- 4	1.001	323.4	1.652	- 5	5.522	- 6
57000	56415	258.32	-14.83	-3.34	3.272		0.987	4.412		1.000	322.2	1.642		5.484	
58000	57396	256.36	-16.79	-3.34	2.872		0.986	3.903		0.999	321.0	1.632		5.446	
59000	58377	254.40	-18.75	-3.34	2.519		0.984	3.450		0.997	319.7	1.622		5.408	
60000	59357	252.04	-21.11	-3.73	2.207		0.983	3.051		0.997	318.3	1.610		5.362	
61000	60337	249.01	-24.14	-4.80	1.931		0.981	2.702		1.000	316.3	1.594		5.303	
62000	61316	245.97	-27.18	-5.08	1.687		0.979	2.389		0.998	314.4	1.578		5.244	
63000	62295	242.93	-30.22	-4.19	1.471		0.976	2.110		0.993	312.5	1.562		5.184	
64000	63274	239.90	-33.25	-3.30	1.281		0.974	1.860		0.987	310.5	1.547		5.125	
65000	64253	236.87	-36.28	-2.42	1.113		0.972	1.637		0.983	308.5	1.531		5.065	
66000	65231	233.83	-39.32	-1.53	9.659	- 2	0.972	1.439	- 4	0.978	306.5	1.514	- 5	5.005	- 6
67000	66209	230.80	-42.35	-0.65	8.365		0.971	1.263		0.974	304.6	1.498		4.945	
68000	67187	227.77	-45.38	0.24	7.231		0.971	1.106		0.970	302.5	1.482		4.884	
69000	68164	224.74	-48.41	1.13	6.239		0.972	9.671	- 5	0.967	300.5	1.466		4.824	
70000	69142	221.71	-51.44	2.01	5.372		0.973	8.441		0.964	298.5	1.449		4.763	
71000	70118	218.68	-54.47	2.89	4.617		0.975	7.355		0.962	296.5	1.433		4.703	
72000	71095	215.66	-57.49	3.78	3.959		0.978	6.396		0.960	294.4	1.416		4.642	
73000	72071	212.63	-60.52	4.66	3.388		0.981	5.551		0.959	292.3	1.399		4.581	
74000	73047	209.60	-63.55	5.55	2.893		0.985	4.809		0.959	290.2	1.383		4.519	
75000	74023	206.58	-66.57	6.43	2.465		0.990	4.157		0.959	288.1	1.366		4.458	
76000	74998	203.56	-69.59	7.32	2.095	- 2	0.996	3.586	- 5	0.960	286.0	1.349	- 5	4.397	- 6
77000	75973	200.53	-72.62	8.19	1.777		1.003	3.087		0.962	283.9	1.332		4.335	
78000	76948	197.51	-75.64	9.08	1.503		1.010	2.651		0.964	281.7	1.314		4.273	
79000	77922	194.49	-78.66	9.96	1.268		1.020	2.272		0.967	279.6	1.297		4.211	
80000	78896	191.47	-81.66	10.82	1.068		1.029	1.942		0.972	277.4	1.280		4.149	
81000	79870	191.14	-82.01	10.49	8.970	- 3	1.041	1.635		0.984	277.2	1.278		4.142	
82000	80843	191.12	-82.03	10.47	7.538		1.051	1.374		0.994	277.2	1.278		4.142	
83000	81816	191.11	-82.04	10.46	6.334		1.062	1.154		1.004	277.2	1.278		4.142	
84000	82789	191.10	-82.05	10.45	5.323		1.073	9.702	- 6	1.015	277.2	1.278		4.142	
85000	83762	191.08	-82.07	10.43	4.474		1.085	8.154		1.025	277.2	1.278		4.142	
86000	84734	191.07	-82.08	10.42	3.760	- 3	1.096	6.853	- 6	1.036	277.2	1.278	- 5	4.142	- 6
87000	85706	191.06	-82.09	10.41	3.161		1.107	5.760		1.047	277.2	1.278		4.142	
88000	86678	191.04	-82.11	10.39	2.657		1.119	4.842		1.057	277.2	1.278		4.142	
89000	87649	191.03	-82.12	10.38	2.233		1.130	4.070		1.068	277.2	1.278		4.142	
90000	88620	193.19	-79.96	12.54	1.879		1.143	3.386		1.068	278.7	1.290		4.187	
92000	90561	199.56	-73.59	12.94	1.341		1.171	2.335		1.092	283.6	1.329		4.326	
94000	92501	205.90	-67.25	13.34	9.683	- 4	1.200	1.630		1.117	288.4	1.368		4.465	
96000	94440	211.72	-61.43	13.27	7.066		1.229	1.152		1.143	293.0	1.405		4.602	
98000	96378	217.09	-55.06	12.81	5.209		1.259	8.231	- 7	1.168	297.7	1.443		4.739	
100000	98314	222.43	-50.72	12.41	3.876		1.289	5.942		1.195	302.2	1.479		4.874	
102000	100249	228.31	-44.84	8.65	2.910	- 4	1.316	4.322	- 7	1.237	307.0	1.518	- 5	5.020	- 6
104000	102183	237.88	-35.27	8.70	2.210		1.340	3.133		1.257	314.3	1.577		5.240	
106000	104116	247.40	-25.75	8.82	1.699		1.364	2.305		1.277	321.3	1.634		5.457	
108000	106047	256.88	-16.27	9.03	1.322		1.388	1.718		1.298	328.2	1.691		5.672	
110000	107978	266.33	-6.32	9.33	1.039		1.412	1.296		1.318	335.0	1.746		5.884	
112000	109907	275.76	2.61	-0.09	8.239	- 5	1.430	9.887	- 8	1.382	341.6	1.800		6.094	
114000	111835	290.01	16.46	-4.51	6.606		1.439	7.508		1.411	351.0	1.877		6.395	
116000	113762	304.46	31.31	-8.55	5.359		1.443	5.780		1.433	360.3	1.953		6.697	
118000	115687	318.49	45.74	-12.44	4.394		1.444	4.509		1.449	369.3	2.027		6.993	

GEOPOTENTIAL ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
<i>H</i> , m'	<i>Z</i> , m	<i>T</i> , °K	<i>t</i> , °C	<i>T</i> - <i>T</i> <sub>std</sub>	<i>P</i> , mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	<i>C</i> <sub>s</sub> , m sec <sup>-1</sup>	$\mu$ , kg m <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{sec^{-1}(°K)^{-1}}$
0	0	304.58	31.43	16.43	1.01350 + 3	1.000	1.159 + 0	0.946	349.9	1.868 - 5	6.359 - 6
250	250	302.33	29.18	15.81	9.854 + 2	1.002	1.135	0.949	348.6	1.857	6.318
500	501	300.08	26.93	15.18	9.578	1.003	1.112	0.953	347.3	1.846	6.276
750	751	297.83	24.68	14.56	9.308	1.005	1.089	0.956	346.0	1.836	6.234
1000	1002	295.58	22.43	13.93	9.044	1.006	1.066	0.959	344.7	1.825	6.192
1250	1252	294.07	20.92	14.04	8.786	1.008	1.041	0.959	343.8	1.818	6.164
1500	1502	292.56	19.41	14.16	8.534	1.009	1.016	0.960	342.9	1.811	6.136
1750	1753	291.05	17.90	14.27	8.288	1.011	9.920 - 1	0.961	342.0	1.803	6.107
2000	2003	289.54	16.39	14.39	8.048	1.012	9.683	0.962	341.1	1.796	6.079
2250	2254	288.08	14.93	14.56	7.813	1.014	9.448	0.963	340.3	1.789	6.052
2500	2504	286.63	13.48	14.73	7.584 + 2	1.016	9.218 - 1	0.963	339.4	1.782 - 5	6.024 - 6
2750	2755	285.17	12.02	14.90	7.361	1.017	8.992	0.964	338.5	1.775	5.997
3000	3006	283.72	10.57	15.07	7.143	1.019	8.771	0.965	337.7	1.768	5.970
3250	3256	282.24	9.09	15.22	6.931	1.021	8.555	0.966	336.8	1.761	5.942
3500	3507	280.77	7.62	15.37	6.724	1.022	8.343	0.966	335.9	1.754	5.914
3750	3757	279.30	6.15	15.52	6.522	1.024	8.135	0.967	335.0	1.746	5.886
4000	4008	277.82	4.67	15.67	6.325	1.026	7.931	0.968	334.1	1.739	5.858
4250	4259	276.40	3.25	15.88	6.133	1.028	7.730	0.969	333.3	1.732	5.831
4500	4509	274.98	1.83	16.08	5.946	1.030	7.533	0.970	332.4	1.725	5.804
4750	4760	273.56	0.41	16.28	5.763	1.032	7.340	0.971	331.6	1.718	5.777
5000	5011	272.13	-1.02	16.48	5.586 + 2	1.034	7.151 - 1	0.971	330.7	1.711 - 5	5.750 - 6
5250	5262	270.71	-2.44	16.69	5.413	1.036	6.966	0.972	329.8	1.704	5.723
5500	5512	269.29	-3.86	16.89	5.244	1.038	6.784	0.973	329.0	1.697	5.695
5750	5763	267.87	-5.28	17.09	5.080	1.041	6.607	0.974	328.1	1.690	5.668
6000	6014	266.44	-6.71	17.29	4.920	1.043	6.433	0.975	327.2	1.683	5.641
6250	6265	264.67	-8.48	17.15	4.765	1.045	6.271	0.977	326.1	1.674	5.607
6500	6516	262.90	-10.25	17.00	4.613	1.048	6.112	0.980	325.0	1.665	5.573
6750	6766	261.13	-12.02	16.85	4.465	1.050	5.957	0.982	323.9	1.656	5.539
7000	7017	259.36	-13.79	16.71	4.321	1.052	5.804	0.984	322.8	1.647	5.504
7250	7268	257.58	-15.57	16.56	4.180	1.055	5.654	0.987	321.7	1.638	5.470
7500	7519	255.81	-17.34	16.41	4.043 + 2	1.057	5.506 - 1	0.989	320.6	1.629 - 5	5.436 - 6
7750	7770	254.04	-19.11	16.26	3.910	1.059	5.362	0.992	319.5	1.620	5.401
8000	8021	252.27	-20.88	16.12	3.781	1.062	5.221	0.994	318.4	1.611	5.367
8250	8272	250.51	-22.64	15.98	3.654	1.064	5.082	0.996	317.3	1.602	5.333
8500	8523	248.74	-24.41	15.84	3.531	1.067	4.946	0.999	316.2	1.593	5.298
8750	8774	246.98	-26.17	15.71	3.412	1.070	4.812	1.001	315.0	1.584	5.264
9000	9025	245.22	-27.93	15.57	3.295	1.072	4.681	1.004	313.9	1.574	5.229
9250	9276	243.46	-29.69	15.44	3.182	1.074	4.553	1.006	312.8	1.565	5.195
9500	9527	241.70	-31.45	15.30	3.072	1.077	4.428	1.009	311.7	1.556	5.160
9750	9778	239.94	-33.21	15.16	2.965	1.080	4.305	1.011	310.5	1.547	5.125
10000	10030	238.18	-34.97	15.03	2.861 + 2	1.082	4.185 - 1	1.014	309.4	1.537 - 5	5.091 - 6
10250	10281	236.42	-36.73	14.90	2.760	1.085	4.067	1.016	308.2	1.528	5.056
10500	10532	234.66	-38.49	14.76	2.662	1.088	3.951	1.019	307.1	1.519	5.021
10750	10783	232.91	-40.24	14.63	2.566	1.090	3.838	1.022	305.9	1.510	4.987
11000	11034	231.15	-42.00	14.50	2.473	1.093	3.728	1.024	304.8	1.500	4.952
11500	11537	227.65	-45.50	11.00	2.296	1.097	3.513	1.045	302.5	1.481	4.882
12000	12039	224.15	-49.00	7.50	2.129	1.101	3.308	1.064	300.1	1.463	4.812
12500	12542	220.65	-52.50	4.00	1.971	1.104	3.112	1.083	297.8	1.444	4.742
13000	13045	217.15	-56.00	0.50	1.823	1.104	2.925	1.102	295.4	1.424	4.672
13500	13547	213.65	-59.50	-3.00	1.684	1.104	2.746	1.119	293.0	1.405	4.601
14000	14050	210.15	-63.00	-6.50	1.554 + 2	1.102	2.576 - 1	1.136	290.6	1.386 - 5	4.530 - 6
14500	14553	206.65	-66.50	-10.00	1.432	1.099	2.413	1.151	288.2	1.366	4.459
15000	15056	203.15	-70.00	-13.50	1.317	1.094	2.258	1.166	285.7	1.346	4.388
15500	15559	203.15	-70.00	-13.50	1.211	1.088	2.076	1.160	285.7	1.346	4.388
16000	16062	203.15	-70.00	-13.50	1.113	1.082	1.909	1.154	285.7	1.346	4.388
16500	16566	204.25	-68.90	-12.40	1.024	1.077	1.746	1.142	286.5	1.353	4.411
17000	17069	205.35	-67.80	-11.30	9.417 + 1	1.072	1.598	1.131	287.3	1.359	4.433
17500	17572	206.45	-66.70	-10.20	8.667	1.067	1.463	1.120	288.0	1.365	4.455
18000	18076	207.55	-65.60	-9.10	7.981	1.063	1.340	1.110	288.8	1.371	4.478
18500	18580	208.65	-64.50	-8.00	7.352	1.060	1.228	1.101	289.6	1.377	4.500
19000	19083	209.75	-63.40	-6.90	6.776 + 1	1.057	1.125 - 1	1.091	290.3	1.383 - 5	4.522 - 6
19500	19587	210.85	-62.30	-5.80	6.247	1.055	1.032	1.083	291.1	1.390	4.545
20000	20091	211.95	-61.20	-4.70	5.762	1.052	9.471 - 2	1.076	291.9	1.396	4.567
20500	20595	213.05	-60.10	-4.10	5.317	1.051	8.694	1.071	292.6	1.402	4.589
21000	21099	214.15	-59.00	-3.50	4.908	1.049	7.985	1.066	293.4	1.408	4.611
21500	21603	215.15	-58.00	-3.00	4.533	1.048	7.340	1.063	294.0	1.413	4.631
22000	22107	216.15	-57.00	-2.50	4.188	1.047	6.749	1.059	294.7	1.419	4.652
22500	22611	217.15	-56.00	-2.00	3.870	1.046	6.209	1.056	295.4	1.424	4.672
23000	23115	218.15	-55.00	-1.50	3.578	1.046	5.714	1.053	296.1	1.430	4.692
23500	23620	219.15	-54.00	-1.00	3.309	1.045	5.260	1.050	296.8	1.435	4.712
24000	24124	220.15	-53.00	-0.50	3.062 + 1	1.045	4.845 - 2	1.047	297.4	1.441 - 5	4.732 - 6
24500	24629	221.15	-52.00	-0.00	2.833	1.045	4.463	1.045	298.1	1.446	4.752
25000	25133	222.15	-51.00	0.50	2.623	1.045	4.114	1.042	298.8	1.452	4.772
25500	25638	223.15	-50.00	1.00	2.430	1.045	3.793	1.040	299.5	1.457	4.792
26000	26143	224.15	-49.00	1.50	2.251	1.045	3.498	1.038	300.1	1.463	4.812
26500	26648	225.15	-48.00	2.00	2.086	1.046	3.228	1.037	300.8	1.468	4.832
27000	27153	226.15	-47.00	2.50	1.934	1.047	2.979	1.035	301.5	1.473	4.852
27500	27658	227.15	-46.00	3.00	1.794	1.048	2.751	1.034	302.1	1.479	4.872
28000	28163	228.15	-45.00	3.50	1.664	1.049	2.541	1.033	302.8	1.484	4.892
28500	28668	229.15	-44.00	4.00	1.544	1.050	2.348	1.032	303.5	1.489	4.912

TABLE 5.1.—Continued  
30° N. July

GEOMETRIC ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
Z, m	H, m'	T, °K	t, °C	T - T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , m sec <sup>-1</sup>	$\frac{\mu}{\mu_{std}}$ , kg m <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{k_{std}}$ , kcal m <sup>-1</sup> sec <sup>-1</sup> (°K) <sup>-1</sup>
0	0	304.58	31.43	16.43	1.01350 + 3	1.000	1.159 + 0	0.946	349.9	1.868 - 5	6.359 - 6
250	250	302.34	29.19	15.81	9.854 + 2	1.002	1.135	0.949	348.6	1.857	6.318
500	499	300.09	26.94	15.19	9.579	1.003	1.112	0.953	347.3	1.846	6.276
750	749	297.84	24.69	14.56	9.310	1.005	1.089	0.956	346.0	1.836	6.234
1000	998	295.59	22.44	13.94	9.046	1.006	1.066	0.959	344.7	1.825	6.192
1250	1248	294.08	20.93	14.05	8.788	1.008	1.041	0.959	343.8	1.818	6.164
1500	1498	292.57	19.42	14.17	8.536	1.010	1.016	0.961	342.9	1.811	6.136
1750	1747	291.06	17.91	14.29	8.291	1.011	9.923 - 1	0.962	342.0	1.803	6.108
2000	1997	289.56	16.41	14.40	8.051	1.013	9.686	0.962	341.1	1.796	6.079
2250	2246	288.10	14.95	14.57	7.817	1.014	9.452	0.963	340.3	1.789	6.052
2500	2496	286.65	13.50	14.75	7.588 + 2	1.016	9.222 - 1	0.964	339.4	1.782 - 5	6.025 - 6
2750	2745	285.20	12.05	14.92	7.365	1.018	8.997	0.964	338.5	1.775	5.998
3000	2994	283.75	10.60	15.09	7.148	1.019	8.776	0.965	337.7	1.768	5.970
3250	3244	282.28	9.13	15.24	6.936	1.021	8.560	0.966	336.8	1.761	5.942
3500	3493	280.81	7.66	15.40	6.729	1.023	8.348	0.967	335.9	1.754	5.915
3750	3743	279.34	6.19	15.55	6.528	1.025	8.141	0.968	335.1	1.747	5.887
4000	3992	277.87	4.72	15.70	6.331	1.027	7.937	0.969	334.2	1.739	5.859
4250	4241	276.45	3.30	15.91	6.139	1.029	7.737	0.969	333.3	1.732	5.832
4500	4491	275.03	1.88	16.11	5.953	1.031	7.540	0.970	332.5	1.725	5.805
4750	4740	273.61	0.46	16.32	5.771	1.033	7.347	0.971	331.6	1.718	5.778
5000	4989	272.20	-0.95	16.52	5.593 + 2	1.035	7.159 - 1	0.972	330.7	1.711 - 5	5.751 - 6
5250	5238	270.78	-2.37	16.72	5.421	1.037	6.974	0.973	329.9	1.704	5.724
5500	5488	269.36	-3.79	16.93	5.252	1.039	6.793	0.974	329.0	1.697	5.697
5750	5737	267.94	-5.21	17.13	5.089	1.041	6.616	0.975	328.1	1.690	5.670
6000	5986	266.52	-6.63	17.34	4.929	1.044	6.443	0.976	327.3	1.683	5.642
6250	6235	264.78	-8.37	17.21	4.774	1.046	6.281	0.978	326.2	1.674	5.609
6500	6484	263.01	-10.14	17.07	4.622	1.049	6.122	0.981	325.1	1.665	5.575
6750	6734	261.24	-11.91	16.92	4.474	1.051	5.967	0.983	324.0	1.657	5.541
7000	6983	259.48	-13.67	16.78	4.331	1.054	5.814	0.985	322.9	1.648	5.507
7250	7232	257.71	-15.44	16.63	4.190	1.056	5.664	0.988	321.8	1.639	5.473
7500	7481	255.95	-17.20	16.49	4.054 + 2	1.058	5.518 - 1	0.990	320.7	1.630 - 5	5.438 - 6
7750	7730	254.18	-18.97	16.34	3.921	1.061	5.374	0.993	319.6	1.621	5.404
8000	7979	252.41	-20.74	16.20	3.791	1.063	5.232	0.995	318.5	1.612	5.370
8250	8228	250.66	-22.49	16.06	3.665	1.066	5.094	0.998	317.4	1.603	5.336
8500	8477	248.91	-24.24	15.93	3.542	1.069	4.958	1.000	316.3	1.593	5.301
8750	8726	247.15	-26.00	15.80	3.423	1.071	4.825	1.003	315.2	1.584	5.267
9000	8975	245.40	-27.75	15.67	3.307	1.074	4.694	1.005	314.0	1.575	5.233
9250	9224	243.65	-29.50	15.53	3.194	1.076	4.567	1.008	312.9	1.566	5.198
9500	9473	241.89	-31.26	15.40	3.084	1.079	4.441	1.010	311.8	1.557	5.164
9750	9722	240.14	-33.01	15.27	2.977	1.081	4.319	1.013	310.7	1.548	5.129
10000	9971	238.39	-34.76	15.13	2.873 + 2	1.084	4.199 - 1	1.015	309.5	1.539 - 5	5.095 - 6
10250	10219	236.64	-36.51	15.00	2.772	1.087	4.081	1.018	308.4	1.529	5.060
10500	10468	234.89	-38.26	14.87	2.674	1.090	3.966	1.020	307.2	1.520	5.026
10750	10717	233.14	-40.01	14.74	2.578	1.093	3.853	1.023	306.1	1.511	4.991
11000	10966	231.39	-41.76	14.61	2.486	1.095	3.742	1.026	304.9	1.501	4.956
11500	11464	227.90	-45.25	11.25	2.308	1.100	3.529	1.046	302.6	1.483	4.887
12000	11961	224.42	-48.73	7.77	2.141	1.104	3.324	1.066	300.3	1.464	4.818
12500	12458	220.94	-52.21	4.29	1.984	1.107	3.128	1.085	298.0	1.445	4.748
13000	12956	217.46	-55.69	0.81	1.836	1.107	2.941	1.103	295.6	1.426	4.678
13500	13453	213.98	-59.17	-2.67	1.697	1.107	2.763	1.121	293.2	1.407	4.608
14000	13950	210.50	-62.65	-6.15	1.566 + 2	1.105	2.592 - 1	1.138	290.9	1.388 - 5	4.538 - 6
14500	14447	207.02	-66.13	-9.63	1.444	1.102	2.430	1.154	288.4	1.368	4.467
15000	14944	203.54	-69.61	-13.11	1.329	1.098	2.275	1.168	286.0	1.349	4.396
15500	15441	203.15	-70.00	-13.50	1.223	1.092	2.097	1.164	285.7	1.346	4.388
16000	15938	203.15	-70.00	-13.50	1.125	1.087	1.929	1.159	285.7	1.346	4.388
16500	16435	204.11	-69.04	-12.54	1.035	1.081	1.766	1.148	286.4	1.352	4.408
17000	16931	205.20	-67.95	-11.45	9.525 + 1	1.076	1.617	1.136	287.2	1.358	4.430
17500	17428	206.29	-66.86	-10.36	8.771	1.072	1.481	1.126	287.9	1.364	4.452
18000	17925	207.38	-65.77	-9.27	8.081	1.068	1.357	1.116	288.7	1.370	4.474
18500	18421	208.48	-64.67	-8.17	7.448	1.065	1.245	1.106	289.4	1.376	4.497
19000	18917	209.57	-63.58	-7.08	6.867 + 1	1.062	1.142 - 1	1.098	290.2	1.382 - 5	4.519 - 6
19500	19414	210.66	-62.49	-5.99	6.335	1.059	1.048	1.089	291.0	1.388	4.541
20000	19910	211.75	-61.40	-4.90	5.846	1.057	9.618 - 2	1.082	291.7	1.395	4.563
20500	20406	212.84	-60.31	-4.24	5.398	1.056	8.835	1.077	292.5	1.401	4.585
21000	20902	213.93	-59.22	-3.65	4.986	1.054	8.119	1.072	293.2	1.407	4.607
21500	21398	214.95	-58.20	-3.13	4.607	1.053	7.466	1.068	293.9	1.412	4.627
22000	21894	215.94	-57.21	-2.64	4.258	1.052	6.870	1.065	294.6	1.418	4.647
22500	22390	216.93	-56.22	-2.14	3.938	1.051	6.324	1.062	295.3	1.423	4.667
23000	22886	217.92	-55.23	-1.65	3.643	1.051	5.823	1.059	295.9	1.429	4.687
23500	23381	218.91	-54.24	-1.15	3.371	1.050	5.364	1.056	296.6	1.434	4.707
24000	23877	219.90	-53.25	-0.66	3.121 + 1	1.050	4.944 - 2	1.053	297.3	1.439 - 5	4.727 - 6
24500	24372	220.89	-52.26	-0.16	2.890	1.050	4.558	1.051	297.9	1.445	4.747
25000	24868	221.88	-51.27	0.33	2.677	1.050	4.203	1.049	298.6	1.450	4.767
25500	25363	222.88	-50.27	0.83	2.481	1.050	3.878	1.047	299.3	1.456	4.787
26000	25858	223.87	-49.28	1.32	2.300	1.051	3.579	1.045	299.9	1.461	4.807
26500	26354	224.86	-48.29	1.82	2.133	1.052	3.305	1.043	300.6	1.466	4.826
27000	26849	225.85	-47.30	2.31	1.979	1.053	3.052	1.042	301.3	1.472	4.846
27500	27344	226.84	-46.31	2.80	1.836	1.054	2.820	1.041	301.9	1.477	4.866
28000	27839	227.83	-45.32	3.30	1.705	1.055	2.607	1.039	302.6	1.482	4.886
28500	28334	228.82	-44.33	3.79	1.583	1.056	2.410	1.038	303.2	1.488	4.905

GEOPOTENTIAL ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
H, m'	Z, m	T, °K	t, °C	T-T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho, \text{kg m}^{-3}$	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> m sec <sup>-1</sup>	$\mu$ kg m <sup>-1</sup> sec <sup>-1</sup>	$k$ k-cal m <sup>-1</sup> sec <sup>-1</sup> (°K) <sup>-1</sup>
29000	29173	230.15	-43.00	4.50	1.434 + 1	1.052	2.170 - 2	1.031	304.1	1.495 - 5	4.932 - 6
29500	29679	231.15	-42.00	5.00	1.331	1.053	2.006	1.030	304.8	1.500	4.952
30000	30184	232.15	-41.00	5.50	1.237	1.055	1.856	1.030	305.4	1.506	4.971
30500	30689	233.15	-40.00	6.00	1.149	1.057	1.717	1.030	306.1	1.511	4.991
31000	31195	234.15	-39.00	6.50	1.068	1.060	1.589	1.030	306.8	1.516	5.011
31500	31701	235.15	-38.00	7.00	9.930 + 0	1.062	1.471	1.030	307.4	1.521	5.031
32000	32206	236.15	-37.00	7.50	9.236	1.064	1.362	1.031	308.1	1.527	5.051
33000	33218	238.55	-34.60	7.10	7.998	1.069	1.168	1.037	309.6	1.539	5.098
34000	34230	240.95	-32.20	6.70	6.936	1.073	1.003	1.044	311.2	1.552	5.145
35000	35243	243.35	-29.80	6.30	6.023	1.078	8.622 - 3	1.050	312.7	1.565	5.193
36000	36255	245.75	-27.40	5.90	5.238 + 0	1.081	7.425 - 3	1.056	314.3	1.577 - 5	5.240 - 6
37000	37268	248.15	-25.00	5.50	4.561	1.085	6.403	1.061	315.8	1.590	5.287
38000	38282	250.55	-22.60	5.10	3.977	1.088	5.530	1.066	317.3	1.602	5.333
39000	39295	252.95	-20.20	4.70	3.472	1.091	4.782	1.071	318.8	1.614	5.380
40000	40309	255.35	-17.80	4.30	3.036	1.094	4.141	1.075	320.3	1.627	5.427
41000	41324	257.75	-15.40	3.90	2.657	1.096	3.591	1.080	321.8	1.639	5.473
42000	42338	260.15	-13.00	3.50	2.329	1.098	3.118	1.084	323.3	1.651	5.520
43000	43353	262.55	-10.60	3.10	2.043	1.100	2.711	1.087	324.8	1.663	5.566
44000	44368	264.95	-8.20	2.70	1.795	1.102	2.360	1.091	326.3	1.675	5.612
45000	45384	267.35	-5.80	2.30	1.579	1.103	2.057	1.094	327.8	1.687	5.658
46000	46400	269.75	-3.40	1.90	1.390 + 0	1.104	1.795 - 3	1.096	329.2	1.699 - 5	5.704 - 6
47000	47416	272.15	-1.00	1.50	1.226	1.105	1.569	1.099	330.7	1.711	5.750
48000	48433	272.15	-1.00	1.50	1.081	1.106	1.384	1.100	330.7	1.711	5.750
49000	49449	272.15	-1.00	1.50	9.534 - 1	1.107	1.220	1.101	330.7	1.711	5.750
50000	50467	272.15	-1.00	1.50	8.410	1.107	1.076	1.101	330.7	1.711	5.750
51000	51484	272.15	-1.00	1.50	7.418	1.108	9.495 - 4	1.102	330.7	1.711	5.750
52000	52502	270.15	-3.00	-0.50	6.539	1.108	8.433	1.110	329.5	1.701	5.712
53000	53520	268.15	-5.00	-0.50	5.760	1.108	7.483	1.110	328.3	1.691	5.674
54000	54539	266.15	-7.00	-0.50	5.068	1.108	6.634	1.110	327.0	1.681	5.635
55000	55558	264.15	-9.00	-0.50	4.456	1.108	5.876	1.110	325.8	1.671	5.597
56000	56577	262.15	-11.00	-0.50	3.913 - 1	1.107	5.200 - 4	1.110	324.6	1.661 - 5	5.558 - 6
57000	57596	260.15	-13.00	-0.50	3.433	1.107	4.598	1.109	323.3	1.651	5.520
58000	58616	258.15	-15.00	-0.50	3.009	1.107	4.061	1.109	322.1	1.641	5.481
59000	59636	256.15	-17.00	-0.50	2.635	1.107	3.584	1.109	320.8	1.631	5.442
60000	60656	252.35	-20.80	-2.30	2.304	1.105	3.180	1.116	318.5	1.611	5.368
61000	61677	248.55	-24.60	-4.10	2.010	1.104	2.817	1.122	316.0	1.592	5.294
62000	62698	244.75	-28.40	-3.90	1.750	1.101	2.491	1.119	313.6	1.572	5.220
63000	63720	240.95	-32.20	-3.70	1.520	1.099	2.198	1.116	311.2	1.552	5.145
64000	64741	237.15	-36.00	-3.50	1.318	1.096	1.936	1.113	308.7	1.532	5.070
65000	65764	233.35	-39.80	-3.30	1.140	1.095	1.701	1.110	306.2	1.512	4.995
66000	66786	229.55	-43.60	-3.10	9.833 - 2	1.092	1.492 - 4	1.107	303.7	1.492 - 5	4.920 - 6
67000	67809	225.75	-47.40	-2.90	8.463	1.090	1.306	1.104	301.2	1.471	4.844
68000	68832	221.95	-51.20	-2.70	7.265	1.088	1.140	1.101	298.7	1.451	4.768
69000	69855	218.15	-55.00	-2.50	6.220	1.086	9.933 - 5	1.098	296.1	1.430	4.692
70000	70879	214.35	-58.80	-2.30	5.311	1.084	8.632	1.096	293.5	1.409	4.615
71000	71903	210.55	-62.60	-2.10	4.522	1.082	7.482	1.093	290.9	1.388	4.539
72000	72927	206.75	-66.40	-1.90	3.839	1.081	6.469	1.090	288.2	1.367	4.461
73000	73952	202.95	-70.20	-1.70	3.249	1.079	5.578	1.088	285.6	1.345	4.384
74000	74977	199.15	-74.00	-1.50	2.742	1.078	4.796	1.086	282.9	1.324	4.307
75000	76002	195.35	-77.80	-1.30	2.306	1.076	4.112	1.083	280.2	1.302	4.229
76000	77028	191.55	-81.60	-1.10	1.932 - 2	1.075	3.514 - 5	1.081	277.5	1.280 - 5	4.151 - 6
77000	78054	187.75	-85.40	-0.90	1.614	1.074	2.994	1.079	274.7	1.258	4.072
78000	79080	183.95	-89.20	-0.70	1.343	1.073	2.543	1.078	271.9	1.236	3.994
79000	80107	180.15	-93.00	-0.50	1.113	1.072	2.152	1.076	269.1	1.213	3.915
80000	81134	176.34	-96.81	-0.31	9.189 - 3	1.070	1.815	1.096	266.2	1.191	3.836
81000	82161	172.52	-100.63	-0.13	7.555	1.063	1.525	1.113	263.3	1.168	3.756
82000	83189	172.51	-100.64	-0.14	6.198	1.053	1.251	1.102	263.3	1.168	3.756
83000	84217	172.50	-100.65	-0.15	5.084	1.044	1.027	1.093	263.3	1.168	3.756
84000	85245	172.49	-100.66	-0.16	4.171	1.035	8.421 - 6	1.083	263.3	1.168	3.756
85000	86274	172.47	-100.68	-0.18	3.422	1.026	6.909	1.074	263.3	1.168	3.756
86000	87303	172.46	-100.69	-0.19	2.807 - 3	1.016	5.668 - 6	1.064	263.3	1.168 - 5	3.756 - 6
87000	88332	172.45	-100.70	-0.20	2.303	1.007	4.650	1.055	263.3	1.168	3.756
88000	89361	172.44	-100.71	-0.21	1.889	0.999	3.814	1.046	263.3	1.168	3.756
89000	90391	172.34	-100.81	-0.10	1.550	0.990	3.129	1.041	263.3	1.168	3.756
90000	91422	174.50	-98.55	-10.01	1.273	0.980	2.535	1.034	265.2	1.182	3.807
92000	93483	178.80	-94.35	-11.81	8.662 - 4	0.960	1.679	1.018	268.8	1.211	3.907
94000	95546	182.81	-90.34	-13.90	5.952	0.938	1.124	1.001	272.3	1.239	4.006
96000	97610	186.16	-86.99	-16.60	4.130	0.916	7.598 - 7	0.982	275.9	1.267	4.105
98000	99676	189.51	-83.64	-19.20	2.892	0.894	5.189	0.963	279.3	1.295	4.204
100000	101742	192.85	-80.30	-24.85	2.043	0.869	3.577	0.955	282.8	1.323	4.302
102000	103811	207.80	-65.35	-19.74	1.469 - 4	0.848	2.371 - 7	0.900	294.5	1.417 - 5	4.645 - 6
104000	105880	222.62	-50.53	-14.74	1.083	0.838	1.622	0.862	305.8	1.508	4.982
106000	107951	237.31	-35.34	-9.62	8.157 - 5	0.834	1.139	0.835	316.7	1.597	5.313
108000	110023	251.90	-21.25	-4.54	6.258	0.837	8.184 - 8	0.817	327.2	1.682	5.640
110000	112096	266.40	-6.75	-8.84	4.880	0.841	6.002	0.831	337.4	1.766	5.961
112000	114171	296.43	23.28	1.86	3.885	0.847	4.273	0.804	356.8	1.924	6.584
114000	116247	326.26	53.11	12.50	3.165	0.860	3.147	0.789	375.2	2.075	7.186
116000	118325	355.92	82.77	23.20	2.627	0.877	2.384	0.782	392.8	2.219	7.770

TABLE 5.1.—Continued  
30° N. July

GEOMETRIC ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity	
Z, m	H, m'	T, °K	t, °C	T-T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , m sec <sup>-1</sup>	$\mu$ , kg m <sup>-1</sup> sec <sup>-1</sup>	k, kcal m <sup>-1</sup> sec <sup>-1</sup> (°K) <sup>-1</sup>	
29000	28829	229.81	-43.34	4.29	1.470	+ 1	1.058	2.229 - 2	1.038	303.9	1.493 - 5	4.925 - 6
29500	29323	230.80	-42.35	4.78	1.366		1.059	2.062	1.037	304.6	1.498	4.945
30000	29818	231.79	-41.36	5.28	1.270		1.061	1.909	1.037	305.2	1.504	4.964
30500	30313	232.77	-40.38	5.77	1.181		1.063	1.768	1.037	305.9	1.509	4.984
31000	30807	233.76	-39.39	6.26	1.099		1.065	1.637	1.037	306.5	1.514	5.003
31500	31302	234.75	-38.40	6.76	1.022		1.068	1.517	1.037	307.1	1.519	5.023
32000	31796	235.74	-37.41	7.25	9.513	+ 0	1.070	1.406	1.037	307.8	1.525	5.043
33000	32784	238.03	-35.12	7.06	8.249		1.075	1.207	1.043	309.3	1.537	5.088
34000	33773	240.40	-32.75	6.66	7.163		1.080	1.038	1.050	310.8	1.549	5.135
35000	34760	242.77	-30.38	6.26	6.229		1.084	8.939 - 3	1.056	312.4	1.562	5.181
36000	35748	245.14	-28.01	5.86	5.425	+ 0	1.088	7.709 - 3	1.062	313.9	1.574 - 5	5.228 - 6
37000	36735	247.51	-25.64	5.46	4.731		1.092	6.658	1.068	315.4	1.586	5.274
38000	37722	249.88	-23.27	5.06	4.131		1.095	5.759	1.073	316.9	1.599	5.320
39000	38709	252.25	-20.90	4.67	3.612		1.098	4.988	1.078	318.4	1.611	5.367
40000	39695	254.62	-18.53	4.27	3.162		1.101	4.326	1.083	319.9	1.623	5.413
41000	40681	256.98	-16.17	3.87	2.772		1.104	3.758	1.087	321.4	1.635	5.458
42000	41667	259.35	-13.80	3.47	2.433		1.106	3.268	1.091	322.8	1.647	5.504
43000	42652	261.71	-11.44	3.07	2.138		1.108	2.846	1.095	324.3	1.659	5.550
44000	43637	264.08	-9.07	2.68	1.881		1.110	2.482	1.099	325.8	1.671	5.595
45000	44622	266.44	-6.71	2.28	1.657		1.111	2.167	1.102	327.2	1.683	5.641
46000	45606	268.80	-4.35	1.88	1.461	+ 0	1.113	1.894 - 3	1.105	328.7	1.694 - 5	5.686 - 6
47000	46591	271.17	-1.98	1.48	1.290		1.114	1.658	1.108	330.1	1.706	5.731
48000	47575	272.15	-1.00	1.50	1.140		1.115	1.460	1.108	330.7	1.711	5.750
49000	48558	272.15	-1.00	1.50	1.008		1.116	1.290	1.109	330.7	1.711	5.750
50000	49541	272.15	-1.00	1.50	8.908	- 1	1.117	1.140	1.110	330.7	1.711	5.750
51000	50524	272.15	-1.00	1.50	7.874		1.118	1.008	1.111	330.7	1.711	5.750
52000	51507	271.14	-2.01	0.49	6.959		1.118	8.942 - 4	1.116	330.1	1.706	5.731
53000	52489	269.17	-3.98	-0.36	6.146		1.119	7.955	1.120	328.9	1.696	5.693
54000	53471	267.21	-5.94	-0.35	5.424		1.119	7.071	1.120	327.7	1.687	5.655
55000	54453	265.24	-7.91	-0.35	4.782		1.119	6.280	1.120	326.5	1.677	5.618
56000	55434	263.28	-9.87	-0.35	4.212	- 1	1.118	5.573 - 4	1.120	325.3	1.667 - 5	5.580 - 6
57000	56415	261.32	-11.83	-0.34	3.707		1.119	4.942	1.120	324.1	1.657	5.542
58000	57396	259.36	-13.79	-0.34	3.259		1.118	4.378	1.120	322.8	1.647	5.504
59000	58377	257.40	-15.75	-0.34	2.863		1.119	3.875	1.120	321.6	1.637	5.466
60000	59357	255.49	-17.71	-0.98	2.512		1.119	3.435	1.123	320.0	1.624	5.416
61000	60337	251.07	-22.08	-2.74	2.201		1.118	3.054	1.130	317.6	1.605	5.344
62000	61316	247.35	-25.80	-3.70	1.924		1.116	2.710	1.133	315.3	1.585	5.271
63000	62295	243.63	-29.52	-3.50	1.679		1.113	2.401	1.130	312.9	1.566	5.198
64000	63274	239.91	-33.24	-3.30	1.462		1.112	2.123	1.127	310.5	1.547	5.125
65000	64253	236.19	-36.96	-3.09	1.271		1.110	1.874	1.125	308.1	1.527	5.051
66000	65231	232.47	-40.68	-2.89	1.102	- 1	1.108	1.651 - 4	1.122	305.7	1.507 - 5	4.978 - 6
67000	66209	228.75	-44.40	-2.69	9.531	- 2	1.107	1.451	1.120	303.2	1.487	4.904
68000	67187	225.04	-48.11	-2.49	8.226		1.105	1.273	1.117	300.7	1.467	4.830
69000	68164	221.32	-51.83	-2.29	7.083		1.103	1.115	1.115	298.2	1.447	4.756
70000	69142	217.61	-55.54	-2.09	6.083		1.102	9.739 - 5	1.113	295.7	1.427	4.681
71000	70118	213.90	-59.25	-1.89	5.212		1.101	8.488	1.110	293.2	1.406	4.606
72000	71095	210.19	-62.96	-1.69	4.453		1.099	7.380	1.108	290.6	1.386	4.531
73000	72071	206.48	-66.67	-1.49	3.794		1.099	6.402	1.106	288.1	1.365	4.456
74000	73047	202.77	-70.38	-1.29	3.224		1.097	5.539	1.104	285.5	1.344	4.381
75000	74023	199.06	-74.09	-1.09	2.731		1.097	4.779	1.102	282.8	1.323	4.305
76000	74998	195.36	-77.79	-0.88	2.306	- 2	1.096	4.113 - 5	1.101	280.2	1.302 - 5	4.229 - 6
77000	75973	191.65	-81.50	-0.69	1.942		1.096	3.529	1.100	277.5	1.281	4.153
78000	76948	187.95	-85.20	-0.48	1.629		1.095	3.020	1.098	274.8	1.259	4.076
79000	77922	184.25	-88.90	-0.28	1.362		1.095	2.576	1.097	272.1	1.238	4.000
80000	78896	180.54	-92.61	-0.11	1.135		1.095	2.190	1.096	269.4	1.216	3.923
81000	79870	176.83	-96.32	-0.82	9.423	- 3	1.093	1.856	1.117	266.6	1.194	3.846
82000	80843	173.12	-100.03	-7.53	7.792		1.087	1.568	1.134	263.8	1.172	3.769
83000	81816	172.51	-100.64	-8.14	6.427		1.078	1.298	1.128	263.3	1.168	3.756
84000	82789	172.50	-100.65	-8.15	5.301		1.069	1.070	1.119	263.3	1.168	3.756
85000	83762	172.49	-100.66	-8.16	4.373		1.060	8.828 - 6	1.110	263.3	1.168	3.756
86000	84734	172.48	-100.67	-8.17	3.607	- 3	1.051	7.282 - 6	1.101	263.3	1.168 - 5	3.756 - 6
87000	85706	172.47	-100.68	-8.18	2.975		1.043	6.007	1.091	263.3	1.168	3.756
88000	86678	172.45	-100.70	-8.20	2.455		1.034	4.956	1.082	263.3	1.168	3.756
89000	87649	172.44	-100.71	-8.21	2.025		1.025	4.089	1.073	263.3	1.168	3.756
90000	88620	172.43	-100.72	-8.22	1.671		1.016	3.374	1.064	263.3	1.168	3.756
92000	90561	175.71	-97.44	-10.91	1.142		0.997	2.256	1.056	266.2	1.190	3.835
94000	92501	179.88	-93.27	-12.68	7.877	- 4	0.976	1.516	1.039	269.7	1.218	3.932
96000	94440	183.55	-89.00	-14.90	5.488		0.955	1.030	1.022	273.1	1.245	4.028
98000	96378	186.80	-84.35	-17.48	3.859		0.932	7.065 - 7	1.003	276.5	1.273	4.124
100000	98314	190.03	-83.12	-19.99	2.737		0.910	4.892	0.983	279.9	1.299	4.220
102000	100249	194.72	-76.43	-24.94	1.958	- 4	0.885	3.392 - 7	0.971	284.2	1.335 - 5	4.345 - 6
104000	102183	203.10	-63.99	-20.02	1.427		0.865	2.288	0.918	295.5	1.425	4.676
106000	104116	223.47	-49.68	-15.11	1.065		0.855	1.588	0.880	306.4	1.513	5.001
108000	106047	237.56	-35.49	-10.19	8.104	- 5	0.851	1.130	0.854	316.9	1.599	5.321
110000	107978	251.74	-21.41	-5.26	6.276		0.853	8.213 - 8	0.836	327.1	1.681	5.636
112000	109907	265.72	-7.43	-10.13	4.935		0.857	6.087	0.851	336.9	1.762	5.946
114000	111835	293.96	20.31	-0.56	3.955		0.861	4.388	0.825	355.2	1.912	6.533
116000	113762	322.72	49.57	9.71	3.240		0.872	3.259	0.808	373.1	2.057	7.116
118000	115687	351.30	78.15	19.97	2.702		0.888	2.486	0.799	390.1	2.197	7.680

GEOPOTENTIAL ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
H, m'	Z, m	T, °K	t, °C	T-T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , m sec <sup>-1</sup>	$\mu$ , kg m <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{sec^{-1}(°K)^{-1}}$
0	0	272.59	-0.56	-15.56	1.01800 + 3	1.005	1.301 + 0	1.062	331.0	1.713 - 5	5.759 - 6
250	250	271.69	-1.46	-14.83	9.865 + 2	1.003	1.265	1.058	330.4	1.709	5.741
500	500	270.80	-2.35	-14.10	9.560	1.001	1.230	1.054	329.9	1.704	5.724
750	750	269.90	-3.25	-13.38	9.262	1.000	1.196	1.050	329.3	1.700	5.707
1000	1000	269.00	-4.15	-12.65	8.973	0.998	1.162	1.045	328.8	1.695	5.690
1250	1250	268.11	-5.04	-11.92	8.693	0.997	1.129	1.041	328.2	1.691	5.673
1500	1500	267.21	-5.94	-11.19	8.420	0.996	1.098	1.037	327.7	1.687	5.656
1750	1750	266.32	-6.83	-10.46	8.154	0.995	1.067	1.034	327.1	1.682	5.638
2000	2001	265.43	-7.72	-9.72	7.896	0.993	1.036	1.030	326.6	1.678	5.621
2250	2251	264.53	-8.62	-8.99	7.646	0.992	1.007	1.026	326.1	1.673	5.604
2500	2501	263.64	-9.51	-8.26	7.403 + 2	0.991	9.782 - 1	1.022	325.5	1.669 - 5	5.587 - 6
2750	2751	262.74	-10.41	-7.53	7.166	0.990	9.502	1.019	324.9	1.664	5.570
3000	3001	261.85	-11.30	-6.80	6.937	0.989	9.229	1.015	324.4	1.660	5.552
3250	3252	260.93	-12.22	-6.09	6.713	0.989	8.984	1.014	323.5	1.652	5.523
3500	3502	259.81	-13.14	-5.39	6.496	0.988	8.744	1.013	322.5	1.644	5.494
3750	3752	258.79	-14.06	-4.68	6.285	0.987	8.509	1.012	321.6	1.636	5.464
4000	4003	257.77	-14.98	-3.98	6.079	0.986	8.280	1.011	320.6	1.629	5.435
4250	4253	256.76	-15.90	-3.28	5.879	0.985	8.054	1.010	319.7	1.621	5.406
4500	4503	255.75	-16.82	-2.58	5.684	0.985	7.834	1.009	318.7	1.613	5.376
4750	4754	254.75	-17.74	-1.88	5.494	0.984	7.618	1.007	317.8	1.606	5.347
5000	5004	249.74	-23.41	-5.91	5.310 + 2	0.983	7.408 - 1	1.006	316.8	1.598 - 5	5.318 - 6
5250	5254	248.73	-24.33	-5.20	5.131	0.982	7.201	1.005	315.8	1.590	5.288
5500	5505	247.72	-25.25	-4.50	4.957	0.981	7.000	1.004	314.9	1.582	5.259
5750	5755	246.72	-26.17	-3.80	4.788	0.981	6.802	1.003	313.9	1.574	5.229
6000	6006	245.71	-27.09	-3.10	4.624	0.980	6.609	1.002	312.9	1.566	5.199
6250	6256	244.71	-28.01	-2.40	4.464	0.979	6.421	1.001	312.0	1.559	5.170
6500	6507	243.70	-28.93	-1.70	4.309	0.979	6.236	1.000	311.0	1.551	5.140
6750	6757	242.69	-29.85	-1.00	4.158	0.978	6.056	0.999	310.0	1.543	5.111
7000	7008	241.68	-30.77	-0.30	4.012	0.977	5.880	0.997	309.1	1.535	5.081
7250	7258	240.68	-31.69	+0.40	3.870	0.976	5.708	0.996	308.1	1.527	5.051
7500	7509	239.67	-32.61	+1.10	3.732 + 2	0.976	5.540 - 1	0.995	307.1	1.519 - 5	5.021 - 6
7750	7759	238.66	-33.53	+1.80	3.598	0.975	5.376	0.994	306.1	1.511	4.992
8000	8010	237.66	-34.45	+2.50	3.468	0.974	5.215	0.993	305.1	1.503	4.962
8250	8261	236.66	-35.37	+3.20	3.342	0.974	5.059	0.992	304.1	1.495	4.932
8500	8511	235.66	-36.29	+3.90	3.220	0.973	4.906	0.991	303.1	1.487	4.902
8750	8762	234.66	-37.21	+4.60	3.102	0.972	4.757	0.990	302.1	1.479	4.872
9000	9013	233.66	-38.13	+5.30	2.987	0.972	4.611	0.989	301.1	1.471	4.842
9250	9263	232.66	-39.05	+6.00	2.876	0.971	4.469	0.988	300.1	1.463	4.812
9500	9514	231.66	-39.97	+6.70	2.768	0.970	4.330	0.987	299.1	1.454	4.782
9750	9765	230.66	-40.89	+7.40	2.663	0.970	4.195	0.986	298.1	1.446	4.752
10000	10016	219.65	-53.50	+3.50	2.562 + 2	0.969	4.063 - 1	0.985	297.1	1.438 - 5	4.722 - 6
10250	10267	218.65	-54.42	+4.20	2.464	0.969	3.911	0.977	297.0	1.437	4.720
10500	10517	217.65	-55.34	+4.90	2.370	0.969	3.763	0.971	296.9	1.437	4.717
10750	10768	216.65	-56.26	+5.60	2.280	0.968	3.622	0.964	296.9	1.436	4.715
11000	11019	215.65	-57.18	+6.30	2.193	0.969	3.485	0.958	296.8	1.435	4.712
11500	11521	214.65	-58.10	+7.00	2.028	0.969	3.228	0.960	296.6	1.434	4.707
12000	12023	213.65	-59.02	+7.70	1.876	0.970	2.989	0.962	296.4	1.433	4.702
12500	12525	212.65	-59.94	+8.40	1.735	0.971	2.767	0.963	296.3	1.431	4.697
13000	13027	211.65	-60.86	+9.10	1.604	0.972	2.562	0.965	296.1	1.430	4.692
13500	13529	210.65	-61.78	+9.80	1.483	0.972	2.371	0.966	295.9	1.428	4.687
14000	14031	217.65	-55.50	+1.00	1.371 + 2	0.973	2.195 - 1	0.968	295.7	1.427 - 5	4.682 - 6
14500	14533	216.65	-56.42	+1.70	1.268	0.973	2.032	0.969	295.6	1.426	4.677
15000	15035	215.65	-57.34	+2.40	1.172	0.973	1.880	0.971	295.4	1.424	4.672
15500	15538	214.65	-58.26	+3.10	1.083	0.973	1.740	0.972	295.2	1.423	4.667
16000	16040	213.65	-59.18	+3.80	1.001	0.973	1.610	0.973	295.1	1.422	4.662
16500	16543	212.65	-60.10	+4.50	9.252 + 1	0.973	1.489	0.974	294.9	1.420	4.657
17000	17046	211.65	-61.02	+5.20	8.549	0.973	1.378	0.975	294.7	1.419	4.652
17500	17548	210.65	-61.94	+5.90	7.899	0.973	1.275	0.976	294.6	1.417	4.647
18000	18051	209.65	-62.86	+6.60	7.298	0.972	1.179	0.977	294.4	1.416	4.642
18500	18554	208.65	-63.78	+7.30	6.742	0.972	1.090	0.978	294.2	1.415	4.637
19000	19057	215.15	-58.00	+1.50	6.228 + 1	0.972	1.008 - 1	0.978	294.0	1.413 - 5	4.631 - 6
19500	19560	214.15	-58.92	+2.20	5.752	0.971	9.314 - 2	0.978	294.0	1.413	4.631
20000	20063	213.15	-59.84	+2.90	5.313	0.970	8.603	0.977	294.0	1.413	4.631
20500	20566	212.15	-60.76	+3.60	4.908	0.970	7.947	0.979	294.0	1.413	4.631
21000	21070	211.15	-61.68	+4.30	4.533	0.969	7.340	0.980	294.0	1.413	4.631
21500	21573	210.15	-62.60	+5.00	4.187	0.968	6.780	0.982	294.0	1.413	4.631
22000	22076	209.15	-63.52	+5.70	3.868	0.967	6.263	0.983	294.0	1.413	4.631
22500	22580	208.15	-64.44	+6.40	3.573	0.966	5.785	0.984	294.0	1.413	4.631
23000	23084	207.15	-65.36	+7.10	3.300	0.964	5.343	0.984	294.0	1.413	4.631
23500	23587	206.15	-66.28	+7.80	3.048	0.962	4.935	0.985	294.0	1.413	4.631
24000	24091	215.15	-58.00	+1.50	2.815 + 1	0.961	4.559 - 2	0.985	294.0	1.413 - 5	4.631 - 6
24500	24595	214.15	-58.92	+2.20	2.600	0.959	4.211	0.985	294.0	1.413	4.631
25000	25099	213.15	-59.84	+2.90	2.402	0.957	3.889	0.985	294.0	1.413	4.631
25500	25603	212.15	-60.76	+3.60	2.219	0.954	3.592	0.985	294.0	1.413	4.631
26000	26107	211.15	-61.68	+4.30	2.049	0.952	3.318	0.985	294.0	1.413	4.631
26500	26611	210.15	-62.60	+5.00	1.893	0.949	3.065	0.985	294.0	1.413	4.631
27000	27115	209.15	-63.52	+5.70	1.748	0.947	2.831	0.984	294.0	1.413	4.631
27500	27619	208.15	-64.44	+6.40	1.615	0.943	2.610	0.981	294.3	1.416	4.640
28000	28124	207.15	-65.36	+7.10	1.492	0.941	2.407	0.979	294.6	1.418	4.648
28500	28628	216.35	-56.80	+1.80	1.379	0.938	2.220	0.976	294.9	1.420	4.656

TABLE 5.1.—Continued  
45° N. January  
GEOMETRIC ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
Z, m	H, m'	T, °K	t, °C	T - T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> m sec <sup>-1</sup>	$\mu$ kg m <sup>-1</sup> sec <sup>-1</sup>	$k$ k-cal m <sup>-1</sup> sec <sup>-1</sup> (°K) <sup>-1</sup>
0	0	272.59	-0.56	-15.56	1.01800 + 3	1.005	1.301 + 0	1.062	331.0	1.713 - 5	5.759 - 6
250	250	271.70	-1.45	-14.83	9.865 + 2	1.003	1.265	1.058	330.4	1.709	5.741
500	500	270.80	-2.35	-14.10	9.560	1.001	1.230	1.054	329.9	1.704	5.724
750	750	269.90	-3.25	-13.38	9.262	1.000	1.196	1.050	329.3	1.700	5.707
1000	1000	269.00	-4.15	-12.65	8.974	0.998	1.162	1.045	328.8	1.695	5.690
1250	1250	268.11	-5.04	-11.92	8.693	0.997	1.130	1.041	328.2	1.691	5.673
1500	1500	267.21	-5.94	-11.19	8.420	0.996	1.098	1.038	327.7	1.687	5.656
1750	1750	266.32	-6.83	-10.46	8.155	0.994	1.067	1.034	327.2	1.682	5.638
2000	1999	265.43	-7.72	-9.72	7.897	0.993	1.036	1.029	326.6	1.678	5.621
2250	2249	264.54	-8.61	-8.99	7.647	0.992	1.007	1.026	326.1	1.673	5.604
2500	2499	263.64	-9.51	-8.26	7.404 + 2	0.991	9.783 - 1	1.022	325.5	1.669 - 5	5.587 - 6
2750	2749	262.75	-10.40	-7.53	7.167	0.990	9.503	1.019	324.9	1.664	5.570
3000	2999	261.86	-11.29	-6.80	6.938	0.989	9.230	1.015	324.4	1.660	5.553
3250	3248	260.94	-12.81	-6.69	6.715	0.989	8.985	1.014	323.5	1.652	5.523
3500	3498	259.82	-14.33	-6.59	6.498	0.988	8.746	1.013	322.5	1.644	5.494
3750	3748	257.31	-15.84	-6.48	6.287	0.987	8.511	1.012	321.6	1.637	5.465
4000	3997	255.79	-17.36	-6.38	6.081	0.986	8.282	1.011	320.6	1.629	5.435
4250	4247	254.28	-18.87	-6.26	5.881	0.985	8.057	1.010	319.7	1.621	5.406
4500	4497	252.77	-20.38	-6.15	5.686	0.985	7.837	1.009	318.7	1.613	5.377
4750	4746	251.27	-21.88	-6.03	5.497	0.984	7.622	1.007	317.8	1.606	5.347
5000	4996	249.76	-23.39	-5.92	5.313 + 2	0.983	7.411 - 1	1.006	316.8	1.598 - 5	5.318 - 6
5250	5246	248.25	-24.90	-5.80	5.134	0.982	7.205	1.005	315.9	1.590	5.289
5500	5495	246.75	-26.40	-5.69	4.960	0.981	7.003	1.004	314.9	1.582	5.259
5750	5745	245.24	-27.91	-5.57	4.791	0.981	6.806	1.003	313.9	1.574	5.230
6000	5994	243.73	-29.42	-5.45	4.627	0.980	6.614	1.002	313.0	1.567	5.200
6250	6244	242.23	-30.92	-5.33	4.468	0.979	6.425	1.001	312.0	1.559	5.171
6500	6493	240.73	-32.42	-5.21	4.313	0.978	6.241	1.000	311.0	1.551	5.141
6750	6743	239.23	-33.92	-5.09	4.162	0.978	6.061	0.999	310.1	1.543	5.111
7000	6992	237.73	-35.42	-4.97	4.016	0.977	5.885	0.998	309.1	1.535	5.082
7250	7242	236.23	-36.92	-4.85	3.874	0.976	5.714	0.996	308.1	1.527	5.052
7500	7491	234.73	-38.42	-4.73	3.737 + 2	0.976	5.546 - 1	0.995	307.1	1.519 - 5	5.023 - 6
7750	7741	233.22	-39.93	-4.61	3.603	0.975	5.382	0.994	306.1	1.511	4.993
8000	7990	231.72	-41.43	-4.49	3.473	0.974	5.222	0.993	305.2	1.503	4.963
8250	8239	230.23	-42.92	-4.37	3.348	0.974	5.065	0.992	304.2	1.495	4.933
8500	8489	228.73	-44.42	-4.24	3.226	0.973	4.913	0.991	303.2	1.487	4.904
8750	8738	227.23	-45.92	-4.12	3.107	0.972	4.764	0.990	302.2	1.479	4.874
9000	8987	225.74	-47.41	-4.00	2.993	0.972	4.618	0.989	301.2	1.471	4.844
9250	9237	224.24	-48.91	-3.87	2.881	0.971	4.477	0.988	300.2	1.463	4.814
9500	9486	222.74	-50.41	-3.75	2.774	0.971	4.338	0.987	299.2	1.455	4.784
9750	9735	221.24	-51.91	-3.63	2.669	0.970	4.203	0.986	298.2	1.447	4.754
10000	9984	219.75	-53.40	-3.50	2.568 + 2	0.969	4.071 - 1	0.985	297.2	1.439 - 5	4.724 - 6
10250	10233	219.54	-53.61	-2.10	2.471	0.969	3.920	0.978	297.0	1.437	4.720
10500	10483	219.41	-53.74	-0.60	2.377	0.968	3.773	0.971	296.9	1.437	4.717
10750	10732	219.29	-53.86	0.89	2.286	0.969	3.632	0.965	296.9	1.436	4.715
11000	10981	219.16	-53.99	2.39	2.199	0.969	3.496	0.958	296.8	1.435	4.712
11500	11479	218.91	-54.24	2.26	2.035	0.970	3.238	0.960	296.6	1.434	4.707
12000	11977	218.66	-54.49	2.01	1.882	0.970	2.999	0.962	296.4	1.433	4.702
12500	12475	218.41	-54.74	1.76	1.741	0.971	2.778	0.963	296.3	1.431	4.697
13000	12973	218.16	-54.99	1.51	1.611	0.972	2.572	0.965	296.1	1.430	4.692
13500	13471	217.91	-55.24	1.26	1.490	0.972	2.382	0.966	295.9	1.429	4.687
14000	13969	217.67	-55.48	1.02	1.378 + 2	0.972	2.205 - 1	0.968	295.8	1.427 - 5	4.682 - 6
14500	14467	217.42	-55.73	0.77	1.274	0.973	2.042	0.970	295.6	1.426	4.677
15000	14965	217.17	-55.98	0.52	1.178	0.973	1.890	0.970	295.4	1.424	4.672
15500	15462	216.92	-56.23	0.27	1.090	0.973	1.750	0.972	295.3	1.423	4.667
16000	15960	216.67	-56.48	0.02	1.008	0.973	1.620	0.973	295.1	1.422	4.662
16500	16457	216.42	-56.73	-0.23	9.315 + 1	0.973	1.499	0.974	294.9	1.420	4.657
17000	16955	216.17	-56.98	-0.48	8.611	0.973	1.388	0.975	294.7	1.419	4.652
17500	17452	215.92	-57.23	-0.73	7.960	0.973	1.284	0.976	294.6	1.418	4.647
18000	17949	215.68	-57.47	-0.97	7.357	0.973	1.188	0.977	294.4	1.416	4.642
18500	18446	215.43	-57.72	-1.22	6.800	0.972	1.100	0.977	294.2	1.415	4.637
19000	18943	215.18	-57.97	-1.47	6.284 + 1	0.972	1.017 - 1	0.978	294.1	1.414 - 5	4.632 - 6
19500	19440	215.15	-58.00	-1.50	5.807	0.971	9.403 - 2	0.978	294.0	1.413	4.631
20000	19937	215.15	-58.00	-1.50	5.367	0.971	8.690	0.977	294.0	1.413	4.631
20500	20434	215.15	-58.00	-1.93	4.960	0.970	8.030	0.979	294.0	1.413	4.631
21000	20931	215.15	-58.00	-2.43	4.583	0.969	7.421	0.980	294.0	1.413	4.631
21500	21428	215.15	-58.00	-2.93	4.236	0.968	6.859	0.981	294.0	1.413	4.631
22000	21924	215.15	-58.00	-3.42	3.915	0.967	6.338	0.983	294.0	1.413	4.631
22500	22421	215.15	-58.00	-3.92	3.618	0.966	5.858	0.984	294.0	1.413	4.631
23000	22917	215.15	-58.00	-4.42	3.344	0.964	5.414	0.984	294.0	1.413	4.631
23500	23413	215.15	-58.00	-4.91	3.090	0.963	5.004	0.985	294.0	1.413	4.631
24000	23910	215.15	-58.00	-5.41	2.856 + 1	0.961	4.624 - 2	0.985	294.0	1.413 - 5	4.631 - 6
24500	24406	215.15	-58.00	-5.91	2.640	0.959	4.274	0.985	294.0	1.413	4.631
25000	24902	215.15	-58.00	-6.40	2.440	0.957	3.950	0.986	294.0	1.413	4.631
25500	25398	215.15	-58.00	-6.90	2.255	0.955	3.651	0.985	294.0	1.413	4.631
26000	25894	215.15	-58.00	-7.39	2.084	0.953	3.375	0.985	294.0	1.413	4.631
26500	26390	215.15	-58.00	-7.89	1.926	0.950	3.119	0.985	294.0	1.413	4.631
27000	26886	215.15	-58.00	-8.39	1.780	0.947	2.883	0.984	294.0	1.413	4.631
27500	27382	215.46	-57.69	-8.58	1.646	0.944	2.661	0.982	294.3	1.415	4.638
28000	27877	215.85	-57.30	-8.68	1.521	0.941	2.455	0.979	294.5	1.417	4.646
28500	28373	216.25	-56.90	-8.77	1.407	0.938	2.266	0.976	294.8	1.419	4.654



TABLE 5.1.—Continued  
45° N. January  
GEOPOTENTIAL ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
H, m'	Z, m	T, °K	t, °C	T - T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> m sec <sup>-1</sup>	$\mu$ kg m <sup>-1</sup> sec <sup>-1</sup>	k-cal m <sup>-1</sup> sec <sup>-1</sup> (°K) <sup>-1</sup>
29000	29133	216.75	-56.40	-8.90	1.274 + 1	0.935	2.048 - 2	0.973	295.1	1.422 - 5	4.664 - 6
29500	29638	217.15	-56.00	-9.00	1.178	0.932	1.889	0.970	295.4	1.424	4.672
30000	30142	217.55	-55.60	-9.10	1.089	0.929	1.743	0.968	295.7	1.427	4.680
30500	30647	217.95	-55.20	-9.20	1.007	0.926	1.609	0.965	296.0	1.429	4.688
31000	31152	218.35	-54.80	-9.30	9.308 + 0	0.923	1.485	0.962	296.2	1.431	4.696
31500	31657	218.75	-54.40	-9.40	8.608	0.920	1.371	0.960	296.5	1.433	4.704
32000	32162	219.15	-54.00	-9.50	7.962	0.917	1.266	0.957	296.8	1.435	4.712
33000	33172	222.25	-50.90	-9.20	6.820	0.912	1.069	0.949	298.9	1.452	4.774
34000	34183	225.35	-47.80	-8.90	5.854	0.906	9.050 - 3	0.942	300.9	1.469	4.836
35000	35194	228.45	-44.70	-8.60	5.036	0.901	7.680	0.935	303.0	1.486	4.898
36000	36205	231.55	-41.60	-8.30	4.341 + 0	0.896	6.531 - 3	0.928	305.0	1.502 - 5	4.960 - 6
37000	37217	234.65	-38.50	-8.00	3.749	0.892	5.566	0.922	307.1	1.519	5.021
38000	38229	237.75	-35.40	-7.70	3.244	0.888	4.754	0.916	309.1	1.535	5.082
39000	39241	240.85	-32.30	-7.40	2.813	0.884	4.068	0.911	311.1	1.552	5.143
40000	40253	243.95	-29.20	-7.10	2.443	0.880	3.489	0.906	313.1	1.568	5.204
41000	41266	247.05	-26.10	-6.80	2.126	0.877	2.997	0.901	315.1	1.584	5.265
42000	42279	250.15	-23.00	-6.50	1.853	0.874	2.580	0.896	317.1	1.600	5.326
43000	43293	253.25	-19.90	-6.20	1.617	0.871	2.225	0.892	319.0	1.616	5.386
44000	44307	256.35	-16.80	-5.90	1.415	0.868	1.922	0.888	321.0	1.632	5.446
45000	45321	259.45	-13.70	-5.60	1.239	0.866	1.664	0.884	322.9	1.647	5.506
46000	46335	262.55	-10.60	-5.30	1.087 + 0	0.863	1.442 - 3	0.881	324.8	1.663 - 5	5.566 - 6
47000	47350	265.65	-7.50	-5.00	9.551 - 1	0.861	1.253	0.877	326.7	1.679	5.626
48000	48365	265.65	-7.50	-5.00	8.399	0.859	1.101	0.875	326.7	1.679	5.626
49000	49381	265.65	-7.50	-5.00	7.385	0.857	9.685 - 4	0.873	326.7	1.679	5.626
50000	50396	265.65	-7.50	-5.00	6.494	0.855	8.516	0.871	326.7	1.679	5.626
51000	51413	265.65	-7.50	-5.00	5.710	0.853	7.488	0.869	326.7	1.679	5.626
52000	52429	265.65	-7.50	-5.00	5.021	0.851	6.585	0.867	326.7	1.679	5.626
53000	53446	263.65	-9.50	-5.00	4.413	0.849	5.831	0.865	325.5	1.669	5.587
54000	54463	261.65	-11.50	-5.00	3.875	0.847	5.159	0.863	324.3	1.659	5.549
55000	55480	259.65	-13.50	-5.00	3.399	0.845	4.560	0.861	323.0	1.648	5.510
56000	56498	257.65	-15.50	-5.00	2.978	0.843	4.027 - 4	0.859	321.8	1.638 - 5	5.471 - 6
57000	57516	255.65	-17.50	-5.00	2.607	0.841	3.553	0.857	320.5	1.628	5.433
58000	58534	253.65	-19.50	-5.00	2.280	0.838	3.131	0.855	319.3	1.618	5.394
59000	59553	251.65	-21.50	-5.00	1.991	0.836	2.757	0.853	318.0	1.608	5.355
60000	60572	249.65	-23.50	-5.00	1.738	0.834	2.425	0.851	316.7	1.597	5.316
61000	61591	247.65	-25.50	-5.00	1.515	0.832	2.131	0.848	315.5	1.587	5.277
62000	62611	245.65	-27.50	-3.00	1.319	0.830	1.870	0.840	314.2	1.577	5.238
63000	63631	243.65	-29.50	-1.00	1.147	0.829	1.640	0.832	312.9	1.566	5.198
64000	64651	241.65	-31.50	1.00	9.962 - 2	0.829	1.436	0.825	311.6	1.556	5.159
65000	65672	239.65	-33.60	2.90	8.643	0.830	1.257	0.820	310.3	1.545	5.118
66000	66692	237.45	-35.70	4.80	7.490	0.832	1.099 - 4	0.815	308.9	1.534 - 5	5.076 - 6
67000	67714	235.35	-37.80	6.70	6.482	0.835	9.595 - 5	0.811	307.5	1.523	5.035
68000	68735	233.25	-39.90	8.60	5.603	0.839	8.368	0.808	306.2	1.511	4.993
69000	69757	231.15	-42.00	10.50	4.836	0.844	7.288	0.806	304.8	1.500	4.952
70000	70779	229.05	-44.10	12.40	4.169	0.851	6.340	0.805	303.4	1.489	4.910
71000	71802	226.95	-46.20	14.30	3.589	0.859	5.509	0.805	302.0	1.478	4.868
72000	72825	224.85	-48.30	16.20	3.085	0.868	4.780	0.806	300.6	1.466	4.826
73000	73848	222.75	-50.40	18.10	2.648	0.880	4.142	0.808	299.2	1.455	4.784
74000	74872	220.65	-52.50	20.00	2.270	0.892	3.584	0.811	297.8	1.444	4.742
75000	75896	218.55	-54.60	21.90	1.943	0.907	3.097	0.816	296.4	1.432	4.700
76000	76920	216.45	-56.70	23.80	1.661	0.924	2.673 - 5	0.822	294.9	1.421 - 5	4.658 - 6
77000	77944	214.35	-58.80	25.70	1.417	0.943	2.303	0.830	293.5	1.409	4.615
78000	78969	212.25	-60.90	27.60	1.207	0.965	1.982	0.840	292.1	1.397	4.573
79000	79994	210.15	-63.00	29.50	1.027	0.989	1.702	0.851	290.6	1.386	4.530
80000	81020	208.04	-65.11	27.39	8.722 - 3	1.015	1.460	0.862	289.2	1.374	4.488
81000	82046	205.92	-67.23	25.27	7.395	1.040	1.251	0.912	287.7	1.362	4.445
82000	83072	203.81	-69.34	23.16	6.259	1.064	1.070	0.942	286.2	1.350	4.403
83000	84098	201.69	-71.46	21.04	5.289	1.086	9.132 - 6	0.972	284.7	1.338	4.360
84000	85125	199.58	-73.57	18.93	4.461	1.107	7.784	1.001	283.3	1.327	4.317
85000	86152	199.57	-73.58	18.92	3.759	1.127	6.560	1.020	283.3	1.327	4.317
86000	87180	199.55	-73.60	18.90	3.168	1.147	5.528 - 6	1.038	283.3	1.327 - 5	4.317 - 6
87000	88207	199.54	-73.61	18.89	2.670	1.168	4.659	1.057	283.3	1.327	4.317
88000	89235	199.52	-73.63	18.87	2.250	1.189	3.926	1.076	283.3	1.327	4.317
89000	90264	199.46	-73.69	18.02	1.896	1.211	3.308	1.100	283.3	1.327	4.317
90000	91293	199.24	-73.91	14.73	1.598	1.230	2.788	1.137	283.3	1.327	4.317
92000	93351	204.40	-68.75	13.79	1.140	1.263	1.935	1.174	287.2	1.358	4.431
94000	95411	209.31	-63.84	12.60	8.210 - 4	1.294	1.356	1.209	291.1	1.390	4.545
96000	97472	213.47	-59.68	10.71	5.963	1.323	9.596 - 7	1.241	294.9	1.421	4.658
98000	99535	217.64	-55.51	8.93	4.366	1.349	6.850	1.271	298.7	1.451	4.770
100000	101598	221.81	-51.34	4.11	3.222	1.371	4.930	1.317	302.5	1.481	4.882
102000	103663	231.14	-42.01	3.55	2.403 - 4	1.388	3.509 - 7	1.332	309.6	1.540 - 5	5.098 - 6
104000	105730	240.42	-32.73	3.06	1.816	1.405	2.536	1.348	316.6	1.596	5.313
106000	107798	249.68	-23.47	2.75	1.389	1.420	1.858	1.362	323.5	1.652	5.525
108000	109867	258.92	-14.23	2.48	1.074	1.436	1.379	1.377	330.2	1.707	5.734
110000	111937	268.14	-5.01	-7.10	8.393 - 5	1.446	1.036	1.435	336.8	1.761	5.942
112000	114009	284.95	11.80	-9.62	6.640	1.448	7.680 - 8	1.445	347.9	1.852	6.297
114000	116082	301.72	28.57	-12.04	5.329	1.447	5.798	1.453	358.7	1.940	6.645
116000	118156	313.46	45.31	-14.26	4.331	1.445	4.449	1.459	369.1	2.025	6.986

TABLE 5.1.—Continued  
45° N. January

GEOMETRIC ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
Z, m	H, m'	T, °K	t, °C	T - T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , m sec <sup>-1</sup>	$\frac{\mu}{\text{kg m}^{-1} \text{sec}^{-1}}$	$\frac{k}{\text{k-cal m}^{-1} \text{sec}^{-1} (\text{°K})^{-1}}$
29000	28868	216.64	-56.51	-8.87	1.301 + 1	0.936	2.092 - 2	0.974	295.1	1.422 - 5	4.662 - 6
29500	29364	217.04	-56.11	-8.97	1.203	0.933	1.931	0.971	295.3	1.424	4.670
30000	29859	217.44	-55.71	-9.07	1.113	0.930	1.783	0.969	295.6	1.426	4.678
30500	30354	217.83	-55.32	-9.17	1.030	0.927	1.647	0.966	295.9	1.428	4.686
31000	30850	218.23	-54.92	-9.27	9.529 + 0	0.924	1.521	0.963	296.1	1.430	4.693
31500	31345	218.63	-54.52	-9.37	8.819	0.921	1.405	0.961	296.4	1.432	4.701
32000	31840	219.02	-54.13	-9.47	8.163	0.918	1.298	0.958	296.7	1.435	4.709
33000	32830	221.72	-51.43	-9.25	7.001	0.912	1.100	0.951	298.5	1.449	4.764
34000	33819	224.79	-48.36	-8.95	6.017	0.907	9.326 - 3	0.943	300.6	1.466	4.825
35000	34808	227.86	-45.29	-8.66	5.183	0.902	7.924	0.936	302.6	1.483	4.886
36000	35797	230.92	-42.23	-8.36	4.473 + 0	0.897	6.748 - 3	0.930	304.6	1.499 - 5	4.947 - 6
37000	36786	233.99	-39.16	-8.06	3.868	0.893	5.759	0.924	306.6	1.515	5.008
38000	37774	237.05	-36.10	-7.77	3.351	0.889	4.925	0.918	308.6	1.532	5.068
39000	38762	240.11	-33.04	-7.47	2.909	0.885	4.221	0.912	310.6	1.548	5.129
40000	39750	243.17	-29.98	-7.18	2.530	0.881	3.625	0.907	312.6	1.564	5.189
41000	40737	246.24	-26.91	-6.88	2.204	0.878	3.119	0.902	314.6	1.580	5.249
42000	41724	249.30	-23.85	-6.58	1.924	0.874	2.688	0.898	316.5	1.595	5.309
43000	42711	252.35	-20.80	-6.29	1.682	0.871	2.322	0.893	318.5	1.611	5.369
44000	43698	255.41	-17.74	-5.99	1.473	0.869	2.009	0.889	320.4	1.627	5.428
45000	44684	258.47	-14.68	-5.69	1.292	0.866	1.741	0.886	322.3	1.642	5.487
46000	45669	261.53	-11.62	-5.40	1.135 + 0	0.864	1.512 - 3	0.882	324.2	1.658 - 5	5.546 - 6
47000	46655	264.58	-8.57	-5.10	9.985 - 1	0.862	1.315	0.879	326.1	1.673	5.605
48000	47640	265.65	-7.50	-5.00	8.796	0.860	1.154	0.876	326.7	1.679	5.626
49000	48625	265.65	-7.50	-5.00	7.750	0.858	1.016	0.874	326.7	1.679	5.626
50000	49610	265.65	-7.50	-5.00	6.828	0.856	8.954 - 4	0.872	326.7	1.679	5.626
51000	50594	265.65	-7.50	-5.00	6.016	0.854	7.890	0.870	326.7	1.679	5.626
52000	51578	265.65	-7.50	-5.00	5.301	0.852	6.952	0.868	326.7	1.679	5.626
53000	52562	264.53	-8.62	-5.00	4.670	0.850	6.151	0.866	326.0	1.673	5.604
54000	53545	262.56	-10.59	-5.00	4.111	0.848	5.455	0.864	324.8	1.663	5.566
55000	54528	260.59	-12.56	-5.00	3.616	0.846	4.834	0.862	323.6	1.653	5.528
56000	55511	258.63	-14.52	-5.00	3.177 - 1	0.844	4.280 - 4	0.860	322.4	1.643 - 5	5.490 - 6
57000	56493	256.66	-16.49	-5.00	2.789	0.842	3.786	0.858	321.2	1.633	5.452
58000	57476	254.70	-18.45	-5.00	2.446	0.839	3.346	0.856	319.9	1.623	5.414
59000	58457	252.73	-20.42	-5.00	2.143	0.838	2.954	0.854	318.7	1.613	5.376
60000	59439	250.77	-22.38	-5.00	1.876	0.835	2.606	0.852	317.5	1.603	5.338
61000	60420	248.81	-24.34	-5.00	1.640	0.833	2.297	0.850	316.2	1.593	5.299
62000	61401	246.85	-26.30	-4.20	1.433	0.831	2.022	0.845	315.0	1.583	5.261
63000	62382	244.89	-28.26	-2.24	1.250	0.829	1.779	0.837	313.7	1.573	5.223
64000	63362	242.93	-30.22	-0.28	1.090	0.829	1.563	0.830	312.5	1.562	5.184
65000	64342	240.93	-32.22	1.65	9.491 - 2	0.829	1.372	0.824	311.2	1.552	5.145
66000	65322	238.87	-34.28	3.51	8.255 - 2	0.830	1.204 - 4	0.818	309.8	1.541 - 5	5.104 - 6
67000	66301	236.82	-36.33	5.37	7.172	0.833	1.055	0.814	308.5	1.530	5.064
68000	67280	234.76	-38.39	7.23	6.223	0.836	9.235 - 5	0.810	307.2	1.519	5.023
69000	68259	232.71	-40.44	9.09	5.394	0.840	8.075	0.807	305.8	1.508	4.983
70000	69238	230.65	-42.50	10.95	4.669	0.846	7.052	0.806	304.5	1.498	4.942
71000	70216	228.60	-44.55	12.81	4.037	0.853	6.152	0.805	303.1	1.487	4.901
72000	71194	226.54	-46.61	14.67	3.486	0.861	5.360	0.805	301.7	1.475	4.860
73000	72171	224.49	-48.66	16.52	3.006	0.870	4.664	0.806	300.4	1.464	4.819
74000	73148	222.44	-50.71	18.38	2.589	0.881	4.054	0.808	299.0	1.453	4.778
75000	74125	220.39	-52.76	20.24	2.226	0.894	3.519	0.812	297.6	1.442	4.737
76000	75102	218.34	-54.81	22.10	1.912 - 2	0.909	3.051 - 5	0.817	296.2	1.431 - 5	4.696 - 6
77000	76078	216.29	-56.86	23.95	1.640	0.926	2.642	0.823	294.8	1.420	4.654
78000	77054	214.24	-58.91	25.81	1.405	0.944	2.284	0.831	293.4	1.408	4.613
79000	78030	212.19	-60.96	27.66	1.201	0.966	1.973	0.840	292.0	1.397	4.572
80000	79006	210.14	-63.01	29.49	1.026	0.989	1.701	0.851	290.6	1.386	4.530
81000	79981	208.08	-65.07	27.43	8.749 - 3	1.015	1.465	0.881	289.2	1.374	4.489
82000	80956	206.01	-67.14	25.36	7.450	1.039	1.260	0.911	287.8	1.363	4.447
83000	81930	203.95	-69.20	23.30	6.333	1.062	1.081	0.940	286.3	1.351	4.406
84000	82904	201.89	-71.26	21.24	5.375	1.084	9.272 - 6	0.970	284.9	1.340	4.364
85000	83878	199.84	-73.31	19.19	4.555	1.104	7.938	0.998	283.4	1.328	4.322
86000	84852	197.77	-75.36	18.92	3.856 - 3	1.124	6.728 - 6	1.017	283.3	1.327 - 5	4.317 - 6
87000	85825	195.70	-77.42	18.90	3.264	1.144	5.696	1.035	283.3	1.327	4.317
88000	86798	193.63	-79.47	18.89	2.764	1.164	4.822	1.053	283.3	1.327	4.317
89000	87771	191.56	-81.52	18.88	2.340	1.184	4.083	1.072	283.3	1.327	4.317
90000	88743	189.49	-83.57	18.86	1.981	1.205	3.457	1.091	283.3	1.327	4.317
92000	90687	201.02	-72.13	14.40	1.421	1.241	2.456	1.149	284.6	1.337	4.356
94000	92630	208.01	-67.14	13.35	1.027	1.273	1.728	1.185	288.4	1.368	4.467
96000	94572	215.00	-62.05	12.05	7.486 - 4	1.302	1.228	1.218	292.2	1.398	4.577
98000	96514	214.54	-58.81	10.26	5.501	1.329	8.796 - 7	1.249	295.9	1.428	4.687
100000	98451	216.58	-54.57	8.56	4.074	1.354	6.355	1.278	299.6	1.458	4.795
102000	100389	223.63	-49.52	3.97	3.040 - 4	1.374	4.609 - 7	1.319	303.9	1.493 - 5	4.924 - 6
104000	102326	232.65	-40.50	3.47	2.294	1.390	3.325	1.334	310.8	1.549	5.134
106000	104261	241.64	-31.51	3.06	1.753	1.407	2.433	1.349	317.5	1.604	5.341
108000	106196	250.58	-22.57	2.73	1.354	1.422	1.804	1.364	324.2	1.658	5.545
110000	108129	259.51	-13.64	2.51	1.057	1.437	1.354	1.377	330.6	1.711	5.748
112000	110061	268.05	-4.50	-7.20	8.331 - 5	1.446	1.026	1.435	337.1	1.764	5.953
114000	111991	284.88	11.73	-9.64	6.646	1.447	7.689 - 8	1.445	347.9	1.851	6.295
116000	113921	301.05	27.91	-11.95	5.374	1.447	5.861	1.453	358.3	1.936	6.631
118000	115849	317.20	44.05	-14.13	4.397	1.445	4.537	1.458	368.4	2.019	6.961

GEOPOTENTIAL ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
H, m'	Z, m	T, °K	t, °C	T - T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , m sec <sup>-1</sup>	$\frac{\mu}{\text{kg m}^{-1} \text{sec}^{-1}}$	$\frac{k}{\text{k-cal m}^{-1} \text{sec}^{-1} (\text{°K})^{-1}}$
0	0	296.22	23.07	8.07	1.01350 + 3	1.000	1.192 + 0	0.973	345.0	1.828 - 5	6.204 - 6
250	250	294.95	21.80	8.42	9.846 + 2	1.001	1.163	0.972	344.3	1.822	6.180
500	500	293.68	20.53	8.78	9.565	1.002	1.135	0.972	343.5	1.816	6.157
750	750	292.41	19.26	9.14	9.290	1.003	1.107	0.972	342.8	1.810	6.133
1000	1000	291.14	17.99	9.49	9.022	1.004	1.080	0.971	342.1	1.804	6.109
1250	1250	289.90	16.75	9.88	8.761	1.005	1.053	0.970	341.3	1.798	6.086
1500	1500	288.67	15.52	10.27	8.506	1.006	1.026	0.970	340.6	1.792	6.063
1750	1750	287.43	14.28	10.65	8.257	1.007	1.001	0.970	339.9	1.786	6.039
2000	2001	286.19	13.04	11.04	8.015	1.008	9.756 - 1	0.970	339.1	1.780	6.016
2250	2251	284.95	11.44	11.06	7.779	1.009	9.522	0.970	338.2	1.772	5.986
2500	2501	282.98	9.83	11.08	7.548 + 2	1.011	9.292 - 1	0.971	337.2	1.764 - 5	5.956 - 6
2750	2751	281.38	8.23	11.11	7.323	1.012	9.066	0.972	336.3	1.757	5.925
3000	3001	279.78	6.63	11.13	7.103	1.013	8.845	0.973	335.3	1.749	5.895
3250	3252	278.22	5.07	11.20	6.889	1.014	8.626	0.974	334.4	1.741	5.866
3500	3502	276.66	3.51	11.26	6.680	1.016	8.412	0.974	333.4	1.733	5.836
3750	3752	275.11	1.96	11.33	6.477	1.017	8.202	0.975	332.5	1.726	5.806
4000	4003	273.55	0.40	11.40	6.278	1.019	7.995	0.976	331.6	1.718	5.777
4250	4253	272.02	-1.13	11.50	6.085	1.020	7.793	0.977	330.6	1.710	5.748
4500	4503	270.49	-2.66	11.59	5.896	1.021	7.594	0.978	329.7	1.703	5.718
4750	4754	268.96	-4.19	11.68	5.712	1.023	7.399	0.978	328.8	1.695	5.689
5000	5004	267.43	-5.72	11.78	5.533 + 2	1.024	7.208 - 1	0.979	327.8	1.688 - 5	5.660 - 6
5250	5254	265.89	-7.26	11.87	5.359	1.026	7.021	0.980	326.9	1.680	5.630
5500	5505	264.36	-8.79	11.96	5.189	1.027	6.838	0.981	325.9	1.672	5.601
5750	5755	262.83	-10.32	12.06	5.024	1.029	6.658	0.982	325.0	1.665	5.571
6000	6006	261.30	-11.85	12.15	4.863	1.031	6.483	0.983	324.1	1.657	5.542
6250	6256	259.66	-13.49	12.14	4.706	1.032	6.313	0.984	323.0	1.649	5.510
6500	6507	258.03	-15.12	12.13	4.553	1.034	6.147	0.985	322.0	1.640	5.479
6750	6757	256.39	-16.76	12.12	4.404	1.036	5.984	0.987	321.0	1.632	5.447
7000	7008	254.75	-18.40	12.10	4.259	1.037	5.825	0.988	320.0	1.624	5.415
7250	7258	253.12	-20.03	12.09	4.119	1.039	5.668	0.989	318.9	1.615	5.383
7500	7509	251.48	-21.67	12.08	3.982 + 2	1.041	5.515 - 1	0.991	317.9	1.607 - 5	5.352 - 6
7750	7759	249.85	-23.30	12.07	3.848	1.043	5.366	0.992	316.9	1.598	5.320
8000	8010	248.21	-24.94	12.06	3.718	1.044	5.219	0.994	315.8	1.590	5.288
8250	8261	246.58	-26.57	12.06	3.592	1.046	5.075	0.995	314.8	1.581	5.256
8500	8511	244.95	-28.20	12.05	3.470	1.048	4.934	0.997	313.8	1.573	5.224
8750	8762	243.32	-29.83	12.05	3.350	1.050	4.797	0.998	312.7	1.564	5.192
9000	9013	241.69	-31.46	12.04	3.234	1.052	4.662	1.000	311.7	1.556	5.160
9250	9263	240.06	-33.09	12.04	3.122	1.054	4.530	1.001	310.6	1.547	5.128
9500	9514	238.43	-34.72	12.03	3.012	1.056	4.401	1.003	309.5	1.539	5.096
9750	9765	236.80	-36.35	12.03	2.906	1.058	4.275	1.004	308.5	1.530	5.064
10000	10016	235.17	-37.98	12.02	2.803 + 2	1.060	4.151 - 1	1.006	307.4	1.522 - 5	5.031 - 6
10250	10267	233.54	-39.61	12.02	2.702	1.062	4.031	1.007	306.4	1.513	4.999
10500	10517	231.91	-41.24	12.01	2.605	1.065	3.913	1.009	305.3	1.504	4.967
10750	10768	230.28	-42.87	12.01	2.510	1.066	3.798	1.011	304.2	1.496	4.934
11000	11019	228.65	-44.50	12.00	2.419	1.069	3.685	1.013	303.1	1.487	4.902
11500	11521	225.40	-47.75	8.75	2.243	1.072	3.467	1.031	301.0	1.469	4.837
12000	12023	222.15	-51.00	5.50	2.078	1.075	3.259	1.049	298.8	1.452	4.772
12500	12525	218.90	-54.25	2.25	1.924	1.077	3.061	1.066	296.6	1.434	4.707
13000	13027	215.65	-57.50	-1.00	1.778	1.077	2.872	1.082	294.4	1.416	4.642
13500	13529	212.40	-60.75	-1.00	1.643	1.076	2.654	1.081	294.4	1.416	4.642
14000	14031	210.65	-62.50	-1.00	1.518 + 2	1.076	2.452 - 1	1.081	294.4	1.416 - 5	4.642 - 6
14500	14533	208.90	-65.25	-1.00	1.402	1.076	2.265	1.081	294.4	1.416	4.642
15000	15035	207.15	-67.00	-1.00	1.295	1.076	2.092	1.080	294.4	1.416	4.642
15500	15538	205.40	-69.75	-1.00	1.197	1.075	1.933	1.080	294.4	1.416	4.642
16000	16040	203.65	-72.50	-1.00	1.105	1.074	1.786	1.080	294.4	1.416	4.642
16500	16543	201.90	-75.25	-1.00	1.021	1.074	1.650	1.079	294.4	1.416	4.642
17000	17046	200.15	-78.00	-1.00	9.435 + 1	1.074	1.524	1.079	294.4	1.416	4.642
17500	17548	198.40	-80.75	-0.40	8.718	1.074	1.404	1.075	294.8	1.419	4.654
18000	18051	196.65	-83.50	0.20	8.056	1.073	1.294	1.072	295.2	1.423	4.666
18500	18554	194.90	-86.25	0.80	7.447	1.074	1.193	1.070	295.6	1.426	4.678
19000	19057	193.15	-89.00	1.40	6.885 + 1	1.074	1.100 - 1	1.067	296.0	1.429 - 5	4.690 - 6
19500	19560	191.40	-91.75	2.00	6.367	1.075	1.014	1.065	296.4	1.433	4.702
20000	20063	189.65	-94.50	2.60	5.889	1.076	9.357 - 2	1.063	296.8	1.436	4.714
20500	20566	187.90	-97.25	3.20	5.448	1.077	8.633	1.063	297.2	1.439	4.726
21000	21070	186.15	-100.00	3.80	5.042	1.078	7.967	1.064	297.6	1.442	4.738
21500	21573	184.40	-102.75	4.40	4.666	1.079	7.354	1.065	298.1	1.446	4.750
22000	22076	182.65	-105.50	5.00	4.320	1.080	6.789	1.065	298.5	1.449	4.762
22500	22580	180.90	-108.25	5.60	4.000	1.081	6.269	1.066	298.9	1.452	4.774
23000	23084	179.15	-111.00	6.20	3.704	1.082	5.790	1.067	299.3	1.455	4.786
23500	23587	177.40	-113.75	6.80	3.431	1.083	5.349	1.068	299.7	1.459	4.798
24000	24091	175.65	-116.50	7.40	3.179 + 1	1.085	4.943 - 2	1.068	300.1	1.462 - 5	4.810 - 6
24500	24595	173.90	-119.25	8.00	2.946	1.086	4.568	1.069	300.5	1.465	4.822
25000	25099	172.15	-122.00	8.60	2.731	1.087	4.223	1.070	300.9	1.468	4.834
25500	25603	170.40	-124.75	9.20	2.531	1.089	3.905	1.071	301.3	1.472	4.846
26000	26107	168.65	-127.50	9.80	2.347	1.090	3.611	1.072	301.7	1.475	4.858
26500	26611	166.90	-130.25	10.40	2.177	1.092	3.340	1.073	302.1	1.478	4.870
27000	27115	165.15	-133.00	11.00	2.019	1.093	3.090	1.074	302.5	1.481	4.882
27500	27619	163.40	-135.75	11.60	1.874	1.094	2.854	1.073	303.2	1.487	4.903
28000	28124	161.65	-138.50	12.20	1.739	1.097	2.637	1.072	303.9	1.493	4.924
28500	28628	159.90	-141.25	12.80	1.615	1.098	2.437	1.071	304.6	1.498	4.945

TABLE 5.1.—Continued  
45° N. July

GEOMETRIC ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
Z, m	H, m'	T, °K	t, °C	T - T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , m sec <sup>-1</sup>	$\frac{\mu}{\mu_{std}}$ , kg m <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{k_{std}}$ , kcal m <sup>-1</sup> sec <sup>-1</sup> (°K) <sup>-1</sup>
0	0	296.22	23.07	8.07	1.01350 + 3	1.000	1.192 + 0	0.973	345.0	1.828 - 5	6.204 - 6
250	250	294.95	21.80	8.42	9.846 + 2	1.001	1.163	0.972	344.3	1.822	6.180
500	500	293.68	20.53	8.78	9.565	1.002	1.135	0.972	343.5	1.816	6.157
750	750	292.41	19.26	9.13	9.290	1.003	1.107	0.972	342.8	1.810	6.133
1000	1000	291.14	17.99	9.49	9.022	1.004	1.080	0.971	342.1	1.804	6.109
1250	1250	289.91	16.76	9.88	8.761	1.005	1.053	0.970	341.3	1.798	6.086
1500	1500	288.67	15.52	10.27	8.506	1.006	1.027	0.970	340.6	1.792	6.063
1750	1750	287.43	14.28	10.65	8.258	1.007	1.001	0.970	339.9	1.786	6.040
2000	1999	286.20	13.05	11.04	8.016	1.008	9.757 - 1	0.969	339.1	1.780	6.016
2250	2249	284.99	11.44	11.06	7.779	1.009	9.523	0.970	338.2	1.772	5.986
2500	2499	282.99	9.84	11.08	7.549 + 2	1.011	9.293 - 1	0.971	337.2	1.764 - 5	5.956 - 6
2750	2749	281.39	8.24	11.11	7.324	1.012	9.067	0.972	336.3	1.757	5.926
3000	2999	279.79	6.64	11.13	7.105	1.013	8.846	0.973	335.3	1.749	5.895
3250	3248	278.23	5.08	11.20	6.891	1.015	8.628	0.974	334.4	1.741	5.866
3500	3498	276.68	3.53	11.26	6.682	1.016	8.413	0.974	333.5	1.733	5.836
3750	3748	275.12	1.97	11.33	6.479	1.017	8.203	0.975	332.5	1.726	5.807
4000	3997	273.57	0.42	11.40	6.280	1.019	7.997	0.976	331.6	1.718	5.777
4250	4247	272.04	-1.11	11.49	6.087	1.020	7.795	0.977	330.6	1.711	5.748
4500	4497	270.51	-2.64	11.59	5.899	1.021	7.596	0.978	329.7	1.703	5.719
4750	4746	268.98	-4.17	11.68	5.715	1.023	7.402	0.978	328.8	1.695	5.689
5000	4996	267.45	-5.70	11.77	5.536 + 2	1.024	7.211 - 1	0.979	327.8	1.688 - 5	5.660 - 6
5250	5246	265.92	-7.23	11.87	5.362	1.026	7.024	0.980	326.9	1.680	5.631
5500	5495	264.39	-8.76	11.96	5.192	1.027	6.841	0.981	326.0	1.672	5.601
5750	5745	262.86	-10.29	12.05	5.027	1.029	6.662	0.982	325.0	1.665	5.572
6000	5994	261.33	-11.82	12.15	4.866	1.031	6.487	0.983	324.1	1.657	5.542
6250	6244	259.70	-13.45	12.14	4.709	1.032	6.317	0.984	323.1	1.649	5.511
6500	6493	258.07	-15.08	12.13	4.557	1.034	6.151	0.985	322.0	1.640	5.479
6750	6743	256.44	-16.71	12.12	4.408	1.036	5.989	0.987	321.0	1.632	5.448
7000	6992	254.81	-18.34	12.11	4.264	1.037	5.830	0.988	320.0	1.624	5.416
7250	7242	253.17	-19.98	12.09	4.123	1.039	5.674	0.989	319.0	1.615	5.384
7500	7491	251.54	-21.61	12.08	3.986 + 2	1.041	5.521 - 1	0.991	317.9	1.607 - 5	5.353 - 6
7750	7741	249.91	-23.24	12.07	3.853	1.043	5.371	0.992	316.9	1.599	5.321
8000	7990	248.28	-24.87	12.06	3.724	1.044	5.225	0.994	315.9	1.590	5.289
8250	8239	246.65	-26.50	12.06	3.598	1.046	5.081	0.995	314.8	1.582	5.257
8500	8489	245.03	-28.12	12.05	3.475	1.048	4.941	0.997	313.8	1.573	5.225
8750	8738	243.40	-29.75	12.05	3.356	1.050	4.803	0.998	312.8	1.565	5.194
9000	8987	241.77	-31.38	12.04	3.240	1.052	4.669	0.999	311.7	1.556	5.162
9250	9237	240.15	-33.00	12.04	3.128	1.054	4.537	1.001	310.7	1.548	5.130
9500	9486	238.52	-34.63	12.03	3.018	1.056	4.408	1.003	309.6	1.539	5.098
9750	9735	236.90	-36.25	12.03	2.912	1.058	4.282	1.004	308.6	1.531	5.066
10000	9984	235.27	-37.88	12.02	2.809 + 2	1.060	4.159 - 1	1.006	307.5	1.522 - 5	5.033 - 6
10250	10233	233.65	-39.50	12.02	2.709	1.062	4.039	1.007	306.4	1.514	5.001
10500	10483	232.02	-41.13	12.01	2.612	1.064	3.921	1.009	305.4	1.505	4.969
10750	10732	230.40	-42.75	12.01	2.517	1.067	3.806	1.011	304.3	1.496	4.937
11000	10981	228.77	-44.38	12.00	2.426	1.069	3.693	1.012	303.2	1.487	4.904
11500	11479	225.53	-47.62	8.88	2.250	1.073	3.476	1.030	301.1	1.470	4.840
12000	11977	222.30	-50.85	5.65	2.086	1.075	3.269	1.048	298.9	1.452	4.775
12500	12475	219.06	-54.09	2.41	1.931	1.077	3.071	1.065	296.7	1.435	4.710
13000	12973	215.82	-57.33	-0.83	1.786	1.077	2.882	1.081	294.5	1.417	4.645
13500	13471	215.65	-57.50	-1.00	1.650	1.076	2.666	1.081	294.4	1.416	4.642
14000	13969	215.65	-57.50	-1.00	1.525 + 2	1.076	2.464 - 1	1.081	294.4	1.416 - 5	4.642 - 6
14500	14467	215.65	-57.50	-1.00	1.409	1.076	2.277	1.081	294.4	1.416	4.642
15000	14965	215.65	-57.50	-1.00	1.303	1.076	2.104	1.080	294.4	1.416	4.642
15500	15462	215.65	-57.50	-1.00	1.204	1.075	1.945	1.080	294.4	1.416	4.642
16000	15960	215.65	-57.50	-1.00	1.113	1.075	1.797	1.079	294.4	1.416	4.642
16500	16457	215.65	-57.50	-1.00	1.028	1.074	1.661	1.079	294.4	1.416	4.642
17000	16955	215.65	-57.50	-1.00	9.503 + 1	1.074	1.535	1.079	294.4	1.416	4.642
17500	17452	216.19	-56.96	-0.46	8.784	1.074	1.415	1.076	294.8	1.419	4.652
18000	17949	216.79	-56.36	0.14	8.121	1.074	1.305	1.073	295.2	1.422	4.665
18500	18446	217.39	-55.76	0.74	7.510	1.074	1.204	1.070	295.6	1.426	4.677
19000	18943	217.98	-55.17	1.33	6.946 + 1	1.074	1.110 - 1	1.067	296.0	1.429 - 5	4.689 - 6
19500	19440	218.58	-54.57	1.93	6.427	1.075	1.024	1.065	296.4	1.432	4.700
20000	19937	219.17	-53.98	2.52	5.947	1.076	9.453 - 2	1.063	296.8	1.435	4.712
20500	20434	219.77	-53.38	2.69	5.504	1.077	8.725	1.063	297.2	1.439	4.724
21000	20931	220.37	-52.78	2.79	5.096	1.078	8.056	1.064	297.6	1.442	4.736
21500	21428	220.96	-52.19	2.88	4.719	1.079	7.440	1.065	298.0	1.445	4.748
22000	21924	221.56	-51.59	2.98	4.370	1.080	6.872	1.065	298.4	1.448	4.760
22500	22421	222.15	-51.00	3.08	4.049	1.081	6.349	1.066	298.8	1.452	4.772
23000	22917	222.75	-50.40	3.18	3.752	1.082	5.867	1.067	299.2	1.455	4.784
23500	23413	223.35	-49.80	3.28	3.477	1.083	5.423	1.067	299.6	1.458	4.796
24000	23910	223.94	-49.21	3.38	3.223 + 1	1.084	5.014 - 2	1.068	300.0	1.461 - 5	4.808 - 6
24500	24406	224.54	-48.61	3.48	2.988	1.086	4.636	1.069	300.4	1.465	4.820
25000	24902	225.13	-48.02	3.58	2.771	1.087	4.288	1.070	300.8	1.468	4.832
25500	25398	225.73	-47.42	3.68	2.571	1.088	3.967	1.071	301.2	1.471	4.844
26000	25894	226.32	-46.83	3.78	2.385	1.090	3.671	1.072	301.6	1.474	4.856
26500	26390	226.92	-46.23	3.88	2.213	1.091	3.398	1.073	302.0	1.477	4.867
27000	26886	227.51	-45.64	3.98	2.054	1.093	3.145	1.074	302.4	1.481	4.879
27500	27382	228.15	-44.70	4.42	1.907	1.094	2.908	1.073	303.0	1.486	4.898
28000	27877	229.49	-43.66	4.96	1.771	1.096	2.689	1.072	303.7	1.491	4.919
28500	28373	230.53	-42.62	5.51	1.645	1.098	2.487	1.071	304.4	1.497	4.939

TABLE 5.1.—Continued  
45° N. July  
GEOPOTENTIAL ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity	
H, m'	Z, m	T, °K	t, °C	T-T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , m sec <sup>-1</sup>	$\mu$ , kg m <sup>-1</sup> sec <sup>-1</sup>	$k$ , kcal m <sup>-1</sup> sec <sup>-1</sup> (°K) <sup>-1</sup>	
29000	29133	231.85	-41.30	6.20	1.500	+ 1	1.100	2.254 - 2	1.071	305.2	1.504 - 5	4.966 - 6
29500	29638	232.90	-40.25	6.75	1.394		1.102	2.084	1.071	305.9	1.510	4.986
30000	30142	233.95	-39.20	7.30	1.295		1.105	1.929	1.071	306.6	1.515	5.007
30500	30647	235.00	-38.15	7.85	1.204		1.108	1.785	1.071	307.3	1.521	5.028
31000	31152	236.05	-37.10	8.40	1.120		1.111	1.653	1.071	308.0	1.526	5.049
31500	31657	237.10	-36.05	8.95	1.042		1.114	1.531	1.072	308.7	1.532	5.069
32000	32162	238.15	-35.00	9.50	9.697	+ 0	1.117	1.418	1.073	309.4	1.537	5.090
33000	33172	240.65	-32.50	9.20	8.407		1.124	1.217	1.081	311.0	1.550	5.139
34000	34183	243.15	-30.00	8.90	7.300		1.130	1.046	1.088	312.6	1.564	5.189
35000	35194	245.65	-27.50	8.60	6.348		1.136	9.002 - 3	1.096	314.2	1.577	5.238
36000	36205	248.15	-25.00	8.30	5.527	+ 0	1.141	7.760 - 3	1.103	315.8	1.590 - 5	5.287 - 6
37000	37217	250.65	-22.50	8.00	4.820		1.146	6.699	1.110	317.4	1.602	5.335
38000	38229	253.15	-20.00	7.70	4.208		1.152	5.791	1.117	319.0	1.615	5.384
39000	39241	255.65	-17.50	7.40	3.680		1.156	5.014	1.123	320.5	1.628	5.433
40000	40253	258.15	-15.00	7.10	3.221		1.161	4.347	1.129	322.1	1.641	5.481
41000	41266	260.65	-12.50	6.80	2.824		1.165	3.774	1.135	323.6	1.654	5.529
42000	42279	263.15	-10.00	6.50	2.479		1.169	3.281	1.140	325.2	1.666	5.577
43000	43293	265.65	-7.50	6.20	2.178		1.173	2.856	1.145	326.7	1.679	5.626
44000	44307	268.15	-5.00	5.90	1.916		1.176	2.490	1.151	328.3	1.691	5.674
45000	45321	270.65	-2.50	5.60	1.688		1.180	2.173	1.155	329.8	1.704	5.721
46000	46335	273.15	-0.00	5.30	1.489	+ 0	1.183	1.899 - 3	1.159	331.3	1.716 - 5	5.769 - 6
47000	47350	275.65	2.50	5.00	1.315		1.185	1.661	1.163	332.8	1.728	5.817
48000	48365	275.65	2.50	5.00	1.161		1.188	1.468	1.167	332.8	1.728	5.817
49000	49381	275.65	2.50	5.00	1.026		1.191	1.297	1.169	332.8	1.728	5.817
50000	50396	275.65	2.50	5.00	9.064	- 1	1.194	1.145	1.172	332.8	1.728	5.817
51000	51413	275.65	2.50	5.00	8.007		1.196	1.012	1.174	332.8	1.728	5.817
52000	52429	275.65	2.50	5.00	7.074		1.199	8.940 - 4	1.177	332.8	1.728	5.817
53000	53446	273.15	-0.00	4.50	6.246		1.202	7.966	1.182	331.3	1.716	5.769
54000	54463	270.65	-2.50	4.00	5.508		1.204	7.090	1.186	329.8	1.704	5.721
55000	55480	268.15	-5.00	3.50	4.852		1.206	6.304	1.190	328.3	1.691	5.674
56000	56498	265.65	-7.50	3.00	4.269	- 1	1.208	5.599 - 4	1.194	326.7	1.679 - 5	5.626 - 6
57000	57516	263.15	-10.00	2.50	3.752		1.210	4.967	1.198	325.2	1.666	5.577
58000	58534	260.65	-12.50	2.00	3.293		1.211	4.401	1.202	323.6	1.654	5.529
59000	59553	258.15	-15.00	1.50	2.887		1.212	3.895	1.205	322.1	1.641	5.481
60000	60572	255.65	-17.50	1.00	2.527		1.213	3.444	1.208	320.5	1.628	5.433
61000	61591	253.15	-20.00	0.50	2.210		1.213	3.041	1.211	319.0	1.615	5.384
62000	62611	250.65	-22.50	2.00	1.929		1.214	2.681	1.205	317.4	1.602	5.335
63000	63631	246.15	-27.00	1.50	1.681		1.216	2.380	1.208	314.5	1.579	5.247
64000	64651	241.65	-31.50	1.00	1.462		1.216	2.107	1.211	311.6	1.556	5.159
65000	65672	237.15	-36.00	0.50	1.267		1.217	1.862	1.214	308.7	1.532	5.070
66000	66692	232.65	-40.50	-0.00	1.096	- 1	1.217	1.641 - 4	1.217	305.8	1.508 - 5	4.981 - 6
67000	67714	228.15	-45.00	-0.50	9.447	- 2	1.217	1.443	1.219	302.8	1.484	4.892
68000	68735	223.65	-49.50	-1.00	8.121		1.216	1.265	1.221	299.8	1.460	4.802
69000	69757	219.15	-54.00	-1.50	6.960		1.215	1.106	1.223	296.8	1.435	4.712
70000	70779	214.65	-58.50	-2.00	5.946		1.214	9.649 - 5	1.225	293.7	1.411	4.621
71000	71802	210.15	-63.00	-2.50	5.062		1.212	8.392	1.226	290.6	1.386	4.530
72000	72825	205.65	-67.50	-3.00	4.295		1.209	7.276	1.227	287.5	1.360	4.439
73000	73848	201.15	-72.00	-3.50	3.631		1.206	6.288	1.227	284.3	1.335	4.347
74000	74872	196.65	-76.50	-4.00	3.058		1.202	5.417	1.226	281.1	1.309	4.255
75000	75896	192.15	-81.00	-4.50	2.565		1.198	4.650	1.225	277.9	1.284	4.163
76000	76920	187.65	-85.50	-5.00	2.143	- 2	1.192	3.978 - 5	1.224	274.6	1.257 - 5	4.070 - 6
77000	77944	183.15	-90.00	-5.50	1.782		1.186	3.390	1.222	271.3	1.231	3.977
78000	78969	178.65	-94.50	-6.00	1.475		1.179	2.877	1.219	267.9	1.204	3.884
79000	79994	174.15	-99.00	-6.50	1.216		1.171	2.432	1.215	264.5	1.178	3.790
80000	81020	169.65	-103.51	-11.01	9.965	- 3	1.160	2.046	1.236	261.1	1.150	3.696
81000	82046	165.15	-108.02	-15.52	8.125		1.143	1.714	1.250	257.6	1.123	3.601
82000	83072	160.65	-108.04	-15.54	6.607		1.123	1.394	1.228	257.6	1.123	3.601
83000	84098	160.10	-108.05	-15.55	5.372		1.103	1.133	1.207	257.6	1.123	3.601
84000	85125	160.09	-108.06	-15.56	4.368		1.084	9.215 - 6	1.185	257.6	1.123	3.601
85000	86152	160.08	-108.07	-15.57	3.552		1.065	7.493	1.165	257.6	1.123	3.601
86000	87180	160.07	-108.08	-15.58	2.888	- 3	1.046	6.093 - 6	1.144	257.6	1.123 - 5	3.601 - 6
87000	88207	160.06	-108.09	-15.59	2.349		1.027	4.954	1.124	257.6	1.123	3.601
88000	89235	160.04	-108.11	-15.61	1.910		1.009	4.028	1.104	257.6	1.123	3.601
89000	90264	160.04	-108.17	-16.46	1.553		0.992	3.276	1.089	257.6	1.123	3.601
90000	91293	160.04	-108.20	-16.56	1.265		0.974	2.618	1.067	260.1	1.143	3.669
92000	93351	160.04	-99.29	-16.75	8.495	- 4	0.941	1.693	1.027	265.0	1.181	3.802
94000	95411	160.04	-93.01	-17.17	5.786		0.912	1.113	0.992	269.8	1.219	3.936
96000	97472	160.04	-88.06	-18.27	3.994		0.886	7.419 - 7	0.959	274.5	1.257	4.068
98000	99535	160.04	-83.75	-19.31	2.791		0.863	5.014	0.931	279.2	1.294	4.200
100000	101598	160.04	-78.85	-23.40	1.974		0.840	3.432	0.917	283.8	1.331	4.331
102000	103663	211.29	-61.86	-16.30	1.425	- 4	0.823	2.263 - 7	0.859	296.9	1.436 - 5	4.716 - 6
104000	105730	228.12	-45.03	-9.24	1.057		0.817	1.545	0.821	309.5	1.538	5.093
106000	107798	244.80	-28.35	-2.13	8.021	- 5	0.820	1.086	0.796	321.6	1.636	5.464
108000	109867	261.35	-11.80	4.91	6.208		0.830	7.828 - 8	0.781	333.2	1.731	5.829
110000	111937	277.79	4.84	2.55	4.887		0.842	5.767	0.799	344.5	1.823	6.186
112000	114009	304.23	31.08	9.66	3.920		0.855	4.202	0.791	361.4	1.962	6.733
114000	116082	330.49	57.34	16.73	3.206		0.871	3.148	0.789	377.6	2.094	7.264
116000	118156	356.62	83.47	23.90	2.665		0.889	2.414	0.792	393.1	2.221	7.781

TABLE 5.1.—Continued  
45° N. July  
GEOMETRIC ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure			Density		Sound speed	Coefficient of viscosity	Thermal conductivity
Z, m	H, m'	T, °K	t, °C	T - T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , m sec <sup>-1</sup>	$\mu$ , kg m <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{sec^{-1}(°K)^{-1}}$	
29000	28868	231.57	-41.58	6.05	1.529	+ 1	1.100	2.301 - 2	1.071	305.1	1.502 - 5	4.960 - 6
29500	29364	232.61	-40.54	6.60	1.422		1.102	2.129	1.071	305.7	1.508	4.981
30000	29859	233.65	-39.50	7.14	1.322		1.105	1.971	1.071	306.4	1.514	5.001
30500	30354	234.69	-38.46	7.69	1.230		1.107	1.826	1.071	307.1	1.519	5.022
31000	30850	235.73	-37.42	8.23	1.145		1.110	1.692	1.071	307.8	1.525	5.042
31500	31345	236.77	-36.38	8.78	1.066		1.113	1.568	1.072	308.5	1.530	5.063
32000	31840	237.81	-35.34	9.32	9.922	+ 0	1.116	1.454	1.072	309.1	1.536	5.084
33000	32830	240.22	-32.93	9.25	8.613		1.123	1.249	1.080	310.7	1.548	5.131
34000	33819	242.70	-30.45	8.95	7.488		1.129	1.075	1.087	312.3	1.561	5.180
35000	34808	245.17	-27.98	8.66	6.519		1.135	9.263 - 3	1.095	313.9	1.574	5.228
36000	35797	247.64	-25.51	8.36	5.684	+ 0	1.140	7.996 - 3	1.102	315.5	1.587 - 5	5.277 - 6
37000	36786	250.11	-23.04	8.06	4.963		1.146	6.912	1.108	317.0	1.600	5.325
38000	37774	252.58	-20.57	7.77	4.339		1.151	5.984	1.115	318.6	1.612	5.373
39000	38762	255.05	-18.10	7.47	3.799		1.155	5.188	1.121	320.2	1.625	5.421
40000	39750	257.52	-15.63	7.17	3.330		1.160	4.505	1.127	321.7	1.638	5.469
41000	40737	259.99	-13.16	6.88	2.923		1.164	3.917	1.133	323.2	1.650	5.517
42000	41724	262.46	-10.69	6.58	2.569		1.168	3.410	1.139	324.8	1.663	5.564
43000	42711	264.93	-8.22	6.29	2.261		1.171	2.973	1.144	326.3	1.675	5.612
44000	43698	267.39	-5.76	5.99	1.992		1.175	2.595	1.149	327.8	1.687	5.659
45000	44684	269.86	-3.29	5.69	1.757		1.178	2.268	1.154	329.3	1.700	5.706
46000	45669	272.32	-0.83	5.40	1.552	+ 0	1.182	1.985 - 3	1.158	330.8	1.712 - 5	5.753 - 6
47000	46655	274.79	1.64	5.10	1.372		1.185	1.739	1.163	332.3	1.724	5.800
48000	47640	275.65	2.50	5.00	1.214		1.187	1.535	1.165	332.8	1.728	5.817
49000	48625	275.65	2.50	5.00	1.075		1.190	1.358	1.168	332.8	1.728	5.817
50000	49610	275.65	2.50	5.00	9.513	- 1	1.192	1.202	1.171	332.8	1.728	5.817
51000	50594	275.65	2.50	5.00	8.420		1.195	1.064	1.173	332.8	1.728	5.817
52000	51578	275.65	2.50	5.00	7.453		1.198	9.420 - 4	1.176	332.8	1.728	5.817
53000	52562	274.25	-1.10	4.72	6.597		1.201	8.380	1.180	332.0	1.721	5.790
54000	53545	271.79	-1.36	4.23	5.833		1.203	7.477	1.184	330.5	1.709	5.743
55000	54528	269.33	-3.82	3.73	5.152		1.205	6.664	1.188	329.0	1.697	5.696
56000	55511	266.87	-6.28	3.24	4.546	- 1	1.207	5.934 - 4	1.192	327.5	1.685 - 5	5.649 - 6
57000	56493	264.42	-8.73	2.75	4.006		1.209	5.278	1.196	326.0	1.673	5.602
58000	57476	261.96	-11.19	2.26	3.527		1.210	4.690	1.200	324.5	1.660	5.555
59000	58457	259.51	-13.64	1.77	3.101		1.212	4.163	1.203	322.9	1.648	5.507
60000	59439	257.05	-16.10	1.28	2.723		1.213	3.691	1.207	321.4	1.635	5.460
61000	60420	254.60	-18.55	0.79	2.389		1.213	3.269	1.209	319.9	1.623	5.412
62000	61401	252.15	-21.00	1.10	2.093		1.214	2.892	1.208	318.3	1.610	5.364
63000	62382	248.93	-24.22	1.81	1.831		1.214	2.563	1.206	316.3	1.594	5.302
64000	63362	244.52	-28.63	1.32	1.599		1.216	2.278	1.209	313.5	1.571	5.216
65000	64342	240.11	-33.04	0.83	1.392		1.216	2.020	1.213	310.6	1.548	5.129
66000	65322	235.70	-37.45	0.34	1.210	- 1	1.217	1.788 - 4	1.215	307.8	1.524 - 5	5.042 - 6
67000	66301	231.29	-41.86	-0.15	1.048		1.217	1.579	1.218	304.9	1.501	4.955
68000	67280	226.89	-46.26	-0.64	9.058	- 2	1.217	1.391	1.220	302.0	1.477	4.867
69000	68259	222.48	-50.67	-1.13	7.805		1.216	1.222	1.222	299.0	1.453	4.779
70000	69238	218.08	-55.07	-1.62	6.706		1.215	1.071	1.224	296.0	1.429	4.690
71000	70216	213.68	-59.47	-2.11	5.744		1.213	9.365 - 5	1.225	293.0	1.405	4.602
72000	71194	209.28	-63.87	-2.60	4.905		1.211	8.165	1.226	290.0	1.381	4.513
73000	72171	204.88	-68.27	-3.09	4.174		1.209	7.098	1.227	286.9	1.356	4.423
74000	73148	200.48	-72.67	-3.58	3.540		1.205	6.152	1.227	283.8	1.331	4.334
75000	74125	196.09	-77.06	-4.06	2.992		1.202	5.315	1.226	280.7	1.306	4.244
76000	75102	191.69	-81.46	-4.55	2.519	- 2	1.197	4.578 - 5	1.225	277.6	1.281 - 5	4.154 - 6
77000	76078	187.30	-85.85	-5.04	2.112		1.192	3.929	1.224	274.4	1.255	4.063
78000	77054	182.90	-90.25	-5.53	1.764		1.186	3.360	1.222	271.1	1.230	3.972
79000	78030	178.51	-94.64	-6.02	1.467		1.179	2.863	1.219	267.8	1.204	3.881
80000	79006	174.12	-99.03	-6.53	1.214		1.171	2.429	1.215	264.5	1.177	3.789
81000	79981	169.72	-103.43	-7.03	1.000		1.161	2.053	1.235	261.2	1.151	3.698
82000	80956	165.33	-107.82	-7.52	8.200	- 3	1.144	1.728	1.250	257.8	1.124	3.606
83000	81930	160.93	-112.22	-8.01	6.703		1.124	1.414	1.230	257.6	1.123	3.601
84000	82904	156.53	-116.61	-8.50	5.480		1.105	1.156	1.209	257.6	1.123	3.601
85000	83878	152.13	-118.96	-8.99	4.480		1.086	9.450 - 6	1.188	257.6	1.123	3.601
86000	84852	147.73	-118.07	-9.48	3.663	- 3	1.067	7.726 - 6	1.168	257.6	1.123 - 5	3.601 - 6
87000	85825	143.33	-118.08	-9.97	2.995		1.049	6.317	1.148	257.6	1.123	3.601
88000	86798	138.93	-118.09	-10.46	2.449		1.031	5.165	1.128	257.6	1.123	3.601
89000	87771	134.53	-118.10	-10.95	2.002		1.013	4.224	1.109	257.6	1.123	3.601
90000	88743	130.13	-118.11	-11.44	1.637		0.996	3.454	1.090	257.6	1.123	3.601
91000	89716	125.73	-118.12	-11.93	1.311		0.962	2.250	1.053	261.8	1.156	3.715
92000	90687	121.33	-118.13	-12.42	1.011		0.932	1.481	1.015	266.5	1.193	3.844
93000	91658	116.93	-118.14	-12.91	7.516	- 4	0.904	9.895 - 7	0.982	271.2	1.230	3.974
94000	92630	112.53	-118.15	-13.40	6.440		0.880	6.702	0.951	275.7	1.266	4.102
95000	93601	108.13	-118.16	-13.89	5.480		0.857	4.598	0.924	280.2	1.302	4.230
96000	94572	103.73	-118.17	-14.38	4.630							
97000	95543	99.33	-118.18	-14.87	3.880							
98000	96514	94.93	-118.19	-15.36	3.230							
99000	97485	90.53	-118.20	-15.85	2.680							
100000	98456	86.13	-118.21	-16.34	2.230							
102000	100389	197.62	-75.53	-22.04	1.848	- 4	0.836	3.155 - 7	0.903	286.4	1.351 - 5	4.406 - 6
104000	102326	214.04	-59.11	-15.14	1.355		0.821	2.122	0.852	299.0	1.453	4.778
106000	104261	230.30	-42.85	-8.28	1.018		0.817	1.473	0.817	311.1	1.551	5.142
108000	106196	246.42	-26.73	-1.43	7.816	- 5	0.821	1.051	0.794	322.7	1.646	5.500
110000	108129	262.41	-10.74	5.41	6.110		0.831	7.671 - 8	0.780	333.9	1.737	5.852
112000	110061	278.60	5.45	2.75	4.853		0.842	5.709	0.798	345.0	1.828	6.203
114000	111991	304.11	30.96	9.59	3.924		0.854	4.208	0.791	361.3	1.961	6.731
116000	113921	329.46	56.31	16.45	3.230		0.870	3.183	0.789	376.9	2.089	7.244
118000	115849	354.66	81.51	23.33	2.701		0.887	2.461	0.791	391.9	2.212	7.742

TABLE 5.1.—Continued  
Mid-Latitude Spring/Fall\*  
GEOPOTENTIAL ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
<i>H</i> , m'	<i>Z</i> , m	<i>T</i> , °K	<i>t</i> , °C	<i>T</i> - <i>T</i> <sub>std</sub>	<i>P</i> , mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	<i>C<sub>s</sub></i> , m sec <sup>-1</sup>	$\frac{\mu}{\mu_{std}}$ , kg m <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{k_{std}}$ , kcal m <sup>-1</sup> sec <sup>-1</sup> (°K) <sup>-1</sup>
0	0	288.15	15.00	0.00	1.01325 + 3	1.000	1.225 + 0	1.000	340.3	1.789 - 5	6.053 - 6
250	250	286.53	13.38	0.00	9.836 + 2	1.000	1.196	1.000	339.3	1.782	6.022
500	500	284.90	11.75	0.00	9.546	1.000	1.167	1.000	338.4	1.774	5.992
750	750	283.28	10.13	0.00	9.263	1.000	1.139	1.000	337.4	1.766	5.961
1000	1000	281.65	8.50	0.00	8.987	1.000	1.112	1.000	336.4	1.758	5.931
1250	1250	280.03	6.88	0.00	8.718	1.000	1.085	1.000	335.5	1.750	5.900
1500	1500	278.40	5.25	0.00	8.456	1.000	1.058	1.000	334.5	1.742	5.869
1750	1750	276.78	3.63	0.00	8.199	1.000	1.032	1.000	333.5	1.734	5.838
2000	2001	275.15	2.00	0.00	7.950	1.000	1.006	1.000	332.5	1.726	5.807
2250	2251	273.53	0.38	0.00	7.706	1.000	9.814 - 1	1.000	331.5	1.718	5.776
2500	2501	271.90	-1.25	0.00	7.468 + 2	1.000	9.569 - 1	1.000	330.6	1.710 - 5	5.745 - 6
2750	2751	270.28	-2.88	0.00	7.237	1.000	9.328	1.000	329.6	1.702	5.714
3000	3001	268.65	-4.50	0.00	7.011	1.000	9.091	1.000	328.6	1.694	5.683
3250	3252	267.03	-6.13	0.00	6.791	1.000	8.859	1.000	327.6	1.686	5.652
3500	3502	265.40	-7.75	0.00	6.576	1.000	8.632	1.000	326.6	1.677	5.621
3750	3752	263.78	-9.38	0.00	6.368	1.000	8.410	1.000	325.6	1.669	5.590
4000	4003	262.15	-11.00	0.00	6.164	1.000	8.191	1.000	324.6	1.661	5.558
4250	4253	260.53	-12.63	0.00	5.966	1.000	7.977	1.000	323.6	1.653	5.527
4500	4503	258.90	-14.25	0.00	5.773	1.000	7.768	1.000	322.6	1.645	5.495
4750	4754	257.28	-15.88	0.00	5.585	1.000	7.562	1.000	321.5	1.636	5.464
5000	5004	255.65	-17.50	0.00	5.402 + 2	1.000	7.361 - 1	1.000	320.5	1.628 - 5	5.433 - 6
5250	5254	254.03	-19.13	0.00	5.224	1.000	7.164	1.000	319.5	1.620	5.401
5500	5505	252.40	-20.75	0.00	5.051	1.000	6.971	1.000	318.5	1.611	5.369
5750	5755	250.78	-22.38	0.00	4.882	1.000	6.782	1.000	317.5	1.603	5.338
6000	6006	249.15	-24.00	0.00	4.718	1.000	6.597	1.000	316.4	1.595	5.306
6250	6256	247.53	-25.63	0.00	4.559	1.000	6.416	1.000	315.4	1.586	5.274
6500	6507	245.90	-27.25	0.00	4.403	1.000	6.238	1.000	314.4	1.578	5.243
6750	6757	244.28	-28.88	0.00	4.253	1.000	6.065	1.000	313.3	1.569	5.211
7000	7008	242.65	-30.50	0.00	4.106	1.000	5.895	1.000	312.3	1.561	5.179
7250	7258	241.03	-32.13	0.00	3.964	1.000	5.729	1.000	311.2	1.552	5.147
7500	7509	239.40	-33.75	0.00	3.825 + 2	1.000	5.566 - 1	1.000	310.2	1.544 - 5	5.115 - 6
7750	7759	237.78	-35.38	0.00	3.691	1.000	5.407	1.000	309.1	1.535	5.083
8000	8010	236.15	-37.00	0.00	3.560	1.000	5.252	1.000	308.1	1.527	5.051
8250	8261	234.53	-38.63	0.00	3.433	1.000	5.100	1.000	307.0	1.518	5.019
8500	8511	232.90	-40.25	0.00	3.310	1.000	4.951	1.000	305.9	1.510	4.986
8750	8762	231.28	-41.88	0.00	3.190	1.000	4.806	1.000	304.9	1.501	4.954
9000	9013	229.65	-43.50	0.00	3.074	1.000	4.663	1.000	303.8	1.492	4.922
9250	9263	228.03	-45.13	0.00	2.962	1.000	4.525	1.000	302.7	1.483	4.890
9500	9514	226.40	-46.75	0.00	2.852	1.000	4.389	1.000	301.6	1.475	4.857
9750	9765	224.78	-48.38	0.00	2.746	1.000	4.257	1.000	300.6	1.466	4.825
10000	10016	223.15	-50.00	0.00	2.644 + 2	1.000	4.127 - 1	1.000	299.5	1.457 - 5	4.792 - 6
10250	10267	221.53	-51.63	0.00	2.544	1.000	4.001	1.000	298.4	1.448	4.760
10500	10517	219.90	-53.25	0.00	2.447	1.000	3.877	1.000	297.3	1.439	4.727
10750	10768	218.28	-54.88	0.00	2.354	1.000	3.757	1.000	296.2	1.431	4.694
11000	11019	216.65	-56.50	0.00	2.263	1.000	3.639	1.000	295.1	1.422	4.662
11500	11521	216.65	-56.50	0.00	2.092	1.000	3.363	1.000	295.1	1.422	4.662
12000	12023	216.65	-56.50	0.00	1.933	1.000	3.108	1.000	295.1	1.422	4.662
12500	12525	216.65	-56.50	0.00	1.786	1.000	2.873	1.000	295.1	1.422	4.662
13000	13027	216.65	-56.50	0.00	1.651	1.000	2.655	1.000	295.1	1.422	4.662
13500	13529	216.65	-56.50	0.00	1.526	1.000	2.454	1.000	295.1	1.422	4.662
14000	14031	216.65	-56.50	0.00	1.410 + 2	1.000	2.268 - 1	1.000	295.1	1.422 - 5	4.662 - 6
14500	14533	216.65	-56.50	0.00	1.303	1.000	2.096	1.000	295.1	1.422	4.662
15000	15035	216.65	-56.50	0.00	1.204	1.000	1.937	1.000	295.1	1.422	4.662
15500	15538	216.65	-56.50	0.00	1.113	1.000	1.790	1.000	295.1	1.422	4.662
16000	16040	216.65	-56.50	0.00	1.029	1.000	1.654	1.000	295.1	1.422	4.662
16500	16543	216.65	-56.50	0.00	9.508 + 1	1.000	1.529	1.000	295.1	1.422	4.662
17000	17046	216.65	-56.50	0.00	8.787	1.000	1.413	1.000	295.1	1.422	4.662
17500	17548	216.65	-56.50	0.00	8.121	1.000	1.306	1.000	295.1	1.422	4.662
18000	18051	216.65	-56.50	0.00	7.505	1.000	1.207	1.000	295.1	1.422	4.662
18500	18554	216.65	-56.50	0.00	6.936	1.000	1.115	1.000	295.1	1.422	4.662
19000	19057	216.65	-56.50	0.00	6.410 + 1	1.000	1.031 - 1	1.000	295.1	1.422 - 5	4.662 - 6
19500	19560	216.65	-56.50	0.00	5.924	1.000	9.526 - 2	1.000	295.1	1.422	4.662
20000	20063	216.65	-56.50	0.00	5.475	1.000	8.804	1.000	295.1	1.422	4.662
20500	20566	217.15	-56.00	0.00	5.060	1.000	8.118	1.000	295.4	1.424	4.672
21000	21070	217.65	-55.50	0.00	4.678	1.000	7.487	1.000	295.7	1.427	4.682
21500	21573	218.15	-55.00	0.00	4.325	1.000	6.907	1.000	296.1	1.430	4.692
22000	22076	218.65	-54.50	0.00	4.000	1.000	6.373	1.000	296.4	1.433	4.702
22500	22580	219.15	-54.00	0.00	3.700	1.000	5.881	1.000	296.8	1.435	4.712
23000	23084	219.65	-53.50	0.00	3.422	1.000	5.428	1.000	297.1	1.438	4.722
23500	23587	220.15	-53.00	0.00	3.167	1.000	5.011	1.000	297.4	1.441	4.732
24000	24091	220.65	-52.50	0.00	2.930 + 1	1.000	4.627 - 2	1.000	297.8	1.444 - 5	4.742 - 6
24500	24595	221.15	-52.00	0.00	2.712	1.000	4.273	1.000	298.1	1.446	4.752
25000	25099	221.65	-51.50	0.00	2.511	1.000	3.947	1.000	298.5	1.449	4.762
25500	25603	222.15	-51.00	0.00	2.325	1.000	3.646	1.000	298.8	1.452	4.772
26000	26107	222.65	-50.50	0.00	2.153	1.000	3.369	1.000	299.1	1.454	4.782
26500	26611	223.15	-50.00	0.00	1.994	1.000	3.113	1.000	299.5	1.457	4.792
27000	27115	223.65	-49.50	0.00	1.847	1.000	2.878	1.000	299.8	1.460	4.802
27500	27619	224.15	-49.00	0.00	1.712	1.000	2.660	1.000	300.1	1.463	4.812
28000	28124	224.65	-48.50	0.00	1.586	1.000	2.460	1.000	300.5	1.465	4.822
28500	28628	225.15	-48.00	0.00	1.470	1.000	2.275	1.000	300.8	1.468	4.832

\*May be applied to latitudes 30 to 60° N.

TABLE 5.1.—Continued  
Mid-Latitude Spring/Fall\*  
GEOMETRIC ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
Z, m	H, m'	T, °K	t, °C	T-T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , m sec <sup>-1</sup>	$\mu$ , kg m <sup>-1</sup> sec <sup>-1</sup>	$k$ , kcal m <sup>-1</sup> sec <sup>-1</sup> (°K) <sup>-1</sup>
0	0	288.15	15.00	0.00	1.01325 + 3	1.000	1.225 + 0	1.000	340.3	1.789 - 5	6.053 - 6
250	250	286.53	13.38	0.00	9.836 + 2	1.000	1.196	1.000	339.3	1.782	6.022
500	500	284.90	11.75	0.00	9.546	1.000	1.167	1.000	338.4	1.774	5.992
750	750	283.28	10.13	-0.00	9.263	1.000	1.139	1.000	337.4	1.766	5.961
1000	1000	281.65	8.50	0.00	8.988	1.000	1.112	1.000	336.4	1.758	5.931
1250	1250	280.03	6.88	-0.00	8.719	1.000	1.085	1.000	335.5	1.750	5.900
1500	1500	278.40	5.25	0.00	8.456	1.000	1.058	1.000	334.5	1.742	5.869
1750	1750	276.78	3.63	0.00	8.200	1.000	1.032	1.000	333.5	1.734	5.838
2000	1999	275.15	2.00	0.00	7.950	1.000	1.007	1.000	332.5	1.726	5.807
2250	2249	273.53	0.38	0.00	7.707	1.000	9.815 - 1	1.000	331.5	1.718	5.776
2500	2499	271.91	-1.24	0.00	7.469 + 2	1.000	9.570 - 1	1.000	330.6	1.710 - 5	5.745 - 6
2750	2749	270.28	-2.87	-0.00	7.238	1.000	9.329	1.000	329.6	1.702	5.714
3000	2999	268.66	-4.49	0.00	7.012	1.000	9.093	1.000	328.6	1.694	5.683
3250	3248	267.04	-6.11	-0.00	6.792	1.000	8.861	1.000	327.6	1.686	5.652
3500	3498	265.41	-7.74	-0.00	6.578	1.000	8.634	1.000	326.6	1.678	5.621
3750	3748	263.79	-9.36	0.00	6.369	1.000	8.412	1.000	325.6	1.669	5.590
4000	3997	262.17	-10.98	0.00	6.166	1.000	8.193	1.000	324.6	1.661	5.559
4250	4247	260.54	-12.61	0.00	5.968	1.000	7.980	1.000	323.6	1.653	5.527
4500	4497	258.92	-14.23	-0.00	5.775	1.000	7.770	1.000	322.6	1.645	5.496
4750	4746	257.30	-15.85	0.00	5.588	1.000	7.565	1.000	321.6	1.637	5.465
5000	4996	255.68	-17.47	-0.00	5.405 + 2	1.000	7.364 - 1	1.000	320.5	1.628 - 5	5.433 - 6
5250	5246	254.05	-19.10	0.00	5.227	1.000	7.167	1.000	319.5	1.620	5.402
5500	5495	252.43	-20.72	-0.00	5.054	1.000	6.975	1.000	318.5	1.612	5.370
5750	5745	250.81	-22.34	-0.00	4.886	1.000	6.786	1.000	317.5	1.603	5.338
6000	5994	249.19	-23.96	-0.00	4.722	1.000	6.601	1.000	316.5	1.595	5.307
6250	6244	247.56	-25.59	-0.00	4.562	1.000	6.420	1.000	315.4	1.587	5.275
6500	6493	245.94	-27.21	0.00	4.408	1.000	6.243	1.000	314.4	1.578	5.243
6750	6743	244.32	-28.83	-0.00	4.257	1.000	6.070	1.000	313.3	1.570	5.212
7000	6992	242.70	-30.45	0.00	4.111	1.000	5.900	1.000	312.3	1.561	5.180
7250	7242	241.08	-32.07	-0.00	3.968	1.000	5.734	1.000	311.3	1.553	5.148
7500	7491	239.46	-33.69	0.00	3.830 + 2	1.000	5.572 - 1	1.000	310.2	1.544 - 5	5.116 - 6
7750	7741	237.84	-35.31	0.00	3.696	1.000	5.413	1.000	309.2	1.536	5.084
8000	7990	236.22	-36.93	0.00	3.565	1.000	5.258	1.000	308.1	1.527	5.052
8250	8239	234.59	-38.56	-0.00	3.438	1.000	5.106	1.000	307.0	1.519	5.020
8500	8489	232.97	-40.18	-0.00	3.315	1.000	4.958	1.000	306.0	1.510	4.988
8750	8738	231.35	-41.80	0.00	3.196	1.000	4.812	1.000	304.9	1.501	4.956
9000	8987	229.73	-43.42	-0.00	3.080	1.000	4.671	1.000	303.8	1.493	4.923
9250	9237	228.11	-45.04	0.00	2.968	1.000	4.532	1.000	302.8	1.484	4.891
9500	9486	226.49	-46.66	0.00	2.858	1.000	4.397	1.000	301.7	1.475	4.859
9750	9735	224.87	-48.28	0.00	2.753	1.000	4.264	1.000	300.6	1.466	4.827
10000	9984	223.25	-49.90	0.00	2.650 + 2	1.000	4.135 - 1	1.000	299.5	1.458 - 5	4.794 - 6
10250	10233	221.63	-51.52	0.00	2.550	1.000	4.009	1.000	298.4	1.449	4.762
10500	10483	220.01	-53.14	-0.00	2.454	1.000	3.886	1.000	297.4	1.440	4.729
10750	10732	218.39	-54.76	-0.00	2.361	1.000	3.765	1.000	296.3	1.431	4.697
11000	10981	216.77	-56.38	-0.00	2.270	1.000	3.648	1.000	295.2	1.422	4.664
11250	11479	216.65	-56.50	-0.00	2.098	1.000	3.374	1.000	295.1	1.422	4.662
12000	11977	216.65	-56.50	-0.00	1.940	1.000	3.119	1.000	295.1	1.422	4.662
12500	12475	216.65	-56.50	-0.00	1.793	1.000	2.884	1.000	295.1	1.422	4.662
13000	12973	216.65	-56.50	-0.00	1.658	1.000	2.666	1.000	295.1	1.422	4.662
13500	13471	216.65	-56.50	-0.00	1.533	1.000	2.465	1.000	295.1	1.422	4.662
14000	13969	216.65	-56.50	-0.00	1.417 + 2	1.000	2.279 - 1	1.000	295.1	1.422 - 5	4.662 - 6
14500	14467	216.65	-56.50	-0.00	1.310	1.000	2.107	1.000	295.1	1.422	4.662
15000	14965	216.65	-56.50	-0.00	1.211	1.000	1.948	1.000	295.1	1.422	4.662
15500	15462	216.65	-56.50	-0.00	1.120	1.000	1.801	1.000	295.1	1.422	4.662
16000	15960	216.65	-56.50	-0.00	1.035	1.000	1.665	1.000	295.1	1.422	4.662
16500	16457	216.65	-56.50	-0.00	9.572 + 1	1.000	1.539	1.000	295.1	1.422	4.662
17000	16955	216.65	-56.50	-0.00	8.850	1.000	1.423	1.000	295.1	1.422	4.662
17500	17452	216.65	-56.50	-0.00	8.182	1.000	1.316	1.000	295.1	1.422	4.662
18000	17949	216.65	-56.50	-0.00	7.565	1.000	1.216	1.000	295.1	1.422	4.662
18500	18446	216.65	-56.50	-0.00	6.995	1.000	1.125	1.000	295.1	1.422	4.662
19000	18943	216.65	-56.50	-0.00	6.467 + 1	1.000	1.040 - 1	1.000	295.1	1.422 - 5	4.662 - 6
19500	19440	216.65	-56.50	-0.00	5.980	1.000	9.616 - 2	1.000	295.1	1.422	4.662
20000	19937	216.65	-56.50	-0.00	5.529	1.000	8.891	1.000	295.1	1.422	4.662
20500	20434	217.08	-56.07	0.00	5.113	1.000	8.205	1.000	295.4	1.424	4.670
21000	20931	217.58	-55.57	-0.00	4.729	1.000	7.571	1.000	295.7	1.427	4.680
21500	21428	218.08	-55.07	-0.00	4.375	1.000	6.988	1.000	296.0	1.429	4.690
22000	21924	218.57	-54.58	0.00	4.047	1.000	6.451	1.000	296.4	1.432	4.700
22500	22421	219.07	-54.08	-0.00	3.746	1.000	5.956	1.000	296.7	1.435	4.710
23000	22917	219.57	-53.58	0.00	3.467	1.000	5.501	1.000	297.0	1.438	4.720
23500	23413	220.06	-53.09	0.00	3.209	1.000	5.081	1.000	297.4	1.440	4.730
24000	23910	220.56	-52.59	-0.00	2.972 + 1	1.000	4.694 - 2	1.000	297.7	1.443 - 5	4.740 - 6
24500	24406	221.06	-52.09	-0.00	2.752	1.000	4.337	1.000	298.1	1.446	4.750
25000	24902	221.55	-51.60	-0.00	2.549	1.000	4.008	1.000	298.4	1.448	4.760
25500	25398	222.05	-51.10	0.00	2.362	1.000	3.705	1.000	298.7	1.451	4.770
26000	25894	222.54	-50.61	0.00	2.188	1.000	3.426	1.000	299.1	1.454	4.780
26500	26390	223.04	-50.11	-0.00	2.028	1.000	3.168	1.000	299.4	1.457	4.790
27000	26886	223.54	-49.61	-0.00	1.880	1.000	2.930	1.000	299.7	1.459	4.800
27500	27382	224.03	-49.12	-0.00	1.743	1.000	2.710	1.000	300.1	1.462	4.810
28000	27877	224.53	-48.62	0.00	1.616	1.000	2.508	1.000	300.4	1.465	4.820
28500	28373	225.02	-48.13	-0.00	1.499	1.000	2.321	1.000	300.7	1.467	4.830

\*May be applied to latitudes 30 to 60° N.



TABLE 5.1.—Continued  
Mid-Latitude Spring/Fall\*  
GEOPOTENTIAL ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure			Density		Sound speed	Coefficient of viscosity	Thermal conductivity			
<i>H</i> , m'	<i>Z</i> , m	<i>T</i> , °K	<i>t</i> , °C	<i>T</i> - <i>T</i> <sub>std</sub>	<i>P</i> , mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	<i>C</i> <sub>s</sub> m sec <sup>-1</sup>	$\frac{\mu}{\mu_{std}}$ kg m <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{k_{std}}$ k-cal m <sup>-1</sup> sec <sup>-1</sup> (°K) <sup>-1</sup>				
29000	29133	225.65	-47.50	0.00	1.363	+ 1	1.000	2.104	- 2	1.000	301.1	1.471	- 5	4.842	- 6
29500	29638	226.15	-47.00	0.00	1.264		1.000	1.947		1.000	301.5	1.473		4.852	
30000	30142	226.65	-46.50	0.00	1.172		1.000	1.801		1.000	301.8	1.476		4.862	
30500	30647	227.15	-46.00	0.00	1.087		1.000	1.667		1.000	302.1	1.479		4.872	
31000	31152	227.65	-45.50	0.00	1.008		1.000	1.543		1.000	302.5	1.481		4.882	
31500	31657	228.15	-45.00	0.00	9.354	+ 0	1.000	1.428		1.000	302.8	1.484		4.892	
32000	32162	228.65	-44.50	0.00	8.680		1.000	1.322		1.000	303.1	1.487		4.902	
33000	33172	231.45	-41.70	0.00	7.482		1.000	1.126		1.000	305.0	1.502		4.958	
34000	34183	234.25	-38.90	0.00	6.461		1.000	9.609	- 3	1.000	306.8	1.517		5.013	
35000	35194	237.05	-36.10	0.00	5.589		1.000	8.214		1.000	308.6	1.532		5.069	
36000	36205	239.85	-33.30	-0.00	4.843	+ 0	1.000	7.034	- 3	1.000	310.5	1.546	- 5	5.124	- 6
37000	37217	242.65	-30.50	-0.00	4.204		1.000	6.035		1.000	312.3	1.561		5.179	
38000	38229	245.45	-27.70	-0.00	3.655		1.000	5.187		1.000	314.1	1.576		5.234	
39000	39241	248.25	-24.90	-0.00	3.182		1.000	4.466		1.000	315.9	1.590		5.289	
40000	40253	251.05	-22.10	-0.00	2.775		1.000	3.851		1.000	317.6	1.605		5.343	
41000	41266	253.85	-19.30	-0.00	2.424		1.000	3.326		1.000	319.4	1.619		5.398	
42000	42279	256.65	-16.50	-0.00	2.120		1.000	2.878		1.000	321.2	1.633		5.452	
43000	43293	259.45	-13.70	-0.00	1.857		1.000	2.494		1.000	322.9	1.647		5.506	
44000	44307	262.25	-10.90	-0.00	1.629		1.000	2.164		1.000	324.6	1.662		5.560	
45000	45321	265.05	-8.10	-0.00	1.431		1.000	1.881		1.000	326.4	1.676		5.614	
46000	46335	267.85	-5.30	-0.00	1.259	+ 0	1.000	1.638	- 3	1.000	328.1	1.690	- 5	5.668	- 6
47000	47350	270.65	-2.50	-0.00	1.109		1.000	1.428		1.000	329.8	1.704		5.721	
48000	48365	270.65	-2.50	-0.00	9.775	- 1	1.000	1.258		1.000	329.8	1.704		5.721	
49000	49381	270.65	-2.50	-0.00	8.616		1.000	1.109		1.000	329.8	1.704		5.721	
50000	50396	270.65	-2.50	-0.00	7.594		1.000	9.775	- 4	1.000	329.8	1.704		5.721	
51000	51413	270.65	-2.50	-0.00	6.694		1.000	8.616		1.000	329.8	1.704		5.721	
52000	52429	270.65	-2.50	-0.00	5.900		1.000	7.594		1.000	329.8	1.704		5.721	
53000	53446	268.65	-4.50	-0.00	5.198		1.000	6.740		1.000	328.6	1.694		5.683	
54000	54463	266.65	-6.50	-0.00	4.575		1.000	5.977		1.000	327.4	1.684		5.645	
55000	55480	264.65	-8.50	-0.00	4.023		1.000	5.296		1.000	326.1	1.674		5.606	
56000	56498	262.65	-10.50	-0.00	3.534	- 1	1.000	4.687	- 4	1.000	324.9	1.664	- 5	5.568	- 6
57000	57516	260.65	-12.50	-0.00	3.101		1.000	4.145		1.000	323.6	1.654		5.529	
58000	58534	258.65	-14.50	-0.00	2.719		1.000	3.662		1.000	322.4	1.643		5.491	
59000	59553	256.65	-16.50	-0.00	2.381		1.000	3.232		1.000	321.2	1.633		5.452	
60000	60572	254.65	-18.50	-0.00	2.084		1.000	2.850		1.000	319.9	1.623		5.413	
61000	61591	252.65	-20.50	-0.00	1.821		1.000	2.511		1.000	318.6	1.613		5.374	
62000	62611	248.65	-24.50	-0.00	1.589		1.000	2.226		1.000	316.1	1.592		5.296	
63000	63631	244.65	-28.50	-0.00	1.383		1.000	1.970		1.000	313.6	1.571		5.218	
64000	64651	240.65	-32.50	-0.00	1.202		1.000	1.740		1.000	311.0	1.550		5.139	
65000	65672	236.65	-36.50	-0.00	1.041		1.000	1.533		1.000	308.4	1.529		5.061	
66000	66692	232.65	-40.50	-0.00	9.004	- 2	1.000	1.348	- 4	1.000	305.8	1.508	- 5	4.981	- 6
67000	67714	228.65	-44.50	-0.00	7.764		1.000	1.183		1.000	303.1	1.487		4.902	
68000	68735	224.65	-48.50	-0.00	6.678		1.000	1.036		1.000	300.5	1.465		4.822	
69000	69757	220.65	-52.50	-0.00	5.728		1.000	9.043	- 5	1.000	297.8	1.444		4.742	
70000	70779	217.65	-55.50	1.00	4.901		1.000	7.844		0.996	295.7	1.427		4.682	
71000	71802	214.65	-58.50	2.00	4.184		1.002	6.791		0.992	293.7	1.411		4.621	
72000	72825	211.65	-61.50	3.00	3.565		1.003	5.867		0.989	291.6	1.394		4.561	
73000	73848	208.65	-64.50	4.00	3.030		1.006	5.059		0.987	289.6	1.377		4.500	
74000	74872	205.65	-67.50	5.00	2.569		1.010	4.352		0.985	287.5	1.360		4.439	
75000	75896	202.65	-70.50	6.00	2.173		1.015	3.736		0.984	285.4	1.344		4.378	
76000	76920	199.65	-73.50	7.00	1.834	- 2	1.020	3.200	- 5	0.985	283.3	1.327	- 5	4.317	- 6
77000	77944	196.65	-76.50	8.00	1.543		1.028	2.734		0.986	281.1	1.309		4.255	
78000	78969	193.65	-79.50	9.00	1.296		1.036	2.331		0.988	279.0	1.292		4.194	
79000	79994	190.65	-82.50	10.00	1.085		1.045	1.982		0.990	276.8	1.275		4.132	
80000	81020	190.64	-82.51	9.99	9.066	- 3	1.056	1.657		1.000	276.8	1.275		4.132	
81000	82046	190.62	-82.53	9.97	7.579		1.066	1.385		1.010	276.8	1.275		4.132	
82000	83072	190.61	-82.54	9.96	6.335		1.077	1.158		1.020	276.8	1.275		4.132	
83000	84098	190.60	-82.55	9.95	5.296		1.087	9.677	- 6	1.030	276.8	1.275		4.132	
84000	85125	190.58	-82.57	9.93	4.427		1.098	8.090		1.041	276.8	1.275		4.132	
85000	86152	190.57	-82.58	9.92	3.701		1.109	6.762		1.051	276.8	1.275		4.132	
86000	87180	190.56	-82.59	9.91	3.094	- 3	1.120	5.653	- 6	1.062	276.8	1.275	- 5	4.132	- 6
87000	88207	190.54	-82.61	9.89	2.586		1.131	4.726		1.072	276.8	1.275		4.132	
88000	89235	190.53	-82.62	9.88	2.162		1.143	3.950		1.083	276.8	1.275		4.132	
89000	90264	190.46	-82.69	9.02	1.807		1.154	3.302		1.098	276.8	1.275		4.132	
90000	91293	190.23	-82.92	5.72	1.511		1.163	2.760		1.125	276.8	1.275		4.132	
92000	93351	193.75	-79.40	3.14	1.060		1.174	1.896		1.150	279.7	1.298		4.214	
94000	95411	197.04	-76.11	0.33	7.486	- 4	1.180	1.313		1.170	282.5	1.321		4.296	
96000	97472	199.59	-73.56	-3.17	5.325		1.181	9.155	- 7	1.184	285.4	1.344		4.378	
98000	99535	202.15	-71.00	-6.56	3.814		1.179	6.429		1.193	288.2	1.366		4.459	
100000	101598	204.72	-68.43	-12.98	2.749		1.170	4.546		1.214	291.0	1.388		4.541	
102000	103663	211.86	-61.29	-15.73	2.000	- 4	1.155	3.177	- 7	1.206	296.9	1.437	- 5	4.716	- 6
104000	105730	218.97	-54.18	-18.39	1.474		1.140	2.251		1.196	302.8	1.484		4.891	
106000	107798	226.06	-47.09	-24.87	1.098		1.123	1.616		1.185	308.5	1.530		5.064	
108000	109867	233.12	-40.03	-23.32	8.274	- 5	1.106	1.174		1.172	314.1	1.576		5.235	
110000	111937	240.18	-32.97	-35.06	6.295		1.084	8.625	- 8	1.194	319.7	1.621		5.405	
112000	114009	269.99	-3.16	-24.58	4.889		1.066	5.931		1.116	339.7	1.785		6.035	
114000	116082	299.60	26.45	-14.16	3.903		1.060	4.248		1.065	358.7	1.940		6.644	
116000	118156	329.05	55.90	-3.67	3.185		1.063	3.143		1.031	376.6	2.087		7.234	

\*May be applied to latitudes 30 to 60° N.

TABLE 5.1.—Continued  
Mid-Latitude Spring/Fall\*  
GEOMETRIC ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity				
Z, m	H, m'	T, °K	t, °C	T - T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , m sec <sup>-1</sup>	$\mu$ , kg m <sup>-1</sup> sec <sup>-1</sup>	$k$ , kcal m <sup>-1</sup> sec <sup>-1</sup> (°K) <sup>-1</sup>				
29000	28868	225.52	-47.63	0.00	1.390	+ 1	1.000	2.148	- 2	1.000	301.0	1.470	- 5	4.840	- 6
29500	29364	226.01	-47.14	-0.00	1.290		1.000	1.988		1.000	301.4	1.473		4.849	
30000	29859	226.51	-46.64	-0.00	1.197		1.000	1.841		1.000	301.7	1.475		4.859	
30500	30354	227.00	-46.15	0.00	1.111		1.000	1.705		1.000	302.0	1.478		4.869	
31000	30850	227.50	-45.65	-0.00	1.031		1.000	1.579		1.000	302.4	1.481		4.879	
31500	31345	227.99	-45.16	-0.00	9.574	+ 0	1.000	1.463		1.000	302.7	1.483		4.889	
32000	31840	228.49	-44.66	-0.00	8.891		1.000	1.356		1.000	303.0	1.486		4.899	
33000	32830	230.97	-42.18	-0.00	7.673		1.000	1.157		1.000	304.7	1.499		4.948	
34000	33819	233.74	-39.41	0.00	6.634		1.000	9.887	- 3	1.000	306.5	1.514		5.003	
35000	34808	236.51	-36.64	0.00	5.746		1.000	8.463		1.000	308.3	1.529		5.058	
36000	35797	239.28	-33.87	0.00	4.985	+ 0	1.000	7.258	- 3	1.000	310.1	1.543	- 5	5.113	- 6
37000	36786	242.05	-31.10	0.00	4.332		1.000	6.235		1.000	311.9	1.558		5.167	
38000	37774	244.82	-28.33	-0.00	3.771		1.000	5.367		1.000	313.7	1.572		5.221	
39000	38762	247.58	-25.57	-0.00	3.268		1.000	4.627		1.000	315.4	1.587		5.275	
40000	39750	250.35	-22.80	-0.00	2.871		1.000	3.996		1.000	317.2	1.601		5.329	
41000	40737	253.11	-20.04	0.00	2.511		1.000	3.456		1.000	318.9	1.615		5.383	
42000	41724	255.88	-17.27	-0.00	2.200		1.000	2.995		1.000	320.7	1.629		5.437	
43000	42711	258.64	-14.51	-0.00	1.930		1.000	2.599		1.000	322.4	1.643		5.490	
44000	43698	261.40	-11.75	-0.00	1.695		1.000	2.259		1.000	324.1	1.657		5.544	
45000	44684	264.16	-8.99	0.00	1.491		1.000	1.966		1.000	325.8	1.671		5.597	
46000	45669	266.92	-6.23	-0.00	1.313	+ 0	1.000	1.714	- 3	1.000	327.5	1.685	- 5	5.650	- 6
47000	46655	269.68	-3.47	-0.00	1.159		1.000	1.497		1.000	329.2	1.699		5.703	
48000	47640	270.65	-2.50	-0.00	1.023		1.000	1.317		1.000	329.8	1.704		5.721	
49000	48625	270.65	-2.50	-0.00	9.034	- 1	1.000	1.163		1.000	329.8	1.704		5.721	
50000	49610	270.65	-2.50	-0.00	7.978		1.000	1.027		1.000	329.8	1.704		5.721	
51000	50594	270.65	-2.50	-0.00	7.046		1.000	9.069	- 4	1.000	329.8	1.704		5.721	
52000	51578	270.65	-2.50	-0.00	6.223		1.000	8.010		1.000	329.8	1.704		5.721	
53000	52562	269.53	-3.62	-0.00	5.495		1.000	7.103		1.000	329.1	1.698		5.700	
54000	53545	267.56	-5.59	-0.00	4.849		1.000	6.314		1.000	327.9	1.688		5.662	
55000	54528	265.59	-7.56	-0.00	4.275		1.000	5.608		1.000	326.7	1.678		5.625	
56000	55511	263.63	-9.52	-0.00	3.766	- 1	1.000	4.976	- 4	1.000	325.5	1.669	- 5	5.587	- 6
57000	56493	261.66	-11.49	0.00	3.314		1.000	4.412		1.000	324.3	1.659		5.549	
58000	57476	259.70	-13.45	-0.00	2.914		1.000	3.909		1.000	323.1	1.649		5.511	
59000	58457	257.74	-15.41	0.00	2.559		1.000	3.459		1.000	321.8	1.639		5.473	
60000	59439	255.77	-17.38	0.00	2.246		1.000	3.059		1.000	320.6	1.629		5.435	
61000	60420	253.81	-19.34	-0.00	1.969		1.000	2.703		1.000	319.4	1.619		5.397	
62000	61401	251.05	-22.10	-0.00	1.725		1.000	2.393		1.000	317.6	1.605		5.343	
63000	62382	247.12	-26.03	0.00	1.508		1.000	2.125		1.000	315.1	1.584		5.266	
64000	63362	243.20	-29.95	-0.00	1.315		1.000	1.884		1.000	312.6	1.564		5.190	
65000	64342	239.28	-33.87	-0.00	1.145		1.000	1.666		1.000	310.1	1.543		5.113	
66000	65322	235.36	-37.79	-0.00	9.941	- 2	1.000	1.471	- 4	1.000	307.5	1.523	- 5	5.035	- 6
67000	66301	231.45	-41.70	-0.00	8.613		1.000	1.296		1.000	305.0	1.502		4.958	
68000	67280	227.53	-45.62	-0.00	7.445		1.000	1.140		1.000	302.4	1.481		4.880	
69000	68259	223.61	-49.54	-0.00	6.419		1.000	1.000		1.000	299.8	1.460		4.801	
70000	69238	219.94	-53.21	0.24	5.521		1.000	8.744	- 5	0.999	297.3	1.440		4.728	
71000	70216	217.00	-56.15	1.21	4.738		1.001	7.605		0.995	295.3	1.424		4.669	
72000	71194	214.07	-59.08	2.19	4.057		1.002	6.603		0.992	293.3	1.407		4.610	
73000	72171	211.14	-62.01	3.17	3.467		1.004	5.721		0.989	291.3	1.391		4.550	
74000	73148	208.20	-64.95	4.15	2.957		1.006	4.948		0.987	289.3	1.375		4.491	
75000	74125	205.27	-67.88	5.12	2.516		1.011	4.270		0.985	287.2	1.358		4.432	
76000	75102	202.34	-70.81	6.10	2.136	- 2	1.015	3.678	- 5	0.984	285.2	1.342	- 5	4.372	- 6
77000	76078	199.41	-73.74	7.07	1.809		1.021	3.161		0.985	283.1	1.325		4.312	
78000	77054	196.49	-76.66	8.06	1.529		1.027	2.711		0.986	281.0	1.309		4.252	
79000	78030	193.56	-79.59	9.03	1.289		1.036	2.319		0.987	278.9	1.292		4.192	
80000	79006	190.65	-82.50	10.00	1.083		1.045	1.980		0.990	276.8	1.275		4.132	
81000	79981	190.64	-82.51	9.99	9.097	- 3	1.055	1.662		1.000	276.8	1.275		4.132	
82000	80956	190.62	-82.53	9.97	7.639		1.066	1.396		1.010	276.8	1.275		4.132	
83000	81930	190.61	-82.54	9.96	6.415		1.076	1.172		1.019	276.8	1.275		4.132	
84000	82904	190.60	-82.55	9.95	5.387		1.086	9.844	- 6	1.029	276.8	1.275		4.132	
85000	83878	190.58	-82.57	9.93	4.525		1.097	8.268		1.039	276.8	1.275		4.132	
86000	84852	190.57	-82.58	9.92	3.800	- 3	1.108	6.944	- 6	1.049	276.8	1.275	- 5	4.132	- 6
87000	85825	190.56	-82.59	9.91	3.192		1.118	5.833		1.060	276.8	1.275		4.132	
88000	86798	190.54	-82.61	9.89	2.681		1.129	4.899		1.070	276.8	1.275		4.132	
89000	87771	190.53	-82.62	9.88	2.252		1.140	4.116		1.080	276.8	1.275		4.132	
90000	88743	190.52	-82.63	9.87	1.892		1.151	3.458		1.091	276.8	1.275		4.132	
92000	90687	191.44	-81.71	4.82	1.336		1.167	2.424		1.134	277.8	1.283		4.160	
94000	92630	194.85	-78.30	2.29	9.490	- 4	1.176	1.688		1.157	280.6	1.305		4.240	
96000	94572	197.77	-75.38	-0.68	6.787		1.181	1.183		1.174	283.4	1.327		4.320	
98000	96512	200.24	-72.91	-4.04	4.886		1.181	8.357	- 7	1.186	286.1	1.349		4.399	
100000	98451	202.73	-70.42	-7.29	3.540		1.177	5.942		1.195	288.8	1.371		4.478	
102000	100389	206.11	-67.04	-13.55	2.581	- 4	1.167	4.235	- 7	1.212	292.1	1.398	- 5	4.575	- 6
104000	102326	213.02	-60.13	-16.16	1.902		1.153	3.000		1.204	297.9	1.444		4.745	
106000	104261	219.90	-53.25	-18.68	1.417		1.138	2.154		1.194	303.5	1.490		4.913	
108000	106196	226.75	-46.40	-21.10	1.068		1.122	1.565		1.183	309.0	1.535		5.081	
110000	108129	233.58	-39.57	-23.42	8.127	- 5	1.105	1.151		1.171	314.5	1.579		5.246	
112000	110061	241.09	-32.06	-34.76	6.243		1.084	8.521	- 8	1.191	320.3	1.626		5.425	
114000	111991	249.86	-25.29	-24.66	4.894		1.066	5.940		1.116	339.6	1.784		6.032	
116000	113921	258.43	-18.58	-14.58	3.936		1.060	4.301		1.066	357.9	1.934		6.620	
118000	115849	326.83	53.68	-4.50	3.232		1.062	3.212		1.032	375.3	2.076		7.190	

\*May be applied to latitudes 30 to 60° N.

TABLE 5.1.—Continued  
60° N. January  
GEOPOTENTIAL ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
H, m'	Z, m	T, °K	t, °C	T-T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho, \text{kg m}^{-3}$	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> m sec <sup>-1</sup>	$\mu$ kg m <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{\text{sec}^{-1}(\text{°K})^{-1}}$
0	0	257.28	-15.87	-30.87	1.01350 + 3	1.000	1.372 + 0	1.120	321.6	1.636 - 5	5.464 - 6
250	250	257.79	-15.36	-28.73	9.804 + 2	0.997	1.325	1.108	321.9	1.639	5.474
500	499	258.30	-14.85	-26.60	9.485	0.994	1.279	1.096	322.2	1.642	5.484
750	749	258.80	-14.35	-24.47	9.177	0.991	1.235	1.085	322.5	1.644	5.494
1000	999	259.31	-13.84	-22.34	8.879	0.988	1.193	1.073	322.8	1.647	5.503
1250	1249	259.81	-13.34	-20.21	8.591	0.985	1.158	1.067	322.3	1.643	5.488
1500	1498	257.70	-15.45	-20.70	8.312	0.983	1.124	1.062	321.8	1.639	5.472
1750	1748	256.89	-16.26	-19.88	8.040	0.981	1.090	1.057	321.3	1.634	5.457
2000	1998	256.09	-17.06	-19.06	7.777	0.978	1.058	1.052	320.8	1.630	5.441
2250	2248	255.28	-17.87	-18.24	7.521	0.976	1.026	1.046	320.3	1.626	5.425
2500	2498	254.47	-18.68	-17.43	7.274 + 2	0.974	9.957 - 1	1.041	319.8	1.622 - 5	5.410 - 6
2750	2748	253.67	-19.48	-16.61	7.033	0.972	9.659	1.035	319.3	1.618	5.394
3000	2998	252.86	-20.29	-15.79	6.800	0.970	9.368	1.030	318.8	1.614	5.378
3250	3248	252.05	-21.10	-14.97	6.574	0.968	9.086	1.025	318.3	1.610	5.363
3500	3497	251.24	-21.91	-14.16	6.354	0.966	8.811	1.021	317.8	1.606	5.347
3750	3747	249.53	-23.62	-14.24	6.141	0.964	8.574	1.019	316.7	1.597	5.314
4000	3997	247.82	-25.33	-14.33	5.934	0.963	8.341	1.018	315.6	1.588	5.280
4250	4247	246.12	-27.03	-14.41	5.732	0.961	8.114	1.017	314.5	1.579	5.247
4500	4497	244.41	-28.74	-14.49	5.536	0.959	7.891	1.016	313.4	1.570	5.213
4750	4748	242.70	-30.45	-14.57	5.345	0.957	7.672	1.015	312.3	1.561	5.180
5000	4998	241.00	-32.15	-14.65	5.160 + 2	0.955	7.459 - 1	1.013	311.2	1.552 - 5	5.146 - 6
5250	5248	239.29	-33.86	-14.73	4.980	0.953	7.249	1.012	310.1	1.543	5.113
5500	5498	237.58	-35.57	-14.82	4.804	0.951	7.045	1.011	309.0	1.534	5.079
5750	5748	235.88	-37.27	-14.90	4.634	0.949	6.844	1.009	307.9	1.525	5.045
6000	5998	234.17	-38.98	-14.98	4.469	0.947	6.648	1.008	306.8	1.516	5.012
6250	6248	232.47	-40.68	-15.06	4.308	0.945	6.456	1.006	305.7	1.507	4.978
6500	6498	230.76	-42.39	-15.14	4.152	0.943	6.268	1.005	304.5	1.498	4.944
6750	6749	229.06	-44.09	-15.21	4.001	0.941	6.084	1.003	303.4	1.489	4.910
7000	6999	227.36	-45.79	-15.29	3.854	0.939	5.905	1.002	302.3	1.480	4.876
7250	7249	225.66	-47.49	-15.37	3.711	0.936	5.729	1.000	301.1	1.471	4.842
7500	7499	223.95	-49.20	-15.45	3.573 + 2	0.934	5.558 - 1	0.998	300.0	1.461 - 5	4.808 - 6
7750	7750	222.25	-50.90	-15.52	3.439	0.932	5.390	0.997	298.9	1.452	4.774
8000	8000	220.55	-52.60	-15.60	3.308	0.929	5.226	0.995	297.7	1.443	4.740
8250	8250	218.85	-54.30	-15.68	3.182	0.927	5.066	0.993	296.6	1.434	4.706
8500	8501	217.15	-56.00	-15.75	3.060	0.924	4.909	0.992	295.4	1.424	4.672
8750	8751	217.15	-56.00	-14.13	2.942	0.922	4.720	0.982	295.4	1.424	4.672
9000	9001	217.15	-56.00	-12.50	2.829	0.920	4.538	0.973	295.4	1.424	4.672
9250	9252	217.15	-56.00	-10.88	2.719	0.918	4.363	0.964	295.4	1.424	4.672
9500	9502	217.15	-56.00	-9.25	2.615	0.917	4.195	0.956	295.4	1.424	4.672
9750	9753	217.15	-56.00	-7.63	2.514	0.915	4.033	0.948	295.4	1.424	4.672
10000	10003	217.15	-56.00	-6.00	2.417 + 2	0.914	3.877 - 1	0.939	295.4	1.424 - 5	4.672 - 6
10250	10253	217.15	-56.00	-4.38	2.324	0.913	3.728	0.932	295.4	1.424	4.672
10500	10504	217.15	-56.00	-2.75	2.234	0.913	3.584	0.924	295.4	1.424	4.672
10750	10754	217.15	-56.00	-1.13	2.148	0.912	3.446	0.917	295.4	1.424	4.672
11000	11005	217.15	-56.00	0.50	2.065	0.912	3.313	0.910	295.4	1.424	4.672
11500	11506	217.15	-56.00	0.50	1.909	0.912	3.062	0.911	295.4	1.424	4.672
12000	12007	217.15	-56.00	0.50	1.764	0.913	2.831	0.911	295.4	1.424	4.672
12500	12509	217.15	-56.00	0.50	1.631	0.913	2.616	0.911	295.4	1.424	4.672
13000	13010	217.15	-56.00	0.50	1.508	0.913	2.418	0.911	295.4	1.424	4.672
13500	13511	217.15	-56.00	0.50	1.393	0.913	2.236	0.911	295.4	1.424	4.672
14000	14013	217.15	-56.00	0.50	1.288 + 2	0.914	2.066 - 1	0.911	295.4	1.424 - 5	4.672 - 6
14500	14515	217.15	-56.00	0.50	1.191	0.914	1.910	0.911	295.4	1.424	4.672
15000	15016	217.15	-56.00	0.50	1.101	0.914	1.766	0.912	295.4	1.424	4.672
15500	15518	216.85	-56.30	0.20	1.017	0.914	1.634	0.913	295.2	1.423	4.666
16000	16020	216.55	-56.60	-0.10	9.401 + 1	0.914	1.512	0.914	295.0	1.421	4.660
16500	16522	216.25	-56.90	-0.40	8.688	0.914	1.400	0.915	294.8	1.419	4.654
17000	17024	215.95	-57.20	-0.70	8.028	0.914	1.295	0.916	294.6	1.418	4.648
17500	17526	215.65	-57.50	-1.00	7.417	0.913	1.198	0.917	294.4	1.416	4.642
18000	18028	215.35	-57.80	-1.30	6.851	0.913	1.108	0.918	294.2	1.414	4.636
18500	18530	215.05	-58.10	-1.60	6.329	0.912	1.025	0.919	294.0	1.413	4.629
19000	19033	214.75	-58.40	-1.90	5.845 + 1	0.912	9.482 - 2	0.920	293.8	1.411 - 5	4.623 - 6
19500	19535	214.45	-58.70	-2.20	5.398	0.911	8.769	0.920	293.6	1.409	4.617
20000	20037	214.15	-59.00	-2.50	4.984	0.910	8.108	0.921	293.4	1.408	4.611
20500	20540	213.85	-59.30	-3.30	4.602	0.909	7.497	0.923	293.2	1.406	4.605
21000	21043	213.55	-59.60	-4.10	4.248	0.908	6.930	0.926	293.0	1.405	4.599
21500	21545	213.25	-59.90	-4.90	3.922	0.907	6.406	0.928	292.7	1.403	4.593
22000	22048	212.95	-60.20	-5.70	3.619	0.905	5.921	0.929	292.5	1.401	4.587
22500	22551	212.65	-60.50	-6.50	3.340	0.903	5.472	0.930	292.3	1.400	4.581
23000	23054	212.35	-60.80	-7.30	3.082	0.901	5.057	0.932	292.1	1.398	4.575
23500	23557	212.05	-61.10	-8.10	2.844	0.898	4.672	0.932	291.9	1.396	4.569
24000	24060	211.75	-61.40	-8.90	2.624 + 1	0.895	4.316 - 2	0.933	291.7	1.395 - 5	4.563 - 6
24500	24563	211.45	-61.70	-9.70	2.420	0.892	3.987	0.933	291.5	1.393	4.557
25000	25067	211.15	-62.00	-10.50	2.232	0.889	3.683	0.933	291.3	1.391	4.551
25500	25570	211.65	-61.50	-10.50	2.059	0.886	3.389	0.930	291.6	1.394	4.561
26000	26073	212.15	-61.00	-10.50	1.899	0.882	3.119	0.926	292.0	1.397	4.571
26500	26577	212.65	-60.50	-10.50	1.753	0.879	2.871	0.922	292.3	1.400	4.581
27000	27080	213.15	-60.00	-10.50	1.618	0.876	2.644	0.919	292.7	1.402	4.591
27500	27584	213.65	-59.50	-10.50	1.493	0.872	2.435	0.915	293.0	1.405	4.601
28000	28088	214.15	-59.00	-10.50	1.379	0.869	2.243	0.912	293.4	1.408	4.611
28500	28592	214.65	-58.50	-10.50	1.273	0.866	2.066	0.908	293.7	1.411	4.621

TABLE 5.1.—Continued  
60° N. January

GEOMETRIC ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
Z, m	H, m'	T, °K	t, °C	T - T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , m sec <sup>-1</sup>	$\mu$ , kg m <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{\text{sec}^{-1}(\text{°K})^{-1}}$
0	0	257.28	-15.87	-30.87	1.01350 + 3	1.000	1.372 + 0	1.120	321.6	1.636 - 5	5.464 - 6
250	250	257.79	-15.36	-28.73	9.804 + 2	0.997	1.325	1.108	321.9	1.639	5.474
500	501	258.30	-14.85	-26.60	9.484	0.994	1.279	1.096	322.2	1.642	5.484
750	751	258.81	-14.34	-24.47	9.176	0.991	1.235	1.084	322.5	1.644	5.494
1000	1001	259.31	-13.84	-22.34	8.878	0.988	1.193	1.073	322.8	1.647	5.503
1250	1251	258.50	-14.65	-21.53	8.590	0.985	1.158	1.067	322.3	1.643	5.488
1500	1502	257.69	-15.46	-20.71	8.310	0.983	1.123	1.062	321.8	1.639	5.472
1750	1752	256.89	-16.26	-19.89	8.038	0.980	1.090	1.056	321.3	1.634	5.457
2000	2002	256.08	-17.07	-19.07	7.775	0.976	1.058	1.050	320.8	1.630	5.441
2250	2252	255.28	-17.87	-18.25	7.519	0.976	1.026	1.045	320.3	1.626	5.425
2500	2502	254.47	-18.68	-17.44	7.271 + 2	0.974	9.955 - 1	1.040	319.8	1.622 - 5	5.410 - 6
2750	2752	253.66	-19.49	-16.62	7.031	0.971	9.656	1.035	319.3	1.618	5.394
3000	3002	252.85	-20.30	-15.81	6.798	0.969	9.366	1.030	318.8	1.614	5.378
3250	3252	252.04	-21.11	-14.99	6.572	0.968	9.083	1.025	318.3	1.610	5.363
3500	3503	251.23	-21.92	-14.19	6.352	0.966	8.808	1.020	317.7	1.605	5.347
3750	3753	249.52	-23.63	-14.27	6.139	0.964	8.571	1.019	317.6	1.597	5.313
4000	4003	247.81	-25.34	-14.36	5.932	0.962	8.339	1.018	315.6	1.588	5.280
4250	4253	246.10	-27.05	-14.44	5.730	0.960	8.111	1.016	314.5	1.579	5.246
4500	4503	244.39	-28.76	-14.53	5.534	0.958	7.888	1.015	313.4	1.570	5.213
4750	4752	242.69	-30.46	-14.61	5.343	0.956	7.670	1.014	312.3	1.561	5.180
5000	5002	240.98	-32.17	-14.70	5.158 + 2	0.954	7.457 - 1	1.013	311.2	1.552 - 5	5.146 - 6
5250	5252	239.27	-33.88	-14.78	4.978	0.952	7.247	1.011	310.1	1.543	5.112
5500	5502	237.57	-35.58	-14.86	4.803	0.950	7.043	1.010	309.0	1.534	5.079
5750	5752	235.86	-37.29	-14.95	4.633	0.948	6.842	1.008	307.9	1.525	5.045
6000	6002	234.16	-38.99	-15.03	4.467	0.946	6.646	1.007	306.8	1.516	5.011
6250	6252	232.46	-40.69	-15.11	4.307	0.944	6.455	1.005	305.6	1.507	4.978
6500	6502	230.75	-42.40	-15.19	4.151	0.942	6.267	1.004	304.5	1.498	4.944
6750	6751	229.05	-44.10	-15.27	4.000	0.940	6.083	1.002	303.4	1.489	4.910
7000	7001	227.35	-45.80	-15.35	3.853	0.937	5.904	1.001	302.3	1.480	4.876
7250	7251	225.65	-47.50	-15.43	3.711	0.935	5.729	0.999	301.1	1.471	4.842
7500	7501	223.95	-49.20	-15.51	3.572 + 2	0.933	5.557 - 1	0.997	300.0	1.461 - 5	4.808 - 6
7750	7750	222.25	-50.90	-15.59	3.438	0.930	5.390	0.996	298.9	1.452	4.774
8000	8000	220.55	-52.60	-15.67	3.308	0.928	5.226	0.994	297.7	1.443	4.740
8250	8250	218.85	-54.30	-15.74	3.182	0.926	5.066	0.992	296.6	1.434	4.706
8500	8499	217.15	-56.00	-15.82	3.060	0.923	4.909	0.990	295.4	1.424	4.672
8750	8749	217.15	-56.00	-14.20	2.942	0.921	4.720	0.981	295.4	1.424	4.672
9000	8999	217.15	-56.00	-12.58	2.829	0.919	4.539	0.972	295.4	1.424	4.672
9250	9248	217.15	-56.00	-10.96	2.720	0.917	4.364	0.963	295.4	1.424	4.672
9500	9498	217.15	-56.00	-9.34	2.615	0.915	4.196	0.954	295.4	1.424	4.672
9750	9747	217.15	-56.00	-7.72	2.515	0.913	4.034	0.946	295.4	1.424	4.672
10000	9997	217.15	-56.00	-6.10	2.418 + 2	0.912	3.879 - 1	0.938	295.4	1.424 - 5	4.672 - 6
10250	10247	217.15	-56.00	-4.48	2.325	0.912	3.730	0.930	295.4	1.424	4.672
10500	10496	217.15	-56.00	-2.86	2.235	0.911	3.586	0.923	295.4	1.424	4.672
10750	10746	217.15	-56.00	-1.24	2.149	0.911	3.448	0.916	295.4	1.424	4.672
11000	10995	217.15	-56.00	0.38	2.067	0.910	3.315	0.909	295.4	1.424	4.672
11500	11494	217.15	-56.00	0.50	1.911	0.911	3.065	0.908	295.4	1.424	4.672
12000	11993	217.15	-56.00	0.50	1.766	0.911	2.834	0.909	295.4	1.424	4.672
12500	12491	217.15	-56.00	0.50	1.633	0.911	2.620	0.908	295.4	1.424	4.672
13000	12990	217.15	-56.00	0.50	1.510	0.911	2.422	0.909	295.4	1.424	4.672
13500	13489	217.15	-56.00	0.50	1.396	0.911	2.240	0.909	295.4	1.424	4.672
14000	13987	217.15	-56.00	0.50	1.291 + 2	0.911	2.071 - 1	0.909	295.4	1.424 - 5	4.672 - 6
14500	14485	217.15	-56.00	0.50	1.193	0.911	1.914	0.909	295.4	1.424	4.672
15000	14984	217.15	-56.00	0.50	1.103	0.911	1.770	0.909	295.4	1.424	4.672
15500	15482	216.86	-56.29	0.21	1.020	0.911	1.639	0.910	295.2	1.423	4.666
16000	15980	216.56	-56.59	-0.09	9.431 + 1	0.911	1.517	0.911	295.0	1.421	4.660
16500	16478	216.26	-56.89	-0.39	8.718	0.911	1.404	0.912	294.8	1.419	4.654
17000	16976	215.96	-57.19	-0.69	8.058	0.910	1.300	0.913	294.6	1.418	4.648
17500	17474	215.67	-57.48	-0.98	7.447	0.910	1.203	0.914	294.4	1.416	4.642
18000	17972	215.37	-57.78	-1.28	6.882	0.910	1.113	0.915	294.2	1.415	4.636
18500	18470	215.07	-58.08	-1.58	6.359	0.909	1.030	0.916	294.0	1.413	4.630
19000	18968	214.77	-58.38	-1.88	5.875 + 1	0.909	9.530 - 2	0.916	293.8	1.411 - 5	4.624 - 6
19500	19465	214.47	-58.68	-2.18	5.428	0.908	8.817	0.917	293.6	1.410	4.618
20000	19963	214.17	-58.98	-2.48	5.014	0.907	8.156	0.917	293.4	1.408	4.612
20500	20460	213.87	-59.28	-3.21	4.631	0.906	7.544	0.919	293.2	1.406	4.606
21000	20958	213.58	-59.57	-4.01	4.277	0.904	6.977	0.921	293.0	1.405	4.600
21500	21455	213.28	-59.87	-4.80	3.950	0.903	6.452	0.923	292.8	1.403	4.594
22000	21952	212.98	-60.17	-5.60	3.647	0.901	5.966	0.925	292.6	1.401	4.588
22500	22449	212.68	-60.47	-6.39	3.368	0.899	5.516	0.926	292.4	1.400	4.582
23000	22946	212.38	-60.77	-7.18	3.109	0.897	5.100	0.927	292.1	1.398	4.576
23500	23443	212.08	-61.07	-7.98	2.870	0.894	4.714	0.928	291.9	1.396	4.570
24000	23940	211.79	-61.36	-8.77	2.649 + 1	0.891	4.357 - 2	0.928	291.7	1.395 - 5	4.564 - 6
24500	24437	211.49	-61.66	-9.57	2.445	0.888	4.027	0.929	291.5	1.393	4.558
25000	24934	211.19	-61.96	-10.36	2.256	0.885	3.722	0.929	291.3	1.391	4.552
25500	25431	211.58	-61.57	-10.47	2.082	0.882	3.428	0.925	291.6	1.394	4.559
26000	25927	212.08	-61.07	-10.47	1.922	0.878	3.157	0.921	291.9	1.396	4.569
26500	26424	212.57	-60.58	-10.47	1.774	0.875	2.908	0.918	292.3	1.399	4.579
27000	26920	213.07	-60.08	-10.47	1.638	0.872	2.679	0.914	292.6	1.402	4.590
27500	27417	213.57	-59.58	-10.47	1.513	0.868	2.468	0.911	293.0	1.405	4.600
28000	27913	214.06	-59.09	-10.46	1.398	0.865	2.275	0.907	293.3	1.407	4.610
28500	28409	214.56	-58.59	-10.46	1.292	0.862	2.097	0.903	293.6	1.410	4.620

## GEOPOTENTIAL ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity				
$H, m'$	$Z, m$	$T, ^\circ K$	$t, ^\circ C$	$T - T_{std}$	$P, mb$	$\frac{P}{P_{std}}$	$\rho, kg\ m^{-3}$	$\frac{\rho}{\rho_{std}}$	$C_s, m\ sec^{-1}$	$\mu, kg\ m^{-1}\ sec^{-1}$	$k, cal\ m^{-1}\ sec^{-1}\ (^{\circ}K)^{-1}$				
29000	29096	215.15	-58.00	-10.50	1.176	+ 1	0.863	1.904	- 2	0.905	294.0	1.413	- 5	4.631	- 6
29500	29600	215.65	-57.50	-10.50	1.086		0.859	1.754		0.901	294.4	1.416		4.642	
30000	30104	216.15	-57.00	-10.50	1.003		0.856	1.617		0.898	294.7	1.419		4.652	
30500	30608	216.65	-56.50	-10.50	9.273	+ 0	0.853	1.491		0.894	295.1	1.422		4.662	
31000	31112	217.15	-56.00	-10.50	8.571		0.850	1.375		0.891	295.4	1.424		4.672	
31500	31616	217.65	-55.50	-10.50	7.923		0.847	1.268		0.888	295.7	1.427		4.682	
32000	32121	218.15	-55.00	-10.50	7.326		0.844	1.170		0.885	296.1	1.430		4.692	
33000	33130	219.15	-54.00	-12.30	6.266		0.837	9.961	- 3	0.885	296.8	1.435		4.712	
34000	34139	220.15	-53.00	-14.10	5.363		0.830	8.487		0.883	297.4	1.441		4.732	
35000	35149	222.65	-50.50	-14.40	4.597		0.822	7.192		0.876	299.1	1.454		4.782	
36000	36158	225.15	-48.00	-14.70	3.946	+ 0	0.815	6.106	- 3	0.868	300.8	1.468	- 5	4.832	- 6
37000	37169	227.65	-45.50	-15.00	3.393		0.807	5.193		0.860	302.5	1.481		4.882	
38000	38179	230.15	-43.00	-15.30	2.923		0.800	4.424		0.853	304.1	1.495		4.932	
39000	39190	232.65	-40.50	-15.60	2.522		0.792	3.776		0.845	305.8	1.508		4.981	
40000	40201	235.15	-38.00	-15.90	2.179		0.785	3.228		0.838	307.4	1.521		5.031	
41000	41213	237.65	-35.50	-16.20	1.886		0.778	2.764		0.831	309.0	1.535		5.080	
42000	42225	240.15	-33.00	-16.50	1.635		0.771	2.371		0.824	310.7	1.548		5.130	
43000	43237	242.65	-30.50	-16.80	1.419		0.764	2.037		0.817	312.3	1.561		5.179	
44000	44250	245.15	-28.00	-17.10	1.233		0.757	1.753		0.810	313.9	1.574		5.228	
45000	45262	247.65	-25.50	-17.40	1.074		0.750	1.510		0.803	315.5	1.587		5.277	
46000	46276	250.15	-23.00	-17.70	9.360	- 1	0.743	1.303	- 3	0.796	317.1	1.600	- 5	5.326	- 6
47000	47289	252.65	-20.50	-18.00	8.171		0.737	1.127		0.789	318.6	1.613		5.374	
48000	48303	255.15	-18.00	-15.50	7.142		0.731	9.751	- 4	0.775	320.2	1.626		5.423	
49000	49317	257.65	-15.50	-13.00	6.251		0.726	8.452		0.762	321.8	1.638		5.471	
50000	50331	260.15	-13.00	-10.50	5.478		0.721	7.336		0.750	323.3	1.651		5.520	
51000	51346	260.15	-13.00	-10.50	4.804		0.718	6.433		0.747	323.3	1.651		5.520	
52000	52361	260.15	-13.00	-10.50	4.213		0.714	5.641		0.743	323.3	1.651		5.520	
53000	53376	260.15	-13.00	-8.50	3.694		0.711	4.947		0.734	323.3	1.651		5.520	
54000	54392	260.15	-13.00	-6.50	3.240		0.708	4.338		0.726	323.3	1.651		5.520	
55000	55408	258.35	-14.80	-6.30	2.840		0.706	3.829		0.723	322.2	1.642		5.485	
56000	56425	256.55	-16.60	-6.10	2.487	- 1	0.704	3.377	- 4	0.720	321.1	1.633	- 5	5.450	- 6
57000	57441	254.75	-18.40	-5.90	2.176		0.702	2.975		0.718	320.0	1.624		5.415	
58000	58458	252.95	-20.20	-5.70	1.902		0.699	2.619		0.715	318.8	1.614		5.380	
59000	59476	251.15	-22.00	-5.50	1.661		0.697	2.304		0.713	317.7	1.605		5.345	
60000	60493	250.65	-22.50	-4.00	1.449		0.695	2.014		0.707	317.4	1.602		5.335	
61000	61511	250.15	-23.00	-2.50	1.264		0.694	1.761		0.701	317.1	1.600		5.326	
62000	62529	249.65	-23.50	1.00	1.103		0.694	1.539		0.691	316.7	1.597		5.316	
63000	63548	249.15	-24.00	4.50	9.617	- 2	0.695	1.345		0.683	316.4	1.595		5.306	
64000	64567	248.65	-24.50	8.00	8.384		0.697	1.175		0.675	316.1	1.592		5.296	
65000	65586	248.15	-25.00	11.50	7.307		0.702	1.026		0.669	315.8	1.590		5.287	
66000	66606	247.65	-25.50	15.00	6.366	- 2	0.707	8.955	- 5	0.664	315.5	1.587	- 5	5.277	- 6
67000	67626	247.15	-26.00	18.50	5.545		0.714	7.816		0.661	315.2	1.584		5.267	
68000	68646	246.65	-26.50	22.00	4.828		0.723	6.820		0.658	314.8	1.582		5.257	
69000	69666	246.15	-27.00	25.50	4.203		0.734	5.949		0.658	314.5	1.579		5.247	
70000	70687	243.95	-29.20	27.30	3.656		0.746	5.221		0.663	313.1	1.568		5.204	
71000	71709	241.75	-31.40	29.10	3.176		0.760	4.577		0.669	311.7	1.556		5.161	
72000	72730	239.55	-33.60	30.90	2.756		0.776	4.008		0.676	310.3	1.545		5.118	
73000	73752	237.35	-35.80	32.70	2.388		0.793	3.505		0.684	308.8	1.533		5.074	
74000	74774	235.15	-38.00	34.50	2.067		0.812	3.062		0.693	307.4	1.521		5.031	
75000	75797	232.95	-40.20	36.30	1.786		0.834	2.671		0.704	306.0	1.510		4.987	
76000	76819	230.75	-42.40	38.10	1.541	- 2	0.858	2.327	- 5	0.716	304.5	1.498	- 5	4.944	- 6
77000	77842	228.55	-44.60	39.90	1.328		0.884	2.025		0.730	303.1	1.486		4.900	
78000	78866	226.35	-46.80	41.70	1.143		0.914	1.759		0.745	301.6	1.474		4.856	
79000	79890	224.15	-49.00	43.50	9.821	- 3	0.946	1.526		0.763	300.1	1.463		4.812	
80000	80914	221.94	-51.21	41.29	8.427		0.981	1.323		0.799	298.7	1.451		4.768	
81000	81938	219.72	-53.43	39.07	7.219		1.015	1.144		0.835	297.2	1.439		4.724	
82000	82963	217.51	-55.64	36.86	6.175		1.049	9.888	- 6	0.871	295.7	1.427		4.680	
83000	83988	215.29	-57.86	34.64	5.273		1.083	8.530		0.908	294.2	1.414		4.636	
84000	85014	213.06	-60.07	32.43	4.496		1.115	7.348		0.945	292.7	1.402		4.591	
85000	86039	210.86	-62.29	30.21	3.827		1.147	6.320		0.982	291.2	1.390		4.547	
86000	87065	208.65	-64.50	28.00	3.252	- 3	1.177	5.427	- 6	1.019	289.6	1.378	- 5	4.502	- 6
87000	88092	206.45	-66.72	25.78	2.759		1.207	4.653		1.056	288.1	1.366		4.457	
88000	89118	204.22	-68.93	23.57	2.336		1.235	3.982		1.092	286.6	1.353		4.413	
89000	90146	201.98	-71.17	20.54	1.975		1.261	3.403		1.132	285.0	1.341		4.368	
90000	91173	203.96	-69.19	19.45	1.669		1.285	2.845		1.160	286.6	1.353		4.413	
92000	93229	207.91	-65.24	17.30	1.199		1.328	2.001		1.213	289.6	1.378		4.502	
94000	95286	211.67	-61.46	14.96	8.672	- 4	1.367	1.417		1.263	292.7	1.402		4.591	
96000	97344	214.64	-59.51	11.88	6.314		1.401	1.011		1.307	295.7	1.427		4.680	
98000	99404	217.65	-57.52	8.92	4.627		1.430	7.262	- 7	1.348	298.7	1.451		4.768	
100000	101465	220.62	-55.53	2.92	3.411		1.452	5.250		1.402	301.6	1.474		4.856	
102000	103527	228.45	-44.76	0.86	2.538	- 4	1.465	3.751	- 7	1.424	307.8	1.524	- 5	5.042	- 6
104000	105591	236.25	-38.90	-1.11	1.910		1.477	2.715		1.443	313.8	1.574		5.226	
106000	107655	244.03	-29.12	-2.90	1.453		1.485	1.989		1.458	319.8	1.622		5.409	
108000	109722	251.80	-21.35	-4.64	1.116		1.492	1.474		1.471	325.6	1.669		5.590	
110000	111789	259.57	-13.58	-15.67	8.652	- 5	1.490	1.103		1.528	331.3	1.716		5.769	
112000	113858	270.25	-5.10	-16.32	6.798		1.482	8.055	- 8	1.516	343.7	1.818		6.163	
114000	115928	290.06	25.71	-16.90	5.431		1.475	6.009		1.506	355.7	1.916		6.549	
116000	118000	315.42	42.27	-17.30	4.402		1.469	4.567		1.498	367.3	2.011		6.927	

TABLE 5.1.—Continued  
60° N. January

GEOMETRIC ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
Z, m	H, m'	T, °K	t, °C	T - T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , m sec <sup>-1</sup>	$\mu$ , kg m <sup>-1</sup> sec <sup>-1</sup>	$k$ , kcal m <sup>-1</sup> sec <sup>-1</sup> (°K) <sup>-1</sup>
29000	28905	215.06	-58.09	-10.46	1.194 + 1	0.859	1.933 - 2	0.900	294.0	1.413 - 5	4.630 - 6
29500	29401	215.55	-57.60	-10.46	1.103	0.855	1.783	0.897	294.3	1.416	4.640
30000	29897	216.05	-57.10	-10.46	1.020	0.852	1.645	0.893	294.7	1.418	4.650
30500	30393	216.54	-56.61	-10.46	9.431 + 0	0.849	1.517	0.890	295.0	1.421	4.660
31000	30889	217.04	-56.11	-10.46	8.722	0.846	1.400	0.887	295.3	1.424	4.670
31500	31385	217.53	-55.62	-10.46	8.068	0.843	1.292	0.883	295.7	1.426	4.680
32000	31880	218.03	-55.12	-10.46	7.464	0.840	1.193	0.880	296.0	1.429	4.689
33000	32872	219.02	-54.13	-11.95	6.393	0.833	1.017	0.879	296.7	1.435	4.709
34000	33862	220.01	-53.14	-13.73	5.479	0.826	8.676 - 3	0.878	297.4	1.440	4.729
35000	34853	222.28	-50.87	-14.23	4.702	0.818	7.368	0.871	298.9	1.452	4.775
36000	35843	224.76	-48.39	-14.52	4.041 + 0	0.811	6.264 - 3	0.863	300.5	1.466 - 5	4.824 - 6
37000	36833	227.23	-45.92	-14.82	3.480	0.803	5.334	0.855	302.2	1.479	4.874
38000	37823	229.71	-43.44	-15.11	3.001	0.796	4.551	0.848	303.8	1.492	4.923
39000	38812	232.18	-40.97	-15.40	2.592	0.788	3.890	0.841	305.5	1.506	4.972
40000	39801	234.65	-38.50	-15.70	2.243	0.781	3.330	0.833	307.1	1.519	5.021
41000	40789	237.12	-36.03	-15.99	1.944	0.774	2.856	0.826	308.7	1.532	5.070
42000	41778	239.59	-33.56	-16.28	1.687	0.767	2.453	0.819	310.3	1.545	5.119
43000	42766	242.06	-31.09	-16.58	1.466	0.760	2.110	0.812	311.9	1.558	5.167
44000	43754	244.53	-28.62	-16.87	1.277	0.753	1.819	0.805	313.5	1.571	5.216
45000	44741	247.00	-26.15	-17.16	1.113	0.746	1.569	0.798	315.1	1.584	5.264
46000	45728	249.47	-23.68	-17.45	9.714 - 1	0.740	1.357 - 3	0.791	316.6	1.596 - 5	5.312 - 6
47000	46715	251.94	-21.21	-17.75	8.492	0.733	1.174	0.785	318.2	1.609	5.360
48000	47701	254.40	-18.75	-18.25	7.434	0.727	1.018	0.773	319.7	1.622	5.408
49000	48688	256.87	-16.28	-13.78	6.516	0.721	8.837 - 4	0.760	321.3	1.634	5.456
50000	49673	259.33	-13.82	-11.32	5.719	0.717	7.682	0.748	322.8	1.647	5.504
51000	50659	260.15	-13.00	-10.50	5.024	0.713	6.728	0.742	323.3	1.651	5.520
52000	51644	260.15	-13.00	-10.50	4.414	0.709	5.911	0.738	323.3	1.651	5.520
53000	52629	260.15	-13.00	-9.38	3.879	0.706	5.194	0.731	323.3	1.651	5.520
54000	53614	260.15	-13.00	-7.41	3.408	0.703	4.564	0.723	323.3	1.651	5.520
55000	54598	259.07	-14.08	-6.52	2.994	0.700	4.027	0.718	322.7	1.646	5.499
56000	55582	257.30	-15.85	-6.33	2.629 - 1	0.698	3.559 - 4	0.715	321.6	1.637 - 5	5.465 - 6
57000	56566	255.53	-17.62	-6.13	2.306	0.696	3.144	0.713	320.5	1.628	5.430
58000	57549	253.76	-19.39	-5.94	2.021	0.694	2.774	0.710	319.3	1.618	5.396
59000	58533	251.99	-21.16	-5.74	1.770	0.692	2.446	0.707	318.2	1.609	5.361
60000	59515	250.89	-22.26	-4.88	1.548	0.689	2.150	0.703	317.5	1.604	5.340
61000	60498	250.40	-22.75	-3.41	1.354	0.688	1.884	0.697	317.2	1.601	5.330
62000	61480	249.91	-23.24	-1.14	1.184	0.687	1.651	0.690	316.9	1.599	5.321
63000	62462	249.42	-23.73	2.30	1.035	0.687	1.446	0.680	316.6	1.596	5.311
64000	63444	248.93	-24.22	5.73	9.050 - 2	0.688	1.266	0.672	316.3	1.594	5.302
65000	64425	248.44	-24.71	9.16	7.908	0.691	1.109	0.666	316.0	1.591	5.292
66000	65406	247.95	-25.20	12.58	6.909	0.695	9.708 - 5	0.660	315.7	1.589 - 5	5.283 - 6
67000	66387	247.46	-25.69	16.01	6.035	0.701	8.496	0.656	315.4	1.586	5.273
68000	67367	246.97	-26.18	19.44	5.271	0.708	7.435	0.652	315.0	1.583	5.263
69000	68347	246.48	-26.67	22.86	4.602	0.717	6.504	0.650	314.7	1.581	5.254
70000	69327	245.43	-27.72	25.73	4.017	0.728	5.701	0.651	314.1	1.575	5.233
71000	70306	243.28	-29.87	27.49	3.503	0.740	5.016	0.656	312.7	1.564	5.191
72000	71285	241.12	-32.03	29.25	3.051	0.753	4.408	0.662	311.3	1.553	5.149
73000	72264	238.97	-34.18	31.00	2.654	0.768	3.869	0.669	309.9	1.542	5.106
74000	73243	236.82	-36.33	32.76	2.306	0.785	3.392	0.676	308.5	1.530	5.064
75000	74221	234.66	-38.49	34.51	2.001	0.804	2.971	0.685	307.1	1.519	5.021
76000	75199	232.51	-40.64	36.27	1.735 - 2	0.824	2.599 - 5	0.696	305.7	1.507 - 5	4.979 - 6
77000	76177	230.36	-42.79	38.02	1.501	0.847	2.271	0.707	304.3	1.496	4.936
78000	77154	228.21	-44.94	39.78	1.298	0.872	1.981	0.721	302.8	1.484	4.893
79000	78131	226.06	-47.09	41.53	1.121	0.901	1.727	0.735	301.4	1.473	4.850
80000	79108	223.91	-49.24	43.26	9.661 - 3	0.932	1.503	0.752	300.0	1.461	4.807
81000	80084	221.75	-51.40	41.10	8.318	0.965	1.307	0.786	298.5	1.450	4.764
82000	81060	219.59	-53.56	38.94	7.152	0.998	1.134	0.821	297.1	1.438	4.721
83000	82036	217.43	-55.72	36.78	6.140	1.030	9.835 - 6	0.855	295.6	1.426	4.678
84000	83012	215.27	-57.88	34.62	5.263	1.061	8.516	0.890	294.2	1.414	4.635
85000	83987	213.11	-60.04	32.46	4.505	1.092	7.363	0.926	292.7	1.402	4.592
86000	84962	210.95	-62.20	30.30	3.851 - 3	1.122	6.357 - 6	0.961	291.2	1.391 - 5	4.548 - 6
87000	85936	208.79	-64.36	28.14	3.286	1.151	5.480	0.996	289.7	1.379	4.505
88000	86911	206.63	-66.52	25.98	2.800	1.179	4.717	1.030	288.2	1.367	4.461
89000	87885	204.48	-68.67	23.83	2.381	1.205	4.055	1.064	286.7	1.355	4.418
90000	88858	202.32	-70.83	21.67	2.022	1.230	3.480	1.098	285.2	1.343	4.374
92000	90805	205.55	-67.00	18.93	1.460	1.275	2.467	1.155	287.8	1.363	4.449
94000	92750	209.38	-63.77	16.82	1.061	1.315	1.757	1.204	290.8	1.387	4.536
96000	94694	212.70	-60.45	14.25	7.762 - 4	1.350	1.260	1.250	293.7	1.411	4.622
98000	96637	215.59	-57.56	11.31	5.715	1.381	9.093 - 7	1.291	296.6	1.434	4.708
100000	98579	218.49	-54.66	8.47	4.234	1.407	6.607	1.328	299.5	1.458	4.794
102000	100519	222.66	-50.49	3.00	3.155 - 4	1.426	4.805 - 7	1.376	303.2	1.487 - 5	4.905 - 6
104000	102459	230.24	-42.91	1.06	2.375	1.440	3.479	1.396	309.2	1.536	5.084
106000	104397	237.79	-35.36	0.79	1.807	1.451	2.550	1.414	315.0	1.583	5.263
108000	106334	245.33	-27.82	-2.52	1.389	1.459	1.891	1.429	320.7	1.630	5.439
110000	108269	252.85	-20.30	-4.15	1.078	1.466	1.417	1.441	326.4	1.676	5.614
112000	110204	261.48	-11.87	-14.37	8.435 - 5	1.464	1.067	1.492	332.6	1.727	5.810
114000	112137	270.33	0.38	-14.99	6.691	1.457	7.890 - 8	1.483	344.6	1.824	6.190
116000	114069	279.50	24.35	-15.51	5.391	1.451	5.950	1.475	356.1	1.919	6.562
118000	116000	315.42	42.27	-15.91	4.402	1.447	4.567	1.468	367.3	2.011	6.927

TABLE 5.1.—Continued  
60° N. January (Cold)

GEOPOTENTIAL ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
H, m'	Z, m	T, °K	t, °C	T-T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho, \text{kg m}^{-3}$	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> m sec <sup>-1</sup>	$\mu$ kg m <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{\text{sec}^{-1}(\text{°K})^{-1}}$
0	0	257.28	-15.87	-30.87	1.01350 + 3	1.000	1.372 + 0	1.120	321.6	1.636 - 5	5.464 - 6
250	250	257.79	-15.36	-28.73	9.804 + 2	0.997	1.325	1.108	321.9	1.639	5.474
500	499	258.30	-14.85	-26.60	9.485	0.994	1.279	1.096	322.2	1.642	5.484
750	749	258.80	-14.35	-24.47	9.177	0.991	1.235	1.085	322.5	1.644	5.494
1000	999	259.31	-13.84	-22.34	8.879	0.988	1.193	1.073	322.8	1.647	5.503
1250	1249	259.81	-13.34	-20.20	8.591	0.985	1.158	1.067	322.3	1.643	5.488
1500	1498	257.70	-15.45	-20.70	8.312	0.983	1.124	1.062	321.8	1.639	5.472
1750	1748	256.89	-16.26	-19.88	8.040	0.981	1.090	1.057	321.3	1.634	5.457
2000	1998	256.09	-17.06	-19.06	7.777	0.978	1.058	1.052	320.8	1.630	5.441
2250	2248	255.28	-17.87	-18.24	7.521	0.976	1.026	1.046	320.3	1.626	5.425
2500	2498	254.47	-18.68	-17.43	7.274 + 2	0.974	9.957 - 1	1.041	319.8	1.622 - 5	5.410 - 6
2750	2748	253.67	-19.48	-16.61	7.033	0.972	9.659	1.035	319.3	1.618	5.394
3000	2998	252.86	-20.29	-15.79	6.800	0.970	9.368	1.030	318.8	1.614	5.378
3250	3248	252.05	-21.10	-14.97	6.574	0.968	9.086	1.025	318.3	1.610	5.363
3500	3497	251.24	-21.91	-14.16	6.354	0.966	8.811	1.021	317.8	1.606	5.347
3750	3747	249.53	-23.62	-14.24	6.141	0.964	8.574	1.019	317.7	1.597	5.314
4000	3997	247.82	-25.33	-14.33	5.934	0.963	8.341	1.018	315.6	1.588	5.280
4250	4247	246.12	-27.03	-14.41	5.732	0.961	8.114	1.017	314.5	1.579	5.247
4500	4497	244.41	-28.74	-14.49	5.536	0.959	7.891	1.016	313.4	1.570	5.213
4750	4748	242.70	-30.45	-14.57	5.345	0.957	7.672	1.015	312.3	1.561	5.180
5000	4998	241.00	-32.15	-14.65	5.160 + 2	0.955	7.459 - 1	1.013	311.2	1.552 - 5	5.166 - 6
5250	5248	239.29	-33.86	-14.73	4.980	0.953	7.249	1.012	310.1	1.543	5.113
5500	5498	237.58	-35.57	-14.82	4.804	0.951	7.045	1.011	309.0	1.534	5.079
5750	5748	235.88	-37.27	-14.90	4.634	0.949	6.844	1.009	307.9	1.525	5.045
6000	5998	234.17	-38.98	-14.98	4.469	0.947	6.648	1.008	306.8	1.516	5.012
6250	6248	232.47	-40.68	-15.06	4.308	0.945	6.456	1.006	305.7	1.507	4.978
6500	6498	230.76	-42.39	-15.14	4.152	0.943	6.268	1.005	304.5	1.498	4.944
6750	6749	229.06	-44.09	-15.21	4.001	0.941	6.084	1.003	303.4	1.489	4.910
7000	6999	227.36	-45.79	-15.29	3.854	0.939	5.905	1.002	302.3	1.480	4.876
7250	7249	225.66	-47.49	-15.37	3.711	0.936	5.729	1.000	301.1	1.471	4.842
7500	7499	223.95	-49.20	-15.45	3.573 + 2	0.934	5.558 - 1	0.998	300.0	1.461 - 5	4.808 - 6
7750	7750	222.25	-50.90	-15.52	3.439	0.932	5.390	0.997	298.9	1.452	4.774
8000	8000	220.55	-52.60	-15.60	3.308	0.929	5.226	0.995	297.7	1.443	4.740
8250	8250	218.85	-54.30	-15.68	3.182	0.927	5.066	0.993	296.6	1.434	4.706
8500	8501	217.15	-56.00	-15.75	3.060	0.924	4.909	0.992	295.4	1.424	4.672
8750	8751	217.15	-56.00	-14.13	2.942	0.922	4.720	0.982	295.4	1.424	4.672
9000	9001	217.15	-56.00	-12.50	2.829	0.920	4.538	0.973	295.4	1.424	4.672
9250	9252	217.15	-56.00	-10.88	2.719	0.918	4.363	0.964	295.4	1.424	4.672
9500	9502	217.15	-56.00	-9.25	2.615	0.917	4.195	0.956	295.4	1.424	4.672
9750	9753	217.15	-56.00	-7.63	2.514	0.915	4.033	0.948	295.4	1.424	4.672
10000	10003	217.15	-56.00	-6.00	2.417 + 2	0.914	3.877 - 1	0.939	295.4	1.424 - 5	4.672 - 6
10250	10253	217.15	-56.00	-4.38	2.324	0.913	3.728	0.932	295.4	1.424	4.672
10500	10504	217.15	-56.00	-2.75	2.234	0.913	3.584	0.924	295.4	1.424	4.672
10750	10754	217.15	-56.00	-1.13	2.148	0.912	3.446	0.917	295.4	1.424	4.672
11000	11005	217.15	-56.00	0.50	2.065	0.912	3.313	0.910	295.4	1.424	4.672
11500	11506	217.15	-56.00	0.50	1.909	0.912	3.062	0.911	295.4	1.424	4.672
12000	12007	217.15	-56.00	0.50	1.764	0.913	2.831	0.911	295.4	1.424	4.672
12500	12509	216.65	-56.50	-0.00	1.631	0.913	2.622	0.913	295.1	1.422	4.662
13000	13010	216.15	-57.00	-0.50	1.507	0.913	2.429	0.915	294.7	1.419	4.652
13500	13511	215.65	-57.50	-1.00	1.392	0.912	2.249	0.917	294.4	1.416	4.642
14000	14013	215.15	-58.00	-1.50	1.286 + 2	0.912	2.083 - 1	0.918	294.0	1.413 - 5	4.631 - 6
14500	14515	214.65	-58.50	-2.00	1.188	0.912	1.928	0.920	293.7	1.411	4.621
15000	15016	214.15	-59.00	-2.50	1.097	0.911	1.784	0.921	293.4	1.408	4.611
15500	15518	213.65	-59.50	-3.00	1.013	0.910	1.651	0.923	293.0	1.405	4.601
16000	16020	213.15	-60.00	-3.50	9.348 + 1	0.908	1.528	0.924	292.7	1.402	4.591
16500	16522	212.65	-60.50	-4.00	8.628	0.908	1.413	0.924	292.3	1.400	4.581
17000	17024	212.15	-61.00	-4.50	7.961	0.906	1.307	0.925	292.0	1.397	4.571
17500	17526	211.65	-61.50	-5.00	7.344	0.904	1.209	0.926	291.6	1.394	4.561
18000	18028	211.15	-62.00	-5.50	6.774	0.903	1.118	0.926	291.3	1.391	4.551
18500	18530	210.65	-62.50	-6.00	6.247	0.901	1.033	0.927	291.0	1.388	4.541
19000	19033	210.15	-63.00	-6.50	5.760 + 1	0.899	9.549 - 2	0.926	290.6	1.386 - 5	4.530 - 6
19500	19535	209.65	-63.50	-7.00	5.310	0.896	8.823	0.926	290.3	1.383	4.520
20000	20037	209.15	-64.00	-7.50	4.894	0.894	8.152	0.926	289.9	1.380	4.510
20500	20540	208.65	-64.50	-8.00	4.510	0.891	7.530	0.928	289.6	1.377	4.500
21000	21043	208.15	-65.00	-8.50	4.155	0.888	6.954	0.929	289.2	1.374	4.490
21500	21545	207.65	-65.50	-9.00	3.827	0.885	6.421	0.930	288.9	1.372	4.480
22000	22048	207.15	-66.00	-9.50	3.525	0.881	5.927	0.930	288.5	1.369	4.470
22500	22551	206.65	-66.50	-10.00	3.245	0.877	5.471	0.930	288.2	1.366	4.459
23000	23054	206.15	-67.00	-10.50	2.987	0.873	5.048	0.930	287.8	1.363	4.449
23500	23557	205.65	-67.50	-11.00	2.750	0.868	4.658	0.930	287.5	1.360	4.439
24000	24060	205.15	-68.00	-11.50	2.530 + 1	0.864	4.297 - 2	0.929	287.1	1.358 - 5	4.429 - 6
24500	24563	204.65	-68.50	-12.00	2.328	0.858	3.963	0.927	286.8	1.355	4.419
25000	25067	204.15	-69.00	-12.50	2.141	0.853	3.654	0.926	286.4	1.352	4.409
25500	25570	203.65	-69.50	-13.00	1.969	0.847	3.368	0.924	286.1	1.349	4.398
26000	26073	203.15	-70.00	-13.50	1.811	0.841	3.105	0.922	285.7	1.346	4.388
26500	26577	202.65	-70.50	-14.00	1.664	0.835	2.861	0.919	285.4	1.344	4.378
27000	27080	202.15	-71.00	-14.50	1.530	0.828	2.636	0.916	285.0	1.341	4.368
27500	27584	201.65	-71.50	-15.00	1.406	0.821	2.428	0.913	284.7	1.338	4.358
28000	28088	201.15	-72.00	-15.50	1.291	0.814	2.236	0.909	284.3	1.335	4.347
28500	28592	200.65	-72.50	-16.00	1.186	0.807	2.059	0.905	284.0	1.332	4.337

TABLE 5.1.—Continued  
60° N. January (Cold)  
GEOMETRIC ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
Z, m	H, m'	T, °K	t, °C	T - T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho, \text{kg m}^{-3}$	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> m sec <sup>-1</sup>	$\mu$ kg m <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{\text{sec}^{-1}(\text{°K})^{-1}}$
0	0	257.28	-15.87	-30.87	1.01350 + 3	1.000	1.372 + 0	1.120	321.6	1.636 - 5	5.464 - 6
250	250	257.79	-15.36	-28.73	9.804 + 2	0.997	1.325	1.108	321.9	1.639	5.474
500	501	258.30	-14.85	-26.60	9.484	0.994	1.279	1.096	322.2	1.642	5.484
750	751	258.81	-14.34	-24.47	9.176	0.991	1.235	1.084	322.5	1.644	5.494
1000	1001	259.31	-13.84	-22.34	8.878	0.988	1.193	1.073	322.8	1.647	5.503
1250	1251	259.80	-13.33	-20.21	8.590	0.985	1.158	1.062	323.1	1.649	5.512
1500	1502	259.29	-12.82	-18.08	8.310	0.982	1.123	1.051	323.4	1.652	5.521
1750	1752	258.78	-12.31	-15.95	8.038	0.980	1.088	1.040	323.7	1.654	5.530
2000	2002	258.27	-11.80	-13.82	7.775	0.978	1.053	1.029	324.0	1.657	5.539
2250	2252	257.76	-11.29	-11.69	7.519	0.976	1.018	1.018	324.3	1.659	5.548
2500	2502	254.47	-18.68	-17.44	7.271 + 2	0.974	9.955 - 1	1.040	319.8	1.622 - 5	5.410 - 6
2750	2752	253.66	-19.49	-16.62	7.031	0.971	9.656	1.035	319.3	1.618	5.394
3000	3002	252.85	-20.30	-15.81	6.798	0.969	9.366	1.030	318.8	1.614	5.378
3250	3252	252.04	-21.11	-14.99	6.572	0.968	9.083	1.025	318.3	1.610	5.363
3500	3503	251.23	-21.92	-14.19	6.352	0.966	8.808	1.020	317.7	1.605	5.347
3750	3753	249.52	-23.63	-14.27	6.139	0.964	8.571	1.019	317.6	1.597	5.331
4000	4003	247.81	-25.34	-14.36	5.932	0.962	8.339	1.018	315.6	1.588	5.280
4250	4253	246.10	-27.05	-14.44	5.730	0.960	8.111	1.016	314.5	1.579	5.246
4500	4503	244.39	-28.76	-14.53	5.534	0.958	7.888	1.015	313.4	1.570	5.213
4750	4752	242.69	-30.46	-14.61	5.343	0.956	7.670	1.014	312.3	1.561	5.180
5000	5002	240.98	-32.17	-14.70	5.158 + 2	0.954	7.457 - 1	1.013	311.2	1.552 - 5	5.146 - 6
5250	5252	239.27	-33.88	-14.78	4.978	0.952	7.247	1.011	310.1	1.543	5.112
5500	5502	237.57	-35.58	-14.86	4.803	0.950	7.043	1.010	309.0	1.534	5.079
5750	5752	235.86	-37.29	-14.95	4.633	0.948	6.842	1.008	307.9	1.525	5.045
6000	6002	234.16	-38.99	-15.03	4.467	0.946	6.646	1.007	306.8	1.516	5.011
6250	6252	232.46	-40.69	-15.11	4.307	0.944	6.455	1.005	305.6	1.507	4.978
6500	6502	230.75	-42.40	-15.19	4.151	0.942	6.267	1.004	304.5	1.498	4.944
6750	6751	229.05	-44.10	-15.27	4.000	0.940	6.083	1.002	303.4	1.489	4.910
7000	7001	227.35	-45.80	-15.35	3.853	0.937	5.904	1.001	302.3	1.480	4.876
7250	7251	225.65	-47.50	-15.43	3.711	0.935	5.729	0.999	301.1	1.471	4.842
7500	7501	223.95	-49.20	-15.51	3.572 + 2	0.933	5.557 - 1	0.997	300.0	1.461 - 5	4.808 - 6
7750	7750	222.25	-50.90	-15.59	3.438	0.930	5.390	0.996	298.9	1.452	4.774
8000	8000	220.55	-52.60	-15.67	3.308	0.928	5.226	0.994	297.7	1.443	4.740
8250	8250	218.85	-54.30	-15.74	3.182	0.926	5.066	0.992	296.6	1.434	4.706
8500	8499	217.15	-56.00	-15.82	3.060	0.923	4.909	0.990	295.4	1.424	4.672
8750	8749	217.15	-56.00	-14.20	2.942	0.921	4.720	0.981	295.4	1.424	4.672
9000	8999	217.15	-56.00	-12.58	2.829	0.919	4.539	0.972	295.4	1.424	4.672
9250	9248	217.15	-56.00	-10.96	2.720	0.917	4.364	0.963	295.4	1.424	4.672
9500	9498	217.15	-56.00	-9.34	2.615	0.915	4.196	0.954	295.4	1.424	4.672
9750	9747	217.15	-56.00	-7.72	2.515	0.913	4.034	0.946	295.4	1.424	4.672
10000	9997	217.15	-56.00	-6.10	2.418 + 2	0.912	3.879 - 1	0.938	295.4	1.424 - 5	4.672 - 6
10250	10247	217.15	-56.00	-4.48	2.325	0.912	3.730	0.930	295.4	1.424	4.672
10500	10496	217.15	-56.00	-2.86	2.235	0.911	3.586	0.923	295.4	1.424	4.672
10750	10746	217.15	-56.00	-1.24	2.149	0.911	3.448	0.916	295.4	1.424	4.672
11000	10995	217.15	-56.00	0.38	2.067	0.910	3.315	0.909	295.4	1.424	4.672
11500	11494	217.15	-56.00	0.50	1.911	0.911	3.065	0.908	295.4	1.424	4.672
12000	11993	217.15	-56.00	0.50	1.766	0.911	2.834	0.909	295.4	1.424	4.672
12500	12491	216.66	-56.49	0.01	1.633	0.911	2.626	0.910	295.1	1.422	4.662
13000	12990	216.16	-56.99	-0.49	1.509	0.910	2.433	0.912	294.7	1.419	4.652
13500	13489	215.66	-57.49	-0.99	1.395	0.910	2.253	0.914	294.4	1.416	4.642
14000	13987	215.16	-57.99	-1.49	1.289 + 2	0.910	2.087 - 1	0.916	294.1	1.413 - 5	4.632 - 6
14500	14485	214.66	-58.49	-1.99	1.191	0.909	1.932	0.918	293.7	1.411	4.622
15000	14984	214.17	-58.98	-2.48	1.100	0.908	1.789	0.918	293.4	1.408	4.612
15500	15482	213.67	-59.48	-2.98	1.016	0.907	1.656	0.919	293.0	1.405	4.602
16000	15980	213.17	-59.98	-3.48	9.378 + 1	0.906	1.533	0.920	292.7	1.402	4.592
16500	16478	212.67	-60.48	-3.98	8.658	0.904	1.418	0.922	292.3	1.400	4.581
17000	16976	212.17	-60.98	-4.48	7.991	0.903	1.312	0.922	292.0	1.397	4.571
17500	17474	211.68	-61.47	-4.97	7.375	0.901	1.214	0.922	291.7	1.394	4.561
18000	17972	211.18	-61.97	-5.47	6.805	0.900	1.123	0.923	291.3	1.391	4.551
18500	18470	210.68	-62.47	-5.97	6.278	0.897	1.038	0.923	291.0	1.389	4.541
19000	18968	210.18	-62.97	-6.47	5.791 + 1	0.895	9.598 - 2	0.923	290.6	1.386 - 5	4.531 - 6
19500	19465	209.68	-63.47	-6.97	5.340	0.893	8.872	0.923	290.3	1.383	4.521
20000	19963	209.19	-63.96	-7.46	4.924	0.891	8.200	0.922	289.9	1.380	4.511
20500	20460	208.69	-64.46	-7.96	4.539	0.888	7.577	0.924	289.6	1.378	4.501
21000	20958	208.19	-64.96	-8.46	4.184	0.885	7.001	0.925	289.3	1.375	4.491
21500	21455	207.70	-65.45	-8.96	3.856	0.881	6.467	0.925	288.9	1.372	4.481
22000	21952	207.20	-65.95	-9.46	3.552	0.878	5.973	0.926	288.6	1.369	4.471
22500	22449	206.70	-66.45	-9.96	3.273	0.874	5.515	0.926	288.2	1.366	4.461
23000	22946	206.20	-66.95	-10.46	3.014	0.869	5.092	0.926	287.9	1.364	4.450
23500	23443	205.71	-67.44	-10.96	2.776	0.865	4.701	0.925	287.5	1.361	4.440
24000	23940	205.21	-67.94	-11.46	2.556 + 1	0.860	4.338 - 2	0.924	287.2	1.358 - 5	4.430 - 6
24500	24437	204.71	-68.44	-11.96	2.352	0.855	4.003	0.923	286.8	1.355	4.420
25000	24934	204.22	-68.93	-12.46	2.165	0.849	3.693	0.921	286.5	1.352	4.410
25500	25431	203.72	-69.43	-12.96	1.992	0.843	3.407	0.919	286.1	1.350	4.400
26000	25927	203.22	-69.93	-13.46	1.833	0.838	3.142	0.917	285.8	1.347	4.390
26500	26424	202.73	-70.42	-13.96	1.686	0.831	2.897	0.914	285.4	1.344	4.380
27000	26920	202.23	-70.92	-14.46	1.550	0.825	2.671	0.912	285.1	1.341	4.370
27500	27417	201.73	-71.42	-14.96	1.426	0.818	2.462	0.908	284.7	1.338	4.359
28000	27913	201.24	-71.91	-15.46	1.311	0.811	2.269	0.905	284.4	1.336	4.349
28500	28409	200.74	-72.41	-15.96	1.205	0.804	2.090	0.901	284.0	1.333	4.339



TABLE 5.1.—Continued  
60° N. ALTITUDE (Cold)  
GEOPOTENTIAL ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure			Density		Sound speed	Coefficient of viscosity	Thermal conductivity
H, m'	Z, m	T, °K	t, °C	T-T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , m sec <sup>-1</sup>	$\mu$ , kg m <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{sec^{-1}(°K)^{-1}}$	
29000	29096	200.15	-73.00	-25.50	1.089 + 1	0.799	1.896 - 2	0.901	283.6	1.329 - 5	4.327 - 6	
29500	29600	199.65	-73.50	-26.50	9.999 + 0	0.791	1.745	0.896	283.3	1.327	4.317	
30000	30104	199.15	-74.00	-27.50	9.178	0.783	1.606	0.891	282.9	1.324	4.307	
30500	30608	199.85	-73.30	-27.30	8.425	0.775	1.469	0.881	283.4	1.328	4.321	
31000	31112	200.55	-72.60	-27.10	7.736	0.767	1.344	0.871	283.9	1.332	4.335	
31500	31616	201.25	-71.90	-26.90	7.105	0.760	1.230	0.861	284.4	1.336	4.350	
32000	32121	201.95	-71.20	-26.70	6.528	0.752	1.126	0.852	284.9	1.340	4.364	
33000	33130	203.35	-69.80	-28.10	5.515	0.737	9.449 - 3	0.839	285.9	1.348	4.392	
34000	34139	204.75	-68.40	-29.50	4.665	0.722	7.937	0.826	286.9	1.355	4.421	
35000	35149	206.15	-67.00	-30.90	3.950	0.707	6.676	0.813	287.8	1.363	4.449	
36000	36158	210.55	-62.60	-29.30	3.353 + 0	0.692	5.548 - 3	0.789	290.9	1.388 - 5	4.539 - 6	
37000	37169	214.95	-58.20	-27.70	2.856	0.679	4.628	0.767	293.9	1.412	4.627	
38000	38179	219.35	-53.80	-26.10	2.440	0.668	3.875	0.747	296.9	1.436	4.716	
39000	39190	223.75	-49.40	-24.50	2.091	0.657	3.256	0.729	299.9	1.460	4.804	
40000	40201	228.15	-45.00	-22.90	1.798	0.648	2.745	0.713	302.8	1.484	4.892	
41000	41213	230.95	-42.20	-22.90	1.549	0.639	2.337	0.703	304.7	1.499	4.948	
42000	42225	233.75	-39.40	-22.90	1.337	0.631	1.993	0.693	306.5	1.514	5.003	
43000	43237	236.55	-36.60	-22.90	1.156	0.623	1.703	0.683	308.3	1.529	5.059	
44000	44250	239.35	-33.80	-22.90	1.002	0.615	1.458	0.674	310.1	1.544	5.114	
45000	45262	242.15	-31.00	-22.90	8.693 - 1	0.607	1.251	0.665	312.0	1.558	5.169	
46000	46276	244.95	-28.20	-22.90	7.555 - 1	0.600	1.074 - 3	0.656	313.7	1.573 - 5	5.224 - 6	
47000	47289	247.75	-25.40	-22.90	6.577	0.593	9.248 - 4	0.648	315.5	1.587	5.279	
48000	48303	250.55	-22.60	-20.10	5.734	0.587	7.973	0.634	317.3	1.602	5.333	
49000	49317	253.35	-19.80	-17.30	5.007	0.581	6.885	0.621	319.1	1.616	5.388	
50000	50331	256.15	-17.00	-14.50	4.379	0.577	5.955	0.609	320.8	1.631	5.442	
51000	51346	256.15	-17.00	-14.50	3.832	0.572	5.211	0.605	320.8	1.631	5.442	
52000	52361	256.15	-17.00	-14.50	3.353	0.568	4.561	0.601	320.8	1.631	5.442	
53000	53376	256.15	-17.00	-12.50	2.935	0.565	3.991	0.592	320.8	1.631	5.442	
54000	54392	256.15	-17.00	-10.50	2.568	0.561	3.493	0.584	320.8	1.631	5.442	
55000	55408	253.55	-19.60	-11.10	2.246	0.558	3.086	0.583	319.2	1.617	5.392	
56000	56425	250.95	-22.20	-11.70	1.962 - 1	0.555	2.723 - 4	0.581	317.6	1.604 - 5	5.341 - 6	
57000	57441	248.35	-24.80	-12.30	1.711	0.552	2.400	0.579	315.9	1.591	5.290	
58000	58458	245.75	-27.40	-12.90	1.490	0.548	2.112	0.577	314.3	1.577	5.240	
59000	59476	243.15	-30.00	-13.50	1.295	0.544	1.856	0.574	312.6	1.564	5.189	
60000	60493	244.15	-29.00	-10.50	1.126	0.540	1.607	0.564	313.2	1.569	5.208	
61000	61511	245.15	-28.00	-7.50	9.792 - 2	0.538	1.391	0.554	313.9	1.574	5.228	
62000	62529	246.15	-27.00	-2.50	8.521	0.536	1.206	0.542	314.5	1.579	5.247	
63000	63548	247.15	-26.00	2.50	7.419	0.536	1.046	0.531	315.2	1.584	5.267	
64000	64567	248.15	-25.00	7.50	6.463	0.538	9.073 - 5	0.521	315.8	1.590	5.287	
65000	65586	249.15	-24.00	12.50	5.633	0.541	7.876	0.514	316.4	1.595	5.306	
66000	66606	250.15	-23.00	17.50	4.913 - 2	0.546	6.841 - 5	0.508	317.1	1.600 - 5	5.326 - 6	
67000	67626	251.15	-22.00	22.50	4.247	0.552	5.946	0.503	317.7	1.605	5.345	
68000	68646	252.15	-21.00	27.50	3.742	0.560	5.171	0.499	318.3	1.610	5.365	
69000	69666	253.15	-20.00	32.50	3.269	0.571	4.499	0.497	319.0	1.615	5.384	
70000	70687	254.15	-19.00	37.50	2.857	0.583	3.916	0.497	319.6	1.620	5.403	
71000	71709	255.15	-18.00	42.50	2.498	0.598	3.411	0.498	320.2	1.626	5.423	
72000	72730	253.15	-20.00	44.50	2.184	0.615	3.006	0.507	319.0	1.615	5.384	
73000	73752	251.15	-22.00	46.50	1.907	0.633	2.646	0.516	317.7	1.605	5.345	
74000	74774	249.15	-24.00	48.50	1.664	0.654	2.327	0.527	316.4	1.595	5.306	
75000	75797	247.15	-26.00	50.50	1.450	0.677	2.044	0.539	315.2	1.584	5.267	
76000	76819	245.15	-28.00	52.50	1.262 - 2	0.702	1.793 - 5	0.552	313.9	1.574 - 5	5.228 - 6	
77000	77842	243.15	-30.00	54.50	1.097	0.731	1.572	0.567	312.6	1.564	5.189	
78000	78866	241.15	-32.00	56.50	9.529 - 3	0.762	1.377	0.583	311.3	1.553	5.149	
79000	79890	239.15	-34.00	58.50	8.265	0.796	1.204	0.602	310.0	1.543	5.110	
80000	80914	237.15	-36.00	56.50	7.161	0.834	1.052	0.635	308.7	1.532	5.070	

TABLE 5.1.—Continued  
60° N. January (Cold)  
GEOMETRIC ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity	
Z, m	H, m'	T, °K	t, °C	T - T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> m sec <sup>-1</sup>	$\mu$ kg m <sup>-1</sup> sec <sup>-1</sup>	$k$ k-cal m <sup>-1</sup> sec <sup>-1</sup> (°K) <sup>-1</sup>	
29000	28905	200.24	-72.91	-25.27	1.107	+ 1	0.796	1.926 - 2	0.896	283.7	1.330 - 5	4.329 - 6
29500	29401	199.75	-73.40	-26.27	1.017		0.788	1.774	0.892	283.3	1.327	4.319
30000	29897	199.25	-73.90	-27.26	9.341	+ 0	0.780	1.633	0.887	283.0	1.324	4.309
30500	30393	199.70	-73.45	-27.30	8.580		0.772	1.497	0.878	283.3	1.327	4.318
31000	30889	200.39	-72.76	-27.11	7.884		0.765	1.371	0.868	283.8	1.331	4.332
31500	31385	201.09	-72.06	-26.91	7.246		0.757	1.255	0.858	284.3	1.335	4.346
32000	31880	201.78	-71.37	-26.71	6.662		0.749	1.150	0.848	284.8	1.339	4.360
33000	32872	203.17	-69.98	-27.80	5.636		0.734	9.663 - 3	0.835	285.7	1.347	4.389
34000	33862	204.56	-68.59	-29.19	4.774		0.720	8.129	0.822	286.7	1.354	4.417
35000	34853	205.94	-67.21	-30.57	4.048		0.704	6.847	0.809	287.7	1.362	4.445
36000	35843	209.86	-63.29	-29.42	3.440	+ 0	0.690	5.710 - 3	0.787	290.4	1.384 - 5	4.525 - 6
37000	36833	214.21	-58.94	-27.84	2.932		0.677	4.769	0.765	293.4	1.408	4.613
38000	37823	218.57	-54.58	-26.25	2.508		0.665	3.998	0.745	296.4	1.432	4.700
39000	38812	222.92	-50.23	-24.66	2.152		0.655	3.363	0.727	299.3	1.456	4.788
40000	39801	227.27	-45.88	-23.08	1.852		0.645	2.839	0.711	302.2	1.479	4.875
41000	40789	230.36	-42.79	-22.75	1.598		0.636	2.417	0.699	304.3	1.496	4.936
42000	41778	233.13	-40.02	-22.75	1.382		0.628	2.064	0.689	306.1	1.511	4.991
43000	42766	235.89	-37.26	-22.75	1.196		0.620	1.767	0.680	307.9	1.525	5.046
44000	43754	238.66	-34.49	-22.74	1.038		0.612	1.515	0.671	309.7	1.540	5.100
45000	44741	241.42	-31.73	-22.74	9.017	- 1	0.605	1.301	0.662	311.5	1.555	5.155
46000	45728	244.19	-28.96	-22.74	7.847	- 1	0.598	1.120 - 3	0.653	313.3	1.569 - 5	5.209 - 6
47000	46715	246.95	-26.20	-22.73	6.841		0.591	9.650 - 4	0.645	315.0	1.583	5.263
48000	47701	249.71	-23.44	-20.94	5.973		0.584	8.332	0.633	316.8	1.598	5.317
49000	48688	252.48	-20.67	-18.17	5.223		0.578	7.206	0.620	318.5	1.612	5.371
50000	49673	255.24	-17.91	-15.41	4.574		0.573	6.243	0.608	320.3	1.626	5.425
51000	50659	258.15	-17.00	-14.50	4.010		0.569	5.454	0.601	320.8	1.631	5.442
52000	51644	256.15	-17.00	-14.50	3.516		0.565	4.782	0.597	320.8	1.631	5.442
53000	52629	256.15	-17.00	-13.38	3.083		0.561	4.193	0.590	320.8	1.631	5.442
54000	53614	256.15	-17.00	-11.41	2.704		0.558	3.677	0.582	320.8	1.631	5.442
55000	54598	254.59	-18.56	-11.00	2.371		0.555	3.244	0.578	319.9	1.623	5.412
56000	55582	252.04	-21.11	-11.59	2.076	- 1	0.551	2.870 - 4	0.577	318.3	1.610 - 5	5.362 - 6
57000	56566	249.48	-23.67	-12.18	1.816		0.548	2.535	0.575	316.6	1.596	5.312
58000	57549	246.92	-26.23	-12.78	1.586		0.544	2.237	0.572	315.0	1.583	5.263
59000	58533	244.37	-28.78	-13.37	1.383		0.540	1.972	0.570	313.4	1.570	5.212
60000	59515	243.67	-29.48	-12.11	1.205		0.537	1.723	0.563	312.9	1.566	5.199
61000	60498	244.65	-28.50	-9.16	1.050		0.533	1.496	0.553	313.6	1.571	5.218
62000	61480	245.63	-27.52	-5.42	9.159	- 2	0.531	1.299	0.543	314.2	1.576	5.237
63000	62462	246.61	-26.54	-0.51	7.992		0.530	1.129	0.531	314.8	1.582	5.256
64000	63444	247.59	-25.56	4.39	6.978		0.531	9.818 - 5	0.521	315.4	1.587	5.276
65000	64425	248.57	-24.58	9.29	6.096		0.532	8.543	0.513	316.1	1.592	5.295
66000	65406	249.56	-23.59	14.19	5.328	- 2	0.536	7.438 - 5	0.506	316.7	1.597 - 5	5.314 - 6
67000	66387	250.54	-22.61	19.09	4.660		0.541	6.480	0.500	317.3	1.602	5.333
68000	67367	251.52	-21.63	23.99	4.078		0.548	5.648	0.495	317.9	1.607	5.352
69000	68347	252.50	-20.65	28.88	3.571		0.556	4.926	0.493	318.5	1.612	5.371
70000	69327	253.48	-19.67	33.78	3.128		0.567	4.299	0.491	319.2	1.617	5.390
71000	70306	254.46	-18.69	38.67	2.742		0.579	3.754	0.491	319.8	1.622	5.409
72000	71285	254.58	-18.57	42.70	2.405		0.594	3.291	0.494	319.9	1.623	5.412
73000	72264	252.62	-20.53	44.66	2.108		0.610	2.906	0.502	318.6	1.613	5.374
74000	73243	250.66	-22.49	46.61	1.845		0.628	2.565	0.511	317.4	1.603	5.336
75000	74221	248.71	-24.44	48.56	1.614		0.648	2.261	0.522	316.1	1.592	5.297
76000	75199	246.75	-26.40	50.51	1.411	- 2	0.670	1.991 - 5	0.533	314.9	1.582 - 5	5.259 - 6
77000	76177	244.80	-28.35	52.46	1.231		0.695	1.752	0.546	313.7	1.572	5.221
78000	77154	242.84	-30.31	54.41	1.074		0.722	1.540	0.560	312.4	1.562	5.183
79000	78131	240.89	-32.26	56.36	9.353	- 3	0.752	1.353	0.576	311.1	1.552	5.144
80000	79108	238.93	-34.22	58.28	8.139		0.785	1.187	0.594	309.9	1.541	5.106

TABLE 5.1.—Continued  
60° N. January (Warm)

GEOPOTENTIAL ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
<i>H</i> , m'	<i>Z</i> , m	<i>T</i> , °K	<i>t</i> , °C	<i>T</i> - <i>T</i> <sub>std</sub>	<i>P</i> , mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	<i>C</i> <sub>s</sub> , m sec <sup>-1</sup>	$\frac{\mu}{\text{kg m}^{-1} \text{sec}^{-1}}$	$\frac{k}{\text{k-cal m}^{-1} \text{sec}^{-1} (\text{°K})^{-1}}$
0	0	257.28	-15.87	-30.87	1.01350 + 3	1.000	1.372 + 0	1.120	321.6	1.636 - 5	5.464 - 6
250	250	257.79	-15.36	-28.73	9.804 + 2	0.997	1.325	1.108	321.9	1.639	5.474
500	499	258.30	-14.85	-26.60	9.485	0.994	1.279	1.096	322.2	1.642	5.484
750	749	258.80	-14.35	-24.47	9.177	0.991	1.235	1.085	322.5	1.644	5.494
1000	999	259.31	-13.84	-22.34	8.879	0.988	1.193	1.073	322.8	1.647	5.503
1250	1249	259.81	-13.34	-20.21	8.591	0.985	1.158	1.067	322.3	1.643	5.488
1500	1498	257.70	-15.45	-20.70	8.312	0.983	1.124	1.062	321.8	1.639	5.472
1750	1748	256.89	-16.26	-19.88	8.040	0.981	1.090	1.057	321.3	1.634	5.457
2000	1998	256.09	-17.06	-19.06	7.777	0.978	1.058	1.052	320.8	1.630	5.441
2250	2248	255.28	-17.87	-18.24	7.521	0.976	1.026	1.046	320.3	1.626	5.425
2500	2498	254.47	-18.68	-17.43	7.274 + 2	0.974	9.957 - 1	1.041	319.8	1.622 - 5	5.410 - 6
2750	2748	253.67	-19.48	-16.61	7.033	0.972	9.659	1.035	319.3	1.618	5.394
3000	2998	252.86	-20.29	-15.79	6.800	0.970	9.368	1.030	318.8	1.614	5.378
3250	3248	252.05	-21.10	-14.97	6.574	0.968	9.086	1.025	318.3	1.610	5.363
3500	3497	251.24	-21.91	-14.16	6.354	0.966	8.811	1.021	317.8	1.606	5.347
3750	3747	249.53	-23.62	-14.24	6.141	0.964	8.574	1.019	316.7	1.597	5.314
4000	3997	247.82	-25.33	-14.33	5.934	0.963	8.341	1.018	315.6	1.588	5.280
4250	4247	246.12	-27.03	-14.41	5.732	0.961	8.114	1.017	314.5	1.579	5.247
4500	4497	244.41	-28.74	-14.49	5.536	0.959	7.891	1.016	313.4	1.570	5.213
4750	4748	242.70	-30.45	-14.57	5.345	0.957	7.672	1.015	312.3	1.561	5.180
5000	4998	241.00	-32.15	-14.65	5.160 + 2	0.955	7.459 - 1	1.013	311.2	1.552 - 5	5.146 - 6
5250	5248	239.29	-33.86	-14.73	4.980	0.953	7.249	1.012	310.1	1.543	5.113
5500	5498	237.58	-35.57	-14.82	4.804	0.951	7.045	1.011	309.0	1.534	5.079
5750	5748	235.88	-37.27	-14.90	4.634	0.949	6.844	1.009	307.9	1.525	5.045
6000	5998	234.17	-38.98	-14.98	4.469	0.947	6.648	1.008	306.8	1.516	5.012
6250	6248	232.47	-40.68	-15.06	4.308	0.945	6.456	1.006	305.7	1.507	4.978
6500	6498	230.76	-42.39	-15.14	4.152	0.943	6.268	1.005	304.5	1.498	4.944
6750	6749	229.06	-44.09	-15.21	4.001	0.941	6.084	1.003	303.4	1.489	4.910
7000	6999	227.36	-45.79	-15.29	3.854	0.939	5.905	1.002	302.3	1.480	4.876
7250	7249	225.66	-47.49	-15.37	3.711	0.936	5.729	1.000	301.1	1.471	4.842
7500	7499	223.95	-49.20	-15.45	3.573 + 2	0.934	5.558 - 1	0.998	300.0	1.461 - 5	4.808 - 6
7750	7750	222.25	-50.90	-15.52	3.439	0.932	5.390	0.997	298.9	1.452	4.774
8000	8000	220.55	-52.60	-15.60	3.308	0.929	5.226	0.995	297.7	1.443	4.740
8250	8250	218.85	-54.30	-15.68	3.182	0.927	5.066	0.993	296.6	1.434	4.706
8500	8501	217.15	-56.00	-15.75	3.060	0.924	4.909	0.992	295.4	1.424	4.672
8750	8751	215.45	-57.50	-13.63	2.942	0.922	4.709	0.989	295.7	1.427	4.682
9000	9001	213.75	-59.00	-11.50	2.829	0.920	4.518	0.987	296.1	1.430	4.692
9250	9252	212.05	-60.50	-9.38	2.721	0.918	4.335	0.985	296.4	1.433	4.702
9500	9502	210.35	-62.00	-7.25	2.616	0.917	4.159	0.984	296.8	1.435	4.712
9750	9753	208.65	-63.50	-5.13	2.517	0.916	3.991	0.983	297.1	1.438	4.722
10000	10003	220.15	-53.00	-3.00	2.421 + 2	0.916	3.831 - 1	0.928	297.4	1.441 - 5	4.732 - 6
10250	10253	220.65	-52.50	-0.88	2.329	0.915	3.677	0.919	297.8	1.444	4.742
10500	10504	221.15	-52.00	1.25	2.240	0.916	3.529	0.910	298.1	1.446	4.752
10750	10754	221.65	-51.50	3.37	2.156	0.916	3.388	0.902	298.5	1.449	4.762
11000	11005	222.15	-51.00	5.50	2.074	0.917	3.253	0.894	298.8	1.452	4.772
11500	11506	223.15	-50.00	6.50	1.921	0.918	2.999	0.892	299.5	1.457	4.792
12000	12007	224.15	-49.00	7.50	1.780	0.921	2.766	0.890	300.1	1.463	4.812
12500	12509	224.15	-49.00	7.50	1.649	0.923	2.563	0.892	300.1	1.463	4.812
13000	13010	224.15	-49.00	7.50	1.528	0.926	2.375	0.895	300.1	1.463	4.812
13500	13511	224.15	-49.00	7.50	1.416	0.928	2.201	0.897	300.1	1.463	4.812
14000	14013	224.15	-49.00	7.50	1.312 + 2	0.931	2.039 - 1	0.899	300.1	1.463 - 5	4.812 - 6
14500	14515	224.15	-49.00	7.50	1.216	0.933	1.890	0.902	300.1	1.463	4.812
15000	15016	224.15	-49.00	7.50	1.127	0.936	1.751	0.904	300.1	1.463	4.812
15500	15518	224.15	-49.00	7.50	1.044	0.938	1.623	0.906	300.1	1.463	4.812
16000	16020	224.15	-49.00	7.50	9.674 + 1	0.940	1.503	0.909	300.1	1.463	4.812
16500	16522	224.15	-49.00	7.50	8.964	0.943	1.393	0.911	300.1	1.463	4.812
17000	17024	224.15	-49.00	7.50	8.306	0.945	1.291	0.914	300.1	1.463	4.812
17500	17526	224.15	-49.00	7.50	7.697	0.948	1.196	0.916	300.1	1.463	4.812
18000	18028	224.15	-49.00	7.50	7.132	0.950	1.108	0.918	300.1	1.463	4.812
18500	18530	224.15	-49.00	7.50	6.609	0.953	1.027	0.921	300.1	1.463	4.812
19000	19033	224.15	-49.00	7.50	6.124 + 1	0.955	9.517 - 2	0.923	300.1	1.463 - 5	4.812 - 6
19500	19535	224.15	-49.00	7.50	5.674	0.958	8.819	0.926	300.1	1.463	4.812
20000	20037	224.15	-49.00	7.50	5.258	0.960	8.172	0.928	300.1	1.463	4.812
20500	20540	224.15	-49.00	7.00	4.872	0.963	7.572	0.933	300.1	1.463	4.812
21000	21043	224.15	-49.00	6.50	4.515	0.965	7.017	0.937	300.1	1.463	4.812
21500	21545	224.15	-49.00	6.00	4.183	0.967	6.502	0.941	300.1	1.463	4.812
22000	22048	224.15	-49.00	5.50	3.877	0.969	6.025	0.945	300.1	1.463	4.812
22500	22551	224.15	-49.00	5.00	3.592	0.971	5.583	0.949	300.1	1.463	4.812
23000	23054	224.15	-49.00	4.50	3.329	0.973	5.173	0.953	300.1	1.463	4.812
23500	23557	224.15	-49.00	4.00	3.084	0.974	4.794	0.957	300.1	1.463	4.812
24000	24060	224.15	-49.00	3.50	2.858 + 1	0.975	4.442 - 2	0.960	300.1	1.463 - 5	4.812 - 6
24500	24563	224.15	-49.00	3.00	2.648	0.977	4.116	0.963	300.1	1.463	4.812
25000	25067	224.15	-49.00	2.50	2.454	0.977	3.814	0.966	300.1	1.463	4.812
25500	25570	224.15	-49.00	2.00	2.274	0.978	3.534	0.969	300.1	1.463	4.812
26000	26073	224.65	-48.50	2.00	2.107	0.979	3.268	0.970	300.5	1.465	4.822
26500	26577	225.15	-48.00	2.00	1.953	0.979	3.022	0.971	300.8	1.468	4.832
27000	27080	225.65	-47.50	2.00	1.811	0.980	2.795	0.971	301.1	1.471	4.842
27500	27584	226.15	-47.00	2.00	1.679	0.981	2.586	0.972	301.5	1.473	4.852
28000	28088	226.65	-46.50	2.00	1.557	0.982	2.393	0.973	301.8	1.476	4.862
28500	28592	227.15	-46.00	2.00	1.444	0.982	2.214	0.973	302.1	1.479	4.872

TABLE 5.1.—Continued  
60° N. January (Warm)  
GEOMETRIC ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
Z, m	H, m'	T, °K	t, °C	T-T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , m sec <sup>-1</sup>	$\mu$ , kg m <sup>-1</sup> sec <sup>-1</sup>	$k$ , kcal m <sup>-1</sup> sec <sup>-1</sup> (°K) <sup>-1</sup>
0	0	257.28	-15.87	-30.87	1.01350 + 3	1.000	1.372 + 0	1.120	321.6	1.636 - 5	5.464 - 6
250	250	257.79	-15.36	-28.73	9.804 + 2	0.997	1.325	1.108	321.9	1.639	5.474
500	501	258.30	-14.85	-26.60	9.484	0.994	1.279	1.096	322.2	1.642	5.484
750	751	258.81	-14.34	-24.47	9.176	0.991	1.235	1.084	322.5	1.644	5.494
1000	1001	259.31	-13.84	-22.34	8.878	0.988	1.193	1.073	322.8	1.647	5.503
1250	1251	259.80	-13.33	-20.21	8.590	0.985	1.158	1.067	322.3	1.643	5.488
1500	1502	257.69	-15.46	-20.71	8.310	0.983	1.123	1.062	321.8	1.639	5.472
1750	1752	256.89	-16.26	-19.89	8.038	0.980	1.090	1.056	321.3	1.634	5.457
2000	2002	256.08	-17.07	-19.07	7.775	0.978	1.058	1.050	320.8	1.630	5.441
2250	2252	255.28	-17.87	-18.25	7.519	0.976	1.026	1.045	320.3	1.626	5.425
2500	2502	254.47	-18.68	-17.44	7.271 + 2	0.974	9.955 - 1	1.040	319.8	1.622 - 5	5.410 - 6
2750	2752	253.66	-19.49	-16.62	7.031	0.971	9.656	1.035	319.3	1.618	5.394
3000	3002	252.85	-20.30	-15.81	6.798	0.969	9.366	1.030	318.8	1.614	5.378
3250	3252	252.04	-21.11	-14.99	6.572	0.968	9.083	1.025	318.3	1.610	5.363
3500	3503	251.23	-21.92	-14.19	6.352	0.966	8.808	1.020	317.7	1.605	5.347
3750	3753	249.52	-23.63	-14.27	6.139	0.964	8.571	1.019	316.7	1.597	5.313
4000	4003	247.81	-25.34	-14.36	5.932	0.962	8.339	1.018	315.6	1.588	5.280
4250	4253	246.10	-27.05	-14.44	5.730	0.960	8.111	1.016	314.5	1.579	5.246
4500	4503	244.39	-28.76	-14.53	5.534	0.958	7.888	1.015	313.4	1.570	5.213
4750	4752	242.69	-30.46	-14.61	5.343	0.956	7.670	1.014	312.3	1.561	5.180
5000	5002	240.98	-32.17	-14.70	5.158 + 2	0.954	7.457 - 1	1.013	311.2	1.552 - 5	5.146 - 6
5250	5252	239.27	-33.88	-14.78	4.978	0.952	7.247	1.011	310.1	1.543	5.112
5500	5502	237.57	-35.58	-14.86	4.803	0.950	7.043	1.010	309.0	1.534	5.079
5750	5752	235.86	-37.29	-14.95	4.633	0.948	6.842	1.008	307.9	1.525	5.045
6000	6002	234.16	-38.99	-15.03	4.467	0.946	6.646	1.007	306.8	1.516	5.011
6250	6252	232.46	-40.69	-15.11	4.307	0.944	6.455	1.005	305.6	1.507	4.978
6500	6502	230.75	-42.40	-15.19	4.151	0.942	6.267	1.004	304.5	1.498	4.944
6750	6751	229.05	-44.10	-15.27	4.000	0.940	6.083	1.002	303.4	1.489	4.910
7000	7001	227.35	-45.80	-15.35	3.853	0.937	5.904	1.001	302.3	1.480	4.876
7250	7251	225.65	-47.50	-15.43	3.711	0.935	5.729	0.999	301.1	1.471	4.842
7500	7501	223.95	-49.20	-15.51	3.572 + 2	0.933	5.557 - 1	0.997	300.0	1.461 - 5	4.808 - 6
7750	7750	222.25	-50.90	-15.59	3.438	0.930	5.390	0.996	298.9	1.452	4.774
8000	8000	220.55	-52.60	-15.67	3.308	0.928	5.226	0.994	297.7	1.443	4.740
8250	8250	218.85	-54.30	-15.74	3.182	0.926	5.066	0.992	296.6	1.434	4.706
8500	8499	217.15	-56.00	-15.82	3.060	0.923	4.909	0.990	295.4	1.424	4.672
8750	8749	215.45	-57.70	-15.90	2.943	0.921	4.710	0.989	294.3	1.414	4.638
9000	8999	213.75	-59.40	-15.98	2.830	0.919	4.519	0.987	293.1	1.404	4.604
9250	9248	212.05	-61.10	-16.06	2.721	0.917	4.336	0.985	292.0	1.394	4.570
9500	9498	210.35	-62.80	-16.14	2.617	0.916	4.161	0.984	290.8	1.384	4.536
9750	9747	208.65	-64.50	-16.22	2.518	0.914	3.993	0.982	289.7	1.374	4.502
10000	9997	206.95	-66.20	-16.30	2.422 + 2	0.914	3.832 - 1	0.927	297.4	1.441 - 5	4.732 - 6
10250	10247	205.25	-67.90	-16.38	2.330	0.914	3.679	0.918	297.8	1.443	4.742
10500	10496	203.55	-69.60	-16.46	2.242	0.914	3.531	0.909	298.1	1.446	4.752
10750	10746	201.85	-71.30	-16.54	2.157	0.914	3.390	0.901	298.4	1.449	4.762
11000	10995	200.15	-73.00	-16.62	2.076	0.914	3.255	0.892	298.8	1.452	4.772
11500	11494	196.45	-76.40	-16.70	1.923	0.917	3.002	0.890	299.5	1.457	4.792
12000	11993	192.75	-79.80	-16.78	1.782	0.918	2.769	0.888	300.1	1.462	4.812
12500	12491	189.05	-83.20	-16.86	1.651	0.921	2.566	0.890	300.1	1.463	4.812
13000	12990	185.35	-86.60	-16.94	1.530	0.923	2.379	0.892	300.1	1.463	4.812
13500	13489	181.65	-90.00	-17.02	1.419	0.925	2.205	0.894	300.1	1.463	4.812
14000	13987	177.95	-93.40	-17.10	1.315 + 2	0.928	2.043 - 1	0.897	300.1	1.463 - 5	4.812 - 6
14500	14485	174.25	-96.80	-17.18	1.219	0.930	1.894	0.899	300.1	1.463	4.812
15000	14984	170.55	-100.20	-17.26	1.129	0.933	1.755	0.901	300.1	1.463	4.812
15500	15482	166.85	-103.60	-17.34	1.047	0.935	1.627	0.903	300.1	1.463	4.812
16000	15980	163.15	-107.00	-17.42	0.973	0.937	1.508	0.906	300.1	1.463	4.812
16500	16478	159.45	-110.40	-17.50	0.909	0.940	1.398	0.908	300.1	1.463	4.812
17000	16976	155.75	-113.80	-17.58	0.854	0.942	1.296	0.910	300.1	1.463	4.812
17500	17474	152.05	-117.20	-17.66	0.807	0.944	1.201	0.913	300.1	1.463	4.812
18000	17972	148.35	-120.60	-17.74	0.768	0.947	1.113	0.915	300.1	1.463	4.812
18500	18470	144.65	-124.00	-17.82	0.735	0.949	1.032	0.917	300.1	1.463	4.812
19000	18968	140.95	-127.40	-17.90	0.708	0.952	9.565 - 2	0.920	300.1	1.463 - 5	4.812 - 6
19500	19465	137.25	-130.80	-17.98	0.686	0.954	8.866	0.922	300.1	1.463	4.812
20000	19963	133.55	-134.20	-18.06	0.668	0.956	8.219	0.924	300.1	1.463	4.812
20500	20460	129.85	-137.60	-18.14	0.652	0.959	7.618	0.929	300.1	1.463	4.812
21000	20958	126.15	-141.00	-18.22	0.637	0.961	7.062	0.933	300.1	1.463	4.812
21500	21455	122.45	-144.40	-18.30	0.623	0.963	6.547	0.937	300.1	1.463	4.812
22000	21952	118.75	-147.80	-18.38	0.610	0.965	6.069	0.941	300.1	1.463	4.812
22500	22449	115.05	-151.20	-18.46	0.598	0.966	5.626	0.945	300.1	1.463	4.812
23000	22946	111.35	-154.60	-18.54	0.587	0.968	5.216	0.948	300.1	1.463	4.812
23500	23443	107.65	-158.00	-18.62	0.577	0.969	4.835	0.952	300.1	1.463	4.812
24000	23940	103.95	-161.40	-18.70	0.568	0.970	4.482 - 2	0.955	300.1	1.463 - 5	4.812 - 6
24500	24437	100.25	-164.80	-18.78	0.560	0.972	4.156	0.958	300.1	1.463	4.812
25000	24934	96.55	-168.20	-18.86	0.553	0.972	3.853	0.961	300.1	1.463	4.812
25500	25431	92.85	-171.60	-18.94	0.547	0.973	3.572	0.964	300.1	1.463	4.812
26000	25927	89.15	-175.00	-19.02	0.542	0.974	3.305	0.965	300.4	1.465	4.821
26500	26424	85.45	-178.40	-19.10	0.537	0.974	3.058	0.965	300.8	1.468	4.831
27000	26920	81.75	-181.80	-19.18	0.533	0.975	2.830	0.966	301.1	1.470	4.841
27500	27417	78.05	-185.20	-19.26	0.529	0.975	2.620	0.967	301.4	1.473	4.850
28000	27913	74.35	-188.60	-19.34	0.526	0.976	2.425	0.967	301.7	1.476	4.860
28500	28409	70.65	-192.00	-19.42	0.523	0.976	2.246	0.968	302.1	1.478	4.870

TABLE 5.1.—Continued  
60° N. January (Warm)  
GEOPOTENTIAL ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure			Density		Sound speed	Coefficient of viscosity	Thermal conductivity
H, m'	Z, m	T, °K	t, °C	T-T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> m sec <sup>-1</sup>	$\mu$ kg m <sup>-1</sup> sec <sup>-1</sup>	$k$ k-cal m <sup>-1</sup> sec <sup>-1</sup> (°K) <sup>-1</sup>	
29000	29096	227.65	-45.50	2.00	1.339	+ 1	0.983	2.050 - 2	0.974	302.5	1.481 - 5	4.882 - 6
29500	29600	228.15	-45.00	2.00	1.243		0.983	1.897	0.975	302.8	1.484	4.892
30000	30104	228.65	-44.50	2.00	1.153		0.984	1.757	0.975	303.1	1.487	4.902
30500	30608	229.15	-44.00	2.00	1.070		0.985	1.627	0.976	303.5	1.489	4.912
31000	31112	229.65	-43.50	2.00	9.934	+ 0	0.985	1.507	0.977	303.8	1.492	4.922
31500	31616	230.15	-43.00	2.00	9.222		0.986	1.396	0.978	304.1	1.495	4.932
32000	32121	230.65	-42.50	2.00	8.563		0.987	1.293	0.978	304.5	1.498	4.942
33000	33130	231.65	-41.50	0.20	7.387		0.987	1.111	0.987	305.1	1.503	4.962
34000	34139	232.65	-40.50	-1.60	6.376		0.987	9.547 - 3	0.994	305.8	1.508	4.981
35000	35149	233.65	-39.50	-3.40	5.507		0.985	8.211	1.000	306.4	1.514	5.001
36000	36158	234.65	-38.50	-5.20	4.759	+ 0	0.983	7.066 - 3	1.005	307.1	1.519 - 5	5.021 - 6
37000	37169	235.65	-37.50	-7.00	4.116		0.979	6.084	1.008	307.7	1.524	5.041
38000	38179	236.15	-35.00	-7.30	3.563		0.975	5.212	1.005	309.4	1.537	5.090
39000	39190	240.65	-32.50	-7.60	3.089		0.971	4.472	1.001	311.0	1.550	5.139
40000	40201	243.15	-30.00	-7.90	2.682		0.967	3.843	0.998	312.6	1.564	5.189
41000	41213	245.65	-27.50	-8.20	2.332		0.962	3.308	0.994	314.2	1.577	5.238
42000	42225	248.15	-25.00	-8.50	2.031		0.958	2.851	0.991	315.8	1.590	5.287
43000	43237	250.65	-22.50	-8.80	1.771		0.954	2.461	0.987	317.4	1.602	5.335
44000	44250	253.15	-20.00	-9.10	1.546		0.949	2.128	0.983	319.0	1.615	5.384
45000	45262	255.65	-17.50	-9.40	1.352		0.945	1.842	0.979	320.5	1.628	5.433
46000	46276	258.15	-15.00	-9.70	1.184	+ 0	0.940	1.597 - 3	0.975	322.1	1.641 - 5	5.481 - 6
47000	47289	260.65	-12.50	-10.00	1.038		0.936	1.387	0.971	323.6	1.654	5.529
48000	48303	263.15	-10.00	-7.50	9.107	- 1	0.932	1.206	0.958	325.2	1.666	5.578
49000	49317	265.65	-7.50	-5.00	8.003		0.929	1.050	0.946	326.7	1.679	5.626
50000	50331	268.15	-5.00	-2.50	7.042		0.927	9.148 - 4	0.936	328.3	1.691	5.674
51000	51346	268.15	-5.00	-2.50	6.199		0.926	8.054	0.935	328.3	1.691	5.674
52000	52361	268.15	-5.00	-2.50	5.458		0.925	7.091	0.934	328.3	1.691	5.674
53000	53376	268.15	-5.00	-0.50	4.805		0.924	6.242	0.926	328.3	1.691	5.674
54000	54392	268.15	-5.00	1.50	4.230		0.925	5.496	0.919	328.3	1.691	5.674
55000	55408	265.65	-7.50	1.00	3.722		0.925	4.881	0.922	326.7	1.679	5.626
56000	56425	263.15	-10.00	0.50	3.271	- 1	0.926	4.330 - 4	0.924	325.2	1.666 - 5	5.578 - 6
57000	57441	260.65	-12.50	-0.00	2.871		0.926	3.837	0.926	323.6	1.654	5.529
58000	58458	258.15	-15.00	-0.50	2.517		0.926	3.396	0.927	322.1	1.641	5.481
59000	59476	255.65	-17.50	-1.00	2.203		0.925	3.002	0.929	320.5	1.628	5.433
60000	60493	253.15	-20.00	-1.50	1.926		0.924	2.651	0.930	319.0	1.615	5.384
61000	61511	250.65	-22.50	-2.00	1.682		0.924	2.338	0.931	317.4	1.602	5.335
62000	62529	248.15	-25.00	-0.50	1.467		0.923	2.059	0.925	315.8	1.590	5.287
63000	63548	245.65	-27.50	1.00	1.277		0.923	1.811	0.919	314.2	1.577	5.238
64000	64567	243.15	-30.00	2.50	1.111		0.924	1.591	0.914	312.6	1.564	5.189
65000	65586	240.65	-32.50	4.00	9.643	- 2	0.926	1.396	0.911	311.0	1.550	5.139
66000	66606	238.15	-35.00	5.50	8.360	- 2	0.929	1.223 - 4	0.907	309.4	1.537 - 5	5.090 - 6
67000	67626	235.65	-37.50	7.00	7.238		0.932	1.070	0.904	307.7	1.524	5.041
68000	68646	233.15	-40.00	8.50	6.256		0.937	9.348 - 5	0.902	306.1	1.511	4.991
69000	69666	230.65	-42.50	10.00	5.399		0.943	8.155	0.902	304.5	1.498	4.942
70000	70687	228.15	-45.00	11.50	4.652		0.950	7.103	0.902	302.8	1.484	4.892
71000	71709	225.65	-47.50	13.00	4.002		0.958	6.178	0.903	301.1	1.471	4.842
72000	72730	225.15	-48.00	16.50	3.439		0.968	5.321	0.897	300.8	1.468	4.832
73000	73752	224.65	-48.50	20.00	2.954		0.981	4.581	0.894	300.5	1.465	4.822
74000	74774	224.15	-49.00	23.50	2.537		0.997	3.943	0.893	300.1	1.463	4.812
75000	75797	223.65	-49.50	27.00	2.178		1.017	3.393	0.894	299.8	1.460	4.802
76000	76819	223.15	-50.00	30.50	1.869	- 2	1.040	2.918 - 5	0.898	299.5	1.457 - 5	4.792 - 6
77000	77842	222.65	-50.50	34.00	1.604		1.068	2.509	0.904	299.1	1.454	4.782
78000	78866	222.15	-51.00	37.50	1.375		1.099	2.157	0.914	298.8	1.452	4.772
79000	79890	221.65	-51.50	41.00	1.179		1.136	1.853	0.926	298.5	1.449	4.762
80000	80914	221.15	-52.00	40.50	1.010		1.176	1.592	0.961	298.1	1.446	4.752

TABLE 5.1.—Continued  
60° N. January (Warm)

GEOMETRIC ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
Z, m	H, m'	T, °K	t, °C	T - T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> m sec <sup>-1</sup>	$\mu$ kg m <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{k_{std}}$ sec <sup>-1</sup> (°K) <sup>-1</sup>
29000	28905	227.56	-45.59	2.04	1.359 + 1	0.977	2.080 - 2	0.968	302.4	1.481 - 5	4.880 - 6
29500	29401	228.05	-45.10	2.04	1.261	0.978	1.926	0.969	302.7	1.484	4.890
30000	29897	228.55	-44.60	2.04	1.171	0.978	1.785	0.969	303.1	1.486	4.900
30500	30393	229.04	-44.11	2.04	1.087	0.979	1.654	0.970	303.4	1.489	4.910
31000	30889	229.54	-43.61	2.04	1.010	0.980	1.533	0.971	303.7	1.492	4.920
31500	31385	230.03	-43.12	2.04	9.382 + 0	0.980	1.421	0.971	304.0	1.494	4.929
32000	31880	230.53	-42.62	2.04	8.716	0.980	1.317	0.971	304.4	1.497	4.939
33000	32872	231.52	-41.63	0.55	7.528	0.981	1.133	0.979	305.0	1.502	4.959
34000	33862	232.51	-40.64	-1.23	6.506	0.981	9.748 - 3	0.986	305.7	1.507	4.979
35000	34853	233.50	-39.65	-3.01	5.627	0.979	8.395	0.992	306.3	1.513	4.998
36000	35843	234.49	-38.66	-4.79	4.869 + 0	0.977	7.234 - 3	0.997	307.0	1.518 - 5	5.018 - 6
37000	36833	235.48	-37.67	-6.57	4.217	0.973	6.238	1.000	307.6	1.523	5.038
38000	37823	237.71	-35.44	-7.11	3.655	0.969	5.357	0.998	309.1	1.535	5.081
39000	38812	240.18	-32.97	-7.40	3.173	0.965	4.602	0.995	310.7	1.548	5.130
40000	39801	242.65	-30.50	-7.70	2.759	0.961	3.960	0.991	312.3	1.561	5.179
41000	40789	245.12	-28.03	-7.99	2.402	0.957	3.413	0.988	313.9	1.574	5.227
42000	41778	247.59	-25.56	-8.28	2.094	0.952	2.947	0.984	315.4	1.587	5.276
43000	42766	250.06	-23.09	-8.58	1.829	0.947	2.547	0.980	317.0	1.599	5.324
44000	43754	252.53	-20.62	-8.87	1.599	0.943	2.205	0.976	318.6	1.612	5.372
45000	44741	255.00	-18.15	-9.16	1.400	0.939	1.912	0.973	320.1	1.625	5.420
46000	45728	257.47	-15.68	-9.45	1.227 + 0	0.935	1.660 - 3	0.969	321.7	1.637 - 5	5.468 - 6
47000	46715	259.94	-13.21	-9.75	1.077	0.930	1.444	0.965	323.2	1.650	5.516
48000	47701	262.40	-10.75	-8.25	9.468 - 1	0.926	1.257	0.954	324.7	1.662	5.563
49000	48688	264.87	-8.28	-5.78	8.332	0.922	1.096	0.942	326.3	1.675	5.611
50000	49673	267.33	-5.82	-3.32	7.341	0.920	9.567 - 4	0.932	327.8	1.687	5.658
51000	50659	269.80	-3.35	-2.50	6.475	0.919	8.412	0.928	328.3	1.691	5.674
52000	51644	268.15	-5.00	-2.50	5.711	0.918	7.419	0.926	328.3	1.691	5.674
53000	52629	268.15	-5.00	-1.38	5.037	0.917	6.544	0.921	328.3	1.691	5.674
54000	53614	268.15	-5.00	0.59	4.444	0.916	5.773	0.914	328.3	1.691	5.674
55000	54598	266.65	-6.50	1.06	3.919	0.917	5.120	0.913	327.4	1.684	5.645
56000	55582	264.19	-8.96	0.57	3.453 - 1	0.917	4.553 - 4	0.915	325.8	1.671 - 5	5.598 - 6
57000	56566	261.73	-11.42	0.07	3.038	0.917	4.044	0.917	324.3	1.659	5.550
58000	57549	259.28	-13.87	-0.42	2.671	0.917	3.589	0.918	322.8	1.647	5.503
59000	58533	256.82	-16.33	-0.92	2.345	0.916	3.181	0.920	321.3	1.634	5.455
60000	59515	254.36	-18.79	-1.41	2.056	0.915	2.816	0.921	319.7	1.622	5.408
61000	60498	251.91	-21.24	-1.90	1.801	0.915	2.490	0.921	318.2	1.609	5.360
62000	61480	249.45	-23.70	-1.60	1.575	0.914	2.200	0.919	316.6	1.596	5.312
63000	62462	246.99	-26.16	-0.13	1.376	0.913	1.941	0.913	315.1	1.584	5.264
64000	63444	244.54	-28.61	1.34	1.201	0.913	1.710	0.908	313.5	1.571	5.216
65000	64425	242.09	-31.06	2.81	1.046	0.914	1.505	0.904	311.9	1.558	5.168
66000	65406	239.64	-33.51	4.27	9.102 - 2	0.916	1.323 - 4	0.900	310.3	1.545 - 5	5.119 - 6
67000	66387	237.18	-35.97	5.74	7.909	0.918	1.162	0.896	308.7	1.532	5.071
68000	67367	234.73	-38.42	7.20	6.862	0.922	1.018	0.893	307.1	1.519	5.023
69000	68347	232.28	-40.87	8.67	5.945	0.926	8.917 - 5	0.892	305.5	1.506	4.974
70000	69327	229.83	-43.32	10.13	5.144	0.932	7.796	0.891	303.9	1.493	4.925
71000	70306	227.38	-45.77	11.60	4.443	0.938	6.807	0.891	302.3	1.480	4.877
72000	71285	225.51	-47.64	13.63	3.833	0.946	5.921	0.889	301.0	1.470	4.839
73000	72264	225.02	-48.13	17.05	3.304	0.957	5.115	0.884	300.7	1.467	4.830
74000	73243	224.53	-48.62	20.47	2.847	0.969	4.418	0.881	300.4	1.465	4.820
75000	74221	224.04	-49.11	23.89	2.453	0.985	3.814	0.880	300.1	1.462	4.810
76000	75199	223.55	-49.60	27.31	2.113 - 2	1.004	3.293 - 5	0.881	299.7	1.459 - 5	4.800 - 6
77000	76177	223.06	-50.09	30.72	1.819	1.027	2.841	0.885	299.4	1.457	4.790
78000	77154	222.57	-50.58	34.14	1.566	1.053	2.451	0.891	299.1	1.454	4.781
79000	78131	222.08	-51.07	37.55	1.348	1.083	2.114	0.900	298.7	1.451	4.771
80000	79108	221.60	-51.55	40.95	1.160	1.118	1.823	0.912	298.4	1.449	4.761

TABLE 5.1.—Continued  
60° N. July  
GEOPOTENTIAL ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
H, m'	Z, m	T, °K	t, °C	T-T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho, \text{kg m}^{-3}$	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , m sec <sup>-1</sup>	$\mu, \text{kg m}^{-1} \text{sec}^{-1}$	$\frac{k}{\text{sec}^{-1}(\text{°K})^{-1}}$
0	0	288.45	15.30	0.30	1.01000 + 3	0.997	1.220 + 0	0.996	340.5	1.791 - 5	6.059 - 6
250	250	287.01	13.86	0.48	9.805 + 2	0.997	1.190	0.995	339.6	1.784	6.032
500	499	285.57	12.42	0.67	9.516	0.997	1.161	0.995	338.8	1.777	6.004
750	749	284.13	10.98	0.85	9.235	0.997	1.132	0.994	337.9	1.770	5.977
1000	999	282.68	9.53	1.03	8.961	0.997	1.104	0.993	337.1	1.763	5.950
1250	1249	281.28	8.13	1.25	8.694	0.997	1.077	0.992	336.2	1.756	5.924
1500	1498	279.87	6.72	1.47	8.433	0.997	1.050	0.992	335.4	1.749	5.897
1750	1748	278.47	5.32	1.69	8.179	0.998	1.023	0.991	334.5	1.742	5.870
2000	1998	277.06	3.91	1.91	7.931	0.998	9.973 - 1	0.991	333.7	1.735	5.844
2250	2248	275.66	2.51	2.13	7.690	0.998	9.718	0.990	332.8	1.728	5.817
2500	2498	274.25	1.10	2.35	7.455 + 2	0.998	9.469 - 1	0.990	332.0	1.722 - 5	5.790 - 6
2750	2748	272.85	-0.30	2.58	7.226	0.998	9.226	0.989	331.1	1.715	5.763
3000	2998	271.45	-1.70	2.80	7.002	0.999	8.987	0.989	330.3	1.708	5.737
3250	3248	270.06	-3.09	3.03	6.785	0.999	8.752	0.988	329.4	1.701	5.710
3500	3497	268.67	-4.48	3.27	6.573	1.000	8.523	0.987	328.6	1.694	5.683
3750	3747	267.28	-5.87	3.50	6.367	1.000	8.299	0.987	327.7	1.687	5.657
4000	3997	265.89	-7.26	3.74	6.166	1.000	8.079	0.986	326.9	1.680	5.630
4250	4247	264.51	-8.64	3.99	5.971	1.001	7.864	0.986	326.0	1.673	5.604
4500	4497	263.13	-10.02	4.23	5.781	1.001	7.653	0.985	325.2	1.666	5.577
4750	4748	261.75	-11.40	4.48	5.596	1.002	7.447	0.985	324.3	1.659	5.551
5000	4998	260.38	-12.77	4.73	5.415 + 2	1.002	7.246 - 1	0.984	323.5	1.652 - 5	5.524 - 6
5250	5248	258.60	-14.55	4.98	5.240	1.003	7.059	0.985	322.4	1.643	5.490
5500	5498	256.83	-16.32	4.43	5.069	1.004	6.876	0.986	321.3	1.634	5.455
5750	5748	255.05	-18.10	4.28	4.903	1.004	6.697	0.987	320.2	1.625	5.421
6000	5998	253.28	-19.87	4.13	4.741	1.005	6.521	0.988	319.0	1.616	5.386
6250	6248	251.52	-21.63	3.99	4.583	1.006	6.348	0.989	317.9	1.607	5.352
6500	6498	249.75	-23.40	3.85	4.430	1.006	6.179	0.990	316.8	1.598	5.318
6750	6749	247.99	-25.16	3.72	4.280	1.006	6.013	0.991	315.7	1.589	5.283
7000	6999	246.23	-26.92	3.58	4.135	1.007	5.850	0.992	314.6	1.580	5.249
7250	7249	244.47	-28.68	3.44	3.993	1.007	5.690	0.993	313.4	1.570	5.215
7500	7499	242.71	-30.44	3.31	3.856 + 2	1.008	5.534 - 1	0.994	312.3	1.561 - 5	5.180 - 6
7750	7750	240.95	-32.20	3.17	3.722	1.008	5.381	0.995	311.2	1.552	5.145
8000	8000	239.18	-33.97	3.03	3.592	1.009	5.231	0.996	310.0	1.543	5.111
8250	8250	237.43	-35.72	2.91	3.465	1.009	5.085	0.997	308.9	1.534	5.076
8500	8501	235.68	-37.47	2.78	3.342	1.010	4.941	0.998	307.8	1.524	5.041
8750	8751	233.92	-39.23	2.65	3.223	1.010	4.800	0.999	306.6	1.515	5.007
9000	9001	232.17	-40.98	2.52	3.107	1.011	4.662	1.000	305.5	1.506	4.972
9250	9252	230.42	-42.73	2.39	2.994	1.011	4.527	1.001	304.3	1.496	4.937
9500	9502	228.66	-44.49	2.26	2.885	1.012	4.395	1.001	303.1	1.487	4.902
9750	9753	226.91	-46.24	2.13	2.779	1.012	4.266	1.002	302.0	1.477	4.867
10000	10003	225.15	-48.00	2.00	2.676 + 2	1.012	4.140 - 1	1.003	300.8	1.468 - 5	4.832 - 6
10250	10253	225.15	-48.00	3.63	2.576	1.013	3.986	0.996	300.8	1.468	4.832
10500	10504	225.15	-48.00	5.25	2.481	1.014	3.838	0.990	300.8	1.468	4.832
10750	10754	225.15	-48.00	6.88	2.388	1.015	3.696	0.984	300.8	1.468	4.832
11000	11005	225.15	-48.00	8.50	2.300	1.016	3.558	0.978	300.8	1.468	4.832
11500	11506	225.15	-48.00	8.50	2.132	1.019	3.298	0.981	300.8	1.468	4.832
12000	12007	225.15	-48.00	8.50	1.976	1.022	3.057	0.984	300.8	1.468	4.832
12500	12509	225.15	-48.00	8.50	1.832	1.026	2.834	0.986	300.8	1.468	4.832
13000	13010	225.15	-48.00	8.50	1.698	1.028	2.627	0.989	300.8	1.468	4.832
13500	13511	225.15	-48.00	8.50	1.574	1.031	2.435	0.992	300.8	1.468	4.832
14000	14013	225.15	-48.00	8.50	1.459 + 2	1.035	2.257 - 1	0.995	300.8	1.468 - 5	4.832 - 6
14500	14515	225.15	-48.00	8.50	1.352	1.038	2.092	0.998	300.8	1.468	4.832
15000	15016	225.15	-48.00	8.50	1.253	1.041	1.939	1.001	300.8	1.468	4.832
15500	15518	225.15	-48.00	8.50	1.162	1.044	1.798	1.004	300.8	1.468	4.832
16000	16020	225.15	-48.00	8.50	1.077	1.047	1.666	1.007	300.8	1.468	4.832
16500	16522	225.15	-48.00	8.50	9.982 + 1	1.050	1.545	1.010	300.8	1.468	4.832
17000	17024	225.15	-48.00	8.50	9.253	1.053	1.432	1.013	300.8	1.468	4.832
17500	17526	225.15	-48.00	8.50	8.577	1.056	1.327	1.016	300.8	1.468	4.832
18000	18028	225.15	-48.00	8.50	7.950	1.059	1.230	1.019	300.8	1.468	4.832
18500	18530	225.15	-48.00	8.50	7.369	1.062	1.140	1.023	300.8	1.468	4.832
19000	19033	225.15	-48.00	8.50	6.831 + 1	1.066	1.057 - 1	1.025	300.8	1.468 - 5	4.832 - 6
19500	19535	225.15	-48.00	8.50	6.332	1.069	9.797 - 2	1.028	300.8	1.468	4.832
20000	20037	225.15	-48.00	8.50	5.869	1.072	9.081	1.032	300.8	1.468	4.832
20500	20540	225.15	-48.00	8.00	5.441	1.075	8.418	1.037	300.8	1.468	4.832
21000	21043	225.15	-48.00	7.50	5.043	1.078	7.803	1.042	300.8	1.468	4.832
21500	21545	225.15	-48.00	7.00	4.675	1.081	7.233	1.047	300.8	1.468	4.832
22000	22048	225.15	-48.00	6.50	4.333	1.083	6.704	1.052	300.8	1.468	4.832
22500	22551	225.15	-48.00	6.00	4.016	1.086	6.215	1.057	300.8	1.468	4.832
23000	23054	225.15	-48.00	5.50	3.723	1.088	5.761	1.061	300.8	1.468	4.832
23500	23557	225.90	-47.25	5.75	3.451	1.090	5.323	1.062	301.3	1.472	4.847
24000	24060	226.65	-46.50	6.00	3.201 + 1	1.092	4.919 - 2	1.063	301.8	1.476 - 5	4.862 - 6
24500	24563	227.40	-45.75	6.25	2.969	1.095	4.548	1.064	302.3	1.480	4.877
25000	25067	228.15	-45.00	6.50	2.754	1.097	4.205	1.065	302.8	1.484	4.892
25500	25570	228.90	-44.25	6.75	2.556	1.099	3.890	1.067	303.3	1.488	4.907
26000	26073	229.65	-43.50	7.00	2.372	1.102	3.599	1.068	303.8	1.492	4.922
26500	26577	230.40	-42.75	7.25	2.202	1.105	3.330	1.070	304.3	1.496	4.937
27000	27080	231.15	-42.00	7.50	2.045	1.107	3.082	1.071	304.8	1.500	4.952
27500	27584	231.90	-41.25	7.75	1.900	1.110	2.854	1.073	305.3	1.504	4.967
28000	28088	232.65	-40.50	8.00	1.765	1.113	2.643	1.074	305.8	1.508	4.981
28500	28592	233.40	-39.75	8.25	1.640	1.116	2.448	1.076	306.3	1.512	4.996

TABLE 5.1.—Continued  
60° N. July

GEOMETRIC ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
Z, m	H, m'	T, °K	t, °C	T-T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , m sec <sup>-1</sup>	$\mu$ , kg m <sup>-1</sup> sec <sup>-1</sup>	$k$ , kcal m <sup>-1</sup> sec <sup>-1</sup> (°K) <sup>-1</sup>
0	0	288.45	15.30	0.30	1.01000 + 3	0.997	1.220 + 0	0.996	340.5	1.791 - 5	6.059 - 6
250	250	287.01	13.86	0.48	9.804 + 2	0.997	1.190	0.995	339.6	1.784	6.032
500	501	285.56	12.41	0.66	9.516	0.997	1.161	0.995	338.8	1.777	6.004
750	751	284.12	10.97	0.85	9.234	0.997	1.132	0.994	337.9	1.770	5.977
1000	1001	282.68	9.53	1.03	8.960	0.997	1.104	0.993	337.0	1.763	5.950
1250	1251	281.27	8.12	1.24	8.692	0.997	1.077	0.992	336.2	1.756	5.923
1500	1502	279.86	6.71	1.46	8.432	0.997	1.050	0.992	335.4	1.749	5.897
1750	1752	278.46	5.31	1.68	8.177	0.997	1.023	0.991	334.5	1.742	5.870
2000	2002	277.05	3.90	1.90	7.930	0.997	9.971 - 1	0.990	333.7	1.735	5.843
2250	2252	275.65	2.50	2.12	7.688	0.998	9.716	0.990	332.8	1.728	5.817
2500	2502	274.24	1.09	2.34	7.453 + 2	0.998	9.467 - 1	0.989	332.0	1.721 - 5	5.790 - 6
2750	2752	272.84	-0.31	2.55	7.224	0.998	9.223	0.989	331.1	1.715	5.763
3000	3002	271.43	-1.72	2.77	7.000	0.998	8.984	0.988	330.3	1.708	5.736
3250	3252	270.04	-3.11	3.01	6.783	0.999	8.750	0.987	329.4	1.701	5.710
3500	3503	268.65	-4.50	3.24	6.571	0.999	8.521	0.987	328.6	1.694	5.683
3750	3753	267.26	-5.89	3.48	6.365	0.999	8.296	0.986	327.7	1.687	5.657
4000	4003	265.87	-7.28	3.71	6.164	1.000	8.077	0.986	326.9	1.680	5.630
4250	4253	264.50	-8.65	3.95	5.969	1.000	7.862	0.985	326.0	1.673	5.603
4500	4503	263.12	-10.03	4.20	5.779	1.001	7.651	0.985	325.2	1.666	5.577
4750	4752	261.74	-11.41	4.44	5.594	1.001	7.445	0.984	324.3	1.659	5.550
5000	5002	260.36	-12.79	4.68	5.414 + 2	1.002	7.244 - 1	0.984	323.5	1.652 - 5	5.524 - 6
5250	5252	258.98	-14.57	4.93	5.238	1.002	7.057	0.985	322.4	1.643	5.489
5500	5502	256.81	-16.34	5.18	5.068	1.003	6.875	0.986	321.3	1.634	5.455
5750	5752	255.04	-18.11	5.43	4.902	1.003	6.695	0.987	320.1	1.625	5.421
6000	6002	253.26	-19.89	5.68	4.740	1.004	6.519	0.988	319.0	1.616	5.386
6250	6252	251.50	-21.65	5.94	4.582	1.004	6.347	0.989	317.9	1.607	5.352
6500	6502	249.74	-23.41	6.20	4.429	1.005	6.178	0.990	316.8	1.598	5.318
6750	6751	247.98	-25.17	6.46	4.279	1.005	6.012	0.990	315.7	1.589	5.283
7000	7001	246.22	-26.93	6.72	4.134	1.006	5.849	0.991	314.6	1.580	5.249
7250	7251	244.46	-28.69	6.98	3.993	1.006	5.690	0.992	313.4	1.570	5.214
7500	7501	242.70	-30.45	7.24	3.855 + 2	1.007	5.534 - 1	0.993	312.3	1.561 - 5	5.180 - 6
7750	7750	240.94	-32.21	7.50	3.722	1.007	5.381	0.994	311.2	1.552	5.145
8000	8000	239.18	-33.97	7.76	3.592	1.008	5.231	0.995	310.0	1.543	5.111
8250	8250	237.43	-35.72	8.02	3.465	1.008	5.085	0.996	308.9	1.534	5.076
8500	8499	235.68	-37.47	8.28	3.343	1.008	4.941	0.997	307.8	1.524	5.041
8750	8749	233.93	-39.22	8.54	3.224	1.009	4.800	0.998	306.6	1.515	5.007
9000	8999	232.18	-40.97	8.80	3.108	1.009	4.663	0.998	305.5	1.506	4.972
9250	9248	230.43	-42.72	9.06	2.995	1.009	4.528	0.999	304.3	1.496	4.937
9500	9498	228.68	-44.47	9.32	2.886	1.010	4.397	1.000	303.1	1.487	4.902
9750	9747	226.93	-46.22	9.58	2.780	1.010	4.268	1.001	302.0	1.478	4.868
10000	9997	225.18	-47.97	9.84	2.677 + 2	1.010	4.142 - 1	1.002	300.8	1.468 - 5	4.833 - 6
10250	10247	225.15	-48.00	10.10	2.578	1.011	3.988	0.995	300.8	1.468	4.832
10500	10496	225.15	-48.00	10.36	2.482	1.011	3.840	0.988	300.8	1.468	4.832
10750	10746	225.15	-48.00	10.62	2.390	1.013	3.697	0.982	300.8	1.468	4.832
11000	10995	225.15	-48.00	10.88	2.301	1.014	3.560	0.976	300.8	1.468	4.832
11500	11494	225.15	-48.00	11.14	2.133	1.017	3.301	0.978	300.8	1.468	4.832
12000	11993	225.15	-48.00	11.40	1.978	1.020	3.060	0.981	300.8	1.468	4.832
12500	12491	225.15	-48.00	11.66	1.834	1.023	2.837	0.984	300.8	1.468	4.832
13000	12990	225.15	-48.00	11.92	1.700	1.025	2.631	0.987	300.8	1.468	4.832
13500	13489	225.15	-48.00	12.18	1.576	1.028	2.439	0.989	300.8	1.468	4.832
14000	13987	225.15	-48.00	12.44	1.461 + 2	1.031	2.261 - 1	0.992	300.8	1.468 - 5	4.832 - 6
14500	14485	225.15	-48.00	12.70	1.355	1.034	2.097	0.996	300.8	1.468	4.832
15000	14984	225.15	-48.00	12.96	1.256	1.037	1.944	0.998	300.8	1.468	4.832
15500	15482	225.15	-48.00	13.22	1.165	1.040	1.802	1.001	300.8	1.468	4.832
16000	15980	225.15	-48.00	13.48	1.080	1.044	1.671	1.004	300.8	1.468	4.832
16500	16478	225.15	-48.00	13.74	1.001	1.046	1.549	1.007	300.8	1.468	4.832
17000	16976	225.15	-48.00	14.00	9.285 + 1	1.049	1.437	1.010	300.8	1.468	4.832
17500	17474	225.15	-48.00	14.26	8.610	1.052	1.332	1.012	300.8	1.468	4.832
18000	17972	225.15	-48.00	14.52	7.983	1.055	1.235	1.016	300.8	1.468	4.832
18500	18470	225.15	-48.00	14.78	7.403	1.058	1.145	1.018	300.8	1.468	4.832
19000	18968	225.15	-48.00	15.04	6.864 + 1	1.061	1.062 - 1	1.021	300.8	1.468 - 5	4.832 - 6
19500	19465	225.15	-48.00	15.30	6.365	1.064	9.848 - 2	1.024	300.8	1.468	4.832
20000	19963	225.15	-48.00	15.56	5.902	1.067	9.132	1.027	300.8	1.468	4.832
20500	20460	225.15	-48.00	15.82	5.473	1.070	8.468	1.032	300.8	1.468	4.832
21000	20958	225.15	-48.00	16.08	5.075	1.073	7.853	1.037	300.8	1.468	4.832
21500	21455	225.15	-48.00	16.34	4.706	1.076	7.282	1.042	300.8	1.468	4.832
22000	21952	225.15	-48.00	16.60	4.364	1.078	6.753	1.047	300.8	1.468	4.832
22500	22449	225.15	-48.00	16.86	4.047	1.080	6.262	1.051	300.8	1.468	4.832
23000	22946	225.15	-48.00	17.12	3.753	1.083	5.807	1.056	300.8	1.468	4.832
23500	23443	225.15	-47.34	17.38	3.481	1.085	5.370	1.057	301.2	1.472	4.845
24000	23940	226.56	-46.59	17.64	3.229 + 1	1.087	4.965 - 2	1.058	301.7	1.476 - 5	4.860 - 6
24500	24437	227.31	-45.84	17.90	2.996	1.089	4.592	1.059	302.2	1.480	4.875
25000	24934	228.05	-45.10	18.16	2.781	1.091	4.249	1.060	302.7	1.484	4.890
25500	25431	228.80	-44.35	18.42	2.582	1.093	3.931	1.061	303.2	1.488	4.905
26000	25927	229.54	-43.61	18.68	2.398	1.096	3.639	1.062	303.7	1.492	4.920
26500	26424	230.29	-42.86	18.94	2.227	1.098	3.369	1.064	304.2	1.496	4.934
27000	26920	231.07	-42.12	19.20	2.069	1.101	3.120	1.065	304.7	1.500	4.949
27500	27417	231.77	-41.38	19.46	1.923	1.103	2.891	1.067	305.2	1.504	4.964
28000	27913	232.52	-40.63	19.72	1.788	1.106	2.678	1.068	305.7	1.507	4.979
28500	28409	233.26	-39.89	19.98	1.662	1.109	2.482	1.070	306.2	1.511	4.994



TABLE 5.1.—Continued  
60° N. July  
GEOPOTENTIAL ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
H, m'	Z, m	T, °K	t, °C	T-T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> m sec <sup>-1</sup>	$\mu$ kg m <sup>-1</sup> sec <sup>-1</sup>	$k$ k-cal m <sup>-1</sup> sec <sup>-1</sup> (°K) <sup>-1</sup>
29000	29096	234.15	-39.00	8.50	1.525 + 1	1.119	2.269 - 2	1.078	306.8	1.516 - 5	5.011 - 6
29500	29600	234.90	-38.25	8.75	1.418	1.122	2.102	1.080	307.2	1.520	5.026
30000	30104	235.65	-37.50	9.00	1.318	1.125	1.949	1.082	307.7	1.524	5.041
30500	30608	236.40	-36.75	9.25	1.226	1.128	1.807	1.084	308.2	1.528	5.056
31000	31112	237.15	-36.00	9.50	1.141	1.132	1.676	1.086	308.7	1.532	5.070
31500	31616	237.90	-35.25	9.75	1.062	1.135	1.555	1.089	309.2	1.536	5.085
32000	32121	238.65	-34.50	10.00	9.884 + 0	1.139	1.443	1.091	309.7	1.540	5.100
33000	33130	241.65	-31.50	10.20	8.573	1.146	1.236	1.098	311.6	1.556	5.159
34000	34139	244.65	-28.50	10.40	7.449	1.153	1.061	1.104	313.6	1.571	5.218
35000	35149	247.65	-25.50	10.60	6.484	1.160	9.121 - 3	1.110	315.5	1.587	5.277
36000	36158	250.65	-22.50	10.80	5.653 + 0	1.167	7.857 - 3	1.117	317.4	1.602 - 5	5.335 - 6
37000	37169	253.65	-19.50	11.00	4.937	1.174	6.780	1.123	319.3	1.618	5.394
38000	38179	256.65	-16.50	11.20	4.318	1.182	5.861	1.130	321.2	1.633	5.452
39000	39190	259.65	-13.50	11.40	3.783	1.189	5.075	1.136	323.0	1.648	5.510
40000	40201	262.65	-10.50	11.60	3.319	1.196	4.402	1.143	324.9	1.664	5.568
41000	41213	265.65	-7.50	11.80	2.916	1.203	3.824	1.150	326.7	1.679	5.626
42000	42225	268.65	-4.50	12.00	2.566	1.210	3.328	1.156	328.6	1.694	5.683
43000	43237	271.65	-1.50	12.20	2.261	1.218	2.900	1.163	330.4	1.709	5.740
44000	44250	272.75	-0.40	10.50	1.995	1.224	2.548	1.177	331.1	1.714	5.761
45000	45262	273.85	0.70	8.80	1.760	1.230	2.239	1.190	331.7	1.720	5.782
46000	46276	274.95	1.80	7.10	1.554 + 0	1.234	1.969 - 3	1.202	332.4	1.725 - 5	5.803 - 6
47000	47289	276.05	2.90	5.40	1.373	1.238	1.733	1.213	333.1	1.730	5.824
48000	48303	277.15	4.00	6.50	1.213	1.241	1.525	1.212	333.7	1.736	5.845
49000	49317	277.15	4.00	6.50	1.073	1.245	1.348	1.216	333.7	1.736	5.845
50000	50331	277.15	4.00	6.50	9.483 - 1	1.249	1.192	1.219	333.7	1.736	5.845
51000	51346	277.15	4.00	6.50	8.383	1.252	1.054	1.223	333.7	1.736	5.845
52000	52361	277.15	4.00	6.50	7.411	1.256	9.315 - 4	1.227	333.7	1.736	5.845
53000	53376	277.15	4.00	8.50	6.552	1.260	8.235	1.222	333.7	1.736	5.845
54000	54392	275.15	2.00	8.50	5.789	1.265	7.330	1.226	332.5	1.726	5.807
55000	55408	273.15	-0.00	8.50	5.111	1.270	6.518	1.231	331.3	1.716	5.769
56000	56425	271.15	-2.00	8.50	4.508 - 1	1.276	5.792 - 4	1.236	330.1	1.706 - 5	5.731 - 6
57000	57441	269.15	-4.00	8.50	3.972	1.281	5.142	1.240	328.9	1.696	5.693
58000	58458	267.15	-6.00	8.50	3.497	1.286	4.561	1.245	327.7	1.686	5.654
59000	59476	265.15	-8.00	8.50	3.076	1.292	4.041	1.250	326.4	1.676	5.616
60000	60493	260.45	-12.70	5.80	2.701	1.296	3.613	1.268	323.5	1.653	5.525
61000	61511	255.75	-17.40	3.10	2.366	1.299	3.223	1.284	320.6	1.629	5.434
62000	62529	251.05	-22.10	2.40	2.068	1.301	2.869	1.289	317.6	1.605	5.343
63000	63548	246.35	-26.80	1.70	1.802	1.303	2.549	1.294	314.6	1.580	5.251
64000	64567	241.65	-31.50	1.00	1.567	1.304	2.259	1.298	311.6	1.556	5.159
65000	65586	236.95	-36.20	0.30	1.358	1.305	1.997	1.303	308.6	1.531	5.067
66000	66606	232.25	-40.90	-0.40	1.174 - 1	1.304	1.761 - 4	1.307	305.5	1.506 - 5	4.973 - 6
67000	67626	227.55	-45.60	-1.10	1.012	1.304	1.550	1.310	302.4	1.481	4.880
68000	68646	222.85	-50.30	-1.80	8.697 - 2	1.302	1.359	1.312	299.3	1.455	4.786
69000	69666	218.15	-55.00	-2.50	7.448	1.300	1.189	1.315	296.1	1.430	4.692
70000	70687	213.45	-59.70	-3.20	6.358	1.298	1.038	1.317	292.9	1.404	4.597
71000	71709	208.75	-64.40	-3.90	5.408	1.294	9.025 - 5	1.318	289.6	1.378	4.502
72000	72730	204.05	-69.10	-4.60	4.583	1.290	7.824	1.319	286.4	1.351	4.407
73000	73752	199.35	-73.80	-5.30	3.869	1.285	6.761	1.319	283.0	1.325	4.311
74000	74774	194.65	-78.50	-6.00	3.253	1.279	5.821	1.318	279.7	1.298	4.214
75000	75797	189.95	-83.20	-6.70	2.723	1.271	4.994	1.316	276.3	1.271	4.118
76000	76819	185.25	-87.90	-7.40	2.270 - 2	1.263	4.268 - 5	1.313	272.8	1.243 - 5	4.021 - 6
77000	77842	180.55	-92.60	-8.10	1.883	1.254	3.633	1.310	269.4	1.216	3.923
78000	78866	175.85	-97.30	-8.80	1.555	1.243	3.080	1.305	265.8	1.188	3.825
79000	79890	171.15	-102.00	-9.50	1.277	1.230	2.599	1.299	262.3	1.159	3.727
80000	80914	166.44	-106.71	-14.21	1.043	1.214	2.182	1.318	258.6	1.131	3.629
81000	81938	161.73	-111.42	-18.92	8.468 - 3	1.191	1.824	1.330	255.0	1.102	3.530
82000	82963	161.72	-111.43	-18.93	6.855	1.165	1.476	1.301	255.0	1.102	3.530
83000	83988	161.71	-111.44	-18.94	5.550	1.140	1.195	1.273	255.0	1.102	3.530
84000	85014	161.69	-111.46	-18.96	4.493	1.115	9.678 - 6	1.245	255.0	1.102	3.530
85000	86039	161.68	-111.47	-18.97	3.638	1.091	7.835	1.218	255.0	1.102	3.530
86000	87065	161.67	-111.48	-18.98	2.945 - 3	1.066	6.343 - 6	1.191	255.0	1.102 - 5	3.530 - 6
87000	88092	161.66	-111.49	-18.99	2.385	1.043	5.136	1.165	255.0	1.102	3.530
88000	89118	161.65	-111.50	-19.00	1.931	1.020	4.158	1.140	255.0	1.102	3.530
89000	90146	161.61	-111.54	-19.83	1.563	0.998	3.366	1.119	255.0	1.102	3.530
90000	91173	164.88	-108.27	-19.63	1.268	0.976	2.674	1.090	257.7	1.124	3.603
92000	93229	171.40	-101.75	-19.21	8.459 - 4	0.937	1.711	1.037	263.1	1.166	3.750
94000	95286	177.74	-95.41	-18.97	5.734	0.904	1.114	0.993	268.4	1.208	3.896
96000	97344	183.29	-89.86	-19.47	3.945	0.875	7.379 - 7	0.954	273.6	1.249	4.041
98000	99404	188.81	-84.34	-19.90	2.752	0.850	4.961	0.921	278.7	1.290	4.186
100000	101465	194.29	-78.86	-23.41	1.945	0.827	3.383	0.904	283.7	1.330	4.329
102000	103527	212.88	-60.27	-14.71	1.405 - 4	0.811	2.216 - 7	0.841	297.9	1.445 - 5	4.747 - 6
104000	105591	231.30	-41.85	-6.06	1.046	0.809	1.508	0.801	311.6	1.555	5.157
106000	107655	249.54	-23.61	2.61	7.970 - 5	0.815	1.059	0.776	324.6	1.661	5.559
108000	109722	267.64	-5.51	11.20	6.202	0.829	7.640 - 8	0.762	337.1	1.763	5.952
110000	111789	285.62	12.47	10.38	4.912	0.846	5.639	0.781	349.2	1.862	6.338
112000	113858	303.54	36.39	14.97	3.959	0.863	4.172	0.785	364.5	1.987	6.833
114000	115928	333.32	60.17	19.56	3.246	0.882	3.161	0.792	379.1	2.107	7.315
116000	118000	356.98	83.83	24.26	2.700	0.901	2.445	0.801	393.2	2.222	7.785

TABLE 5.1.—Continued  
60° N. July

GEOMETRIC ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity	
Z, m	H, m'	T, °K	t, °C	T-T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , m sec <sup>-1</sup>	$\frac{\mu}{\mu_{std}}$ , kg m <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{k_{std}}$ , kcal m <sup>-1</sup> sec <sup>-1</sup> (°K) <sup>-1</sup>	
29000	28905	234.01	-39.14	8.49	1.546	+ 1	1.112	2.301 - 2	1.071	306.7	1.515 - 5	5.008 - 6
29500	29401	234.75	-38.40	8.74	1.438		1.115	2.134	1.073	307.1	1.519	5.023
30000	29897	235.50	-37.65	8.99	1.338		1.118	1.979	1.075	307.6	1.523	5.038
30500	30393	236.24	-36.91	9.24	1.245		1.121	1.836	1.077	308.1	1.527	5.052
31000	30889	236.98	-36.17	9.48	1.159		1.124	1.704	1.079	308.6	1.531	5.067
31500	31385	237.73	-35.42	9.73	1.079		1.127	1.582	1.081	309.1	1.535	5.082
32000	31880	238.47	-34.68	9.98	1.005		1.131	1.469	1.083	309.6	1.539	5.097
33000	32872	241.26	-31.89	10.29	8.729	+ 0	1.138	1.260	1.089	311.4	1.554	5.152
34000	33862	244.24	-28.91	10.49	7.593		1.145	1.083	1.095	313.3	1.569	5.210
35000	34853	247.21	-25.94	10.70	6.616		1.151	9.324 - 3	1.102	315.2	1.585	5.268
36000	35843	250.18	-22.97	10.90	5.775	+ 0	1.158	8.041 - 3	1.108	317.1	1.600 - 5	5.326 - 6
37000	36833	253.15	-20.00	11.10	5.049		1.165	6.948	1.114	319.0	1.615	5.384
38000	37823	256.12	-17.03	11.30	4.421		1.172	6.013	1.120	320.8	1.631	5.442
39000	38812	259.09	-14.06	11.50	3.877		1.179	5.214	1.127	322.7	1.646	5.499
40000	39801	262.05	-11.10	11.70	3.406		1.186	4.528	1.133	324.5	1.661	5.556
41000	40789	265.02	-8.13	11.90	2.996		1.193	3.938	1.140	326.3	1.676	5.613
42000	41778	268.98	-5.17	12.11	2.640		1.200	3.431	1.146	328.2	1.690	5.670
43000	42766	270.95	-2.20	12.31	2.329		1.207	2.994	1.152	330.0	1.705	5.727
44000	43754	272.48	-0.67	11.08	2.057		1.214	2.630	1.164	330.9	1.713	5.756
45000	44741	273.56	0.41	9.40	1.818		1.219	2.315	1.178	331.6	1.718	5.777
46000	45728	274.65	1.50	7.73	1.607	+ 0	1.224	2.039 - 3	1.190	332.2	1.723 - 5	5.798 - 6
47000	46715	275.74	2.59	6.05	1.422		1.228	1.797	1.201	332.9	1.729	5.818
48000	47701	276.82	3.67	6.17	1.259		1.231	1.584	1.203	333.5	1.734	5.839
49000	48688	277.15	4.00	6.50	1.115		1.234	1.401	1.205	333.7	1.736	5.845
50000	49673	277.15	4.00	6.50	9.872	- 1	1.237	1.241	1.208	333.7	1.736	5.845
51000	50659	277.15	4.00	6.50	8.742		1.241	1.099	1.212	333.7	1.736	5.845
52000	51644	277.15	4.00	6.50	7.742		1.244	9.732 - 4	1.215	333.7	1.736	5.845
53000	52629	277.15	4.00	7.62	6.857		1.248	8.619	1.213	333.7	1.736	5.845
54000	53614	275.92	2.77	8.36	6.072		1.252	7.667	1.214	333.0	1.730	5.822
55000	54598	273.95	0.80	8.36	5.373		1.257	6.833	1.218	331.8	1.720	5.784
56000	55582	271.99	-1.16	8.36	4.751	- 1	1.261	6.085 - 4	1.223	330.6	1.710 - 5	5.747 - 6
57000	56566	270.02	-3.13	8.35	4.197		1.266	5.414	1.227	329.4	1.701	5.709
58000	57549	268.05	-5.10	8.35	3.704		1.271	4.814	1.231	328.2	1.691	5.672
59000	58533	266.08	-7.07	8.35	3.266		1.276	4.276	1.236	327.0	1.681	5.634
60000	59515	262.73	-10.42	6.96	2.877		1.281	3.815	1.247	324.9	1.664	5.569
61000	60498	258.11	-15.04	4.30	2.529		1.285	3.414	1.263	322.1	1.641	5.480
62000	61480	253.49	-19.66	2.45	2.218		1.287	3.049	1.274	319.2	1.617	5.391
63000	62462	248.88	-24.27	1.76	1.941		1.287	2.717	1.279	316.3	1.593	5.301
64000	63444	244.26	-28.89	1.06	1.694		1.288	2.416	1.282	313.3	1.569	5.210
65000	64425	239.65	-33.50	0.37	1.475		1.288	2.144	1.287	310.3	1.545	5.120
66000	65406	235.04	-38.11	-0.32	1.281	- 1	1.288	1.898 - 4	1.290	307.3	1.521 - 5	5.029 - 6
67000	66387	230.43	-42.72	-1.01	1.109		1.288	1.677	1.294	304.3	1.496	4.937
68000	67367	225.83	-47.32	-1.70	9.576	- 2	1.286	1.477	1.296	301.3	1.472	4.846
69000	68347	221.22	-51.93	-2.40	8.244		1.284	1.298	1.298	298.2	1.447	4.754
70000	69327	216.61	-56.54	-3.09	7.075		1.282	1.138	1.300	295.0	1.421	4.661
71000	70306	212.01	-61.14	-3.78	6.052		1.278	9.944 - 5	1.301	291.9	1.396	4.568
72000	71285	207.41	-65.74	-4.47	5.160		1.274	8.666	1.301	288.7	1.370	4.475
73000	72264	202.81	-70.34	-5.16	4.383		1.269	7.529	1.301	285.5	1.344	4.381
74000	73243	198.21	-74.94	-5.85	3.710		1.263	6.521	1.300	282.2	1.318	4.287
75000	74221	193.61	-79.54	-6.54	3.128		1.256	5.629	1.298	278.9	1.292	4.193
76000	75199	189.01	-84.14	-7.23	2.627	- 2	1.249	4.842 - 5	1.296	275.6	1.265 - 5	4.098 - 6
77000	76177	184.42	-88.73	-7.92	2.197		1.240	4.150	1.293	272.2	1.239	4.003
78000	77154	179.83	-93.32	-8.60	1.829		1.229	3.543	1.288	268.8	1.211	3.908
79000	78131	175.23	-97.92	-9.30	1.515		1.218	3.012	1.282	265.4	1.184	3.813
80000	79108	170.64	-102.51	-10.01	1.249		1.205	2.551	1.276	261.9	1.156	3.717
81000	80084	166.04	-107.11	-14.61	1.025		1.189	2.150	1.294	258.3	1.129	3.620
82000	81060	161.73	-111.42	-18.92	8.360	- 3	1.166	1.800	1.303	255.0	1.102	3.530
83000	82036	161.72	-111.43	-18.93	6.803		1.141	1.465	1.274	255.0	1.102	3.530
84000	83012	161.71	-111.44	-18.94	5.536		1.116	1.192	1.247	255.0	1.102	3.530
85000	83987	161.69	-111.46	-18.96	4.506		1.092	9.704 - 6	1.220	255.0	1.102	3.530
86000	84962	161.68	-111.47	-18.97	3.667	- 3	1.069	7.898 - 6	1.194	255.0	1.102 - 5	3.530 - 6
87000	85936	161.67	-111.48	-18.98	2.985		1.046	6.429	1.168	255.0	1.102	3.530
88000	86911	161.66	-111.49	-18.99	2.430		1.023	5.233	1.143	255.0	1.102	3.530
89000	87885	161.65	-111.50	-19.00	1.978		1.001	4.260	1.118	255.0	1.102	3.530
90000	88858	161.64	-111.51	-19.01	1.610		0.979	3.468	1.094	255.0	1.102	3.530
92000	90805	167.51	-105.64	-19.11	1.075		0.939	2.229	1.043	259.9	1.141	3.663
94000	92750	173.84	-99.31	-18.72	7.297	- 4	0.904	1.454	0.996	265.1	1.182	3.805
96000	94694	179.67	-93.48	-18.78	5.027		0.875	9.640 - 7	0.956	270.2	1.222	3.947
98000	96637	185.05	-88.10	-19.23	3.512		0.849	6.491	0.922	275.2	1.262	4.087
100000	98579	190.39	-82.76	-19.63	2.485		0.826	4.434	0.891	280.1	1.302	4.227
102000	100519	199.13	-74.02	-20.53	1.782	- 4	0.805	3.019 - 7	0.864	287.5	1.360 - 5	4.438 - 6
104000	102459	217.12	-56.03	-12.06	1.310		0.794	2.023	0.812	301.1	1.470	4.842
106000	104397	234.93	-38.22	-3.65	9.889	- 5	0.794	1.403	0.777	314.2	1.576	5.237
108000	106334	252.57	-20.58	4.72	7.633		0.802	1.001	0.757	326.7	1.679	5.625
110000	108269	270.07	-3.08	13.07	6.004		0.816	7.324 - 8	0.745	338.8	1.777	6.005
112000	110204	288.06	14.91	12.21	4.801		0.833	5.461	0.764	350.8	1.875	6.389
114000	112137	311.17	38.02	16.65	3.903		0.850	4.091	0.769	365.5	1.995	6.867
116000	114069	334.14	60.99	21.13	3.224		0.868	3.132	0.776	379.6	2.111	7.332
118000	116000	356.98	83.83	25.65	2.700		0.887	2.444	0.785	393.2	2.222	7.785

TABLE 5.1.—Continued  
75° N. January

GEOPOTENTIAL ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
H, m'	Z, m	T, °K	t, °C	T - T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , m sec <sup>-1</sup>	$\mu$ , kg m <sup>-1</sup> sec <sup>-1</sup>	$k$ , kcal m <sup>-1</sup> sec <sup>-1</sup> (°K) <sup>-1</sup>
0	0	249.22	-23.93	-38.93	1.01350 + 3	1.000	1.417 + 0	1.157	316.5	1.595 - 5	5.307 - 6
250	249	249.97	-23.18	-36.56	9.794 + 2	0.996	1.365	1.141	316.9	1.599	5.322
500	499	250.72	-22.43	-34.18	9.466	0.992	1.315	1.127	317.4	1.603	5.337
750	748	251.48	-21.67	-31.80	9.149	0.988	1.267	1.113	317.9	1.607	5.351
1000	998	252.23	-20.92	-29.42	8.844	0.984	1.221	1.098	318.4	1.611	5.366
1250	1247	252.99	-20.16	-27.04	8.550	0.981	1.177	1.085	318.9	1.614	5.381
1500	1497	253.74	-19.41	-24.66	8.267	0.978	1.135	1.073	319.3	1.618	5.395
1750	1747	252.36	-20.79	-24.42	7.992	0.975	1.103	1.069	318.5	1.611	5.369
2000	1996	250.98	-22.17	-24.17	7.725	0.972	1.072	1.066	317.6	1.604	5.342
2250	2246	249.59	-23.56	-23.93	7.466	0.969	1.042	1.062	316.7	1.597	5.315
2500	2495	248.21	-24.94	-23.69	7.214 + 2	0.966	1.013 + 0	1.058	315.8	1.590 - 5	5.288 - 6
2750	2745	246.83	-26.32	-23.45	6.970	0.963	9.837 - 1	1.055	315.0	1.583	5.261
3000	2995	245.45	-27.70	-23.20	6.732	0.960	9.555	1.051	314.1	1.576	5.234
3250	3244	244.07	-29.08	-22.96	6.501	0.957	9.279	1.047	313.2	1.568	5.207
3500	3494	242.69	-30.46	-22.71	6.277	0.955	9.010	1.044	312.3	1.561	5.180
3750	3744	241.31	-31.84	-22.47	6.059	0.952	8.748	1.040	311.4	1.554	5.152
4000	3994	239.93	-33.22	-22.22	5.848	0.949	8.491	1.037	310.5	1.547	5.125
4250	4243	238.55	-34.60	-21.97	5.643	0.946	8.241	1.033	309.6	1.539	5.098
4500	4493	237.17	-35.98	-21.73	5.444	0.943	7.996	1.029	308.7	1.532	5.071
4750	4743	235.80	-37.35	-21.48	5.251	0.940	7.758	1.026	307.8	1.525	5.044
5000	4993	234.42	-38.73	-21.23	5.064 + 2	0.937	7.525 - 1	1.022	306.9	1.518 - 5	5.016 - 6
5250	5243	233.04	-40.11	-20.98	4.882	0.934	7.298	1.019	306.0	1.510	4.989
5500	5492	231.67	-41.48	-20.73	4.706	0.932	7.076	1.015	305.1	1.503	4.962
5750	5742	230.29	-42.86	-20.49	4.535	0.929	6.860	1.012	304.2	1.496	4.935
6000	5992	228.91	-44.24	-20.24	4.369	0.926	6.649	1.008	303.3	1.488	4.907
6250	6242	227.53	-45.62	-19.99	4.209	0.923	6.444	1.004	302.4	1.481	4.880
6500	6492	226.16	-46.99	-19.74	4.053	0.921	6.243	1.001	301.5	1.473	4.852
6750	6742	224.78	-48.37	-19.49	3.903	0.918	6.048	0.997	300.6	1.466	4.825
7000	6992	223.41	-49.74	-19.24	3.757	0.915	5.858	0.994	299.6	1.458	4.797
7250	7242	222.03	-51.12	-19.00	3.615	0.912	5.672	0.990	298.7	1.451	4.770
7500	7492	220.65	-52.50	-18.75	3.478 + 2	0.909	5.492 - 1	0.987	297.8	1.444 - 5	4.742 - 6
7750	7742	219.28	-53.87	-18.50	3.346	0.907	5.316	0.983	296.9	1.436	4.715
8000	7992	217.90	-55.25	-18.25	3.218	0.904	5.144	0.980	295.9	1.428	4.687
8250	8242	216.53	-56.62	-18.00	3.094	0.901	4.977	0.976	295.0	1.421	4.659
8500	8492	215.15	-58.00	-17.75	2.974	0.898	4.815	0.973	294.0	1.413	4.632
8750	8742	215.03	-58.12	-16.25	2.858	0.896	4.630	0.963	294.0	1.413	4.629
9000	8993	214.90	-58.25	-14.75	2.747	0.893	4.452	0.955	293.9	1.412	4.626
9250	9243	214.78	-58.37	-13.25	2.640	0.891	4.281	0.946	293.8	1.411	4.624
9500	9493	214.65	-58.50	-11.75	2.537	0.889	4.117	0.938	293.7	1.411	4.621
9750	9743	214.53	-58.62	-10.25	2.438	0.888	3.958	0.930	293.6	1.410	4.619
10000	9993	214.40	-58.75	-8.75	2.342 + 2	0.886	3.806 - 1	0.922	293.5	1.409 - 5	4.616 - 6
10250	10244	214.28	-58.87	-7.25	2.251	0.885	3.660	0.915	293.4	1.409	4.614
10500	10494	214.15	-59.00	-5.75	2.163	0.884	3.519	0.908	293.4	1.408	4.611
10750	10744	214.03	-59.12	-4.25	2.078	0.883	3.383	0.900	293.3	1.407	4.609
11000	10994	213.90	-59.25	-2.75	1.997	0.882	3.252	0.894	293.2	1.406	4.606
11500	11495	213.65	-59.50	-3.00	1.844	0.881	3.006	0.894	293.0	1.405	4.601
12000	11996	213.25	-59.90	-3.40	1.702	0.880	2.780	0.895	292.7	1.403	4.593
12500	12497	212.85	-60.30	-3.80	1.571	0.879	2.571	0.895	292.5	1.401	4.585
13000	12997	212.45	-60.70	-4.20	1.450	0.878	2.377	0.895	292.2	1.398	4.577
13500	13498	212.05	-61.10	-4.60	1.337	0.876	2.197	0.895	291.9	1.396	4.569
14000	13999	211.65	-61.50	-5.00	1.234 + 2	0.875	2.031 - 1	0.895	291.6	1.394 - 5	4.561 - 6
14500	14501	211.25	-61.90	-5.40	1.138	0.873	1.877	0.895	291.4	1.392	4.553
15000	15002	210.85	-62.30	-5.80	1.050	0.872	1.734	0.895	291.1	1.390	4.545
15500	15503	210.45	-62.70	-6.20	9.679 + 1	0.870	1.602	0.895	290.8	1.387	4.537
16000	16004	210.05	-63.10	-6.60	8.923	0.867	1.480	0.895	290.5	1.385	4.528
16500	16506	209.65	-63.50	-7.00	8.226	0.865	1.367	0.894	290.3	1.383	4.520
17000	17007	209.25	-63.90	-7.40	7.581	0.863	1.262	0.893	290.0	1.381	4.512
17500	17509	208.85	-64.30	-7.80	6.987	0.860	1.165	0.892	289.7	1.378	4.504
18000	18011	208.45	-64.70	-8.20	6.437	0.858	1.076	0.891	289.4	1.376	4.496
18500	18512	208.05	-65.10	-8.60	5.931	0.855	9.930 - 2	0.891	289.2	1.374	4.488
19000	19014	207.65	-65.50	-9.00	5.463 + 1	0.852	9.164 - 2	0.889	288.9	1.372 - 5	4.480 - 6
19500	19516	207.65	-65.50	-9.00	5.031	0.849	8.441	0.886	288.9	1.372	4.480
20000	20018	207.65	-65.50	-9.00	4.634	0.846	7.774	0.883	288.9	1.372	4.480
20500	20520	207.65	-65.50	-9.50	4.268	0.843	7.160	0.882	288.9	1.372	4.480
21000	21022	207.65	-65.50	-10.00	3.931	0.840	6.595	0.881	288.9	1.372	4.480
21500	21524	207.65	-65.50	-10.50	3.621	0.837	6.074	0.879	288.9	1.372	4.480
22000	22027	207.65	-65.50	-11.00	3.335	0.834	5.594	0.878	288.9	1.372	4.480
22500	22529	207.65	-65.50	-11.50	3.071	0.830	5.153	0.876	288.9	1.372	4.480
23000	23032	207.65	-65.50	-12.00	2.829	0.827	4.746	0.874	288.9	1.372	4.480
23500	23534	207.65	-65.50	-12.50	2.605	0.823	4.371	0.872	288.9	1.372	4.480
24000	24037	207.65	-65.50	-13.00	2.400 + 1	0.819	4.026 - 2	0.870	288.9	1.372 - 5	4.480 - 6
24500	24539	207.65	-65.50	-13.50	2.210	0.815	3.708	0.868	288.9	1.372	4.480
25000	25042	207.65	-65.50	-14.00	2.036	0.811	3.415	0.865	288.9	1.372	4.480
25500	25545	207.65	-65.50	-14.50	1.875	0.806	3.145	0.863	288.9	1.372	4.480
26000	26048	207.65	-65.50	-15.00	1.727	0.802	2.897	0.860	288.9	1.372	4.480
26500	26551	207.65	-65.50	-15.50	1.590	0.798	2.668	0.857	288.9	1.372	4.480
27000	27054	207.65	-65.50	-16.00	1.465	0.793	2.458	0.854	288.9	1.372	4.480
27500	27557	207.65	-65.50	-16.50	1.349	0.788	2.263	0.851	288.9	1.372	4.480
28000	28060	207.65	-65.50	-17.00	1.243	0.783	2.085	0.847	288.9	1.372	4.480
28500	28564	207.65	-65.50	-17.50	1.144	0.779	1.920	0.844	288.9	1.372	4.480
29000	29067	207.65	-65.50	-18.00	1.054 + 1	0.773	1.768 - 2	0.841	288.9	1.372 - 5	4.480 - 6
29500	29571	207.65	-65.50	-18.50	9.709 + 0	0.768	1.629	0.837	288.9	1.372	4.480
30000	30074	207.65	-65.50	-19.00	8.942	0.763	1.500	0.833	288.9	1.372	4.480

TABLE 5.1.—Continued  
75° N. January  
GEOMETRIC ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
Z, m	H, m'	T, °K	t, °C	T - T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , m sec <sup>-1</sup>	$\mu$ , kg m <sup>-1</sup> sec <sup>-1</sup>	$k$ , kcal m <sup>-1</sup> sec <sup>-1</sup> (°K) <sup>-1</sup>
0	0	249.22	-23.93	-38.93	1.01350 + 3	1.000	1.417 + 0	1.157	316.5	1.595 - 5	5.307 - 6
250	251	249.97	-23.18	-36.55	9.793 + 2	0.996	1.365	1.141	316.9	1.599	5.322
500	501	250.73	-22.42	-34.17	9.464	0.991	1.315	1.127	317.4	1.603	5.337
750	752	251.48	-21.67	-31.79	9.147	0.987	1.267	1.112	317.9	1.607	5.352
1000	1002	252.24	-20.91	-29.41	8.841	0.984	1.221	1.098	318.4	1.611	5.366
1250	1253	252.99	-20.16	-27.03	8.547	0.980	1.177	1.085	318.9	1.615	5.381
1500	1503	253.72	-19.43	-24.68	8.263	0.977	1.135	1.072	319.3	1.618	5.395
1750	1753	254.34	-20.81	-24.44	7.988	0.974	1.103	1.069	318.4	1.611	5.368
2000	2004	255.95	-22.20	-24.20	7.721	0.971	1.072	1.064	317.6	1.604	5.341
2250	2254	249.57	-23.58	-23.96	7.462	0.968	1.042	1.061	316.7	1.597	5.314
2500	2505	248.19	-24.96	-23.72	7.210 + 2	0.965	1.012 + 0	1.057	315.8	1.590 - 5	5.287 - 6
2750	2755	246.80	-26.35	-23.48	6.965	0.962	9.831 - 1	1.054	314.9	1.583	5.260
3000	3005	245.42	-27.73	-23.24	6.727	0.959	9.549	1.050	314.1	1.575	5.233
3250	3256	244.04	-29.11	-23.00	6.496	0.956	9.273	1.047	313.2	1.568	5.206
3500	3506	242.66	-30.49	-22.76	6.272	0.953	9.004	1.043	312.3	1.561	5.179
3750	3756	241.27	-31.88	-22.51	6.054	0.951	8.741	1.039	311.4	1.554	5.152
4000	4006	239.89	-33.26	-22.27	5.843	0.948	8.485	1.035	310.5	1.547	5.125
4250	4257	238.51	-34.64	-22.03	5.638	0.945	8.234	1.032	309.6	1.539	5.097
4500	4507	237.14	-36.01	-21.78	5.439	0.942	7.990	1.028	308.7	1.532	5.070
4750	4757	235.76	-37.39	-21.54	5.245	0.939	7.751	1.025	307.8	1.525	5.043
5000	5007	234.38	-38.77	-21.30	5.058 + 2	0.936	7.518 - 1	1.021	306.9	1.517 - 5	5.016 - 6
5250	5257	233.00	-40.15	-21.05	4.877	0.933	7.291	1.017	306.0	1.510	4.988
5500	5508	231.62	-41.53	-20.81	4.700	0.930	7.069	1.014	305.1	1.503	4.961
5750	5758	230.25	-42.90	-20.56	4.530	0.927	6.853	1.010	304.2	1.495	4.934
6000	6008	228.87	-44.28	-20.32	4.364	0.924	6.643	1.006	303.3	1.488	4.906
6250	6258	227.49	-45.66	-20.07	4.204	0.921	6.437	1.003	302.4	1.481	4.879
6500	6508	226.11	-47.04	-19.83	4.048	0.918	6.237	0.999	301.4	1.473	4.851
6750	6758	224.74	-48.41	-19.58	3.898	0.916	6.042	0.995	300.5	1.466	4.824
7000	7008	223.36	-49.79	-19.34	3.752	0.913	5.852	0.992	299.6	1.458	4.796
7250	7258	221.99	-51.16	-19.09	3.611	0.910	5.667	0.988	298.7	1.451	4.769
7500	7508	220.61	-52.54	-18.85	3.474 + 2	0.907	5.486 - 1	0.985	297.8	1.443 - 5	4.741 - 6
7750	7758	219.23	-53.92	-18.60	3.342	0.904	5.310	0.981	296.8	1.436	4.714
8000	8008	217.86	-55.29	-18.36	3.214	0.901	5.139	0.977	295.9	1.428	4.686
8250	8258	216.48	-56.67	-18.11	3.090	0.899	4.972	0.974	295.0	1.421	4.658
8500	8508	215.15	-58.00	-17.87	2.970	0.896	4.809	0.970	294.0	1.413	4.631
8750	8758	215.02	-58.13	-16.33	2.854	0.893	4.625	0.961	294.0	1.413	4.629
9000	9007	214.90	-58.25	-14.84	2.743	0.891	4.447	0.952	293.9	1.412	4.626
9250	9257	214.77	-58.38	-13.34	2.636	0.888	4.276	0.944	293.8	1.411	4.624
9500	9507	214.65	-58.50	-11.84	2.534	0.887	4.112	0.935	293.7	1.411	4.621
9750	9757	214.52	-58.63	-10.35	2.435	0.884	3.954	0.927	293.6	1.410	4.619
10000	10007	214.40	-58.75	-8.85	2.340 + 2	0.883	3.802 - 1	0.919	293.5	1.409 - 5	4.616 - 6
10250	10256	214.27	-58.88	-7.36	2.249	0.882	3.650	0.912	293.4	1.409	4.614
10500	10506	214.15	-59.00	-5.87	2.161	0.881	3.515	0.905	293.4	1.408	4.611
10750	10756	214.02	-59.13	-4.37	2.076	0.880	3.380	0.898	293.3	1.407	4.609
11000	11006	213.90	-59.25	-2.88	1.995	0.879	3.250	0.891	293.2	1.406	4.606
11500	11505	213.65	-59.50	-3.00	1.842	0.878	3.004	0.890	293.0	1.405	4.601
12000	12004	213.25	-59.90	-3.40	1.701	0.877	2.778	0.891	292.7	1.403	4.593
12500	12503	212.85	-60.30	-3.80	1.570	0.876	2.569	0.891	292.5	1.401	4.585
13000	13003	212.45	-60.70	-4.20	1.449	0.874	2.376	0.891	292.2	1.398	4.577
13500	13502	212.05	-61.10	-4.60	1.337	0.872	2.197	0.891	291.9	1.396	4.569
14000	14001	211.65	-61.50	-5.00	1.234 + 2	0.871	2.031 - 1	0.891	291.6	1.394 - 5	4.561 - 6
14500	14499	211.25	-61.90	-5.40	1.138	0.869	1.877	0.891	291.4	1.392	4.553
15000	14998	210.85	-62.30	-5.80	1.050	0.867	1.735	0.890	291.1	1.390	4.545
15500	15497	210.45	-62.70	-6.20	9.683 + 1	0.865	1.603	0.890	290.8	1.387	4.537
16000	15996	210.05	-63.10	-6.60	8.930	0.863	1.481	0.889	290.5	1.385	4.529
16500	16494	209.66	-63.49	-6.99	8.233	0.860	1.368	0.889	290.3	1.383	4.520
17000	16993	209.26	-63.89	-7.39	7.590	0.858	1.264	0.888	290.0	1.381	4.512
17500	17491	208.86	-64.29	-7.79	6.997	0.855	1.167	0.887	289.7	1.378	4.504
18000	17989	208.46	-64.69	-8.19	6.449	0.852	1.078	0.886	289.4	1.376	4.496
18500	18488	208.06	-65.09	-8.59	5.942	0.850	9.950 - 2	0.884	289.2	1.374	4.488
19000	18986	207.66	-65.49	-8.99	5.475 + 1	0.847	9.185 - 2	0.883	288.9	1.372 - 5	4.480 - 6
19500	19484	207.65	-65.50	-9.00	5.044	0.844	8.463	0.880	288.9	1.372	4.480
20000	19982	207.65	-65.50	-9.00	4.648	0.841	7.797	0.877	288.9	1.372	4.480
20500	20480	207.65	-65.50	-9.43	4.282	0.837	7.184	0.876	288.9	1.372	4.480
21000	20978	207.65	-65.50	-9.93	3.945	0.834	6.619	0.874	288.9	1.372	4.480
21500	21476	207.65	-65.50	-10.43	3.635	0.831	6.098	0.873	288.9	1.372	4.480
22000	21973	207.65	-65.50	-10.92	3.349	0.828	5.619	0.871	288.9	1.372	4.480
22500	22471	207.65	-65.50	-11.42	3.086	0.824	5.177	0.869	288.9	1.372	4.480
23000	22969	207.65	-65.50	-11.92	2.843	0.820	4.770	0.867	288.9	1.372	4.480
23500	23466	207.65	-65.50	-12.41	2.620	0.816	4.395	0.865	288.9	1.372	4.480
24000	23964	207.65	-65.50	-12.91	2.414 + 1	0.812	4.050 - 2	0.863	288.9	1.372 - 5	4.480 - 6
24500	24461	207.65	-65.50	-13.41	2.224	0.808	3.732	0.860	288.9	1.372	4.480
25000	24958	207.65	-65.50	-13.90	2.050	0.804	3.439	0.858	288.9	1.372	4.480
25500	25455	207.65	-65.50	-14.40	1.889	0.800	3.169	0.855	288.9	1.372	4.480
26000	25952	207.65	-65.50	-14.89	1.740	0.795	2.920	0.852	288.9	1.372	4.480
26500	26449	207.65	-65.50	-15.39	1.604	0.791	2.691	0.849	288.9	1.372	4.480
27000	26946	207.65	-65.50	-15.89	1.478	0.786	2.479	0.846	288.9	1.372	4.480
27500	27443	207.65	-65.50	-16.38	1.362	0.781	2.285	0.843	288.9	1.372	4.480
28000	27940	207.65	-65.50	-16.88	1.255	0.777	2.105	0.839	288.9	1.372	4.480
28500	28437	207.65	-65.50	-17.37	1.156	0.772	1.940	0.836	288.9	1.372	4.480
29000	28933	207.65	-65.50	-17.87	1.066 + 1	0.767	1.788 - 2	0.832	288.9	1.372 - 5	4.480 - 6
29500	29430	207.65	-65.50	-18.36	9.821 + 0	0.761	1.648	0.829	288.9	1.372	4.480
30000	29926	207.65	-65.50	-18.86	9.051	0.756	1.518	0.825	288.9	1.372	4.480

TABLE 5.1.—Continued  
75° N. January (Cold)

GEOPOTENTIAL ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
H, m'	Z, m	T, °K	t, °C	T-T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , m sec <sup>-1</sup>	$\mu$ , kg m <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{sec^{-1}(\text{°K})^{-1}}$
0	0	249.22	-23.93	-38.93	1.01350 + 3	1.000	1.417 + 0	1.157	316.5	1.595 - 5	5.307 - 6
250	249	249.97	-23.18	-36.56	9.794 + 2	0.996	1.365	1.141	316.9	1.599	5.322
500	499	250.72	-22.43	-34.18	9.466	0.992	1.315	1.127	317.4	1.603	5.337
750	748	251.48	-21.67	-31.80	9.149	0.988	1.267	1.113	317.9	1.607	5.351
1000	998	252.23	-20.92	-29.42	8.844	0.984	1.221	1.098	318.4	1.611	5.366
1250	1247	252.99	-20.16	-27.04	8.550	0.981	1.177	1.085	318.9	1.614	5.381
1500	1497	253.74	-19.41	-24.66	8.267	0.978	1.135	1.073	319.3	1.618	5.395
1750	1747	252.36	-20.79	-24.42	7.992	0.975	1.103	1.069	318.5	1.611	5.369
2000	1996	250.98	-22.17	-24.17	7.725	0.972	1.072	1.066	317.6	1.604	5.342
2250	2246	249.59	-23.56	-23.93	7.466	0.969	1.042	1.062	316.7	1.597	5.315
2500	2495	248.21	-24.94	-23.69	7.214 + 2	0.966	1.013 + 0	1.058	315.8	1.590 - 5	5.288 - 6
2750	2745	246.83	-26.32	-23.45	6.970	0.963	9.837 - 1	1.055	315.0	1.583	5.261
3000	2995	245.45	-27.70	-23.20	6.732	0.960	9.555	1.051	314.1	1.576	5.234
3250	3244	244.07	-29.08	-22.96	6.501	0.957	9.279	1.047	313.2	1.568	5.207
3500	3494	242.69	-30.46	-22.71	6.277	0.955	9.010	1.044	312.3	1.561	5.180
3750	3744	241.31	-31.84	-22.47	6.059	0.952	8.748	1.040	311.4	1.554	5.152
4000	3994	239.93	-33.22	-22.22	5.848	0.949	8.491	1.037	310.5	1.547	5.125
4250	4243	238.55	-34.60	-21.97	5.643	0.946	8.241	1.033	309.6	1.539	5.098
4500	4493	237.17	-35.98	-21.73	5.444	0.943	7.996	1.029	308.7	1.532	5.071
4750	4743	235.80	-37.35	-21.48	5.251	0.940	7.758	1.026	307.8	1.525	5.044
5000	4993	234.42	-38.73	-21.23	5.064 + 2	0.937	7.525 - 1	1.022	306.9	1.518 - 5	5.016 - 6
5250	5243	233.04	-40.11	-20.98	4.882	0.934	7.298	1.019	306.0	1.510	4.989
5500	5492	231.67	-41.48	-20.73	4.706	0.932	7.076	1.015	305.1	1.503	4.962
5750	5742	230.29	-42.86	-20.49	4.535	0.929	6.860	1.012	304.2	1.496	4.935
6000	5992	228.91	-44.24	-20.24	4.369	0.926	6.649	1.008	303.3	1.488	4.907
6250	6242	227.53	-45.62	-19.99	4.209	0.923	6.444	1.004	302.4	1.481	4.880
6500	6492	226.16	-46.99	-19.74	4.053	0.921	6.243	1.001	301.5	1.473	4.852
6750	6742	224.78	-48.37	-19.49	3.903	0.918	6.048	0.997	300.6	1.466	4.825
7000	6992	223.41	-49.74	-19.24	3.757	0.915	5.858	0.994	299.6	1.458	4.797
7250	7242	222.03	-51.12	-19.00	3.615	0.912	5.672	0.990	298.7	1.451	4.770
7500	7492	220.65	-52.50	-18.75	3.478 + 2	0.909	5.492 - 1	0.987	297.8	1.444 - 5	4.742 - 6
7750	7742	219.28	-53.87	-18.50	3.346	0.907	5.316	0.983	296.9	1.436	4.715
8000	7992	217.90	-55.25	-18.25	3.218	0.904	5.144	0.980	295.9	1.428	4.687
8250	8242	216.53	-56.62	-18.00	3.094	0.901	4.977	0.976	295.0	1.421	4.659
8500	8492	215.15	-58.00	-17.75	2.974	0.898	4.815	0.973	294.0	1.413	4.632
8750	8742	214.78	-58.37	-16.50	2.858	0.896	4.655	0.965	293.8	1.411	4.624
9000	8993	214.40	-58.75	-15.25	2.746	0.893	4.462	0.957	293.5	1.409	4.616
9250	9243	214.03	-59.12	-14.00	2.639	0.891	4.295	0.949	293.3	1.407	4.609
9500	9493	213.65	-59.50	-12.75	2.536	0.889	4.134	0.942	293.0	1.405	4.601
9750	9743	213.28	-59.87	-11.50	2.436	0.887	3.979	0.935	292.8	1.403	4.594
10000	9993	212.90	-60.25	-10.25	2.340 + 2	0.885	3.830 - 1	0.928	292.5	1.401 - 5	4.586 - 6
10250	10244	212.53	-60.62	-9.00	2.248	0.884	3.685	0.921	292.2	1.399	4.579
10500	10494	212.15	-61.00	-7.75	2.160	0.883	3.546	0.915	292.0	1.397	4.571
10750	10744	211.78	-61.37	-6.50	2.074	0.881	3.412	0.908	291.7	1.395	4.563
11000	10994	211.40	-61.75	-5.25	1.992	0.880	3.283	0.902	291.5	1.393	4.556
11500	11495	210.65	-62.50	-6.00	1.837	0.878	3.039	0.904	291.0	1.388	4.541
12000	11996	209.90	-63.25	-6.75	1.694	0.876	2.812	0.905	290.4	1.384	4.525
12500	12497	209.15	-64.00	-7.50	1.561	0.874	2.601	0.905	289.9	1.380	4.510
13000	12997	208.40	-64.75	-8.25	1.439	0.871	2.405	0.906	289.4	1.376	4.495
13500	13498	207.65	-65.50	-9.00	1.325	0.869	2.224	0.906	288.9	1.372	4.480
14000	13999	206.90	-66.25	-9.75	1.221 + 2	0.866	2.055 - 1	0.906	288.4	1.368 - 5	4.465 - 6
14500	14501	206.15	-67.00	-10.50	1.124	0.862	1.899	0.906	287.8	1.363	4.449
15000	15002	205.40	-67.75	-11.25	1.034	0.859	1.754	0.905	287.3	1.359	4.434
15500	15503	204.65	-68.50	-12.00	9.515 + 1	0.855	1.620	0.905	286.8	1.355	4.419
16000	16004	203.90	-69.25	-12.75	8.751	0.850	1.495	0.904	286.3	1.351	4.404
16500	16506	203.15	-70.00	-13.50	8.047	0.846	1.380	0.902	285.7	1.346	4.388
17000	17007	202.40	-70.75	-14.25	7.397	0.842	1.273	0.901	285.2	1.342	4.373
17500	17509	201.65	-71.50	-15.00	6.797	0.837	1.174	0.899	284.7	1.338	4.358
18000	18011	201.35	-71.80	-15.30	6.245	0.832	1.080	0.895	284.5	1.336	4.352
18500	18512	201.05	-72.10	-15.60	5.736	0.827	9.940 - 2	0.891	284.2	1.335	4.345
19000	19014	200.75	-72.40	-15.90	5.269 + 1	0.822	9.143 - 2	0.887	284.0	1.333 - 5	4.339 - 6
19500	19516	200.45	-72.70	-16.20	4.839	0.817	8.409	0.883	283.8	1.331	4.333
20000	20018	200.15	-73.00	-16.50	4.443	0.812	7.733	0.878	283.6	1.329	4.327
20500	20520	199.85	-73.30	-17.30	4.079	0.806	7.111	0.876	283.4	1.328	4.321
21000	21022	199.55	-73.60	-18.10	3.745	0.801	6.538	0.873	283.2	1.326	4.315
21500	21524	199.25	-73.90	-18.90	3.438	0.795	6.010	0.870	283.0	1.324	4.309
22000	22027	198.95	-74.20	-19.70	3.155	0.789	5.524	0.867	282.8	1.323	4.303
22500	22529	198.65	-74.50	-20.50	2.895	0.782	5.077	0.863	282.5	1.321	4.296
23000	23032	198.35	-74.80	-21.30	2.656	0.776	4.666	0.860	282.3	1.319	4.290
23500	23534	198.05	-75.10	-22.10	2.437	0.770	4.287	0.855	282.1	1.317	4.284
24000	24037	197.75	-75.40	-22.90	2.236 + 1	0.763	3.938 - 2	0.851	281.9	1.316 - 5	4.278 - 6
24500	24539	197.45	-75.70	-23.70	2.050	0.756	3.618	0.847	281.7	1.314	4.272
25000	25042	197.15	-76.00	-24.50	1.880	0.749	3.323	0.842	281.5	1.312	4.266
25500	25545	197.15	-76.00	-25.00	1.724	0.742	3.047	0.836	281.5	1.312	4.266
26000	26048	197.15	-76.00	-25.50	1.581	0.734	2.794	0.829	281.5	1.312	4.266
26500	26551	197.15	-76.00	-26.00	1.450	0.727	2.562	0.823	281.5	1.312	4.266
27000	27054	197.15	-76.00	-26.50	1.330	0.720	2.349	0.816	281.5	1.312	4.266
27500	27557	197.15	-76.00	-27.00	1.219	0.712	2.154	0.810	281.5	1.312	4.266
28000	28060	197.15	-76.00	-27.50	1.118	0.705	1.976	0.803	281.5	1.312	4.266
28500	28564	197.15	-76.00	-28.00	1.025	0.697	1.812	0.796	281.5	1.312	4.266
29000	29067	197.15	-76.00	-28.50	9.402 + 0	0.690	1.661 - 2	0.790	281.5	1.312 - 5	4.266 - 6
29500	29571	197.15	-76.00	-29.00	8.622	0.682	1.523	0.782	281.5	1.312	4.266
30000	30074	197.15	-76.00	-29.50	7.906	0.675	1.397	0.776	281.5	1.312	4.266

TABLE 5.1.—Continued  
75° N. January (Cold)  
GEOMETRIC ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
Z, m	H, m'	T, °K	t, °C	T-T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> m sec <sup>-1</sup>	$\mu$ kg m <sup>-1</sup> sec <sup>-1</sup>	$k$ k-cal m <sup>-1</sup> sec <sup>-1</sup> (°K) <sup>-1</sup>
0	0	249.22	-23.93	-38.93	1.01350 + 3	1.000	1.417 + 0	1.157	316.5	1.595 - 5	5.307 - 6
250	251	249.97	-23.18	-36.55	9.793 + 2	0.996	1.365	1.141	316.9	1.599	5.322
500	501	250.73	-22.42	-34.17	9.464	0.991	1.315	1.127	317.4	1.603	5.337
750	752	251.48	-21.67	-31.79	9.147	0.987	1.267	1.112	317.9	1.607	5.352
1000	1002	252.24	-20.91	-29.41	8.841	0.984	1.221	1.098	318.4	1.611	5.366
1250	1253	252.99	-20.16	-27.03	8.547	0.980	1.177	1.085	318.9	1.615	5.381
1500	1503	253.72	-19.43	-24.68	8.263	0.977	1.135	1.072	319.3	1.618	5.395
1750	1753	252.34	-20.81	-24.44	7.988	0.974	1.103	1.069	318.4	1.611	5.368
2000	2004	250.95	-22.20	-24.20	7.721	0.971	1.072	1.064	317.6	1.604	5.341
2250	2254	249.57	-23.58	-23.96	7.462	0.968	1.042	1.061	316.7	1.597	5.314
2500	2505	248.19	-24.96	-23.72	7.210 + 2	0.965	1.012 + 0	1.057	315.8	1.590 - 5	5.287 - 6
2750	2755	246.80	-26.35	-23.48	6.965	0.962	9.831 - 1	1.054	314.9	1.583	5.260
3000	3005	245.42	-27.73	-23.24	6.727	0.959	9.549	1.050	314.1	1.575	5.233
3250	3256	244.04	-29.11	-23.00	6.496	0.956	9.273	1.047	313.2	1.568	5.206
3500	3506	242.66	-30.49	-22.76	6.272	0.953	9.004	1.043	312.3	1.561	5.179
3750	3756	241.27	-31.88	-22.51	6.054	0.951	8.741	1.039	311.4	1.554	5.152
4000	4006	239.89	-33.26	-22.27	5.843	0.948	8.485	1.035	310.5	1.547	5.125
4250	4257	238.51	-34.64	-22.03	5.638	0.945	8.234	1.032	309.6	1.539	5.097
4500	4507	237.14	-36.01	-21.78	5.439	0.942	7.990	1.028	308.7	1.532	5.070
4750	4757	235.76	-37.39	-21.54	5.245	0.939	7.751	1.025	307.8	1.525	5.043
5000	5007	234.38	-38.77	-21.30	5.058 + 2	0.936	7.518 - 1	1.021	306.9	1.517 - 5	5.016 - 6
5250	5257	233.00	-40.15	-21.05	4.877	0.933	7.291	1.017	306.0	1.510	4.988
5500	5508	231.62	-41.53	-20.81	4.700	0.930	7.069	1.014	305.1	1.503	4.961
5750	5758	230.25	-42.90	-20.56	4.530	0.927	6.853	1.010	304.2	1.495	4.934
6000	6008	228.87	-44.28	-20.32	4.364	0.924	6.643	1.006	303.3	1.488	4.906
6250	6258	227.49	-45.66	-20.07	4.204	0.921	6.437	1.003	302.4	1.481	4.879
6500	6508	226.11	-47.04	-19.83	4.048	0.918	6.237	0.999	301.4	1.473	4.851
6750	6758	224.74	-48.41	-19.58	3.898	0.916	6.042	0.995	300.5	1.466	4.824
7000	7008	223.36	-49.79	-19.34	3.752	0.913	5.852	0.992	299.6	1.458	4.796
7250	7258	221.99	-51.16	-19.09	3.611	0.910	5.667	0.988	298.7	1.451	4.769
7500	7508	220.61	-52.54	-18.85	3.474 + 2	0.907	5.486 - 1	0.985	297.8	1.443 - 5	4.741 - 6
7750	7758	219.23	-53.92	-18.60	3.342	0.904	5.310	0.981	296.8	1.436	4.714
8000	8008	217.86	-55.29	-18.36	3.214	0.901	5.139	0.977	295.9	1.428	4.686
8250	8258	216.48	-56.67	-18.11	3.090	0.899	4.972	0.974	295.0	1.421	4.658
8500	8508	215.14	-58.01	-17.87	2.970	0.896	4.809	0.970	294.0	1.413	4.631
8750	8758	214.76	-58.39	-17.63	2.854	0.893	4.630	0.962	293.8	1.411	4.624
9000	9007	214.39	-58.76	-17.39	2.743	0.891	4.457	0.954	293.5	1.409	4.616
9250	9257	214.02	-59.13	-17.15	2.636	0.888	4.291	0.947	293.3	1.407	4.609
9500	9507	213.64	-59.51	-16.91	2.533	0.886	4.130	0.939	293.0	1.405	4.601
9750	9757	213.27	-59.88	-16.67	2.434	0.884	3.975	0.932	292.8	1.403	4.593
10000	10007	212.89	-60.26	-16.43	2.338 + 2	0.882	3.826 - 1	0.925	292.5	1.401 - 5	4.586 - 6
10250	10256	212.52	-60.63	-16.19	2.246	0.881	3.682	0.918	292.2	1.399	4.578
10500	10506	212.14	-61.01	-15.95	2.158	0.879	3.543	0.912	292.0	1.397	4.571
10750	10756	211.77	-61.38	-15.71	2.072	0.878	3.409	0.906	291.7	1.395	4.563
11000	11006	211.39	-61.76	-15.47	1.991	0.877	3.280	0.899	291.5	1.393	4.556
11500	11505	210.64	-62.51	-15.01	1.836	0.875	3.036	0.900	291.0	1.388	4.540
12000	12004	209.89	-63.26	-14.55	1.693	0.873	2.810	0.901	290.4	1.384	4.525
12500	12503	209.15	-64.00	-14.09	1.561	0.870	2.599	0.901	289.9	1.380	4.510
13000	13003	208.40	-64.75	-13.63	1.438	0.867	2.404	0.902	289.4	1.376	4.495
13500	13502	207.65	-65.50	-13.17	1.325	0.864	2.223	0.902	288.9	1.372	4.480
14000	14001	206.90	-66.25	-12.71	1.220 + 2	0.861	2.055 - 1	0.902	288.4	1.368 - 5	4.465 - 6
14500	14499	206.15	-67.00	-12.25	1.124	0.858	1.899	0.902	287.8	1.363	4.449
15000	14998	205.40	-67.75	-11.79	1.034	0.854	1.754	0.901	287.3	1.359	4.434
15500	15497	204.66	-68.49	-11.33	9.919 + 1	0.850	1.620	0.900	286.8	1.355	4.419
16000	15996	203.91	-69.24	-10.87	8.758	0.846	1.496	0.899	286.3	1.351	4.404
16500	16494	203.16	-69.99	-10.41	8.055	0.841	1.381	0.897	285.7	1.346	4.388
17000	16993	202.41	-70.74	-9.95	7.406	0.837	1.275	0.896	285.2	1.342	4.373
17500	17491	201.66	-71.49	-9.49	6.807	0.832	1.176	0.894	284.7	1.338	4.358
18000	17989	201.36	-71.79	-9.03	6.256	0.827	1.082	0.890	284.5	1.336	4.352
18500	18488	201.06	-72.09	-8.57	5.748	0.822	9.960 - 2	0.885	284.3	1.335	4.346
19000	18986	200.76	-72.39	-8.11	5.281 + 1	0.817	9.165 - 2	0.881	284.0	1.333 - 5	4.339 - 6
19500	19484	200.46	-72.69	-7.65	4.852	0.811	8.432	0.877	283.8	1.331	4.333
20000	19982	200.16	-72.99	-7.19	4.457	0.806	7.757	0.872	283.6	1.329	4.327
20500	20480	199.86	-73.29	-6.73	4.093	0.801	7.135	0.870	283.4	1.328	4.321
21000	20978	199.56	-73.59	-6.27	3.759	0.795	6.562	0.867	283.2	1.326	4.315
21500	21476	199.27	-73.88	-5.81	3.452	0.789	6.035	0.864	283.0	1.324	4.309
22000	21973	198.97	-74.18	-5.35	3.169	0.783	5.549	0.860	282.8	1.323	4.303
22500	22471	198.67	-74.48	-4.89	2.910	0.777	5.102	0.857	282.6	1.321	4.297
23000	22969	198.37	-74.78	-4.43	2.671	0.770	4.690	0.853	282.3	1.319	4.291
23500	23466	198.07	-75.08	-3.97	2.451	0.764	4.312	0.849	282.1	1.318	4.285
24000	23964	197.77	-75.38	-3.51	2.250 + 1	0.757	3.963 - 2	0.844	281.9	1.316 - 5	4.278 - 6
24500	24461	197.47	-75.68	-3.05	2.064	0.750	3.642	0.840	281.7	1.314	4.272
25000	24958	197.18	-75.97	-2.59	1.894	0.743	3.346	0.835	281.5	1.312	4.266
25500	25455	197.15	-76.00	-2.40	1.738	0.736	3.071	0.829	281.5	1.312	4.266
26000	25952	197.15	-76.00	-2.39	1.594	0.729	2.817	0.822	281.5	1.312	4.266
26500	26449	197.15	-76.00	-2.39	1.463	0.721	2.585	0.816	281.5	1.312	4.266
27000	26946	197.15	-76.00	-2.39	1.342	0.714	2.371	0.809	281.5	1.312	4.266
27500	27443	197.15	-76.00	-2.39	1.231	0.706	2.176	0.803	281.5	1.312	4.266
28000	27940	197.15	-76.00	-2.39	1.130	0.699	1.996	0.796	281.5	1.312	4.266
28500	28437	197.15	-76.00	-2.39	1.037	0.692	1.832	0.789	281.5	1.312	4.266
29000	28933	197.15	-76.00	-2.39	9.511 + 0	0.684	1.681 - 2	0.782	281.5	1.312 - 5	4.266 - 6
29500	29430	197.15	-76.00	-2.39	8.727	0.677	1.542	0.776	281.5	1.312	4.266
30000	29926	197.15	-76.00	-2.39	8.008	0.669	1.415	0.769	281.5	1.312	4.266

TABLE 5.1.—Continued  
75° N, January (Warm)  
GEOPOTENTIAL ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
H, m'	Z, m	T, °K	t, °C	T-T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho, \text{kg m}^{-3}$	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , m sec <sup>-1</sup>	$\mu, \text{kg m}^{-1} \text{sec}^{-1}$	$k, \text{kcal m}^{-1} \text{sec}^{-1} (\text{°K})^{-1}$
0	0	249.22	-23.93	-38.93	1.01350 + 3	1.000	1.417 + 0	1.157	316.5	1.595 - 5	5.307 - 6
250	249	249.97	-23.18	-36.56	9.794 + 2	0.996	1.365	1.141	316.9	1.599	5.322
500	499	250.72	-22.43	-34.18	9.466	0.992	1.315	1.127	317.4	1.603	5.337
750	748	251.48	-21.67	-31.80	9.149	0.988	1.267	1.113	317.9	1.607	5.351
1000	998	252.23	-20.92	-29.42	8.844	0.984	1.221	1.098	318.4	1.611	5.366
1250	1247	252.99	-20.16	-27.04	8.550	0.981	1.177	1.085	318.9	1.614	5.381
1500	1497	253.74	-19.41	-24.66	8.267	0.978	1.135	1.073	319.3	1.618	5.395
1750	1747	252.36	-20.79	-24.42	7.992	0.975	1.103	1.069	318.5	1.611	5.369
2000	1996	250.98	-22.17	-24.17	7.725	0.972	1.072	1.066	317.6	1.604	5.342
2250	2246	249.59	-23.56	-23.93	7.466	0.969	1.042	1.062	316.7	1.597	5.315
2500	2495	248.21	-24.94	-23.69	7.214 + 2	0.966	1.013 + 0	1.058	315.8	1.590 - 5	5.288 - 6
2750	2745	246.83	-26.32	-23.45	6.970	0.963	9.837 - 1	1.055	315.0	1.583	5.261
3000	2995	245.45	-27.70	-23.20	6.732	0.960	9.555	1.051	314.1	1.576	5.234
3250	3244	244.07	-29.08	-22.96	6.501	0.957	9.279	1.047	313.2	1.568	5.207
3500	3494	242.69	-30.46	-22.71	6.277	0.955	9.010	1.044	312.3	1.561	5.180
3750	3744	241.31	-31.84	-22.47	6.059	0.952	8.748	1.040	311.4	1.554	5.152
4000	3994	239.93	-33.22	-22.22	5.848	0.949	8.491	1.037	310.5	1.547	5.125
4250	4243	238.55	-34.60	-21.97	5.643	0.946	8.241	1.033	309.6	1.539	5.098
4500	4493	237.17	-35.98	-21.73	5.444	0.943	7.996	1.029	308.7	1.532	5.071
4750	4743	235.80	-37.35	-21.48	5.251	0.940	7.758	1.026	307.8	1.525	5.044
5000	4993	234.42	-38.73	-21.23	5.064 + 2	0.937	7.525 - 1	1.022	306.9	1.518 - 5	5.016 - 6
5250	5243	233.04	-40.11	-20.98	4.882	0.934	7.298	1.019	306.0	1.510	4.989
5500	5492	231.67	-41.48	-20.73	4.706	0.932	7.076	1.015	305.1	1.503	4.962
5750	5742	230.29	-42.86	-20.49	4.535	0.929	6.860	1.012	304.2	1.496	4.935
6000	5992	228.91	-44.24	-20.24	4.369	0.926	6.649	1.008	303.3	1.488	4.907
6250	6242	227.53	-45.62	-19.99	4.209	0.923	6.444	1.004	302.4	1.481	4.880
6500	6492	226.16	-46.99	-19.74	4.053	0.921	6.243	1.001	301.5	1.473	4.852
6750	6742	224.78	-48.37	-19.49	3.903	0.918	6.048	0.997	300.6	1.466	4.825
7000	6992	223.41	-49.74	-19.24	3.757	0.915	5.858	0.994	299.6	1.458	4.797
7250	7242	222.03	-51.12	-19.00	3.615	0.912	5.672	0.990	298.7	1.451	4.770
7500	7492	220.65	-52.50	-18.75	3.478 + 2	0.909	5.492 - 1	0.987	297.8	1.444 - 5	4.742 - 6
7750	7742	219.28	-53.87	-18.50	3.346	0.907	5.316	0.983	296.9	1.436	4.715
8000	7992	217.90	-55.25	-18.25	3.218	0.904	5.144	0.980	295.9	1.428	4.687
8250	8242	216.53	-56.62	-18.00	3.094	0.901	4.977	0.976	295.0	1.421	4.659
8500	8492	215.15	-58.00	-17.75	2.974	0.898	4.815	0.973	294.0	1.413	4.632
8750	8742	213.78	-59.38	-17.50	2.858	0.896	4.663	0.970	293.0	1.406	4.604
9000	8993	212.40	-60.75	-17.25	2.747	0.894	4.520	0.968	292.0	1.398	4.576
9250	9243	211.03	-62.13	-17.00	2.641	0.892	4.385	0.966	291.0	1.391	4.548
9500	9493	209.65	-63.51	-16.75	2.540	0.890	4.255	0.964	290.0	1.384	4.520
9750	9743	208.28	-64.88	-16.50	2.442	0.889	4.130	0.962	289.0	1.377	4.492
10000	9993	206.90	-66.26	-16.25	2.349 + 2	0.888	4.010	0.960	288.0	1.370	4.464
10250	10244	205.52	-67.64	-16.00	2.259	0.888	3.895	0.959	287.0	1.363	4.436
10500	10494	204.15	-69.02	-15.75	2.173	0.888	3.785	0.958	286.0	1.356	4.408
10750	10744	202.77	-70.40	-15.50	2.091	0.888	3.680	0.957	285.0	1.349	4.380
11000	10994	201.40	-71.78	-15.25	2.012	0.889	3.580	0.956	284.0	1.342	4.352
11500	11495	200.02	-73.16	-15.00	1.938	0.891	3.485	0.955	283.0	1.335	4.324
12000	11996	198.65	-74.54	-14.75	1.870	0.893	3.395	0.954	282.0	1.328	4.296
12500	12497	197.27	-75.92	-14.50	1.807	0.894	3.310	0.953	281.0	1.321	4.268
13000	12997	195.90	-77.30	-14.25	1.749	0.896	3.230	0.952	280.0	1.314	4.240
13500	13498	194.52	-78.68	-14.00	1.695	0.898	3.155	0.951	279.0	1.307	4.212
14000	13999	193.15	-80.06	-13.75	1.645	0.900	3.085	0.950	278.0	1.300	4.184
14500	14501	191.77	-81.44	-13.50	1.598	0.901	3.020	0.949	277.0	1.293	4.156
15000	15002	190.40	-82.82	-13.25	1.555	0.903	2.960	0.948	276.0	1.286	4.128
15500	15503	189.02	-84.20	-13.00	1.515	0.905	2.905	0.947	275.0	1.279	4.100
16000	16004	187.65	-85.58	-12.75	1.478	0.906	2.855	0.946	274.0	1.272	4.072
16500	16506	186.27	-86.96	-12.50	1.443	0.908	2.810	0.945	273.0	1.265	4.044
17000	17007	184.90	-88.34	-12.25	1.410	0.910	2.770	0.944	272.0	1.258	4.016
17500	17509	183.52	-89.72	-12.00	1.378	0.912	2.735	0.943	271.0	1.251	3.988
18000	18011	182.15	-91.10	-11.75	1.348	0.914	2.705	0.942	270.0	1.244	3.960
18500	18512	180.77	-92.48	-11.50	1.319	0.916	2.680	0.941	269.0	1.237	3.932
19000	19014	179.40	-93.86	-11.25	1.291	0.918	2.655	0.940	268.0	1.230	3.904
19500	19516	178.02	-95.24	-11.00	1.264	0.920	2.635	0.939	267.0	1.223	3.876
20000	20018	176.65	-96.62	-10.75	1.238	0.922	2.615	0.938	266.0	1.216	3.848
20500	20520	175.27	-98.00	-10.50	1.213	0.925	2.595	0.937	265.0	1.209	3.820
21000	21022	173.90	-99.38	-10.25	1.188	0.927	2.580	0.936	264.0	1.202	3.792
21500	21524	172.52	-100.76	-10.00	1.164	0.929	2.565	0.935	263.0	1.195	3.764
22000	22027	171.15	-102.14	-9.75	1.141	0.931	2.550	0.934	262.0	1.188	3.736
22500	22529	169.77	-103.52	-9.50	1.118	0.932	2.535	0.933	261.0	1.181	3.708
23000	23032	168.40	-104.90	-9.25	1.095	0.935	2.520	0.932	260.0	1.174	3.680
23500	23534	167.02	-106.28	-9.00	1.072	0.936	2.505	0.931	259.0	1.167	3.652
24000	24037	165.65	-107.66	-8.75	1.050	0.938	2.490	0.930	258.0	1.160	3.624
24500	24539	164.27	-109.04	-8.50	1.028	0.939	2.475	0.929	257.0	1.153	3.596
25000	25042	162.90	-110.42	-8.25	1.006	0.941	2.460	0.928	256.0	1.146	3.568
25500	25545	161.52	-111.80	-8.00	0.984	0.942	2.445	0.927	255.0	1.139	3.540
26000	26048	160.15	-113.18	-7.75	0.962	0.944	2.430	0.926	254.0	1.132	3.512
26500	26551	158.77	-114.56	-7.50	0.940	0.946	2.415	0.925	253.0	1.125	3.484
27000	27054	157.40	-115.94	-7.25	0.918	0.947	2.400	0.924	252.0	1.118	3.456
27500	27557	156.02	-117.32	-7.00	0.896	0.949	2.385	0.923	251.0	1.111	3.428
28000	28060	154.65	-118.70	-6.75	0.874	0.951	2.370	0.922	250.0	1.104	3.400
28500	28564	153.27	-120.08	-6.50	0.852	0.953	2.355	0.921	249.0	1.097	3.372
29000	29067	151.90	-121.46	-6.25	0.830	0.955	2.340	0.920	248.0	1.090	3.344
29500	29571	150.52	-122.84	-6.00	0.808	0.957	2.325	0.919	247.0	1.083	3.316
30000	30074	149.15	-124.22	-5.75	0.786	0.959	2.310	0.918	246.0	1.076	3.288

TABLE 5.1.—Continued  
75° N. January (Warm)  
GEOMETRIC ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
Z, m	H, m'	T, °K	t, °C	T-T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , m sec <sup>-1</sup>	$\mu$ , kg m <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{sec^{-1}(°K)^{-1}}$
0	0	249.22	-23.93	-38.93	1.01350 + 3	1.000	1.417 + 0	1.157	316.5	1.595 - 5	5.307 - 6
250	251	249.97	-23.18	-36.55	9.793 + 2	0.996	1.365	1.141	316.9	1.599	5.322
500	501	250.73	-22.42	-34.17	9.464	0.991	1.315	1.127	317.4	1.603	5.337
750	752	251.48	-21.67	-31.79	9.147	0.987	1.267	1.112	317.9	1.607	5.352
1000	1002	252.24	-20.91	-29.41	8.841	0.984	1.221	1.098	318.4	1.611	5.366
1250	1253	252.99	-20.16	-27.03	8.547	0.980	1.177	1.085	318.9	1.615	5.381
1500	1503	253.72	-19.43	-24.68	8.263	0.977	1.135	1.072	319.3	1.618	5.395
1750	1753	252.34	-20.81	-24.44	7.988	0.974	1.103	1.069	318.4	1.611	5.368
2000	2004	250.95	-22.20	-24.20	7.721	0.971	1.072	1.064	317.6	1.604	5.341
2250	2254	249.57	-23.58	-23.96	7.462	0.968	1.042	1.061	316.7	1.597	5.314
2500	2505	248.19	-24.96	-23.72	7.210 + 2	0.965	1.012 + 0	1.057	315.8	1.590 - 5	5.287 - 6
2750	2755	246.80	-26.35	-23.48	6.965	0.962	9.831 - 1	1.054	314.9	1.583	5.260
3000	3005	245.42	-27.73	-23.24	6.727	0.959	9.549	1.050	314.1	1.575	5.233
3250	3256	244.04	-29.11	-23.00	6.496	0.956	9.273	1.047	313.2	1.568	5.206
3500	3506	242.66	-30.49	-22.76	6.272	0.953	9.004	1.043	312.3	1.561	5.179
3750	3756	241.27	-31.88	-22.51	6.054	0.951	8.741	1.039	311.4	1.554	5.152
4000	4006	239.89	-33.26	-22.27	5.843	0.948	8.485	1.035	310.5	1.547	5.125
4250	4257	238.51	-34.64	-22.03	5.638	0.945	8.234	1.032	309.6	1.539	5.097
4500	4507	237.14	-36.01	-21.78	5.439	0.942	7.990	1.028	308.7	1.532	5.070
4750	4757	235.76	-37.39	-21.54	5.245	0.939	7.751	1.025	307.8	1.525	5.043
5000	5007	234.38	-38.77	-21.30	5.058 + 2	0.936	7.518 - 1	1.021	306.9	1.517 - 5	5.016 - 6
5250	5257	233.00	-40.15	-21.05	4.877	0.933	7.291	1.017	306.0	1.510	4.988
5500	5508	231.62	-41.53	-20.81	4.700	0.930	7.069	1.014	305.1	1.503	4.961
5750	5758	230.25	-42.90	-20.56	4.530	0.927	6.853	1.010	304.2	1.495	4.934
6000	6008	228.87	-44.28	-20.32	4.364	0.924	6.643	1.006	303.3	1.488	4.906
6250	6258	227.49	-45.66	-20.07	4.204	0.921	6.437	1.003	302.4	1.481	4.879
6500	6508	226.11	-47.04	-19.83	4.048	0.918	6.237	0.999	301.4	1.473	4.851
6750	6758	224.74	-48.41	-19.58	3.898	0.916	6.042	0.995	300.5	1.466	4.824
7000	7008	223.36	-49.79	-19.34	3.752	0.913	5.852	0.992	299.6	1.458	4.796
7250	7258	221.99	-51.16	-19.09	3.611	0.910	5.667	0.988	298.7	1.451	4.769
7500	7508	220.61	-52.54	-18.85	3.474 + 2	0.907	5.486 - 1	0.985	297.8	1.443 - 5	4.741 - 6
7750	7758	219.23	-53.92	-18.60	3.342	0.904	5.310	0.981	296.8	1.436	4.714
8000	8008	217.86	-55.29	-18.36	3.214	0.901	5.139	0.977	295.9	1.428	4.686
8250	8258	216.48	-56.67	-18.11	3.090	0.899	4.972	0.974	295.0	1.421	4.658
8500	8508	215.17	-57.98	-17.87	2.970	0.896	4.809	0.970	294.1	1.413	4.632
8750	8758	213.87	-59.28	-17.62	2.855	0.893	4.650	0.967	293.2	1.405	4.606
9000	9007	212.57	-60.58	-17.37	2.744	0.891	4.494	0.964	292.3	1.397	4.580
9250	9257	211.27	-61.88	-17.12	2.638	0.889	4.339	0.961	291.4	1.389	4.554
9500	9507	210.00	-63.18	-16.87	2.537	0.887	4.184	0.958	290.5	1.381	4.528
9750	9757	208.74	-64.48	-16.62	2.440	0.886	4.030	0.955	289.6	1.373	4.502
10000	10007	219.37	-53.78	-3.88	2.346 + 2	0.885	3.726 - 1	0.901	296.9	1.437 - 5	4.716 - 6
10250	10256	220.07	-53.08	-1.56	2.257	0.885	3.573	0.891	297.4	1.440	4.730
10500	10506	220.77	-52.38	0.76	2.171	0.885	3.426	0.882	297.9	1.444	4.744
10750	10756	221.47	-51.68	3.07	2.089	0.885	3.286	0.873	298.3	1.448	4.758
11000	11006	222.15	-51.00	5.38	2.010	0.886	3.152	0.864	298.8	1.452	4.772
11500	11505	222.15	-51.00	5.50	1.862	0.887	2.919	0.865	298.8	1.452	4.772
12000	12004	222.15	-51.00	5.50	1.724	0.889	2.704	0.867	298.8	1.452	4.772
12500	12503	222.15	-51.00	5.50	1.597	0.891	2.504	0.868	298.8	1.452	4.772
13000	13003	222.15	-51.00	5.50	1.479	0.892	2.319	0.870	298.8	1.452	4.772
13500	13502	222.15	-51.00	5.50	1.369	0.893	2.148	0.871	298.8	1.452	4.772
14000	14001	222.15	-51.00	5.50	1.268 + 2	0.895	1.989 - 1	0.873	298.8	1.452 - 5	4.772 - 6
14500	14499	222.15	-51.00	5.50	1.175	0.897	1.842	0.875	298.8	1.452	4.772
15000	14998	222.15	-51.00	5.50	1.088	0.898	1.706	0.876	298.8	1.452	4.772
15500	15497	222.15	-51.00	5.50	1.008	0.900	1.580	0.877	298.8	1.452	4.772
16000	15996	222.15	-51.00	5.50	9.332 + 1	0.902	1.463	0.879	298.8	1.452	4.772
16500	16494	222.15	-51.00	5.50	8.643	0.903	1.355	0.881	298.8	1.452	4.772
17000	16993	222.15	-51.00	5.50	8.006	0.905	1.255	0.882	298.8	1.452	4.772
17500	17491	222.40	-50.75	5.75	7.415	0.906	1.162	0.883	299.0	1.453	4.777
18000	17989	222.65	-50.50	6.00	6.869	0.908	1.075	0.884	299.1	1.454	4.782
18500	18488	222.89	-50.26	6.24	6.364	0.910	9.946 - 2	0.884	299.3	1.456	4.787
19000	18986	223.14	-50.01	6.49	5.896 + 1	0.912	9.205 - 2	0.885	299.5	1.457 - 5	4.792 - 6
19500	19484	223.39	-49.76	6.74	5.463	0.914	8.520	0.886	299.6	1.458	4.797
20000	19982	223.64	-49.51	6.99	5.063	0.916	7.887	0.887	299.8	1.460	4.802
20500	20480	223.89	-49.26	7.24	4.692	0.918	7.301	0.889	300.0	1.461	4.807
21000	20978	224.14	-49.01	7.49	4.349	0.920	6.760	0.893	300.1	1.462	4.812
21500	21476	224.39	-48.76	7.74	4.032	0.922	6.259	0.896	300.3	1.464	4.817
22000	21973	224.64	-48.51	7.99	3.738	0.924	5.796	0.899	300.5	1.465	4.822
22500	22471	224.89	-48.26	8.24	3.465	0.925	5.368	0.901	300.6	1.467	4.827
23000	22969	225.14	-48.01	8.49	3.213	0.927	4.972	0.904	300.8	1.468	4.832
23500	23466	225.38	-47.77	8.74	2.980	0.929	4.606	0.906	301.0	1.469	4.837
24000	23964	225.63	-47.52	8.99	2.763 + 1	0.930	4.267 - 2	0.909	301.1	1.471 - 5	4.842 - 6
24500	24461	225.88	-47.27	9.24	2.563	0.931	3.953	0.911	301.3	1.472	4.847
25000	24958	226.13	-47.02	9.49	2.377	0.933	3.663	0.914	301.5	1.473	4.852
25500	25455	226.38	-46.77	9.74	2.206	0.934	3.387	0.914	301.9	1.477	4.866
26000	25952	227.58	-45.57	10.94	2.047	0.935	3.133	0.915	302.4	1.481	4.881
26500	26449	228.32	-44.83	11.68	1.900	0.937	2.899	0.915	302.9	1.485	4.895
27000	26946	229.07	-44.08	12.43	1.764	0.938	2.683	0.916	303.4	1.489	4.910
27500	27443	229.82	-43.33	13.17	1.638	0.940	2.483	0.916	303.9	1.493	4.925
28000	27940	230.56	-42.59	13.92	1.522	0.942	2.299	0.917	304.4	1.497	4.940
28500	28437	231.31	-41.84	14.67	1.414	0.943	2.130	0.917	304.9	1.501	4.955
29000	28933	232.05	-41.10	15.42	1.314 + 1	0.945	1.973 - 2	0.918	305.4	1.505 - 5	4.970 - 6
29500	29430	232.80	-40.35	16.17	1.222	0.947	1.828	0.920	305.9	1.509	4.984
30000	29926	233.54	-39.61	16.92	1.136	0.949	1.694	0.920	306.4	1.513	4.999



TABLE 5.1.—Continued  
75° N. July

GEOPOTENTIAL ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
H, m'	Z, m	T, °K	t, °C	T-T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> m sec <sup>-1</sup>	$\mu$ kg m <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{k_{std}}$ sec <sup>-1</sup> (°K) <sup>-1</sup>
0	0	278.92	5.77	-9.23	1.01250 + 3	0.999	1.265 + 0	1.032	334.8	1.745 - 5	5.879 - 6
250	249	278.24	5.09	-8.29	9.819 + 2	0.998	1.229	1.028	334.4	1.741	5.866
500	499	277.56	4.41	-7.34	9.522	0.997	1.195	1.024	334.0	1.738	5.853
750	748	276.87	3.72	-6.40	9.233	0.997	1.162	1.020	333.6	1.734	5.840
1000	998	276.19	3.04	-5.46	8.952	0.996	1.129	1.015	333.2	1.731	5.827
1250	1247	275.51	2.36	-4.52	8.679	0.996	1.097	1.012	332.7	1.728	5.814
1500	1497	274.82	1.67	-3.58	8.414	0.995	1.067	1.008	332.3	1.724	5.801
1750	1747	274.14	0.99	-2.63	8.156	0.995	1.036	1.004	331.9	1.721	5.788
2000	1996	273.46	0.31	-1.69	7.906	0.994	1.007	1.001	331.5	1.718	5.775
2250	2246	272.80	-0.35	-0.72	7.663	0.994	9.785 - 1	0.997	331.1	1.714	5.763
2500	2495	272.14	-1.01	0.24	7.426 + 2	0.994	9.506 - 1	0.993	330.7	1.711 - 5	5.750 - 6
2750	2745	270.48	-2.67	0.20	7.196	0.994	9.268	0.994	329.7	1.703	5.718
3000	2995	268.81	-4.34	0.16	6.972	0.994	9.035	0.994	328.7	1.694	5.686
3250	3244	267.14	-6.01	0.11	6.753	0.994	8.806	0.994	327.7	1.686	5.654
3500	3494	265.47	-7.68	0.07	6.540	0.994	8.582	0.994	326.6	1.678	5.622
3750	3744	263.80	-9.35	0.02	6.332	0.994	8.362	0.994	325.6	1.669	5.590
4000	3994	262.13	-11.02	-0.02	6.130	0.994	8.146	0.995	324.6	1.661	5.558
4250	4243	260.46	-12.66	-0.04	5.933	0.994	7.934	0.995	323.5	1.653	5.526
4500	4493	258.84	-14.31	-0.06	5.741	0.994	7.726	0.995	322.5	1.644	5.494
4750	4743	257.20	-15.95	-0.08	5.554	0.994	7.522	0.995	321.5	1.636	5.463
5000	4993	255.55	-17.60	-0.10	5.372 + 2	0.994	7.323 - 1	0.995	320.5	1.628 - 5	5.431 - 6
5250	5243	253.91	-19.24	-0.11	5.195	0.994	7.127	0.995	319.4	1.619	5.399
5500	5492	252.27	-20.88	-0.13	5.022	0.994	6.935	0.995	318.4	1.611	5.367
5750	5742	250.62	-22.53	-0.15	4.855	0.994	6.748	0.995	317.4	1.602	5.335
6000	5992	248.98	-24.17	-0.17	4.691	0.994	6.564	0.995	316.3	1.594	5.303
6250	6242	247.35	-25.80	-0.18	4.533	0.994	6.384	0.995	315.3	1.585	5.271
6500	6492	245.71	-27.44	-0.19	4.378	0.994	6.207	0.995	314.2	1.577	5.239
6750	6742	244.08	-29.07	-0.19	4.228	0.994	6.035	0.995	313.2	1.568	5.207
7000	6992	242.45	-30.70	-0.20	4.082	0.994	5.866	0.995	312.1	1.560	5.175
7250	7242	240.82	-32.33	-0.21	3.941	0.994	5.700	0.995	311.1	1.551	5.143
7500	7492	239.19	-33.96	-0.21	3.803 + 2	0.994	5.539 - 1	0.995	310.0	1.543 - 5	5.111 - 6
7750	7742	237.55	-35.60	-0.22	3.669	0.994	5.380	0.995	309.0	1.534	5.078
8000	7992	235.92	-37.23	-0.23	3.539	0.994	5.226	0.995	307.9	1.526	5.046
8250	8242	234.29	-38.86	-0.23	3.413	0.994	5.074	0.995	306.9	1.517	5.014
8500	8492	232.67	-40.48	-0.23	3.290	0.994	4.926	0.995	305.8	1.508	4.982
8750	8742	231.04	-42.11	-0.23	3.171	0.994	4.782	0.995	304.7	1.500	4.949
9000	8992	229.41	-43.74	-0.24	3.056	0.994	4.640	0.995	303.6	1.491	4.917
9250	9242	227.79	-45.36	-0.24	2.944	0.994	4.502	0.995	302.6	1.482	4.885
9500	9492	226.16	-46.99	-0.24	2.835	0.994	4.367	0.995	301.5	1.473	4.852
9750	9742	224.54	-48.62	-0.24	2.730	0.994	4.236	0.987	301.6	1.475	4.857
10000	9992	222.91	-50.25	-0.24	2.629 + 2	0.994	4.041 - 1	0.979	301.8	1.476 - 5	4.862 - 6
10250	10244	221.28	-51.88	-0.24	2.532	0.995	3.887	0.971	302.0	1.477	4.867
10500	10494	219.65	-53.51	-0.24	2.438	0.996	3.739	0.964	302.1	1.479	4.872
10750	10744	218.02	-55.14	-0.24	2.348	0.998	3.597	0.958	302.3	1.480	4.877
11000	10994	216.39	-56.77	-0.24	2.262	0.999	3.461	0.951	302.5	1.481	4.882
11250	11244	214.76	-58.40	-0.24	2.180	1.000	3.329	0.945	302.8	1.482	4.887
11500	11494	213.13	-60.03	-0.24	2.098	1.003	3.204	0.939	303.1	1.483	4.892
11750	11744	211.50	-61.66	-0.24	2.026	1.007	3.086	0.933	303.4	1.484	4.897
12000	11994	209.87	-63.29	-0.24	1.947	1.012	2.974	0.927	303.7	1.485	4.902
12250	12244	208.24	-64.92	-0.24	1.870	1.016	2.866	0.921	304.0	1.486	4.907
12500	12494	206.61	-66.55	-0.24	1.794	1.021	2.762	0.915	304.3	1.487	4.912
12750	12744	204.98	-68.18	-0.24	1.720	1.026	2.662	0.909	304.6	1.488	4.917
13000	12994	203.35	-69.81	-0.24	1.647	1.031	2.566	0.903	304.9	1.489	4.922
13250	13244	201.72	-71.44	-0.24	1.577	1.036	2.474	0.897	305.2	1.490	4.927
13500	13494	200.09	-73.07	-0.24	1.508	1.041	2.386	0.891	305.5	1.491	4.932
14000	13994	198.46	-74.70	-0.24	1.440 + 2	1.046	2.289 - 1	0.965	304.1	1.495 - 5	4.932 - 6
14500	14501	196.83	-76.33	-0.24	1.375	1.051	2.203	0.970	304.1	1.495	4.932
15000	15002	195.20	-77.96	-0.24	1.310	1.056	2.120	0.974	304.1	1.495	4.932
15500	15503	193.57	-79.59	-0.24	1.247	1.061	2.039	0.979	304.1	1.495	4.932
16000	16004	191.94	-81.22	-0.24	1.185	1.066	1.960	0.983	304.1	1.495	4.932
16500	16506	190.31	-82.85	-0.24	1.125	1.071	1.883	0.988	304.1	1.495	4.932
17000	17007	188.68	-84.48	-0.24	1.067	1.076	1.808	0.992	304.1	1.495	4.932
17500	17509	187.05	-86.11	-0.24	1.010	1.081	1.734	0.997	304.1	1.495	4.932
18000	18011	185.42	-87.74	-0.24	0.955	1.086	1.662	1.001	304.1	1.495	4.932
18500	18512	183.79	-89.37	-0.24	0.900	1.091	1.592	1.007	304.1	1.495	4.932
19000	19014	182.16	-91.00	-0.24	0.847 + 1	1.074	1.042 - 1	1.011	304.1	1.495 - 5	4.932 - 6
19500	19516	180.53	-92.63	-0.24	0.795	1.079	9.675 - 2	1.016	304.1	1.495	4.932
20000	20018	178.90	-94.26	-0.24	0.744	1.084	8.983	1.020	304.1	1.495	4.932
20500	20520	177.27	-95.89	-0.24	0.694	1.089	8.340	1.027	304.1	1.495	4.932
21000	21022	175.64	-97.52	-0.24	0.645	1.094	7.743	1.034	304.1	1.495	4.932
21500	21524	174.01	-99.15	-0.24	0.597	1.099	7.190	1.041	304.1	1.495	4.932
22000	22027	172.38	-100.78	-0.24	0.550	1.103	6.675	1.047	304.1	1.495	4.932
22500	22529	170.75	-102.41	-0.24	0.504	1.107	6.198	1.054	304.1	1.495	4.932
23000	23032	169.12	-104.04	-0.24	0.459	1.111	5.754	1.060	304.1	1.495	4.932
23500	23534	167.49	-105.67	-0.24	0.415	1.115	5.343	1.066	304.1	1.495	4.932
24000	24037	165.86	-107.30	-0.24	0.372 + 1	1.119	4.948 - 2	1.069	304.5	1.498 - 5	4.944 - 6
24500	24539	164.23	-108.93	-0.24	0.330	1.122	4.584	1.073	304.9	1.501	4.956
25000	25042	162.60	-110.56	-0.24	0.289	1.126	4.247	1.076	305.3	1.504	4.968
25500	25545	160.97	-112.19	-0.24	0.249	1.130	3.936	1.079	305.7	1.508	4.979
26000	26048	159.34	-113.82	-0.24	0.210	1.134	3.648	1.083	306.1	1.511	4.991
26500	26551	157.71	-115.45	-0.24	0.172	1.138	3.382	1.086	306.5	1.514	5.003
27000	27054	156.08	-117.08	-0.24	0.135	1.142	3.136	1.090	306.9	1.517	5.015
27500	27557	154.45	-118.71	-0.24	0.099	1.146	2.908	1.093	307.3	1.520	5.027
28000	28060	152.82	-120.34	-0.24	0.064	1.150	2.697	1.097	307.7	1.524	5.039
28500	28564	151.19	-121.97	-0.24	0.030	1.154	2.503	1.100	308.1	1.527	5.051
29000	29067	149.56	-123.60	-0.24	0.000 + 1	1.158	2.322 - 2	1.104	308.5	1.530 - 5	5.063 - 6
29500	29571	147.93	-125.23	-0.24	0.000	1.162	2.155	1.107	308.8	1.533	5.074
30000	30074	146.30	-126.86	-0.24	0.000	1.166	2.001	1.111	309.2	1.536	5.086

TABLE 5.1.—Continued  
75° N. July  
GEOMETRIC ALTITUDE, METRIC UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
Z, m	H, m'	T, °K	t, °C	T-T <sub>std</sub>	P, mb	$\frac{P}{P_{std}}$	$\rho$ , kg m <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , m sec <sup>-1</sup>	$\mu$ , kg m <sup>-1</sup> sec <sup>-1</sup>	k-cal m <sup>-1</sup> sec <sup>-1</sup> (°K) <sup>-1</sup>
0	0	278.92	5.77	-9.23	1.01250 + 3	0.999	1.265 + 0	1.032	334.8	1.745 - 5	5.879 - 6
250	251	278.24	5.09	-8.29	9.819 + 2	0.998	1.229	1.028	334.4	1.741	5.866
500	501	277.55	4.40	-7.35	9.521	0.997	1.195	1.024	334.0	1.738	5.853
750	752	276.87	3.72	-6.41	9.231	0.997	1.162	1.020	333.6	1.734	5.840
1000	1002	276.18	3.03	-5.47	8.950	0.996	1.129	1.015	333.2	1.731	5.827
1250	1253	275.50	2.35	-4.53	8.677	0.995	1.097	1.011	332.7	1.728	5.814
1500	1503	274.82	1.67	-3.59	8.411	0.995	1.066	1.008	332.3	1.724	5.801
1750	1753	274.13	0.98	-2.64	8.153	0.994	1.036	1.004	331.9	1.721	5.788
2000	2004	273.45	0.30	-1.70	7.902	0.994	1.007	1.000	331.5	1.718	5.775
2250	2254	272.79	-0.36	-0.74	7.658	0.994	9.780 - 1	0.996	331.1	1.714	5.762
2500	2505	272.11	-1.04	0.21	7.422 + 2	0.994	9.502 - 1	0.993	330.7	1.711 - 5	5.749 - 6
2750	2755	270.44	-2.01	0.16	7.191	0.994	9.264	0.993	329.7	1.703	5.717
3000	3005	268.77	-4.38	0.11	6.967	0.994	9.030	0.993	328.7	1.694	5.685
3250	3256	267.10	-6.05	0.06	6.748	0.994	8.801	0.993	327.6	1.686	5.653
3500	3506	265.43	-7.72	0.02	6.535	0.993	8.577	0.993	326.6	1.678	5.621
3750	3756	263.76	-9.39	-0.03	6.327	0.993	8.357	0.993	325.6	1.669	5.589
4000	4006	262.09	-11.06	-0.08	6.125	0.993	8.141	0.993	324.5	1.661	5.557
4250	4257	260.44	-12.71	-0.10	5.927	0.993	7.928	0.994	323.5	1.652	5.525
4500	4507	258.80	-14.35	-0.12	5.735	0.993	7.720	0.994	322.5	1.644	5.494
4750	4757	257.15	-16.00	-0.15	5.548	0.993	7.517	0.994	321.5	1.636	5.462
5000	5007	255.51	-17.64	-0.17	5.367 + 2	0.993	7.317 - 1	0.994	320.4	1.627 - 5	5.430 - 6
5250	5257	253.86	-19.29	-0.19	5.189	0.993	7.121	0.993	319.4	1.619	5.398
5500	5508	252.22	-20.93	-0.21	5.017	0.993	6.930	0.994	318.4	1.611	5.366
5750	5758	250.57	-22.58	-0.24	4.849	0.993	6.742	0.994	317.3	1.602	5.334
6000	6008	248.93	-24.22	-0.26	4.686	0.992	6.558	0.994	316.3	1.594	5.302
6250	6258	247.29	-25.86	-0.27	4.528	0.992	6.378	0.993	315.2	1.585	5.270
6500	6508	245.66	-27.49	-0.28	4.373	0.992	6.202	0.993	314.2	1.577	5.238
6750	6758	244.03	-29.12	-0.29	4.224	0.992	6.029	0.993	313.2	1.568	5.206
7000	7008	242.40	-30.75	-0.30	4.078	0.992	5.860	0.993	312.1	1.560	5.174
7250	7258	240.77	-32.38	-0.31	3.936	0.992	5.695	0.993	311.1	1.551	5.142
7500	7508	239.13	-34.02	-0.32	3.798 + 2	0.992	5.534 - 1	0.993	310.0	1.543 - 5	5.110 - 6
7750	7758	237.50	-35.65	-0.33	3.665	0.992	5.376	0.993	308.9	1.534	5.077
8000	8008	235.87	-37.28	-0.34	3.535	0.992	5.221	0.993	307.9	1.525	5.045
8250	8258	234.24	-38.91	-0.35	3.409	0.992	5.070	0.993	306.8	1.517	5.013
8500	8508	232.62	-40.53	-0.36	3.286	0.991	4.922	0.993	305.7	1.508	4.981
8750	8758	230.99	-42.16	-0.36	3.168	0.991	4.777	0.993	304.7	1.499	4.948
9000	9007	229.36	-43.79	-0.37	3.052	0.991	4.636	0.992	303.6	1.491	4.916
9250	9257	227.74	-45.41	-0.37	2.940	0.991	4.498	0.992	302.5	1.482	4.884
9500	9507	226.17	-46.98	-0.33	2.832	0.991	4.362	0.992	301.5	1.473	4.852
9750	9757	224.61	-48.64	1.54	2.727	0.991	4.196	0.984	301.6	1.475	4.857
10000	10007	223.06	-49.49	3.41	2.626 + 2	0.991	4.036 - 1	0.976	301.8	1.476 - 5	4.862 - 6
10250	10256	221.51	-50.34	5.28	2.529	0.992	3.883	0.969	302.0	1.477	4.867
10500	10506	220.00	-51.19	7.15	2.436	0.993	3.736	0.961	302.1	1.479	4.872
10750	10756	218.51	-52.04	9.01	2.346	0.994	3.594	0.955	302.3	1.480	4.877
11000	11006	217.06	-52.89	10.88	2.260	0.996	3.458	0.948	302.5	1.481	4.882
11500	11505	215.66	-53.74	12.75	2.097	0.999	3.202	0.949	302.8	1.484	4.892
12000	12004	214.31	-54.59	14.62	1.946	1.003	2.965	0.951	303.1	1.487	4.902
12500	12503	213.00	-55.44	16.50	1.806	1.007	2.746	0.952	303.5	1.489	4.912
13000	13003	211.74	-56.29	18.37	1.677	1.011	2.544	0.954	303.8	1.492	4.922
13500	13502	210.53	-57.14	20.25	1.557	1.016	2.357	0.956	304.1	1.495	4.932
14000	14001	210.37	-57.31	22.12	1.446 + 2	1.020	2.189 - 1	0.960	304.1	1.495 - 5	4.932 - 6
14500	14499	210.26	-57.40	24.00	1.343	1.025	2.032	0.965	304.1	1.495	4.932
15000	14998	210.20	-57.46	25.87	1.247	1.030	1.887	0.969	304.1	1.495	4.932
15500	15497	210.19	-57.47	27.75	1.158	1.034	1.753	0.973	304.1	1.495	4.932
16000	15996	210.19	-57.47	29.62	1.075	1.039	1.628	0.978	304.1	1.495	4.932
16500	16494	210.19	-57.47	31.50	9.986 + 1	1.043	1.511	0.982	304.1	1.495	4.932
17000	16993	210.19	-57.47	33.37	9.273	1.048	1.404	0.986	304.1	1.495	4.932
17500	17491	210.19	-57.47	35.25	8.612	1.053	1.304	0.991	304.1	1.495	4.932
18000	17989	210.19	-57.47	37.12	7.998	1.057	1.211	0.996	304.1	1.495	4.932
18500	18488	210.19	-57.47	39.00	7.428	1.062	1.124	0.999	304.1	1.495	4.932
19000	18986	210.19	-57.47	40.87	6.898 + 1	1.067	1.044 - 1	1.004	304.1	1.495 - 5	4.932 - 6
19500	19484	210.19	-57.47	42.75	6.407	1.071	9.698 - 2	1.008	304.1	1.495	4.932
20000	19982	210.19	-57.47	44.62	5.950	1.076	9.007	1.013	304.1	1.495	4.932
20500	20480	210.19	-57.47	46.50	5.526	1.081	8.365	1.019	304.1	1.495	4.932
21000	20978	210.19	-57.47	48.37	5.133	1.085	7.769	1.026	304.1	1.495	4.932
21500	21476	210.19	-57.47	50.25	4.767	1.090	7.216	1.033	304.1	1.495	4.932
22000	21973	210.19	-57.47	52.12	4.427	1.094	6.702	1.039	304.1	1.495	4.932
22500	22471	210.19	-57.47	54.00	4.112	1.098	6.224	1.045	304.1	1.495	4.932
23000	22969	210.19	-57.47	55.87	3.819	1.102	5.781	1.051	304.1	1.495	4.932
23500	23466	210.19	-57.47	57.75	3.548	1.106	5.370	1.057	304.1	1.495	4.932
24000	23964	210.19	-57.47	59.62	3.295 + 1	1.109	4.976 - 2	1.060	304.5	1.498 - 5	4.943 - 6
24500	24461	210.19	-57.47	61.50	3.062	1.113	4.611	1.063	304.9	1.501	4.955
25000	24958	210.19	-57.47	63.37	2.845	1.116	4.274	1.066	305.3	1.504	4.967
25500	25455	210.19	-57.47	65.25	2.644	1.120	3.962	1.069	305.7	1.507	4.978
26000	25952	210.19	-57.47	67.12	2.458	1.124	3.674	1.072	306.1	1.511	4.990
26500	26449	210.19	-57.47	69.00	2.286	1.127	3.408	1.076	306.5	1.514	5.002
27000	26946	210.19	-57.47	70.87	2.126	1.131	3.161	1.079	306.8	1.517	5.014
27500	27443	210.19	-57.47	72.75	1.978	1.135	2.933	1.082	307.2	1.520	5.026
28000	27940	210.19	-57.47	74.62	1.840	1.139	2.722	1.085	307.6	1.523	5.037
28500	28437	210.19	-57.47	76.50	1.712	1.142	2.526	1.089	308.0	1.526	5.049
29000	28933	210.19	-57.47	78.37	1.593 + 1	1.146	2.346 - 2	1.092	308.4	1.530 - 5	5.061 - 6
29500	29430	210.19	-57.47	80.25	1.483	1.150	2.178	1.096	308.8	1.533	5.073
30000	29926	210.19	-57.47	82.12	1.381	1.154	2.023	1.099	309.2	1.536	5.085

Table 5.2  
Sea level to 390,000 ft  
TEMPERATURE, PRESSURE, DENSITY, SOUND SPEED, COEFFICIENT  
OF VISCOSITY AND THERMAL CONDUCTIVITY  
English Units

TABLE 5.2  
15° N. Annual  
GEOPOTENTIAL ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
$H, \text{ft}'$	$Z, \text{ft}$	$T, \text{°R}$	$t, \text{°F}$	$T - T_{\text{std}}$	$P, \text{in. Hg}$	$\frac{P}{P_{\text{std}}}$	$\rho, \text{lb ft}^{-3}$	$\frac{\rho}{\rho_{\text{std}}}$	$C_s, \text{ft sec}^{-1}$	$\mu, \text{lb ft}^{-1} \text{sec}^{-1}$	$k, \text{BTU ft}^{-1} \text{sec}^{-1} (\text{°R})^{-1}$
0	0	544.66	84.99	25.99	2.992 + 1	1.000	7.283 - 2	0.952	1144.1	1.249 - 5	4.248 - 6
1000	1002	540.99	81.32	25.88	2.891	1.002	7.083	0.954	1140.2	1.242	4.223
2000	2005	537.31	77.64	25.77	2.792	1.004	6.888	0.955	1136.3	1.236	4.198
3000	3007	533.64	73.97	25.67	2.696	1.005	6.697	0.957	1132.4	1.229	4.172
4000	4010	530.02	70.35	25.62	2.602	1.007	6.509	0.958	1128.6	1.223	4.147
5000	5013	526.42	66.75	25.58	2.512	1.009	6.325	0.960	1124.8	1.216	4.122
6000	6016	522.83	63.16	25.55	2.424	1.011	6.145	0.961	1120.9	1.210	4.097
7000	7019	519.25	59.58	25.54	2.338	1.013	5.969	0.963	1117.1	1.203	4.071
8000	8022	517.93	58.26	27.78	2.255	1.015	5.771	0.960	1115.6	1.201	4.062
9000	9025	514.91	55.24	28.33	2.175	1.017	5.598	0.961	1112.4	1.196	4.041
10000	10028	511.11	51.44	28.10	2.097 + 1	1.019	5.438 - 2	0.963	1108.3	1.189 - 5	4.014 - 6
11000	11032	507.31	47.64	27.87	2.021	1.021	5.280	0.965	1104.2	1.182	3.988
12000	12035	503.52	43.85	27.64	1.947	1.023	5.126	0.967	1100.0	1.175	3.961
13000	13039	499.72	40.05	27.41	1.876	1.026	4.976	0.969	1095.9	1.168	3.934
14000	14042	495.97	36.30	27.23	1.806	1.028	4.828	0.971	1091.7	1.161	3.907
15000	15046	492.22	32.55	27.05	1.739	1.030	4.684	0.973	1087.6	1.154	3.881
16000	16050	488.48	28.81	26.87	1.674	1.032	4.543	0.975	1083.5	1.147	3.854
17000	17054	484.73	25.06	26.69	1.611	1.035	4.405	0.978	1079.3	1.140	3.827
18000	18058	480.99	21.32	26.51	1.549	1.037	4.270	0.980	1075.1	1.133	3.800
19000	19062	477.24	17.57	26.33	1.490	1.039	4.139	0.982	1070.9	1.126	3.774
20000	20066	473.51	13.84	26.16	1.432 + 1	1.042	4.010 - 2	0.984	1066.7	1.119 - 5	3.747 - 6
21000	21070	469.79	10.12	26.01	1.377	1.044	3.884	0.986	1062.5	1.112	3.720
22000	22075	466.08	6.41	25.87	1.323	1.046	3.762	0.989	1058.3	1.105	3.693
23000	23079	462.37	2.70	25.72	1.270	1.049	3.642	0.991	1054.1	1.098	3.666
24000	24084	458.65	-1.02	25.57	1.220	1.051	3.525	0.993	1049.9	1.091	3.639
25000	25089	454.94	-4.73	25.42	1.170	1.054	3.411	0.995	1045.6	1.084	3.613
26000	26093	451.23	-8.44	25.28	1.123	1.056	3.299	0.997	1041.3	1.077	3.586
27000	27098	447.53	-12.14	25.15	1.077	1.059	3.191	1.000	1037.1	1.070	3.559
28000	28103	443.84	-15.83	25.02	1.033	1.062	3.085	1.002	1032.8	1.063	3.532
29000	29108	440.15	-19.52	24.90	9.899 + 0	1.065	2.981	1.005	1028.5	1.055	3.505
30000	30114	436.46	-23.21	24.77	9.485 + 0	1.068	2.881 - 2	1.007	1024.2	1.048 - 5	3.478 - 6
31000	31119	432.77	-26.90	24.65	9.085	1.070	2.783	1.009	1019.8	1.041	3.451
32000	32124	429.07	-30.60	24.52	8.698	1.073	2.687	1.012	1015.5	1.034	3.423
33000	33130	425.38	-34.29	24.40	8.325	1.076	2.594	1.014	1011.1	1.027	3.396
34000	34135	421.70	-37.97	24.28	7.964	1.079	2.504	1.017	1006.7	1.019	3.369
35000	35141	418.01	-41.66	24.16	7.616	1.082	2.415	1.019	1002.3	1.012	3.342
36000	36147	414.33	-45.34	24.04	7.281	1.085	2.330	1.022	997.9	1.005	3.314
37000	37153	410.65	-49.02	20.68	6.958	1.088	2.246	1.033	993.4	9.972 - 6	3.287
38000	38159	406.97	-52.70	17.00	6.646	1.090	2.165	1.045	989.0	9.898	3.260
39000	39165	403.30	-56.37	13.33	6.345	1.092	2.086	1.056	984.5	9.824	3.232
40000	40171	399.62	-60.05	9.65	6.056 + 0	1.094	2.009 - 2	1.067	980.0	9.750 - 6	3.205 - 6
41000	41177	395.95	-63.72	5.98	5.777	1.095	1.934	1.078	975.5	9.675	3.177
42000	42183	392.27	-67.40	2.30	5.509	1.095	1.862	1.089	970.9	9.600	3.150
43000	43190	388.60	-71.07	-1.37	5.251	1.095	1.791	1.099	966.4	9.524	3.122
44000	44196	384.92	-74.75	-5.05	5.002	1.095	1.723	1.109	961.8	9.449	3.095
45000	45203	381.24	-78.43	-8.73	4.763	1.094	1.656	1.119	957.2	9.373	3.067
46000	46210	377.57	-82.10	-12.40	4.534	1.092	1.592	1.128	952.6	9.296	3.039
47000	47217	373.89	-85.78	-16.08	4.313	1.090	1.529	1.137	947.9	9.220	3.011
48000	48224	370.22	-89.45	-19.75	4.101	1.088	1.469	1.146	943.2	9.143	2.983
49000	49231	366.54	-93.13	-23.43	3.898	1.085	1.410	1.154	938.5	9.066	2.955
50000	50238	362.86	-96.81	-27.11	3.703 + 0	1.081	1.353 - 2	1.162	933.8	8.988 - 6	2.927 - 6
51000	51245	359.19	-100.48	-30.78	3.515	1.077	1.297	1.169	929.1	8.910	2.899
52000	52252	355.51	-104.16	-34.46	3.336	1.072	1.244	1.177	924.3	8.832	2.871
53000	53260	351.84	-107.83	-38.13	3.163	1.067	1.192	1.182	919.5	8.753	2.843
54000	54267	348.16	-111.51	-41.81	2.998	1.061	1.142	1.188	914.7	8.674	2.815
55000	55275	344.57	-115.10	-45.40	2.841	1.055	1.078	1.177	916.6	8.705	2.826
56000	56283	351.76	-107.91	-38.21	2.694	1.049	1.015	1.163	919.4	8.752	2.843
57000	57290	353.96	-105.71	-36.01	2.554	1.044	9.566 - 3	1.150	922.3	8.799	2.859
58000	58298	356.15	-103.52	-33.82	2.423	1.039	9.018	1.138	925.1	8.846	2.876
59000	59306	358.35	-101.32	-31.62	2.299	1.035	8.505	1.126	928.0	8.892	2.893
60000	60315	360.54	-99.13	-29.43	2.182 + 0	1.030	8.024 - 3	1.115	930.8	8.939 - 6	2.910 - 6
61000	61323	362.74	-96.93	-27.23	2.072	1.027	7.572	1.104	933.7	8.985	2.926
62000	62331	364.93	-94.74	-25.04	1.968	1.023	7.149	1.093	936.5	9.032	2.943
63000	63339	367.13	-92.54	-22.84	1.870	1.020	6.751	1.083	939.3	9.078	2.960
64000	64348	369.32	-90.35	-20.65	1.777	1.017	6.378	1.074	942.1	9.124	2.977
65000	65357	371.51	-88.16	-18.46	1.689	1.015	6.028	1.065	944.9	9.170	2.993
66000	66365	373.71	-85.96	-16.47	1.606	1.012	5.698	1.057	947.7	9.216	3.010
67000	67374	375.90	-83.77	-14.82	1.528	1.010	5.389	1.050	950.5	9.262	3.026
68000	68383	378.10	-81.57	-13.18	1.454	1.008	5.098	1.043	953.2	9.307	3.043
69000	69392	380.29	-79.38	-11.53	1.384	1.006	4.824	1.037	956.0	9.353	3.060
70000	70401	382.49	-77.18	-9.89	1.317 + 0	1.006	4.566 - 3	1.031	958.7	9.398 - 6	3.076 - 6
71000	71410	384.68	-74.99	-8.24	1.255	1.004	4.323	1.026	961.5	9.444	3.093
72000	72419	386.88	-72.79	-6.60	1.195	1.003	4.095	1.020	964.2	9.489	3.109
73000	73429	388.26	-71.41	-5.76	1.139	1.002	3.888	1.017	966.0	9.518	3.120
74000	74438	389.47	-70.20	-5.10	1.085	1.002	3.693	1.015	967.5	9.542	3.129
75000	75448	390.67	-69.00	-4.44	1.034	1.001	3.509	1.013	968.9	9.567	3.138
76000	76458	391.88	-67.79	-3.79	9.858 - 1	1.001	3.335	1.011	970.4	9.592	3.147
77000	77467	393.09	-66.58	-3.13	9.399	1.000	3.170	1.008	971.9	9.616	3.156
78000	78477	394.30	-65.37	-2.47	8.962	1.000	3.013	1.006	973.4	9.641	3.165
79000	79487	395.50	-64.17	-1.81	8.546	1.000	2.865	1.004	974.9	9.666	3.174

TABLE 5.2  
15° N. Annual  
GEOMETRIC ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
Z, ft	H, ft'	T, °R	t, °F	T - T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> ft sec <sup>-1</sup>	$\mu$ lb ft <sup>-1</sup> sec <sup>-1</sup>	BTU ft <sup>k</sup> sec <sup>-1</sup> (°R) <sup>-1</sup>
0	0	544.66	84.99	25.99	2.992 + 1	1.000	7.283 - 2	0.952	1144.1	1.249 - 5	4.248 - 6
1000	998	540.99	81.32	25.89	2.891	1.002	7.084	0.954	1140.2	1.242	4.223
2000	1995	537.33	77.66	25.79	2.792	1.004	6.889	0.955	1136.4	1.236	4.198
3000	2993	533.67	74.00	25.69	2.696	1.005	6.698	0.957	1132.5	1.229	4.172
4000	3990	530.06	70.39	25.65	2.603	1.007	6.511	0.959	1128.6	1.223	4.147
5000	4987	526.47	66.80	25.63	2.513	1.009	6.327	0.960	1124.8	1.216	4.122
6000	5984	522.88	63.21	25.60	2.425	1.011	6.148	0.962	1121.0	1.210	4.097
7000	6981	519.31	59.64	25.60	2.339	1.013	5.972	0.963	1117.1	1.204	4.072
8000	7978	517.92	58.25	27.77	2.257	1.015	5.776	0.961	1115.6	1.201	4.062
9000	8975	515.00	55.33	28.41	2.177	1.018	5.602	0.961	1112.5	1.196	4.042
10000	9972	511.22	51.55	28.19	2.099 + 1	1.020	5.442 - 2	0.964	1108.4	1.189 - 5	4.015 - 6
11000	10969	507.43	47.76	27.97	2.023	1.022	5.285	0.966	1104.3	1.182	3.988
12000	11965	503.65	43.98	27.75	1.950	1.025	5.132	0.968	1100.2	1.175	3.962
13000	12962	499.87	40.20	27.53	1.878	1.026	4.982	0.970	1096.0	1.168	3.935
14000	13958	496.13	36.46	27.35	1.809	1.029	4.835	0.972	1091.9	1.161	3.908
15000	14954	492.40	32.73	27.18	1.742	1.032	4.691	0.974	1087.8	1.154	3.882
16000	15950	488.66	28.99	27.01	1.677	1.034	4.550	0.977	1083.7	1.148	3.855
17000	16947	484.93	25.26	26.84	1.614	1.036	4.412	0.979	1079.5	1.141	3.829
18000	17943	481.20	21.53	26.67	1.553	1.039	4.278	0.981	1075.4	1.134	3.802
19000	18938	477.47	17.80	26.50	1.494	1.041	4.147	0.983	1071.2	1.127	3.775
20000	19934	473.75	14.08	26.34	1.436 + 1	1.044	4.018 - 2	0.986	1067.0	1.120 - 5	3.748 - 6
21000	20930	470.05	10.38	26.20	1.380	1.046	3.893	0.988	1062.8	1.113	3.722
22000	21926	466.36	6.69	26.06	1.326	1.049	3.771	0.990	1058.7	1.106	3.695
23000	22921	462.66	2.99	25.92	1.274	1.051	3.651	0.992	1054.4	1.099	3.668
24000	23916	458.96	-0.71	25.78	1.224	1.054	3.534	0.995	1050.2	1.092	3.642
25000	24912	455.27	-4.40	25.64	1.175	1.056	3.421	0.997	1046.0	1.085	3.615
26000	25907	451.57	-8.10	25.51	1.127	1.060	3.310	1.000	1041.7	1.078	3.588
27000	26902	447.89	-11.78	25.38	1.082	1.062	3.201	1.002	1037.5	1.070	3.561
28000	27897	444.22	-15.45	25.27	1.037	1.065	3.096	1.004	1033.2	1.063	3.534
29000	28892	440.55	-19.12	25.15	9.945 + 0	1.068	2.993	1.007	1028.9	1.056	3.508
30000	29887	436.87	-22.80	25.03	9.531 + 0	1.071	2.892 - 2	1.009	1024.6	1.049 - 5	3.481 - 6
31000	30882	433.20	-26.47	24.92	9.131	1.073	2.794	1.012	1020.3	1.042	3.454
32000	31876	429.53	-30.14	24.80	8.745	1.076	2.699	1.014	1016.0	1.035	3.427
33000	32871	425.86	-33.81	24.69	8.372	1.079	2.606	1.017	1011.6	1.027	3.400
34000	33865	422.19	-37.48	24.58	8.012	1.083	2.516	1.019	1007.3	1.020	3.373
35000	34860	418.53	-41.14	24.47	7.664	1.086	2.428	1.022	1002.9	1.013	3.346
36000	35854	414.87	-44.80	24.36	7.329	1.089	2.342	1.025	998.5	1.006	3.318
37000	36848	411.21	-48.46	21.24	7.006	1.092	2.259	1.036	994.1	9.983 - 6	3.291
38000	37842	407.55	-52.12	17.58	6.694	1.094	2.177	1.047	989.7	9.910	3.264
39000	38836	403.90	-55.77	13.93	6.394	1.097	2.098	1.059	985.2	9.836	3.237
40000	39830	400.25	-59.42	10.28	6.104 + 0	1.098	2.022 - 2	1.070	980.7	9.762 - 6	3.210 - 6
41000	40824	396.59	-63.08	6.62	5.825	1.100	1.947	1.081	976.3	9.688	3.182
42000	41818	392.94	-66.73	2.97	5.557	1.100	1.875	1.092	971.8	9.613	3.155
43000	42811	389.29	-70.38	-0.68	5.299	1.100	1.804	1.102	967.2	9.539	3.127
44000	43805	385.64	-74.03	-4.33	5.050	1.100	1.736	1.113	962.7	9.464	3.100
45000	44798	381.99	-77.68	-7.98	4.811	1.100	1.670	1.123	958.1	9.388	3.072
46000	45792	378.33	-81.34	-11.64	4.581	1.098	1.605	1.132	953.5	9.312	3.045
47000	46785	374.68	-84.99	-15.29	4.360	1.097	1.543	1.141	948.9	9.236	3.017
48000	47778	371.03	-88.64	-18.94	4.148	1.094	1.482	1.151	944.3	9.160	2.989
49000	48771	367.38	-92.29	-22.59	3.944	1.092	1.423	1.159	939.6	9.083	2.962
50000	49764	363.73	-95.94	-26.24	3.748 + 0	1.088	1.366 - 2	1.166	934.9	9.006 - 6	2.934 - 6
51000	50757	360.08	-99.59	-29.89	3.560	1.084	1.311	1.174	930.2	8.929	2.906
52000	51749	356.43	-103.24	-33.54	3.380	1.080	1.257	1.181	925.5	8.852	2.878
53000	52742	352.78	-106.89	-37.19	3.207	1.075	1.205	1.188	920.8	8.774	2.850
54000	53735	349.14	-110.53	-40.83	3.042	1.069	1.155	1.194	916.0	8.695	2.822
55000	54727	345.49	-114.17	-44.47	2.883	1.063	1.095	1.188	911.8	8.692	2.821
56000	55720	351.15	-108.52	-38.82	2.734	1.058	1.032	1.175	918.6	8.739	2.838
57000	56712	353.33	-106.34	-36.64	2.594	1.053	9.731 - 3	1.161	921.5	8.785	2.855
58000	57704	355.50	-104.17	-34.47	2.461	1.047	9.177	1.149	924.3	8.832	2.871
59000	58696	357.68	-101.99	-32.29	2.336	1.043	8.657	1.137	927.1	8.878	2.888
60000	59688	359.86	-99.81	-30.11	2.218 + 0	1.039	8.170 - 3	1.126	929.9	8.924 - 6	2.904 - 6
61000	60680	362.03	-97.64	-27.94	2.107	1.035	7.714	1.115	932.8	8.970	2.921
62000	61672	364.21	-95.46	-25.76	2.001	1.031	7.285	1.104	935.6	9.016	2.938
63000	62663	366.39	-93.28	-23.58	1.902	1.028	6.882	1.094	938.3	9.062	2.954
64000	63655	368.56	-91.11	-21.41	1.808	1.025	6.504	1.085	941.1	9.108	2.971
65000	64647	370.74	-88.93	-19.23	1.720	1.022	6.149	1.076	943.9	9.154	2.987
66000	65638	372.91	-86.76	-17.05	1.636	1.020	5.815	1.067	946.7	9.199	3.004
67000	66629	375.09	-84.58	-14.87	1.557	1.019	5.501	1.061	949.4	9.245	3.020
68000	67620	377.27	-82.40	-12.69	1.482	1.017	5.206	1.054	952.2	9.290	3.037
69000	68612	379.44	-80.23	-10.51	1.411	1.015	4.928	1.048	954.9	9.335	3.053
70000	69603	381.62	-78.05	-8.33	1.343 + 0	1.014	4.667 - 3	1.042	957.7	9.380 - 6	3.070 - 6
71000	70594	383.79	-75.88	-6.15	1.280	1.012	4.420	1.036	960.4	9.425	3.086
72000	71584	385.96	-73.71	-3.97	1.219	1.012	4.188	1.031	963.1	9.470	3.102
73000	72575	387.75	-71.92	-1.78	1.162	1.011	3.974	1.027	965.3	9.507	3.116
74000	73566	388.94	-70.73	-0.59	1.108	1.010	3.777	1.025	966.8	9.532	3.125
75000	74556	390.14	-69.53	0.60	1.056	1.010	3.590	1.022	968.3	9.556	3.134
76000	75547	391.33	-68.34	1.81	1.007	1.009	3.413	1.020	969.8	9.581	3.143
77000	76537	392.53	-67.14	3.02	9.608 - 1	1.009	3.245	1.018	971.2	9.605	3.152
78000	77528	393.72	-65.95	4.23	9.165	1.009	3.086	1.016	972.7	9.630	3.161
79000	78518	394.92	-64.75	5.44	8.744	1.009	2.935	1.014	974.2	9.654	3.170

TABLE 5.2.—Continued  
15° N. Annual  
GEOPOTENTIAL ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
H, ft'	Z, ft	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> ft sec <sup>-1</sup>	$\mu$ lb ft <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{\text{sec}^{-1}(\text{°R})^{-1}}$
80000	80497	396.71	-62.96	-1.15	8.151	1.000	2.724	1.003	976.4	9.690	3.183
81000	81507	397.92	-61.75	-0.49	7.776	0.999	2.590	1.001	977.9	9.715	3.192
82000	82518	399.12	-60.55	0.17	7.418	1.000	2.464	0.999	979.4	9.739	3.201
83000	83528	400.33	-59.34	0.82	7.079	1.000	2.344	0.997	980.9	9.764	3.210
84000	84538	401.54	-58.13	1.48	6.755	1.000	2.230	0.996	982.3	9.788	3.219
85000	85549	402.74	-56.93	2.14	6.448	1.000	2.122	0.994	983.8	9.813	3.228
86000	86560	403.95	-55.72	2.80	6.155	1.000	2.020	0.993	985.3	9.837	3.237
87000	87570	405.16	-54.51	3.46	5.876	1.001	1.923	0.992	986.7	9.862	3.246
88000	88581	406.37	-53.30	4.12	5.611	1.001	1.830	0.991	988.2	9.886	3.255
89000	89592	407.57	-52.10	4.77	5.358	1.002	1.743	0.990	989.7	9.910	3.264
90000	90603	408.78	-50.89	5.43	5.118	1.002	1.660	0.989	991.1	9.935	3.273
91000	91614	409.99	-49.68	6.09	4.889	1.003	1.581	0.988	992.6	9.959	3.282
92000	92626	411.19	-48.48	6.75	4.671	1.003	1.506	0.987	994.1	9.983	3.291
93000	93637	412.40	-47.27	7.41	4.463	1.004	1.435	0.986	995.5	1.001	3.300
94000	94648	413.61	-46.06	8.07	4.265	1.005	1.367	0.986	997.0	1.003	3.309
95000	95660	414.81	-44.86	8.72	4.076	1.006	1.303	0.985	998.4	1.006	3.318
96000	96671	416.02	-43.65	9.38	3.896	1.007	1.242	0.985	999.9	1.008	3.327
97000	97683	417.23	-42.44	10.04	3.725	1.008	1.184	0.984	1001.3	1.010	3.336
98000	98695	418.44	-41.23	10.70	3.562	1.009	1.128	0.984	1002.8	1.013	3.345
99000	99707	419.64	-40.03	11.36	3.406	1.011	1.076	0.983	1004.2	1.015	3.354
100000	100719	420.85	-38.82	12.02	3.257	1.012	1.026	0.983	1005.7	1.018	3.363
105000	105781	426.88	-32.79	15.29	2.611	1.019	8.108	0.983	1012.9	1.030	3.407
110000	110845	432.92	-26.75	13.65	2.100	1.027	6.429	0.995	1020.0	1.041	3.452
115000	115911	438.95	-20.72	12.00	1.693	1.034	5.114	1.006	1027.1	1.053	3.496
120000	120980	444.99	-14.68	10.36	1.370	1.039	4.081	1.015	1034.1	1.065	3.540
125000	126051	451.02	-8.65	8.71	1.111	1.044	3.266	1.024	1041.1	1.077	3.584
130000	131125	457.06	-2.61	7.06	9.041	1.048	2.622	1.032	1048.0	1.088	3.628
135000	136201	463.09	3.42	5.42	7.374	1.051	2.111	1.039	1054.9	1.100	3.672
140000	141280	469.13	9.46	3.77	6.031	1.053	1.704	1.044	1061.8	1.111	3.715
145000	146362	475.16	15.49	2.13	4.945	1.054	1.380	1.050	1068.6	1.122	3.759
150000	151445	481.20	21.53	0.48	4.065	1.055	1.120	1.054	1075.4	1.134	3.802
155000	156531	486.27	26.60	-0.90	3.350	1.055	9.132	1.057	1081.0	1.143	3.838
160000	161620	486.27	26.60	-0.90	2.763	1.054	7.531	1.056	1081.0	1.143	3.838
165000	166711	486.27	26.60	-0.90	2.278	1.054	6.211	1.056	1081.0	1.143	3.838
170000	171805	483.33	23.66	-3.84	1.878	1.054	5.152	1.062	1077.7	1.138	3.817
175000	176901	477.84	18.17	-4.50	1.546	1.051	4.288	1.061	1071.6	1.127	3.778
180000	181999	472.36	12.69	-4.50	1.269	1.050	3.561	1.060	1065.4	1.117	3.738
185000	187100	466.87	7.20	-4.50	1.039	1.048	2.951	1.058	1059.2	1.107	3.699
190000	192204	461.39	1.72	-4.50	8.493	1.046	2.440	1.056	1053.0	1.096	3.659
195000	197310	454.72	-4.95	-5.68	6.923	1.043	2.018	1.057	1045.4	1.084	3.611
200000	202418	445.12	-14.55	-9.79	5.621	1.040	1.674	1.062	1034.3	1.065	3.541
205000	207529	435.52	-24.15	-8.57	4.543	1.035	1.383	1.056	1023.1	1.046	3.471
210000	212643	425.92	-33.75	-7.19	3.655	1.031	1.138	1.048	1011.7	1.028	3.400
215000	217759	416.32	-43.35	-5.82	2.926	1.028	9.316	1.042	1000.2	1.009	3.329
220000	222877	406.72	-52.95	-4.45	2.330	1.025	7.594	1.036	988.6	9.893	3.258
225000	227998	397.11	-62.56	-3.08	1.845	1.023	6.160	1.030	976.9	9.699	3.186
230000	233122	387.51	-72.16	-1.71	1.453	1.021	4.971	1.026	965.0	9.502	3.114
235000	238247	377.91	-81.76	-0.34	1.138	1.020	3.990	1.021	953.0	9.304	3.042
240000	243376	368.31	-91.36	1.03	8.848	1.021	3.185	1.018	940.8	9.103	2.969
245000	248507	358.71	-100.96	2.41	6.837	1.022	2.527	1.015	928.5	8.900	2.896
250000	253640	349.11	-110.56	3.78	5.247	1.024	1.992	1.013	916.0	8.695	2.822
255000	258776	339.51	-120.16	5.15	3.996	1.028	1.560	1.013	903.3	8.487	2.748
260000	263915	329.91	-129.76	4.74	3.020	1.033	1.214	1.018	890.4	8.278	2.674
265000	269056	320.26	-139.41	-4.91	2.264	1.033	9.370	1.049	877.4	8.065	2.600
270000	274199	318.73	-149.03	-6.38	1.688	1.027	7.016	1.047	875.4	8.033	2.589
275000	279345	318.70	-149.01	-6.41	1.258	1.021	5.229	1.041	875.4	8.033	2.589
280000	284494	318.72	-149.00	-6.45	9.375	1.016	3.898	1.035	875.4	8.033	2.589
285000	289645	318.69	-149.03	-6.48	6.988	1.010	2.905	1.030	875.4	8.033	2.589
290000	294798	318.59	-141.02	-6.52	5.208	1.004	2.165	1.024	875.4	8.033	2.589
295000	299954	321.34	-138.33	-10.31	3.886	0.997	1.599	1.026	879.9	8.107	2.614
300000	305113	326.14	-133.92	-13.92	2.912	0.988	1.178	1.025	887.4	8.228	2.657
310000	315437	334.77	-122.11	-22.11	1.659	0.963	6.494	1.016	902.1	8.468	2.742
320000	325772	341.69	-117.95	-31.55	9.621	0.933	3.648	0.998	916.6	8.705	2.826
330000	336117	353.94	-105.73	-43.19	5.679	0.896	2.057	0.977	937.8	9.054	2.951
340000	346472	368.03	-91.64	-55.83	3.491	0.867	1.142	0.915	986.8	9.863	3.247
350000	356837	421.71	-71.64	-28.55	2.245	0.853	6.697	0.874	1033.5	1.064	3.536
360000	367213	455.09	-51.70	-35.71	1.499	0.846	4.108	0.873	1078.1	1.138	3.820
370000	377598	542.13	-4.54	-1.46	1.051	0.846	2.399	0.810	1181.3	1.311	4.495
380000	387994	633.65	82.51	37.75	7.807	0.867	1.515	0.778	1281.5	1.479	5.172

TABLE 5.2.—Continued  
15° N. Annual

GEOMETRIC ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
Z, ft	H, ft'	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> ft sec <sup>-1</sup>	$\mu$ lb ft <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{sec^{-1}(°R)^{-1}}$
80000	79508	396.12	-63.55	-1.58	8.343	1.008	2.792	1.012	975.7	9.678	3.179
81000	80498	397.31	-62.36	-0.93	7.962	1.008	2.657	1.011	977.1	9.703	3.188
82000	81488	398.50	-61.17	-0.28	7.599	1.009	2.528	1.009	978.6	9.727	3.197
83000	82477	399.70	-59.97	0.37	7.254	1.009	2.406	1.007	980.1	9.751	3.205
84000	83467	400.89	-58.78	1.02	6.926	1.009	2.290	1.006	981.5	9.775	3.214
85000	84457	402.09	-57.58	1.67	6.613	1.009	2.180	1.005	983.0	9.800	3.223
86000	85446	403.28	-56.39	2.32	6.315	1.009	2.076	1.004	984.5	9.824	3.232
87000	86436	404.48	-55.19	2.97	6.032	1.010	1.977	1.002	985.9	9.848	3.241
88000	87425	405.67	-54.00	3.62	5.762	1.010	1.883	1.002	987.4	9.872	3.250
89000	88414	406.87	-52.80	4.27	5.505	1.011	1.794	1.000	988.8	9.896	3.259
90000	89403	408.06	-51.61	4.92	5.260	1.012	1.709	0.999	990.3	9.920	3.268
91000	90392	409.25	-50.42	5.57	5.027	1.012	1.628	0.998	991.7	9.944	3.277
92000	91381	410.45	-49.22	6.22	4.804	1.013	1.552	0.998	993.2	9.968	3.286
93000	92370	411.64	-48.03	6.87	4.593	1.014	1.479	0.997	994.6	9.992	3.294
94000	93359	412.83	-46.84	7.52	4.391	1.015	1.410	0.996	996.1	1.002	3.303
95000	94348	414.03	-45.64	8.17	4.198	1.016	1.344	0.996	997.5	1.004	3.312
96000	95336	415.22	-44.45	8.82	4.015	1.017	1.282	0.995	998.9	1.006	3.321
97000	96325	416.41	-43.26	9.47	3.840	1.018	1.222	0.995	1000.4	1.009	3.330
98000	97313	417.61	-42.06	10.12	3.673	1.019	1.166	0.995	1001.8	1.011	3.339
99000	98301	418.80	-40.87	10.77	3.514	1.020	1.112	0.994	1003.2	1.013	3.348
100000	99290	419.99	-39.68	11.42	3.362	1.022	1.061	0.994	1004.6	1.016	3.356
105000	104229	425.95	-33.72	14.66	2.701	1.029	8.406	0.994	1011.8	1.028	3.400
110000	109166	431.91	-27.76	13.53	2.177	1.038	6.681	1.005	1018.8	1.039	3.444
115000	114101	437.87	-21.80	11.89	1.760	1.045	5.328	1.017	1025.8	1.051	3.488
120000	119034	443.82	-15.85	10.24	1.427	1.051	4.262	1.027	1032.8	1.063	3.532
125000	123964	449.77	-9.90	8.60	1.160	1.057	3.420	1.036	1039.7	1.074	3.575
130000	128891	455.72	-3.95	6.96	9.462	1.061	2.752	1.045	1046.5	1.086	3.618
135000	133817	461.67	2.00	5.32	7.737	1.064	2.222	1.052	1053.3	1.097	3.661
140000	138740	467.61	7.94	3.69	6.343	1.067	1.798	1.058	1060.1	1.108	3.704
145000	143660	473.55	13.88	2.05	5.214	1.069	1.460	1.064	1066.8	1.119	3.747
150000	148579	479.48	19.81	0.41	4.297	1.069	1.188	1.068	1073.4	1.130	3.790
155000	153495	485.42	25.75	-1.23	3.550	1.070	9.695	1.072	1080.1	1.142	3.832
160000	158408	486.27	26.60	-0.90	2.937	1.070	8.008	1.072	1081.0	1.143	3.838
165000	163320	486.27	26.60	-0.90	2.431	1.070	6.627	1.072	1081.0	1.143	3.838
170000	168229	485.27	25.60	-1.90	2.012	1.070	5.495	1.074	1079.9	1.141	3.831
175000	173135	479.89	20.22	-4.05	1.663	1.069	4.593	1.078	1073.9	1.131	3.793
180000	178040	474.51	14.84	-4.04	1.371	1.068	3.831	1.077	1067.9	1.121	3.754
185000	182941	469.13	9.46	-4.03	1.129	1.067	3.189	1.076	1061.8	1.111	3.715
190000	187841	463.75	4.08	-4.01	9.270	1.065	2.650	1.074	1055.7	1.101	3.676
195000	192738	458.38	-1.29	-4.00	7.596	1.064	2.197	1.073	1049.6	1.091	3.638
200000	197633	449.67	-10.00	-7.33	6.207	1.062	1.830	1.079	1039.5	1.074	3.574
205000	202526	440.27	-19.40	-8.19	5.051	1.058	1.521	1.078	1028.6	1.056	3.506
210000	207416	430.88	-28.79	-6.83	4.093	1.055	1.259	1.072	1017.6	1.037	3.437
215000	212304	421.49	-38.18	-5.46	3.301	1.052	1.038	1.066	1006.4	1.019	3.367
220000	217190	412.11	-47.56	-4.09	2.650	1.050	8.524	1.061	995.2	1.000	3.298
225000	222073	402.74	-56.93	-2.73	2.117	1.049	6.967	1.056	983.8	9.813	3.228
230000	226954	393.36	-66.31	-1.37	1.682	1.049	5.668	1.052	972.3	9.622	3.158
235000	231833	383.99	-75.68	-0.00	1.329	1.048	4.589	1.048	960.6	9.430	3.088
240000	236709	374.63	-85.04	1.36	1.045	1.050	3.697	1.046	948.8	9.235	3.017
245000	241583	365.27	-94.40	2.72	8.161	1.052	2.962	1.044	936.9	9.039	2.946
250000	246455	355.92	-103.75	4.09	6.335	1.055	2.360	1.043	924.8	8.840	2.874
255000	251324	346.57	-113.10	5.45	4.885	1.059	1.869	1.043	912.6	8.640	2.803
260000	256191	337.22	-122.45	6.81	3.741	1.065	1.471	1.044	900.2	8.438	2.731
265000	261056	327.85	-131.81	2.69	2.844	1.071	1.150	1.063	887.7	8.233	2.659
270000	265918	318.48	-141.15	-6.35	2.145	1.070	8.918	1.091	875.4	8.033	2.589
275000	270778	318.77	-140.88	-6.38	1.612	1.065	6.702	1.086	875.4	8.033	2.589
280000	275636	318.77	-140.88	-6.42	1.212	1.060	5.037	1.081	875.4	8.033	2.589
285000	280492	318.77	-140.88	-6.45	9.108	1.055	3.787	1.075	875.4	8.033	2.589
290000	285345	318.67	-140.93	-6.48	6.847	1.050	2.847	1.070	875.4	8.033	2.589
295000	290196	318.67	-140.93	-6.52	5.149	1.044	2.140	1.065	875.4	8.033	2.589
300000	295044	321.33	-134.24	-11.51	3.875	1.037	1.594	1.072	880.0	8.108	2.615
310000	304735	337.05	-129.01	-18.54	2.226	1.016	8.864	1.066	894.4	8.342	2.697
320000	314416	337.77	-121.83	-27.49	1.301	0.987	5.023	1.052	908.5	8.573	2.779
330000	324088	344.53	-115.12	-38.58	7.739	0.955	2.897	1.036	922.5	8.801	2.860
340000	333751	366.73	-92.89	-42.61	4.704	0.916	1.638	0.990	956.5	9.361	3.063
350000	343405	399.54	-67.13	-35.60	2.990	0.892	9.471	0.936	1002.9	1.013	3.346
360000	353049	431.92	-27.77	-28.45	1.978	0.880	5.744	0.900	1047.3	1.087	3.623
370000	362685	474.63	15.01	-34.92	1.353	0.870	3.548	0.894	1102.3	1.179	3.975
380000	372311	563.33	103.72	2.90	9.768	0.875	2.143	0.831	1205.2	1.351	4.655

TABLE 5.2.—Continued  
30° N. January

## GEOPOTENTIAL ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
H, ft'	Z, ft	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , ft sec <sup>-1</sup>	$\mu$ , lb ft <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{\text{BTU ft}^{-1} \text{sec}^{-1} (^\circ\text{R})^{-1}}$
0	0	519.33	59.66	0.66	3.015 + 1	1.008	7.696 - 2	1.006	1117.2	1.204 - 5	4.072 - 6
1000	1001	517.54	57.87	2.43	2.908	1.008	7.449	1.003	1115.2	1.200	4.059
2000	2003	515.74	56.07	4.20	2.804	1.008	7.208	1.000	1113.3	1.197	4.047
3000	3005	513.94	54.27	5.97	2.704	1.008	6.975	0.997	1111.4	1.194	4.034
4000	4006	512.10	52.43	7.70	2.607	1.009	6.749	0.994	1109.4	1.191	4.021
5000	5008	510.25	50.58	9.41	2.513	1.009	6.529	0.991	1107.4	1.187	4.008
6000	6010	508.39	48.72	11.12	2.422	1.010	6.316	0.988	1105.3	1.184	3.995
7000	7012	505.72	46.05	12.02	2.335	1.011	6.119	0.987	1102.4	1.179	3.976
8000	8014	502.01	42.34	11.87	2.249	1.012	5.940	0.988	1098.4	1.172	3.950
9000	9016	498.30	38.63	11.73	2.167	1.013	5.764	0.989	1094.3	1.165	3.924
10000	10019	494.60	34.93	11.59	2.086 + 1	1.014	5.592 - 2	0.990	1090.2	1.159 - 5	3.897 - 6
11000	11021	490.92	31.25	11.47	2.008	1.015	5.423	0.991	1086.2	1.152	3.871
12000	12023	487.24	27.57	11.36	1.933	1.016	5.259	0.992	1082.1	1.145	3.845
13000	13026	483.55	23.88	11.24	1.860	1.017	5.098	0.993	1078.0	1.138	3.819
14000	14029	479.94	20.27	11.19	1.789	1.017	4.941	0.994	1074.0	1.131	3.793
15000	15031	476.33	16.66	11.15	1.720	1.019	4.787	0.995	1069.9	1.125	3.767
16000	16034	472.72	13.05	11.11	1.653	1.019	4.636	0.996	1065.9	1.118	3.741
17000	17037	469.12	9.45	11.07	1.589	1.020	4.490	0.996	1061.8	1.111	3.715
18000	18040	465.51	5.84	11.03	1.526	1.022	4.347	0.997	1057.7	1.104	3.689
19000	19043	461.90	2.23	10.99	1.466	1.022	4.207	0.998	1053.6	1.097	3.663
20000	20047	458.30	-1.37	10.96	1.407 + 1	1.024	4.071 - 2	0.999	1049.5	1.090 - 5	3.637 - 6
21000	21050	454.72	-4.95	10.94	1.351	1.025	3.938	1.000	1045.4	1.084	3.611
22000	22053	451.14	-8.53	10.93	1.296	1.025	3.808	1.001	1041.2	1.077	3.585
23000	23057	447.56	-12.11	10.91	1.243	1.026	3.682	1.002	1037.1	1.070	3.559
24000	24061	443.98	-15.69	10.90	1.192	1.027	3.559	1.002	1032.9	1.063	3.533
25000	25064	440.40	-19.27	10.88	1.142	1.029	3.439	1.003	1028.8	1.056	3.507
26000	26068	436.82	-22.85	10.87	1.095	1.030	3.322	1.004	1024.6	1.049	3.480
27000	27072	433.24	-26.43	10.86	1.048	1.031	3.208	1.005	1020.4	1.042	3.454
28000	28076	429.67	-30.00	10.85	1.004	1.032	3.097	1.006	1016.2	1.035	3.428
29000	29080	426.10	-33.57	10.85	9.609 + 0	1.033	2.989	1.007	1011.9	1.028	3.401
30000	30084	422.52	-37.15	10.84	9.193 + 0	1.035	2.884 - 2	1.008	1007.7	1.021 - 5	3.375 - 6
31000	31089	418.95	-40.72	10.83	8.793	1.036	2.782	1.009	1003.4	1.014	3.349
32000	32093	415.38	-44.29	10.83	8.407	1.037	2.683	1.010	999.1	1.007	3.322
33000	33098	411.81	-47.86	10.82	8.034	1.038	2.586	1.011	994.8	9.995 - 6	3.296
34000	34102	408.23	-51.44	10.81	7.675	1.040	2.492	1.012	990.5	9.924	3.269
35000	35107	404.66	-55.01	10.81	7.329	1.041	2.401	1.013	986.1	9.852	3.242
36000	36112	401.09	-58.58	10.80	6.996	1.042	2.312	1.014	981.8	9.779	3.216
37000	37117	397.52	-62.15	7.55	6.675	1.043	2.226	1.023	977.4	9.707	3.189
38000	38122	393.96	-65.71	3.99	6.366	1.044	2.142	1.034	973.0	9.634	3.162
39000	39127	390.39	-69.28	0.42	6.069	1.044	2.061	1.044	968.6	9.561	3.136
40000	40132	386.81	-71.50	-1.80	5.784 + 0	1.044	1.975 - 2	1.049	965.8	9.516 - 6	3.119 - 6
41000	41137	383.24	-73.93	-3.23	5.511	1.044	1.889	1.053	964.1	9.486	3.108
42000	42143	379.67	-76.35	-4.65	5.250	1.044	1.806	1.056	962.3	9.457	3.098
43000	43148	376.10	-78.78	-6.08	5.000	1.043	1.727	1.059	960.5	9.427	3.087
44000	44154	372.53	-81.21	-7.51	4.761	1.042	1.650	1.063	958.7	9.398	3.076
45000	45159	368.96	-83.63	-8.93	4.533	1.041	1.577	1.066	956.9	9.368	3.065
46000	46165	365.39	-86.06	-10.36	4.315	1.040	1.507	1.068	955.1	9.339	3.054
47000	47171	361.82	-88.48	-11.78	4.107	1.038	1.440	1.070	953.3	9.309	3.044
48000	48177	358.25	-90.91	-13.21	3.908	1.037	1.375	1.073	951.5	9.280	3.033
49000	49183	354.68	-93.34	-14.64	3.718	1.035	1.313	1.075	949.7	9.250	3.022
50000	50189	351.11	-95.76	-16.06	3.536 + 0	1.033	1.254 - 2	1.077	947.9	9.220 - 6	3.011 - 6
51000	51195	347.54	-98.19	-17.49	3.363	1.030	1.197	1.078	946.1	9.190	3.000
52000	52202	343.97	-100.62	-18.92	3.198	1.028	1.142	1.081	944.3	9.160	2.990
53000	53208	340.40	-103.04	-20.34	3.040	1.025	1.090	1.082	942.5	9.130	2.979
54000	54215	336.83	-105.47	-21.77	2.889	1.022	1.040	1.083	940.7	9.101	2.968
55000	55221	333.26	-107.90	-23.20	2.746	1.020	9.924 - 3	1.084	938.8	9.071	2.957
56000	56228	329.69	-110.33	-24.63	2.609	1.016	9.457	1.084	937.4	9.047	2.949
57000	57235	326.12	-112.76	-26.06	2.478	1.013	8.985	1.080	937.4	9.047	2.949
58000	58242	322.55	-115.19	-27.49	2.355	1.010	8.536	1.077	937.4	9.047	2.949
59000	59249	318.98	-117.62	-28.92	2.237	1.007	8.109	1.073	937.4	9.047	2.949
60000	60256	315.41	-120.05	-30.35	2.125 + 0	1.003	7.677 - 3	1.066	939.1	9.075 - 6	2.959 - 6
61000	61263	311.84	-122.48	-31.78	2.020	1.001	7.269	1.059	940.8	9.103	2.969
62000	62271	308.27	-124.91	-33.21	1.920	0.998	6.883	1.053	942.6	9.132	2.979
63000	63278	304.70	-127.34	-34.64	1.825	0.996	6.519	1.046	944.3	9.161	2.990
64000	64286	301.13	-129.77	-36.07	1.735	0.993	6.176	1.040	946.1	9.190	3.000
65000	65293	297.56	-132.20	-37.50	1.650	0.991	5.852	1.034	947.8	9.218	3.011
66000	66301	293.99	-134.63	-38.93	1.570	0.989	5.546	1.028	949.6	9.247	3.021
67000	67309	290.42	-137.06	-40.36	1.493	0.987	5.257	1.024	951.3	9.276	3.031
68000	68317	286.85	-139.49	-41.79	1.421	0.985	4.984	1.020	953.0	9.304	3.042
69000	69325	283.28	-141.92	-43.22	1.352	0.983	4.726	1.016	954.8	9.333	3.052
70000	70333	279.71	-144.35	-44.65	1.287 + 0	0.983	4.482 - 3	1.012	956.5	9.361 - 6	3.063 - 6
71000	71341	276.14	-146.78	-46.08	1.225	0.981	4.252	1.009	958.2	9.389	3.073
72000	72349	272.57	-149.21	-47.51	1.167	0.980	4.034	1.005	959.9	9.418	3.083
73000	73358	269.00	-151.64	-48.94	1.111	0.978	3.831	1.003	961.4	9.442	3.092
74000	74366	265.43	-154.07	-50.37	1.059	0.977	3.638	1.000	962.7	9.464	3.100
75000	75375	261.86	-156.50	-51.80	1.008	0.976	3.456	0.997	964.1	9.487	3.108
76000	76383	258.29	-158.93	-53.23	9.607 - 1	0.975	3.284	0.995	965.5	9.509	3.117
77000	77392	254.72	-161.36	-54.66	9.155	0.974	3.120	0.993	966.8	9.532	3.125
78000	78401	251.15	-163.79	-56.09	8.725	0.974	2.965	0.990	968.2	9.554	3.133
79000	79410	247.58	-166.22	-57.52	8.316	0.973	2.818	0.988	969.5	9.577	3.141



TABLE 5.2.—Continued  
30° N. January  
GEOMETRIC ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity	
Z, ft	H, ft'	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , ft sec <sup>-1</sup>	$\frac{\mu}{\mu_{std}}$ , lb ft <sup>-1</sup> sec <sup>-1</sup>	BTU ft <sup>1</sup> sec <sup>-1</sup> (°R) <sup>-1</sup>	
0	0	519.33	59.66	0.66	3.015	+ 1	1.008	7.696 - 2	1.006	1117.2	1.204 - 5	4.072 - 6
1000	999	517.54	57.87	2.44	2.908		1.008	7.449	1.003	1115.2	1.200	4.059
2000	1997	515.75	56.08	4.21	2.805		1.008	7.209	1.000	1113.3	1.197	4.047
3000	2995	513.95	54.28	5.98	2.705		1.008	6.976	0.997	1111.4	1.194	4.034
4000	3994	512.12	52.45	7.71	2.608		1.009	6.750	0.994	1109.4	1.191	4.021
5000	4992	510.26	50.59	9.42	2.514		1.010	6.531	0.991	1107.4	1.187	4.008
6000	5990	508.41	48.74	11.13	2.423		1.011	6.319	0.989	1105.4	1.184	3.995
7000	6988	505.77	46.10	12.05	2.336		1.012	6.122	0.987	1102.5	1.179	3.977
8000	7986	502.07	42.40	11.91	2.250		1.012	5.942	0.988	1098.4	1.172	3.950
9000	8984	498.36	38.69	11.78	2.168		1.014	5.767	0.989	1094.4	1.165	3.924
10000	9982	494.66	34.99	11.64	2.088	+ 1	1.014	5.595 - 2	0.991	1090.3	1.159 - 5	3.898 - 6
11000	10979	490.99	31.32	11.53	2.010		1.015	5.427	0.992	1086.3	1.152	3.872
12000	11977	487.32	27.65	11.42	1.935		1.017	5.263	0.993	1082.2	1.145	3.846
13000	12974	483.65	23.98	11.31	1.862		1.017	5.102	0.994	1078.1	1.138	3.819
14000	13971	480.04	20.37	11.26	1.791		1.019	4.945	0.995	1074.1	1.132	3.794
15000	14969	476.44	16.77	11.23	1.722		1.020	4.791	0.995	1070.0	1.125	3.768
16000	15966	472.85	13.18	11.19	1.656		1.021	4.642	0.996	1066.0	1.118	3.742
17000	16963	469.25	9.58	11.15	1.591		1.021	4.495	0.997	1061.9	1.111	3.716
18000	17960	465.65	5.98	11.12	1.529		1.023	4.352	0.998	1057.9	1.104	3.690
19000	18957	462.06	2.39	11.08	1.468		1.023	4.213	0.999	1053.8	1.098	3.664
20000	19953	458.47	-1.20	11.05	1.410	+ 1	1.025	4.077 - 2	1.000	1049.7	1.091 - 5	3.638 - 6
21000	20950	454.90	-4.77	11.04	1.354		1.025	3.944	1.001	1045.6	1.084	3.612
22000	21947	451.33	-8.34	11.03	1.299		1.027	3.815	1.002	1041.5	1.077	3.586
23000	22943	447.76	-11.91	11.02	1.246		1.028	3.689	1.003	1037.3	1.070	3.560
24000	23940	444.19	-15.48	11.01	1.195		1.029	3.566	1.004	1033.2	1.063	3.534
25000	24936	440.63	-19.04	11.00	1.146		1.030	3.446	1.004	1029.0	1.056	3.508
26000	25932	437.06	-22.61	10.99	1.098		1.032	3.330	1.006	1024.9	1.049	3.482
27000	26928	433.50	-26.17	10.99	1.052		1.033	3.216	1.007	1020.7	1.043	3.456
28000	27924	429.94	-29.73	10.99	1.007		1.034	3.106	1.008	1016.5	1.036	3.430
29000	28920	426.38	-33.29	10.99	9.642	+ 0	1.035	2.998	1.009	1012.3	1.029	3.404
30000	29916	422.82	-36.85	10.99	9.228	+ 0	1.036	2.893 - 2	1.009	1008.0	1.021 - 5	3.377 - 6
31000	30912	419.27	-40.40	10.98	8.828		1.038	2.791	1.011	1003.8	1.014	3.351
32000	31907	415.71	-43.96	10.98	8.442		1.039	2.692	1.012	999.5	1.007	3.325
33000	32903	412.15	-47.52	10.98	8.070		1.040	2.596	1.013	995.2	1.000	3.298
34000	33898	408.60	-51.07	10.98	7.711		1.042	2.502	1.014	990.9	9.931 - 6	3.272
35000	34893	405.04	-54.63	10.98	7.365		1.043	2.411	1.015	986.6	9.859	3.245
36000	35889	401.49	-58.18	10.98	7.032		1.045	2.322	1.016	982.3	9.787	3.219
37000	36884	397.94	-61.73	7.97	6.712		1.046	2.236	1.025	977.9	9.715	3.192
38000	37879	394.39	-65.28	4.42	6.403		1.047	2.152	1.035	973.5	9.643	3.166
39000	38874	390.84	-68.83	0.87	6.106		1.047	2.071	1.045	969.2	9.570	3.139
40000	39869	388.36	-71.31	-1.61	5.821	+ 0	1.047	1.987 - 2	1.051	966.1	9.520 - 6	3.120 - 6
41000	40863	386.94	-72.73	-3.03	5.547		1.047	1.900	1.055	964.3	9.490	3.110
42000	41858	385.52	-74.15	-4.45	5.286		1.046	1.818	1.059	962.5	9.461	3.099
43000	42853	384.10	-75.57	-5.87	5.036		1.046	1.738	1.062	960.8	9.432	3.088
44000	43847	382.68	-76.99	-7.29	4.797		1.045	1.662	1.065	959.0	9.403	3.078
45000	44842	381.26	-78.41	-8.71	4.568		1.044	1.588	1.068	957.2	9.373	3.067
46000	45836	379.85	-79.82	-10.12	4.350		1.043	1.518	1.071	955.4	9.344	3.056
47000	46830	378.43	-81.24	-11.54	4.142		1.042	1.451	1.073	953.6	9.314	3.046
48000	47824	377.01	-82.66	-12.96	3.942		1.040	1.386	1.076	951.9	9.285	3.035
49000	48818	375.59	-84.08	-14.38	3.752		1.038	1.324	1.078	950.1	9.255	3.024
50000	49812	374.17	-85.50	-15.80	3.570	+ 0	1.037	1.265 - 2	1.080	948.3	9.226 - 6	3.013 - 6
51000	50806	372.76	-86.91	-17.21	3.396		1.034	1.208	1.082	946.5	9.196	3.003
52000	51800	371.34	-88.33	-18.63	3.230		1.032	1.153	1.084	944.7	9.166	2.992
53000	52793	369.92	-89.75	-20.05	3.072		1.030	1.101	1.086	942.9	9.137	2.981
54000	53787	368.50	-91.17	-21.47	2.921		1.027	1.051	1.087	941.1	9.107	2.970
55000	54780	367.09	-92.58	-22.88	2.777		1.024	1.003	1.088	939.2	9.077	2.960
56000	55773	365.67	-94.00	-24.30	2.639		1.021	9.568 - 3	1.089	937.4	9.047	2.949
57000	56767	365.67	-94.00	-24.30	2.508		1.018	9.093	1.085	937.4	9.047	2.949
58000	57760	365.67	-94.00	-24.30	2.384		1.014	8.641	1.082	937.4	9.047	2.949
59000	58753	365.67	-94.00	-24.30	2.265		1.011	8.213	1.079	937.4	9.047	2.949
60000	59746	366.62	-93.05	-23.35	2.153	+ 0	1.008	7.785 - 3	1.072	938.6	9.067 - 6	2.956 - 6
61000	60739	367.98	-91.69	-21.99	2.047		1.005	7.373	1.065	940.4	9.096	2.966
62000	61731	369.34	-90.33	-20.63	1.946		1.003	6.984	1.059	942.1	9.124	2.977
63000	62724	370.70	-88.97	-19.27	1.851		1.000	6.618	1.052	943.9	9.153	2.987
64000	63717	372.06	-87.61	-17.91	1.760		0.998	6.271	1.046	945.6	9.182	2.997
65000	64709	373.42	-86.25	-16.55	1.674		0.995	5.944	1.040	947.3	9.210	3.008
66000	65701	374.79	-84.88	-15.28	1.593		0.994	5.635	1.034	949.0	9.238	3.018
67000	66694	376.15	-83.52	-14.46	1.516		0.992	5.344	1.030	950.8	9.267	3.028
68000	67686	377.51	-82.16	-13.65	1.443		0.991	5.068	1.026	952.5	9.295	3.039
69000	68678	378.87	-80.80	-12.83	1.374		0.988	4.807	1.022	954.2	9.323	3.049
70000	69670	380.23	-79.44	-12.02	1.308	+ 0	0.987	4.561 - 3	1.018	955.9	9.352 - 6	3.059 - 6
71000	70662	381.59	-78.08	-11.20	1.246		0.986	4.328	1.015	957.6	9.380	3.069
72000	71654	382.95	-76.72	-10.39	1.187		0.985	4.108	1.011	959.3	9.408	3.080
73000	72645	384.18	-75.49	-9.70	1.131		0.983	3.901	1.008	960.9	9.433	3.089
74000	73637	385.27	-74.40	-9.16	1.077		0.982	3.707	1.006	962.2	9.456	3.097
75000	74629	386.36	-73.31	-8.61	1.027		0.982	3.523	1.003	963.6	9.478	3.105
76000	75620	387.45	-72.22	-8.07	9.785	- 1	0.980	3.348	1.001	964.9	9.501	3.114
77000	76611	388.53	-71.14	-7.53	9.328		0.980	3.183	0.999	966.3	9.523	3.122
78000	77603	389.62	-70.05	-6.98	8.893		0.979	3.026	0.996	967.6	9.545	3.130
79000	78594	390.71	-68.96	-6.44	8.479		0.978	2.877	0.994	969.0	9.568	3.138

## GEOPOTENTIAL ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
H, ft'	Z, ft	T, °R	t, °F	T - T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> ft sec <sup>-1</sup>	$\mu$ lb ft <sup>-1</sup> sec <sup>-1</sup>	BTU ft <sup>-1</sup> sec <sup>-1</sup> (°R) <sup>-1</sup>
80000	80419	392.25	-67.42	-5.61	7.927	- 1 0.972	2.679	- 3 0.986	970.9	9.599	- 6 3.150
81000	81428	393.35	-66.32	-5.06	7.558	0.971	2.547	0.984	972.3	9.622	3.158
82000	82437	394.45	-65.22	-4.51	7.207	0.971	2.422	0.982	973.6	9.644	3.166
83000	83447	395.54	-64.13	-3.96	6.873	0.970	2.303	0.980	975.0	9.667	3.174
84000	84456	396.64	-63.03	-3.42	6.555	0.970	2.191	0.978	976.3	9.689	3.183
85000	85466	397.74	-61.93	-2.87	6.253	0.970	2.084	0.977	977.7	9.711	3.191
86000	86475	398.84	-60.83	-2.32	5.965	0.969	1.983	0.975	979.0	9.734	3.199
87000	87485	399.93	-59.74	-1.77	5.692	0.969	1.887	0.974	980.4	9.756	3.207
88000	88495	401.03	-58.64	-1.22	5.432	0.969	1.795	0.972	981.7	9.778	3.215
89000	89505	402.13	-57.54	-0.67	5.184	0.969	1.709	0.970	983.0	9.800	3.224
90000	90515	403.22	-56.45	-0.12	4.948	- 1 0.969	1.627	- 3 0.969	984.4	9.823	- 6 3.232
91000	91525	404.32	-55.35	0.43	4.724	0.969	1.549	0.968	985.7	9.845	3.240
92000	92535	405.42	-54.25	0.97	4.510	0.969	1.475	0.966	987.1	9.867	3.248
93000	93546	406.52	-53.15	1.52	4.307	0.969	1.404	0.965	988.4	9.889	3.256
94000	94556	407.61	-52.06	2.07	4.113	0.969	1.338	0.964	989.7	9.911	3.265
95000	95567	408.71	-50.96	2.62	3.928	0.969	1.274	0.963	991.1	9.933	3.273
96000	96577	409.81	-49.86	3.17	3.752	0.970	1.214	0.963	992.4	9.955	3.281
97000	97588	410.91	-48.76	3.72	3.585	0.970	1.157	0.961	993.7	9.977	3.289
98000	98599	412.00	-47.67	4.27	3.425	0.971	1.102	0.961	995.0	9.999	3.297
99000	99610	413.10	-46.57	4.82	3.273	0.971	1.050	0.960	996.4	1.002	- 5 3.305
100000	100621	414.20	-45.47	5.36	3.128	- 1 0.972	1.001	- 3 0.959	997.7	1.004	- 5 3.313
105000	105677	419.69	-39.98	8.10	2.498	0.975	7.891	- 4 0.956	1004.3	1.015	3.354
110000	110737	426.27	-33.40	7.00	2.002	0.979	6.225	0.963	1012.1	1.028	3.403
115000	115798	432.85	-26.82	5.90	1.609	0.983	4.929	0.969	1019.9	1.041	3.451
120000	120862	439.44	-20.23	4.80	1.298	0.985	3.916	0.974	1027.6	1.054	3.500
125000	125928	446.02	-13.65	3.71	1.051	0.987	3.122	0.979	1035.3	1.067	3.548
130000	130997	452.60	-7.07	2.61	8.528	- 2 0.989	2.498	0.983	1042.9	1.080	3.596
135000	136068	459.19	-0.48	1.51	6.943	0.989	2.004	0.986	1050.5	1.092	3.643
140000	141142	465.77	6.10	0.42	5.670	0.990	1.614	0.989	1058.0	1.105	3.691
145000	146218	472.36	12.69	-0.68	4.643	0.990	1.303	0.992	1065.4	1.117	3.738
150000	151297	478.94	19.27	-1.78	3.813	- 2 0.989	1.055	- 4 0.993	1072.8	1.129	- 5 3.786
155000	156378	484.47	24.80	-2.70	3.139	0.988	8.589	- 5 0.994	1079.0	1.140	3.825
160000	161462	488.47	24.80	-2.70	2.587	0.987	7.079	0.993	1079.0	1.140	3.825
165000	166548	488.47	24.80	-2.70	2.132	0.987	5.834	0.992	1079.0	1.140	3.825
170000	171636	481.53	21.86	-5.64	1.756	0.985	4.835	0.997	1075.7	1.134	3.804
175000	176727	476.05	16.38	-6.30	1.444	0.982	4.022	0.995	1069.6	1.124	3.765
180000	181821	470.56	10.89	-6.30	1.185	0.980	3.338	0.993	1063.4	1.114	3.726
185000	186917	465.07	5.40	-6.30	9.697	- 3 0.977	2.764	0.991	1057.2	1.103	3.686
190000	192015	459.59	-0.08	-6.30	7.917	0.975	2.284	0.988	1050.9	1.093	3.646
195000	197116	453.24	-6.43	-7.16	6.449	0.972	1.886	0.988	1043.7	1.081	3.600
200000	202219	444.73	-14.94	-10.18	5.234	- 3 0.968	1.560	- 5 0.990	1033.8	1.064	- 5 3.538
205000	207325	436.23	-23.44	-7.86	4.231	0.964	1.286	0.981	1023.9	1.048	3.476
210000	212433	427.72	-31.95	-5.39	3.406	0.961	1.055	0.973	1013.9	1.031	3.413
215000	217544	419.22	-40.45	-2.92	2.729	0.959	8.631	- 6 0.965	1003.7	1.014	3.351
220000	222657	410.72	-48.95	-0.45	2.178	0.958	7.029	0.959	993.5	9.974	- 6 3.288
225000	227773	402.21	-57.46	2.02	1.729	0.959	5.699	0.953	983.2	9.802	3.224
230000	232891	393.71	-65.96	4.49	1.366	0.960	4.601	0.949	972.7	9.629	3.161
235000	238012	385.20	-74.47	6.96	1.074	0.963	3.697	0.946	962.1	9.455	3.097
240000	243135	376.70	-82.97	9.43	8.399	- 4 0.969	2.956	0.945	951.5	9.278	3.032
245000	248261	368.20	-91.47	11.89	6.530	0.976	2.351	0.945	940.7	9.100	2.968
250000	253389	359.69	-99.98	14.36	5.048	- 4 0.986	1.860	- 6 0.946	929.7	8.921	- 6 2.903
255000	258520	351.19	-108.48	16.83	3.878	0.997	1.464	0.950	918.7	8.739	2.838
260000	263653	344.07	-115.60	18.90	2.960	1.012	1.140	0.957	909.3	8.586	2.784
265000	268789	344.07	-115.60	18.90	2.254	1.028	8.686	- 7 0.972	909.3	8.586	2.784
270000	273927	343.99	-115.68	18.82	1.717	1.045	6.615	0.988	909.3	8.586	2.784
275000	279068	343.95	-115.72	18.78	1.307	1.061	5.038	1.003	909.3	8.586	2.784
280000	284211	343.91	-115.76	18.74	9.957	- 5 1.079	3.836	1.019	909.3	8.586	2.784
285000	289357	343.83	-115.79	18.71	7.583	1.096	2.922	1.036	909.3	8.586	2.784
290000	294505	343.81	-115.86	21.14	5.777	1.113	2.210	1.045	912.6	8.639	2.803
295000	299656	343.40	-116.47	23.75	4.424	1.135	1.647	1.057	925.1	8.845	2.876
300000	304809	344.39	-95.28	24.33	3.412	- 5 1.158	1.237	- 7 1.076	937.5	9.049	- 6 2.949
310000	315123	381.35	-78.32	24.54	2.071	1.203	7.131	- 8 1.116	961.8	9.449	3.095
320000	325447	396.52	-63.15	23.28	1.288	1.249	4.223	1.156	985.5	9.841	3.239
330000	335782	413.95	-45.72	16.82	8.187	- 6 1.291	2.549	1.210	1011.5	1.027	- 5 3.399
340000	346126	441.03	-18.04	17.17	5.354	1.330	1.552	1.242	1048.4	1.089	3.630
350000	356480	467.96	8.29	17.70	3.602	1.368	9.765	- 9 1.275	1084.1	1.148	3.858
360000	366845	494.80	35.13	4.00	2.485	1.402	6.326	1.344	1118.6	1.206	4.082
370000	377220	534.73	75.96	-8.91	1.759	1.416	4.118	1.391	1166.5	1.286	4.397
380000	387605	575.84	116.17	-20.06	1.280	1.421	2.767	1.421	1213.8	1.366	4.713

TABLE 5.2.—Continued  
30° N. January  
GEOMETRIC ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
Z, ft	H, ft'	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> ft sec <sup>-1</sup>	$\mu$ lb ft <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{BTU ft^{-1} sec^{-1} (°R)^{-1}}$
80000	79585	391.80	-67.87	-5.90	8.086	0.977	2.736	0.992	970.3	9.590	3.146
81000	80576	392.88	-66.79	-5.35	7.712	0.977	2.602	0.990	971.7	9.612	3.154
82000	81567	393.97	-65.70	-4.81	7.357	0.976	2.475	0.988	973.0	9.635	3.163
83000	82557	395.06	-64.61	-4.27	7.018	0.976	2.355	0.986	974.4	9.657	3.171
84000	83548	396.14	-63.53	-3.73	6.697	0.975	2.241	0.985	975.7	9.679	3.179
85000	84539	397.23	-62.44	-3.18	6.390	0.975	2.133	0.983	977.0	9.701	3.187
86000	85529	398.32	-61.35	-2.64	6.099	0.975	2.030	0.982	978.4	9.723	3.195
87000	86519	399.41	-60.26	-2.10	5.822	0.975	1.932	0.980	979.7	9.745	3.203
88000	87510	400.49	-59.18	-1.55	5.558	0.975	1.840	0.979	981.0	9.767	3.211
89000	88500	401.58	-58.09	-1.01	5.306	0.974	1.752	0.977	982.4	9.789	3.219
90000	89490	402.66	-57.01	-0.47	5.067	0.974	1.668	0.976	983.7	9.811	3.228
91000	90480	403.75	-55.92	0.07	4.839	0.974	1.589	0.974	985.0	9.833	3.236
92000	91470	404.84	-54.83	0.61	4.622	0.974	1.513	0.973	986.4	9.855	3.244
93000	92460	405.92	-53.75	1.16	4.415	0.975	1.442	0.972	987.7	9.877	3.252
94000	93450	407.01	-52.66	1.70	4.218	0.975	1.374	0.971	989.0	9.899	3.260
95000	94439	408.10	-51.57	2.24	4.031	0.975	1.309	0.970	990.3	9.921	3.268
96000	95429	409.18	-50.49	2.78	3.852	0.976	1.248	0.969	991.6	9.943	3.276
97000	96418	410.27	-49.40	3.32	3.681	0.976	1.189	0.968	992.9	9.964	3.284
98000	97407	411.35	-48.32	3.87	3.519	0.976	1.134	0.968	994.3	9.986	3.292
99000	98397	412.44	-47.23	4.41	3.364	0.977	1.081	0.966	995.6	1.001	3.300
100000	99386	413.52	-46.15	4.95	3.216	0.978	1.031	0.965	996.9	1.003	3.308
105000	104330	418.95	-40.72	7.66	2.574	0.981	8.146	0.963	1003.4	1.014	3.349
110000	109272	425.31	-34.36	6.93	2.067	0.985	6.443	0.969	1011.0	1.026	3.396
115000	114212	431.82	-27.85	5.83	1.665	0.989	5.113	0.975	1018.7	1.039	3.444
120000	119149	438.32	-21.35	4.74	1.366	0.991	4.072	0.981	1026.3	1.052	3.491
125000	124084	444.82	-14.85	3.65	1.092	0.994	3.254	0.986	1033.9	1.065	3.539
130000	129017	451.31	-8.36	2.55	8.883	0.996	2.609	0.990	1041.4	1.077	3.586
135000	133947	457.80	-1.87	1.46	7.249	0.997	2.099	0.994	1048.9	1.090	3.633
140000	138875	464.29	4.62	0.37	5.933	0.998	1.694	0.997	1056.3	1.102	3.680
145000	143800	470.78	11.11	-0.72	4.870	0.998	1.371	0.999	1063.7	1.114	3.727
150000	148723	477.26	17.59	-1.81	4.008	0.998	1.113	1.001	1071.0	1.126	3.774
155000	153644	483.74	24.07	-2.90	3.308	0.997	9.066	1.003	1078.2	1.138	3.820
160000	158563	484.47	24.80	-2.70	2.735	0.996	7.483	1.002	1079.0	1.140	3.825
165000	163479	484.47	24.80	-2.70	2.261	0.995	6.187	1.001	1079.0	1.140	3.825
170000	168393	483.30	23.63	-3.87	1.870	0.994	5.128	1.002	1077.7	1.138	3.817
175000	173304	477.91	18.24	-6.04	1.544	0.993	4.282	1.005	1071.7	1.128	3.778
180000	178213	472.52	12.85	-6.03	1.272	0.991	3.568	1.003	1065.6	1.117	3.740
185000	183120	467.14	7.47	-6.02	1.046	0.988	2.968	1.001	1059.5	1.107	3.701
190000	188024	461.75	2.08	-6.02	8.580	0.986	2.463	0.999	1053.4	1.097	3.662
195000	192926	456.38	-3.29	-6.01	7.024	0.984	2.040	0.997	1047.3	1.087	3.623
200000	197826	448.43	-11.24	-8.57	5.734	0.981	1.695	0.999	1038.1	1.072	3.565
205000	202724	440.10	-19.57	-8.36	4.663	0.977	1.405	0.996	1028.4	1.055	3.504
210000	207619	431.77	-27.90	-5.93	3.778	0.974	1.160	0.997	1018.6	1.039	3.443
215000	212511	423.45	-36.22	-3.50	3.049	0.972	9.545	0.980	1008.8	1.023	3.382
220000	217402	415.14	-44.53	-1.07	2.450	0.971	7.824	0.974	998.8	1.006	3.320
225000	222290	406.82	-52.85	1.36	1.961	0.972	6.389	0.968	988.8	9.895	3.259
230000	227176	398.51	-61.16	3.78	1.562	0.974	5.195	0.964	978.6	9.727	3.197
235000	232059	390.21	-69.46	6.21	1.238	0.977	4.207	0.961	968.4	9.557	3.134
240000	236940	381.90	-77.77	8.64	9.770	0.982	3.394	0.959	958.0	9.386	3.072
245000	241819	373.61	-86.06	11.06	7.669	0.988	2.721	0.959	947.5	9.214	3.009
250000	246696	365.31	-94.36	13.48	5.988	0.997	2.173	0.960	937.0	9.040	2.946
255000	251570	357.02	-102.65	15.90	4.650	1.008	1.727	0.963	926.3	8.864	2.883
260000	256442	348.74	-110.93	18.33	3.590	1.022	1.365	0.968	915.5	8.687	2.819
265000	261311	344.25	-115.62	18.88	2.756	1.038	1.062	0.981	909.3	8.586	2.784
270000	266179	344.22	-115.59	18.85	2.114	1.054	8.145	0.997	909.3	8.586	2.784
275000	271044	343.98	-115.69	18.81	1.622	1.071	6.249	1.013	909.3	8.586	2.784
280000	275906	343.94	-115.73	18.77	1.244	1.089	4.795	1.029	909.3	8.586	2.784
285000	280767	343.91	-115.76	18.74	9.550	1.106	3.679	1.045	909.3	8.586	2.784
290000	285625	343.87	-115.80	18.70	7.329	1.123	2.824	1.062	909.3	8.586	2.784
295000	290481	343.73	-112.44	22.00	5.629	1.142	2.147	1.068	913.8	8.659	2.810
300000	295334	336.01	-103.66	23.11	4.347	1.163	1.615	1.085	926.0	8.859	2.881
310000	305034	327.41	-85.26	24.21	2.645	1.207	9.341	1.124	949.8	9.251	3.023
320000	314725	318.52	-71.15	23.24	1.650	1.252	5.550	1.163	973.1	9.635	3.163
330000	324407	313.13	-56.49	20.05	1.052	1.297	3.379	1.209	995.8	1.001	3.302
340000	334079	313.02	-56.45	15.63	6.859	1.335	2.073	1.253	1026.7	1.053	3.494
350000	343743	311.12	-48.55	15.98	4.602	1.372	1.300	1.285	1061.9	1.111	3.716
360000	353397	307.08	-34.65	16.71	3.167	1.409	8.400	1.316	1096.0	1.168	3.934
370000	363042	306.07	-34.53	16.70	2.230	1.434	5.540	1.395	1132.4	1.229	4.172
380000	372678	304.74	-34.53	16.70	1.611	1.443	3.691	1.431	1179.4	1.308	4.482

GEOPOTENTIAL ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
H, ft'	Z, ft	T, °R	t, °F	T - T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , ft sec <sup>-1</sup>	$\mu$ lb ft <sup>-1</sup> sec <sup>-1</sup>	BTU ft <sup>-1</sup> sec <sup>-1</sup> (°R) <sup>-1</sup>
0	0	548.25	88.58	29.58	2.993 + 1	1.000	7.237 - 2	0.946	1147.8	1.255 - 5	4.273 - 6
1000	1001	543.31	83.64	28.21	2.892	1.002	7.056	0.950	1142.7	1.246	4.239
2000	2003	538.37	78.70	26.83	2.793	1.004	6.878	0.954	1137.5	1.238	4.205
3000	3005	533.43	73.76	25.46	2.697	1.006	6.703	0.958	1132.2	1.229	4.171
4000	4006	528.49	68.82	24.08	2.604	1.008	6.517	0.959	1128.2	1.222	4.144
5000	5008	523.55	63.88	22.71	2.513	1.009	6.329	0.960	1124.7	1.216	4.121
6000	6010	518.61	58.94	21.33	2.425	1.011	6.146	0.961	1121.1	1.210	4.098
7000	7012	513.67	54.00	19.96	2.339	1.013	5.966	0.962	1117.6	1.204	4.075
8000	8014	508.73	49.06	18.58	2.256	1.015	5.790	0.963	1114.2	1.199	4.053
9000	9016	503.79	44.12	17.21	2.175	1.017	5.617	0.964	1110.7	1.193	4.030
10000	10019	510.18	50.51	27.17	2.097 + 1	1.019	5.449 - 2	0.965	1107.3	1.187 - 5	4.008 - 6
11000	11021	505.24	45.57	25.80	2.021	1.021	5.286	0.966	1103.8	1.181	3.985
12000	12023	500.30	40.63	24.42	1.948	1.024	5.126	0.967	1100.2	1.175	3.962
13000	13026	495.36	35.69	23.05	1.876	1.026	4.970	0.968	1096.7	1.169	3.939
14000	14029	490.42	30.75	21.67	1.807	1.028	4.817	0.969	1093.3	1.164	3.917
15000	15031	485.48	25.81	20.30	1.740	1.031	4.668	0.970	1089.8	1.158	3.895
16000	16034	480.54	20.87	18.92	1.675	1.033	4.522	0.971	1086.4	1.152	3.873
17000	17037	475.60	15.93	17.55	1.612	1.035	4.380	0.972	1082.9	1.146	3.850
18000	18040	470.66	10.99	16.17	1.551	1.038	4.241	0.973	1079.4	1.141	3.828
19000	19043	465.72	6.05	14.80	1.492	1.041	4.107	0.974	1076.0	1.135	3.806
20000	20047	478.38	18.71	31.03	1.435 + 1	1.044	3.977 - 2	0.976	1072.2	1.128 - 5	3.782 - 6
21000	21050	473.44	13.77	29.66	1.380	1.047	3.855	0.979	1067.8	1.121	3.754
22000	22053	468.50	8.83	28.28	1.326	1.049	3.736	0.982	1063.5	1.114	3.726
23000	23057	463.56	3.89	26.91	1.274	1.052	3.619	0.985	1059.0	1.106	3.698
24000	24061	458.62	-1.07	25.53	1.224	1.055	3.505	0.987	1054.6	1.099	3.670
25000	25064	453.68	-6.13	24.16	1.175	1.059	3.394	0.990	1050.2	1.092	3.641
26000	26068	448.74	-11.19	22.78	1.128	1.061	3.286	0.993	1045.7	1.084	3.613
27000	27072	443.80	-16.25	21.41	1.082	1.064	3.179	0.996	1041.3	1.077	3.585
28000	28076	438.86	-21.31	20.03	1.038	1.067	3.076	0.999	1036.8	1.069	3.557
29000	29080	433.92	-26.37	18.66	9.951 + 0	1.070	2.975	1.002	1032.3	1.062	3.529
30000	30084	439.57	-20.10	27.89	9.537 + 0	1.073	2.876 - 2	1.005	1027.8	1.054 - 5	3.501 - 6
31000	31089	434.63	-25.16	26.52	9.138	1.077	2.780	1.008	1023.3	1.047	3.472
32000	32093	429.69	-30.22	25.14	8.751	1.080	2.686	1.011	1018.7	1.039	3.444
33000	33098	424.75	-35.28	23.77	8.378	1.083	2.595	1.014	1014.2	1.032	3.415
34000	34102	419.81	-40.34	22.39	8.017	1.086	2.506	1.018	1009.6	1.024	3.387
35000	35107	414.87	-45.40	21.02	7.669	1.089	2.419	1.021	1005.0	1.016	3.358
36000	36112	409.93	-50.46	19.64	7.333	1.093	2.334	1.024	1000.4	1.009	3.330
37000	37117	404.99	-55.52	18.27	7.009	1.096	2.252	1.035	995.7	1.001	3.301
38000	38122	400.05	-60.58	16.89	6.696	1.098	2.172	1.048	991.1	9.934 - 6	3.273
39000	39127	395.11	-65.64	15.52	6.395	1.100	2.094	1.060	986.4	9.856	3.244
40000	40132	401.05	-58.62	11.08	6.104 + 0	1.102	2.018 - 2	1.072	981.7	9.779 - 6	3.216 - 6
41000	41137	397.21	-62.46	7.24	5.824	1.103	1.944	1.083	977.0	9.701	3.187
42000	42143	393.37	-66.30	3.40	5.554	1.104	1.872	1.095	972.3	9.622	3.158
43000	43148	389.53	-70.14	-0.44	5.295	1.104	1.802	1.105	967.5	9.544	3.129
44000	44154	385.69	-73.98	-4.28	5.045	1.104	1.734	1.116	962.7	9.465	3.100
45000	45159	381.85	-77.82	-8.12	4.804	1.103	1.668	1.127	957.9	9.385	3.071
46000	46165	378.01	-81.66	-11.96	4.573	1.102	1.604	1.137	953.1	9.306	3.042
47000	47171	374.17	-85.50	-15.80	4.351	1.100	1.541	1.146	948.3	9.226	3.013
48000	48177	370.33	-89.34	-19.64	4.137	1.097	1.481	1.155	943.4	9.145	2.984
49000	49183	366.48	-93.19	-23.49	3.932	1.094	1.422	1.164	938.5	9.064	2.955
50000	50189	365.67	-94.00	-24.30	3.735 + 0	1.091	1.354 - 2	1.163	937.4	9.047 - 6	2.949 - 6
51000	51195	365.67	-94.00	-24.30	3.549	1.087	1.286	1.159	937.4	9.047	2.949
52000	52202	365.67	-94.00	-24.30	3.371	1.084	1.222	1.156	937.4	9.047	2.949
53000	53208	366.28	-93.39	-23.69	3.203	1.080	1.159	1.150	938.2	9.060	2.953
54000	54215	367.49	-92.18	-22.48	3.043	1.077	1.098	1.143	939.8	9.086	2.963
55000	55221	368.69	-90.98	-21.28	2.892	1.074	1.040	1.136	941.3	9.111	2.972
56000	56228	369.90	-89.77	-20.07	2.749	1.071	9.853 - 3	1.129	942.8	9.136	2.981
57000	57235	371.11	-88.56	-18.86	2.614	1.069	9.336	1.123	944.4	9.162	2.990
58000	58242	372.31	-87.36	-17.66	2.485	1.066	8.848	1.117	945.9	9.187	2.999
59000	59249	373.52	-86.15	-16.45	2.363	1.064	8.387	1.110	947.4	9.212	3.008
60000	60256	374.73	-84.94	-15.24	2.248 + 0	1.061	7.952 - 3	1.105	949.0	9.237 - 6	3.018 - 6
61000	61263	375.94	-83.73	-14.03	2.138	1.060	7.540	1.099	950.5	9.262	3.027
62000	62271	377.14	-82.53	-12.83	2.034	1.057	7.151	1.094	952.0	9.288	3.036
63000	63278	378.35	-81.32	-11.62	1.936	1.056	6.783	1.088	953.5	9.313	3.045
64000	64286	379.56	-80.11	-10.41	1.843	1.055	6.435	1.083	955.1	9.338	3.054
65000	65293	380.76	-78.91	-9.21	1.754	1.053	6.106	1.079	956.6	9.363	3.063
66000	66301	381.97	-77.70	-8.01	1.670	1.052	5.795	1.075	958.1	9.388	3.072
67000	67309	383.18	-76.49	-7.55	1.590	1.051	5.501	1.072	959.6	9.413	3.081
68000	68317	384.38	-75.29	-6.89	1.514	1.050	5.222	1.069	961.1	9.438	3.090
69000	69325	385.58	-74.09	-6.25	1.442	1.049	4.958	1.066	962.6	9.462	3.099
70000	70333	386.68	-72.99	-5.70	1.374 + 0	1.049	4.710 - 3	1.064	964.0	9.485 - 6	3.108 - 6
71000	71341	387.78	-71.89	-5.15	1.309	1.048	4.475	1.062	965.3	9.508	3.116
72000	72349	388.87	-70.80	-4.60	1.247	1.047	4.252	1.060	966.7	9.530	3.124
73000	73358	389.97	-69.70	-4.05	1.189	1.046	4.041	1.058	968.1	9.553	3.133
74000	74366	391.07	-68.60	-3.50	1.133	1.046	3.841	1.055	969.4	9.575	3.141
75000	75375	392.16	-67.51	-2.95	1.080	1.046	3.651	1.054	970.8	9.598	3.149
76000	76383	393.26	-66.41	-2.41	1.030	1.045	3.471	1.052	972.2	9.620	3.157
77000	77392	394.36	-65.31	-1.86	9.818 - 1	1.045	3.300	1.050	973.5	9.642	3.165
78000	78401	395.46	-64.21	-1.31	9.363	1.045	3.139	1.048	974.9	9.665	3.174
79000	79410	396.55	-63.12	-0.76	8.930	1.045	2.985	1.047	976.2	9.687	3.182

TABLE 5.2.—Continued  
30° N. July

GEOMETRIC ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity	
Z, ft	H, ft'	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , ft sec <sup>-1</sup>	$\mu$ , lb ft <sup>-1</sup> sec <sup>-1</sup>	BTU ft <sup>-1</sup> sec <sup>-1</sup> (°R) <sup>-1</sup>	
0	0	548.25	88.58	29.58	2.993	* 1	1.000	7.237 - 2	0.946	1147.8	1.255 - 5	4.273 - 6
1000	999	543.32	83.65	28.21	2.892		1.002	7.056	0.950	1142.7	1.246	4.239
2000	1997	538.39	78.72	26.85	2.794		1.004	6.879	0.954	1137.5	1.238	4.205
3000	2995	533.45	73.78	25.48	2.698		1.006	6.704	0.958	1132.2	1.229	4.171
4000	3994	529.68	70.01	25.27	2.604		1.008	6.518	0.960	1128.2	1.222	4.144
5000	4992	526.37	66.70	25.53	2.514		1.010	6.331	0.961	1124.7	1.216	4.121
6000	5990	523.06	63.39	25.78	2.426		1.012	6.148	0.962	1121.2	1.210	4.098
7000	6988	519.80	60.13	26.09	2.340		1.014	5.968	0.963	1117.7	1.204	4.075
8000	7986	516.62	56.95	26.46	2.257		1.015	5.792	0.963	1114.2	1.199	4.053
9000	8984	513.43	53.76	26.84	2.177		1.018	5.620	0.964	1110.8	1.193	4.031
10000	9982	510.24	50.57	27.21	2.099	* 1	1.020	5.452 - 2	0.965	1107.3	1.187 - 5	4.008 - 6
11000	10979	507.01	47.34	27.55	2.023		1.022	5.289	0.966	1103.8	1.181	3.985
12000	11977	503.79	44.12	27.89	1.949		1.024	5.130	0.967	1100.3	1.175	3.963
13000	12974	500.56	40.89	28.22	1.878		1.026	4.974	0.969	1096.8	1.169	3.940
14000	13971	497.43	37.76	28.66	1.809		1.029	4.821	0.970	1093.4	1.164	3.918
15000	14969	494.32	34.65	29.11	1.742		1.032	4.672	0.971	1089.9	1.158	3.896
16000	15966	491.21	31.54	29.55	1.677		1.034	4.527	0.972	1086.5	1.152	3.873
17000	16963	488.10	28.43	30.00	1.615		1.036	4.385	0.973	1083.0	1.147	3.851
18000	17960	484.99	25.32	30.45	1.554		1.039	4.247	0.974	1079.6	1.141	3.829
19000	18957	481.87	22.20	30.90	1.495		1.042	4.112	0.975	1076.1	1.135	3.807
20000	19953	478.56	18.89	31.14	1.438	* 1	1.045	3.983 - 2	0.977	1072.4	1.129 - 5	3.783 - 6
21000	20950	474.68	15.01	30.82	1.383		1.047	3.861	0.980	1068.1	1.121	3.755
22000	21947	470.80	11.13	30.51	1.329		1.051	3.742	0.983	1063.7	1.114	3.727
23000	22943	466.93	7.26	30.19	1.277		1.054	3.626	0.986	1059.3	1.107	3.699
24000	23940	463.05	3.38	29.87	1.227		1.057	3.512	0.988	1054.9	1.100	3.671
25000	24936	459.18	-0.49	29.55	1.178		1.059	3.401	0.991	1050.5	1.092	3.643
26000	25932	455.30	-4.37	29.24	1.131		1.063	3.293	0.995	1046.0	1.085	3.615
27000	26928	451.45	-8.22	28.94	1.085		1.066	3.187	0.997	1041.6	1.077	3.587
28000	27924	447.60	-12.07	28.65	1.041		1.069	3.084	1.001	1037.1	1.070	3.559
29000	28920	443.75	-15.92	28.35	9.985	+ 0	1.072	2.983	1.004	1032.7	1.062	3.531
30000	29916	439.90	-19.77	28.06	9.572	* 0	1.075	2.884 - 2	1.006	1028.2	1.055 - 5	3.503 - 6
31000	30912	436.05	-23.62	27.77	9.172		1.078	2.789	1.010	1023.7	1.047	3.475
32000	31907	432.20	-27.47	27.48	8.786		1.082	2.695	1.013	1019.2	1.040	3.446
33000	32903	428.36	-31.31	27.19	8.414		1.085	2.604	1.016	1014.6	1.032	3.418
34000	33898	424.52	-35.15	26.90	8.053		1.088	2.515	1.019	1010.0	1.025	3.390
35000	34893	420.68	-38.99	26.62	7.706		1.091	2.428	1.022	1005.5	1.017	3.361
36000	35889	416.84	-42.83	26.33	7.370		1.095	2.344	1.026	1000.9	1.010	3.333
37000	36884	413.02	-46.65	26.05	7.046		1.098	2.262	1.037	996.3	1.002	3.305
38000	37879	409.20	-50.47	25.76	6.733		1.101	2.181	1.049	991.7	9.943 - 6	3.276
39000	38874	405.37	-54.30	25.40	6.432		1.103	2.103	1.061	987.0	9.866	3.248
40000	39869	401.55	-58.12	25.04	6.142	* 0	1.105	2.028 - 2	1.073	982.3	9.789 - 6	3.219 - 6
41000	40863	397.73	-61.94	24.68	5.862		1.106	1.954	1.085	977.7	9.711	3.191
42000	41858	393.91	-65.76	24.33	5.592		1.107	1.882	1.096	973.0	9.633	3.162
43000	42853	390.09	-69.58	23.98	5.332		1.107	1.812	1.107	968.2	9.555	3.133
44000	43847	386.27	-73.40	23.63	5.082		1.107	1.744	1.118	963.5	9.477	3.105
45000	44842	382.46	-77.21	23.28	4.842		1.107	1.678	1.129	958.7	9.398	3.076
46000	45836	378.64	-81.03	22.93	4.610		1.105	1.614	1.138	953.9	9.319	3.047
47000	46830	374.82	-84.85	22.58	4.388		1.104	1.552	1.148	949.1	9.239	3.018
48000	47824	371.00	-88.67	22.23	4.174		1.101	1.491	1.158	944.2	9.159	2.989
49000	48818	367.18	-92.49	21.88	3.968		1.098	1.433	1.167	939.4	9.079	2.960
50000	49812	363.36	-96.30	21.53	3.772	* 0	1.095	1.367 - 2	1.168	937.4	9.047 - 6	2.949 - 6
51000	50806	363.36	-96.30	21.53	3.584		1.091	1.299	1.164	937.4	9.047	2.949
52000	51800	363.36	-96.30	21.53	3.406		1.088	1.235	1.161	937.4	9.047	2.949
53000	52793	366.03	-93.64	22.18	3.237		1.085	1.172	1.156	937.9	9.055	2.951
54000	53787	367.23	-92.44	22.83	3.077		1.081	1.111	1.149	939.4	9.080	2.961
55000	54780	368.43	-91.24	23.48	2.925		1.079	1.052	1.142	941.0	9.105	2.970
56000	55773	369.63	-90.04	24.13	2.781		1.076	9.974 - 3	1.135	942.5	9.131	2.979
57000	56767	370.83	-88.84	24.78	2.645		1.073	9.454	1.128	944.0	9.156	2.988
58000	57760	372.02	-87.65	25.43	2.515		1.070	8.963	1.122	945.5	9.181	2.997
59000	58753	373.22	-86.45	26.08	2.393		1.068	8.499	1.116	947.1	9.206	3.006
60000	59746	374.42	-85.25	26.73	2.277	* 0	1.066	8.060 - 3	1.110	948.6	9.231 - 6	3.015 - 6
61000	60739	375.62	-84.05	27.38	2.166		1.064	7.646	1.105	950.1	9.256	3.024
62000	61731	376.82	-82.85	28.03	2.062		1.062	7.254	1.100	951.6	9.281	3.033
63000	62724	378.02	-81.65	28.68	1.963		1.061	6.883	1.094	953.1	9.306	3.042
64000	63717	379.21	-80.46	29.33	1.869		1.059	6.532	1.089	954.6	9.331	3.051
65000	64709	380.41	-79.26	29.98	1.779		1.058	6.200	1.085	956.1	9.356	3.061
66000	65701	381.61	-78.06	30.63	1.694		1.057	5.886	1.080	957.6	9.380	3.070
67000	66694	382.81	-76.86	31.28	1.614		1.056	5.589	1.078	959.1	9.405	3.079
68000	67686	384.01	-75.66	31.93	1.538		1.055	5.308	1.075	960.6	9.430	3.088
69000	68678	385.20	-74.47	32.58	1.465		1.054	5.042	1.072	962.1	9.455	3.097
70000	69670	386.32	-73.35	33.23	1.396	* 0	1.054	4.791 - 3	1.070	963.5	9.478 - 6	3.105 - 6
71000	70662	387.40	-72.27	33.88	1.331		1.053	4.553	1.068	964.9	9.500	3.113
72000	71654	388.49	-71.18	34.53	1.268		1.053	4.328	1.065	966.2	9.522	3.121
73000	72645	389.58	-70.09	35.18	1.209		1.051	4.114	1.063	967.6	9.545	3.130
74000	73637	390.67	-69.00	35.83	1.153		1.051	3.912	1.061	968.9	9.567	3.138
75000	74629	391.76	-67.91	36.48	1.099		1.051	3.720	1.060	970.3	9.589	3.146
76000	75620	392.84	-66.83	37.13	1.049		1.051	3.538	1.058	971.6	9.612	3.154
77000	76611	393.93	-65.74	37.78	1.000		1.050	3.366	1.056	973.0	9.634	3.162
78000	77603	395.02	-64.65	38.43	9.541	- 1	1.050	3.202	1.054	974.3	9.656	3.170
79000	78594	396.11	-63.56	39.08	9.104		1.050	3.047	1.053	975.7	9.678	3.179

GEOPOTENTIAL ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity	
H, ft'	Z, ft	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , ft sec <sup>-1</sup>	$\mu$ , lb ft <sup>-1</sup> sec <sup>-1</sup>	BTU ft <sup>-1</sup> sec <sup>-1</sup> (°R) <sup>-1</sup>	
80000	80419	397.65	-62.02	-0.21	8.519	- 1	1.045	2.840 - 3	1.045	977.6	9.710 - 6	3.190 - 6
81000	81428	398.75	-60.92	0.34	8.127		1.045	2.702	1.044	978.9	9.732	3.198
82000	82437	399.85	-59.82	0.89	7.754		1.045	2.571	1.043	980.3	9.754	3.207
83000	83447	400.94	-58.73	1.44	7.400		1.045	2.447	1.041	981.6	9.776	3.215
84000	84456	402.04	-57.63	1.98	7.062		1.045	2.329	1.040	982.9	9.799	3.223
85000	85466	403.14	-56.53	2.53	6.741		1.045	2.217	1.039	984.3	9.821	3.231
86000	86475	404.23	-55.44	3.08	6.435		1.046	2.110	1.038	985.6	9.843	3.239
87000	87485	405.33	-54.34	3.63	6.144		1.046	2.009	1.037	987.0	9.865	3.247
88000	88495	406.43	-53.24	4.18	5.867		1.046	1.914	1.036	988.3	9.887	3.256
89000	89505	407.53	-52.14	4.73	5.603		1.047	1.822	1.035	989.6	9.909	3.264
90000	90515	408.62	-51.05	5.28	5.351	- 1	1.048	1.736 - 3	1.034	991.0	9.931 - 6	3.272 - 6
91000	91525	409.72	-49.95	5.82	5.111		1.048	1.654	1.034	992.3	9.954	3.280
92000	92535	410.82	-48.85	6.37	4.883		1.049	1.576	1.033	993.6	9.976	3.288
93000	93546	411.92	-47.75	6.92	4.666		1.050	1.502	1.032	994.9	9.998	3.297
94000	94556	413.01	-46.66	7.47	4.458		1.051	1.431	1.032	996.3	1.002 - 5	3.305
95000	95567	414.11	-45.56	8.02	4.261		1.052	1.364	1.031	997.6	1.004	3.313
96000	96577	415.21	-44.46	8.57	4.073		1.053	1.300	1.031	998.9	1.006	3.321
97000	97588	416.30	-43.37	9.12	3.893		1.054	1.240	1.030	1000.2	1.009	3.329
98000	98599	417.40	-42.27	9.66	3.722		1.055	1.182	1.031	1001.5	1.011	3.337
99000	99610	418.50	-41.17	10.21	3.559		1.056	1.127	1.030	1002.9	1.013	3.345
100000	100621	419.60	-40.07	10.76	3.403	- 1	1.057	1.075 - 3	1.030	1004.2	1.015 - 5	3.353 - 6
105000	105677	425.09	-34.58	13.50	2.726		1.064	8.500 - 4	1.030	1010.7	1.026	3.394
110000	110737	431.67	-28.00	12.40	2.190		1.072	6.726	1.041	1018.5	1.039	3.443
115000	115798	438.25	-21.42	11.30	1.766		1.078	5.341	1.050	1026.3	1.052	3.491
120000	120862	444.84	-14.83	10.20	1.428		1.083	4.255	1.059	1033.9	1.065	3.539
125000	125928	451.42	-8.25	9.11	1.159		1.089	3.402	1.066	1041.6	1.077	3.587
130000	130997	458.00	-1.67	8.01	0.927	- 2	1.093	2.729	1.074	1049.1	1.090	3.635
135000	136068	464.59	4.92	6.91	0.794		1.096	2.195	1.080	1056.6	1.102	3.682
140000	141142	471.17	11.50	5.81	0.6297		1.100	1.772	1.086	1064.1	1.115	3.730
145000	146218	477.76	18.09	4.72	0.5169		1.102	1.434	1.091	1071.5	1.127	3.777
150000	151297	484.34	24.67	3.62	0.4254	- 2	1.104	1.164 - 4	1.095	1078.9	1.140 - 5	3.824 - 6
155000	156378	489.87	30.20	2.70	0.3510		1.105	9.498 - 5	1.099	1085.0	1.150	3.864
160000	161462	489.87	30.20	2.70	0.2899		1.106	7.844	1.100	1085.0	1.150	3.864
165000	166548	489.87	30.20	2.70	0.2394		1.108	6.478	1.101	1085.0	1.150	3.864
170000	171636	486.93	27.26	-0.24	1.977		1.109	5.381	1.109	1081.8	1.144	3.843
175000	176727	481.44	21.77	-0.90	1.629		1.108	4.485	1.110	1075.6	1.134	3.804
180000	181821	475.96	16.29	-0.90	1.339		1.108	3.730	1.110	1069.5	1.124	3.764
185000	186917	470.47	10.80	-0.90	1.099		1.107	3.095	1.109	1063.3	1.114	3.725
190000	192015	464.99	5.32	-0.90	0.8991	- 3	1.107	2.563	1.109	1057.1	1.103	3.685
195000	197116	458.09	-1.58	-2.31	0.7340		1.106	2.124	1.112	1049.2	1.090	3.635
200000	202219	447.66	-12.01	-7.25	0.5968	- 3	1.104	1.767 - 5	1.121	1037.2	1.070 - 5	3.560 - 6
205000	207325	437.24	-22.43	-6.85	0.4829		1.100	1.464	1.118	1025.1	1.050	3.483
210000	212433	426.81	-32.86	-6.30	0.3887		1.096	1.207	1.113	1012.8	1.029	3.407
215000	217544	416.39	-43.28	-5.75	0.3112		1.093	9.908 - 6	1.108	1000.3	1.009	3.330
220000	222657	405.97	-53.70	-5.20	2.478		1.090	8.091	1.104	987.7	9.878 - 6	3.252
225000	227773	395.54	-64.13	-4.65	1.961		1.087	6.573	1.099	975.0	9.667	3.174
230000	232891	385.12	-74.55	-4.10	1.543		1.084	5.310	1.095	962.0	9.453	3.096
235000	238012	374.69	-84.98	-3.56	1.205		1.081	4.264	1.091	948.9	9.237	3.017
240000	243135	364.27	-95.40	-3.01	0.9353	- 4	1.079	3.404	1.088	935.6	9.018	2.938
245000	248261	353.84	-105.83	-2.46	0.7204		1.077	2.699	1.084	922.1	8.796	2.859
250000	253389	343.42	-116.25	-1.91	0.5506	- 4	1.075	2.125 - 6	1.081	908.5	8.572 - 6	2.779 - 6
255000	258520	333.00	-126.67	-1.36	0.4173		1.073	1.661	1.078	894.6	8.345	2.698
260000	263653	322.57	-137.10	-0.80	0.3135		1.072	1.289	1.081	880.5	8.116	2.617
265000	268789	312.11	-147.56	-13.06	0.2334		1.065	9.911 - 7	1.109	866.1	7.883	2.536
270000	273927	301.52	-149.15	-14.65	1.726		1.051	7.367	1.100	863.9	7.848	2.524
275000	279068	311.48	-149.19	-14.69	1.276		1.036	5.448	1.085	863.9	7.848	2.524
280000	284211	310.45	-149.22	-14.72	0.9439	- 5	1.022	4.029	1.070	863.9	7.848	2.524
285000	289357	310.41	-149.26	-14.76	0.6981		1.009	2.980	1.056	863.9	7.848	2.524
290000	294505	310.38	-149.29	-14.79	0.5163		0.995	2.203	1.042	863.9	7.848	2.524
295000	299656	310.38	-149.29	-14.79	0.3822		0.981	1.611	1.034	869.4	7.937	2.555
300000	304809	310.39	-139.98	-20.37	0.2846	- 5	0.965	1.175 - 7	1.023	878.5	8.084 - 6	2.606 - 6
310000	315123	300.54	-129.13	-26.27	0.1606		0.933	6.370 - 8	0.997	896.3	8.374	2.708
320000	325447	300.72	-119.95	-33.52	0.9268	- 6	0.899	3.536	0.968	913.8	8.659	2.810
330000	335782	300.01	-104.06	-42.12	0.5463		0.862	1.973	0.937	939.1	9.075	2.959
340000	346126	300.82	-63.85	-28.04	0.3377		0.839	1.083	0.867	996.5	1.002 - 5	3.306
350000	356480	300.11	-23.56	-14.15	0.2197		0.834	6.338 - 9	0.827	1050.8	1.093	3.645
360000	366845	300.97	16.30	-14.83	0.1489		0.840	3.904	0.829	1102.4	1.179	3.976
370000	377220	300.45	94.78	10.81	0.1057		0.851	2.360	0.797	1194.4	1.333	4.583
380000	387605	300.98	176.31	40.08	0.0781	- 7	0.875	1.524	0.782	1283.6	1.482	5.187

TABLE 5.2.—Continued  
30° N. July

GEOMETRIC ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure			Density		Sound speed	Coefficient of viscosity	Thermal conductivity
Z, ft	H, ft'	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , ft sec <sup>-1</sup>	$\frac{\mu}{\mu_{std}}$ , lb ft <sup>-1</sup> sec <sup>-1</sup>	BTU ft <sup>-1</sup> sec <sup>-1</sup> (°R) <sup>-1</sup>	
80000	79585	397.20	-62.47	-0.50	8.687	- 1	1.050	2.899 - 3	1.051	977.0	9.700 - 6	3.187 - 6
81000	80576	398.28	-61.39	0.04	8.291		1.050	2.760	1.050	978.3	9.722	3.195
82000	81567	399.37	-60.30	0.59	7.914		1.050	2.627	1.049	979.7	9.744	3.203
83000	82557	400.46	-59.21	1.13	7.554		1.050	2.501	1.047	981.0	9.767	3.211
84000	83548	401.54	-58.13	1.67	7.213		1.051	2.381	1.046	982.3	9.789	3.219
85000	84539	402.63	-57.04	2.22	6.887		1.051	2.268	1.045	983.7	9.811	3.227
86000	85529	403.72	-55.95	2.76	6.577		1.051	2.160	1.044	985.0	9.833	3.235
87000	86519	404.80	-54.87	3.30	6.282		1.052	2.057	1.043	986.3	9.855	3.244
88000	87510	405.89	-53.78	3.84	6.001		1.052	1.960	1.042	987.6	9.876	3.252
89000	88500	406.98	-52.69	4.39	5.733		1.053	1.867	1.041	989.0	9.898	3.260
90000	89490	408.06	-51.61	4.93	5.478	- 1	1.053	1.780 - 3	1.041	990.3	9.920 - 6	3.268 - 6
91000	90480	409.15	-50.52	5.47	5.235		1.054	1.696	1.040	991.6	9.942	3.276
92000	91470	410.24	-49.43	6.01	5.003		1.055	1.617	1.040	992.9	9.964	3.284
93000	92460	411.32	-48.35	6.56	4.782		1.056	1.541	1.039	994.2	9.986	3.292
94000	93450	412.41	-47.26	7.10	4.571		1.056	1.469	1.038	995.5	1.001 - 5	3.300
95000	94439	413.49	-46.18	7.64	4.371		1.057	1.401	1.038	996.8	1.003	3.308
96000	95429	414.58	-45.09	8.18	4.179		1.059	1.336	1.037	998.2	1.005	3.316
97000	96418	415.67	-44.00	8.72	3.996		1.060	1.275	1.037	999.5	1.007	3.324
98000	97407	416.75	-42.92	9.27	3.822		1.061	1.216	1.037	1000.8	1.009	3.332
99000	98397	417.84	-41.83	9.81	3.656		1.062	1.160	1.037	1002.1	1.012	3.340
100000	99386	418.92	-40.75	10.35	3.498	- 1	1.063	1.107 - 3	1.036	1003.4	1.014 - 5	3.348 - 6
105000	104330	424.35	-35.32	13.06	2.808		1.070	8.771 - 4	1.037	1009.8	1.024	3.389
110000	109272	430.71	-28.96	12.33	2.261		1.077	6.958	1.047	1017.4	1.037	3.435
115000	114212	437.22	-22.45	11.23	1.826		1.084	5.537	1.057	1025.0	1.050	3.483
120000	119149	443.72	-15.95	10.14	1.480		1.090	4.422	1.065	1032.6	1.062	3.531
125000	124084	450.21	-9.46	9.04	1.203		1.096	3.544	1.073	1040.2	1.075	3.578
130000	129017	456.71	-2.96	7.95	9.815	- 2	1.100	2.849	1.081	1047.6	1.087	3.625
135000	133947	463.20	3.53	6.86	8.029		1.104	2.298	1.088	1055.1	1.100	3.672
140000	138875	469.69	10.02	5.77	6.586		1.107	1.859	1.094	1062.4	1.112	3.719
145000	143800	476.18	16.51	4.68	5.418		1.110	1.508	1.099	1069.7	1.124	3.766
150000	148723	482.66	22.99	3.58	4.470	- 2	1.112	1.228 - 4	1.104	1077.0	1.136 - 5	3.812 - 6
155000	153644	489.14	29.47	2.49	3.697		1.114	1.002	1.108	1084.2	1.148	3.859
160000	158563	489.87	30.20	2.70	3.063		1.115	8.288 - 5	1.109	1085.0	1.150	3.864
165000	163479	489.87	30.20	2.70	2.537		1.117	6.867	1.111	1085.0	1.150	3.864
170000	168393	488.69	29.02	1.52	2.102		1.118	5.703	1.115	1083.7	1.148	3.855
175000	173304	483.31	23.64	-0.64	1.740		1.119	4.772	1.120	1077.7	1.138	3.817
180000	178213	477.92	18.25	-0.63	1.437		1.119	3.985	1.120	1071.7	1.128	3.778
185000	183120	472.53	12.86	-0.62	1.184		1.119	3.321	1.120	1065.6	1.117	3.740
190000	188024	467.15	7.48	-0.62	9.734	- 3	1.119	2.762	1.120	1059.6	1.107	3.701
195000	192926	461.77	2.10	-0.61	7.987		1.119	2.293	1.120	1053.4	1.097	3.662
200000	197826	452.19	-7.48	-4.80	6.534	- 3	1.118	1.915 - 5	1.129	1042.5	1.079 - 5	3.593 - 6
205000	202724	441.98	-17.69	-6.48	5.321		1.115	1.596	1.131	1030.6	1.059	3.518
210000	207619	431.78	-27.89	-5.93	4.313		1.112	1.324	1.127	1018.6	1.039	3.443
215000	212511	421.58	-38.09	-5.38	3.479		1.109	1.094	1.123	1006.5	1.019	3.368
220000	217402	411.38	-48.29	-4.83	2.791		1.106	8.995 - 6	1.119	994.3	9.987 - 6	3.293
225000	222290	401.19	-58.48	-4.27	2.228		1.104	7.362	1.116	981.9	9.781	3.217
230000	227176	391.00	-68.67	-3.72	1.768		1.102	5.994	1.112	969.4	9.574	3.140
235000	232059	380.82	-78.85	-3.17	1.395		1.100	4.855	1.109	956.7	9.364	3.064
240000	236940	370.65	-89.02	-2.62	1.093		1.098	3.910	1.106	943.8	9.152	2.987
245000	241819	360.48	-99.19	-2.07	8.513	- 4	1.097	3.131	1.103	930.7	8.937	2.909
250000	246696	350.31	-109.36	-1.52	6.582	- 4	1.096	2.491 - 6	1.101	917.5	8.721 - 6	2.831 - 6
255000	251570	340.15	-119.52	-0.97	5.052		1.095	1.969	1.099	904.1	8.501	2.753
260000	256442	329.99	-129.68	-0.42	3.846		1.095	1.545	1.097	890.5	8.279	2.675
265000	261311	319.82	-139.85	-0.13	2.904		1.094	1.204	1.113	876.7	8.055	2.596
270000	266179	310.54	-149.13	-14.63	2.174		1.084	9.277 - 7	1.135	863.9	7.848	2.524
275000	271044	310.51	-149.16	-14.66	1.621		1.070	6.917	1.121	863.9	7.848	2.524
280000	275906	310.48	-149.19	-14.69	1.208		1.057	5.158	1.107	863.9	7.848	2.524
285000	280767	310.44	-149.23	-14.73	9.013	- 5	1.044	3.847	1.093	863.9	7.848	2.524
290000	285625	310.41	-149.26	-14.76	6.722		1.030	2.869	1.079	863.9	7.848	2.524
295000	290481	310.38	-149.29	-14.79	5.015		1.017	2.140	1.065	863.9	7.848	2.524
300000	295334	314.17	-145.50	-18.73	3.747	- 5	1.003	1.577 - 7	1.060	870.0	7.947 - 6	2.558 - 6
310000	305034	325.60	-134.07	-23.60	2.128		0.971	8.606 - 8	1.035	887.5	8.230	2.658
320000	314725	334.38	-124.79	-30.40	1.235		0.937	4.810	1.007	904.6	8.509	2.756
330000	324407	343.76	-115.91	-39.37	7.322	- 6	0.903	2.748	0.983	921.4	8.784	2.854
340000	334079	371.73	-87.94	-37.66	4.459		0.868	1.532	0.926	962.9	9.468	3.101
350000	343743	410.96	-48.71	-24.18	2.860		0.853	8.805 - 9	0.870	1017.2	1.037 - 5	3.434
360000	353397	449.69	-9.93	-10.68	1.917		0.853	5.348	0.838	1068.6	1.122	3.759
370000	363042	497.27	37.60	-12.33	1.334		0.858	3.338	0.841	1128.2	1.222	4.144
380000	372678	576.35	116.68	15.86	9.729	- 7	0.871	2.086	0.809	1219.0	1.374	4.747

TABLE 5.2.—Continued  
45° N. January  
GEOPOTENTIAL ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity				
H, ft'	Z, ft	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> ft sec <sup>-1</sup>	$\mu$ lb ft <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{BTU ft^{-1} sec^{-1} (°R)^{-1}}$				
0	0	490.67	31.00	-28.00	3.006	+ 1	1.005	8.122	- 2	1.062	1085.9	1.151	- 5	3.870	- 6
1000	1000	488.70	29.03	-26.41	2.893		1.003	7.848		1.057	1083.7	1.148		3.855	
2000	2000	486.72	27.05	-24.81	2.784		1.001	7.583		1.052	1081.5	1.144		3.841	
3000	3000	484.75	25.08	-23.22	2.679		0.999	7.326		1.047	1079.3	1.140		3.827	
4000	4001	482.79	23.12	-21.62	2.577		0.997	7.076		1.042	1077.1	1.137		3.813	
5000	5001	480.83	21.16	-20.01	2.479		0.995	6.834		1.037	1075.0	1.133		3.799	
6000	6002	478.87	19.20	-18.40	2.384		0.994	6.599		1.032	1072.8	1.129		3.785	
7000	7002	476.91	17.24	-16.80	2.292		0.993	6.371		1.028	1070.6	1.126		3.771	
8000	8003	474.95	15.28	-15.20	2.204		0.992	6.150		1.023	1068.4	1.122		3.757	
9000	9004	472.98	13.31	-13.59	2.118		0.990	5.936		1.019	1066.1	1.118		3.743	
10000	10005	470.80	11.13	-12.20	2.036	+ 1	0.989	5.732	- 2	1.015	1063.7	1.114	- 5	3.727	- 6
11000	11006	467.47	7.80	-11.97	1.956		0.988	5.546		1.014	1059.9	1.108		3.703	
12000	12007	464.14	4.47	-11.74	1.879		0.987	5.366		1.012	1056.1	1.102		3.679	
13000	13008	460.80	1.13	-11.51	1.804		0.986	5.190		1.011	1052.3	1.095		3.655	
14000	14009	457.49	-2.18	-11.25	1.732		0.985	5.019		1.010	1048.5	1.089		3.631	
15000	15011	454.18	-5.49	-11.00	1.662		0.985	4.852		1.008	1044.7	1.083		3.607	
16000	16012	450.86	-8.81	-10.75	1.595		0.983	4.689		1.007	1040.9	1.076		3.583	
17000	17014	447.55	-12.12	-10.49	1.530		0.982	4.531		1.005	1037.1	1.070		3.559	
18000	18016	444.24	-15.43	-10.24	1.467		0.982	4.376		1.004	1033.2	1.063		3.535	
19000	19017	440.93	-18.74	-9.99	1.406		0.980	4.227		1.003	1029.4	1.057		3.510	
20000	20019	437.62	-22.05	-9.73	1.347	+ 1	0.980	4.081	- 2	1.001	1025.5	1.051	- 5	3.486	- 6
21000	21021	434.32	-25.35	-9.47	1.290		0.979	3.939		1.000	1021.6	1.044		3.462	
22000	22023	431.01	-28.66	-9.20	1.236		0.978	3.801		0.999	1017.7	1.038		3.438	
23000	23025	427.71	-31.96	-8.93	1.183		0.977	3.666		0.997	1013.8	1.031		3.413	
24000	24028	424.41	-35.26	-8.67	1.132		0.976	3.536		0.996	1009.9	1.025		3.389	
25000	25030	421.11	-38.56	-8.41	1.083		0.976	3.409		0.995	1006.0	1.018		3.365	
26000	26032	417.81	-41.86	-8.14	1.036		0.974	3.286		0.993	1002.0	1.012		3.340	
27000	27035	414.51	-45.16	-7.87	9.900	+ 0	0.973	3.166		0.992	998.1	1.005		3.316	
28000	28038	411.22	-48.45	-7.60	9.460		0.973	3.050		0.991	994.1	9.984	- 6	3.291	
29000	29040	407.92	-51.75	-7.33	9.037		0.972	2.937		0.989	990.1	9.917		3.267	
30000	30043	404.63	-55.04	-7.06	8.630	+ 0	0.971	2.827	- 2	0.988	986.1	9.851	- 6	3.242	- 6
31000	31046	401.34	-58.33	-6.78	8.237		0.970	2.721		0.987	982.1	9.784		3.218	
32000	32049	398.04	-61.63	-6.51	7.860		0.970	2.618		0.986	978.0	9.717		3.193	
33000	33052	395.32	-64.35	-6.26	7.497		0.969	2.514		0.983	974.7	9.662		3.173	
34000	34056	392.61	-67.06	-6.00	7.150		0.969	2.399		0.975	974.4	9.657		3.171	
35000	35059	390.00	-69.77	-5.74	6.818		0.968	2.290		0.966	974.0	9.651		3.169	
36000	36062	387.49	-72.48	-5.48	6.502		0.969	2.185		0.958	973.7	9.645		3.166	
37000	37066	385.00	-75.19	-5.22	6.200		0.969	2.085		0.959	973.3	9.640		3.164	
38000	38069	382.51	-77.90	-4.96	5.912		0.970	1.990		0.960	973.0	9.634		3.162	
39000	39073	380.02	-80.61	-4.70	5.638		0.970	1.898		0.961	972.7	9.628		3.160	
40000	40077	377.53	-83.32	-4.44	5.375	+ 0	0.971	1.811	- 2	0.962	972.3	9.623	- 6	3.158	- 6
41000	41081	375.04	-86.03	-4.18	5.125		0.971	1.728		0.963	972.0	9.617		3.156	
42000	42085	372.55	-88.74	-3.92	4.886		0.971	1.649		0.964	971.6	9.612		3.154	
43000	43089	370.06	-91.45	-3.66	4.659		0.972	1.573		0.965	971.3	9.606		3.152	
44000	44093	367.57	-94.16	-3.40	4.441		0.972	1.501		0.966	971.0	9.600		3.150	
45000	45097	365.08	-96.87	-3.14	4.234		0.972	1.432		0.967	970.6	9.595		3.148	
46000	46102	362.59	-99.58	-2.88	4.036		0.972	1.366		0.968	970.3	9.589		3.146	
47000	47106	360.10	-102.29	-2.62	3.848		0.973	1.303		0.969	969.9	9.584		3.144	
48000	48111	357.61	-105.00	-2.36	3.668		0.973	1.243		0.969	969.6	9.578		3.142	
49000	49115	355.12	-107.71	-2.10	3.496		0.973	1.186		0.970	969.3	9.572		3.140	
50000	50120	352.63	-110.42	-1.84	3.332	+ 0	0.973	1.131	- 2	0.972	968.9	9.567	- 6	3.138	- 6
51000	51125	350.14	-113.13	-1.58	3.176		0.973	1.079		0.972	968.6	9.561		3.136	
52000	52130	347.65	-115.84	-1.32	3.027		0.973	1.029		0.973	968.2	9.555		3.134	
53000	53135	345.16	-118.55	-1.06	2.885		0.973	9.812	- 3	0.973	967.9	9.550		3.131	
54000	54140	342.67	-121.26	-0.80	2.750		0.973	9.357		0.974	967.6	9.544		3.129	
55000	55145	340.18	-123.97	-0.54	2.621		0.973	8.924		0.975	967.2	9.539		3.127	
56000	56151	337.69	-126.68	-0.28	2.497		0.973	8.510		0.975	966.9	9.533		3.125	
57000	57156	335.20	-129.39	-0.02	2.380		0.973	8.116		0.976	966.5	9.527		3.123	
58000	58162	332.71	-132.10	0.24	2.268		0.973	7.739		0.977	966.2	9.522		3.121	
59000	59167	330.22	-134.81	0.50	2.161		0.973	7.379		0.977	965.9	9.516		3.119	
60000	60173	327.73	-137.52	0.76	2.059	+ 0	0.972	7.036	- 3	0.977	965.5	9.510	- 6	3.117	- 6
61000	61179	325.24	-140.23	1.02	1.962		0.972	6.709		0.978	965.2	9.505		3.115	
62000	62185	322.75	-142.94	1.28	1.869		0.972	6.397		0.978	964.8	9.499		3.113	
63000	63191	320.26	-145.65	1.54	1.781		0.972	6.096		0.978	964.7	9.497		3.112	
64000	64197	317.77	-148.36	1.80	1.697		0.971	5.808		0.978	964.7	9.497		3.112	
65000	65203	315.28	-151.07	2.06	1.617		0.971	5.534		0.978	964.7	9.497		3.112	
66000	66210	312.79	-153.78	2.32	1.540		0.971	5.272		0.978	964.7	9.497		3.112	
67000	67216	310.30	-156.49	2.58	1.467		0.970	5.023		0.979	964.7	9.497		3.112	
68000	68222	307.81	-159.20	2.84	1.398		0.970	4.786		0.979	964.7	9.497		3.112	
69000	69229	305.32	-161.91	3.10	1.332		0.969	4.560		0.980	964.7	9.497		3.112	
70000	70236	302.83	-164.62	3.36	1.269	+ 0	0.969	4.344	- 3	0.981	964.7	9.497	- 6	3.112	- 6
71000	71243	300.34	-167.33	3.62	1.209		0.968	4.139		0.982	964.7	9.497		3.112	
72000	72249	297.85	-170.04	3.88	1.152		0.967	3.944		0.983	964.7	9.497		3.112	
73000	73256	295.36	-172.75	4.14	1.098		0.966	3.757		0.983	964.7	9.497		3.112	
74000	74264	292.87	-175.46	4.40	1.046		0.966	3.580		0.984	964.7	9.497		3.112	
75000	75271	290.38	-178.17	4.66	9.963	- 1	0.965	3.411		0.984	964.7	9.497		3.112	
76000	76278	287.89	-180.88	4.92	9.493		0.964	3.249		0.985	964.7	9.497		3.112	
77000	77285	285.40	-183.59	5.18	9.044		0.963	3.096		0.985	964.7	9.497		3.112	
78000	78293	282.91	-186.30	5.44	8.617		0.962	2.950		0.985	964.7	9.497		3.112	
79000	79300	280.42	-189.01	5.70	8.210		0.960	2.810		0.985	964.7	9.497		3.112	



TABLE 5.2.—Continued  
45° N. January

GEOMETRIC ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
Z, ft	H, ft'	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> ft sec <sup>-1</sup>	$\mu$ lb ft <sup>-1</sup> sec <sup>-1</sup>	$k$ BTU ft <sup>-1</sup> sec <sup>-1</sup> (°R) <sup>-1</sup>
0	0	490.67	31.00	-28.00	3.006 + 1	1.005	8.122 - 2	1.062	1085.9	1.151 - 5	3.870 - 6
1000	1000	488.70	29.03	-26.41	2.893	1.003	7.848	1.057	1083.7	1.148	3.855
2000	2000	486.72	27.05	-24.81	2.784	1.001	7.583	1.052	1081.5	1.144	3.841
3000	3000	484.75	25.08	-23.22	2.679	0.999	7.326	1.047	1079.3	1.140	3.827
4000	3999	482.79	23.12	-21.62	2.577	0.997	7.076	1.042	1077.1	1.137	3.813
5000	4999	480.83	21.16	-20.01	2.479	0.995	6.834	1.037	1075.0	1.133	3.799
6000	5998	478.87	19.20	-18.41	2.384	0.994	6.599	1.032	1072.8	1.129	3.785
7000	6998	476.91	17.24	-16.80	2.292	0.993	6.372	1.028	1070.6	1.126	3.771
8000	7997	474.95	15.28	-15.20	2.204	0.991	6.151	1.023	1068.4	1.122	3.757
9000	8996	472.99	13.32	-13.60	2.118	0.990	5.937	1.019	1066.2	1.118	3.743
10000	9995	470.82	11.15	-12.20	2.036 + 1	0.989	5.733 - 2	1.015	1063.7	1.114 - 5	3.727 - 6
11000	10994	467.49	7.82	-11.97	1.956	0.988	5.548	1.014	1059.9	1.108	3.703
12000	11993	466.16	4.49	-11.74	1.879	0.988	5.367	1.012	1056.2	1.102	3.679
13000	12992	460.83	1.16	-11.51	1.805	0.986	5.192	1.011	1052.4	1.095	3.655
14000	13991	457.52	-2.15	-11.26	1.733	0.986	5.020	1.010	1048.6	1.089	3.631
15000	14989	454.21	-5.46	-11.00	1.663	0.985	4.853	1.008	1044.8	1.083	3.607
16000	15988	450.90	-8.77	-10.75	1.596	0.984	4.691	1.007	1041.0	1.076	3.583
17000	16986	447.60	-12.07	-10.50	1.530	0.982	4.533	1.005	1037.1	1.070	3.559
18000	17984	444.29	-15.38	-10.24	1.468	0.982	4.379	1.004	1033.3	1.064	3.535
19000	18983	440.98	-18.69	-9.99	1.407	0.980	4.229	1.003	1029.4	1.057	3.511
20000	19981	437.68	-21.99	-9.74	1.348 + 1	0.980	4.083 - 2	1.002	1025.6	1.051 - 5	3.487 - 6
21000	20979	434.39	-25.28	-9.47	1.292	0.978	3.942	1.000	1021.7	1.044	3.462
22000	21977	431.09	-28.58	-9.21	1.237	0.978	3.804	0.999	1017.8	1.038	3.438
23000	22975	427.80	-31.87	-8.94	1.184	0.977	3.670	0.997	1013.9	1.031	3.414
24000	23972	424.50	-35.17	-8.68	1.133	0.976	3.539	0.996	1010.0	1.025	3.390
25000	24970	421.21	-38.46	-8.41	1.084	0.975	3.413	0.995	1006.1	1.018	3.365
26000	25968	417.92	-41.75	-8.15	1.037	0.975	3.290	0.994	1002.2	1.012	3.341
27000	26965	414.63	-45.04	-7.88	9.915 + 0	0.974	3.170	0.992	998.2	1.005	3.317
28000	27962	411.34	-48.33	-7.61	9.477	0.973	3.054	0.991	994.2	9.986 - 6	3.292
29000	28960	408.06	-51.61	-7.34	9.054	0.972	2.941	0.990	990.3	9.920	3.268
30000	29957	404.77	-54.90	-7.07	8.647 + 0	0.971	2.832 - 2	0.988	986.3	9.854 - 6	3.243 - 6
31000	30954	401.49	-58.18	-6.80	8.255	0.971	2.726	0.987	982.3	9.787	3.219
32000	31951	398.20	-61.47	-6.53	7.878	0.970	2.623	0.986	978.2	9.721	3.194
33000	32948	395.34	-64.33	-6.26	7.516	0.969	2.520	0.983	974.7	9.662	3.173
34000	33945	395.06	-64.61	-6.26	7.169	0.969	2.405	0.975	974.4	9.657	3.171
35000	34941	394.79	-64.88	0.72	6.837	0.968	2.296	0.967	974.0	9.651	3.169
36000	35938	394.51	-65.16	4.00	6.521	0.969	2.191	0.959	973.7	9.646	3.167
37000	36934	394.24	-65.43	4.27	6.220	0.969	2.091	0.959	973.4	9.640	3.165
38000	37931	393.96	-65.71	3.99	5.932	0.970	1.996	0.960	973.0	9.634	3.162
39000	38927	393.69	-65.98	3.72	5.657	0.970	1.905	0.961	972.7	9.629	3.160
40000	39923	393.42	-66.25	3.45	5.395 + 0	0.971	1.818 - 2	0.962	972.3	9.623 - 6	3.158 - 6
41000	40920	393.14	-66.53	3.17	5.145	0.971	1.735	0.963	972.0	9.618	3.156
42000	41916	392.87	-66.80	2.90	4.906	0.971	1.655	0.964	971.7	9.612	3.154
43000	42912	392.60	-67.07	2.63	4.678	0.972	1.580	0.965	971.3	9.606	3.152
44000	43907	392.33	-67.34	2.36	4.461	0.972	1.507	0.966	971.0	9.601	3.150
45000	44903	392.05	-67.62	2.08	4.254	0.972	1.438	0.967	970.7	9.595	3.148
46000	45899	391.78	-67.89	1.81	4.056	0.972	1.372	0.968	970.3	9.590	3.146
47000	46894	391.51	-68.16	1.54	3.867	0.973	1.309	0.969	970.0	9.584	3.144
48000	47890	391.23	-68.44	1.26	3.687	0.973	1.249	0.970	969.6	9.579	3.142
49000	48885	390.96	-68.71	0.99	3.515	0.973	1.192	0.971	969.3	9.573	3.140
50000	49880	390.69	-68.98	0.72	3.352 + 0	0.973	1.137 - 2	0.971	969.0	9.567 - 6	3.138 - 6
51000	50876	390.41	-69.26	0.44	3.195	0.973	1.085	0.972	968.6	9.562	3.136
52000	51871	390.14	-69.53	0.17	3.046	0.973	1.035	0.973	968.3	9.556	3.134
53000	52866	389.87	-69.80	-0.10	2.904	0.973	9.874 - 3	0.974	967.9	9.551	3.132
54000	53861	389.59	-70.08	-0.38	2.768	0.973	9.419	0.974	967.6	9.545	3.130
55000	54855	389.32	-70.35	-0.65	2.639	0.973	8.985	0.975	967.3	9.539	3.128
56000	55850	389.05	-70.62	-0.92	2.515	0.973	8.571	0.975	966.9	9.534	3.126
57000	56845	388.78	-70.89	-1.19	2.398	0.973	8.176	0.976	966.6	9.528	3.124
58000	57839	388.50	-71.17	-1.47	2.285	0.973	7.798	0.976	966.3	9.523	3.121
59000	58834	388.23	-71.44	-1.74	2.178	0.972	7.438	0.977	965.9	9.517	3.119
60000	59828	387.96	-71.71	-2.01	2.076 + 0	0.972	7.094 - 3	0.977	965.6	9.511 - 6	3.117 - 6
61000	60822	387.68	-71.99	-2.29	1.979	0.972	6.766	0.978	965.2	9.506	3.115
62000	61816	387.41	-72.26	-2.56	1.886	0.972	6.453	0.978	964.9	9.500	3.113
63000	62810	387.27	-72.40	-2.70	1.797	0.972	6.152	0.978	964.7	9.497	3.112
64000	63804	387.27	-72.40	-2.70	1.713	0.971	5.863	0.978	964.7	9.497	3.112
65000	64798	387.27	-72.40	-2.70	1.632	0.971	5.588	0.978	964.7	9.497	3.112
66000	65792	387.27	-72.40	-2.80	1.556	0.971	5.326	0.978	964.7	9.497	3.112
67000	66785	387.27	-72.40	-3.34	1.483	0.970	5.076	0.979	964.7	9.497	3.112
68000	67779	387.27	-72.40	-3.89	1.413	0.970	4.837	0.979	964.7	9.497	3.112
69000	68772	387.27	-72.40	-4.43	1.347	0.969	4.610	0.980	964.7	9.497	3.112
70000	69766	387.27	-72.40	-4.98	1.284 + 0	0.969	4.394 - 3	0.981	964.7	9.497 - 6	3.112 - 6
71000	70759	387.27	-72.40	-5.52	1.223	0.968	4.188	0.982	964.7	9.497	3.112
72000	71752	387.27	-72.40	-6.07	1.166	0.968	3.991	0.983	964.7	9.497	3.112
73000	72745	387.27	-72.40	-6.61	1.111	0.966	3.804	0.983	964.7	9.497	3.112
74000	73738	387.27	-72.40	-7.16	1.059	0.965	3.625	0.984	964.7	9.497	3.112
75000	74731	387.27	-72.40	-7.70	1.009	0.965	3.455	0.984	964.7	9.497	3.112
76000	75724	387.27	-72.40	-8.25	9.620 - 1	0.964	3.293	0.984	964.7	9.497	3.112
77000	76717	387.27	-72.40	-8.79	9.169	0.963	3.139	0.985	964.7	9.497	3.112
78000	77709	387.27	-72.40	-9.33	8.739	0.962	2.991	0.985	964.7	9.497	3.112
79000	78702	387.27	-72.40	-9.88	8.329	0.961	2.851	0.985	964.7	9.497	3.112

TABLE 5.2.—Continued  
45° N. January  
GEOPOTENTIAL ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity	
H, ft'	Z, ft	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> ft sec <sup>-1</sup>	$\mu$ lb ft <sup>-1</sup> sec <sup>-1</sup>	$k$ BTU ft <sup>-1</sup> sec <sup>-1</sup> (°R) <sup>-1</sup>	
80000	80308	387.27	-72.40	-10.59	7.822	- 1	0.959	2.677 - 3	0.985	964.7	9.497 - 6	3.112 - 6
81000	81316	387.27	-72.40	-11.14	7.452		0.958	2.551	0.986	964.7	9.497	3.112
82000	82324	387.27	-72.40	-11.69	7.100		0.957	2.430	0.986	964.7	9.497	3.112
83000	83332	387.27	-72.40	-12.24	6.765		0.955	2.316	0.985	964.7	9.497	3.112
84000	84340	387.27	-72.40	-12.79	6.445		0.954	2.206	0.985	964.7	9.497	3.112
85000	85348	387.27	-72.40	-13.33	6.141		0.952	2.102	0.985	964.7	9.497	3.112
86000	86356	387.27	-72.40	-13.88	5.851		0.951	2.003	0.985	964.7	9.497	3.112
87000	87364	387.27	-72.40	-14.43	5.574		0.949	1.908	0.985	964.7	9.497	3.112
88000	88373	387.27	-72.40	-14.98	5.311		0.947	1.818	0.984	964.7	9.497	3.112
89000	89381	387.45	-72.22	-15.35	5.060		0.946	1.731	0.983	964.9	9.501	3.114
90000	90390	387.89	-71.78	-15.46	4.821	- 1	0.944	1.648 - 3	0.981	965.5	9.510 - 6	3.117 - 6
91000	91399	388.33	-71.34	-15.57	4.594		0.942	1.568	0.980	966.0	9.519	3.120
92000	92408	388.77	-70.90	-15.68	4.377		0.940	1.493	0.978	966.6	9.528	3.123
93000	93417	389.21	-70.46	-15.79	4.172		0.939	1.421	0.977	967.1	9.537	3.127
94000	94426	389.65	-70.02	-15.89	3.976		0.937	1.353	0.975	967.7	9.546	3.130
95000	95435	390.09	-69.58	-16.00	3.789		0.935	1.288	0.973	968.2	9.555	3.133
96000	96444	390.53	-69.14	-16.11	3.611		0.933	1.226	0.972	968.8	9.564	3.137
97000	97453	390.96	-68.71	-16.22	3.442		0.932	1.167	0.970	969.3	9.573	3.140
98000	98463	391.40	-68.27	-16.33	3.281		0.930	1.111	0.969	969.9	9.582	3.143
99000	99472	391.84	-67.83	-16.44	3.128		0.928	1.058	0.967	970.4	9.591	3.147
100000	100482	392.28	-67.39	-16.55	2.982	- 1	0.926	1.008 - 3	0.965	970.9	9.600 - 6	3.150 - 6
105000	105531	394.49	-65.18	-17.10	2.350		0.917	7.896 - 4	0.957	973.7	9.645	3.166
110000	110583	403.00	-56.67	-16.28	1.858		0.909	6.110	0.945	984.1	9.818	3.230
115000	115638	411.50	-48.17	-15.45	1.476		0.901	4.754	0.935	994.4	9.989	3.293
120000	120695	420.00	-39.67	-14.63	1.178		0.894	3.718	0.925	1004.7	1.016 - 5	3.356
125000	125754	428.51	-31.16	-13.81	9.444	- 2	0.888	2.922	0.916	1014.8	1.033	3.419
130000	130815	437.01	-22.66	-12.98	7.605		0.882	2.307	0.908	1024.8	1.049	3.482
135000	135880	445.52	-14.15	-12.16	6.150		0.876	1.830	0.901	1034.7	1.066	3.544
140000	140946	454.02	-5.65	-11.34	4.993		0.872	1.458	0.893	1044.6	1.082	3.606
145000	146015	462.52	2.85	-10.51	4.070		0.868	1.166	0.888	1054.3	1.099	3.668
150000	151087	471.03	11.36	-9.69	3.329	- 2	0.864	9.370 - 5	0.881	1063.9	1.115 - 5	3.729 - 6
155000	156161	478.17	18.50	-9.00	2.733		0.861	7.578	0.877	1072.0	1.128	3.780
160000	161237	478.17	18.50	-9.00	2.247		0.858	6.229	0.874	1072.0	1.128	3.780
165000	166316	478.17	18.50	-9.00	1.847		0.855	5.120	0.871	1072.0	1.128	3.780
170000	171397	478.17	18.50	-9.00	1.518		0.852	4.209	0.867	1072.0	1.128	3.780
175000	176481	473.35	13.68	-9.00	1.247		0.848	3.492	0.864	1066.6	1.119	3.746
180000	181567	467.86	8.19	-9.00	1.022		0.845	2.895	0.861	1060.4	1.109	3.706
185000	186656	462.37	2.70	-9.00	8.353	- 3	0.842	2.395	0.858	1054.1	1.098	3.666
190000	191747	456.89	-2.78	-9.00	6.812		0.839	1.977	0.855	1047.8	1.088	3.627
195000	196841	451.40	-8.27	-9.00	5.542		0.835	1.628	0.852	1041.5	1.077	3.587
200000	201937	445.91	-13.76	-9.00	4.497	- 3	0.832	1.337 - 5	0.848	1035.2	1.067 - 5	3.547 - 6
205000	207035	440.43	-19.24	-3.66	3.640		0.829	1.096	0.836	1028.8	1.056	3.507
210000	212136	434.94	-24.73	1.83	2.938		0.829	8.956 - 6	0.825	1022.4	1.045	3.467
215000	217240	429.18	-30.49	7.04	2.365		0.831	7.307	0.817	1015.6	1.034	3.424
220000	222346	423.42	-36.25	12.25	1.899		0.835	5.944	0.811	1008.7	1.023	3.382
225000	227454	417.66	-42.01	17.46	1.519		0.842	4.822	0.807	1001.9	1.011	3.339
230000	232565	411.90	-47.77	22.68	1.212		0.852	3.901	0.805	994.9	9.997 - 6	3.296
235000	237678	406.14	-53.53	27.89	9.639	- 4	0.864	3.146	0.805	987.9	9.881	3.253
240000	242794	400.38	-59.29	33.10	7.640		0.881	2.530	0.808	980.9	9.765	3.210
245000	247913	394.61	-65.06	38.31	6.035		0.902	2.027	0.815	973.8	9.648	3.167
250000	253033	388.85	-70.82	43.52	4.751	- 4	0.928	1.620 - 6	0.824	966.7	9.530 - 6	3.124 - 6
255000	258157	383.09	-76.58	48.73	3.727		0.959	1.290	0.837	959.5	9.411	3.081
260000	263282	377.33	-82.34	52.16	2.913		0.996	1.023	0.858	952.3	9.292	3.037
265000	268411	371.53	-88.14	46.36	2.268		1.035	8.091 - 7	0.906	945.0	9.171	2.994
270000	273542	365.73	-93.94	40.56	1.759		1.070	6.374	0.952	937.6	9.050	2.950
275000	278675	359.93	-99.74	34.76	1.359		1.103	5.002	0.996	930.2	8.928	2.906
280000	283811	354.21	-105.46	34.04	1.047		1.134	3.861	1.026	929.3	8.914	2.901
285000	288949	354.17	-105.50	34.00	8.064	- 5	1.165	2.975	1.054	929.3	8.914	2.901
290000	294090	354.13	-105.54	33.96	6.213		1.198	2.292	1.084	929.3	8.914	2.901
295000	299233	354.67	-101.00	27.02	4.787		1.228	1.766	1.133	929.3	8.914	2.901
300000	304379	355.32	-94.35	25.26	3.697	- 5	1.254	1.337 - 7	1.163	938.7	9.067 - 6	2.956 - 6
310000	314678	370.58	-81.09	21.77	2.241		1.301	7.776 - 8	1.216	958.1	9.388	3.072
320000	324987	390.01	-69.66	16.77	1.385		1.343	4.621	1.265	977.2	9.703	3.188
330000	335306	404.17	-55.50	7.04	8.721	- 6	1.376	2.782	1.321	999.3	1.007 - 5	3.323
340000	345635	423.69	-29.98	5.83	5.642		1.401	1.679	1.344	1034.7	1.066	3.544
350000	355974	450.08	-4.59	4.82	3.754		1.426	1.047	1.367	1068.9	1.123	3.760
360000	366324	480.40	20.73	-10.40	2.562		1.446	6.719 - 9	1.427	1102.0	1.178	3.974
370000	376683	524.64	64.97	-19.00	1.797		1.447	4.290	1.449	1155.3	1.267	4.322
380000	387053	570.57	110.90	-25.33	1.302		1.445	2.841	1.459	1208.1	1.356	4.675

TABLE 5.2.—Continued  
45° N. January  
GEOMETRIC ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity				
Z, ft	H, ft'	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , ft sec <sup>-1</sup>	$\frac{\mu}{\text{lb ft}^{-1} \text{sec}^{-1}}$	$\frac{k}{\text{BTU ft}^{-1} \text{sec}^{-1} (\text{°R})^{-1}}$				
80000	79694	387.27	-72.40	-10.42	7.939	- 1	0.960	2.717	- 3	0.985	964.7	9.497	- 6	3.112	- 6
81000	80687	387.27	-72.40	-10.97	7.566		0.958	2.590		0.986	964.7	9.497		3.112	
82000	81679	387.27	-72.40	-11.51	7.212		0.957	2.469		0.985	964.7	9.497		3.112	
83000	82671	387.27	-72.40	-12.06	6.873		0.956	2.353		0.985	964.7	9.497		3.112	
84000	83663	387.27	-72.40	-12.60	6.551		0.954	2.243		0.985	964.7	9.497		3.112	
85000	84655	387.27	-72.40	-13.15	6.244		0.953	2.137		0.985	964.7	9.497		3.112	
86000	85647	387.27	-72.40	-13.69	5.951		0.951	2.037		0.985	964.7	9.497		3.112	
87000	86639	387.27	-72.40	-14.23	5.673		0.950	1.942		0.985	964.7	9.497		3.112	
88000	87630	387.27	-72.40	-14.78	5.407		0.948	1.851		0.984	964.7	9.497		3.112	
89000	88622	387.29	-72.38	-15.30	5.153		0.946	1.764		0.984	964.7	9.497		3.112	
90000	89613	387.72	-71.95	-15.41	4.912	- 1	0.945	1.679	- 3	0.982	965.3	9.506	- 6	3.116	- 6
91000	90605	388.16	-71.51	-15.52	4.682		0.943	1.599		0.980	965.8	9.515		3.119	
92000	91596	388.59	-71.08	-15.63	4.464		0.941	1.523		0.979	966.4	9.524		3.122	
93000	92587	389.03	-70.64	-15.74	4.255		0.939	1.450		0.977	966.9	9.533		3.125	
94000	93578	389.46	-70.21	-15.85	4.057		0.938	1.381		0.976	967.4	9.542		3.129	
95000	94569	389.90	-69.77	-15.96	3.868		0.936	1.315		0.974	968.0	9.551		3.132	
96000	95560	390.33	-69.34	-16.07	3.688		0.934	1.253		0.973	968.5	9.560		3.135	
97000	96551	390.77	-68.90	-16.17	3.517		0.932	1.193		0.971	969.1	9.569		3.138	
98000	97542	391.20	-68.47	-16.28	3.354		0.931	1.137		0.970	969.6	9.578		3.142	
99000	98532	391.64	-68.03	-16.39	3.199		0.929	1.083		0.968	970.1	9.587		3.145	
100000	99523	392.07	-67.60	-16.50	3.051	- 1	0.927	1.031	- 3	0.966	970.7	9.596	- 6	3.148	- 6
105000	104474	394.24	-65.43	-17.04	2.409		0.918	8.101	- 4	0.958	973.4	9.640		3.165	
110000	109423	402.01	-57.66	-16.37	1.908		0.909	6.292		0.947	982.9	9.798		3.223	
115000	114369	410.43	-49.24	-15.56	1.519		0.902	4.905		0.936	993.1	9.968		3.285	
120000	119313	418.84	-40.83	-14.74	1.215		0.894	3.844		0.926	1003.3	1.014	- 5	3.348	
125000	124255	427.24	-32.43	-13.93	9.757	- 2	0.889	3.027		0.917	1013.3	1.030		3.410	
130000	129195	435.64	-24.03	-13.12	7.873		0.882	2.396		0.909	1023.2	1.047		3.472	
135000	134132	444.04	-15.63	-12.30	6.379		0.877	1.904		0.902	1033.0	1.063		3.533	
140000	139066	452.43	-7.24	-11.49	5.190		0.873	1.521		0.895	1042.7	1.079		3.594	
145000	143999	460.82	1.15	-10.68	4.238		0.869	1.219		0.889	1052.3	1.095		3.655	
150000	148929	469.21	9.54	-9.87	3.475	- 2	0.865	9.817	- 5	0.883	1061.9	1.111	- 5	3.716	- 6
155000	153856	477.59	17.92	-9.06	2.859		0.862	7.935		0.878	1071.3	1.127		3.776	
160000	158782	478.17	18.50	-9.00	2.357		0.858	6.534		0.875	1072.0	1.128		3.780	
165000	163705	478.17	18.50	-9.00	1.943		0.855	5.387		0.871	1072.0	1.128		3.780	
170000	168625	478.17	18.50	-9.00	1.602		0.852	4.442		0.868	1072.0	1.128		3.780	
175000	173544	474.94	15.27	-9.00	1.321		0.849	3.687		0.865	1068.4	1.122		3.757	
180000	178460	469.55	9.88	-9.00	1.087		0.846	3.068		0.862	1062.3	1.112		3.718	
185000	183373	464.16	4.49	-9.00	8.921	- 3	0.843	2.548		0.859	1056.2	1.102		3.679	
190000	188285	458.77	-0.90	-9.00	7.308		0.840	2.112		0.856	1050.0	1.091		3.640	
195000	193194	453.38	-6.29	-9.00	5.973		0.837	1.746		0.853	1043.8	1.081		3.601	
200000	198100	448.00	-11.67	-9.00	4.870	- 3	0.833	1.441	- 5	0.850	1037.6	1.071	- 5	3.562	- 6
205000	203004	442.62	-17.05	-8.55	3.962		0.830	1.187		0.841	1031.4	1.060		3.523	
210000	207906	437.24	-22.43	-8.47	3.215		0.829	9.748	- 6	0.830	1025.1	1.050		3.483	
215000	212806	431.71	-27.96	4.75	2.603		0.830	7.992		0.821	1018.6	1.039		3.443	
220000	217703	426.06	-33.61	9.86	2.101		0.833	6.538		0.814	1011.9	1.028		3.401	
225000	222598	420.42	-39.25	14.96	1.692		0.838	5.334		0.808	1005.2	1.017		3.360	
230000	227491	414.79	-44.88	20.06	1.358		0.847	4.341		0.805	998.4	1.005		3.318	
235000	232381	409.15	-50.52	25.16	1.087		0.857	3.523		0.805	991.6	9.942	- 6	3.276	
240000	237269	403.52	-56.15	30.25	8.677	- 4	0.872	2.851		0.806	984.8	9.829		3.234	
245000	242155	397.89	-61.78	35.35	6.905		0.890	2.300		0.811	977.9	9.714		3.192	
250000	247039	392.27	-67.40	40.44	5.477	- 4	0.912	1.851	- 6	0.818	970.9	9.600	- 6	3.150	- 6
255000	251920	386.64	-73.03	45.52	4.330		0.939	1.485		0.828	963.9	9.484		3.107	
260000	256798	381.02	-78.65	50.61	3.412		0.971	1.187		0.843	956.9	9.368		3.065	
265000	261675	375.38	-84.29	55.71	2.680		1.009	9.462	- 7	0.875	949.8	9.251		3.023	
270000	266549	369.73	-89.94	60.80	2.097		1.046	7.517		0.920	942.7	9.134		2.980	
275000	271421	364.08	-95.59	65.91	1.635		1.080	5.952		0.964	935.5	9.016		2.937	
280000	276290	358.43	-101.23	71.02	1.270		1.111	4.685		1.005	929.3	8.914		2.901	
285000	281158	352.78	-106.87	76.13	9.854	- 5	1.141	3.635		1.032	929.3	8.914		2.901	
290000	286023	347.13	-112.51	81.24	7.645		1.172	2.820		1.060	929.3	8.914		2.901	
295000	290885	341.48	-118.15	86.35	5.933		1.203	2.188		1.089	929.3	8.914		2.901	
300000	295746	335.83	-123.79	91.46	4.604	- 5	1.232	1.695	- 7	1.139	930.3	8.929	- 6	2.906	- 6
310000	305459	330.18	-129.43	96.57	2.806		1.280	9.917	- 8	1.193	949.3	9.243		3.020	
320000	315164	324.53	-135.07	101.68	1.744		1.323	5.928		1.242	968.0	9.552		3.132	
330000	324859	318.88	-140.71	106.79	1.104		1.361	3.614		1.293	986.3	9.855		3.244	
340000	334546	313.23	-146.35	111.90	7.128	- 6	1.387	2.202		1.331	1015.5	1.034	- 5	3.424	
350000	344223	307.58	-151.99	117.01	4.735		1.412	1.370		1.354	1049.3	1.090		3.636	
360000	353891	301.93	-157.63	122.12	3.227		1.435	8.781	- 9	1.375	1081.9	1.145		3.844	
370000	363550	296.28	-163.27	127.23	2.250		1.447	5.715		1.439	1119.9	1.208		4.090	
380000	373200	290.63	-168.91	132.34	1.616		1.447	3.745		1.452	1172.4	1.296		4.436	

GEOPOTENTIAL ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity				
H, ft'	Z, ft	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , ft sec <sup>-1</sup>	$\frac{\mu}{\mu_{std}}$ , lb ft <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{k_{std}}$ , BTU ft <sup>-1</sup> sec <sup>-1</sup> (°R) <sup>-1</sup>				
0	0	533.19	73.52	14.52	2.993	+ 1	1.000	7.441	- 2	0.973	1132.0	1.228	- 5	4.169	- 6
1000	1000	530.40	70.73	15.30	2.889		1.001	7.221		0.972	1129.0	1.223		4.149	
2000	2000	527.62	67.95	16.08	2.789		1.002	7.006		0.972	1126.0	1.218		4.130	
3000	3000	524.84	65.17	16.87	2.691		1.003	6.797		0.971	1123.1	1.213		4.111	
4000	4001	522.10	62.43	17.70	2.596		1.005	6.592		0.971	1120.1	1.209		4.091	
5000	5001	519.39	59.72	18.55	2.505		1.006	6.393		0.970	1117.2	1.204		4.072	
6000	6002	516.67	57.00	19.40	2.416		1.007	6.198		0.970	1114.3	1.199		4.053	
7000	7002	513.60	53.93	19.90	2.329		1.009	6.012		0.970	1111.0	1.193		4.032	
8000	8003	510.08	50.41	19.94	2.246		1.011	5.836		0.971	1107.2	1.187		4.007	
9000	9004	506.56	46.89	19.99	2.164		1.012	5.664		0.972	1103.3	1.180		3.982	
10000	10005	503.06	43.39	20.05	2.085	+ 1	1.013	5.495	- 2	0.973	1099.5	1.174	- 5	3.957	- 6
11000	11006	499.65	39.98	20.20	2.009		1.015	5.330		0.974	1095.8	1.168		3.933	
12000	12007	496.23	36.56	20.35	1.935		1.017	5.168		0.975	1092.0	1.162		3.909	
13000	13008	492.81	33.14	20.50	1.863		1.018	5.011		0.976	1088.3	1.155		3.885	
14000	14009	489.45	29.78	20.70	1.793		1.020	4.856		0.977	1084.5	1.149		3.861	
15000	15011	486.09	26.42	20.91	1.725		1.022	4.705		0.978	1080.8	1.143		3.837	
16000	16012	482.72	23.05	21.11	1.660		1.023	4.558		0.979	1077.1	1.137		3.813	
17000	17014	479.36	19.69	21.32	1.596		1.025	4.415		0.980	1073.3	1.130		3.789	
18000	18016	476.00	16.33	21.52	1.535		1.027	4.275		0.981	1069.5	1.124		3.765	
19000	19017	472.64	12.97	21.73	1.476		1.029	4.139		0.982	1065.8	1.118		3.740	
20000	20019	469.21	9.54	21.86	1.418	+ 1	1.031	4.006	- 2	0.983	1061.9	1.111	- 5	3.716	- 6
21000	21021	465.82	5.95	21.84	1.362		1.034	3.878		0.985	1057.8	1.104		3.690	
22000	22023	462.03	2.36	21.81	1.308		1.035	3.754		0.987	1053.7	1.098		3.664	
23000	23025	458.44	-1.23	21.79	1.256		1.037	3.632		0.988	1049.6	1.091		3.638	
24000	24028	454.85	-4.82	21.76	1.206		1.039	3.514		0.990	1045.5	1.084		3.612	
25000	25030	451.26	-8.41	21.74	1.157		1.042	3.398		0.992	1041.4	1.077		3.586	
26000	26032	447.67	-12.00	21.72	1.109		1.044	3.285		0.993	1037.2	1.070		3.560	
27000	27035	444.09	-15.58	21.70	1.064		1.046	3.176		0.995	1033.1	1.063		3.534	
28000	28038	440.51	-19.16	21.69	1.020		1.048	3.068		0.997	1028.9	1.056		3.507	
29000	29040	436.93	-22.74	21.68	9.770	+ 0	1.051	2.964		0.999	1024.7	1.049		3.481	
30000	30043	433.35	-26.32	21.67	9.358	+ 0	1.053	2.863	- 2	1.001	1020.5	1.042	- 5	3.455	- 6
31000	31046	429.78	-29.89	21.66	8.960		1.056	2.764		1.002	1016.3	1.035		3.429	
32000	32049	426.20	-33.47	21.65	8.576		1.058	2.668		1.004	1012.0	1.028		3.402	
33000	33052	422.62	-37.05	21.64	8.206		1.061	2.574		1.006	1007.8	1.021		3.376	
34000	34056	419.05	-40.62	21.62	7.848		1.063	2.483		1.008	1003.5	1.014		3.349	
35000	35059	415.47	-44.20	21.61	7.504		1.066	2.394		1.010	999.2	1.007		3.323	
36000	36062	411.89	-47.78	21.60	7.171		1.068	2.308		1.012	994.9	9.997	- 6	3.296	
37000	37066	408.32	-51.35	18.35	6.851		1.071	2.224		1.023	990.6	9.925		3.270	
38000	38069	404.76	-54.91	14.79	6.542		1.073	2.143		1.034	986.3	9.854		3.243	
39000	39073	401.19	-58.48	11.22	6.245		1.075	2.063		1.045	981.9	9.781		3.217	
40000	40077	397.62	-62.05	7.65	5.959	+ 0	1.076	1.987	- 2	1.055	977.5	9.709	- 6	3.190	- 6
41000	41081	394.06	-65.61	4.09	5.683		1.077	1.912		1.066	973.1	9.636		3.163	
42000	42085	390.49	-69.18	0.52	5.418		1.077	1.839		1.076	968.7	9.563		3.136	
43000	43089	388.17	-71.50	-1.80	5.163		1.077	1.763		1.082	965.8	9.516		3.119	
44000	44093	388.17	-71.50	-1.80	4.920		1.077	1.680		1.082	965.8	9.516		3.119	
45000	45097	388.17	-71.50	-1.80	4.688		1.076	1.601		1.082	965.8	9.516		3.119	
46000	46102	388.17	-71.50	-1.80	4.467		1.076	1.525		1.081	965.8	9.516		3.119	
47000	47106	388.17	-71.50	-1.80	4.256		1.076	1.454		1.081	965.8	9.516		3.119	
48000	48111	388.17	-71.50	-1.80	4.056		1.076	1.385		1.080	965.8	9.516		3.119	
49000	49115	388.17	-71.50	-1.80	3.864		1.076	1.320		1.080	965.8	9.516		3.119	
50000	50120	388.17	-71.50	-1.80	3.682	+ 0	1.075	1.258	- 2	1.080	965.8	9.516	- 6	3.119	- 6
51000	51125	388.17	-71.50	-1.80	3.509		1.075	1.198		1.079	965.8	9.516		3.119	
52000	52130	388.17	-71.50	-1.80	3.343		1.075	1.142		1.080	965.8	9.516		3.119	
53000	53135	388.17	-71.50	-1.80	3.186		1.074	1.088		1.079	965.8	9.516		3.119	
54000	54140	388.17	-71.50	-1.80	3.035		1.074	1.037		1.079	965.8	9.516		3.119	
55000	55145	388.17	-71.50	-1.80	2.892		1.074	9.878	- 3	1.079	965.8	9.516		3.119	
56000	56151	388.32	-71.35	-1.65	2.756		1.074	9.409		1.078	966.0	9.519		3.120	
57000	57156	388.98	-70.69	-0.99	2.626		1.074	8.950		1.076	966.8	9.532		3.125	
58000	58162	389.63	-70.04	-0.34	2.503		1.074	8.515		1.074	967.7	9.546		3.130	
59000	59167	390.29	-69.38	0.32	2.385		1.074	8.102		1.073	968.5	9.559		3.135	
60000	60173	390.95	-68.72	0.98	2.274	+ 0	1.073	7.709	- 3	1.071	969.3	9.573	- 6	3.140	- 6
61000	61179	391.61	-68.06	1.64	2.167		1.074	7.336		1.069	970.1	9.586		3.145	
62000	62185	392.27	-67.40	2.30	2.066		1.074	6.982		1.068	970.9	9.600		3.150	
63000	63191	392.93	-66.74	2.96	1.970		1.075	6.645		1.066	971.7	9.613		3.155	
64000	64197	393.58	-66.09	3.61	1.878		1.075	6.326		1.065	972.6	9.627		3.160	
65000	65203	394.24	-65.43	4.27	1.791		1.076	6.022		1.064	973.4	9.640		3.165	
66000	66210	394.90	-64.77	4.72	1.708		1.076	5.733		1.063	974.2	9.654		3.170	
67000	67216	395.56	-64.11	4.83	1.629		1.076	5.458		1.063	975.0	9.667		3.174	
68000	68222	396.22	-63.45	4.94	1.553		1.077	5.197		1.064	975.8	9.680		3.179	
69000	69229	396.88	-62.79	5.05	1.482		1.078	4.949		1.064	976.6	9.694		3.184	
70000	70236	397.53	-62.14	5.16	1.413	+ 0	1.079	4.713	- 3	1.065	977.4	9.707	- 6	3.189	- 6
71000	71243	398.19	-61.48	5.27	1.348		1.079	4.489		1.065	978.2	9.721		3.194	
72000	72249	398.85	-60.82	5.38	1.286		1.080	4.275		1.065	979.0	9.734		3.199	
73000	73256	399.51	-60.16	5.49	1.227		1.080	4.072		1.066	979.8	9.747		3.204	
74000	74264	400.17	-59.50	5.60	1.171		1.081	3.880		1.066	980.7	9.761		3.209	
75000	75271	400.83	-58.84	5.71	1.118		1.082	3.696		1.067	981.5	9.774		3.214	
76000	76278	401.49	-58.18	5.82	1.067		1.083	3.522		1.067	982.3	9.787		3.219	
77000	77285	402.14	-57.53	5.93	1.018		1.083	3.356		1.068	983.1	9.801		3.224	
78000	78293	402.80	-56.87	6.04	9.716	- 1	1.084	3.198		1.068	983.9	9.814		3.229	
79000	79300	403.46	-56.21	6.15	9.275		1.085	3.047		1.069	984.7	9.827		3.234	

TABLE 5.2. — Continued  
45° N. July  
GEOMETRIC ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
Z, ft	H, ft'	T, °R	t, °F	T - T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , ft sec <sup>-1</sup>	$\frac{\mu}{\text{lb ft}^{-1} \text{sec}^{-1}}$	BTU ft <sup>-1</sup> sec <sup>-1</sup> (°R) <sup>-1</sup>
0	0	533.19	73.52	14.52	2.993 + 1	1.000	7.441 - 2	0.973	1132.0	1.228 - 5	4.169 - 6
1000	1000	530.41	70.74	15.30	2.889	1.001	7.221	0.972	1129.0	1.223	4.149
2000	2000	527.62	67.95	16.08	2.789	1.002	7.006	0.972	1126.0	1.218	4.130
3000	3000	524.84	65.17	16.87	2.691	1.003	6.797	0.971	1123.1	1.213	4.111
4000	3999	522.10	62.43	17.70	2.596	1.005	6.593	0.971	1120.1	1.209	4.091
5000	4999	519.39	59.72	18.55	2.505	1.006	6.393	0.970	1117.2	1.204	4.072
6000	5998	516.68	57.01	19.40	2.416	1.007	6.198	0.970	1114.3	1.199	4.053
7000	6998	513.61	53.94	19.90	2.330	1.009	6.013	0.970	1111.0	1.193	4.032
8000	7997	510.09	50.42	19.94	2.246	1.010	5.836	0.971	1107.2	1.187	4.007
9000	8996	506.58	46.91	19.99	2.165	1.012	5.664	0.972	1103.4	1.180	3.982
10000	9995	503.08	43.41	20.05	2.086 + 1	1.013	5.496 - 2	0.973	1099.5	1.174 - 5	3.958 - 6
11000	10994	499.67	40.00	20.20	2.009	1.015	5.331	0.974	1095.8	1.168	3.933
12000	11993	496.25	36.58	20.35	1.935	1.017	5.169	0.975	1092.1	1.162	3.909
13000	12992	492.84	33.17	20.50	1.863	1.018	5.012	0.976	1088.3	1.155	3.885
14000	13991	489.48	29.81	20.70	1.794	1.020	4.858	0.977	1084.6	1.149	3.861
15000	14989	486.12	26.45	20.91	1.726	1.022	4.707	0.978	1080.9	1.143	3.837
16000	15988	482.77	23.10	21.11	1.661	1.024	4.560	0.979	1077.1	1.137	3.813
17000	16986	479.41	19.74	21.31	1.597	1.025	4.417	0.980	1073.4	1.130	3.789
18000	17984	476.05	16.38	21.52	1.536	1.027	4.277	0.981	1069.6	1.124	3.765
19000	18983	472.70	13.03	21.72	1.477	1.029	4.141	0.982	1065.8	1.118	3.741
20000	19981	469.28	9.61	21.86	1.419 + 1	1.031	4.009 - 2	0.983	1062.0	1.111 - 5	3.716 - 6
21000	20979	465.69	6.02	21.84	1.363	1.033	3.881	0.985	1057.9	1.105	3.690
22000	21977	462.11	2.44	21.81	1.310	1.035	3.757	0.986	1053.8	1.098	3.665
23000	22975	458.53	-1.14	21.79	1.257	1.037	3.635	0.988	1049.7	1.091	3.639
24000	23972	454.95	-4.72	21.76	1.207	1.040	3.517	0.990	1045.6	1.084	3.613
25000	24970	451.36	-8.31	21.74	1.158	1.041	3.401	0.991	1041.5	1.077	3.587
26000	25968	447.78	-11.89	21.72	1.111	1.044	3.289	0.993	1037.4	1.070	3.560
27000	26965	444.21	-15.46	21.70	1.065	1.047	3.179	0.995	1033.2	1.063	3.534
28000	27962	440.64	-19.03	21.69	1.021	1.048	3.072	0.997	1029.1	1.056	3.508
29000	28960	437.08	-22.59	21.68	9.787 + 0	1.051	2.968	0.999	1024.9	1.049	3.482
30000	29957	433.51	-26.16	21.67	9.376 + 0	1.053	2.867 - 2	1.000	1020.7	1.043 - 5	3.456 - 6
31000	30954	429.94	-29.73	21.66	8.978	1.056	2.768	1.002	1016.5	1.036	3.430
32000	31951	426.38	-33.29	21.65	8.595	1.058	2.672	1.004	1012.3	1.029	3.404
33000	32948	422.81	-36.86	21.64	8.225	1.060	2.579	1.006	1008.0	1.021	3.377
34000	33945	419.24	-40.43	21.63	7.868	1.063	2.488	1.008	1003.8	1.014	3.351
35000	34941	415.68	-43.99	21.61	7.524	1.066	2.399	1.010	999.5	1.007	3.324
36000	35938	412.11	-47.56	21.60	7.192	1.068	2.313	1.012	995.2	1.000	3.298
37000	36934	408.55	-51.12	18.58	6.872	1.071	2.230	1.022	990.9	9.930 - 6	3.272
38000	37931	405.00	-54.67	15.03	6.563	1.073	2.148	1.033	986.6	9.859	3.245
39000	38927	401.45	-58.22	11.48	6.266	1.075	2.069	1.044	982.2	9.787	3.219
40000	39923	397.90	-61.77	7.93	5.980 + 0	1.076	1.992 - 2	1.054	977.9	9.715 - 6	3.192 - 6
41000	40920	394.34	-65.33	4.37	5.705	1.077	1.918	1.065	973.5	9.642	3.165
42000	41916	390.79	-68.88	0.82	5.440	1.077	1.845	1.075	969.1	9.569	3.139
43000	42912	388.17	-71.50	-1.80	5.185	1.077	1.771	1.082	965.8	9.516	3.119
44000	43907	388.17	-71.50	-1.80	4.942	1.077	1.688	1.082	965.8	9.516	3.119
45000	44903	388.17	-71.50	-1.80	4.710	1.076	1.608	1.082	965.8	9.516	3.119
46000	45899	388.17	-71.50	-1.80	4.489	1.076	1.533	1.081	965.8	9.516	3.119
47000	46894	388.17	-71.50	-1.80	4.278	1.076	1.461	1.081	965.8	9.516	3.119
48000	47890	388.17	-71.50	-1.80	4.077	1.076	1.392	1.081	965.8	9.516	3.119
49000	48885	388.17	-71.50	-1.80	3.886	1.076	1.327	1.081	965.8	9.516	3.119
50000	49880	388.17	-71.50	-1.80	3.703 + 0	1.075	1.265 - 2	1.080	965.8	9.516 - 6	3.119 - 6
51000	50876	388.17	-71.50	-1.80	3.530	1.075	1.205	1.080	965.8	9.516	3.119
52000	51871	388.17	-71.50	-1.80	3.364	1.075	1.149	1.080	965.8	9.516	3.119
53000	52866	388.17	-71.50	-1.80	3.206	1.075	1.095	1.080	965.8	9.516	3.119
54000	53861	388.17	-71.50	-1.80	3.056	1.074	1.044	1.079	965.8	9.516	3.119
55000	54855	388.17	-71.50	-1.80	2.913	1.074	9.947 - 3	1.079	965.8	9.516	3.119
56000	55850	388.22	-71.45	-1.75	2.776	1.074	9.479	1.079	965.9	9.517	3.119
57000	56845	388.87	-70.80	-1.10	2.646	1.074	9.020	1.077	966.7	9.530	3.124
58000	57839	389.53	-70.14	-0.44	2.522	1.073	8.584	1.075	967.5	9.544	3.129
59000	58834	390.18	-69.49	0.21	2.405	1.073	8.169	1.073	968.3	9.557	3.134
60000	59828	390.84	-68.83	0.87	2.292 + 0	1.074	7.776 - 3	1.071	969.2	9.570 - 6	3.139 - 6
61000	60822	391.49	-68.18	1.52	2.186	1.074	7.401	1.070	970.0	9.584	3.144
62000	61816	392.15	-67.52	2.18	2.084	1.074	7.046	1.068	970.8	9.597	3.149
63000	62810	392.80	-66.87	2.83	1.988	1.074	6.708	1.066	971.6	9.611	3.154
64000	63804	393.46	-66.21	3.49	1.896	1.075	6.387	1.065	972.4	9.624	3.159
65000	64798	394.11	-65.56	4.14	1.808	1.075	6.082	1.064	973.2	9.637	3.164
66000	65792	394.76	-64.91	4.70	1.725	1.076	5.792	1.063	974.0	9.651	3.168
67000	66785	395.42	-64.25	4.81	1.645	1.077	5.516	1.063	974.8	9.664	3.173
68000	67779	396.07	-63.60	4.92	1.570	1.077	5.254	1.064	975.6	9.677	3.178
69000	68772	396.73	-62.94	5.03	1.498	1.077	5.004	1.064	976.4	9.691	3.183
70000	69766	397.38	-62.29	5.13	1.429 + 0	1.078	4.767 - 3	1.064	977.2	9.704 - 6	3.188 - 6
71000	70759	398.03	-61.64	5.24	1.364	1.079	4.542	1.065	978.0	9.717	3.193
72000	71752	398.69	-60.98	5.35	1.301	1.080	4.327	1.065	978.8	9.731	3.198
73000	72745	399.34	-60.33	5.46	1.242	1.080	4.123	1.066	979.6	9.744	3.203
74000	73738	400.00	-59.67	5.57	1.186	1.081	3.929	1.066	980.4	9.757	3.208
75000	74731	400.65	-59.02	5.68	1.132	1.082	3.745	1.067	981.2	9.770	3.213
76000	75724	401.30	-58.37	5.79	1.080	1.083	3.569	1.067	982.0	9.784	3.217
77000	76717	401.96	-57.71	5.90	1.031	1.083	3.402	1.067	982.8	9.797	3.222
78000	77709	402.61	-57.06	6.01	9.849 - 1	1.084	3.243	1.068	983.6	9.810	3.227
79000	78702	403.26	-56.41	6.11	9.404	1.085	3.091	1.068	984.4	9.823	3.232

GEOPOTENTIAL ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity	
H, ft'	Z, ft	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> ft sec <sup>-1</sup>	$\mu$ lb ft <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{sec^{-1}(°R)^{-1}}$	
80000	80308	404.12	-55.55	6.26	8.854	- 1	1.086	2.904 - 3	1.069	985.5	9.841 - 6	3.238 - 6
81000	81316	404.78	-54.89	6.37	8.453		1.087	2.768	1.070	986.3	9.854	3.243
82000	82324	405.44	-54.23	6.48	8.071		1.087	2.639	1.070	987.1	9.867	3.248
83000	83332	406.09	-53.58	6.59	7.707		1.088	2.516	1.071	987.9	9.881	3.253
84000	84340	406.75	-52.92	6.70	7.359		1.089	2.398	1.071	988.7	9.894	3.258
85000	85348	407.41	-52.26	6.81	7.028		1.090	2.287	1.072	989.5	9.907	3.263
86000	86356	408.07	-51.60	6.92	6.712		1.091	2.181	1.072	990.3	9.920	3.268
87000	87364	408.73	-50.94	7.03	6.411		1.092	2.079	1.073	991.1	9.934	3.273
88000	88373	409.39	-50.28	7.14	6.124		1.092	1.983	1.074	991.9	9.947	3.278
89000	89381	410.25	-49.42	7.45	5.850		1.094	1.890	1.073	992.9	9.964	3.284
90000	90390	411.40	-48.27	8.05	5.589	- 1	1.094	1.801 - 3	1.073	994.3	9.987 - 6	3.293 - 6
91000	91399	412.55	-47.12	8.66	5.341		1.095	1.716	1.073	995.7	1.001 - 5	3.301
92000	92408	413.71	-45.96	9.26	5.104		1.096	1.635	1.072	997.1	1.003	3.310
93000	93417	414.86	-44.81	9.86	4.878		1.098	1.559	1.071	998.5	1.006	3.318
94000	94426	416.01	-43.66	10.47	4.663		1.099	1.486	1.071	999.9	1.008	3.327
95000	95435	417.16	-42.51	11.07	4.458		1.100	1.417	1.071	1001.3	1.010	3.335
96000	96444	418.31	-41.36	11.68	4.262		1.102	1.351	1.071	1002.6	1.013	3.344
97000	97453	419.47	-40.20	12.28	4.076		1.103	1.288	1.071	1004.0	1.015	3.353
98000	98463	420.62	-39.05	12.88	3.898		1.105	1.228	1.071	1005.4	1.017	3.361
99000	99472	421.77	-37.90	13.49	3.728		1.106	1.172	1.071	1006.8	1.019	3.370
100000	100482	422.92	-36.75	14.09	3.566	- 1	1.108	1.118 - 3	1.071	1008.1	1.022 - 5	3.378 - 6
105000	105531	428.69	-30.98	17.10	2.862		1.117	8.850 - 4	1.073	1015.0	1.033	3.421
110000	110583	435.55	-24.12	16.27	2.304		1.127	7.012	1.085	1023.1	1.047	3.471
115000	115638	442.40	-17.27	15.45	1.861		1.136	5.576	1.096	1031.1	1.060	3.521
120000	120695	449.26	-10.41	14.63	1.508		1.144	4.450	1.107	1039.1	1.073	3.571
125000	125754	456.12	-3.55	13.81	1.226		1.152	3.563	1.117	1047.0	1.086	3.621
130000	130815	462.98	3.31	12.98	9.999	- 2	1.159	2.863	1.127	1054.8	1.099	3.671
135000	135880	469.84	10.17	12.16	8.179		1.166	2.308	1.136	1062.6	1.112	3.720
140000	140946	476.69	17.02	11.34	6.709		1.172	1.866	1.143	1070.3	1.125	3.770
145000	146015	483.55	23.88	10.51	5.520		1.177	1.513	1.152	1078.0	1.138	3.819
150000	151087	490.41	30.74	9.69	4.553	- 2	1.182	1.231 - 4	1.158	1085.6	1.151 - 5	3.868 - 6
155000	156161	496.17	36.50	9.00	3.766		1.186	1.006	1.164	1092.0	1.161	3.909
160000	161237	499.17	36.50	9.00	3.118		1.190	8.331 - 5	1.169	1092.0	1.161	3.909
165000	166316	496.17	36.50	9.00	2.581		1.195	6.897	1.173	1092.0	1.161	3.909
170000	171397	496.17	36.50	9.00	2.137		1.199	5.710	1.177	1092.0	1.161	3.909
175000	176481	490.14	30.47	7.79	1.767		1.202	4.780	1.183	1085.3	1.150	3.866
180000	181567	483.28	23.61	6.42	1.458		1.206	3.999	1.190	1077.7	1.138	3.817
185000	186656	476.42	16.75	5.05	1.199		1.209	3.337	1.196	1070.0	1.125	3.768
190000	191747	469.57	9.90	3.68	9.837	- 3	1.211	2.777	1.202	1062.3	1.112	3.718
195000	196841	462.71	3.04	2.31	8.045		1.213	2.305	1.207	1054.5	1.099	3.669
200000	201937	455.85	-3.82	0.94	6.560	- 3	1.213	1.908 - 5	1.210	1046.7	1.086 - 5	3.619 - 6
205000	207035	447.25	-12.42	3.16	5.332		1.215	1.580	1.206	1036.7	1.069	3.557
210000	212136	438.90	-24.77	1.79	4.311		1.216	1.314	1.211	1022.3	1.045	3.466
215000	217240	422.56	-37.11	0.42	3.465		1.217	1.087	1.216	1007.7	1.021	3.375
220000	222346	410.22	-49.45	-0.95	2.766		1.217	8.940 - 6	1.220	992.9	9.963 - 6	3.284
225000	227454	397.87	-61.80	-2.32	2.194		1.216	7.309	1.223	977.8	9.714	3.192
230000	232565	385.53	-74.14	-3.69	1.727		1.214	5.938	1.225	962.5	9.461	3.099
235000	237678	373.18	-86.49	-5.07	1.349		1.210	4.791	1.226	947.0	9.205	3.006
240000	242794	360.84	-98.83	-6.44	1.045		1.205	3.839	1.227	931.2	8.945	2.912
245000	247913	348.49	-111.18	-7.81	8.022	- 4	1.199	3.052	1.226	915.1	8.682	2.818
250000	253033	336.15	-123.52	-9.18	6.101	- 4	1.191	2.406 - 6	1.224	898.8	8.414 - 6	2.723 - 6
255000	258157	323.80	-135.87	-10.56	4.592		1.181	1.880	1.220	882.1	8.143	2.627
260000	263282	311.46	-148.21	-11.91	3.419		1.169	1.455	1.221	865.2	7.868	2.531
265000	268411	299.08	-160.59	-26.09	2.515		1.147	1.115	1.247	847.8	7.588	2.434
270000	273542	287.20	-172.97	-27.97	1.835		1.117	8.184 - 7	1.222	845.2	7.546	2.420
275000	278675	277.17	-182.50	-28.00	1.339		1.087	5.971	1.189	845.2	7.546	2.420
280000	283811	277.14	-182.53	-28.03	9.769	- 5	1.058	4.356	1.157	845.2	7.546	2.420
285000	288949	277.11	-182.56	-28.06	7.127		1.030	3.178	1.127	845.2	7.546	2.420
290000	294090	277.07	-182.60	-28.10	5.200		1.002	2.319	1.096	845.2	7.546	2.420
295000	299233	277.00	-182.61	-28.10	3.800		0.975	1.665	1.069	845.2	7.666	2.461
300000	304379	309.98	-149.69	-30.08	2.800	- 5	0.950	1.192 - 7	1.038	865.0	7.865 - 6	2.530 - 6
310000	314678	325.35	-134.32	-31.46	1.559		0.905	6.284 - 8	0.983	889.0	8.255	2.666
320000	324987	338.88	-120.79	-34.36	8.948	- 6	0.868	3.424	0.937	912.4	8.637	2.802
330000	335306	358.70	-100.97	-38.43	5.283		0.833	1.890	0.897	943.7	9.151	2.986
340000	345635	400.00	-54.01	-18.80	3.291		0.818	1.032	0.826	1007.8	1.021 - 5	3.376
350000	355974	450.79	-8.88	0.53	2.167		0.823	6.050 - 9	0.790	1068.1	1.122	3.756
360000	366324	496.02	36.35	5.22	1.490		0.841	3.748	0.796	1125.2	1.217	4.124
370000	376683	565.98	106.31	22.34	1.068		0.860	2.338	0.790	1206.6	1.353	4.664
380000	387053	637.79	176.12	41.89	7.993	- 7	0.887	1.541	0.791	1285.2	1.485	5.198

TABLE 5.2.—Continued  
45° N. July

GEOMETRIC ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity	
Z, ft	H, ft'	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , ft sec <sup>-1</sup>	$\frac{\mu}{\mu_{std}}$ , lb ft <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{k_{std}}$ , BTU ft <sup>-1</sup> sec <sup>-1</sup> (°R) <sup>-1</sup>	
80000	79694	403.92	-55.75	6.22	8.981	- 1	1.086	2.947 - 3	1.069	985.2	9.837 - 6	3.237 - 6
81000	80687	404.57	-55.10	6.33	8.577		1.086	2.810	1.069	986.0	9.850	3.242
82000	81679	405.22	-54.45	6.44	8.192		1.087	2.680	1.070	986.8	9.863	3.247
83000	82671	405.88	-53.79	6.55	7.825		1.088	2.556	1.070	987.6	9.876	3.252
84000	83663	406.53	-53.14	6.66	7.475		1.089	2.437	1.071	988.4	9.889	3.256
85000	84655	407.18	-52.49	6.77	7.141		1.090	2.325	1.071	989.2	9.902	3.261
86000	85647	407.84	-51.83	6.88	6.822		1.091	2.218	1.072	990.0	9.916	3.266
87000	86639	408.49	-51.18	6.99	6.518		1.091	2.115	1.073	990.8	9.929	3.271
88000	87630	409.14	-50.53	7.10	6.229		1.092	2.018	1.073	991.6	9.942	3.276
89000	88622	409.81	-49.86	7.22	5.952		1.093	1.925	1.074	992.4	9.955	3.281
90000	89613	410.96	-48.71	7.82	5.689	- 1	1.094	1.835 - 3	1.073	993.8	9.978 - 6	3.289 - 6
91000	90605	412.10	-47.57	8.42	5.438		1.095	1.749	1.072	995.2	1.000 - 5	3.298
92000	91596	413.24	-46.43	9.02	5.198		1.096	1.668	1.072	996.5	1.002	3.306
93000	92587	414.38	-45.29	9.62	4.970		1.097	1.590	1.071	997.9	1.005	3.315
94000	93578	415.52	-44.15	10.21	4.752		1.098	1.516	1.071	999.3	1.007	3.323
95000	94569	416.67	-43.00	10.81	4.545		1.100	1.446	1.071	1000.7	1.009	3.332
96000	95560	417.81	-41.86	11.41	4.347		1.101	1.379	1.071	1002.0	1.012	3.340
97000	96551	418.95	-40.72	12.01	4.158		1.102	1.316	1.071	1003.4	1.014	3.349
98000	97542	420.09	-39.58	12.61	3.978		1.104	1.255	1.071	1004.8	1.016	3.357
99000	98532	421.23	-38.44	13.20	3.807		1.105	1.198	1.071	1006.1	1.018	3.366
100000	99523	422.37	-37.30	13.80	3.643	- 1	1.107	1.143 - 3	1.070	1007.5	1.021 - 5	3.374 - 6
105000	104474	428.08	-31.59	16.79	2.928		1.116	9.069 - 4	1.072	1014.3	1.032	3.416
110000	109423	434.75	-24.92	16.37	2.362		1.126	7.202	1.083	1022.2	1.045	3.465
115000	114369	441.54	-18.13	15.56	1.911		1.135	5.739	1.095	1030.1	1.058	3.515
120000	119313	448.32	-11.35	14.74	1.552		1.143	4.589	1.106	1038.0	1.071	3.564
125000	124255	455.10	-4.57	13.93	1.264		1.151	3.683	1.116	1045.8	1.084	3.614
130000	129195	461.87	2.20	13.11	1.033		1.158	2.965	1.125	1053.5	1.097	3.663
135000	134132	468.64	8.97	12.30	8.467	- 2	1.165	2.395	1.134	1061.2	1.110	3.712
140000	139066	475.41	15.74	11.49	6.961		1.170	1.941	1.142	1068.9	1.123	3.760
145000	143999	482.18	22.51	10.68	5.738		1.176	1.578	1.150	1076.5	1.136	3.809
150000	148929	488.94	29.27	9.87	4.744	- 2	1.181	1.286 - 4	1.157	1084.0	1.148 - 5	3.857 - 6
155000	153856	495.70	36.03	9.06	3.932		1.185	1.052	1.163	1091.4	1.161	3.905
160000	158782	496.17	36.50	9.00	3.265		1.189	8.723 - 5	1.168	1092.0	1.161	3.909
165000	163705	496.17	36.50	9.00	2.711		1.193	7.243	1.172	1092.0	1.161	3.909
170000	168625	496.17	36.50	9.00	2.251		1.197	6.014	1.176	1092.0	1.161	3.909
175000	173544	492.14	32.47	8.19	1.868		1.202	5.033	1.181	1087.5	1.154	3.880
180000	178460	485.39	25.72	6.84	1.547		1.205	4.226	1.188	1080.0	1.141	3.832
185000	183373	478.65	18.98	5.50	1.278		1.208	3.540	1.194	1072.5	1.129	3.784
190000	188285	471.92	12.25	4.15	1.053		1.210	2.959	1.200	1064.9	1.116	3.735
195000	193194	465.18	5.51	2.80	8.654	- 3	1.212	2.466	1.205	1057.3	1.104	3.687
200000	198100	458.45	-1.22	1.46	7.092	- 3	1.213	2.051 - 5	1.209	1049.6	1.091 - 5	3.638 - 6
205000	203004	451.73	-7.94	3.26	5.795		1.214	1.700	1.205	1041.9	1.078	3.589
210000	207906	440.07	-19.60	2.37	4.716		1.216	1.421	1.209	1028.4	1.055	3.504
215000	212806	427.98	-31.69	1.02	3.817		1.217	1.182	1.214	1014.2	1.032	3.415
220000	217703	415.89	-43.78	-0.32	3.070		1.217	9.787 - 6	1.218	999.7	1.008	3.326
225000	222598	403.80	-55.87	-1.66	2.454		1.216	8.058	1.221	985.1	9.834 - 6	3.236
230000	227491	391.72	-67.95	-3.01	1.949		1.215	6.596	1.224	970.2	9.589	3.146
235000	232381	379.65	-80.02	-4.35	1.537		1.212	5.366	1.226	955.2	9.340	3.055
240000	237269	367.58	-92.09	-5.69	1.203		1.208	4.337	1.227	939.9	9.087	2.963
245000	242155	355.52	-104.15	-7.03	9.334	- 4	1.203	3.481	1.226	924.3	8.832	2.871
250000	247039	343.46	-116.21	-8.37	7.183	- 4	1.196	2.773 - 6	1.225	908.5	8.573 - 6	2.779 - 6
255000	251920	331.41	-128.26	-9.71	5.477		1.188	2.191	1.223	892.4	8.311	2.686
260000	256798	319.36	-140.31	-11.05	4.135		1.177	1.716	1.218	876.1	8.044	2.593
265000	261675	307.31	-152.36	-17.86	3.089		1.163	1.332	1.231	859.4	7.774	2.499
270000	266549	297.22	-162.45	-27.95	2.281		1.138	1.017	1.245	845.2	7.546	2.420
275000	271421	297.19	-162.48	-27.98	1.678		1.108	7.483 - 7	1.213	845.2	7.546	2.420
280000	276290	297.16	-162.51	-28.01	1.234		1.080	5.504	1.181	845.2	7.546	2.420
285000	281158	297.13	-162.54	-28.04	9.081	- 5	1.052	4.050	1.150	845.2	7.546	2.420
290000	286023	297.10	-162.57	-28.07	6.682		1.024	2.980	1.120	845.2	7.546	2.420
295000	290885	297.07	-162.60	-28.10	4.918		0.998	2.193	1.091	845.2	7.546	2.420
300000	295746	303.07	-156.60	-29.83	3.629	- 5	0.971	1.583 - 7	1.064	854.5	7.696 - 6	2.472 - 6
310000	305459	318.80	-140.87	-30.40	2.026		0.925	8.369 - 8	1.007	878.2	8.079	2.605
320000	315164	332.35	-127.32	-32.93	1.166		0.885	4.575	0.958	901.2	8.453	2.736
330000	324859	345.41	-114.20	-37.72	6.901	- 6	0.851	2.577	0.922	923.6	8.820	2.867
340000	334546	379.86	-79.81	-29.53	4.228		0.823	1.421	0.859	973.4	9.641	3.165
350000	344223	424.44	-35.23	-10.70	2.742		0.818	8.175 - 9	0.808	1033.7	1.064 - 5	3.538
360000	353891	468.44	8.77	8.07	1.864		0.829	4.992	0.782	1090.7	1.159	3.900
370000	363550	519.34	59.67	9.74	1.317		0.847	3.155	0.795	1152.9	1.263	4.307
380000	373200	569.02	129.35	28.53	9.698	- 7	0.868	2.035	0.789	1232.3	1.396	4.837

TABLE 5.2. — Continued  
Mid-Latitude Spring/Fall\*  
GEOPOTENTIAL ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
H, ft'	Z, ft	T, °R	t, °F	T - T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> ft sec <sup>-1</sup>	$\mu$ lb ft <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{BTU ft^{-1} sec^{-1} (^{\circ}R)^{-1}}$
0	0	518.67	59.00	0.00	2.992 + 1	1.000	7.647 - 2	1.000	1116.5	1.202 - 5	4.067 - 6
1000	1000	515.10	55.43	-0.00	2.886	1.000	7.426	1.000	1112.6	1.196	4.042
2000	2000	511.54	51.87	-0.00	2.782	1.000	7.210	1.000	1108.7	1.189	4.017
3000	3000	507.97	48.30	-0.00	2.682	1.000	6.998	1.000	1104.9	1.183	3.992
4000	4001	504.41	44.74	0.00	2.584	1.000	6.792	1.000	1101.0	1.177	3.967
5000	5001	500.84	41.17	0.00	2.490	1.000	6.590	1.000	1097.1	1.170	3.942
6000	6002	497.27	37.60	0.00	2.398	1.000	6.392	1.000	1093.2	1.163	3.916
7000	7002	493.71	34.04	-0.00	2.309	1.000	6.199	1.000	1089.3	1.157	3.891
8000	8003	490.14	30.47	-0.00	2.222	1.000	6.011	1.000	1085.3	1.150	3.866
9000	9004	486.57	26.90	-0.00	2.139	1.000	5.827	1.000	1081.4	1.144	3.840
10000	10005	483.01	23.34	0.00	2.058 + 1	1.000	5.647 - 2	1.000	1077.4	1.137 - 5	3.815 - 6
11000	11006	479.44	19.77	0.00	1.979	1.000	5.472	1.000	1073.4	1.130	3.789
12000	12007	475.88	16.21	0.00	1.903	1.000	5.301	1.000	1069.4	1.124	3.764
13000	13008	472.31	12.64	-0.00	1.829	1.000	5.134	1.000	1065.4	1.117	3.738
14000	14009	468.74	9.07	-0.00	1.758	1.000	4.971	1.000	1061.4	1.110	3.712
15000	15011	465.18	5.51	-0.00	1.689	1.000	4.812	1.000	1057.3	1.104	3.687
16000	16012	461.61	1.94	0.00	1.622	1.000	4.657	1.000	1053.3	1.097	3.661
17000	17014	458.05	-1.62	0.00	1.557	1.000	4.506	1.000	1049.2	1.090	3.635
18000	18016	454.48	-5.19	0.00	1.494	1.000	4.358	1.000	1045.1	1.083	3.609
19000	19017	450.91	-8.76	-0.00	1.434	1.000	4.215	1.000	1041.0	1.076	3.583
20000	20019	447.35	-12.32	-0.00	1.375 + 1	1.000	4.075 - 2	1.000	1036.8	1.069 - 5	3.557 - 6
21000	21021	443.78	-15.89	-0.00	1.318	1.000	3.938	1.000	1032.7	1.063	3.531
22000	22023	440.21	-19.46	0.00	1.264	1.000	3.805	1.000	1028.6	1.056	3.505
23000	23025	436.65	-23.02	0.00	1.211	1.000	3.676	1.000	1024.4	1.049	3.479
24000	24028	433.08	-26.59	0.00	1.160	1.000	3.550	1.000	1020.2	1.042	3.453
25000	25030	429.52	-30.15	-0.00	1.110	1.000	3.427	1.000	1016.0	1.035	3.427
26000	26032	425.95	-33.72	-0.00	1.063	1.000	3.307	1.000	1011.7	1.028	3.400
27000	27035	422.38	-37.29	-0.00	1.017	1.000	3.191	1.000	1007.5	1.021	3.374
28000	28038	418.82	-40.85	-0.00	9.725 + 0	1.000	3.078	1.000	1003.2	1.014	3.348
29000	29040	415.25	-44.42	0.00	9.298	1.000	2.968	1.000	999.0	1.006	3.321
30000	30043	411.69	-47.98	0.00	8.885 + 0	1.000	2.861 - 2	1.000	994.7	9.993 - 6	3.295 - 6
31000	31046	408.12	-51.55	-0.00	8.488	1.000	2.757	1.000	990.3	9.921	3.268
32000	32049	404.55	-55.12	-0.00	8.106	1.000	2.656	1.000	986.0	9.849	3.242
33000	33052	400.99	-58.68	-0.00	7.737	1.000	2.558	1.000	981.7	9.777	3.215
34000	34056	397.42	-62.25	-0.00	7.382	1.000	2.462	1.000	977.3	9.705	3.188
35000	35059	393.85	-65.82	0.00	7.041	1.000	2.370	1.000	972.9	9.632	3.162
36000	36062	390.29	-69.38	0.00	6.712	1.000	2.280	1.000	968.5	9.559	3.135
37000	37066	386.72	-72.95	-0.00	6.397	1.000	2.195	1.000	964.1	9.486	3.108
38000	38069	383.15	-76.52	-0.00	6.097	1.000	2.113	1.000	960.1	9.413	3.081
39000	39073	379.58	-80.09	-0.00	5.811	1.000	1.975	1.000	956.1	9.340	3.054
40000	40077	376.01	-83.66	-0.00	5.538 + 0	1.000	1.883 - 2	1.000	952.1	9.267 - 6	3.027 - 6
41000	41081	372.44	-87.23	-0.00	5.278	1.000	1.794	1.000	948.1	9.194	3.000
42000	42085	368.87	-90.80	-0.00	5.030	1.000	1.710	1.000	944.1	9.121	2.973
43000	43089	365.30	-94.37	-0.00	4.794	1.000	1.630	1.000	940.1	9.048	2.946
44000	44093	361.73	-97.94	-0.00	4.569	1.000	1.553	1.000	936.1	8.975	2.919
45000	45097	358.16	-101.51	-0.00	4.355	1.000	1.480	1.000	932.1	8.902	2.892
46000	46102	354.59	-105.08	-0.00	4.151	1.000	1.411	1.000	928.1	8.829	2.865
47000	47106	351.02	-108.65	-0.00	3.956	1.000	1.345	1.000	924.1	8.756	2.838
48000	48111	347.45	-112.22	-0.00	3.770	1.000	1.282	1.000	920.1	8.683	2.811
49000	49115	343.88	-115.79	-0.00	3.593	1.000	1.221	1.000	916.1	8.610	2.784
50000	50120	340.31	-119.36	-0.00	3.425 + 0	1.000	1.164 - 2	1.000	912.1	8.537 - 6	2.757 - 6
51000	51125	336.74	-122.93	-0.00	3.264	1.000	1.110	1.000	908.1	8.464	2.730
52000	52130	333.17	-126.50	-0.00	3.111	1.000	1.057	1.000	904.1	8.391	2.703
53000	53135	329.60	-130.07	-0.00	2.965	1.000	1.008	1.000	900.1	8.318	2.676
54000	54140	326.03	-133.64	-0.00	2.826	1.000	9.605 - 3	1.000	896.1	8.245	2.649
55000	55145	322.46	-137.21	-0.00	2.693	1.000	9.155	1.000	892.1	8.172	2.622
56000	56151	318.89	-140.78	-0.00	2.567	1.000	8.725	1.000	888.1	8.100	2.595
57000	57156	315.32	-144.35	-0.00	2.446	1.000	8.316	1.000	884.1	8.027	2.568
58000	58162	311.75	-147.92	-0.00	2.331	1.000	7.925	1.000	880.1	7.954	2.541
59000	59167	308.18	-151.49	-0.00	2.222	1.000	7.554	1.000	876.1	7.881	2.514
60000	60173	304.61	-155.06	-0.00	2.118 + 0	1.000	7.199 - 3	1.000	872.1	7.808 - 6	2.487 - 6
61000	61179	301.04	-158.63	-0.00	2.018	1.000	6.861	1.000	868.1	7.735	2.460
62000	62185	297.47	-162.20	-0.00	1.924	1.000	6.539	1.000	864.1	7.662	2.433
63000	63191	293.90	-165.77	-0.00	1.833	1.000	6.232	1.000	860.1	7.589	2.406
64000	64197	290.33	-169.34	-0.00	1.747	1.000	5.940	1.000	856.1	7.516	2.379
65000	65203	286.76	-172.91	-0.00	1.665	1.000	5.661	1.000	852.1	7.443	2.352
66000	66210	283.19	-176.48	0.00	1.587	1.000	5.393	1.000	848.1	7.370	2.325
67000	67216	279.62	-180.05	-0.00	1.513	1.000	5.133	1.000	844.1	7.297	2.298
68000	68222	276.05	-183.62	-0.00	1.442	1.000	4.886	1.000	840.1	7.224	2.271
69000	69229	272.48	-187.19	0.00	1.375	1.000	4.651	1.000	836.1	7.151	2.244
70000	70236	268.91	-190.76	-0.00	1.310 + 0	1.000	4.427 - 3	1.000	832.1	7.078 - 6	2.217 - 6
71000	71243	265.34	-194.33	0.00	1.249	1.000	4.215	1.000	828.1	7.005	2.190
72000	72249	261.77	-197.90	0.00	1.191	1.000	4.013	1.000	824.1	6.932	2.163
73000	73256	258.20	-201.47	-0.00	1.136	1.000	3.821	1.000	820.1	6.859	2.136
74000	74264	254.63	-205.04	0.00	1.083	1.000	3.639	1.000	816.1	6.786	2.109
75000	75271	251.06	-208.61	-0.00	1.033	1.000	3.465	1.000	812.1	6.713	2.082
76000	76278	247.49	-212.18	-0.00	9.851 - 1	1.000	3.300	1.000	808.1	6.640	2.055
77000	77285	243.92	-215.75	0.00	9.395	1.000	3.143	1.000	804.1	6.567	2.028
78000	78293	240.35	-219.32	-0.00	8.962	1.000	2.994	1.000	800.1	6.494	2.001
79000	79300	236.78	-222.89	-0.00	8.548	1.000	2.852	1.000	796.1	6.421	1.974

\*May be applied to latitudes 30 to 60° N.



TABLE 5.2.—Continued  
Mid-Latitude Spring/Fall\*  
GEOMETRIC ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
Z, ft	H, ft'	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , ft sec <sup>-1</sup>	$\mu$ , lb ft <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{sec^{-1}(°R)^{-1}}$
0	0	518.67	59.00	0.00	2.992 + 1	1.000	7.647 - 2	1.000	1116.5	1.202 - 5	4.067 - 6
1000	1000	515.10	55.43	0.00	2.886	1.000	7.426	1.000	1112.6	1.196	4.042
2000	2000	511.54	51.87	0.00	2.782	1.000	7.210	1.000	1108.7	1.189	4.017
3000	3000	507.97	48.30	0.00	2.682	1.000	6.998	1.000	1104.9	1.183	3.992
4000	3999	504.41	44.74	0.00	2.584	1.000	6.792	1.000	1101.0	1.177	3.967
5000	4999	500.84	41.17	0.00	2.490	1.000	6.590	1.000	1097.1	1.170	3.942
6000	5998	497.28	37.61	0.00	2.398	1.000	6.393	1.000	1093.2	1.163	3.917
7000	6998	493.72	34.05	0.00	2.309	1.000	6.200	1.000	1089.3	1.157	3.891
8000	7997	490.15	30.48	-0.00	2.223	1.000	6.012	1.000	1085.3	1.150	3.866
9000	8996	486.59	26.92	0.00	2.139	1.000	5.828	1.000	1081.4	1.144	3.840
10000	9995	483.03	23.36	0.00	2.058 + 1	1.000	5.648 - 2	1.000	1077.4	1.137 - 5	3.815 - 6
11000	10994	479.46	19.79	-0.00	1.980	1.000	5.473	1.000	1073.4	1.130	3.789
12000	11993	475.90	16.23	-0.00	1.903	1.000	5.302	1.000	1069.4	1.124	3.764
13000	12992	472.34	12.67	-0.00	1.830	1.000	5.135	1.000	1065.4	1.117	3.738
14000	13991	468.78	9.11	0.00	1.758	1.000	4.973	1.000	1061.4	1.110	3.713
15000	14989	465.22	5.55	0.00	1.689	1.000	4.814	1.000	1057.4	1.104	3.687
16000	15988	461.66	1.99	0.00	1.622	1.000	4.659	1.000	1053.3	1.097	3.661
17000	16986	458.09	-1.58	-0.00	1.558	1.000	4.508	1.000	1049.2	1.090	3.635
18000	17984	454.53	-5.14	0.00	1.495	1.000	4.361	1.000	1045.1	1.083	3.610
19000	18983	450.97	-8.70	-0.00	1.435	1.000	4.217	1.000	1041.0	1.076	3.584
20000	19981	447.42	-12.25	0.00	1.376 + 1	1.000	4.077 - 2	1.000	1036.9	1.070 - 5	3.558 - 6
21000	20979	443.86	-15.81	-0.00	1.320	1.000	3.941	1.000	1032.8	1.063	3.532
22000	21977	440.30	-19.37	0.00	1.265	1.000	3.808	1.000	1028.6	1.056	3.506
23000	22975	436.74	-22.93	-0.00	1.212	1.000	3.679	1.000	1024.5	1.049	3.480
24000	23972	433.18	-26.49	-0.00	1.161	1.000	3.553	1.000	1020.3	1.042	3.454
25000	24970	429.62	-30.05	-0.00	1.112	1.000	3.431	1.000	1016.1	1.035	3.427
26000	25968	426.06	-33.60	0.00	1.064	1.000	3.311	1.000	1011.9	1.028	3.401
27000	26965	422.51	-37.16	0.00	1.018	1.000	3.195	1.000	1007.7	1.021	3.375
28000	27962	418.95	-40.72	0.00	9.741 + 0	1.000	3.082	1.000	1003.4	1.014	3.349
29000	28960	415.39	-44.28	-0.00	9.314	1.000	2.973	1.000	999.1	1.007	3.322
30000	29957	411.84	-47.83	-0.00	8.903 + 0	1.000	2.866 - 2	1.000	994.8	9.996 - 6	3.296 - 6
31000	30954	408.28	-51.39	0.00	8.506	1.000	2.762	1.000	990.5	9.925	3.269
32000	31951	404.73	-54.94	-0.00	8.124	1.000	2.661	1.000	986.2	9.853	3.243
33000	32948	401.17	-58.50	-0.00	7.756	1.000	2.563	1.000	981.9	9.781	3.216
34000	33945	397.62	-62.05	-0.00	7.401	1.000	2.468	1.000	977.5	9.709	3.190
35000	34941	394.06	-65.61	-0.00	7.060	1.000	2.375	1.000	973.1	9.636	3.163
36000	35938	390.51	-69.16	0.00	6.732	1.000	2.285	1.000	968.7	9.564	3.137
37000	36934	389.97	-69.70	-0.00	6.417	1.000	2.181	1.000	968.1	9.553	3.133
38000	37931	389.97	-69.70	-0.00	6.117	1.000	2.079	1.000	968.1	9.553	3.133
39000	38927	389.97	-69.70	-0.00	5.831	1.000	1.982	1.000	968.1	9.553	3.133
40000	39923	389.97	-69.70	-0.00	5.558 + 0	1.000	1.890 - 2	1.000	968.1	9.553 - 6	3.133 - 6
41000	40920	389.97	-69.70	-0.00	5.299	1.000	1.801	1.000	968.1	9.553	3.133
42000	41916	389.97	-69.70	-0.00	5.051	1.000	1.717	1.000	968.1	9.553	3.133
43000	42912	389.97	-69.70	-0.00	4.815	1.000	1.637	1.000	968.1	9.553	3.133
44000	43907	389.97	-69.70	-0.00	4.590	1.000	1.560	1.000	968.1	9.553	3.133
45000	44903	389.97	-69.70	-0.00	4.375	1.000	1.487	1.000	968.1	9.553	3.133
46000	45899	389.97	-69.70	-0.00	4.171	1.000	1.418	1.000	968.1	9.553	3.133
47000	46894	389.97	-69.70	-0.00	3.976	1.000	1.352	1.000	968.1	9.553	3.133
48000	47890	389.97	-69.70	-0.00	3.790	1.000	1.288	1.000	968.1	9.553	3.133
49000	48885	389.97	-69.70	-0.00	3.613	1.000	1.228	1.000	968.1	9.553	3.133
50000	49880	389.97	-69.70	-0.00	3.444 + 0	1.000	1.171 - 2	1.000	968.1	9.553 - 6	3.133 - 6
51000	50876	389.97	-69.70	-0.00	3.284	1.000	1.116	1.000	968.1	9.553	3.133
52000	51871	389.97	-69.70	-0.00	3.130	1.000	1.064	1.000	968.1	9.553	3.133
53000	52866	389.97	-69.70	-0.00	2.984	1.000	1.014	1.000	968.1	9.553	3.133
54000	53861	389.97	-69.70	-0.00	2.845	1.000	9.670 - 3	1.000	968.1	9.553	3.133
55000	54855	389.97	-69.70	-0.00	2.712	1.000	9.219	1.000	968.1	9.553	3.133
56000	55850	389.97	-69.70	-0.00	2.585	1.000	8.788	1.000	968.1	9.553	3.133
57000	56845	389.97	-69.70	-0.00	2.465	1.000	8.378	1.000	968.1	9.553	3.133
58000	57839	389.97	-69.70	-0.00	2.350	1.000	7.987	1.000	968.1	9.553	3.133
59000	58834	389.97	-69.70	-0.00	2.240	1.000	7.614	1.000	968.1	9.553	3.133
60000	59828	389.97	-69.70	-0.00	2.135 + 0	1.000	7.259 - 3	1.000	968.1	9.553 - 6	3.133 - 6
61000	60822	389.97	-69.70	-0.00	2.036	1.000	6.920	1.000	968.1	9.553	3.133
62000	61816	389.97	-69.70	-0.00	1.941	1.000	6.597	1.000	968.1	9.553	3.133
63000	62810	389.97	-69.70	-0.00	1.850	1.000	6.290	1.000	968.1	9.553	3.133
64000	63804	389.97	-69.70	-0.00	1.764	1.000	5.996	1.000	968.1	9.553	3.133
65000	64798	389.97	-69.70	-0.00	1.682	1.000	5.716	1.000	968.1	9.553	3.133
66000	65792	390.07	-69.60	-0.00	1.603	1.000	5.448	1.000	968.2	9.555	3.133
67000	66785	390.01	-69.06	0.00	1.528	1.000	5.187	1.000	968.9	9.566	3.137
68000	67779	391.16	-68.51	0.00	1.457	1.000	4.939	1.000	969.5	9.577	3.141
69000	68772	391.70	-67.97	0.00	1.390	1.000	4.703	1.000	970.2	9.588	3.146
70000	69766	392.25	-67.42	0.00	1.325 + 0	1.000	4.479 - 3	1.000	970.9	9.599 - 6	3.150 - 6
71000	70759	392.79	-66.88	0.00	1.264	1.000	4.265	1.000	971.6	9.610	3.154
72000	71752	393.34	-66.33	0.00	1.205	1.000	4.062	1.000	972.2	9.622	3.158
73000	72745	393.88	-65.79	-0.00	1.150	1.000	3.869	1.000	972.9	9.633	3.162
74000	73738	394.43	-65.24	-0.00	1.097	1.000	3.686	1.000	973.6	9.644	3.166
75000	74731	394.97	-64.70	-0.00	1.046	1.000	3.511	1.000	974.3	9.655	3.170
76000	75724	395.52	-64.15	0.00	9.980 - 1	1.000	3.345	1.000	974.9	9.666	3.174
77000	76717	396.06	-63.61	-0.00	9.522	1.000	3.187	1.000	975.6	9.677	3.178
78000	77709	396.60	-63.07	0.00	9.085	1.000	3.037	1.000	976.3	9.688	3.182
79000	78702	397.15	-62.52	-0.00	8.669	1.000	2.894	1.000	976.9	9.699	3.186

\*May be applied to latitudes 30 to 60° N.

TABLE 5.2.—Continued  
Mid-Latitude Spring/Fall\*

GEOPOTENTIAL ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
H, ft'	Z, ft	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> ft sec <sup>-1</sup>	$\mu$ lb ft <sup>-1</sup> sec <sup>-1</sup>	$k$ BTU ft <sup>-1</sup> sec <sup>-1</sup> (°R) <sup>-1</sup>
80000	80308	397.86	-61.81	0.00	8.155 - 1	1.000	2.717 - 3	1.000	977.8	9.714 - 6	3.192 - 6
81000	81316	398.41	-61.26	-0.00	7.780	1.000	2.589	1.000	978.5	9.725	3.196
82000	82324	398.96	-60.71	0.00	7.422	1.000	2.466	1.000	979.2	9.736	3.200
83000	83332	399.51	-60.16	0.00	7.082	1.000	2.350	1.000	979.8	9.747	3.204
84000	84340	400.06	-59.61	-0.00	6.758	1.000	2.239	1.000	980.5	9.758	3.208
85000	85348	400.60	-59.07	0.00	6.448	1.000	2.134	1.000	981.2	9.770	3.212
86000	86356	401.15	-58.52	-0.00	6.154	1.000	2.034	1.000	981.9	9.781	3.216
87000	87364	401.70	-57.97	-0.00	5.873	1.000	1.938	1.000	982.5	9.792	3.220
88000	88373	402.25	-57.42	0.00	5.606	1.000	1.847	1.000	983.2	9.803	3.225
89000	89381	402.80	-56.87	-0.00	5.351	1.000	1.761	1.000	983.9	9.814	3.229
90000	90390	403.35	-56.32	-0.00	5.107 - 1	1.000	1.679 - 3	1.000	984.5	9.825 - 6	3.233 - 6
91000	91399	403.90	-55.77	0.00	4.876	1.000	1.600	1.000	985.2	9.836	3.237
92000	92408	404.44	-55.23	-0.00	4.655	1.000	1.526	1.000	985.9	9.847	3.241
93000	93417	404.99	-54.68	-0.00	4.444	1.000	1.455	1.000	986.5	9.858	3.245
94000	94426	405.54	-54.13	0.00	4.243	1.000	1.387	1.000	987.2	9.869	3.249
95000	95435	406.09	-53.58	-0.00	4.052	1.000	1.323	1.000	987.9	9.880	3.253
96000	96444	406.64	-53.03	0.00	3.869	1.000	1.261	1.000	988.5	9.892	3.257
97000	97453	407.19	-52.48	-0.00	3.695	1.000	1.203	1.000	989.2	9.903	3.261
98000	98463	407.74	-51.93	-0.00	3.529	1.000	1.147	1.000	989.9	9.914	3.265
99000	99472	408.29	-51.38	0.00	3.370	1.000	1.094	1.000	990.5	9.925	3.270
100000	100482	408.83	-50.84	-0.00	3.219 - 1	1.000	1.044 - 3	1.000	991.2	9.936 - 6	3.274 - 6
105000	105531	411.59	-48.08	0.00	2.562	1.000	8.251 - 4	1.000	994.5	9.991	3.294
110000	110583	419.27	-40.40	0.00	2.044	1.000	6.464	1.000	1003.8	1.014 - 5	3.351
115000	115638	426.95	-32.72	-0.00	1.638	1.000	5.086	1.000	1012.9	1.030	3.408
120000	120695	434.63	-25.04	-0.00	1.318	1.000	4.020	1.000	1022.0	1.045	3.464
125000	125754	442.31	-17.36	-0.00	1.064	1.000	3.190	1.000	1031.0	1.060	3.521
130000	130815	449.99	-9.68	-0.00	8.626 - 2	1.000	2.541	1.000	1039.9	1.075	3.577
135000	135880	457.68	-1.99	-0.00	7.017	1.000	2.032	1.000	1048.8	1.089	3.632
140000	140946	465.36	5.69	-0.00	5.727	1.000	1.632	1.000	1057.5	1.104	3.688
145000	146015	473.04	13.37	-0.00	4.690	1.000	1.314	1.000	1066.2	1.118	3.743
150000	151087	480.72	21.05	-0.00	3.854 - 2	1.000	1.063 - 4	1.000	1074.8	1.133 - 5	3.798 - 6
155000	156161	487.17	27.50	-0.00	3.176	1.000	8.641 - 5	1.000	1082.0	1.145	3.845
160000	161237	487.17	27.50	-0.00	2.620	1.000	7.129	1.000	1082.0	1.145	3.845
165000	166316	487.17	27.50	-0.00	2.161	1.000	5.882	1.000	1082.0	1.145	3.845
170000	171397	487.17	27.50	-0.00	1.783	1.000	4.852	1.000	1082.0	1.145	3.845
175000	176481	482.35	22.68	-0.00	1.470	1.000	4.040	1.000	1076.6	1.136	3.810
180000	181567	476.86	17.19	-0.00	1.209	1.000	3.361	1.000	1070.5	1.126	3.771
185000	186656	471.37	11.70	0.00	9.922 - 3	1.000	2.790	1.000	1064.3	1.115	3.731
190000	191747	465.89	6.22	-0.00	8.123	1.000	2.311	1.000	1058.1	1.105	3.692
195000	196841	460.40	0.73	0.00	6.635	1.000	1.910	1.000	1051.9	1.094	3.652
200000	201937	454.91	-4.76	-0.00	5.407 - 3	1.000	1.576 - 5	1.000	1045.6	1.084 - 5	3.612 - 6
205000	207035	444.09	-15.58	0.00	4.389	1.000	1.310	1.000	1033.1	1.063	3.534
210000	212136	433.11	-26.56	0.00	3.545	1.000	1.085	1.000	1020.2	1.042	3.453
215000	217240	422.14	-37.53	-0.00	2.847	1.000	8.941 - 6	1.000	1007.2	1.020	3.372
220000	222346	411.17	-48.50	-0.00	2.274	1.000	7.330	1.000	994.0	9.983 - 6	3.291
225000	227454	400.19	-59.48	-0.00	1.805	1.000	5.978	1.000	980.7	9.761	3.209
230000	232565	391.21	-68.46	1.99	1.424	1.001	4.825	0.995	969.6	9.578	3.142
235000	237678	382.98	-76.69	4.73	1.118	1.002	3.869	0.990	959.4	9.409	3.080
240000	242794	374.75	-84.92	7.47	8.727 - 4	1.007	3.087	0.987	949.0	9.238	3.018
245000	247913	366.52	-93.15	10.22	6.777	1.013	2.451	0.985	938.5	9.065	2.955
250000	253033	358.29	-101.38	12.96	5.233 - 4	1.022	1.936 - 6	0.985	927.9	8.891 - 6	2.893 - 6
255000	258157	350.06	-109.61	15.70	4.016	1.033	1.521	0.987	917.2	8.715	2.830
260000	263282	343.17	-116.50	18.00	3.063	1.048	1.183	0.993	908.1	8.567	2.777
265000	268411	343.13	-116.54	17.96	2.331	1.064	9.006 - 7	1.008	908.1	8.567	2.777
270000	273542	343.09	-116.58	17.92	1.774	1.080	6.853	1.023	908.1	8.567	2.777
275000	278675	343.05	-116.62	17.88	1.350	1.096	5.216	1.039	908.1	8.567	2.777
280000	283811	343.02	-116.65	17.85	1.028	1.113	3.969	1.055	908.1	8.567	2.777
285000	288949	342.98	-116.69	17.81	7.820 - 5	1.130	3.021	1.071	908.1	8.567	2.777
290000	294090	342.94	-116.73	17.77	5.951	1.147	2.299	1.087	908.1	8.567	2.777
295000	299233	342.45	-117.22	10.80	4.529	1.162	1.749	1.123	908.1	8.567	2.777
300000	304379	340.98	-112.69	6.92	3.453 - 5	1.171	1.314 - 7	1.144	915.0	8.679 - 6	2.816 - 6
310000	314678	335.79	-103.88	-1.02	2.033	1.181	7.500 - 8	1.173	929.3	8.913	2.900
320000	324987	328.80	-96.87	-10.44	1.216	1.180	4.354	1.192	943.3	9.145	2.984
330000	335306	322.26	-87.41	-24.87	7.388 - 6	1.165	2.552	1.212	960.3	9.425	3.086
340000	345635	319.80	-87.87	-32.06	4.600	1.143	1.496	1.198	989.8	9.912	3.265
350000	355974	311.23	-84.44	-39.03	2.942	1.118	9.038 - 9	1.180	1018.4	1.039 - 5	3.442
360000	366324	303.60	-79.07	-60.20	1.928	1.088	5.611	1.192	1046.3	1.085	3.617
370000	376683	296.70	-73.03	-36.94	1.319	1.062	3.239	1.094	1139.1	1.240	4.215
380000	387053	287.63	-67.96	-8.27	9.568 - 7	1.062	2.013	1.033	1230.6	1.394	4.826

\*May be applied to latitudes 30 to 60° N.

TABLE 5.2.—Continued  
Mid-Latitude Spring/Fall\*  
GEOMETRIC ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity	
Z, ft	H, ft'	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> ft sec <sup>-1</sup>	$\mu$ lb ft <sup>-1</sup> sec <sup>-1</sup>	$k$ BTU ft <sup>-1</sup> sec <sup>-1</sup> (°R) <sup>-1</sup>	
80000	79694	397.69	-61.98	0.00	8.273	- 1	1.000	2.758 - 3	1.000	977.6	9.710 - 6	3.190 - 6
81000	80687	398.24	-61.43	-0.00	7.895		1.000	2.628	1.000	978.3	9.721	3.195
82000	81679	398.78	-60.89	0.00	7.535		1.000	2.505	1.000	979.0	9.733	3.199
83000	82671	399.33	-60.34	-0.00	7.192		1.000	2.388	1.000	979.6	9.744	3.203
84000	83663	399.87	-59.80	-0.00	6.865		1.000	2.276	1.000	980.3	9.755	3.207
85000	84655	400.41	-59.26	-0.00	6.553		1.000	2.170	1.000	981.0	9.766	3.211
86000	85647	400.96	-58.71	0.00	6.256		1.000	2.068	1.000	981.6	9.777	3.215
87000	86639	401.50	-58.17	0.00	5.973		1.000	1.972	1.000	982.3	9.788	3.219
88000	87630	402.05	-57.62	0.00	5.703		1.000	1.880	1.000	983.0	9.799	3.223
89000	88622	402.59	-57.08	0.00	5.446		1.000	1.793	1.000	983.6	9.810	3.227
90000	89613	403.14	-56.53	0.00	5.200	- 1	1.000	1.710 - 3	1.000	984.3	9.821 - 6	3.231 - 6
91000	90605	403.68	-55.99	0.00	4.966		1.000	1.631	1.000	984.9	9.832	3.235
92000	91596	404.22	-55.45	0.00	4.743		1.000	1.555	1.000	985.6	9.843	3.239
93000	92587	404.77	-54.90	-0.00	4.530		1.000	1.484	1.000	986.3	9.854	3.243
94000	93578	405.31	-54.36	-0.00	4.327		1.000	1.415	1.000	986.9	9.865	3.247
95000	94569	405.85	-53.82	0.00	4.133		1.000	1.350	1.000	987.6	9.876	3.251
96000	95560	406.40	-53.27	-0.00	3.948		1.000	1.288	1.000	988.3	9.887	3.255
97000	96551	406.94	-52.73	-0.00	3.772		1.000	1.229	1.000	988.9	9.898	3.259
98000	97542	407.49	-52.18	0.00	3.604		1.000	1.172	1.000	989.6	9.909	3.264
99000	98532	408.03	-51.64	-0.00	3.444		1.000	1.119	1.000	990.2	9.920	3.268
100000	99523	408.57	-51.10	0.00	3.290	- 1	1.000	1.068 - 3	1.000	990.9	9.930 - 6	3.272 - 6
105000	104474	411.29	-48.38	-0.00	2.624		1.000	8.457 - 4	1.000	994.2	9.985	3.292
110000	109423	418.38	-41.29	0.00	2.098		1.000	6.647	1.000	1002.7	1.013 - 5	3.344
115000	114369	425.98	-33.69	0.00	1.684		1.000	5.241	1.000	1011.8	1.028	3.401
120000	119313	433.58	-26.09	0.00	1.358		1.000	4.151	1.000	1020.8	1.043	3.457
125000	124255	441.17	-18.50	-0.00	1.098		1.000	3.301	1.000	1029.7	1.057	3.512
130000	129195	448.76	-10.91	-0.00	8.921	- 2	1.000	2.635	1.000	1038.5	1.072	3.568
135000	134132	456.34	-3.33	-0.00	7.271		1.000	2.112	1.000	1047.2	1.087	3.623
140000	139066	463.92	4.25	-0.00	5.947		1.000	1.699	1.000	1055.9	1.101	3.678
145000	143999	471.50	11.83	-0.00	4.880		1.000	1.372	1.000	1064.5	1.115	3.732
150000	148929	479.07	19.40	0.00	4.018	- 2	1.000	1.112 - 4	1.000	1073.0	1.130 - 5	3.787 - 6
155000	153856	486.64	26.97	-0.00	3.319		1.000	9.040 - 5	1.000	1081.4	1.144	3.841
160000	158782	487.17	27.50	-0.00	2.746		1.000	7.471	1.000	1082.0	1.145	3.845
165000	163705	487.17	27.50	-0.00	2.272		1.000	6.182	1.000	1082.0	1.145	3.845
170000	168625	487.17	27.50	-0.00	1.880		1.000	5.116	1.000	1082.0	1.145	3.845
175000	173544	483.94	24.27	-0.00	1.555		1.000	4.261	1.000	1078.4	1.139	3.822
180000	178460	478.55	18.88	-0.00	1.284		1.000	3.558	1.000	1072.4	1.129	3.783
185000	183373	473.16	13.49	-0.00	1.058		1.000	2.965	1.000	1066.3	1.119	3.744
190000	188285	467.77	8.10	-0.00	8.703	- 3	1.000	2.466	1.000	1060.3	1.108	3.705
195000	193194	462.38	2.71	-0.00	7.140		1.000	2.047	1.000	1054.1	1.098	3.666
200000	198100	457.00	-2.67	-0.00	5.846	- 3	1.000	1.696 - 5	1.000	1048.0	1.088 - 5	3.628 - 6
205000	203004	448.44	-11.21	-0.00	4.773		1.000	1.411	1.000	1038.1	1.072	3.565
210000	207906	437.71	-21.96	-0.00	3.879		1.000	1.175	1.000	1025.6	1.051	3.487
215000	212806	426.95	-32.72	-0.00	3.137		1.000	9.739 - 6	1.000	1012.9	1.030	3.408
220000	217703	416.21	-43.46	-0.00	2.523		1.000	8.036	1.000	1000.1	1.008	3.328
225000	222598	405.46	-54.21	-0.00	2.018		1.000	6.598	1.000	987.1	9.868 - 6	3.248
230000	227491	395.34	-64.33	0.61	1.605		1.000	5.381	0.998	974.7	9.662	3.173
235000	232381	387.29	-72.38	3.29	1.270		1.001	4.345	0.993	964.7	9.498	3.112
240000	237269	379.24	-80.43	5.97	9.996	- 4	1.004	3.494	0.988	954.7	9.331	3.052
245000	242155	371.20	-88.47	8.65	7.831		1.009	2.797	0.985	944.5	9.164	2.991
250000	247039	363.16	-96.51	11.33	6.103	- 4	1.016	2.228 - 6	0.984	934.2	8.994 - 6	2.930 - 6
255000	251920	355.13	-104.54	14.01	4.731		1.026	1.766	0.985	923.8	8.824	2.868
260000	256798	347.10	-112.57	16.69	3.646		1.038	1.392	0.988	913.3	8.652	2.807
265000	261675	343.15	-110.52	17.98	2.796		1.053	1.080	0.998	908.1	8.567	2.777
270000	266549	343.12	-118.55	17.95	2.142		1.068	8.275 - 7	1.013	908.1	8.567	2.777
275000	271421	343.08	-116.59	17.91	1.642		1.084	6.342	1.028	908.1	8.567	2.777
280000	276290	343.05	-110.62	17.88	1.258		1.101	4.861	1.043	908.1	8.567	2.777
285000	281158	343.01	-110.66	17.84	9.646	- 5	1.117	3.726	1.058	908.1	8.567	2.777
290000	286023	342.97	-110.70	17.80	7.395		1.133	2.857	1.074	908.1	8.567	2.777
295000	290885	342.94	-110.73	17.77	5.670		1.150	2.190	1.090	908.1	8.567	2.777
300000	295746	342.87	-110.80	9.97	4.348	- 5	1.164	1.677 - 7	1.127	908.8	8.578 - 6	2.781 - 6
310000	305459	352.23	-107.44	3.03	2.581		1.178	9.655 - 8	1.161	922.8	8.807	2.862
320000	315164	359.41	-103.26	-5.87	1.556		1.181	5.052	1.184	936.6	9.033	2.944
330000	324859	360.22	-93.45	-16.91	9.527	- 6	1.175	3.362	1.202	950.1	9.256	3.024
340000	334546	361.16	-78.51	-28.23	5.935		1.155	1.994	1.205	973.8	9.648	3.167
350000	344223	400.02	-59.65	-35.12	3.797		1.132	1.205	1.191	1002.0	1.011 - 5	3.340
360000	353891	416.77	-40.90	-41.60	2.489		1.107	7.485 - 9	1.172	1029.4	1.057	3.510
370000	363550	454.10	-25.57	-55.50	1.672		1.075	4.601	1.159	1075.9	1.135	3.805
380000	373200	532.66	72.99	-27.83	1.184		1.060	2.759	1.070	1169.1	1.291	4.414

\*May be applied to latitudes 30 to 60° N.

GEOPOTENTIAL ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
H, ft'	Z, ft	T, °R	t, °F	T - T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> ft sec <sup>-1</sup>	$\frac{\mu}{\text{lb ft}^{-1} \text{sec}^{-1}}$	BTU ft <sup>-1</sup> sec <sup>-1</sup> (°R) <sup>-1</sup>
0	0	463.11	3.44	-55.56	2.993 + 1	1.000	8.567 - 2	1.120	1055.0	1.100 - 5	3.672 - 6
1000	999	464.22	4.55	-50.88	2.874	0.996	8.208	1.105	1056.2	1.102	3.680
2000	1998	465.34	5.67	-46.20	2.761	0.992	7.865	1.091	1057.5	1.104	3.688
3000	2997	466.45	6.78	-41.52	2.652	0.989	7.536	1.077	1058.8	1.106	3.696
4000	3996	465.49	5.82	-38.92	2.547	0.986	7.254	1.068	1057.7	1.104	3.689
5000	4995	463.72	4.05	-37.12	2.447	0.983	6.994	1.061	1055.7	1.101	3.676
6000	5994	461.95	2.28	-35.32	2.350	0.980	6.742	1.055	1053.6	1.097	3.663
7000	6993	460.18	0.51	-33.52	2.256	0.977	6.499	1.048	1051.6	1.094	3.651
8000	7993	458.41	-1.26	-31.73	2.166	0.975	6.263	1.042	1049.6	1.091	3.638
9000	8992	456.64	-3.03	-29.93	2.079	0.972	6.035	1.036	1047.6	1.087	3.625
10000	9992	454.87	-4.80	-28.14	1.995 + 1	0.969	5.814 - 2	1.029	1045.5	1.084 - 5	3.612 - 6
11000	10992	453.10	-6.57	-26.34	1.914	0.967	5.601	1.024	1043.5	1.080	3.599
12000	11992	450.30	-9.37	-25.58	1.837	0.965	5.407	1.020	1040.3	1.075	3.579
13000	12992	446.55	-13.12	-25.76	1.761	0.963	5.229	1.018	1035.9	1.068	3.551
14000	13992	442.80	-16.87	-25.94	1.689	0.961	5.056	1.017	1031.6	1.061	3.524
15000	14992	439.05	-20.62	-26.12	1.618	0.959	4.886	1.015	1027.2	1.053	3.497
16000	15992	435.31	-24.36	-26.30	1.550	0.956	4.722	1.014	1022.8	1.046	3.469
17000	16992	431.56	-28.11	-26.48	1.485	0.954	4.561	1.012	1018.4	1.039	3.442
18000	17993	427.82	-31.85	-26.66	1.421	0.951	4.405	1.011	1014.0	1.031	3.414
19000	18993	424.07	-35.60	-26.84	1.360	0.949	4.252	1.009	1009.5	1.024	3.387
20000	19994	420.33	-39.34	-27.02	1.301 + 1	0.946	4.104 - 2	1.007	1005.1	1.017 - 5	3.359 - 6
21000	20994	416.59	-43.08	-27.19	1.244	0.944	3.959	1.005	1000.6	1.009	3.331
22000	21995	412.86	-46.81	-27.36	1.189	0.941	3.819	1.004	996.1	1.002	3.303
23000	22996	409.12	-50.55	-27.53	1.136	0.938	3.682	1.002	991.6	0.994 - 6	3.276
24000	23997	405.38	-54.29	-27.70	1.085	0.935	3.548	1.000	987.0	0.986	3.248
25000	24998	401.65	-58.02	-27.87	1.036	0.933	3.419	0.998	982.5	0.979	3.220
26000	25999	397.91	-61.76	-28.04	9.884 + 0	0.930	3.293	0.995	977.9	0.9715	3.192
27000	27001	394.16	-65.49	-28.20	9.427	0.927	3.170	0.994	973.3	0.9639	3.164
28000	28002	390.41	-68.80	-27.95	8.988	0.924	3.048	0.990	969.2	0.9571	3.139
29000	29003	390.87	-68.80	-24.38	8.567	0.921	2.905	0.979	969.2	0.9571	3.139
30000	30005	390.87	-68.80	-20.82	8.166 + 0	0.919	2.769 - 2	0.968	969.2	0.9571 - 6	3.139 - 6
31000	31007	390.87	-68.80	-17.25	7.783	0.917	2.640	0.957	969.2	0.9571	3.139
32000	32008	390.87	-68.80	-13.68	7.419	0.915	2.516	0.947	969.2	0.9571	3.139
33000	33010	390.87	-68.80	-10.12	7.072	0.914	2.398	0.938	969.2	0.9571	3.139
34000	34012	390.87	-68.80	-6.55	6.740	0.913	2.286	0.929	969.2	0.9571	3.139
35000	35014	390.87	-68.80	-2.98	6.425	0.912	2.179	0.919	969.2	0.9571	3.139
36000	36016	390.87	-68.80	0.58	6.124	0.912	2.077	0.911	969.2	0.9571	3.139
37000	37019	390.87	-68.80	0.90	5.837	0.913	1.980	0.910	969.2	0.9571	3.139
38000	38021	390.87	-68.80	0.90	5.564	0.913	1.887	0.911	969.2	0.9571	3.139
39000	39023	390.87	-68.80	0.90	5.303	0.913	1.799	0.911	969.2	0.9571	3.139
40000	40026	390.87	-68.80	0.90	5.055 + 0	0.913	1.714 - 2	0.910	969.2	0.9571 - 6	3.139 - 6
41000	41028	390.87	-68.80	0.90	4.818	0.913	1.634	0.911	969.2	0.9571	3.139
42000	42031	390.87	-68.80	0.90	4.593	0.913	1.558	0.911	969.2	0.9571	3.139
43000	43034	390.87	-68.80	0.90	4.378	0.913	1.485	0.911	969.2	0.9571	3.139
44000	44037	390.87	-68.80	0.90	4.173	0.913	1.415	0.911	969.2	0.9571	3.139
45000	45040	390.87	-68.80	0.90	3.977	0.913	1.349	0.911	969.2	0.9571	3.139
46000	46043	390.87	-68.80	0.90	3.791	0.913	1.286	0.911	969.2	0.9571	3.139
47000	47046	390.87	-68.80	0.90	3.614	0.913	1.226	0.911	969.2	0.9571	3.139
48000	48049	390.87	-68.80	0.90	3.445	0.914	1.168	0.911	969.2	0.9571	3.139
49000	49053	390.87	-68.80	0.90	3.283	0.914	1.114	0.911	969.2	0.9571	3.139
50000	50056	390.61	-69.06	0.64	3.129 + 0	0.914	1.062 - 2	0.912	968.9	0.9566 - 6	3.137 - 6
51000	51060	390.28	-69.39	0.31	2.983	0.914	1.013	0.913	968.5	0.9559	3.135
52000	52063	389.95	-69.72	-0.02	2.843	0.914	9.664 - 3	0.914	968.1	0.9552	3.132
53000	53067	389.62	-70.05	-0.35	2.709	0.914	9.218	0.915	967.6	0.9546	3.130
54000	54071	389.29	-70.38	-0.68	2.582	0.914	8.793	0.915	967.2	0.9539	3.127
55000	55075	388.96	-70.71	-1.01	2.461	0.914	8.386	0.916	966.8	0.9532	3.125
56000	56079	388.64	-71.03	-1.33	2.345	0.913	7.998	0.917	966.4	0.9525	3.122
57000	57083	388.31	-71.36	-1.66	2.234	0.913	7.628	0.917	966.0	0.9518	3.120
58000	58087	387.98	-71.69	-1.99	2.129	0.913	7.275	0.918	965.6	0.9512	3.118
59000	59092	387.65	-72.02	-2.32	2.029	0.913	6.937	0.918	965.2	0.9505	3.115
60000	60096	387.32	-72.35	-2.65	1.933 + 0	0.913	6.615 - 3	0.919	964.8	0.9498 - 6	3.113 - 6
61000	61101	386.99	-72.68	-2.98	1.841	0.913	6.308	0.919	964.4	0.9491	3.110
62000	62105	386.66	-73.01	-3.31	1.754	0.912	6.015	0.920	964.0	0.9485	3.108
63000	63110	386.33	-73.34	-3.64	1.671	0.912	5.735	0.920	963.5	0.9478	3.105
64000	64115	386.00	-73.67	-3.97	1.592	0.911	5.468	0.921	963.1	0.9471	3.103
65000	65120	385.67	-74.00	-4.30	1.517	0.911	5.213	0.921	962.7	0.9464	3.100
66000	66125	385.34	-74.33	-4.64	1.445	0.910	4.970	0.922	962.3	0.9457	3.098
67000	67130	385.01	-74.66	-4.97	1.376	0.909	4.738	0.923	961.9	0.9451	3.095
68000	68135	384.69	-74.98	-5.29	1.311	0.909	4.517	0.924	961.5	0.9444	3.093
69000	69141	384.36	-75.31	-5.62	1.248	0.908	4.305	0.926	961.1	0.9437	3.090
70000	70146	384.03	-75.64	-5.95	1.189 + 0	0.908	4.104 - 3	0.927	960.7	0.9430 - 6	3.088 - 6
71000	71151	383.70	-75.97	-6.28	1.132	0.906	3.912	0.928	960.3	0.9423	3.085
72000	72157	383.37	-76.30	-6.61	1.078	0.905	3.728	0.929	959.8	0.9417	3.083
73000	73163	383.04	-76.63	-6.94	1.027	0.904	3.553	0.930	959.4	0.9410	3.080
74000	74169	382.71	-76.96	-7.27	9.777 - 1	0.903	3.387	0.931	959.0	0.9403	3.078
75000	75174	382.38	-77.29	-7.60	9.309	0.901	3.227	0.931	958.6	0.9396	3.075
76000	76180	382.05	-77.62	-7.93	8.864	0.900	3.076	0.932	958.2	0.9389	3.073
77000	77186	381.72	-77.95	-8.26	8.439	0.898	2.931	0.932	957.8	0.9383	3.070
78000	78193	381.39	-78.28	-8.59	8.035	0.897	2.793	0.933	957.4	0.9376	3.068
79000	79199	381.06	-78.61	-8.92	7.649	0.895	2.661	0.933	957.0	0.9369	3.065

TABLE 5.2.—Continued  
60° N. January  
GEOMETRIC ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
Z, ft	H, ft'	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , ft sec <sup>-1</sup>	$\frac{\mu}{\text{lb ft}^{-1} \text{sec}^{-1}}$	BTU ft <sup>-1</sup> sec <sup>-1</sup> (°R) <sup>-1</sup>
0	0	463.11	3.44	-55.56	2.993 + 1	1.000	8.567 - 2	1.120	1055.0	1.100 - 5	3.672 - 6
1000	1001	464.23	4.56	-50.88	2.874	0.996	8.207	1.105	1056.2	1.102	3.680
2000	2002	465.34	5.67	-46.20	2.760	0.992	7.864	1.091	1057.5	1.104	3.688
3000	3003	466.45	6.78	-41.52	2.651	0.989	7.535	1.077	1058.8	1.106	3.696
4000	4004	465.48	5.81	-38.93	2.547	0.986	7.253	1.068	1057.7	1.104	3.689
5000	5005	463.71	4.04	-37.13	2.446	0.982	6.993	1.061	1055.6	1.101	3.676
6000	6006	461.94	2.27	-35.34	2.349	0.980	6.741	1.055	1053.6	1.097	3.663
7000	7007	460.17	0.50	-33.54	2.255	0.977	6.497	1.048	1051.6	1.094	3.651
8000	8007	458.40	-1.27	-31.75	2.165	0.974	6.261	1.041	1049.6	1.091	3.638
9000	9008	456.63	-3.04	-29.96	2.078	0.972	6.033	1.035	1047.6	1.087	3.625
10000	16008	454.86	-4.81	-28.17	1.994 + 1	0.969	5.812 - 2	1.029	1045.5	1.084 - 5	3.612 - 6
11000	11008	453.08	-6.59	-26.38	1.914	0.967	5.599	1.023	1043.5	1.080	3.599
12000	12008	450.27	-9.40	-25.63	1.836	0.965	5.405	1.019	1040.2	1.075	3.579
13000	13008	446.51	-13.16	-25.82	1.761	0.962	5.227	1.018	1035.9	1.068	3.551
14000	14008	442.77	-16.90	-26.01	1.688	0.960	5.054	1.017	1031.5	1.061	3.524
15000	15008	439.02	-20.65	-26.19	1.618	0.958	4.885	1.015	1027.2	1.053	3.496
16000	16008	435.28	-24.39	-26.38	1.550	0.956	4.720	1.013	1022.8	1.046	3.469
17000	17008	431.53	-28.14	-26.56	1.484	0.953	4.560	1.012	1018.4	1.039	3.442
18000	18007	427.79	-31.88	-26.74	1.421	0.951	4.404	1.010	1013.9	1.031	3.414
19000	19007	424.05	-35.62	-26.93	1.360	0.948	4.251	1.008	1009.5	1.024	3.386
20000	20006	420.31	-39.36	-27.11	1.301 + 1	0.945	4.103 - 2	1.006	1005.0	1.016 - 5	3.359 - 6
21000	21006	416.57	-43.10	-27.28	1.244	0.942	3.958	1.004	1000.6	1.009	3.331
22000	22005	412.84	-46.83	-27.46	1.189	0.940	3.818	1.003	996.1	1.002	3.303
23000	23004	409.11	-50.56	-27.63	1.136	0.937	3.681	1.001	991.5	9.941 - 6	3.276
24000	24003	405.37	-54.30	-27.81	1.085	0.935	3.548	0.999	987.0	9.866	3.248
25000	25002	401.64	-58.03	-27.98	1.036	0.931	3.419	0.996	982.5	9.791	3.220
26000	26001	397.91	-61.76	-28.16	9.884 + 0	0.929	3.293	0.995	977.9	9.715	3.192
27000	26999	394.18	-65.49	-28.33	9.428	0.926	3.171	0.992	973.3	9.639	3.164
28000	27998	390.47	-68.80	-28.08	8.988	0.923	3.048	0.989	969.2	9.571	3.139
29000	28997	390.47	-68.80	-24.53	8.568	0.920	2.906	0.978	969.2	9.571	3.139
30000	29995	390.87	-68.80	-20.97	8.168 + 0	0.917	2.770 - 2	0.967	969.2	9.571 - 6	3.139 - 6
31000	30993	390.87	-68.80	-17.41	7.786	0.915	2.641	0.956	969.2	9.571	3.139
32000	31992	390.87	-68.80	-13.86	7.422	0.914	2.517	0.946	969.2	9.571	3.139
33000	32990	390.87	-68.80	-10.30	7.075	0.912	2.399	0.936	969.2	9.571	3.139
34000	33988	390.87	-68.80	-6.75	6.744	0.911	2.287	0.927	969.2	9.571	3.139
35000	34986	390.87	-68.80	-3.19	6.429	0.911	2.180	0.918	969.2	9.571	3.139
36000	35984	390.87	-68.80	0.36	6.129	0.910	2.079	0.910	969.2	9.571	3.139
37000	36982	390.87	-68.80	0.90	5.842	0.910	1.981	0.909	969.2	9.571	3.139
38000	37979	390.87	-68.80	0.90	5.570	0.910	1.889	0.909	969.2	9.571	3.139
39000	38977	390.87	-68.80	0.90	5.309	0.911	1.801	0.909	969.2	9.571	3.139
40000	39974	390.87	-68.80	0.90	5.061 + 0	0.911	1.717 - 2	0.908	969.2	9.571 - 6	3.139 - 6
41000	40972	390.87	-68.80	0.90	4.825	0.911	1.636	0.909	969.2	9.571	3.139
42000	41969	390.87	-68.80	0.90	4.600	0.911	1.560	0.909	969.2	9.571	3.139
43000	42966	390.87	-68.80	0.90	4.385	0.911	1.487	0.908	969.2	9.571	3.139
44000	43963	390.87	-68.80	0.90	4.180	0.911	1.418	0.909	969.2	9.571	3.139
45000	44960	390.87	-68.80	0.90	3.985	0.911	1.352	0.909	969.2	9.571	3.139
46000	45957	390.87	-68.80	0.90	3.799	0.911	1.288	0.909	969.2	9.571	3.139
47000	46954	390.87	-68.80	0.90	3.622	0.911	1.228	0.909	969.2	9.571	3.139
48000	47951	390.87	-68.80	0.90	3.453	0.911	1.171	0.909	969.2	9.571	3.139
49000	48947	390.87	-68.80	0.90	3.292	0.911	1.116	0.909	969.2	9.571	3.139
50000	49944	390.63	-69.04	0.66	3.138 + 0	0.911	1.065 - 2	0.909	968.9	9.566 - 6	3.137 - 6
51000	50940	390.30	-69.37	0.33	2.991	0.911	1.016	0.910	968.5	9.559	3.135
52000	51937	389.97	-69.70	0.00	2.852	0.911	9.693 - 3	0.911	968.1	9.553	3.133
53000	52933	389.65	-70.02	-0.32	2.718	0.911	9.248	0.912	967.7	9.546	3.130
54000	53929	389.32	-70.35	-0.65	2.591	0.911	8.822	0.912	967.3	9.539	3.128
55000	54925	388.99	-70.68	-0.98	2.470	0.911	8.416	0.913	966.9	9.532	3.125
56000	55921	388.66	-71.01	-1.31	2.354	0.911	8.028	0.914	966.5	9.526	3.123
57000	56917	388.33	-71.34	-1.64	2.243	0.910	7.658	0.914	966.0	9.519	3.120
58000	57913	388.01	-71.66	-1.96	2.138	0.910	7.305	0.915	965.6	9.512	3.118
59000	58909	387.68	-71.99	-2.29	2.038	0.910	6.968	0.915	965.2	9.506	3.115
60000	59904	387.35	-72.32	-2.62	1.942 + 0	0.910	6.646 - 3	0.915	964.8	9.499 - 6	3.113 - 6
61000	60900	387.02	-72.65	-2.95	1.850	0.909	6.338	0.916	964.4	9.492	3.110
62000	61895	386.70	-72.97	-3.27	1.763	0.908	6.045	0.916	964.0	9.485	3.108
63000	62890	386.37	-73.30	-3.60	1.680	0.908	5.765	0.917	963.6	9.479	3.105
64000	63886	386.04	-73.63	-3.93	1.601	0.908	5.498	0.917	963.2	9.472	3.103
65000	64881	385.71	-73.96	-4.26	1.525	0.907	5.243	0.917	962.8	9.465	3.100
66000	65876	385.38	-74.29	-4.68	1.453	0.907	5.000	0.918	962.4	9.458	3.098
67000	66871	385.06	-74.61	-5.05	1.385	0.906	4.767	0.919	962.0	9.452	3.096
68000	67865	384.73	-74.94	-5.43	1.319	0.905	4.546	0.920	961.5	9.445	3.093
69000	68860	384.40	-75.27	-5.80	1.257	0.904	4.334	0.922	961.1	9.438	3.091
70000	69855	384.07	-75.60	-6.17	1.197 + 0	0.904	4.133 - 3	0.923	960.7	9.431 - 6	3.088 - 6
71000	70849	383.75	-75.92	-6.54	1.141	0.902	3.940	0.924	960.3	9.425	3.086
72000	71844	383.42	-76.25	-6.92	1.086	0.902	3.756	0.925	959.9	9.418	3.083
73000	72838	383.09	-76.58	-7.30	1.035	0.900	3.581	0.926	959.5	9.411	3.081
74000	73832	382.77	-76.90	-7.67	9.857 - 1	0.899	3.414	0.926	959.1	9.404	3.078
75000	74827	382.44	-77.23	-8.05	9.389	0.898	3.254	0.927	958.7	9.397	3.076
76000	75821	382.11	-77.56	-8.42	8.942	0.896	3.102	0.927	958.3	9.391	3.073
77000	76815	381.78	-77.89	-8.79	8.516	0.894	2.957	0.928	957.9	9.384	3.071
78000	77809	381.46	-78.21	-9.15	8.111	0.893	2.819	0.928	957.5	9.377	3.068
79000	78802	381.13	-78.54	-9.52	7.724	0.891	2.687	0.928	957.0	9.370	3.066

TABLE 5.2.—Continued  
60° N. January  
GEOPOTENTIAL ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity	
H, ft	Z, ft	T, °R	t, °F	T - T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> ft sec <sup>-1</sup>	$\mu$ lb ft <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{BTU ft^{-1} sec^{-1} (°R)^{-1}}$	
80000	80205	380.74	-78.93	-17.13	7.282	- 1	0.893	2.535 - 3	0.933	956.5	9.362 - 6	3.063 - 6
81000	81212	380.41	-79.26	-18.00	6.932		0.891	2.416	0.933	956.1	9.355	3.060
82000	82218	380.08	-79.59	-18.88	6.599		0.889	2.302	0.933	955.7	9.349	3.058
83000	83225	380.61	-79.06	-18.90	6.281		0.887	2.188	0.931	956.4	9.360	3.062
84000	84232	381.16	-78.51	-18.90	5.980		0.885	2.080	0.929	957.1	9.371	3.066
85000	85239	381.70	-77.97	-18.90	5.693		0.883	1.977	0.926	957.8	9.382	3.070
86000	86245	382.25	-77.42	-18.90	5.420		0.881	1.880	0.924	958.4	9.394	3.074
87000	87253	382.80	-76.87	-18.90	5.161		0.879	1.787	0.922	959.1	9.405	3.079
88000	88260	383.35	-76.32	-18.90	4.915		0.877	1.700	0.920	959.8	9.416	3.083
89000	89267	383.90	-75.77	-18.90	4.680		0.875	1.616	0.918	960.5	9.428	3.087
90000	90274	384.45	-75.22	-18.90	4.458	- 1	0.873	1.537 - 3	0.915	961.2	9.439 - 6	3.091 - 6
91000	91282	385.00	-74.67	-18.90	4.246		0.871	1.462	0.914	961.9	9.450	3.095
92000	92289	385.54	-74.13	-18.90	4.044		0.869	1.390	0.911	962.6	9.462	3.099
93000	93297	386.09	-73.58	-18.90	3.852		0.867	1.323	0.909	963.3	9.473	3.103
94000	94305	386.64	-73.03	-18.90	3.670		0.865	1.258	0.907	963.9	9.484	3.107
95000	95312	387.19	-72.48	-18.90	3.496		0.863	1.197	0.905	964.6	9.496	3.112
96000	96320	387.74	-71.93	-18.90	3.331		0.861	1.139	0.903	965.3	9.507	3.116
97000	97328	388.29	-71.38	-18.90	3.174		0.859	1.084	0.901	966.0	9.518	3.120
98000	98336	388.84	-70.83	-18.90	3.025		0.857	1.031	0.899	966.7	9.529	3.124
99000	99345	389.39	-70.28	-18.90	2.882		0.855	9.813 - 4	0.897	967.3	9.541	3.128
100000	100353	389.93	-69.74	-18.90	2.747	- 1	0.853	9.339 - 4	0.895	968.0	9.552 - 6	3.132 - 6
105000	105396	392.68	-66.99	-18.91	2.162		0.844	7.298	0.885	971.4	9.608	3.153
110000	110441	395.42	-64.25	-23.85	1.704		0.834	5.714	0.884	974.8	9.664	3.173
115000	115489	401.00	-58.67	-25.95	1.347		0.822	4.452	0.875	981.7	9.778	3.215
120000	120539	407.86	-51.81	-26.77	1.068		0.810	3.471	0.864	990.0	9.916	3.266
125000	125592	414.72	-44.95	-27.59	8.504	- 2	0.799	2.718	0.852	998.3	1.005 - 5	3.317
130000	130647	421.58	-38.09	-28.42	6.797		0.788	2.137	0.841	1006.5	1.019	3.368
135000	135705	428.44	-31.23	-29.24	5.452		0.777	1.687	0.830	1014.7	1.033	3.419
140000	140765	435.29	-24.38	-30.06	4.388		0.766	1.336	0.819	1022.8	1.046	3.469
145000	145827	442.15	-17.52	-30.89	3.544		0.756	1.063	0.809	1030.8	1.059	3.519
150000	150892	449.01	-10.66	-31.71	2.872	- 2	0.745	8.479 - 5	0.798	1038.8	1.073 - 5	3.569 - 6
155000	155959	455.87	-3.80	-31.30	2.335		0.735	6.789	0.786	1046.7	1.086	3.619
160000	161029	462.73	3.06	-24.44	1.904		0.727	5.454	0.785	1054.5	1.099	3.669
165000	166101	468.27	8.60	-18.90	1.557		0.720	4.407	0.749	1060.8	1.109	3.709
170000	171176	468.27	8.60	-18.90	1.274		0.715	3.608	0.744	1060.8	1.109	3.709
175000	176253	468.27	8.60	-14.08	1.043		0.710	2.954	0.731	1060.8	1.109	3.709
180000	181332	465.47	5.80	-11.39	8.538	- 3	0.706	2.432	0.723	1057.6	1.104	3.689
185000	186414	460.53	0.86	-10.84	6.973		0.703	2.007	0.719	1052.0	1.095	3.653
190000	191498	455.59	-4.08	-10.29	5.683		0.700	1.654	0.716	1046.4	1.085	3.617
195000	196585	451.68	-7.99	-8.72	4.622		0.697	1.356	0.710	1041.9	1.078	3.589
200000	201675	450.31	-9.36	-4.61	3.755	- 3	0.695	1.105 - 5	0.701	1040.3	1.075 - 5	3.579 - 6
205000	206766	448.93	-10.74	4.85	3.048		0.694	9.001 - 6	0.687	1038.7	1.072	3.569
210000	211861	447.56	-12.11	14.45	2.473		0.698	7.325	0.675	1037.1	1.070	3.559
215000	216957	446.19	-13.48	24.05	2.005		0.704	5.957	0.666	1035.5	1.067	3.549
220000	222056	444.82	-14.85	33.65	1.625		0.715	4.842	0.661	1033.9	1.065	3.539
225000	227158	443.45	-16.22	43.25	1.316		0.729	3.933	0.658	1032.3	1.062	3.529
230000	232262	438.70	-20.97	49.48	1.064		0.748	3.215	0.663	1026.8	1.053	3.494
235000	237369	432.66	-27.01	54.41	8.581	- 4	0.770	2.629	0.673	1019.7	1.041	3.450
240000	242478	426.63	-33.04	59.35	6.900		0.796	2.144	0.685	1012.6	1.029	3.405
245000	247589	420.59	-39.08	64.29	5.530		0.827	1.743	0.700	1005.4	1.017	3.361
250000	252703	414.56	-45.11	69.23	4.418	- 4	0.863	1.413 - 6	0.719	998.1	1.005 - 5	3.316 - 6
255000	257820	408.52	-51.15	74.16	3.519		0.905	1.142	0.741	990.8	9.929 - 6	3.271
260000	262939	402.49	-57.18	77.32	2.793		0.955	9.198 - 7	0.772	983.5	9.808	3.226
265000	268060	396.41	-63.26	71.24	2.209		1.008	7.385	0.827	976.1	9.685	3.181
270000	273184	390.33	-69.34	65.16	1.740		1.059	5.910	0.882	968.6	9.562	3.136
275000	278310	384.26	-75.41	59.09	1.366		1.109	4.713	0.939	961.1	9.438	3.090
280000	283439	378.18	-81.49	53.01	1.069		1.158	3.745	0.995	953.5	9.313	3.045
285000	288570	372.11	-87.56	46.94	8.326	- 5	1.203	2.964	1.051	945.9	9.187	2.999
290000	293704	366.04	-93.63	40.87	6.460		1.245	2.338	1.105	938.2	9.060	2.953
295000	298841	360.83	-99.84	35.18	4.999		1.283	1.803	1.157	939.8	9.086	2.963
300000	303979	372.25	-87.42	32.19	3.881	- 5	1.317	1.377 - 7	1.199	947.5	9.212 - 6	3.008 - 6
310000	314264	382.32	-77.35	25.51	2.369		1.376	8.143 - 8	1.274	962.6	9.463	3.100
320000	324559	390.48	-69.19	17.24	1.468		1.424	4.893	1.339	977.6	9.710	3.190
330000	334865	401.24	-58.43	4.11	9.228	- 6	1.456	2.967	1.409	995.5	1.001 - 5	3.300
340000	345180	422.67	-37.00	-1.19	5.938		1.475	1.797	1.439	1026.0	1.051	3.489
350000	355505	444.01	-15.66	-6.25	3.918		1.488	1.120	1.462	1055.6	1.101	3.676
360000	365840	465.33	5.66	-25.47	2.643		1.492	7.161 - 9	1.521	1084.5	1.149	3.860
370000	376185	513.86	54.19	-29.78	1.837		1.479	4.477	1.512	1143.2	1.247	4.243
380000	386540	564.82	105.15	-31.08	1.323		1.469	2.919	1.498	1201.9	1.345	4.633

TABLE 5.2.—Continued  
60° N. January

GEOMETRIC ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
Z, ft	H, ft'	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> ft sec <sup>-1</sup>	$\mu$ lb ft <sup>-1</sup> sec <sup>-1</sup>	BTU ft <sup>k</sup> sec <sup>-1</sup> (°R) <sup>-1</sup>
80000	79796	380.80	-78.87	-16.89	7.355	0.889	2.561	0.928	956.6	9.364	3.063
81000	80790	380.48	-79.19	-17.76	7.004	0.887	2.440	0.929	956.2	9.357	3.061
82000	81783	380.15	-79.52	-18.63	6.670	0.885	2.326	0.928	955.8	9.350	3.059
83000	82777	380.48	-79.19	-18.84	6.351	0.883	2.213	0.927	956.2	9.357	3.061
84000	83770	381.03	-78.64	-18.84	6.048	0.881	2.104	0.924	956.9	9.368	3.065
85000	84763	381.57	-78.10	-18.84	5.760	0.879	2.001	0.922	957.6	9.380	3.069
86000	85756	382.12	-77.55	-18.84	5.486	0.877	1.903	0.920	958.3	9.391	3.073
87000	86749	382.66	-77.01	-18.84	5.225	0.875	1.810	0.918	959.0	9.402	3.077
88000	87742	383.21	-76.46	-18.84	4.977	0.873	1.722	0.916	959.6	9.413	3.082
89000	88735	383.75	-75.92	-18.84	4.741	0.871	1.638	0.913	960.3	9.425	3.086
90000	89728	384.30	-75.37	-18.84	4.517	0.869	1.558	0.911	961.0	9.436	3.090
91000	90720	384.84	-74.83	-18.84	4.304	0.867	1.482	0.909	961.7	9.447	3.094
92000	91713	385.39	-74.28	-18.84	4.101	0.865	1.411	0.907	962.4	9.458	3.098
93000	92705	385.93	-73.74	-18.84	3.908	0.863	1.342	0.904	963.1	9.470	3.102
94000	93698	386.48	-73.19	-18.83	3.724	0.861	1.277	0.903	963.7	9.481	3.106
95000	94690	387.02	-72.65	-18.83	3.549	0.859	1.216	0.900	964.4	9.492	3.110
96000	95682	387.56	-72.11	-18.83	3.383	0.857	1.157	0.898	965.1	9.503	3.114
97000	96674	388.11	-71.56	-18.83	3.224	0.855	1.101	0.896	965.8	9.514	3.119
98000	97666	388.65	-71.02	-18.83	3.074	0.853	1.048	0.895	966.4	9.526	3.123
99000	98658	389.20	-70.47	-18.83	2.930	0.851	9.980	0.892	967.1	9.537	3.127
100000	99650	389.74	-69.93	-18.83	2.794	0.849	9.502	0.890	967.8	9.548	3.131
105000	104608	392.46	-67.21	-18.83	2.203	0.839	7.441	0.880	971.2	9.604	3.151
110000	109563	395.18	-64.49	-23.20	1.740	0.829	5.837	0.878	974.5	9.659	3.172
115000	114516	400.34	-59.33	-25.64	1.377	0.818	4.561	0.870	980.9	9.764	3.210
120000	119466	407.13	-52.54	-26.45	1.095	0.806	3.564	0.859	989.1	9.901	3.261
125000	124414	413.92	-45.75	-27.25	8.732	0.795	2.797	0.847	997.4	1.004	3.311
130000	129360	420.70	-38.97	-28.06	6.993	0.784	2.204	0.836	1005.5	1.017	3.362
135000	134304	427.48	-32.19	-28.86	5.620	0.773	1.743	0.825	1013.6	1.031	3.412
140000	139245	434.26	-25.41	-29.67	4.533	0.762	1.384	0.815	1021.6	1.044	3.462
145000	144183	441.03	-18.64	-30.47	3.669	0.752	1.103	0.804	1029.5	1.057	3.511
150000	149120	447.80	-11.87	-31.27	2.979	0.742	8.820	0.793	1037.4	1.070	3.561
155000	154054	454.57	-5.10	-32.07	2.427	0.732	7.079	0.783	1045.2	1.083	3.610
160000	158986	461.33	1.66	-25.84	1.984	0.722	5.700	0.763	1052.9	1.096	3.659
165000	163915	468.10	8.43	-19.07	1.626	0.716	4.605	0.745	1060.6	1.109	3.708
170000	168842	468.27	8.60	-18.90	1.335	0.710	3.779	0.739	1068.8	1.109	3.709
175000	173767	468.27	8.60	-15.67	1.096	0.705	3.103	0.728	1068.8	1.109	3.709
180000	178689	466.77	7.10	-11.78	9.000	0.701	2.556	0.718	1059.1	1.107	3.698
185000	183609	461.91	2.24	-11.25	7.379	0.697	2.118	0.714	1053.6	1.097	3.663
190000	188527	457.05	-2.62	-10.72	6.038	0.694	1.751	0.710	1048.0	1.088	3.628
195000	193442	452.20	-7.47	-10.19	4.930	0.691	1.445	0.706	1042.5	1.079	3.593
200000	198355	450.76	-8.91	-6.24	4.020	0.688	1.182	0.697	1040.8	1.076	3.582
205000	203266	449.41	-10.26	0.94	3.277	0.687	9.666	0.685	1039.2	1.073	3.572
210000	208174	448.06	-11.61	10.36	2.669	0.688	7.898	0.672	1037.7	1.071	3.563
215000	213080	446.72	-12.95	19.76	2.173	0.693	6.450	0.662	1036.1	1.068	3.553
220000	217984	445.37	-14.30	29.17	1.769	0.701	5.265	0.655	1034.6	1.066	3.543
225000	222885	444.03	-15.64	38.56	1.439	0.713	4.295	0.651	1033.0	1.063	3.533
230000	227784	441.37	-18.30	46.64	1.169	0.729	3.512	0.652	1029.9	1.058	3.514
235000	232681	435.46	-24.21	51.47	9.485	0.748	2.887	0.660	1023.0	1.046	3.470
240000	237575	429.55	-30.12	56.29	7.672	0.771	2.368	0.670	1016.0	1.035	3.427
245000	242468	423.65	-36.02	61.10	6.188	0.797	1.936	0.682	1009.0	1.023	3.383
250000	247357	417.75	-41.92	65.92	4.977	0.829	1.579	0.698	1002.0	1.011	3.340
255000	252245	411.85	-47.82	70.73	3.991	0.865	1.285	0.717	994.9	9.996	3.296
260000	257130	405.95	-53.72	75.54	3.190	0.908	1.042	0.739	987.7	9.878	3.252
265000	262013	400.04	-59.63	74.87	2.542	0.957	8.423	0.778	980.5	9.758	3.208
270000	266893	394.11	-65.56	68.94	2.019	1.007	6.790	0.831	973.3	9.639	3.164
275000	271772	388.18	-71.49	63.01	1.598	1.056	5.456	0.884	966.0	9.518	3.120
280000	276648	382.25	-77.42	57.08	1.261	1.103	4.370	0.938	958.6	9.397	3.075
285000	281521	376.33	-83.34	51.16	9.910	1.147	3.489	0.991	951.2	9.274	3.031
290000	286393	370.42	-89.25	45.25	7.761	1.190	2.776	1.044	943.8	9.152	2.986
295000	291262	364.51	-95.16	39.34	6.055	1.228	2.201	1.095	936.3	9.028	2.942
300000	296128	368.60	-91.01	35.16	4.719	1.263	1.696	1.140	941.5	9.114	2.973
310000	305855	378.57	-81.10	29.37	2.901	1.324	1.011	1.215	956.4	9.359	3.062
320000	315572	386.66	-72.81	21.58	1.811	1.374	6.119	1.282	971.0	9.601	3.150
330000	325281	394.81	-64.86	11.68	1.147	1.414	3.762	1.345	985.4	9.839	3.238
340000	334980	411.93	-47.74	2.54	7.384	1.437	2.303	1.392	1010.8	1.026	3.394
350000	344670	432.64	-27.03	-2.50	4.875	1.454	1.436	1.419	1039.9	1.075	3.577
360000	354351	453.29	-6.38	-7.08	3.293	1.465	9.192	1.440	1068.3	1.122	3.757
370000	364022	483.29	23.62	-26.31	2.272	1.461	5.911	1.489	1106.6	1.186	4.004
380000	373685	532.60	72.99	-27.83	1.622	1.452	3.805	1.475	1165.2	1.284	4.388

TABLE 5.2.—Continued  
60° N. January (Cold)  
GEOPOTENTIAL ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity				
H, ft'	Z, ft	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> ft sec <sup>-1</sup>	$\mu$ lb ft <sup>-1</sup> sec <sup>-1</sup>	BTU ft <sup>-1</sup> sec <sup>-1</sup> (°R) <sup>-1</sup>				
0	0	463.11	3.44	-55.56	2.993	+ 1	1.000	8.567	- 2	1.120	1055.0	1.100	- 5	3.672	- 6
1000	999	464.22	4.55	-50.88	2.874		0.996	8.208		1.105	1056.2	1.102		3.680	
2000	1998	465.34	5.67	-46.20	2.761		0.992	7.865		1.091	1057.5	1.104		3.688	
3000	2997	466.45	6.78	-41.52	2.652		0.989	7.536		1.077	1058.8	1.106		3.696	
4000	3996	467.57	7.89	-36.84	2.547		0.986	7.254		1.068	1057.7	1.104		3.689	
5000	4995	468.72	9.00	-32.16	2.447		0.983	6.994		1.061	1055.7	1.101		3.676	
6000	5994	469.85	10.11	-27.48	2.350		0.980	6.742		1.055	1053.6	1.097		3.663	
7000	6993	470.98	11.22	-22.80	2.256		0.977	6.499		1.048	1051.6	1.094		3.651	
8000	7993	472.11	12.33	-18.12	2.166		0.975	6.263		1.042	1049.6	1.091		3.638	
9000	8992	473.24	13.44	-13.44	2.079		0.972	6.035		1.036	1047.6	1.087		3.625	
10000	9992	454.87	-4.80	-28.14	1.995	+ 1	0.969	5.814	- 2	1.029	1045.5	1.084	- 5	3.612	- 6
11000	10992	453.10	-6.57	-26.34	1.914		0.967	5.601		1.024	1043.5	1.080		3.599	
12000	11992	450.30	-9.37	-25.58	1.837		0.965	5.407		1.020	1040.3	1.075		3.579	
13000	12992	446.55	-13.12	-25.76	1.761		0.963	5.229		1.018	1035.9	1.068		3.551	
14000	13992	442.80	-16.87	-25.94	1.689		0.961	5.056		1.017	1031.6	1.061		3.524	
15000	14992	439.05	-20.62	-26.12	1.618		0.959	4.886		1.015	1027.2	1.053		3.497	
16000	15992	435.31	-24.36	-26.30	1.550		0.956	4.722		1.014	1022.8	1.046		3.469	
17000	16992	431.56	-28.11	-26.48	1.485		0.954	4.561		1.012	1018.4	1.039		3.442	
18000	17993	427.82	-31.85	-26.66	1.421		0.951	4.405		1.011	1014.0	1.031		3.414	
19000	18993	424.07	-35.60	-26.84	1.360		0.949	4.252		1.009	1009.5	1.024		3.387	
20000	19994	420.33	-39.34	-27.02	1.301	+ 1	0.946	4.104	- 2	1.007	1005.1	1.017	- 5	3.359	- 6
21000	20994	416.59	-43.08	-27.19	1.244		0.944	3.959		1.005	1000.6	1.009		3.331	
22000	21995	412.86	-46.81	-27.36	1.189		0.941	3.819		1.004	996.1	1.002		3.303	
23000	22996	409.12	-50.55	-27.53	1.136		0.938	3.682		1.002	991.6	9.941	- 6	3.276	
24000	23997	405.38	-54.29	-27.70	1.085		0.935	3.548		1.000	987.0	9.866		3.248	
25000	24998	401.65	-58.02	-27.87	1.036		0.933	3.419		0.998	982.5	9.791		3.220	
26000	25999	397.91	-61.76	-28.04	9.884	+ 0	0.930	3.293		0.995	977.9	9.715		3.192	
27000	27001	394.18	-65.49	-28.20	9.427		0.927	3.170		0.994	973.3	9.639		3.164	
28000	28002	390.44	-69.23	-28.37	8.988		0.924	3.047		0.990	969.3	9.574		3.140	
29000	29003	392.09	-67.58	-23.16	8.567		0.921	2.897		0.976	970.7	9.596		3.148	
30000	30005	393.19	-66.48	-18.50	8.168	+ 0	0.919	2.754	- 2	0.963	972.1	9.619	- 6	3.157	- 6
31000	31007	394.29	-65.38	-13.83	7.788		0.918	2.619		0.950	973.4	9.641		3.165	
32000	32008	395.38	-64.29	-9.17	7.427		0.916	2.490		0.938	974.8	9.663		3.173	
33000	33010	396.48	-63.19	-4.51	7.084		0.916	2.369		0.926	976.1	9.686		3.181	
34000	34012	397.58	-62.09	0.16	6.757		0.915	2.253		0.915	977.5	9.708		3.190	
35000	35014	398.67	-61.00	4.82	6.446		0.916	2.144		0.904	978.8	9.730		3.198	
36000	36016	399.77	-59.90	9.48	6.151		0.916	2.040		0.895	980.2	9.753		3.206	
37000	37019	400.87	-58.80	10.90	5.869		0.918	1.941		0.892	981.5	9.775		3.214	
38000	38021	401.97	-57.70	12.00	5.602		0.919	1.847		0.892	982.9	9.797		3.222	
39000	39023	403.06	-56.61	13.09	5.347		0.920	1.759		0.890	984.2	9.819		3.231	
40000	40026	403.47	-56.20	13.50	5.104	+ 0	0.922	1.677	- 2	0.891	984.7	9.828	- 6	3.234	- 6
41000	41028	403.47	-56.20	13.50	4.872		0.923	1.601		0.892	984.7	9.828		3.234	
42000	42031	403.47	-56.20	13.50	4.651		0.925	1.528		0.894	984.7	9.828		3.234	
43000	43034	403.47	-56.20	13.50	4.440		0.926	1.459		0.895	984.7	9.828		3.234	
44000	44037	403.47	-56.20	13.50	4.239		0.928	1.393		0.897	984.7	9.828		3.234	
45000	45040	403.47	-56.20	13.50	4.046		0.929	1.329		0.898	984.7	9.828		3.234	
46000	46043	403.47	-56.20	13.50	3.862		0.930	1.269		0.899	984.7	9.828		3.234	
47000	47046	403.47	-56.20	13.50	3.687		0.932	1.211		0.901	984.7	9.828		3.234	
48000	48049	403.47	-56.20	13.50	3.520		0.934	1.156		0.902	984.7	9.828		3.234	
49000	49053	403.47	-56.20	13.50	3.360		0.935	1.104		0.903	984.7	9.828		3.234	
50000	50056	403.47	-56.20	13.50	3.207	+ 0	0.936	1.054	- 2	0.905	984.7	9.828	- 6	3.234	- 6
51000	51060	403.47	-56.20	13.50	3.062		0.938	1.006		0.906	984.7	9.828		3.234	
52000	52063	403.47	-56.20	13.50	2.923		0.940	9.603	- 3	0.909	984.7	9.828		3.234	
53000	53067	403.47	-56.20	13.50	2.790		0.941	9.168		0.909	984.7	9.828		3.234	
54000	54071	403.47	-56.20	13.50	2.664		0.943	8.751		0.911	984.7	9.828		3.234	
55000	55075	403.47	-56.20	13.50	2.543		0.944	8.354		0.913	984.7	9.828		3.234	
56000	56079	403.47	-56.20	13.50	2.427		0.946	7.975		0.914	984.7	9.828		3.234	
57000	57083	403.47	-56.20	13.50	2.317		0.947	7.613		0.915	984.7	9.828		3.234	
58000	58087	403.47	-56.20	13.50	2.212		0.949	7.267		0.917	984.7	9.828		3.234	
59000	59092	403.47	-56.20	13.50	2.111		0.950	6.937		0.918	984.7	9.828		3.234	
60000	60096	403.47	-56.20	13.50	2.016	+ 0	0.952	6.623	- 3	0.920	984.7	9.828	- 6	3.234	- 6
61000	61101	403.47	-56.20	13.50	1.924		0.953	6.322		0.921	984.7	9.828		3.234	
62000	62105	403.47	-56.20	13.50	1.837		0.955	6.035		0.923	984.7	9.828		3.234	
63000	63110	403.47	-56.20	13.50	1.753		0.957	5.761		0.924	984.7	9.828		3.234	
64000	64115	403.47	-56.20	13.50	1.674		0.958	5.500		0.926	984.7	9.828		3.234	
65000	65120	403.47	-56.20	13.50	1.598		0.960	5.250		0.927	984.7	9.828		3.234	
66000	66125	403.47	-56.20	13.29	1.525		0.961	5.012		0.929	984.7	9.828		3.234	
67000	67130	403.47	-56.20	12.74	1.456		0.962	4.784		0.932	984.7	9.828		3.234	
68000	68135	403.47	-56.20	12.19	1.390		0.964	4.567		0.935	984.7	9.828		3.234	
69000	69141	403.47	-56.20	11.64	1.327		0.965	4.360		0.937	984.7	9.828		3.234	
70000	70146	403.47	-56.20	11.09	1.267	+ 0	0.967	4.162	- 3	0.940	984.7	9.828	- 6	3.234	- 6
71000	71151	403.47	-56.20	10.55	1.209		0.968	3.973		0.943	984.7	9.828		3.234	
72000	72157	403.47	-56.20	10.00	1.154		0.969	3.792		0.945	984.7	9.828		3.234	
73000	73163	403.47	-56.20	9.45	1.102		0.970	3.620		0.947	984.7	9.828		3.234	
74000	74169	403.47	-56.20	8.90	1.052		0.971	3.456		0.950	984.7	9.828		3.234	
75000	75174	403.47	-56.20	8.35	1.004		0.972	3.299		0.952	984.7	9.828		3.234	
76000	76180	403.47	-56.20	7.80	9.585	- 1	0.973	3.149		0.954	984.7	9.828		3.234	
77000	77186	403.47	-56.20	7.25	9.150		0.974	3.006		0.957	984.7	9.828		3.234	
78000	78193	403.47	-56.20	6.71	8.735		0.975	2.870		0.959	984.7	9.828		3.234	
79000	79199	403.47	-56.20	6.16	8.338		0.975	2.740		0.961	984.7	9.828		3.234	



TABLE 5.2.—Continued  
60° N. January (Cold)

GEOMETRIC ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity				
Z, ft	H, ft'	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , ft sec <sup>-1</sup>	$\frac{\mu}{\mu_{std}}$ , lb ft <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{k_{std}}$ , BTU ft <sup>-1</sup> sec <sup>-1</sup> (°R) <sup>-1</sup>				
0	0	463.11	3.44	-55.56	2.993	+ 1	1.000	8.567	- 2	1.120	1055.0	1.100	- 5	3.672	- 6
1000	1001	464.23	4.56	-50.88	2.874		0.996	8.207		1.105	1056.2	1.102		3.680	
2000	2002	465.34	5.67	-46.20	2.760		0.992	7.864		1.091	1057.5	1.104		3.688	
3000	3003	466.45	6.78	-41.52	2.651		0.989	7.535		1.077	1058.8	1.106		3.696	
4000	4004	465.48	5.81	-38.93	2.547		0.986	7.253		1.068	1057.7	1.104		3.689	
5000	5005	463.71	4.04	-37.13	2.446		0.982	6.993		1.061	1055.6	1.101		3.676	
6000	6006	461.94	2.27	-35.34	2.349		0.980	6.741		1.055	1053.6	1.097		3.663	
7000	7007	460.17	0.50	-33.54	2.255		0.977	6.497		1.048	1051.6	1.094		3.651	
8000	8007	458.40	-1.27	-31.75	2.165		0.974	6.261		1.041	1049.6	1.091		3.638	
9000	9008	456.63	-3.04	-29.96	2.078		0.972	6.033		1.035	1047.6	1.087		3.625	
10000	10008	454.86	-4.81	-28.17	1.994	+ 1	0.969	5.812	- 2	1.029	1045.5	1.084	- 5	3.612	- 6
11000	11008	453.08	-6.59	-26.38	1.914		0.967	5.599		1.023	1043.5	1.080		3.599	
12000	12008	450.27	-9.40	-25.63	1.836		0.965	5.405		1.019	1040.2	1.075		3.579	
13000	13008	446.51	-13.16	-25.82	1.761		0.962	5.227		1.018	1035.9	1.068		3.551	
14000	14008	442.77	-16.90	-26.01	1.688		0.960	5.054		1.017	1031.5	1.061		3.524	
15000	15008	439.02	-20.65	-26.19	1.618		0.958	4.885		1.015	1027.2	1.053		3.496	
16000	16008	435.28	-24.39	-26.38	1.550		0.956	4.720		1.013	1022.8	1.046		3.469	
17000	17008	431.53	-28.14	-26.56	1.484		0.953	4.560		1.012	1018.4	1.039		3.442	
18000	18007	427.79	-31.88	-26.74	1.421		0.951	4.404		1.010	1013.9	1.031		3.414	
19000	19007	424.05	-35.62	-26.93	1.360		0.948	4.251		1.008	1009.5	1.024		3.386	
20000	20006	420.31	-39.36	-27.11	1.301	+ 1	0.945	4.103	- 2	1.006	1005.0	1.016	- 5	3.359	- 6
21000	21006	416.57	-43.10	-27.28	1.244		0.942	3.958		1.004	1000.6	1.009		3.331	
22000	22005	412.84	-46.83	-27.46	1.189		0.940	3.818		1.003	996.1	1.002		3.303	
23000	23004	409.11	-50.56	-27.63	1.136		0.937	3.681		1.001	991.5	9.941	- 6	3.276	
24000	24003	405.37	-54.30	-27.81	1.085		0.935	3.548		0.999	987.0	9.866		3.248	
25000	25002	401.64	-58.03	-27.98	1.036		0.931	3.419		0.996	982.5	9.791		3.220	
26000	26001	397.91	-61.76	-28.16	9.884	+ 0	0.929	3.293		0.995	977.9	9.715		3.192	
27000	26999	394.18	-65.49	-28.33	9.428		0.926	3.171		0.992	973.3	9.639		3.164	
28000	27998	390.49	-68.68	-27.96	8.988		0.923	3.047		0.989	969.3	9.574		3.140	
29000	28997	386.79	-72.58	-23.31	8.569		0.920	2.897		0.975	970.7	9.596		3.148	
30000	29995	393.18	-66.49	-18.66	8.170	+ 0	0.918	2.755	- 2	0.961	972.1	9.618	- 6	3.157	- 6
31000	30993	394.28	-65.39	-14.00	7.791		0.916	2.619		0.948	973.4	9.641		3.165	
32000	31992	395.37	-64.30	-9.35	7.430		0.915	2.491		0.936	974.8	9.663		3.173	
33000	32990	396.47	-63.20	-4.70	7.087		0.914	2.370		0.925	976.1	9.685		3.181	
34000	33988	397.56	-62.11	-0.05	6.761		0.914	2.254		0.913	977.5	9.708		3.189	
35000	34986	398.66	-61.01	4.60	6.451		0.914	2.145		0.903	978.8	9.730		3.198	
36000	35984	399.75	-59.92	9.25	6.155		0.914	2.041		0.893	980.1	9.752		3.206	
37000	36982	400.85	-58.82	10.88	5.875		0.915	1.943		0.891	981.5	9.775		3.214	
38000	37979	401.94	-57.73	11.97	5.607		0.917	1.849		0.889	982.8	9.797		3.222	
39000	38977	403.04	-56.63	13.07	5.353		0.918	1.761		0.888	984.2	9.819		3.230	
40000	39974	403.47	-56.20	13.50	5.110	+ 0	0.919	1.679	- 2	0.888	984.7	9.828	- 6	3.234	- 6
41000	40972	403.47	-56.20	13.50	4.879		0.921	1.603		0.890	984.7	9.828		3.234	
42000	41969	403.47	-56.20	13.50	4.658		0.922	1.530		0.891	984.7	9.828		3.234	
43000	42966	403.47	-56.20	13.50	4.447		0.924	1.461		0.893	984.7	9.828		3.234	
44000	43963	403.47	-56.20	13.50	4.246		0.925	1.395		0.894	984.7	9.828		3.234	
45000	44960	403.47	-56.20	13.50	4.054		0.927	1.332		0.896	984.7	9.828		3.234	
46000	45957	403.47	-56.20	13.50	3.870		0.928	1.272		0.897	984.7	9.828		3.234	
47000	46954	403.47	-56.20	13.50	3.695		0.929	1.214		0.898	984.7	9.828		3.234	
48000	47951	403.47	-56.20	13.50	3.528		0.931	1.159		0.900	984.7	9.828		3.234	
49000	48947	403.47	-56.20	13.50	3.368		0.932	1.107		0.901	984.7	9.828		3.234	
50000	49944	403.47	-56.20	13.50	3.216	+ 0	0.934	1.057	- 2	0.902	984.7	9.828	- 6	3.234	- 6
51000	50940	403.47	-56.20	13.50	3.070		0.935	1.009		0.904	984.7	9.828		3.234	
52000	51937	403.47	-56.20	13.50	2.931		0.937	9.632	- 3	0.905	984.7	9.828		3.234	
53000	52933	403.47	-56.20	13.50	2.799		0.938	9.196		0.907	984.7	9.828		3.234	
54000	53929	403.47	-56.20	13.50	2.672		0.939	8.780		0.908	984.7	9.828		3.234	
55000	54925	403.47	-56.20	13.50	2.551		0.941	8.383		0.909	984.7	9.828		3.234	
56000	55921	403.47	-56.20	13.50	2.436		0.942	8.004		0.911	984.7	9.828		3.234	
57000	56917	403.47	-56.20	13.50	2.326		0.944	7.642		0.912	984.7	9.828		3.234	
58000	57913	403.47	-56.20	13.50	2.221		0.945	7.297		0.914	984.7	9.828		3.234	
59000	58909	403.47	-56.20	13.50	2.120		0.947	6.967		0.915	984.7	9.828		3.234	
60000	59904	403.47	-56.20	13.50	2.025	+ 0	0.948	6.652	- 3	0.916	984.7	9.828	- 6	3.234	- 6
61000	60900	403.47	-56.20	13.50	1.933		0.949	6.351		0.918	984.7	9.828		3.234	
62000	61895	403.47	-56.20	13.50	1.846		0.951	6.064		0.919	984.7	9.828		3.234	
63000	62890	403.47	-56.20	13.50	1.762		0.953	5.790		0.921	984.7	9.828		3.234	
64000	63886	403.47	-56.20	13.50	1.683		0.954	5.529		0.922	984.7	9.828		3.234	
65000	64881	403.47	-56.20	13.50	1.607		0.955	5.279		0.924	984.7	9.828		3.234	
66000	65876	403.47	-56.20	13.40	1.534		0.957	5.041		0.925	984.7	9.828		3.234	
67000	66871	403.47	-56.20	12.86	1.465		0.959	4.813		0.928	984.7	9.828		3.234	
68000	67865	403.47	-56.20	12.31	1.399		0.960	4.596		0.930	984.7	9.828		3.234	
69000	68860	403.47	-56.20	11.77	1.336		0.961	4.388		0.933	984.7	9.828		3.234	
70000	69855	403.47	-56.20	11.22	1.275	+ 0	0.962	4.190	- 3	0.935	984.7	9.828	- 6	3.234	- 6
71000	70849	403.47	-56.20	10.68	1.218		0.963	4.001		0.938	984.7	9.828		3.234	
72000	71844	403.47	-56.20	10.13	1.163		0.965	3.820		0.940	984.7	9.828		3.234	
73000	72838	403.47	-56.20	9.59	1.110		0.965	3.648		0.943	984.7	9.828		3.234	
74000	73832	403.47	-56.20	9.04	1.060		0.966	3.483		0.945	984.7	9.828		3.234	
75000	74827	403.47	-56.20	8.50	1.012		0.968	3.326		0.947	984.7	9.828		3.234	
76000	75821	403.47	-56.20	7.95	9.665	- 1	0.968	3.176		0.949	984.7	9.828		3.234	
77000	76815	403.47	-56.20	7.41	9.229		0.969	3.032		0.951	984.7	9.828		3.234	
78000	77809	403.47	-56.20	6.87	8.813		0.970	2.896		0.953	984.7	9.828		3.234	
79000	78802	403.47	-56.20	6.32	8.415		0.971	2.765		0.955	984.7	9.828		3.234	

TABLE 5.2.—Continued  
60° N. January (Cold)

GEPOTENTIAL ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity	
H, ft'	Z, ft	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , ft sec <sup>-1</sup>	$\mu$ , lb ft <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{sec^{-1}(°R)^{-1}}$	
80000	80205	403.47	-56.20	5.61	7.960	- 1	0.976	2.615 - 3	0.963	984.7	9.828 - 6	3.234 - 6
81000	81212	403.47	-56.20	5.06	7.599		0.977	2.497	0.965	984.7	9.828	3.234
82000	82218	403.47	-56.20	4.51	7.254		0.977	2.363	0.966	984.7	9.828	3.234
83000	83225	403.47	-56.20	3.96	6.924		0.978	2.275	0.968	984.7	9.828	3.234
84000	84232	403.66	-56.01	3.60	6.610		0.978	2.171	0.970	984.9	9.831	3.235
85000	85239	404.20	-55.47	3.60	6.310		0.979	2.070	0.970	985.6	9.842	3.239
86000	86245	404.75	-54.92	3.60	6.025		0.979	1.973	0.970	986.3	9.853	3.243
87000	87253	405.30	-54.37	3.60	5.752		0.979	1.881	0.971	986.9	9.865	3.247
88000	88260	405.85	-53.82	3.60	5.492		0.980	1.794	0.971	987.6	9.876	3.251
89000	89267	406.40	-53.27	3.60	5.245		0.980	1.711	0.971	988.3	9.887	3.255
90000	90274	406.95	-52.72	3.60	5.008	- 1	0.981	1.632 - 3	0.972	988.9	9.898 - 6	3.260 - 6
91000	91282	407.50	-52.17	3.60	4.783		0.981	1.556	0.973	989.6	9.909	3.264
92000	92289	408.04	-51.63	3.60	4.568		0.981	1.484	0.973	990.3	9.920	3.268
93000	93297	408.59	-51.08	3.60	4.363		0.982	1.416	0.973	990.9	9.931	3.272
94000	94305	409.14	-50.53	3.60	4.168		0.982	1.350	0.974	991.6	9.942	3.276
95000	95312	409.69	-49.98	3.60	3.981		0.983	1.288	0.974	992.3	9.953	3.280
96000	96320	410.24	-49.43	3.60	3.803		0.983	1.229	0.975	992.9	9.964	3.284
97000	97328	410.79	-48.88	3.60	3.634		0.983	1.173	0.975	993.6	9.975	3.288
98000	98336	411.34	-48.33	3.60	3.472		0.984	1.119	0.975	994.2	9.986	3.292
99000	99345	411.89	-47.78	3.60	3.317		0.984	1.068	0.976	994.9	9.997	3.296
100000	100353	412.43	-47.24	3.60	3.170	- 1	0.985	1.019 - 3	0.976	995.6	1.001 - 5	3.300 - 6
105000	105396	415.18	-44.49	3.59	2.527		0.986	8.069 - 4	0.978	998.9	1.006	3.321
110000	110441	417.92	-41.75	-1.35	2.018		0.987	6.401	0.990	1002.2	1.012	3.341
115000	115489	420.66	-39.01	-6.29	1.614		0.985	5.086	1.000	1005.5	1.017	3.361
120000	120539	423.41	-36.26	-11.23	1.293		0.981	4.047	1.007	1008.7	1.023	3.382
125000	125592	429.12	-30.55	-13.19	1.037		0.975	3.204	1.004	1015.5	1.034	3.424
130000	130647	435.98	-23.69	-14.02	8.351	- 2	0.968	2.539	0.999	1023.6	1.047	3.474
135000	135705	442.84	-16.83	-14.84	6.747		0.962	2.020	0.994	1031.6	1.061	3.524
140000	140765	449.69	-9.98	-15.66	5.469		0.955	1.612	0.988	1039.6	1.074	3.574
145000	145827	456.55	-3.12	-16.49	4.447		0.948	1.291	0.983	1047.5	1.087	3.624
150000	150892	463.41	3.74	-17.31	3.628	- 2	0.941	1.038 - 4	0.976	1055.3	1.100 - 5	3.674 - 6
155000	155959	470.27	10.60	-16.90	2.968		0.934	8.366 - 5	0.968	1063.1	1.113	3.723
160000	161029	477.13	17.46	-10.04	2.435		0.929	6.766	0.949	1070.8	1.126	3.773
165000	166101	482.67	23.00	-4.50	2.004		0.927	5.503	0.935	1077.0	1.136	3.812
170000	171176	482.67	23.00	-4.50	1.650		0.925	4.532	0.934	1077.0	1.136	3.812
175000	176253	482.67	23.00	0.32	1.359		0.924	3.732	0.924	1077.0	1.136	3.812
180000	181332	478.78	19.11	1.92	1.118		0.925	3.097	0.921	1072.7	1.129	3.785
185000	186414	471.92	12.25	0.55	9.183	- 3	0.926	2.580	0.925	1065.0	1.116	3.735
190000	191498	465.07	5.40	-0.82	7.518		0.926	2.143	0.927	1057.2	1.103	3.686
195000	196585	458.21	-1.46	-2.19	6.137		0.925	1.776	0.930	1049.4	1.090	3.636
200000	201675	451.35	-8.32	-3.56	4.994	- 3	0.924	1.467 - 5	0.931	1041.5	1.077 - 5	3.586 - 6
205000	206766	444.49	-15.18	0.41	4.051		0.923	1.208	0.922	1033.5	1.064	3.536
210000	211861	437.63	-22.04	4.52	3.276		0.924	9.923 - 6	0.915	1025.5	1.051	3.486
215000	216957	430.78	-28.89	8.64	2.640		0.927	8.124	0.909	1017.5	1.037	3.436
220000	222056	423.92	-35.75	12.75	2.120		0.932	6.630	0.904	1009.3	1.024	3.385
225000	227158	417.06	-42.61	16.87	1.696		0.940	5.392	0.902	1001.1	1.010	3.335
230000	232262	410.20	-49.47	20.98	1.353		0.950	4.371	0.902	992.9	9.963 - 6	3.284
235000	237369	405.60	-54.07	27.36	1.074		0.964	3.512	0.899	987.3	9.871	3.250
240000	242478	404.23	-55.44	36.96	8.525	- 4	0.983	2.796	0.893	985.6	9.843	3.239
245000	247589	402.86	-56.81	46.56	6.758		1.010	2.224	0.893	983.9	9.815	3.229
250000	252703	401.49	-58.18	56.16	5.353	- 4	1.045	1.768 - 6	0.899	982.3	9.787 - 6	3.219 - 6
255000	257820	400.12	-59.55	65.76	4.237		1.090	1.404	0.911	980.6	9.760	3.209
260000	262939	398.75	-60.92	73.58	3.351		1.146	1.114	0.935	978.9	9.732	3.198

TABLE 5.2.—Continued  
60° N. January (Cold)  
GEOMETRIC ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity	
Z, ft	H, ft'	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , ft sec <sup>-1</sup>	$\mu$ , lb ft <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{sec^{-1}(R)^{-1}}$	
80000	79796	403.47	-56.20	5.78	8.036	- 1	0.971	2.640 - 3	0.957	984.7	9.828 - 6	3.234 - 6
81000	80790	403.47	-56.20	5.23	7.673		0.972	2.521	0.959	984.7	9.828	3.234
82000	81783	403.47	-56.20	4.69	7.327		0.972	2.407	0.961	984.7	9.828	3.234
83000	82777	403.47	-56.20	4.14	6.997		0.973	2.299	0.963	984.7	9.828	3.234
84000	83770	403.53	-56.14	3.66	6.681		0.973	2.195	0.964	984.8	9.829	3.234
85000	84763	404.07	-55.60	3.66	6.380		0.974	2.093	0.965	985.4	9.840	3.238
86000	85756	404.62	-55.05	3.66	6.093		0.974	1.996	0.965	986.1	9.851	3.242
87000	86749	405.16	-54.51	3.66	5.819		0.974	1.904	0.966	986.8	9.862	3.246
88000	87742	405.71	-53.96	3.66	5.558		0.975	1.816	0.966	987.4	9.873	3.250
89000	88735	406.25	-53.42	3.66	5.309		0.975	1.732	0.966	988.1	9.884	3.254
90000	89728	406.80	-52.87	3.66	5.072	- 1	0.975	1.653 - 3	0.966	988.7	9.895 - 6	3.258 - 6
91000	90720	407.34	-52.33	3.66	4.845		0.976	1.577	0.967	989.4	9.906	3.262
92000	91713	407.89	-51.78	3.66	4.629		0.976	1.504	0.967	990.1	9.917	3.267
93000	92705	408.43	-51.24	3.66	4.423		0.976	1.435	0.967	990.7	9.928	3.271
94000	93698	408.98	-50.69	3.67	4.226		0.977	1.370	0.968	991.4	9.939	3.275
95000	94690	409.52	-50.15	3.67	4.038		0.977	1.307	0.968	992.0	9.949	3.279
96000	95682	410.07	-49.60	3.67	3.859		0.977	1.248	0.969	992.7	9.960	3.283
97000	96674	410.61	-49.06	3.67	3.688		0.978	1.191	0.969	993.4	9.971	3.287
98000	97666	411.15	-48.52	3.67	3.525		0.978	1.136	0.970	994.0	9.982	3.291
99000	98658	411.70	-47.97	3.67	3.369		0.978	1.085	0.969	994.7	9.993	3.295
100000	99650	412.24	-47.43	3.67	3.220	- 1	0.979	1.036 - 3	0.970	995.3	1.000 - 5	3.299 - 6
105000	104608	414.96	-44.71	3.67	2.572		0.980	8.218 - 4	0.972	998.6	1.006	3.319
110000	109563	417.68	-41.99	-0.70	2.058		0.981	6.532	0.983	1001.9	1.011	3.339
115000	114516	420.40	-39.27	-5.59	1.649		0.979	5.200	0.992	1005.1	1.017	3.359
120000	119466	423.11	-36.56	-10.46	1.323		0.975	4.146	0.999	1008.4	1.022	3.379
125000	124414	428.32	-31.35	-12.85	1.064		0.969	3.293	0.998	1014.6	1.032	3.418
130000	129360	435.10	-24.57	-13.66	8.585	- 2	0.962	2.616	0.993	1022.6	1.046	3.468
135000	134304	441.88	-17.79	-14.46	6.949		0.956	2.085	0.987	1030.5	1.059	3.517
140000	139245	448.66	-11.01	-15.27	5.644		0.949	1.668	0.982	1038.4	1.072	3.567
145000	144183	455.43	-4.24	-16.07	4.599		0.942	1.339	0.976	1046.2	1.085	3.616
150000	149120	462.20	2.53	-16.87	3.759	- 2	0.936	1.078 - 4	0.970	1053.9	1.098 - 5	3.665 - 6
155000	154054	468.97	9.30	-17.67	3.082		0.929	8.712 - 5	0.964	1061.6	1.111	3.714
160000	158986	475.73	16.06	-11.44	2.534		0.923	7.062	0.945	1069.2	1.123	3.763
165000	163915	482.50	22.83	-4.67	2.090		0.920	5.742	0.929	1076.8	1.136	3.811
170000	168842	482.67	23.00	-4.50	1.726		0.918	4.740	0.926	1077.0	1.136	3.812
175000	173767	482.67	23.00	-1.27	1.425		0.917	3.915	0.919	1077.0	1.136	3.812
180000	178689	480.58	20.91	2.03	1.177		0.917	3.247	0.913	1074.7	1.133	3.797
185000	183609	473.83	14.16	0.67	9.704	- 3	0.917	2.715	0.916	1067.1	1.120	3.749
190000	188527	467.09	7.42	-0.68	7.977		0.917	2.264	0.918	1059.5	1.107	3.700
195000	193442	460.34	0.67	-2.04	6.540		0.916	1.883	0.920	1051.8	1.094	3.652
200000	198355	453.61	-6.06	-3.39	5.346	- 3	0.915	1.562 - 5	0.921	1044.1	1.081 - 5	3.603 - 6
205000	203266	446.87	-12.80	-1.59	4.358		0.913	1.293	0.916	1036.3	1.069	3.554
210000	208174	440.14	-19.53	2.43	3.541		0.913	1.067	0.908	1028.5	1.055	3.505
215000	213080	433.41	-26.26	6.45	2.869		0.915	8.776 - 6	0.901	1020.6	1.042	3.455
220000	217984	426.68	-32.99	10.48	2.317		0.918	7.199	0.896	1012.6	1.029	3.406
225000	222885	419.96	-39.71	14.50	1.865		0.924	5.887	0.892	1004.6	1.016	3.356
230000	227784	413.24	-46.43	18.51	1.496		0.933	4.799	0.891	996.5	1.002	3.306
235000	232681	406.52	-53.15	22.53	1.196		0.943	3.900	0.891	988.4	9.889 - 6	3.256
240000	237575	404.90	-54.77	31.63	9.538	- 4	0.958	3.123	0.883	980.4	9.856	3.244
245000	242468	403.56	-56.11	41.01	7.602		0.980	2.497	0.880	984.8	9.829	3.234
250000	247357	402.21	-57.46	50.38	6.056	- 4	1.008	1.996 - 6	0.882	983.2	9.802 - 6	3.224 - 6
255000	252245	400.87	-58.80	59.75	4.820		1.045	1.594	0.890	981.5	9.775	3.214
260000	257130	399.53	-60.14	69.12	3.835		1.092	1.272	0.903	979.9	9.748	3.204

TABLE 5.2.—Continued  
60° N. January (Warm)

GEOPOTENTIAL ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity	
H, ft'	Z, ft	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , ft sec <sup>-1</sup>	$\frac{\mu}{\mu_{std}}$ , lb ft <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{k_{std}}$ , BTU ft <sup>-1</sup> sec <sup>-1</sup> (°R) <sup>-1</sup>	
0	0	463.11	3.44	-55.56	2.993	+ 1	1.000	8.567 - 2	1.120	1055.0	1.100 - 5	3.672 - 6
1000	999	464.22	4.55	-50.88	2.874		0.996	8.208	1.105	1056.2	1.102	3.680
2000	1998	465.34	5.67	-46.20	2.761		0.992	7.865	1.091	1057.5	1.104	3.688
3000	2997	466.45	6.78	-41.52	2.652		0.989	7.536	1.077	1058.8	1.106	3.696
4000	3996	467.56	7.89	-36.84	2.547		0.986	7.254	1.068	1057.7	1.104	3.689
5000	4995	468.67	9.00	-32.16	2.447		0.983	6.994	1.061	1055.7	1.101	3.676
6000	5994	469.78	10.11	-27.48	2.350		0.980	6.742	1.055	1053.6	1.097	3.663
7000	6993	470.89	11.22	-22.80	2.256		0.977	6.499	1.048	1051.6	1.094	3.651
8000	7992	472.00	12.33	-18.12	2.166		0.975	6.263	1.042	1049.6	1.091	3.638
9000	8991	473.11	13.44	-13.44	2.079		0.972	6.035	1.036	1047.6	1.087	3.625
10000	9992	454.87	-4.80	-28.14	1.995	+ 1	0.969	5.814 - 2	1.029	1045.5	1.084 - 5	3.612 - 6
11000	10992	453.10	-6.57	-26.34	1.914		0.967	5.601	1.024	1043.5	1.080	3.599
12000	11992	450.30	-9.37	-25.58	1.837		0.965	5.407	1.020	1040.3	1.075	3.579
13000	12992	446.55	-13.12	-25.76	1.761		0.963	5.229	1.018	1035.9	1.068	3.551
14000	13992	442.80	-16.87	-25.94	1.689		0.961	5.056	1.017	1031.6	1.061	3.524
15000	14992	439.05	-20.62	-26.12	1.618		0.959	4.886	1.015	1027.2	1.053	3.497
16000	15992	435.31	-24.36	-26.30	1.550		0.956	4.722	1.014	1022.8	1.046	3.469
17000	16992	431.56	-28.11	-26.48	1.485		0.954	4.561	1.012	1018.4	1.039	3.442
18000	17993	427.82	-31.85	-26.66	1.421		0.951	4.405	1.011	1014.0	1.031	3.414
19000	18993	424.07	-35.60	-26.84	1.360		0.949	4.252	1.009	1009.5	1.024	3.387
20000	19994	420.33	-39.34	-27.02	1.301	+ 1	0.946	4.104 - 2	1.007	1005.1	1.017 - 5	3.359 - 6
21000	20994	416.59	-43.08	-27.19	1.244		0.944	3.959	1.005	1000.6	1.009	3.331
22000	21995	412.86	-46.81	-27.36	1.189		0.941	3.819	1.004	996.1	1.002	3.303
23000	22996	409.12	-50.55	-27.53	1.136		0.938	3.682	1.002	991.6	9.941 - 6	3.276
24000	23997	405.38	-54.29	-27.70	1.085		0.935	3.548	1.000	987.0	9.866	3.248
25000	24998	401.65	-58.02	-27.87	1.036		0.933	3.419	0.998	982.5	9.791	3.220
26000	25999	397.91	-61.76	-28.04	9.884	+ 0	0.930	3.293	0.995	977.9	9.715	3.192
27000	27001	394.18	-65.49	-28.20	9.427		0.927	3.170	0.994	973.3	9.639	3.164
28000	28002	390.47	-69.23	-27.95	8.988		0.924	3.048	0.990	969.2	9.571	3.139
29000	29003	390.87	-68.80	-24.38	8.567		0.921	2.905	0.979	969.2	9.571	3.139
30000	30005	390.87	-68.80	-20.82	8.166	+ 0	0.919	2.769 - 2	0.968	969.2	9.571 - 6	3.139 - 6
31000	31007	390.87	-68.80	-17.25	7.783		0.917	2.640	0.957	969.2	9.571	3.139
32000	32008	390.87	-68.80	-13.68	7.419		0.915	2.516	0.947	969.2	9.571	3.139
33000	33010	390.87	-68.80	-10.12	7.072		0.914	2.398	0.938	969.2	9.571	3.139
34000	34012	390.87	-68.80	-6.55	6.740		0.913	2.286	0.929	969.2	9.571	3.139
35000	35014	390.87	-68.80	-2.98	6.425		0.912	2.179	0.919	969.2	9.571	3.139
36000	36016	390.87	-68.80	0.58	6.124		0.912	2.077	0.911	969.2	9.571	3.139
37000	37019	390.87	-68.80	0.90	5.837		0.913	1.980	0.910	969.2	9.571	3.139
38000	38021	390.87	-68.80	0.90	5.564		0.913	1.887	0.911	969.2	9.571	3.139
39000	39023	390.87	-68.80	0.90	5.303		0.913	1.799	0.911	969.2	9.571	3.139
40000	40026	390.52	-69.15	0.55	5.055	+ 0	0.913	1.716 - 2	0.911	968.8	9.564 - 6	3.137 - 6
41000	41028	389.98	-69.69	0.01	4.818		0.913	1.638	0.913	968.1	9.553	3.133
42000	42031	389.43	-70.24	-0.54	4.592		0.913	1.563	0.914	967.4	9.541	3.128
43000	43034	388.88	-70.79	-1.09	4.376		0.913	1.492	0.915	966.7	9.530	3.124
44000	44037	388.33	-71.34	-1.64	4.170		0.913	1.423	0.917	966.0	9.519	3.120
45000	45040	387.78	-71.89	-2.19	3.973		0.912	1.358	0.918	965.4	9.508	3.116
46000	46043	387.23	-72.44	-2.74	3.786		0.912	1.296	0.918	964.7	9.496	3.112
47000	47046	386.68	-72.99	-3.29	3.607		0.912	1.236	0.919	964.0	9.485	3.108
48000	48049	386.14	-73.53	-3.83	3.436		0.911	1.180	0.920	963.3	9.474	3.104
49000	49053	385.59	-74.08	-4.38	3.273		0.911	1.125	0.921	962.6	9.462	3.100
50000	50056	385.04	-74.63	-4.93	3.118	+ 0	0.910	1.073 - 2	0.922	961.9	9.451 - 6	3.095 - 6
51000	51060	384.49	-75.18	-5.48	2.969		0.910	1.024	0.922	961.2	9.440	3.091
52000	52063	383.94	-75.73	-6.03	2.828		0.909	9.764 - 3	0.924	960.6	9.429	3.087
53000	53067	383.39	-76.28	-6.58	2.693		0.908	9.312	0.924	959.9	9.417	3.083
54000	54071	382.84	-76.83	-7.13	2.565		0.907	8.880	0.924	959.2	9.406	3.079
55000	55075	382.29	-77.38	-7.68	2.442		0.907	8.467	0.925	958.5	9.394	3.075
56000	56079	381.75	-77.92	-8.22	2.325		0.906	8.074	0.925	957.8	9.383	3.071
57000	57083	381.20	-78.47	-8.77	2.213		0.905	7.698	0.926	957.1	9.372	3.066
58000	58087	380.65	-79.02	-9.32	2.107		0.904	7.339	0.926	956.4	9.360	3.062
59000	59092	380.10	-79.57	-9.87	2.006		0.903	6.996	0.926	955.7	9.349	3.058
60000	60096	379.55	-80.12	-10.42	1.909	+ 0	0.901	6.669 - 3	0.926	955.1	9.338 - 6	3.054 - 6
61000	61101	379.00	-80.67	-10.97	1.817		0.901	6.356	0.926	954.4	9.326	3.050
62000	62105	378.45	-81.22	-11.52	1.730		0.899	6.058	0.926	953.7	9.315	3.046
63000	63110	377.91	-81.76	-12.06	1.646		0.898	5.774	0.926	953.0	9.303	3.042
64000	64115	377.36	-82.31	-12.61	1.566		0.896	5.502	0.926	952.3	9.292	3.037
65000	65120	376.81	-82.86	-13.16	1.490		0.895	5.243	0.926	951.6	9.281	3.033
66000	66125	376.26	-83.41	-13.92	1.418		0.893	4.995	0.926	950.9	9.269	3.029
67000	67130	375.71	-83.96	-15.02	1.349		0.892	4.759	0.927	950.2	9.258	3.025
68000	68135	375.16	-84.51	-16.12	1.283		0.890	4.534	0.928	949.5	9.246	3.021
69000	69141	374.61	-85.06	-17.21	1.221		0.888	4.320	0.929	948.8	9.235	3.017
70000	70146	374.07	-85.60	-18.31	1.161	+ 0	0.886	4.115 - 3	0.929	948.1	9.223 - 6	3.012 - 6
71000	71151	373.52	-86.15	-19.41	1.104		0.884	3.919	0.930	947.4	9.212	3.008
72000	72157	372.97	-86.70	-20.50	1.050		0.882	3.733	0.930	946.7	9.200	3.004
73000	73163	372.42	-87.25	-21.60	9.987	- 1	0.879	3.555	0.930	946.0	9.189	3.000
74000	74169	371.87	-87.80	-22.70	9.496		0.877	3.385	0.930	945.3	9.178	2.996
75000	75174	371.32	-88.35	-23.80	9.029		0.874	3.223	0.930	944.6	9.166	2.992
76000	76180	370.77	-88.90	-24.89	8.584		0.871	3.069	0.930	943.9	9.155	2.988
77000	77186	370.22	-89.45	-25.99	8.161		0.869	2.922	0.930	943.2	9.143	2.983
78000	78193	369.68	-89.99	-27.09	7.758		0.866	2.782	0.929	942.5	9.132	2.979
79000	79199	369.13	-90.54	-28.19	7.374		0.863	2.648	0.929	941.9	9.120	2.975

TABLE 5.2.—Continued  
60° N. January (Warm)

GEOMETRIC ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity	
Z, ft	H, ft'	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> ft sec <sup>-1</sup>	$\mu$ lb ft <sup>-1</sup> sec <sup>-1</sup>	$k$ BTU ft <sup>-1</sup> sec <sup>-1</sup> (°R) <sup>-1</sup>	
0	0	463.11	3.44	-55.56	2.993	+ 1	1.000	8.567 - 2	1.120	1055.0	1.100 - 5	3.672 - 6
1000	1001	464.23	4.56	-50.88	2.874		0.996	8.207	1.105	1056.2	1.102	3.680
2000	2002	465.34	5.67	-46.20	2.760		0.992	7.864	1.091	1057.5	1.104	3.688
3000	3003	466.45	6.78	-41.52	2.651		0.989	7.535	1.077	1058.8	1.106	3.696
4000	4004	466.48	5.81	-38.93	2.547		0.986	7.253	1.068	1057.7	1.104	3.689
5000	5005	463.71	4.04	-37.13	2.446		0.982	6.993	1.061	1055.6	1.101	3.676
6000	6006	461.94	2.27	-35.34	2.349		0.980	6.741	1.055	1053.6	1.097	3.663
7000	7007	460.17	0.50	-33.54	2.255		0.977	6.497	1.048	1051.6	1.094	3.651
8000	8007	458.40	-1.27	-31.75	2.165		0.974	6.261	1.041	1049.6	1.091	3.638
9000	9008	456.63	-3.04	-29.96	2.078		0.972	6.033	1.035	1047.6	1.087	3.625
10000	10008	454.86	-4.81	-28.17	1.994	+ 1	0.969	5.812 - 2	1.029	1045.5	1.084 - 5	3.612 - 6
11000	11008	453.08	-6.59	-26.38	1.914		0.967	5.599	1.023	1043.5	1.080	3.599
12000	12008	450.27	-9.40	-25.63	1.836		0.965	5.405	1.019	1040.2	1.075	3.579
13000	13008	446.51	-13.16	-25.82	1.761		0.962	5.227	1.018	1035.9	1.068	3.551
14000	14008	442.77	-16.90	-26.01	1.688		0.960	5.054	1.017	1031.5	1.061	3.524
15000	15008	439.02	-20.65	-26.19	1.618		0.958	4.885	1.015	1027.2	1.053	3.496
16000	16008	435.28	-24.39	-26.38	1.550		0.956	4.720	1.013	1022.8	1.046	3.469
17000	17008	431.53	-28.14	-26.56	1.484		0.953	4.560	1.012	1018.4	1.039	3.442
18000	18007	427.79	-31.88	-26.74	1.421		0.951	4.404	1.010	1013.9	1.031	3.414
19000	19007	424.05	-35.62	-26.93	1.360		0.948	4.251	1.008	1009.5	1.024	3.386
20000	20006	420.31	-39.36	-27.11	1.301	+ 1	0.945	4.103 - 2	1.006	1005.0	1.016 - 5	3.359 - 6
21000	21006	416.57	-43.10	-27.28	1.244		0.942	3.958	1.004	1000.6	1.009	3.331
22000	22005	412.84	-46.83	-27.46	1.189		0.940	3.818	1.003	996.1	1.002	3.303
23000	23004	409.11	-50.56	-27.63	1.136		0.937	3.681	1.001	991.5	9.941 - 6	3.276
24000	24003	405.37	-54.30	-27.81	1.085		0.935	3.548	0.999	987.0	9.866	3.248
25000	25002	401.64	-58.03	-27.98	1.036		0.931	3.419	0.996	982.5	9.791	3.220
26000	26001	397.91	-61.76	-28.16	9.884	+ 0	0.929	3.293	0.995	977.9	9.715	3.192
27000	26999	394.18	-65.49	-28.33	9.428		0.926	3.171	0.992	973.3	9.639	3.164
28000	27998	390.47	-69.22	-28.50	8.988		0.923	3.048	0.989	969.2	9.571	3.139
29000	28997	390.87	-68.80	-24.53	8.568		0.920	2.906	0.978	969.2	9.571	3.139
30000	29995	390.87	-68.80	-20.97	8.168	+ 0	0.917	2.770 - 2	0.967	969.2	9.571 - 6	3.139 - 6
31000	30993	390.87	-68.80	-17.41	7.786		0.915	2.641	0.956	969.2	9.571	3.139
32000	31992	390.87	-68.80	-13.86	7.422		0.914	2.517	0.946	969.2	9.571	3.139
33000	32990	390.87	-68.80	-10.30	7.075		0.912	2.399	0.936	969.2	9.571	3.139
34000	33988	390.87	-68.80	-6.75	6.744		0.911	2.287	0.927	969.2	9.571	3.139
35000	34986	390.87	-68.80	-3.19	6.429		0.911	2.180	0.918	969.2	9.571	3.139
36000	35984	390.87	-68.80	0.36	6.129		0.910	2.079	0.910	969.2	9.571	3.139
37000	36982	390.87	-68.80	0.90	5.842		0.910	1.981	0.909	969.2	9.571	3.139
38000	37979	390.87	-68.80	0.90	5.570		0.910	1.889	0.909	969.2	9.571	3.139
39000	38977	390.87	-68.80	0.90	5.309		0.911	1.801	0.909	969.2	9.571	3.139
40000	39974	390.54	-69.13	0.57	5.061	+ 0	0.911	1.718 - 2	0.909	968.8	9.564 - 6	3.137 - 6
41000	40972	389.99	-69.68	0.02	4.825		0.911	1.640	0.911	968.1	9.553	3.133
42000	41969	389.44	-70.23	-0.53	4.599		0.910	1.565	0.912	967.4	9.542	3.129
43000	42966	388.90	-70.77	-1.07	4.383		0.910	1.494	0.913	966.7	9.531	3.124
44000	43963	388.35	-71.32	-1.62	4.177		0.910	1.426	0.914	966.1	9.519	3.120
45000	44960	387.80	-71.87	-2.17	3.981		0.910	1.361	0.915	965.4	9.508	3.116
46000	45957	387.26	-72.41	-2.71	3.793		0.909	1.299	0.916	964.7	9.497	3.112
47000	46954	386.71	-72.96	-3.26	3.615		0.909	1.239	0.916	964.0	9.486	3.108
48000	47951	386.16	-73.51	-3.81	3.444		0.909	1.182	0.918	963.3	9.474	3.104
49000	48947	385.62	-74.05	-4.35	3.281		0.908	1.128	0.919	962.7	9.463	3.100
50000	49944	385.07	-74.60	-4.90	3.126	+ 0	0.908	1.076 - 2	0.919	962.0	9.452 - 6	3.096 - 6
51000	50940	384.52	-75.15	-5.45	2.978		0.907	1.027	0.920	961.3	9.441	3.092
52000	51937	383.98	-75.69	-6.00	2.837		0.906	9.793 - 3	0.920	960.6	9.429	3.087
53000	52933	383.43	-76.24	-6.54	2.702		0.905	9.341	0.921	959.9	9.418	3.083
54000	53929	382.88	-76.79	-7.09	2.573		0.905	8.910	0.921	959.2	9.407	3.079
55000	54925	382.34	-77.33	-7.63	2.451		0.904	8.498	0.922	958.6	9.395	3.075
56000	55921	381.79	-77.88	-8.18	2.334		0.903	8.104	0.922	957.9	9.384	3.071
57000	56917	381.24	-78.43	-8.73	2.223		0.902	7.728	0.922	957.2	9.373	3.067
58000	57913	380.70	-78.97	-9.27	2.116		0.901	7.369	0.923	956.5	9.361	3.063
59000	58909	380.15	-79.52	-9.82	2.015		0.900	7.026	0.923	955.8	9.350	3.059
60000	59904	379.60	-80.07	-10.37	1.918	+ 0	0.899	6.699 - 3	0.923	955.1	9.339 - 6	3.054 - 6
61000	60900	379.06	-80.61	-10.91	1.826		0.897	6.387	0.923	954.4	9.327	3.050
62000	61895	378.51	-81.16	-11.46	1.739		0.896	6.089	0.923	953.7	9.316	3.046
63000	62890	377.97	-81.70	-12.00	1.655		0.895	5.804	0.923	953.1	9.305	3.042
64000	63886	377.42	-82.25	-12.55	1.575		0.893	5.532	0.923	952.4	9.293	3.038
65000	64881	376.87	-82.80	-13.10	1.499		0.891	5.273	0.923	951.7	9.282	3.034
66000	65876	376.33	-83.34	-13.74	1.427		0.890	5.026	0.922	951.0	9.271	3.030
67000	66871	375.78	-83.89	-14.38	1.358		0.889	4.789	0.923	950.3	9.259	3.025
68000	67865	375.24	-84.43	-15.92	1.292		0.887	4.564	0.924	949.6	9.248	3.021
69000	68860	374.69	-84.98	-17.01	1.229		0.884	4.349	0.925	948.9	9.236	3.017
70000	69855	374.14	-85.53	-18.10	1.170	+ 0	0.883	4.144 - 3	0.925	948.2	9.225 - 6	3.013 - 6
71000	70849	373.60	-86.07	-19.19	1.113		0.880	3.948	0.926	947.5	9.214	3.009
72000	71844	373.05	-86.62	-20.28	1.058		0.878	3.761	0.926	946.8	9.202	3.005
73000	72838	372.51	-87.16	-21.37	1.007		0.876	3.583	0.926	946.2	9.191	3.001
74000	73832	371.96	-87.71	-22.46	9.577	- 1	0.873	3.413	0.926	945.5	9.179	2.997
75000	74827	371.42	-88.25	-23.55	9.108		0.871	3.251	0.926	944.8	9.168	2.992
76000	75821	370.87	-88.80	-24.64	8.662		0.868	3.096	0.926	944.1	9.157	2.988
77000	76815	370.33	-89.34	-25.73	8.238		0.865	2.949	0.925	943.4	9.145	2.984
78000	77809	369.78	-89.89	-26.82	7.833		0.862	2.808	0.925	942.7	9.134	2.980
79000	78802	369.24	-90.43	-27.91	7.448		0.859	2.674	0.924	942.0	9.122	2.976

TABLE 5.2.—Continued  
60° N. January (Warm)  
GEOPOTENTIAL ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity	
H, ft'	Z, ft	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , ft sec <sup>-1</sup>	$\mu$ , lb ft <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{sec^{-1}(°R)^{-1}}$	
80000	80205	368.58	-91.09	-29.28	7.008	- 1	0.859	2.521 - 3	0.928	941.1	9.108 - 6	2.971 - 6
81000	81212	368.03	-91.64	-30.38	6.661		0.856	2.399	0.927	940.4	9.097	2.967
82000	82218	367.48	-92.19	-31.48	6.330		0.853	2.283	0.926	939.7	9.085	2.963
83000	83225	366.93	-92.74	-32.57	6.015		0.849	2.173	0.925	939.0	9.074	2.958
84000	84232	366.38	-93.29	-33.67	5.715		0.846	2.068	0.924	938.3	9.062	2.954
85000	85239	365.84	-93.83	-34.77	5.430		0.842	1.968	0.922	937.6	9.051	2.950
86000	86245	365.29	-94.38	-35.87	5.158		0.838	1.872	0.920	936.9	9.039	2.946
87000	87253	364.74	-94.93	-36.96	4.900		0.834	1.781	0.919	936.2	9.028	2.942
88000	88260	364.19	-95.48	-38.06	4.655		0.830	1.694	0.917	935.5	9.016	2.937
89000	89267	363.64	-96.03	-39.16	4.421		0.826	1.612	0.915	934.8	9.004	2.933
90000	90274	363.09	-96.58	-40.26	4.199	- 1	0.822	1.533 - 3	0.913	934.1	8.993 - 6	2.929 - 6
91000	91282	362.54	-97.13	-41.35	3.987		0.818	1.458	0.911	933.4	8.981	2.925
92000	92289	361.99	-97.68	-42.45	3.786		0.813	1.387	0.909	932.7	8.970	2.921
93000	93297	361.45	-98.22	-43.55	3.595		0.809	1.319	0.906	932.0	8.958	2.917
94000	94305	360.90	-98.77	-44.64	3.413		0.804	1.254	0.904	931.3	8.946	2.912
95000	95312	360.35	-99.32	-45.74	3.240		0.800	1.192	0.901	930.6	8.935	2.908
96000	96320	359.80	-99.87	-46.84	3.076		0.795	1.133	0.899	929.9	8.923	2.904
97000	97328	359.25	-100.42	-47.94	2.920		0.790	1.077	0.896	929.2	8.911	2.900
98000	98336	358.70	-100.97	-49.03	2.771		0.785	1.024	0.893	928.5	8.900	2.896
99000	99345	358.15	-100.76	-49.57	2.630		0.780	9.714 - 4	0.888	928.7	8.904	2.897
100000	100353	359.68	-99.99	-49.15	2.496	- 1	0.776	9.201 - 4	0.881	929.7	8.921 - 6	2.903 - 6
105000	105396	363.52	-96.15	-48.07	1.926		0.752	7.025	0.851	934.7	9.002	2.932
110000	110441	367.36	-92.31	-51.91	1.491		0.729	5.379	0.832	939.6	9.083	2.962
115000	115489	371.48	-88.19	-55.47	1.157		0.706	4.127	0.811	944.8	9.169	2.993
120000	120539	385.55	-76.12	-51.08	9.023	- 2	0.685	3.119	0.776	960.1	9.420	3.084
125000	125592	395.62	-64.05	-46.69	7.094		0.667	2.377	0.745	975.1	9.668	3.175
130000	130647	407.69	-51.98	-42.30	5.617		0.651	1.827	0.719	989.8	9.913	3.265
135000	135705	416.46	-43.21	-41.22	4.476		0.638	1.425	0.701	1000.4	1.009 - 5	3.330
140000	140765	424.14	-35.53	-41.22	3.581		0.625	1.119	0.686	1009.6	1.024	3.387
145000	145827	431.82	-27.85	-41.22	2.877		0.613	8.831 - 5	0.672	1018.7	1.039	3.444
150000	150892	439.50	-20.17	-41.22	2.320	- 2	0.602	6.998 - 5	0.658	1027.7	1.054 - 5	3.500 - 6
155000	155959	447.18	-12.49	-39.99	1.878		0.591	5.567	0.644	1036.7	1.069	3.556
160000	161029	454.86	-4.81	-32.31	1.526		0.582	4.446	0.624	1045.5	1.084	3.612
165000	166101	461.07	1.40	-26.10	1.244		0.575	3.575	0.608	1052.6	1.096	3.657
170000	171176	461.07	1.40	-26.10	1.015		0.569	2.918	0.601	1052.6	1.096	3.657
175000	176253	461.07	1.40	-21.28	8.282	- 3	0.563	2.381	0.589	1052.6	1.096	3.657
180000	181332	457.03	-2.64	-19.83	6.755		0.559	1.959	0.583	1048.0	1.088	3.628
185000	186414	449.89	-9.78	-21.48	5.494		0.554	1.619	0.580	1039.8	1.074	3.576
190000	191498	442.76	-16.91	-23.13	4.453		0.548	1.333	0.577	1031.5	1.061	3.524
195000	196585	438.45	-21.22	-21.95	3.598		0.542	1.088	0.570	1026.5	1.052	3.492
200000	201675	441.20	-18.47	-13.72	2.908	- 3	0.538	8.737 - 6	0.554	1029.7	1.058 - 5	3.512 - 6
205000	206766	443.94	-15.73	-0.14	2.353		0.536	7.026	0.536	1032.9	1.063	3.532
210000	211861	446.68	-12.99	13.57	1.906		0.538	5.657	0.521	1036.1	1.068	3.552
215000	216957	449.43	-10.24	27.29	1.547		0.543	4.562	0.510	1039.3	1.073	3.572
220000	222056	452.17	-7.50	41.00	1.256		0.552	3.683	0.502	1042.4	1.079	3.592
225000	227158	454.91	-4.76	54.72	1.022		0.566	2.977	0.498	1045.6	1.084	3.612
230000	232262	457.66	-2.01	68.44	8.320	- 4	0.585	2.410	0.497	1048.7	1.089	3.632
235000	237369	457.01	-2.66	78.76	6.782		0.608	1.967	0.503	1048.0	1.088	3.628
240000	242478	451.52	-8.15	84.25	5.517		0.636	1.620	0.518	1041.7	1.077	3.588
245000	247589	446.04	-13.63	89.73	4.478		0.669	1.331	0.535	1035.3	1.067	3.548
250000	252703	440.55	-19.12	95.22	3.624	- 4	0.708	1.091 - 6	0.555	1028.9	1.056 - 5	3.508 - 6
255000	257820	435.06	-24.61	100.70	2.926		0.753	8.915 - 7	0.579	1022.5	1.046	3.467
260000	262939	429.58	-30.09	104.41	2.356		0.806	7.269	0.610	1016.0	1.035	3.427

TABLE 5.2.—Continued  
60° N. January (Warm)  
GEOMETRIC ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity	
Z, ft	H, ft'	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> ft sec <sup>-1</sup>	$\mu$ lb ft <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{\text{sec}^{-1}(\text{°R})^{-1}}$	
80000	79796	368.69	-90.98	-29.00	7.082	- 1	0.856	2.546 - 3	0.923	941.3	9.111 - 6	2.972 - 6
81000	80790	368.15	-91.52	-30.09	6.732		0.853	2.424	0.922	940.6	9.099	2.968
82000	81783	367.60	-92.07	-31.18	6.400		0.849	2.308	0.921	939.9	9.088	2.963
83000	82777	367.06	-92.61	-32.27	6.084		0.846	2.197	0.920	939.2	9.076	2.959
84000	83770	366.51	-93.16	-33.36	5.783		0.842	2.092	0.919	938.5	9.065	2.955
85000	84763	365.97	-93.70	-34.45	5.496		0.839	1.991	0.917	937.8	9.053	2.951
86000	85756	365.42	-94.25	-35.54	5.223		0.835	1.895	0.916	937.1	9.042	2.947
87000	86749	364.88	-94.79	-36.63	4.964		0.831	1.803	0.915	936.4	9.031	2.943
88000	87742	364.33	-95.34	-37.72	4.717		0.827	1.716	0.913	935.7	9.019	2.939
89000	88735	363.79	-95.88	-38.80	4.482		0.823	1.633	0.911	935.0	9.008	2.934
90000	89728	363.24	-96.43	-39.89	4.258	- 1	0.819	1.554 - 3	0.909	934.3	8.996 - 6	2.930 - 6
91000	90720	362.70	-96.97	-40.98	4.045		0.815	1.479	0.907	933.6	8.984	2.926
92000	91713	362.15	-97.52	-42.07	3.843		0.810	1.407	0.905	932.9	8.973	2.922
93000	92705	361.61	-98.06	-43.16	3.650		0.806	1.338	0.902	932.2	8.961	2.918
94000	93698	361.06	-98.61	-44.25	3.467		0.801	1.273	0.900	931.5	8.950	2.914
95000	94690	360.52	-99.15	-45.33	3.293		0.797	1.211	0.897	930.8	8.938	2.910
96000	95682	359.97	-99.70	-46.42	3.127		0.792	1.152	0.894	930.1	8.927	2.905
97000	96674	359.43	-100.24	-47.51	2.970		0.787	1.095	0.891	929.4	8.915	2.901
98000	97666	358.89	-100.78	-48.60	2.820		0.782	1.042	0.889	928.7	8.904	2.897
99000	98658	358.35	-101.02	-49.38	2.677		0.777	9.897 - 4	0.884	928.4	8.899	2.895
100000	99650	359.41	-100.26	-49.16	2.542	- 1	0.773	9.377 - 4	0.878	929.4	8.915 - 6	2.901 - 6
105000	104608	363.22	-96.45	-48.07	1.966		0.749	7.175	0.848	934.3	8.996	2.930
110000	109563	367.02	-92.65	-51.36	1.524		0.727	5.506	0.828	939.2	9.076	2.959
115000	114516	370.83	-88.84	-55.15	1.185		0.704	4.237	0.808	944.0	9.156	2.988
120000	119466	382.26	-77.41	-51.31	9.262	- 2	0.682	3.212	0.774	958.5	9.394	3.074
125000	124414	394.21	-65.46	-46.96	7.294		0.664	2.453	0.743	973.3	9.639	3.164
130000	129360	406.15	-53.52	-42.61	5.785		0.649	1.888	0.717	988.0	9.882	3.254
135000	134304	415.39	-44.28	-40.96	4.618		0.635	1.474	0.698	999.1	1.007 - 5	3.322
140000	139245	422.98	-36.69	-40.95	3.703		0.623	1.160	0.683	1008.2	1.022	3.378
145000	144183	430.56	-29.11	-40.94	2.981		0.611	9.177 - 5	0.669	1017.2	1.037	3.434
150000	149120	438.15	-21.52	-40.93	2.409	- 2	0.600	7.288 - 5	0.655	1026.1	1.052 - 5	3.490 - 6
155000	154054	445.73	-13.94	-40.92	1.954		0.589	5.811	0.643	1035.0	1.066	3.545
160000	158986	453.30	-6.37	-33.87	1.591		0.579	4.652	0.623	1043.7	1.081	3.601
165000	163915	460.87	1.20	-26.30	1.300		0.572	3.738	0.605	1052.4	1.095	3.656
170000	168842	461.07	1.40	-26.10	1.064		0.566	3.058	0.598	1052.6	1.096	3.657
175000	173767	461.07	1.40	-22.87	8.708	- 3	0.560	2.504	0.588	1052.6	1.096	3.657
180000	178689	458.90	-0.77	-19.65	7.127		0.555	2.059	0.579	1050.1	1.092	3.641
185000	183609	451.88	-7.79	-21.28	5.821		0.550	1.708	0.576	1042.1	1.078	3.590
190000	188527	444.86	-14.81	-22.91	4.739		0.545	1.412	0.573	1034.0	1.065	3.539
195000	193442	437.85	-21.82	-24.53	3.846		0.539	1.165	0.569	1025.8	1.054	3.488
200000	198355	440.30	-19.37	-16.70	3.118	- 3	0.533	9.389 - 6	0.554	1028.6	1.056 - 5	3.506 - 6
205000	203266	442.99	-16.68	-5.48	2.532		0.530	7.576	0.537	1031.8	1.061	3.526
210000	208174	445.68	-13.99	7.98	2.058		0.531	6.122	0.521	1034.9	1.066	3.545
215000	213080	448.37	-11.30	21.42	1.676		0.534	4.954	0.509	1038.0	1.071	3.565
220000	217984	451.06	-8.61	34.86	1.366		0.541	4.014	0.500	1041.1	1.077	3.584
225000	222885	453.75	-5.92	48.29	1.115		0.552	3.257	0.494	1044.2	1.082	3.604
230000	227784	456.44	-3.23	61.71	9.112	- 4	0.568	2.646	0.491	1047.3	1.087	3.623
235000	232681	459.13	-0.54	75.13	7.456		0.588	2.153	0.492	1050.4	1.092	3.643
240000	237575	454.18	-5.49	80.91	6.100		0.613	1.780	0.504	1044.7	1.083	3.607
245000	242468	448.81	-10.86	86.27	4.979		0.642	1.471	0.518	1038.6	1.072	3.568
250000	247357	443.45	-16.22	91.62	4.054	- 4	0.675	1.212 - 6	0.536	1032.3	1.062 - 5	3.529 - 6
255000	252245	438.09	-21.58	96.97	3.293		0.714	9.965 - 7	0.556	1026.1	1.051	3.490
260000	257130	432.73	-26.94	102.32	2.669		0.760	8.175	0.580	1019.8	1.041	3.450

TABLE 5.2.—Continued  
60° N. July  
GEOPOTENTIAL ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity	
H, ft'	Z, ft	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> ft sec <sup>-1</sup>	$\mu$ lb ft <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{sec^{-1}(°R)^{-1}}$	
0	0	519.21	59.54	0.54	2.983	+ 1 0.997	7.615	- 2 0.996	1117.0	1.203	- 5 4.071	- 6 4.049
1000	999	516.05	56.38	0.94	2.876	0.997	7.389	0.995	1113.6	1.198		4.027
2000	1998	512.88	53.21	1.35	2.774	0.997	7.169	0.994	1110.2	1.192		4.005
3000	2997	509.72	50.05	1.75	2.674	0.997	6.954	0.994	1106.8	1.186		3.983
4000	3996	506.61	46.94	2.21	2.577	0.997	6.743	0.993	1103.4	1.181		3.961
5000	4995	503.53	43.86	2.69	2.483	0.997	6.537	0.992	1100.0	1.175		3.939
6000	5994	500.44	40.77	3.17	2.392	0.998	6.336	0.991	1096.7	1.169		3.917
7000	6993	497.36	37.69	3.65	2.304	0.998	6.140	0.991	1093.3	1.164		3.895
8000	7993	494.28	34.61	4.14	2.218	0.998	5.950	0.990	1089.9	1.158		3.873
9000	8992	491.20	31.53	4.63	2.136	0.998	5.763	0.989	1086.5	1.152		
10000	9992	488.12	28.45	5.12	2.055	+ 1 0.999	5.582	- 2 0.988	1083.1	1.147	- 5 3.851	- 6 3.830
11000	10992	485.08	25.41	5.63	1.978	0.999	5.405	0.988	1079.7	1.141		3.808
12000	11992	482.03	22.36	6.15	1.902	1.000	5.232	0.987	1076.3	1.135		3.786
13000	12992	478.98	19.31	6.67	1.830	1.000	5.064	0.986	1072.9	1.130		3.764
14000	13992	475.95	16.28	7.20	1.759	1.001	4.900	0.986	1069.5	1.124		3.743
15000	14992	472.92	13.25	7.75	1.691	1.002	4.740	0.985	1066.1	1.118		3.721
16000	15992	469.90	10.23	8.29	1.625	1.002	4.585	0.985	1062.7	1.112		3.695
17000	16992	466.86	6.69	8.81	1.561	1.003	4.438	0.985	1058.7	1.106		3.667
18000	17993	463.84	2.79	9.31	1.500	1.004	4.299	0.986	1054.2	1.098		3.639
19000	18993	458.57	-1.10	9.81	1.440	1.004	4.162	0.988	1049.8	1.091		
20000	19994	454.68	-4.99	10.31	1.382	+ 1 1.005	4.029	- 2 0.989	1045.3	1.084	- 5 3.611	- 6 3.583
21000	20994	450.82	-8.85	10.82	1.326	1.006	3.899	0.990	1040.9	1.076		3.554
22000	21995	446.95	-12.72	11.33	1.272	1.006	3.772	0.991	1036.4	1.069		3.526
23000	22996	443.08	-16.59	11.84	1.219	1.007	3.648	0.992	1031.9	1.061		3.498
24000	23997	439.22	-20.45	12.35	1.169	1.007	3.527	0.993	1027.4	1.054		3.470
25000	24998	435.35	-24.32	12.86	1.119	1.009	3.409	0.995	1022.9	1.046		3.441
26000	25999	431.49	-28.18	13.37	1.072	1.009	3.294	0.996	1018.3	1.039		3.413
27000	27001	427.63	-32.04	13.88	1.026	1.009	3.182	0.997	1013.7	1.031		3.384
28000	28002	423.79	-35.88	14.39	9.821	+ 0 1.010	3.072	0.998	1009.2	1.023		3.356
29000	29003	419.94	-39.73	14.90	9.394	1.010	2.966	0.999	1004.6	1.016		
30000	30005	416.09	-43.58	15.41	8.983	+ 0 1.011	2.862	- 2 1.000	1000.0	1.008	- 5 3.327	- 6 3.299
31000	31007	412.24	-47.43	15.92	8.585	1.011	2.761	1.001	995.3	1.000		3.270
32000	32008	408.39	-51.28	16.43	8.202	1.012	2.662	1.002	990.7	9.927	- 6 3.247	3.247
33000	33010	404.54	-55.13	16.94	7.832	1.012	2.562	1.002	986.9	9.864		3.247
34000	34012	400.69	-58.98	17.45	7.478	1.013	2.466	0.994	986.9	9.864		3.247
35000	35014	396.84	-62.83	17.96	7.141	1.014	2.336	0.986	986.9	9.864		3.247
36000	36016	392.99	-66.68	18.47	6.818	1.016	2.230	0.978	986.9	9.864		3.247
37000	37019	389.14	-70.53	18.98	6.510	1.018	2.130	0.979	986.9	9.864		3.247
38000	38021	385.29	-74.38	19.49	6.216	1.020	2.033	0.981	986.9	9.864		3.247
39000	39023	381.44	-78.23	20.00	5.935	1.021	1.941	0.983	986.9	9.864		3.247
40000	40026	377.59	-82.08	20.51	5.667	+ 0 1.023	1.854	- 2 0.984	986.9	9.864	- 6 3.247	- 6 3.247
41000	41028	373.74	-85.93	21.02	5.411	1.025	1.770	0.987	986.9	9.864		3.247
42000	42031	369.89	-89.78	21.53	5.166	1.027	1.690	0.988	986.9	9.864		3.247
43000	43034	366.04	-93.63	22.04	4.933	1.029	1.613	0.990	986.9	9.864		3.247
44000	44037	362.19	-97.48	22.55	4.710	1.031	1.541	0.992	986.9	9.864		3.247
45000	45040	358.34	-101.33	23.06	4.497	1.033	1.471	0.994	986.9	9.864		3.247
46000	46043	354.49	-105.18	23.57	4.294	1.034	1.404	0.995	986.9	9.864		3.247
47000	47046	350.64	-109.03	24.08	4.100	1.036	1.341	0.997	986.9	9.864		3.247
48000	48049	346.79	-112.88	24.59	3.914	1.038	1.280	0.999	986.9	9.864		3.247
49000	49053	342.94	-116.73	25.10	3.737	1.040	1.223	1.000	986.9	9.864		3.247
50000	50056	339.09	-120.58	25.61	3.568	+ 0 1.042	1.167	- 2 1.003	986.9	9.864	- 6 3.247	- 6 3.247
51000	51060	335.24	-124.43	26.12	3.407	1.044	1.115	1.004	986.9	9.864		3.247
52000	52063	331.39	-128.28	26.63	3.253	1.046	1.064	1.007	986.9	9.864		3.247
53000	53067	327.54	-132.13	27.14	3.106	1.048	1.016	1.008	986.9	9.864		3.247
54000	54071	323.69	-135.98	27.65	2.966	1.049	9.701	- 3 1.010	986.9	9.864		3.247
55000	55075	319.84	-139.83	28.16	2.832	1.052	9.263	1.012	986.9	9.864		3.247
56000	56079	315.99	-143.68	28.67	2.704	1.053	8.844	1.014	986.9	9.864		3.247
57000	57083	312.14	-147.53	29.18	2.582	1.055	8.444	1.015	986.9	9.864		3.247
58000	58087	308.29	-151.38	29.69	2.465	1.057	8.063	1.017	986.9	9.864		3.247
59000	59092	304.44	-155.23	30.20	2.353	1.059	7.698	1.019	986.9	9.864		3.247
60000	60096	300.59	-159.08	30.71	2.247	+ 0 1.061	7.350	- 3 1.021	986.9	9.864	- 6 3.247	- 6 3.247
61000	61101	296.74	-162.93	31.22	2.146	1.063	7.018	1.023	986.9	9.864		3.247
62000	62105	292.89	-166.78	31.73	2.049	1.065	6.701	1.025	986.9	9.864		3.247
63000	63110	289.04	-170.63	32.24	1.956	1.067	6.398	1.027	986.9	9.864		3.247
64000	64115	285.19	-174.48	32.75	1.868	1.069	6.109	1.028	986.9	9.864		3.247
65000	65120	281.34	-178.33	33.26	1.783	1.071	5.833	1.030	986.9	9.864		3.247
66000	66125	277.49	-182.18	33.77	1.703	1.073	5.569	1.033	986.9	9.864		3.247
67000	67130	273.64	-186.03	34.28	1.626	1.074	5.318	1.036	986.9	9.864		3.247
68000	68135	269.79	-189.88	34.79	1.552	1.076	5.077	1.039	986.9	9.864		3.247
69000	69141	265.94	-193.73	35.30	1.482	1.078	4.848	1.042	986.9	9.864		3.247
70000	70146	262.09	-197.58	35.81	1.415	+ 0 1.080	4.629	- 3 1.046	986.9	9.864	- 6 3.247	- 6 3.247
71000	71151	258.24	-201.43	36.32	1.351	1.082	4.419	1.048	986.9	9.864		3.247
72000	72157	254.39	-205.28	36.83	1.290	1.083	4.220	1.052	986.9	9.864		3.247
73000	73163	250.54	-209.13	37.34	1.232	1.084	4.029	1.054	986.9	9.864		3.247
74000	74169	246.69	-212.98	37.85	1.176	1.086	3.847	1.057	986.9	9.864		3.247
75000	75174	242.84	-216.83	38.36	1.123	1.087	3.673	1.060	986.9	9.864		3.247
76000	76180	238.99	-220.68	38.87	1.072	1.088	3.503	1.062	987.4	9.873		3.250
77000	77186	235.14	-224.53	39.38	1.024	1.090	3.338	1.062	988.4	9.889		3.256
78000	78193	231.29	-228.38	39.89	9.777	- 1 1.091	3.182	1.063	989.4	9.906		3.263
79000	79199	227.44	-232.23	40.40	9.338	1.092	3.033	1.063	990.4	9.923		3.269



GEOMETRIC ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
Z, ft	H, ft'	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> ft sec <sup>-1</sup>	$\mu$ lb ft <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{sec^{-1}(°R)^{-1}}$
0	0	519.21	59.54	0.54	2.983	+ 1 0.997	7.615 - 2	0.996	1117.0	1.203 - 5	4.071 - 6
1000	1001	516.04	56.37	0.94	2.876	0.997	7.389	0.995	1113.6	1.198	4.049
2000	2002	512.88	53.21	1.34	2.773	0.997	7.168	0.994	1110.2	1.192	4.027
3000	3003	509.71	50.04	1.74	2.673	0.997	6.953	0.994	1106.8	1.186	4.004
4000	4004	506.60	46.93	2.19	2.576	0.997	6.742	0.993	1103.4	1.181	3.982
5000	5005	503.51	43.84	2.67	2.483	0.997	6.536	0.992	1100.0	1.175	3.961
6000	6006	500.43	40.76	3.15	2.391	0.997	6.335	0.991	1096.6	1.169	3.939
7000	7007	497.34	37.67	3.63	2.303	0.998	6.139	0.990	1093.3	1.164	3.917
8000	8007	494.26	34.59	4.11	2.218	0.998	5.948	0.989	1089.9	1.158	3.895
9000	9008	491.18	31.51	4.59	2.135	0.998	5.762	0.989	1086.5	1.152	3.873
10000	10008	488.10	28.43	5.08	2.055	+ 1 0.998	5.580 - 2	0.988	1083.0	1.147 - 5	3.851 - 6
11000	11008	485.05	25.38	5.59	1.977	0.999	5.403	0.987	1079.7	1.141	3.829
12000	12008	482.00	22.33	6.10	1.902	0.999	5.231	0.987	1076.3	1.135	3.808
13000	13008	478.95	19.28	6.61	1.829	1.000	5.063	0.986	1072.9	1.129	3.786
14000	14008	475.92	16.25	7.15	1.759	1.000	4.899	0.985	1069.5	1.124	3.764
15000	15008	472.90	13.23	7.68	1.691	1.001	4.739	0.984	1066.1	1.118	3.742
16000	16008	469.87	10.20	8.22	1.625	1.002	4.584	0.984	1062.6	1.112	3.721
17000	17008	466.83	6.66	8.23	1.561	1.002	4.437	0.984	1058.6	1.106	3.695
18000	18007	462.43	2.76	7.90	1.499	1.003	4.298	0.986	1054.2	1.098	3.667
19000	19007	458.54	-1.13	7.56	1.439	1.003	4.161	0.987	1049.7	1.091	3.639
20000	20006	454.66	-5.01	7.24	1.382	+ 1 1.004	4.028 - 2	0.988	1045.3	1.083 - 5	3.611 - 6
21000	21006	450.79	-8.88	6.94	1.326	1.004	3.898	0.989	1040.8	1.076	3.582
22000	22005	446.93	-12.74	6.63	1.271	1.005	3.771	0.990	1036.4	1.069	3.554
23000	23004	443.07	-16.60	6.33	1.219	1.006	3.647	0.991	1031.9	1.061	3.526
24000	24003	439.21	-20.46	6.03	1.168	1.006	3.526	0.993	1027.4	1.054	3.498
25000	25002	435.35	-24.32	5.72	1.119	1.007	3.409	0.993	1022.8	1.046	3.470
26000	26001	431.48	-28.19	5.42	1.072	1.008	3.294	0.995	1018.3	1.039	3.441
27000	26999	427.64	-32.03	5.13	1.026	1.008	3.182	0.996	1013.8	1.031	3.413
28000	27998	423.79	-35.88	4.84	9.822	+ 0 1.008	3.072	0.997	1009.2	1.023	3.384
29000	28997	419.95	-39.72	4.55	9.396	1.009	2.966	0.998	1004.6	1.016	3.356
30000	29995	416.11	-43.56	4.27	8.985	+ 0 1.009	2.862 - 2	0.999	1000.0	1.008 - 5	3.328 - 6
31000	30993	412.26	-47.41	3.98	8.588	1.010	2.761	1.000	995.4	1.000	3.299
32000	31992	408.42	-51.25	3.69	8.205	1.010	2.663	1.001	990.7	9.927 - 6	3.271
33000	32990	405.28	-54.39	4.11	7.836	1.010	2.563	1.000	986.9	9.864	3.247
34000	33988	405.28	-54.39	7.66	7.483	1.011	2.448	0.992	986.9	9.864	3.247
35000	34986	405.27	-54.40	11.21	7.146	1.012	2.337	0.984	986.9	9.864	3.247
36000	35984	405.27	-54.40	14.76	6.824	1.014	2.232	0.977	986.9	9.864	3.247
37000	36982	405.27	-54.40	15.30	6.516	1.015	2.131	0.977	986.9	9.864	3.247
38000	37979	405.27	-54.40	15.30	6.222	1.017	2.035	0.979	986.9	9.864	3.247
39000	38977	405.27	-54.40	15.30	5.941	1.019	1.943	0.981	986.9	9.864	3.247
40000	39974	405.27	-54.40	15.30	5.674	+ 0 1.021	1.856 - 2	0.982	986.9	9.864 - 6	3.247 - 6
41000	40972	405.27	-54.40	15.30	5.418	1.023	1.772	0.984	986.9	9.864	3.247
42000	41969	405.27	-54.40	15.30	5.174	1.024	1.692	0.986	986.9	9.864	3.247
43000	42966	405.27	-54.40	15.30	4.940	1.026	1.616	0.987	986.9	9.864	3.247
44000	43963	405.27	-54.40	15.30	4.718	1.028	1.543	0.989	986.9	9.864	3.247
45000	44960	405.27	-54.40	15.30	4.505	1.030	1.474	0.991	986.9	9.864	3.247
46000	45957	405.27	-54.40	15.30	4.302	1.031	1.407	0.992	986.9	9.864	3.247
47000	46954	405.27	-54.40	15.30	4.108	1.033	1.344	0.994	986.9	9.864	3.247
48000	47951	405.27	-54.40	15.30	3.923	1.035	1.283	0.996	986.9	9.864	3.247
49000	48947	405.27	-54.40	15.30	3.746	1.037	1.225	0.998	986.9	9.864	3.247
50000	49944	405.27	-54.40	15.30	3.578	+ 0 1.039	1.170 - 2	0.999	986.9	9.864 - 6	3.247 - 6
51000	50940	405.27	-54.40	15.30	3.417	1.040	1.118	1.001	986.9	9.864	3.247
52000	51937	405.27	-54.40	15.30	3.263	1.042	1.067	1.003	986.9	9.864	3.247
53000	52933	405.27	-54.40	15.30	3.116	1.044	1.019	1.005	986.9	9.864	3.247
54000	53929	405.27	-54.40	15.30	2.976	1.046	9.733 - 3	1.007	986.9	9.864	3.247
55000	54925	405.27	-54.40	15.30	2.842	1.048	9.295	1.008	986.9	9.864	3.247
56000	55921	405.27	-54.40	15.30	2.714	1.050	8.876	1.010	986.9	9.864	3.247
57000	56917	405.27	-54.40	15.30	2.591	1.052	8.477	1.012	986.9	9.864	3.247
58000	57913	405.27	-54.40	15.30	2.475	1.053	8.095	1.014	986.9	9.864	3.247
59000	58909	405.27	-54.40	15.30	2.363	1.055	7.731	1.015	986.9	9.864	3.247
60000	59904	405.27	-54.40	15.30	2.257	+ 0 1.057	7.383 - 3	1.017	986.9	9.864 - 6	3.247 - 6
61000	60900	405.27	-54.40	15.30	2.156	1.059	7.051	1.019	986.9	9.864	3.247
62000	61895	405.27	-54.40	15.30	2.059	1.061	6.734	1.021	986.9	9.864	3.247
63000	62890	405.27	-54.40	15.30	1.966	1.063	6.431	1.022	986.9	9.864	3.247
64000	63886	405.27	-54.40	15.30	1.878	1.064	6.141	1.024	986.9	9.864	3.247
65000	64881	405.27	-54.40	15.30	1.793	1.066	5.865	1.026	986.9	9.864	3.247
66000	65876	405.27	-54.40	15.20	1.712	1.068	5.601	1.028	986.9	9.864	3.247
67000	66871	405.27	-54.40	14.66	1.635	1.070	5.349	1.031	986.9	9.864	3.247
68000	67865	405.27	-54.40	14.11	1.562	1.072	5.109	1.034	986.9	9.864	3.247
69000	68860	405.27	-54.40	13.57	1.492	1.073	4.879	1.037	986.9	9.864	3.247
70000	69855	405.27	-54.40	13.02	1.425	+ 0 1.075	4.660 - 3	1.040	986.9	9.864 - 6	3.247 - 6
71000	70849	405.27	-54.40	12.48	1.361	1.076	4.450	1.043	986.9	9.864	3.247
72000	71844	405.27	-54.40	11.93	1.299	1.078	4.250	1.046	986.9	9.864	3.247
73000	72838	405.27	-54.40	11.39	1.241	1.079	4.059	1.049	986.9	9.864	3.247
74000	73832	405.27	-54.40	10.84	1.185	1.080	3.877	1.052	986.9	9.864	3.247
75000	74827	405.27	-54.40	10.30	1.132	1.082	3.703	1.055	986.9	9.864	3.247
76000	75821	405.57	-54.10	10.05	1.081	1.083	3.534	1.056	987.2	9.870	3.249
77000	76815	406.39	-53.28	10.33	1.033	1.084	3.368	1.057	988.2	9.886	3.255
78000	77809	407.20	-52.47	10.60	9.864	- 1 1.086	3.211	1.057	989.2	9.903	3.261
79000	78802	408.02	-51.65	10.87	9.423	1.087	3.062	1.058	990.2	9.919	3.268

TABLE 5.2.—Continued  
60° N. July

GEOPOTENTIAL ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity	
H, ft'	Z, ft	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , ft sec <sup>-1</sup>	$\frac{\mu}{\text{lb ft}^{-1} \text{ sec}^{-1}}$	$\frac{k}{\text{BTU ft}^{-1} \text{ sec}^{-1} (°R)^{-1}}$	
80000	80205	409.01	-50.66	11.15	8.919	- 1	1.094	2.891 - 3	1.064	991.4	9.939 - 6	3.275 - 6
81000	81212	409.83	-49.84	11.42	8.520		1.095	2.756	1.065	992.4	9.956	3.281
82000	82218	410.65	-49.02	11.69	8.140		1.097	2.628	1.066	993.4	9.972	3.287
83000	83225	411.48	-48.19	11.97	7.777		1.098	2.505	1.066	994.4	9.989	3.293
84000	84232	412.30	-47.37	12.24	7.431		1.100	2.389	1.067	995.4	1.001 - 5	3.299
85000	85239	413.12	-46.55	12.52	7.101		1.101	2.279	1.068	996.4	1.002	3.305
86000	86245	413.94	-45.73	12.79	6.786		1.103	2.173	1.068	997.4	1.004	3.312
87000	87253	414.77	-44.90	13.07	6.486		1.104	2.073	1.070	998.4	1.005	3.318
88000	88260	415.59	-44.08	13.34	6.200		1.106	1.978	1.071	999.4	1.007	3.324
89000	89267	416.41	-43.26	13.61	5.927		1.108	1.887	1.071	1000.4	1.009	3.330
90000	90274	417.24	-42.43	13.89	5.666	- 1	1.109	1.800 - 3	1.072	1001.3	1.010 - 5	3.336 - 6
91000	91282	418.06	-41.61	14.16	5.417		1.111	1.718	1.074	1002.3	1.012	3.342
92000	92289	418.88	-40.79	14.44	5.180		1.113	1.639	1.074	1003.3	1.014	3.348
93000	93297	419.71	-39.96	14.71	4.954		1.115	1.565	1.075	1004.3	1.015	3.354
94000	94305	420.53	-39.14	14.99	4.738		1.117	1.493	1.077	1005.3	1.017	3.360
95000	95312	421.35	-38.32	15.26	4.531		1.118	1.426	1.078	1006.3	1.019	3.366
96000	96320	422.17	-37.50	15.54	4.334		1.120	1.361	1.079	1007.3	1.020	3.373
97000	97328	423.00	-36.67	15.81	4.146		1.122	1.299	1.080	1008.2	1.022	3.379
98000	98336	423.82	-35.85	16.08	3.967		1.124	1.241	1.082	1009.2	1.023	3.385
99000	99345	424.64	-35.03	16.36	3.795		1.126	1.185	1.083	1010.2	1.025	3.391
100000	100353	425.47	-34.20	16.63	3.632	- 1	1.128	1.131 - 3	1.084	1011.2	1.027 - 5	3.397 - 6
105000	105396	429.59	-30.08	18.00	2.917	- 4	1.138	9.000 - 4	1.091	1016.1	1.035	3.427
110000	110441	437.82	-21.85	18.55	2.350		1.150	7.115	1.101	1025.8	1.051	3.488
115000	115489	446.05	-13.62	19.10	1.901		1.160	5.649	1.111	1035.3	1.067	3.548
120000	120539	454.28	-5.39	19.65	1.544		1.171	4.504	1.120	1044.9	1.083	3.608
125000	125592	462.51	2.84	20.20	1.258		1.182	3.606	1.130	1054.3	1.098	3.667
130000	130647	470.74	11.07	20.74	1.029		1.193	2.898	1.141	1063.6	1.114	3.727
135000	135705	478.97	19.30	21.29	8.449	- 2	1.204	2.338	1.151	1072.9	1.130	3.786
140000	140765	487.20	27.53	21.84	6.959		1.215	1.893	1.160	1082.0	1.145	3.845
145000	145827	491.34	31.67	18.30	5.747		1.225	1.551	1.180	1086.6	1.153	3.874
150000	150892	494.36	34.69	13.64	4.752	- 2	1.233	1.274 - 4	1.199	1090.0	1.158 - 5	3.896 - 6
155000	155959	497.37	37.70	10.20	3.933		1.238	1.048	1.213	1093.3	1.164	3.917
160000	161029	498.87	39.20	11.70	3.259		1.244	8.661 - 5	1.215	1094.9	1.166	3.928
165000	166101	498.87	39.20	11.70	2.701		1.250	7.178	1.220	1094.9	1.166	3.928
170000	171176	498.87	39.20	11.70	2.238		1.255	5.948	1.226	1094.9	1.166	3.928
175000	176253	497.65	37.98	15.30	1.855		1.262	4.941	1.223	1093.6	1.164	3.919
180000	181332	492.16	32.49	15.30	1.535		1.270	4.135	1.230	1087.5	1.154	3.880
185000	186414	486.67	27.00	15.30	1.267		1.277	3.452	1.237	1081.5	1.144	3.841
190000	191498	481.19	21.52	15.30	1.044		1.286	2.877	1.245	1075.4	1.134	3.802
195000	196585	473.58	13.91	13.18	8.584	- 3	1.294	2.403	1.258	1066.8	1.119	3.747
200000	201675	460.69	1.02	5.77	7.024	- 3	1.299	2.021 - 5	1.282	1052.2	1.095 - 5	3.654 - 6
205000	206766	447.80	-11.87	3.71	5.714		1.302	1.692	1.291	1037.4	1.070	3.561
210000	211861	434.90	-24.77	1.79	4.621		1.304	1.409	1.298	1022.3	1.045	3.466
215000	216957	422.01	-37.66	-0.13	3.713		1.304	1.166	1.305	1007.1	1.020	3.371
220000	222056	409.12	-50.55	-2.05	2.963		1.303	9.602 - 6	1.310	991.6	9.941 - 6	3.276
225000	227158	396.22	-63.45	-3.97	2.348		1.302	7.856	1.314	975.8	9.680	3.179
230000	232262	383.33	-76.34	-5.89	1.846		1.297	6.385	1.317	959.8	9.416	3.083
235000	237369	370.44	-89.23	-7.81	1.440		1.291	5.152	1.319	943.5	9.147	2.985
240000	242478	357.54	-102.13	-9.73	1.113		1.284	4.126	1.319	927.0	8.875	2.887
245000	247589	344.65	-115.02	-11.65	8.521	- 4	1.274	3.278	1.317	910.1	8.599	2.788
250000	252703	331.76	-127.91	-13.57	6.459	- 4	1.261	2.581 - 6	1.313	892.9	8.318 - 6	2.689 - 6
255000	257820	318.86	-140.81	-15.50	4.842		1.245	2.013	1.306	875.4	8.033	2.589
260000	262939	305.97	-153.70	-19.20	3.587		1.227	1.554	1.304	857.5	7.744	2.488
265000	268060	293.05	-166.62	-32.12	2.623		1.197	1.187	1.328	839.2	7.450	2.387
270000	273184	291.09	-168.58	-34.08	1.902		1.157	8.658 - 7	1.293	836.5	7.406	2.372
275000	278310	291.05	-168.62	-34.12	1.378		1.119	6.275	1.250	836.5	7.406	2.372
280000	283439	291.02	-168.65	-34.15	9.989	- 5	1.082	4.548	1.208	836.5	7.406	2.372
285000	288570	290.99	-168.68	-34.18	7.240		1.046	3.296	1.169	836.5	7.406	2.372
290000	293704	290.96	-168.71	-34.21	5.247		1.011	2.389	1.130	836.5	7.406	2.372
295000	298841	290.29	-163.38	-35.36	3.810		0.978	1.701	1.092	844.7	7.538	2.417
300000	303979	302.25	-154.42	-34.81	2.793	- 5	0.947	1.208 - 7	1.051	858.3	7.756 - 6	2.492 - 6
310000	314264	322.38	-137.29	-34.43	1.543		0.896	6.281 - 8	0.983	884.7	8.185	2.642
320000	324559	337.56	-122.11	-35.68	8.824	- 6	0.856	3.391	0.928	910.5	8.605	2.790
330000	334865	359.53	-100.14	-37.60	5.205		0.821	1.858	0.882	944.6	9.166	2.992
340000	345180	410.26	-49.41	-13.60	3.254		0.808	1.008	0.807	1014.1	1.032 - 5	3.415
350000	355505	460.28	0.61	10.02	2.156		0.819	5.900 - 9	0.770	1079.1	1.140	3.826
360000	365840	509.72	50.05	18.92	1.496		0.844	3.664	0.778	1140.4	1.242	4.224
370000	376185	573.80	114.13	30.16	1.080		0.870	2.333	0.788	1214.6	1.367	4.718
380000	386540	638.82	179.15	42.92	8.098	- 7	0.899	1.560	0.801	1286.1	1.487	5.204

TABLE 5.2.—Continued  
60° N. July  
GEOMETRIC ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
Z, ft	H, ft'	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> ft sec <sup>-1</sup>	$\mu$ lb ft <sup>-1</sup> sec <sup>-1</sup>	BTU ft <sup>1</sup> sec <sup>-1</sup> (°R) <sup>-1</sup>
80000	79796	408.84	-50.83	11.15	9.003 - 1	1.088	2.919 - 3	1.058	991.2	9.936 - 6	3.274 - 6
81000	80790	409.66	-50.01	11.42	8.603	1.090	2.784	1.059	992.2	9.952	3.280
82000	81783	410.47	-49.20	11.69	8.221	1.091	2.655	1.060	993.2	9.969	3.286
83000	82777	411.29	-48.38	11.96	7.856	1.092	2.532	1.060	994.2	9.985	3.292
84000	83770	412.11	-47.56	12.24	7.509	1.094	2.415	1.061	995.2	1.000 - 5	3.298
85000	84763	412.93	-46.74	12.51	7.178	1.095	2.304	1.062	996.2	1.002	3.304
86000	85756	413.74	-45.93	12.78	6.862	1.097	2.198	1.063	997.1	1.003	3.310
87000	86749	414.56	-45.11	13.06	6.560	1.098	2.098	1.064	998.1	1.005	3.316
88000	87742	415.38	-44.29	13.33	6.272	1.100	2.002	1.065	999.1	1.007	3.322
89000	88735	416.20	-43.47	13.60	5.998	1.101	1.910	1.065	1000.1	1.008	3.328
90000	89728	417.01	-42.66	13.88	5.736 - 1	1.103	1.823 - 3	1.066	1001.1	1.010 - 5	3.334 - 6
91000	90720	417.83	-41.84	14.15	5.486	1.105	1.740	1.067	1002.1	1.012	3.340
92000	91713	418.65	-41.02	14.42	5.247	1.106	1.662	1.068	1003.0	1.013	3.346
93000	92705	419.46	-40.21	14.70	5.019	1.108	1.586	1.069	1004.0	1.015	3.352
94000	93698	420.28	-39.39	14.97	4.802	1.110	1.515	1.070	1005.0	1.016	3.359
95000	94690	421.10	-38.57	15.24	4.594	1.112	1.446	1.071	1006.0	1.018	3.365
96000	95682	421.91	-37.76	15.51	4.396	1.113	1.381	1.072	1006.9	1.020	3.371
97000	96674	422.73	-36.94	15.79	4.207	1.115	1.319	1.073	1007.9	1.021	3.377
98000	97666	423.55	-36.12	16.06	4.026	1.117	1.260	1.075	1008.9	1.023	3.383
99000	98658	424.36	-35.31	16.33	3.853	1.119	1.204	1.076	1009.9	1.025	3.389
100000	99650	425.18	-34.49	16.61	3.688 - 1	1.121	1.150 - 3	1.077	1010.8	1.026 - 5	3.395 - 6
105000	104608	429.26	-30.41	17.97	2.967	1.131	9.163 - 4	1.083	1015.7	1.034	3.425
110000	109563	437.10	-22.57	18.72	2.394	1.141	7.261	1.092	1024.9	1.050	3.482
115000	114516	445.25	-14.42	19.27	1.940	1.152	5.776	1.102	1034.4	1.065	3.542
120000	119466	453.40	-6.27	19.82	1.578	1.162	4.614	1.111	1043.8	1.081	3.601
125000	124414	461.55	1.88	20.38	1.288	1.173	3.701	1.121	1053.2	1.097	3.660
130000	129360	469.69	10.02	20.93	1.056	1.184	2.980	1.131	1062.4	1.112	3.719
135000	134304	477.82	18.15	21.48	8.683 - 2	1.194	2.409	1.141	1071.6	1.127	3.778
140000	139245	485.96	26.29	22.03	7.164	1.205	1.954	1.150	1080.7	1.143	3.836
145000	144183	490.85	31.18	19.35	5.929	1.215	1.601	1.167	1086.1	1.152	3.871
150000	149120	493.82	34.15	14.75	4.913 - 2	1.223	1.319 - 4	1.186	1089.4	1.157 - 5	3.892 - 6
155000	154054	496.80	37.13	10.16	4.076	1.229	1.088	1.203	1092.7	1.163	3.913
160000	158986	498.87	39.20	11.70	3.386	1.233	8.997 - 5	1.204	1094.9	1.166	3.928
165000	163915	498.87	39.20	11.70	2.813	1.238	7.476	1.209	1094.9	1.166	3.928
170000	168842	498.87	39.20	11.70	2.338	1.244	6.213	1.214	1094.9	1.166	3.928
175000	173767	498.87	39.20	14.93	1.943	1.250	5.163	1.212	1094.9	1.166	3.928
180000	178689	493.60	33.93	15.05	1.613	1.257	4.333	1.218	1089.1	1.157	3.890
185000	183609	488.20	28.53	15.04	1.337	1.264	3.631	1.225	1083.2	1.147	3.852
190000	188527	482.80	23.13	15.03	1.106	1.271	3.037	1.231	1077.2	1.137	3.813
195000	193442	477.41	17.74	15.03	9.128 - 3	1.278	2.535	1.238	1071.1	1.127	3.775
200000	198355	464.93	5.26	7.93	7.508 - 3	1.284	2.141 - 5	1.262	1057.0	1.103 - 5	3.685 - 6
205000	203266	452.27	-7.40	3.80	6.142	1.287	1.800	1.276	1042.5	1.079	3.593
210000	208174	439.61	-20.06	1.90	4.997	1.288	1.507	1.282	1027.8	1.054	3.501
215000	213080	426.96	-32.71	0.00	4.042	1.288	1.255	1.289	1012.9	1.030	3.408
220000	217984	414.31	-45.36	-1.89	3.248	1.287	1.039	1.293	997.8	1.005	3.314
225000	222885	401.68	-57.99	-3.79	2.593	1.285	8.559 - 6	1.297	982.5	9.791 - 6	3.220
230000	227784	389.04	-70.63	-5.68	2.056	1.282	7.005	1.300	966.9	9.534	3.126
235000	232681	376.42	-83.25	-7.58	1.617	1.276	5.696	1.301	951.1	9.272	3.030
240000	237575	363.80	-95.87	-9.47	1.262	1.268	4.600	1.301	935.0	9.008	2.934
245000	242468	351.18	-108.49	-11.37	9.767 - 4	1.258	3.687	1.299	918.7	8.739	2.838
250000	247357	338.57	-121.10	-13.26	7.488 - 4	1.247	2.932 - 6	1.295	902.0	8.467 - 6	2.741 - 6
255000	252245	325.97	-133.70	-15.15	5.683	1.232	2.311	1.290	885.1	8.191	2.644
260000	257130	313.37	-146.30	-17.04	4.268	1.215	1.805	1.281	867.8	7.911	2.546
265000	262013	300.77	-158.90	-24.40	3.168	1.193	1.396	1.290	850.2	7.626	2.448
270000	266893	291.11	-168.50	-34.06	2.323	1.158	1.057	1.294	836.5	7.406	2.372
275000	271772	291.08	-168.59	-34.09	1.697	1.121	7.725 - 7	1.252	836.5	7.406	2.372
280000	276648	291.04	-168.63	-34.13	1.239	1.084	5.644	1.211	836.5	7.406	2.372
285000	281521	291.01	-168.66	-34.16	9.057 - 5	1.049	4.124	1.171	836.5	7.406	2.372
290000	286393	290.98	-168.69	-34.19	6.619	1.015	3.014	1.133	836.5	7.406	2.372
295000	291262	290.95	-168.72	-34.22	4.838	0.981	2.203	1.096	836.5	7.406	2.372
300000	296128	298.32	-161.35	-34.58	3.549 - 5	0.950	1.573 - 7	1.057	847.8	7.587 - 6	2.434 - 6
310000	305855	315.68	-143.99	-33.52	1.965	0.897	8.197 - 8	0.986	873.9	8.009	2.580
320000	315572	330.86	-128.81	-34.42	1.126	0.854	4.436	0.929	899.2	8.420	2.725
330000	325281	345.51	-114.16	-37.62	6.650 - 6	0.820	2.483	0.888	923.7	8.822	2.868
340000	334980	364.89	-94.78	-24.50	4.085	0.795	1.356	0.820	979.8	9.747	3.204
350000	344670	433.70	-25.97	-1.44	2.668	0.795	7.784 - 9	0.769	1044.9	1.083 - 5	3.608
360000	354351	481.86	22.19	21.49	1.830	0.814	4.764	0.746	1106.2	1.185	4.001
370000	364022	534.69	75.02	25.09	1.306	0.840	3.039	0.765	1169.9	1.292	4.419
380000	373685	597.82	138.15	37.33	9.676 - 7	0.866	2.000	0.776	1241.4	1.412	4.900

TABLE 5.2.—Continued  
75° N. January

GEOPOTENTIAL ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity				
H, ft'	Z, ft	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> ft sec <sup>-1</sup>	$\frac{\mu}{\text{lb ft}^{-1} \text{sec}^{-1}}$	$\frac{k}{\text{BTU ft}^{-1} \text{sec}^{-1} (^\circ\text{R})^{-1}}$				
0	0	448.59	-11.08	-70.08	2.993	+ 1	1.000	8.844	- 2	1.157	1038.3	1.072	- 5	3.566	- 6
1000	998	450.24	-9.43	-64.86	2.871		0.995	8.452		1.138	1040.2	1.075		3.578	
2000	1996	451.90	-7.77	-59.64	2.754		0.990	8.078		1.120	1042.1	1.078		3.590	
3000	2994	453.55	-6.12	-54.42	2.642		0.985	7.722		1.104	1044.0	1.081		3.602	
4000	3992	455.21	-4.46	-49.20	2.535		0.981	7.383		1.087	1045.9	1.085		3.615	
5000	4990	456.89	-3.18	-44.34	2.433		0.977	7.066		1.072	1047.4	1.087		3.624	
6000	5988	458.46	-2.21	-43.81	2.335		0.974	6.826		1.068	1043.9	1.081		3.602	
7000	6987	450.43	-9.24	-43.28	2.240		0.970	6.593		1.064	1040.4	1.075		3.580	
8000	7985	447.39	-12.28	-42.75	2.149		0.967	6.366		1.059	1036.9	1.070		3.558	
9000	8984	444.36	-15.31	-42.21	2.060		0.963	6.146		1.055	1033.4	1.064		3.536	
10000	9982	441.33	-18.34	-41.68	1.975	+ 1	0.960	5.932	- 2	1.050	1029.9	1.058	- 5	3.513	- 6
11000	10981	438.30	-21.37	-41.14	1.892		0.956	5.723		1.046	1026.3	1.052		3.491	
12000	11980	435.27	-24.40	-40.60	1.813		0.953	5.521		1.042	1022.8	1.046		3.469	
13000	12979	432.25	-27.42	-40.06	1.736		0.949	5.325		1.037	1019.2	1.040		3.447	
14000	13978	429.22	-30.45	-39.52	1.662		0.946	5.134		1.033	1015.6	1.034		3.425	
15000	14977	426.20	-33.47	-39.58	1.591		0.943	4.949		1.028	1012.0	1.028		3.402	
16000	15976	423.18	-36.49	-38.43	1.522		0.939	4.769		1.024	1008.5	1.022		3.380	
17000	16976	420.16	-39.51	-37.89	1.456		0.935	4.594		1.020	1004.8	1.016		3.358	
18000	17975	417.13	-42.54	-37.35	1.392		0.932	4.425		1.015	1001.2	1.010		3.335	
19000	18975	414.11	-45.56	-36.80	1.331		0.928	4.261		1.011	997.6	1.004		3.313	
20000	19974	411.09	-48.58	-36.26	1.272	+ 1	0.925	4.101	- 2	1.006	993.9	9.981	- 6	3.290	- 6
21000	20974	408.07	-51.60	-35.71	1.215		0.922	3.947		1.002	990.3	9.920		3.268	
22000	21974	405.05	-54.62	-35.17	1.160		0.918	3.797		0.998	986.6	9.859		3.245	
23000	22974	402.03	-57.64	-34.62	1.108		0.915	3.652		0.993	982.9	9.798		3.223	
24000	23974	399.01	-60.66	-34.07	1.057		0.911	3.511		0.989	979.2	9.737		3.200	
25000	24974	395.99	-63.68	-33.53	1.008		0.908	3.375		0.985	975.5	9.676		3.178	
26000	25974	392.97	-66.70	-32.98	9.615	+ 0	0.904	3.243		0.980	971.8	9.614		3.155	
27000	26974	389.95	-69.72	-32.44	9.165		0.901	3.116		0.976	968.0	9.552		3.132	
28000	27975	387.24	-72.43	-31.58	8.733		0.898	2.990		0.971	964.7	9.497		3.112	
29000	28975	386.97	-72.70	-28.26	8.321		0.895	2.850		0.960	964.3	9.491		3.110	
30000	29976	386.69	-72.98	-24.99	7.927	+ 0	0.892	2.718	- 2	0.950	964.0	9.485	- 6	3.108	- 6
31000	30977	386.42	-73.25	-21.70	7.552		0.890	2.591		0.940	963.7	9.480		3.106	
32000	31977	386.14	-73.53	-18.41	7.194		0.888	2.470		0.930	963.3	9.474		3.104	
33000	32978	385.87	-73.80	-15.12	6.853		0.886	2.354		0.920	963.0	9.468		3.102	
34000	33979	385.59	-74.08	-11.83	6.528		0.884	2.244		0.912	962.6	9.463		3.100	
35000	34980	385.32	-74.35	-8.53	6.218		0.883	2.139		0.903	962.3	9.457		3.098	
36000	35981	385.05	-74.62	-5.24	5.923		0.882	2.039		0.894	961.9	9.451		3.095	
37000	36983	384.77	-74.90	-5.20	5.641		0.882	1.944		0.894	961.6	9.446		3.093	
38000	37984	384.45	-75.22	-5.52	5.373		0.881	1.853		0.894	961.2	9.439		3.091	
39000	38985	384.01	-75.66	-5.96	5.117		0.881	1.767		0.894	960.7	9.430		3.088	
40000	39987	383.58	-76.09	-6.39	4.873	+ 0	0.880	1.684	- 2	0.894	960.1	9.421	- 6	3.084	- 6
41000	40989	383.14	-76.53	-6.83	4.641		0.879	1.606		0.895	959.6	9.412		3.081	
42000	41990	382.70	-76.97	-7.27	4.419		0.879	1.531		0.895	959.0	9.403		3.078	
43000	42992	382.26	-77.41	-7.71	4.208		0.878	1.459		0.895	958.5	9.394		3.074	
44000	43994	381.82	-77.85	-8.15	4.006		0.877	1.391		0.896	957.9	9.385		3.071	
45000	44996	381.38	-78.29	-8.59	3.814		0.876	1.326		0.896	957.4	9.376		3.068	
46000	45998	380.94	-78.73	-9.03	3.631		0.875	1.264		0.896	956.8	9.366		3.065	
47000	47000	380.50	-79.17	-9.47	3.457		0.874	1.204		0.895	956.3	9.357		3.061	
48000	48003	380.06	-79.61	-9.91	3.291		0.873	1.148		0.895	955.7	9.348		3.058	
49000	49005	379.63	-80.04	-10.34	3.132		0.872	1.094		0.895	955.1	9.339		3.055	
50000	50008	379.19	-80.48	-10.78	2.981	+ 0	0.870	1.042	- 2	0.895	954.6	9.330	- 6	3.051	- 6
51000	51010	378.75	-80.92	-11.22	2.837		0.869	9.931	- 3	0.895	954.0	9.321		3.048	
52000	52013	378.31	-81.36	-11.66	2.700		0.868	9.462		0.895	953.5	9.312		3.045	
53000	53016	377.87	-81.80	-12.10	2.570		0.867	9.015		0.894	952.9	9.303		3.041	
54000	54019	377.43	-82.24	-12.54	2.445		0.865	8.588		0.894	952.4	9.294		3.038	
55000	55022	376.99	-82.68	-12.98	2.327		0.864	8.182		0.894	951.8	9.284		3.035	
56000	56025	376.55	-83.12	-13.42	2.214		0.862	7.794		0.893	951.3	9.275		3.031	
57000	57028	376.11	-83.56	-13.86	2.106		0.861	7.424		0.893	950.7	9.266		3.028	
58000	58031	375.67	-84.00	-14.30	2.004		0.860	7.071		0.892	950.2	9.257		3.025	
59000	59034	375.24	-84.43	-14.73	1.906		0.858	6.734		0.891	949.6	9.248		3.021	
60000	60038	374.80	-84.87	-15.17	1.813	+ 0	0.856	6.414	- 3	0.891	949.1	9.239	- 6	3.018	- 6
61000	61041	374.36	-85.31	-15.61	1.725		0.855	6.108		0.890	948.5	9.230		3.015	
62000	62045	373.92	-85.75	-16.05	1.641		0.853	5.816		0.889	947.9	9.220		3.011	
63000	63049	373.77	-85.90	-16.20	1.560		0.851	5.534		0.888	947.8	9.217		3.010	
64000	64053	373.77	-85.90	-16.20	1.484		0.849	5.263		0.886	947.8	9.217		3.010	
65000	65057	373.77	-85.90	-16.20	1.411		0.848	5.006		0.884	947.8	9.217		3.010	
66000	66061	373.77	-85.90	-16.41	1.342		0.846	4.761		0.883	947.8	9.217		3.010	
67000	67065	373.77	-85.90	-16.96	1.277		0.844	4.528		0.882	947.8	9.217		3.010	
68000	68069	373.77	-85.90	-17.51	1.214		0.842	4.307		0.881	947.8	9.217		3.010	
69000	69073	373.77	-85.90	-18.05	1.155		0.840	4.096		0.881	947.8	9.217		3.010	
70000	70078	373.77	-85.90	-18.60	1.098	+ 0	0.838	3.896	- 3	0.880	947.8	9.217	- 6	3.010	- 6
71000	71082	373.77	-85.90	-19.15	1.045		0.836	3.705		0.879	947.8	9.217		3.010	
72000	72087	373.77	-85.90	-19.70	9.936	- 1	0.834	3.524		0.878	947.8	9.217		3.010	
73000	73092	373.77	-85.90	-20.25	9.450		0.832	3.352		0.877	947.8	9.217		3.010	
74000	74096	373.77	-85.90	-20.80	8.988		0.830	3.188		0.876	947.8	9.217		3.010	
75000	75101	373.77	-85.90	-21.35	8.548		0.827	3.032		0.875	947.8	9.217		3.010	
76000	76106	373.77	-85.90	-21.90	8.130		0.825	2.883		0.874	947.8	9.217		3.010	
77000	77111	373.77	-85.90	-22.44	7.732		0.823	2.742		0.873	947.8	9.217		3.010	
78000	78116	373.77	-85.90	-22.99	7.354		0.821	2.608		0.871	947.8	9.217		3.010	
79000	79122	373.77	-85.90	-23.54	6.994		0.818	2.481		0.870	947.8	9.217		3.010	

TABLE 5.2.—Continued  
75° N. January  
GEOMETRIC ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
Z, ft	H, ft'	T, °R	t, °F	T - T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> ft sec <sup>-1</sup>	$\mu$ lb ft <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{\text{sec}^{-1}(\text{°R})^{-1}}$
0	0	448.59	-11.08	-70.08	2.993 + 1	1.000	8.844 - 2	1.157	1038.3	1.072 - 5	3.566 - 6
1000	1002	450.25	-9.42	-64.86	2.870	0.995	8.451	1.138	1040.2	1.075	3.578
2000	2004	451.90	-7.77	-59.63	2.753	0.990	8.077	1.120	1042.1	1.078	3.590
3000	3006	453.56	-6.11	-54.41	2.641	0.985	7.720	1.103	1044.0	1.081	3.603
4000	4008	455.22	-4.45	-49.19	2.534	0.981	7.381	1.087	1045.9	1.085	3.615
5000	5010	456.46	-3.21	-44.38	2.432	0.977	7.064	1.072	1047.4	1.087	3.624
6000	6012	453.43	-6.24	-43.85	2.334	0.973	6.823	1.067	1043.9	1.081	3.602
7000	7013	450.39	-9.28	-43.33	2.239	0.970	6.590	1.063	1040.4	1.075	3.579
8000	8015	447.35	-12.32	-42.80	2.147	0.966	6.363	1.058	1036.9	1.069	3.557
9000	9016	444.31	-15.36	-42.28	2.059	0.962	6.142	1.054	1033.3	1.064	3.535
10000	10018	441.28	-18.39	-41.75	1.973 + 1	0.959	5.928 - 2	1.050	1029.8	1.058 - 5	3.513 - 6
11000	11019	438.24	-21.43	-41.22	1.891	0.955	5.720	1.045	1026.2	1.052	3.491
12000	12020	435.21	-24.46	-40.69	1.811	0.952	5.517	1.041	1022.7	1.046	3.469
13000	13021	432.18	-27.49	-40.16	1.735	0.948	5.321	1.036	1019.1	1.040	3.446
14000	14022	429.16	-30.51	-39.62	1.661	0.945	5.130	1.032	1015.6	1.034	3.424
15000	15023	426.13	-33.54	-39.08	1.589	0.941	4.944	1.027	1012.0	1.028	3.402
16000	16024	423.11	-36.56	-38.55	1.521	0.938	4.765	1.023	1008.4	1.022	3.379
17000	17024	420.08	-39.59	-38.01	1.455	0.934	4.590	1.018	1004.8	1.016	3.357
18000	18025	417.06	-42.61	-37.48	1.391	0.930	4.421	1.014	1001.1	1.010	3.335
19000	19025	414.03	-45.64	-36.94	1.329	0.926	4.257	1.009	997.5	1.004	3.312
20000	20026	411.01	-48.66	-36.40	1.270 + 1	0.923	4.097 - 2	1.005	993.8	9.979 - 6	3.290 - 6
21000	21026	407.99	-51.68	-35.87	1.214	0.919	3.943	1.000	990.2	9.919	3.267
22000	22026	404.97	-54.70	-35.33	1.159	0.916	3.793	0.996	986.5	9.858	3.245
23000	23026	401.95	-57.72	-34.79	1.106	0.913	3.648	0.992	982.8	9.797	3.222
24000	24026	398.93	-60.74	-34.25	1.056	0.909	3.508	0.987	979.1	9.736	3.200
25000	25026	395.91	-63.76	-33.71	1.007	0.906	3.372	0.983	975.4	9.674	3.177
26000	26026	392.89	-66.78	-33.18	9.603 + 0	0.903	3.240	0.979	971.7	9.612	3.154
27000	27026	389.87	-69.80	-32.64	9.154	0.899	3.112	0.974	968.0	9.551	3.132
28000	28025	387.16	-72.51	-31.79	8.723	0.895	2.987	0.969	964.6	9.495	3.111
29000	29025	384.34	-73.33	-29.06	8.310	0.892	2.852	0.959	963.6	9.478	3.105
30000	30024	385.51	-74.16	-26.33	7.917 + 0	0.889	2.722 - 2	0.950	962.5	9.461 - 6	3.099 - 6
31000	31023	384.69	-74.98	-23.59	7.541	0.887	2.599	0.941	961.5	9.444	3.093
32000	32023	383.87	-75.80	-20.86	7.182	0.884	2.480	0.932	960.5	9.427	3.087
33000	33022	383.05	-76.62	-18.13	6.840	0.882	2.367	0.924	959.4	9.410	3.080
34000	34021	382.22	-77.45	-15.39	6.513	0.880	2.259	0.915	958.4	9.393	3.074
35000	35020	381.40	-78.27	-12.66	6.201	0.878	2.155	0.908	957.4	9.376	3.068
36000	36019	380.58	-79.09	-9.93	5.904	0.877	2.056	0.900	956.3	9.359	3.062
37000	37017	379.76	-79.91	-10.21	5.620	0.876	1.962	0.900	955.3	9.342	3.056
38000	38016	378.94	-80.73	-11.03	5.350	0.875	1.872	0.900	954.3	9.325	3.049
39000	39015	378.11	-81.56	-11.86	5.092	0.873	1.785	0.901	953.2	9.308	3.043
40000	40013	377.29	-82.38	-12.68	4.845 + 0	0.872	1.702 - 2	0.901	952.2	9.291 - 6	3.037 - 6
41000	41011	376.47	-83.20	-13.50	4.611	0.870	1.624	0.901	951.2	9.274	3.031
42000	42010	375.65	-84.02	-14.32	4.387	0.869	1.548	0.902	950.1	9.256	3.024
43000	43008	374.83	-84.84	-15.14	4.174	0.867	1.476	0.902	949.1	9.239	3.018
44000	44006	374.01	-85.66	-15.96	3.970	0.865	1.407	0.902	948.1	9.222	3.012
45000	45004	373.19	-86.48	-16.78	3.776	0.863	1.341	0.902	947.0	9.205	3.006
46000	46002	372.36	-87.31	-17.61	3.592	0.861	1.279	0.902	946.0	9.188	3.000
47000	47000	371.54	-88.13	-18.43	3.415	0.859	1.219	0.901	944.9	9.171	2.993
48000	47997	370.72	-88.95	-19.25	3.248	0.857	1.161	0.902	943.9	9.153	2.987
49000	48995	369.90	-89.77	-20.07	3.088	0.855	1.107	0.901	942.8	9.136	2.981
50000	49992	369.08	-90.59	-20.89	2.935 + 0	0.852	1.054 - 2	0.900	941.8	9.119 - 6	2.975 - 6
51000	50990	368.26	-91.41	-21.71	2.790	0.850	1.004	0.900	940.7	9.102	2.968
52000	51987	367.44	-92.23	-22.53	2.652	0.847	9.568 - 3	0.899	939.7	9.085	2.962
53000	52984	366.62	-93.05	-23.35	2.520	0.845	9.113	0.899	938.6	9.067	2.956
54000	53981	365.80	-93.87	-24.17	2.395	0.842	8.679	0.898	937.6	9.050	2.950
55000	54979	364.98	-94.69	-24.99	2.275	0.839	8.265	0.896	936.5	9.033	2.943
56000	55975	364.16	-95.51	-25.81	2.162	0.836	7.870	0.895	935.5	9.015	2.937
57000	56972	363.34	-96.33	-26.63	2.054	0.833	7.492	0.894	934.4	8.998	2.931
58000	57969	362.79	-96.88	-27.18	1.951	0.830	7.127	0.892	933.7	8.986	2.927
59000	58966	362.46	-97.21	-27.51	1.853	0.827	6.776	0.890	933.3	8.979	2.924
60000	59962	362.13	-97.54	-27.84	1.759 + 0	0.824	6.441 - 3	0.887	932.9	8.973 - 6	2.922 - 6
61000	60959	361.81	-97.86	-28.16	1.671	0.821	6.123	0.885	932.5	8.966	2.919
62000	61955	361.48	-98.19	-28.49	1.587	0.818	5.820	0.882	932.0	8.959	2.917
63000	62951	361.15	-98.52	-28.82	1.507	0.815	5.532	0.879	931.6	8.952	2.914
64000	63948	360.82	-98.85	-29.15	1.431	0.811	5.257	0.877	931.2	8.945	2.912
65000	64944	360.49	-99.18	-29.48	1.359	0.808	4.997	0.874	930.8	8.938	2.909
66000	65940	360.17	-99.50	-29.90	1.290	0.805	4.749	0.872	930.3	8.931	2.907
67000	66936	359.84	-99.83	-30.77	1.225	0.802	4.513	0.870	929.9	8.924	2.904
68000	67931	359.51	-100.16	-31.65	1.163	0.798	4.289	0.868	929.5	8.917	2.902
69000	68927	359.18	-100.49	-32.52	1.104	0.794	4.075	0.867	929.1	8.910	2.899
70000	69923	358.85	-100.82	-33.39	1.048 + 0	0.791	3.872 - 3	0.865	928.7	8.903 - 6	2.897 - 6
71000	70918	358.53	-101.14	-34.26	9.951 - 1	0.787	3.679	0.863	928.2	8.896	2.894
72000	71914	358.20	-101.47	-35.14	9.447	0.784	3.496	0.861	927.8	8.889	2.892
73000	72909	357.87	-101.80	-36.01	8.967	0.780	3.322	0.859	927.4	8.882	2.889
74000	73904	357.54	-102.13	-36.88	8.511	0.776	3.156	0.856	927.0	8.875	2.887
75000	74899	357.22	-102.45	-37.75	8.078	0.772	2.998	0.854	926.5	8.868	2.884
76000	75894	356.89	-102.78	-38.63	7.667	0.768	2.848	0.851	926.1	8.861	2.882
77000	76889	356.56	-103.11	-39.50	7.277	0.764	2.705	0.849	925.7	8.854	2.879
78000	77884	356.23	-103.44	-40.37	6.906	0.760	2.570	0.846	925.3	8.847	2.877
79000	78879	355.91	-103.76	-41.24	6.554	0.756	2.441	0.843	924.8	8.840	2.874

TABLE 5.2.—Continued  
75° N. January

GEOPOTENTIAL ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity	
<i>H</i> , ft'	<i>Z</i> , ft	<i>T</i> , °R	<i>t</i> , °F	<i>T</i> - <i>T</i> <sub>std</sub>	<i>P</i> , in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	<i>C</i> <sub>s</sub> ft sec <sup>-1</sup>	$\mu$ lb ft <sup>-1</sup> sec <sup>-1</sup>	$k$ BTU ft <sup>-1</sup> sec <sup>-1</sup> (°R) <sup>-1</sup>	
80000	80127	373.77	-85.90	-24.09	6.652	- 1	0.816	2.359 - 3	0.868	947.8	9.217 - 6	3.010 - 6
81000	81133	373.77	-85.90	-24.64	6.327		0.813	2.244	0.867	947.8	9.217	3.010
82000	82138	373.77	-85.90	-25.19	6.017		0.811	2.134	0.865	947.8	9.217	3.010
83000	83144	373.77	-85.90	-25.74	5.723		0.808	2.030	0.864	947.8	9.217	3.010
84000	84150	373.77	-85.90	-26.28	5.443		0.805	1.931	0.862	947.8	9.217	3.010
85000	85155	373.77	-85.90	-26.83	5.177		0.803	1.836	0.860	947.8	9.217	3.010
86000	86161	373.77	-85.90	-27.38	4.924		0.800	1.746	0.859	947.8	9.217	3.010
87000	87167	373.77	-85.90	-27.93	4.683		0.797	1.661	0.857	947.8	9.217	3.010
88000	88174	373.77	-85.90	-28.48	4.454		0.794	1.580	0.855	947.8	9.217	3.010
89000	89180	373.77	-85.90	-29.03	4.236		0.792	1.502	0.853	947.8	9.217	3.010
90000	90186	373.77	-85.90	-29.58	4.029	- 1	0.789	1.429 - 3	0.851	947.8	9.217 - 6	3.010 - 6
91000	91193	373.77	-85.90	-30.12	3.832		0.786	1.359	0.849	947.8	9.217	3.010
92000	92199	373.77	-85.90	-30.67	3.644		0.783	1.293	0.847	947.8	9.217	3.010
93000	93206	373.77	-85.90	-31.22	3.466		0.780	1.229	0.845	947.8	9.217	3.010
94000	94213	373.77	-85.90	-31.77	3.297		0.777	1.169	0.843	947.8	9.217	3.010
95000	95219	373.77	-85.90	-32.32	3.135		0.774	1.112	0.841	947.8	9.217	3.010
96000	96226	373.77	-85.90	-32.87	2.982		0.771	1.058	0.839	947.8	9.217	3.010
97000	97233	373.77	-85.90	-33.42	2.836		0.768	1.006	0.836	947.8	9.217	3.010
98000	98240	373.77	-85.90	-33.97	2.698		0.764	9.567 - 4	0.834	947.8	9.217	3.010

TABLE 5.2. — *Continued*  
 75° N. January  
 GEOMETRIC ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
Z, ft	H, ft'	T, °R	t, °F	T - T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , ft sec <sup>-1</sup>	$\mu$ , lb ft <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{\text{sec}^{-1}(\text{°R})^{-1}}$
80000	79874	373.77	-85.90	-23.92	6.695 - 1	0.809	2.374 - 3	0.861	947.8	9.217 - 6	3.010 - 6
81000	80868	373.77	-85.90	-24.47	6.369	0.807	2.259	0.860	947.8	9.217	3.010
82000	81863	373.77	-85.90	-25.01	6.059	0.804	2.149	0.858	947.8	9.217	3.010
83000	82857	373.77	-85.90	-25.56	5.764	0.801	2.044	0.856	947.8	9.217	3.010
84000	83851	373.77	-85.90	-26.10	5.484	0.799	1.945	0.855	947.8	9.217	3.010
85000	84845	373.77	-85.90	-26.64	5.217	0.796	1.850	0.853	947.8	9.217	3.010
86000	85840	373.77	-85.90	-27.19	4.964	0.793	1.760	0.851	947.8	9.217	3.010
87000	86834	373.77	-85.90	-27.73	4.722	0.791	1.675	0.849	947.8	9.217	3.010
88000	87827	373.77	-85.90	-28.28	4.493	0.788	1.593	0.848	947.8	9.217	3.010
89000	88821	373.77	-85.90	-28.82	4.274	0.785	1.516	0.845	947.8	9.217	3.010
90000	89815	373.77	-85.90	-29.36	4.066 - 1	0.782	1.442 - 3	0.843	947.8	9.217 - 6	3.010 - 6
91000	90809	373.77	-85.90	-29.91	3.869	0.779	1.372	0.841	947.8	9.217	3.010
92000	91802	373.77	-85.90	-30.45	3.681	0.776	1.305	0.840	947.8	9.217	3.010
93000	92796	373.77	-85.90	-31.00	3.502	0.773	1.242	0.837	947.8	9.217	3.010
94000	93789	373.77	-85.90	-31.54	3.332	0.770	1.182	0.835	947.8	9.217	3.010
94782	94782	373.77	-85.90	-32.08	3.170	0.767	1.124	0.833	947.8	9.217	3.010
95000	95775	373.77	-85.90	-32.63	3.016	0.764	1.070	0.830	947.8	9.217	3.010
96000	96768	373.77	-85.90	-33.17	2.869	0.761	1.018	0.828	947.8	9.217	3.010
97000	97761	373.77	-85.90	-33.71	2.730	0.757	9.682 - 4	0.826	947.8	9.217	3.010

TABLE 5.2.—Continued  
75° N. January (Cold)  
GEOPOTENTIAL ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
H, ft'	Z, ft	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> ft sec <sup>-1</sup>	$\mu$ lb ft <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{sec^{-1}(°R)^{-1}}$
0	0	448.59	-11.08	-70.08	2.993 + 1	1.000	8.844 - 2	1.157	1038.3	1.072 - 5	3.566 - 6
1000	998	450.24	-9.43	-64.86	2.871	0.995	8.452	1.138	1040.2	1.075	3.578
2000	1996	451.90	-7.77	-59.64	2.754	0.990	8.078	1.120	1042.1	1.078	3.590
3000	2994	453.55	-6.12	-54.42	2.642	0.985	7.722	1.104	1044.0	1.081	3.602
4000	3992	455.21	-4.46	-49.20	2.535	0.981	7.383	1.087	1045.9	1.085	3.615
5000	4990	456.89	-3.18	-44.34	2.433	0.977	7.066	1.072	1047.4	1.087	3.624
6000	5988	458.56	-2.21	-43.81	2.335	0.974	6.826	1.068	1043.9	1.081	3.602
7000	6987	450.43	-9.24	-43.28	2.240	0.970	6.593	1.064	1040.4	1.075	3.580
8000	7985	447.39	-12.28	-42.75	2.149	0.967	6.366	1.059	1036.9	1.070	3.558
9000	8984	444.36	-15.31	-42.21	2.060	0.963	6.146	1.055	1033.4	1.064	3.536
10000	9982	441.33	-18.34	-41.68	1.975 + 1	0.960	5.932 - 2	1.050	1029.9	1.058 - 5	3.513 - 6
11000	10981	438.30	-21.37	-41.14	1.892	0.956	5.723	1.046	1026.3	1.052	3.491
12000	11980	435.27	-24.40	-40.60	1.813	0.953	5.521	1.042	1022.8	1.046	3.469
13000	12979	432.25	-27.42	-40.06	1.736	0.949	5.325	1.037	1019.2	1.040	3.447
14000	13978	429.22	-30.45	-39.52	1.662	0.946	5.134	1.033	1015.6	1.034	3.425
15000	14977	426.20	-33.47	-38.98	1.591	0.943	4.949	1.028	1012.0	1.028	3.402
16000	15976	423.18	-36.49	-38.43	1.522	0.939	4.769	1.024	1008.5	1.022	3.380
17000	16975	420.16	-39.51	-37.89	1.456	0.935	4.594	1.020	1004.8	1.016	3.358
18000	17975	417.13	-42.54	-37.35	1.392	0.932	4.425	1.015	1001.2	1.010	3.335
19000	18975	414.11	-45.56	-36.80	1.331	0.928	4.261	1.011	997.6	1.004	3.313
20000	19974	411.09	-48.58	-36.26	1.272 + 1	0.925	4.101 - 2	1.006	993.9	9.981 - 6	3.290 - 6
21000	20974	408.07	-51.60	-35.71	1.215	0.922	3.947	1.002	990.3	9.920	3.268
22000	21974	405.05	-54.62	-35.17	1.160	0.918	3.797	0.998	986.6	9.859	3.245
23000	22974	402.03	-57.64	-34.62	1.108	0.915	3.652	0.993	982.9	9.798	3.223
24000	23974	399.01	-60.66	-34.07	1.057	0.911	3.511	0.989	979.2	9.737	3.200
25000	24974	395.99	-63.68	-33.53	1.008	0.908	3.375	0.985	975.5	9.676	3.178
26000	25974	392.97	-66.70	-32.98	9.615 + 0	0.904	3.243	0.980	971.8	9.614	3.155
27000	26974	389.95	-69.72	-32.44	9.165	0.901	3.116	0.976	968.0	9.552	3.132
28000	27975	387.18	-72.49	-31.64	8.733	0.898	2.990	0.971	964.6	9.495	3.112
29000	28975	384.36	-75.31	-30.90	8.320	0.895	2.855	0.962	963.6	9.478	3.105
30000	29976	381.53	-78.14	-26.15	7.926 + 0	0.892	2.725 - 2	0.953	962.6	9.461 - 6	3.099 - 6
31000	30977	384.71	-74.96	-23.41	7.549	0.889	2.601	0.944	961.5	9.444	3.093
32000	31977	383.89	-75.78	-20.67	7.190	0.887	2.483	0.935	960.5	9.427	3.087
33000	32978	383.06	-76.61	-17.92	6.847	0.885	2.369	0.926	959.5	9.410	3.081
34000	33979	382.24	-77.43	-15.18	6.520	0.883	2.261	0.918	958.4	9.393	3.074
35000	34980	381.42	-78.25	-12.44	6.207	0.882	2.157	0.910	957.4	9.376	3.068
36000	35981	380.60	-79.07	-9.69	5.909	0.880	2.058	0.903	956.4	9.359	3.062
37000	36983	379.77	-79.90	-10.20	5.625	0.879	1.964	0.903	955.3	9.342	3.056
38000	37984	378.95	-80.72	-11.02	5.354	0.878	1.873	0.904	954.3	9.325	3.049
39000	38985	378.13	-81.54	-11.84	5.095	0.877	1.786	0.904	953.3	9.308	3.043
40000	39987	377.30	-82.37	-12.67	4.849 + 0	0.876	1.704 - 2	0.905	952.2	9.291 - 6	3.037 - 6
41000	40989	376.48	-83.19	-13.49	4.613	0.874	1.624	0.905	951.2	9.274	3.031
42000	41990	375.66	-84.01	-14.31	4.389	0.873	1.549	0.906	950.1	9.257	3.025
43000	42992	374.83	-84.84	-15.14	4.175	0.871	1.477	0.906	949.1	9.239	3.018
44000	43994	374.01	-85.66	-15.96	3.971	0.869	1.408	0.906	948.1	9.222	3.012
45000	44996	373.19	-86.48	-16.78	3.777	0.867	1.342	0.907	947.0	9.205	3.006
46000	45998	372.37	-87.30	-17.60	3.592	0.865	1.279	0.906	946.0	9.188	3.000
47000	47000	371.54	-88.13	-18.43	3.415	0.863	1.219	0.906	944.9	9.171	2.993
48000	48003	370.72	-88.95	-19.25	3.247	0.861	1.161	0.906	943.9	9.153	2.987
49000	49005	369.90	-89.77	-20.07	3.087	0.859	1.106	0.905	942.8	9.136	2.981
50000	50008	369.07	-90.60	-20.90	2.934 + 0	0.857	1.054 - 2	0.905	941.8	9.119 - 6	2.975 - 6
51000	51010	368.25	-91.42	-21.72	2.789	0.854	1.004	0.904	940.7	9.102	2.968
52000	52013	367.43	-92.24	-22.54	2.650	0.852	9.562 - 3	0.905	939.7	9.084	2.962
53000	53016	366.60	-93.07	-23.37	2.518	0.849	9.106	0.903	938.6	9.067	2.956
54000	54019	365.78	-93.89	-24.19	2.393	0.847	8.671	0.903	937.6	9.050	2.950
55000	55022	364.96	-94.71	-25.01	2.273	0.844	8.256	0.902	936.5	9.032	2.943
56000	56025	364.14	-95.53	-25.83	2.159	0.841	7.860	0.901	935.5	9.015	2.937
57000	57028	363.31	-96.36	-26.66	2.051	0.838	7.482	0.900	934.4	8.998	2.931
58000	58031	362.48	-96.89	-27.19	1.947	0.835	7.116	0.898	933.7	8.986	2.927
59000	59034	362.45	-97.22	-27.52	1.849	0.832	6.764	0.895	933.3	8.979	2.924
60000	60038	362.12	-97.55	-27.85	1.756 + 0	0.829	6.429 - 3	0.893	932.9	8.972 - 6	2.922 - 6
61000	61041	361.79	-97.88	-28.18	1.667	0.826	6.110	0.890	932.4	8.965	2.919
62000	62045	361.46	-98.21	-28.51	1.583	0.823	5.806	0.888	932.0	8.958	2.917
63000	63049	361.13	-98.54	-28.84	1.503	0.820	5.518	0.885	931.6	8.951	2.914
64000	64053	360.80	-98.87	-29.17	1.427	0.817	5.243	0.883	931.2	8.944	2.912
65000	65057	360.47	-99.20	-29.50	1.355	0.814	4.982	0.880	930.7	8.937	2.909
66000	66061	360.15	-99.52	-30.03	1.286	0.810	4.734	0.878	930.3	8.930	2.907
67000	67065	359.82	-99.85	-30.91	1.221	0.807	4.498	0.876	929.9	8.923	2.904
68000	68069	359.49	-100.18	-31.79	1.159	0.804	4.274	0.875	929.5	8.916	2.902
69000	69073	359.16	-100.51	-32.67	1.100	0.800	4.060	0.873	929.0	8.909	2.899
70000	70078	358.83	-100.84	-33.55	1.044 + 0	0.797	3.857 - 3	0.871	928.6	8.902 - 6	2.897 - 6
71000	71082	358.50	-101.17	-34.42	9.909	0.793	3.664	0.869	928.2	8.895	2.894
72000	72087	358.17	-101.50	-35.30	9.404	0.790	3.481	0.867	927.8	8.888	2.892
73000	73092	357.84	-101.83	-36.18	8.924	0.786	3.306	0.865	927.3	8.881	2.889
74000	74096	357.51	-102.16	-37.06	8.469	0.782	3.140	0.863	926.9	8.874	2.887
75000	75101	357.18	-102.49	-37.94	8.036	0.778	2.982	0.861	926.5	8.867	2.884
76000	76106	356.85	-102.82	-38.81	7.625	0.774	2.833	0.858	926.1	8.860	2.882
77000	77111	356.52	-103.15	-39.69	7.235	0.770	2.690	0.856	925.6	8.853	2.879
78000	78116	356.20	-103.47	-40.57	6.864	0.766	2.555	0.853	925.2	8.846	2.877
79000	79122	355.87	-103.80	-41.45	6.512	0.762	2.426	0.851	924.8	8.839	2.874



TABLE 5.2.—Continued  
75° N. January (Cold)  
GEOMETRIC ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity				
Z, ft	H, ft'	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> ft sec <sup>-1</sup>	$\mu$ lb ft <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{\text{sec}^{-1}(\text{°R})^{-1}}$				
0	0	448.59	-11.08	-70.08	2.993	+ 1	1.000	8.844	- 2	1.157	1038.3	1.072	- 5	3.566	- 6
1000	1002	450.25	-9.42	-64.86	2.870		0.995	8.451	1.138	1040.2	1.075			3.578	
2000	2004	451.90	-7.77	-59.63	2.753		0.990	8.077	1.120	1042.1	1.078			3.590	
3000	3006	453.56	-6.11	-54.41	2.641		0.985	7.720	1.103	1044.0	1.081			3.603	
4000	4008	455.22	-4.45	-49.19	2.534		0.981	7.381	1.087	1045.9	1.085			3.615	
5000	5010	456.46	-3.21	-44.38	2.432		0.977	7.064	1.072	1047.4	1.087			3.624	
6000	6012	457.43	-2.24	-43.85	2.334		0.973	6.823	1.067	1048.9	1.081			3.602	
7000	7013	459.39	-0.98	-43.33	2.239		0.970	6.590	1.063	1040.4	1.075			3.579	
8000	8015	447.35	-12.32	-42.80	2.147		0.966	6.363	1.058	1036.9	1.069			3.557	
9000	9016	444.31	-15.36	-42.28	2.059		0.962	6.142	1.054	1033.3	1.064			3.535	
10000	10018	441.28	-18.39	-41.75	1.973	+ 1	0.959	5.928	- 2	1.050	1029.8	1.058	- 5	3.513	- 6
11000	11019	438.24	-21.43	-41.22	1.891		0.955	5.720	1.045	1026.2	1.052			3.491	
12000	12020	435.21	-24.46	-40.69	1.811		0.952	5.517	1.041	1022.7	1.046			3.469	
13000	13021	432.18	-27.49	-40.16	1.735		0.948	5.321	1.036	1019.1	1.040			3.446	
14000	14022	429.16	-30.51	-39.62	1.661		0.945	5.130	1.032	1015.6	1.034			3.424	
15000	15023	426.13	-33.54	-39.08	1.589		0.941	4.944	1.027	1012.0	1.028			3.402	
16000	16024	423.11	-36.56	-38.55	1.521		0.938	4.765	1.023	1008.4	1.022			3.379	
17000	17024	420.08	-39.59	-38.01	1.455		0.934	4.590	1.018	1004.8	1.016			3.357	
18000	18025	417.06	-42.61	-37.48	1.391		0.930	4.421	1.014	1001.1	1.010			3.335	
19000	19025	414.03	-45.64	-36.94	1.329		0.926	4.257	1.009	997.5	1.004			3.312	
20000	20026	411.01	-48.66	-36.40	1.270	+ 1	0.923	4.097	- 2	1.005	993.8	9.979	- 6	3.290	- 6
21000	21026	407.99	-51.68	-35.87	1.214		0.919	3.943	1.000	990.2	9.919			3.267	
22000	22026	404.97	-54.70	-35.33	1.159		0.916	3.793	0.996	986.5	9.858			3.245	
23000	23026	401.95	-57.72	-34.79	1.106		0.913	3.648	0.992	982.8	9.797			3.222	
24000	24026	398.93	-60.74	-34.25	1.056		0.909	3.508	0.987	979.1	9.736			3.200	
25000	25026	395.91	-63.76	-33.71	1.007		0.906	3.372	0.983	975.4	9.674			3.177	
26000	26026	392.89	-66.78	-33.18	9.603	+ 0	0.903	3.240	0.979	971.7	9.612			3.154	
27000	27026	389.87	-69.80	-32.64	9.154		0.899	3.112	0.974	968.0	9.551			3.132	
28000	28025	387.23	-72.44	-31.72	8.723		0.895	2.986	0.969	964.7	9.496			3.112	
29000	29025	386.96	-72.71	-28.44	8.311		0.892	2.847	0.958	964.3	9.491			3.110	
30000	30024	386.69	-72.98	-25.15	7.918	+ 0	0.889	2.714	- 2	0.947	964.0	9.485	- 6	3.108	- 6
31000	31023	386.41	-73.26	-21.87	7.543		0.887	2.588	0.937	963.6	9.479			3.106	
32000	32023	386.14	-73.53	-18.59	7.186		0.885	2.467	0.927	963.3	9.474			3.104	
33000	33022	385.86	-73.81	-15.31	6.846		0.883	2.352	0.918	963.0	9.468			3.102	
34000	34021	385.59	-74.08	-12.03	6.522		0.881	2.242	0.908	962.6	9.463			3.100	
35000	35020	385.32	-74.35	-8.75	6.212		0.880	2.137	0.900	962.3	9.457			3.097	
36000	36019	385.04	-74.63	-5.47	5.918		0.879	2.037	0.892	961.9	9.451			3.095	
37000	37017	384.77	-74.90	-5.20	5.637		0.878	1.942	0.890	961.6	9.446			3.093	
38000	38016	384.45	-75.22	-5.52	5.369		0.878	1.851	0.890	961.2	9.439			3.091	
39000	39015	384.01	-75.66	-5.96	5.114		0.877	1.765	0.891	960.6	9.430			3.088	
40000	40013	383.57	-76.10	-6.40	4.870	+ 0	0.876	1.683	- 2	0.891	960.1	9.421	- 6	3.084	- 6
41000	41011	383.13	-76.54	-6.84	4.638		0.875	1.605	0.891	959.5	9.412			3.081	
42000	42010	382.69	-76.98	-7.28	4.417		0.874	1.530	0.891	959.0	9.403			3.078	
43000	43008	382.26	-77.41	-7.71	4.206		0.874	1.459	0.891	958.5	9.394			3.074	
44000	44006	381.82	-77.85	-8.15	4.005		0.873	1.391	0.891	957.9	9.385			3.071	
45000	45004	381.38	-78.29	-8.59	3.814		0.872	1.326	0.891	957.4	9.376			3.068	
46000	46002	380.94	-78.73	-9.03	3.631		0.871	1.264	0.891	956.8	9.366			3.064	
47000	47000	380.50	-79.17	-9.47	3.457		0.869	1.204	0.891	956.3	9.357			3.061	
48000	47997	380.07	-79.60	-9.90	3.291		0.868	1.148	0.891	955.7	9.348			3.058	
49000	48995	379.63	-80.04	-10.34	3.133		0.867	1.094	0.891	955.2	9.339			3.055	
50000	49992	379.19	-80.48	-10.78	2.982	+ 0	0.866	1.043	- 2	0.890	954.6	9.330	- 6	3.051	- 6
51000	50990	378.75	-80.92	-11.22	2.839		0.864	9.936	- 3	0.890	954.0	9.321		3.048	
52000	51987	378.31	-81.36	-11.66	2.702		0.863	9.468	0.890	953.5	9.312			3.045	
53000	52984	377.88	-81.79	-12.09	2.572		0.862	9.022	0.890	952.9	9.303			3.041	
54000	53981	377.44	-82.23	-12.53	2.448		0.860	8.596	0.889	952.4	9.294			3.038	
55000	54979	377.00	-82.67	-12.97	2.329		0.859	8.190	0.888	951.8	9.285			3.035	
56000	55975	376.56	-83.11	-13.41	2.217		0.857	7.803	0.888	951.3	9.276			3.031	
57000	56972	376.13	-83.54	-13.84	2.109		0.856	7.434	0.887	950.7	9.266			3.028	
58000	57969	375.69	-83.98	-14.28	2.007		0.854	7.081	0.887	950.2	9.257			3.025	
59000	58966	375.25	-84.42	-14.72	1.909		0.852	6.746	0.886	949.6	9.248			3.021	
60000	59962	374.81	-84.86	-15.16	1.817	+ 0	0.851	6.425	- 3	0.885	949.1	9.239	- 6	3.018	- 6
61000	60959	374.38	-85.29	-15.59	1.728		0.849	6.120	0.884	948.5	9.230			3.015	
62000	61955	373.94	-85.73	-16.03	1.644		0.847	5.829	0.884	948.0	9.221			3.012	
63000	62951	373.77	-85.90	-16.20	1.564		0.845	5.547	0.882	947.8	9.217			3.010	
64000	63948	373.77	-85.90	-16.20	1.488		0.843	5.277	0.880	947.8	9.217			3.010	
65000	64944	373.77	-85.90	-16.20	1.415		0.841	5.020	0.878	947.8	9.217			3.010	
66000	65940	373.77	-85.90	-16.29	1.346		0.840	4.775	0.877	947.8	9.217			3.010	
67000	66936	373.77	-85.90	-16.84	1.281		0.838	4.543	0.876	947.8	9.217			3.010	
68000	67931	373.77	-85.90	-17.38	1.218		0.836	4.321	0.875	947.8	9.217			3.010	
69000	68927	373.77	-85.90	-17.93	1.159		0.834	4.111	0.874	947.8	9.217			3.010	
70000	69923	373.77	-85.90	-18.47	1.103	+ 0	0.832	3.911	- 3	0.873	947.8	9.217	- 6	3.010	- 6
71000	70918	373.77	-85.90	-19.02	1.049		0.830	3.720	0.872	947.8	9.217			3.010	
72000	71914	373.77	-85.90	-19.56	9.979	- 1	0.828	3.539	0.871	947.8	9.217			3.010	
73000	72909	373.77	-85.90	-20.11	9.493		0.825	3.367	0.870	947.8	9.217			3.010	
74000	73904	373.77	-85.90	-20.65	9.031		0.823	3.203	0.869	947.8	9.217			3.010	
75000	74899	373.77	-85.90	-21.20	8.591		0.821	3.047	0.868	947.8	9.217			3.010	
76000	75894	373.77	-85.90	-21.74	8.173		0.819	2.899	0.867	947.8	9.217			3.010	
77000	76889	373.77	-85.90	-22.29	7.775		0.817	2.758	0.865	947.8	9.217			3.010	
78000	77884	373.77	-85.90	-22.83	7.397		0.814	2.623	0.864	947.8	9.217			3.010	
79000	78879	373.77	-85.90	-23.38	7.037		0.812	2.496	0.862	947.8	9.217			3.010	

TABLE 5.2.—Continued  
75° N. January (Cold)  
GEOPOTENTIAL ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity	
<i>H</i> , ft'	<i>Z</i> , ft	<i>T</i> , °R	<i>t</i> , °F	<i>T</i> - <i>T</i> <sub>std</sub>	<i>P</i> , in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	<i>C</i> <sub>s</sub> ft sec <sup>-1</sup>	$\mu$ lb ft <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{sec^{-1}(°R)^{-1}}$	
80000	80127	355.54	-104.13	-42.32	6.178	- 1	0.758	2.303 - 3	0.848	924.3	8.832 - 6	2.871 - 6
81000	81133	355.21	-104.46	-43.20	5.860		0.753	2.187	0.845	923.9	8.825	2.869
82000	82138	354.88	-104.79	-44.08	5.559		0.749	2.077	0.842	923.5	8.818	2.866
83000	83144	354.87	-104.80	-44.64	5.273		0.745	1.970	0.838	923.5	8.818	2.866
84000	84150	354.87	-104.80	-45.18	5.002		0.740	1.868	0.834	923.5	8.818	2.866
85000	85155	354.87	-104.80	-45.73	4.744		0.736	1.772	0.830	923.5	8.818	2.866
86000	86161	354.87	-104.80	-46.28	4.500		0.731	1.681	0.826	923.5	8.818	2.866
87000	87167	354.87	-104.80	-46.83	4.269		0.727	1.595	0.823	923.5	8.818	2.866
88000	88174	354.87	-104.80	-47.38	4.049		0.722	1.513	0.819	923.5	8.818	2.866
89000	89180	354.87	-104.80	-47.93	3.841		0.718	1.435	0.815	923.5	8.818	2.866
90000	90186	354.87	-104.80	-48.48	3.643	- 1	0.713	1.361 - 3	0.811	923.5	8.818 - 6	2.866 - 6
91000	91193	354.87	-104.80	-49.02	3.456		0.709	1.291	0.807	923.5	8.818	2.866
92000	92199	354.87	-104.80	-49.57	3.278		0.704	1.225	0.802	923.5	8.818	2.866
93000	93206	354.87	-104.80	-50.12	3.109		0.700	1.162	0.798	923.5	8.818	2.866
94000	94213	354.87	-104.80	-50.67	2.949		0.695	1.102	0.794	923.5	8.818	2.866
95000	95219	354.87	-104.80	-51.22	2.798		0.690	1.045	0.790	923.5	8.818	2.866
96000	96226	354.87	-104.80	-51.77	2.654		0.686	9.913 - 4	0.786	923.5	8.818	2.866
97000	97233	354.87	-104.80	-52.32	2.517		0.681	9.403	0.782	923.5	8.818	2.866
98000	98240	354.87	-104.80	-52.87	2.388		0.677	8.919	0.778	923.5	8.818	2.866

TABLE 5.2.—Continued  
75° N. January (Cold)  
GEOMETRIC ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
Z, ft	H, ft'	T, °R	t, °F	T - T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> ft sec <sup>-1</sup>	$\mu$ lb ft <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{\text{sec}^{-1}(\text{°R})^{-1}}$
80000	79874	355.58	-104.09	-42.11	6.219 - 1	0.752	2.319 - 3	0.841	924.4	8.833 - 6	2.872 - 6
81000	80868	355.25	-104.42	-42.99	5.901	0.747	2.202	0.838	924.0	8.826	2.869
82000	81863	354.92	-104.75	-43.86	5.599	0.743	2.091	0.835	923.6	8.819	2.867
83000	82857	354.87	-104.80	-44.46	5.313	0.739	1.985	0.831	923.5	8.818	2.866
84000	83851	354.87	-104.80	-45.00	5.041	0.734	1.883	0.827	923.5	8.818	2.866
85000	84845	354.87	-104.80	-45.54	4.783	0.730	1.787	0.823	923.5	8.818	2.866
86000	85840	354.87	-104.80	-46.09	4.539	0.725	1.695	0.820	923.5	8.818	2.866
87000	86834	354.87	-104.80	-46.63	4.306	0.721	1.609	0.816	923.5	8.818	2.866
88000	87827	354.87	-104.80	-47.18	4.086	0.716	1.526	0.812	923.5	8.818	2.866
89000	88821	354.87	-104.80	-47.72	3.877	0.712	1.448	0.808	923.5	8.818	2.866
90000	89815	354.87	-104.80	-48.26	3.679 - 1	0.707	1.374 - 3	0.804	923.5	8.818 - 6	2.866 - 6
91000	90809	354.87	-104.80	-48.81	3.491	0.703	1.304	0.800	923.5	8.818	2.866
92000	91802	354.87	-104.80	-49.35	3.312	0.698	1.237	0.796	923.5	8.818	2.866
93000	92796	354.87	-104.80	-49.90	3.143	0.694	1.174	0.791	923.5	8.818	2.866
94000	93789	354.87	-104.80	-50.44	2.982	0.689	1.114	0.787	923.5	8.818	2.866
95000	94782	354.87	-104.80	-50.98	2.830	0.685	1.057	0.783	923.5	8.818	2.866
96000	95775	354.87	-104.80	-51.53	2.685	0.680	1.003	0.779	923.5	8.818	2.866
97000	96768	354.87	-104.80	-52.07	2.548	0.676	9.519 - 4	0.775	923.5	8.818	2.866
98000	97761	354.87	-104.80	-52.61	2.418	0.671	9.033	0.771	923.5	8.818	2.866

TABLE 5.2.—Continued  
75° N. January (Warm)  
GEOPOTENTIAL ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity	
H, ft'	Z, ft	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> ft sec <sup>-1</sup>	$\mu$ lb ft <sup>-1</sup> sec <sup>-1</sup>	$k$ BTU ft <sup>-1</sup> sec <sup>-1</sup> (°R)	
0	0	448.59	-11.08	-70.08	2.993	+ 1	1.000	8.844 - 2	1.157	1038.3	1.072 - 5	3.566 - 6
1000	998	450.24	-9.43	-64.86	2.871		0.995	8.452	1.138	1040.2	1.075	3.578
2000	1996	451.90	-7.77	-59.64	2.754		0.990	8.078	1.120	1042.1	1.078	3.590
3000	2994	453.55	-6.12	-54.42	2.642		0.985	7.722	1.104	1044.0	1.081	3.602
4000	3992	455.21	-4.46	-49.20	2.535		0.981	7.383	1.087	1045.9	1.085	3.615
5000	4990	456.49	-3.18	-44.34	2.433		0.977	7.066	1.072	1047.4	1.087	3.624
6000	5988	453.46	-6.21	-43.81	2.335		0.974	6.826	1.068	1043.9	1.081	3.602
7000	6987	450.43	-9.24	-43.28	2.240		0.970	6.593	1.064	1040.4	1.075	3.580
8000	7985	447.39	-12.28	-42.75	2.149		0.967	6.366	1.059	1036.9	1.070	3.558
9000	8984	444.36	-15.31	-42.21	2.060		0.963	6.146	1.055	1033.4	1.064	3.536
10000	9982	441.33	-18.34	-41.68	1.975	+ 1	0.960	5.932 - 2	1.050	1029.9	1.058 - 5	3.513 - 6
11000	10981	438.30	-21.37	-41.14	1.892		0.956	5.723	1.046	1026.3	1.052	3.491
12000	11980	435.27	-24.40	-40.60	1.813		0.953	5.521	1.042	1022.8	1.046	3.469
13000	12979	432.25	-27.42	-40.06	1.736		0.949	5.325	1.037	1019.2	1.040	3.447
14000	13978	429.22	-30.45	-39.52	1.662		0.946	5.134	1.033	1015.6	1.034	3.425
15000	14977	426.20	-33.47	-38.98	1.591		0.943	4.949	1.028	1012.0	1.028	3.402
16000	15976	423.18	-36.49	-38.43	1.522		0.939	4.769	1.024	1008.5	1.022	3.380
17000	16976	420.16	-39.51	-37.89	1.456		0.935	4.594	1.020	1004.8	1.016	3.358
18000	17975	417.13	-42.54	-37.35	1.392		0.932	4.425	1.015	1001.2	1.010	3.335
19000	18975	414.11	-45.56	-36.80	1.331		0.928	4.261	1.011	997.6	1.004	3.313
20000	19974	411.09	-48.58	-36.26	1.272	+ 1	0.925	4.101 - 2	1.006	993.9	9.981 - 6	3.290 - 6
21000	20974	408.07	-51.60	-35.71	1.215		0.922	3.947	1.002	990.3	9.920	3.268
22000	21974	405.05	-54.62	-35.17	1.160		0.918	3.797	0.998	986.6	9.859	3.245
23000	22974	402.03	-57.64	-34.62	1.108		0.915	3.652	0.993	982.9	9.798	3.223
24000	23974	399.01	-60.66	-34.07	1.057		0.911	3.511	0.989	979.2	9.737	3.200
25000	24974	395.99	-63.68	-33.53	1.008		0.908	3.375	0.985	975.5	9.676	3.178
26000	25974	392.97	-66.70	-32.98	9.615	+ 0	0.904	3.243	0.980	971.8	9.614	3.155
27000	26974	389.95	-69.72	-32.44	9.165		0.901	3.116	0.976	968.0	9.552	3.132
28000	27975	387.45	-72.22	-31.37	8.733		0.898	2.988	0.971	964.9	9.501	3.114
29000	28975	384.98	-74.69	-30.27	8.322		0.895	2.836	0.966	961.8	9.532	3.125
30000	29976	390.52	-69.15	-21.17	7.931	+ 0	0.893	2.692 - 2	0.941	968.8	9.564 - 6	3.137 - 6
31000	30977	392.05	-67.62	-16.07	7.560		0.891	2.556	0.927	970.7	9.595	3.148
32000	31977	393.59	-66.08	-10.96	7.208		0.889	2.428	0.914	972.6	9.627	3.160
33000	32978	395.13	-64.54	-5.86	6.873		0.888	2.306	0.901	974.5	9.658	3.171
34000	33979	396.66	-63.01	-0.76	6.555		0.888	2.191	0.890	976.3	9.689	3.183
35000	34980	398.20	-61.47	4.34	6.253		0.888	2.082	0.878	978.2	9.721	3.194
36000	35981	399.73	-59.94	9.45	5.966		0.889	1.979	0.868	980.1	9.752	3.206
37000	36983	399.87	-59.80	9.90	5.693		0.890	1.887	0.868	980.3	9.755	3.207
38000	37984	399.87	-59.80	9.90	5.433		0.891	1.801	0.869	980.3	9.755	3.207
39000	38985	399.87	-59.80	9.90	5.184		0.892	1.719	0.870	980.3	9.755	3.207
40000	39987	399.87	-59.80	9.90	4.946	+ 0	0.893	1.640 - 2	0.871	980.3	9.755 - 6	3.207 - 6
41000	40989	399.87	-59.80	9.90	4.720		0.894	1.565	0.872	980.3	9.755	3.207
42000	41990	399.87	-59.80	9.90	4.504		0.895	1.493	0.873	980.3	9.755	3.207
43000	42992	399.87	-59.80	9.90	4.298		0.896	1.425	0.874	980.3	9.755	3.207
44000	43994	399.87	-59.80	9.90	4.101		0.898	1.359	0.875	980.3	9.755	3.207
45000	44996	399.87	-59.80	9.90	3.913		0.898	1.297	0.876	980.3	9.755	3.207
46000	45998	399.87	-59.80	9.90	3.734		0.899	1.238	0.877	980.3	9.755	3.207
47000	47000	399.87	-59.80	9.90	3.563		0.901	1.181	0.878	980.3	9.755	3.207
48000	48003	399.87	-59.80	9.90	3.400		0.902	1.127	0.879	980.3	9.755	3.207
49000	49005	399.87	-59.80	9.90	3.244		0.903	1.075	0.880	980.3	9.755	3.207
50000	50008	399.87	-59.80	9.90	3.095	+ 0	0.904	1.026 - 2	0.882	980.3	9.755 - 6	3.207 - 6
51000	51010	399.87	-59.80	9.90	2.954		0.905	9.792 - 3	0.882	980.3	9.755	3.207
52000	52013	399.87	-59.80	9.90	2.818		0.906	9.344	0.884	980.3	9.755	3.207
53000	53016	399.87	-59.80	9.90	2.689		0.907	8.916	0.884	980.3	9.755	3.207
54000	54019	399.87	-59.80	9.90	2.566		0.908	8.507	0.886	980.3	9.755	3.207
55000	55022	399.87	-59.80	9.90	2.449		0.909	8.118	0.887	980.3	9.755	3.207
56000	56025	399.93	-59.74	9.96	2.337		0.910	7.745	0.888	980.4	9.756	3.207
57000	57028	400.21	-59.46	10.24	2.230		0.912	7.385	0.888	980.7	9.762	3.209
58000	58031	400.48	-59.19	10.51	2.128		0.913	7.043	0.889	981.0	9.767	3.211
59000	59034	400.76	-58.91	10.79	2.030		0.914	6.716	0.889	981.4	9.773	3.213
60000	60038	401.03	-58.64	11.06	1.938	+ 0	0.915	6.405 - 3	0.890	981.7	9.778 - 6	3.215 - 6
61000	61041	401.31	-58.36	11.34	1.849		0.916	6.109	0.890	982.0	9.784	3.217
62000	62045	401.58	-58.09	11.61	1.765		0.917	5.826	0.891	982.4	9.789	3.219
63000	63049	401.85	-57.82	11.88	1.684		0.919	5.557	0.892	982.7	9.795	3.222
64000	64053	402.13	-57.54	12.16	1.608		0.920	5.300	0.892	983.1	9.800	3.224
65000	65057	402.40	-57.27	12.43	1.534		0.922	5.055	0.893	983.4	9.806	3.226
66000	66061	402.68	-56.99	12.50	1.465		0.923	4.822	0.894	983.7	9.812	3.228
67000	67065	402.95	-56.72	12.22	1.398		0.924	4.599	0.896	984.1	9.817	3.230
68000	68069	403.23	-56.44	11.95	1.335		0.925	4.387	0.898	984.4	9.823	3.232
69000	69073	403.50	-56.17	11.67	1.274		0.927	4.185	0.900	984.7	9.828	3.234
70000	70078	403.77	-55.90	11.40	1.216	+ 0	0.928	3.993 - 3	0.902	985.1	9.834 - 6	3.236 - 6
71000	71082	404.05	-55.62	11.13	1.161		0.930	3.809	0.904	985.4	9.839	3.238
72000	72087	404.32	-55.35	10.85	1.108		0.931	3.634	0.906	985.7	9.845	3.240
73000	73092	404.60	-55.07	10.58	1.058		0.932	3.467	0.907	986.1	9.850	3.242
74000	74096	404.87	-54.80	10.30	1.010		0.933	3.308	0.909	986.4	9.856	3.244
75000	75101	405.15	-54.52	10.03	9.646	- 1	0.934	3.156	0.911	986.7	9.861	3.246
76000	76106	405.42	-54.25	9.75	9.210		0.935	3.012	0.913	987.1	9.867	3.248
77000	77111	405.69	-53.98	9.48	8.794		0.936	2.874	0.914	987.4	9.872	3.250
78000	78116	405.97	-53.70	9.20	8.397		0.937	2.742	0.916	987.7	9.878	3.252
79000	79122	406.24	-53.43	8.93	8.019		0.938	2.617	0.917	988.1	9.884	3.254

TABLE 5.2.—Continued  
75° N. January (Warm)  
GEOMETRIC ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
Z, ft	H, ft'	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , ft sec <sup>-1</sup>	$\mu$ , lb ft <sup>-1</sup> sec <sup>-1</sup>	BTU ft <sup>k</sup> sec <sup>-1</sup> (°R) <sup>-1</sup>
0	0	448.59	-11.08	-70.08	2.993 + 1	1.000	8.844 - 2	1.157	1038.3	1.072 - 5	3.566 - 6
1000	1002	450.25	-9.42	-64.86	2.870	0.995	8.451	1.138	1040.2	1.075	3.578
2000	2004	451.90	-7.77	-59.63	2.753	0.990	8.077	1.120	1042.1	1.078	3.590
3000	3006	453.56	-6.11	-54.41	2.641	0.985	7.720	1.103	1044.0	1.081	3.603
4000	4008	455.22	-4.45	-49.19	2.534	0.981	7.381	1.087	1045.9	1.085	3.615
5000	5010	456.86	-3.21	-44.38	2.432	0.977	7.064	1.072	1047.4	1.087	3.624
6000	6012	453.43	-6.24	-43.85	2.334	0.973	6.823	1.067	1043.9	1.081	3.602
7000	7013	450.39	-9.28	-43.33	2.239	0.970	6.590	1.063	1040.4	1.075	3.579
8000	8015	447.35	-12.32	-42.80	2.147	0.966	6.363	1.058	1036.9	1.069	3.557
9000	9016	444.31	-15.36	-42.28	2.059	0.962	6.142	1.054	1033.3	1.064	3.535
10000	10018	441.28	-18.39	-41.75	1.973 + 1	0.959	5.928 - 2	1.050	1029.8	1.058 - 5	3.513 - 6
11000	11019	438.24	-21.43	-41.22	1.891	0.955	5.720	1.045	1026.2	1.052	3.491
12000	12020	435.21	-24.46	-40.69	1.811	0.952	5.517	1.041	1022.7	1.046	3.469
13000	13021	432.18	-27.49	-40.16	1.735	0.948	5.321	1.036	1019.1	1.040	3.446
14000	14022	429.16	-30.51	-39.62	1.661	0.945	5.130	1.032	1015.6	1.034	3.424
15000	15023	426.13	-33.54	-39.08	1.589	0.941	4.944	1.027	1012.0	1.028	3.402
16000	16024	423.11	-36.56	-38.55	1.521	0.938	4.765	1.023	1008.4	1.022	3.379
17000	17024	420.08	-39.59	-38.01	1.455	0.934	4.590	1.018	1004.8	1.016	3.357
18000	18025	417.06	-42.61	-37.48	1.391	0.930	4.421	1.014	1001.1	1.010	3.335
19000	19025	414.03	-45.64	-36.94	1.329	0.926	4.257	1.009	997.5	1.004	3.312
20000	20026	411.01	-48.66	-36.40	1.270 + 1	0.923	4.097 - 2	1.005	993.8	9.979 - 6	3.290 - 6
21000	21026	407.99	-51.68	-35.87	1.214	0.919	3.943	1.000	990.2	9.919	3.267
22000	22026	404.97	-54.70	-35.33	1.159	0.916	3.793	0.996	986.5	9.858	3.245
23000	23026	401.95	-57.72	-34.79	1.106	0.913	3.648	0.992	982.8	9.797	3.222
24000	24026	398.93	-60.74	-34.25	1.056	0.909	3.508	0.987	979.1	9.736	3.200
25000	25026	395.91	-63.76	-33.71	1.007	0.906	3.372	0.983	975.4	9.674	3.177
26000	26026	392.89	-66.78	-33.18	9.603 + 0	0.903	3.240	0.979	971.7	9.612	3.154
27000	27026	389.87	-69.80	-32.64	9.154	0.899	3.112	0.974	968.0	9.551	3.132
28000	28025	387.88	-72.19	-31.47	8.723	0.895	2.984	0.968	965.0	9.502	3.114
29000	29025	389.02	-70.65	-26.38	8.312	0.892	2.832	0.953	966.9	9.533	3.125
30000	30024	390.55	-69.12	-21.28	7.922 + 0	0.890	2.689 - 2	0.938	968.8	9.565 - 6	3.137 - 6
31000	31023	392.09	-67.58	-16.19	7.552	0.888	2.553	0.924	970.7	9.596	3.148
32000	32023	393.62	-66.05	-11.10	7.200	0.886	2.425	0.911	972.6	9.627	3.160
33000	33022	395.16	-64.51	-6.01	6.866	0.885	2.303	0.899	974.5	9.659	3.171
34000	34021	396.69	-62.98	-0.92	6.549	0.885	2.188	0.887	976.4	9.690	3.183
35000	35020	398.23	-61.44	4.16	6.248	0.885	2.080	0.876	978.3	9.721	3.194
36000	36019	399.76	-59.91	9.25	5.961	0.886	1.977	0.865	980.2	9.752	3.206
37000	37017	399.87	-59.80	9.90	5.689	0.886	1.886	0.865	980.3	9.755	3.207
38000	38016	399.87	-59.80	9.90	5.428	0.887	1.800	0.866	980.3	9.755	3.207
39000	39015	399.87	-59.80	9.90	5.180	0.888	1.717	0.866	980.3	9.755	3.207
40000	40013	399.87	-59.80	9.90	4.943 + 0	0.889	1.639 - 2	0.867	980.3	9.755 - 6	3.207 - 6
41000	41011	399.87	-59.80	9.90	4.717	0.890	1.564	0.868	980.3	9.755	3.207
42000	42010	399.87	-59.80	9.90	4.502	0.891	1.492	0.869	980.3	9.755	3.207
43000	43008	399.87	-59.80	9.90	4.296	0.892	1.424	0.870	980.3	9.755	3.207
44000	44006	399.87	-59.80	9.90	4.100	0.893	1.359	0.871	980.3	9.755	3.207
45000	45004	399.87	-59.80	9.90	3.912	0.894	1.297	0.872	980.3	9.755	3.207
46000	46002	399.87	-59.80	9.90	3.733	0.895	1.238	0.873	980.3	9.755	3.207
47000	47000	399.87	-59.80	9.90	3.563	0.896	1.181	0.874	980.3	9.755	3.207
48000	47997	399.87	-59.80	9.90	3.400	0.897	1.127	0.875	980.3	9.755	3.207
49000	48995	399.87	-59.80	9.90	3.245	0.898	1.076	0.876	980.3	9.755	3.207
50000	49992	399.87	-59.80	9.90	3.097 + 0	0.899	1.027 - 2	0.877	980.3	9.755 - 6	3.207 - 6
51000	50990	399.87	-59.80	9.90	2.955	0.900	9.797 - 3	0.878	980.3	9.755	3.207
52000	51587	399.87	-59.80	9.90	2.820	0.901	9.349	0.879	980.3	9.755	3.207
53000	52584	399.87	-59.80	9.90	2.691	0.902	8.922	0.880	980.3	9.755	3.207
54000	53981	399.87	-59.80	9.90	2.568	0.903	8.515	0.881	980.3	9.755	3.207
55000	54979	399.87	-59.80	9.90	2.451	0.904	8.126	0.881	980.3	9.755	3.207
56000	55975	399.93	-59.74	9.96	2.339	0.905	7.754	0.882	980.4	9.756	3.207
57000	56972	400.20	-59.47	10.23	2.233	0.906	7.395	0.883	980.7	9.761	3.209
58000	57969	400.47	-59.20	10.50	2.131	0.907	7.053	0.883	981.0	9.767	3.211
59000	58966	400.75	-58.92	10.78	2.034	0.908	6.727	0.884	981.4	9.772	3.213
60000	59962	401.02	-58.65	11.05	1.941 + 0	0.909	6.417 - 3	0.884	981.7	9.778 - 6	3.215 - 6
61000	60959	401.29	-58.38	11.32	1.853	0.910	6.120	0.884	982.0	9.784	3.217
62000	61955	401.57	-58.10	11.60	1.769	0.911	5.838	0.885	982.4	9.789	3.219
63000	62951	401.84	-57.83	11.87	1.688	0.913	5.569	0.885	982.7	9.795	3.221
64000	63948	402.11	-57.56	12.14	1.612	0.914	5.313	0.886	983.0	9.800	3.223
65000	64944	402.39	-57.28	12.42	1.539	0.915	5.069	0.887	983.4	9.806	3.226
66000	65940	402.66	-57.01	12.59	1.469	0.916	4.836	0.888	983.7	9.811	3.228
67000	66936	402.93	-56.74	12.32	1.402	0.918	4.613	0.889	984.0	9.817	3.230
68000	67931	403.21	-56.46	12.05	1.339	0.919	4.402	0.891	984.4	9.822	3.232
69000	68927	403.48	-56.19	11.78	1.278	0.920	4.200	0.893	984.7	9.828	3.234
70000	69923	403.75	-55.92	11.51	1.221 + 0	0.921	4.007 - 3	0.895	985.0	9.833 - 6	3.236 - 6
71000	70918	404.03	-55.64	11.23	1.165	0.922	3.824	0.897	985.4	9.839	3.238
72000	71914	404.30	-55.37	10.96	1.113	0.924	3.649	0.898	985.7	9.844	3.240
73000	72909	404.57	-55.10	10.69	1.063	0.924	3.482	0.900	986.0	9.850	3.242
74000	73904	404.85	-54.82	10.42	1.015	0.925	3.323	0.901	986.4	9.855	3.244
75000	74899	405.12	-54.55	10.15	9.691 - 1	0.927	3.171	0.903	986.7	9.861	3.246
76000	75894	405.39	-54.28	9.88	9.255	0.927	3.027	0.905	987.0	9.866	3.248
77000	76889	405.66	-54.01	9.60	8.839	0.928	2.889	0.906	987.4	9.872	3.250
78000	77884	405.94	-53.73	9.33	8.442	0.929	2.757	0.908	987.7	9.877	3.252
79000	78879	406.21	-53.46	9.06	8.064	0.930	2.632	0.909	988.0	9.883	3.254

TABLE 5.2. — Continued  
75° N. January (Warm)  
GEOPOTENTIAL ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity	
<i>H</i> , ft'	<i>Z</i> , ft	<i>T</i> , °R	<i>t</i> , °F	<i>T</i> - <i>T</i> <sub>std</sub>	<i>P</i> , in. <i>Hg</i>	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	<i>C<sub>s</sub></i> ft sec <sup>-1</sup>	$\mu$ lb ft <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{sec^{-1}(°R)^{-1}}$	
80000	80127	406.52	-53.15	8.66	7.657	- 1	0.939	2.497 - 3	0.919	988.4	9.889 - 6	3.256 - 6
81000	81133	406.79	-52.88	8.38	7.312		0.940	2.383	0.921	988.7	9.895	3.258
82000	82138	407.07	-52.60	8.11	6.983		0.941	2.274	0.922	989.1	9.900	3.260
83000	83144	407.88	-51.79	8.37	6.669		0.942	2.168	0.922	990.1	9.916	3.266
84000	84150	408.70	-50.97	8.64	6.370		0.943	2.066	0.923	991.1	9.933	3.273
85000	85155	409.52	-50.15	8.92	6.085		0.944	1.970	0.923	992.0	9.950	3.279
86000	86161	410.35	-49.32	9.19	5.813		0.945	1.878	0.923	993.0	9.966	3.285
87000	87167	411.17	-48.50	9.47	5.553		0.946	1.790	0.924	994.0	9.983	3.291
88000	88174	411.99	-47.68	9.74	5.306		0.947	1.707	0.924	995.0	9.999	3.297
89000	89180	412.82	-46.85	10.02	5.070		0.948	1.628	0.925	996.0	1.002 - 5	3.303
90000	90186	413.64	-46.03	10.29	4.846	- 1	0.949	1.553 - 3	0.925	997.0	1.003 - 5	3.309 - 6
91000	91193	414.46	-45.21	10.57	4.631		0.950	1.481	0.926	998.0	1.005	3.315
92000	92199	415.28	-44.39	10.84	4.427		0.951	1.413	0.926	999.0	1.006	3.322
93000	93206	416.11	-43.56	11.11	4.231		0.952	1.348	0.926	1000.0	1.008	3.328
94000	94213	416.93	-42.74	11.39	4.045		0.953	1.286	0.927	1001.0	1.010	3.334
95000	95219	417.75	-41.92	11.66	3.868		0.954	1.227	0.928	1002.0	1.011	3.340
96000	96226	418.58	-41.09	11.94	3.698		0.956	1.171	0.929	1003.0	1.013	3.346
97000	97233	419.40	-40.27	12.21	3.536		0.957	1.118	0.929	1003.9	1.015	3.352
98000	98240	420.22	-39.45	12.48	3.382		0.958	1.067	0.930	1004.9	1.016	3.358

TABLE 5.2.—Continued  
75° N. January (Warm)  
GEOMETRIC ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity	
Z, ft	H, ft'	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> , ft sec <sup>-1</sup>	$\mu$ , lb ft <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{sec^{-1}(°R)^{-1}}$	
80000	79874	406.48	-53.19	8.79	7.702	- 1	0.931	2.512 - 3	0.911	988.4	9.888 - 6	3.256 - 6
81000	80868	406.76	-52.91	8.52	7.357		0.932	2.398	0.912	988.7	9.894	3.258
82000	81863	407.03	-52.64	8.25	7.027		0.933	2.289	0.914	989.0	9.899	3.260
83000	82857	407.76	-51.91	8.43	6.713		0.933	2.182	0.914	989.9	9.914	3.266
84000	83851	408.58	-51.09	8.71	6.414		0.934	2.081	0.914	990.9	9.931	3.272
85000	84845	409.40	-50.27	8.98	6.128		0.935	1.984	0.914	991.9	9.947	3.278
86000	85840	410.21	-49.46	9.26	5.855		0.936	1.892	0.915	992.9	9.963	3.284
87000	86834	411.03	-48.64	9.53	5.596		0.937	1.805	0.915	993.9	9.980	3.290
88000	87827	411.85	-47.82	9.80	5.348		0.938	1.721	0.916	994.9	9.996	3.296
89000	88821	412.67	-47.00	10.08	5.112		0.939	1.642	0.916	995.9	1.001 - 5	3.302
90000	89815	413.49	-46.18	10.35	4.886	- 1	0.940	1.567 - 3	0.916	996.8	1.003 - 5	3.308 - 6
91000	90809	414.30	-45.37	10.62	4.671		0.941	1.495	0.916	997.8	1.005	3.314
92000	91802	415.12	-44.55	10.90	4.466		0.942	1.426	0.917	998.8	1.006	3.320
93000	92796	415.94	-43.73	11.17	4.271		0.943	1.361	0.917	999.8	1.008	3.326
94000	93789	416.76	-42.91	11.45	4.084		0.944	1.299	0.918	1000.8	1.009	3.332
95000	94782	417.57	-42.10	11.72	3.906		0.945	1.240	0.918	1001.8	1.011	3.338
96000	95775	418.39	-41.28	11.99	3.735		0.946	1.184	0.919	1002.7	1.013	3.345
97000	96768	419.21	-40.46	12.27	3.573		0.947	1.130	0.919	1003.7	1.014	3.351
98000	97761	420.03	-39.64	12.54	3.418		0.948	1.079	0.920	1004.7	1.016	3.357

GEOPOTENTIAL ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
H, ft'	Z, ft	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> ft sec <sup>-1</sup>	$\frac{\mu}{\mu_{std}}$ lb ft <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{k_{std}}$ BTU ft <sup>-1</sup> sec <sup>-1</sup> (°R) <sup>-1</sup>
0	0	502.06	42.39	-16.61	2.990 + 1	0.999	7.895 - 2	1.032	1098.4	1.172 - 5	3.950 - 6
1000	998	500.56	40.89	-14.54	2.880	0.998	7.628	1.027	1096.8	1.169	3.940
2000	1996	499.06	39.39	-12.48	2.774	0.997	7.369	1.022	1095.1	1.167	3.929
3000	2994	497.56	37.89	-10.41	2.672	0.996	7.118	1.017	1093.5	1.164	3.918
4000	3992	496.06	36.39	-8.34	2.573	0.996	6.876	1.012	1091.8	1.161	3.908
5000	4990	494.57	34.90	-6.27	2.477	0.995	6.640	1.008	1090.2	1.158	3.897
6000	5988	493.07	33.40	-4.20	2.385	0.995	6.412	1.003	1088.6	1.156	3.887
7000	6987	491.60	31.93	-2.11	2.296	0.994	6.191	0.999	1086.9	1.153	3.876
8000	7985	490.15	30.48	0.01	2.210	0.995	5.977	0.994	1085.3	1.150	3.866
9000	8984	488.94	29.27	0.36	2.127	0.994	5.790	0.994	1081.8	1.144	3.843
10000	9982	483.27	23.60	0.27	2.046 + 1	0.994	5.613 - 2	0.994	1077.7	1.138 - 5	3.817 - 6
11000	10981	479.61	19.94	0.17	1.968	0.994	5.440	0.994	1073.6	1.131	3.791
12000	11980	475.95	16.28	0.07	1.892	0.994	5.271	0.994	1069.5	1.124	3.764
13000	12979	472.29	12.62	-0.02	1.819	0.995	5.106	0.994	1065.4	1.117	3.738
14000	13978	468.67	9.00	-0.07	1.748	0.994	4.944	0.995	1061.3	1.110	3.712
15000	14977	465.06	5.39	-0.11	1.679	0.995	4.786	0.995	1057.2	1.103	3.686
16000	15976	461.46	1.79	-0.15	1.613	0.994	4.633	0.995	1053.1	1.096	3.660
17000	16976	457.85	-1.82	-0.20	1.548	0.994	4.482	0.995	1048.9	1.090	3.634
18000	17975	454.24	-5.43	-0.24	1.486	0.995	4.336	0.995	1044.8	1.083	3.607
19000	18975	450.63	-9.04	-0.28	1.426	0.994	4.193	0.995	1040.7	1.076	3.581
20000	19974	447.03	-12.64	-0.31	1.367 + 1	0.994	4.054 - 2	0.995	1036.5	1.069 - 5	3.555 - 6
21000	20974	443.45	-16.22	-0.33	1.311	0.995	3.919	0.995	1032.3	1.062	3.529
22000	21974	439.87	-19.80	-0.34	1.256	0.994	3.786	0.995	1028.1	1.055	3.503
23000	22974	436.29	-23.38	-0.36	1.204	0.994	3.658	0.995	1024.0	1.048	3.476
24000	23974	432.71	-26.96	-0.38	1.153	0.994	3.532	0.995	1019.7	1.041	3.450
25000	24974	429.12	-30.55	-0.39	1.104	0.994	3.410	0.995	1015.5	1.034	3.424
26000	25974	425.54	-34.13	-0.41	1.056	0.994	3.291	0.995	1011.3	1.027	3.397
27000	26974	421.97	-37.70	-0.41	1.011	0.994	3.175	0.995	1007.0	1.020	3.371
28000	27975	418.40	-41.27	-0.42	9.667 + 0	0.994	3.063	0.995	1002.7	1.013	3.345
29000	28975	414.83	-44.84	-0.42	9.242	0.994	2.953	0.995	998.5	1.006	3.318
30000	29976	411.26	-48.41	-0.43	8.832 + 0	0.994	2.847 - 2	0.995	994.1	9.984 - 6	3.292 - 6
31000	30977	407.68	-51.99	-0.43	8.436	0.994	2.743	0.995	989.8	9.913	3.265
32000	31977	404.11	-55.58	2.99	8.057	0.994	2.621	0.987	989.6	9.910	3.264
33000	32978	400.54	-59.17	7.10	7.695	0.995	2.500	0.977	990.3	9.921	3.268
34000	33979	408.63	-51.04	11.21	7.350	0.996	2.384	0.968	991.0	9.932	3.272
35000	34980	409.18	-50.49	15.32	7.021	0.997	2.275	0.960	991.6	9.943	3.276
36000	35981	409.72	-49.95	19.43	6.706	0.999	2.170	0.952	992.3	9.954	3.280
37000	36983	410.27	-49.40	20.30	6.407	1.002	2.070	0.952	993.0	9.965	3.284
38000	37984	410.82	-48.85	20.85	6.121	1.004	1.975	0.953	993.6	9.976	3.288
39000	38985	411.37	-48.30	21.40	5.848	1.006	1.885	0.954	994.3	9.987	3.292
40000	39987	411.92	-47.75	21.95	5.588 + 0	1.009	1.798 - 2	0.955	994.9	9.998 - 6	3.297 - 6
41000	40989	412.46	-47.21	22.49	5.339	1.012	1.716	0.957	995.6	1.001 - 5	3.301
42000	41990	413.01	-46.66	23.04	5.102	1.014	1.638	0.958	996.3	1.002	3.305
43000	42992	413.56	-46.11	23.59	4.876	1.017	1.563	0.959	996.9	1.003	3.309
44000	43994	414.11	-45.56	24.14	4.660	1.020	1.492	0.961	997.6	1.004	3.313
45000	44996	414.27	-45.40	24.30	4.454	1.023	1.425	0.963	997.8	1.004	3.314
46000	45998	414.27	-45.40	24.30	4.257	1.026	1.362	0.965	997.8	1.004	3.314
47000	47000	414.27	-45.40	24.30	4.069	1.028	1.302	0.968	997.8	1.004	3.314
48000	48003	414.27	-45.40	24.30	3.889	1.031	1.244	0.971	997.8	1.004	3.314
49000	49005	414.27	-45.40	24.30	3.717	1.034	1.189	0.973	997.8	1.004	3.314
50000	50008	414.27	-45.40	24.30	3.552 + 0	1.037	1.137 - 2	0.977	997.8	1.004 - 5	3.314 - 6
51000	51010	414.27	-45.40	24.30	3.395	1.040	1.086	0.979	997.8	1.004	3.314
52000	52013	414.27	-45.40	24.30	3.245	1.043	1.038	0.982	997.8	1.004	3.314
53000	53016	414.27	-45.40	24.30	3.101	1.046	9.924 - 3	0.985	997.8	1.004	3.314
54000	54019	414.27	-45.40	24.30	2.964	1.049	9.485	0.987	997.8	1.004	3.314
55000	55022	414.27	-45.40	24.30	2.833	1.052	9.066	0.990	997.8	1.004	3.314
56000	56025	414.27	-45.40	24.30	2.708	1.055	8.665	0.993	997.8	1.004	3.314
57000	57028	414.27	-45.40	24.30	2.588	1.058	8.281	0.996	997.8	1.004	3.314
58000	58031	414.27	-45.40	24.30	2.473	1.061	7.915	0.999	997.8	1.004	3.314
59000	59034	414.27	-45.40	24.30	2.364	1.064	7.565	1.001	997.8	1.004	3.314
60000	60038	414.27	-45.40	24.30	2.259 + 0	1.067	7.230 - 3	1.004	997.8	1.004 - 5	3.314 - 6
61000	61041	414.27	-45.40	24.30	2.160	1.070	6.910	1.007	997.8	1.004	3.314
62000	62045	414.27	-45.40	24.30	2.064	1.073	6.605	1.010	997.8	1.004	3.314
63000	63049	414.27	-45.40	24.30	1.973	1.076	6.312	1.013	997.8	1.004	3.314
64000	64053	414.27	-45.40	24.30	1.885	1.079	6.033	1.016	997.8	1.004	3.314
65000	65057	414.27	-45.40	24.30	1.802	1.082	5.766	1.019	997.8	1.004	3.314
66000	66061	414.27	-45.40	24.09	1.722	1.085	5.511	1.022	997.8	1.004	3.314
67000	67065	414.27	-45.40	23.54	1.646	1.088	5.267	1.026	997.8	1.004	3.314
68000	68069	414.27	-45.40	22.99	1.573	1.091	5.034	1.030	997.8	1.004	3.314
69000	69073	414.27	-45.40	22.44	1.504	1.094	4.812	1.035	997.8	1.004	3.314
70000	70078	414.27	-45.40	21.90	1.437 + 0	1.097	4.599 - 3	1.039	997.8	1.004 - 5	3.314 - 6
71000	71082	414.27	-45.40	21.35	1.374	1.100	4.395	1.043	997.8	1.004	3.314
72000	72087	414.27	-45.40	20.80	1.313	1.102	4.201	1.047	997.8	1.004	3.314
73000	73092	414.27	-45.40	20.25	1.255	1.105	4.015	1.051	997.8	1.004	3.314
74000	74096	414.27	-45.40	19.70	1.199	1.107	3.838	1.055	997.8	1.004	3.314
75000	75101	414.27	-45.40	19.15	1.146	1.110	3.668	1.059	997.8	1.004	3.314
76000	76106	414.27	-45.40	18.60	1.096	1.112	3.506	1.062	997.8	1.004	3.314
77000	77111	414.27	-45.40	18.06	1.047	1.114	3.351	1.066	997.8	1.004	3.314
78000	78116	414.86	-44.81	18.10	1.001	1.117	3.198	1.068	998.5	1.006	3.318
79000	79122	415.52	-44.15	18.21	9.566 - 1	1.119	3.052	1.070	999.3	1.007	3.323



TABLE 5.2.—Continued  
75° N. July  
GEOMETRIC ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity	
Z, ft	H, ft'	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> ft sec <sup>-1</sup>	$\mu$ lb ft <sup>-1</sup> sec <sup>-1</sup>	$k$ BTU ft <sup>-1</sup> sec <sup>-1</sup> (°R) <sup>-1</sup>	
0	0	502.06	42.39	-16.61	2.990	+ 1	0.999	7.895 - 2	1.032	1098.4	1.172 - 5	3.950 - 6
1000	1002	500.56	40.89	-14.55	2.880		0.998	7.627	1.027	1096.8	1.169	3.940
2000	2004	499.05	39.38	-12.48	2.774		0.997	7.368	1.022	1095.1	1.167	3.929
3000	3006	497.55	37.88	-10.42	2.671		0.996	7.117	1.017	1093.5	1.164	3.918
4000	4008	496.05	36.38	-8.36	2.572		0.995	6.874	1.012	1091.8	1.161	3.908
5000	5010	494.55	34.88	-6.29	2.476		0.995	6.638	1.007	1090.2	1.158	3.897
6000	6012	493.06	33.39	-4.22	2.384		0.994	6.410	1.003	1088.5	1.156	3.886
7000	7013	491.58	31.91	-2.14	2.295		0.994	6.188	0.998	1086.9	1.153	3.876
8000	8015	490.13	30.46	-0.02	2.209		0.994	5.974	0.994	1085.3	1.150	3.866
9000	9016	488.68	27.21	0.29	2.125		0.994	5.787	0.993	1081.7	1.144	3.842
10000	16018	483.21	23.54	0.19	2.045	+ 1	0.994	5.610 - 2	0.993	1077.6	1.137 - 5	3.816 - 6
11000	11019	479.54	19.87	0.08	1.967		0.993	5.436	0.993	1073.5	1.131	3.790
12000	12020	475.88	16.21	-0.02	1.891		0.994	5.267	0.993	1069.4	1.124	3.764
13000	13021	472.21	12.54	-0.13	1.817		0.993	5.102	0.994	1065.3	1.117	3.737
14000	14022	468.59	8.92	-0.18	1.746		0.993	4.941	0.994	1061.2	1.110	3.711
15000	15023	464.98	5.31	-0.23	1.678		0.993	4.783	0.994	1057.1	1.103	3.685
16000	16024	461.37	1.70	-0.28	1.611		0.993	4.629	0.994	1053.0	1.096	3.659
17000	17024	457.76	-1.91	-0.33	1.547		0.993	4.479	0.994	1048.8	1.089	3.633
18000	18025	454.15	-5.52	-0.38	1.484		0.993	4.333	0.993	1044.7	1.083	3.607
19000	19025	450.54	-9.13	-0.43	1.424		0.992	4.190	0.994	1040.5	1.076	3.581
20000	20026	446.94	-12.73	-0.47	1.366	+ 1	0.993	4.051 - 2	0.994	1036.4	1.069 - 5	3.554 - 6
21000	21026	443.36	-16.31	-0.50	1.309		0.992	3.915	0.993	1032.2	1.062	3.528
22000	22026	439.78	-19.89	-0.52	1.255		0.992	3.783	0.992	1028.0	1.055	3.502
23000	23026	436.19	-23.48	-0.54	1.202		0.992	3.654	0.993	1023.8	1.048	3.476
24000	24026	432.61	-27.06	-0.57	1.152		0.992	3.529	0.993	1019.6	1.041	3.449
25000	25026	429.03	-30.64	-0.59	1.103		0.992	3.407	0.993	1015.4	1.034	3.423
26000	26026	425.45	-34.22	-0.61	1.055		0.992	3.288	0.993	1011.2	1.027	3.397
27000	27026	421.88	-37.79	-0.63	1.010		0.992	3.173	0.993	1006.9	1.020	3.370
28000	28025	418.31	-41.36	-0.64	9.656	+ 0	0.991	3.060	0.993	1002.6	1.013	3.344
29000	29025	414.74	-44.93	-0.66	9.231		0.991	2.951	0.993	998.3	1.005	3.317
30000	30024	411.17	-48.50	-0.67	8.822	+ 0	0.991	2.844 - 2	0.992	994.0	9.983 - 6	3.291 - 6
31000	31023	407.60	-52.07	-0.68	8.427		0.991	2.741	0.992	989.7	9.911	3.264
32000	32023	404.05	-55.62	2.82	8.049		0.991	2.648	0.984	985.7	9.910	3.264
33000	33022	400.50	-59.17	6.92	7.687		0.991	2.497	0.974	980.3	9.921	3.268
34000	34021	396.94	-62.72	11.02	7.343		0.992	2.382	0.965	971.0	9.932	3.272
35000	35020	393.38	-66.27	15.12	7.014		0.994	2.272	0.957	961.6	9.943	3.276
36000	36019	389.83	-69.82	19.22	6.701		0.995	2.168	0.949	952.3	9.954	3.280
37000	37017	386.27	-73.37	20.31	6.402		0.998	2.068	0.948	943.0	9.965	3.284
38000	38016	382.71	-76.92	20.86	6.116		1.000	1.974	0.949	933.6	9.976	3.288
39000	39015	379.15	-80.47	21.41	5.844		1.002	1.883	0.950	924.3	9.987	3.292
40000	40013	375.59	-84.02	21.95	5.584	+ 0	1.005	1.797 - 2	0.951	915.0	9.998 - 6	3.297 - 6
41000	41011	372.03	-87.57	22.50	5.337		1.007	1.715	0.952	905.6	1.001 - 5	3.301
42000	42010	368.47	-91.12	23.05	5.100		1.010	1.637	0.953	896.3	1.002	3.305
43000	43008	364.91	-94.67	23.60	4.874		1.012	1.562	0.954	886.9	1.003	3.309
44000	44006	361.35	-98.22	24.14	4.659		1.015	1.491	0.956	877.6	1.004	3.313
45000	45004	357.79	-101.77	24.30	4.453		1.018	1.425	0.958	868.3	1.004	3.314
46000	46002	354.23	-105.32	24.30	4.257		1.021	1.362	0.961	859.0	1.004	3.314
47000	47000	350.67	-108.87	24.30	4.069		1.023	1.302	0.963	849.7	1.004	3.314
48000	47997	347.11	-112.42	24.30	3.889		1.026	1.244	0.966	840.4	1.004	3.314
49000	48995	343.55	-115.97	24.30	3.717		1.029	1.190	0.969	831.1	1.004	3.314
50000	49992	340.00	-119.52	24.30	3.553	+ 0	1.032	1.137 - 2	0.971	821.8	1.004 - 5	3.314 - 6
51000	50990	336.44	-123.07	24.30	3.397		1.034	1.087	0.974	812.5	1.004	3.314
52000	51987	332.88	-126.62	24.30	3.247		1.037	1.039	0.976	803.2	1.004	3.314
53000	52984	329.33	-130.17	24.30	3.104		1.040	9.931 - 3	0.979	793.9	1.004	3.314
54000	53981	325.77	-133.72	24.30	2.967		1.043	9.493	0.982	784.6	1.004	3.314
55000	54979	322.21	-137.27	24.30	2.836		1.046	9.074	0.984	775.3	1.004	3.314
56000	55975	318.65	-140.82	24.30	2.711		1.049	8.674	0.987	766.0	1.004	3.314
57000	56972	315.09	-144.37	24.30	2.591		1.052	8.292	0.990	756.7	1.004	3.314
58000	57969	311.53	-147.92	24.30	2.477		1.054	7.926	0.992	747.4	1.004	3.314
59000	58966	307.97	-151.47	24.30	2.368		1.057	7.577	0.995	738.1	1.004	3.314
60000	59962	304.41	-155.02	24.30	2.263	+ 0	1.060	7.243 - 3	0.998	728.8	1.004 - 5	3.314 - 6
61000	60959	300.85	-158.57	24.30	2.164		1.063	6.923	1.000	719.5	1.004	3.314
62000	61955	297.29	-162.12	24.30	2.068		1.066	6.618	1.003	710.2	1.004	3.314
63000	62951	293.73	-165.67	24.30	1.977		1.069	6.326	1.006	700.9	1.004	3.314
64000	63948	290.17	-169.22	24.30	1.890		1.071	6.048	1.009	691.6	1.004	3.314
65000	64944	286.61	-172.77	24.30	1.807		1.074	5.781	1.011	682.3	1.004	3.314
66000	65940	283.05	-176.32	24.20	1.727		1.077	5.526	1.014	673.0	1.004	3.314
67000	66936	279.49	-179.87	23.66	1.651		1.080	5.283	1.018	663.7	1.004	3.314
68000	67931	275.93	-183.42	23.11	1.578		1.083	5.050	1.022	654.4	1.004	3.314
69000	68927	272.37	-186.97	22.57	1.509		1.085	4.828	1.027	645.1	1.004	3.314
70000	69923	268.81	-190.52	22.02	1.442	+ 0	1.088	4.615 - 3	1.030	635.8	1.004 - 5	3.314 - 6
71000	70918	265.25	-194.07	21.48	1.379		1.091	4.412	1.034	626.5	1.004	3.314
72000	71914	261.69	-197.62	20.93	1.318		1.094	4.217	1.038	617.2	1.004	3.314
73000	72909	258.13	-201.17	20.39	1.260		1.096	4.032	1.042	607.9	1.004	3.314
74000	73904	254.57	-204.72	19.84	1.204		1.098	3.854	1.046	598.6	1.004	3.314
75000	74899	251.01	-208.27	19.30	1.151		1.101	3.685	1.049	589.3	1.004	3.314
76000	75894	247.45	-211.82	18.76	1.101		1.103	3.522	1.053	580.0	1.004	3.314
77000	76889	243.89	-215.37	18.21	1.052		1.105	3.367	1.057	570.7	1.004	3.314
78000	77884	240.33	-218.92	18.18	1.006		1.107	3.215	1.059	561.4	1.005	3.318
79000	78879	236.77	-222.47	18.29	9.618	- 1	1.110	3.069	1.061	552.1	1.007	3.323

TABLE 5.2.—Continued  
75° N. July

## GEOPOTENTIAL ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity	
<i>H</i> , ft'	<i>Z</i> , ft	<i>T</i> , °R	<i>t</i> , °F	<i>T</i> - <i>T</i> <sub>std</sub>	<i>P</i> , in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	<i>C<sub>s</sub></i> , ft sec <sup>-1</sup>	$\mu$ , lb ft <sup>-1</sup> sec <sup>-1</sup>	$\frac{k}{sec^{-1}(°R)^{-1}}$	
80000	80127	416.18	-43.49	18.32	9.144	- 1	1.121	2.913 - 3	1.072	1000.1	1.008 - 5	3.328 - 6
81000	81133	416.84	-42.83	18.43	8.742		1.124	2.780	1.074	1000.9	1.010	3.333
82000	82138	417.50	-42.17	18.54	8.358		1.126	2.654	1.076	1001.7	1.011	3.338
83000	83144	418.15	-41.52	18.65	7.991		1.128	2.533	1.078	1002.4	1.012	3.343
84000	84150	418.81	-40.86	18.76	7.641		1.131	2.419	1.080	1003.2	1.014	3.348
85000	85155	419.47	-40.20	18.87	7.307		1.133	2.309	1.082	1004.0	1.015	3.353
86000	86161	420.13	-39.54	18.98	6.988		1.136	2.205	1.084	1004.8	1.016	3.357
87000	87167	420.79	-38.88	19.09	6.683		1.138	2.105	1.086	1005.6	1.017	3.362
88000	88174	421.45	-38.22	19.20	6.392		1.140	2.011	1.089	1006.4	1.019	3.367
89000	89180	422.10	-37.57	19.31	6.114		1.143	1.920	1.090	1007.2	1.020	3.372
90000	90186	422.76	-36.91	19.42	5.849	- 1	1.145	1.834 - 3	1.092	1008.0	1.021 - 5	3.377 - 6
91000	91193	423.42	-36.25	19.53	5.596		1.148	1.752	1.095	1008.7	1.023	3.382
92000	92199	424.08	-35.59	19.63	5.354		1.150	1.673	1.097	1009.5	1.024	3.387
93000	93206	424.74	-34.93	19.74	5.122		1.153	1.599	1.099	1010.3	1.025	3.391
94000	94213	425.40	-34.27	19.85	4.901		1.155	1.527	1.101	1011.1	1.027	3.396
95000	95219	426.05	-33.62	19.96	4.690		1.157	1.459	1.103	1011.9	1.028	3.401
96000	96226	426.71	-32.96	20.07	4.488		1.160	1.394	1.106	1012.7	1.029	3.406
97000	97233	427.37	-32.30	20.18	4.296		1.163	1.332	1.108	1013.4	1.030	3.411
98000	98240	428.03	-31.64	20.29	4.112		1.165	1.273	1.110	1014.2	1.032	3.416

TABLE 5.2.—Continued  
75° N. July  
GEOMETRIC ALTITUDE, ENGLISH UNITS

Altitude		Temperature			Pressure		Density		Sound speed	Coefficient of viscosity	Thermal conductivity
Z, ft	H, ft'	T, °R	t, °F	T-T <sub>std</sub>	P, in. Hg	$\frac{P}{P_{std}}$	$\rho$ , lb ft <sup>-3</sup>	$\frac{\rho}{\rho_{std}}$	C <sub>s</sub> ft sec <sup>-1</sup>	$\mu$ lb ft <sup>-1</sup> sec <sup>-1</sup>	$k$ BTU ft <sup>1</sup> sec <sup>-1</sup> (°R) <sup>-1</sup>
80000	79874	416.10	-43.57	18.40	9.197 - 1	1.112	2.930 - 3	1.062	1000.0	1.008 - 5	3.328 - 6
81000	80868	416.75	-42.92	18.51	8.794	1.114	2.797	1.064	1000.8	1.009	3.332
82000	81863	417.41	-42.26	18.62	8.410	1.116	2.671	1.066	1001.6	1.011	3.337
83000	82857	418.06	-41.61	18.73	8.043	1.118	2.550	1.068	1002.3	1.012	3.342
84000	83851	418.72	-40.95	18.84	7.692	1.120	2.435	1.070	1003.1	1.013	3.347
85000	84845	419.37	-40.30	18.95	7.358	1.123	2.326	1.072	1003.9	1.015	3.352
86000	85840	420.02	-39.65	19.07	7.038	1.125	2.221	1.074	1004.7	1.016	3.357
87000	86834	420.68	-38.99	19.18	6.733	1.127	2.122	1.076	1005.5	1.017	3.361
88000	87827	421.33	-38.34	19.29	6.442	1.130	2.027	1.078	1006.3	1.019	3.366
89000	88821	421.99	-37.68	19.40	6.163	1.132	1.936	1.080	1007.0	1.020	3.371
90000	89815	422.64	-37.03	19.51	5.897 - 1	1.134	1.850 - 3	1.082	1007.8	1.021 - 5	3.376 - 6
91000	90809	423.30	-36.37	19.62	5.643	1.136	1.767	1.084	1008.6	1.022	3.381
92000	91802	423.95	-35.72	19.73	5.401	1.139	1.689	1.086	1009.4	1.024	3.386
93000	92796	424.60	-35.07	19.84	5.169	1.141	1.614	1.087	1010.1	1.025	3.390
94000	93789	425.26	-34.41	19.95	4.947	1.143	1.542	1.090	1010.9	1.026	3.395
95000	94782	425.91	-33.76	20.06	4.735	1.146	1.474	1.092	1011.7	1.028	3.400
96000	95775	426.57	-33.10	20.17	4.533	1.148	1.409	1.094	1012.5	1.029	3.405
97000	96768	427.22	-32.45	20.28	4.340	1.150	1.347	1.096	1013.3	1.030	3.410
98000	97761	427.87	-31.80	20.39	4.155	1.153	1.287	1.098	1014.0	1.031	3.415

Table 5.3  
Sea level to 30 km  
GEOPOTENTIAL ALTITUDE IN METERS AS A FUNCTION OF PRESSURE  
IN MILLIBARS

GEOPOTENTIAL ALTITUDE IN METERS AS A FUNCTION OF PRESSURE IN MILLIBARS

P, mb	Pressure altitude*	75° N. Jan	60° N. Jan	45° N. Jan	30° N. Jan	15° N. Annual	30° N. July	45° N. July	60° N. July	75° N. July
10	31055	29320	30019	30544	30868	31151	31452	31786	31915	
11	30420	28739	29420	29936	30227	30500	30798	31125	31252	
12	29843	28212	28873	29382	29644	29904	30206	30523	30649	
13	29313	27726	28369	28872	29107	29362	29661	29974	30095	
14	28823	27275	27905	28404	28617	28859	29158	29471	29583	29833
15	28368	26856	27471	27966	28161	28397	28694	29000	29109	29351
16	27943	26462	27070	27559	27754	27966	28262	28563	28668	28904
17	27545	26095	26692	27176	27337	27559	27858	28153	28254	28484
18	27170	25748	26335	26816	26964	27181	27478	27769	27863	28091
19	26816	25420	25997	26477	26612	26823	27118	27408	27496	27718
20	26481	25108	25680	26153	26279	26484	26778	27063	27150	27365
21	26163	24811	25378	25846	25963	26166	26456	26739	26821	27029
22	25860	24528	25089	25554	25662	25859	26151	26430	26506	26711
23	25570	24258	24814	25274	25376	25568	25859	26135	26206	26407
24	25294	24000	24551	25005	25101	25291	25581	25852	25919	26116
25	25029	23751	24299	24748	24839	25026	25314	25582	25646	25837
26	24774	23512	24057	24500	24588	24771	25058	25322	25383	25570
27	24530	23283	23823	24262	24347	24526	24812	25073	25130	25314
28	24294	23062	23597	24034	24115	24292	24576	24834	24887	25067
29	24068	22849	23379	23813	23892	24066	24350	24603	24653	24829
30	23849	22642	23168	23600	23677	23849	24132	24381	24427	24599
31	23637	22443	22964	23394	23469	23639	23921	24165	24209	24377
32	23432	22251	22766	23194	23270	23436	23716	23957	23998	24163
33	23234	22064	22575	23000	23076	23239	23518	23755	23794	23955
34	23042	21882	22389	22812	22888	23049	23326	23559	23597	23753
35	22856	21706	22208	22629	22705	22864	23141	23370	23405	23558
36	22675	21534	22033	22451	22528	22686	22961	23186	23220	23368
37	22499	21367	21862	22279	22356	22512	22786	23007	23039	23183
38	22328	21206	21697	22111	22189	22343	22616	22834	22863	23004
39	22162	21048	21535	21948	22027	22179	22451	22665	22692	22829
40	22000	20894	21377	21788	21870	22019	22291	22500	22525	22658
41	21842	20744	21222	21632	21716	21864	22134	22340	22362	22492
42	21688	20598	21071	21480	21566	21713	21982	22183	22203	22329
43	21537	20455	20924	21332	21420	21565	21833	22030	22047	22170
44	21390	20315	20780	21188	21278	21422	21688	21881	21896	22015
45	21247	20178	20640	21096	21183	21326	21590	21775	21788	21904
46	21107	20045	20503	20998	21083	21224	21488	21669	21680	21794
47	20970	19914	20368	20872	20957	21096	21358	21535	21544	21656
48	20836	19786	20236	20740	20824	20962	21224	21397	21404	21514
49	20705	19660	20107	20610	20694	20831	21096	21266	21272	21380
50	20576	19538	19980	20483	20567	20704	20968	21134	21140	21246
51	20450	19417	19856	20359	20443	20580	20844	21001	21006	21110
52	20327	19299	19734	20246	20330	20467	20731	20888	20893	21000
53	20206	19183	19615	20153	20237	20374	20638	20795	20800	20910
54	20087	19069	19498	19989	20073	20210	20474	20631	20636	20750
55	19971	18958	19382	19872	19956	20093	20357	20514	20519	20630
56	19857	18848	19269	19758	19842	19979	20242	20400	20405	20515
57	19744	18741	19158	19648	19732	19869	20126	20284	20289	20400
58	19634	18635	19049	19540	19624	19761	20011	20169	20174	20285
59	19526	18531	18941	19430	19514	19651	19916	20074	20079	20190
60	19419	18428	18836	19325	19409	19546	19801	19959	19964	20075
61	19314	18328	18732	19224	19308	19445	19700	19858	19863	19974
62	19211	18229	18629	19126	19210	19347	19602	19760	19765	19876
63	19110	18131	18529	19028	19112	19249	19504	19662	19667	19778
64	19010	18035	18430	18932	19016	19153	19406	19564	19569	19680
65	18912	17941	18332	18834	18918	19055	19308	19466	19471	19582
66	18815	17847	18235	18738	18822	18959	19211	19369	19374	19485
67	18719	17755	18141	18640	18724	18861	19114	19272	19277	19388
68	18625	17665	18047	18544	18628	18765	19017	19175	19180	19291
69	18533	17576	17955	18454	18538	18672	18920	19078	19083	19194
70	18442	17488	17864	18363	18447	18591	18823	18981	18986	19097
71	18352	17401	17775	18267	18351	18495	18726	18884	18889	19000
72	18263	17315	17687	18171	18255	18400	18631	18789	18794	18905
73	18175	17231	17600	18075	18159	18304	18535	18693	18698	18810
74	18089	17148	17514	17980	18064	18209	18440	18598	18603	18714
75	18004	17066	17430	17884	17968	18113	18344	18502	18507	18618
76	17920	16985	17346	17788	17872	18017	18249	18407	18412	18523
77	17837	16905	17263	17692	17776	17921	18154	18312	18317	18428
78	17755	16826	17181	17596	17680	17825	18059	18217	18222	18333
79	17675	16748	17101	17499	17583	17728	17960	18118	18123	18234
80	17595	16671	17021	17420	17504	17649	17881	18039	18044	18155
81	17516	16595	16943	17341	17425	17570	17812	17970	17975	18086
82	17438	16519	16865	17264	17348	17493	17644	17802	17807	17918
83	17361	16445	16789	17187	17271	17416	17567	17725	17730	17841
84	17285	16371	16713	17111	17195	17340	17511	17669	17674	17785
85	17210	16299	16638	17036	17120	17265	17416	17574	17579	17690
86	17136	16227	16564	16962	17046	17191	17342	17500	17505	17616
87	17063	16156	16491	16889	16973	17118	17269	17427	17432	17543
88	16990	16085	16419	16817	16901	17043	17204	17362	17367	17478
89	16919	16016	16347	16745	16829	16970	17155	17313	17318	17429
90	16848	15947	16276	16675	16759	16900	17066	17224	17229	17340
91	16778	15879	16206	16605	16689	16830	16986	17143	17148	17259
92	16708	15812	16137	16536	16620	16761	16917	17074	17079	17190
93	16640	15745	16068	16467	16551	16692	16848	17001	17006	17117
94	16572	15679	16001	16399	16483	16624	16779	16936	16941	17052
95	16505	15614	15933	16332	16416	16557	16700	16857	16862	16973
96	16439	15550	15867	16266	16350	16491	16621	16778	16783	16894
97	16373	15486	15801	16200	16284	16425	16546	16703	16708	16819
98	16308	15423	15736	16135	16219	16360	16481	16638	16643	16754
99	16243	15361	15671	16070	16154	16295	16416	16573	16578	16689
100	16180	15298	15607	16006	16090	16231	16352	16509	16514	16625
101	16117	15238	15544	15943	16027	16168	16289	16446	16451	16562
102	16054	15178	15481	15881	15965	16106	16230	16387	16392	16503
103	15992	15118	15420	15819	15903	16047	16171	16328	16333	16444
104	15931	15059	15359	15757	15841	15982	16092	16249	16254	16365
105	15870	15000	15299	15695	15779	15920	16033	16190	16195	16306
106	15810	14941	15239	15636	15720	15861	16074	16231	16236	16347
107	15751	14883	15180	15578	15662	15803	16015	16172	16177	16288
108	15692	14825	15121	15518	15602	15744	15956	16113	16118	16229
109	15633	14768	15063	15459	15543	15684	15897	16054	16059	16170

\*Pressure altitude is defined as the indicated altitude of pressure altimeter when the altimeter is set at 1013.25 mb and calibrated with the Standard Atmosphere.

TABLE 5.3.—Continued  
 GEOPOTENTIAL ALTITUDE IN METERS AS A FUNCTION OF PRESSURE IN MILLIBARS

P, mb	Pressure altitude*	75° N. Jan	60° N. Jan	45° N. Jan	30° N. Jan	15° N. Annual	30° N. July	45° N. July	60° N. July	75° N. July
110	15575	14711	15006	15401	15753	16000	16070	16029	15859	15844
111	15518	14655	14948	15344	15698	15948	16016	15972	15799	15782
112	15461	14599	14891	15287	15644	15896	15963	15916	15739	15721
113	15405	14544	14835	15231	15590	15845	15910	15860	15680	15661
114	15349	14489	14778	15175	15537	15795	15858	15805	15622	15601
115	15293	14435	14723	15120	15484	15745	15806	15750	15563	15541
116	15238	14382	14668	15065	15432	15695	15755	15696	15506	15483
117	15184	14329	14613	15011	15380	15645	15704	15643	15449	15425
118	15130	14276	14559	14957	15329	15597	15654	15589	15394	15369
119	15077	14224	14505	14903	15278	15548	15604	15537	15338	15312
120	15023	14172	14452	14850	15227	15500	15554	15484	15283	15256
121	14971	14121	14399	14797	15177	15451	15505	15431	15229	15201
122	14919	14070	14346	14745	15127	15402	15456	15379	15175	15146
123	14867	14020	14294	14693	15078	15354	15407	15327	15121	15092
124	14816	13970	14243	14642	15029	15306	15359	15276	15068	15038
125	14765	13920	14191	14591	14980	15259	15311	15225	15016	14984
126	14714	13870	14140	14540	14932	15212	15264	15174	14963	14930
127	14664	13821	14090	14490	14883	15165	15217	15124	14911	14877
128	14614	13772	14040	14440	14835	15119	15170	15074	14860	14824
129	14565	13723	13990	14390	14787	15073	15123	15025	14809	14771
130	14516	13675	13941	14340	14740	15027	15077	14976	14758	14719
131	14467	13627	13892	14291	14693	14982	15032	14927	14707	14668
132	14419	13580	13843	14243	14647	14936	14986	14880	14657	14616
133	14371	13533	13795	14194	14600	14890	14941	14832	14608	14566
134	14324	13486	13747	14146	14555	14845	14897	14785	14559	14515
135	14277	13440	13700	14099	14509	14800	14852	14738	14510	14465
136	14230	13395	13653	14052	14464	14756	14808	14692	14461	14415
137	14183	13350	13606	14005	14418	14712	14764	14645	14412	14365
138	14137	13305	13560	13958	14373	14668	14721	14600	14364	14316
139	14091	13260	13514	13912	14329	14624	14678	14554	14316	14267
140	14046	13216	13468	13867	14285	14581	14635	14509	14269	14219
141	14001	13172	13424	13821	14241	14538	14592	14464	14222	14171
142	13956	13129	13379	13776	14197	14495	14550	14420	14175	14123
143	13911	13086	13335	13732	14154	14453	14508	14376	14128	14075
144	13867	13043	13291	13687	14111	14411	14466	14332	14082	14028
145	13823	13000	13247	13643	14068	14369	14424	14288	14036	13981
146	13780	12957	13204	13600	14025	14327	14382	14245	13991	13935
147	13737	12915	13161	13556	13983	14286	14340	14202	13946	13889
148	13694	12872	13118	13513	13941	14245	14298	14159	13901	13843
149	13651	12830	13076	13470	13899	14204	14257	14117	13857	13797
150	13608	12789	13034	13427	13858	14163	14216	14075	13813	13752
151	13566	12747	12992	13385	13816	14123	14176	14033	13769	13707
152	13524	12706	12949	13343	13776	14083	14135	13992	13726	13663
153	13483	12665	12908	13301	13735	14043	14095	13950	13683	13618
154	13442	12624	12866	13260	13694	14004	14055	13909	13640	13574
155	13400	12584	12825	13218	13654	13964	14016	13868	13597	13530
156	13360	12544	12784	13177	13614	13924	13976	13828	13555	13487
157	13319	12504	12743	13137	13575	13884	13936	13787	13513	13444
158	13279	12464	12703	13096	13535	13845	13897	13747	13471	13402
159	13239	12425	12662	13056	13496	13805	13857	13707	13429	13360
160	13199	12386	12622	13016	13457	13766	13818	13668	13388	13318
161	13160	12347	12583	12976	13418	13728	13780	13628	13347	13276
162	13120	12308	12543	12937	13380	13689	13741	13589	13306	13235
163	13081	12270	12504	12898	13342	13651	13703	13550	13265	13194
164	13043	12232	12465	12859	13303	13613	13665	13512	13225	13153
165	13004	12194	12426	12820	13266	13575	13627	13473	13185	13112
166	12966	12156	12388	12781	13228	13537	13589	13435	13145	13072
167	12928	12118	12349	12743	13191	13500	13552	13397	13106	13032
168	12890	12081	12311	12705	13154	13462	13515	13359	13066	12992
169	12852	12044	12273	12667	13117	13425	13478	13321	13027	12952
170	12815	12007	12236	12630	13080	13388	13440	13284	12988	12912
171	12777	11971	12198	12592	13043	13351	13403	13247	12950	12872
172	12740	11934	12161	12555	13007	13314	13367	13210	12911	12833
173	12704	11898	12124	12518	12971	13278	13330	13173	12873	12794
174	12667	11862	12087	12482	12935	13241	13294	13137	12835	12755
175	12631	11826	12051	12445	12899	13205	13258	13101	12798	12716
176	12595	11791	12014	12408	12863	13169	13222	13064	12760	12678
177	12559	11756	11979	12372	12828	13134	13186	13029	12723	12640
178	12523	11720	11943	12336	12792	13098	13150	12993	12686	12602
179	12488	11685	11907	12300	12757	13063	13115	12957	12649	12564
180	12452	11651	11872	12265	12722	13028	13080	12922	12612	12526
181	12417	11616	11837	12229	12688	12993	13045	12887	12576	12489
182	12382	11582	11802	12194	12653	12958	13010	12852	12540	12452
183	12347	11548	11768	12159	12619	12923	12975	12817	12504	12415
184	12313	11514	11733	12124	12585	12888	12941	12783	12468	12379
185	12278	11480	11699	12089	12551	12853	12906	12748	12432	12342
186	12244	11446	11665	12055	12517	12819	12871	12714	12396	12306
187	12210	11412	11631	12020	12483	12784	12837	12680	12361	12270
188	12176	11379	11597	11986	12449	12750	12803	12647	12326	12235
189	12143	11345	11563	11952	12416	12716	12769	12613	12291	12199
190	12109	11312	11530	11918	12383	12683	12735	12580	12256	12164
191	12076	11279	11497	11885	12350	12649	12701	12546	12221	12129
192	12043	11247	11463	11851	12317	12616	12668	12513	12187	12094
193	12010	11214	11430	11818	12284	12582	12635	12480	12152	12059
194	11977	11182	11397	11785	12252	12549	12602	12446	12118	12024
195	11945	11149	11365	11752	12219	12516	12569	12413	12084	11990
196	11912	11117	11332	11719	12187	12483	12536	12380	12050	11955
197	11880	11085	11300	11686	12155	12451	12503	12347	12017	11921
198	11848	11054	11268	11654	12123	12418	12470	12314	11983	11887
199	11816	11022	11235	11621	12091	12385	12438	12281	11950	11854
200	11784	10991	11204	11589	12060	12353	12405	12248	11917	11820
205	11627	10835	11046	11431	11903	12193	12245	12088	11755	11655
210	11475	10684	10893	11277	11750	12037	12089	11931	11596	11494
215	11325	10538	10744	11127	11600	11883	11935	11777	11442	11337
220	11180	10394	10598	10980	11453	11732	11783	11627	11290	11185
225	11037	10253	10455	10835	11307	11586	11634	11479	11142	11035
230	10898	10114	10316	10694	11164	11439	11488	11334	10997	10888
235	10760	9979	10179	10555	11025	11295	11343	11192	10856	10744
240	10626	9848	10045	10419	10887	11154	11202	11052	10717	10604
245	10493	9719	9914	10287	10753	11016	11063	10914	10580	10468

\*Pressure altitude is defined as the indicated altitude of pressure altimeter when the altimeter is set at 1013.25 mb and calibrated with the Standard Atmosphere.

GEOPOTENTIAL ALTITUDE IN METERS AS A FUNCTION OF PRESSURE IN MILLIBARS

P, mb	Pressure altitude*	75° N. Jan	60° N. Jan	45° N. Jan	30° N. Jan	15° N. Annual	30° N. July	45° N. July	60° N. July	75° N. July
250	10363	9592	9785	10157	10620	10879	10926	10777	10447	10334
255	10235	9468	9660	10030	10490	10745	10792	10644	10317	10203
260	10109	9346	9537	9905	10361	10613	10660	10513	10189	10074
265	9984	9226	9415	9782	10235	10484	10531	10383	10064	9947
270	9862	9109	9295	9661	10109	10356	10402	10255	9941	9823
275	9741	8993	9179	9542	9985	10230	10275	10130	9819	9702
280	9623	8879	9065	9425	9864	10105	10150	10007	9700	9582
285	9505	8768	8953	9309	9745	9983	10027	9885	9582	9465
290	9390	8658	8842	9195	9627	9862	9905	9764	9465	9350
295	9276	8551	8733	9082	9511	9743	9786	9645	9350	9236
300	9164	8445	8626	8971	9398	9625	9667	9528	9236	9124
305	9053	8341	8521	8862	9285	9509	9551	9413	9125	9013
310	8944	8238	8417	8754	9174	9394	9436	9299	9015	8903
315	8836	8136	8315	8647	9063	9281	9322	9187	8906	8795
320	8729	8036	8214	8542	8954	9170	9210	9075	8799	8686
325	8624	7937	8114	8438	8847	9061	9099	8965	8692	8583
330	8520	7839	8016	8335	8742	8952	8989	8857	8587	8479
335	8418	7742	7919	8234	8636	8844	8881	8750	8483	8377
340	8316	7647	7823	8134	8533	8737	8775	8645	8381	8276
345	8216	7552	7729	8035	8431	8632	8669	8541	8280	8176
350	8117	7459	7635	7938	8330	8529	8564	8438	8180	8076
355	8019	7367	7542	7841	8230	8427	8461	8335	8082	7978
360	7923	7277	7450	7746	8132	8326	8359	8234	7984	7882
365	7827	7187	7359	7652	8035	8226	8258	8134	7887	7786
370	7732	7099	7270	7559	7938	8126	8158	8035	7792	7691
375	7639	7012	7181	7467	7842	8027	8060	7938	7697	7598
380	7546	6925	7093	7376	7748	7930	7963	7841	7603	7505
385	7455	6840	7007	7286	7655	7835	7865	7746	7511	7414
390	7364	6755	6921	7196	7562	7740	7769	7651	7419	7323
395	7274	6671	6836	7108	7471	7646	7674	7558	7328	7234
400	7185	6587	6752	7021	7380	7552	7580	7465	7237	7144
405	7098	6505	6668	6934	7291	7460	7487	7374	7149	7056
410	7011	6424	6585	6848	7202	7369	7395	7284	7061	6969
415	6924	6343	6503	6763	7114	7279	7304	7194	6974	6882
420	6839	6264	6422	6680	7028	7189	7214	7104	6887	6797
425	6754	6185	6342	6597	6941	7100	7125	7016	6801	6713
430	6671	6107	6263	6515	6855	7012	7037	6928	6716	6629
435	6588	6029	6184	6433	6770	6925	6949	6842	6632	6546
440	6506	5953	6106	6352	6686	6839	6862	6757	6549	6464
445	6424	5877	6029	6272	6603	6753	6776	6672	6467	6383
450	6344	5802	5952	6193	6521	6669	6690	6588	6385	6303
455	6264	5728	5876	6115	6440	6585	6605	6505	6303	6223
460	6184	5654	5801	6037	6359	6502	6522	6422	6223	6143
465	6106	5581	5726	5960	6279	6419	6438	6341	6143	6064
470	6028	5509	5652	5883	6199	6337	6356	6260	6064	5986
475	5951	5437	5578	5807	6121	6256	6274	6179	5986	5909
480	5874	5365	5506	5732	6043	6176	6193	6098	5908	5833
485	5798	5295	5434	5657	5966	6096	6112	6019	5831	5757
490	5723	5225	5363	5583	5889	6017	6032	5941	5755	5682
495	5648	5155	5292	5510	5812	5939	5953	5863	5678	5607
500	5574	5086	5222	5437	5736	5861	5874	5787	5603	5532
510	5428	4950	5082	5294	5588	5707	5719	5634	5454	5386
520	5284	4817	4945	5153	5441	5557	5566	5484	5308	5243
530	5142	4686	4810	5014	5296	5407	5416	5336	5163	5101
540	5003	4556	4677	4877	5154	5260	5269	5190	5021	4961
550	4865	4429	4546	4742	5014	5115	5123	5047	4882	4823
560	4730	4303	4417	4609	4875	4973	4980	4905	4745	4688
570	4596	4180	4290	4479	4739	4833	4838	4767	4608	4554
580	4464	4058	4165	4350	4605	4695	4699	4629	4475	4422
590	4335	3938	4041	4223	4472	4558	4562	4495	4342	4292
600	4206	3819	3919	4098	4342	4423	4427	4361	4212	4164
610	4080	3702	3799	3974	4213	4290	4294	4230	4084	4038
620	3955	3587	3680	3852	4085	4158	4162	4100	3957	3912
630	3832	3474	3563	3732	3960	4029	4032	3972	3832	3789
640	3711	3362	3447	3613	3836	3901	3904	3846	3709	3667
650	3591	3251	3333	3495	3713	3775	3778	3721	3588	3547
660	3472	3142	3221	3379	3592	3650	3653	3598	3468	3429
670	3355	3034	3110	3265	3472	3527	3529	3476	3349	3311
680	3239	2928	3000	3152	3354	3405	3407	3356	3232	3196
690	3125	2823	2892	3041	3237	3285	3287	3237	3117	3081
700	3012	2719	2785	2930	3122	3165	3168	3119	3002	2968
710	2901	2616	2680	2821	3008	3048	3050	3003	2886	2856
720	2790	2514	2576	2714	2895	2931	2934	2889	2779	2746
730	2681	2414	2473	2608	2784	2816	2819	2776	2668	2636
740	2573	2315	2371	2503	2674	2702	2706	2664	2559	2528
750	2466	2217	2271	2399	2565	2589	2593	2553	2452	2421
760	2361	2120	2172	2297	2457	2478	2482	2443	2345	2316
770	2256	2024	2074	2195	2350	2368	2372	2335	2239	2211
780	2153	1929	1978	2095	2244	2260	2264	2227	2135	2108
790	2050	1835	1882	1996	2139	2152	2156	2121	2032	2006
800	1949	1743	1787	1898	2036	2045	2050	2016	1930	1905
810	1849	1651	1694	1802	1933	1940	1944	1911	1829	1805
820	1749	1560	1602	1706	1832	1836	1840	1808	1729	1707
830	1651	1470	1511	1612	1732	1732	1738	1706	1630	1610
840	1554	1381	1420	1519	1632	1630	1635	1606	1532	1513
850	1457	1294	1331	1426	1534	1529	1534	1506	1435	1418
860	1362	1207	1242	1334	1437	1429	1434	1407	1339	1324
870	1267	1121	1154	1244	1341	1330	1335	1309	1244	1230
880	1173	1037	1068	1154	1246	1231	1236	1212	1150	1138
890	1081	953	982	1064	1152	1134	1139	1116	1056	1047
900	988	871	897	976	1059	1037	1042	1021	964	957
910	897	790	814	889	967	942	946	926	872	867
920	807	709	731	803	875	847	851	833	782	779
930	717	630	649	718	785	753	757	741	692	691
940	628	551	568	633	695	659	664	649	602	605
950	540	474	488	550	606	567	571	558	514	519
960	453	397	409	467	518	475	480	468	427	434
970	366	321	331	384	431	384	389	379	340	349
980	281	246	253	303	345	295	298	290	254	266
990	195	171	177	222	260	205	209	203	169	183

\*Pressure altitude is defined as the indicated altitude of pressure altimeter when the altimeter is set at 1013.25 mb and calibrated with the Standard Atmosphere.

TABLE 5.3.—Continued  
 GEOPOTENTIAL ALTITUDE IN METERS AS A FUNCTION OF PRESSURE IN MILLIBARS

P, mb	Pressure altitude*	75° N. Jan	60° N. Jan	45° N. Jan	30° N. Jan	15° N. Annual	30° N. July	45° N. July	60° N. July	75° N. July
1000	111	98	101	142	175	116	119	116	84	101
1010	27	25	26	63	91	28	31	30		20

\*Pressure altitude is defined as the indicated altitude of pressure altimeter when the altimeter is set at 1013.25 mb and calibrated with the Standard Atmosphere.



Table 5.4  
Sea level to 100,000 ft  
GEOPOTENTIAL ALTITUDE IN FEET AS A FUNCTION OF PRESSURE  
IN MILLIBARS

TABLE 5.4  
GEPOTENTIAL ALTITUDE IN FEET AS A FUNCTION OF PRESSURE IN MILLIBARS

P, mb	Pressure altitude*	75° N. Jan	60° N. Jan	45° N. Jan	30° N. Jan	15° N. Annual	30° N. July	45° N. July	60° N. July	75° N. July
10	101886	96194	94888	100210	101273	102201	103189	104285	104708	
11	99803	94288	96522	98215	99170	100066	101043	102116	102333	
12	97910	92559	94728	96398	97257	98110	99101	100144	100554	
13	96171	90965	93074	94724	95495	96332	97313	98340	98737	
14	94564	89485	91552	93189	93888	94682	95663	96690	97057	97877
15	93071	88110	90128	91752	92392	93166	94140	95144	95502	96296
16	91677	86818	88812	90417	90994	91752	92723	93711	94055	94829
17	90371	85614	87572	89160	89688	90417	91398	92365	92697	93451
18	89140	84475	86401	87979	88465	89177	90151	91106	91414	92162
19	87979	83399	85292	86867	87310	88002	88970	89921	90210	90938
20	86880	82375	84252	85804	86217	86890	87854	88789	89075	89780
21	85837	81401	83261	84797	85180	85840	86798	87726	87995	88678
22	84843	80472	82313	83839	84193	84839	85797	86713	86962	87635
23	83891	79587	81411	82920	83255	83885	84839	85745	85978	86637
24	82986	78740	80548	82037	82352	82976	83927	84816	85036	85682
25	82116	77923	79721	81194	81493	82106	83051	83930	84140	84767
26	81280	77139	78927	80381	80669	81270	82211	83077	83278	83891
27	80479	76388	78159	79600	79879	80466	81404	82260	82448	83051
28	79705	75663	77418	78852	79117	79698	80630	81476	81650	82241
29	78963	74964	76703	78127	78386	78957	79888	80719	80883	81460
30	78245	74285	76010	77428	77680	78245	79173	79990	80141	80705
31	77549	73632	75341	76752	76998	77556	78481	79281	79426	79977
32	76877	73002	74692	76096	76345	76890	77808	78599	78734	79275
33	76227	72388	74065	75459	75709	76243	77159	77936	78064	78593
34	75597	71791	73455	74843	75092	75620	76529	77293	77418	77930
35	74987	71214	72861	74242	74491	75013	75922	76673	76788	77290
36	74393	70650	72287	73658	73911	74429	75331	76070	76181	76667
37	73816	70102	71726	73094	73346	73858	74757	75482	75587	76060
38	73255	69573	71184	72543	72802	73304	74199	74915	75010	75472
39	72710	69055	70653	72008	72267	72766	73658	74360	74449	74898
40	72178	68550	70135	71483	71752	72241	73133	73819	73901	74337
41	71660	68058	69626	70971	71247	71732	72618	73294	73366	73793
42	71155	67579	69131	70472	70755	71237	72119	72795	72864	73258
43	70659	67110	68648	69987	70276	70751	71631	72297	72363	72736
44	70177	66650	68176	69514	69810	70282	71155	71828	71897	72228
45	69708	66201	67717	69049	69354	69826	70689	71359	71432	71732
46	69249	65764	67267	68596	68907	69377	70236	70904	70979	71247
47	68799	65335	66824	68150	68471	68940	69790	70364	70413	70711
48	68360	64915	66391	67717	68048	68517	69357	69938	69997	70305
49	67930	64501	65968	67290	67631	68100	68930	69501	69551	69852
50	67507	64101	65551	66873	67224	67694	68517	69075	69075	69403
51	67093	63704	65144	66463	66827	67303	68110	68655	68645	68967
52	66690	63317	64744	66063	66440	66923	67713	68245	68228	68537
53	66293	62936	64354	65666	66053	66543	67323	67841	67815	68117
54	65902	62562	63970	65282	65682	66173	66942	67449	67411	67703
55	65522	62198	63589	64902	65318	65794	66542	67037	67014	67297
56	65148	61837	63219	64531	64957	65427	66198	66677	66624	66900
57	64777	61486	62854	64163	64606	65075	65837	66306	66243	66506
58	64416	61138	62497	63806	64259	64731	65482	65938	65866	66122
59	64062	60797	62142	63451	63921	64393	65138	65577	65495	65745
60	63711	60459	61798	63107	63586	64058	64797	65223	65131	65374
61	63366	60131	61457	62766	63258	63734	64459	64875	64777	65007
62	63028	59806	61119	62428	62936	63411	64131	64534	64426	64649
63	62697	59485	60791	62100	62621	63100	63806	64199	64078	64295
64	62369	59170	60466	61772	62310	62800	63488	63868	63740	63950
65	62047	58862	60144	61450	62001	62487	63176	63543	63402	63606
66	61729	58553	59826	61135	61703	62188	62867	63222	63074	63268
67	61414	58251	59518	60823	61407	61896	62567	62907	62749	62936
68	61106	57956	59209	60518	61115	61611	62264	62595	62428	62608
69	60804	57664	58907	60217	60827	61325	61972	62290	62113	62283
70	60505	57375	58609	59918	60545	61047	61683	61988	61801	61965
71	60210	57090	58317	59626	60266	60771	61398	61693	61493	61654
72	59918	56808	58028	59334	59993	60502	61115	61401	61191	61342
73	59629	56532	57743	59049	59721	60236	60840	61127	60892	61037
74	59347	56260	57461	58366	59055	59577	60176	60564	60300	60438
75	59068	55991	57185	58088	58793	59318	60029	60548	60308	60440
76	58793	55725	56909	57815	58534	59062	59677	60202	60023	60148
77	58520	55463	56637	57543	58268	58803	59418	59977	59738	59859
78	58251	55203	56368	57277	57998	58533	59148	59728	59549	59677
79	57989	54948	56106	57011	57734	58274	58890	59462	59183	59295
80	57726	54695	55843	57152	57873	58404	59009	59594	58911	59016
81	57467	54446	55587	56893	57610	58128	58760	59344	58642	58740
82	57211	54196	55331	56640	57354	57868	58517	59106	58379	58471
83	56959	53953	55082	56388	57102	57612	58274	58845	58117	58202
84	56709	53711	54833	56138	56852	57356	58038	58606	57858	57936
85	56463	53474	54587	55892	56602	57102	57780	58344	57602	57677
86	56220	53238	54344	55650	56352	56852	57533	58097	57349	57418
87	55981	53005	54104	55410	56109	56606	57297	57857	57100	57162
88	55741	52772	53868	55174	55869	56363	57057	57611	56854	56909
89	55509	52546	53632	54938	55636	56126	56820	57369	56608	56660
90	55276	52320	53399	54708	55406	55893	56670	57205	56438	56481
91	55046	52096	53169	54478	55174	55658	56440	56969	56202	56248
92	54816	51877	52943	54252	54945	55426	56224	56749	55982	56028
93	54593	51657	52717	54026	54717	55194	55997	56513	55746	55792
94	54370	51440	52497	53802	54487	54960	55769	56276	55509	55555
95	54150	51227	52274	53583	54267	54736	55551	56056	55292	55338
96	53934	51017	52057	53366	54054	54519	55339	55842	55075	55121
97	53717	50807	51841	53150	53841	54299	55097	55597	54830	54876
98	53504	50600	51627	52936	53627	54097	54859	55356	54602	54648
99	53291	50397	51414	52723	53414	53877	54622	55117	54364	54410
100	53084	50194	51204	52513	53204	53663	54400	54893	54140	54186
101	52877	49993	50997	52306	53000	53455	54181	54672	53919	53965
102	52671	49797	50791	52103	52800	53250	53968	54456	53702	53748
103	52467	49600	50591	51900	52600	53050	53769	54250	53496	53542
104	52267	49406	50390	51696	52395	52845	53577	54036	53282	53328
105	52067	49213	50194	51499	52195	52645	53382	53826	53072	53118
106	51870	49019	49997	51299	51995	52445	53189	53632	52868	52914
107	51677	48829	49803	51106	51796	52245	53012	53476	52664	52710
108	51483	48638	49610	50912	51602	52095	52838	53299	52451	52497
109	51289	48451	49419	50719	51409	51893	52664	53160	52211	52257

\*Pressure altitude is defined as the indicated altitude of pressure altimeter when the altimeter is set at 1013.25 mb and calibrated with the Standard Atmosphere.

TABLE 5.4.—Continued  
GEOPOTENTIAL ALTITUDE IN FEET AS A FUNCTION OF PRESSURE IN MILLIBARS

P, mb	Pressure altitude*	75° N. Jan	60° N. Jan	45° N. Jan	30° N. Jan	15° N. Annual	30° N. July	45° N. July	60° N. July	75° N. July
110	51099	48264	49232	50528	51683	52493	52723	52589	52031	51982
111	50912	48081	49042	50341	51503	52323	52546	52402	51834	51778
112	50725	47897	48855	50154	51325	52152	52372	52228	51667	51617
113	50541	47717	48671	49970	51148	51985	52198	52034	51444	51381
114	50358	47536	48484	49787	50974	51821	52028	51854	51253	51184
115	50174	47359	48304	49606	50801	51657	51857	51673	51060	50988
116	49993	47185	48123	49426	50630	51493	51690	51496	50873	50797
117	49816	47011	47943	49249	50459	51329	51522	51322	50686	50607
118	49639	46837	47766	49072	50292	51171	51358	51145	50505	50423
119	49465	46667	47589	48894	50125	51010	51194	50974	50322	50236
120	49288	46496	47415	48720	49957	50853	51030	50801	50141	50052
121	49117	46329	47241	48547	49793	50692	50869	50627	49964	49872
122	48947	46161	47067	48376	49629	50531	50709	50456	49787	49692
123	48776	45997	46896	48205	49469	50374	50548	50285	49610	49514
124	48609	45833	46729	48038	49308	50217	50390	50118	49436	49337
125	48442	45669	46558	47871	49147	50062	50233	49951	49265	49160
126	48274	45505	46391	47703	48989	49908	50079	49783	49091	48983
127	48110	45344	46227	47539	48829	49754	49925	49619	48921	48809
128	47946	45184	46063	47375	48671	49603	49770	49455	48753	48635
129	47785	45023	45899	47211	48514	49452	49616	49295	48586	48461
130	47625	44865	45738	47047	48360	49301	49465	49134	48419	48291
131	47464	44708	45577	46886	48205	49154	49318	48973	48251	48123
132	47306	44554	45417	46729	48054	49003	49167	48819	48087	47953
133	47149	44400	45259	46568	47900	48852	49019	48661	47927	47789
134	46995	44245	45102	46411	47753	48704	48875	48507	47766	47621
135	46841	44094	44948	46257	47602	48556	48727	48353	47605	47457
136	46686	43947	44793	46102	47454	48412	48583	48202	47444	47293
137	46532	43799	44639	45948	47303	48268	48438	48048	47283	47129
138	46381	43652	44488	45794	47156	48123	48297	47900	47126	46969
139	46230	43504	44337	45643	47011	47979	48156	47749	46969	46808
140	46083	43360	44186	45495	46867	47838	48015	47602	46814	46650
141	45935	43215	44042	45344	46722	47697	47874	47454	46660	46493
142	45787	43074	43894	45197	46578	47559	47736	47310	46506	46335
143	45640	42933	43750	45052	46437	47418	47598	47165	46352	46178
144	45495	42792	43606	44905	46296	47280	47461	47021	46201	46024
145	45351	42651	43461	44760	46155	47142	47323	46877	46050	45869
146	45210	42510	43320	44619	46014	47005	47185	46736	45902	45719
147	45069	42372	43179	44475	45876	46870	47047	46594	45755	45568
148	44928	42231	43038	44334	45738	46736	46909	46453	45607	45417
149	44787	42093	42900	44193	45600	46601	46775	46316	45463	45266
150	44646	41959	42762	44052	45466	46467	46640	46178	45318	45118
151	44508	41821	42625	43914	45328	46335	46509	46040	45174	44970
152	44370	41686	42484	43776	45197	46204	46375	45906	45033	44826
153	44236	41552	42349	43638	45062	46073	46243	45768	44892	44678
154	44101	41417	42211	43504	44928	45945	46112	45633	44751	44534
155	43963	41286	42077	43366	44797	45814	45984	45499	44610	44390
156	43832	41155	41942	43232	44665	45682	45853	45367	44472	44249
157	43698	41024	41808	43100	44537	45551	45722	45233	44334	44108
158	43566	40892	41677	42966	44406	45423	45594	45102	44196	43970
159	43435	40764	41542	42835	44278	45292	45463	44970	44058	43832
160	43304	40636	41411	42703	44150	45164	45335	44843	43924	43694
161	43176	40509	41283	42572	44022	45039	45210	44711	43789	43556
162	43045	40381	41152	42444	43898	44911	45082	44583	43655	43422
163	42917	40256	41024	42316	43773	44787	44957	44455	43520	43287
164	42792	40131	40896	42188	43645	44662	44833	44331	43389	43153
165	42664	40007	40768	42060	43524	44537	44708	44203	43258	43018
166	42539	39882	40643	41932	43399	44413	44583	44078	43127	42887
167	42415	39757	40515	41808	43278	44291	44462	43953	42999	42756
168	42290	39636	40390	41683	43156	44167	44341	43829	42867	42625
169	42165	39514	40266	41558	43035	44045	44219	43704	42740	42493
170	42044	39393	40144	41437	42913	43924	44094	43583	42612	42362
171	41919	39275	40020	41312	42792	43802	43973	43461	42487	42231
172	41798	39154	39898	41191	42674	43681	43855	43340	42359	42103
173	41680	39035	39777	41070	42556	43563	43734	43219	42234	41975
174	41558	38917	39656	40951	42438	43442	43615	43100	42110	41847
175	41440	38799	39537	40830	42320	43323	43497	42982	41988	41719
176	41322	38684	39416	40709	42201	43205	43379	42861	41864	41594
177	41204	38570	39301	40591	42087	43091	43261	42746	41742	41470
178	41086	38451	39183	40472	41969	42972	43143	42628	41621	41345
179	40971	38337	39065	40354	41854	42858	43028	42510	41499	41220
180	40853	38225	38950	40240	41739	42743	42913	42395	41378	41096
181	40738	38110	38835	40121	41627	42628	42799	42280	41260	40974
182	40623	37999	38720	40007	41512	42513	42684	42165	41142	40853
183	40509	37887	38609	39892	41401	42398	42569	42051	41024	40732
184	40397	37776	38494	39777	41289	42283	42457	41939	40906	40614
185	40282	37664	38383	39662	41178	42169	42343	41824	40787	40492
186	40171	37552	38271	39551	41066	42057	42228	41713	40669	40374
187	40059	37441	38159	39436	40955	41942	42116	41601	40554	40256
188	39948	37333	38048	39324	40846	41831	42005	41493	40440	40141
189	39839	37221	37936	39213	40735	41719	41893	41381	40325	40023
190	39728	37113	37828	39101	40627	41611	41781	41273	40210	39908
191	39619	37005	37720	38993	40518	41499	41670	41161	40095	39793
192	39511	36900	37608	38881	40410	41391	41562	41053	39984	39678
193	39403	36791	37500	38773	40302	41280	41453	40945	39869	39564
194	39295	36686	37392	38665	40197	41171	41345	40833	39757	39449
195	39190	36578	37287	38556	40089	41063	41237	40725	39646	39337
196	39081	36473	37178	38448	39984	40955	41129	40617	39534	39222
197	38976	36368	37073	38340	39879	40850	41020	40509	39426	39111
198	38871	36266	36969	38235	39774	40741	40912	40400	39314	38999
199	38766	36161	36860	38127	39669	40633	40807	40292	39206	38891
200	38661	36060	36759	38022	39567	40528	40699	40184	39098	38780
205	38146	35548	36240	37503	39052	40003	40174	39659	38566	38238
210	37648	35052	35738	36998	38550	39491	39662	39144	38045	37710
215	37156	34573	35249	36506	38058	38986	39157	38638	37539	37195
220	36680	34101	34770	36024	37575	38491	38658	38146	37041	36696
225	36211	33638	34301	35548	37096	38005	38169	37661	36555	36204
230	35755	33182	33845	35085	36627	37530	37690	37185	36079	35722
235	35302	32740	33396	34629	36171	37057	37215	36719	35617	35249
240	34862	32310	32956	34183	35719	36594	36752	36260	35161	34790
245	34426	31886	32526	33750	35279	36142	36296	35807	34711	34344

\*Pressure altitude is defined as the indicated altitude of pressure altimeter when the altimeter is set at 1013.25 mb and calibrated with the Standard Atmosphere.

TABLE 5.4.—Continued  
 GEOPOTENTIAL ALTITUDE IN FEET AS A FUNCTION OF PRESSURE IN MILLIBARS

P, mb	Pressure altitude*	75° N. Jan	60° N. Jan	45° N. Jan	30° N. Jan	15° N. Annual	30° N. July	45° N. July	60° N. July	75° N. July
250	33999	31470	32103	33323	34843	35692	35846	35358	34275	33904
255	33579	31063	31693	32907	34416	35253	35407	34921	33848	33474
260	33166	30663	31289	32497	33993	34820	34974	34491	33428	33051
265	32756	30269	30889	32093	33579	34396	34551	34065	33018	32635
270	32356	29885	30495	31696	33166	33976	34127	33645	32615	32228
275	31959	29505	30115	31306	32759	33563	33711	33235	32215	31831
280	31572	29131	29741	30922	32362	33153	33301	32831	31824	31437
285	31184	28766	29373	30541	31972	32753	32897	32431	31437	31053
290	30807	28406	29009	30167	31585	32356	32497	32034	31053	30676
295	30433	28054	28652	29797	31204	31965	32106	31644	30676	30302
300	30066	27707	28301	29432	30833	31578	31716	31260	30302	29934
305	29701	27365	27956	29075	30463	31198	31335	30883	29938	29570
310	29344	27028	27615	28720	30098	30820	30958	30509	29577	29209
315	28990	26693	27280	28369	29734	30449	30584	30141	29219	28855
320	28638	26365	26949	28025	29377	30085	30217	29774	28868	28504
325	28294	26040	26621	27684	29026	29728	29852	29413	28517	28159
330	27953	25719	26299	27346	28681	29370	29491	29058	28173	27818
335	27618	25400	25981	27014	28333	29016	29137	28707	27831	27484
340	27283	25089	25666	26686	27995	28665	28789	28363	27497	27152
345	26955	24777	25358	26362	27661	28320	28442	28022	27165	26824
350	26631	24472	25049	26043	27329	27982	28097	27684	26837	26496
355	26309	24170	24744	25725	27001	27648	27759	27346	26516	26175
360	25994	23875	24442	25413	26680	27316	27425	27014	26194	25860
365	25679	23579	24144	25105	26362	26988	27093	26686	25876	25545
370	25367	23291	23852	24800	26043	26660	26765	26362	25564	25233
375	25062	23005	23560	24499	25728	26335	26444	26043	25253	24928
380	24757	22720	23271	24199	25420	26017	26125	25725	24944	24623
385	24459	22441	22989	23904	25115	25705	25804	25413	24642	24324
390	24160	22162	22707	23609	24810	25394	25489	25097	24341	24026
395	23865	21886	22428	23320	24511	25085	25177	24792	24042	23734
400	23573	21611	22152	23035	24213	24777	24869	24491	23743	23438
405	23287	21342	21877	22749	23921	24475	24564	24193	23455	23150
410	23002	21076	21604	22467	23629	24177	24262	23898	23166	22864
415	22717	20810	21335	22188	23340	23881	23963	23602	22881	22579
420	22438	20551	21070	21916	23058	23586	23668	23307	22595	22300
425	22159	20292	20807	21644	22772	23294	23376	23018	22313	22024
430	21886	20036	20548	21375	22490	23005	23087	22730	22034	21749
435	21614	19780	20289	21106	22211	22720	22799	22448	21759	21476
440	21345	19531	20033	20840	21936	22438	22513	22169	21486	21207
445	21076	19281	19780	20577	21663	22156	22231	21890	21217	20942
450	20814	19035	19528	20318	21394	21880	21949	21614	20948	20679
455	20551	18793	19278	20062	21129	21604	21670	21342	20679	20417
460	20289	18550	19032	19806	20863	21332	21398	21070	20417	20154
465	20033	18310	18786	19554	20600	21060	21122	20804	20154	19895
470	19777	18074	18543	19301	20338	20791	20853	20538	19895	19639
475	19524	17838	18301	19052	20082	20525	20584	20272	19639	19386
480	19272	17602	18064	18806	19826	20262	20318	20007	19383	19137
485	19022	17372	17828	18560	19573	20000	20052	19747	19131	18888
490	18776	17142	17595	18317	19321	19741	19790	19491	18881	18642
495	18530	16913	17362	18077	19068	19485	19531	19236	18629	18396
500	18287	16686	17133	17838	18819	19229	19272	18986	18383	18150
510	17808	16240	16673	17369	18333	18724	18763	18484	17894	17671
520	17336	15804	16224	16906	17851	18232	18261	17992	17415	17201
530	16870	15374	15781	16450	17375	17740	17769	17507	16939	16736
540	16414	14948	15344	16001	16909	17257	17287	17028	16473	16276
550	15961	14531	14915	15558	16450	16781	16808	16558	16017	15823
560	15518	14117	14491	15121	15994	16316	16339	16093	15568	15381
570	15079	13714	14075	14695	15548	15856	15873	15640	15118	14941
580	14646	13314	13665	14272	15108	15404	15417	15187	14682	14508
590	14222	12920	13258	13855	14672	14954	14967	14747	14245	14081
600	13799	12530	12858	13445	14245	14511	14524	14308	13819	13661
610	13386	12146	12464	13038	13822	14075	14088	13878	13399	13248
620	12976	11768	12073	12638	13402	13642	13655	13451	12982	12835
630	12572	11398	11690	12244	12982	13219	13224	13031	12572	12431
640	12175	11030	11309	11854	12585	12799	12808	12618	12169	12031
650	11781	10666	10935	11467	12182	12385	12395	12208	11772	11637
660	11391	10308	10568	11086	11765	11975	11985	11804	11378	11250
670	11007	9954	10203	10712	11351	11572	11578	11404	10988	10863
680	10627	9606	9843	10341	10944	11171	11176	11010	10604	10486
690	10253	9262	9488	9977	10620	10778	10784	10620	10226	10108
700	9882	8921	9137	9613	10243	10384	10394	10233	9849	9738
710	9518	8583	8793	9255	9869	10000	10007	9852	9482	9370
720	9154	8248	8451	8904	9498	9616	9626	9478	9117	9009
730	8796	7920	8114	8556	9134	9239	9249	9108	8753	8648
740	8442	7595	7779	8212	8773	8865	8878	8740	8396	8294
750	8091	7274	7451	7871	8415	8494	8507	8376	8045	7943
760	7746	6955	7126	7536	8061	8130	8143	8015	7694	7598
770	7402	6640	6804	7201	7710	7769	7782	7661	7346	7254
780	7064	6329	6490	6873	7362	7415	7428	7306	7005	6916
790	6726	6020	6175	6549	7018	7060	7073	6959	6667	6581
800	6394	5719	5863	6227	6680	6709	6726	6614	6332	6250
810	6066	5417	5558	5912	6342	6365	6378	6270	6001	5922
820	5738	5118	5256	5597	6010	6024	6037	5932	5673	5600
830	5417	4823	4957	5289	5682	5682	5702	5597	5348	5282
840	5098	4531	4659	4984	5354	5348	5364	5269	5026	4964
850	4780	4245	4367	4678	5033	5016	5033	4941	4708	4652
860	4469	3960	4075	4377	4715	4688	4705	4616	4393	4344
870	4157	3678	3786	4081	4400	4364	4380	4295	4081	4035
880	3848	3402	3504	3786	4088	4039	4055	3976	3773	3734
890	3547	3127	3222	3491	3780	3720	3737	3661	3465	3435
900	3241	2858	2943	3202	3474	3402	3419	3350	3163	3140
910	2943	2592	2671	2917	3173	3091	3104	3038	2861	2844
920	2648	2326	2398	2635	2871	2779	2792	2733	2560	2556
930	2352	2067	2129	2356	2575	2470	2484	2431	2270	2270
940	2060	1808	1864	2077	2280	2162	2178	2129	1975	1985
950	1772	1555	1601	1804	1988	1860	1873	1831	1686	1703
960	1486	1302	1342	1532	1699	1558	1575	1535	1401	1424
970	1201	1053	1086	1260	1414	1260	1276	1243	1115	1145
980	922	807	830	994	1132	968	978	951	833	873
990	640	561	581	728	853	673	686	666	554	600

\*Pressure altitude is defined as the indicated altitude of pressure altimeter when the altimeter is set at 1013.25 mb and calibrated with the Standard Atmosphere.

TABLE 5.4.—Continued  
 GEOPOTENTIAL ALTITUDE IN FEET AS A FUNCTION OF PRESSURE IN MILLIBARS

P, mb	Pressure altitude*	75° N. Jan	60° N. Jan	45° N. Jan	30° N. Jan	15° N. Annual	30° N. July	45° N. July	60° N. July	75° N. July
1000	364	322	331	466	576	381	390	381	276	331
1010	89	82	85	207	299	92	102	98		66

\*Pressure altitude is defined as the indicated altitude of pressure altimeter when the altimeter is set at 1013.25 mb and calibrated with the Standard Atmosphere.

PRECEDING PAGE BLANK NOT FILMED.

PART 6

Tables of Properties of Supplementary Atmospheres above 120 Kilometers

PRECEDING PAGE BLANK NOT FILMED.

PRECEDING PAGE BLANK NOT FILMED

Part 6.1

120 km to 1000 km

Winter Models

TEMPERATURE, PRESSURE, DENSITY, SCALE HEIGHT, MOLECULAR  
WEIGHT, AND NUMBER DENSITIES

Metric Units

WINTER MODEL, EXOSPHERIC TEMPERATURE = 600° K

Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density m <sup>-3</sup>				Molecular weight <i>M</i>	Scale height <i>H<sub>p</sub></i> , km	Pressure <i>P</i> , mb	Log pressure	Density $\rho$ , kg m <sup>-3</sup>	Log density
		log <i>n</i> (O <sub>2</sub> )	log <i>n</i> (O)	log <i>n</i> (N <sub>2</sub> )	log <i>n</i> (He)						
120	333.5	17.055	16.984	17.763	13.567	27.12	10.82	3.631 - 5	3.551 - 8	-7.4496	
125	361.6	16.793	16.836	17.529	13.517	26.78	11.90	2.338	2.083	-7.6813	
130	386.8	16.553	16.701	17.315	13.473	26.43	12.92	1.563	1.285	-7.8912	
135	408.9	16.331	16.578	17.118	13.433	26.07	13.87	1.076	0.8251 - 9	-8.0835	
140	428.9	16.123	16.454	16.933	13.397	25.69	14.78	0.759 - 6	5.468	-8.2622	
145	446.6	15.926	16.357	16.759	13.363	25.30	15.65	5.464	3.723	-8.4291	
150	462.8	15.739	16.255	16.593	13.332	24.90	16.51	4.003	2.591	-8.5865	
155	477.4	15.559	16.159	16.434	13.303	24.49	17.34	2.979 - 6	1.838 - 9	-8.7356	
160	490.7	15.386	16.066	16.281	13.276	24.08	18.16	2.248	1.327	-8.8773	
165	502.5	15.219	15.977	16.133	13.250	23.65	18.96	1.717	9.721 - 10	-9.0123	
170	513.3	15.056	15.891	15.990	13.225	23.23	19.75	1.326	7.218	-9.1416	
175	523.2	14.898	15.808	15.850	13.201	22.81	20.53	1.035	5.425	-9.2656	
180	532.1	14.744	15.727	15.714	13.178	22.39	21.30	0.8146 - 7	4.123	-9.3848	
185	540.1	14.593	15.649	15.581	13.156	21.98	22.06	6.468	3.166	-9.4995	
190	547.6	14.445	15.572	15.451	13.134	21.58	22.82	5.177	2.453	-9.6103	
195	554.5	14.299	15.496	15.323	13.113	21.18	23.58	4.173	1.917	-9.7173	
200	561.0	14.156	15.422	15.197	13.093	20.80	24.32	3.387	1.510	-9.8209	
205	567.3	14.015	15.349	15.072	13.073	20.44	25.08	2.766 - 7	1.199 - 10	-9.9214	
210	573.3	13.875	15.277	14.950	13.053	20.09	25.82	2.273	9.577 - 11	-10.0188	
215	579.3	13.738	15.206	14.829	13.034	19.75	26.58	1.878	7.700	-10.1135	
220	585.3	13.602	15.136	14.709	13.015	19.43	27.33	1.560	6.231	-10.2054	
225	587.2	13.470	15.069	14.594	12.997	19.13	27.89	1.302	5.102	-10.2923	
230	588.9	13.339	15.003	14.479	12.980	18.85	28.44	1.090	4.196	-10.3771	
235	590.3	13.208	14.937	14.364	12.963	18.58	28.97	9.158 - 8	3.466	-10.4602	
240	591.6	13.079	14.872	14.251	12.947	18.32	29.48	7.718	2.875	-10.5414	
245	592.7	12.949	14.807	14.137	12.930	18.08	29.98	6.524	2.393	-10.6210	
250	593.7	12.821	14.742	14.025	12.914	17.85	30.46	5.529	1.999	-10.6991	
255	594.5	12.692	14.677	13.912	12.897	17.63	30.92	4.698 - 8	1.676 - 11	-10.7758	
260	595.2	12.565	14.613	13.800	12.881	17.43	31.37	4.001	1.409	-10.8511	
265	595.8	12.437	14.549	13.689	12.865	17.23	31.81	3.416	1.188	-10.9251	
270	596.4	12.310	14.486	13.578	12.849	17.05	32.23	2.922	1.005	-10.9980	
275	596.9	12.184	14.422	13.467	12.833	16.87	32.65	2.504	0.8514 - 12	-11.0698	
280	597.3	12.057	14.359	13.356	12.817	16.70	33.05	2.151	0.7233	-11.1407	
285	597.6	11.931	14.296	13.246	12.801	16.54	33.45	1.851	0.6158	-11.2105	
290	597.9	11.805	14.233	13.136	12.785	16.37	33.85	1.595	0.5254	-11.2795	
295	598.2	11.680	14.170	13.026	12.769	16.22	34.25	1.377	0.4490	-11.3477	
300	598.4	11.555	14.107	12.916	12.754	16.06	34.65	1.191	0.3844	-11.4152	
310	598.8	11.305	13.982	12.698	12.722	15.74	35.47	8.955 - 9	2.831 - 12	-11.5480	
320	599.1	11.057	13.858	12.480	12.691	15.41	36.35	6.778	2.098	-11.6783	
330	599.3	10.809	13.734	12.263	12.660	15.06	37.33	5.167	1.562	-11.8064	
340	599.5	10.562	13.611	12.047	12.629	14.68	38.43	3.967	1.168	-11.9324	
350	599.6	10.316	13.487	11.831	12.598	14.25	39.70	3.071	0.8513	-12.0565	
360	599.7	10.071	13.365	11.617	12.568	13.78	41.21	2.398	0.625	-12.1788	
370	599.8	9.826	13.243	11.403	12.537	13.24	43.00	1.891	0.5021	-12.2992	
380	599.8	9.583	13.121	11.189	12.506	12.65	45.16	1.507	0.421	-12.4178	
390	599.9	9.340	12.999	10.977	12.476	12.00	47.75	1.215	0.3821	-12.5343	
400	599.9	9.097	12.878	10.765	12.446	11.30	50.87	9.914 - 10	2.245	-12.6487	



Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density <i>m</i> <sup>-3</sup>				Molecular weight <i>M</i>	Scale height <i>H<sub>p</sub></i> , km	Pressure <i>P</i> , mb	Log pressure	Density <i>ρ</i> , kg <i>m</i> <sup>-3</sup>	Log density
		log <i>n</i> (O <sub>2</sub> )	log <i>n</i> (O)	log <i>n</i> (N <sub>2</sub> )	log <i>n</i> (He)						
410	599.9	8.856	12.757	10.553	12.416	10.55	54.61	8.199	1.735	-12.7607	
420	599.9	8.615	12.637	10.342	12.385	9.78	59.08	6.875	1.349	-12.8701	
430	600.0	8.375	12.517	10.132	12.355	9.01	64.38	5.845	1.055	-12.9766	
440	600.0	8.136	12.397	9.923	12.325	8.24	70.59	5.038	8.320	-13.0799	
450	600.0	7.897	12.278	9.714	12.296	7.50	77.81	4.402	6.615	-13.1795	
460	600.0	7.659	12.159	9.505	12.266	6.80	86.06	3.895	5.307	-13.2751	
470	600.0	7.422	12.040	9.298	12.236	6.15	95.37	3.488	4.301	-13.3664	
480	600.0	7.185	11.922	9.091	12.206	5.57	105.69	3.157	3.524	-13.4530	
490	600.0	6.950	11.804	8.884	12.177	5.05	116.92	2.886	2.920	-13.5347	
500	600.0	6.714	11.687	8.678	12.148	4.59	128.93	2.660	2.448	-13.6113	
510	600.0	6.480	11.569	8.473	12.118	4.19	141.53	2.470	2.077	-13.6826	
520	600.0	6.246	11.452	8.268	12.089	3.85	154.50	2.309	1.783	-13.7488	
530	600.0	6.013	11.336	8.064	12.060	3.56	167.62	2.170	1.549	-13.8099	
540	600.0	5.781	11.220	7.861	12.031	3.31	180.68	2.048	1.361	-13.8662	
550	600.0	5.549	11.104	7.658	12.002	3.10	193.49	1.942	1.208	-13.9179	
560	600.0	5.318	10.988	7.456	11.973	2.92	205.92	1.847	1.083	-13.9654	
570	600.0	5.087	10.873	7.254	11.944	2.77	217.86	1.762	9.791	-14.0092	
580	600.0	4.858	10.758	7.053	11.915	2.64	229.25	1.685	8.923	-14.0495	
590	600.0	4.629	10.644	6.857	11.887	2.53	240.07	1.614	8.189	-14.0868	
600	600.0	4.400	10.529	6.652	11.858	2.43	250.33	1.550	7.561	-14.1214	
610	600.0	4.172	10.416	6.453	11.830	2.35	260.06	1.490	7.019	-14.1537	
620	600.0	3.945	10.302	6.254	11.801	2.28	269.31	1.435	6.546	-14.1841	
630	600.0	3.719	10.189	6.056	11.773	2.21	278.12	1.384	6.128	-14.2127	
640	600.0	3.493	10.076	5.858	11.745	2.15	286.56	1.335	5.757	-14.2398	
650	600.0	3.268	9.963	5.661	11.717	2.10	294.67	1.290	5.425	-14.2656	
660	600.0	3.043	9.851	5.465	11.688	2.05	302.52	1.248	5.125	-14.2903	
670	600.0	2.819	9.739	5.268	11.660	2.00	310.14	1.208	4.852	-14.3141	
680	600.0	2.596	9.627	5.073	11.633	1.96	317.57	1.170	4.603	-14.3370	
690	600.0	2.374	9.516	4.878	11.605	1.92	324.86	1.134	4.374	-14.3591	
700	600.0	2.152	9.405	4.684	11.577	1.89	332.04	1.100	4.163	-14.3806	
710	600.0	1.930	9.294	4.490	11.549	1.85	339.12	1.068	3.968	-14.4015	
720	600.0	1.709	9.184	4.297	11.522	1.82	346.14	1.037	3.786	-14.4218	
730	600.0	1.489	9.074	4.104	11.494	1.79	353.10	1.008	3.617	-14.4416	
740	600.0	1.270	8.964	3.912	11.467	1.76	360.03	9.799	3.459	-14.4610	
750	600.0	1.051	8.855	3.720	11.439	1.73	366.92	9.533	3.311	-14.4800	
760	600.0	0.833	8.746	3.529	11.412	1.71	373.80	9.279	3.173	-14.4986	
770	600.0	0.615	8.637	3.339	11.385	1.68	380.65	9.036	3.043	-14.5168	
780	600.0	0.398	8.528	3.149	11.358	1.65	387.50	8.804	2.920	-14.5346	
790	600.0	0.182	8.420	2.959	11.331	1.63	394.33	8.581	2.805	-14.5521	
800	600.0	-0.034	8.312	2.770	11.304	1.61	401.15	8.368	2.696	-14.5692	
820	600.0	-0.464	8.097	2.394	11.250	1.56	414.77	7.968	2.497	-14.6026	
840	600.0	-0.892	7.884	2.020	11.196	1.52	428.32	7.599	2.319	-14.6347	
880	600.0	-1.739	7.460	1.277	11.090	1.45	455.15	6.941	2.015	-14.6956	
900	600.0	-2.160	7.249	0.909	11.038	1.42	468.37	6.647	1.886	-14.7245	
920	600.0	-2.578	7.040	0.543	11.985	1.38	481.42	6.372	1.769	-14.7523	
940	600.0	-2.994	6.832	0.179	10.933	1.36	494.27	6.116	1.663	-14.7792	
960	600.0	-3.407	6.626	-0.183	10.882	1.33	506.90	5.877	1.566	-14.8051	
980	600.0	-3.818	6.420	-0.543	10.830	1.30	519.27	5.652	1.479	-14.8302	
1000	600.0	-4.228	6.216	-0.901	10.779	1.28	531.38	5.441	1.399	-14.8543	

## WINTER MODEL, EXOSPHERIC TEMPERATURE = 700° K

Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density $m^{-3}$					Molecular weight <i>M</i>	Scale height <i>H<sub>p</sub></i> , km	Pressure <i>P</i> , mb	Log pressure	Density $\rho$ , $kg\ m^{-3}$	Log density
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(He)$	$\log n(H)$						
120	333.6	17.057	16.985	17.764	13.567	27.12	10.83	3.646	-5	3.565	-8	-7.4480
125	373.9	16.784	16.824	17.520	13.509	26.79	12.30	2.365		2.039		-7.6907
130	409.9	16.543	16.683	17.304	13.459	26.46	13.68	1.609		1.250		-7.9032
135	440.9	16.327	16.559	17.110	13.416	26.13	14.92	1.135		0.886		-8.0923
140	468.8	16.127	16.446	16.933	13.378	25.78	16.10	8.219	-6	5.437		-8.2646
145	493.3	15.942	16.343	16.768	13.344	25.44	17.20	6.087		3.775		-8.4231
150	515.5	15.768	16.246	16.613	13.313	25.08	18.25	4.591		2.687		-8.5707
155	535.5	15.603	16.155	16.466	13.284	24.73	19.27	3.517	-6	1.953	-9	-8.7093
160	553.5	15.445	16.069	16.326	13.257	24.37	20.24	2.730		1.446		-8.8399
165	569.5	15.294	15.988	16.192	13.232	24.01	21.17	2.145		1.087		-8.9637
170	584.0	15.148	15.909	16.063	13.208	23.64	22.08	1.702		8.286	-10	-9.0816
175	597.2	15.007	15.834	15.939	13.186	23.28	22.96	1.363		6.390		-9.1945
180	609.1	14.870	15.761	15.817	13.165	22.92	23.83	1.101		4.982		-9.3026
185	619.7	14.736	15.690	15.700	13.144	22.56	24.66	8.956	-7	3.922		-9.4065
190	629.5	14.606	15.622	15.584	13.124	22.21	25.49	7.337		3.113		-9.5068
195	638.4	14.478	15.555	15.472	13.105	21.86	26.30	6.049		2.491		-9.6036
200	646.7	14.352	15.489	15.361	13.087	21.52	27.10	5.016		2.008		-9.6973
205	654.6	14.229	15.425	15.252	13.069	21.19	27.90	4.182	-7	1.628	-10	-9.7882
210	662.0	14.107	15.361	15.145	13.051	20.87	28.70	3.505		1.329		-9.8765
215	669.2	13.987	15.299	15.039	13.034	20.56	29.49	2.951		1.091		-9.9624
220	676.2	13.869	15.238	14.935	13.017	20.26	30.29	2.497		8.998	-11	-10.0458
225	683.3	13.752	15.177	14.832	13.000	19.97	31.09	2.122		7.459		-10.1273
230	685.5	13.639	15.120	14.733	12.985	19.70	31.68	1.809		6.252		-10.2039
235	687.5	13.526	15.063	14.635	12.971	19.43	32.25	1.547		5.260		-10.2790
240	689.2	13.415	15.006	14.537	12.956	19.18	32.81	1.327		4.441		-10.3525
245	690.6	13.304	14.950	14.439	12.942	18.94	33.35	1.141		3.762		-10.4246
250	691.9	13.193	14.895	14.342	12.927	18.70	33.88	9.831	-8	3.196		-10.4954
255	693.0	13.083	14.839	14.246	12.913	18.48	34.39	8.491	-8	2.724	-11	-10.5648
260	693.9	12.973	14.784	14.150	12.899	18.27	34.89	7.350		2.328		-10.6331
265	694.7	12.864	14.729	14.054	12.885	18.07	35.37	6.375		1.994		-10.7002
270	695.4	12.755	14.674	13.958	12.871	17.88	35.83	5.540		1.713		-10.7662
275	696.1	12.646	14.620	13.863	12.858	17.70	36.29	4.822		1.475		-10.8312
280	696.6	12.538	14.566	13.768	12.844	17.53	36.73	4.205		1.273		-10.8953
285	697.0	12.429	14.511	13.674	12.830	17.36	37.15	3.673		1.100		-10.9584
290	697.4	12.322	14.457	13.579	12.817	17.21	37.57	3.213		9.534	-12	-11.0207
295	697.8	12.214	14.403	13.485	12.803	17.06	37.97	2.814		8.276		-11.0822
300	698.1	12.107	14.350	13.391	12.790	16.92	38.37	2.469		7.196		-11.1429
310	698.6	11.893	14.242	13.204	12.763	16.65	39.13	1.907	-8	5.467	-12	-11.2623
320	698.9	11.679	14.136	13.017	12.736	16.39	39.88	1.481		4.177		-11.3791
330	699.2	11.467	14.029	12.831	12.709	16.15	40.62	1.155		3.209		-11.4937
340	699.4	11.255	13.924	12.646	12.683	15.91	41.37	9.051	-9	2.476		-11.6063
350	699.5	11.045	13.818	12.461	12.656	15.67	42.14	7.123		1.919		-11.7170
360	699.7	10.834	13.713	12.277	12.630	15.42	42.96	5.631		1.492		-11.8261
370	699.7	10.625	13.608	12.093	12.604	15.15	43.84	4.472		1.165		-11.9337
380	699.8	10.416	13.504	11.911	12.578	14.87	44.80	3.568		9.122	-13	-12.0399
390	699.9	10.208	13.400	11.728	12.552	14.57	45.88	2.862		7.166		-12.1447
400	699.9	10.000	13.296	11.546	12.526	14.24	47.09	2.308		5.647		-12.2482

Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density $m^{-3}$				Molecular weight <i>M</i>	Scale height <i>H<sub>p</sub></i> , km	Pressure <i>P</i> , mb	Log pressure	Density $\rho$ , $kg\ m^{-3}$	Log density
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(He)$						
410	699.9	9.793	13.192	11.365	12.500	13.88	48.46	1.872	4.463	-12.3504	
420	699.9	9.587	13.089	11.185	12.474	13.48	50.04	1.528	3.538	-12.4512	
430	700.0	9.381	12.986	11.004	12.448	13.05	51.85	1.255	2.814	-12.5506	
440	700.0	9.176	12.884	10.825	12.422	12.58	53.93	1.039	2.246	-12.6486	
450	700.0	8.971	12.781	10.646	12.397	12.08	56.33	0.865	1.799	-12.7451	
460	700.0	8.767	12.679	10.467	12.371	11.55	59.08	0.7285	1.446	-12.8398	
470	700.0	8.564	12.578	10.289	12.346	11.00	62.23	0.6177	1.167	-12.9328	
480	700.0	8.361	12.476	10.112	12.321	10.43	65.83	0.5283	0.967	-13.0238	
490	700.0	8.159	12.375	9.935	12.295	9.85	69.90	0.4559	0.715	-13.1126	
500	700.0	7.957	12.274	9.758	12.270	9.27	74.48	0.3968	0.522	-13.1992	
510	700.0	7.756	12.174	9.582	12.245	8.70	79.59	0.3485	0.401	-13.2832	
520	700.0	7.556	12.074	9.407	12.220	8.15	85.24	0.3086	0.321	-13.3644	
530	700.0	7.356	11.974	9.232	12.195	7.62	91.43	0.2756	0.267	-13.4428	
540	700.0	7.157	11.874	9.058	12.170	7.12	98.12	0.2480	0.224	-13.5181	
550	700.0	6.958	11.775	8.884	12.145	6.65	105.28	0.2247	0.193	-13.5902	
560	700.0	6.760	11.676	8.710	12.120	6.23	112.85	0.2050	0.169	-13.6589	
570	700.0	6.563	11.577	8.538	12.096	5.84	120.73	0.1882	0.150	-13.7242	
580	700.0	6.366	11.479	8.365	12.071	5.48	128.86	0.1737	0.134	-13.7860	
590	700.0	6.170	11.380	8.193	12.046	5.17	137.12	0.1611	0.121	-13.8444	
600	700.0	5.974	11.283	8.022	12.022	4.89	145.42	0.1501	0.110	-13.8995	
610	700.0	5.779	11.185	7.851	11.997	4.64	153.67	0.1404	0.101	-13.9512	
620	700.0	5.584	11.088	7.680	11.973	4.42	161.78	0.1318	0.093	-13.9998	
630	700.0	5.390	10.991	7.511	11.949	4.23	169.68	0.1240	0.085	-14.0455	
640	700.0	5.196	10.894	7.341	11.925	4.06	177.31	0.1171	0.078	-14.0884	
650	700.0	5.003	10.797	7.172	11.900	3.91	184.64	0.1108	0.072	-14.1288	
660	700.0	4.811	10.701	7.004	11.876	3.77	191.64	0.1051	0.067	-14.1668	
670	700.0	4.619	10.605	6.836	11.852	3.66	198.30	0.1001	0.062	-14.2026	
680	700.0	4.428	10.509	6.668	11.828	3.55	204.63	0.0949	0.058	-14.2366	
690	700.0	4.237	10.414	6.501	11.805	3.46	210.65	0.0901	0.054	-14.2689	
700	700.0	4.046	10.319	6.334	11.781	3.38	216.37	0.0857	0.050	-14.2996	
710	700.0	3.857	10.224	6.168	11.757	3.31	221.81	0.0816	0.047	-14.3290	
720	700.0	3.667	10.129	6.003	11.733	3.24	227.01	0.0777	0.044	-14.3572	
730	700.0	3.479	10.035	5.838	11.710	3.18	232.00	0.0740	0.041	-14.3843	
740	700.0	3.291	9.941	5.673	11.686	3.12	236.80	0.0705	0.038	-14.4105	
750	700.0	3.103	9.847	5.509	11.663	3.07	241.45	0.0672	0.035	-14.4359	
760	700.0	2.916	9.754	5.345	11.639	3.02	245.97	0.0640	0.032	-14.4606	
770	700.0	2.729	9.660	5.181	11.616	2.98	250.39	0.0610	0.029	-14.4846	
780	700.0	2.543	9.567	5.019	11.593	2.94	254.73	0.0581	0.027	-14.5080	
790	700.0	2.358	9.475	4.856	11.570	2.90	259.01	0.0553	0.025	-14.5309	
800	700.0	2.173	9.382	4.694	11.546	2.86	263.25	0.0526	0.023	-14.5534	
820	700.0	1.804	9.198	4.372	11.500	2.78	271.69	0.0485	0.021	-14.5972	
840	700.0	1.438	9.015	4.051	11.455	2.72	280.16	0.0445	0.019	-14.6396	
880	700.0	0.711	8.651	3.415	11.365	2.59	297.51	0.0379	0.016	-14.7210	
900	700.0	0.351	8.471	3.099	11.319	2.52	306.51	0.0340	0.015	-14.7603	
920	700.0	-0.007	8.292	2.786	11.274	2.46	315.78	0.0303	0.014	-14.7988	
940	700.0	-0.364	8.114	2.474	11.229	2.40	325.36	0.0268	0.013	-14.8365	
960	700.0	-0.718	7.937	2.163	11.185	2.35	335.25	0.0235	0.012	-14.8734	
980	700.0	-1.071	7.760	1.855	11.141	2.29	345.47	0.0204	0.011	-14.9096	
1000	700.0	-1.421	7.585	1.548	11.097	2.23	356.03	0.0175	0.010	-14.9451	

WINTER MODEL, EXOSPHERIC TEMPERATURE = 800° K

Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density $m^{-3}$				Molecular weight <i>M</i>	Scale height <i>H<sub>p</sub></i> , km	Pressure <i>P</i> , mb	Log pressure	Density $\rho$ , kg $m^{-3}$	Log density
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(He)$						
120	333.7	17.056	16.985	17.764	13.567	27.12	10.83	3.645	3.563	-7.4482	
125	386.0	16.774	16.812	17.509	13.501	26.80	12.70	2.382	1.989	-7.7014	
130	432.4	16.532	16.666	17.291	13.446	26.48	14.42	1.647	1.213	-7.9161	
135	472.2	16.320	16.541	17.101	13.401	26.17	15.95	1.185	0.789	-8.1025	
140	507.9	16.128	16.430	16.929	13.361	25.86	17.40	0.877	0.5375	-8.2696	
145	539.2	15.952	16.329	16.772	13.326	25.54	18.72	0.656	0.3792	-8.4211	
150	567.5	15.789	16.236	16.626	13.295	25.23	19.98	0.514	0.2749	-8.5609	
155	592.5	15.635	16.150	16.489	13.266	24.91	21.16	0.403	0.2039	-8.6906	
160	615.2	15.490	16.069	16.360	13.240	24.60	22.29	0.320	0.1540	-8.8125	
165	635.4	15.351	15.992	16.236	13.216	24.28	23.36	0.257	0.1182	-8.9273	
170	653.8	15.218	15.920	16.118	13.193	23.96	24.39	0.208	0.0919	-9.0364	
175	670.3	15.090	15.850	16.005	13.172	23.64	25.38	0.170	0.0724	-9.1402	
180	685.2	14.966	15.784	15.895	13.151	23.33	26.33	0.140	0.0576	-9.2396	
185	698.5	14.846	15.719	15.789	13.132	23.02	27.25	0.116	0.0425	-9.3349	
190	710.6	14.728	15.657	15.684	13.114	22.71	28.14	0.094	0.0344	-9.4266	
195	721.5	14.614	15.596	15.584	13.096	22.40	29.01	0.079	0.0254	-9.5151	
200	731.7	14.502	15.537	15.485	13.079	22.10	29.87	0.069	0.0207	-9.6009	
205	741.2	14.392	15.479	15.388	13.063	21.80	30.71	0.058	0.0170	-9.6840	
210	749.9	14.284	15.423	15.293	13.047	21.51	31.54	0.049	0.0143	-9.7647	
215	758.2	14.177	15.367	15.199	13.031	21.22	32.37	0.042	0.0123	-9.8432	
220	766.0	14.072	15.312	15.107	13.016	20.95	33.19	0.037	0.0103	-9.9197	
225	774.0	13.968	15.258	15.015	13.000	20.68	34.02	0.033	0.0084	-9.9944	
230	781.9	13.866	15.205	14.925	12.985	20.42	34.86	0.029	0.0073	-10.0673	
235	784.3	13.767	15.155	14.838	12.972	20.16	35.46	0.026	0.0065	-10.1358	
240	786.5	13.669	15.105	14.752	12.959	19.92	36.05	0.023	0.0058	-10.2031	
245	788.3	13.571	15.056	14.667	12.947	19.68	36.63	0.021	0.0052	-10.2690	
250	789.9	13.474	15.007	14.581	12.934	19.45	37.19	0.019	0.0046	-10.3338	
255	791.2	13.377	14.958	14.497	12.922	19.23	37.74	0.017	0.0040	-10.3975	
260	792.4	13.281	14.910	14.412	12.909	19.02	38.28	0.016	0.0036	-10.4601	
265	793.5	13.185	14.861	14.328	12.897	18.81	38.81	0.015	0.0032	-10.5217	
270	794.3	13.090	14.813	14.245	12.885	18.61	39.32	0.014	0.0028	-10.5824	
275	795.1	12.995	14.766	14.161	12.873	18.42	39.82	0.013	0.0025	-10.6421	
280	795.8	12.900	14.718	14.078	12.861	18.24	40.31	0.012	0.0022	-10.7009	
285	796.3	12.805	14.670	13.995	12.849	18.07	40.79	0.011	0.0020	-10.7589	
290	796.8	12.710	14.623	13.912	12.837	17.91	41.25	0.010	0.0018	-10.8161	
295	797.3	12.616	14.576	13.830	12.825	17.75	41.70	0.009	0.0016	-10.8726	
300	797.6	12.522	14.529	13.748	12.813	17.60	42.15	0.008	0.0015	-10.9283	
310	798.2	12.335	14.435	13.584	12.789	17.31	43.00	0.007	0.0014	-11.0377	
320	798.7	12.148	14.341	13.420	12.766	17.05	43.81	0.006	0.0013	-11.1446	
330	799.0	11.962	14.248	13.257	12.743	16.81	44.60	0.005	0.0012	-11.2492	
340	799.3	11.777	14.156	13.095	12.719	16.58	45.36	0.004	0.0011	-11.3518	
350	799.4	11.593	14.063	12.934	12.696	16.37	46.10	0.004	0.0010	-11.4526	
360	799.6	11.409	13.971	12.773	12.670	16.16	46.85	0.003	0.0009	-11.5517	
370	799.7	11.225	13.880	12.612	12.650	15.95	47.59	0.003	0.0008	-11.6493	
380	799.8	11.042	13.788	12.452	12.627	15.75	48.36	0.002	0.0007	-11.7454	
390	799.8	10.860	13.697	12.292	12.604	15.54	49.16	0.002	0.0006	-11.8403	
400	799.9	10.679	13.606	12.133	12.582	15.32	50.00	0.001	0.0005	-11.9340	

Altitude $Z$ , km	Temp. $T$ , °K	Number density $m^{-3}$					Molecular weight $M$	Scale height $H_p$ , km	Pressure $P$ , mb	Log pressure	Density $\rho$ , $kg\ m^{-3}$	Log density
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(He)$	$\log n(H)$						
410	799.9	10.497	13.516	11.975	12.559	15.10	50.89	4.143	-9	9.407	-13	
420	799.9	10.317	13.425	11.817	12.536	14.86	51.87	3.410	-8.467	7.620	-12.1180	
430	799.9	10.137	13.335	11.659	12.514	14.61	52.93	2.818	-8.550	6.188	-12.2084	
440	800.0	9.957	13.246	11.502	12.491	14.33	54.10	2.337	-8.631	5.037	-12.2979	
450	800.0	9.778	13.156	11.345	12.469	14.04	55.40	1.947	-8.711	4.109	-12.3862	
460	800.0	9.600	13.067	11.189	12.447	13.72	56.85	1.629	-8.788	3.361	-12.4736	
470	800.0	9.422	12.978	11.033	12.425	13.38	58.47	1.370	-8.863	2.755	-12.5599	
480	800.0	9.245	12.889	10.878	12.402	13.01	60.29	1.157	-8.937	2.264	-12.6451	
490	800.0	9.068	12.801	10.723	12.380	12.62	62.33	9.832	-10	1.866	-12.7291	
500	800.0	8.891	12.713	10.569	12.358	12.21	64.62	8.398	-9.076	1.542	-12.8120	
510	800.0	8.715	12.625	10.415	12.336	11.78	67.19	7.215	-10	1.278	-12.8935	
520	800.0	8.540	12.537	10.261	12.314	11.33	70.05	6.236	-9.205	1.062	-12.9737	
530	800.0	8.365	12.450	10.108	12.292	10.87	73.23	5.423	-9.266	8.864	-14	
540	800.0	8.191	12.362	9.956	12.271	10.40	76.76	4.746	-9.324	7.421	-13.1295	
550	800.0	8.017	12.276	9.803	12.249	9.93	80.65	4.179	-9.379	6.238	-13.2049	
560	800.0	7.844	12.189	9.652	12.227	9.46	84.92	3.704	-9.431	5.266	-13.2786	
570	800.0	7.671	12.102	9.500	12.206	8.99	89.56	3.302	-9.481	4.464	-13.3503	
580	800.0	7.499	12.016	9.350	12.184	8.54	94.59	2.962	-9.528	3.803	-13.4199	
590	800.0	7.327	11.930	9.199	12.162	8.10	99.98	2.673	-9.573	3.255	-13.4874	
600	800.0	7.156	11.845	9.049	12.141	7.68	105.71	2.425	-9.615	2.801	-13.5526	
610	800.0	6.985	11.759	8.900	12.120	7.29	111.76	2.212	-10	2.424	-14	
620	800.0	6.814	11.674	8.751	12.098	6.92	118.09	2.027	-9.693	2.109	-13.6760	
630	800.0	6.645	11.589	8.602	12.077	6.57	124.64	1.867	-9.729	1.845	-13.7340	
640	800.0	6.475	11.505	8.454	12.056	6.26	131.35	1.727	-9.763	1.624	-13.7894	
650	800.0	6.306	11.420	8.306	12.035	5.96	138.17	1.603	-9.795	1.437	-13.8424	
660	800.0	6.138	11.336	8.158	12.014	5.70	145.03	1.494	-9.826	1.280	-13.8929	
670	800.0	5.970	11.252	8.011	11.993	5.46	151.87	1.396	-9.855	1.146	-13.9409	
680	800.0	5.803	11.168	7.865	11.972	5.24	158.63	1.309	-9.883	1.031	-13.9866	
690	800.0	5.636	11.085	7.719	11.951	5.04	165.25	1.231	-9.910	9.334	-15	
700	800.0	5.469	11.001	7.573	11.930	4.87	171.69	1.160	-9.936	8.490	-14.0711	
710	800.0	5.303	10.918	7.427	11.909	4.71	177.91	1.095	-10	7.760	-15	
720	800.0	5.138	10.836	7.283	11.889	4.57	183.88	1.037	-9.984	7.124	-14.1473	
730	800.0	4.973	10.753	7.138	11.868	4.45	189.58	9.825	-11	6.568	-14.1826	
740	800.0	4.808	10.671	6.994	11.847	4.34	195.00	9.327	-10.030	6.079	-14.2162	
750	800.0	4.644	10.589	6.850	11.827	4.24	200.13	8.867	-10.052	5.647	-14.2482	
760	800.0	4.480	10.507	6.707	11.806	4.15	204.98	8.440	-10.074	5.262	-14.2788	
770	800.0	4.317	10.425	6.564	11.786	4.07	209.56	8.042	-10.095	4.919	-14.3081	
780	800.0	4.154	10.344	6.421	11.766	4.00	213.87	7.671	-10.115	4.610	-14.3363	
790	800.0	3.992	10.263	6.279	11.745	3.93	217.94	7.324	-10.135	4.332	-14.3633	
800	800.0	3.830	10.182	6.138	11.725	3.88	221.78	6.998	-10.155	4.079	-14.3895	
820	800.0	3.507	10.021	5.855	11.685	3.78	228.85	6.404	-11	3.637	-15	
840	800.0	2.551	9.860	5.575	11.645	3.70	235.24	5.875	-10.231	3.264	-14.4862	
880	800.0	2.236	9.385	4.742	11.526	3.56	246.58	4.977	-10.303	2.667	-14.5739	
900	800.0	1.922	9.228	4.468	11.486	3.51	251.77	4.593	-10.338	2.424	-14.6154	
920	800.0	1.610	9.072	4.195	11.447	3.46	256.78	4.246	-10.372	2.209	-14.6557	
940	800.0	1.300	8.917	3.923	11.409	3.42	261.69	3.930	-10.406	2.018	-14.6951	
960	800.0	0.992	8.763	3.653	11.370	3.37	266.57	3.644	-10.438	1.847	-14.7336	
980	800.0	0.685	8.609	3.384	11.332	3.33	271.46	3.383	-10.471	1.693	-14.7714	
1000	800.0				11.295	3.29	276.42	3.144	-10.502	1.554	-14.8086	

## WINTER MODEL, EXOSPHERIC TEMPERATURE = 900° K

Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density $m^{-3}$				Molecular weight <i>M</i>	Scale height <i>H<sub>p</sub></i> , km	Pressure <i>P</i> , mb	Log pressure	Density $\rho$ , kg $m^{-3}$	Log density
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(He)$						
120	333.9	17.055	16.984	17.763	13.567	27.12	10.84	3.640	3.555	-7.4491	
125	397.3	16.764	16.801	17.499	13.493	26.80	13.07	2.394	1.942	-7.7117	
130	453.5	16.521	16.651	17.279	13.434	26.50	15.11	1.678	1.179	-7.9283	
135	501.8	16.313	16.524	17.091	13.387	26.21	16.93	1.228	7.715	-8.1127	
140	545.0	16.127	16.413	16.924	13.346	25.92	18.62	9.271	5.302	-8.2755	
145	582.6	15.959	16.315	16.773	13.310	25.63	20.16	7.164	3.790	-8.4213	
150	616.6	15.804	16.225	16.634	13.279	25.34	21.61	5.639	2.788	-8.5548	
155	646.6	15.659	16.143	16.505	13.250	25.06	22.96	4.506	2.100	-8.6777	
160	673.9	15.523	16.066	16.384	13.224	24.78	24.24	3.645	1.612	-8.7927	
165	698.3	15.394	15.993	16.269	13.201	24.49	25.44	2.981	1.257	-8.9005	
170	720.5	15.271	15.925	16.159	13.179	24.21	26.60	2.459	9.941	-9.0026	
175	740.3	15.153	15.860	16.055	13.158	23.93	27.69	2.046	7.954	-9.0994	
180	758.3	15.039	15.798	15.954	13.139	23.65	28.74	1.714	6.428	-9.1919	
185	774.5	14.929	15.738	15.856	13.120	23.37	29.75	1.444	5.243	-9.2804	
190	789.2	14.822	15.680	15.761	13.103	23.10	30.72	1.224	4.309	-9.3656	
195	802.4	14.717	15.625	15.669	13.086	22.83	31.66	1.043	3.568	-9.4476	
200	814.5	14.616	15.571	15.579	13.070	22.55	32.57	8.925	2.973	-9.5269	
205	825.8	14.516	15.518	15.491	13.055	22.29	33.47	7.671	2.490	-9.6038	
210	836.1	14.418	15.466	15.405	13.040	22.02	34.35	6.620	2.097	-9.6784	
215	845.8	14.322	15.415	15.320	13.025	21.76	35.22	5.733	1.774	-9.7510	
220	854.8	14.227	15.366	15.236	13.011	21.51	36.07	4.983	1.508	-9.8216	
225	863.6	14.133	15.317	15.154	12.997	21.26	36.92	4.345	1.286	-9.8906	
230	872.1	14.041	15.269	15.072	12.984	21.02	37.77	3.801	1.102	-9.9580	
235	880.2	13.950	15.221	14.992	12.970	20.78	38.62	3.335	9.467	-10.0238	
240	882.9	13.862	15.176	14.915	12.959	20.55	39.23	2.933	8.209	-10.0857	
245	885.2	13.775	15.132	14.839	12.947	20.32	39.84	2.584	7.135	-10.1466	
250	887.2	13.689	15.089	14.763	12.936	20.10	40.43	2.282	6.217	-10.2064	
255	888.9	13.602	15.045	14.687	12.925	19.88	41.00	2.018	5.429	-10.2653	
260	890.4	13.517	15.002	14.612	12.914	19.67	41.57	1.788	4.751	-10.3232	
265	891.7	13.431	14.959	14.537	12.903	19.47	42.13	1.586	4.167	-10.3802	
270	892.8	13.346	14.916	14.463	12.892	19.27	42.68	1.410	3.661	-10.4364	
275	893.8	13.261	14.873	14.388	12.881	19.08	43.22	1.255	3.223	-10.4917	
280	894.6	13.177	14.831	14.314	12.870	18.90	43.74	1.119	2.843	-10.5463	
285	895.3	13.092	14.788	14.240	12.859	18.72	44.26	9.986	2.511	-10.6001	
290	896.0	13.008	14.746	14.167	12.849	18.55	44.77	8.925	2.223	-10.6531	
295	896.5	12.924	14.704	14.093	12.838	18.39	45.27	7.987	1.970	-10.7055	
300	897.0	12.841	14.662	14.020	12.828	18.23	45.75	7.156	1.749	-10.7572	
310	897.7	12.674	14.579	13.874	12.806	17.93	46.70	5.764	1.384	-10.8587	
320	898.3	12.508	14.496	13.729	12.786	17.65	47.60	4.662	1.102	-10.9579	
330	898.7	12.343	14.413	13.584	12.765	17.39	48.47	3.786	8.813	-11.0549	
340	899.0	12.178	14.330	13.440	12.744	17.16	49.31	3.086	7.082	-11.1498	
350	899.3	12.014	14.248	13.296	12.724	16.93	50.12	2.524	5.715	-11.2430	
360	899.5	11.850	14.166	13.153	12.703	16.72	50.91	2.070	4.630	-11.3344	
370	899.6	11.687	14.085	13.010	12.683	16.52	51.68	1.704	3.764	-11.4243	
380	899.7	11.525	14.004	12.868	12.662	16.33	52.45	1.406	3.070	-11.5128	
390	899.8	11.363	13.923	12.726	12.642	16.15	53.21	1.164	2.512	-11.6000	
400	899.8	11.201	13.842	12.585	12.622	15.97	53.98	9.655	2.061	-11.6860	

Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density m <sup>-3</sup>				Molecular weight <i>M</i>	Scale height <i>H<sub>p</sub></i> , km	Pressure <i>P</i> , mb	Log pressure	Density <i>ρ</i> , kg m <sup>-3</sup>	Log density <sub>r</sub>
		log <i>n</i> (O <sub>2</sub> )	log <i>n</i> (O)	log <i>n</i> (N <sub>2</sub> )	log <i>n</i> (He)						
410	899.9	11.040	13.761	12.444	12.602	15.79	54.76	8.033	1.695	-11.7708	
420	899.9	10.880	13.681	12.303	12.582	15.60	55.57	6.701	1.398	-11.8545	
430	899.9	10.720	13.601	12.163	12.561	15.42	56.41	5.605	1.155	-11.9375	
440	899.9	10.560	13.521	12.023	12.542	15.22	57.30	4.701	9.564	-12.0194	
450	900.0	10.401	13.442	11.884	12.522	15.02	58.24	3.953	7.936	-12.1004	
460	900.0	10.243	13.362	11.745	12.502	14.81	59.26	3.335	6.599	-12.1805	
470	900.0	10.084	13.283	11.607	12.482	14.58	60.35	2.821	5.498	-12.2593	
480	900.0	9.927	13.204	11.469	12.462	14.34	61.54	2.394	4.589	-12.3383	
490	900.0	9.769	13.126	11.331	12.443	14.09	62.84	2.038	3.837	-12.4163	
500	900.0	9.613	13.047	11.194	12.423	13.81	64.27	1.742	3.215	-12.4928	
510	900.0	9.456	12.969	11.057	12.403	13.52	65.84	1.493	2.699	-12.5683	
520	900.0	9.301	12.891	10.921	12.384	13.22	67.57	1.285	2.270	-12.6439	
530	900.0	9.145	12.814	10.785	12.365	12.89	69.48	1.111	1.914	-12.7182	
540	900.0	8.990	12.736	10.649	12.345	12.55	71.58	9.640	1.616	-12.7915	
550	900.0	8.836	12.659	10.514	12.326	12.19	73.90	8.401	1.368	-12.8638	
560	900.0	8.682	12.582	10.379	12.307	11.82	76.46	7.354	1.161	-12.9351	
570	900.0	8.528	12.505	10.244	12.287	11.43	79.26	6.468	9.880	-13.0052	
580	900.0	8.375	12.429	10.110	12.268	11.04	82.33	5.715	8.428	-13.0743	
590	900.0	8.222	12.352	9.977	12.249	10.63	85.63	5.073	7.210	-13.1421	
600	900.0	8.070	12.276	9.843	12.230	10.23	89.34	4.525	6.186	-13.2086	
610	900.0	7.918	12.200	9.710	12.211	9.82	93.30	4.055	5.324	-13.2738	
620	900.0	7.767	12.124	9.578	12.192	9.42	97.56	3.652	4.598	-13.3374	
630	900.0	7.616	12.049	9.446	12.173	9.03	102.13	3.304	3.985	-13.3996	
640	900.0	7.465	11.974	9.314	12.154	8.64	107.01	3.002	3.466	-13.4602	
650	900.0	7.315	11.899	9.182	12.136	8.26	112.19	2.740	3.026	-13.5191	
660	900.0	7.165	11.824	9.051	12.117	7.90	117.63	2.512	2.653	-13.5763	
670	900.0	7.016	11.749	8.921	12.098	7.56	123.33	2.312	2.335	-13.6316	
680	900.0	6.867	11.675	8.790	12.080	7.23	129.26	2.136	2.065	-13.6852	
690	900.0	6.719	11.601	8.660	12.061	6.93	135.37	1.980	1.833	-13.7368	
700	900.0	6.571	11.527	8.531	12.042	6.64	141.62	1.842	1.635	-13.7866	
710	900.0	6.423	11.453	8.402	12.024	6.37	147.98	1.719	1.464	-13.8344	
720	900.0	6.276	11.379	8.273	12.006	6.13	154.39	1.609	1.317	-13.8803	
730	900.0	6.129	11.306	8.144	11.987	5.90	160.82	1.510	1.190	-13.9244	
740	900.0	5.983	11.233	8.016	11.969	5.69	167.21	1.421	1.080	-13.9666	
750	900.0	5.837	11.160	7.889	11.951	5.50	173.52	1.340	9.842	-14.0069	
760	900.0	5.692	11.087	7.761	11.933	5.32	179.71	1.266	9.005	-14.0455	
770	900.0	5.546	11.014	7.634	11.914	5.16	185.75	1.199	8.272	-14.0824	
780	900.0	5.402	10.942	7.507	11.896	5.02	191.60	1.137	7.626	-14.1177	
790	900.0	5.257	10.870	7.381	11.878	4.89	197.24	1.080	7.057	-14.1514	
800	900.0	5.114	10.798	7.255	11.860	4.77	202.66	1.027	6.551	-14.1837	
820	900.0	4.827	10.655	7.004	11.824	4.57	212.76	9.329	5.699	-14.2442	
840	900.0	4.542	10.512	6.755	11.789	4.41	221.86	8.509	5.013	-14.2999	
880	900.0	3.977	10.230	6.260	11.718	4.17	237.22	7.149	3.983	-14.3998	
900	900.0	3.697	10.089	6.015	11.683	4.08	243.65	6.579	3.588	-14.4451	
920	900.0	3.418	9.950	5.771	11.648	4.01	249.39	6.066	3.250	-14.4881	
940	900.0	3.141	9.811	5.528	11.613	3.95	254.55	5.603	2.958	-14.5291	
960	900.0	2.865	9.674	5.287	11.579	3.90	259.24	5.184	2.701	-14.5684	
980	900.0	2.591	9.536	5.047	11.545	3.86	263.55	4.802	2.475	-14.6054	
1000	900.0	2.318	9.400	4.808	11.511	3.82	267.56	4.454	2.273	-14.6433	

## WINTER MODEL, EXOSPHERIC TEMPERATURE = 1000° K

Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density $m^{-3}$						Molecular weight <i>M</i>	Scale height <i>H<sub>p</sub></i> , km	Pressure <i>P</i> , mb	Log pressure	Density $\rho$ , kg $m^{-3}$	Log density
		log <i>n</i> (O <sub>2</sub> )	log <i>n</i> (O)	log <i>n</i> (N <sub>2</sub> )	log <i>n</i> (He)	log <i>n</i> (H)							
120	334.1	17.056	16.984	17.763	13.567		27.12	10.84	3.645	-4.438	3.558	-7.4488	
125	407.2	16.757	16.792	17.491	13.487		26.81	13.39	2.410	-4.618	1.908	-7.7193	
130	472.0	16.513	16.638	17.270	13.425		26.52	15.72	1.709	-4.767	1.155	-8.1203	
135	527.8	16.307	16.511	17.084	13.375		26.24	17.79	1.268	-4.897	7.580	-8.2800	
140	577.9	16.126	16.401	16.920	13.333		25.96	19.71	9.711	-5.013	5.248	-8.4217	
145	621.6	15.964	16.304	16.774	13.297		25.70	21.45	7.617	-5.118	3.787	-8.5217	
150	661.2	15.815	16.216	16.640	13.265		25.44	23.09	6.085	-5.216	2.815	-8.5505	
155	696.2	15.677	16.136	16.517	13.237		25.18	24.60	4.934	-5.307	2.146	-8.6684	
160	728.1	15.548	16.062	16.402	13.211		24.92	26.04	4.050	-5.393	1.667	-8.7780	
165	756.5	15.427	15.993	16.293	13.188		24.66	27.38	3.359	-5.474	1.317	-8.8805	
170	782.3	15.311	15.927	16.190	13.166		24.41	28.65	2.810	-5.551	1.054	-8.9770	
175	805.6	15.200	15.866	16.092	13.146		24.15	29.86	2.368	-5.626	8.540	-9.0685	
180	826.7	15.094	15.807	15.997	13.127		23.90	31.01	2.009	-5.697	6.988	-9.1557	
185	845.7	14.992	15.751	15.906	13.109		23.65	32.11	1.715	-5.766	5.769	-9.2389	
190	863.1	14.892	15.697	15.818	13.092		23.40	33.17	1.471	-5.832	4.799	-9.3189	
195	878.8	14.796	15.645	15.733	13.076		23.16	34.18	1.268	-5.897	4.020	-9.3958	
200	893.2	14.702	15.594	15.650	13.061		22.91	35.17	1.098	-5.959	3.388	-9.4701	
205	906.4	14.610	15.545	15.568	13.047		22.67	36.13	9.544	-6.020	2.871	-9.5420	
210	918.5	14.520	15.497	15.489	13.032		22.43	37.05	8.325	-6.080	2.445	-9.6117	
215	929.6	14.432	15.450	15.411	13.019		22.19	37.96	7.286	-6.138	2.092	-9.6795	
220	939.8	14.345	15.405	15.335	13.006		21.96	38.84	6.396	-6.194	1.797	-9.7453	
225	949.2	14.259	15.359	15.259	12.993		21.73	39.73	5.632	-6.249	1.550	-9.8098	
230	959.2	14.175	15.315	15.185	12.980		21.50	40.61	4.973	-6.303	1.341	-9.8727	
235	968.6	14.092	15.271	15.111	12.967		21.28	41.50	4.403	-6.356	1.163	-9.9343	
240	977.9	14.009	15.228	15.039	12.955		21.06	42.39	3.908	-6.408	1.013	-9.9946	
245	980.8	13.931	15.188	14.969	12.945		20.85	43.02	3.477	-6.459	8.889	-10.0512	
250	983.3	13.852	15.148	14.901	12.934		20.64	43.63	3.098	-6.509	7.820	-10.1068	
255	985.5	13.774	15.109	14.832	12.924		20.43	44.23	2.764	-6.558	6.895	-10.1615	
260	987.4	13.697	15.070	14.764	12.914		20.23	44.83	2.471	-6.607	6.090	-10.2154	
265	989.0	13.619	15.031	14.696	12.904		20.04	45.41	2.212	-6.655	5.389	-10.2685	
270	990.5	13.542	14.992	14.629	12.894		19.85	45.98	1.982	-6.703	4.778	-10.3208	
275	991.7	13.466	14.953	14.562	12.884		19.66	46.55	1.779	-6.750	4.242	-10.3724	
280	992.8	13.390	14.915	14.495	12.874		19.48	47.11	1.599	-6.796	3.773	-10.4233	
285	993.8	13.313	14.877	14.428	12.865		19.30	47.65	1.439	-6.842	3.362	-10.4735	
290	994.6	13.238	14.839	14.362	12.855		19.13	48.19	1.296	-6.887	2.999	-10.5230	
295	995.3	13.162	14.801	14.296	12.845		18.96	48.72	1.169	-6.932	2.680	-10.5719	
300	995.9	13.087	14.763	14.230	12.836		18.80	49.25	1.056	-6.976	2.398	-10.6202	
310	996.9	12.936	14.687	14.098	12.817		18.49	50.27	8.636	-7.064	1.927	-10.7151	
320	997.7	12.787	14.613	13.967	12.798		18.21	51.25	7.092	-7.149	1.557	-10.8078	
330	998.2	12.638	14.538	13.837	12.779		17.94	52.21	5.846	-7.233	1.263	-10.8985	
340	998.7	12.490	14.464	13.707	12.761		17.69	53.13	4.835	-7.316	1.030	-10.9872	
350	999.0	12.342	14.390	13.578	12.742		17.45	54.02	4.012	-7.397	8.429	-11.0742	
360	999.2	12.195	14.316	13.449	12.724		17.23	54.88	3.339	-7.476	6.925	-11.1596	
370	999.4	12.048	14.243	13.320	12.705		17.03	55.72	2.786	-7.555	5.710	-11.2434	
380	999.6	11.902	14.169	13.192	12.687		16.83	56.54	2.332	-7.632	4.723	-11.3258	
390	999.7	11.756	14.097	13.064	12.669		16.65	57.34	1.956	-7.709	3.918	-11.4069	
400	999.8	11.610	14.024	12.937	12.650		16.47	58.14	1.645	-7.784	3.260	-11.4868	



Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density $m^{-3}$				Molecular weight <i>M</i>	Scale height <i>H<sub>p</sub></i> , km	Pressure <i>P</i> , mb	Log pressure	Density $\rho$ , kg $m^{-3}$	Log density
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(He)$						
410	599.8	11.465	13.951	12.810	12.632	16.30	58.92	1.387	2.719	-11.5655	
420	599.9	11.321	13.879	12.684	12.614	16.14	59.71	1.172	2.274	-11.6432	
430	599.9	11.177	13.807	12.558	12.596	15.97	60.50	1.006	1.906	-11.7199	
440	599.9	11.033	13.735	12.432	12.578	15.81	61.31	0.848	1.601	-11.7957	
450	599.9	10.890	13.664	12.307	12.560	15.64	62.13	0.715	1.347	-11.8706	
460	1000.0	10.747	13.592	12.182	12.542	15.48	62.99	0.601	1.136	-11.9447	
470	1000.0	10.605	13.521	12.057	12.525	15.31	63.89	0.511	0.953	-12.0180	
480	1000.0	10.463	13.450	11.933	12.507	15.13	64.83	0.441	0.817	-12.0906	
490	1000.0	10.322	13.379	11.809	12.489	14.94	65.83	0.382	0.709	-12.1624	
500	1000.0	10.181	13.309	11.685	12.471	14.75	66.89	0.329	0.618	-12.2336	
510	1000.0	10.040	13.238	11.562	12.454	14.54	68.03	0.283	0.547	-12.3040	
520	1000.0	9.900	13.168	11.439	12.436	14.33	69.25	0.245	0.489	-12.3738	
530	1000.0	9.760	13.098	11.317	12.419	14.10	70.58	0.212	0.437	-12.4429	
540	1000.0	9.620	13.029	11.195	12.401	13.86	72.01	0.184	0.391	-12.5113	
550	1000.0	9.481	12.959	11.073	12.384	13.60	73.57	0.161	0.350	-12.5790	
560	1000.0	9.343	12.890	10.952	12.367	13.34	75.27	0.140	0.314	-12.6460	
570	1000.0	9.204	12.821	10.831	12.349	13.05	77.11	0.123	0.282	-12.7123	
580	1000.0	9.066	12.752	10.710	12.332	12.76	79.13	0.108	0.253	-12.7779	
590	1000.0	8.929	12.683	10.590	12.315	12.45	81.32	0.094	0.228	-12.8426	
600	1000.0	8.792	12.615	10.470	12.298	12.13	83.70	0.082	0.205	-12.9066	
610	1000.0	8.655	12.546	10.350	12.281	11.80	86.29	0.072	0.183	-12.9697	
620	1000.0	8.519	12.478	10.231	12.264	11.46	89.11	0.063	0.164	-13.0319	
630	1000.0	8.383	12.410	10.112	12.247	11.11	92.15	0.056	0.148	-13.0932	
640	1000.0	8.248	12.342	9.993	12.230	10.76	95.45	0.050	0.134	-13.1535	
650	1000.0	8.113	12.275	9.875	12.213	10.41	98.99	0.045	0.122	-13.2128	
660	1000.0	7.978	12.208	9.757	12.196	10.05	102.80	0.041	0.111	-13.2710	
670	1000.0	7.844	12.140	9.639	12.179	9.69	106.87	0.037	0.101	-13.3281	
680	1000.0	7.710	12.073	9.522	12.162	9.34	111.21	0.034	0.092	-13.3840	
690	1000.0	7.576	12.007	9.405	12.146	9.00	115.82	0.031	0.084	-13.4387	
700	1000.0	7.443	11.940	9.289	12.129	8.66	120.69	0.028	0.077	-13.4920	
710	1000.0	7.310	11.874	9.172	12.112	8.33	125.81	0.026	0.071	-13.5441	
720	1000.0	7.178	11.807	9.056	12.096	8.01	131.16	0.024	0.065	-13.5948	
730	1000.0	7.045	11.741	8.941	12.079	7.71	136.73	0.022	0.060	-13.6441	
740	1000.0	6.914	11.675	8.826	12.063	7.42	142.50	0.020	0.055	-13.6919	
750	1000.0	6.782	11.610	8.711	12.046	7.14	148.43	0.019	0.051	-13.7382	
760	1000.0	6.652	11.544	8.596	12.030	6.88	154.51	0.018	0.047	-13.7831	
770	1000.0	6.521	11.479	8.482	12.014	6.63	160.69	0.017	0.043	-13.8265	
780	1000.0	6.391	11.414	8.368	11.997	6.40	166.94	0.016	0.040	-13.8684	
790	1000.0	6.261	11.349	8.254	11.981	6.19	173.23	0.015	0.037	-13.9087	
800	1000.0	6.131	11.284	8.141	11.965	5.99	179.51	0.014	0.034	-13.9476	
820	1000.0	5.873	11.155	7.915	11.933	5.63	191.95	0.013	0.031	-14.0211	
840	1000.0	5.617	11.027	7.690	11.901	5.33	203.99	0.012	0.028	-14.0890	
880	1000.0	5.108	10.773	7.245	11.837	4.86	226.11	0.011	0.026	-14.2036	
900	1000.0	4.856	10.647	7.024	11.805	4.68	235.95	0.010	0.024	-14.2633	
920	1000.0	4.605	10.521	6.804	11.774	4.54	244.90	0.009	0.022	-14.3132	
940	1000.0	4.356	10.396	6.586	11.743	4.42	252.98	0.008	0.020	-14.3598	
960	1000.0	4.108	10.272	6.369	11.712	4.32	260.24	0.007	0.019	-14.4036	
980	1000.0	3.861	10.149	6.153	11.681	4.23	266.75	0.006	0.018	-14.4449	
1000	1000.0	3.615	10.026	5.938	11.650	4.17	272.59	0.005	0.017	-14.4841	

WINTER MODEL, EXOSPHERIC TEMPERATURE = 1100° K

Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density $m^{-3}$					Molecular weight <i>M</i>	Scale height <i>H<sub>p</sub></i> , km	Pressure <i>P</i> , mb	Log pressure	Density $\rho$ , $kg\ m^{-3}$	Log density
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(He)$	$\log n(H)$						
120	333.4	17.056	16.985	17.764	13.568	27.12	10.82	3.640	-4.439	3.561	-7.4484	
125	414.2	16.750	16.785	17.484	13.483	26.81	13.62	2.415	-4.617	1.880	-7.7259	
130	486.3	16.506	16.628	17.261	13.418	26.52	16.19	1.726	-4.763	1.132	-7.9461	
135	548.6	16.301	16.500	17.076	13.366	26.25	18.48	1.293	-4.888	7.444	-8.1282	
140	604.8	16.123	16.389	16.914	13.323	26.00	20.60	1.001	-5.001	5.176	-8.2860	
145	654.3	15.964	16.293	16.771	13.286	25.74	22.54	7.941	-5.100	3.758	-8.4250	
150	699.2	15.820	16.206	16.641	13.254	25.50	24.36	6.416	-5.193	2.814	-8.5506	
155	739.4	15.687	16.127	16.522	13.225	25.26	26.05	5.262	-5.279	2.162	-8.6652	
160	776.0	15.563	16.055	16.411	13.199	25.02	27.64	4.367	-5.360	1.693	-8.7712	
165	808.9	15.447	15.988	16.307	13.176	24.78	29.13	3.662	-5.436	1.349	-8.8699	
170	839.0	15.336	15.925	16.208	13.154	24.55	30.55	3.097	-5.509	1.090	-8.9626	
175	866.2	15.231	15.865	16.115	13.134	24.31	31.89	2.639	-5.579	8.909	-9.0502	
180	891.1	15.131	15.809	16.025	13.115	24.08	33.17	2.263	-5.645	7.356	-9.1334	
185	913.5	15.034	15.755	15.939	13.098	23.85	34.38	1.952	-5.710	6.130	-9.2126	
190	934.1	14.941	15.704	15.856	13.081	23.63	35.55	1.692	-5.772	5.146	-9.2885	
195	952.8	14.850	15.654	15.776	13.066	23.40	36.67	1.473	-5.832	4.351	-9.3614	
200	970.0	14.762	15.606	15.698	13.051	23.18	37.75	1.288	-5.890	3.701	-9.4317	
205	985.8	14.677	15.560	15.622	13.037	22.96	38.79	1.130	-5.947	3.165	-9.4996	
210	1000.1	14.593	15.515	15.548	13.023	22.74	39.79	9.950	-6.002	2.721	-9.5653	
215	1013.6	14.511	15.471	15.475	13.010	22.52	40.78	8.789	-6.056	2.349	-9.6292	
220	1026.1	14.431	15.428	15.404	12.997	22.31	41.75	7.786	-6.109	2.036	-9.6913	
225	1037.8	14.351	15.386	15.334	12.985	22.10	42.69	6.916	-6.160	1.771	-9.7518	
230	1048.7	14.274	15.345	15.266	12.973	21.89	43.62	6.159	-6.210	1.546	-9.8108	
235	1059.7	14.197	15.304	15.198	12.961	21.68	44.56	5.499	-6.260	1.353	-9.8686	
240	1070.6	14.121	15.264	15.131	12.950	21.48	45.51	4.922	-6.308	1.188	-9.9253	
245	1074.3	14.049	15.227	15.067	12.940	21.28	46.17	4.413	-6.355	1.051	-9.9782	
250	1077.6	13.977	15.191	15.004	12.930	21.08	46.81	3.963	-6.402	9.327	-10.0303	
255	1080.4	13.905	15.154	14.942	12.921	20.89	47.43	3.564	-6.448	8.289	-10.0815	
260	1082.9	13.834	15.118	14.879	12.911	20.70	48.05	3.210	-6.494	7.380	-10.1319	
265	1085.0	13.764	15.083	14.817	12.902	20.51	48.66	2.895	-6.538	6.582	-10.1816	
270	1086.9	13.693	15.047	14.756	12.893	20.33	49.26	2.614	-6.583	5.880	-10.2306	
275	1088.6	13.624	15.012	14.695	12.884	20.15	49.85	2.363	-6.627	5.260	-10.2790	
280	1090.0	13.554	14.977	14.634	12.875	19.97	50.43	2.138	-6.670	4.713	-10.3267	
285	1091.3	13.484	14.942	14.573	12.866	19.80	51.01	1.938	-6.713	4.229	-10.3738	
290	1092.4	13.415	14.907	14.512	12.857	19.63	51.57	1.758	-6.755	3.800	-10.4202	
295	1093.3	13.346	14.872	14.452	12.848	19.47	52.13	1.596	-6.797	3.419	-10.4661	
300	1094.2	13.278	14.838	14.392	12.839	19.31	52.68	1.451	-6.838	3.080	-10.5115	
310	1095.5	13.141	14.769	14.272	12.822	19.00	53.76	1.202	-6.920	2.508	-10.6006	
320	1096.6	13.005	14.701	14.152	12.805	18.71	54.82	1.000	-7.000	2.052	-10.6877	
330	1097.4	12.869	14.633	14.034	12.788	18.44	55.84	8.348	-7.078	1.687	-10.7730	
340	1098.0	12.734	14.565	13.916	12.771	18.18	56.84	6.990	-7.156	1.392	-10.8564	
350	1098.5	12.600	14.498	13.798	12.754	17.94	57.8C	5.871	-7.231	1.153	-10.9382	
360	1098.8	12.466	14.431	13.680	12.737	17.71	58.74	4.945	-7.306	9.584	-11.0184	
370	1099.1	12.332	14.364	13.564	12.720	17.49	59.65	4.177	-7.379	7.995	-11.0972	
380	1099.3	12.199	14.298	13.447	12.704	17.29	60.54	3.536	-7.451	6.690	-11.1746	
390	1099.5	12.067	14.231	13.331	12.687	17.10	61.41	3.002	-7.523	5.614	-11.2507	
400	1099.6	11.934	14.165	13.215	12.670	16.92	62.26	2.553	-7.593	4.725	-11.3256	

Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density m <sup>-3</sup>					Molecular weight <i>M</i>	Scale height <i>H<sub>p</sub></i> , km	Pressure <i>P</i> , mb	Log pressure	Density <i>ρ</i> , kg m <sup>-3</sup>	Log density
		log <i>n</i> (O <sub>2</sub> )	log <i>n</i> (O)	log <i>n</i> (N <sub>2</sub> )	log <i>n</i> (He)	log <i>n</i> (H)						
410	1099.7	11.803	14.099	13.100	12.654	16.75	63.09	2.177	-7.662	3.987	-11.3994	
420	1099.8	11.671	14.033	12.985	12.637	16.58	63.91	1.860	-7.731	3.372	-11.4721	
430	1099.8	11.540	13.968	12.870	12.621	16.42	64.72	1.592	-7.798	2.859	-11.5438	
440	1099.9	11.410	13.903	12.756	12.605	16.27	65.53	1.365	-7.865	2.429	-11.6146	
450	1099.9	11.280	13.838	12.642	12.588	16.12	66.35	1.173	-7.931	2.067	-11.6846	
460	1099.9	11.150	13.773	12.528	12.572	15.97	67.17	1.010	-7.996	1.763	-11.7537	
470	1099.9	11.020	13.708	12.415	12.556	15.82	68.00	8.710	-8.060	1.506	-11.8220	
480	1100.0	10.891	13.643	12.302	12.540	15.67	68.85	7.526	-8.123	1.289	-11.8897	
490	1100.0	10.763	13.579	12.189	12.524	15.52	69.73	6.514	-8.186	1.105	-11.9566	
500	1100.0	10.634	13.515	12.077	12.508	15.36	70.64	5.649	-8.248	9.488	-12.0228	
510	1100.0	10.507	13.451	11.965	12.492	15.20	71.59	4.908	-8.309	8.158	-12.0884	
520	1100.0	10.379	13.387	11.854	12.476	15.03	72.59	4.273	-8.369	7.024	-12.1534	
530	1100.0	10.252	13.324	11.742	12.460	14.86	73.64	3.726	-8.429	6.056	-12.2178	
540	1100.0	10.125	13.260	11.631	12.444	14.68	74.76	3.256	-8.487	5.229	-12.2816	
550	1100.0	9.999	13.197	11.521	12.428	14.50	75.95	2.852	-8.545	4.520	-12.3448	
560	1100.0	9.873	13.134	11.410	12.412	14.30	77.21	2.503	-8.602	3.913	-12.4075	
570	1100.0	9.747	13.071	11.300	12.397	14.09	78.57	2.201	-8.657	3.392	-12.4696	
580	1100.0	9.622	13.009	11.191	12.381	13.88	80.03	1.940	-8.712	2.944	-12.5311	
590	1100.0	9.497	12.946	11.081	12.365	13.65	81.60	1.714	-8.766	2.559	-12.5920	
600	1100.0	9.372	12.884	10.972	12.350	13.41	83.29	1.519	-8.819	2.227	-12.6523	
610	1100.0	9.248	12.822	10.863	12.334	13.16	85.11	1.348	-8.870	1.941	-12.7121	
620	1100.0	9.124	12.760	10.755	12.319	12.90	87.07	1.201	-8.921	1.694	-12.7712	
630	1100.0	9.000	12.698	10.647	12.303	12.63	89.17	1.072	-8.970	1.480	-12.8297	
640	1100.0	8.877	12.636	10.539	12.288	12.35	91.47	9.594	-9.018	1.296	-12.8875	
650	1100.0	8.754	12.575	10.431	12.272	12.06	93.94	8.613	-9.065	1.136	-12.9446	
660	1100.0	8.632	12.514	10.324	12.257	11.77	96.58	7.754	-9.110	9.975	-13.0011	
670	1100.0	8.510	12.453	10.217	12.242	11.46	99.43	7.002	-9.155	8.774	-13.0568	
680	1100.0	8.388	12.392	10.114	12.227	11.15	102.49	6.342	-9.198	7.732	-13.1117	
690	1100.0	8.267	12.331	10.004	12.211	10.84	105.76	5.761	-9.240	6.825	-13.1659	
700	1100.0	8.146	12.271	9.898	12.196	10.52	109.26	5.249	-9.280	6.037	-13.2192	
710	1100.0	8.025	12.210	9.793	12.181	10.20	112.99	4.797	-9.319	5.350	-13.2716	
720	1100.0	7.904	12.150	9.687	12.166	9.88	116.96	4.397	-9.357	4.752	-13.3232	
730	1100.0	7.784	12.090	9.582	12.151	9.57	121.16	4.043	-9.393	4.229	-13.3737	
740	1100.0	7.665	12.030	9.477	12.136	9.25	125.60	3.728	-9.429	3.773	-13.4234	
750	1100.0	7.545	11.970	9.373	12.121	8.95	130.27	3.448	-9.462	3.373	-13.4720	
760	1100.0	7.426	11.911	9.269	12.106	8.65	135.18	3.197	-9.495	3.023	-13.5195	
770	1100.0	7.307	11.852	9.165	12.092	8.36	140.30	2.974	-9.527	2.717	-13.5660	
780	1100.0	7.189	11.792	9.061	12.077	8.07	145.63	2.773	-9.557	2.447	-13.6114	
790	1100.0	7.071	11.733	8.958	12.062	7.80	151.16	2.592	-9.586	2.210	-13.6556	
800	1100.0	6.953	11.674	8.855	12.047	7.54	156.86	2.429	-9.615	2.001	-13.6987	
820	1100.0	6.719	11.557	8.649	12.018	7.05	168.71	2.148	-9.668	1.655	-13.7813	
840	1100.0	6.486	11.441	8.445	11.989	6.60	180.99	1.916	-9.718	1.383	-13.8591	
880	1100.0	6.023	11.209	8.040	11.931	5.87	205.97	1.557	-9.808	9.993	-14.0003	
900	1100.0	5.794	11.095	7.840	11.902	5.57	218.22	1.417	-9.847	8.630	-14.0640	
920	1100.0	5.566	10.981	7.640	11.874	5.31	230.07	1.296	-9.887	7.529	-14.1233	
940	1100.0	5.339	10.867	7.441	11.845	5.09	241.34	1.191	-9.924	6.629	-14.1785	
960	1100.0	5.113	10.755	7.244	11.817	4.90	251.93	1.098	-9.959	5.888	-14.2300	
980	1100.0	4.889	10.642	7.047	11.789	4.75	261.76	1.016	-9.993	5.271	-14.2781	
1000	1100.0	4.666	10.531	6.852	11.761	4.61	270.82	9.423	-10.026	4.752	-14.3231	

WINTER MODEL, EXOSPHERIC TEMPERATURE = 1300° K

Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density $m^{-3}$				Molecular weight <i>M</i>	Scale height <i>H<sub>p</sub></i> , km	Pressure <i>P</i> , mb	Log pressure	Density $\rho$ , $kg\ m^{-3}$	Log density
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(H)$						
120	333.2	17.056	16.985	17.764	13.568	27.12	10.81	3.637	3.560	-7.4485	
125	424.5	16.742	16.775	17.476	13.476	26.81	13.96	2.425	1.842	-7.7346	
130	506.7	16.496	16.614	17.251	13.407	26.54	16.86	1.752	1.104	-7.9571	
135	579.1	16.293	16.483	17.066	13.353	26.27	19.48	1.330	0.726	-8.1389	
140	645.0	16.118	16.372	16.907	13.308	26.04	21.93	1.045	0.5074	-8.2946	
145	703.7	15.964	16.276	16.767	13.270	25.81	24.18	0.812	0.3711	-8.4305	
150	757.8	15.824	16.191	16.641	13.237	25.58	26.31	0.690	0.2802	-8.5525	
155	807.2	15.697	16.113	16.526	13.207	25.37	28.31	0.524	0.2172	-8.6632	
160	852.5	15.579	16.043	16.420	13.181	25.15	30.20	0.484	0.1719	-8.7648	
165	893.7	15.469	15.977	16.322	13.157	24.94	31.98	0.385	0.1384	-8.8588	
170	931.7	15.366	15.917	16.229	13.135	24.73	33.67	0.354	0.1131	-8.9467	
175	966.4	15.268	15.860	16.141	13.115	24.53	35.26	0.303	0.0935	-9.0291	
180	998.6	15.175	15.806	16.058	13.096	24.33	36.80	0.266	0.0813	-9.1072	
185	1028.1	15.086	15.755	15.978	13.079	24.13	38.26	0.234	0.0788	-9.1813	
190	1055.4	15.001	15.707	15.902	13.063	23.93	39.65	0.205	0.0759	-9.2520	
195	1080.3	14.918	15.661	15.829	13.047	23.74	40.99	0.183	0.0742	-9.3195	
200	1103.5	14.838	15.616	15.758	13.033	23.55	42.27	0.168	0.0794	-9.3844	
205	1124.8	14.761	15.573	15.689	13.019	23.36	43.51	0.131	0.0744	-9.4469	
210	1144.4	14.686	15.532	15.622	13.006	23.17	44.70	0.128	0.0894	-9.5071	
215	1162.8	14.612	15.492	15.557	12.993	22.98	45.85	0.144	0.2719	-9.5655	
220	1179.8	14.541	15.453	15.493	12.981	22.79	46.97	0.127	0.2387	-9.6222	
225	1195.8	14.470	15.415	15.431	12.970	22.61	48.07	0.103	0.2103	-9.6772	
230	1210.6	14.401	15.378	15.370	12.958	22.43	49.13	0.079	0.1859	-9.7307	
235	1225.1	14.334	15.341	15.310	12.947	22.25	50.20	0.054	0.1648	-9.7831	
240	1239.0	14.267	15.305	15.251	12.936	22.07	51.25	0.065	0.1465	-9.8342	
245	1252.1	14.201	15.270	15.193	12.926	21.90	52.28	0.207	0.1306	-9.8842	
250	1257.5	14.139	15.238	15.138	12.917	21.73	53.00	0.644	0.1173	-9.9307	
255	1262.3	14.077	15.206	15.084	12.909	21.56	53.71	0.139	0.1056	-9.9765	
260	1266.5	14.016	15.175	15.030	12.900	21.39	54.39	0.685	0.0917	-10.0215	
265	1270.3	13.955	15.144	14.977	12.892	21.22	55.07	0.276	0.0836	-10.0659	
270	1273.6	13.895	15.113	14.924	12.884	21.06	55.73	0.907	0.0770	-10.1096	
275	1276.6	13.834	15.083	14.871	12.876	20.89	56.38	0.574	0.0735	-10.1527	
280	1279.2	13.775	15.052	14.818	12.868	20.73	57.02	0.272	0.0685	-10.1953	
285	1281.5	13.715	15.022	14.766	12.860	20.58	57.65	0.999	0.0623	-10.2378	
290	1283.6	13.656	14.992	14.714	12.852	20.42	58.27	0.751	0.0561	-10.2787	
295	1285.5	13.597	14.962	14.663	12.845	20.27	58.88	0.526	0.0598	-10.3197	
300	1287.1	13.538	14.933	14.611	12.837	20.12	59.49	0.321	0.0634	-10.3602	
310	1289.8	13.422	14.874	14.509	12.822	19.82	60.68	0.965	0.0633	-10.4397	
320	1292.0	13.306	14.816	14.407	12.807	19.54	61.84	0.669	0.0337	-10.5176	
330	1293.7	13.190	14.758	14.306	12.792	19.27	62.98	0.422	0.0548	-10.5938	
340	1295.0	13.076	14.700	14.206	12.778	19.01	64.09	0.215	0.0146	-10.6684	
350	1296.1	12.961	14.643	14.106	12.763	18.77	65.18	0.041	0.1813	-10.7417	
360	1296.9	12.848	14.586	14.006	12.749	18.53	66.25	0.940	0.1536	-10.8135	
370	1297.6	12.734	14.529	13.907	12.735	18.31	67.29	0.697	0.1306	-10.8840	
380	1298.1	12.622	14.473	13.808	12.721	18.09	68.31	0.641	0.1113	-10.9533	
390	1298.5	12.509	14.416	13.710	12.707	17.89	69.31	0.743	0.0951	-11.0214	
400	1298.8	12.397	14.360	13.612	12.692	17.70	70.29	0.977	0.0815	-11.0884	

Altitude $Z$ , km	Temp. $T$ , °K	Number density $m^{-3}$				Molecular weight $M$	Scale height $H_p$ , km	Pressure $P$ , mb	Log pressure	Density $\rho$ , $kg\ m^{-3}$	Log density
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(He)$						
410	1299.1	12.286	14.304	13.514	12.678	17.52	71.24	4.321	7.008	-11.15444	
420	1299.3	12.174	14.249	13.417	12.665	17.35	72.18	3.758	6.035	-11.21933	
430	1299.4	12.064	14.193	13.320	12.651	17.18	73.09	3.275	5.208	-11.28333	
440	1299.5	11.953	14.138	13.223	12.637	17.02	74.00	2.859	4.504	-11.34664	
450	1299.6	11.843	14.083	13.126	12.623	16.87	74.89	2.499	3.902	-11.4087	
460	1299.7	11.733	14.028	13.030	12.609	16.73	75.76	2.189	3.387	-11.4701	
470	1299.8	11.623	13.973	12.934	12.595	16.59	76.63	1.919	2.946	-11.5308	
480	1299.8	11.514	13.919	12.839	12.582	16.45	77.50	1.686	2.566	-11.5908	
490	1299.9	11.405	13.864	12.743	12.568	16.32	78.36	1.483	2.239	-11.6500	
500	1299.9	11.297	13.810	12.648	12.555	16.19	79.22	1.306	1.956	-11.7087	
510	1299.9	11.189	13.756	12.554	12.541	16.06	80.09	1.152	1.711	-11.7665	
520	1299.9	11.081	13.702	12.459	12.528	15.93	80.97	1.017	1.500	-11.8241	
530	1299.9	10.973	13.648	12.365	12.514	15.80	81.86	0.999	1.316	-11.8809	
540	1300.0	10.866	13.594	12.271	12.501	15.67	82.77	0.969	1.156	-11.9372	
550	1300.0	10.759	13.541	12.177	12.487	15.54	83.71	0.967	1.016	-11.9930	
560	1300.0	10.652	13.488	12.084	12.474	15.41	84.66	0.949	0.899	-12.0482	
570	1300.0	10.546	13.434	11.991	12.461	15.28	85.65	0.925	0.888	-12.1030	
580	1300.0	10.440	13.381	11.898	12.447	15.14	86.68	0.969	0.961	-12.1574	
590	1300.0	10.334	13.328	11.806	12.434	15.00	87.75	0.934	0.849	-12.2112	
600	1300.0	10.229	13.276	11.713	12.421	14.85	88.86	0.956	0.843	-12.2646	
610	1300.0	10.124	13.223	11.621	12.408	14.70	90.03	0.958	0.813	-12.3176	
620	1300.0	10.019	13.171	11.529	12.395	14.55	91.26	0.968	0.764	-12.3702	
630	1300.0	9.914	13.119	11.438	12.382	14.39	92.55	0.969	0.716	-12.4223	
640	1300.0	9.810	13.066	11.347	12.369	14.22	93.92	0.972	0.669	-12.4740	
650	1300.0	9.706	13.014	11.256	12.356	14.04	95.36	0.972	0.622	-12.5253	
660	1300.0	9.602	12.963	11.165	12.343	13.86	96.89	0.971	0.575	-12.5761	
670	1300.0	9.499	12.911	11.075	12.330	13.67	98.51	0.971	0.528	-12.6265	
680	1300.0	9.396	12.859	10.984	12.317	13.48	100.23	0.972	0.481	-12.6765	
690	1300.0	9.293	12.808	10.894	12.304	13.27	102.06	0.972	0.434	-12.7261	
700	1300.0	9.191	12.757	10.805	12.291	13.06	104.00	0.972	0.387	-12.7752	
710	1300.0	9.089	12.706	10.715	12.278	12.84	106.06	0.972	0.340	-12.8239	
720	1300.0	8.987	12.655	10.626	12.266	12.62	108.26	0.972	0.293	-12.8721	
730	1300.0	8.885	12.604	10.537	12.253	12.39	110.59	0.972	0.246	-12.9198	
740	1300.0	8.784	12.553	10.448	12.240	12.15	113.06	0.972	0.199	-12.9670	
750	1300.0	8.683	12.503	10.360	12.228	11.91	115.69	0.972	0.152	-13.0138	
760	1300.0	8.582	12.452	10.272	12.215	11.66	118.48	0.972	0.105	-13.0600	
770	1300.0	8.482	12.402	10.184	12.202	11.41	121.44	0.972	0.058	-13.1057	
780	1300.0	8.382	12.352	10.096	12.190	11.15	124.57	0.972	0.011	-13.1508	
790	1300.0	8.282	12.302	10.009	12.177	10.89	127.88	0.972	0.064	-13.1954	
800	1300.0	8.182	12.252	9.922	12.165	10.63	131.37	0.972	0.117	-13.2394	
820	1300.0	7.984	12.153	9.748	12.140	10.11	138.92	0.972	0.270	-13.3256	
840	1300.0	7.786	12.055	9.575	12.115	9.59	147.25	0.972	0.423	-13.4092	
880	1300.0	7.395	11.859	9.233	12.067	8.59	166.22	0.972	0.576	-13.5681	
900	1300.0	7.201	11.762	9.063	12.042	8.12	176.79	0.972	0.729	-13.6432	
920	1300.0	7.008	11.665	8.894	12.018	7.68	188.00	0.972	0.882	-13.7152	
940	1300.0	6.816	11.569	8.726	11.994	7.27	199.76	0.972	1.035	-13.7839	
960	1300.0	6.625	11.474	8.559	11.970	6.89	211.93	0.972	1.188	-13.8495	
980	1300.0	6.435	11.379	8.392	11.947	6.54	224.39	0.972	1.341	-13.9117	
1000	1300.0	6.247	11.285	8.227	11.923	6.23	236.99	0.972	1.494	-13.9708	

WINTER MODEL, EXOSPHERIC TEMPERATURE = 1500° K

Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density m <sup>-3</sup>					Molecular weight <i>M</i>	Scale height <i>H<sub>p</sub></i> , km	Pressure <i>P</i> , mb	Log pressure	Density <i>ρ</i> , kg m <sup>-3</sup>	Log density
		log <i>n</i> (O <sub>2</sub> )	log <i>n</i> (O)	log <i>n</i> (N <sub>2</sub> )	log <i>n</i> (He)	log <i>n</i> (H)						
120	333.3	17.056	16.985	17.764	13.568	27.12	10.82	3.639	-4.439	3.561	-7.4484	
125	429.0	16.719	16.772	17.472	13.474	26.81	14.10	2.432	-4.614	1.828	-7.7379	
130	516.3	16.491	16.608	17.246	13.403	26.54	17.17	1.765	-4.753	1.092	-7.9619	
135	594.5	16.288	16.476	17.061	13.347	26.30	19.99	1.349	-4.870	7.174	-8.1442	
140	666.6	16.114	16.364	16.902	13.301	26.06	22.65	1.067	-4.972	5.015	-8.2997	
145	732.6	15.961	16.267	16.763	13.261	25.84	25.15	8.651	-5.063	3.670	-8.4353	
150	793.6	15.824	16.180	16.638	13.227	25.63	27.51	7.154	-5.145	2.779	-8.5562	
155	849.4	15.699	16.103	16.525	13.197	25.42	29.73	6.008	-5.221	2.162	-8.6651	
160	901.6	15.584	16.033	16.421	13.170	25.22	31.86	5.107	-5.292	1.718	-8.7649	
165	950.3	15.477	15.968	16.325	13.145	25.02	33.89	4.386	-5.358	1.389	-8.8572	
170	995.6	15.377	15.908	16.235	13.122	24.83	35.84	3.800	-5.420	1.140	-8.9431	
175	1037.7	15.282	15.852	16.150	13.102	24.64	37.69	3.317	-5.479	9.475	-9.0234	
180	1077.0	15.193	15.799	16.070	13.083	24.46	39.48	2.914	-5.536	7.959	-9.0991	
185	1113.6	15.108	15.749	15.993	13.065	24.28	41.19	2.574	-5.589	6.750	-9.1707	
190	1147.8	15.026	15.702	15.920	13.048	24.10	42.83	2.285	-5.641	5.771	-9.2387	
195	1179.5	14.948	15.657	15.850	13.032	23.92	44.41	2.038	-5.691	4.971	-9.3035	
200	1209.2	14.873	15.614	15.783	13.018	23.75	45.93	1.824	-5.739	4.309	-9.3656	
205	1236.7	14.800	15.572	15.718	13.004	23.58	47.39	1.639	-5.785	3.758	-9.4251	
210	1262.2	14.730	15.533	15.655	12.991	23.41	48.79	1.477	-5.831	3.295	-9.4822	
215	1286.2	14.661	15.494	15.594	12.978	23.24	50.15	1.335	-5.874	2.901	-9.5374	
220	1308.5	14.595	15.457	15.535	12.966	23.07	51.47	1.210	-5.917	2.566	-9.5907	
225	1329.7	14.530	15.421	15.477	12.954	22.91	52.76	1.099	-5.959	2.278	-9.6424	
230	1349.7	14.466	15.386	15.421	12.943	22.75	54.01	1.001	-6.000	2.029	-9.6927	
235	1368.6	14.404	15.352	15.366	12.932	22.59	55.24	9.135	-6.039	1.813	-9.7415	
240	1386.4	14.343	15.319	15.312	12.922	22.43	56.44	8.353	-6.078	1.625	-9.7891	
245	1403.6	14.283	15.286	15.259	12.912	22.27	57.62	7.652	-6.116	1.460	-9.8355	
250	1420.0	14.224	15.255	15.207	12.902	22.12	58.79	7.022	-6.154	1.316	-9.8808	
255	1427.8	14.169	15.226	15.158	12.894	21.97	59.61	6.454	-6.190	1.194	-9.9229	
260	1434.8	14.114	15.197	15.109	12.886	21.82	60.41	5.938	-6.226	1.086	-9.9642	
265	1441.1	14.059	15.169	15.061	12.878	21.67	61.19	5.469	-6.262	9.890	-10.0048	
270	1446.9	14.005	15.141	15.014	12.871	21.52	61.95	5.043	-6.297	9.021	-10.0448	
275	1452.0	13.952	15.113	14.967	12.863	21.37	62.69	4.654	-6.332	8.239	-10.0841	
280	1456.7	13.899	15.086	14.920	12.856	21.23	63.42	4.299	-6.367	7.535	-10.1229	
285	1460.9	13.846	15.059	14.874	12.849	21.08	64.13	3.975	-6.401	6.900	-10.1612	
290	1464.7	13.794	15.032	14.828	12.841	20.94	64.83	3.678	-6.434	6.326	-10.1989	
295	1468.1	13.741	15.006	14.782	12.834	20.80	65.52	3.407	-6.468	5.806	-10.2361	
300	1471.2	13.690	14.979	14.737	12.828	20.66	66.19	3.158	-6.501	5.334	-10.2729	
310	1476.6	13.587	14.927	14.646	12.814	20.39	67.52	2.719	-6.566	4.517	-10.3452	
320	1480.9	13.485	14.876	14.557	12.800	20.13	68.81	2.348	-6.629	3.839	-10.4158	
330	1484.4	13.384	14.825	14.468	12.787	19.88	70.06	2.033	-6.692	3.274	-10.4849	
340	1487.3	13.283	14.774	14.380	12.774	19.63	71.29	1.765	-6.753	2.802	-10.5526	
350	1489.7	13.184	14.724	14.293	12.762	19.39	72.50	1.536	-6.814	2.404	-10.6190	
360	1491.6	13.084	14.674	14.206	12.749	19.16	73.68	1.339	-6.873	2.070	-10.6841	
370	1493.1	12.986	14.624	14.120	12.736	18.94	74.83	1.175	-6.932	1.786	-10.7481	
380	1494.4	12.888	14.575	14.034	12.724	18.73	75.97	1.025	-6.989	1.546	-10.8109	
390	1495.4	12.790	14.526	13.948	12.711	18.53	77.08	8.996	-7.046	1.341	-10.8727	
400	1496.3	12.692	14.477	13.863	12.699	18.34	78.17	7.908	-7.102	1.166	-10.9334	

Altitude $Z$ , km	Temp. $T$ , °K	Number density $m^{-3}$					Molecular weight $M$	Scale height $H_p$ , km	Pressure $P$ , mb	Log pressure	Density $\rho$ , kg $m^{-3}$	Log density
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(He)$	$\log n(H)$						
410	1497.0	12.595	14.429	13.778	12.687	18.15	79.24	6.965	-7.157	1.016	-10.9932	
420	1497.5	12.499	14.380	13.693	12.675	17.97	80.29	6.144	-7.212	8.869	-11.0521	
430	1498.0	12.403	14.332	13.609	12.663	17.80	81.32	5.429	-7.265	7.760	-11.1101	
440	1498.4	12.307	14.284	13.525	12.651	17.64	82.33	4.804	-7.318	6.803	-11.1673	
450	1498.7	12.211	14.236	13.441	12.639	17.48	83.33	4.258	-7.371	5.975	-11.2237	
460	1498.9	12.116	14.188	13.358	12.627	17.33	84.31	3.779	-7.423	5.257	-11.2793	
470	1499.1	12.021	14.141	13.274	12.615	17.19	85.27	3.359	-7.474	4.632	-11.3342	
480	1499.3	11.926	14.093	13.192	12.603	17.05	86.22	2.989	-7.524	4.089	-11.3884	
490	1499.4	11.832	14.046	13.109	12.591	16.92	87.16	2.663	-7.575	3.615	-11.4419	
500	1499.5	11.737	13.999	13.027	12.579	16.79	88.09	2.376	-7.624	3.200	-11.4948	
510	1499.6	11.644	13.952	12.944	12.567	16.67	89.02	2.122	-7.673	2.837	-11.5471	
520	1499.7	11.550	13.905	12.862	12.556	16.55	89.94	1.898	-7.722	2.518	-11.5989	
530	1499.7	11.457	13.859	12.781	12.544	16.43	90.85	1.699	-7.770	2.239	-11.6500	
540	1499.8	11.364	13.812	12.699	12.532	16.31	91.77	1.523	-7.817	1.992	-11.7007	
550	1499.8	11.271	13.766	12.618	12.521	16.20	92.68	1.366	-7.864	1.775	-11.7508	
560	1499.9	11.179	13.720	12.537	12.509	16.08	93.60	1.227	-7.911	1.583	-11.8005	
570	1499.9	11.086	13.674	12.457	12.498	15.97	94.53	1.104	-7.957	1.413	-11.8497	
580	1499.9	10.994	13.628	12.376	12.486	15.86	95.48	9.933	-8.003	1.263	-11.8985	
590	1499.9	10.903	13.582	12.296	12.475	15.75	96.43	8.950	-8.048	1.130	-11.9468	
600	1499.9	10.811	13.536	12.216	12.463	15.64	97.40	8.073	-8.093	1.012	-11.9947	
610	1499.9	10.720	13.491	12.136	12.452	15.52	98.39	7.289	-8.137	9.073	-12.0422	
620	1500.0	10.629	13.445	12.057	12.441	15.41	99.41	6.588	-8.181	8.140	-12.0894	
630	1500.0	10.539	13.400	11.977	12.429	15.29	100.45	5.960	-8.225	7.309	-12.1361	
640	1500.0	10.449	13.355	11.898	12.418	15.17	101.53	5.398	-8.268	6.569	-12.1825	
650	1500.0	10.358	13.310	11.819	12.407	15.05	102.64	4.895	-8.310	5.908	-12.2285	
660	1500.0	10.269	13.265	11.741	12.395	14.93	103.79	4.443	-8.352	5.318	-12.2742	
670	1500.0	10.179	13.220	11.662	12.384	14.80	104.98	4.037	-8.394	4.791	-12.3195	
680	1500.0	10.090	13.175	11.584	12.373	14.67	106.22	3.672	-8.435	4.320	-12.3645	
690	1500.0	10.001	13.131	11.506	12.362	14.54	107.51	3.344	-8.476	3.898	-12.4092	
700	1500.0	9.912	13.086	11.428	12.351	14.40	108.86	3.049	-8.516	3.519	-12.4535	
710	1500.0	9.823	13.042	11.351	12.340	14.25	110.27	2.783	-8.556	3.180	-12.4975	
720	1500.0	9.735	12.998	11.274	12.329	14.10	111.74	2.543	-8.595	2.876	-12.5412	
730	1500.0	9.647	12.954	11.197	12.318	13.95	113.29	2.327	-8.633	2.603	-12.5845	
740	1500.0	9.559	12.910	11.120	12.307	13.79	114.91	2.132	-8.671	2.358	-12.6275	
750	1500.0	9.472	12.866	11.043	12.296	13.63	116.62	1.955	-8.709	2.137	-12.6702	
760	1500.0	9.384	12.823	10.967	12.285	13.46	118.41	1.796	-8.746	1.938	-12.7125	
770	1500.0	9.297	12.779	10.890	12.274	13.29	120.29	1.651	-8.782	1.760	-12.7545	
780	1500.0	9.211	12.736	10.814	12.263	13.11	122.27	1.521	-8.818	1.599	-12.7963	
790	1500.0	9.124	12.692	10.739	12.252	12.93	124.35	1.402	-8.853	1.453	-12.8375	
800	1500.0	9.038	12.649	10.663	12.241	12.74	126.54	1.295	-8.888	1.322	-12.8785	
820	1500.0	8.866	12.563	10.512	12.220	12.35	131.26	1.109	-8.955	1.098	-12.9595	
840	1500.0	8.695	12.478	10.363	12.199	11.94	136.49	9.546	-9.020	9.142	-13.0390	
880	1500.0	8.356	12.308	10.066	12.156	11.09	148.59	7.207	-9.142	6.410	-13.1932	
900	1500.0	8.187	12.224	9.919	12.135	10.65	155.55	5.398	-9.199	4.564	-13.2678	
920	1500.0	8.020	12.141	9.772	12.114	10.22	163.14	5.572	-9.254	4.564	-13.3406	
940	1500.0	7.854	12.057	9.627	12.093	9.78	171.38	4.944	-9.306	3.876	-13.4116	
960	1500.0	7.688	11.975	9.482	12.073	9.35	180.29	4.412	-9.355	3.306	-13.4807	
980	1500.0	7.524	11.892	9.338	12.052	8.92	189.85	3.960	-9.402	2.833	-13.5477	
1000	1500.0	7.360	11.811	9.195	12.032	8.52	200.04	3.574	-9.447	2.440	-13.6126	

## WINTER MODEL, EXOSPHERIC TEMPERATURE = 1700° K

Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density $m^{-3}$				Molecular weight <i>M</i>	Scale height <i>H<sub>p</sub></i> , km	Pressure <i>P</i> , mb	Log pressure	Density $\rho$ , $kg\ m^{-3}$	Log density		
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(He)$							$\log n(H)$	
120	333.7	17.056	16.985	17.764	13.567	27.12	10.83	3.643	-5	-4.438	3.561	-8	-7.4484
125	430.4	16.738	16.771	17.472	13.473	26.82	14.15	2.437		-4.613	1.826		-7.7385
130	519.6	16.491	16.606	17.245	13.401	26.55	17.28	1.771		-4.752	1.089		-7.9631
135	600.8	16.287	16.473	17.059	13.345	26.30	20.20	1.356		-4.868	7.141	-9	-8.1463
140	676.5	16.112	16.360	16.899	13.297	26.07	22.98	1.076		-4.968	4.985		-8.3023
145	746.5	15.959	16.262	16.760	13.257	25.85	25.61	8.755	-6	-5.058	3.647		-8.4381
150	812.2	15.822	16.175	16.636	13.222	25.64	28.14	7.268		-5.139	2.760		-8.5591
155	873.2	15.698	16.097	16.523	13.191	25.44	30.53	6.129	-6	-5.213	2.148	-9	-8.6680
160	930.9	15.584	16.026	16.419	13.163	25.25	32.85	5.234		-5.281	1.707		-8.7677
165	985.4	15.478	15.961	16.323	13.137	25.06	35.09	4.518		-5.345	1.382		-8.8595
170	1036.8	15.379	15.900	16.234	13.114	24.88	37.25	3.934		-5.405	1.135		-8.9449
175	1085.0	15.286	15.844	16.150	13.092	24.70	39.32	3.453		-5.462	9.453	-10	-9.0244
180	1130.6	15.198	15.791	16.071	13.073	24.52	41.33	3.050		-5.516	7.957		-9.0992
185	1173.3	15.115	15.741	15.996	13.054	24.35	43.26	2.710		-5.567	6.765		-9.1697
190	1213.7	15.035	15.694	15.925	13.037	24.18	45.13	2.420		-5.616	5.800		-9.2366
195	1251.8	14.959	15.649	15.856	13.021	24.02	46.94	2.171		-5.663	5.010		-9.3001
200	1287.8	14.886	15.607	15.791	13.006	23.86	48.69	1.956		-5.709	4.357		-9.3608
205	1321.6	14.816	15.566	15.728	12.991	23.70	50.39	1.768	-6	-5.753	3.812	-10	-9.4188
210	1353.3	14.748	15.527	15.667	12.978	23.54	52.02	1.603		-5.795	3.354		-9.4744
215	1383.2	14.682	15.489	15.609	12.965	23.38	53.60	1.459		-5.836	2.966		-9.5279
220	1411.2	14.619	15.453	15.552	12.952	23.23	55.13	1.330		-5.876	2.634		-9.5794
225	1437.7	14.557	15.418	15.497	12.941	23.08	56.62	1.217		-5.915	2.349		-9.6292
230	1462.7	14.497	15.384	15.443	12.930	22.93	58.07	1.115		-5.953	2.102		-9.6773
235	1486.5	14.438	15.352	15.391	12.919	22.78	59.48	1.024		-5.990	1.888		-9.7240
240	1509.1	14.381	15.320	15.340	12.908	22.64	60.86	9.424	-7	-6.026	1.700		-9.7694
245	1531.8	14.324	15.288	15.290	12.898	22.50	62.27	8.689		-6.061	1.535		-9.8139
250	1554.1	14.269	15.257	15.240	12.888	22.36	63.67	8.026		-6.095	1.389		-9.8574
255	1572.3	14.215	15.228	15.193	12.879	22.22	64.91	7.426	-7	-6.129	1.262	-10	-9.8989
260	1583.0	14.164	15.201	15.148	12.871	22.08	65.86	6.879		-6.162	1.154		-9.9378
265	1592.8	14.114	15.175	15.104	12.863	21.94	66.78	6.380		-6.195	1.057		-9.9759
270	1601.7	14.064	15.148	15.060	12.856	21.81	67.67	5.923		-6.227	9.699	-11	-10.0133
275	1609.9	14.015	15.123	15.017	12.849	21.67	68.54	5.503		-6.259	8.912		-10.0500
280	1617.4	13.967	15.097	14.974	12.842	21.54	69.39	5.118		-6.291	8.199		-10.0862
285	1624.3	13.918	15.072	14.931	12.835	21.41	70.21	4.765		-6.322	7.554		-10.1218
290	1630.7	13.871	15.048	14.889	12.828	21.28	71.02	4.439		-6.353	6.968		-10.1569
295	1636.4	13.823	15.023	14.848	12.821	21.15	71.82	4.139		-6.383	6.435		-10.1915
300	1641.8	13.776	14.999	14.806	12.815	21.03	72.59	3.862		-6.413	5.949		-10.2255
310	1651.1	13.683	14.951	14.724	12.802	20.78	74.10	3.370	-7	-6.472	5.101	-11	-10.2924
320	1658.9	13.591	14.904	14.644	12.789	20.53	75.56	2.948		-6.530	4.390		-10.3576
330	1665.5	13.500	14.858	14.564	12.777	20.30	76.98	2.586		-6.587	3.791		-10.4213
340	1671.0	13.410	14.812	14.485	12.765	20.07	78.35	2.274		-6.648	3.284		-10.4836
350	1675.6	13.321	14.767	14.406	12.753	19.84	79.69	2.003		-6.698	2.854		-10.5446
360	1679.5	13.232	14.722	14.329	12.742	19.63	81.00	1.769		-6.752	2.486		-10.6044
370	1682.8	13.144	14.678	14.251	12.730	19.42	82.28	1.565		-6.805	2.172		-10.6632
380	1685.6	13.057	14.633	14.175	12.719	19.21	83.54	1.387		-6.858	1.902		-10.7208
390	1687.9	12.970	14.590	14.099	12.708	19.02	84.77	1.232		-6.909	1.669		-10.7775
400	1689.8	12.883	14.546	14.023	12.697	18.83	85.97	1.096		-6.960	1.468		-10.8332



Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density $m^{-3}$					Molecular weight <i>M</i>	Scale height <i>H<sub>p</sub></i> , km	Pressure <i>P</i> , mb	Log pressure	Density $\rho$ , kg $m^{-3}$	Log density
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(He)$	$\log n(H)$						
410	1691.4	12.797	14.503	13.947	12.686		18.65	9.761	-7.010	1.294	-10.8880	
420	1692.8	12.711	14.460	13.872	12.675		88.31	8.710	-7.060	1.143	-10.9420	
430	1694.0	12.626	14.417	13.797	12.664		18.30	7.783	-7.109	1.011	-10.9951	
440	1694.9	12.541	14.374	13.723	12.653		18.14	6.965	-7.157	0.964	-11.0475	
450	1695.7	12.456	14.332	13.649	12.642		17.98	6.241	-7.205	0.959	-11.0991	
460	1696.4	12.372	14.290	13.575	12.632		17.83	5.599	-7.252	0.909	-11.1500	
470	1697.0	12.288	14.248	13.501	12.621		17.69	5.030	-7.298	0.865	-11.2003	
480	1697.5	12.204	14.206	13.428	12.611		17.55	4.524	-7.344	0.825	-11.2499	
490	1697.9	12.121	14.164	13.355	12.600		17.41	4.074	-7.390	0.789	-11.2989	
500	1698.2	12.038	14.122	13.282	12.590	9.249	17.28	3.673	-7.435	0.754	-11.3472	
510	1698.5	11.955	14.081	13.210	12.579	9.246	17.16	3.315	-7.480	0.720	-11.3950	
520	1698.7	11.872	14.039	13.137	12.569	9.244	17.04	2.994	-7.524	0.687	-11.4423	
530	1698.9	11.790	13.998	13.065	12.559	9.241	16.92	2.708	-7.567	0.655	-11.4890	
540	1699.1	11.708	13.957	12.993	12.548	9.238	16.80	2.451	-7.611	0.624	-11.5353	
550	1699.3	11.626	13.916	12.922	12.538	9.236	16.69	2.221	-7.653	0.593	-11.5810	
560	1699.4	11.544	13.875	12.850	12.528	9.233	16.58	2.014	-7.696	0.563	-11.6263	
570	1699.5	11.463	13.835	12.779	12.518	9.231	16.48	1.829	-7.738	0.533	-11.6711	
580	1699.6	11.382	13.794	12.708	12.508	9.228	16.37	1.661	-7.780	0.503	-11.7155	
590	1699.6	11.301	13.754	12.637	12.497	9.225	16.27	1.511	-7.821	0.473	-11.7595	
600	1699.7	11.220	13.713	12.566	12.487	9.223	16.17	1.375	-7.862	0.443	-11.8031	
610	1699.7	11.140	13.673	12.496	12.477	9.220	16.07	1.253	-7.902	0.413	-11.8463	
620	1699.8	11.059	13.633	12.426	12.467	9.218	15.97	1.142	-7.942	0.383	-11.8892	
630	1699.8	10.980	13.593	12.356	12.457	9.215	15.87	1.042	-7.982	0.353	-11.9316	
640	1699.8	10.900	13.553	12.286	12.447	9.213	15.77	0.951	-8.021	0.323	-11.9738	
650	1699.9	10.820	13.513	12.217	12.437	9.210	15.67	0.869	-8.061	0.293	-12.0156	
660	1699.9	10.741	13.474	12.147	12.427	9.208	15.58	0.797	-8.099	0.263	-12.0570	
670	1699.9	10.662	13.434	12.078	12.418	9.205	15.47	0.735	-8.138	0.233	-12.0982	
680	1699.9	10.583	13.395	12.009	12.408	9.203	15.37	0.675	-8.176	0.203	-12.1391	
690	1699.9	10.505	13.356	11.940	12.398	9.200	15.27	0.621	-8.213	0.173	-12.1796	
700	1699.9	10.426	13.316	11.872	12.388	9.198	15.17	0.568	-8.250	0.143	-12.2199	
710	1700.0	10.348	13.277	11.803	12.378	9.195	15.06	0.516	-8.287	0.113	-12.2598	
720	1700.0	10.270	13.238	11.735	12.369	9.193	14.95	0.464	-8.324	0.083	-12.2995	
730	1700.0	10.193	13.200	11.667	12.359	9.190	14.84	0.412	-8.360	0.053	-12.3389	
740	1700.0	10.115	13.161	11.599	12.349	9.188	14.72	0.360	-8.396	0.023	-12.3781	
750	1700.0	10.038	13.122	11.531	12.339	9.186	14.61	0.308	-8.431	0.013	-12.4169	
760	1700.0	9.961	13.084	11.464	12.330	9.183	14.49	0.256	-8.466	0.003	-12.4555	
770	1700.0	9.884	13.045	11.397	12.320	9.181	14.36	0.204	-8.501	0.003	-12.4939	
780	1700.0	9.807	13.007	11.330	12.311	9.178	14.24	0.152	-8.535	0.003	-12.5319	
790	1700.0	9.731	12.969	11.263	12.301	9.176	14.11	0.100	-8.569	0.003	-12.5697	
800	1700.0	9.655	12.931	11.196	12.292	9.173	13.98	0.048	-8.602	0.003	-12.6073	
820	1700.0	9.503	12.855	11.063	12.273	9.169	13.70	0.016	-8.668	0.003	-12.6816	
840	1700.0	9.352	12.779	10.931	12.254	9.164	13.41	0.003	-8.732	0.003	-12.7548	
880	1700.0	9.053	12.630	10.669	12.216	9.155	12.78	0.003	-8.854	0.003	-12.8981	
900	1700.0	8.905	12.556	10.539	12.198	9.150	12.45	0.003	-8.913	0.003	-12.9681	
920	1700.0	8.757	12.482	10.410	12.179	9.145	12.10	0.003	-8.970	0.003	-13.0370	
940	1700.0	8.610	12.408	10.282	12.161	9.141	11.74	0.003	-9.024	0.003	-13.1047	
960	1700.0	8.464	12.335	10.154	12.143	9.136	11.38	0.003	-9.077	0.003	-13.1712	
980	1700.0	8.319	12.263	10.027	12.124	9.131	11.00	0.003	-9.128	0.003	-13.2364	
1000	1700.0	8.175	12.191	9.901	12.106	9.127	10.63	0.003	-9.176	0.003	-13.3003	

WINTER MODEL, EXOSPHERIC TEMPERATURE = 1900° K

Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density <i>m</i> <sup>-3</sup>					Molecular weight <i>M</i>	Scale height <i>H<sub>p</sub></i> , km	Pressure <i>P</i> , mb	Log pressure	Density <i>ρ</i> , kg <i>m</i> <sup>-3</sup>	Log density
		log <i>n</i> (O <sub>2</sub> )	log <i>n</i> (O)	log <i>n</i> (N <sub>2</sub> )	log <i>n</i> (He)	log <i>n</i> (H)						
120	333.4	17.056	16.985	17.764	13.568	27.12	10.82	3.644	-4.438	3.565	-7.4480	
125	429.8	16.739	16.771	17.472	13.473	26.82	14.13	2.436	-4.613	1.828	-7.7381	
130	519.5	16.490	16.606	17.244	13.401	26.55	17.28	1.770	-4.752	1.088	-8.1475	
135	602.2	16.286	16.471	17.057	13.344	26.30	20.25	1.356	-4.868	0.721	-8.3045	
140	680.2	16.110	16.357	16.897	13.296	26.07	23.10	1.076	-4.968	0.507	-8.4412	
145	753.3	15.956	16.258	16.757	13.255	25.86	25.84	0.771	-5.057	0.362	-8.5629	
150	822.6	15.819	16.170	16.632	13.219	25.65	28.49	0.561	-5.137	0.273	-8.6725	
155	888.1	15.694	16.091	16.519	13.187	25.46	31.04	0.417	-5.210	0.206	-8.7724	
160	950.3	15.580	16.019	16.415	13.158	25.26	33.52	0.282	-5.277	0.153	-8.8643	
165	1009.3	15.474	15.953	16.319	13.132	25.08	35.92	0.197	-5.340	0.112	-8.9495	
170	1065.6	15.376	15.892	16.230	13.108	24.90	38.25	0.141	-5.398	0.081	-9.0291	
175	1119.4	15.283	15.835	16.146	13.085	24.73	40.53	0.101	-5.453	0.057	-9.1037	
180	1170.7	15.196	15.782	16.067	13.065	24.56	42.74	0.073	-5.506	0.041	-9.1739	
185	1219.5	15.113	15.732	15.993	13.046	24.39	44.89	0.053	-5.555	0.030	-9.2403	
190	1265.9	15.035	15.685	15.922	13.028	24.23	46.98	0.039	-5.602	0.022	-9.3032	
195	1309.9	14.960	15.640	15.855	13.011	24.07	49.00	0.028	-5.648	0.016	-9.3631	
200	1351.8	14.889	15.597	15.791	12.996	23.92	50.98	0.020	-5.691	0.011	-9.4203	
205	1391.7	14.820	15.556	15.729	12.981	23.77	52.89	0.015	-5.733	0.008	-9.4750	
210	1429.5	14.754	15.518	15.670	12.967	23.62	54.76	0.011	-5.773	0.006	-9.5275	
215	1465.4	14.690	15.480	15.612	12.953	23.47	56.57	0.008	-5.812	0.004	-9.5779	
220	1499.3	14.628	15.445	15.557	12.941	23.33	58.32	0.006	-5.850	0.003	-9.6265	
225	1531.8	14.568	15.410	15.504	12.929	23.19	60.04	0.004	-5.887	0.002	-9.6734	
230	1562.7	14.510	15.377	15.452	12.917	23.05	61.71	0.003	-5.922	0.001	-9.7188	
235	1591.9	14.454	15.344	15.401	12.906	22.91	63.34	0.002	-5.957	0.001	-9.7627	
240	1619.5	14.399	15.313	15.352	12.896	22.78	64.91	0.001	-5.991	0.000	-9.8055	
245	1646.7	14.345	15.283	15.304	12.885	22.65	66.45	0.001	-6.024	0.000	-9.8471	
250	1673.0	14.293	15.253	15.257	12.875	22.52	68.05	0.000	-6.056	0.000	-9.8875	
255	1697.7	14.241	15.224	15.212	12.866	22.39	69.56	0.000	-6.088	0.000	-9.9247	
260	1712.4	14.193	15.198	15.169	12.858	22.26	70.66	0.000	-6.119	0.000	-9.9568	
265	1726.0	14.146	15.173	15.127	12.850	22.13	71.74	0.000	-6.149	0.000	-10.00318	
270	1738.6	14.099	15.148	15.086	12.843	22.01	72.78	0.000	-6.179	0.000	-10.06661	
275	1750.3	14.053	15.123	15.045	12.836	21.89	73.80	0.000	-6.209	0.000	-10.09999	
280	1761.2	14.007	15.099	15.005	12.829	21.76	74.78	0.000	-6.238	0.000	-10.13330	
285	1771.2	13.962	15.075	14.965	12.822	21.64	75.75	0.000	-6.267	0.000	-10.1657	
290	1780.6	13.918	15.052	14.926	12.815	21.52	76.69	0.000	-6.296	0.000	-10.1978	
295	1789.2	13.874	15.029	14.887	12.808	21.40	77.60	0.000	-6.324	0.000	-10.2608	
300	1797.3	13.830	15.006	14.849	12.802	21.29	78.50	0.000	-6.352	0.000	-10.3220	
310	1811.6	13.744	14.961	14.773	12.789	21.06	80.23	0.000	-6.406	0.000	-10.3816	
320	1824.0	13.659	14.917	14.698	12.777	20.83	81.90	0.000	-6.460	0.000	-10.4398	
330	1834.6	13.576	14.874	14.625	12.766	20.61	83.51	0.000	-6.512	0.000	-10.5525	
340	1843.8	13.493	14.832	14.552	12.754	20.39	85.07	0.000	-6.564	0.000	-10.6072	
350	1851.6	13.411	14.790	14.480	12.743	20.18	86.58	0.000	-6.614	0.000	-10.6607	
360	1858.4	13.331	14.749	14.409	12.732	19.98	88.04	0.000	-6.664	0.000	-10.7133	
370	1864.2	13.250	14.708	14.339	12.722	19.78	89.47	0.000	-6.713	0.000	-10.7650	
380	1869.2	13.171	14.668	14.269	12.711	19.59	90.87	0.000	-6.761	0.000	-10.809	
390	1873.5	13.092	14.628	14.200	12.701	19.40	92.23	0.000	-6.809	0.000	-10.855	
400	1877.2	13.014	14.588	14.132	12.690	19.22	93.56	0.000	-6.855	0.000	-10.899	

Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density $m^{-3}$				Molecular weight <i>M</i>	Scale height <i>H<sub>p</sub></i> , km	Pressure <i>P</i> , mb	Log pressure	Density $\rho$ , kg $m^{-3}$	Log density
		log $n(O_2)$	log $n(O)$	log $n(N_2)$	log $n(He)$						
410	1880.4	12.936	14.549	14.063	12.680	19.04	94.87	1.255	1.528	-10.8159	
420	1883.1	12.859	14.510	13.996	12.670	18.87	96.15	1.130	1.362	-10.8659	
430	1885.5	12.782	14.471	13.928	12.661	18.71	97.40	1.019	1.216	-10.9151	
440	1887.5	12.705	14.433	13.861	12.651	18.55	98.64	9.201	1.087	-10.9636	
450	1889.3	12.629	14.395	13.794	12.641	18.39	99.85	8.319	9.741	-11.0114	
460	1890.8	12.553	14.356	13.728	12.631	18.24	101.04	7.531	8.740	-11.0585	
470	1892.1	12.477	14.319	13.662	12.622	18.10	102.22	6.825	7.853	-11.1050	
480	1893.2	12.402	14.281	13.596	12.612	17.96	103.37	6.192	7.066	-11.1508	
490	1894.1	12.327	14.243	13.530	12.603	17.83	104.51	5.624	6.367	-11.1961	
500	1894.9	12.253	14.206	13.465	12.593	17.70	105.63	5.114	5.744	-11.2408	
510	1895.7	12.178	14.169	13.400	12.584	17.57	106.73	4.654	5.189	-11.2849	
520	1896.3	12.104	14.131	13.335	12.575	17.45	107.82	4.240	4.693	-11.3286	
530	1896.8	12.030	14.094	13.270	12.565	17.33	108.90	3.866	4.249	-11.3717	
540	1897.2	11.957	14.058	13.206	12.556	17.22	109.97	3.529	3.852	-11.4144	
550	1897.6	11.883	14.021	13.141	12.547	17.11	111.02	3.223	3.495	-11.4566	
560	1898.0	11.810	13.984	13.077	12.538	17.00	112.07	2.947	3.175	-11.4983	
570	1898.2	11.737	13.948	13.013	12.528	16.89	113.11	2.697	2.886	-11.5396	
580	1898.5	11.664	13.911	12.950	12.519	16.79	114.14	2.469	2.627	-11.5805	
590	1898.7	11.592	13.875	12.886	12.510	16.69	115.17	2.263	2.393	-11.6211	
600	1898.9	11.520	13.839	12.823	12.501	16.60	116.19	2.076	2.182	-11.6612	
610	1899.0	11.448	13.803	12.760	12.492	16.50	117.21	1.905	1.991	-11.7009	
620	1899.2	11.376	13.767	12.697	12.483	16.41	118.23	1.750	1.818	-11.7403	
630	1899.3	11.304	13.731	12.635	12.474	16.31	119.24	1.609	1.662	-11.7794	
640	1899.4	11.233	13.696	12.572	12.465	16.22	120.27	1.480	1.520	-11.8181	
650	1899.5	11.162	13.660	12.510	12.456	16.13	121.29	1.362	1.391	-11.8565	
660	1899.5	11.091	13.625	12.448	12.447	16.04	122.32	1.255	1.275	-11.8946	
670	1899.6	11.020	13.589	12.386	12.439	15.95	123.36	1.157	1.168	-11.9324	
680	1899.7	10.950	13.554	12.324	12.430	15.86	124.41	1.067	1.072	-11.9699	
690	1899.7	10.879	13.519	12.262	12.421	15.77	125.47	9.850	9.837	-12.0071	
700	1899.8	10.809	13.484	12.201	12.412	15.69	126.54	9.098	9.035	-12.0441	
710	1899.8	10.739	13.449	12.140	12.403	15.60	127.63	8.410	8.304	-12.0807	
720	1899.8	10.670	13.414	12.079	12.395	15.51	128.74	7.779	7.636	-12.1171	
730	1899.8	10.600	13.379	12.018	12.386	15.42	129.87	7.200	7.026	-12.1533	
740	1899.9	10.531	13.344	11.957	12.377	15.32	131.02	6.668	6.469	-12.1892	
750	1899.9	10.462	13.310	11.897	12.369	15.23	132.19	6.181	5.959	-12.2248	
760	1899.9	10.393	13.275	11.836	12.360	15.14	133.39	5.732	5.493	-12.2602	
770	1899.9	10.324	13.241	11.776	12.351	15.04	134.61	5.320	5.065	-12.2954	
780	1899.9	10.255	13.207	11.716	12.343	14.94	135.87	4.941	4.674	-12.3303	
790	1899.9	10.187	13.173	11.656	12.334	14.84	137.17	4.592	4.315	-12.3650	
800	1899.9	10.119	13.138	11.597	12.326	14.74	138.49	4.270	3.986	-12.3995	
820	1500.0	9.983	13.071	11.478	12.309	14.53	141.27	3.701	3.406	-12.4678	
840	1500.0	9.848	13.003	11.360	12.292	14.32	144.22	3.217	2.916	-12.5352	
880	1500.0	9.580	12.869	11.125	12.258	13.85	150.74	2.453	2.150	-12.6675	
900	1500.0	9.448	12.803	11.009	12.242	13.60	154.36	2.151	1.852	-12.7323	
920	1500.0	9.316	12.737	10.893	12.225	13.34	158.24	1.893	1.598	-12.7963	
940	1500.0	9.184	12.671	10.779	12.209	13.07	162.42	1.671	1.382	-12.8595	
960	1500.0	9.054	12.606	10.664	12.193	12.79	166.92	1.480	1.198	-12.9217	
980	1500.0	8.924	12.541	10.550	12.176	12.49	171.77	1.315	1.040	-12.9831	
1000	1500.0	8.795	12.476	10.437	12.160	12.19	176.98	1.172	9.047	-13.0435	

## WINTER MODEL, EXOSPHERIC TEMPERATURE = 2100° K

Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density $m^{-3}$					Molecular weight <i>M</i>	Scale height <i>H<sub>p</sub></i> , km	Pressure <i>P</i> , mb	Log pressure	Density $\rho$ , $kg\ m^{-3}$	Log density
		log <i>n</i> (O <sub>2</sub> )	log <i>n</i> (O)	log <i>n</i> (N <sub>2</sub> )	log <i>n</i> (He)	log <i>n</i> (H)						
120	333.1	17.056	16.985	17.764	13.568	27.12	10.81	3.641	-4.439	3.565	-7.4479	
125	429.8	16.738	16.771	17.472	13.473	26.82	14.13	2.433	-4.614	1.826	-7.7385	
130	520.6	16.489	16.605	17.243	13.401	26.55	17.31	1.769	-4.752	1.085	-7.9646	
135	605.1	16.284	16.469	17.055	13.343	26.30	20.34	1.356	-4.868	7.088	-8.1495	
140	685.4	16.108	16.354	16.895	13.294	26.07	23.28	1.078	-4.967	4.931	-8.3071	
145	761.1	15.954	16.255	16.754	13.252	25.86	26.11	8.801	-5.055	3.596	-8.4441	
150	833.4	15.816	16.166	16.629	13.216	25.66	28.86	7.336	-5.135	2.716	-8.5661	
155	902.2	15.692	16.087	16.516	13.183	25.46	31.53	6.216	-5.206	2.110	-8.6758	
160	968.3	15.577	16.014	16.412	13.153	25.27	34.14	5.338	-5.273	1.676	-8.7758	
165	1031.9	15.472	15.947	16.316	13.127	25.09	36.70	4.635	-5.334	1.356	-8.8679	
170	1092.9	15.374	15.886	16.227	13.107	24.92	39.20	4.062	-5.391	1.114	-8.9531	
175	1151.3	15.282	15.829	16.144	13.079	24.75	41.64	3.590	-5.445	9.282	-9.0323	
180	1207.5	15.195	15.775	16.065	13.058	24.59	44.02	3.194	-5.496	7.823	-9.1066	
185	1261.6	15.114	15.725	15.991	13.039	24.43	46.37	2.860	-5.544	6.660	-9.1765	
190	1313.3	15.036	15.677	15.921	13.020	24.28	48.65	2.574	-5.589	5.722	-9.2424	
195	1362.6	14.962	15.632	15.855	13.003	24.13	50.87	2.328	-5.633	4.957	-9.3048	
200	1409.9	14.892	15.590	15.791	12.987	23.98	53.04	2.114	-5.675	4.325	-9.3641	
205	1455.1	14.825	15.549	15.731	12.972	23.83	55.15	1.928	-5.715	3.797	-9.4205	
210	1498.2	14.760	15.511	15.672	12.957	23.69	57.21	1.763	-5.754	3.354	-9.4744	
215	1539.5	14.697	15.473	15.616	12.944	23.55	59.23	1.618	-5.791	2.978	-9.5261	
220	1578.9	14.637	15.438	15.562	12.931	23.42	61.19	1.489	-5.827	2.657	-9.5756	
225	1616.6	14.579	15.404	15.510	12.918	23.28	63.10	1.374	-5.862	2.381	-9.6233	
230	1652.5	14.523	15.371	15.460	12.907	23.15	64.97	1.271	-5.896	2.142	-9.6692	
235	1687.1	14.468	15.339	15.411	12.895	23.02	66.80	1.178	-5.929	1.934	-9.7135	
240	1720.2	14.415	15.308	15.363	12.885	22.90	68.59	1.094	-5.961	1.752	-9.7565	
245	1752.1	14.363	15.278	15.317	12.874	22.77	70.35	1.018	-5.992	1.592	-9.7981	
250	1782.8	14.313	15.249	15.272	12.864	22.65	72.08	9.493	-6.023	1.451	-9.8384	
255	1811.9	14.264	15.221	15.228	12.854	22.53	73.76	8.865	-6.052	1.326	-9.8775	
260	1830.5	14.218	15.196	15.187	12.846	22.41	75.03	8.289	-6.082	1.221	-9.9135	
265	1847.9	14.172	15.171	15.147	12.839	22.29	76.26	7.759	-6.110	1.126	-9.9485	
270	1864.2	14.128	15.147	15.107	12.831	22.18	77.45	7.270	-6.138	1.040	-9.9829	
275	1879.4	14.084	15.123	15.069	12.824	22.06	78.61	6.819	-6.166	9.627	-10.0165	
280	1893.6	14.041	15.100	15.030	12.817	21.95	79.74	6.401	-6.194	8.924	-10.0495	
285	1907.0	13.998	15.077	14.993	12.810	21.83	80.83	6.015	-6.221	8.284	-10.0818	
290	1919.4	13.956	15.055	14.956	12.804	21.72	81.90	5.657	-6.247	7.700	-10.1135	
295	1931.1	13.915	15.033	14.919	12.797	21.61	82.95	5.324	-6.274	7.166	-10.1447	
300	1942.0	13.874	15.011	14.883	12.791	21.50	83.97	5.014	-6.300	6.678	-10.1754	
310	1961.7	13.793	14.969	14.811	12.778	21.29	85.94	4.457	-6.351	5.817	-10.2353	
320	1979.0	13.714	14.927	14.741	12.767	21.08	87.83	3.973	-6.401	5.089	-10.2934	
330	1994.1	13.636	14.886	14.673	12.755	20.87	89.64	3.550	-6.450	4.468	-10.3499	
340	2007.3	13.559	14.847	14.605	12.744	20.67	91.39	3.178	-6.498	3.936	-10.4050	
350	2018.9	13.483	14.807	14.539	12.734	20.47	93.08	2.852	-6.545	3.478	-10.4587	
360	2029.0	13.408	14.769	14.473	12.723	20.28	94.72	2.564	-6.591	3.081	-10.5112	
370	2037.9	13.334	14.731	14.408	12.713	20.09	96.31	2.309	-6.637	2.737	-10.5627	
380	2045.7	13.261	14.694	14.343	12.703	19.91	97.86	2.083	-6.681	2.438	-10.6130	
390	2052.4	13.189	14.657	14.280	12.693	19.73	99.37	1.882	-6.725	2.176	-10.6624	
400	2058.4	13.117	14.620	14.217	12.684	19.55	100.84	1.703	-6.769	1.946	-10.7109	

	$\log n(U_2)$	$\log n(U)$	$\log n(N_2)$	$\log n(\text{He})$	$\log n(\text{H})$	$H_p$ , km							
410	2C63.6	13.045	14.584	14.154	12.674	19.38	102.28	1.544	-7	-6.811	1.744	-11	-10.7585
420	2C68.1	12.974	14.548	14.092	12.665	19.22	103.69	1.401		-6.854	1.566		-10.8053
430	2C72.1	12.904	14.512	14.030	12.656	19.06	105.06	1.273		-6.895	1.408		-10.8514
440	2C75.6	12.834	14.477	13.969	12.646	18.90	106.42	1.158		-6.936	1.268		-10.8967
450	2C78.6	12.764	14.442	13.908	12.637	18.75	107.74	1.055		-6.977	1.144		-10.9414
460	2C81.3	12.695	14.407	13.847	12.628	18.61	109.05	9.617	-8	-7.017	1.034		-10.9854
470	2C83.6	12.626	14.372	13.787	12.620	18.47	110.33	8.779		-7.057	9.358	-12	-11.0288
480	2C85.7	12.558	14.338	13.727	12.611	18.33	111.59	8.023		-7.096	8.480		-11.0716
490	2C87.5	12.490	14.303	13.667	12.602	18.20	112.83	7.339		-7.134	7.694		-11.1138
500	2C89.0	12.422	14.269	13.608	12.593	18.07	114.05	6.720		-7.173	6.990		-11.1555
510	2C90.4	12.354	14.235	13.548	12.585	17.94	115.26	6.158	-8	-7.211	6.358	-12	-11.1967
520	2C91.6	12.287	14.202	13.489	12.576	17.82	116.45	5.649		-7.248	5.789		-11.2374
530	2C92.7	12.220	14.168	13.431	12.568	17.70	117.62	5.187		-7.285	5.277		-11.2776
540	2C93.6	12.153	14.134	13.372	12.559	17.59	118.78	4.766		-7.322	4.816		-11.3173
550	2C94.4	12.086	14.101	13.314	12.551	17.48	119.93	4.383		-7.358	4.399		-11.3566
560	2C95.1	12.020	14.068	13.256	12.543	17.37	121.06	4.034		-7.394	4.023		-11.3955
570	2C95.7	11.954	14.035	13.198	12.534	17.27	122.18	3.715		-7.430	3.682		-11.4339
580	2C96.2	11.888	14.002	13.140	12.526	17.17	123.29	3.425		-7.465	3.373		-11.4720
590	2C96.7	11.823	13.969	13.083	12.518	17.07	124.39	3.159		-7.500	3.093		-11.5097
600	2C97.1	11.757	13.936	13.025	12.509	16.97	125.49	2.916		-7.535	2.838		-11.5470
610	2C97.5	11.692	13.903	12.968	12.501	16.88	126.57	2.694	-8	-7.570	2.607	-12	-11.5839
620	2C97.8	11.627	13.871	12.911	12.493	16.78	127.65	2.490		-7.604	2.396		-11.6205
630	2C98.1	11.562	13.838	12.855	12.485	16.69	128.73	2.303		-7.638	2.204		-11.6568
640	2C98.3	11.497	13.806	12.798	12.477	16.60	129.80	2.132		-7.671	2.029		-11.6928
650	2C98.5	11.433	13.774	12.742	12.469	16.52	130.87	1.974		-7.705	1.869		-11.7284
660	2C98.7	11.369	13.742	12.685	12.461	16.43	131.94	1.829		-7.738	1.723		-11.7638
670	2C98.9	11.305	13.710	12.629	12.453	16.35	133.01	1.696		-7.770	1.589		-11.7988
680	2C99.0	11.241	13.678	12.573	12.445	16.26	134.08	1.574		-7.803	1.467		-11.8336
690	2C99.1	11.177	13.646	12.518	12.437	16.18	135.16	1.461		-7.835	1.355		-11.8681
700	2C99.2	11.114	13.614	12.462	12.429	16.10	136.24	1.358		-7.867	1.255		-11.9023
710	2C99.3	11.050	13.583	12.407	12.421	16.02	137.32	1.262	-8	-7.899	1.158	-12	-11.9363
720	2C99.4	10.987	13.551	12.351	12.413	15.94	138.42	1.174		-7.930	1.072		-11.9700
730	2C99.5	10.924	13.520	12.296	12.405	15.86	139.52	1.092		-7.962	9.920	-13	-12.0035
740	2C99.6	10.862	13.488	12.241	12.397	15.78	140.63	1.017		-7.993	9.189		-12.0367
750	2C99.6	10.799	13.457	12.187	12.389	15.70	141.76	9.473	-9	-8.024	8.517		-12.0697
760	2C99.7	10.737	13.426	12.132	12.382	15.61	142.90	8.830		-8.054	7.898		-12.1025
770	2C99.7	10.674	13.395	12.078	12.374	15.53	144.06	8.236		-8.084	7.328		-12.1350
780	2C99.7	10.612	13.364	12.023	12.366	15.45	145.23	7.686		-8.114	6.802		-12.1674
790	2C99.8	10.551	13.333	11.969	12.358	15.37	146.42	7.176		-8.144	6.317		-12.1995
800	2C99.8	10.489	13.302	11.915	12.351	15.28	147.63	6.704		-8.174	5.870		-12.2314
820	2C99.8	10.366	13.240	11.808	12.335	15.12	150.13	5.862	-9	-8.232	5.075	-13	-12.2946
840	2C99.9	10.244	13.179	11.701	12.320	14.94	152.73	5.136		-8.289	4.395		-12.3570
880	2C99.9	10.002	13.058	11.489	12.290	14.57	158.32	3.971		-8.401	3.315		-12.4795
900	2C99.9	9.882	12.998	11.383	12.275	14.38	161.34	3.504		-8.455	2.886		-12.5397
920	2100.0	9.762	12.938	11.279	12.260	14.18	164.53	3.099		-8.509	2.517		-12.5991
940	2100.0	9.643	12.879	11.175	12.245	13.97	167.91	2.748		-8.561	2.199		-12.6578
960	2100.0	9.525	12.820	11.071	12.230	13.75	171.49	2.442		-8.612	1.924		-12.7158
980	2100.0	9.408	12.761	10.969	12.215	13.53	175.31	2.176		-8.662	1.686		-12.7731
1000	2100.0	9.291	12.703	10.866	12.201	13.29	179.37	1.944		-8.711	1.480		-12.8297

Part 6.2

120 km to 1000 km

Summer Models

TEMPERATURE, PRESSURE, DENSITY, SCALE HEIGHT, MOLECULAR  
WEIGHT, AND NUMBER DENSITIES

Metric Units

## SUMMER MODEL, EXOSPHERIC TEMPERATURE = 600° K

Altitude $Z$ , km	Temp. $T$ , °K	Number density $m^{-3}$						Molecular weight $M$	Scale height $H_p$ , km	Pressure $P$ , mb	Log pressure	Density $\rho$ , $kg\ m^{-3}$	Log density
		$\log n(O_2)$		$\log n(N_2)$		$\log n(H)$							
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(H)$	$\log n(H)$	$\log n(H)$						
120	380.0	16.763	16.810	17.500	13.503	26.77	12.49	2.303	-5	-4.638	1.952	-7.7096	
125	413.0	16.528	16.674	17.290	13.455	26.44	13.77	1.574		-4.803	1.212	-7.9165	
130	441.2	16.315	16.554	17.100	13.415	26.10	14.92	1.111		-4.954	7.905	-8.1021	
135	464.2	16.119	16.445	16.926	13.379	25.76	15.93	8.034	-6	-5.095	5.362	-8.2707	
140	483.9	15.936	16.344	16.763	13.347	25.40	16.87	5.923		-5.227	3.740	-8.4271	
145	499.8	15.762	16.250	16.610	13.319	25.04	17.70	4.436		-5.353	2.673	-8.5730	
150	513.6	15.596	16.161	16.462	13.292	24.67	18.50	3.365		-5.473	1.944	-8.7113	
155	525.1	15.436	16.076	16.321	13.267	24.28	19.24	2.582	-6	-5.588	1.436	-8.8428	
160	535.0	15.281	15.995	16.184	13.244	23.90	19.95	2.000		-5.699	1.075	-8.9687	
165	543.2	15.130	15.916	16.051	13.222	23.50	20.63	1.563		-5.806	8.136	-9.0896	
170	550.2	14.982	15.839	15.921	13.200	23.11	21.28	1.232		-5.910	6.221	-9.2061	
175	556.2	14.837	15.764	15.793	13.180	22.71	21.92	9.771	-7	-6.010	4.799	-9.3189	
180	561.1	14.694	15.691	15.668	13.160	22.32	22.54	7.803		-6.108	3.733	-9.4280	
185	564.8	14.554	15.619	15.545	13.141	21.92	23.13	6.269		-6.203	2.927	-9.5336	
190	568.2	14.415	15.548	15.423	13.123	21.54	23.73	5.064		-6.296	2.309	-9.6367	
195	570.2	14.277	15.479	15.302	13.105	21.16	24.27	4.111		-6.386	1.835	-9.7364	
200	574.1	14.140	15.409	15.181	13.086	20.79	24.91	3.355		-6.474	1.461	-9.8354	
205	577.5	14.003	15.339	15.062	13.068	20.43	25.54	2.752	-7	-6.560	1.171	-9.9315	
210	580.5	13.869	15.271	14.943	13.050	20.08	26.15	2.268		-6.644	9.437	-10.0252	
215	583.0	13.735	15.203	14.826	13.032	19.75	26.75	1.877		-6.726	7.649	-10.1164	
220	585.3	13.602	15.136	14.709	13.015	19.44	27.33	1.560		-6.807	6.232	-10.2054	
225	587.2	13.470	15.069	14.594	12.997	19.13	27.89	1.302		-6.885	5.102	-10.2922	
230	588.9	13.339	15.003	14.479	12.980	18.85	28.44	1.090		-6.963	4.196	-10.3771	
235	590.3	13.208	14.937	14.365	12.963	18.58	28.97	9.158	-8	-7.038	3.466	-10.4601	
240	591.6	13.079	14.872	14.251	12.947	18.32	29.48	7.718		-7.112	2.875	-10.5414	
245	592.7	12.949	14.807	14.138	12.930	18.08	29.98	6.524		-7.186	2.393	-10.6210	
250	593.7	12.821	14.742	14.025	12.914	17.85	30.46	5.529		-7.257	1.999	-10.6991	
255	594.5	12.692	14.677	13.912	12.897	17.63	30.92	4.698	-8	-7.328	1.676	-10.7757	
260	595.2	12.565	14.613	13.800	12.881	17.43	31.37	4.001		-7.398	1.409	-10.8511	
265	595.8	12.437	14.549	13.689	12.865	17.23	31.81	3.415		-7.467	1.188	-10.9251	
270	596.4	12.310	14.486	13.578	12.849	17.05	32.23	2.922		-7.534	1.005	-10.9980	
275	596.9	12.184	14.422	13.467	12.833	16.87	32.64	2.504		-7.601	8.514	-11.0699	
280	597.3	12.057	14.359	13.356	12.817	16.70	33.05	2.151		-7.667	7.233	-11.1407	
285	597.6	11.931	14.296	13.246	12.801	16.54	33.45	1.850		-7.733	6.158	-11.2106	
290	597.9	11.806	14.233	13.136	12.785	16.37	33.85	1.595		-7.797	5.253	-11.2796	
295	598.2	11.680	14.170	13.026	12.769	16.22	34.25	1.377		-7.861	4.490	-11.3478	
300	598.4	11.555	14.107	12.916	12.754	16.06	34.65	1.191		-7.924	3.844	-11.4152	
310	598.8	11.305	13.982	12.698	12.722	15.74	35.47	8.954	-9	-8.048	2.831	-11.5480	
320	599.1	11.057	13.858	12.480	12.691	15.41	36.35	6.778		-8.169	2.097	-11.6783	
330	599.3	10.809	13.734	12.263	12.660	15.06	37.33	5.166		-8.287	1.562	-11.8064	
340	599.5	10.562	13.610	12.047	12.629	14.68	38.43	3.967		-8.402	1.168	-11.9324	
350	599.6	10.316	13.487	11.832	12.598	14.25	39.70	3.071		-8.513	8.779	-12.0566	
360	599.7	10.071	13.365	11.617	12.568	13.78	41.21	2.398		-8.620	6.625	-12.1788	
370	599.8	9.826	13.242	11.403	12.537	13.24	43.00	1.891		-8.723	5.020	-12.2993	
380	599.8	9.583	13.121	11.189	12.506	12.65	45.16	1.507		-8.822	3.821	-12.4178	
390	599.9	9.340	12.999	10.977	12.476	12.00	47.75	1.215		-8.916	2.922	-12.5344	
400	599.9	9.097	12.878	10.765	12.446	11.30	50.87	9.913	-10	-9.004	2.245	-12.6487	

Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density <i>m</i> <sup>-3</sup>					Molecular weight <i>M</i>	Scale height <i>H<sub>p</sub></i> , km	Pressure <i>P</i> , mb	Log pressure	Density <i>ρ</i> , kg <i>m</i> <sup>-3</sup>	Log density
		log <i>n</i> (O <sub>2</sub> )	log <i>n</i> (O)	log <i>n</i> (N <sub>2</sub> )	log <i>n</i> (He)	log <i>n</i> (H)						
410	599.9	8.856	12.757	10.553	12.416	10.55	54.61	8.199	-9.086	1.735	-13	-12.7608
420	599.9	8.615	12.637	10.343	12.385	9.78	59.08	6.874	-9.163	1.348		-12.8702
430	600.0	8.375	12.517	10.132	12.355	9.01	64.38	5.844	-9.233	1.055		-12.9767
440	600.0	8.136	12.397	9.923	12.325	8.24	70.60	5.038	-9.298	8.319	-14	-13.0799
450	600.0	7.897	12.278	9.714	12.296	7.50	77.81	4.402	-9.356	6.614		-13.1795
460	600.0	7.659	12.159	9.506	12.266	6.80	86.07	3.895	-9.409	5.307		-13.2751
470	600.0	7.422	12.040	9.298	12.236	6.15	95.37	3.488	-9.457	4.301		-13.3664
480	600.0	7.186	11.922	9.091	12.207	5.57	105.69	3.157	-9.501	3.523		-13.4530
490	600.0	6.950	11.804	8.884	12.177	5.05	116.93	2.886	-9.540	2.919		-13.5347
500	600.0	6.715	11.686	8.679	12.148	4.59	128.94	2.660	-9.575	2.447		-13.6113
510	600.0	6.480	11.569	8.473	12.118	4.19	141.53	2.470	-9.607	2.077	-14	-13.6826
520	600.0	6.246	11.452	8.269	12.089	3.85	154.50	2.309	-9.637	1.783		-13.7488
530	600.0	6.013	11.336	8.065	12.060	3.56	167.62	2.169	-9.664	1.549		-13.8099
540	600.0	5.781	11.220	7.861	12.031	3.31	180.68	2.048	-9.689	1.361		-13.8662
550	600.0	5.549	11.104	7.658	12.002	3.10	193.50	1.942	-9.712	1.208		-13.9179
560	600.0	5.318	10.988	7.456	11.973	2.92	205.93	1.847	-9.734	1.083		-13.9655
570	600.0	5.088	10.873	7.254	11.944	2.77	217.87	1.762	-9.754	9.791	-15	-14.0092
580	600.0	4.858	10.758	7.053	11.915	2.64	229.26	1.685	-9.773	8.923		-14.0495
590	600.0	4.629	10.644	6.853	11.887	2.53	240.08	1.614	-9.792	8.189		-14.0868
600	600.0	4.400	10.529	6.653	11.858	2.43	250.34	1.550	-9.810	7.561		-14.1214
610	600.0	4.173	10.415	6.453	11.830	2.35	260.07	1.490	-9.827	7.019	-15	-14.1537
620	600.0	3.945	10.302	6.254	11.801	2.28	269.31	1.435	-9.843	6.545		-14.1861
630	600.0	3.719	10.189	6.056	11.773	2.21	278.12	1.384	-9.859	6.128		-14.2127
640	600.0	3.493	10.076	5.858	11.745	2.15	286.56	1.335	-9.874	5.757		-14.2398
650	600.0	3.268	9.963	5.661	11.717	2.10	294.67	1.290	-9.889	5.425		-14.2656
660	600.0	3.043	9.851	5.465	11.688	2.05	302.52	1.248	-9.904	5.125		-14.2903
670	600.0	2.820	9.739	5.269	11.660	2.00	310.14	1.208	-9.918	4.852		-14.3141
680	600.0	2.596	9.627	5.073	11.633	1.96	317.57	1.170	-9.932	4.603		-14.3370
690	600.0	2.374	9.516	4.878	11.605	1.92	324.86	1.134	-9.945	4.374		-14.3591
700	600.0	2.152	9.405	4.684	11.577	1.89	332.04	1.100	-9.959	4.163		-14.3806
710	600.0	1.930	9.294	4.490	11.549	1.85	339.12	1.068	-9.972	3.968	-15	-14.4015
720	600.0	1.710	9.184	4.297	11.522	1.82	346.14	1.037	-9.984	3.786		-14.4218
730	600.0	1.489	9.074	4.104	11.494	1.79	353.10	1.008	-9.997	3.617		-14.4416
740	600.0	1.270	8.964	3.912	11.467	1.76	360.03	9.799	-10.009	3.459	-11	-14.4610
750	600.0	1.051	8.855	3.720	11.439	1.73	366.92	9.533	-10.021	3.311		-14.4800
760	600.0	0.833	8.746	3.529	11.412	1.71	373.80	9.279	-10.033	3.173		-14.4986
770	600.0	0.615	8.637	3.339	11.385	1.68	380.65	9.036	-10.044	3.043		-14.5168
780	600.0	0.398	8.528	3.149	11.358	1.65	387.50	8.804	-10.055	2.920		-14.5346
790	600.0	0.182	8.420	2.959	11.331	1.63	394.33	8.581	-10.066	2.805		-14.5521
800	600.0	-0.034	8.312	2.770	11.304	1.61	401.15	8.368	-10.077	2.696		-14.5692
820	600.0	-0.464	8.097	2.394	11.250	1.56	414.77	7.968	-10.099	2.497	-15	-14.6026
840	600.0	-0.891	7.883	2.020	11.196	1.52	428.32	7.599	-10.119	2.319		-14.6347
880	600.0	-1.739	7.460	1.278	11.090	1.45	455.15	6.941	-10.159	2.015		-14.6956
900	600.0	-2.160	7.249	0.910	11.038	1.42	468.37	6.647	-10.177	1.886		-14.7245
920	600.0	-2.578	7.040	0.544	10.985	1.38	481.42	6.372	-10.196	1.769		-14.7523
940	600.0	-2.994	6.832	0.180	10.933	1.36	494.27	6.116	-10.213	1.663		-14.7792
960	600.0	-3.407	6.626	-0.182	10.882	1.33	506.90	5.877	-10.231	1.566		-14.8051
980	600.0	-3.818	6.420	-0.542	10.830	1.30	519.27	5.652	-10.248	1.479		-14.8302
1000	600.0	-4.227	6.215	-0.901	10.779	1.28	531.38	5.441	-10.264	1.399		-14.8543



## SUMMER MODEL, EXOSPHERIC TEMPERATURE = 700° K

Altitude $Z$ , km	Temp. $T$ , °K	Number density $m^{-3}$					Molecular weight $M$	Scale height $H_p$ , km	Pressure $P$ , mb	Log pressure	Density $\rho$ , $kg\ m^{-3}$	Log density
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(He)$	$\log n(H)$						
120	380.6	16.762	16.809	17.499	13.502	26.77	12.51	2.302 - 5	-4.638	1.947 - 8	-7.7106	
125	429.1	16.515	16.660	17.277	13.446	26.45	14.30	1.585	-4.800	1.175	-7.9299	
130	470.7	16.300	16.532	17.083	13.399	26.13	15.90	1.138	-4.944	7.601 - 9	-8.1191	
135	504.8	16.109	16.421	16.912	13.360	25.81	17.29	8.424 - 6	-5.074	5.181	-8.2856	
140	534.1	15.933	16.321	16.755	13.326	25.49	18.56	6.374	-5.196	3.659	-8.4366	
145	558.0	15.770	16.230	16.611	13.296	25.17	19.66	4.907	-5.309	2.662	-8.5748	
150	578.5	15.617	16.146	16.474	13.269	24.84	20.69	3.830	-5.417	1.978	-8.7037	
155	595.6	15.471	16.067	16.345	13.245	24.51	21.62	3.024 - 6	-5.519	1.497 - 9	-8.8248	
160	610.2	15.331	15.991	16.221	13.222	24.18	22.49	2.410	-5.618	1.149	-8.9397	
165	622.0	15.197	15.920	16.102	13.201	23.85	23.28	1.937	-5.713	8.933 -10	-9.0490	
170	632.3	15.065	15.851	15.987	13.181	23.51	24.04	1.568	-5.805	7.013	-9.1541	
175	641.0	14.938	15.784	15.874	13.162	23.17	24.77	1.278	-5.894	5.555	-9.2553	
180	648.3	14.812	15.719	15.764	13.144	22.83	25.46	1.047	-5.980	4.435	-9.3531	
185	654.1	14.690	15.655	15.656	13.127	22.49	26.11	8.625 - 7	-6.064	3.567	-9.4476	
190	659.0	14.569	15.593	15.549	13.110	22.16	26.75	7.139	-6.146	2.887	-9.5396	
195	662.0	14.450	15.533	15.445	13.094	21.83	27.32	5.933	-6.227	2.353	-9.6284	
200	665.7	14.331	15.472	15.341	13.078	21.50	27.93	4.951	-6.305	1.923	-9.7160	
205	670.3	14.213	15.412	15.237	13.062	21.18	28.60	4.148 - 7	-6.382	1.576 -10	-9.8024	
210	674.3	14.096	15.352	15.134	13.046	20.86	29.24	3.490	-6.457	1.299	-9.8865	
215	677.7	13.980	15.293	15.033	13.030	20.56	29.88	2.947	-6.531	1.075	-9.9686	
220	680.7	13.866	15.235	14.932	13.015	20.26	30.49	2.497	-6.603	8.937 -11	-10.0488	
225	683.3	13.752	15.177	14.832	13.000	19.97	31.09	2.123	-6.673	7.462	-10.1271	
230	685.5	13.639	15.120	14.733	12.985	19.70	31.68	1.810	-6.742	6.255	-10.2038	
235	687.5	13.526	15.063	14.635	12.970	19.43	32.25	1.548	-6.810	5.262	-10.2788	
240	689.2	13.415	15.007	14.537	12.956	19.18	32.81	1.327	-6.877	4.443	-10.3523	
245	690.6	13.304	14.951	14.439	12.942	18.93	33.35	1.141	-6.943	3.763	-10.4244	
250	691.9	13.193	14.895	14.342	12.927	18.70	33.88	9.835 - 8	-7.007	3.198	-10.4952	
255	693.0	13.083	14.840	14.246	12.913	18.48	34.39	8.495 - 8	-7.071	2.725 -11	-10.5646	
260	693.9	12.973	14.784	14.150	12.899	18.27	34.89	7.354	-7.133	2.329	-10.6329	
265	694.7	12.864	14.729	14.054	12.885	18.07	35.37	6.378	-7.195	1.995	-10.7000	
270	695.4	12.755	14.675	13.958	12.871	17.88	35.84	5.542	-7.256	1.714	-10.7660	
275	696.1	12.646	14.620	13.863	12.858	17.70	36.29	4.825	-7.317	1.476	-10.8310	
280	696.6	12.538	14.566	13.768	12.844	17.53	36.73	4.207	-7.376	1.273	-10.8951	
285	697.0	12.429	14.512	13.674	12.830	17.36	37.15	3.675	-7.435	1.101	-10.9582	
290	697.4	12.322	14.458	13.579	12.817	17.21	37.57	3.215	-7.493	9.539 -12	-11.0205	
295	697.8	12.214	14.404	13.485	12.803	17.06	37.97	2.816	-7.550	8.280	-11.0820	
300	698.1	12.107	14.350	13.391	12.790	16.92	38.37	2.470	-7.607	7.200	-11.1427	
310	698.6	11.893	14.243	13.204	12.763	16.65	39.14	1.908 - 8	-7.719	5.470 -12	-11.2620	
320	698.9	11.679	14.136	13.017	12.736	16.39	39.88	1.482	-7.829	4.180	-11.3789	
330	699.2	11.467	14.030	12.831	12.709	16.15	40.62	1.156	-7.937	3.210	-11.4934	
340	699.4	11.255	13.924	12.646	12.683	15.91	41.37	9.056 - 9	-8.043	2.477	-11.6060	
350	699.5	11.045	13.818	12.461	12.656	15.67	42.14	7.127	-8.147	1.920	-11.7168	
360	699.7	10.834	13.713	12.277	12.630	15.42	42.96	5.634	-8.249	1.493	-11.8259	
370	699.7	10.625	13.608	12.094	12.604	15.16	43.84	4.474	-8.349	1.166	-11.9335	
380	699.8	10.416	13.504	11.911	12.578	14.87	44.80	3.570	-8.447	9.128 -13	-12.0396	
390	699.9	10.208	13.400	11.728	12.551	14.57	45.87	2.864	-8.543	7.170	-12.1445	
400	699.9	10.000	13.296	11.547	12.526	14.24	47.08	2.309	-8.637	5.650	-12.2479	

Altitude $Z$ , km	Temp. $T$ , °K	Number density $m^{-3}$					Molecular weight $M$	Scale height $H_p$ , km	Pressure $P$ , mb	Log pressure	Density $\rho$ , kg $m^{-3}$	Log density
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(He)$	$\log n(H)$						
410	699.9	9.793	13.192	11.365	12.500	13.88	48.46	1.873	-9	4.466	-13	
420	699.9	9.587	13.089	11.185	12.474	13.48	50.03	1.528		3.540	-12.4509	
430	700.0	9.381	12.986	11.005	12.448	13.05	51.84	1.256		2.816	-12.5504	
440	700.0	9.176	12.884	10.825	12.422	12.58	53.92	1.039		2.247	-12.6484	
450	700.0	8.971	12.782	10.646	12.397	12.08	56.32	8.668	-10	1.800	-12.7448	
460	700.0	8.767	12.680	10.467	12.371	11.55	59.07	7.288		1.447	-12.8396	
470	700.0	8.564	12.578	10.289	12.346	11.00	62.22	6.179		1.168	-12.9326	
480	700.0	8.361	12.477	10.112	12.320	10.43	65.81	5.285		9.472	-14	
490	700.0	8.159	12.375	9.935	12.295	9.85	69.88	4.560		7.719	-13.1124	
500	700.0	7.957	12.275	9.758	12.270	9.27	74.46	3.969		6.325	-13.1990	
510	700.0	7.756	12.174	9.582	12.245	8.70	79.57	3.486	-10	5.212	-14	
520	700.0	7.556	12.074	9.407	12.220	8.15	85.22	3.087		4.323	-13.3643	
530	700.0	7.356	11.974	9.232	12.195	7.62	91.41	2.756		3.609	-13.4426	
540	700.0	7.157	11.875	9.058	12.170	7.12	98.10	2.480		3.034	-13.5179	
550	700.0	6.958	11.775	8.884	12.145	6.66	105.26	2.247		2.570	-13.5900	
560	700.0	6.760	11.676	8.710	12.120	6.23	112.82	2.050		2.194	-13.6587	
570	700.0	6.563	11.577	8.538	12.096	5.84	120.71	1.882		1.888	-13.7241	
580	700.0	6.366	11.479	8.365	12.071	5.49	128.83	1.737		1.637	-13.7859	
590	700.0	6.170	11.381	8.193	12.046	5.17	137.09	1.611		1.431	-13.8443	
600	700.0	5.974	11.283	8.022	12.022	4.89	145.39	1.501		1.261	-13.8994	
610	700.0	5.779	11.185	7.851	11.997	4.64	153.64	1.404	-10	1.119	-14	
620	700.0	5.584	11.088	7.681	11.973	4.42	161.75	1.318		1.001	-13.9998	
630	700.0	5.390	10.991	7.511	11.949	4.23	169.65	1.240		9.006	-15	
640	700.0	5.196	10.894	7.341	11.925	4.06	177.29	1.171		8.159	-14.0884	
650	700.0	5.003	10.798	7.172	11.900	3.91	184.62	1.108		7.435	-14.1287	
660	700.0	4.811	10.701	7.004	11.876	3.77	191.62	1.051		6.812	-14.1667	
670	700.0	4.619	10.605	6.836	11.852	3.66	198.29	9.980	-11	6.272	-14.2026	
680	700.0	4.428	10.510	6.668	11.828	3.55	204.62	9.497		5.800	-14.2366	
690	700.0	4.237	10.414	6.501	11.805	3.46	210.64	9.051		5.384	-14.2689	
700	700.0	4.046	10.319	6.334	11.781	3.38	216.36	8.636		5.016	-14.2996	
710	700.0	3.857	10.224	6.168	11.757	3.31	221.80	8.251	-11	4.688	-15	
720	700.0	3.667	10.130	6.003	11.733	3.24	227.01	7.891		4.393	-14.3290	
730	700.0	3.479	10.035	5.838	11.710	3.18	231.99	7.555		4.127	-14.3572	
740	700.0	3.291	9.941	5.673	11.686	3.12	236.80	7.239		3.886	-14.3843	
750	700.0	3.103	9.847	5.509	11.663	3.07	241.45	6.943		3.665	-14.4105	
760	700.0	2.916	9.754	5.345	11.639	3.02	245.97	6.664		3.463	-14.4359	
770	700.0	2.729	9.661	5.182	11.616	2.98	250.39	6.401		3.276	-14.4606	
780	700.0	2.543	9.568	5.019	11.593	2.94	254.73	6.152		3.104	-14.4846	
790	700.0	2.358	9.475	4.856	11.570	2.90	259.01	5.917		2.945	-14.5080	
800	700.0	2.173	9.382	4.694	11.546	2.86	263.26	5.695		2.796	-14.5310	
820	700.0	1.804	9.198	4.372	11.500	2.78	271.70	5.285	-11	2.528	-15	
840	700.0	1.438	9.015	4.051	11.455	2.72	280.16	4.915		2.293	-14.5972	
880	700.0	0.711	8.652	3.415	11.364	2.59	297.51	4.279		1.901	-14.6396	
900	700.0	0.351	8.471	3.099	11.319	2.52	306.52	4.005		1.736	-14.7210	
920	700.0	-0.007	8.292	2.786	11.274	2.46	315.79	3.756		1.589	-14.7604	
940	700.0	-0.364	8.114	2.474	11.229	2.40	325.37	3.528		1.457	-14.7988	
960	700.0	-0.718	7.937	2.163	11.185	2.35	335.26	3.321		1.338	-14.8365	
980	700.0	-1.071	7.761	1.855	11.141	2.29	345.48	3.132		1.231	-14.8735	
1000	700.0	-1.421	7.585	1.548	11.097	2.23	356.04	2.958		1.135	-14.9096	
					11.258						-14.9451	

## SUMMER MODEL, EXOSPHERIC TEMPERATURE = 800° K

Altitude $Z$ , km	Temp. $T$ , °K	Number density $m^{-3}$					Molecular weight $M$	Scale height $H_p$ , km	Pressure $P$ , mb	Log pressure	Density $\rho$ , kg $m^{-3}$	Log density
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(He)$	$\log n(H)$						
120	380.1	16.761	16.809	17.498	13.502	26.77	12.50	2.294	-4.639	1.943	-7.7116	
125	443.8	16.502	16.646	17.263	13.437	26.45	14.79	1.589	-4.799	1.139	-7.9433	
130	498.7	16.284	16.511	17.067	13.384	26.15	16.84	1.159	-4.936	7.306	-8.1363	
135	544.3	16.096	16.398	16.897	13.342	25.85	18.62	8.739	-5.059	4.992	-8.3017	
140	583.5	15.926	16.298	16.745	13.306	25.56	20.22	6.755	-5.170	3.559	-8.4486	
145	615.7	15.772	16.210	16.607	13.275	25.27	21.61	5.319	-5.274	2.626	-8.5807	
150	643.4	15.629	16.128	16.479	13.248	24.98	22.88	4.249	-5.372	1.984	-8.7024	
155	666.1	15.494	16.054	16.359	13.223	24.69	24.00	3.433	-5.464	1.531	-8.8151	
160	685.6	15.366	15.983	16.246	13.201	24.40	25.03	2.799	-5.553	1.198	-8.9214	
165	701.7	15.244	15.917	16.137	13.181	24.11	25.97	2.301	-5.638	9.510	-9.0218	
170	715.6	15.126	15.854	16.033	13.162	23.82	26.85	1.904	-5.720	7.624	-9.1178	
175	727.2	15.011	15.793	15.932	13.144	23.53	27.67	1.585	-5.800	6.168	-9.2098	
180	737.0	14.899	15.734	15.833	13.127	23.23	28.44	1.326	-5.877	5.029	-9.2985	
185	744.9	14.790	15.677	15.737	13.111	22.94	29.15	1.115	-5.953	4.130	-9.3840	
190	751.6	14.683	15.622	15.643	13.096	22.65	29.84	9.411	-6.026	3.411	-9.4671	
195	757.1	14.578	15.567	15.550	13.081	22.36	30.50	7.974	-6.098	2.832	-9.5479	
200	761.5	14.473	15.514	15.458	13.067	22.07	31.13	6.780	-6.169	2.363	-9.6265	
205	765.0	14.371	15.462	15.368	13.053	21.78	31.73	5.783	-6.238	1.980	-9.7033	
210	767.6	14.269	15.410	15.279	13.040	21.50	32.30	4.946	-6.306	1.666	-9.7783	
215	772.0	14.167	15.358	15.189	13.026	21.22	32.97	4.244	-6.372	1.403	-9.8530	
220	775.8	14.066	15.306	15.100	13.012	20.95	33.61	3.652	-6.437	1.186	-9.9259	
225	779.0	13.965	15.255	15.012	12.998	20.68	34.24	3.151	-6.501	1.006	-9.9973	
230	781.9	13.866	15.205	14.925	12.985	20.42	34.86	2.727	-6.564	8.565	-10.0673	
235	784.3	13.767	15.154	14.838	12.972	20.17	35.46	2.365	-6.626	7.314	-10.1358	
240	786.5	13.669	15.105	14.752	12.959	19.92	36.05	2.057	-6.687	6.265	-10.2031	
245	788.3	13.571	15.056	14.667	12.947	19.68	36.62	1.792	-6.747	5.382	-10.2690	
250	789.9	13.474	15.007	14.582	12.934	19.45	37.19	1.565	-6.805	4.636	-10.3339	
255	791.2	13.378	14.958	14.497	12.922	19.23	37.74	1.370	-6.863	4.004	-10.3975	
260	792.4	13.281	14.909	14.413	12.909	19.02	38.28	1.201	-6.921	3.466	-10.4602	
265	793.5	13.186	14.861	14.329	12.897	18.81	38.80	1.055	-6.977	3.008	-10.5218	
270	794.3	13.090	14.813	14.245	12.885	18.62	39.32	9.280	-7.032	2.616	-10.5824	
275	795.1	12.995	14.765	14.161	12.873	18.43	39.82	8.178	-7.087	2.280	-10.6421	
280	795.8	12.900	14.718	14.078	12.861	18.25	40.31	7.219	-7.142	1.991	-10.7010	
285	796.3	12.805	14.670	13.995	12.849	18.07	40.78	6.381	-7.195	1.742	-10.7590	
290	796.8	12.711	14.623	13.913	12.837	17.91	41.25	5.649	-7.248	1.527	-10.8162	
295	797.3	12.616	14.576	13.830	12.825	17.75	41.70	5.007	-7.300	1.341	-10.8726	
300	797.6	12.522	14.528	13.748	12.813	17.60	42.14	4.444	-7.352	1.179	-10.9284	
310	798.2	12.335	14.435	13.584	12.789	17.31	42.99	3.514	-7.454	9.167	-11.0378	
320	798.7	12.148	14.341	13.420	12.766	17.05	43.81	2.791	-7.554	7.167	-11.1447	
330	799.0	11.963	14.248	13.258	12.743	16.81	44.59	2.226	-7.653	5.632	-11.2493	
340	799.3	11.777	14.156	13.095	12.719	16.58	45.35	1.782	-7.749	4.447	-11.3520	
350	799.4	11.593	14.063	12.934	12.696	16.37	46.10	1.432	-7.844	3.526	-11.4527	
360	799.6	11.409	13.971	12.773	12.673	16.16	46.84	1.155	-7.938	2.807	-11.5518	
370	799.7	11.225	13.879	12.612	12.650	15.95	47.59	9.344	-8.029	2.242	-11.6494	
380	799.8	11.043	13.788	12.452	12.627	15.75	48.36	7.586	-8.120	1.796	-11.7456	
390	799.8	10.860	13.697	12.293	12.604	15.54	49.16	6.179	-8.209	1.444	-11.8405	
400	799.9	10.679	13.606	12.134	12.582	15.33	50.00	5.050	-8.297	1.164	-11.9341	

Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density $m^{-3}$				Molecular weight <i>M</i>	Scale height <i>H<sub>p</sub></i> , km	Pressure <i>P</i> , mb	Log pressure	Density $\rho$ , $kg\ m^{-3}$	Log density
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(H)$						
410	799.9	10.498	13.515	11.975	12.559	15.10	50.89	4.142	9.404	-12.0267	
420	799.9	10.317	13.425	11.817	12.536	14.86	51.87	3.409	7.618	-12.1182	
430	799.9	10.137	13.335	11.659	12.514	14.61	52.93	2.817	6.186	-12.2086	
440	800.0	9.957	13.245	11.502	12.491	14.33	54.10	2.337	5.035	-12.2980	
450	800.0	9.778	13.156	11.346	12.469	14.04	55.40	1.946	4.108	-12.3864	
460	800.0	9.600	13.067	11.189	12.447	13.72	56.85	1.629	3.359	-12.4737	
470	800.0	9.422	12.978	11.034	12.424	13.38	58.48	1.369	2.754	-12.5600	
480	800.0	9.245	12.889	10.878	12.402	13.01	60.30	1.157	2.263	-12.6452	
490	800.0	9.068	12.801	10.723	12.380	12.62	62.34	0.908	1.865	-12.7293	
500	800.0	8.892	12.712	10.569	12.358	12.21	64.63	0.706	1.541	-12.8121	
510	800.0	8.716	12.624	10.415	12.336	11.78	67.19	0.542	1.277	-12.8937	
520	800.0	8.540	12.537	10.262	12.314	11.33	70.05	0.422	1.062	-12.9738	
530	800.0	8.366	12.449	10.109	12.292	10.87	73.24	0.324	0.860	-13.0525	
540	800.0	8.191	12.362	9.956	12.271	10.40	76.77	0.245	0.719	-13.1297	
550	800.0	8.017	12.275	9.804	12.249	9.93	80.66	0.188	0.623	-13.2051	
560	800.0	7.844	12.189	9.652	12.227	9.46	84.93	0.141	0.526	-13.2787	
570	800.0	7.671	12.102	9.501	12.205	8.99	89.57	0.103	0.446	-13.3504	
580	800.0	7.499	12.016	9.350	12.184	8.54	94.60	0.076	0.382	-13.4200	
590	800.0	7.327	11.930	9.199	12.162	8.10	99.99	0.055	0.325	-13.4875	
600	800.0	7.156	11.845	9.049	12.141	7.68	105.73	0.041	0.280	-13.5527	
610	800.0	6.985	11.759	8.900	12.120	7.29	111.78	0.031	0.242	-13.6156	
620	800.0	6.815	11.674	8.751	12.098	6.92	118.10	0.023	0.208	-13.6761	
630	800.0	6.645	11.589	8.602	12.077	6.57	124.65	0.017	0.178	-13.7341	
640	800.0	6.475	11.504	8.454	12.056	6.26	131.37	0.012	0.152	-13.7895	
650	800.0	6.307	11.420	8.306	12.035	5.96	138.19	0.008	0.130	-13.8425	
660	800.0	6.138	11.336	8.159	12.014	5.70	145.05	0.006	0.111	-13.8930	
670	800.0	5.970	11.252	8.012	11.993	5.46	151.89	0.004	0.095	-13.9410	
680	800.0	5.803	11.168	7.865	11.972	5.24	158.64	0.003	0.081	-13.9857	
690	800.0	5.636	11.085	7.719	11.951	5.04	165.27	0.002	0.070	-14.0300	
700	800.0	5.469	11.001	7.573	11.930	4.87	171.71	0.001	0.060	-14.0712	
710	800.0	5.303	10.918	7.428	11.909	4.71	177.93	0.001	0.052	-14.1102	
720	800.0	5.138	10.836	7.283	11.889	4.57	183.90	0.001	0.045	-14.1473	
730	800.0	4.973	10.753	7.138	11.868	4.45	189.59	0.001	0.039	-14.1826	
740	800.0	4.808	10.671	6.994	11.847	4.33	195.01	0.001	0.034	-14.2162	
750	800.0	4.644	10.589	6.850	11.827	4.24	200.14	0.001	0.029	-14.2482	
760	800.0	4.480	10.507	6.707	11.806	4.15	204.99	0.001	0.025	-14.2789	
770	800.0	4.317	10.425	6.564	11.786	4.07	209.57	0.001	0.022	-14.3082	
780	800.0	4.154	10.344	6.422	11.766	4.00	213.88	0.001	0.019	-14.3363	
790	800.0	3.992	10.263	6.280	11.745	3.93	217.95	0.001	0.017	-14.3634	
800	800.0	3.830	10.182	6.138	11.725	3.88	221.78	0.001	0.015	-14.3895	
820	800.0	3.508	10.020	5.856	11.685	3.78	228.86	0.001	0.013	-14.4393	
840	800.0	3.187	9.860	5.575	11.645	3.70	235.25	0.001	0.011	-14.4862	
860	800.0	2.866	9.704	5.294	11.605	3.66	241.94	0.001	0.009	-14.5319	
880	800.0	2.545	9.548	5.013	11.565	3.61	248.93	0.001	0.008	-14.5764	
900	800.0	2.224	9.392	4.732	11.526	3.57	256.22	0.001	0.007	-14.6198	
920	800.0	1.903	9.236	4.451	11.487	3.53	263.81	0.001	0.006	-14.6621	
940	800.0	1.582	9.080	4.170	11.448	3.49	271.70	0.001	0.005	-14.7033	
960	800.0	1.261	8.924	3.889	11.409	3.46	279.89	0.001	0.004	-14.7435	
980	800.0	0.940	8.768	3.608	11.370	3.43	288.38	0.001	0.003	-14.7827	
1000	800.0	0.619	8.612	3.327	11.332	3.40	297.17	0.001	0.002	-14.8209	

SUMMER MODEL, EXOSPHERIC TEMPERATURE = 900° K

Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density m <sup>-3</sup>				Molecular weight <i>M</i>	Scale height <i>H<sub>p</sub></i> , km	Pressure <i>P</i> , mb	Log pressure	Density $\rho$ , kg m <sup>-3</sup>	Log density
		log <i>n</i> (O <sub>2</sub> )	log <i>n</i> (O)	log <i>n</i> (N <sub>2</sub> )	log <i>n</i> (H)						
120	379.6	16.760	16.809	17.498	13.503	26.76	12.48	2.287 - 5	1.939 - 8	-7.7123	
125	457.3	16.490	16.633	17.252	13.429	26.45	15.24	1.593	7.052 - 9	-7.9552	
130	524.8	16.270	16.494	17.051	13.372	26.16	17.71	1.176	3.467	-8.1517	
135	581.4	16.084	16.378	16.897	13.326	25.88	19.86	9.014 - 6	3.467	-8.4601	
140	630.1	15.919	16.278	16.734	13.289	25.62	21.78	7.090	2.586	-8.5874	
145	670.4	15.772	16.191	16.602	13.257	25.35	23.45	5.684	1.979	-8.7035	
150	705.1	15.636	16.112	16.480	13.229	25.09	24.96	4.624			
155	733.6	15.510	16.041	16.368	13.205	24.83	26.28	3.804 - 6	1.549 - 9	-8.8100	
160	758.2	15.391	15.974	16.262	13.183	24.58	27.49	3.159	1.232	-8.9096	
165	778.4	15.278	15.912	16.167	13.163	24.32	28.58	2.643	9.927 - 10	-9.0032	
170	796.4	15.170	15.853	16.065	13.144	24.06	29.59	2.226	8.087	-9.0922	
175	810.9	15.065	15.797	15.973	13.128	23.80	30.50	1.884	6.652	-9.1770	
180	823.3	14.964	15.743	15.883	13.112	23.54	31.35	1.603	5.514	-9.2586	
185	833.7	14.865	15.690	15.796	13.096	23.28	32.15	1.370	4.601	-9.3372	
190	842.5	14.768	15.640	15.711	13.082	23.03	32.90	1.174	3.861	-9.4134	
195	849.7	14.673	15.590	15.627	13.068	22.77	33.61	1.011	3.257	-9.4872	
200	855.7	14.580	15.542	15.545	13.055	22.51	34.29	8.721 - 7	2.760	-9.5592	
205	860.7	14.488	15.495	15.464	13.042	22.26	34.94	7.548 - 7	2.348 - 10	-9.6294	
210	864.6	14.396	15.448	15.384	13.030	22.00	35.55	6.550	2.005	-9.6979	
215	867.5	14.306	15.402	15.305	13.018	21.75	36.14	5.697	1.718	-9.7650	
220	869.5	14.217	15.357	15.227	13.006	21.50	36.70	4.966	1.477	-9.8306	
225	873.6	14.127	15.311	15.148	12.994	21.26	37.36	4.339	1.270	-9.8963	
230	877.2	14.038	15.266	15.070	12.982	21.01	38.00	3.800	1.095	-9.9607	
235	880.2	13.950	15.221	14.992	12.970	20.78	38.62	3.335	9.467 - 11	-10.0238	
240	882.9	13.862	15.177	14.915	12.959	20.54	39.24	2.933	8.208	-10.0857	
245	885.2	13.775	15.132	14.839	12.947	20.32	39.84	2.585	7.135	-10.1466	
250	887.2	13.688	15.089	14.763	12.936	20.10	40.43	2.282	6.217	-10.2064	
255	888.9	13.602	15.045	14.687	12.925	19.88	41.01	2.018 - 7	5.429 - 11	-10.2653	
260	890.4	13.516	15.002	14.612	12.914	19.67	41.58	1.788	4.751	-10.3232	
265	891.7	13.431	14.959	14.537	12.903	19.47	42.13	1.587	4.167	-10.3802	
270	892.8	13.346	14.916	14.463	12.892	19.27	42.68	1.410	3.661	-10.4364	
275	893.8	13.261	14.873	14.388	12.881	19.08	43.22	1.255	3.223	-10.4917	
280	894.6	13.176	14.831	14.314	12.870	18.90	43.75	1.119	2.843	-10.5462	
285	895.3	13.092	14.789	14.240	12.859	18.72	44.26	9.987 - 8	2.512	-10.6000	
290	896.0	13.008	14.746	14.167	12.849	18.55	44.77	8.926	2.223	-10.6531	
295	896.5	12.924	14.704	14.093	12.838	18.38	45.27	7.988	1.970	-10.7055	
300	897.0	12.841	14.662	14.020	12.828	18.23	45.76	7.157	1.749	-10.7572	
310	897.7	12.674	14.579	13.874	12.807	17.93	46.70	5.765 - 8	1.385 - 11	-10.8587	
320	898.3	12.508	14.496	13.729	12.786	17.65	47.61	4.663	1.102	-10.9578	
330	898.7	12.343	14.413	13.584	12.765	17.39	48.48	3.787	8.815 - 12	-11.0548	
340	899.0	12.178	14.331	13.440	12.744	17.15	49.31	3.087	7.083	-11.1498	
350	899.3	12.014	14.248	13.296	12.724	16.93	50.13	2.524	5.716	-11.2429	
360	899.5	11.850	14.167	13.153	12.703	16.72	50.91	2.071	4.631	-11.3343	
370	899.6	11.687	14.085	13.010	12.683	16.52	51.69	1.704	3.765	-11.4242	
380	899.7	11.525	14.004	12.868	12.662	16.33	52.45	1.406	3.071	-11.5127	
390	899.8	11.363	13.923	12.726	12.642	16.15	53.21	1.164	2.512	-11.5999	
400	899.8	11.201	13.842	12.585	12.622	15.97	53.98	9.657 - 9	2.061	-11.6859	

Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density <i>m</i> <sup>-3</sup>				Molecular weight <i>M</i>	Scale height <i>H<sub>p</sub></i> , km	Pressure <i>P</i> , mb	Log pressure	Density <i>ρ</i> , kg <i>m</i> <sup>-3</sup>	Log density
		log <i>n</i> (O <sub>2</sub> )	log <i>n</i> (O)	log <i>n</i> (N <sub>2</sub> )	log <i>n</i> (He)						
410	899.9	11.040	13.761	12.444	12.602	15.79	54.76	8.035	1.695	-11.7707	
420	899.7	10.880	13.681	12.303	12.582	15.60	55.57	-8.174	1.398	-11.8545	
430	899.9	10.720	13.601	12.163	12.562	15.42	56.41	-8.251	1.155	-11.9374	
440	899.9	10.560	13.521	12.023	12.542	15.22	57.30	-8.328	9.566	-12.0193	
450	900.0	10.401	13.442	11.884	12.522	15.02	58.24	-8.403	7.939	-12.1003	
460	900.0	10.242	13.363	11.745	12.502	14.81	59.25	-8.477	6.601	-12.1804	
470	900.0	10.084	13.283	11.607	12.482	14.58	60.35	-8.549	5.499	-12.2597	
480	900.0	9.927	13.205	11.469	12.462	14.34	61.54	-8.621	4.590	-12.3382	
490	900.0	9.769	13.126	11.331	12.443	14.09	62.84	-8.691	3.838	-12.4159	
500	900.0	9.613	13.048	11.194	12.423	13.81	64.27	-8.759	3.216	-12.4927	
510	900.0	9.456	12.969	11.057	12.403	13.52	65.84	-8.826	2.700	-12.5687	
520	900.0	9.300	12.892	10.920	12.384	13.22	67.57	-8.891	2.271	-12.6438	
530	900.0	9.145	12.814	10.784	12.365	12.89	69.48	-8.954	1.914	-12.7180	
540	900.0	8.990	12.736	10.649	12.345	12.55	71.58	-9.016	1.617	-12.7913	
550	900.0	8.836	12.659	10.514	12.326	12.19	73.90	-9.076	1.369	-12.8637	
560	900.0	8.682	12.582	10.379	12.307	11.82	76.45	-9.133	1.162	-12.9349	
570	900.0	8.528	12.505	10.244	12.287	11.43	79.26	-9.189	9.883	-13.0051	
580	900.0	8.375	12.429	10.110	12.268	11.04	82.33	-9.243	8.430	-13.0742	
590	900.0	8.222	12.352	9.976	12.249	10.63	85.69	-9.295	7.211	-13.1420	
600	900.0	8.070	12.276	9.843	12.230	10.23	89.34	-9.344	6.187	-13.2085	
610	900.0	7.918	12.200	9.710	12.211	9.82	93.29	-9.392	5.325	-13.2736	
620	900.0	7.767	12.125	9.578	12.192	9.42	97.55	-9.437	4.599	-13.3373	
630	900.0	7.616	12.049	9.445	12.173	9.03	102.13	-9.481	3.986	-13.3995	
640	900.0	7.465	11.974	9.314	12.154	8.64	107.01	-9.522	3.467	-13.4601	
650	900.0	7.315	11.899	9.182	12.136	8.26	112.18	-9.562	3.027	-13.5190	
660	900.0	7.165	11.824	9.051	12.117	7.90	117.63	-9.600	2.654	-13.5762	
670	900.0	7.016	11.749	8.921	12.098	7.56	123.33	-9.636	2.336	-13.6315	
680	900.0	6.867	11.675	8.790	12.080	7.23	129.25	-9.670	2.065	-13.6851	
690	900.0	6.719	11.601	8.660	12.061	6.93	135.36	-9.703	1.833	-13.7367	
700	900.0	6.571	11.527	8.531	12.043	6.64	141.61	-9.735	1.635	-13.7865	
710	900.0	6.423	11.453	8.402	12.024	6.37	147.97	-9.765	1.464	-13.8343	
720	900.0	6.276	11.379	8.273	12.006	6.13	154.38	-9.793	1.317	-13.8803	
730	900.0	6.129	11.306	8.144	11.987	5.90	160.81	-9.821	1.190	-13.9243	
740	900.0	5.983	11.233	8.016	11.969	5.69	167.20	-9.847	1.080	-13.9665	
750	900.0	5.837	11.160	7.888	11.951	5.50	173.51	-9.873	9.844	-14.0068	
760	900.0	5.691	11.087	7.761	11.933	5.32	179.70	-9.897	9.007	-14.0454	
770	900.0	5.546	11.014	7.634	11.914	5.16	185.74	-9.921	8.273	-14.0823	
780	900.0	5.402	10.942	7.507	11.896	5.02	191.59	-9.944	7.628	-14.1176	
790	900.0	5.257	10.870	7.381	11.878	4.89	197.23	-9.967	7.058	-14.1513	
800	900.0	5.113	10.798	7.255	11.860	4.77	202.65	-9.988	6.552	-14.1836	
820	900.0	4.827	10.655	7.004	11.824	4.57	212.75	-10.030	5.700	-14.2441	
840	900.0	4.542	10.512	6.755	11.789	4.41	221.86	-10.070	5.013	-14.2999	
880	900.0	3.977	10.230	6.260	11.718	4.17	237.22	-10.146	3.983	-14.3997	
900	900.0	3.696	10.090	6.014	11.683	4.08	243.65	-10.182	3.589	-14.4451	
920	900.0	3.418	9.950	5.770	11.648	4.01	249.39	-10.217	3.251	-14.4880	
940	900.0	3.141	9.812	5.528	11.613	3.95	254.55	-10.252	2.958	-14.5290	
960	900.0	2.865	9.674	5.286	11.579	3.90	259.23	-10.285	2.702	-14.5684	
980	900.0	2.591	9.537	5.046	11.545	3.86	263.54	-10.319	2.475	-14.6064	
1000	900.0	2.318	9.400	4.808	11.511	3.82	267.55	-10.351	2.274	-14.6433	

## SUMMER MODEL, EXOSPHERIC TEMPERATURE = 1000° K

Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density $m^{-3}$					Molecular weight <i>M</i>	Scale height <i>H<sub>p</sub></i> , km	Pressure <i>P</i> , mb	Log pressure	Density $\rho$ , $kg\ m^{-3}$	Log density
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(He)$	$\log n(H)$						
120	379.3	16.759	16.808	17.497	13.503	26.76	12.47	2.282	-4.642	1.936	-7.7130	
125	469.2	16.480	16.623	17.241	13.422	26.45	15.63	1.597	-4.797	1.083	-7.9653	
130	547.8	16.258	16.478	17.039	13.361	26.17	18.48	1.191	-4.924	6.845	-8.1646	
135	614.2	16.073	16.361	16.870	13.313	25.91	20.96	9.243	-5.034	4.690	-8.3288	
140	671.9	15.912	16.261	16.725	13.274	25.66	23.19	7.370	-5.133	3.385	-8.4704	
145	720.2	15.770	16.174	16.596	13.241	25.42	25.13	5.993	-5.222	2.544	-8.5945	
150	761.9	15.640	16.097	16.479	13.213	25.18	26.88	4.945	-5.306	1.965	-8.7065	
155	796.6	15.520	16.028	16.372	13.188	24.94	28.41	4.127	-5.384	1.554	-8.8085	
160	826.6	15.408	15.964	16.272	13.166	24.71	29.81	3.476	-5.459	1.250	-8.9032	
165	851.4	15.302	15.904	16.178	13.147	24.48	31.04	2.949	-5.530	1.020	-8.9915	
170	872.9	15.201	15.848	16.088	13.129	24.25	32.18	2.518	-5.599	8.411	-9.0751	
175	890.8	15.104	15.796	16.002	13.112	24.01	33.21	2.161	-5.665	7.006	-9.1545	
180	906.3	15.010	15.745	15.919	13.097	23.78	34.16	1.863	-5.730	5.879	-9.2307	
185	919.1	14.919	15.696	15.838	13.082	23.55	35.04	1.612	-5.793	4.969	-9.3038	
190	930.1	14.831	15.649	15.760	13.069	23.32	35.87	1.400	-5.854	4.222	-9.3744	
195	939.2	14.744	15.604	15.684	13.056	23.09	36.63	1.220	-5.914	3.607	-9.4429	
200	947.1	14.658	15.559	15.608	13.043	22.86	37.37	1.066	-5.972	3.093	-9.5096	
205	953.7	14.574	15.516	15.534	13.031	22.63	38.07	9.333	-6.030	2.664	-9.5745	
210	959.1	14.492	15.473	15.462	13.020	22.40	38.74	8.194	-6.086	2.302	-9.6379	
215	963.3	14.410	15.431	15.390	13.008	22.17	39.37	7.209	-6.142	1.996	-9.6998	
220	966.2	14.329	15.390	15.319	12.998	21.95	39.95	6.355	-6.197	1.736	-9.7604	
225	968.8	14.249	15.350	15.249	12.987	21.72	40.54	5.613	-6.251	1.514	-9.8200	
230	970.7	14.169	15.309	15.179	12.977	21.50	41.10	4.966	-6.304	1.323	-9.8785	
235	974.5	14.089	15.269	15.108	12.966	21.28	41.75	4.401	-6.356	1.156	-9.9371	
240	977.9	14.010	15.228	15.039	12.955	21.06	42.39	3.908	-6.408	1.012	-9.9946	
245	980.8	13.931	15.188	14.969	12.945	20.85	43.01	3.476	-6.459	8.888	-10.0512	
250	983.3	13.852	15.148	14.901	12.934	20.64	43.63	3.097	-6.509	7.820	-10.1068	
255	985.5	13.774	15.109	14.837	12.924	20.44	44.23	2.764	-6.558	6.894	-10.1615	
260	987.4	13.697	15.069	14.764	12.914	20.24	44.82	2.470	-6.607	6.089	-10.2154	
265	989.0	13.620	15.030	14.696	12.904	20.04	45.41	2.211	-6.655	5.389	-10.2685	
270	990.5	13.543	14.992	14.629	12.894	19.85	45.98	1.982	-6.703	4.777	-10.3208	
275	991.7	13.466	14.953	14.562	12.884	19.66	46.55	1.779	-6.750	4.242	-10.3724	
280	992.8	13.390	14.915	14.495	12.874	19.48	47.10	1.599	-6.796	3.773	-10.4233	
285	993.8	13.314	14.877	14.429	12.865	19.30	47.65	1.439	-6.842	3.361	-10.4735	
290	994.6	13.238	14.838	14.362	12.855	19.13	48.19	1.296	-6.887	2.999	-10.5231	
295	995.3	13.162	14.801	14.296	12.845	18.96	48.72	1.169	-6.932	2.679	-10.5720	
300	995.9	13.087	14.763	14.230	12.836	18.80	49.25	1.056	-6.976	2.397	-10.6203	
310	996.9	12.937	14.687	14.098	12.817	18.49	50.27	8.635	-7.064	1.927	-10.7152	
320	997.7	12.787	14.612	13.967	12.798	18.21	51.25	7.091	-7.149	1.556	-10.8079	
330	998.2	12.638	14.538	13.837	12.779	17.94	52.21	5.844	-7.233	1.263	-10.8985	
340	998.7	12.490	14.464	13.707	12.760	17.69	53.13	4.834	-7.316	1.030	-10.9873	
350	999.0	12.342	14.390	13.578	12.742	17.45	54.02	4.011	-7.397	8.428	-11.0743	
360	999.2	12.195	14.316	13.449	12.723	17.23	54.88	3.338	-7.477	6.924	-11.1596	
370	999.4	12.048	14.243	13.320	12.705	17.03	55.72	2.786	-7.555	5.709	-11.2435	
380	999.6	11.902	14.169	13.192	12.687	16.83	56.54	2.331	-7.632	4.722	-11.3259	
390	999.7	11.756	14.096	13.064	12.668	16.65	57.34	1.956	-7.709	3.918	-11.4070	
400	999.8	11.611	14.024	12.937	12.650	16.47	58.13	1.645	-7.784	3.259	-11.4869	

Altitude $Z$ , km	Temp. $T$ , °K	Number density $m^{-3}$				Molecular weight $M$	Scale height $H_p$ , km	Pressure $P$ , mb	Log pressure	Density $\rho$ , $kg\ m^{-3}$	Log density
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(He)$						
410	599.8	11.466	13.951	12.810	12.632	16.30	58.92	1.386	2.719	-11.5656	
420	599.9	11.321	13.879	12.684	12.614	16.14	59.71	1.171	2.273	-11.6433	
430	599.9	11.177	13.807	12.558	12.596	15.97	60.50	9.917	1.905	-11.7200	
440	599.9	11.034	13.735	12.432	12.578	15.81	61.31	8.416	1.600	-11.7958	
450	599.9	10.890	13.664	12.307	12.560	15.64	62.13	7.157	1.347	-11.8707	
460	1000.0	10.748	13.592	12.182	12.542	15.48	62.99	6.100	1.135	-11.9448	
470	1000.0	10.605	13.521	12.057	12.524	15.31	63.89	5.210	9.591	-12.0181	
480	1000.0	10.463	13.450	11.933	12.507	15.13	64.83	4.460	8.115	-12.0907	
490	1000.0	10.322	13.379	11.809	12.489	14.94	65.83	3.827	6.878	-12.1626	
500	1000.0	10.181	13.309	11.685	12.471	14.75	66.89	3.292	5.839	-12.2337	
510	1000.0	10.040	13.238	11.562	12.454	14.54	68.03	2.838	4.964	-12.3042	
520	1000.0	9.900	13.168	11.439	12.436	14.33	69.25	2.453	4.227	-12.3739	
530	1000.0	9.760	13.098	11.317	12.419	14.10	70.58	2.126	3.606	-12.4430	
540	1000.0	9.620	13.029	11.195	12.401	13.86	72.01	1.848	3.080	-12.5114	
550	1000.0	9.481	12.959	11.073	12.384	13.60	73.57	1.611	2.635	-12.5791	
560	1000.0	9.343	12.890	10.952	12.367	13.34	75.27	1.408	2.259	-12.6462	
570	1000.0	9.205	12.821	10.831	12.349	13.05	77.12	1.235	1.939	-12.7124	
580	1000.0	9.067	12.752	10.710	12.332	12.76	79.13	1.087	1.667	-12.7780	
590	1000.0	8.929	12.683	10.590	12.315	12.45	81.32	9.592	1.436	-12.8427	
600	1000.0	8.792	12.614	10.470	12.298	12.13	83.71	8.496	1.240	-12.9057	
610	1000.0	8.656	12.546	10.350	12.281	11.80	86.30	7.553	1.072	-12.9698	
620	1000.0	8.519	12.478	10.231	12.264	11.46	89.11	6.739	9.289	-13.0320	
630	1000.0	8.383	12.410	10.112	12.247	11.11	92.16	6.035	8.067	-13.0933	
640	1000.0	8.248	12.342	9.993	12.230	10.76	95.45	5.424	7.021	-13.1536	
650	1000.0	8.113	12.275	9.875	12.213	10.41	99.00	4.894	6.125	-13.2129	
660	1000.0	7.978	12.207	9.757	12.196	10.05	102.80	4.432	5.353	-13.2711	
670	1000.0	7.844	12.140	9.639	12.179	9.69	106.88	4.029	4.697	-13.3282	
680	1000.0	7.710	12.073	9.522	12.162	9.34	111.22	3.676	4.130	-13.3841	
690	1000.0	7.576	12.006	9.405	12.146	9.00	115.83	3.366	3.641	-13.4388	
700	1000.0	7.443	11.940	9.289	12.129	8.66	120.70	3.093	3.220	-13.4921	
710	1000.0	7.310	11.873	9.172	12.112	8.33	125.81	2.852	2.856	-13.5442	
720	1000.0	7.178	11.807	9.056	12.096	8.01	131.17	2.638	2.542	-13.5949	
730	1000.0	7.046	11.741	8.941	12.079	7.71	136.74	2.448	2.269	-13.6441	
740	1000.0	6.914	11.675	8.826	12.063	7.42	142.51	2.279	2.032	-13.6920	
750	1000.0	6.783	11.610	8.711	12.046	7.14	148.44	2.128	1.827	-13.7383	
760	1000.0	6.652	11.544	8.596	12.030	6.88	154.52	1.992	1.647	-13.7832	
770	1000.0	6.521	11.479	8.482	12.014	6.63	160.70	1.869	1.491	-13.8266	
780	1000.0	6.391	11.414	8.368	11.997	6.40	166.95	1.758	1.354	-13.8684	
790	1000.0	6.261	11.349	8.254	11.981	6.19	173.24	1.658	1.234	-13.9088	
800	1000.0	6.132	11.284	8.141	11.965	5.99	179.52	1.567	1.128	-13.9477	
820	1000.0	5.874	11.155	7.915	11.933	5.63	191.96	1.407	9.525	-14.0212	
840	1000.0	5.617	11.027	7.690	11.901	5.33	204.00	1.272	8.146	-14.0890	
880	1000.0	5.108	10.773	7.245	11.837	4.86	226.12	1.056	6.171	-14.2097	
900	1000.0	4.856	10.646	7.024	11.805	4.68	235.95	9.682	5.453	-14.2634	
920	1000.0	4.605	10.521	6.804	11.774	4.54	244.90	8.910	4.861	-14.3133	
940	1000.0	4.356	10.396	6.586	11.743	4.42	252.98	8.222	4.367	-14.3599	
960	1000.0	4.108	10.272	6.369	11.712	4.32	260.25	7.606	3.948	-14.4036	
980	1000.0	3.861	10.149	6.153	11.681	4.23	266.75	7.050	3.590	-14.4449	
1000	1000.0	3.616	10.026	5.938	11.650	4.17	272.59	6.546	3.280	-14.4842	



## SUMMER MODEL, EXOSPHERIC TEMPERATURE = 1100° K

Altitude $Z$ , km	Temp. $T$ , °K	Number density $m^{-3}$					Molecular weight $M$	Scale height $H_p$ , km	Pressure $P$ , mb	Log pressure	Density $\rho$ , $kg\ m^{-3}$	Log density
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(He)$	$\log n(H)$						
120	379.7	16.758	16.808	17.496	13.502	26.76	12.49	2.281	-4.642	1.934	-7.7136	
125	479.8	16.473	16.614	17.234	13.416	26.46	15.99	1.604	-4.795	1.064	-7.9732	
130	567.8	16.249	16.466	17.029	13.352	26.19	19.14	1.206	-4.919	6.690	-8.1746	
135	642.9	16.066	16.347	16.861	13.302	25.94	21.92	9.453	-5.024	4.587	-8.3385	
140	708.5	15.907	16.247	16.717	13.261	25.70	24.42	7.618	-5.118	3.324	-8.4784	
145	763.9	15.768	16.161	16.591	13.228	25.47	26.60	6.263	-5.203	2.512	-8.6001	
150	812.0	15.642	16.085	16.478	13.199	25.25	28.57	5.225	-5.282	1.954	-8.7091	
155	852.4	15.527	16.017	16.375	13.174	25.03	30.30	4.409	-5.356	1.557	-8.8077	
160	887.6	15.420	15.954	16.279	13.152	24.82	31.87	3.754	-5.426	1.262	-8.8988	
165	917.0	15.320	15.897	16.189	13.133	24.60	33.26	3.220	-5.492	1.039	-8.9834	
170	942.5	15.224	15.843	16.104	13.115	24.39	34.54	2.778	-5.556	8.648	-9.0631	
175	963.8	15.133	15.793	16.023	13.098	24.18	35.68	2.410	-5.618	7.271	-9.1384	
180	982.4	15.045	15.745	15.945	13.083	23.97	36.75	2.099	-5.678	6.159	-9.2105	
185	998.0	14.960	15.699	15.869	13.069	23.76	37.72	1.835	-5.736	5.255	-9.2795	
190	1011.5	14.877	15.654	15.796	13.056	23.55	38.63	1.610	-5.793	4.508	-9.3460	
195	1022.9	14.796	15.612	15.725	13.044	23.34	39.47	1.416	-5.849	3.887	-9.4104	
200	1032.6	14.717	15.570	15.655	13.032	23.13	40.27	1.250	-5.903	3.366	-9.4728	
205	1040.9	14.639	15.529	15.587	13.020	22.92	41.02	1.105	-5.957	2.926	-9.5317	
210	1047.6	14.563	15.490	15.519	13.009	22.71	41.73	9.791	-6.009	2.553	-9.5929	
215	1053.4	14.488	15.451	15.453	12.999	22.50	42.41	8.694	-6.061	2.234	-9.6509	
220	1058.0	14.413	15.413	15.388	12.988	22.30	43.06	7.734	-6.112	1.961	-9.7076	
225	1061.5	14.339	15.375	15.323	12.978	22.09	43.67	6.892	-6.162	1.725	-9.7632	
230	1063.9	14.267	15.338	15.259	12.969	21.89	44.25	6.151	-6.211	1.522	-9.8176	
235	1066.4	14.194	15.301	15.195	12.959	21.68	44.84	5.498	-6.260	1.345	-9.8714	
240	1070.6	14.121	15.264	15.131	12.949	21.48	45.51	4.922	-6.308	1.188	-9.9253	
245	1074.3	14.049	15.227	15.068	12.939	21.28	46.16	4.413	-6.355	1.052	-9.9782	
250	1077.6	13.977	15.190	15.005	12.930	21.09	46.80	3.963	-6.402	9.328	-10.0302	
255	1080.4	13.905	15.154	14.942	12.920	20.89	47.43	3.564	-6.448	8.290	-10.0815	
260	1082.9	13.834	15.118	14.880	12.911	20.70	48.05	3.210	-6.494	7.381	-10.1319	
265	1085.0	13.764	15.082	14.818	12.902	20.52	48.65	2.894	-6.538	6.582	-10.1816	
270	1086.9	13.693	15.047	14.756	12.893	20.33	49.25	2.613	-6.583	5.880	-10.2306	
275	1088.6	13.624	15.012	14.695	12.883	20.15	49.84	2.363	-6.627	5.261	-10.2790	
280	1090.0	13.554	14.977	14.634	12.874	19.98	50.43	2.138	-6.670	4.713	-10.3267	
285	1091.3	13.484	14.942	14.573	12.866	19.80	51.00	1.938	-6.713	4.229	-10.3737	
290	1092.4	13.415	14.907	14.512	12.857	19.64	51.57	1.758	-6.755	3.800	-10.4202	
295	1093.3	13.346	14.872	14.452	12.848	19.47	52.13	1.596	-6.797	3.419	-10.4661	
300	1094.2	13.278	14.838	14.392	12.839	19.31	52.68	1.451	-6.838	3.080	-10.5115	
310	1095.5	13.141	14.769	14.272	12.822	19.00	53.76	1.202	-6.920	2.508	-10.6006	
320	1096.6	13.005	14.701	14.153	12.805	18.71	54.81	1.000	-7.000	2.052	-10.6878	
330	1097.4	12.869	14.633	14.034	12.787	18.44	55.84	8.346	-7.079	1.687	-10.7730	
340	1098.0	12.734	14.565	13.916	12.770	18.18	56.83	6.989	-7.156	1.392	-10.8565	
350	1098.5	12.600	14.498	13.798	12.753	17.94	57.80	5.870	-7.231	1.153	-10.9383	
360	1098.8	12.466	14.431	13.681	12.737	17.71	58.74	4.944	-7.306	9.583	-11.0185	
370	1099.1	12.332	14.364	13.564	12.720	17.49	59.65	4.176	-7.379	7.993	-11.0973	
380	1099.3	12.199	14.297	13.447	12.703	17.29	60.54	3.535	-7.452	6.688	-11.1747	
390	1099.5	12.067	14.231	13.331	12.687	17.10	61.41	3.001	-7.523	5.613	-11.2508	
400	1099.6	11.934	14.165	13.215	12.670	16.92	62.25	2.553	-7.593	4.724	-11.3257	

Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density m <sup>-3</sup>				Molecular weight <i>M</i>	Scale height <i>H<sub>p</sub></i> , km	Pressure <i>P</i> , mb	Log pressure	Density <i>ρ</i> , kg m <sup>-3</sup>	Log density
		log <i>n</i> (O <sub>2</sub> )	log <i>n</i> (O)	log <i>n</i> (N <sub>2</sub> )	log <i>n</i> (He)						
410	1C99.7	11.803	14.099	13.100	12.654	16.75	63.09	2.176	-7.662	3.986	-11.3995
420	1C99.8	11.671	14.033	12.985	12.637	16.58	63.91	1.859	-7.731	3.371	-11.4722
430	1C99.8	11.540	13.968	12.870	12.621	16.42	64.72	1.591	-7.798	2.858	-11.5439
440	1C99.9	11.410	13.903	12.756	12.604	16.27	65.53	1.365	-7.865	2.428	-11.6168
450	1C99.9	11.280	13.837	12.642	12.588	16.12	66.34	1.173	-7.931	2.067	-11.6887
460	1C99.9	11.150	13.773	12.529	12.572	15.97	67.16	1.010	-7.996	1.763	-11.7538
470	1C99.9	11.020	13.708	12.415	12.556	15.82	68.00	8.707	-8.060	1.506	-11.8222
480	1100.0	10.891	13.643	12.302	12.539	15.67	68.85	7.523	-8.124	1.289	-11.8898
490	1100.0	10.763	13.579	12.190	12.523	15.52	69.73	6.518	-8.186	1.105	-11.9567
500	1100.0	10.634	13.515	12.077	12.507	15.36	70.64	5.647	-8.248	9.485	-12.0230
510	1100.0	10.506	13.451	11.965	12.491	15.20	71.59	4.906	-8.309	8.155	-12.0886
520	1100.0	10.379	13.387	11.854	12.475	15.04	72.59	4.271	-8.369	7.022	-12.1536
530	1100.0	10.252	13.324	11.742	12.459	14.86	73.64	3.725	-8.429	6.054	-12.2180
540	1100.0	10.125	13.260	11.632	12.444	14.68	74.76	3.255	-8.487	5.227	-12.2818
550	1100.0	9.999	13.197	11.521	12.428	14.50	75.94	2.851	-8.545	4.519	-12.3450
560	1100.0	9.873	13.134	11.411	12.412	14.30	77.21	2.502	-8.602	3.912	-12.4076
570	1100.0	9.747	13.071	11.300	12.396	14.09	78.57	2.200	-8.658	3.391	-12.4697
580	1100.0	9.622	13.008	11.191	12.381	13.88	80.03	1.939	-8.712	2.943	-12.5312
590	1100.0	9.497	12.946	11.081	12.365	13.65	81.59	1.714	-8.766	2.558	-12.5922
600	1100.0	9.372	12.884	10.972	12.349	13.41	83.28	1.518	-8.819	2.226	-12.6525
610	1100.0	9.248	12.822	10.864	12.334	13.16	85.10	1.348	-8.870	1.940	-12.7122
620	1100.0	9.124	12.760	10.755	12.318	12.90	87.07	1.200	-8.921	1.693	-12.7713
630	1100.0	9.000	12.698	10.647	12.303	12.63	89.18	1.071	-8.970	1.480	-12.8298
640	1100.0	8.877	12.636	10.539	12.288	12.35	91.47	9.590	-9.018	1.295	-12.8877
650	1100.0	8.754	12.575	10.432	12.272	12.06	93.93	8.609	-9.065	1.135	-12.9448
660	1100.0	8.632	12.514	10.324	12.257	11.77	96.58	7.751	-9.111	9.971	-13.0013
670	1100.0	8.510	12.453	10.217	12.242	11.46	99.42	6.999	-9.155	8.771	-13.0570
680	1100.0	8.388	12.392	10.111	12.226	11.15	102.48	6.338	-9.198	7.728	-13.1119
690	1100.0	8.267	12.331	10.005	12.211	10.84	105.75	5.758	-9.240	6.823	-13.1661
700	1100.0	8.146	12.270	9.899	12.196	10.52	109.25	5.246	-9.280	6.034	-13.2194
710	1100.0	8.025	12.210	9.793	12.181	10.20	112.98	4.795	-9.319	5.348	-13.2718
720	1100.0	7.904	12.150	9.687	12.166	9.88	116.94	4.395	-9.357	4.750	-13.3233
730	1100.0	7.784	12.090	9.582	12.151	9.57	121.15	4.041	-9.394	4.227	-13.3739
740	1100.0	7.665	12.030	9.478	12.136	9.26	125.58	3.726	-9.429	3.771	-13.4236
750	1100.0	7.545	11.970	9.373	12.121	8.95	130.26	3.446	-9.463	3.372	-13.4722
760	1100.0	7.426	11.911	9.269	12.106	8.65	135.16	3.196	-9.495	3.022	-13.5197
770	1100.0	7.307	11.851	9.165	12.091	8.36	140.28	2.972	-9.527	2.715	-13.5662
780	1100.0	7.189	11.792	9.061	12.076	8.07	145.61	2.771	-9.557	2.446	-13.6116
790	1100.0	7.071	11.733	8.958	12.062	7.80	151.14	2.590	-9.587	2.209	-13.6558
800	1100.0	6.953	11.674	8.855	12.047	7.54	156.84	2.427	-9.615	2.000	-13.6989
820	1100.0	6.719	11.557	8.650	12.018	7.05	168.69	2.147	-9.668	1.654	-13.7615
840	1100.0	6.486	11.440	8.445	11.988	6.61	180.97	1.914	-9.718	1.383	-13.8593
880	1100.0	6.023	11.209	8.041	11.931	5.87	205.95	1.556	-9.808	9.987	-14.0005
900	1100.0	5.794	11.095	7.840	11.902	5.57	218.21	1.416	-9.849	8.625	-14.0642
920	1100.0	5.566	10.981	7.640	11.875	5.31	230.05	1.295	-9.888	7.524	-14.1235
940	1100.0	5.339	10.867	7.442	11.845	5.09	241.32	1.190	-9.924	6.625	-14.1788
960	1100.0	5.113	10.754	7.244	11.817	4.90	251.91	1.097	-9.960	5.885	-14.2303
980	1100.0	4.889	10.642	7.048	11.789	4.75	261.75	1.015	-9.993	5.268	-14.2784
1000	1100.0	4.666	10.531	6.852	11.761	4.61	270.81	9.417	-10.026	4.749	-14.3234

SUMMER MODEL, EXOSPHERIC TEMPERATURE = 1300° K

Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density m <sup>-3</sup>					Molecular weight <i>M</i>	Scale height <i>H<sub>p</sub></i> , km	Pressure <i>P</i> , mb	Log pressure	Density <i>ρ</i> , kg m <sup>-3</sup>	Log density
		log <i>n</i> (O <sub>2</sub> )	log <i>n</i> (O)	log <i>n</i> (N <sub>2</sub> )	log <i>n</i> (He)	log <i>n</i> (H)						
120	379.7	16.758	16.807	17.496	13.502	26.76	12.49	2.277	-4.643	1.930	-7.7144	
125	493.4	16.463	16.603	17.223	13.409	26.46	16.44	1.609	-4.793	1.038	-7.9838	
130	594.8	16.236	16.449	17.015	13.340	26.20	20.04	1.223	-4.913	6.478	-8.1886	
135	683.5	16.053	16.327	16.847	13.288	25.96	23.28	9.705	-5.013	4.434	-8.3532	
140	762.0	15.897	16.226	16.705	13.245	25.74	26.21	7.929	-5.101	3.222	-8.4919	
145	829.4	15.767	16.140	16.582	13.210	25.53	28.81	6.612	-5.180	2.448	-8.6111	
150	889.2	15.641	16.064	16.472	13.180	25.33	31.18	5.597	-5.252	1.918	-8.7172	
155	940.9	15.531	15.997	16.372	13.154	25.14	33.30	4.793	-5.319	1.540	-8.8124	
160	986.3	15.429	15.936	16.281	13.131	24.95	35.23	4.142	-5.383	1.260	-8.8996	
165	1024.9	15.335	15.880	16.196	13.111	24.76	36.94	3.607	-5.443	1.048	-8.9797	
170	1058.9	15.246	15.829	16.117	13.093	24.58	38.51	3.159	-5.500	8.818	-9.0546	
175	1087.9	15.162	15.781	16.042	13.076	24.39	39.92	2.781	-5.556	7.499	-9.1250	
180	1113.7	15.082	15.736	15.970	13.061	24.21	41.24	2.459	-5.609	6.428	-9.1919	
185	1135.7	15.004	15.693	15.901	13.047	24.03	42.44	2.182	-5.661	5.552	-9.2556	
190	1155.2	14.929	15.652	15.835	13.034	23.87	43.56	1.942	-5.712	4.822	-9.3167	
195	1172.0	14.857	15.612	15.770	13.022	23.65	44.60	1.734	-5.761	4.212	-9.3755	
200	1186.7	14.786	15.574	15.708	13.011	23.49	45.57	1.552	-5.809	3.695	-9.4324	
205	1199.5	14.717	15.537	15.647	13.000	23.31	46.49	1.392	-5.856	3.254	-9.4876	
210	1210.3	14.649	15.501	15.587	12.989	23.13	47.34	1.252	-5.903	2.877	-9.5411	
215	1219.8	14.583	15.466	15.528	12.979	22.95	48.16	1.127	-5.948	2.551	-9.5933	
220	1227.9	14.517	15.432	15.471	12.970	22.78	48.93	1.017	-5.993	2.268	-9.6443	
225	1234.7	14.453	15.399	15.414	12.960	22.60	49.66	9.187	-6.037	2.022	-9.6941	
230	1240.3	14.389	15.366	15.358	12.951	22.42	50.35	8.313	-6.080	1.808	-9.7429	
235	1245.1	14.326	15.334	15.302	12.943	22.25	51.02	7.532	-6.123	1.619	-9.7908	
240	1249.1	14.263	15.302	15.247	12.934	22.07	51.67	6.833	-6.165	1.452	-9.8379	
245	1252.1	14.201	15.270	15.193	12.926	21.90	52.28	6.206	-6.207	1.306	-9.8842	
250	1257.5	14.139	15.238	15.138	12.917	21.73	53.00	5.644	-6.248	1.173	-9.9307	
255	1262.3	14.077	15.206	15.084	12.909	21.56	53.70	5.139	-6.289	1.056	-9.9765	
260	1266.5	14.016	15.175	15.030	12.900	21.39	54.39	4.685	-6.329	9.516	-10.0215	
265	1270.3	13.955	15.144	14.977	12.892	21.22	55.07	4.276	-6.369	8.592	-10.0659	
270	1273.6	13.895	15.113	14.924	12.884	21.06	55.73	3.907	-6.408	7.769	-10.1096	
275	1276.6	13.835	15.082	14.871	12.876	20.89	56.38	3.574	-6.447	7.035	-10.1527	
280	1279.2	13.775	15.052	14.818	12.868	20.73	57.02	3.272	-6.485	6.379	-10.1953	
285	1281.5	13.715	15.022	14.766	12.860	20.58	57.65	2.999	-6.523	5.791	-10.2373	
290	1283.6	13.656	14.992	14.714	12.852	20.42	58.27	2.751	-6.561	5.263	-10.2787	
295	1285.5	13.597	14.962	14.663	12.845	20.27	58.88	2.526	-6.598	4.790	-10.3197	
300	1287.1	13.538	14.933	14.611	12.837	20.12	59.49	2.321	-6.634	4.363	-10.3602	
310	1289.8	13.422	14.874	14.509	12.822	19.82	60.68	1.965	-6.707	3.633	-10.4398	
320	1292.0	13.306	14.815	14.407	12.807	19.54	61.84	1.669	-6.777	3.037	-10.5176	
330	1293.7	13.190	14.758	14.306	12.792	19.27	62.98	1.422	-6.847	2.548	-10.5938	
340	1295.0	13.076	14.700	14.206	12.778	19.01	64.09	1.215	-6.915	2.145	-10.6685	
350	1296.1	12.961	14.643	14.106	12.763	18.77	65.18	1.041	-6.983	1.813	-10.7417	
360	1296.9	12.848	14.586	14.006	12.749	18.53	66.25	8.936	-7.049	1.536	-10.8135	
370	1297.6	12.735	14.529	13.907	12.735	18.31	67.29	7.696	-7.114	1.306	-10.8841	
380	1298.1	12.622	14.472	13.808	12.721	18.09	68.31	6.641	-7.178	1.113	-10.9534	
390	1298.5	12.509	14.416	13.710	12.706	17.89	69.31	5.743	-7.241	9.517	-11.0215	
400	1298.8	12.397	14.360	13.612	12.692	17.70	70.28	4.976	-7.303	8.157	-11.0885	

Altitude $Z$ , km	Temp. $T$ , °K	Number density $m^{-3}$				Molecular weight $M$	Scale height $H_p$ , km	Pressure $P$ , mb	Log pressure	Density $\rho$ , kg $m^{-3}$	Log density
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(H)$						
410	1299.1	12.286	14.304	13.514	12.678	17.52	71.24	4.320	7.007	-11.1544	
420	1299.3	12.175	14.249	13.417	12.664	17.35	72.18	3.758	6.034	-11.2194	
430	1299.4	12.064	14.193	13.320	12.651	17.18	73.09	3.275	5.207	-11.2834	
440	1299.5	11.953	14.138	13.223	12.637	17.02	74.00	2.858	4.503	-11.3465	
450	1299.6	11.843	14.083	13.126	12.623	16.87	74.88	2.499	3.902	-11.4087	
460	1299.7	11.733	14.028	13.030	12.609	16.73	75.76	2.188	3.387	-11.4702	
470	1299.8	11.624	13.973	12.934	12.595	16.59	76.63	1.919	2.945	-11.5309	
480	1299.8	11.514	13.919	12.839	12.582	16.45	77.50	1.686	2.566	-11.5908	
490	1299.9	11.406	13.864	12.743	12.568	16.32	78.36	1.483	2.238	-11.6501	
500	1299.9	11.297	13.810	12.648	12.555	16.19	79.22	1.306	1.956	-11.7087	
510	1299.9	11.189	13.756	12.554	12.541	16.06	80.09	1.152	1.711	-11.7667	
520	1299.9	11.081	13.702	12.459	12.528	15.93	80.97	1.017	1.499	-11.8241	
530	1299.9	10.973	13.648	12.365	12.514	15.80	81.86	0.997	1.315	-11.8809	
540	1300.0	10.866	13.594	12.271	12.501	15.67	82.77	0.968	1.155	-11.9372	
550	1300.0	10.759	13.541	12.177	12.487	15.54	83.71	0.966	1.016	-11.9930	
560	1300.0	10.652	13.487	12.084	12.474	15.41	84.66	0.966	0.898	-12.0483	
570	1300.0	10.546	13.434	11.991	12.461	15.28	85.65	0.966	0.807	-12.1031	
580	1300.0	10.440	13.381	11.898	12.447	15.14	86.68	0.966	0.745	-12.1574	
590	1300.0	10.334	13.328	11.806	12.434	15.00	87.75	0.966	0.706	-12.2113	
600	1300.0	10.229	13.276	11.713	12.421	14.85	88.86	0.966	0.681	-12.2647	
610	1300.0	10.124	13.223	11.621	12.408	14.70	90.03	0.966	0.666	-12.3177	
620	1300.0	10.019	13.171	11.529	12.395	14.55	91.26	0.966	0.661	-12.3702	
630	1300.0	9.914	13.118	11.438	12.382	14.39	92.55	0.966	0.661	-12.4224	
640	1300.0	9.810	13.066	11.347	12.369	14.22	93.92	0.966	0.661	-12.4741	
650	1300.0	9.706	13.014	11.256	12.356	14.04	95.36	0.966	0.661	-12.5253	
660	1300.0	9.603	12.963	11.165	12.343	13.86	96.89	0.966	0.661	-12.5762	
670	1300.0	9.499	12.911	11.075	12.330	13.67	98.51	0.966	0.661	-12.6266	
680	1300.0	9.396	12.859	10.984	12.317	13.47	100.23	0.966	0.661	-12.6766	
690	1300.0	9.293	12.808	10.894	12.304	13.27	102.06	0.966	0.661	-12.7262	
700	1300.0	9.191	12.757	10.805	12.291	13.06	104.00	0.966	0.661	-12.7753	
710	1300.0	9.089	12.706	10.715	12.278	12.84	106.06	0.966	0.661	-12.8239	
720	1300.0	8.987	12.655	10.626	12.266	12.62	108.26	0.966	0.661	-12.8721	
730	1300.0	8.885	12.604	10.537	12.253	12.39	110.59	0.966	0.661	-12.9198	
740	1300.0	8.784	12.553	10.448	12.240	12.15	113.07	0.966	0.661	-12.9671	
750	1300.0	8.683	12.503	10.360	12.228	11.91	115.70	0.966	0.661	-13.0138	
760	1300.0	8.582	12.452	10.272	12.215	11.66	118.48	0.966	0.661	-13.0600	
770	1300.0	8.482	12.402	10.184	12.202	11.41	121.44	0.966	0.661	-13.1057	
780	1300.0	8.382	12.352	10.096	12.190	11.15	124.57	0.966	0.661	-13.1509	
790	1300.0	8.282	12.302	10.009	12.177	10.89	127.88	0.966	0.661	-13.1955	
800	1300.0	8.182	12.252	9.922	12.165	10.63	131.37	0.966	0.661	-13.2395	
820	1300.0	7.984	12.153	9.748	12.140	10.11	138.93	0.966	0.661	-13.3255	
840	1300.0	7.786	12.055	9.575	12.115	9.59	147.25	0.966	0.661	-13.4092	
880	1300.0	7.395	11.859	9.233	12.066	8.59	166.22	0.966	0.661	-13.5682	
900	1300.0	7.201	11.762	9.063	12.042	8.12	176.79	0.966	0.661	-13.6433	
920	1300.0	7.008	11.665	8.894	12.018	7.68	188.00	0.966	0.661	-13.7152	
940	1300.0	6.816	11.569	8.726	11.994	7.27	199.76	0.966	0.661	-13.7840	
960	1300.0	6.625	11.474	8.559	11.970	6.89	211.93	0.966	0.661	-13.8495	
980	1300.0	6.436	11.379	8.392	11.946	6.54	224.39	0.966	0.661	-13.9118	
1000	1300.0	6.247	11.285	8.227	11.923	6.23	236.99	0.966	0.661	-13.9708	

## SUMMER MODEL, EXOSPHERIC TEMPERATURE = 1500° K

Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density $m^{-3}$				Molecular weight <i>M</i>	Scale height <i>H<sub>p</sub></i> , km	Pressure <i>P</i> , mb	Log pressure	Density $\rho$ , $kg\ m^{-3}$	Log density
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(He)$						
120	379.8	16.757	16.807	17.495	13.502	26.76	12.49	2.274 - 5	1.927 - 8	-7.7151	
125	499.5	16.457	16.598	17.218	13.406	26.46	16.64	1.610	1.026	-7.9888	
130	607.8	16.230	16.442	17.008	13.335	26.20	20.48	1.229	6.375 - 9	-8.1955	
135	704.4	16.046	16.318	16.839	13.280	25.97	23.98	9.816 - 6	4.353	-8.3612	
140	791.4	15.890	16.215	16.697	13.236	25.76	27.20	8.073	5.093	-8.5002	
145	868.4	15.755	16.127	16.574	13.199	25.56	30.13	6.781	2.401	-8.6196	
150	937.3	15.636	16.050	16.465	13.168	25.37	32.82	5.785	1.884	-8.7250	
155	997.2	15.528	15.983	16.367	13.141	25.19	35.22	4.995 - 6	1.517 - 9	-8.8189	
160	1051.0	15.429	15.922	16.277	13.117	25.01	37.44	4.353	1.246	-8.9046	
165	1098.5	15.337	15.867	16.195	13.096	24.84	39.47	3.822	1.039	-8.9832	
170	1141.0	15.251	15.816	16.117	13.077	24.67	41.34	3.377	8.781 - 10	-9.0564	
175	1178.0	15.170	15.768	16.045	13.060	24.50	43.04	3.000	7.504	-9.1247	
180	1211.2	15.093	15.724	15.976	13.045	24.33	44.63	2.677	6.467	-9.1893	
185	1240.5	15.020	15.682	15.910	13.030	24.17	46.09	2.397	5.617	-9.2505	
190	1266.8	14.949	15.642	15.847	13.017	24.01	47.46	2.154	4.910	-9.3089	
195	1290.0	14.881	15.604	15.787	13.005	23.84	48.73	1.942	4.316	-9.3649	
200	1310.6	14.815	15.567	15.728	12.993	23.68	49.92	1.754	3.813	-9.4187	
205	1328.9	14.750	15.532	15.671	12.982	23.52	51.04	1.589 - 6	3.383 - 10	-9.4707	
210	1344.9	14.688	15.498	15.615	12.972	23.36	52.08	1.442	3.013	-9.5210	
215	1359.3	14.626	15.465	15.561	12.962	23.21	53.08	1.311	2.693	-9.5698	
220	1371.8	14.566	15.433	15.508	12.952	23.05	54.01	1.194	2.414	-9.6173	
225	1383.1	14.507	15.402	15.456	12.943	22.89	54.91	1.090	2.169	-9.6637	
230	1392.9	14.449	15.371	15.404	12.934	22.74	55.77	9.955 - 7	1.954	-9.7090	
235	1401.4	14.392	15.341	15.354	12.926	22.58	56.58	9.107	1.765	-9.7533	
240	1408.6	14.335	15.312	15.304	12.918	22.43	57.35	8.342	1.597	-9.7966	
245	1414.8	14.280	15.283	15.255	12.910	22.27	58.09	7.650	1.448	-9.8391	
250	1420.0	14.224	15.255	15.207	12.902	22.12	58.79	7.022	1.316	-9.8809	
255	1427.8	14.169	15.226	15.158	12.894	21.97	59.62	6.454 - 7	1.194 - 10	-9.9229	
260	1434.8	14.114	15.197	15.109	12.886	21.82	60.42	5.938	1.086	-9.9642	
265	1441.1	14.059	15.169	15.061	12.878	21.67	61.19	5.469	9.890 - 11	-10.0048	
270	1446.9	14.005	15.141	15.014	12.870	21.52	61.95	5.043	9.020	-10.0448	
275	1452.0	13.952	15.114	14.967	12.863	21.37	62.70	4.654	8.239	-10.0841	
280	1456.7	13.899	15.086	14.920	12.856	21.23	63.42	4.299	7.535	-10.1229	
285	1460.9	13.846	15.059	14.874	12.848	21.08	64.13	3.975	6.900	-10.1612	
290	1464.7	13.793	15.032	14.828	12.841	20.94	64.83	3.678	6.326	-10.1989	
295	1468.1	13.741	15.006	14.782	12.834	20.80	65.52	3.407	5.806	-10.2361	
300	1471.2	13.690	14.980	14.736	12.827	20.66	66.20	3.158	5.334	-10.2729	
310	1476.6	13.587	14.927	14.646	12.814	20.39	67.52	2.719 - 7	4.517 - 11	-10.3452	
320	1480.9	13.485	14.876	14.557	12.800	20.13	68.81	2.348	3.839	-10.4158	
330	1484.4	13.384	14.825	14.468	12.787	19.87	70.07	2.033	3.274	-10.4849	
340	1487.3	13.283	14.774	14.380	12.774	19.63	71.30	1.765	2.802	-10.5526	
350	1489.7	13.184	14.724	14.293	12.761	19.39	72.50	1.536	2.405	-10.6190	
360	1491.6	13.084	14.674	14.206	12.749	19.16	73.68	1.339	2.070	-10.6841	
370	1493.1	12.986	14.624	14.120	12.736	18.94	74.84	1.171	1.786	-10.7480	
380	1494.4	12.888	14.575	14.034	12.724	18.73	75.97	1.025	1.546	-10.8109	
390	1495.4	12.790	14.526	13.948	12.711	18.53	77.08	8.997 - 8	1.341	-10.8726	
400	1496.3	12.692	14.477	13.863	12.699	18.33	78.17	7.910	1.166	-10.9334	

Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density <i>m</i> <sup>-3</sup>					Molecular weight <i>M</i>	Scale height <i>H<sub>p</sub></i> , km	Pressure <i>P</i> , mb	Log pressure	Density <i>ρ</i> , kg <i>m</i> <sup>-3</sup>	Log density
		log <i>n</i> (O <sub>2</sub> )	log <i>n</i> (O)	log <i>n</i> (N <sub>2</sub> )	log <i>n</i> (He)	log <i>n</i> (H)						
410	1497.0	12.595	14.429	13.778	12.687	18.15	79.24	6.966	-7.157	1.016	-10.9932	
420	1497.5	12.499	14.380	13.693	12.675	17.97	80.29	6.145	-7.211	8.870	-11.0521	
430	1498.0	12.402	14.332	13.609	12.663	17.80	81.32	5.430	-7.265	7.761	-11.1101	
440	1498.4	12.307	14.284	13.525	12.650	17.64	82.34	4.805	-7.318	6.804	-11.1673	
450	1498.7	12.211	14.236	13.441	12.638	17.48	83.33	4.259	-7.371	5.976	-11.2236	
460	1498.9	12.116	14.189	13.358	12.627	17.33	84.31	3.780	-7.423	5.257	-11.2792	
470	1499.1	12.021	14.141	13.274	12.615	17.19	85.27	3.359	-7.474	4.633	-11.3341	
480	1499.3	11.926	14.094	13.191	12.603	17.05	86.23	2.990	-7.524	4.090	-11.3883	
490	1499.4	11.831	14.046	13.109	12.591	16.92	87.17	2.664	-7.574	3.615	-11.4418	
500	1499.5	11.737	13.999	13.026	12.579	16.79	88.10	2.377	-7.624	3.201	-11.4947	
510	1499.6	11.644	13.952	12.944	12.567	16.67	89.02	2.123	-7.673	2.838	-11.5470	
520	1499.7	11.550	13.906	12.862	12.556	16.54	89.94	1.898	-7.722	2.519	-11.5988	
530	1499.7	11.457	13.859	12.781	12.544	16.43	90.85	1.700	-7.770	2.239	-11.6500	
540	1499.8	11.364	13.812	12.699	12.532	16.31	91.77	1.523	-7.817	1.992	-11.7006	
550	1499.8	11.271	13.766	12.618	12.521	16.20	92.68	1.367	-7.864	1.775	-11.7508	
560	1499.9	11.179	13.720	12.537	12.509	16.08	93.61	1.228	-7.911	1.583	-11.8004	
570	1499.9	11.086	13.674	12.456	12.498	15.97	94.53	1.104	-7.957	1.414	-11.8496	
580	1499.9	10.994	13.628	12.376	12.486	15.86	95.47	9.935	-8.003	1.264	-11.8984	
590	1499.9	10.903	13.582	12.296	12.475	15.75	96.43	8.952	-8.048	1.131	-11.9467	
600	1499.9	10.811	13.536	12.216	12.463	15.64	97.40	8.074	-8.093	1.012	-11.9946	
610	1499.9	10.720	13.491	12.136	12.452	15.52	98.39	7.290	-8.137	9.075	-12.0421	
620	1500.0	10.629	13.445	12.056	12.440	15.41	99.41	6.589	-8.181	8.142	-12.0893	
630	1500.0	10.539	13.400	11.977	12.429	15.29	100.45	5.962	-8.225	7.311	-12.1360	
640	1500.0	10.449	13.355	11.898	12.418	15.18	101.53	5.400	-8.268	6.570	-12.1824	
650	1500.0	10.358	13.310	11.819	12.407	15.05	102.63	4.896	-8.310	5.910	-12.2284	
660	1500.0	10.269	13.265	11.741	12.395	14.93	103.78	4.444	-8.352	5.320	-12.2741	
670	1500.0	10.179	13.220	11.662	12.384	14.80	104.98	4.038	-8.394	4.792	-12.3194	
680	1500.0	10.090	13.175	11.584	12.373	14.67	106.22	3.673	-8.435	4.321	-12.3644	
690	1500.0	10.001	13.131	11.506	12.362	14.54	107.51	3.345	-8.476	3.899	-12.4091	
700	1500.0	9.912	13.087	11.428	12.351	14.40	108.85	3.049	-8.516	3.520	-12.4534	
710	1500.0	9.823	13.042	11.351	12.340	14.25	110.26	2.783	-8.555	3.181	-12.4974	
720	1500.0	9.735	12.998	11.273	12.329	14.11	111.74	2.544	-8.595	2.877	-12.5411	
730	1500.0	9.647	12.954	11.196	12.318	13.95	113.28	2.327	-8.633	2.604	-12.5844	
740	1500.0	9.559	12.910	11.120	12.307	13.79	114.91	2.132	-8.671	2.358	-12.6274	
750	1500.0	9.472	12.866	11.043	12.296	13.63	116.61	1.955	-8.709	2.137	-12.6701	
760	1500.0	9.384	12.823	10.966	12.285	13.46	118.40	1.796	-8.746	1.939	-12.7125	
770	1500.0	9.297	12.779	10.890	12.274	13.29	120.28	1.652	-8.782	1.760	-12.7545	
780	1500.0	9.211	12.736	10.814	12.263	13.11	122.26	1.521	-8.818	1.599	-12.7962	
790	1500.0	9.124	12.693	10.738	12.252	12.93	124.34	1.402	-8.853	1.454	-12.8375	
800	1500.0	9.038	12.649	10.663	12.241	12.74	126.53	1.295	-8.888	1.323	-12.8785	
820	1500.0	8.866	12.563	10.512	12.220	12.35	131.25	1.109	-8.955	1.098	-12.9594	
840	1500.0	8.695	12.478	10.363	12.198	11.94	136.47	9.547	-9.020	9.144	-13.0389	
880	1500.0	8.356	12.308	10.066	12.156	11.09	148.57	7.207	-9.142	6.411	-13.1931	
900	1500.0	8.187	12.224	9.919	12.135	10.66	155.53	6.318	-9.199	5.399	-13.2677	
920	1500.0	8.020	12.141	9.772	12.114	10.22	163.11	5.573	-9.254	4.565	-13.3406	
940	1500.0	7.854	12.057	9.627	12.093	9.78	171.36	4.944	-9.306	3.877	-13.4115	
960	1500.0	7.688	11.975	9.482	12.073	9.35	180.26	4.412	-9.355	3.307	-13.4806	
980	1500.0	7.524	11.893	9.338	12.052	8.92	189.82	3.960	-9.402	2.834	-13.5475	
1000	1500.0	7.360	11.811	9.194	12.032	8.52	200.00	3.574	-9.447	2.440	-13.6125	

## SUMMER MODEL, EXOSPHERIC TEMPERATURE = 1700° K

Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density $m^{-3}$					Molecular weight <i>M</i>	Scale height <i>H<sub>p</sub></i> , km	Pressure <i>P</i> , mb	Log pressure	Density $\rho$ , $kg\ m^{-3}$	Log density
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(He)$	$\log n(H)$						
120	379.4	16.757	16.807	17.495	13.502	26.76	12.48	2.272	-4.643	1.928	-7.7149	
125	500.3	16.457	16.597	17.217	13.405	26.46	16.67	1.609	-4.793	1.024	-7.9898	
130	611.2	16.228	16.439	17.006	13.334	26.21	20.59	1.230	-4.910	6.342	-8.1978	
135	712.2	16.042	16.313	16.835	13.278	25.98	24.24	9.836	-5.007	4.315	-8.3650	
140	804.3	15.886	16.209	16.692	13.232	25.77	27.64	8.111	-5.091	3.126	-8.5051	
145	887.3	15.751	16.120	16.568	13.194	25.57	30.77	6.835	-5.165	2.369	-8.6254	
150	962.6	15.631	16.042	16.458	13.161	25.39	33.68	5.853	-5.233	1.856	-8.7313	
155	1029.6	15.523	15.974	16.361	13.133	25.21	36.34	5.074	-5.295	1.494	-8.8256	
160	1090.7	15.424	15.912	16.271	13.109	25.04	38.82	4.442	-5.352	1.226	-8.9114	
165	1145.6	15.333	15.856	16.189	13.087	24.87	41.10	3.919	-5.407	1.023	-8.9899	
170	1195.4	15.248	15.804	16.112	13.067	24.71	43.24	3.481	-5.458	8.655	-9.0627	
175	1239.8	15.169	15.756	16.040	13.049	24.55	45.21	3.109	-5.507	7.405	-9.1305	
180	1280.1	15.093	15.711	15.973	13.033	24.39	47.05	2.790	-5.554	6.394	-9.1942	
185	1316.2	15.022	15.670	15.908	13.018	24.24	48.76	2.513	-5.600	5.567	-9.2544	
190	1349.0	14.953	15.630	15.847	13.004	24.09	50.36	2.272	-5.644	4.880	-9.3116	
195	1378.6	14.887	15.592	15.788	12.991	23.94	51.87	2.060	-5.686	4.303	-9.3662	
200	1405.5	14.823	15.556	15.731	12.979	23.79	53.30	1.874	-5.727	3.814	-9.4186	
205	1430.0	14.761	15.521	15.676	12.967	23.64	54.65	1.708	-5.768	3.396	-9.4691	
210	1451.9	14.701	15.488	15.623	12.957	23.49	55.92	1.560	-5.807	3.036	-9.5176	
215	1471.8	14.643	15.456	15.571	12.946	23.35	57.12	1.428	-5.845	2.725	-9.5647	
220	1489.4	14.586	15.425	15.520	12.937	23.20	58.25	1.310	-5.883	2.454	-9.6102	
225	1505.5	14.530	15.395	15.471	12.928	23.06	59.34	1.203	-5.920	2.216	-9.6545	
230	1519.8	14.476	15.365	15.423	12.919	22.92	60.37	1.106	-5.956	2.007	-9.6975	
235	1532.8	14.422	15.337	15.375	12.910	22.78	61.36	1.019	-5.992	1.821	-9.7396	
240	1544.3	14.369	15.309	15.329	12.902	22.63	62.30	9.400	-6.027	1.657	-9.7807	
245	1555.5	14.317	15.281	15.283	12.894	22.49	63.23	8.680	-6.061	1.510	-9.8211	
250	1565.9	14.265	15.254	15.237	12.886	22.36	64.15	8.025	-6.096	1.378	-9.8608	
255	1572.3	14.215	15.228	15.193	12.879	22.22	64.91	7.426	-6.129	1.262	-9.8989	
260	1583.0	14.164	15.201	15.148	12.871	22.08	65.86	6.880	-6.162	1.154	-9.9377	
265	1592.8	14.114	15.174	15.104	12.863	21.94	66.78	6.380	-6.195	1.057	-9.9758	
270	1601.7	14.065	15.148	15.060	12.856	21.81	67.67	5.923	-6.227	9.699	-10.0133	
275	1609.9	14.015	15.123	15.017	12.849	21.68	68.54	5.503	-6.259	8.912	-10.0500	
280	1617.4	13.967	15.097	14.974	12.842	21.54	69.39	5.119	-6.291	8.200	-10.0862	
285	1624.3	13.919	15.072	14.931	12.835	21.41	70.21	4.765	-6.322	7.554	-10.1218	
290	1630.7	13.871	15.048	14.889	12.828	21.28	71.02	4.439	-6.353	6.968	-10.1569	
295	1636.4	13.823	15.023	14.848	12.821	21.15	71.81	4.139	-6.383	6.435	-10.1914	
300	1641.8	13.776	14.999	14.806	12.815	21.03	72.59	3.862	-6.413	5.949	-10.2255	
310	1651.1	13.683	14.951	14.724	12.802	20.78	74.10	3.370	-6.472	5.101	-10.2924	
320	1658.9	13.591	14.904	14.644	12.789	20.54	75.56	2.948	-6.530	4.390	-10.3576	
330	1665.5	13.500	14.858	14.564	12.777	20.30	76.97	2.586	-6.587	3.791	-10.4213	
340	1671.0	13.410	14.812	14.485	12.765	20.07	78.35	2.274	-6.643	3.284	-10.4836	
350	1675.6	13.321	14.767	14.406	12.753	19.84	79.69	2.003	-6.698	2.854	-10.5446	
360	1679.5	13.232	14.722	14.329	12.742	19.63	81.00	1.769	-6.752	2.486	-10.6044	
370	1682.8	13.144	14.678	14.252	12.730	19.42	82.28	1.565	-6.805	2.172	-10.6632	
380	1685.6	13.057	14.633	14.175	12.719	19.21	83.53	1.387	-6.858	1.902	-10.7208	
390	1687.9	12.970	14.590	14.099	12.708	19.02	84.76	1.232	-6.909	1.669	-10.7775	
400	1689.8	12.883	14.546	14.023	12.697	18.83	85.97	1.096	-6.960	1.468	-10.8332	

Altitude $Z$ , km	Temp. $T$ , °K	Number density $m^{-3}$				Molecular weight $M$	Scale height $H_p$ , km	Pressure $P$ , mb	Log pressure	Density $\rho$ , $kg\ m^{-3}$	Log density
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(He)$						
410	1691.4	12.797	14.503	13.947	12.686	18.65	87.15	9.761 - 8	1.294 -11	-10.8880	
420	1692.8	12.711	14.460	13.872	12.675	18.47	88.31	8.709	1.143	-10.9420	
430	1694.0	12.626	14.417	13.798	12.664	18.30	89.45	7.783	1.011	-10.9951	
440	1694.9	12.541	14.374	13.723	12.653	18.14	90.57	6.964	8.964 -12	-11.0475	
450	1695.7	12.456	14.332	13.649	12.643	17.98	91.67	6.241	7.959	-11.0991	
460	1696.4	12.372	14.290	13.575	12.632	17.83	92.76	5.599	7.079	-11.1501	
470	1697.0	12.288	14.248	13.502	12.621	17.69	93.82	5.030	6.305	-11.2003	
480	1697.5	12.204	14.206	13.428	12.611	17.55	94.88	4.524	5.625	-11.2499	
490	1697.9	12.121	14.164	13.355	12.600	17.41	95.91	4.074	5.025	-11.2989	
500	1698.2	12.038	14.122	13.282	12.590	17.28	96.93	3.673	4.495	-11.3472	
510	1698.5	11.955	14.081	13.210	12.579	17.16	97.94	3.314 - 8	4.027 -12	-11.3950	
520	1698.7	11.872	14.039	13.137	12.569	17.04	98.94	2.994	3.612	-11.4423	
530	1698.9	11.790	13.998	13.065	12.559	16.92	99.93	2.708	3.243	-11.4890	
540	1699.1	11.708	13.957	12.993	12.548	16.80	100.91	2.451	2.916	-11.5353	
550	1699.3	11.626	13.916	12.922	12.538	16.69	101.89	2.221	2.624	-11.5810	
560	1699.4	11.544	13.875	12.850	12.528	16.58	102.86	2.014	2.364	-11.6263	
570	1699.5	11.463	13.835	12.779	12.518	16.48	103.82	1.829	2.132	-11.6711	
580	1699.6	11.382	13.794	12.708	12.508	16.37	104.79	1.661	1.925	-11.7155	
590	1699.6	11.301	13.754	12.637	12.497	16.27	105.76	1.511	1.740	-11.7595	
600	1699.7	11.220	13.713	12.567	12.487	16.17	106.73	1.375	1.574	-11.8031	
610	1699.7	11.140	13.673	12.496	12.477	16.07	107.70	1.253 - 8	1.425 -12	-11.8463	
620	1699.8	11.059	13.633	12.426	12.467	15.97	108.69	1.142	1.291	-11.8892	
630	1699.8	10.980	13.593	12.356	12.457	15.87	109.68	1.042	1.170	-11.9317	
640	1699.8	10.900	13.553	12.286	12.447	15.77	110.69	9.517 - 9	1.062	-11.9738	
650	1699.9	10.820	13.513	12.217	12.437	15.67	111.71	8.698	9.647 -13	-12.0156	
660	1699.9	10.741	13.474	12.147	12.427	15.58	112.74	7.957	8.769	-12.0571	
670	1699.9	10.662	13.434	12.078	12.418	15.47	113.80	7.285	7.976	-12.0982	
680	1699.9	10.583	13.395	12.009	12.408	15.37	114.88	6.674	7.260	-12.1391	
690	1699.9	10.505	13.356	11.940	12.398	15.27	115.99	6.121	6.613	-12.1796	
700	1699.9	10.426	13.316	11.872	12.388	15.16	117.12	5.617	6.027	-12.2199	
710	1700.0	10.348	13.277	11.803	12.378	15.06	118.29	5.160 - 9	5.497 -13	-12.2599	
720	1700.0	10.270	13.238	11.735	12.369	14.95	119.49	4.744	5.017	-12.2995	
730	1700.0	10.193	13.200	11.667	12.359	14.84	120.73	4.365	4.582	-12.3390	
740	1700.0	10.115	13.161	11.599	12.349	14.72	122.00	4.019	4.187	-12.3781	
750	1700.0	10.038	13.122	11.532	12.339	14.61	123.33	3.705	3.829	-12.4169	
760	1700.0	9.961	13.084	11.464	12.330	14.49	124.69	3.418	3.503	-12.4555	
770	1700.0	9.884	13.045	11.397	12.320	14.38	126.12	3.156	3.207	-12.4939	
780	1700.0	9.807	13.007	11.330	12.311	14.26	127.59	2.916	2.938	-12.5319	
790	1700.0	9.731	12.969	11.263	12.301	14.11	129.12	2.698	2.693	-12.5698	
800	1700.0	9.655	12.931	11.196	12.292	13.98	130.72	2.498	2.470	-12.6073	
820	1700.0	9.503	12.855	11.063	12.273	13.70	134.11	2.148 - 9	2.082 -13	-12.6816	
840	1700.0	9.352	12.779	10.931	12.254	13.41	137.79	1.854	1.758	-12.7549	
880	1700.0	9.053	12.630	10.669	12.216	12.78	146.17	1.398	1.264	-12.8954	
900	1700.0	8.905	12.556	10.539	12.198	12.45	150.92	1.222	1.076	-12.9632	
920	1700.0	8.757	12.482	10.410	12.179	12.10	156.10	1.073	0.918	-13.0370	
940	1700.0	8.610	12.408	10.282	12.161	11.74	161.74	9.458 -10	7.857	-13.1047	
960	1700.0	8.464	12.335	10.154	12.143	11.38	167.86	8.377	6.742	-13.1712	
980	1700.0	8.319	12.263	10.027	12.124	11.00	174.50	7.453	5.802	-13.2364	
1000	1700.0	8.175	12.191	9.901	12.106	10.63	181.67	6.661	5.008	-13.3094	



## SUMMER MODEL, EXOSPHERIC TEMPERATURE = 1900° K

Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density $m^{-3}$				Molecular weight <i>M</i>	Scale height <i>H<sub>p</sub></i> , km	Pressure <i>P</i> , mb	Log pressure	Density $\rho$ , $kg\ m^{-3}$	Log density
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(He)$						
120	379.7	16.756	16.807	17.494	13.502	26.76	12.49	2.269	1.923	-7.7161	
125	500.7	16.455	16.596	17.216	13.405	26.46	16.68	1.607	1.021	-7.9908	
130	612.8	16.276	16.438	17.004	13.333	26.20	20.65	1.228	6.318	-8.1994	
135	716.3	16.040	16.311	16.833	13.276	25.98	24.38	9.835	4.290	-8.3676	
140	811.7	15.882	16.205	16.688	13.229	25.77	27.89	8.121	3.101	-8.5085	
145	898.9	15.746	16.115	16.564	13.190	25.58	31.17	6.856	2.346	-8.6295	
150	978.9	15.626	16.036	16.454	13.157	25.39	34.24	5.884	1.836	-8.7362	
155	1051.6	15.518	15.967	16.355	13.128	25.22	37.10	5.114	1.475	-8.8311	
160	1118.2	15.419	15.904	16.266	13.103	25.05	39.77	4.491	1.210	-8.9172	
165	1178.3	15.329	15.847	16.184	13.080	24.89	42.25	3.975	1.010	-8.9957	
170	1233.7	15.244	15.795	16.107	13.060	24.73	44.58	3.543	8.543	-9.0684	
175	1284.1	15.165	15.747	16.036	13.041	24.58	46.76	3.176	7.311	-9.1360	
180	1330.5	15.091	15.702	15.968	13.024	24.43	48.83	2.860	6.316	-9.1995	
185	1372.6	15.020	15.660	15.905	13.009	24.28	50.75	2.587	5.504	-9.2593	
190	1411.5	14.952	15.620	15.844	12.994	24.14	52.59	2.348	4.830	-9.3161	
195	1446.8	14.887	15.582	15.786	12.981	23.99	54.31	2.139	4.266	-9.3700	
200	1479.5	14.825	15.546	15.730	12.968	23.85	55.95	1.953	3.788	-9.4216	
205	1509.5	14.765	15.511	15.676	12.956	23.71	57.50	1.788	3.379	-9.4712	
210	1536.8	14.706	15.478	15.624	12.945	23.58	58.98	1.641	3.028	-9.5188	
215	1562.0	14.650	15.447	15.574	12.935	23.44	60.39	1.509	2.724	-9.5647	
220	1584.9	14.595	15.416	15.525	12.925	23.30	61.72	1.391	2.460	-9.6091	
225	1606.1	14.541	15.386	15.477	12.915	23.17	63.01	1.287	2.227	-9.6522	
230	1625.5	14.489	15.357	15.431	12.906	23.04	64.23	1.187	2.023	-9.6941	
235	1643.0	14.437	15.329	15.385	12.897	22.90	65.40	1.099	1.842	-9.7347	
240	1658.6	14.387	15.302	15.341	12.889	22.77	66.50	1.018	1.682	-9.7742	
245	1673.3	14.338	15.275	15.297	12.881	22.64	67.58	9.451	1.538	-9.8130	
250	1686.8	14.289	15.249	15.254	12.873	22.51	68.61	8.782	1.410	-9.8508	
255	1697.7	14.241	15.224	15.212	12.866	22.39	69.56	8.169	1.296	-9.8875	
260	1712.4	14.193	15.198	15.169	12.858	22.26	70.67	7.607	1.189	-9.9247	
265	1726.0	14.146	15.173	15.127	12.850	22.13	71.74	7.091	1.094	-9.9611	
270	1738.6	14.099	15.148	15.086	12.843	22.01	72.79	6.617	1.007	-9.9968	
275	1750.3	14.053	15.123	15.045	12.835	21.89	73.80	6.181	9.295	-10.0317	
280	1761.2	14.007	15.099	15.005	12.828	21.76	74.79	5.779	8.588	-10.0661	
285	1771.2	13.962	15.076	14.965	12.822	21.64	75.75	5.407	7.946	-10.0998	
290	1780.6	13.918	15.052	14.926	12.815	21.52	76.69	5.064	7.362	-10.1330	
295	1789.2	13.874	15.029	14.887	12.808	21.40	77.61	4.746	6.829	-10.1657	
300	1797.3	13.830	15.006	14.849	12.802	21.29	78.50	4.452	6.341	-10.1978	
310	1811.6	13.744	14.961	14.773	12.789	21.05	80.24	3.925	5.486	-10.2607	
320	1824.0	13.659	14.918	14.698	12.777	20.83	81.91	3.469	4.765	-10.3219	
330	1834.6	13.576	14.874	14.625	12.766	20.61	83.52	3.074	4.154	-10.3816	
340	1843.8	13.493	14.832	14.552	12.754	20.39	85.07	2.730	3.632	-10.4398	
350	1851.6	13.411	14.790	14.480	12.743	20.18	86.58	2.430	3.186	-10.4967	
360	1858.4	13.330	14.749	14.409	12.732	19.98	88.05	2.167	2.802	-10.5525	
370	1864.2	13.250	14.708	14.339	12.721	19.78	89.48	1.936	2.471	-10.6071	
380	1869.2	13.171	14.668	14.269	12.711	19.59	90.87	1.733	2.184	-10.6607	
390	1873.5	13.092	14.628	14.200	12.701	19.40	92.23	1.554	1.935	-10.7133	
400	1877.2	13.014	14.589	14.132	12.690	19.22	93.57	1.395	1.718	-10.7650	

Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density $m^{-3}$				Molecular weight <i>M</i>	Scale height <i>H<sub>s</sub></i> , km	Pressure <i>P</i> , mb	Log pressure	Density $\rho$ , kg $m^{-3}$	Log density
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(He)$						
410	1890.4	12.936	14.549	14.063	12.680	19.04	94.87	1.255	-6.901	1.528	-10.8158
420	1883.1	12.858	14.510	13.996	12.670	18.87	96.15	1.130	-6.947	1.362	-10.8658
430	1885.5	12.781	14.472	13.928	12.660	18.71	97.64	1.019	-6.992	1.216	-10.9150
440	1887.5	12.705	14.433	13.861	12.651	18.55	98.61	9.203	-7.036	1.088	-10.9635
450	1889.3	12.629	14.395	13.794	12.641	18.39	99.85	8.321	-7.080	9.743	-11.0113
460	1890.8	12.553	14.357	13.728	12.631	18.24	101.05	7.532	-7.123	8.741	-11.0584
470	1892.1	12.477	14.319	13.662	12.622	18.10	102.22	6.826	-7.166	7.854	-11.1049
480	1893.2	12.402	14.281	13.596	12.612	17.96	103.37	6.194	-7.208	7.067	-11.1507
490	1894.1	12.327	14.243	13.530	12.603	17.83	104.51	5.626	-7.250	6.368	-11.1960
500	1894.9	12.252	14.206	13.465	12.593	17.70	105.63	5.115	-7.291	5.745	-11.2407
510	1895.7	12.178	14.169	13.400	12.584	17.57	106.73	4.655	-7.332	5.190	-11.2849
520	1896.3	12.104	14.132	13.335	12.574	17.45	107.83	4.241	-7.373	4.694	-11.3285
530	1896.8	12.030	14.095	13.270	12.565	17.33	108.90	3.867	-7.413	4.250	-11.3716
540	1897.2	11.956	14.058	13.205	12.556	17.22	109.97	3.529	-7.452	3.852	-11.4143
550	1897.6	11.883	14.021	13.141	12.547	17.11	111.03	3.224	-7.492	3.496	-11.4555
560	1898.0	11.810	13.984	13.077	12.537	17.00	112.07	2.948	-7.531	3.175	-11.4982
570	1898.2	11.737	13.948	13.013	12.528	16.89	113.11	2.697	-7.569	2.887	-11.5395
580	1898.5	11.664	13.911	12.950	12.519	16.79	114.14	2.470	-7.607	2.628	-11.5805
590	1898.7	11.592	13.875	12.886	12.510	16.69	115.17	2.264	-7.645	2.393	-11.6210
600	1898.9	11.520	13.839	12.823	12.501	16.60	116.19	2.076	-7.683	2.182	-11.6611
610	1899.0	11.448	13.803	12.760	12.492	16.50	117.21	1.906	-7.720	1.991	-11.7009
620	1899.2	11.376	13.767	12.697	12.483	16.41	118.23	1.750	-7.757	1.819	-11.7403
630	1899.3	11.304	13.731	12.635	12.474	16.31	119.24	1.609	-7.793	1.662	-11.7793
640	1899.4	11.233	13.696	12.572	12.465	16.22	120.27	1.480	-7.830	1.520	-11.8180
650	1899.5	11.162	13.660	12.510	12.456	16.13	121.29	1.362	-7.866	1.392	-11.8564
660	1899.5	11.091	13.625	12.448	12.447	16.04	122.32	1.255	-7.901	1.275	-11.8945
670	1899.6	11.020	13.589	12.386	12.438	15.95	123.36	1.157	-7.937	1.169	-11.9323
680	1899.7	10.950	13.554	12.324	12.430	15.86	124.41	1.067	-7.972	1.072	-11.9698
690	1899.7	10.879	13.519	12.262	12.421	15.77	125.47	9.852	-8.006	9.839	-12.0070
700	1899.8	10.809	13.484	12.201	12.412	15.69	126.54	9.100	-8.041	9.037	-12.0440
710	1899.8	10.739	13.449	12.140	12.403	15.60	127.63	8.411	-8.075	8.305	-12.0806
720	1899.8	10.670	13.414	12.079	12.395	15.51	128.74	7.780	-8.109	7.638	-12.1170
730	1899.8	10.600	13.379	12.018	12.386	15.42	129.86	7.201	-8.143	7.028	-12.1532
740	1899.9	10.531	13.345	11.957	12.377	15.32	131.01	6.670	-8.176	6.470	-12.1891
750	1899.9	10.462	13.310	11.897	12.369	15.23	132.18	6.182	-8.209	5.960	-12.2247
760	1899.9	10.393	13.275	11.836	12.360	15.14	133.38	5.733	-8.242	5.494	-12.2601
770	1899.9	10.324	13.241	11.776	12.351	15.04	134.61	5.321	-8.274	5.066	-12.2953
780	1899.9	10.255	13.207	11.716	12.343	14.94	135.87	4.942	-8.306	4.675	-12.3302
790	1899.9	10.187	13.173	11.656	12.334	14.84	137.16	4.593	-8.338	4.316	-12.3649
800	1899.9	10.119	13.139	11.597	12.326	14.74	138.49	4.271	-8.369	3.986	-12.3994
820	1500.0	9.983	13.071	11.478	12.309	14.53	141.26	3.702	-8.432	3.406	-12.4677
840	1500.0	9.848	13.003	11.360	12.292	14.32	144.21	3.218	-8.492	2.916	-12.5351
880	1500.0	9.580	12.869	11.125	12.258	13.85	150.73	2.453	-8.610	2.151	-12.6674
900	1500.0	9.448	12.803	11.009	12.242	13.60	154.35	2.152	-8.667	1.852	-12.7323
920	1500.0	9.316	12.737	10.893	12.225	13.34	158.23	1.893	-8.723	1.599	-12.7952
940	1500.0	9.184	12.671	10.778	12.209	13.07	162.41	1.671	-8.777	1.382	-12.8594
960	1500.0	9.054	12.606	10.664	12.192	12.79	166.91	1.480	-8.830	1.198	-12.9216
980	1500.0	8.924	12.541	10.550	12.176	12.49	171.75	1.315	-8.881	1.040	-12.9830
1000	1500.0	8.795	12.476	10.437	12.160	12.19	176.96	1.172	-8.931	9.049	-13.0436

## SUMMER MODEL, EXOSPHERIC TEMPERATURE = 2100° K

Altitude $Z$ , km	Temp. $T$ , °K	Number density $m^{-3}$					Molecular weight $M$	Scale height $H_p$ , km	Pressure $P$ , mb	Log pressure	Density $\rho$ , kg $m^{-3}$	Log density
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(He)$	$\log n(H)$						
120	379.6	16.757	16.807	17.495	13.502	26.76	12.48	2.272	-4.644	1.927	-7.7152	
125	501.4	16.456	16.596	17.216	13.405	26.46	16.70	1.610	-4.793	1.022	-7.9906	
130	615.2	16.226	16.436	17.004	13.332	26.21	20.72	1.231	-4.910	6.309	-8.2000	
135	721.4	16.039	16.308	16.831	13.274	25.98	24.55	9.869	-5.006	4.275	-8.3690	
140	819.9	15.881	16.202	16.687	13.227	25.78	28.17	8.163	-5.088	3.087	-8.5105	
145	910.6	15.745	16.111	16.562	13.188	25.59	31.57	6.904	-5.161	2.333	-8.6321	
150	994.6	15.624	16.031	16.451	13.154	25.41	34.77	5.938	-5.226	1.824	-8.7389	
155	1071.4	15.516	15.961	16.353	13.124	25.24	37.77	5.173	-5.286	1.466	-8.8340	
160	1142.6	15.418	15.898	16.263	13.098	25.07	40.61	4.553	-5.342	1.202	-8.9202	
165	1207.9	15.327	15.841	16.181	13.075	24.92	43.26	4.042	-5.393	1.003	-8.9988	
170	1268.4	15.243	15.788	16.105	13.054	24.76	45.78	3.612	-5.442	8.482	-9.0715	
175	1323.8	15.165	15.740	16.034	13.035	24.61	48.14	3.248	-5.488	7.263	-9.1389	
180	1375.3	15.091	15.694	15.967	13.017	24.47	50.39	2.934	-5.533	6.279	-9.2021	
185	1422.7	15.021	15.652	15.904	13.001	24.33	52.51	2.663	-5.575	5.476	-9.2616	
190	1466.7	14.954	15.612	15.844	12.986	24.19	54.53	2.425	-5.615	4.810	-9.3178	
195	1507.2	14.890	15.574	15.786	12.972	24.05	56.44	2.216	-5.654	4.253	-9.3713	
200	1544.8	14.829	15.538	15.731	12.959	23.92	58.26	2.031	-5.692	3.782	-9.4223	
205	1579.7	14.770	15.504	15.679	12.947	23.78	60.00	1.866	-5.729	3.380	-9.4711	
210	1611.8	14.713	15.471	15.628	12.936	23.65	61.65	1.719	-5.765	3.034	-9.5179	
215	1641.8	14.658	15.440	15.578	12.925	23.52	63.24	1.587	-5.799	2.735	-9.5631	
220	1669.4	14.605	15.409	15.531	12.915	23.40	64.76	1.468	-5.833	2.474	-9.6066	
225	1695.1	14.552	15.380	15.484	12.905	23.27	66.21	1.360	-5.867	2.245	-9.6488	
230	1718.8	14.502	15.351	15.439	12.896	23.14	67.61	1.262	-5.899	2.044	-9.6896	
235	1740.8	14.452	15.324	15.395	12.887	23.02	68.95	1.173	-5.931	1.865	-9.7293	
240	1761.0	14.404	15.297	15.352	12.878	22.90	70.23	1.091	-5.962	1.707	-9.7678	
245	1779.6	14.356	15.271	15.310	12.870	22.77	71.46	1.017	-5.993	1.566	-9.8053	
250	1796.5	14.309	15.246	15.268	12.862	22.65	72.63	9.489	-6.023	1.439	-9.8419	
255	1811.9	14.264	15.221	15.228	12.854	22.53	73.76	8.863	-6.052	1.326	-9.8776	
260	1830.5	14.218	15.196	15.187	12.847	22.41	75.02	8.287	-6.082	1.220	-9.9135	
265	1847.9	14.173	15.171	15.147	12.839	22.30	76.25	7.757	-6.110	1.126	-9.9486	
270	1864.2	14.128	15.147	15.107	12.831	22.18	77.44	7.268	-6.139	1.040	-9.9830	
275	1879.4	14.084	15.123	15.069	12.824	22.06	78.60	6.817	-6.166	9.625	-10.0166	
280	1893.6	14.041	15.100	15.033	12.817	21.95	79.73	6.400	-6.194	8.922	-10.0495	
285	1907.0	13.999	15.077	14.999	12.810	21.84	80.83	6.013	-6.221	8.282	-10.0819	
290	1519.4	13.956	15.055	14.956	12.804	21.72	81.90	5.655	-6.248	7.698	-10.1136	
295	1531.1	13.915	15.033	14.919	12.797	21.61	82.94	5.322	-6.274	7.165	-10.1448	
300	1542.0	13.874	15.011	14.883	12.791	21.50	83.96	5.013	-6.300	6.676	-10.1755	
310	1561.7	13.793	14.968	14.811	12.779	21.29	85.93	4.456	-6.351	5.816	-10.2354	
320	1579.0	13.714	14.927	14.741	12.767	21.08	87.82	3.972	-6.401	5.088	-10.2935	
330	1594.1	13.636	14.886	14.673	12.755	20.87	89.64	3.548	-6.450	4.467	-10.3500	
340	2007.3	13.559	14.846	14.605	12.744	20.67	91.39	3.177	-6.498	3.935	-10.4051	
350	2018.9	13.483	14.807	14.539	12.734	20.47	93.08	2.851	-6.545	3.477	-10.4588	
360	2029.0	13.408	14.769	14.473	12.723	20.28	94.71	2.563	-6.591	3.081	-10.5114	
370	2037.9	13.334	14.731	14.408	12.713	20.09	96.30	2.308	-6.637	2.737	-10.5628	
380	2045.7	13.261	14.693	14.344	12.703	19.91	97.85	2.082	-6.681	2.437	-10.6131	
390	2052.4	13.189	14.656	14.280	12.693	19.73	99.36	1.881	-6.726	2.175	-10.6625	
400	2058.4	13.117	14.620	14.217	12.684	19.55	100.83	1.703	-6.769	1.945	-10.7110	

Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density $m^{-3}$					Molecular weight <i>M</i>	Scale height <i>H<sub>p</sub></i> , km	Pressure <i>P</i> , mb	Log pressure	Density $\rho$ , kg $m^{-3}$	Log density
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(He)$	$\log n(H)$						
410	203.6	13.045	14.583	14.154	12.674	19.39	102.27	1.543	-7	1.743	-11	
420	208.1	12.974	14.548	14.092	12.665	19.22	103.68	1.400		1.565		
430	207.2	12.904	14.512	14.030	12.656	19.06	105.06	1.272		1.408		
440	207.5	12.834	14.477	13.969	12.646	18.91	106.41	1.157		1.268		
450	207.8	12.765	14.441	13.908	12.637	18.76	107.74	1.054		1.144		
460	208.1	12.695	14.407	13.847	12.628	18.61	109.04	9.613	-8	1.034		
470	208.3	12.626	14.372	13.787	12.620	18.47	110.32	8.776		9.355	-12	
480	208.5	12.558	14.337	13.727	12.611	18.33	111.58	8.019		8.477		
490	208.7	12.490	14.303	13.667	12.602	18.20	112.83	7.336		7.691		
500	208.9	12.422	14.269	13.608	12.593	18.07	114.05	6.717		6.987		
510	209.0	12.354	14.235	13.548	12.585	17.94	115.25	6.156	-8	6.355	-12	
520	209.1	12.287	14.201	13.489	12.576	17.82	116.44	5.647		5.787		
530	209.2	12.220	14.168	13.431	12.568	17.70	117.62	5.184		5.275		
540	209.3	12.153	14.134	13.372	12.559	17.59	118.78	4.764		4.814		
550	209.4	12.087	14.101	13.314	12.551	17.48	119.92	4.381		4.398		
560	209.5	12.020	14.068	13.256	12.543	17.37	121.05	4.032		4.021		
570	209.5	11.954	14.035	13.198	12.534	17.27	122.18	3.714		3.680		
580	209.6	11.888	14.002	13.140	12.526	17.17	123.29	3.423		3.371		
590	209.6	11.823	13.969	13.083	12.518	17.07	124.39	3.158		3.091		
600	209.7	11.757	13.936	13.025	12.510	16.97	125.48	2.915		2.837		
610	209.7	11.692	13.903	12.968	12.501	16.88	126.57	2.692	-8	2.605	-12	
620	209.7	11.627	13.871	12.911	12.493	16.78	127.65	2.489		2.395		
630	209.8	11.562	13.838	12.855	12.485	16.69	128.73	2.302		2.203		
640	209.8	11.497	13.806	12.798	12.477	16.60	129.80	2.131		2.028		
650	209.8	11.433	13.774	12.742	12.469	16.52	130.87	1.973		1.868		
660	209.8	11.369	13.742	12.685	12.461	16.43	131.94	1.829		1.722		
670	209.8	11.305	13.709	12.629	12.453	16.35	133.01	1.696		1.588		
680	209.8	11.241	13.678	12.573	12.445	16.26	134.08	1.573		1.466		
690	209.9	11.177	13.646	12.518	12.437	16.18	135.16	1.461		1.354		
700	209.9	11.114	13.614	12.462	12.429	16.10	136.24	1.357		1.252		
710	209.9	11.050	13.582	12.407	12.421	16.02	137.32	1.261	-8	1.157	-12	
720	209.9	10.987	13.551	12.351	12.413	15.94	138.42	1.173		1.071		
730	209.9	10.924	13.519	12.296	12.405	15.86	139.52	1.092		9.915	-13	
740	209.9	10.862	13.488	12.241	12.397	15.78	140.64	1.016		9.815		
750	209.9	10.799	13.457	12.187	12.389	15.69	141.76	9.469	-9	8.513		
760	209.9	10.737	13.425	12.132	12.382	15.61	142.90	8.826		7.894		
770	209.9	10.675	13.394	12.078	12.374	15.53	144.06	8.232		7.324		
780	209.9	10.613	13.363	12.023	12.366	15.45	145.23	7.682		6.799		
790	209.9	10.551	13.332	11.969	12.358	15.37	146.42	7.173		6.314		
800	209.9	10.489	13.302	11.915	12.351	15.28	147.64	6.701		5.867		
820	209.9	10.366	13.240	11.808	12.335	15.11	150.14	5.859	-9	5.072	-13	
840	209.9	10.244	13.179	11.701	12.320	14.94	152.74	5.134		4.393		
880	209.9	10.002	13.058	11.489	12.290	14.57	158.33	3.969		3.313		
900	209.9	9.887	12.998	11.393	12.275	14.38	161.35	3.502		2.885		
920	2100.0	9.762	12.938	11.279	12.260	14.18	164.54	3.098		2.516		
940	2100.0	9.643	12.879	11.175	12.245	13.97	167.92	2.747		2.198		
960	2100.0	9.525	12.820	11.071	12.230	13.75	171.51	2.441		1.923		
980	2100.0	9.408	12.761	10.969	12.215	13.53	175.33	2.175		1.685		
1000	2100.0	9.291	12.702	10.866	12.201	13.29	179.39	1.943		1.480		

Part 6.3

120 km to 1000 km

Spring/Fall Models

TEMPERATURE, PRESSURE, DENSITY, SCALE HEIGHT, MOLECULAR  
WEIGHT, AND NUMBER DENSITIES

Metric Units

## SPRING/FALL MODEL, EXOSPHERIC TEMPERATURE = 600° K

Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density $m^{-3}$				Molecular weight <i>M</i>	Scale height <i>H<sub>p</sub></i> , km	Pressure <i>P</i> , mb	Log pressure	Density $\rho$ , $kg\ m^{-3}$	Log density
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(H)$						
120	355.0	16.875	16.881	17.602	13.531	26.90	11.62	2.700	2.461	-7.6089	
125	387.1	16.625	16.737	17.378	13.482	26.56	12.85	1.794	1.481	-7.8296	
130	415.0	16.398	16.609	17.176	13.438	26.21	13.98	1.236	9.389	-8.0274	
135	439.3	16.190	16.492	16.991	13.400	25.85	15.02	8.755	6.198	-8.2078	
140	460.3	15.995	16.384	16.817	13.366	25.49	16.00	6.343	4.223	-8.3743	
145	478.6	15.811	16.284	16.654	13.334	25.11	16.91	4.681	2.953	-8.5297	
150	494.6	15.636	16.189	16.499	13.305	24.72	17.77	3.508	2.109	-8.6759	
155	508.4	15.468	16.099	16.351	13.278	24.33	18.59	2.665	1.534	-8.8142	
160	520.4	15.306	16.013	16.208	13.253	23.93	19.38	2.048	1.133	-8.9460	
165	530.8	15.149	15.931	16.070	13.229	23.53	20.13	1.590	8.475	-9.0719	
170	539.9	14.997	15.851	15.935	13.206	23.13	20.87	1.246	6.417	-9.1927	
175	547.8	14.848	15.773	15.804	13.185	22.72	21.58	9.841	4.910	-9.3089	
180	554.6	14.702	15.697	15.675	13.164	22.32	22.27	7.835	3.793	-9.4211	
185	560.6	14.558	15.623	15.549	13.143	21.93	22.96	6.281	2.955	-9.5295	
190	565.7	14.417	15.550	15.425	13.124	21.54	23.62	5.067	2.320	-9.6345	
195	570.2	14.277	15.479	15.302	13.105	21.16	24.27	4.112	1.835	-9.7363	
200	574.1	14.140	15.409	15.181	13.086	20.79	24.91	3.356	1.461	-9.8352	
205	577.5	14.004	15.339	15.062	13.068	20.43	25.54	2.753	1.171	-9.9314	
210	580.5	13.869	15.271	14.943	13.050	20.08	26.15	2.268	9.439	-10.0251	
215	583.0	13.735	15.203	14.826	13.032	19.75	26.75	1.878	7.651	-10.1163	
220	585.3	13.602	15.136	14.710	13.015	19.44	27.33	1.561	6.234	-10.2053	
225	587.2	13.470	15.069	14.594	12.997	19.13	27.89	1.302	5.104	-10.2921	
230	588.9	13.339	15.003	14.479	12.980	18.85	28.44	1.090	4.198	-10.3770	
235	590.3	13.208	14.937	14.365	12.964	18.58	28.97	9.161	3.467	-10.4600	
240	591.6	13.079	14.872	14.251	12.947	18.32	29.48	7.720	2.876	-10.5413	
245	592.7	12.949	14.807	14.138	12.930	18.08	29.98	6.525	2.394	-10.6209	
250	593.7	12.821	14.742	14.025	12.914	17.85	30.46	5.530	2.000	-10.6990	
255	594.5	12.692	14.678	13.913	12.897	17.63	30.92	4.699	1.676	-10.7756	
260	595.2	12.565	14.613	13.801	12.881	17.43	31.37	4.002	1.409	-10.8509	
265	595.8	12.437	14.549	13.689	12.865	17.23	31.81	3.416	1.188	-10.9250	
270	596.4	12.310	14.486	13.578	12.849	17.05	32.23	2.922	1.005	-10.9979	
275	596.9	12.184	14.422	13.467	12.833	16.87	32.64	2.505	8.517	-11.0697	
280	597.3	12.057	14.359	13.356	12.817	16.70	33.05	2.151	7.235	-11.1406	
285	597.6	11.931	14.296	13.246	12.801	16.54	33.45	1.851	6.160	-11.2104	
290	597.9	11.806	14.233	13.136	12.785	16.37	33.85	1.595	5.255	-11.2794	
295	598.2	11.680	14.170	13.026	12.770	16.22	34.25	1.377	4.491	-11.3476	
300	598.4	11.555	14.107	12.916	12.754	16.06	34.65	1.191	3.845	-11.4151	
310	598.8	11.305	13.982	12.698	12.722	15.74	35.47	8.957	2.832	-11.5479	
320	599.1	11.057	13.858	12.480	12.691	15.41	36.35	6.780	2.098	-11.6782	
330	599.3	10.809	13.734	12.263	12.660	15.06	37.33	5.168	1.562	-11.8063	
340	599.5	10.562	13.611	12.047	12.629	14.68	38.43	3.968	1.169	-11.9323	
350	599.6	10.316	13.488	11.832	12.598	14.25	39.70	3.072	8.781	-12.0564	
360	599.7	10.071	13.365	11.617	12.568	13.78	41.21	2.399	6.627	-12.1787	
370	599.8	9.826	13.243	11.403	12.537	13.24	43.00	1.891	5.022	-12.2991	
380	599.8	9.583	13.121	11.190	12.507	12.65	45.15	1.507	3.822	-12.4177	
390	599.9	9.340	12.999	10.977	12.476	12.00	47.75	1.215	2.923	-12.5342	
400	599.9	9.097	12.878	10.765	12.446	11.30	50.86	9.915	2.246	-12.6486	

Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density $m^{-3}$					Molecular weight <i>M</i>	Scale height <i>H<sub>p</sub></i> , km	Pressure <i>P</i> , mb	Log pressure	Density $\rho$ , kg $m^{-3}$	Log density
		$\log n(O_2)$		$\log n(N_2)$		$\log n(H)$						
		$\log n(O)$	$\log n(O_2)$	$\log n(N_2)$	$\log n(He)$							
410	599.9	8.856	12.757	10.553	12.416	10.55	54.61	8.200	-9.086	1.735	-12.7607	
420	599.9	8.615	12.637	10.343	12.386	9.79	59.08	6.876	-9.163	1.349	-12.8701	
430	600.0	8.375	12.517	10.132	12.355	9.01	64.38	5.846	-9.233	1.055	-12.9766	
440	600.0	8.136	12.397	9.923	12.326	8.24	70.59	5.039	-9.298	8.322	-13.0798	
450	600.0	7.897	12.278	9.714	12.296	7.50	77.80	4.403	-9.356	6.616	-13.1794	
460	600.0	7.659	12.159	9.506	12.266	6.80	86.06	3.896	-9.409	5.308	-13.2750	
470	600.0	7.422	12.040	9.298	12.236	6.15	95.36	3.488	-9.457	4.324	-13.3663	
480	600.0	7.186	11.922	9.091	12.207	5.57	105.68	3.158	-9.501	3.524	-13.4529	
490	600.0	6.950	11.804	8.885	12.177	5.05	116.92	2.886	-9.540	2.920	-13.5346	
500	600.0	6.715	11.687	8.679	12.148	4.59	128.92	2.660	-9.575	2.448	-13.6112	
510	600.0	6.480	11.569	8.473	12.118	4.19	141.52	2.470	-9.607	2.077	-13.6826	
520	600.0	6.246	11.452	8.269	12.089	3.85	154.49	2.309	-9.637	1.783	-13.7487	
530	600.0	6.013	11.336	8.065	12.060	3.56	167.61	2.170	-9.664	1.549	-13.8099	
540	600.0	5.781	11.220	7.861	12.031	3.31	180.67	2.049	-9.689	1.361	-13.8661	
550	600.0	5.549	11.104	7.658	12.002	3.10	193.48	1.942	-9.712	1.208	-13.9179	
560	600.0	5.318	10.988	7.456	11.973	2.92	205.91	1.847	-9.734	1.083	-13.9654	
570	600.0	5.088	10.873	7.254	11.944	2.77	217.85	1.762	-9.754	9.793	-14.0091	
580	600.0	4.858	10.758	7.053	11.915	2.64	229.24	1.685	-9.773	8.925	-14.0494	
590	600.0	4.629	10.644	6.853	11.887	2.53	240.06	1.615	-9.792	8.190	-14.0867	
600	600.0	4.400	10.529	6.653	11.858	2.43	250.32	1.550	-9.810	7.562	-14.1213	
610	600.0	4.173	10.416	6.453	11.830	2.35	260.05	1.490	-9.827	7.020	-14.1537	
620	600.0	3.945	10.302	6.254	11.801	2.28	269.29	1.435	-9.843	6.546	-14.1840	
630	600.0	3.719	10.189	6.056	11.773	2.21	278.11	1.384	-9.859	6.129	-14.2126	
640	600.0	3.493	10.076	5.858	11.745	2.15	286.54	1.336	-9.874	5.758	-14.2397	
650	600.0	3.268	9.963	5.661	11.717	2.10	294.66	1.290	-9.889	5.425	-14.2656	
660	600.0	3.043	9.851	5.465	11.689	2.05	302.50	1.248	-9.904	5.125	-14.2903	
670	600.0	2.820	9.739	5.269	11.661	2.00	310.12	1.208	-9.918	4.853	-14.3140	
680	600.0	2.596	9.627	5.073	11.633	1.96	317.56	1.170	-9.932	4.603	-14.3369	
690	600.0	2.374	9.516	4.878	11.605	1.92	324.85	1.134	-9.945	4.375	-14.3591	
700	600.0	2.152	9.405	4.684	11.577	1.89	332.02	1.100	-9.959	4.164	-14.3805	
710	600.0	1.930	9.294	4.490	11.549	1.85	339.11	1.068	-9.972	3.968	-14.4014	
720	600.0	1.710	9.184	4.297	11.522	1.82	346.12	1.037	-9.984	3.786	-14.4218	
730	600.0	1.489	9.074	4.104	11.494	1.79	353.09	1.008	-9.997	3.617	-14.4416	
740	600.0	1.270	8.964	3.912	11.467	1.76	360.01	9.799	-10.009	3.459	-14.4610	
750	600.0	1.051	8.855	3.721	11.439	1.73	366.90	9.533	-10.021	3.312	-14.4800	
760	600.0	0.833	8.746	3.529	11.412	1.71	373.78	9.279	-10.032	3.173	-14.4985	
770	600.0	0.615	8.637	3.339	11.385	1.68	380.63	9.036	-10.044	3.043	-14.5167	
780	600.0	0.398	8.528	3.149	11.358	1.65	387.48	8.804	-10.055	2.920	-14.5346	
790	600.0	0.182	8.420	2.959	11.331	1.63	394.31	8.582	-10.066	2.805	-14.5520	
800	600.0	-0.034	8.312	2.771	11.304	1.61	401.14	8.369	-10.077	2.697	-14.5692	
820	600.0	-0.464	8.097	2.394	11.250	1.56	414.75	7.968	-10.099	2.497	-14.6026	
840	600.0	-0.891	7.884	2.020	11.196	1.52	428.30	7.599	-10.119	2.319	-14.6347	
880	600.0	-1.739	7.460	1.278	11.854	1.45	455.13	6.941	-10.159	2.015	-14.6956	
900	600.0	-2.160	7.250	0.910	11.841	1.42	468.35	6.647	-10.177	1.886	-14.7245	
920	600.0	-2.578	7.040	0.544	11.828	1.38	481.40	6.373	-10.196	1.769	-14.7523	
940	600.0	-2.994	6.833	0.180	11.815	1.36	494.26	6.117	-10.213	1.663	-14.7792	
960	600.0	-3.407	6.626	-0.182	11.802	1.33	506.88	5.877	-10.231	1.566	-14.8051	
980	600.0	-3.818	6.420	-0.542	11.789	1.31	519.26	5.652	-10.248	1.479	-14.8301	
1000	600.0	-4.227	6.216	-0.901	11.776	1.28	531.36	5.441	-10.264	1.399	-14.8543	

## SPRING/FALL MODEL, EXOSPHERIC TEMPERATURE = 700° K

Altitude $Z$ , km	Temp. $T$ , °K	Number density $m^{-3}$					Molecular weight $M$	Scale height $H_p$ , km	Pressure $P$ , mb	Log pressure	Density $\rho$ , $kg\ m^{-3}$	Log density
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(He)$	$\log n(H)$						
120	355.0	16.875	16.881	17.602	13.531	26.90	11.62	2.700	-5	-4.569	2.461	-7.6089
125	401.3	16.613	16.723	17.366	13.472	26.57	13.32	1.808		-4.743	1.439	-7.8418
130	441.4	16.385	16.588	17.161	13.423	26.24	14.85	1.268		-4.897	9.062	-8.0428
135	476.2	16.181	16.470	16.978	13.382	25.91	16.25	9.192	-6	-5.037	6.015	-8.2208
140	506.2	15.994	16.363	16.812	13.345	25.57	17.53	6.837		-5.165	4.154	-8.3815
145	532.3	15.822	16.266	16.658	13.313	25.24	18.70	5.188		-5.285	2.959	-8.5288
150	554.8	15.660	16.176	16.514	13.283	24.90	19.79	4.001		-5.398	2.160	-8.6655
155	574.3	15.506	16.092	16.378	13.257	24.56	20.80	3.128	-6	-5.505	1.609	-8.7935
160	591.2	15.360	16.012	16.248	13.232	24.22	21.75	2.473		-5.607	1.218	-8.9142
165	605.8	15.219	15.937	16.123	13.209	23.88	22.64	1.974		-5.705	9.357	-9.0289
170	618.4	15.083	15.864	16.003	13.188	23.53	23.49	1.589		-5.799	7.273	-9.1383
175	629.4	14.951	15.794	15.887	13.168	23.19	24.30	1.289		-5.890	5.712	-9.2432
180	638.9	14.822	15.727	15.773	13.148	22.84	25.08	1.053		-5.978	4.528	-9.3441
185	647.1	14.696	15.661	15.662	13.130	22.50	25.82	8.651	-7	-6.063	3.618	-9.4416
190	654.2	14.573	15.597	15.553	13.112	22.16	26.55	7.147		-6.146	2.912	-9.5358
195	660.3	14.451	15.534	15.446	13.095	21.83	27.25	5.935		-6.227	2.359	-9.6272
200	665.7	14.331	15.472	15.341	13.078	21.50	27.93	4.951		-6.305	1.923	-9.7160
205	670.3	14.213	15.412	15.237	13.062	21.18	28.59	4.148	-7	-6.382	1.576	-9.8024
210	674.3	14.096	15.352	15.135	13.046	20.86	29.24	3.490		-6.457	1.299	-9.8865
215	677.7	13.980	15.293	15.033	13.030	20.56	29.87	2.947		-6.531	1.075	-9.9686
220	680.7	13.866	15.235	14.932	13.015	20.26	30.49	2.497		-6.603	8.938	-10.0488
225	683.3	13.752	15.177	14.832	13.000	19.97	31.09	2.123		-6.673	7.463	-10.1271
230	685.5	13.639	15.120	14.733	12.985	19.70	31.68	1.810		-6.742	6.253	-10.2038
235	687.5	13.527	15.063	14.635	12.971	19.43	32.25	1.548		-6.810	5.263	-10.2788
240	689.2	13.415	15.007	14.537	12.956	19.18	32.81	1.327		-6.877	4.443	-10.3523
245	690.6	13.304	14.951	14.440	12.942	18.94	33.35	1.141		-6.943	3.763	-10.4244
250	691.9	13.193	14.895	14.343	12.927	18.70	33.88	9.835	-8	-7.007	3.198	-10.4952
255	693.0	13.083	14.839	14.246	12.913	18.48	34.39	8.495	-8	-7.071	2.725	-10.5646
260	693.9	12.973	14.784	14.150	12.899	18.27	34.89	7.353		-7.134	2.329	-10.6329
265	694.7	12.864	14.729	14.054	12.885	18.07	35.37	6.378		-7.195	1.995	-10.7000
270	695.4	12.755	14.675	13.959	12.872	17.88	35.84	5.542		-7.256	1.714	-10.7660
275	696.1	12.646	14.620	13.863	12.858	17.70	36.29	4.825		-7.317	1.476	-10.8310
280	696.6	12.538	14.566	13.768	12.844	17.53	36.73	4.207		-7.376	1.273	-10.8951
285	697.0	12.430	14.512	13.674	12.830	17.36	37.15	3.675		-7.435	1.101	-10.9582
290	697.4	12.322	14.458	13.579	12.817	17.21	37.57	3.214		-7.493	9.539	-11.0205
295	697.8	12.214	14.404	13.485	12.803	17.06	37.97	2.816		-7.550	8.280	-11.0820
300	698.1	12.107	14.350	13.391	12.790	16.92	38.37	2.470		-7.607	7.199	-11.1427
310	698.6	11.893	14.243	13.204	12.763	16.65	39.13	1.908	-8	-7.719	5.469	-11.2621
320	699.2	11.680	14.136	13.017	12.736	16.39	39.88	1.482		-7.829	4.179	-11.3789
330	699.2	11.467	14.030	12.831	12.709	16.15	40.62	1.156		-7.937	3.210	-11.4935
340	699.4	11.256	13.924	12.646	12.683	15.91	41.37	9.055	-9	-8.043	2.477	-11.6060
350	699.5	11.045	13.818	12.461	12.656	15.67	42.14	7.127		-8.147	1.920	-11.7168
360	699.7	10.834	13.713	12.277	12.630	15.42	42.96	5.634		-8.249	1.493	-11.8259
370	699.7	10.625	13.608	12.094	12.604	15.15	43.84	4.474		-8.349	1.165	-11.9335
380	699.8	10.416	13.504	11.911	12.578	14.87	44.80	3.570		-8.447	9.127	-12.0397
390	699.9	10.208	13.400	11.728	12.552	14.57	45.87	2.863		-8.543	7.170	-12.1445
400	699.9	10.000	13.296	11.547	12.526	14.24	47.08	2.309		-8.637	5.650	-12.2480



Altitude $Z$ , km	Temp. $T$ , °K	Number density $m^{-3}$				Molecular weight $M$	Scale height $H_p$ , km	Pressure $P$ , mb	Log pressure	Density $\rho$ , kg $m^{-3}$	Log density
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(H)$						
410	699.9	9.793	13.192	11.365	12.500	13.88	48.46	1.873	4.465	-12.3501	
420	699.9	9.587	13.089	11.185	12.474	13.48	50.03	1.528	3.540	-12.4510	
430	700.0	9.381	12.986	11.005	12.448	13.05	51.84	1.256	2.816	-12.5504	
440	700.0	9.176	12.884	10.825	12.422	12.58	53.92	1.039	2.247	-12.6484	
450	700.0	8.971	12.781	10.646	12.397	12.08	56.32	0.868	1.799	-12.7449	
460	700.0	8.767	12.680	10.467	12.371	11.55	59.07	0.728	1.447	-12.8396	
470	700.0	8.564	12.578	10.289	12.346	11.00	62.23	0.619	1.168	-12.9326	
480	700.0	8.361	12.476	10.112	12.321	10.43	65.82	0.528	0.971	-13.0236	
490	700.0	8.159	12.375	9.935	12.295	9.85	69.89	0.450	0.819	-13.1125	
500	700.0	7.958	12.275	9.759	12.270	9.27	74.47	0.390	0.700	-13.1990	
510	700.0	7.757	12.174	9.583	12.245	8.70	79.58	0.340	0.612	-13.2830	
520	700.0	7.556	12.074	9.407	12.220	8.15	85.23	0.300	0.540	-13.3643	
530	700.0	7.356	11.974	9.232	12.195	7.62	91.42	0.270	0.480	-13.4426	
540	700.0	7.157	11.874	9.058	12.170	7.12	98.11	0.240	0.430	-13.5179	
550	700.0	6.959	11.775	8.884	12.145	6.66	105.27	0.220	0.390	-13.5900	
560	700.0	6.761	11.676	8.711	12.120	6.23	112.83	0.200	0.360	-13.6587	
570	700.0	6.563	11.577	8.538	12.096	5.84	120.72	0.180	0.330	-13.7240	
580	700.0	6.366	11.479	8.365	12.071	5.49	128.84	0.170	0.310	-13.7859	
590	700.0	6.170	11.381	8.193	12.046	5.17	137.10	0.160	0.290	-13.8443	
600	700.0	5.974	11.283	8.022	12.022	4.89	145.40	0.150	0.270	-13.8993	
610	700.0	5.779	11.185	7.851	11.998	4.64	153.65	0.140	0.260	-13.9511	
620	700.0	5.584	11.088	7.681	11.973	4.42	161.76	0.130	0.250	-13.9997	
630	700.0	5.390	10.991	7.511	11.949	4.23	169.66	0.120	0.240	-14.0454	
640	700.0	5.196	10.894	7.341	11.925	4.06	177.29	0.110	0.230	-14.0883	
650	700.0	5.003	10.798	7.172	11.901	3.91	184.62	0.100	0.220	-14.1287	
660	700.0	4.811	10.701	7.004	11.876	3.77	191.62	0.090	0.210	-14.1667	
670	700.0	4.619	10.605	6.836	11.852	3.66	198.29	0.080	0.200	-14.2025	
680	700.0	4.428	10.510	6.668	11.829	3.55	204.62	0.070	0.190	-14.2365	
690	700.0	4.237	10.414	6.501	11.805	3.46	210.63	0.060	0.180	-14.2688	
700	700.0	4.047	10.319	6.335	11.781	3.38	216.35	0.050	0.170	-14.2995	
710	700.0	3.857	10.224	6.168	11.757	3.31	221.80	0.040	0.160	-14.3289	
720	700.0	3.668	10.130	6.003	11.733	3.24	227.00	0.030	0.150	-14.3571	
730	700.0	3.479	10.035	5.838	11.710	3.18	231.99	0.020	0.140	-14.3843	
740	700.0	3.291	9.941	5.673	11.686	3.12	236.79	0.010	0.130	-14.4105	
750	700.0	3.103	9.847	5.509	11.663	3.07	241.44	0.010	0.120	-14.4358	
760	700.0	2.916	9.754	5.345	11.639	3.02	245.96	0.010	0.110	-14.4605	
770	700.0	2.730	9.661	5.182	11.616	2.98	250.38	0.010	0.100	-14.4845	
780	700.0	2.544	9.568	5.019	11.593	2.94	254.72	0.010	0.090	-14.5080	
790	700.0	2.358	9.475	4.856	11.570	2.90	259.00	0.010	0.080	-14.5309	
800	700.0	2.173	9.382	4.694	11.547	2.86	263.24	0.010	0.070	-14.5534	
820	700.0	1.805	9.198	4.372	11.500	2.78	271.68	0.010	0.060	-14.5971	
840	700.0	1.438	9.015	4.051	11.455	2.72	280.15	0.010	0.050	-14.6395	
880	700.0	0.711	8.652	3.415	11.364	2.59	297.49	0.010	0.040	-14.7210	
900	700.0	0.351	8.471	3.099	11.319	2.52	306.50	0.010	0.030	-14.7603	
920	700.0	-0.007	8.292	2.786	11.274	2.46	315.77	0.010	0.020	-14.7988	
940	700.0	-0.364	8.114	2.474	11.229	2.40	325.34	0.010	0.010	-14.8364	
960	700.0	-0.718	7.937	2.163	11.185	2.35	335.23	0.010	0.010	-14.8734	
980	700.0	-1.071	7.761	1.855	11.141	2.29	345.45	0.010	0.010	-14.9096	
1000	700.0	-1.421	7.585	1.548	11.097	2.23	356.01	0.010	0.010	-14.9450	

## SPRING/FALL MODEL, EXOSPHERIC TEMPERATURE = 800° K

Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density m <sup>-3</sup>				Molecular weight <i>M</i>	Scale height <i>H<sub>p</sub></i> , km	Pressure <i>P</i> , mb	Log pressure	Density $\rho$ , kg m <sup>-3</sup>	Log density
		log <i>n</i> (O <sub>2</sub> )	log <i>n</i> (O)	log <i>n</i> (N <sub>2</sub> )	log <i>n</i> (He)						
120	355.0	16.875	16.881	17.602	13.531	26.90	11.62	2.700	2.461	-7.6089	
125	415.3	16.602	16.710	17.355	13.464	26.57	13.78	1.821	1.401	-7.8535	
130	467.4	16.372	16.570	17.147	13.409	26.26	15.71	1.297	8.765	-8.0573	
135	512.4	16.172	16.450	16.967	13.365	25.95	17.46	0.594	5.845	-8.2332	
140	551.3	15.993	16.344	16.806	13.326	25.65	19.04	7.295	4.082	-8.3891	
145	585.0	15.829	16.249	16.659	13.293	25.35	20.47	5.664	2.952	-8.5299	
150	614.1	15.677	16.163	16.524	13.264	25.05	21.78	4.470	2.193	-8.6590	
155	639.3	15.535	16.083	16.397	13.237	24.75	22.98	3.575	1.665	-8.7786	
160	661.1	15.401	16.009	16.278	13.213	24.45	24.09	2.891	1.286	-8.8907	
165	679.9	15.272	15.938	16.164	13.191	24.15	25.12	2.360	1.008	-8.9965	
170	696.1	15.149	15.871	16.054	13.171	23.85	26.09	1.941	7.998	-9.0970	
175	710.2	15.030	15.808	15.949	13.152	23.55	27.00	1.608	6.412	-9.1930	
180	722.4	14.914	15.746	15.847	13.133	23.25	27.86	1.340	5.187	-9.2851	
185	732.9	14.801	15.687	15.747	13.116	22.95	28.67	1.123	4.229	-9.3738	
190	742.0	14.691	15.629	15.650	13.100	22.65	29.45	9.452	3.471	-9.4595	
195	749.8	14.583	15.572	15.555	13.084	22.36	30.20	7.994	2.867	-9.5426	
200	756.6	14.477	15.517	15.462	13.069	22.07	30.93	6.787	2.381	-9.6232	
205	762.5	14.372	15.463	15.370	13.054	21.78	31.63	5.785	1.987	-9.7017	
210	767.6	14.269	15.410	15.279	13.040	21.50	32.31	4.947	1.666	-9.7782	
215	772.0	14.167	15.358	15.189	13.026	21.22	32.97	4.244	1.403	-9.8529	
220	775.8	14.066	15.306	15.100	13.012	20.94	33.61	3.653	1.186	-9.9259	
225	779.0	13.965	15.255	15.012	12.999	20.68	34.24	3.152	1.006	-9.9973	
230	781.9	13.866	15.205	14.925	12.985	20.42	34.86	2.727	8.566	-10.0672	
235	784.3	13.767	15.155	14.838	12.972	20.16	35.46	2.366	7.316	-10.1358	
240	786.5	13.669	15.105	14.752	12.959	19.92	36.05	2.057	6.266	-10.2030	
245	788.3	13.571	15.056	14.667	12.947	19.68	36.63	1.793	5.383	-10.2690	
250	789.9	13.474	15.007	14.582	12.934	19.45	37.19	1.566	4.637	-10.3338	
255	791.2	13.378	14.958	14.497	12.922	19.23	37.74	1.370	4.005	-10.3974	
260	792.4	13.281	14.910	14.413	12.909	19.02	38.28	1.201	3.467	-10.4601	
265	793.5	13.186	14.861	14.329	12.897	18.81	38.81	1.055	3.008	-10.5217	
270	794.3	13.090	14.813	14.245	12.885	18.61	39.32	9.283	2.616	-10.5823	
275	795.1	12.995	14.766	14.161	12.873	18.43	39.82	8.181	2.280	-10.6420	
280	795.8	12.900	14.718	14.078	12.861	18.24	40.31	7.221	1.991	-10.7009	
285	796.3	12.805	14.670	13.995	12.849	18.07	40.79	6.384	1.742	-10.7589	
290	796.8	12.711	14.623	13.913	12.837	17.91	41.25	5.651	1.527	-10.8161	
295	797.3	12.616	14.576	13.830	12.825	17.75	41.70	5.009	1.341	-10.8725	
300	797.6	12.522	14.529	13.748	12.813	17.60	42.14	4.446	1.180	-10.9282	
310	798.2	12.335	14.435	13.584	12.789	17.31	43.00	3.515	9.170	-11.0376	
320	798.7	12.148	14.341	13.420	12.766	17.05	43.81	2.792	7.169	-11.1445	
330	799.0	11.963	14.248	13.258	12.743	16.81	44.60	2.227	5.634	-11.2492	
340	799.3	11.777	14.156	13.095	12.719	16.58	45.36	1.783	4.448	-11.3518	
350	799.4	11.593	14.063	12.934	12.696	16.37	46.10	1.433	3.527	-11.4526	
360	799.6	11.409	13.971	12.773	12.673	16.16	46.85	1.155	2.808	-11.5516	
370	799.7	11.225	13.880	12.612	12.650	15.95	47.59	9.348	2.243	-11.6492	
380	799.8	11.043	13.788	12.452	12.627	15.75	48.36	7.589	1.797	-11.7454	
390	799.8	10.860	13.697	12.293	12.605	15.54	49.16	6.182	1.445	-11.8403	
400	799.9	10.679	13.606	12.134	12.582	15.33	50.00	5.052	1.164	-11.9340	

Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density $m^{-3}$				Molecular weight <i>M</i>	Scale height <i>H<sub>p</sub></i> , km	Pressure <i>P</i> , mb	Log pressure	Density $\rho$ , $kg\ m^{-3}$	Log density
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(He)$						
410	799.9	10.498	13.516	11.975	12.559	15.10	50.89	4.144 - 9	9.408 -13	-12.0265	
420	799.9	10.317	13.425	11.817	12.537	14.86	51.87	3.411	7.621	-12.1180	
430	799.9	10.137	13.335	11.659	12.514	14.61	52.93	2.818	6.189	-12.2084	
440	800.0	9.957	13.246	11.502	12.492	14.33	54.10	2.338	5.037	-12.2978	
450	800.0	9.778	13.156	11.345	12.469	14.04	55.40	1.947	4.110	-12.3862	
460	800.0	9.600	13.067	11.189	12.447	13.72	56.85	1.629	3.361	-12.4735	
470	800.0	9.422	12.978	11.033	12.425	13.38	58.47	1.370	2.755	-12.5598	
480	800.0	9.245	12.889	10.878	12.402	13.01	60.29	1.158	2.264	-12.6450	
490	800.0	9.068	12.801	10.723	12.380	12.62	62.33	9.833 -10	1.866	-12.7291	
500	800.0	8.892	12.713	10.569	12.358	12.21	64.62	8.399	1.542	-12.8119	
510	800.0	8.716	12.625	10.415	12.336	11.78	67.19	7.216 -10	1.278 -13	-12.8935	
520	800.0	8.540	12.537	10.261	12.314	11.33	70.05	6.237	1.063	-12.9736	
530	800.0	8.366	12.450	10.108	12.292	10.87	73.23	5.424	8.864 -14	-13.0523	
540	800.0	8.191	12.362	9.956	12.271	10.40	76.76	4.746	7.422	-13.1295	
550	800.0	8.017	12.276	9.804	12.249	9.93	80.65	4.180	6.239	-13.2049	
560	800.0	7.844	12.189	9.652	12.227	9.46	84.92	3.704	5.266	-13.2785	
570	800.0	7.671	12.102	9.501	12.206	8.99	89.56	3.303	4.445	-13.3502	
580	800.0	7.499	12.016	9.350	12.184	8.54	94.59	2.963	3.803	-13.4199	
590	800.0	7.327	11.930	9.199	12.163	8.10	99.98	2.673	3.256	-13.4873	
600	800.0	7.156	11.845	9.049	12.141	7.68	105.72	2.424	2.802	-13.5526	
610	800.0	6.985	11.759	8.900	12.120	7.29	111.77	2.212 -10	2.424 -14	-13.6155	
620	800.0	6.815	11.674	8.751	12.098	6.92	118.09	2.028	2.109	-13.6759	
630	800.0	6.645	11.589	8.602	12.077	6.57	124.64	1.867	1.845	-13.7339	
640	800.0	6.475	11.505	8.454	12.056	6.26	131.35	1.727	1.624	-13.7894	
650	800.0	6.307	11.420	8.306	12.035	5.96	138.17	1.603	1.438	-13.8424	
660	800.0	6.138	11.336	8.158	12.014	5.70	145.03	1.494	1.280	-13.8929	
670	800.0	5.970	11.252	8.011	11.993	5.46	151.87	1.397	1.146	-13.9409	
680	800.0	5.803	11.168	7.865	11.972	5.24	158.63	1.309	1.031	-13.9865	
690	800.0	5.636	11.085	7.719	11.951	5.04	165.25	1.231	9.335 -15	-14.0299	
700	800.0	5.469	11.002	7.573	11.930	4.87	171.66	1.160	8.491	-14.0710	
710	800.0	5.303	10.919	7.428	11.909	4.71	177.91	1.096 -10	7.761 -15	-14.1101	
720	800.0	5.138	10.836	7.283	11.889	4.57	183.88	1.037	7.125	-14.1472	
730	800.0	4.973	10.753	7.138	11.868	4.45	189.58	9.826 -11	6.569	-14.1825	
740	800.0	4.808	10.671	6.994	11.847	4.34	195.00	9.328	6.080	-14.2161	
750	800.0	4.644	10.589	6.850	11.827	4.24	200.13	8.868	5.648	-14.2481	
760	800.0	4.480	10.507	6.707	11.806	4.15	204.98	8.441	5.263	-14.2788	
770	800.0	4.317	10.425	6.564	11.786	4.07	209.56	8.043	4.920	-14.3081	
780	800.0	4.154	10.344	6.422	11.766	4.00	213.87	7.672	4.611	-14.3362	
790	800.0	3.992	10.263	6.280	11.745	3.93	217.94	7.325	4.332	-14.3633	
800	800.0	3.830	10.182	6.138	11.725	3.88	221.77	6.999	4.079	-14.3894	
820	800.0	3.508	10.021	5.856	11.685	3.70	228.85	6.405 -11	3.638 -15	-14.4392	
840	800.0	3.187	9.860	5.575	11.645	3.57	235.24	5.876	3.265	-14.4861	
880	800.0	2.551	9.542	5.018	11.565	3.57	246.57	4.977	2.668	-14.5738	
900	800.0	2.236	9.385	4.742	11.526	3.51	251.77	4.594	2.425	-14.6154	
920	800.0	1.922	9.228	4.468	11.486	3.46	256.78	4.246	2.210	-14.6557	
940	800.0	1.610	9.072	4.195	11.447	3.42	261.69	3.931	2.018	-14.6950	
960	800.0	1.300	8.917	3.923	11.409	3.37	266.56	3.644	1.847	-14.7336	
980	800.0	0.992	8.763	3.653	11.370	3.33	271.45	3.383	1.693	-14.7714	
1000	800.0	0.685	8.609	3.385	11.332	3.29	276.41	3.145	1.554	-14.8086	

SPRING/FALL MODEL, EXOSPHERIC TEMPERATURE = 900° K

Altitude Z, km	Temp. T, °K	Number density m <sup>-3</sup>					Molecular weight M	Scale height H <sub>p</sub> , km	Pressure P, mb	Log pressure	Density ρ, kg m <sup>-3</sup>	Log density
		log n(O <sub>2</sub> )	log n(O)	log n(N <sub>2</sub> )	log n(H <sub>e</sub> )	log n(H)						
120	355.0	16.875	16.881	17.602	13.531	26.90	11.62	2.700	-4.569	2.461	-7.6089	
125	428.2	16.592	16.699	17.344	13.456	26.58	14.20	1.832	-4.737	1.368	-7.8640	
130	491.6	16.361	16.553	17.134	13.397	26.28	16.52	1.323	-4.878	8.506	-8.0703	
135	546.4	16.163	16.431	16.956	13.350	25.99	18.59	9.949	-5.002	5.692	-8.2447	
140	593.9	15.990	16.326	16.799	13.310	25.71	20.46	7.702	-5.113	4.010	-8.3968	
145	635.0	15.833	16.233	16.658	13.276	25.44	22.14	6.090	-5.215	2.934	-8.5325	
150	670.6	15.689	16.150	16.530	13.246	25.17	23.67	4.896	-5.310	2.210	-8.6556	
155	701.4	15.556	16.073	16.410	13.220	24.90	25.06	3.988	-5.399	1.703	-8.7689	
160	728.1	15.431	16.003	16.299	13.196	24.63	26.34	3.283	-5.484	1.336	-8.8742	
165	751.2	15.312	15.936	16.193	13.175	24.36	27.51	2.727	-5.564	1.064	-8.9732	
170	771.2	15.198	15.874	16.092	13.155	24.10	28.60	2.282	-5.642	8.576	-9.0667	
175	788.5	15.089	15.814	15.995	13.137	23.83	29.61	1.922	-5.716	6.986	-9.1557	
180	803.4	14.983	15.758	15.902	13.119	23.57	30.56	1.628	-5.788	5.742	-9.2409	
185	816.4	14.881	15.703	15.811	13.103	23.30	31.46	1.385	-5.858	4.756	-9.3228	
190	827.6	14.781	15.650	15.723	13.088	23.04	32.30	1.184	-5.927	3.965	-9.4018	
195	837.4	14.683	15.598	15.637	13.073	22.78	33.11	1.016	-5.993	3.325	-9.4782	
200	845.8	14.587	15.548	15.552	13.059	22.52	33.88	8.753	-6.058	2.803	-9.5524	
205	853.1	14.493	15.499	15.469	13.045	22.26	34.62	7.565	-6.121	2.374	-9.6245	
210	859.4	14.400	15.451	15.387	13.032	22.00	35.33	6.557	-6.183	2.019	-9.6948	
215	864.8	14.308	15.404	15.307	13.019	21.75	36.03	5.700	-6.244	1.724	-9.7634	
220	869.5	14.217	15.357	15.227	13.006	21.50	36.70	4.967	-6.304	1.477	-9.8305	
225	873.6	14.127	15.311	15.148	12.994	21.26	37.36	4.340	-6.363	1.270	-9.8962	
230	877.2	14.038	15.266	15.070	12.982	21.01	38.00	3.801	-6.420	1.095	-9.9605	
235	880.2	13.950	15.221	14.992	12.970	20.78	38.62	3.336	-6.477	9.470	-10.0236	
240	882.9	13.862	15.177	14.915	12.959	20.55	39.24	2.934	-6.533	8.211	-10.0856	
245	885.2	13.775	15.133	14.839	12.947	20.32	39.84	2.585	-6.588	7.137	-10.1465	
250	887.2	13.689	15.089	14.763	12.936	20.10	40.43	2.282	-6.642	6.219	-10.2062	
255	888.9	13.602	15.045	14.687	12.925	19.88	41.01	2.019	-6.695	5.430	-10.2652	
260	890.4	13.517	15.002	14.612	12.914	19.67	41.58	1.788	-6.748	4.753	-10.3231	
265	891.7	13.431	14.959	14.537	12.903	19.47	42.13	1.587	-6.799	4.168	-10.3801	
270	892.8	13.346	14.916	14.463	12.892	19.27	42.68	1.411	-6.851	3.662	-10.4362	
275	893.8	13.261	14.873	14.388	12.881	19.08	43.22	1.256	-6.901	3.224	-10.4916	
280	894.6	13.177	14.831	14.314	12.870	18.90	43.75	1.119	-6.951	2.844	-10.5461	
285	895.3	13.092	14.789	14.240	12.859	18.72	44.26	9.989	-7.000	2.512	-10.5999	
290	896.0	13.008	14.746	14.167	12.849	18.55	44.77	8.928	-7.049	2.223	-10.6530	
295	896.5	12.924	14.704	14.093	12.838	18.39	45.27	7.990	-7.097	1.971	-10.7054	
300	897.0	12.841	14.662	14.020	12.828	18.23	45.75	7.158	-7.145	1.750	-10.7571	
310	897.7	12.674	14.579	13.874	12.807	17.93	46.70	5.766	-7.239	1.385	-10.8586	
320	898.3	12.508	14.496	13.729	12.786	17.65	47.60	4.664	-7.331	1.102	-10.9577	
330	898.7	12.343	14.413	13.584	12.765	17.39	48.47	3.788	-7.422	8.817	-11.0547	
340	899.0	12.178	14.331	13.440	12.744	17.15	49.31	3.087	-7.510	7.085	-11.1497	
350	899.3	12.014	14.248	13.296	12.724	16.93	50.12	2.525	-7.598	5.717	-11.2428	
360	899.5	11.850	14.167	13.153	12.703	16.72	50.91	2.071	-7.684	4.632	-11.3343	
370	899.6	11.687	14.085	13.010	12.683	16.52	51.69	1.704	-7.768	3.766	-11.4242	
380	899.7	11.525	14.004	12.868	12.662	16.33	52.45	1.407	-7.852	3.071	-11.5127	
390	899.8	11.363	13.923	12.726	12.642	16.15	53.21	1.164	-7.934	2.513	-11.5998	
400	899.8	11.201	13.842	12.585	12.622	15.97	53.98	9.659	-8.015	2.062	-11.6858	

Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density $m^{-3}$				Molecular weight <i>M</i>	Scale height <i>H<sub>p</sub></i> , km	Pressure <i>P</i> , mb	Log pressure	Density $\rho$ , kg $m^{-3}$	Log density
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(He)$						
410	899.9	11.040	13.762	12.444	12.602	15.79	54.76	8.036	1.696	-11.7707	
420	899.9	10.880	13.681	12.303	12.582	15.60	55.57	8.174	1.398	-11.8545	
430	899.9	10.720	13.601	12.163	12.562	15.42	56.41	8.251	1.155	-11.9373	
440	899.9	10.560	13.521	12.023	12.542	15.22	57.30	8.328	9.568	-12.0192	
450	900.0	10.401	13.442	11.884	12.522	15.02	58.24	8.403	7.940	-12.1002	
460	900.0	10.243	13.363	11.745	12.502	14.81	59.25	8.477	6.602	-12.1803	
470	900.0	10.084	13.283	11.607	12.482	14.58	60.35	8.549	5.500	-12.2596	
480	900.0	9.927	13.205	11.469	12.462	14.34	61.54	8.621	4.591	-12.3381	
490	900.0	9.770	13.126	11.331	12.443	14.09	62.84	8.691	3.839	-12.4158	
500	900.0	9.613	13.048	11.194	12.423	13.81	64.27	8.759	3.216	-12.4926	
510	900.0	9.456	12.970	11.057	12.404	13.52	65.84	8.826	2.700	-12.5686	
520	900.0	9.301	12.892	10.921	12.384	13.22	67.57	8.891	2.271	-12.6437	
530	900.0	9.145	12.814	10.785	12.365	12.89	69.48	8.954	1.914	-12.7180	
540	900.0	8.990	12.736	10.649	12.345	12.55	71.58	9.016	1.617	-12.7913	
550	900.0	8.836	12.659	10.514	12.326	12.19	73.90	9.075	1.369	-12.8636	
560	900.0	8.682	12.582	10.379	12.307	11.82	76.45	9.133	1.162	-12.9349	
570	900.0	8.528	12.505	10.244	12.287	11.43	79.26	9.189	9.884	-13.0051	
580	900.0	8.375	12.429	10.110	12.268	11.04	82.33	9.243	8.431	-13.0741	
590	900.0	8.222	12.352	9.977	12.249	10.63	85.69	9.295	7.213	-13.1419	
600	900.0	8.070	12.276	9.843	12.230	10.23	89.34	9.344	6.188	-13.2084	
610	900.0	7.918	12.200	9.710	12.211	9.82	93.29	9.392	5.326	-13.2736	
620	900.0	7.767	12.125	9.578	12.192	9.42	97.55	9.437	4.600	-13.3373	
630	900.0	7.616	12.049	9.446	12.173	9.03	102.13	9.481	3.986	-13.3994	
640	900.0	7.465	11.974	9.314	12.154	8.64	107.01	9.522	3.467	-13.4600	
650	900.0	7.315	11.899	9.182	12.136	8.26	112.18	9.562	3.027	-13.5189	
660	900.0	7.165	11.824	9.051	12.117	7.90	117.63	9.600	2.654	-13.5761	
670	900.0	7.016	11.749	8.921	12.098	7.56	123.33	9.636	2.336	-13.6315	
680	900.0	6.867	11.675	8.790	12.080	7.23	129.25	9.670	2.065	-13.6850	
690	900.0	6.719	11.601	8.660	12.061	6.93	135.36	9.703	1.834	-13.7367	
700	900.0	6.571	11.527	8.531	12.043	6.64	141.61	9.735	1.635	-13.7864	
710	900.0	6.423	11.453	8.402	12.024	6.37	147.97	9.765	1.465	-13.8342	
720	900.0	6.276	11.379	8.273	12.006	6.13	154.38	9.793	1.318	-13.8802	
730	900.0	6.129	11.306	8.144	11.987	5.90	160.81	9.821	1.191	-13.9242	
740	900.0	5.983	11.233	8.016	11.969	5.69	167.20	9.847	1.080	-13.9664	
750	900.0	5.837	11.160	7.889	11.951	5.50	173.51	9.873	9.845	-14.0068	
760	900.0	5.692	11.087	7.761	11.933	5.32	179.70	9.897	9.008	-14.0454	
770	900.0	5.547	11.015	7.634	11.914	5.16	185.74	9.921	8.274	-14.0823	
780	900.0	5.402	10.942	7.507	11.896	5.02	191.59	9.944	7.629	-14.1175	
790	900.0	5.258	10.870	7.381	11.878	4.89	197.23	9.967	7.059	-14.1513	
800	900.0	5.114	10.798	7.255	11.860	4.77	202.65	9.988	6.553	-14.1835	
820	900.0	4.827	10.655	7.004	11.824	4.57	212.75	10.030	5.701	-14.2441	
840	900.0	4.542	10.512	6.755	11.789	4.41	221.86	10.070	5.014	-14.2998	
880	900.0	3.977	10.230	6.260	11.718	4.17	237.22	10.146	3.984	-14.3997	
900	900.0	3.697	10.090	6.015	11.683	4.08	243.65	10.182	3.589	-14.4450	
920	900.0	3.418	9.950	5.771	11.648	4.01	249.38	10.217	3.251	-14.4879	
940	900.0	3.141	9.817	5.528	11.614	3.95	254.54	10.251	2.959	-14.5289	
960	900.0	2.865	9.674	5.287	11.579	3.90	259.23	10.285	2.702	-14.5683	
980	900.0	2.591	9.537	5.047	11.545	3.86	263.54	10.318	2.476	-14.6063	
1000	900.0	2.318	9.400	4.808	11.511	3.82	267.55	10.351	2.274	-14.6432	

## SPRING/FALL MODEL. EXOSPHERIC TEMPERATURE = 1000° K

Altitude $Z$ , km	Temp. $T$ , °K	Number density $m^{-3}$					Molecular weight $M$	Scale height $H_p$ , km	Pressure $P$ , mb	Log pressure	Density $\rho$ , kg $m^{-3}$	Log density	
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(He)$	$\log n(H)$							
120	355.0	16.875	16.881	17.602	13.531	26.90	11.62	2.700	-5	-4.569	2.461	-8	-7.6089
125	439.5	16.583	16.689	17.335	13.449	26.58	14.58	1.842		-4.735	1.340		-7.8730
130	513.0	16.351	16.539	17.123	13.387	26.29	17.23	1.345		-4.871	8.289	-9	-8.0815
135	576.9	16.156	16.416	16.946	13.337	26.02	19.60	1.025		-4.989	5.560		-8.2549
140	632.3	15.986	16.311	16.792	13.296	25.76	21.74	8.046	-6	-5.094	3.943		-8.4042
145	680.5	15.835	16.219	16.656	13.261	25.51	23.66	6.456		-5.190	2.910		-8.5361
150	722.4	15.697	16.138	16.537	13.231	25.26	25.41	5.266		-5.279	2.214		-8.6547
155	758.8	15.570	16.064	16.419	13.205	25.01	26.99	4.351	-6	-5.361	1.725	-9	-8.7632
160	790.4	15.452	15.995	16.313	13.181	24.77	28.43	3.633		-5.440	1.369		-8.8635
165	817.9	15.340	15.932	16.213	13.160	24.53	29.75	3.059		-5.514	1.104		-8.9572
170	841.8	15.234	15.873	16.119	13.141	24.29	30.97	2.595		-5.586	9.006	-10	-9.0455
175	862.5	15.132	15.817	16.028	13.123	24.05	32.10	2.214		-5.655	7.427		-9.1292
180	880.5	15.034	15.763	15.941	13.106	23.81	33.15	1.900		-5.721	6.180		-9.2090
185	896.2	14.939	15.712	15.857	13.090	23.58	34.13	1.637		-5.786	5.181		-9.2856
190	909.8	14.847	15.663	15.776	13.076	23.34	35.05	1.417		-5.849	4.373		-9.3592
195	921.6	14.757	15.615	15.697	13.062	23.11	35.92	1.231		-5.910	3.712		-9.4304
200	931.9	14.669	15.568	15.619	13.048	22.87	36.75	1.073		-5.970	3.166		-9.4994
205	940.8	14.583	15.523	15.543	13.035	22.64	37.54	9.376	-7	-6.028	2.713	-10	-9.5665
210	948.6	14.498	15.479	15.468	13.023	22.41	38.30	8.218		-6.085	2.335		-9.6318
215	955.3	14.414	15.436	15.394	13.011	22.18	39.04	7.221		-6.141	2.016		-9.6955
220	961.2	14.332	15.393	15.322	12.999	21.95	39.74	6.361		-6.196	1.747		-9.7577
225	966.3	14.250	15.351	15.250	12.988	21.72	40.43	5.615		-6.251	1.518		-9.8187
230	970.7	14.169	15.310	15.179	12.977	21.50	41.10	4.967		-6.304	1.323		-9.8784
235	974.5	14.089	15.269	15.109	12.966	21.28	41.75	4.402		-6.356	1.156		-9.9370
240	977.9	14.010	15.228	15.039	12.955	21.06	42.39	3.909		-6.408	1.013		-9.9945
245	980.8	13.931	15.188	14.970	12.945	20.85	43.01	3.477		-6.459	8.890	-11	-10.0511
250	983.3	13.852	15.148	14.901	12.934	20.64	43.63	3.098		-6.509	7.821		-10.1067
255	985.5	13.774	15.109	14.832	12.924	20.44	44.23	2.765	-7	-6.558	6.895	-11	-10.1614
260	987.4	13.697	15.070	14.764	12.914	20.24	44.82	2.471		-6.607	6.091		-10.2153
265	989.0	13.620	15.031	14.697	12.904	20.04	45.41	2.212		-6.655	5.390		-10.2684
270	990.5	13.543	14.992	14.629	12.894	19.85	45.98	1.982		-6.703	4.778		-10.3208
275	991.7	13.466	14.953	14.562	12.884	19.66	46.55	1.779		-6.750	4.243		-10.3723
280	992.8	13.390	14.915	14.495	12.874	19.48	47.10	1.599		-6.796	3.774		-10.4232
285	993.8	13.314	14.877	14.429	12.865	19.30	47.65	1.439		-6.842	3.362		-10.4734
290	994.6	13.238	14.839	14.362	12.855	19.13	48.19	1.296		-6.887	2.999		-10.5230
295	995.3	13.162	14.801	14.296	12.845	18.96	48.72	1.169		-6.932	2.680		-10.5719
300	995.9	13.087	14.763	14.230	12.836	18.80	49.25	1.056		-6.976	2.398		-10.6202
310	996.9	12.937	14.687	14.098	12.817	18.49	50.27	8.636	-8	-7.064	1.927	-11	-10.7151
320	997.7	12.787	14.613	13.967	12.798	18.21	51.25	7.692		-7.149	1.557		-10.8078
330	998.2	12.638	14.538	13.837	12.779	17.94	52.21	5.846		-7.233	1.263		-10.8985
340	998.7	12.490	14.464	13.707	12.761	17.69	53.13	4.835		-7.316	1.030		-10.9872
350	999.0	12.342	14.390	13.578	12.742	17.45	54.02	4.011		-7.397	8.429	-12	-11.0742
360	999.2	12.195	14.316	13.449	12.724	17.23	54.88	3.338		-7.476	6.925		-11.1596
370	999.4	12.048	14.243	13.320	12.705	17.03	55.72	2.786		-7.555	5.710		-11.2434
380	999.6	11.902	14.169	13.192	12.687	16.83	56.54	2.332		-7.632	4.723		-11.3258
390	999.7	11.756	14.096	13.065	12.669	16.65	57.34	1.956		-7.709	3.918		-11.4069
400	999.8	11.611	14.024	12.937	12.650	16.47	58.13	1.645		-7.784	3.260		-11.4868

Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density $m^{-3}$				log <i>n</i> (H)	Molecular weight <i>M</i>	Scale height <i>H<sub>p</sub></i> , km	Pressure <i>P</i> , mb	Log pressure	Density $\rho$ , kg $m^{-3}$	Log density
		log <i>n</i> (O <sub>2</sub> )	log <i>n</i> (O)	log <i>n</i> (N <sub>2</sub> )	log <i>n</i> (He)							
410	599.8	11.466	13.951	12.810	12.632	16.30	58.92	1.387	-7.858	2.719	-11.5655	
420	599.9	11.321	13.879	12.684	12.614	16.14	59.71	1.171	-7.931	2.274	-11.6432	
430	599.9	11.177	13.807	12.558	12.596	15.97	60.50	9.919	-8.004	1.906	-11.7199	
440	599.9	11.034	13.735	12.432	12.578	15.81	61.31	8.417	-8.075	1.601	-11.7957	
450	599.9	10.890	13.664	12.307	12.560	15.64	62.14	7.158	-8.145	1.347	-11.8706	
460	1000.0	10.748	13.592	12.182	12.542	15.48	62.99	6.101	-8.215	1.136	-11.9447	
470	1000.0	10.605	13.521	12.057	12.525	15.30	63.89	5.211	-8.283	9.593	-12.0181	
480	1000.0	10.463	13.450	11.933	12.507	15.13	64.83	4.461	-8.351	8.117	-12.0906	
490	1000.0	10.322	13.379	11.809	12.489	14.94	65.83	3.828	-8.417	6.879	-12.1625	
500	1000.0	10.181	13.309	11.686	12.472	14.75	66.89	3.292	-8.483	5.840	-12.2336	
510	1000.0	10.040	13.238	11.562	12.454	14.54	68.03	2.839	-8.547	4.965	-12.3041	
520	1000.0	9.900	13.168	11.440	12.436	14.33	69.25	2.454	-8.610	4.228	-12.3738	
530	1000.0	9.760	13.098	11.317	12.419	14.10	70.58	2.127	-8.672	3.606	-12.4429	
540	1000.0	9.621	13.029	11.195	12.401	13.86	72.02	1.848	-8.733	3.081	-12.5113	
550	1000.0	9.481	12.959	11.073	12.384	13.60	73.57	1.611	-8.793	2.636	-12.5791	
560	1000.0	9.343	12.890	10.952	12.367	13.34	75.27	1.408	-8.851	2.259	-12.6461	
570	1000.0	9.205	12.821	10.831	12.349	13.05	77.12	1.235	-8.908	1.939	-12.7124	
580	1000.0	9.067	12.752	10.710	12.332	12.76	79.13	1.087	-8.964	1.668	-12.7779	
590	1000.0	8.929	12.683	10.590	12.315	12.45	81.32	9.594	-9.018	1.437	-12.8427	
600	1000.0	8.792	12.615	10.470	12.298	12.13	83.71	8.498	-9.071	1.240	-12.9066	
610	1000.0	8.656	12.546	10.350	12.281	11.80	86.30	7.555	-9.122	1.072	-12.9697	
620	1000.0	8.519	12.478	10.231	12.264	11.46	89.12	6.741	-9.171	9.291	-13.0319	
630	1000.0	8.383	12.410	10.112	12.247	11.11	92.16	6.036	-9.219	8.068	-13.0932	
640	1000.0	8.248	12.342	9.993	12.230	10.76	95.45	5.426	-9.266	7.022	-13.1535	
650	1000.0	8.113	12.275	9.875	12.213	10.40	99.00	4.895	-9.310	6.126	-13.2128	
660	1000.0	7.978	12.207	9.757	12.196	10.05	102.81	4.433	-9.353	5.358	-13.2710	
670	1000.0	7.844	12.140	9.640	12.179	9.69	106.88	4.030	-9.395	4.698	-13.3281	
680	1000.0	7.710	12.073	9.522	12.162	9.34	111.23	3.677	-9.435	4.131	-13.3840	
690	1000.0	7.576	12.007	9.405	12.146	8.99	115.83	3.367	-9.473	3.642	-13.4387	
700	1000.0	7.443	11.940	9.289	12.129	8.66	120.70	3.094	-9.510	3.221	-13.4920	
710	1000.0	7.310	11.874	9.173	12.112	8.33	125.82	2.852	-9.545	2.857	-13.5441	
720	1000.0	7.178	11.807	9.057	12.096	8.01	131.18	2.639	-9.579	2.542	-13.5948	
730	1000.0	7.046	11.741	8.941	12.079	7.71	136.75	2.449	-9.611	2.270	-13.6440	
740	1000.0	6.914	11.675	8.826	12.063	7.41	142.52	2.280	-9.642	2.033	-13.6919	
750	1000.0	6.783	11.610	8.711	12.046	7.14	148.45	2.128	-9.672	1.827	-13.7332	
760	1000.0	6.652	11.544	8.596	12.030	6.88	154.53	1.992	-9.701	1.648	-13.7831	
770	1000.0	6.521	11.479	8.482	12.014	6.63	160.71	1.870	-9.728	1.491	-13.8255	
780	1000.0	6.391	11.414	8.368	11.997	6.40	166.96	1.759	-9.755	1.354	-13.8683	
790	1000.0	6.261	11.349	8.254	11.981	6.19	173.25	1.659	-9.780	1.234	-13.9087	
800	1000.0	6.132	11.284	8.141	11.965	5.99	179.53	1.567	-9.805	1.128	-13.9476	
820	1000.0	5.874	11.155	7.915	11.933	5.63	191.97	1.407	-9.852	9.527	-14.0210	
840	1000.0	5.617	11.027	7.690	11.901	5.33	204.01	1.272	-9.896	8.149	-14.0889	
880	1000.0	5.109	10.773	7.245	11.837	4.86	226.13	1.056	-9.976	6.172	-14.2095	
900	1000.0	4.856	10.647	7.024	11.805	4.68	235.96	9.686	-10.014	5.455	-14.2632	
920	1000.0	4.605	10.521	6.805	11.774	4.54	244.91	8.913	-10.050	4.863	-14.3131	
940	1000.0	4.356	10.396	6.586	11.743	4.42	252.99	8.225	-10.085	4.368	-14.3597	
960	1000.0	4.108	10.272	6.369	11.712	4.32	260.25	7.608	-10.119	3.949	-14.4035	
980	1000.0	3.861	10.149	6.153	11.681	4.23	266.76	7.052	-10.152	3.591	-14.4448	
1000	1000.0	3.616	10.026	5.938	11.650	4.17	272.59	6.548	-10.184	3.281	-14.4840	

SPRING/FALL MODEL, EXOSPHERIC TEMPERATURE = 1100° K

Altitude Z, km	Temp. T, °K	Number density m <sup>-3</sup>					Molecular weight M	Scale height H <sub>p</sub> , km	Pressure P, mb	Log pressure	Density ρ, kg m <sup>-3</sup>	Log density
		log n(O <sub>2</sub> )	log n(O)	log n(N <sub>2</sub> )	log n(He)	log n(H)						
120	355.0	16.875	16.881	17.602	13.531	26.90	11.62	2.700	-5	-4.569	2.461	-8
125	448.9	16.576	16.681	17.328	13.444	26.59	14.88	1.850		-4.733	1.317	-8.8803
130	531.0	16.343	16.527	17.114	13.378	26.31	17.82	1.362		-4.866	8.115	-9
135	602.7	16.149	16.403	16.938	13.327	26.05	20.46	1.049		-4.979	5.451	-8.2635
140	665.4	15.982	16.298	16.786	13.285	25.80	22.84	8.325	-6	-5.080	3.882	-8.4110
145	720.2	15.835	16.207	16.653	13.249	25.56	24.99	6.754		-5.170	2.883	-8.5401
150	768.1	15.702	16.126	16.533	13.219	25.33	26.94	5.572		-5.254	2.210	-8.6557
155	809.9	15.580	16.054	16.423	13.192	25.10	28.71	4.655	-6	-5.332	1.735	-9
160	846.5	15.466	15.988	16.322	13.168	24.88	30.32	3.930		-5.406	1.389	-8.8573
165	878.4	15.360	15.926	16.226	13.147	24.66	31.79	3.346		-5.476	1.129	-8.9471
170	906.4	15.259	15.869	16.137	13.128	24.44	33.15	2.868		-5.542	9.301	-10
175	930.8	15.163	15.815	16.051	13.110	24.22	34.40	2.474		-5.607	7.741	-9.1112
180	952.1	15.071	15.764	15.969	13.094	24.00	35.56	2.144		-5.669	6.501	-9.1870
185	970.8	14.982	15.716	15.890	13.078	23.79	36.65	1.867		-5.729	5.502	-9.2595
190	987.0	14.896	15.669	15.814	13.064	23.57	37.66	1.632		-5.787	4.687	-9.3291
195	1001.3	14.812	15.624	15.740	13.050	23.36	38.61	1.431		-5.844	4.016	-9.3962
200	1013.7	14.730	15.580	15.667	13.038	23.14	39.51	1.259		-5.900	3.458	-9.4612
205	1024.6	14.650	15.538	15.596	13.025	22.93	40.37	1.111	-6	-5.954	2.991	-10
210	1034.1	14.571	15.497	15.527	13.013	22.72	41.18	9.830	-7	-6.007	2.597	-9.5242
215	1042.4	14.494	15.456	15.459	13.002	22.51	41.97	8.716		-6.060	2.264	-9.5854
220	1049.7	14.417	15.417	15.392	12.991	22.30	42.72	7.746		-6.111	1.979	-9.6452
225	1056.0	14.342	15.378	15.326	12.980	22.09	43.45	6.897		-6.161	1.735	-9.7035
230	1061.6	14.268	15.339	15.260	12.970	21.89	44.15	6.153		-6.211	1.526	-9.7606
235	1066.4	14.194	15.301	15.195	12.960	21.68	44.84	5.499		-6.260	1.345	-9.8165
240	1070.6	14.121	15.264	15.131	12.950	21.48	45.51	4.923		-6.308	1.188	-9.8714
245	1074.3	14.049	15.227	15.068	12.940	21.28	46.16	4.414		-6.355	1.052	-9.9252
250	1077.6	13.977	15.191	15.005	12.930	21.09	46.80	3.964		-6.402	9.329	-11
255	1080.4	13.905	15.154	14.942	12.921	20.89	47.43	3.565	-7	-6.448	8.291	-11
260	1082.9	13.834	15.118	14.880	12.911	20.70	48.05	3.210		-6.493	7.382	-10.0814
265	1085.0	13.764	15.083	14.818	12.902	20.52	48.65	2.895		-6.538	6.584	-10.1318
270	1086.9	13.693	15.047	14.756	12.893	20.33	49.25	2.614		-6.583	5.881	-10.1815
275	1088.6	13.624	15.012	14.695	12.884	20.15	49.84	2.363		-6.627	5.261	-10.2305
280	1090.0	13.554	14.977	14.634	12.875	19.98	50.43	2.139		-6.670	4.714	-10.2789
285	1091.3	13.484	14.942	14.573	12.866	19.80	51.00	1.938		-6.713	4.230	-10.3266
290	1092.4	13.415	14.907	14.512	12.857	19.64	51.57	1.758		-6.755	3.801	-10.3737
295	1093.3	13.346	14.872	14.452	12.848	19.47	52.13	1.596		-6.797	3.419	-10.4202
300	1094.2	13.278	14.838	14.392	12.840	19.31	52.68	1.451		-6.838	3.080	-10.4661
310	1095.5	13.141	14.769	14.272	12.822	19.00	53.76	1.202	-7	-6.920	2.509	-11
320	1096.6	13.005	14.701	14.153	12.805	18.71	54.81	1.000		-7.000	2.053	-10.6006
330	1097.4	12.869	14.633	14.034	12.788	18.44	55.84	8.348	-8	-7.078	1.687	-10.6877
340	1098.0	12.734	14.565	13.916	12.771	18.18	56.83	6.990		-7.156	1.392	-10.7729
350	1098.5	12.600	14.498	13.798	12.754	17.94	57.80	5.871		-7.231	1.153	-10.8564
360	1098.8	12.466	14.431	13.681	12.737	17.71	58.74	4.945		-7.306	9.585	-12
370	1099.1	12.332	14.364	13.564	12.720	17.49	59.65	4.176		-7.379	7.995	-11.0184
380	1099.3	12.199	14.297	13.447	12.704	17.29	60.54	3.536		-7.451	6.690	-11.0972
390	1099.5	12.067	14.231	13.331	12.687	17.10	61.41	3.001		-7.523	5.614	-11.1746
400	1099.6	11.934	14.165	13.216	12.670	16.92	62.25	2.553		-7.593	4.725	-11.2507



Altitude $Z$ , km	Temp. $T$ , °K	Number density $m^{-3}$				Molecular weight $M$	Scale height $H_p$ , km	Pressure $P$ , mb	Log pressure	Density $\rho$ , $kg\ m^{-3}$	Log density
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(He)$						
410	1099.7	11.803	14.099	13.100	12.654	16.75	63.09	2.177	3.987	-11.3994	
420	1099.8	11.671	14.033	12.985	12.638	16.58	63.91	1.859	3.372	-11.4721	
430	1099.8	11.540	13.968	12.871	12.621	16.42	64.72	1.592	2.858	-11.5439	
440	1099.9	11.410	13.903	12.756	12.605	16.27	65.53	1.365	2.428	-11.6147	
450	1099.9	11.280	13.837	12.642	12.588	16.12	66.34	1.173	2.067	-11.6846	
460	1099.9	11.150	13.773	12.529	12.572	15.97	67.17	1.010	1.763	-11.7537	
470	1099.9	11.020	13.708	12.415	12.556	15.82	68.00	8.709	1.506	-11.8221	
480	1100.0	10.891	13.643	12.302	12.540	15.67	68.85	7.525	1.289	-11.8897	
490	1100.0	10.763	13.579	12.190	12.524	15.52	69.73	6.514	1.105	-11.9566	
500	1100.0	10.634	13.515	12.077	12.508	15.36	70.64	5.649	9.487	-12.0229	
510	1100.0	10.507	13.451	11.966	12.492	15.20	71.59	4.908	8.157	-12.0885	
520	1100.0	10.379	13.387	11.854	12.476	15.03	72.59	4.272	7.023	-12.1535	
530	1100.0	10.252	13.324	11.743	12.460	14.86	73.65	3.726	6.055	-12.2179	
540	1100.0	10.125	13.260	11.632	12.444	14.68	74.76	3.256	5.228	-12.2817	
550	1100.0	9.999	13.197	11.521	12.428	14.50	75.95	2.851	4.520	-12.3449	
560	1100.0	9.873	13.134	11.411	12.412	14.30	77.22	2.502	3.912	-12.4076	
570	1100.0	9.747	13.071	11.301	12.397	14.09	78.58	2.201	3.391	-12.4696	
580	1100.0	9.622	13.009	11.191	12.381	13.88	80.03	1.940	2.944	-12.5311	
590	1100.0	9.497	12.946	11.081	12.365	13.65	81.60	1.714	2.558	-12.5921	
600	1100.0	9.372	12.884	10.972	12.350	13.41	83.29	1.518	2.226	-12.6524	
610	1100.0	9.248	12.822	10.864	12.334	13.16	85.11	1.348	1.940	-12.7121	
620	1100.0	9.124	12.760	10.755	12.319	12.90	87.08	1.200	1.693	-12.7712	
630	1100.0	9.000	12.698	10.647	12.303	12.63	89.20	1.070	1.480	-12.8297	
640	1100.0	8.877	12.636	10.539	12.288	12.35	91.48	9.594	1.296	-12.8876	
650	1100.0	8.754	12.575	10.432	12.273	12.06	93.94	8.612	1.136	-12.9447	
660	1100.0	8.632	12.514	10.324	12.257	11.76	96.59	7.754	9.974	-13.0011	
670	1100.0	8.510	12.453	10.218	12.242	11.46	99.44	7.002	8.773	-13.0568	
680	1100.0	8.388	12.392	10.111	12.227	11.15	102.50	6.342	7.731	-13.1118	
690	1100.0	8.267	12.331	10.005	12.212	10.83	105.78	5.761	6.825	-13.1659	
700	1100.0	8.146	12.270	9.899	12.196	10.52	109.28	5.249	6.036	-13.2192	
710	1100.0	8.025	12.210	9.793	12.181	10.20	113.01	4.797	5.350	-13.2717	
720	1100.0	7.904	12.150	9.688	12.166	9.88	116.97	4.398	4.751	-13.3232	
730	1100.0	7.784	12.090	9.582	12.151	9.57	121.18	4.043	4.229	-13.3738	
740	1100.0	7.665	12.030	9.478	12.136	9.25	125.62	3.728	3.772	-13.4234	
750	1100.0	7.545	11.970	9.373	12.121	8.95	130.29	3.448	3.373	-13.4720	
760	1100.0	7.426	11.911	9.269	12.106	8.65	135.20	3.198	3.023	-13.5195	
770	1100.0	7.307	11.851	9.165	12.092	8.35	140.32	2.974	2.716	-13.5660	
780	1100.0	7.189	11.792	9.061	12.077	8.07	145.65	2.773	2.447	-13.6114	
790	1100.0	7.071	11.733	8.958	12.062	7.80	151.18	2.592	2.210	-13.6556	
800	1100.0	6.953	11.674	8.855	12.047	7.54	156.88	2.429	2.001	-13.6987	
820	1100.0	6.719	11.557	8.650	12.018	7.05	168.73	2.148	1.655	-13.7813	
840	1100.0	6.486	11.441	8.445	11.989	6.60	181.01	1.916	1.383	-13.8590	
880	1100.0	6.073	11.209	8.041	11.931	5.87	205.99	1.558	9.994	-14.0003	
900	1100.0	5.794	11.095	7.840	11.902	5.57	218.25	1.418	8.631	-14.0639	
920	1100.0	5.566	10.981	7.640	11.874	5.31	230.09	1.297	7.529	-14.1232	
940	1100.0	5.339	10.867	7.442	11.845	5.09	241.36	1.191	6.630	-14.1785	
960	1100.0	5.113	10.754	7.244	11.817	4.90	251.95	1.098	5.889	-14.2299	
980	1100.0	4.889	10.642	7.048	11.789	4.75	261.78	1.016	5.272	-14.2780	
1000	1100.0	4.666	10.531	6.852	11.761	4.61	270.83	9.425	4.753	-14.3230	

SPRING/FALL MODEL, EXOSPHERIC TEMPERATURE = 1300° K

Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density $m^{-3}$				Molecular weight <i>M</i>	Scale height $H_p$ , km	Pressure <i>P</i> , mb	Log pressure	Density $\rho$ , $kg\ m^{-3}$	Log density
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(He)$						
120	355.0	16.875	16.881	17.602	13.531	26.90	11.62	2.700	-4.569	2.461	-7.6089
125	461.3	16.567	16.670	17.319	13.437	26.59	15.29	1.859	-4.731	1.289	-7.8897
130	555.6	16.332	16.512	17.102	13.367	26.32	18.63	1.384	-4.859	0.886	-8.1031
135	639.3	16.139	16.385	16.926	13.313	26.08	21.68	1.080	-4.967	0.529	-8.2759
140	713.5	15.975	16.279	16.776	13.269	25.85	24.65	0.861	-5.061	0.378	-8.4217
145	779.5	15.832	16.188	16.646	13.232	25.63	26.98	0.717	-5.145	0.283	-8.5482
150	838.0	15.704	16.109	16.530	13.200	25.42	29.29	0.601	-5.222	0.218	-8.6604
155	890.0	15.587	16.037	16.425	13.173	25.21	31.40	0.508	-5.294	0.173	-8.7615
160	936.1	15.480	15.973	16.328	13.149	25.01	33.34	0.434	-5.361	0.139	-8.8540
165	977.0	15.380	15.913	16.238	13.127	24.82	35.13	0.373	-5.424	0.115	-8.9394
170	1013.3	15.286	15.858	16.154	13.107	24.63	36.78	0.324	-5.485	0.091	-9.0191
175	1045.5	15.197	15.807	16.074	13.089	24.43	38.30	0.286	-5.543	0.056	-9.0939
180	1074.1	15.112	15.759	15.998	13.073	24.25	39.72	0.251	-5.598	0.045	-9.1646
185	1099.5	15.030	15.713	15.926	13.058	24.06	41.03	0.228	-5.652	0.035	-9.2319
190	1122.1	14.952	15.669	15.856	13.044	23.87	42.27	0.206	-5.704	0.026	-9.2962
195	1142.1	14.876	15.628	15.789	13.030	23.69	43.42	0.188	-5.755	0.019	-9.3579
200	1159.8	14.802	15.587	15.723	13.018	23.51	44.51	0.173	-5.804	0.015	-9.4174
205	1175.6	14.730	15.549	15.660	13.006	23.32	45.53	0.160	-5.853	0.012	-9.4749
210	1189.6	14.660	15.511	15.598	12.995	23.14	46.51	0.148	-5.900	0.009	-9.5306
215	1202.0	14.592	15.474	15.537	12.984	22.96	47.44	0.137	-5.946	0.007	-9.5847
220	1213.0	14.524	15.439	15.478	12.973	22.78	48.32	0.127	-5.991	0.005	-9.6374
225	1222.8	14.458	15.404	15.419	12.963	22.60	49.17	0.118	-6.036	0.004	-9.6889
230	1231.5	14.393	15.370	15.362	12.954	22.43	49.99	0.110	-6.080	0.003	-9.7392
235	1239.2	14.328	15.336	15.305	12.944	22.25	50.78	0.103	-6.123	0.002	-9.7884
240	1246.0	14.265	15.303	15.249	12.935	22.07	51.54	0.097	-6.165	0.001	-9.8367
245	1252.1	14.202	15.270	15.193	12.926	21.90	52.28	0.091	-6.207	0.001	-9.8840
250	1257.5	14.139	15.238	15.139	12.917	21.73	53.00	0.086	-6.248	0.001	-9.9306
255	1262.3	14.077	15.206	15.084	12.909	21.56	53.71	0.081	-6.289	0.001	-9.9763
260	1266.5	14.016	15.175	15.030	12.900	21.39	54.39	0.076	-6.329	0.001	-10.0214
265	1270.3	13.955	15.144	14.977	12.892	21.22	55.07	0.071	-6.369	0.001	-10.0657
270	1273.6	13.895	15.113	14.924	12.884	21.06	55.73	0.066	-6.408	0.001	-10.1095
275	1276.6	13.835	15.083	14.871	12.876	20.89	56.38	0.061	-6.447	0.001	-10.1526
280	1279.2	13.775	15.052	14.819	12.868	20.73	57.02	0.056	-6.485	0.001	-10.1951
285	1281.5	13.715	15.022	14.766	12.860	20.58	57.65	0.051	-6.523	0.001	-10.2371
290	1283.6	13.656	14.992	14.715	12.853	20.42	58.27	0.046	-6.560	0.001	-10.2786
295	1285.5	13.597	14.962	14.663	12.845	20.27	58.88	0.041	-6.597	0.001	-10.3195
300	1287.1	13.538	14.933	14.611	12.837	20.12	59.49	0.036	-6.634	0.001	-10.3600
310	1289.8	13.422	14.874	14.509	12.822	19.82	60.68	0.031	-6.706	0.001	-10.4396
320	1292.0	13.306	14.816	14.407	12.807	19.54	61.84	0.026	-6.777	0.001	-10.5174
330	1293.7	13.190	14.758	14.306	12.793	19.27	62.98	0.021	-6.847	0.001	-10.5936
340	1295.0	13.076	14.700	14.206	12.778	19.01	64.09	0.016	-6.915	0.001	-10.6683
350	1296.1	12.962	14.643	14.106	12.764	18.77	65.18	0.011	-6.982	0.001	-10.7415
360	1296.9	12.848	14.586	14.006	12.749	18.53	66.25	0.006	-7.049	0.001	-10.8134
370	1297.6	12.735	14.529	13.907	12.735	18.31	67.29	0.001	-7.114	0.001	-10.8839
380	1298.1	12.622	14.473	13.808	12.721	18.09	68.31	0.001	-7.170	0.001	-10.9532
390	1298.5	12.509	14.416	13.710	12.707	17.89	69.31	0.001	-7.241	0.001	-11.0213
400	1298.8	12.397	14.360	13.612	12.693	17.70	70.28	0.001	-7.303	0.001	-11.0883

Altitude $Z$ , km	Temp. $T$ , °K	Number density $m^{-3}$				Molecular weight $M$	Scale height $H_p$ , km	Pressure $P$ , mb	Log pressure	Density $\rho$ , kg $m^{-3}$	Log density
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(He)$						
410	1299.1	12.286	14.305	13.514	12.679	17.52	4.322	-7.364	7.010	-11.1543	
420	1299.3	12.175	14.249	13.417	12.665	17.35	3.759	-7.425	6.036	-11.2192	
430	1299.4	12.064	14.193	13.320	12.651	17.18	3.276	-7.485	5.209	-11.2832	
440	1299.5	11.953	14.138	13.223	12.637	17.02	2.859	-7.544	4.505	-11.3463	
450	1299.6	11.843	14.083	13.127	12.623	16.87	2.500	-7.602	3.903	-11.4086	
460	1299.7	11.733	14.028	13.030	12.609	16.73	2.189	-7.660	3.388	-11.4700	
470	1299.8	11.624	13.973	12.934	12.596	16.59	1.920	-7.717	2.946	-11.5307	
480	1299.8	11.514	13.919	12.839	12.582	16.45	1.686	-7.773	2.567	-11.5907	
490	1299.9	11.406	13.864	12.744	12.568	16.32	1.483	-7.829	2.239	-11.6499	
500	1299.9	11.297	13.810	12.649	12.555	16.19	1.306	-7.884	1.956	-11.7085	
510	1299.9	11.189	13.756	12.554	12.541	16.06	1.152	-7.938	1.712	-11.7665	
520	1299.9	11.081	13.702	12.459	12.528	15.93	1.018	-7.992	1.500	-11.8239	
530	1299.9	10.973	13.648	12.365	12.514	15.80	9.001	-8.046	1.316	-11.8808	
540	1300.0	10.866	13.594	12.271	12.501	15.67	7.971	-8.098	1.156	-11.9371	
550	1300.0	10.759	13.541	12.178	12.487	15.54	7.069	-8.151	1.017	-11.9928	
560	1300.0	10.652	13.488	12.084	12.474	15.41	6.277	-8.202	8.951	-12.0481	
570	1300.0	10.546	13.434	11.991	12.461	15.28	5.582	-8.253	7.890	-12.1029	
580	1300.0	10.440	13.381	11.898	12.448	15.14	4.970	-8.304	6.962	-12.1572	
590	1300.0	10.334	13.329	11.806	12.434	15.00	4.432	-8.353	6.150	-12.2111	
600	1300.0	10.229	13.276	11.713	12.421	14.85	3.957	-8.403	5.438	-12.2645	
610	1300.0	10.124	13.223	11.621	12.408	14.70	3.538	-8.451	4.814	-12.3175	
620	1300.0	10.019	13.171	11.530	12.395	14.55	3.169	-8.499	4.265	-12.3701	
630	1300.0	9.914	13.119	11.438	12.382	14.39	2.842	-8.546	3.783	-12.4222	
640	1300.0	9.810	13.067	11.347	12.369	14.22	2.553	-8.593	3.358	-12.4739	
650	1300.0	9.706	13.015	11.256	12.356	14.04	2.297	-8.639	2.984	-12.5252	
660	1300.0	9.603	12.963	11.165	12.343	13.86	2.070	-8.684	2.655	-12.5760	
670	1300.0	9.499	12.911	11.075	12.330	13.67	1.869	-8.728	2.364	-12.6264	
680	1300.0	9.396	12.860	10.984	12.317	13.47	1.690	-8.772	2.107	-12.6764	
690	1300.0	9.293	12.808	10.895	12.304	13.27	1.531	-8.815	1.879	-12.7260	
700	1300.0	9.191	12.757	10.805	12.291	13.06	1.389	-8.857	1.678	-12.7751	
710	1300.0	9.089	12.706	10.715	12.279	12.84	1.263	-8.899	1.501	-12.8238	
720	1300.0	8.987	12.655	10.626	12.266	12.62	1.150	-8.939	1.343	-12.8720	
730	1300.0	8.885	12.604	10.537	12.253	12.39	1.050	-8.979	1.203	-12.9197	
740	1300.0	8.784	12.553	10.449	12.240	12.15	9.600	-9.018	1.079	-12.9669	
750	1300.0	8.683	12.503	10.360	12.228	11.91	8.797	-9.056	8.691	-13.0137	
760	1300.0	8.582	12.453	10.272	12.215	11.66	8.076	-9.093	8.712	-13.0599	
770	1300.0	8.482	12.402	10.184	12.203	11.41	7.430	-9.129	7.842	-13.1056	
780	1300.0	8.382	12.352	10.096	12.190	11.15	6.850	-9.164	7.068	-13.1507	
790	1300.0	8.282	12.302	10.009	12.178	10.89	6.328	-9.199	6.378	-13.1953	
800	1300.0	8.182	12.253	9.922	12.165	10.63	5.858	-9.232	5.764	-13.2393	
820	1300.0	7.584	12.153	9.748	12.140	10.11	5.052	-9.297	4.727	-13.3255	
840	1300.0	7.787	12.055	9.575	12.116	9.668	4.393	-9.357	3.899	-13.4091	
860	1300.0	7.395	11.859	9.233	12.067	9.649	3.401	-9.468	2.704	-13.5680	
880	1300.0	7.201	11.762	9.063	12.042	9.643	3.026	-9.519	2.275	-13.6431	
900	1300.0	7.008	11.666	8.894	12.018	9.637	2.712	-9.567	1.927	-13.7150	
920	1300.0	6.816	11.570	8.726	11.994	9.631	2.446	-9.612	1.645	-13.7838	
940	1300.0	6.625	11.474	8.559	11.970	9.625	2.215	-9.654	1.415	-13.8493	
960	1300.0	6.436	11.379	8.393	11.947	9.619	2.025	-9.694	1.226	-13.9116	
980	1300.0	6.247	11.285	8.227	11.923	9.613	1.857	-9.731	1.070	-13.9706	

## SPRING/FALL MODEL, EXOSPHERIC TEMPERATURE = 1500° K

Altitude $Z$ , km	Temp. $T$ , °K	Number density $m^{-3}$				Molecular weight $M$	Scale height $H_p$ , km	Pressure $P$ , mb	Log pressure	Density $\rho$ , $kg\ m^{-3}$	Log density
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(H)$						
120	355.0	16.875	16.881	17.602	13.531	26.90	11.62	2.700	-4.569	2.461	-7.6089
125	466.4	16.564	16.666	17.315	13.434	26.59	15.46	1.863	-4.730	1.278	-7.8936
130	566.9	16.326	16.505	17.096	13.362	26.33	19.01	1.393	-4.856	7.781	-8.1090
135	657.7	16.133	16.376	16.919	13.306	26.09	22.29	1.093	-4.961	5.216	-8.2827
140	739.6	15.970	16.269	16.770	13.260	25.87	25.32	8.861	-5.053	3.727	-8.4286
145	813.6	15.827	16.177	16.640	13.227	25.66	28.13	7.349	-5.134	2.787	-8.5548
150	880.4	15.701	16.096	16.525	13.189	25.46	30.72	6.200	-5.208	2.156	-8.6663
155	940.6	15.586	16.025	16.421	13.161	25.27	33.12	5.301	-5.276	1.713	-8.7663
160	995.0	15.481	15.960	16.326	13.136	25.08	35.35	4.581	-5.339	1.389	-8.8574
165	1044.2	15.384	15.901	16.238	13.113	24.90	37.43	3.993	-5.399	1.145	-8.9411
170	1088.5	15.293	15.846	16.156	13.093	24.72	39.36	3.505	-5.455	9.575	-9.0189
175	1128.5	15.207	15.796	16.079	13.074	24.55	41.16	3.096	-5.509	8.099	-9.0916
180	1164.7	15.126	15.748	16.006	13.057	24.37	42.84	2.749	-5.561	6.918	-9.1600
185	1197.3	15.048	15.703	15.937	13.042	24.20	44.42	2.451	-5.611	5.959	-9.2248
190	1226.7	14.974	15.661	15.871	13.027	24.04	45.90	2.194	-5.659	5.171	-9.2865
195	1253.3	14.902	15.621	15.807	13.014	23.87	47.29	1.971	-5.705	4.515	-9.3454
200	1277.3	14.833	15.582	15.745	13.001	23.70	48.60	1.776	-5.751	3.964	-9.4019
205	1299.0	14.766	15.545	15.686	12.989	23.54	49.85	1.604	-5.795	3.497	-9.4563
210	1318.5	14.701	15.509	15.628	12.977	23.38	51.03	1.453	-5.838	3.098	-9.5089
215	1336.2	14.637	15.474	15.571	12.967	23.22	52.15	1.319	-5.880	2.756	-9.5597
220	1352.1	14.575	15.440	15.516	12.956	23.06	53.22	1.199	-5.921	2.460	-9.6091
225	1366.5	14.514	15.408	15.462	12.946	22.90	54.24	1.093	-5.961	2.202	-9.6571
230	1379.5	14.455	15.376	15.410	12.937	22.74	55.22	9.974	-6.001	1.977	-9.7039
235	1391.2	14.396	15.345	15.358	12.928	22.58	56.16	9.117	-6.040	1.780	-9.7496
240	1401.8	14.338	15.314	15.307	12.919	22.43	57.07	8.347	-6.078	1.606	-9.7942
245	1411.3	14.281	15.284	15.256	12.910	22.27	57.94	7.652	-6.116	1.452	-9.8379
250	1420.0	14.225	15.255	15.207	12.902	22.12	58.79	7.023	-6.153	1.316	-9.8808
255	1427.8	14.169	15.226	15.158	12.894	21.97	59.61	6.455	-6.190	1.194	-9.9228
260	1434.8	14.114	15.197	15.109	12.886	21.82	60.41	5.939	-6.226	1.086	-9.9641
265	1441.1	14.060	15.169	15.061	12.878	21.67	61.19	5.470	-6.262	9.892	-10.0047
270	1446.9	14.006	15.141	15.014	12.871	21.52	61.95	5.043	-6.297	9.022	-10.0447
275	1452.0	13.952	15.113	14.967	12.863	21.37	62.69	4.654	-6.332	8.240	-10.0841
280	1456.7	13.899	15.086	14.920	12.856	21.23	63.42	4.300	-6.367	7.536	-10.1228
285	1460.9	13.846	15.059	14.874	12.849	21.08	64.13	3.975	-6.401	6.901	-10.1611
290	1464.7	13.794	15.032	14.828	12.841	20.94	64.83	3.679	-6.434	6.327	-10.1988
295	1468.1	13.742	15.006	14.782	12.834	20.80	65.52	3.407	-6.468	5.807	-10.2361
300	1471.2	13.690	14.979	14.737	12.827	20.66	66.19	3.158	-6.501	5.335	-10.2729
310	1476.6	13.587	14.927	14.646	12.814	20.39	67.52	2.719	-6.566	4.517	-10.3451
320	1480.9	13.485	14.876	14.557	12.800	20.13	68.81	2.348	-6.629	3.839	-10.4157
330	1484.4	13.384	14.825	14.468	12.787	19.88	70.06	2.033	-6.692	3.275	-10.4848
340	1487.3	13.284	14.774	14.380	12.774	19.63	71.29	1.765	-6.753	2.802	-10.5525
350	1489.7	13.184	14.724	14.293	12.762	19.39	72.50	1.536	-6.814	2.405	-10.6189
360	1491.6	13.085	14.674	14.206	12.749	19.16	73.68	1.339	-6.873	2.070	-10.6841
370	1493.1	12.986	14.624	14.120	12.736	18.94	74.83	1.171	-6.932	1.786	-10.7480
380	1494.4	12.888	14.575	14.034	12.724	18.73	75.96	1.025	-6.989	1.546	-10.8109
390	1495.4	12.790	14.526	13.948	12.711	18.53	77.08	8.997	-7.046	1.341	-10.8726
400	1496.3	12.693	14.477	13.863	12.699	18.34	78.17	7.909	-7.102	1.166	-10.9334

Altitude $Z$ , km	Temp. $T$ , °K	Number density $m^{-3}$				Molecular weight $M$	Scale height $H_p$ , km	Pressure $P$ , mb	Log pressure	Density $\rho$ , $kg\ m^{-3}$	Log density
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(He)$						
410	1497.0	12.596	14.429	13.778	12.687	18.15	79.24	6.966	1.016	-10.9932	
420	1497.5	12.499	14.380	13.693	12.675	17.97	80.29	6.145	8.870	-11.0521	
430	1498.0	12.403	14.332	13.609	12.663	17.80	81.32	5.430	7.761	-11.1101	
440	1498.4	12.307	14.284	13.525	12.651	17.64	82.33	4.805	6.804	-11.1673	
450	1498.7	12.211	14.236	13.441	12.639	17.48	83.33	4.259	5.975	-11.2236	
460	1498.9	12.116	14.188	13.358	12.627	17.33	84.31	3.780	5.257	-11.2792	
470	1499.1	12.021	14.141	13.275	12.615	17.19	85.27	3.359	4.633	-11.3341	
480	1499.3	11.926	14.094	13.192	12.603	17.05	86.22	2.989	4.089	-11.3883	
490	1499.4	11.832	14.046	13.109	12.591	16.92	87.16	2.664	3.615	-11.4419	
500	1499.5	11.738	13.999	13.027	12.579	16.77	88.09	2.376	3.201	-11.4948	
510	1499.6	11.644	13.952	12.944	12.567	16.67	89.02	2.123	2.837	-11.5471	
520	1499.7	11.550	13.906	12.863	12.556	16.55	89.94	1.898	2.519	-11.5988	
530	1499.7	11.457	13.859	12.781	12.544	16.43	90.85	1.699	2.239	-11.6500	
540	1499.8	11.364	13.812	12.699	12.532	16.31	91.77	1.523	1.992	-11.7006	
550	1499.8	11.271	13.766	12.618	12.521	16.20	92.68	1.367	1.775	-11.7508	
560	1499.9	11.179	13.720	12.537	12.509	16.08	93.60	1.227	1.583	-11.8005	
570	1499.9	11.087	13.674	12.457	12.498	15.97	94.53	1.104	1.414	-11.8497	
580	1499.9	10.995	13.628	12.376	12.486	15.86	95.47	9.934	1.263	-11.8984	
590	1499.9	10.903	13.582	12.296	12.475	15.75	96.43	8.951	1.130	-11.9468	
600	1499.9	10.812	13.536	12.216	12.463	15.64	97.40	8.073	1.012	-11.9947	
610	1499.9	10.721	13.491	12.136	12.452	15.52	98.39	7.289	9.074	-12.0422	
620	1500.0	10.630	13.445	12.057	12.441	15.41	99.41	6.588	8.141	-12.0893	
630	1500.0	10.539	13.400	11.977	12.429	15.29	100.45	5.961	7.310	-12.1361	
640	1500.0	10.449	13.355	11.898	12.418	15.18	101.53	5.399	6.570	-12.1825	
650	1500.0	10.359	13.310	11.819	12.407	15.05	102.64	4.895	5.909	-12.2285	
660	1500.0	10.269	13.265	11.741	12.395	14.93	103.78	4.443	5.319	-12.2742	
670	1500.0	10.179	13.220	11.662	12.384	14.80	104.98	4.037	4.792	-12.3195	
680	1500.0	10.090	13.175	11.584	12.373	14.67	106.22	3.672	4.320	-12.3645	
690	1500.0	10.001	13.131	11.506	12.362	14.54	107.51	3.344	3.898	-12.4091	
700	1500.0	9.912	13.086	11.428	12.351	14.40	108.86	3.049	3.520	-12.4535	
710	1500.0	9.824	13.042	11.351	12.340	14.25	110.27	2.783	3.181	-12.4975	
720	1500.0	9.735	12.998	11.274	12.329	14.11	111.74	2.543	2.876	-12.5411	
730	1500.0	9.647	12.954	11.197	12.318	13.95	113.29	2.327	2.603	-12.5845	
740	1500.0	9.560	12.910	11.120	12.307	13.79	114.91	2.132	2.358	-12.6275	
750	1500.0	9.472	12.866	11.043	12.296	13.63	116.61	1.955	2.137	-12.6702	
760	1500.0	9.385	12.823	10.967	12.285	13.46	118.40	1.796	1.938	-12.7125	
770	1500.0	9.298	12.779	10.890	12.274	13.29	120.28	1.651	1.760	-12.7546	
780	1500.0	9.211	12.736	10.814	12.263	13.11	122.26	1.521	1.599	-12.7962	
790	1500.0	9.124	12.692	10.739	12.252	12.93	124.34	1.402	1.454	-12.8376	
800	1500.0	9.038	12.649	10.663	12.241	12.74	126.53	1.295	1.323	-12.8786	
820	1500.0	8.866	12.563	10.513	12.220	12.35	131.26	1.109	1.098	-12.9595	
840	1500.0	8.695	12.478	10.363	12.199	11.94	136.48	9.547	9.143	-13.0389	
880	1500.0	8.356	12.308	10.066	12.156	11.09	148.59	7.207	6.410	-13.1931	
900	1500.0	8.188	12.224	9.919	12.135	10.66	155.54	6.318	5.398	-13.2678	
920	1500.0	8.020	12.141	9.772	12.114	9.357	163.13	5.572	4.354	-13.3406	
940	1500.0	7.854	12.057	9.627	12.093	9.352	171.37	4.944	3.876	-13.4116	
960	1500.0	7.689	11.975	9.482	12.073	9.346	180.28	4.412	3.306	-13.4806	
980	1500.0	7.524	11.892	9.338	12.052	9.341	189.83	3.960	2.834	-13.5477	
1000	1500.0	7.361	11.811	9.195	12.032	9.336	200.02	3.574	2.460	-13.6126	

SPRING/FALL MODEL, EXOSPHERIC TEMPERATURE = 1700° K

Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density $m^{-3}$					Molecular weight <i>M</i>	Scale height <i>H<sub>s</sub></i> , km	Pressure <i>P</i> , mb	Log pressure	Density $\rho$ , $kg\ m^{-3}$	Log density
		log <i>n</i> (O <sub>2</sub> )	log <i>n</i> (O)	log <i>n</i> (N <sub>2</sub> )	log <i>n</i> (He)	log <i>n</i> (H)						
120	355.0	16.875	16.881	17.602	13.531		26.90	11.62	2.700	-4.569	2.461	-7.6089
125	467.3	16.563	16.665	17.314	13.433		26.59	15.49	1.864	-4.730	1.275	-7.8943
130	570.3	16.324	16.503	17.094	13.361		26.33	19.12	1.395	-4.855	0.746	-8.1109
135	664.6	16.130	16.372	16.916	13.304		26.09	22.52	1.097	-4.960	0.5179	-8.2857
140	751.1	15.966	16.264	16.766	13.257		25.87	25.71	0.814	-5.050	0.3693	-8.4326
145	830.3	15.824	16.171	16.636	13.217		25.67	28.69	0.621	-5.130	0.2757	-8.5595
150	903.0	15.697	16.089	16.520	13.183		25.47	31.49	0.481	-5.202	0.2131	-8.6714
155	969.5	15.583	16.016	16.416	13.154		25.29	34.11	0.393	-5.268	0.1692	-8.7717
160	1030.5	15.478	15.951	16.321	13.128		25.11	36.57	0.327	-5.330	0.1372	-8.8627
165	1086.4	15.381	15.891	16.234	13.104		24.93	38.89	0.277	-5.387	0.1132	-8.9462
170	1137.7	15.291	15.836	16.153	13.083		24.76	41.06	0.238	-5.441	0.0943	-9.0235
175	1184.6	15.207	15.785	16.077	13.064		24.60	43.11	0.209	-5.493	0.0782	-9.0956
180	1227.7	15.127	15.737	16.005	13.046		24.44	45.04	0.187	-5.542	0.0667	-9.1632
185	1267.1	15.051	15.693	15.937	13.030		24.28	46.87	0.170	-5.590	0.0592	-9.2271
190	1303.3	14.979	15.650	15.872	13.015		24.12	48.59	0.157	-5.635	0.0517	-9.2876
195	1336.4	14.910	15.610	15.810	13.001		23.96	50.23	0.147	-5.679	0.0456	-9.3452
200	1366.8	14.843	15.572	15.750	12.988		23.81	51.78	0.139	-5.722	0.0404	-9.4004
205	1394.6	14.778	15.535	15.692	12.975		23.66	53.25	0.132	-5.763	0.0352	-9.4532
210	1420.1	14.716	15.500	15.637	12.963		23.51	54.66	0.126	-5.803	0.0313	-9.5041
215	1443.5	14.655	15.466	15.583	12.952		23.36	55.99	0.121	-5.842	0.02798	-9.5532
220	1464.9	14.596	15.434	15.530	12.942		23.21	57.27	0.116	-5.881	0.02508	-9.6007
225	1484.5	14.538	15.402	15.479	12.932		23.07	58.49	0.111	-5.918	0.02256	-9.6467
230	1502.5	14.482	15.371	15.429	12.922		22.92	59.67	0.107	-5.955	0.02035	-9.6914
235	1519.0	14.427	15.341	15.380	12.913		22.78	60.79	0.102	-5.991	0.01841	-9.7349
240	1534.1	14.373	15.312	15.332	12.904		22.64	61.88	0.099	-6.026	0.01670	-9.7773
245	1548.0	14.319	15.283	15.285	12.895		22.50	62.92	0.094	-6.061	0.01518	-9.8187
250	1560.7	14.267	15.255	15.239	12.887		22.36	63.93	0.090	-6.095	0.01383	-9.8592
255	1572.3	14.215	15.228	15.193	12.879		22.22	64.91	0.086	-6.129	0.01262	-9.8989
260	1583.0	14.164	15.201	15.148	12.871		22.08	65.85	0.082	-6.162	0.01154	-9.9377
265	1592.8	14.114	15.174	15.104	12.863		21.95	66.77	0.078	-6.195	0.01057	-9.9758
270	1601.7	14.065	15.148	15.060	12.856		21.81	67.66	0.074	-6.227	0.00970	-10.0132
275	1609.9	14.015	15.123	15.017	12.849		21.68	68.53	0.070	-6.259	0.00891	-10.0500
280	1617.4	13.967	15.097	14.974	12.842		21.54	69.38	0.066	-6.291	0.00820	-10.0861
285	1624.3	13.919	15.072	14.932	12.835		21.41	70.21	0.062	-6.322	0.00755	-10.1217
290	1630.7	13.871	15.048	14.889	12.828		21.28	71.02	0.058	-6.353	0.00699	-10.1568
295	1636.4	13.823	15.023	14.848	12.821		21.16	71.81	0.054	-6.383	0.00646	-10.1914
300	1641.8	13.776	14.999	14.806	12.815		21.03	72.59	0.050	-6.413	0.00595	-10.2255
310	1651.1	13.683	14.951	14.725	12.802		20.78	74.10	0.046	-6.472	0.00510	-10.2923
320	1658.9	13.591	14.904	14.644	12.789		20.54	75.55	0.042	-6.530	0.00439	-10.3575
330	1665.5	13.500	14.858	14.564	12.777		20.30	76.97	0.038	-6.587	0.00379	-10.4212
340	1671.0	13.410	14.812	14.485	12.765		20.07	78.35	0.034	-6.643	0.00328	-10.4836
350	1675.6	13.321	14.767	14.407	12.753		19.85	79.69	0.030	-6.698	0.00285	-10.5446
360	1679.5	13.232	14.722	14.329	12.742		19.63	81.00	0.026	-6.752	0.00246	-10.6044
370	1682.8	13.144	14.677	14.252	12.730		19.42	82.28	0.022	-6.805	0.00212	-10.6631
380	1685.6	13.057	14.633	14.175	12.719		19.22	83.53	0.018	-6.858	0.00190	-10.7208
390	1687.9	12.970	14.590	14.099	12.708		19.02	84.76	0.014	-6.909	0.00166	-10.7775
400	1689.8	12.883	14.546	14.023	12.697		18.83	85.96	0.010	-6.960	0.00146	-10.8332

Altitude <i>Z</i> , km	Temp. <i>T</i> , °K	Number density $m^{-3}$				log <i>n</i> (H)	Molecular weight <i>M</i>	Scale height <i>H<sub>p</sub></i> , km	Pressure <i>P</i> , mb	Log pressure	Density $\rho$ , $kg\ m^{-3}$	Log density
		log <i>n</i> (O <sub>2</sub> )	log <i>n</i> (O)	log <i>n</i> (N <sub>2</sub> )	log <i>n</i> (He)							
410	1691.4	12.797	14.503	13.948	12.686	18.65	87.15	9.761 - 8	-7.011	1.294 -11	-10.8880	
420	1692.8	12.711	14.460	13.872	12.675	18.47	88.31	8.709	-7.060	1.143	-10.9420	
430	1694.0	12.626	14.417	13.798	12.664	18.30	89.45	7.782	-7.109	1.011	-10.9951	
440	1694.9	12.541	14.374	13.723	12.653	18.14	90.57	6.964	-7.157	8.964 -12	-11.0475	
450	1695.7	12.456	14.332	13.649	12.643	17.98	91.67	6.240	-7.205	7.959	-11.0991	
460	1696.4	12.372	14.290	13.575	12.632	17.83	92.75	5.599	-7.252	7.078	-11.1501	
470	1697.0	12.288	14.248	13.502	12.621	17.69	93.82	5.030	-7.298	6.305	-11.2003	
480	1697.5	12.204	14.206	13.428	12.611	17.55	94.87	4.524	-7.344	5.625	-11.2499	
490	1697.9	12.121	14.164	13.355	12.600	17.41	95.91	4.074	-7.390	5.025	-11.2989	
500	1698.2	12.038	14.122	13.282	12.590	17.28	96.93	3.672	-7.435	4.495	-11.3473	
510	1698.5	11.955	14.081	13.210	12.580	17.16	97.94	3.314 - 8	-7.480	4.026 -12	-11.3951	
520	1698.7	11.872	14.039	13.138	12.569	17.04	98.94	2.994	-7.524	3.611	-11.4423	
530	1698.9	11.790	13.998	13.065	12.559	16.92	99.93	2.708	-7.567	3.243	-11.4891	
540	1699.1	11.708	13.957	12.994	12.549	16.80	100.91	2.451	-7.611	2.915	-11.5353	
550	1699.3	11.626	13.916	12.922	12.538	16.69	101.89	2.221	-7.653	2.624	-11.5810	
560	1699.4	11.544	13.875	12.850	12.528	16.58	102.86	2.014	-7.696	2.364	-11.6263	
570	1699.5	11.463	13.835	12.779	12.518	16.48	103.82	1.828	-7.738	2.132	-11.6712	
580	1699.6	11.382	13.794	12.708	12.508	16.37	104.79	1.661	-7.780	1.925	-11.7156	
590	1699.6	11.301	13.754	12.637	12.498	16.27	105.76	1.511	-7.821	1.740	-11.7596	
600	1699.7	11.220	13.713	12.567	12.488	16.17	106.73	1.375	-7.862	1.573	-11.8032	
610	1699.7	11.140	13.673	12.496	12.477	16.07	107.70	1.253 - 8	-7.902	1.424 -12	-11.8464	
620	1699.8	11.059	13.633	12.426	12.467	15.97	108.69	1.142	-7.942	1.291	-11.8892	
630	1699.8	10.980	13.593	12.356	12.457	15.87	109.68	1.042	-7.982	1.170	-11.9317	
640	1699.8	10.900	13.553	12.286	12.447	15.77	110.69	9.516 - 9	-8.022	1.062	-11.9738	
650	1699.9	10.820	13.513	12.217	12.437	15.67	111.71	8.698	-8.061	9.646 -13	-12.0156	
660	1699.9	10.741	13.474	12.147	12.428	15.58	112.75	7.956	-8.099	8.768	-12.0571	
670	1699.9	10.662	13.434	12.078	12.418	15.47	113.80	7.284	-8.138	7.975	-12.0983	
680	1699.9	10.583	13.395	12.009	12.408	15.37	114.88	6.674	-8.176	7.259	-12.1391	
690	1699.9	10.505	13.356	11.940	12.398	15.27	115.99	6.120	-8.213	6.612	-12.1797	
700	1699.9	10.426	13.316	11.872	12.388	15.16	117.12	5.617	-8.251	6.026	-12.2199	
710	1700.0	10.348	13.277	11.803	12.378	15.06	118.29	5.159 - 9	-8.287	5.497 -13	-12.2599	
720	1700.0	10.270	13.238	11.735	12.369	14.95	119.49	4.743	-8.324	5.017	-12.2996	
730	1700.0	10.193	13.199	11.667	12.359	14.84	120.73	4.364	-8.360	4.581	-12.3390	
740	1700.0	10.115	13.161	11.599	12.349	14.72	122.01	4.019	-8.396	4.187	-12.3781	
750	1700.0	10.038	13.122	11.532	12.340	14.61	123.33	3.704	-8.431	3.828	-12.4170	
760	1700.0	9.961	13.084	11.464	12.330	14.51	124.70	3.417	-8.466	3.503	-12.4556	
770	1700.0	9.884	13.045	11.397	12.320	14.43	126.12	3.155	-8.501	3.207	-12.4939	
780	1700.0	9.807	13.007	11.330	12.311	14.36	127.60	2.916	-8.535	2.938	-12.5320	
790	1700.0	9.731	12.969	11.263	12.301	14.11	129.13	2.698	-8.569	2.693	-12.5698	
800	1700.0	9.655	12.931	11.196	12.292	13.98	130.72	2.498	-8.602	2.470	-12.6074	
820	1700.0	9.503	12.855	11.064	12.273	13.70	134.11	2.148 - 9	-8.668	2.081 -13	-12.6817	
840	1700.0	9.352	12.779	10.931	12.254	13.41	137.80	1.854	-8.732	1.758	-12.7549	
880	1700.0	9.053	12.630	10.670	12.216	12.78	146.18	1.398	-8.854	1.264	-12.8982	
900	1700.0	8.905	12.555	10.519	12.198	12.44	150.94	1.222	-8.913	1.076	-12.9682	
920	1700.0	8.757	12.482	10.410	12.179	12.10	156.12	1.073	-8.970	9.181 -14	-13.0371	
940	1700.0	8.610	12.408	10.282	12.161	11.74	161.76	9.458 -10	-9.024	7.856	-13.1048	
960	1700.0	8.464	12.335	10.154	12.143	11.37	167.88	8.377	-9.077	6.741	-13.1713	
980	1700.0	8.319	12.263	10.027	12.125	11.00	174.52	7.453	-9.128	5.801	-13.2365	
1000	1700.0	8.175	12.191	9.901	12.107	10.63	181.69	6.661	-9.176	5.007	-13.3004	

## SPRING/FALL MODEL, EXOSPHERIC TEMPERATURE = 1900° K

Altitude $Z$ , km	Temp. $T$ , °K	Number density $m^{-3}$				Molecular weight $M$	Scale height $H_p$ , km	Pressure $P$ , mb	Log pressure	Density $\rho$ , $kg\ m^{-3}$	Log density
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(He)$						
120	355.0	16.875	16.881	17.602	13.531	26.90	11.62	2.700	2.461	-7.6089	
125	467.1	16.563	16.665	17.314	13.433	26.59	15.48	1.863	1.276	-7.8942	
130	571.0	16.324	16.502	17.094	13.360	26.33	19.15	1.395	7.735	-8.1115	
135	667.4	16.129	16.371	16.915	13.302	26.09	22.62	1.097	5.160	-8.2873	
140	756.8	15.964	16.261	16.763	13.259	25.87	25.90	8.929	3.672	-8.4352	
145	839.7	15.821	16.167	16.632	13.215	25.67	29.01	7.442	2.736	-8.5628	
150	916.6	15.693	16.084	16.516	13.180	25.48	31.96	6.316	2.111	-8.6754	
155	988.0	15.579	16.010	16.412	13.149	25.30	34.75	5.436	1.674	-8.7762	
160	1054.1	15.474	15.944	16.317	13.122	25.12	37.39	4.732	1.356	-8.8676	
165	1115.5	15.378	15.884	16.229	13.098	24.95	39.90	4.158	1.119	-8.9513	
170	1172.4	15.288	15.828	16.148	13.076	24.79	42.27	3.682	9.362	-9.0286	
175	1225.1	15.204	15.776	16.072	13.056	24.63	44.53	3.281	7.933	-9.1006	
180	1274.1	15.125	15.728	16.001	13.038	24.47	46.68	2.940	6.792	-9.1680	
185	1319.5	15.050	15.683	15.933	13.021	24.32	48.72	2.648	5.532	-9.2314	
190	1361.6	14.979	15.641	15.869	13.005	24.17	50.66	2.394	5.111	-9.2915	
195	1400.7	14.911	15.601	15.808	12.991	24.02	52.52	2.173	4.482	-9.3485	
200	1436.9	14.845	15.562	15.749	12.977	23.87	54.29	1.979	3.955	-9.4029	
205	1470.5	14.782	15.526	15.693	12.964	23.73	55.98	1.807	3.508	-9.4549	
210	1501.6	14.722	15.491	15.639	12.952	23.59	57.59	1.655	3.127	-9.5048	
215	1530.5	14.663	15.457	15.586	12.941	23.45	59.14	1.519	2.800	-9.5529	
220	1557.3	14.605	15.425	15.535	12.930	23.31	60.62	1.398	2.516	-9.5992	
225	1582.2	14.550	15.394	15.486	12.919	23.18	62.05	1.288	2.270	-9.6441	
230	1605.2	14.496	15.363	15.437	12.910	23.04	63.42	1.190	2.054	-9.6875	
235	1626.6	14.443	15.334	15.390	12.900	22.91	64.73	1.100	1.864	-9.7296	
240	1646.4	14.391	15.306	15.344	12.891	22.78	66.00	1.019	1.696	-9.7706	
245	1664.8	14.340	15.278	15.299	12.882	22.64	67.23	9.455	1.547	-9.8105	
250	1681.9	14.290	15.251	15.255	12.874	22.52	68.41	8.783	1.414	-9.8495	
255	1697.7	14.241	15.224	15.212	12.866	22.39	69.56	8.169	1.296	-9.8875	
260	1712.4	14.193	15.198	15.169	12.858	22.26	70.66	7.607	1.189	-9.9247	
265	1726.0	14.146	15.173	15.127	12.850	22.13	71.74	7.091	1.094	-9.9611	
270	1738.6	14.099	15.148	15.086	12.843	22.01	72.78	6.617	1.008	-9.9967	
275	1750.3	14.053	15.123	15.045	12.836	21.89	73.80	6.181	9.296	-10.0317	
280	1761.2	14.007	15.099	15.005	12.829	21.76	74.79	5.779	8.589	-10.0661	
285	1771.2	13.962	15.076	14.965	12.822	21.64	75.75	5.407	7.947	-10.0998	
290	1780.6	13.918	15.052	14.926	12.815	21.52	76.69	5.064	7.362	-10.1330	
295	1789.2	13.874	15.029	14.887	12.808	21.40	77.60	4.746	6.829	-10.1657	
300	1797.3	13.830	15.006	14.849	12.802	21.29	78.50	4.452	6.342	-10.1978	
310	1811.6	13.744	14.961	14.773	12.790	21.06	80.24	3.925	5.486	-10.2607	
320	1824.0	13.659	14.918	14.698	12.777	20.83	81.90	3.469	4.765	-10.3219	
330	1834.6	13.576	14.874	14.625	12.766	20.61	83.51	3.074	4.154	-10.3816	
340	1843.8	13.493	14.832	14.552	12.754	20.39	85.07	2.730	3.632	-10.4398	
350	1851.6	13.411	14.790	14.480	12.743	20.18	86.58	2.430	3.186	-10.4967	
360	1858.4	13.331	14.749	14.410	12.732	19.98	88.04	2.167	2.802	-10.5525	
370	1864.2	13.250	14.708	14.339	12.722	19.78	89.47	1.936	2.471	-10.6071	
380	1869.2	13.171	14.668	14.269	12.711	19.59	90.87	1.733	2.184	-10.6607	
390	1873.5	13.092	14.628	14.200	12.701	19.40	92.23	1.554	1.935	-10.7133	
400	1877.2	13.014	14.589	14.132	12.691	19.22	93.56	1.395	1.718	-10.7650	



Altitude $Z$ , km	Temp. $T$ , °K	Number density $m^{-3}$				Molecular weight $M$	Scale height $H_p$ , km	Pressure $P$ , mb	Log pressure	Density $\rho$ , kg $m^{-3}$	Log density
		$\log n(O_2)$	$\log n(O)$	$\log n(N_2)$	$\log n(He)$						
410	1880.4	12.936	14.549	14.063	12.680	19.04	94.87	1.255	-6.901	1.528	-10.8158
420	1883.1	12.859	14.510	13.996	12.670	18.87	96.15	1.130	-6.947	1.362	-10.8658
430	1885.5	12.782	14.471	13.928	12.661	18.71	97.41	1.019	-6.992	1.216	-10.9151
440	1887.5	12.705	14.433	13.861	12.651	18.55	98.64	9.202	-7.036	1.088	-10.9635
450	1889.3	12.629	14.395	13.794	12.641	18.39	99.85	8.320	-7.080	9.743	-11.0113
460	1890.8	12.553	14.357	13.728	12.631	18.24	101.04	7.532	-7.123	8.741	-11.0584
470	1892.1	12.477	14.319	13.662	12.622	18.10	102.22	6.826	-7.166	7.854	-11.1049
480	1893.2	12.402	14.281	13.596	12.612	17.96	103.37	6.193	-7.208	7.067	-11.1508
490	1894.1	12.327	14.243	13.530	12.603	17.83	104.51	5.625	-7.250	6.368	-11.1960
500	1894.9	12.253	14.206	13.465	12.593	17.70	105.63	5.115	-7.291	5.745	-11.2407
510	1895.7	12.178	14.169	13.400	12.584	17.57	106.73	4.655	-7.332	5.189	-11.2849
520	1896.3	12.104	14.131	13.335	12.575	17.45	107.82	4.241	-7.373	4.693	-11.3285
530	1896.8	12.030	14.094	13.270	12.565	17.33	108.90	3.867	-7.413	4.250	-11.3716
540	1897.2	11.957	14.058	13.206	12.556	17.22	109.97	3.529	-7.452	3.852	-11.4143
550	1897.6	11.883	14.021	13.141	12.547	17.11	111.03	3.224	-7.492	3.495	-11.4565
560	1898.0	11.810	13.984	13.077	12.538	17.00	112.07	2.947	-7.531	3.175	-11.4982
570	1898.2	11.737	13.948	13.013	12.528	16.89	113.11	2.697	-7.569	2.887	-11.5396
580	1898.5	11.665	13.911	12.950	12.519	16.79	114.14	2.470	-7.607	2.627	-11.5805
590	1898.7	11.592	13.875	12.886	12.510	16.69	115.17	2.263	-7.645	2.393	-11.6210
600	1898.9	11.520	13.839	12.823	12.501	16.60	116.19	2.076	-7.683	2.182	-11.6611
610	1899.0	11.448	13.803	12.760	12.492	16.50	117.21	1.905	-7.720	1.991	-11.7009
620	1899.2	11.376	13.767	12.697	12.483	16.41	118.23	1.750	-7.757	1.819	-11.7403
630	1899.3	11.305	13.731	12.635	12.474	16.31	119.24	1.609	-7.793	1.662	-11.7793
640	1899.4	11.233	13.696	12.572	12.465	16.22	120.27	1.480	-7.830	1.520	-11.8181
650	1899.5	11.162	13.660	12.510	12.456	16.13	121.29	1.362	-7.866	1.392	-11.8565
660	1899.5	11.091	13.625	12.448	12.447	16.04	122.32	1.255	-7.901	1.275	-11.8946
670	1899.6	11.020	13.589	12.386	12.439	15.95	123.36	1.157	-7.937	1.169	-11.9324
680	1899.7	10.950	13.554	12.324	12.430	15.86	124.41	1.067	-7.972	1.072	-11.9699
690	1899.7	10.879	13.519	12.262	12.421	15.77	125.47	9.851	-8.007	9.839	-12.0071
700	1899.8	10.809	13.484	12.201	12.412	15.69	126.54	9.100	-8.041	9.037	-12.0440
710	1899.8	10.739	13.449	12.140	12.403	15.60	127.63	8.411	-8.075	8.305	-12.0807
720	1899.8	10.670	13.414	12.079	12.395	15.51	128.74	7.780	-8.109	7.637	-12.1171
730	1899.8	10.600	13.379	12.018	12.386	15.42	129.87	7.201	-8.143	7.027	-12.1532
740	1899.9	10.531	13.344	11.957	12.377	15.32	131.01	6.669	-8.176	6.470	-12.1891
750	1899.9	10.462	13.310	11.897	12.369	15.23	132.19	6.181	-8.209	5.960	-12.2247
760	1899.9	10.393	13.275	11.836	12.360	15.14	133.39	5.733	-8.242	5.493	-12.2602
770	1899.9	10.324	13.241	11.776	12.351	15.04	134.61	5.321	-8.274	5.066	-12.2953
780	1899.9	10.256	13.207	11.716	12.343	14.94	135.87	4.941	-8.306	4.675	-12.3303
790	1899.9	10.187	13.173	11.656	12.334	14.84	137.16	4.592	-8.338	4.315	-12.3650
800	1899.9	10.119	13.139	11.597	12.326	14.74	138.49	4.271	-8.369	3.986	-12.3995
820	1900.0	9.983	13.071	11.478	12.309	14.53	141.27	3.702	-8.432	3.406	-12.4677
840	1900.0	9.848	13.003	11.360	12.292	14.32	144.22	3.218	-8.492	2.916	-12.5352
880	1900.0	9.581	12.869	11.125	12.258	13.85	150.74	2.453	-8.610	2.151	-12.6674
900	1900.0	9.448	12.803	11.009	12.242	13.60	154.36	2.152	-8.667	1.852	-12.7323
920	1900.0	9.316	12.737	10.894	12.225	13.34	158.24	1.893	-8.723	1.599	-12.7963
940	1900.0	9.184	12.671	10.779	12.209	13.07	162.42	1.671	-8.777	1.382	-12.8594
960	1900.0	9.054	12.606	10.664	12.193	12.79	166.92	1.480	-8.830	1.198	-12.9216
980	1900.0	8.924	12.541	10.551	12.176	12.49	171.76	1.315	-8.881	1.040	-12.9830
1000	1900.0	8.795	12.476	10.437	12.160	12.19	176.98	1.172	-8.931	9.048	-13.0434

SPRING/FALL MODEL, EXOSPHERIC TEMPERATURE = 2100° K

Altitude Z, km	Temp. T, °K	Number density m <sup>-3</sup>				Molecular weight M	Scale height H <sub>p</sub> , km	Pressure P, mb	Log pressure	Density ρ, kg m <sup>-3</sup>	Log density
		log n(O <sub>2</sub> )	log n(O)	log n(N <sub>2</sub> )	log n(H)						
120	355.0	16.875	16.881	17.602	13.531	26.90	2.700	-4.569	2.461	-7.6089	
125	467.6	16.563	16.665	17.314	13.433	26.59	1.864	-4.730	1.275	-7.8946	
130	573.0	16.323	16.501	17.093	13.359	26.33	1.396	-4.855	7.715	-8.1127	
135	671.5	16.127	16.368	16.913	13.301	26.09	1.100	-4.959	5.139	-8.2891	
140	763.7	15.962	16.258	16.761	13.253	25.88	8.960	-5.048	3.651	-8.4375	
145	850.0	15.818	16.163	16.630	13.212	25.68	7.481	-5.126	2.718	-8.5657	
150	930.6	15.691	16.079	16.513	13.176	25.49	6.363	-5.196	2.096	-8.6786	
155	1006.1	15.576	16.005	16.409	13.145	25.31	5.490	-5.260	1.661	-8.7796	
160	1076.7	15.472	15.938	16.314	13.117	25.14	4.792	-5.319	1.346	-8.8711	
165	1142.8	15.376	15.877	16.226	13.093	24.97	4.222	-5.374	1.110	-8.9548	
170	1204.5	15.287	15.821	16.145	13.070	24.81	3.750	-5.426	9.290	-9.0320	
175	1262.3	15.203	15.769	16.070	13.050	24.66	3.352	-5.475	7.875	-9.1037	
180	1316.4	15.125	15.721	15.999	13.031	24.51	3.014	-5.521	6.748	-9.1708	
185	1367.0	15.051	15.676	15.932	13.014	24.36	2.723	-5.565	5.836	-9.2339	
190	1414.3	14.981	15.633	15.869	12.997	24.21	2.471	-5.607	5.088	-9.2934	
195	1458.5	14.913	15.593	15.808	12.982	24.07	2.251	-5.648	4.468	-9.3499	
200	1499.9	14.849	15.555	15.750	12.968	23.93	2.057	-5.687	3.948	-9.4036	
205	1538.7	14.787	15.519	15.695	12.955	23.80	1.886	-5.725	3.508	-9.4550	
210	1574.9	14.728	15.484	15.642	12.943	23.66	1.733	-5.761	3.132	-9.5042	
215	1608.8	14.670	15.450	15.590	12.931	23.53	1.597	-5.797	2.809	-9.5514	
220	1640.5	14.615	15.418	15.541	12.920	23.40	1.475	-5.831	2.530	-9.5969	
225	1670.1	14.561	15.387	15.492	12.909	23.27	1.365	-5.865	2.287	-9.6407	
230	1697.9	14.508	15.358	15.445	12.899	23.15	1.265	-5.898	2.074	-9.6832	
235	1723.8	14.457	15.329	15.400	12.889	23.02	1.175	-5.930	1.887	-9.7243	
240	1748.1	14.407	15.301	15.355	12.880	22.90	1.093	-5.962	1.721	-9.7642	
245	1770.8	14.358	15.273	15.312	12.871	22.77	1.018	-5.992	1.574	-9.8029	
250	1792.1	14.311	15.247	15.269	12.863	22.65	9.493	-6.023	1.443	-9.8407	
255	1811.9	14.264	15.221	15.228	12.854	22.53	8.866	-6.052	1.326	-9.8775	
260	1830.5	14.218	15.196	15.187	12.847	22.41	8.290	-6.081	1.221	-9.9134	
265	1847.9	14.173	15.171	15.147	12.839	22.29	7.759	-6.110	1.126	-9.9485	
270	1864.2	14.128	15.147	15.107	12.831	22.18	7.271	-6.138	1.040	-9.9828	
275	1879.4	14.084	15.124	15.069	12.824	22.06	6.819	-6.166	9.628	-10.0164	
280	1893.6	14.041	15.100	15.031	12.817	21.95	6.402	-6.194	8.925	-10.0494	
285	1907.0	13.999	15.077	14.993	12.810	21.83	6.016	-6.221	8.285	-10.0817	
290	1919.4	13.956	15.055	14.956	12.804	21.72	5.657	-6.247	7.701	-10.1135	
295	1931.1	13.915	15.033	14.919	12.797	21.61	5.324	-6.274	7.167	-10.1447	
300	1942.0	13.874	15.011	14.883	12.791	21.50	5.015	-6.300	6.678	-10.1753	
310	1961.7	13.793	14.969	14.811	12.779	21.29	4.458	-6.351	5.818	-10.2352	
320	1979.0	13.714	14.927	14.742	12.767	21.08	3.973	-6.401	5.089	-10.2933	
330	1994.1	13.636	14.886	14.673	12.755	20.87	3.550	-6.450	4.468	-10.3499	
340	2007.3	13.559	14.847	14.605	12.744	20.67	3.179	-6.498	3.936	-10.4049	
350	2018.9	13.483	14.807	14.539	12.734	20.47	2.852	-6.545	3.478	-10.4587	
360	2029.0	13.408	14.769	14.473	12.723	20.28	2.564	-6.591	3.082	-10.5112	
370	2037.9	13.334	14.731	14.408	12.713	20.09	2.309	-6.637	2.738	-10.5626	
380	2045.7	13.261	14.694	14.344	12.703	19.91	2.083	-6.681	2.438	-10.6130	
390	2052.4	13.189	14.657	14.280	12.693	19.73	1.882	-6.725	2.176	-10.6623	
400	2058.4	13.117	14.620	14.217	12.684	19.55	1.703	-6.769	1.946	-10.7108	

Altitude Z, km	Temp. T, °K	Number density m <sup>-3</sup>				Molecular weight M	Scale height H <sub>p</sub> , km	Pressure P, mb	Log pressure	Density ρ, kg m <sup>-3</sup>	Log density
		log n(O <sub>2</sub> )	log n(O)	log n(N <sub>2</sub> )	log n(He)						
410	2063.6	13.045	14.584	14.154	12.674		102.28	1.544	1.744	-10.7585	
420	2068.1	12.974	14.548	14.092	12.665		103.68	1.401	1.566	-10.8053	
430	2072.1	12.904	14.512	14.030	12.656		105.06	1.273	1.408	-10.8513	
440	2075.6	12.834	14.477	13.969	12.646		106.42	1.158	1.269	-10.8967	
450	2078.6	12.765	14.442	13.908	12.637		107.74	1.055	1.145	-10.9413	
460	2081.3	12.695	14.407	13.847	12.629		109.05	9.618	1.034	-10.9854	
470	2083.6	12.626	14.372	13.787	12.620		110.33	8.780	9.359	-11.0287	
480	2085.7	12.558	14.338	13.727	12.611		111.59	8.024	8.481	-11.0716	
490	2087.5	12.490	14.303	13.667	12.602		112.83	7.344	7.695	-11.1138	
500	2089.0	12.422	14.269	13.608	12.594	8.945	114.05	6.720	6.991	-11.1555	
510	2090.4	12.354	14.235	13.548	12.585	8.943	115.26	6.159	6.358	-11.1967	
520	2091.6	12.287	14.202	13.489	12.576	8.941	116.45	5.650	5.790	-11.2373	
530	2092.7	12.220	14.168	13.431	12.568	8.938	117.62	5.187	5.278	-11.2775	
540	2093.6	12.153	14.135	13.372	12.559	8.936	118.78	4.766	4.817	-11.3173	
550	2094.4	12.087	14.101	13.314	12.551	8.934	119.93	4.383	4.400	-11.3566	
560	2095.1	12.020	14.068	13.256	12.543	8.931	121.06	4.034	4.023	-11.3954	
570	2095.7	11.954	14.035	13.198	12.534	8.929	122.18	3.716	3.682	-11.4339	
580	2096.2	11.888	14.002	13.140	12.526	8.927	123.29	3.425	3.373	-11.4719	
590	2096.7	11.823	13.969	13.083	12.518	8.925	124.39	3.159	3.093	-11.5096	
600	2097.1	11.757	13.936	13.025	12.510	8.923	125.49	2.916	2.838	-11.5469	
610	2097.5	11.692	13.903	12.968	12.501	8.921	126.57	2.694	2.607	-11.5839	
620	2097.8	11.627	13.871	12.911	12.493	8.919	127.65	2.490	2.396	-11.6205	
630	2098.1	11.562	13.839	12.855	12.485	8.916	128.73	2.303	2.204	-11.6568	
640	2098.3	11.497	13.806	12.798	12.477	8.914	129.80	2.132	2.029	-11.6927	
650	2098.5	11.433	13.774	12.742	12.469	8.912	130.87	1.974	1.869	-11.7284	
660	2098.7	11.369	13.742	12.685	12.461	8.910	131.94	1.830	1.723	-11.7637	
670	2098.9	11.305	13.710	12.629	12.453	8.908	133.01	1.697	1.589	-11.7988	
680	2099.0	11.241	13.678	12.573	12.445	8.906	134.08	1.574	1.467	-11.8336	
690	2099.1	11.177	13.646	12.518	12.437	8.904	135.16	1.462	1.355	-11.8681	
700	2099.2	11.114	13.614	12.462	12.429	8.902	136.24	1.358	1.252	-11.9023	
710	2099.3	11.050	13.583	12.407	12.421	8.900	137.32	1.262	1.158	-11.9362	
720	2099.4	10.987	13.551	12.352	12.413	8.898	138.42	1.174	1.072	-11.9700	
730	2099.5	10.924	13.520	12.296	12.405	8.896	139.52	1.092	9.921	-12.0034	
740	2099.6	10.862	13.488	12.241	12.397	8.894	140.63	1.017	9.190	-12.0367	
750	2099.6	10.799	13.457	12.187	12.389	8.892	141.76	9.474	8.518	-12.0697	
760	2099.7	10.737	13.426	12.132	12.382	8.890	142.90	8.831	7.899	-12.1024	
770	2099.7	10.675	13.395	12.078	12.374	8.888	144.06	8.237	7.329	-12.1350	
780	2099.7	10.613	13.364	12.023	12.366	8.886	145.23	7.686	6.8037	-12.1673	
790	2099.8	10.551	13.333	11.969	12.358	8.884	146.42	7.177	6.318	-12.1994	
800	2099.8	10.489	13.302	11.915	12.351	8.882	147.63	6.705	5.870	-12.2313	
820	2099.8	10.366	13.240	11.808	12.335	8.878	150.13	5.862	5.075	-12.2945	
840	2099.9	10.244	13.179	11.701	12.320	8.875	152.73	5.137	4.396	-12.3570	
880	2099.9	10.002	13.058	11.489	12.290	8.867	158.32	3.972	3.315	-12.4795	
900	2099.9	9.882	12.998	11.383	12.275	8.863	161.34	3.504	2.886	-12.5396	
920	2100.0	9.762	12.938	11.279	12.260	8.859	164.53	3.100	2.517	-12.5991	
940	2100.0	9.643	12.879	11.175	12.245	8.856	167.91	2.748	2.199	-12.6578	
960	2100.0	9.525	12.820	11.071	12.230	8.852	171.41	2.443	1.924	-12.7158	
980	2100.0	9.408	12.761	10.969	12.215	8.848	175.31	2.176	1.686	-12.7730	
1000	2100.0	9.291	12.703	10.866	12.201	8.845	179.37	1.944	1.480	-12.8296	

## CORRIGENDA

for

### U.S. STANDARD ATMOSPHERE, 1962

1. Page 5, Table 1.2.1

Change Metric value of  $R^*$  to  $8.31432 \times 10^3$  joules  $(^\circ\text{K})^{-1}$   $(\text{kg}\cdot\text{mol})^{-1}$

Change English value of  $R^*$  to 1545.31 ft lbf  $(^\circ\text{R})^{-1}$   $(\text{lb}\cdot\text{mol})^{-1}$   
or 49719.0 lb ft<sup>2</sup> sec<sup>-2</sup>  $(^\circ\text{R})^{-1}$   $(\text{lb}\cdot\text{mol})^{-1}$

2. Page 9, Right-hand column, line 16:

Change "1948" to read "1947"

3. Page 10, Table 1.2.8

Change dimension of  $M_0$  from "(dimensionless)" to "kg  $(\text{kg}\cdot\text{mol})^{-1}$ " and "lb  $(\text{lb}\cdot\text{mol})^{-1}$ "

4. Page 13, Figure 1.3.5, abscissa label:

Change "Mean free path, km" to read "Mean free path, m."

5. Page 16, Table 1.4(e),  $Z = 170, 190, 230$  km.

Change "26.40, 24.70, 1103.4, 1205.4, 1322.3" to read "26.45, 24.69, 1105.5, 1205.5, 1321.7," respectively.

6. Page 28, Table II.3(b), integrals:

Change " $\log_e (Z - 284.01768)$ " in line 9 and " $\log_e (Z - 216.23225)$ " in line 14 to read " $\log_e (284.01768 - Z)$ ,  $\log_e (216.23225 - Z)$ ," respectively.

NOTE: Pages 80 through 85 and 182 through 189.—For molecular weight above 90 km minor oscillations will sometimes be noted which cause certain values to be slightly greater than a preceding value at a lower altitude. These discrepancies result from the particular analytic function utilized to fit predetermined defining points and are not intentional. Several of the figures on pages 11 to 15 show oscillations which do not appear in the tabulated values.