

Office of Naval Research

Contract N00014-67-A-0298-0006

NR - 372 - 012

National Aeronautics and Space Administration

Grant NGR-22-007-068

A STOCHASTIC APPROXIMATION SCHEME WITH
ACCELERATED CONVERGENCE PROPERTIES

By

P. M. Newbold

Technical Report No. 545

Reproduction in whole or in part is permitted for any purpose of the United States Government.

October 1967

The research reported in this document was made possible through support extended the Division of Engineering and Applied Physics, Harvard University by the U. S. Army Research Office, the U. S. Air Force Office of Scientific Research and the U. S. Office of Naval Research under the Joint Services Electronics Program by Contracts N00014-67-A-0298-0006, 0005, and 0008 and by the National Aeronautics and Space Administration under Grant NGR-22-007-068.

Division of Engineering and Applied Physics

Harvard University Cambridge, Massachusetts

A STOCHASTIC APPROXIMATION SCHEME WITH ACCELERATED CONVERGENCE PROPERTIES

By

P. M. Newbold

Division of Engineering and Applied Physics
Harvard University Cambridge, Massachusetts

ABSTRACT

An examination of the first order steepest descent method for minimizing deterministic functions leads to the specification of sufficient conditions assuring the convergence with probability one of a new stochastic approximation algorithm. The algorithm is interpreted as a stochastic descent method using a constant, as opposed to a continually decreasing step length. The crucial convergence condition is that the variance of the gradient should be zero as well as a minimum at the solution point.

The rather narrow class of problems to which the new algorithm is applicable can be extended to include many useful problems by employing accelerator methods adapted from the field of Monte-Carlo techniques, both to satisfy the condition, and to accelerate convergence.

Simple illustrative examples demonstrating the effectiveness of the new algorithm are presented.

1. Introduction

The convergence conditions for the basic stochastic approximation algorithm originated by Robbins and Monro [1] are now well known. Important results are due to Blum [2], Dvoretzky [3], and Gladyshev [4]. The crucial condition for convergence with probability one is that the step size should progressively decrease in such a way that the stochastic variation in the correction term dies out.

Although the stochastic approximation algorithm can be given numerous interpretations, one particularly fruitful point of view is to interpret it as a stochastic descent method for finding the expected minimum of a stochastic function. In this light it is logical to investigate possible correspondences with deterministic descent algorithms. The deterministic counterpart of the Robbins-Monro algorithm, the first order steepest descent method, differs only in that a constant step length can be used, thereby resulting in a faster convergence for an equivalent problem. In this paper the term 'equivalent problem' is taken to mean that deterministic problem which is identical with some stochastic problem under consideration except for the absence of the primary random variable(s).

The present paper is concerned with developing a stochastic approximation algorithm whose rate of convergence is comparable to that of the deterministic steepest descent method for the equivalent problem. This algorithm uses constant

step lengths as opposed to the conventional schemes, and is shown to converge under the appropriate conditions with probability one.

2. Convergence of the Deterministic Algorithm

As an introduction it is useful to derive briefly sufficient convergence conditions for the deterministic steepest descent algorithm; it will be found in the next section that these are very similar to the stochastic convergence requirements. Consider the deterministic algorithm

$$u_{k+1} = u_k - \rho f(u_k) \quad (1)$$

for minimizing with respect to u some function $H(u)$.

$f(u_k) \triangleq \frac{\partial H^T(u_k)}{\partial u_k}$ is assumed to exist everywhere; u_k is an n -vector. Let there be a unique solution point (i.e., a zero in $f(u)$) at $u = 0$. The algorithm converges to the solution point under the following conditions:

(a) $u_k^T f(u_k) \geq 0$, the inequality being strict except at the solution point; (2)

(b) $\|f(u_k)\|^2 \leq du_k^T f(u_k)$; (3)

(c) $\rho < 2/d$. (4)

Proof:

Forming the inner product:

$$u_{k+1}^T u_{k+1} = u_k^T u_k - 2\rho u_k^T f(u_k) + \rho^2 f(u_k)^T f(u_k).$$

Using the inequality of Eqn. (3),

$$u_{k+1}^T u_{k+1} \leq u_k^T u_k - \{2\rho - \rho^2 d\} u_k^T f(u_k) ; \quad (5)$$

and if Eqn. (4) is satisfied

$$u_{k+1}^T u_{k+1} \leq u_k^T u_k . \quad (6)$$

Hence if u_1 is finite, then u_k and $f(u_k)$ are finite for all $k > 1$.

Taking the infinite sum of Eqn. (5)

$$u_\infty^T u_\infty \leq u_1^T u_1 - \{2\rho - \rho^2 d\} \sum_{k=1}^{\infty} u_k^T f(u_k) ;$$

hence $\sum_{k=1}^{\infty} u_k^T f(u_k) < \infty$, which must then imply that $u_k, f(u_k) \rightarrow 0$

and so the algorithm converges.

3. Convergence of the Stochastic Algorithm

In considering the stochastic approximation algorithm, "convergence" will be used in two senses. "Deterministic convergence" will be taken to mean the convergence of the algorithm in expectation; that is, $Eu_k \rightarrow 0$; $k \rightarrow \infty$. "Stochastic convergence" will be taken to mean the reduction of the variance of the correction term $\rho f(u_k)$ to zero as the solution point is reached. In this section it will be shown that very similar conditions hold on the one hand for the convergence of the deterministic algorithm given above; and on the other for the deterministic convergence of the stochastic algorithm to be described.

The problem is now to minimize with respect to u the function $EH(u, \xi)$ where ξ is a vector of random variables with zero expectation and finite variance. The stochastic descent algorithm is

$$u_{k+1} = u_k - \rho f(u_k) , \quad (7)$$

where as before the step length ρ is a constant, but now

$$f(u_k) \triangleq \frac{\partial H(u_k, \xi_k)}{\partial u_k} ,$$

which is a random variable. Suppose that all the relevant moments of $f(u_k)$ exist, and let the unique solution point be $u = 0$ at $Ef(u) = 0$. Then the algorithm converges to the solution point under the following conditions:

$$(a) \quad u_k^T E_{\xi} f(u_k) \geq 0 , \text{ the inequality being strict except at the solution point;} \quad (8)$$

$$(b) \quad E_{\xi} \|f(u_k)\|^2 \leq du_k^T E_{\xi} f(u_k) ; \quad (9)$$

$$(c) \quad \rho < 2/d . \quad (10)$$

Here E_{ξ} denotes expectation with respect to the current sample of the random variable ξ_k .

Proof:

Taking the total expectation (i. e. , on all samples of ξ from ξ_1 through ξ_k) of the inner product form of Eqn. (7)

$$Eu_{k+1}^T u_{k+1} = Eu_k^T u_k - 2\rho Eu_k^T f(u_k) + \rho^2 E \|f(u_k)\|^2 .$$

Using Eqn. (9) after taking its total expectation also,

$$Eu_{k+1}^T u_{k+1} \leq Eu_k^T u_k - \{2\rho - \rho^2 d\} Eu_k^T f(u_k) ; \quad (11)$$

and if Eqn. (10) is satisfied

$$Eu_{k+1}^T u_{k+1} \leq Eu_k^T u_k . \quad (12)$$

Assuming the moments of u_1 to be finite then $u_k^T u_k$ is a supermartingale [5]. Again taking an infinite sum of Eqn. (11)

$$Eu_{\infty}^T u_{\infty} \leq Eu_1^T u_1 - \{2\rho - \rho^2 d\} \sum_{k=1}^{\infty} Eu_k^T f(u_k) ,$$

which implies that

$$\sum_{k=1}^{\infty} Eu_k^T f(u_k) < \infty . \quad (13)$$

Using the expectation of Eqn. (9), Eqn. (13) implies that

$$\sum_{k=1}^{\infty} E \|f(u_k)\|^2 < \infty ;$$

and since it is universally true that

$$E \|f(u_k)\|^2 \geq \|Ef(u_k)\|^2 ,$$

then

$$\sum_{k=1}^{\infty} \|Ef(u_k)\|^2 < \infty .$$

Hence $Ef(u_k) \rightarrow 0$ (but not necessarily monotonically unless $Ef(u)$ is monotonic in u), and so $u_k \rightarrow 0$ as $k \rightarrow \infty$; and the stochastic algorithm converges in expectation.

The close similarity in the conditions for each of the two proofs is to be noted. Intuitively it may be expected that the rates of convergence (in the sense of deterministic convergence

in the stochastic case) will be substantially the same for both the stochastic problem and its equivalent deterministic problem.

Only a few further steps are required to show convergence with probability one under the same conditions.

Proof:

It has already been shown that

$$\sum_{k=1}^{\infty} E u_k^T f(u_k) < \infty .$$

Hence over some subsequence of the sequence $\{k\}$

$u_k^T E_{\xi} f(u_k) \rightarrow 0$ with probability one. But $u_k^T u_k$ is a supermartingale, implying that $u_k^T u_k$ and hence also u_k converge with probability one to a random variable [5]. These two facts are sufficient for convergence of the algorithm with probability one to the solution point.

4. Interpretation of the Convergence Conditions

It is easily seen that the implication of the convergence condition of Eqn. (9) is that at the solution point not only is $E f(u)$ zero, but so also is $\text{Var}\{f(u)\}$. This differs quite sharply from the corresponding condition for the original stochastic approximation scheme. As is given by Gladyshev for example [4] there is the looser requirement that $\text{Var}\{f(u)\}$ should have some finite minimum, not necessarily zero, at the solution point. At first sight this is a monumental difficulty, since very

few functions $f(u)$, excluding even the linear case, satisfy this condition. Apparently the new method can only be applied to problems in which there is simple multiplicative noise.

Example 1:

Let $f(u) = u + u\xi$ where ξ has zero mean and unit variance. This satisfies the conditions given by Eqns. (8) through (10); the solution point is at $u = 0$. Figure 1 shows the results from the simulation of the descent algorithms over 25 iterations. Clearly the new algorithm (curve 2) is a considerable improvement over the original stochastic approximation scheme (curve 1) where in this case the step length ρ decreases as $1/k$ from its initial value. The solution of the equivalent deterministic problem by the steepest descent method is given for comparison (curve 3).

5. Application of Monte-Carlo Accelerator Techniques

The class of problems which can be solved effectively by use of the new stochastic descent algorithm can be considerably enlarged by borrowing accelerator techniques from the field of Monte-Carlo methods. To date there seems to have been little cross-fertilization between these two fields: the monograph of Hammersley and Handscomb [6] has been found very useful in the development of the work in this section.

The so-called naive Monte-Carlo method is itself a stochastic approximation scheme of the original type using a harmonically decreasing step length. Let ξ_i be a sequence of




FIG. 1 MINIMIZATION OF A SIMPLE FUNCTION WITH PURELY MULTIPLICATIVE NOISE.

independent random samples from some probability distribution;
let $g(\xi_i)$ be a sequence of random variates with expectation $\bar{g}$.

Then $u_k = \frac{1}{k} \sum_{i=1}^k g(\xi_i)$ is an unbiased estimator of $\bar{g}$. This summation can be written iteratively in the form:

$$u_k = u_{k-1} - \frac{1}{k} \{u_{k-1} - g(\xi_k)\} ,$$

which is immediately recognizable.

It might be expected that Monte-Carlo accelerator techniques would be of considerable use in the present algorithm, in the same way that they are for the conventional stochastic approximation algorithm. On examination, two methods in particular are immediately applicable; the antithetic variate method, and the control variate method.

(a) The Antithetic Variate Method

The basic idea of the antithetic variate method is to use instead of the sample $g(\xi_i)$, a linear combination of two negatively correlated samples such that the expectation remains unchanged. If ξ_i is a sample from a symmetric distribution with zero mean, and $g(\xi_i)$ is predominantly odd in ξ_i , then the substitution

$$g^a(\xi_i) = \frac{1}{2} \{g(\xi_i) + g(-\xi_i)\}$$

is both simple and effective.

Consider now the application to the new stochastic approximation algorithm, replacing $f(u_k)$ by $f^a(u_k)$ in Eqn. (7) where

$$f^a(u_k) \triangleq \frac{1}{2} \left\{ \frac{\partial H(u_k, \xi_k)^T}{\partial u_k} + \frac{\partial H(u_k, -\xi_k)^T}{\partial u_k} \right\} . \quad (14)$$

Under the above assumption on the symmetry of the distribution for ξ_k , $Ef^a(u_k) = Ef(u_k)$ so that if the modified algorithm converges, it will do so to the solution point. If in addition

$$\frac{\partial H(\bar{u}, \xi)}{\partial u} = - \frac{\partial H(\bar{u}, -\xi)}{\partial u} , \quad (15)$$

where $\bar{u}$ represents the solution point $u = 0$, then exactly as in the equivalent deterministic problem, convergence to the solution point can be achieved over some range of ρ for functions $f(u)$ which do not increase too fast with u (i. e., Eqn. (9) can be satisfied over all the interesting range of u).

Example 2:

Let $f(u_k) = (1 + \xi_k^2)u_k + 0.1(u_k + \xi_k)^3$. For this example Eqn. (9) does not hold, so the new algorithm will not converge with probability one; the original stochastic approximation scheme with decreasing as $1/k$ does so however. On the other hand

$$f^a(u_k) = (1 + \xi_k^2)u_k + 0.1(u_k^3 + 3u_k\xi_k^2) , \quad (16)$$

which satisfies Eqns. (9) and (14)*, so that the modified new algorithm will converge with probability one. Figure 2 shows the results of simulation of the various algorithms over 25 iterations. The modified new algorithm (curve 3) again converges

* Actually in this example for any finite ρ there is a small finite probability of the algorithm diverging, but in practice this does not invalidate the scheme.




FIG. 2. MINIMIZATION OF A FUNCTION USING ANTITHETIC VARIATES.

considerably faster than the original stochastic approximation algorithm (curve 1). If the antithetic variate technique is not used, stochastic convergence is not assured (curve 2).

(b) The Control Variate Method

Essentially the control variate method splits the variate $g(\xi_i)$ into the sum of two parts: $g(\xi_i) = \tilde{g}(\xi_i) + g^C(\xi_i)$. The split is made so that the expectation of $\tilde{g}(\xi_i)$ may be found analytically. Let this expectation be $\hat{g}$; then an unbiased estimate of the expectation of $g(\xi_i)$, denoted by $\bar{g}$, is given by

$$u_k = \hat{g} + \frac{1}{k} \sum_{i=1}^k g^C(\xi_i) \quad ,$$

and this estimate will have a smaller variance than the estimate computed by the naive Monte-Carlo method for the same value of k .

Turning to the present descent method for solving $Ef(u) = 0$, a similar split can be made:

$$Ef(u) = E\tilde{f}(u) + Ef^C(u) \quad ,$$

where $E\tilde{f}(u) = \hat{f}(u)$ can be found analytically. Then in Eqn. (7) the sample $f(u_k)$ is replaced by

$$\hat{f}(u_k) + f^C(u_k) \quad . \quad (17)$$

Used by itself, the control variate method will not be able to widen the class of problems which the new stochastic descent algorithm can handle unless fortuitously ξ_k can be contrived only to enter multiplicatively into $f^C(u_k)$. However used in

conjunction with the antithetic variate method it will often improve convergence rates to a still higher degree (but still without introducing any bias).

Example 3:

As in the previous example $f(u_k) = (1 + \xi_k^2)u_k + 0.1(u_k + \xi_k)^3$.

The antithetic variate sample $f^a(u_k)$ given by Eqn. (16) is split into the two parts:

$$\tilde{f}(u_k) = (1 + \xi_k^2)u_k ; \quad f^c(u_k) = 0.1(u_k^3 + 3u_k\xi_k^2) .$$

For this example, then, $\hat{f}(u_k) = 2u_k$ if ξ_k has unit variance. The descent algorithm is given by Eqn. (7), substituting $2u_k + f^c(u_k)$ for $f(u_k)$. Figure 3 shows the improvement obtainable by the use of a combination of the antithetic and control variate methods (curve 2) over the use of the antithetic variate method only (curve 1).

6. Conclusion

It has been shown at any rate for the simple and rather contrived examples given in the previous sections, that a constant step length algorithm converges considerably faster than the usual stochastic approximation algorithm. This is intuitively reasonable in general (except maybe for pathological problems) if the variance of the parameter u can be reduced fast enough. Hopefully this can be achieved by using Monte-Carlo accelerator techniques.

Further examination of deterministic descent methods is likely to lead to new algorithms for stochastic optimization. The




FIG. 3 INCREASE OF CONVERGENCE RATE BY CONTROL VARIATE METHOD.

ideal goal would be to create a range of algorithms so that most problems could be solved as quickly and efficiently from the computational point of view as their deterministic counterparts.

PRECEDING PAGE BLANK NOT FILMED.

References

1. H. Robbins and S. Monro. "A Stochastic Approximation Method," Ann. Math. Statistics, 22, No. 1. (1951).
2. J. A. Blum. "Multidimensional Stochastic Approximation Procedures," Ann. Math. Statistics, 25, No. 4. (1954).
3. A. Dvoretzky. "On Stochastic Approximation," Proceedings, Third Berkeley Symp. Math. Statistics and Probability, 1, (1956).
4. E. G. Gladyshev. "On Stochastic Approximation," Theory of Probability and Applications, 10, No. 2. (1965).
5. W. Feller. An Introduction to Probability Theory and Its Applications; Vol. II, Wiley, New York, 1966.
6. J. M. Hammersley and D. C. Handscomb. Monte-Carlo Methods; Methuen, London, 1964.

Joint Services Electronics Program
N00014-67-A-0296-0006, 0005, and 0008

Academy Library (DFSLR)
U. S. Air Force Academy
Colorado Springs, Colorado 80912

AECM (ARF, MFC)
Attn: Library/Documents
Arnold AFB, Texas 77139

Aeronautics Library
Graduate Aeronautics Laboratories
California Institute of Technology
1201 E. California Blvd.
Pasadena, California 91109

Aerospace Corporation
P. O. Box 39085
Los Angeles, Calif. 90045
Attn: Library Acquisitions Group

Albion Instruments Laboratory
Deerpark, New York 11759

AFAL (AVTE/R. D. Larson)
Wright-Patterson AFB
Ohio 45433

AFRL (CRAMLR)
AFRL Research Library, Step 29
L. C. Hancock Field
Bedford, Mass. 01731

AFETR (ETLHC-1)
STINFO Officer (for library)
Patrick AFB, Florida 32125

AFETR Technical Library
(ETV, MUI-13)
Patrick AFB, Florida 32125

AFTC (FRBP-2)
Technical Library
Edwards AFB, Calif. 93523

AFPC (PUBS-12)
Eglin AFB
Florida 32442

ARL (ARIT)
Wright-Patterson AFB
Ohio 45433

AULT-1663
McWaltz AFB
Alabama 36112

Mr. Henry L. Bachman
Assistant Chief Engineer
Wheeler Laboratories
122 Cottrell Road
Great Neck, N. Y. 11621

Beaumont Pacific Division
11600 Sherman Way
North Hollywood, Calif. 91605

Colonel A. D. Blue
RTD (RTTL)
Bolling AFB
Washington, D. C. 20332

California Institute of Technology
Pasadena, California 91109
Attn: Documents Library

Carnegie Institute of Technology
Electrical Engineering Dept.
Pittsburgh, Pa. 15213

Central Intelligence Agency
Attn: OER/DB Publications
Washington, D. C. 20505

Chief of Naval Operations
OP-07
Washington, D. C. 20350 [2]

Chief of Naval Research
Department of the Navy
Washington, D. C. 20340
Attn: Code 427 [3]

Commandant
U. S. Army and General Staff College
Attn: Secretary
Fort Leavenworth, Kansas 66370

Commander
Naval Air Development and
Material Center
Johnsville, Pennsylvania 16974

Commanding General
Frankford Arsenal
Attn: SMCTA-LA009 (Dr. Sidney Ross)
Philadelphia, Pa. 19137

Commandant
U. S. Army Air Defense School
Attn: Missile Sciences Dept. C and S Dept.
P. O. Box 396
Fort Bliss, Texas 79016

Commander
U. S. Naval Air Missile Test Center
Point Mugu, California 93041

Commanding General
Attn: STEVE-W-VT
White Sands Missile Range
New Mexico 88002 [2]

Commanding General
U. S. Army Electronics Command
Fort Monmouth, N. J. 07703
Attn: AMSEL-SC

RD-D
RD-C
RD-CP
RD-MAT
XL-D
XL-B
XL-C
XL-S
HL-CT-B
HL-CT-P
HL-CT-L
HL-CT-O
HL-CT-A
NL-A
NL-P
NL-S
NL-D
NL-E
NL-T
VL-D

Commanding General
U. S. Army Materiel Command
Attn: AMCEC-PS-02-E
Washington, D. C. 20315

Commanding General
U. S. Army Missile Command
Attn: Technical Library
Redstone Arsenal, Alabama 35899

Commanding Officer
Naval Avionics Facility
Indianapolis, Indiana 46241

Commanding Officer
U. S. Army Limited War Laboratory
Attn: Technical Director
Aberdeen Proving Ground
Aberdeen, Maryland 21005

Commanding Officer
U. S. Army Materiel Research Agency
Watertown, Massachusetts 02172

Commanding Officer
U. S. Army Security Agency
Arlington Hall
Arlington, Virginia 22212

Commanding Officer and Director
U. S. Naval Underwater Sound Lab.
Fort Trumbull
New London, Conn. 06460

Defense Documentation Center
Attn: TESA
Cameron Station, Bldg. 5
Alexandria, Virginia 22314 [20]

Det No. 6, OAR (LODAB)
Air Force Unit Post Office
Los Angeles, Calif. 90045

Director
Advanced Research Projects Agency
Department of Defense
Washington, D. C. 20301

Director for Materials Sciences
Advanced Research Projects Agency
Department of Defense
Washington, D. C. 20301

Director
Columbia Radiation Laboratory
Columbia University
58 West 120th Street
New York, New York 10027

Director
Coordinated Science Laboratory
University of Illinois
Urbana, Illinois 61803

Director
Electronic Research Laboratory
University of California
Berkeley, California 94720

Director
Electronic Sciences Laboratory
University of Southern California
Los Angeles, California 90007

Director
Microwave Laboratory
Shell Building
Stanford, California 94305

Director - Inst. for Exploratory
Research
U. S. Army Electronics Command
Attn: Mr. Robert O. Parker
Executive Secretary, JSTAC
AMSEL-XL-D
Fort Monmouth, N. J. 07703

Director
National Security Agency
For George G. Meade
Washington, D. C. 20505
Attn: James T. Tippet

Director, Naval Research Laboratory
Technical Information Officer
Washington, D. C.
Attn: Code 2000 [8]

Director
Research Laboratory of Electronics
Massachusetts Institute of Technology
Cambridge, Mass. 02139

Director
Stanford Electronics Laboratories
Stanford University
Stanford, California 94305

Commanding Officer
Naval Ordnance Laboratory
White Oak, Maryland 21562 [2]

Commanding Officer
Naval Ordnance Test Station
China Lake, Calif. 93555

Commanding Officer
Naval Training Center
Orlando, Florida 32811

Commanding Officer
Office of Naval Research Branch Office
1030 East Green Street
Pasadena, California

Commanding Officer
Office of Naval Research Branch Office
219 South Dearborn Street
Chicago, Illinois 60604

Commanding Officer
Office of Naval Research Branch Office
455 Summer Street
Boston, Massachusetts 02210

Commanding Officer
Office of Naval Research Branch Office
207 West 46th Street
New York, New York 10011

Commanding Officer
Office of Naval Research Branch Office
Box 19, Fleet Post Office
New York 09511 [2]

Commanding Officer
U. S. Army Electronics R & D Activity
White Sands Missile Range
New Mexico 88002

Commanding Officer
U. S. Army Engineer R & D Laboratory
Attn: STINFO Branch
Fort Belvoir, Virginia 22060

Commanding Officer
U. S. Army Research Office (Durham)
Attn: CRD-AR-D (Richard O. Uihl)
Box CM, Duke Station
Durham, North Carolina 27706

Commanding General
USASTRATCOM
Technical Information Center
Fort Huachuca, Arizona 85613

Commanding Officer
Harry Diamond
Attn: Dr. Barthold Altman (AMXDO-TD)
Connecticut Ave. & Van Ness St. NW
Washington, D. C. 20538

Commanding Officer
Human Engineering Laboratories
Aberdeen Proving Ground
Maryland 21005

Commanding Officer
U. S. Army Ballistics Research Lab.
Attn: V. W. Richards
Aberdeen Proving Ground
Maryland 21005

Director, USAF Project RAND
Via: Air Force Liaison Office
The RAND Corporation
1700 Main Street
Santa Monica, Calif. 90406

Director
U. S. Army Engineer Goadery,
Intelligence and Mapping
Research and Development Agency
Fort Belvoir, Virginia 22060

Director
U. S. Naval Observatory
Washington, D. C. 20390

Director, U. S. Naval Security Group
Attn: OAS
3801 Nebraska Avenue
Washington, D. C. 20390

Division of Engineering and Applied
Physics
120 Pierce Hall
Harvard University
Cambridge, Massachusetts 02138

Professor A. A. Dougal, Director
Laboratory for Electronics and
Related Sciences Research
University of Texas
Austin, Texas 78712

ESD (EST)
Attn: G. Hanson Field
Bedford, Mass. 01731 [2]

European Office of Aerospace Research
Shell Building
41 rue Camilleon
Brussels, Belgium [2]

Colonel Robert E. Fontana
Dept. of Electrical Engineering
Air Force Institute of Technology
Wright-Patterson AFB, Ohio 45433

General Electric Company
Research Laboratories
Schenectady, New York 12301

Professor Nicholas George
California Institute of Technology
Pasadena, California 91109

Godard Space Flight Center
National Aeronautics and Space Admin.
Attn: Library, Documents Section
Code 235
Green Bell, Maryland 20771

Dr. John C. Hwech, Director
Electronic Systems Research Laboratory
Purdue University
Lafayette, Indiana 47907

Dr. H. Harrison, Code RRE
Chief, Electronics Branch
National Aeronautics and Space Admin.
Washington, D. C. 20516

Head, Technical Division
U. S. Naval Computer Intelligence
Support Center
Fairmont Building
4402 North Fairfax Drive
Arlington, Virginia 22203

Headquarters
Defense Communications Agency
The Pentagon
Washington, D. C. 20305

Dr. L. M. Hollinsworth
AFRL (CRN)
L. G. Hanson Field
Bedford, Massachusetts 01731

Hunt Library
Carnegie Institute of Technology
Scholarly Park
Pittsburgh, Pa. 15213

The Johns Hopkins University
Applied Physics Laboratory
8601 Georgia Avenue
Silver Spring, Maryland 20910
Attn: Boris W. Kuvshinov
Document Librarian

Li Col. Robert B. Kalich
Chief, Electronics Division
Directorate of Engineering Sciences
Air Force Office of Scientific Research
Arlington, Virginia 22209 [5]

Colonel Rex
ARFSTE
Max USAF
Room ID-425, The Pentagon
Washington, D. C. 20310

Dr. S. Benedict Levin, Director
Institute for Exploratory Research
Attn: Reports Library
Fort Monmouth, New Jersey 07703

Los Alamos Scientific Laboratory
Attn: Reports Library
P. O. Box 1663
Los Alamos, New Mexico 87544

Librarian
U. S. Naval Electronics Laboratory
San Diego, California 92152 [2]

Lockheed Aircraft Corp.
P. O. Box 504
Sunnyvale, California 94088

Dr. I. R. Mirman
AFSC (SCT)
Andrews Air Force Base, Maryland

Li Col. Bernard S. Morgan
Frank J. Seiler Research Laboratory
U. S. Air Force Academy
Colorado Springs, Colorado 80912

Dr. G. J. Murphy
The Technological Institute
Northwestern University
Evanston, Illinois 60201

Mr. Peter Murray
Air Force Avionics Laboratory
Wright-Patterson AFB, Ohio 45433

NASA Lewis Research Center
Attn: Library
21600 Brookpark Road
Cleveland, Ohio 44135

NASA Scientific & Technical
Information Facility
Attn: Acquisitions Branch (R/AR/DL)
P. O. Box 51
College Park, Maryland 20740 [2]

National Science Foundation
Attn: Dr. John R. Lathrop
Division of Engineering
1800 G Street, NW
Washington, D. C. 20550

National Security Agency
Attn: R4 - James Tippet
Office of Research
Fort George G. Meade, Maryland 20755

Naval Air Systems Command
SPR 231
Washington, D. C. 20360 [2]

Naval Electronics Systems Command
ELF 31
Falls Church, Virginia 22046 [2]

Naval Ordnance Systems Command
ORD 32
Washington, D. C. 20360 [2]

Naval Ordnance Systems Command
SPR 231
Washington, D. C. 20360

Naval Ship Systems Command
SHIP 231
Washington, D. C. 20360

New York University
College of Engineering
New York, New York 10019

Dr. H. V. Noble
Air Force Avionics Laboratory
Wright-Patterson AFB, Ohio 45433

Office of Deputy Director
Research and Information Rm. 3D1337
Department of Defense
The Pentagon
Washington, D. C. 20301

Polytechnic Institute of Brooklyn
35 Johnson Street
Brooklyn, New York 11201
Attn: Mr. Jerome Fox
Research Coordination

RAD (FMAL-1)
Griffis AFB, New York 13442
Attn: Documents Library

Raytheon Company
Bedford, Mass. 01730
Attn: Librarian

Li Col. J. L. Reeves
AFSC (NCRB)
Andrews Air Force Base, Md. 20331

Dr. A. A. Dougal
Asst. Director of Research
Office of Defense Res. and Eng.
Department of Defense
Washington, D. C. 20301

Research Plans Office
U. S. Army Research Office
3045 Columbia Pike
Arlington, Virginia 22204

Dr. H. Rehl, Deputy Chief Scientist
U. S. Army Research Office (Durham)
Durham, North Carolina 27706

Emil Schuler, Head
Electronics Properties Info. Center
Hughes Aircraft Company
Culver City, California 90230

School of Engineering Sciences
Arizona State University
Tempe, Arizona 85281

SAMSO (SMEDI-STINFO)
AF Unit Post Office
Los Angeles, California 90045

ESD (EST/L. Barbeck)
AFPO
Los Angeles, California 90045

Superintendent
U. S. Army Military Academy
West Point, New York 10996

Colonel A. Swan
Aerospace Medical Division
AMD (AMRX)
Brooks AFB, Texas 78235

Syracuse University
Dept. of Electrical Engineering
Syracuse, New York 13210

University of California
Santa Barbara, California 93106
Attn: Library

University of Calif. at Los Angeles
Dept. of Engineering
Los Angeles, California 90024

University of Michigan
Electrical Engineering Dept.
Ann Arbor, Michigan 48104

U. S. Army Munitions Command
Attn: Technical Information Branch
Picatinny Arsenal
Dover, New Jersey 07801

U. S. Army Research Office
Attn: Physical Sciences Division
3045 Columbia Pike
Arlington, Virginia 22204

U. S. Atomic Energy Commission
Division of Technical Information Rm.
P. O. Box 62
Oak Ridge, Tenn. 37831

Dept. of Electrical Engineering
Texas Technological College
Lubbock, Texas 79409

U. S. Naval Weapons Laboratory
Daughton, Virginia 22446

Major Charles Wrenpy
Technical Division
Space Systems Division, AFSC
Los Angeles, California 90045

The Walter Reed Institute of Research
Walter Reed Medical Center
Washington, D. C. 20012

AFSC (SCT)
Andrews Air Force Base
Maryland 20731

Weapons Systems Test Division
Naval Air Test Center
Patuxent River, Maryland 20670
Attn: Library

Weapons Systems Evaluation Group
Attn: Col. Daniel W. McIlwain
Department of Defense
Washington, D. C. 20305

Tate University
Engineering Department
New Haven, Connecticut 06720

Mr. Charles F. Yost
Special Asst. to the Director of Research
NABA
Washington, D. C. 20546

Dr. Leo Young
Stanford Research Institute
Menlo Park, California 94025

Unclassified

Security Classification

DOCUMENT CONTROL DATA - R & D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author) Division of Engineering and Applied Physics Harvard University Cambridge, Massachusetts		2a. REPORT SECURITY CLASSIFICATION Unclassified	
		2b. GROUP	
3. REPORT TITLE A STOCHASTIC APPROXIMATION SCHEME WITH ACCELERATED CONVERGENCE PROPERTIES			
4. DESCRIPTIVE NOTES (Type of report and inclusive dates) Interim technical report			
5. AUTHOR(S) (First name, middle initial, last name) P. M. Newbold			
6. REPORT DATE October 1967		7a. TOTAL NO. OF PAGES 19	7b. NO. OF REFS 6
8a. CONTRACT OR GRANT NO. N00014-67-A-0298-0006 and b. PROJECT NO. NASA NGR-22-007-068		9a. ORIGINATOR'S REPORT NUMBER(S) Technical Report No. 545	
c. d.		9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
10. DISTRIBUTION STATEMENT Reproduction in whole or in part is permitted for any purpose of the United States Government.			
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY Office of Naval Research	
13. ABSTRACT An examination of the first order steepest descent method for minimizing deterministic functions leads to the specification of sufficient conditions assuring the convergence with probability one of a new stochastic approximation algorithm. The algorithm is interpreted as a stochastic descent method using a constant, as opposed to a continually decreasing step length. The crucial convergence condition is that the variance of the gradient should be zero as well as a minimum at the solution point. The rather narrow class of problems to which the new algorithm is applicable can be extended to include many useful problems by employing accelerator methods adapted from the field of Monte-Carlo techniques, both to satisfy the condition, and to accelerate convergence. Simple illustrative examples demonstrating the effectiveness of the new algorithm are presented.			

Unclassified

Security Classification

14 KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Stochastic approximation Stochastic gradient descent method Stochastic optimization Monte-Carlo accelerators						

DD FORM 1 NOV 65 1473 (BACK)

S/N 0101-807-68-1

Unclassified

Security Classification

A-31409