

NI
N69-14337
10754-6# 985-97

30-13517
1-71858


Office of Naval Research

Contract N00014-67-A-0298-0006 NR-372-012

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION


Grant NGR 22-007-068

**A NEW NECESSARY CONDITION OF OPTIMALITY
FOR SINGULAR CONTROL PROBLEMS**



By

D. H. Jacobson



November 1968

Technical Report No. 576

This document has been approved for public release and sale; its distribution is unlimited. Reproduction in whole or in part is permitted by the U. S. Government.

Division of Engineering and Applied Physics
Harvard University • Cambridge, Massachusetts

Office of Naval Research
Contract N00014-67-A-0298-0006
NR -372-012

National Aeronautics and Space Administration
Grant NGR 22-007-068

A NEW NECESSARY CONDITION OF OPTIMALITY FOR
SINGULAR CONTROL PROBLEMS

By
D. H. Jacobson

Technical Report No. 576

This document has been approved for public release and sale; its distribution is unlimited. Reproduction in whole or in part is permitted by the U. S. Government.
--

November 1968

The research reported in this document was made possible through support extended the Division of Engineering and Applied Physics, Harvard University by the U. S. Army Research Office, the U. S. Air Force Office of Scientific Research and the U. S. Office of Naval Research under the Joint Services Electronics Program by Contracts N00014-67-A-0298-0006, 0005, and 0008 and by the National Aeronautics and Space Administration under Grant NGR 22-007-068.

Division of Engineering and Applied Physics
Harvard University Cambridge, Massachusetts

A NEW NECESSARY CONDITION OF OPTIMALITY FOR SINGULAR CONTROL PROBLEMS

By

D. H. Jacobson

Division of Engineering and Applied Physics
Harvard University · Cambridge, Massachusetts

ABSTRACT

A variation in the form of a rectangular pulse of short duration, is introduced into the singular control function. The technique of Differential Dynamic Programming is used to obtain an expression for the change in cost produced by the control variation, and a new necessary condition of optimality is deduced by requiring that this change in cost be non-negative. When terminal equality constraints are present the control variation takes the form of a rectangular pulse followed by a 'special variation' which is chosen to keep the terminal equality constraints satisfied to first-order. Simple control problems are used to illustrate the non-equivalence of the new necessary condition and the generalized Legendre-Clebsch condition.

1. Introduction

Necessary conditions of optimality for non-singular, unconstrained, control problems are well known. When control and state variable constraints are present, the situation is more complex, but recent research [1]-[7] indicates that many of the subtleties of this class of problems are now uncovered. In the classical Calculus of Variations literature, little space is devoted to the analysis of singular variational problems. Recently, interest has been aroused in singular optimal control problems [8]-[19][†], owing to the appearance of such problems in, for example, the aerospace field and the chemical industry. Kelley discovered [20], and Robbins [21], Tait [22] and Kelley et al [23] generalized, a new necessary condition of optimality for singular arcs. The condition, known as the generalized Legendre-Clebsch condition, has, in a number of cases, proved useful [16], [18], [23] in eliminating some stationary arcs from the class of candidate arcs for minimizing solutions. The generalized Legendre-Clebsch condition is proved using special control variations. In this paper, by the use of a different special control variation, an additional necessary condition of optimality is derived.[‡] The Differential Dynamic Programming approach, outlined in [7], [24]-[26], is used to calculate the expression for the change in cost produced by the introduction of the special variation. The new necessary condition is deduced from this expression. Control problems without terminal constraints are considered first. For this class of problems, the special control variation is a

[†] Many additional references are given in [11], [21] and [23].

[‡] Some control problems are described which illustrate the necessity of the new condition in cases where the generalized Legendre-Clebsch condition is satisfied.

rectangular pulse. With terminal constraints present, the rectangular pulse is followed by a control variation which is designed to keep the terminal constraints satisfied to first-order.

2. Preliminaries

Consider the class of control problems where the dynamical system is described by the differential equations:

$$\dot{x} = f(x, u, t) \quad ; \quad x(t_0) = x_0 \quad (1)$$

where

$$f(x, u, t) \equiv f_1(x, t) + f_u(x, t)u \quad (2)$$

The performance of the system is measured by the cost functional

$$V(x_0, t_0) = \int_{t_0}^{t_f} L(x, t)dt + F(x(t_f), t_f) \quad (3)$$

and the terminal state must satisfy

$$\psi(x(t_f), t_f) = 0 \quad (4)$$

The control u is required to satisfy the constraint

$$|u(t)| \leq 1 \quad ; \quad t \in [t_0, t_f] \quad (5)$$

Here, x is an n -dimensional state vector, and u is a scalar control. f_1 and f_u are n -dimensional vector functions of x at time t , and L and F are scalar functions. ψ is an s -dimensional column vector function of $x(t_f)$ at t_f . The final time is assumed to be given explicitly. The functions f , L and F are assumed to be three times continuously differentiable in each argument.

The control problem is: determine the control function $u(\cdot)$ to satisfy (5) and (4) and minimize the cost $V(x_0, t_0)$. In general the optimal control function $u(\cdot)$ will consist of bang-bang sub-arcs and singular

sub-arcs.[†] A bang-bang arc is one along which strict equality holds in (5), except at a finite number of 'switch times' where the control u changes sign. A singular arc is one along which the control is interior to the constraint set; that is, strict inequality holds in (5).

3. Necessary Conditions of Optimality

It can be shown, for the case where terminal constraints are absent, that along a singular arc the following necessary conditions of optimality hold:

$$-\dot{\bar{V}}_x = H_x(\bar{x}, \bar{u}, \bar{V}_x, t) \quad ; \quad \bar{V}_x(t_f) = F_x(\bar{x}(t_f), t_f) \quad (6)$$

$$H_u(\bar{x}, \bar{V}_x, t) = 0 \quad (7)$$

where

$$H(x, u, V_x, t) = L(x, t) + \langle V_x, f(x, u, t) \rangle \quad (8)$$

and $\bar{x}(\cdot)$, $\bar{u}(\cdot)$ denote the candidate state and control functions. The derivative $\bar{V}_x(\bar{x}, t)$ is the first partial derivative[‡] of \bar{V} -- the cost produced by the control function $\bar{u}(\cdot)$. Here, \bar{V}_x can be identified with Pontryagin's adjoint variable. Note that \bar{V}_x is not the first partial derivative V_x^0 of the optimal cost V^0 which is obtained when optimal feedback control is used.

Along a singular arc, Kelley et al [20], Robbins [21] and Tait [22] prove that an additional necessary condition of optimality is:

$$(-1)^p \frac{\partial}{\partial u} \left[\frac{d^{2p}}{dt^{2p}} H_u(\bar{x}, \bar{V}_x, t) \right] \geq 0 \quad (9)$$

where the $2p$ -th time derivative of H_u is the first to contain explicitly the control u . Inequality (9) is known as the generalized Legendre-Clebsch condition.

[†] From this point on, 'arc' and 'sub-arc' are used synonymously.

[‡] \bar{V}_x is determined by changing x but keeping the control function unchanged at $\bar{u}(\cdot)$.

4. Expression for Change in Cost when Control Variation is Present:

Terminal State Unconstrained.

If a control function $\bar{u}(\cdot) + \delta u(\cdot)$ is applied to the system, then a trajectory $\bar{x}(\cdot) + \delta x(\cdot)$ is produced. At time t , $V(\bar{x} + \delta x, t)$ is the cost to go, from t to the final time t_f , when starting in state $\bar{x}(t) + \delta x(t)$ and using controls $\bar{u}(\cdot) + \delta u(\cdot)$. Let us assume that the cost can be expanded in a Taylor series about \bar{x}, t :

$$V(\bar{x} + \delta x, t) = V(\bar{x}, t) + \langle V_x(\bar{x}, t), \delta x \rangle + \frac{1}{2} \langle \delta x, V_{xx}(\bar{x}, t) \delta x \rangle + \text{higher-order terms} \quad (10)$$

The partial derivatives in (10) are obtained by changing x but keeping the control function fixed[†] at $\bar{u}(\cdot) + \delta u(\cdot)$. $V(\bar{x}, t)$ -- the cost to go from t to t_f when starting in state $\bar{x}(t)$ and using controls $\bar{u}(\cdot) + \delta u(\cdot)$ -- can be written as

$$V(\bar{x}, t) = \bar{V}(\bar{x}, t) + a(\bar{x}, t) \quad (11)$$

where $a(\bar{x}, t)$ is the change in cost, when starting at time t in state $\bar{x}(t)$, produced by the variation $\delta u(\tau)$, $\tau \in [t, t_f]$.

Using (11) in (10):

$$V(\bar{x} + \delta x, t) = \bar{V}(\bar{x}, t) + a(\bar{x}, t) + \langle V_x(\bar{x}, t), \delta x \rangle + \frac{1}{2} \langle \delta x, V_{xx}(\bar{x}, t) \delta x \rangle + \text{higher-order terms} \quad (12)$$

From (3) it is clear that

$$\dot{V}(\bar{x} + \delta x, t) = -L(\bar{x} + \delta x, t) \quad (13)$$

whence,

$$-\frac{\partial V}{\partial t}(\bar{x} + \delta x, t) = L(\bar{x} + \delta x, t) + \langle V_x(\bar{x} + \delta x, t), f(\bar{x} + \delta x, \bar{u} + \delta u, t) \rangle \quad (14)$$

[†] c.f. Section 3.

Substituting (12) into (14) and expanding L and f in Taylor series about \bar{x} , we obtain:

$$\begin{aligned}
-\frac{\partial \bar{V}}{\partial t} - \frac{\partial a}{\partial t} - \left\langle \frac{\partial V}{\partial t} \bar{x}, \delta x \right\rangle - \frac{1}{2} \left\langle \delta x, \frac{\partial V}{\partial t} \bar{x} \bar{x} \delta x \right\rangle + \text{higher-order terms} = \\
H(\bar{x}, \bar{u} + \delta u, V_x, t) + \left\langle H_x + V_{xx} f, \delta x \right\rangle \\
+ \frac{1}{2} \left\langle \delta x, (H_{xx} + f_x^T V_{xx} + V_{xx} f_x + \frac{1}{2} f^T V_{xxx} + \frac{1}{2} V_{xxx} f) \delta x \right\rangle \\
+ \text{higher-order terms} \quad . \quad (15)
\end{aligned}$$

All derivatives in (15) are evaluated at $\bar{x}, \bar{u} + \delta u, V_x, t$.

Since equality holds for all δx , we equate coefficients to obtain:

$$\begin{aligned}
-\frac{\partial \bar{V}}{\partial t} - \frac{\partial a}{\partial t} &= H(\bar{x}, \bar{u} + \delta u, V_x, t) \\
-\frac{\partial V}{\partial t} \bar{x} &= H_x(\bar{x}, \bar{u} + \delta u, V_x, t) + V_{xx} f(\bar{x}, \bar{u} + \delta u, t) \\
-\frac{\partial V}{\partial t} \bar{x} \bar{x} &= H_{xx}(\bar{x}, \bar{u} + \delta u, V_x, t) + f_x^T(\bar{x}, \bar{u} + \delta u, t) V_{xx} + V_{xx} f_x(\bar{x}, \bar{u} + \delta u, t) \\
&\quad + \frac{1}{2} V_{xxx} f(\bar{x}, \bar{u} + \delta u, t) + \frac{1}{2} f^T(\bar{x}, \bar{u} + \delta u, t) V_{xxx}
\end{aligned} \quad \left. \vphantom{\begin{aligned} -\frac{\partial \bar{V}}{\partial t} - \frac{\partial a}{\partial t} \\ -\frac{\partial V}{\partial t} \bar{x} \\ -\frac{\partial V}{\partial t} \bar{x} \bar{x} \end{aligned}} \right\} (16)$$

The higher-order equations are not presented.

Now,

$$\frac{d}{dt}(\bar{V} + a) = \frac{d}{dt} V = \frac{\partial V}{\partial t} + \left\langle V_x, f(\bar{x}, \bar{u}, t) \right\rangle$$

Therefore,

$$\frac{d}{dt}(\bar{V} + a) = \frac{\partial}{\partial t}(\bar{V} + a) + \left\langle V_x, f(\bar{x}, \bar{u}, t) \right\rangle$$

and

$$\begin{aligned}
\dot{V}_x &= \frac{\partial V}{\partial t} \bar{x} + V_{xx} f(\bar{x}, \bar{u}, t) \\
\dot{V}_{xx} &= \frac{\partial V}{\partial t} \bar{x} \bar{x} + \frac{1}{2} V_{xxx} f(\bar{x}, \bar{u}, t) + \frac{1}{2} f^T(\bar{x}, \bar{u}, t) V_{xxx}
\end{aligned} \quad \left. \vphantom{\begin{aligned} \dot{V}_x \\ \dot{V}_{xx} \end{aligned}} \right\} (17)$$

Using (17) in (16), the following equations result:

$$\left. \begin{aligned} -\dot{a} &= H - H(\bar{x}, \bar{u}, V_x, t) \\ -\dot{V}_x &= H_x + V_{xx}(f - f(\bar{x}, \bar{u}, t)) \\ -\dot{V}_{xx} &= H_{xx} + f_x^T V_{xx} + V_{xx} f_x + \frac{1}{2} V_{xxx}(f - f(\bar{x}, \bar{u}, t)) \\ &\quad + \frac{1}{2}(f - f(\bar{x}, \bar{u}, t))^T V_{xxx} \end{aligned} \right\} (18)$$

where, unless otherwise specified, all quantities are evaluated at \bar{x} , $\bar{u} + \delta u$, V_x , t . Using the special structure of f , Eq. (2), equations (18) become:

$$\left. \begin{aligned} -\dot{a} &= H_u \delta u \\ -\dot{V}_x &= H_x + (H_{xu} + V_{xx} f_u) \delta u \\ -\dot{V}_{xx} &= H_{xx} + f_x^T V_{xx} + V_{xx} f_x + (H_{xxu} + f_{xu}^T V_{xx} + V_{xx} f_{xu} \\ &\quad + \frac{1}{2} V_{xxx} f_u + \frac{1}{2} f_u^T V_{xxx}) \delta u \end{aligned} \right\} (19)$$

In (19), all quantities are now evaluated at \bar{x} , \bar{u} , V_x , t . Boundary conditions for Eqs. (19) are, clearly,

$$\left. \begin{aligned} a(t_f) &= 0 \\ V_x(t_f) &= F_x(\bar{x}, t_f) \\ V_{xx}(t_f) &= F_{xx}(\bar{x}, t_f) \end{aligned} \right\} (20)$$

The change in cost owing to the presence of a control variation $\delta u(\tau)$; $\tau \in [t_1, t_2]$, $t_2 > t_1$, is given by

$$a(t_1) = a(t_2) + \int_{t_2}^{t_1} \dot{a}(t) dt \quad (21)$$

5. New Necessary Condition: Unconstrained Terminal State

A singular arc is assumed to lie in an interval $[t_a, t_b]$. A control variation in the form of a rectangular pulse of height η and duration T is introduced in an interval $[t_1, t_2]$ where:

$$t_a < t_i < t_b \quad ; \quad i = 1, 2, t_2 > t_1 \quad (22)$$




Figure 1

The change in cost produced by this variation is given by

$$a(t_1) = \int_{t_2}^{t_1} \dot{a} dt + a(t_2) = \int_{t_2}^{t_1} -H_u \delta u dt + a(t_2) \quad (23)$$

where H_u is evaluated at \bar{x} , V_x , t . Expanding the integral in a Taylor series in T , the expression for the change in cost becomes:

$$a(t_1) = H_u \delta u \Big|_{t_2} T - \frac{1}{2} \frac{d}{dt} [H_u \delta u] \Big|_{t_2} T^2 + \dots + a(t_2) \quad (24)^\dagger$$

At time t_2 , one has

$$\left. \begin{aligned} a(t_2) &= 0 \\ V_x(t_2) &= \bar{V}_x(t_2) \\ V_{xx}(t_2) &= \bar{V}_{xx}(t_2) \end{aligned} \right\} \quad (25)$$

where $\bar{V}_x(t_2)$ and $\bar{V}_{xx}(t_2)$ are computed using (19) and (20) with $\delta u(t) = 0$, $t \in (t_2, t_f]$.

[†] Note that in (24) quantities are evaluated at the time instant immediately prior to time t_2 .

Since $\bar{x}(t_2)$ is on the singular arc, $H_u(\bar{x}, \bar{V}_x, t_2) = 0$. Thus, the first non-zero term in expansion (24) is the T^2 one. We have that:

$$\left. \frac{d}{dt} [H_u \delta u] \right|_{t_2} = \dot{H}_u \delta u \Big|_{t_2} + H_u \delta \dot{u} \Big|_{t_2} = \dot{H}_u(\bar{x}, V_x, t) \Big|_{t_2} \eta \quad (26)$$

From (19), (20),

$$\dot{H}_u(\bar{x}, V_x, t) \Big|_{t_2} = \left\{ \dot{f}_u^T V_x + \dot{f}_u^T [-H_x - (H_{xu} + V_{xx} f_u) \eta] \right\} \Big|_{t_2} \quad (27)$$

The first two terms in (27) sum to zero.[†] Using (27) and (26) in (24), the change in cost is

$$a(t_1) = \frac{1}{2} \dot{f}_u^T(\bar{x}, t_2) [H_{xu}(\bar{x}, \bar{V}_x, t_2) + \bar{V}_{xx} f_u(\bar{x}, t_2)] \eta^2 T^2 + \text{higher-order terms} \quad (28)$$

For the singular arc to be a candidate as a minimizing arc, it is necessary that the change in cost, owing to the presence of the control variation, be non-negative. From (28) this implies that

$$\dot{f}_u^T(\bar{x}, t) [H_{xu}(\bar{x}, \bar{u}, \bar{V}_x, t) + \bar{V}_{xx} f_u(\bar{x}, t)] \geq 0 \quad (29)$$

where

$$\left. \begin{aligned} -\dot{\bar{V}}_x &= H_x(\bar{x}, \bar{u}, V_x, t) \\ -\dot{\bar{V}}_{xx} &= H_{xx}(\bar{x}, \bar{u}, V_x, t) + \dot{f}_x^T(\bar{x}, \bar{u}, t) \bar{V}_{xx} + \bar{V}_{xx} f_x(\bar{x}, \bar{u}, t) \end{aligned} \right\} \quad (30)$$

and

$$\left. \begin{aligned} \bar{V}_x(t_f) &= F_x(\bar{x}(t_f), t_f) \\ \bar{V}_{xx}(t_f) &= F_{xx}(\bar{x}(t_f), t_f) \end{aligned} \right\} \quad (31)$$

Inequality (29) is the new necessary condition of optimality for singular control problems with unconstrained terminal states.

[†] $\dot{H}_u(\bar{x}, \bar{V}_x, t_2) = 0 = \dot{f}_u^T \bar{V}_x - \dot{f}_u^T H_x(\bar{x}, \bar{u}, \bar{V}_x, t_2)$

6. Examples

1. Consider the following scalar control problem:

$$\dot{x} = u \quad ; \quad x(0) = 1 \quad (32)$$

$$V(1, 0) = \int_0^2 x^2 dt \quad (33)$$

$$|u| \leq 1$$

The optimal control is

$$\left. \begin{aligned} \bar{u}(t) &= -1 \quad , \quad t \in [0, 1] \\ \bar{u}(t) &= 0 \quad , \quad t \in (1, 2] \end{aligned} \right\} \quad (34)$$

The arc in x, t space along which $u(t)$ is zero, is singular.

For the above problem we have that

$$\left. \begin{aligned} H(x, u, V_x, t) &= x^2 + V_x u \\ H_u(x, V_x, t) &= V_x \end{aligned} \right\} \quad (35)$$

$$\left. \begin{aligned} -\dot{\bar{V}}_x &= 2\bar{x} \quad ; \quad \bar{V}_x(t_f) = 0 \\ -\dot{\bar{V}}_{xx} &= 2 \quad ; \quad \bar{V}_{xx}(t_f) = 0 \end{aligned} \right\} \quad (36)$$

$$\left. \begin{aligned} \dot{H}_u &= -2x \\ \ddot{H}_u &= -2u \end{aligned} \right\} \quad (37)$$

and

whence

$$\frac{\partial}{\partial u} \ddot{H}_u = -2 \quad (38)$$

so that the generalized Legendre-Clebsch condition is satisfied.

It is clear that

$$f_u^T (H_{xu} + \bar{V}_{xx} f_u) = \bar{V}_{xx} \quad (39)$$

and from (36)

$$\bar{V}_{xx}(\tau) = 2\tau \quad (40)$$

where

$$\tau = 2 - t \quad (41)$$

From (40),

$$\bar{V}_{xx}(\tau) \geq 0 \quad \forall \tau \in [1, 2] \quad (42)$$

so that the new necessary condition is satisfied.

Let us consider now the following cost functional

$$V(1, 0) = \int_0^2 x^2 dt - Sx^2(t_f) \quad (43)$$

where S is positive. The control program (34) is a stationary solution for this cost functional because the first-order necessary conditions of optimality are satisfied. Moreover, the generalized Legendre-Clebsch condition is satisfied. However, the differential equation for \bar{V}_{xx} is

$$-\dot{\bar{V}}_{xx} = 2 \quad ; \quad \bar{V}_{xx}(t_f) = -S \quad (44)$$

and hence

$$\bar{V}_{xx}(\tau) = -S + 2\tau \quad (45)$$

Since S is positive, the new necessary condition is violated for τ sufficiently small. It can be verified directly that, for $S > \frac{1}{3}$, a control function

$$\left. \begin{aligned} u(t) &= -1, & t &\in [0, 1] \\ u(t) &= \epsilon, & t &\in (1, 2] \end{aligned} \right\} \quad (46)$$

produces a cost lower than that resulting from the use of the control program (34), confirming the non-optimality of that control program.

2. Consider the second-order control problem:

$$\left. \begin{aligned} \dot{x}_1 &= x_2 & ; & & x_1(0) &= 0 \\ \dot{x}_2 &= u & ; & & x_2(0) &= 1 \end{aligned} \right\} \quad (47)$$

$$V(x_o, 0) = \frac{1}{2} \int_0^{\frac{3\pi}{2}} (x_1^2 + x_2^2) dt \quad (48)$$

$$|u| \leq 1 \quad (49)$$

Here,

$$\left. \begin{aligned} -\dot{\bar{V}}_{x_1} &= \bar{x}_1 & ; & \quad \bar{V}_{x_1}(t_f) = 0 \\ -\dot{\bar{V}}_{x_2} &= \bar{x}_2 + \bar{V}_{x_1} & ; & \quad \bar{V}_{x_2}(t_f) = 0 \end{aligned} \right\} \quad (50)$$

and

$$\left. \begin{aligned} H_u &= V_{x_2} \\ \dot{H}_u &= -x_2 - V_{x_1} \\ \ddot{H}_u &= -u - x_1 \end{aligned} \right\} \quad (51)$$

so that the generalized Legendre-Clebsch condition is satisfied. The expression $f_u^T (H_{xu} + \bar{V}_{xx} f_u)$ is equal to $\bar{V}_{x_2 x_2}$, and

$$\bar{V}_{x_2 x_2}(\tau) = \tau + \frac{1}{3} \tau^3 \quad (52)$$

so that the new necessary condition is satisfied. It can be verified [9] that this problem has a stationary solution which exhibits a singular arc. Moreover, the stationary solution is minimizing.

Consider now the following cost functional:

$$V(x_o, 0) = \frac{1}{2} \int_0^{\frac{3\pi}{2}} (-x_1^2 + x_2^2) dt \quad (53)$$

Here,

$$\left. \begin{aligned} -\dot{\bar{V}}_{x_1} &= -x_1 \\ -\dot{\bar{V}}_{x_2} &= x_2 + V_{x_1} \end{aligned} \right\} \quad (54)$$

and

$$\left. \begin{aligned} H_u &= V_{x_2} \\ \dot{H}_u &= -x_2 - V_{x_1} \\ \ddot{H}_u &= -u - x_1 \end{aligned} \right\} (55)$$

so that the generalized Legendre-Clebsch condition is satisfied.

It is easy to see that

$$\left. \begin{aligned} \bar{x}_1(t) &= \sin t \\ \bar{x}_2(t) &= \cos t \end{aligned} \right\} (56)$$

is a singular solution, and the cost functional value corresponding to this trajectory is zero.

One can verify that the equation for $\bar{V}_{x_2 x_2}(\tau)$ is

$$\bar{V}_{x_2 x_2}(\tau) = \tau - \frac{1}{3}\tau^3 \quad (57)$$

which is negative for $\tau > \sqrt{3}$: that is, the new necessary condition is violated for $\tau > \sqrt{3}$. The control function corresponding to the trajectory (56) is,

$$\bar{u}(t) = -\sin t \quad (58)$$

Consider the control function

$$u(t) = \bar{u}(t) + \epsilon \quad (59)$$

where ϵ is a constant. Then, the resulting trajectory is

$$\left. \begin{aligned} \bar{x}_2(t) + \delta x_2(t) &= \cos t + \epsilon t \\ \bar{x}_1(t) + \delta x_1(t) &= \sin t + \frac{1}{2}\epsilon t^2 \end{aligned} \right\} (60)$$

The integrand in (53), corresponding to trajectory (60) is:

$$-(\sin^2 t + \epsilon t^2 \sin t + \frac{\epsilon^2}{4} t^4) + (\cos^2 t + 2\epsilon t \cos t + \epsilon^2 t^2) \quad (61)$$

Using (61) in (53),

$$V(x_o, 0) = \frac{1}{2} \int_0^{2\pi} [\cos^2 t - \sin^2 t + \epsilon(2t \cos t - t^2 \sin t) + \epsilon^2(-\frac{t^4}{4} + t^2)] dt \quad (62)$$

$$= \frac{1}{2} \left[\frac{1}{2} \sin 2t + \epsilon t^2 \cos t + \epsilon^2 \left(-\frac{t^5}{20} + \frac{t^3}{3} \right) \right]_0^{3\pi/2}$$

$$= -40.7 \epsilon^2 \quad (63)$$

which is negative, confirming the non-optimality of the singular trajectory.

The above examples illustrate the necessity of the new condition of optimality. Also demonstrated is the non-equivalence of the new condition and the generalized Legendre-Clebsch condition.

7. Adjoining Terminal Constraint

Here we consider the case where equality (4) is present. The equality constraint can be adjoined to the cost functional by a vector b of Lagrange multipliers, in the following way.

$$V^*(x_o, b, t_o) = \int_{t_o}^{t_f} L(x, t) dt + F(x(t_f), t_f) + \langle b, \psi(x(t_f), t_f) \rangle \quad (64)$$

Assume that $\bar{x}(\cdot)$, \bar{b} and $\bar{u}(\cdot)$ are stationary solutions of (64); the following necessary conditions are satisfied along a singular arc:

$$-\dot{\bar{V}}_x^* = H_x(\bar{x}, \bar{u}, \bar{V}_x^*, t) \quad ; \quad \bar{V}_x^*(t_f) = F_x(\bar{x}, t_f) + \psi_x^T(\bar{x}, t_f) \bar{b} \quad (65)$$

$$H_u(\bar{x}, \bar{V}_x^*, t) = 0 \quad .$$

If $V^*(x_o, \bar{b}, t_o)$ has an unconstrained minimum with respect to $u(\cdot)$ at $\bar{u}(\cdot)$, the following condition must hold along the singular arc:

$$f_u^T(\bar{x}, t) [H_{xu}(\bar{x}, \bar{V}_x^*, t) + \bar{V}_{xx}^* f_u(\bar{x}, t)] \geq 0 \quad (66)$$

where

$$-\dot{\bar{V}}_{xx}^* = H_{xx} + f_x^T \bar{V}_{xx}^* + \bar{V}_{xx}^* f_x ; \quad \bar{V}_{xx}^*(t_f) = F_{xx}(\bar{x}, t_f) + \bar{b} \psi_{xx}(\bar{x}, t_f) \quad (67)$$

Condition (66) follows from Section 5.

However, failure of condition (66) does not imply that $\bar{x}(\cdot)$, $\bar{u}(\cdot)$ is not a minimizing solution for the constrained problem where equality (4) is enforced. This is so because a minimizing solution of the original constrained problem need only be a stationary solution of (64) for fixed $b = \bar{b}$. In order to determine whether $\bar{x}(\cdot)$, $\bar{u}(\cdot)$ is a possible minimizing solution, one has to ensure that, on the introduction of a control variation, equality (4) remains satisfied.

8. New Necessary Condition: Constrained Terminal State

Let us assume, as in Section 5, that a control variation consisting of a rectangular pulse of duration $t_2 - t_1 \equiv T$ and height η is introduced in the singular control interval $[t_a, t_b]$. A further control variation is now introduced in the interval $(t_2, t_b]$ in order to force equality (4) to remain satisfied. We shall assume the following form for the control variation in the interval $(t_2, t_b]$:

$$\delta u(\tau) = \beta(\tau)\sigma ; \quad \tau \in (t_2, t_b] \quad (68)$$

Here, $\beta(\tau)$ is a time varying, r -dimensional row vector and σ is a constant r -dimensional vector. For δx and δu sufficiently small, the following equations are valid:

$$\begin{aligned} \delta \dot{x}(\tau) &= f_x(\bar{x}, \bar{u}, \tau) \delta x(\tau) + f_u(\bar{x}, \tau) \beta(\tau) \sigma ; \quad \tau \in (t_2, t_b] \\ \delta \dot{x}(\tau) &= f_x(\bar{x}, \bar{u}, \tau) \delta x(\tau) ; \quad \tau \in (t_b, t_f] \end{aligned} \quad (69)$$

where $\delta x(t_2) \neq 0$ owing to the rectangular pulse variation prior to t_2 . In order that the control constraints (5) remain satisfied when (68) is used,

it is assumed that $\bar{u}(\tau)$, $\tau \in (t_a, t_b)$ is in the interior of the control constraint set.[†]

The solution of Eqs. (69) is:

$$\left. \begin{aligned} \delta x(t) &= \Phi(t, t_2) \delta x(t_2) + \int_{t_2}^t \Phi(t, \tau) f_u(\tau) \beta(\tau) \sigma d\tau \\ \text{with} \quad \beta(\tau) \sigma &\equiv 0 \quad \tau \in (t_b, t_f] \end{aligned} \right\} \quad (70)$$

where $\Phi(t, \tau)$ satisfies the differential equation

$$\frac{d}{dt} \Phi(t, \tau) = f_x(\bar{x}, \bar{u}, t) \Phi(t, \tau) \quad ; \quad \Phi(\tau, \tau) = I \quad (71)$$

At $t = t_f$, we require, for $\delta x(t_f)$ sufficiently small, that

$$\psi_x(\bar{x}, t_f) \delta x(t_f) = 0 \quad (72)$$

Setting $t = t_f$ in (70), and using (72), we obtain

$$0 = \psi_x(\bar{x}, t_f) \Phi(t_f, t_2) \delta x(t_2) + \psi_x(\bar{x}, t_f) \int_{t_2}^{t_f} \Phi(t_f, \tau) f_u(\tau) \beta(\tau) \sigma d\tau \quad (73)$$

which, by (70), is equivalent to

$$0 = \psi_x(\bar{x}, t_f) \Phi(t_f, t_2) \delta x(t_2) + \psi_x(\bar{x}, t_f) \int_{t_2}^{t_b} \Phi(t_f, \tau) f_u(\tau) \beta(\tau) \sigma d\tau \quad (74)$$

Let us choose

$$\beta(\tau) = f_u^T(\tau) \Phi^T(t_f, \tau) \psi_x^T(\bar{x}, t_f) \quad (75)$$

Using (75) in (74), we obtain

[†] If the singular control and the non-singular 'bang' control are continuous at t_b , then (68) is used up until $t_b - \epsilon$, $\epsilon > 0$ to ensure that the control constraints remain satisfied in the interval (t_2, t_b) .

$$\psi_x(\bar{x}, t_f) \left[\int_{t_2}^{t_b} \Phi(t_f, \tau) f_u(\tau) f_u^T(\tau) \Phi^T(t_f, \tau) d\tau \right] \psi_x^T(\bar{x}, t_f) \sigma = -\psi_x(\bar{x}, t_f) \Phi(t_f, t_2) \delta x(t_2) \quad (76)$$

Denoting the contents of the square brackets on the left-hand side of (76) by

$$W(t_2, t_b) \quad (77)$$

we obtain[†]

$$\left. \begin{aligned} \sigma &= -[\psi_x(\bar{x}, t_f) W(t_2, t_b) \psi_x^T(\bar{x}, t_f)]^{-1} \psi_x(\bar{x}, t_f) \Phi(t_f, t_2) \delta x(t_2) \\ &\equiv \gamma \delta x(t_2) \end{aligned} \right\} \quad (78)$$

We have, for $\delta x(t_2)$ sufficiently small, i.e., for η (or T) sufficiently small, that if expressions (75) and (78) are used in (68), then equality (4) is maintained to first-order. That is, the change in $\delta x(t_f)$ is at most of order $[\delta x(t_2)]^2$.

For $\tau \in (t_b, t_f]$ we have the same equations for \bar{V}_x^* and \bar{V}_{xx}^* , namely

$$\left. \begin{aligned} -\dot{\bar{V}}_x^* &= H_x(\bar{x}, \bar{u}, \bar{V}_x^*, t) & \bar{V}_x^*(t_f) &= F_x + \psi_x^T \bar{b} \\ -\dot{\bar{V}}_{xx}^* &= H_{xx}(\bar{x}, \bar{u}, \bar{V}_x^*, t) + f_x^T(\bar{x}, \bar{u}, t) \bar{V}_{xx}^* + \bar{V}_{xx}^* f_x(\bar{x}, \bar{u}, t) & \bar{V}_{xx}^*(t_f) &= F_{xx} + \bar{b} \psi_{xx} \end{aligned} \right\} \Big|_{t_f} \quad (79)$$

For $\tau \in (t_2, t_b]$ the dynamical equation is

$$(\bar{x} + \delta x)' = f(\bar{x} + \delta x, \bar{u} + \beta \sigma, \tau) \quad (80)$$

and the cost functional is

$$V^*(\bar{x} + \delta x, \bar{b}, \tau) = \int_{\tau}^{t_b} L(\bar{x} + \delta x, t) dt + \bar{V}^*(\bar{x} + \delta x, \bar{b}, t_b) \quad (81)$$

[†] It is easy to show that, if the linear system $\dot{\delta x} = f_x \delta x + f_u \delta u$ is completely controllable, and if $\psi_x^T(\bar{x}, t_f)$ has full rank s , the inverse in Eq. (78) exists.

Since the cost $V^*(\bar{x} + \delta x, \bar{b}, \tau)$, $\tau \in [t_2, t_b]$ depends on σ , let us make this dependence explicit by defining

$$J(\bar{x} + \delta x, \bar{b}, \sigma, \tau) \equiv V^*(\bar{x} + \delta x, \bar{b}, \tau) \quad (82)$$

so that

$$J(\bar{x} + \delta x, \bar{b}, \sigma, \tau) = \int_{\tau}^{t_b} L(\bar{x} + \delta x, t) dt + \bar{V}^*(\bar{x} + \delta x, \bar{b}, t_b) \quad (83)$$

In a similar way to that demonstrated in Section 5, the following equations can be obtained,

$$\left. \begin{aligned} -\dot{J}_x &= H_x & ; & \quad J_x(t_b) = \bar{V}_x^*(t_b) \\ -\dot{J}_{xx} &= H_{xx} + f_x^T J_{xx} + J_{xx} f_x & ; & \quad J_{xx}(t_b) = \bar{V}_{xx}^*(t_b) \\ -\dot{J}_\sigma &= \beta^T H_u = 0 & ; & \quad J_\sigma(t_b) = 0 \\ -\dot{J}_{x\sigma} &= f_x^T J_{x\sigma} + (H_{xu} + J_{xx} f_u) \beta & ; & \quad J_{x\sigma}(t_b) = 0 \\ -\dot{J}_{\sigma\sigma} &= J_{\sigma x} f_u \beta + f_u^T \beta J_{x\sigma} & ; & \quad J_{\sigma\sigma}(t_b) = 0 \end{aligned} \right\} \quad (84)$$

where all quantities in (84) are evaluated at \bar{x}, \bar{u} . These equations can be integrated backwards from t_b until t_2 is reached. At t_2 , σ is given by Eq. (78), and the expansion for $J(\bar{x} + \delta x, \bar{b}, \sigma, t_2)$ to second-order in $\delta x(t_2)$ and σ is

$$\begin{aligned} J(\bar{x} + \delta x, \bar{b}, \sigma, t_2) &= J(\bar{x}, \bar{b}, 0, t_2) + \langle J_x, \delta x \rangle + \langle J_\sigma, \sigma \rangle + \langle \delta x, J_{x\sigma} \sigma \rangle \\ &\quad + \frac{1}{2} \langle \delta x, J_{xx} \delta x \rangle + \frac{1}{2} \langle \sigma, J_{\sigma\sigma} \sigma \rangle \quad (84) \end{aligned}$$

Substituting into (84) the value of σ , we obtain

$$\begin{aligned} J(\bar{x} + \delta x, \bar{b}, \gamma \delta x, t_2) &= J(\bar{x}, \bar{b}, 0, t_2) + \langle J_x, \delta x \rangle + \langle J_\sigma, \gamma \delta x \rangle + \langle \delta x, J_{x\sigma} \gamma \delta x \rangle \\ &\quad + \frac{1}{2} \langle \delta x, J_{xx} \delta x \rangle + \frac{1}{2} \langle \delta x, \gamma^T J_{\sigma\sigma} \gamma \delta x \rangle \quad (85) \end{aligned}$$

Renaming the left-hand side of (85) as $\hat{J}(\bar{x} + \delta x, \bar{b}, t_2)$ we obtain

$$\hat{J}_{xx} = J_{xx} + \gamma^T J_{\sigma\sigma} \gamma + J_{x\sigma} \gamma + \gamma^T J_{\sigma x} \quad (86)$$

and

$$\hat{J}_x = J_x, \quad \text{since } J_\sigma = 0 \quad (87)$$

Equations (86) and (87) are the second and first partial derivatives of the cost at $t = t_2$, given that the terminal constraints (4) are satisfied to first-order.

From Section 5, the change in cost, owing to the presence of the rectangular pulse in the interval $[t_1, t_2]$ is

$$\frac{1}{2} f_u^T(\bar{x}, t_2) [H_{xu}(\bar{x}, \hat{J}_x, t_2) + \hat{J}_{xx} f_u(\bar{x}, t_2)] \eta^2 T^2 + \text{higher-order terms} \quad (88)$$

Thus the new necessary condition of optimality for singular problems with terminal constraints is

$$f_u^T(\bar{x}, t_2) [H_{xu}(\bar{x}, \hat{J}_x, t_2) + \hat{J}_{xx} f_u(\bar{x}, t_2)] \geq 0 \quad (89)$$

As mentioned earlier, the control $\beta(\tau)\sigma$ only ensures that the terminal constraints are satisfied to first-order. In the Appendix it is demonstrated that if the terminal constraints are satisfied to second-order, conclusion (89) is unaffected. This is true also if the terminal constraints are satisfied to higher-order, or satisfied exactly.

9. Example

Consider the following scalar control problem:

$$\dot{x} = u, \quad x(0) = 1 \quad (90)$$

$$V(1, 0) = \int_0^2 x^2 dt - Sx^2(2) \quad (91)$$

with the terminal constraint that

$$x(2) = 0 \quad (93)$$

and the control constraint

$$|u| \leq 1 \quad . \quad (94)$$

In Section 6 it was demonstrated that, in the absence of equality (93), and for $S > 0$, the following control program is a stationary, non-minimizing solution:

$$\left. \begin{aligned} u(\tau) &= -1 & ; & \quad \tau \in [0, 1] \\ u(\tau) &= 0 & ; & \quad \tau \in (1, 2] \end{aligned} \right\} \quad (95)$$

We shall demonstrate now that with equality (93) present, the new necessary condition (89) is satisfied (by inspection the control program (95) is optimal for all S).

Since the singular arc extends from $t = 1$ to $t = 2$, we have $t_b = t_f = 2$.

For the above problem Eqs. (84) become

$$\left. \begin{aligned} -\dot{J}_x &= 2x \\ -\dot{J}_{xx} &= 2 \\ -\dot{J}_\sigma &= 0 \\ -\dot{J}_{x\sigma} &= J_{xx} \\ -\dot{J}_{\sigma\sigma} &= 2J_{\sigma x} \end{aligned} \right\} \quad (96)$$

Boundary conditions for Eqs. (96) are zero at $t = 2$, except for

$$J_{xx}(2) = -S \quad . \quad (97)$$

From (96) and (97), we obtain the solutions

$$\left. \begin{aligned} J_x(\tau) &= 0 \\ J_{xx}(\tau) &= -S + 2\tau \\ J_\sigma(\tau) &= 0 \\ J_{x\sigma}(\tau) &= -S\tau + \tau^2 \\ J_{\sigma\sigma}(\tau) &= -S\tau^2 + \frac{2}{3}\tau^3 \end{aligned} \right\} \quad (98)$$

along the singular arc.

In addition,

$$\gamma = -\tau^{-1} \quad (99)$$

where

$$\tau = 2 - t, \quad t \geq 1.$$

From (86), (98) and (99),

$$\hat{J}_{xx} = -S + 2\tau + 2(-S\tau + \tau^2)(-\tau^{-1}) + (\tau^{-1})^2(-S\tau^2 + \frac{2}{3}\tau^3) \quad (100)$$

and we have that

$$f_u^T(H_{xu} + \hat{J}_{xx}f_u) = \hat{J}_{xx} = \frac{2}{3}\tau \quad (101)$$

so that the new necessary condition is satisfied for all $\tau \geq 0$, independent of S ; this is the desired result.

10. Generalized Legendre-Clebsch Necessary Condition

In [23], Kelley et al used a special control variation of the form shown in Fig. 2 to derive the first generalization of the Legendre-Clebsch condition. They gave an heuristic argument to demonstrate that, if the control problem is normal, then a control variation can be found such that the terminal constraints (4) are met, at least to first-order, and the resulting change in cost owing to this added variation is negligible compared to that caused by the variation shown in Fig. 2.




Figure 2

If our rectangular pulse is replaced by Kelley's special variation, and if Eq. (68) is used to maintain the terminal equality (4) to first-order, then expansion of Eq. (21) yields -- upon requiring $a(t_1)$ to be greater than or equal to zero -- the first generalization of the Legendre-Clebsch condition:

$$\frac{\partial}{\partial u} \left[\frac{d^2}{dt^2} H_u(\bar{x}, \hat{J}_x, t_2 - \tau) \right] < 0 \quad (102)$$

The normality assumption of Kelley and Robbins is the same as our assumption of controllability of

$$\delta \dot{x} = f_x \delta x + f_u \delta u \quad (103)$$

and the maximal rank of

$$\psi_x^T \quad (104)$$

required to ensure the existence of the control variation

$$\beta(\tau)\sigma \quad (105)$$

which maintains satisfaction of terminal constraints (4) to first-order. The complete generalized Legendre-Clebsch condition can be derived by using Kelley's generalized special variation.

11. Conclusion

In this paper we have derived a new necessary condition of optimality for singular control problems. The control problem without terminal constraints was treated first. With terminal constraints present, a special admissible control variation has to be constructed; this requires that the control problem be normal.[†]

[†] Note that if the linearized system is completely controllable then condition (89) applies equally well to the control problem without terminal constraints; that is, (89) must be true for all matrices ψ_x^T of full rank.

The Differential Dynamic Programming technique was used to obtain an expression for the change in cost produced by the control variation. For the singular arc to be minimizing it is necessary that this change in cost be non-negative; from this requirement the new necessary conditions were deduced. Simple examples were used to illustrate the non-equivalence of the new conditions and the generalized Legendre-Clebsch condition. Finally, it was remarked that the generalized Legendre-Clebsch condition can be obtained by expanding Eq. (21) and using Kelley's special variation followed by the variation Eq. (68) which maintains satisfaction of the terminal constraints, Eq. (4), to first-order.

In some aerospace problems, stationary control functions have been determined which pass the generalized Legendre-Clebsch test, but whose optimality remains in doubt. The new necessary condition of optimality should prove useful in ascertaining whether indeed these control functions are extremal or not.

Further, it is hoped that a useful sufficiency condition of optimality will evolve from the type of arguments presented in this paper, and that this will lead to the development of numerical techniques for solving singular optimal control problems.

Acknowledgements

Stimulating discussions with Dr. J. L. Speyer and Professor Y. C. Ho are gratefully acknowledged.

References

- [1] Berkovitz, L. D., Variational Methods in Problems of Control and Programming, J. Math. Anal. Appl., 3, No. 1, 1961, pp. 145-169.
- [2] Dreyfus, S. E., Variational Problems with State Variable Inequality Constraints, J. Math. Anal. Appl., 4, 1962, pp. 297-308.
- [3] Gamkrelidze, R. V., Optimal Processes with Bounded Phase Coordinates, Izv. Akad. Nauk (SSSR) Ser. Mat. 24, 1960, pp. 315-356.
- [4] Chang, S. S. L., Optimal Control in Bounded State Space, Automatica, 1, pp. 55-67.
- [5] McIntyre, J., and Paiewonsky, B., On Optimal Control with Bounded State Variables, Advances in Control Systems (ed. C. T. Leondes), Vol. 5, Academic Press, New York, 1967.
- [6] Speyer, J. L., Optimization and Control of Nonlinear Systems with Inflight Constraints, Ph.D. thesis, Harvard University, February 1968.
- [7] Jacobson, D. H., Differential Dynamic Programming Methods for Solving Bang-Bang Control Problems, IEEE Trans. Auto. Control, AC-13, December 1968.
- [8] Johnson, C. D., and Gibson, J. E., Singular Solutions in Problems of Optimal Control, IEEE Trans. Auto. Control, AC-8, 1963, pp. 4-15.
- [9] Wonham, W. M., and Johnson, C. D., Optimal Bang-Bang Control with Quadratic Performance Index, ASME. Trans. J. Basic Eng., 86, 1964, pp. 107-115.
- [10] Snow, D. R., Singular Optimal Controls for a Class of Minimum Effort Problems, J. SIAM Control, 2, 1964, pp. 203-219.
- [11] Johnson, C. D., Singular Solutions in Optimal Control Problems, Advances in Control Systems (C. T. Leondes, ed.), Vol. 2, Academic Press, New York, 1965.
- [12] Athans, M., and Cannon, M. D., On the Fuel Optimal Singular Control of Nonlinear Second-Order Systems, IEEE Trans. Auto. Control, AC-9, 1964, pp. 360-370.
- [13] Bass, R. W., and Weber, R. F., On Synthesis of Optimal Bang-Bang Feedback Control Systems with Quadratic Performance Criterion, Proc. 6th Joint Autom. Control Conf., Troy, New York, 1965, pp. 213-219.
- [14] Hermes, H., Controllability and the Singular Problem, J. SIAM Control 2, 1964, pp. 241-260.

- [15] Hermes, H., and Haynes, G. W., On the Nonlinear Control Problem with Control Appearing Linearly, J. SIAM Control 1, 1963, pp. 85-107.
- [16] Kelley, H. J., Singular Extremals in Lawden's Problem of Optimal Rocket Flight, J. AIAA, 1, 1963, pp. 1578-1580.
- [17] Kelley, H. J., A Transformation Approach to Singular Subarcs in Optimal Trajectory and Control Problems, J. SIAM Control, 2, 1964, pp. 234-240.
- [18] Robbins, H. M., Optimality of Intermediate-Thrust Arcs of Rocket Trajectories, J. AIAA, 3, 1965, pp. 1094-1098.
- [19] Pfeiffer, C. G., Some New Results in Optimal Final Value Control Theory, J. Franklin Inst., 283, No. 5, 1967, pp. 404-425.
- [20] Kelley, H. J., A Second Variation Test for Singular Extremals, J. AIAA, 2, 1964, pp. 1380-1382.
- [21] Robbins, H. M., A Generalized Legendre-Clebsch Condition for the Singular Cases of Optimal Control, IBM, Federal Systems Division, Owego, New York, Report No. 66-825, p. 2043, 1966.
- [22] Tait, K. S., Singular Problems in Optimal Control, Ph.D. thesis, Harvard University, 1965.
- [23] Kelley, H. J., Kopp, R. E., Moyer, H. G., Singular Extremals, Topics in Optimization (G. Leitman, ed.), Academic Press, 1967.
- [24] Jacobson, D. H., New Second-Order and First-Order Algorithms for Determining Optimal Control: A Differential Dynamic Programming Approach, J. Opt. Theory Appl., 2, No. 6, 1968.
- [25] Jacobson, D. H., Second-Order and Second-Variation Methods for Determining Optimal Control: A Comparative Study Using Differential Dynamic Programming, Int. J. Control, 7, No. 2, 1968, pp. 175-196.
- [26] Jacobson, D. H., and Mayne, D. Q., Differential Dynamic Programming, American Elsevier Publishing Co., New York, 1969, to appear.

Appendix

A.1. Satisfaction of Terminal Constraints to Second-Order

Expansion of equality (4) to second-order in $\delta x(t_f)$ about $\bar{x}(t_f)$ yields

$$\psi_{\bar{x}}(\bar{x}, t_f) \delta x + \frac{1}{2} \psi_{\bar{x}\bar{x}}(\bar{x}, t_f) \delta x \delta x = 0 \quad (A-1)^\dagger$$

and the expansion of (1) to second-order in δx and δu , about \bar{x}, \bar{u} is

$$\dot{\delta x} = f_{\bar{x}} \delta x + f_{\bar{u}} \delta u + f_{\bar{u}\bar{x}} \delta u \delta x + \frac{1}{2} f_{\bar{x}\bar{x}} \delta x \delta x ; \quad \delta x(t_2) \neq 0 \quad (A-2)^\dagger$$

The solution of (A-2), correct to second-order terms is

$$\begin{aligned} \delta x(t) = & \Phi(t, t_2) \delta x(t_2) + \int_{t_2}^t \Phi(t, \tau) f_{\bar{u}}(\tau) \delta u(\tau) d\tau + \frac{1}{2} \Phi_{\bar{x}}(t, t_2) \delta x(t) \delta x(t_2) \\ & + \frac{1}{2} \int_{t_2}^t \Phi(t, \tau) f_{\bar{u}\bar{x}}(\tau) \delta u(\tau) \delta x(\tau) d\tau + \frac{1}{2} \int_{t_2}^t \Phi_{\bar{x}}(t, \tau) \delta x(\tau) f_{\bar{u}}(\tau) \delta u(\tau) d\tau \end{aligned} \quad (A-3)$$

where

$$\dot{\Phi}(t, \tau) = f_{\bar{x}} \Phi(t, \tau) ; \quad \Phi(\tau, \tau) = I \quad (A-4)$$

and

$$\dot{\Phi}_{\bar{x}}(t, \tau) = f_{\bar{x}} \Phi_{\bar{x}}(t, \tau) - \Phi_{\bar{x}}(t, \tau) f_{\bar{x}} + f_{\bar{x}\bar{x}} \Phi(t, \tau) ; \quad \Phi_{\bar{x}}(\tau, \tau) = 0 \quad (A-5)$$

The quadratic terms on the r. h. s. of (A-3) contain $\delta x(t)$: for (A-3) to be correct to second-order terms, the following expression can be used for $\delta x(t)$ in the r. h. s. of (A-3):

$$\delta x(t) \cong \Phi(t, t_2) \delta x(t_2) + \int_{t_2}^t \Phi(t, \tau) f_{\bar{u}}(\tau) \delta u(\tau) d\tau \quad (A-6)$$

†
 $\psi_{\bar{x}\bar{x}}(\bar{x}, t_f) \delta x \delta x \equiv \sum_{i=1}^n \sum_{j=1}^n \psi_{\bar{x}_i \bar{x}_j} \delta x_i \delta x_j$; similarly for $f_{\bar{u}\bar{x}} \delta u \delta x$ and $f_{\bar{x}\bar{x}} \delta x \delta x$.

Substituting (A-6) into the r.h.s. of (A-3), we obtain

$$\begin{aligned}
\delta x(t) = & \Phi(t, t_2) \delta x(t_2) + \int_{t_2}^t \Phi(t, \tau) f_u(\tau) \delta u(\tau) d\tau \\
& + \frac{1}{2} \Phi_x(t, t_2) [\Phi(t, t_2) \delta x(t_2) + \int_{t_2}^t \Phi(t, \tau) f_u(\tau) \delta u(\tau) d\tau] \delta x(t_2) \\
& + \frac{1}{2} \int_{t_2}^t \Phi(t, \tau) f_{ux}(\tau) \delta u(\tau) \left[\int_{t_2}^{\tau} \Phi(\tau, t_2) \delta x(t_2) \right. \\
& + \left. \int_{t_2}^{\tau} \Phi(\tau, \tau') f_u(\tau') \delta u(\tau') d\tau' \right] d\tau + \frac{1}{2} \int_{t_2}^t \Phi_x(t, \tau) [\Phi(t, t_2) \delta x(t_2) \\
& + \int_{t_2}^{\tau} \Phi(t, \tau') f_u(\tau') \delta u(\tau') d\tau'] \delta u(\tau) d\tau
\end{aligned} \tag{A-7}$$

The form of $\delta u(\tau)$, based on satisfaction of the terminal constraints to first-order is, from (68),

$$\delta u(\tau) = \beta(\tau) \sigma \tag{A-8}$$

where σ is given by (78) as

$$\sigma = \gamma \delta x(t_2) \tag{A-9}$$

so that σ is of first-order in $\delta x(t_2)$.

Let us assume now that $\delta u(\tau)$ is of the form

$$\delta u(\tau) = \beta(\tau) [\sigma + \alpha] \tag{A-10}$$

where α is of order $\delta x^2(t_2)$. Then, to second-order in $\delta x(t_2)$, $\delta x(t_f)$ is:

$$\begin{aligned}
\delta x(t_f) = & \Phi(t_f, t_2) \delta x(t_2) + \int_{t_2}^{t_f} \Phi(t_f, \tau) f_u(\tau) \beta(\tau) [\sigma + a] d\tau \\
& + \frac{1}{2} \Phi_x(t_f, t_2) [\Phi(t_f, t_2) \delta x(t_0) + \int_{t_2}^{t_f} \Phi(t_f, \tau) f_u(\tau) \beta(\tau) \sigma d\tau] \delta x(t_2) \\
& + \frac{1}{2} \int_{t_0}^{t_f} \Phi(t_f, \tau) f_{ux}(\tau) \beta(\tau) \sigma \left[\int_{t_0}^{\tau} (\tau, t_2) \delta x(t_2) \right. \\
& + \int_{t_0}^{\tau} \Phi(\tau, \tau') f_u(\tau') \beta(\tau') \sigma d\tau' \Big] d\tau + \frac{1}{2} \int_{t_2}^{t_f} \Phi_x(t_f, \tau) [\Phi(t_f, t_2) \delta x(t_2) \\
& + \int_{t_2}^{\tau} \Phi(t_f, \tau') f_u(\tau') \beta(\tau') \sigma d\tau'] \beta(\tau) \sigma d\tau
\end{aligned} \tag{A-11}$$

If (A-11) is now substituted into (A-1), then the first-order terms in σ vanish, because of (73), leaving

$$\left[\int_{t_2}^{t_f} \psi_x(\bar{x}, t_f) f_u(\tau) \beta(\tau) d\tau \right] a + \text{terms of order } \delta x^2(t_2) = 0 \quad . \tag{A-12}$$

The quantity in the square brackets on the l. h. s. of (A-12) is, from (76), just

$$\psi_x(\bar{x}, t_f) W(t_2, t_b) \psi_x^T(\bar{x}, t_f) \tag{A-13}$$

which is invertible. So, from (A-12), a can be found and it is of order $\delta x^2(t_2)$. Thus a control variation of form

$$\delta u(\tau) = \beta(\tau) [\sigma + a] \tag{A-14}$$

where σ is first-order in $\delta x(t_2)$ and a is second-order in $\delta x(t_2)$ maintains the terminal equality (4) correct to second-order terms. Now if (A-14) is substituted into (85), we find that, because a is second-order in $\delta x(t_2)$, and $J_\sigma = 0$, (86) and (87) do not contain a ; thus the conclusion (89) is unaffected if we satisfy the terminal constraints to second-order rather

than to first-order. Satisfaction of terminal constraints to higher-order yields the same result. This confirms that, in order to include all second-order terms in an expansion of the cost functional, it is only necessary to expand the Hamiltonian to second-order terms and the dynamic and terminal constraints to first-order terms.

Joint Services Electronics Program
N00014-67-A-0298-0006, 0005, and 0008

Academy Library (DFSLR)
U. S. Air Force Academy
Colorado Springs, Colorado 80912

AEDC (ARO, INC)
Attn: Library/Documents
Arnold AFB, Tenn. 37159

Aeronautics Library
Graduate Aeronautical Laboratories
California Institute of Technology
1201 E. California Blvd.
Pasadena, California 91109

Aerospac Corporation
P. O. Box 95065
Los Angeles, Calif. 90045
Attn: Library Acquisitions Group

Airborne Instruments Laboratory
Deerpark, New York 11729

AFAL (AVTE/R. D. Larson)
Wright-Patterson AFB
Ohio 45433

AFRL (CRANRL)
AFRL Research Library, Stop 29
L. C. Hanscom Field
Bedford, Mass. 01731

AFETR (ETLWG - 1)
STINFO Office (for library)
Patrick AFB, Florida 32925

AFETR Technical Library
(ETV, MU-135)
Patrick AFB, Florida 32925

AFTTC (FRBPP-2)
Technical Library
Edwards AFB, Calif. 93523

APGC (PHBPS-12)
Eglin AFB
Florida 32542

ARL (AREY)
Wright-Patterson AFB
Ohio 45433

AULST-9663
Maxwell AFB
Alabama 36112

Mr. Henry L. Bachman
Assistant Chief Engineer
Wheeler Laboratories
123 Cuttersmill Road
Great Neck, N. Y. 11021

Bendix Pacific Division
11800 Sherman Way
North Hollywood, Calif. 91605

Colonel A. D. Blue
RTD (RTTL)
Bolling AFB
Washington, D. C. 20332

California Institute of Technology
Pasadena, California 91109
Attn: Documents Library

Carnegie Institute of Technology
Electrical Engineering Dept.
Pittsburgh, Pa. 15213

Central Intelligence Agency
Attn: OCB/OD Publications
Washington, D. C. 20505

Chief of Naval Operations
OP-07
Washington, D. C. 20350 [2]

Chief of Naval Research
Department of the Navy
Washington, D. C. 20340
Attn: Code 427 [3]

Commandant
U. S. Army and General Staff College
Attn: Secretary
Fort Leavenworth, Kansas 64703

Commander
Naval Air Development and
Material Center
Johannville, Pennsylvania 18794

Commanding General
Frankford Arsenal
Attn: SHUFA-L4009 (Dr. Sidney Ross)
Philadelphia, Pa. 19137

Commandant
U. S. Army Air Defense School
Attn: Missile Sciences Div. C and S Dept.
P. O. Box 9390
Fort Bliss, Texas 79916

Commander
U. S. Naval Air Missile Test Center
Point Mugu, California 93041

Commanding General
Attn: STEWS-WB-T
White Sands Missile Range
New Mexico 88002 [2]

Commanding General
U. S. Army Electronics Command
Fort Monmouth, N. J. 07703
Attn: AMSL-SC

AD-D
AD-G
AD-GF
AD-MAT
XL-D
XL-S
XL-C
XL-E
HL-CT-R
HL-CT-P
HL-CT-L
HL-CT-O
HL-CT-I
HL-CT-A
NL-D
NL-P
NL-A
NL-E
KL-S
KL-T
VL-D

Commanding General
U. S. Army Material Command
Attn: AMSL-BS-DP-E
Washington, D. C. 20315

Commanding General
U. S. Army Missile Command
Attn: Technical Library
Redstone Arsenal, Alabama 35809

Commanding Officer
Naval Avionics Facility
Indianapolis, Indiana 46241

Commanding Officer
U. S. Army Limited War Laboratory
Attn: Technical Division
Aberdeen Proving Ground
Aberdeen, Maryland 21005

Commanding Officer
U. S. Army Materials Research Agency
Watertown Arsenal
Watertown, Massachusetts 02172

Commanding Officer
U. S. Army Security Agency
Arlington Hall
Arlington, Virginia 22212

Commanding Officer and Director
U. S. Naval Underwater Sound Lab.
Fort Trumbull
New London, Conn. 06460

Defense Documentation Center
Attn: TUSA
Cameron Station, Bldg. 5
Alexandria, Virginia 22314 [20]

Det No. 6, OAR (LODAR)
Air Force Unit Post Office
Los Angeles, Calif. 90045

Director
Advanced Research Projects Agency
Department of Defense
Washington, D. C. 20301

Director for Materials Sciences
Advanced Research Projects Agency
Department of Defense
Washington, D. C. 20301

Director
Columbia Radiation Laboratory
Columbia University
538 West 120th Street
New York, New York 10027

Director
Coordinated Science Laboratory
University of Illinois
Urbana, Illinois 61803

Director
Electronic Research Laboratory
University of California
Berkeley, California 94720

Director
Electronic Sciences Laboratory
University of Southern California
Los Angeles, California 90007

Director
Microwave Laboratory
Stanford University
Stanford, California 94305

Director - Inst. for Exploratory
Research
U. S. Army Electronics Command
Attn: Mr. Robert O. Parker
Executive Secretary, JSTAG
(AMSEL-XL-D)
Fort Monmouth, N. J. 07703

Director
National Security Agency
Attn: George G. Mink
Maryland 20755
Attn: James T. Tippett

Director, Naval Research Laboratory
Technical Information Office
Washington, D. C.
Attn: Code 2000 [8]

Director
Research Laboratory of Electronics
Massachusetts Institute of Technology
Cambridge, Mass. 02139

Director
Stanford Electronics Laboratories
Stanford University
Stanford, California 94305

Commanding Officer
Naval Ordnance Laboratory
Corona, California 91710

Commanding Officer
Naval Ordnance Laboratory
White Oak, Maryland 21156 [2]

Commanding Officer
Naval Ordnance Test Station
China Lake, Calif. 93555

Commanding Officer
Naval Training Device Center
Orlando, Florida 32811

Commanding Officer
Office of Naval Research Branch Office
1010 East Green Street
Pasadena, California

Commanding Officer
Office of Naval Research Branch Office
217 South Dearborn Street
Chicago, Illinois 60604

Commanding Officer
Office of Naval Research Branch Office
495 Summer Street
Boston, Massachusetts 02110

Commanding Officer
Office of Naval Research Branch Office
287 West 24th Street
New York, New York 10011

Commanding Officer
Office of Naval Research Branch Office
Box 29, P. Post Office
New York 09514 [1]

Commanding Officer
U. S. Army Electronics R & D Activity
White Sands Missile Range
New Mexico 88003

Commanding Officer
U. S. Army Engineer R & D Laboratory
Attn: STINFO Branch
Fort Belvoir, Virginia 22066

Commanding Officer
U. S. Army Research Office (Durham)
Attn: CRD-Ad-IP (Richard O. Utah)
Box CM, Duke Station
Durham, North Carolina 27706

Commanding General
USASTRATCOM
Technical Information Center
Fort Huachuca, Arizona 85613

Commanding Officer
Harry Diamond
Attn: Dr. Berthold Altman (AMXDO-TD)
Connecticut Ave. & Van Ness St. NW
Washington, D. C. 20348

Commanding Officer
Naval Engineering Laboratories
Aberdeen Proving Ground
Maryland 21005

Commanding Officer
U. S. Army Ballistics Research Lab.
Attn: V. W. Richards
Aberdeen Proving Ground
Maryland 21005

Director, USAF Project RAND
Via: Air Force Liaison Office
The RAND Corporation
1700 Main Street
Santa Monica, Calif. 90406
Attn: Library

Director
U. S. Army Engineer Geodesy,
Intelligence and Mapping
Research and Development Agency
Fort Belvoir, Virginia 22066

Director
U. S. Naval Observatory
Washington, D. C. 20390

Director, U. S. Naval Security Group
Attn: C-94
3801 Nebraska Avenue
Washington, D. C. 20390

Division of Engineering and Applied
Physics
130 Vlyer Hall
Harvard University
Cambridge, Massachusetts 02138

Professor A. A. Dougal, Director
Laboratories for Electronics and
Related Sciences Research
University of Texas
Austin, Texas 78712

ESD (ESTI)
L. G. Hanscom Field
Bedford, Mass. 01714 [2]

European Office of Aerospace Research
Shell Building
47 Rue Conterstein
Brussels, Belgium [2]

Colonel Robert E. Fontana
Dept. of Electrical Engineering
Air Force Institute of Technology
Wright-Patterson AFB, Ohio 45433

General Electric Company
Research Laboratories
Schenectady, New York 12301

Professor Nicholas George
California Institute of Technology
Pasadena, California 91109

Goddard Space Flight Center
National Aeronautics and Space Admin.
Attn: Library, Document Section
Code 252
Greenbelt, Maryland 20771

Dr. John C. Hancock, Director
Electronic Systems Research Laboratory
Purdue University
Lafayette, Indiana 47907

Dr. H. Harrison, Code RRE
Chief, Electrophysics Branch
National Aeronautics and Space Admin.
Washington, D. C. 20546

Head, Technical Division
U. S. Naval Counter Intelligence
Support Center
Fairmont Building
4420 North Fairfax Drive
Arlington, Virginia 22203

Headquarters
Defense Communications Agency
The Pentagon
Washington, D. C. 20305

Dr. L. M. Hollnaworth
ARCL (CRN)
L. G. Hanscom Field
Bedford, Massachusetts 01731

Inst Library
Carnegie Institute of Technology
Schenly Park
Pittsburgh, Pa. 15213

The Johns Hopkins University
Applied Physics Laboratory
6621 Georgia Avenue
Silver Spring, Maryland 20919
Attn: Boris W. Kovalenski
Document Librarian

Lt. Col. Robert B. Kalisch
Chief, Electronics Division
Directorate of Engineering Sciences
Air Force Office of Scientific Research
Arlington, Virginia 22209 [5]

Colonel Kee
ARFSTE
Hqs. USAF
Room 1D-429, The Pentagon
Washington, D. C. 20330

Dr. S. Benedict Levin, Director
Institute for Exploratory Research
Attn: Reports Library
Fort Monmouth, New Jersey 07703

Los Alamos Scientific Laboratory
Attn: Reports Library
P. O. Box 1663
Los Alamos, New Mexico 87544

Librarian
U. S. Naval Electronics Laboratory
San Diego, California 95152 [2]

Lockheed Aircraft Corp.
P. O. Box 504
Sunnyvale, California 94088

Dr. I. B. Mirman
AFSC (SCT)
Andrews Air Force Base, Maryland

Lt. Col. Bernard S. Morgan
Frank J. Sellar Research Laboratory
U. S. Air Force Academy
Colorado Springs, Colorado 80912

Dr. G. J. Murphy
The Technological Institute
Northwestern University
Evanston, Illinois 60201

Mr. Peter Murray
Air Force Avionics Laboratory
Wright-Patterson AFB, Ohio 45433

NASA Lewis Research Center
Attn: Library
21000 Brookpark Road
Cleveland, Ohio 44135

NASA Scientific & Technical
Information Facility
Attn: Acquisitions Branch (S/AN/DLI)
P. O. Box 33
College Park, Maryland 20740 [2]

National Science Foundation
Attn: Dr. John R. Lehmann
Division of Engineering
1800 G Street, NW
Washington, D. C. 20550

National Security Agency
Attn: R4 - James Tippet
Office of Research
Fort George G. Meade, Maryland 20755

Naval Air Systems Command
AIR 03
Washington, D. C. 20360 [2]

Naval Electronics Systems Command
ELFX 03
Falk Church, Virginia 22046 [2]

Naval Ordnance Systems Command
ORD 32
Washington, D. C. 20360 [2]

Naval Ordnance Systems Command
SHIP 035
Washington, D. C. 20360

Naval Ship Systems Command
SHIP 031
Washington, D. C. 20360

New York University
College of Engineering
New York, New York 10019

Dr. H. V. Noble
Air Force Avionics Laboratory
Wright-Patterson AFB, Ohio 45433

Office of Deputy Director
(Research and Information Rm. 3D1037)
Department of Defense
The Pentagon
Washington, D. C. 20301

Polytechnic Institute of Brooklyn
55 Johnson Street
Brooklyn, New York 11201
Attn: Mr. Jerome Fox
Research Coordination

RAD (EMIL-1)
Griffis AFB, New York 13442
Attn: Documents Library

Raytheon Company
Bedford, Mass. 01730
Attn: Librarian

Lt. Col. J. L. Reeves
AFSC (SCRB)
Andrews Air Force Base, Md. 20331

Dr. A. A. Dougal
Asst. Director of Research
Office of Defense Res. and Eng.
Department of Defense
Washington, D. C. 20301

Research Plans Office
U. S. Army Research Office
3845 Columbia Pike
Arlington, Virginia 22204

Dr. H. Rohl, Deputy Chief Scientist
U. S. Army Research Office (Durham)
Durham, North Carolina 27706

Emil Schafer, Head
Electronics Properties Info. Center
Hughes Aircraft Company
Oulver City, California 90230

School of Engineering Sciences
Arizona State University
Tempe, Arizona 85281

SAMSO (EMSD-STINFO)
AF Unit Post Office
Los Angeles, California 90045

SSD (SSTR/L. Starbuck)
AFUPFO
Los Angeles, California 90045

Superintendent
U. S. Army Military Academy
West Point, New York 10996

Colonel A. Swan
Aerospac Medical Division
AMD (AMSD)
Brooks AFB, Texas 78235

Syracuse University
Dept. of Electrical Engineering
Syracuse, New York 13210

University of California
Santa Barbara, California 93106
Attn: Library

University of Calif. at Los Angeles
Dept. of Engineering
Los Angeles, California 90024

University of Michigan
Electrical Engineering Dept.
Ann Arbor, Michigan 48104

U. S. Army Munitions Command
Attn: Technical Information Branch
Picatinny Arsenal
Dover, New Jersey 07801

U. S. Army Research Office
Attn: Physical Sciences Division
3045 Columbia Pike
Arlington, Virginia 22204

U. S. Atomic Energy Commission
Division of Technical Information Rpt.
P. O. Box 62
Oak Ridge, Tenn. 37831

Dept. of Electrical Engineering
Texas Technological College
Lubbock, Texas 79409

U. S. Naval Weapons Laboratory
Dahlgren, Virginia 22448

Major Charles Wasey
Technical Division
Dupuy for Technology
Space Systems Division, AFSC
Los Angeles, California 90045

The Walter Reed Institute of Research
Walker Read Medical Center
Washington, D. C. 20012

AFSC (SCTR)
Andrews Air Force Base
Maryland 20331

Weapons Systems Test Division
Naval Air Test Center
Patuxent River, Maryland 20670
Attn: Library

Weapons Systems Evaluation Group
Attn: Col. Daniel W. McEwen
Department of Defense
Washington, D. C. 20305

Yale University
Engineering Department
New Haven, Connecticut 06720

Mr. Charles F. Yost
Special Asst. to the Director of Research
NASA
Washington, D. C. 20546

Dr. Leo Young
Stanford Research Institute
Menlo Park, California 94025

Unclassified

Security Classification

DOCUMENT CONTROL DATA - R & D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author) Division of Engineering and Applied Physics Harvard University Cambridge, Massachusetts		2a. REPORT SECURITY CLASSIFICATION Unclassified	
		2b. GROUP	
3. REPORT TITLE A NEW NECESSARY CONDITION OF OPTIMALITY FOR SINGULAR CONTROL PROBLEMS			
4. DESCRIPTIVE NOTES (Type of report and, inclusive dates) Interim technical report			
5. AUTHOR(S) (First name, middle initial, last name) D. H. Jacobson			
6. REPORT DATE November 1968		7a. TOTAL NO. OF PAGES 35	7b. NO. OF REFS 26
8a. CONTRACT OR GRANT NO. N00014-67-A-0298-0006 and NASA		9a. ORIGINATOR'S REPORT NUMBER(S) Technical Report No. 576	
b. PROJECT NO. Grant NGR 22-007-068			
c.		9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
d.			
10. DISTRIBUTION STATEMENT This document has been approved for public release and sale; its distribution is unlimited. Reproduction in whole or in part is permitted by the U. S. Government.			
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY Office of Naval Research	
13. ABSTRACT A variation in the form of a rectangular pulse of short duration, is introduced into the singular control function. The technique of Differential Dynamic Programming is used to obtain an expression for the change in cost produced by the control variation, and a new necessary condition of optimality is deduced by requiring that this change in cost be non-negative. When terminal equality constraints are present the control variation takes the form of a rectangular pulse followed by a 'special variation' which is chosen to keep the terminal equality constraints satisfied to first-order simple control problems are used to illustrate the non-equivalence of the new necessary condition and the generalized Legendre-Clebsch condition.			

Unclassified

Security Classification

14. KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Necessary Conditions of Optimality Singular Control Problems Singular Extremals Optimization						

DD FORM 1 NOV 65 1473 (BACK)

S/N 0101-807-6821

Unclassified

Security Classification

A-31409