



NBS REPORT
9733

NI

177D-1053

NATURAL GAS AND METHANE
**CASE FILE
COPY**

by

D. B. Mann and W. J. Hall



**U. S. DEPARTMENT OF COMMERCE
NATIONAL BUREAU OF STANDARDS**

Institute for Basic Standards
Boulder, Colorado 80302

NATIONAL BUREAU OF STANDARDS

The National Bureau of Standards¹ was established by an act of Congress March 3, 1901. Today, in addition to serving as the Nation's central measurement laboratory, the Bureau is a principal focal point in the Federal Government for assuring maximum application of the physical and engineering sciences to the advancement of technology in industry and commerce. To this end the Bureau conducts research and provides central national services in four broad program areas. These are: (1) basic measurements and standards, (2) materials measurements and standards, (3) technological measurements and standards, and (4) transfer of technology.

The Bureau comprises the Institute for Basic Standards, the Institute for Materials Research, the Institute for Applied Technology, the Center for Radiation Research, the Center for Computer Sciences and Technology, and the Office for Information Programs.

THE INSTITUTE FOR BASIC STANDARDS provides the central basis within the United States of a complete and consistent system of physical measurement; coordinates that system with measurement systems of other nations; and furnishes essential services leading to accurate and uniform physical measurements throughout the Nation's scientific community, industry, and commerce. The Institute consists of an Office of Measurement Services and the following technical divisions:

Applied Mathematics—Electricity—Metrology—Mechanics—Heat—Atomic and Molecular Physics—Radio Physics²—Radio Engineering²—Time and Frequency²—Astrophysics²—Cryogenics.²

THE INSTITUTE FOR MATERIALS RESEARCH conducts materials research leading to improved methods of measurement standards, and data on the properties of well-characterized materials needed by industry, commerce, educational institutions, and Government; develops, produces, and distributes standard reference materials; relates the physical and chemical properties of materials to their behavior and their interaction with their environments; and provides advisory and research services to other Government agencies. The Institute consists of an Office of Standard Reference Materials and the following divisions:

Analytical Chemistry—Polymers—Metallurgy—Inorganic Materials—Physical Chemistry.

THE INSTITUTE FOR APPLIED TECHNOLOGY provides technical services to promote the use of available technology and to facilitate technological innovation in industry and Government; cooperates with public and private organizations in the development of technological standards, and test methodologies; and provides advisory and research services for Federal, state, and local government agencies. The Institute consists of the following technical divisions and offices:

Engineering Standards—Weights and Measures—Invention and Innovation—Vehicle Systems Research—Product Evaluation—Building Research—Instrument Shops—Measurement Engineering—Electronic Technology—Technical Analysis.

THE CENTER FOR RADIATION RESEARCH engages in research, measurement, and application of radiation to the solution of Bureau mission problems and the problems of other agencies and institutions. The Center consists of the following divisions:

Reactor Radiation—Linac Radiation—Nuclear Radiation—Applied Radiation.

THE CENTER FOR COMPUTER SCIENCES AND TECHNOLOGY conducts research and provides technical services designed to aid Government agencies in the selection, acquisition, and effective use of automatic data processing equipment; and serves as the principal focus for the development of Federal standards for automatic data processing equipment, techniques, and computer languages. The Center consists of the following offices and divisions:

Information Processing Standards—Computer Information—Computer Services—Systems Development—Information Processing Technology.

THE OFFICE FOR INFORMATION PROGRAMS promotes optimum dissemination and accessibility of scientific information generated within NBS and other agencies of the Federal government; promotes the development of the National Standard Reference Data System and a system of information analysis centers dealing with the broader aspects of the National Measurement System, and provides appropriate services to ensure that the NBS staff has optimum accessibility to the scientific information of the world. The Office consists of the following organizational units:

Office of Standard Reference Data—Clearinghouse for Federal Scientific and Technical Information³—Office of Technical Information and Publications—Library—Office of Public Information—Office of International Relations.

¹ Headquarters and Laboratories at Gaithersburg, Maryland, unless otherwise noted; mailing address Washington, D.C. 20234.

² Located at Boulder, Colorado 80302.

³ Located at 5285 Port Royal Road, Springfield, Virginia 22151.

NATIONAL BUREAU OF STANDARDS REPORT

NBS PROJECT

27506-2750454

July 1, 1969

NBS REPORT

9733

NATURAL GAS AND METHANE*

by

D. B. Mann and W. J. Hall

Cryogenics Division
Institute for Basic Standards
National Bureau of Standards
Boulder, Colorado

* This work performed at the National Bureau of Standards under sponsorship of NASA Headquarters, Washington, D. C., Order Number W-12, 893. *order N1*

IMPORTANT NOTICE

NATIONAL BUREAU OF STANDARDS REPORTS are usually preliminary or progress accounting documents intended for use within the Government. Before material in the reports is formally published it is subjected to additional evaluation and review. For this reason, the publication, reprinting, reproduction, or open-literature listing of this Report, either in whole or in part, is not authorized unless permission is obtained in writing from the Office of the Director, National Bureau of Standards, Washington, D.C. 20234. Such permission is not needed, however, by the Government agency for which the Report has been specifically prepared if that agency wishes to reproduce additional copies for its own use.



U.S. DEPARTMENT OF COMMERCE

NATIONAL BUREAU OF STANDARDS

TABLE OF CONTENTS

	Page
LIST OF FIGURES	iii
LIST OF TABLES	iv
ABSTRACT.	v
1. Study Objectives	1
2. Natural Gas from Domestic Oil and Gas Wells	3
3. Domestic Pipelines	3
4. Foreign Oil and Gas Wells	3
5. Foreign Pipelines	15
6. Summary and Conclusions	15
7. References	23

LIST OF FIGURES

Figure 1.	Domestic Oil and Gas Wells - Samples Ordered as to Methane Content.	6
Figure 2.	Domestic Pipelines - Samples Ordered as to Methane Content.	10
Figure 3.	Foreign Oil and Gas Wells - Samples Ordered as to Methane Content.	14
Figure 4.	Foreign Pipelines - Samples Ordered as to Methane Content.	19

LIST OF TABLES

Table 1.	Domestic Oil and Gas Wells - Geographical Distribution	4
Table 2.	Domestic Oil and Gas Wells - Summary 839 Samples .	5
Table 3.	Domestic Oil and Gas Wells - Range of Constituents for 369 Samples Having 86-96% Methane	7

LIST OF TABLES (continued)	Page
Table 4. Domestic Pipelines - Geographical Distribution . . .	8
Table 5. Domestic Pipelines - Summary 25 Samples . . .	9
Table 6. Domestic Pipelines - Range of Constituents for 17 Samples Having 70-80% Methane	11
Table 7. Foreign Oil and Gas Wells - Geographical Distribution	12
Table 8. Foreign Oil and Gas Wells - Summary 22 Samples .	13
Table 9. Foreign Oil and Gas Wells - Range of Constituents for 12 Samples Having 84-94% Methane	16
Table 10. Foreign Pipelines - Geographical Distribution . .	17
Table 11. Foreign Pipelines - Summary 37 Samples . . .	18
Table 12. Foreign Pipelines - Range of Constituents for 22 Samples Having 84-94% Methane	20
Table 13. Normal Boiling Point and Triple Point Properties of Natural Gas Constituents in the Pure State	21

NATURAL GAS AND METHANE

D. B. Mann and W. J. Hall

ABSTRACT

The terms methane and "natural gas" cannot be used interchangeably. Analysis of available data shows that the variation in constituents of natural gas is significant and must be considered when projecting wide spread use of this energy source in liquefied form.

Spectrographic data for natural gas mixtures analyzed for hydrogen, helium, methane, nitrogen, ethane, oxygen, hydrogen sulfide, argon, carbon dioxide, propane, n-butane, isobutane, n-pentane, isopentane, cyclopentane, and hexanes are grouped as to sample source. Maximum and minimum variations in constituents are presented to show the broad range of mixtures possible in the natural gas.

Key Words: Gas analysis, liquefied natural gas, methane, natural gas.

1. Study Objectives

The introduction and use of liquefied natural gas (LNG) as an energy source for public and private utilities, as well as substitute fuel for internal combustion engines, has grown significantly over the last five to ten years. The projected use of LNG or methane as a fuel for the supersonic transport (SST) is only one of the most recent applications of this energy source. This increasing and widespread use of liquefied natural gas has generated an interest in the basic thermophysical properties of the fluid. Since the raw material for liquefied natural gas is a mixture of many gaseous substances in varying proportions, there has resulted quite naturally, some confusion in the resulting properties of the liquefied fluid. Even though the terms liquefied natural gas and liquid methane are often used interchangeably, LNG contains several constituents in addition to its major one, methane.

It is the objective of this study to present data on the composition of natural gas from various sources in such a way as to indicate the variable make-up of the raw gas used to make liquefied natural gas. An appreciation of the variability is necessary in assessing the advantages of liquefied natural gas as an energy source. The presence of natural gas is reasonably well distributed throughout the world. To take advantage of this fact and utilize this energy source in a liquid form requires a knowledge of the properties of the mixtures of the various components after the natural gas has been liquefied. The tacit assumption that liquefied natural gas in general has the properties of liquid methane has not been established. Even during the liquefaction process itself, the makeup of the natural gas must be known in order to eliminate higher freezing point constituents which could ultimately interfere with the liquefaction process.

It is, therefore, the objective of this study to show the constituents of natural gas, indicate their extent, and to show the variations in gas composition, if any, as a function of the source gas.

A study of the constituents of natural gas was made possible by the extensive sample analysis program conducted by the U. S. Department of the Interior, Bureau of Mines. Since helium is found in economically recoverable quantities in natural gas, the Helium Activity of the Bureau of Mines has conducted, during a period of over fifty years, a program of sampling natural gases for the determination of the presence of helium. This sampling program was initiated in 1917 and is continuing at the present time. Over 7500 gas samples have been taken and analyzed and the results published [1-9].

The Bureau of Mines has made recently available, on computer card format, 923 samples and analyses roughly covering the period from 1964 to 1967. This information is the basis for the following presentation. The most recent grouping of gas samples is based on source. These are samples from domestic oil and gas wells, from domestic pipelines, from foreign oil and gas wells, and from foreign pipelines. Original sample analysis was conducted using an Orsat method, but this has been replaced with mass spectrometer techniques. Samples are analyzed for hydrogen, carbon dioxide, propane, n-butane, isobutane, n-pentane, isopentane, cyclopentane, and heavier hydrocarbons of the molecular weight of hexane or greater. Although many of these constituents will not effect liquefaction of the natural gas, the effect of these constituents on the properties of liquefied natural gas has not been determined. It is an additional purpose of this study to show that these constituents must be contended with and either eliminated prior to liquefaction or dealt with in a liquid state.

2. Natural Gas from Domestic Oil and Gas Wells

The greatest portion of samples considered lie in this grouping. Eight-hundred and thirty-nine samples were analyzed, roughly through the period of 1964 to 1967. Since, in most cases, the primary constituent of natural gas is methane, this fact has been used in establishing a method of data presentation. Tables 1 and 2 and figure 1 summarize the data while table 3 shows the variation of constituents within the ten percentile methane grouping having the greatest number of samples.

3. Domestic Pipelines

The Bureau of Mines survey includes 25 domestic pipeline samples taken over a period from March 1966 to September 1967. It is assumed that this gas is being transported as an energy source. The heating value ranges from 953 to 1384 Btu's per cubic foot at 60°F and 30 inches of mercury.

A summary of these data appear in tables 4 and 5 and figure 2. The variation of the constituents is much less than in the case of domestic oil and gas wells and it is evident that this gas has been treated to give a certain range of heating values. A range of constituents for a 10 percent variation in methane content, containing also the greatest number of samples, is presented in table 6. The variation in constituents, even with the restriction, is still quite marked.

4. Foreign Oil and Gas Wells

Data on foreign oil and gas wells have been included in the Bureau of Mines analysis since the latter part of 1965. A summary of 22 samples is shown in tables 7 and 8 and figure 3. Again, as in the case of domestic oil and gas wells, there is an extremely broad range of composition.

Table 1

Domestic Oil and Gas Wells
Geographical Distribution

Location	Number
Alaska	3
Arizona	3
Arkansas	18
California	10
Colorado	14
Indiana	1
Kansas	85
Kentucky	19
Louisiana	8
Maryland	1
Michigan	4
Mississippi	1
Montana	8
Nebraska	4
New Mexico	44
New York	12
North Dakota	15
Ohio	51
Oklahoma	168
Pennsylvania	99
Texas	191
Utah	16
Virginia	14
West Virginia	29
Wyoming	21

Table 2

Domestic Oil and Gas Wells - Summary
839 Samples

Gas (Increasing mole wt.)	Minimum mole %	Maximum mole %	Number of Samples Present
Hydrogen	Trace	6.6	111
Helium	Trace	11.1	838
Methane	Trace	99.1	all
Nitrogen	Trace	99.4	832
Ethane	Trace	44.3	829
Oxygen	Trace	0.7	255
Hydrogen Sulfide	0.1	3.7	8
Argon	Trace	1.0	639
Carbon Dioxide	Trace	96.0	789
Propane	Trace	35.2	803
n-Butane	Trace	12.5	717
Isobutane	Trace	4.6	685
n-Pentane	Trace	3.2	684
Isopentane	Trace	2.9	679
Cyclopentane	Trace	1.0	691
Hexanes +	Trace	3.2	691




Figure 1. Domestic Oil and Gas Wells - Samples Ordered as to Methane Content.

Table 3

Domestic Oil and Gas Wells

Range of Constituents for 369 Samples Having 86 - 96% Methane*

Gas (Increasing mole wt.)	Minimum mole %	Maximum mole %	Number of Samples Present
Hydrogen	Trace	0.6	40
Helium	Trace	0.71	368
Methane	86.0	96.0	all
Nitrogen	Trace	12.1	361
Ethane	0.1	9.2	368
Oxygen	Trace	0.7	111
Hydrogen Sulfide	0.0	0.0	none
Argon	Trace	0.1	287
Carbon Dioxide	Trace	10.3	342
Propane	Trace	3.8	363
n-Butane	Trace	1.3	328
Isobutane	Trace	1.2	252
n-Pentane	0.1	1.0	309
Isopentane	Trace	1.4	306
Cyclopentane	Trace	0.7	314
Hexanes +	Trace	1.1	314

* This ten percentile contains the greatest number of samples (44%).

Table 4

Domestic Pipelines
Geographical Distribution

Location	Number
Kansas	2
North Dakota	2
Ohio	9
Pennsylvania	2
Texas	10

Table 5
Domestic Pipelines - Summary
25 Samples

Gas (Increasing mole wt.)	Minimum mole %	Maximum mole %	Number of Samples Present
Hydrogen	Trace	0.1	9
Helium	Trace	0.64	all
Methane	66.1	87.7	all
Nitrogen	0.5	15.3	all
Ethane	5.2	16.8	all
Oxygen	Trace	0.4	7
Hydrogen Sulfide	0.2	1.1	2
Argon	Trace	0.1	19
Carbon Dioxide	0.1	2.6	21
Propane	1.0	8.0	all
n-Butane	Trace	2.8	all
Isobutane	Trace	1.3	all
n-Pentane	Trace	0.9	24
Isopentane	Trace	0.9	all
Cyclopentane	Trace	0.3	all
Hexanes +	Trace	0.8	all




Figure 2. Domestic Pipelines - Samples Ordered as to Methane Content.

Table 6

Domestic Pipelines

Range of Constituents for 17 Samples Having 70 - 80% Methane*

Gas (Increasing mole wt.)	Minimum mole %	Maximum mole %	Number of Samples Present
Hydrogen	Trace	Trace	7
Helium	0.1	0.64	all
Methane	70.0	80.0	all
Nitrogen	1.8	15.3	all
Ethane	5.3	16.5	all
Oxygen	Trace	0.1	4
Hydrogen Sulfide	none	none	none
Argon	Trace	0.1	14
Carbon Dioxide	0.1	0.5	13
Propane	1.0	6.2	all
n-Butane	Trace	2.4	all
Isobutane	Trace	0.9	all
n-Pentane	Trace	0.7	16
Isopentane	Trace	0.7	all
Cyclopentane	Trace	0.2	all
Hexanes +	Trace	0.5	all

* This ten percentile contains the greatest number of samples (68%).

Table 7

Foreign Oil and Gas Wells
Geographical Distribution

Location	Number
Australia	1
Bolivia	5
Canada	8
Netherlands	8

Table 8

Foreign Oil and Gas Wells - Summary

22 Samples

Gas (Increasing mole wt.)	Minimum mole %	Maximum mole %	Number of Samples Present
Hydrogen	Trace	0.2	5
Helium	Trace	1.2	all
Methane	1.7	96.2	all
Nitrogen	0.5	96.6	all
Ethane	0.1	8.9	21
Oxygen	Trace	0.4	11
Hydrogen Sulfide	Trace	Trace	1
Argon	Trace	0.2	13
Carbon Dioxide	Trace	4.3	20
Propane	0.1	4.0	13
n-Butane	0.2	1.4	16
Isobutane	Trace	1.1	16
n-Pentane	0.1	0.8	16
Isopentane	Trace	0.5	16
Cyclopentane	Trace	0.4	16
Hexanes +	0.2	1.7	16




Figure 3. Foreign Oil and Gas Wells - Samples Ordered as to Methane Content.

Table 9 presents these data in the 10 percentile variation for methane content containing the maximum number of samples. These samples indicate an enrichment of methane over domestic oil and gas well analyses.

5. Foreign Pipelines

Tables 10, 11, and 12 and figure 4 present the data available from 37 samples taken by the Bureau of Mines survey. Again, the more restricted range of methane and other hydrocarbons indicates a processing of the gas for end-use as an energy source.

6. Summary and Conclusions

The data on oil and gas wells, both foreign and domestic, indicate a wide variation in the constituents of the natural gas. This variation may prove to be less significant when individual consideration is given to placement of a liquefaction plant. The data of pipeline samples are more significant as it is believed that liquefaction plants will be constructed near pipelines to assure a continuous supply of gas. The cost of this pipeline gas will be greater due to the preliminary processing and regulation of the hydrocarbon content. Nevertheless, all groupings indicate the presence, in significant quantity, of constituents that would ultimately affect liquefaction, transport, and storage of liquefied natural gas. Table 13 presents data on some of the physical properties of the constituents, particularly their liquefaction and freezing points.

Hydrogen and helium gas are present in very small quantities in almost all gas samples. Their normal boiling points indicate they will be entirely gaseous at liquefied natural gas temperatures. These two gases have a solubility in liquid methane, but because of their low concentration it is not anticipated that this will affect the characteristics of the liquefied natural gas.

Table 9

Foreign Oil and Gas Wells

Range of Constituents for 12 Samples Having 84 - 94% Methane*

Gas (Increasing mole wt.)	Minimum mole %	Maximum mole %	Number of Samples Present
Hydrogen	Trace	0.2	3
Helium	Trace	Trace	all
Methane	84.0	94.0	all
Nitrogen	0.5	6.4	all
Ethane	2.9	6.7	all
Oxygen	0.1	0.4	5
Hydrogen Sulfide	none	none	none
Argon	Trace	Trace	6
Carbon Dioxide	Trace	0.4	11
Propane	0.6	4.0	all
n-Butane	0.2	1.4	all
Isobutane	Trace	0.8	all
n-Pentane	0.1	0.7	all
Isopentane	Trace	0.5	all
Cyclopentane	Trace	0.4	all
Hexanes +	0.2	1.0	all

* This ten percentile contains the greatest number of samples (55%).

Table 10

Foreign Pipelines
Geographical Distribution

Location	Number
Canada	23
Colombia	4
Mexico	10

Table 11
Foreign Pipelines - Summary
37 Samples

Gas (Increasing mole wt.)	Minimum mole %	Maximum mole %	Number of Samples Present
Hydrogen	Trace	0.2	24
Helium	Trace	0.53	all
Methane	47.1	96.3	all
Nitrogen	0.2	10.1	all
Ethane	0.8	15.5	all
Oxygen	Trace	1.3	18
Hydrogen Sulfide	Trace	45.4	3
Argon	Trace	0.1	31
Carbon Dioxide	Trace	5.5	all
Propane	0.1	7.2	35
n-Butane	Trace	1.8	35
Isobutane	Trace	11.3	31
n-Pentane	Trace	0.6	31
Isopentane	Trace	28.1	29
Cyclopentane	Trace	0.2	32
Hexanes +	0.1	0.5	31




Figure 4. Foreign Pipelines - Samples Ordered as to Methane Content.

Table 12

Foreign Pipelines

Range of Constituents for 22 Samples Having 84 - 94% Methane*

Gas (Increasing mole wt.)	Minimum mole %	Maximum mole %	Number of Samples Present
Hydrogen	Trace	0.2	15
Helium	Trace	0.53	all
Methane	84.0	94.0	all
Nitrogen	0.2	6.3	all
Ethane	1.0	7.3	all
Oxygen	0.1	0.4	9
Hydrogen Sulfide	none	none	none
Argon	Trace	0.1	19
Carbon Dioxide	Trace	3.7	all
Propane	0.3	4.5	all
n-Butane	0.1	1.5	all
Isobutane	0.1	1.3	20
n-Pentane	Trace	0.6	19
Isopentane	0.1	0.5	18
Cyclopentane	Trace	0.2	19
Hexanes +	0.1	0.4	20

* This ten percentile contains the greatest number of samples (60%).

Table 13

Normal Boiling Point and Triple Point Properties
of Natural Gas Constituents in the Pure State*

	Mole Wt.	NBP (K)	Triple Point (K)	Triple Point Pressure (mm Hg)
Hydrogen	2.0157	20.4	13.8	52.8
Helium	4.0028	4.21		
Methane	16.04	111.67	90.67	87.4
Nitrogen	28.016	77.36	63.15	93.5
Ethane	30.07	184.5	89.89	6×10^{-3}
Oxygen	32.00	90.18	54.4	1.14
Hydrogen Disulfide	34.08	211.4		
Argon	39.94	87.2	83.8	516.8
Carbon Dioxide	44.01	194.6 sub.	216.6	3885
Propane	44.09	231.1	85.47	4.07×10^{-6}
n-Butane	58.12	272.6	134.81	4.05×10^{-3}
Isobutane	58.12	261.4	113.56	1.52×10^{-4}
n-Pentane	72.15	309.2	143.4	4.66×10^{-4}
Isopentane	72.15	301		
Cyclopentane	70.13	322		
Hexanes +	86.17 +	342		

* This is a non-critical listing of property data and should be used for illustration purposes only.

It is not a simple matter to predict the effect of nitrogen, ethane, oxygen, or propane on the physical characteristics of liquefied natural gas. At the present time, no adequate theory is available for describing the properties of the mixtures of these liquid components. Certainly the presence of these gases in a mixture plus the small percentage of the higher boiling point hydrocarbons will have distinct effects on properties of the liquid and gaseous phases.

Problems associated with the definition of properties of liquid mixtures will persist over the entire spectrum of cryogenic usage of natural gas in liquid form. They will affect production from the standpoint of design of purification systems, heat exchangers, refrigeration and liquefaction cycles, and transfer lines to storage. In the static storage condition, selective evaporation of the components of the liquefied natural gas may present problems in predicting energy value, density, temperature and flow measurements. Finally, the design of vaporization equipment will be strongly affected by properties and characteristics of the liquefied gas mixtures.

It is not the purpose of this study to suggest solutions to these problems, but only to point out, from the basis of available analysis data, that problem areas exist and must be considered if liquefied natural gas is to achieve its projected potential.

7. References

1. Anderson, C. C., and H. H. Hinson, "Helium Bearing Natural Gases of the United States," Bureau of Mines, Dept. of Interior Bulletin 486, U. S. Govt. Printing Office, Washington, D. C. (1951).
2. Boone, W. J., Jr., "Helium Bearing Natural Gases of the United States," Bureau of Mines, Dept. of Interior Bulletin 576, U. S. Govt. Printing Office, Washington, D. C. (1958).
3. Munnerlyn, R. D., and R. D. Miller, "Helium Bearing Natural Gases of the United States," Bureau of Mines, Dept. of Interior Bulletin 617, U. S. Govt. Printing Office, Washington, D. C. (1963).
4. Miller, R. D., and G. P. Norrell, "Analysis of Natural Gases of the United States, 1961," Dept. of Interior, Bureau of Mines Information Circular 8221, U. S. Govt. Printing Office, Washington, D. C. (1964).
5. Miller, R. D., and G. P. Norrell, "Analysis of Natural Gases of the United States, 1962," Dept. of Interior, Bureau of Mines Information Circular 8239, U. S. Govt. Printing Office, Washington, D. C. (1964).
6. Miller, R. D., and G. P. Norrell, "Analysis of Natural Gases of the United States, 1963," Dept. of Interior, Bureau of Mines Information Circular 8241, U. S. Govt. Printing Office, Washington, D. C. (1965).
7. Moore, B. J., R. D. Miller, and R. D. Shrewsbury, "Analysis of Natural Gases of the United States, 1964," Dept. of Interior, Bureau of Mines Information Circular 8302, U. S. Govt. Printing Office, Washington, D. C. (1966).
8. Moore, B. J., and R. D. Shrewsbury, "Analysis of Natural Gases of the United States, 1965," Dept. of Interior, Bureau of Mines Information Circular 8316, U. S. Govt. Printing Office, Washington, D. C. (1966).
9. Moore, B. J. and R. D. Shrewsbury, "Analysis of Natural Gases, 1966," Dept. of Interior, Bureau of Mines Information Circular 8356, U. S. Govt. Printing Office, Washington, D. C. (1967).

NBS TECHNICAL PUBLICATIONS

PERIODICALS

JOURNAL OF RESEARCH reports National Bureau of Standards research and development in physics, mathematics, chemistry, and engineering. Comprehensive scientific papers give complete details of the work, including laboratory data, experimental procedures, and theoretical and mathematical analyses. Illustrated with photographs, drawings, and charts.

Published in three sections, available separately:

● Physics and Chemistry

Papers of interest primarily to scientists working in these fields. This section covers a broad range of physical and chemical research, with major emphasis on standards of physical measurement, fundamental constants, and properties of matter. Issued six times a year. Annual subscription: Domestic, \$9.50; foreign, \$11.75*.

● Mathematical Sciences

Studies and compilations designed mainly for the mathematician and theoretical physicist. Topics in mathematical statistics, theory of experiment design, numerical analysis, theoretical physics and chemistry, logical design and programming of computers and computer systems. Short numerical tables. Issued quarterly. Annual subscription: Domestic, \$5.00; foreign, \$6.25*.

● Engineering and Instrumentation

Reporting results of interest chiefly to the engineer and the applied scientist. This section includes many of the new developments in instrumentation resulting from the Bureau's work in physical measurement, data processing, and development of test methods. It will also cover some of the work in acoustics, applied mechanics, building research, and cryogenic engineering. Issued quarterly. Annual subscription: Domestic, \$5.00; foreign, \$6.25*.

TECHNICAL NEWS BULLETIN

The best single source of information concerning the Bureau's research, developmental, cooperative and publication activities, this monthly publication is designed for the industry-oriented individual whose daily work involves intimate contact with science and technology—for *engineers, chemists, physicists, research managers, product-development managers, and company executives*. Annual subscription: Domestic, \$3.00; foreign, \$4.00*.

* Difference in price is due to extra cost of foreign mailing.

Order NBS publications from:

Superintendent of Documents
Government Printing Office
Washington, D.C. 20402

NONPERIODICALS

Applied Mathematics Series. Mathematical tables, manuals, and studies.

Building Science Series. Research results, test methods, and performance criteria of building materials, components, systems, and structures.

Handbooks. Recommended codes of engineering and industrial practice (including safety codes) developed in cooperation with interested industries, professional organizations, and regulatory bodies.

Special Publications. Proceedings of NBS conferences, bibliographies, annual reports, wall charts, pamphlets, etc.

Monographs. Major contributions to the technical literature on various subjects related to the Bureau's scientific and technical activities.

National Standard Reference Data Series. NSRDS provides quantitative data on the physical and chemical properties of materials, compiled from the world's literature and critically evaluated.

Product Standards. Provide requirements for sizes, types, quality and methods for testing various industrial products. These standards are developed cooperatively with interested Government and industry groups and provide the basis for common understanding of product characteristics for both buyers and sellers. Their use is voluntary.

Technical Notes. This series consists of communications and reports (covering both other agency and NBS-sponsored work) of limited or transitory interest.

Federal Information Processing Standards Publications. This series is the official publication within the Federal Government for information on standards adopted and promulgated under the Public Law 89-306, and Bureau of the Budget Circular A-86 entitled, Standardization of Data Elements and Codes in Data Systems.

CLEARINGHOUSE

The Clearinghouse for Federal Scientific and Technical Information, operated by NBS, supplies unclassified information related to Government-generated science and technology in defense, space, atomic energy, and other national programs. For further information on Clearinghouse services, write:

Clearinghouse
U.S. Department of Commerce
Springfield, Virginia 22151