

N 70 3 2 3 4 5
NASA CR 110692

OBSERVATIONS OF 8-AMU/UNIT CHARGE
ION CYCLOTRON WHISTLERS*

by

Donald A. Gurnett

Paul Rodriguez



CASE FILE
COPY



Department of Physics and Astronomy
THE UNIVERSITY OF IOWA

Iowa City, Iowa

OBSERVATIONS OF 8-AMU/UNIT CHARGE
ION CYCLOTRON WHISTLERS*

by

Donald A. Gurnett

Paul Rodriguez

Department of Physics and Astronomy
The University of Iowa
Iowa City, Iowa

December 1969

*Research supported in part by the National Aeronautics and Space Administration under contracts NAS5-10625, NAS1-8141, NAS1-8144(f), NAS1-8150(f), and NGR-16-001-043; and by the Office of Naval Research under contract Nonr 1509(06).

UNCLASSIFIED

Security Classification

DOCUMENT CONTROL DATA - R&D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author)

University of Iowa
Department of Physics & Astronomy

2a. REPORT SECURITY CLASSIFICATION

UNCLASSIFIED

2b. GROUP

3. REPORT TITLE

Observations of 8-amu/unit charge ion cyclotron whistlers

4. DESCRIPTIVE NOTES (Type of report and inclusive dates)

Progress December 1969

5. AUTHOR(S) (Last name, first name, initial)

Gurnett, Donald A., and Rodriguez, Paul

6. REPORT DATE

December 1969

7a. TOTAL NO. OF PAGES

9

7b. NO. OF REFS

12

8a. CONTRACT OR GRANT NO.

Nonr 1509(06)

b. PROJECT NO.

9a. ORIGINATOR'S REPORT NUMBER(S)

Research Report 69-56

9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)

10. AVAILABILITY/LIMITATION NOTICES

Distribution of this document is unlimited.

11. SUPPLEMENTARY NOTES

12. SPONSORING MILITARY ACTIVITY

Office of Naval Research

13. ABSTRACT

See page following.

14. KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Observations 8-amu/unit charge Ion Cyclotron Whistlers						

INSTRUCTIONS

1. ORIGINATING ACTIVITY: Enter the name and address of the contractor, subcontractor, grantee, Department of Defense activity or other organization (*corporate author*) issuing the report.

2a. REPORT SECURITY CLASSIFICATION: Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.

2b. GROUP: Automatic downgrading is specified in DoD Directive 5200.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as authorized.

3. REPORT TITLE: Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parenthesis immediately following the title.

4. DESCRIPTIVE NOTES: If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period is covered.

5. AUTHOR(S): Enter the name(s) of author(s) as shown on or in the report. Enter last name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.

6. REPORT DATE: Enter the date of the report as day, month, year; or month, year. If more than one date appears on the report, use date of publication.

7a. TOTAL NUMBER OF PAGES: The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.

7b. NUMBER OF REFERENCES: Enter the total number of references cited in the report.

8a. CONTRACT OR GRANT NUMBER: If appropriate, enter the applicable number of the contract or grant under which the report was written.

8b, 8c, & 8d. PROJECT NUMBER: Enter the appropriate military department identification, such as project number, subproject number, system numbers, task number, etc.

9a. ORIGINATOR'S REPORT NUMBER(S): Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unique to this report.

9b. OTHER REPORT NUMBER(S): If the report has been assigned any other report numbers (*either by the originator or by the sponsor*), also enter this number(s).

10. AVAILABILITY/LIMITATION NOTICES: Enter any limitations on further dissemination of the report, other than those

imposed by security classification, using standard statements such as:

- (1) "Qualified requesters may obtain copies of this report from DDC."
- (2) "Foreign announcement and dissemination of this report by DDC is not authorized."
- (3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through _____."
- (4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through _____."
- (5) "All distribution of this report is controlled. Qualified DDC users shall request through _____."

If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.

11. SUPPLEMENTARY NOTES: Use for additional explanatory notes.

12. SPONSORING MILITARY ACTIVITY: Enter the name of the departmental project office or laboratory sponsoring (*paying for*) the research and development. Include address.

13. ABSTRACT: Enter an abstract giving a brief and factual summary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (TS), (S), (C), or (U).

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.

14. KEY WORDS: Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context. The assignment of links, roles, and weights is optional.

ABSTRACT

A new type of ion cyclotron whistler associated with ions having a mass-to-charge ratio of 8-amu/unit charge is reported from very-low-frequency (VLF) radio noise observations with the Injun 5 satellite. This observation confirms earlier measurements by the Explorer 31 satellite identifying the presence of 8-amu/unit charge ions in the ionosphere and represents the third type of ion cyclotron whistlers found in satellite VLF data. From crossover frequency measurements the fractional concentration of the 8-amu/unit charge ions has been determined to be a few percent or less. This new ion cyclotron whistler has been observed most often during local night, at altitudes ranging from 1200 km to 2100 km and invariant latitudes from 37° to 58° .

A new ion cyclotron whistler associated with ions having a mass-to-charge ratio of 8-amu/unit charge has been found in the Injun 5 satellite very-low-frequency (VLF) radio noise data. This 8-amu/unit charge ion cyclotron whistler is the third type of ion cyclotron whistler found in satellite VLF data, the previous types being the proton whistler, which was first reported by Smith et al. [1964] and explained by Gurnett et al. [1965], and the helium whistler, which was first reported by Barrington et al. [1966]. This observation of an 8-amu/unit charge ion cyclotron whistler confirms earlier measurements by Hoffman [1967] who first identified the presence of ionospheric ions with mass-to-charge ratios of 8-amu/unit charge using a mass spectrometer on the Explorer 31 satellite. The corresponding ion species is thought to be either O^{++} (a doubly charged mass 16 ion) or He_2^+ (a singly charged mass 8 molecule [Hoffman, 1967]). At the present time the identity of this ion has not been clearly established [see discussions by Banks and McGowan, 1968; Ferguson and Fehsenfeld, 1969; Banks and McGowan, 1969a; Gerardo and Gusinow, 1969; and Banks and McGowan, 1969b].

An example of an 8-amu/unit charge ion cyclotron whistler observed with the Injun 5 VLF experiment (see Gurnett et al. [1969] for a description of this experiment) is shown in Figure 1. This illustration shows the

frequency-time spectrogram of a short fractional hop electron whistler followed, in order of decreasing frequency, by a proton whistler at about 432 Hz, a helium whistler at about 108 Hz, and an 8-amu/unit charge whistler at about 54 Hz. The ion species corresponding to each of these ion cyclotron whistlers can be determined from the asymptotic frequency of the whistler signal (the ion gyrofrequency) which is inversely proportional to the mass-to-charge ratio of the corresponding ion species [see Gurnett et al., 1965]. The asymptotic frequency of the 8-amu/unit charge whistler in Figure 1 was determined to be $1/8 \pm 3\%$ of the proton gyrofrequency thereby identifying the charge-to-mass ratio to be 8-amu/unit charge.

The relative abundances of each ion species can be obtained from measurements of the crossover frequency, the frequency at which the ion cyclotron whistler signal meets the short fractional hop whistler signal [see Gurnett et al., 1965; Shawhan and Gurnett, 1966; and McEwen and Barrington, 1967]. Considering the uncertainties in measuring the crossover frequencies in Figure 1, the fractional concentrations, α , have been determined within the following limits:

$$\begin{aligned} 0.76 > \alpha(H^+) &> 0.56 \\ 0.37 > \alpha(He^+) &> 0.16 \\ 0.14 > \alpha(O^+) &> 0.03 \\ 0.03 > \alpha(m/q=8) &> 0.0 \end{aligned}$$

The large uncertainty in the fractional concentration of the 8-amu/unit charge ions (0 to 3%) arises because the difference

between the crossover frequency and the ion gyrofrequency of the 8-amu/unit charge whistler is very small (~ 5 Hz) and difficult to determine with good accuracy.

At the present time, after surveying data from several hundred passes, 8-amu/unit charge whistlers have been observed on only six passes, much less frequently than either proton whistlers or helium whistlers. This decreased occurrence may be due in part to the increased background noise and decreased receiver sensitivity at these extremely low frequencies. The satellite coordinates at which 8-amu/unit charge whistlers were observed on each pass are given in Table 1. In all cases the fractional concentration of the 8-amu/unit charge ions was a few percent or less.

REFERENCES

- Banks, P. M., and J. W. McGowan, He_2^+ in the topside ionosphere, J. Geophys. Res., 73, 5008-5011, 1968.
- Banks, P. M., and J. W. McGowan, Reply, J. Geophys. Res., 74, 404, 1969a.
- Banks, P. M., and J. William McGowan, Reply, J. Geophys. Res., 74, 921, 1969b.
- Barrington, R. E., J. S. Belrose, W. E. Mather, A helium whistler observed in the Canadian satellite Alouette 2, Nature, 210, 80-81, 1966.
- Ferguson, E. E., and F. C. Fehsenfeld, Discussion of letter by Peter M. Banks and J. William McGowan ' He_2^+ in the topside ionosphere', J. Geophys. Res., 74, 402-404, 1969.
- Gerardo, J. B., and M. A. Gusinow, Discussion of letter by Peter M. Banks and J. William McGowan, ' He_2^+ in the topside ionosphere', J. Geophys. Res., 74, 919-920, 1969.
- Gurnett, D. A., S. D. Shawhan, N. M. Brice, and R. L. Smith, Ion cyclotron whistlers, J. Geophys. Res., 70, 1665-1687, 1965.

- Gurnett, D. A., G. William Pfeiffer, Roger R. Anderson, Stephen R. Mosier, and David P. Cauffman, Initial observations of VLF electric and magnetic fields with the Injun 5 satellite, J. Geophys. Res., 74, 4631-4647, 1969.
- Hoffman, J. H., Composition measurements of the topside ionosphere, Science, 155, 322-324, 1967.
- McEwen, D. J., and R. E. Barrington, Ion composition below 3000 km derived from ion whistler observations, Space Research VII, North-Holland Publishing Co., Amsterdam, 396-404, 1967.
- Shawhan, S. D., and D. A. Gurnett, Fractional concentration of hydrogen ions in the ionosphere from VLF proton whistler measurements, J. Geophys. Res., 71, 47-59, 1966.
- Smith, R. L., N. M. Brice, J. Katsufurakis, D. A. Gurnett, S. D. Shawhan, J. S. Belrose, and R. E. Barrington, An ion gyrofrequency phenomena observed in satellites, Nature, 204, 274-275, 1964.

TABLE 1

Date	Universal Time	Altitude	Invariant Latitude	Local Time
	hr min:sec	km	degrees	hours
March 2, 1969	0549:38	1425	50.1	1.20
August 11, 1969	1150:27	2130	41.2	6.10
August 15, 1969	1234:52	1814	48.0	5.89
August 24, 1969	0939:28	1450	53.7	4.95
August 24, 1969	0941:24	1346	58.6	5.05
September 2, 1969	0836:06	1373	42.7	3.70
September 2, 1969	0834:03	1337	37.4	3.30

A-G69-824-1




Figure 1