

## **General Disclaimer**

### **One or more of the Following Statements may affect this Document**

- This document has been reproduced from the best copy furnished by the organizational source. It is being released in the interest of making available as much information as possible.
- This document may contain data, which exceeds the sheet parameters. It was furnished in this condition by the organizational source and is the best copy available.
- This document may contain tone-on-tone or color graphs, charts and/or pictures, which have been reproduced in black and white.
- This document is paginated as submitted by the original source.
- Portions of this document are not fully legible due to the historical nature of some of the material. However, it is the best reproduction available from the original submission.

# NATURAL RESOURCES PROGRAM

SPACE APPLICATIONS  
PROGRAMS

TECHNICAL LETTER NASA-43

N70-38890

FACILITY FORM 602

(ACCESSION NUMBER)

12

(THRU)

1

(CODE)

CR-7759-3

(NASA CR OR TMX OR AD NUMBER)

(CATEGORY)

U.S. Geological Survey  
Department of the Interior



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY  
WASHINGTON, D.C. 20242

Technical Letter  
NASA-43  
August 1966

Dr. Peter C. Badgley  
Chief, Natural Resources Program  
Office of Space Science and Applications  
Code SAR, NASA Headquarters  
Washington, D.C. 20546

Dear Peter:

Transmitted herewith are 2 copies of:

TECHNICAL LETTER NASA-43  
GEOLOGICAL UTILIZATION OF GEMINI COLOR PHOTOGRAPH OF  
DUBA AREA, SAUDI ARABIA\*

by

Robert F. Johnson\*\*

and

Jules A. MacKallor\*\*\*

Sincerely yours,

William A. Fischer  
Research Coordinator  
Earth Orbiter Program

\*Work performed under NASA Contract No. R-09-020-015

\*\*U. S. Geological Survey, Jidda, Saudi Arabia

\*\*\*U. S. Geological Survey, Washington, D. C.



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

TECHNICAL LETTER NASA-43  
GEOLOGICAL UTILIZATION OF GEMINI COLOR PHOTOGRAPH OF  
DUEA AREA, SAUDI ARABIA\*

by

Robert F. Johnson\*\*

and

Jules A. MacKallor\*\*\*

August 1966

These data are preliminary and should  
not be quoted without permission

Prepared by the Geological Survey  
for the National Aeronautics and  
Space Administration (NASA)

\*Work performed under NASA Contract No. R-09-020-015

\*\*U.S. Geological Survey, Jidda, Saudi Arabia

\*\*\*U.S. Geological Survey, Washington, D. C.

Photo copies of illustrations are available for viewing at the  
following places:

Author(s); Discipline Coordinators; NASA Data Bank (Houston);  
Remote Sensing Evaluation and Coordination Staff (RESECS) and  
the U.S. Geological Survey Libraries (Denver, Menlo, Washington).




Figure 1.



*Figure 2*



GEOLOGIC UTILIZATION OF GEMINI COLOR PHOTOGRAPH OF  
DUBA AREA, SAUDI ARABIA

by  
Robert F. Johnson  
and  
Jules A. MacKallor

INTRODUCTION

The primary purpose of this Technical Letter is to report the discovery of an important geological feature by use of Gemini photography. In a letter of February 21, 1966, to George L. Schoechle, Assistant Branch Chief, Foreign Geology, Glen F. Brown, Chief of the U. S. Geological - Saudi Arabian Mission said, "one significant early result was Johnson's recognition of a large wrench fault we hadn't previously spotted."

An overlay prepared by R. F. Johnson in Saudi Arabia shows major faults, numerous geological contacts, and geographic features and forms the backbone of this report. MacKallor added background information about the photography and put the material in the format of a technical letter.

## Background

The Branch of Foreign Geology of the U. S. Geological Survey has cooperative projects in many countries, and USGS personnel are sent color enlargements (approximately 8 inches by 8 inches) of appropriate Gemini photographs to be studied for their potential interest and usefulness in their own fields of geologic investigation. Thus, experienced geologists with the first hand knowledge of specific foreign areas are able to evaluate the usefulness of space photographs for a variety of geological problems.

The Branch of Foreign Geology has conducted geologic and hydrologic studies in Saudi Arabia in cooperation with the Ministry of Petroleum and Mineral Resources since 1950. Currently, a team of 22 U. S. Geological Survey specialists are conducting a 6 year minerals survey of the Precambrian Arabian Shield (200,000 sq. mi.) financed entirely by the Government of Saudi Arabia. In addition to published reports, the Survey team has access to photo mosaics and unpublished reports from a number of sources not normally available. As previously stated, Johnson's recognition of a large wrench fault is a valid discovery, perhaps the first, resulting from use of a Gemini photograph.

## Evaluation

The nearly vertical picture was taken over Saudi Arabia by Cooper and Conrad from the Gemini V space ship on August 27, 1965, at 07:10 GMT from an altitude of more than 100 miles. A hand-held Hasselblad camera with a Zeiss planar 80 mm focal length lens was used with 70 mm Ektachrome film, ASA No. 64.



This single photograph covers about 115 miles (190 kilometers) of the Red Sea coast of the Arabian Peninsula and a total land area of 10,000 sq. miles. It is 90 miles (150 kilometers) from Duba on the coast to Tabuk near the northeastern corner of the photograph. In figure 1, the average of the scale measured along the coast is 1:900,000, and the scale as measured from Duba to Tabuk the scale is 1:1,000,000.

A black and white copy of the color photograph is included with this report. On the color photograph the boundary between the Precambrian "basement" and the younger rocks is plainly visible. Large areas of volcanic flows and of intrusive rocks can be readily delineated. The alignment of numerous wadis (intermittent stream channels) approximately parallel to the faults shown on the overlay indicates a northwest-trending structural component throughout the entire area of Precambrian rocks exposed on the photograph.

This Gemini picture illustrates the value of photographs from space, at least for arid regions. Delineating the rocks into gross units, Johnson did for this area, can save much time and expense in planning geologic projects such as reconnaissance for minerals, including petroleum. Areas containing favorable rock-types and structures can be selected for detailed investigations. The synoptic view obtained from a single space photograph will be an aid in understanding and solving the structural relations of broad regions. This particular photograph is of special interest to scientists engaged in studies of the Red Sea area and the Rift Valleys of Africa and their relation to the theory of continental drift.