

N71-17152

NASA CR-116456

Whistlers with Harmonic  
Bands Caused by Multiple Stroke  
Lightning

by

Robert R. Shaw  
and  
Donald A. Gurnett



CASE FILE  
COPY

This work was supported in part by the  
Office of Naval Research under Contract  
No. N00014-68-A-0196-0003

Department of Physics and Astronomy  
**THE UNIVERSITY OF IOWA**

Iowa City, Iowa

U. of Iowa 70-61

Whistlers with Harmonic  
Bands Caused by Multiple Stroke  
Lightning

by

Robert R. Shaw  
and  
Donald A. Gurnett

Department of Physics and Astronomy  
The University of Iowa  
Iowa City, Iowa 52240

December, 1970

Research supported in part by the National Aeronautics and  
Space Administration under contracts NAS5-10625, NAS1-8141,  
NAS1-8144(f), NAS1-8150(f), and NGR-16-001-043; and by the  
Office of Naval Research under contract N00014-68-A-0196-003.

## ABSTRACT

Whistlers received with the Injun 5 satellite are frequently observed to have bands with decreased signal amplitude at equally spaced frequency intervals. The frequency spacing between the bands is typically about 10 to 30 Hz. As many as 30 such bands have been observed on a single whistler.

Because the frequency spacing of these bands is comparable to the gyrofrequency of several types of positive ions found in the ionosphere (particularly  $O^+$  or  $N^+$ ) it was initially thought that these bands may be produced by a hot plasma effect resulting from wave-particle interactions at harmonics of the ion gyrofrequency. Subsequent investigations, prompted by a suggestion made by Dr. R. L. Dowden at the spring 1970 URSI meeting, have shown that the bands are instead due to double or multiple strokes in the initial lightning discharge which result in destructive interference of the whistler signal at equally spaced frequency intervals. The frequency spacing between the interference bands is given by the inverse of the time interval between the lightning strokes. This simple explanation for these bands accounts for a number of peculiar characteristics which could not be accounted for with the gyrofrequency harmonic interaction hypothesis.

## I. INTRODUCTION

Whistlers received with the Injun 5 satellite are frequently observed to have bands of the type shown in Figure 1. The center frequencies of these bands are found to occur at equally spaced frequency intervals. This harmonic relationship is illustrated in Figure 2, which shows the linear relation between the center frequencies of the bands and the band number for the whistler shown in Figure 1. The average frequency difference between adjacent bands was 15.7 Hz in this case. Typically the frequency spacing between adjacent bands is from 10 to 30 Hz. These bands are, of course, only observed if the spectrum analyzer filter bandwidth is less than the frequency spacing of the bands. It is considered likely that the reason that this band structure has not been previously reported is that whistler spectrum analysis is frequently performed with filter bandwidths too wide (25 to 50 Hz) to resolve these bands. The spectrum analyzer filter bandwidth used to produce the spectrograms used in this study was 2 Hz.

Because the frequency spacing of these bands is comparable to the gyrofrequency of several types of positive ions found in the ionosphere (particularly  $O^+$  or  $N^+$ ) it was initially suggested by Stefant [1969] and later by several

other investigators that these bands may be associated with harmonics of an ion gyrofrequency. This suggestion seemed entirely plausible because cyclotron harmonic resonances are a well known characteristic of a hot plasma [Bernstein, 1958; Stix, 1962] and cyclotron harmonic effects have been observed in both laboratory and space plasmas [see, for example, Crawford and Weiss, 1966; and Gurnett and Mosier, 1969]. The purpose of this paper is to present an experimental investigation of these bands and to discuss an explanation of the observed characteristics, which was suggested to us by Dr. R. L. Dowden at the spring 1970 URSI meeting.

## II. CHARACTERISTICS OF WHISTLERS WITH HARMONIC BANDS

Approximately 20 passes of Injun 5 VLF data have been investigated to study the harmonic bands of the type shown in Figure 1. Whistlers with harmonic bands are found to occur on almost every pass which has a significant number of whistlers. Harmonic bands are observed on approximately 15% of all whistlers observed by Injun 5. Bands with comparable frequency spacings have not been observed for any type of ELF radio noise other than whistlers. The occurrence of whistlers with harmonic bands is highly variable. A whistler with very clearly defined harmonic bands may be immediately followed (or preceded) by a whistler with absolutely no evidence of bands (see Figure 1, for example).

To investigate the possibility that these bands are related to harmonics of a ion gyrofrequency, the frequency spacing between adjacent bands was measured for about 70 of the best cases. These measurements show that the frequency spacing varies considerably from event to event and is not proportional to the geomagnetic field strength at the satellite. Figure 3 illustrates the large variations in the frequency spacing of the bands observed during a typical satellite pass.

Since the ion gyrofrequency is proportional to the geomagnetic field strength, it is concluded that these bands are not related to an ion gyrofrequency at the position of the satellite.

These results, particularly the extreme variability of the band characteristics and the absence of a correlation between the frequency separation of the bands and the ion gyrofrequency, are not consistent with any proposed propagation effect involving interactions at the harmonics of an ion gyrofrequency.

### III. HARMONIC BANDS CAUSED BY MULTIPLE LIGHTNING STROKES

While an attempt was being made to explain the unusual characteristics of these bands, it was pointed out to us by Dr. R. L. Dowden at the spring 1970 URSI meeting that similar attenuation effects can be produced by destructive interference between multiple lightning strokes. Subsequent investigations have shown that this process can explain essentially all of the known characteristics of the harmonic bands observed on whistlers with Injun 5.

This effect can be illustrated by considering the lightning impulses to consist of two equal amplitude delta functions separated by a time interval  $\Delta t$

$$V(t) = V_0 [\delta(t) + \delta(t - \Delta t)].$$

The frequency spectrum of this double impulse can be easily obtained by fourier analyzing  $V(t)$

$$\hat{V}(\omega) = \int_{-\infty}^{\infty} V(t) e^{-i\omega t} dt, \text{ which gives}$$

$$\hat{V}(\omega) = V_0 [1 + e^{-i\omega \Delta t}].$$



The magnitude of the frequency spectrum, which is what is determined by the frequency spectrum analyzer, is given by

$$|\hat{V}(\omega)| = v_0 \sqrt{2} (1 + \cos \omega \Delta t)^{1/2}.$$

It is evident from the above equation that the frequency spectrum of this double lightning impulse goes to zero whenever

$$\omega = \frac{2\pi(n + 1/2)}{\Delta t}, \quad n = 0, 1, 2, \dots, \text{ or}$$

$$f = \frac{1}{\Delta t} (n + 1/2) .$$

Thus, the frequency spectrum of the radiated fields has nulls at equally spaced frequency intervals of  $\Delta f = 1/\Delta t$ . At these frequencies, the fields radiated by the two impulses interfere destructively. Similar destructive interference effects can occur for any number of equally spaced lightning discharges.

To determine if the harmonic bands observed by Injun 5 were produced in this manner, the received whistler signals were reanalyzed using a filter of sufficient bandwidth ( $\pm 50$  Hz) to resolve the individual lightning impulses, if present. This analysis was performed for a total of 70 cases with the following results.

In every case where the bands were as clear and sharply defined as those shown in Figure 1, two or more distinct lightning impulses separated by the same time interval could be resolved. Figure 4, for example, shows the output signal from the wide band ( $\pm 50$  Hz) filter for the first whistler in Figure 1. This signal shows that this whistler originated from two distinct lightning impulses separated by about  $64$  milliseconds. The inverse of the time separation between the lightning impulses,  $1/64$  msec =  $15.6$  Hz, corresponds well with the frequency interval between the interference bands ( $15.7$  Hz) observed for this whistler (see Figure 2). In all cases where the time interval between the lightning impulses could be accurately determined, the inverse of the time interval between the impulses was in agreement with the average frequency interval between adjacent bands. In no case was a whistler with bands found which was clearly due to a single lightning impulse.

Multiple-stroke lightning has, on the average, three to four strokes per flash. The average time interval between strokes is  $40$  milliseconds [Uman, 1969]. The inverse of the average time interval between strokes is  $25$  Hz which corresponds well with the typical frequency spacing observed for the harmonic bands.

The evidence obtained in this study indicates that the bands observed on whistlers with Injun 5 are produced by

multiple lightning discharges. While it is apparent that these results do not eliminate the possibility of the production of harmonic effects due to the presence of ion harmonic resonances, it does point out the necessity for extreme care in making observations of such bands. Any investigation into the occurrence of ion cyclotron harmonics in whistlers must eliminate the possibility that the bands are actually interference bands produced by multiple stroke lightning.

## REFERENCES

- Bernstein, I. W., Waves in a plasma in a magnetic field,  
Phys. Rev., 109, 10, 1958.
- Crawford, F. W., and H. Weiss, Transmission characteristics  
of cyclotron harmonic waves in a plasma, J. Nucl.  
Energy, Pt. C, 8, 21, 1966.
- Gurnett, D. A., and S. R. Mosier, VLF electric and magnetic  
fields observed in the auroral zone with the Javelin  
8.46 sounding rocket, J. Geophys. Res., 74, 3979, 1969.
- Stefant, R. J., The slow electromagnetic ordinary mode and  
its application to the ionosphere: the proton whistler  
and proton harmonic resonances, (Space Sciences  
Laboratory Report, University of California, Berkeley,  
California, 1969).
- Stix, T. H., The Theory of Plasma Waves, McGraw-Hill Book  
Company, New York, 1962.
- Uman, M. A., Lightning, McGraw-Hill Book Company, New York, 1969.

## FIGURE CAPTIONS

Figure 1: Harmonic bands observed on a whistler received by the Injun V VLF receivers immediately followed by a whistler with no evidence of bands.

Figure 2: Plot of the band center frequency as a function of band number for the harmonic bands shown in Figure 1 showing the linear variation of the band center frequency.

Figure 3: Plot of the average frequency interval for fourteen bands observed on one continuous satellite pass as a function of time during the pass. The points do not show any continuous variation which suggests that the frequency interval is not dependent on any satellite orbit parameters.

Figure 4: The whistler signal shown in Figure 1 viewed through a filter with a bandwidth sufficiently wide to show the separate whistler impulses. The inverse of the time interval between impulses is 15.6 Hz which agrees well with the average frequency interval of 15.7 Hz measured in Figure 2.





Figure 1






Figure 3



A-G70-587




Figure 4

## DOCUMENT CONTROL DATA - R&amp;D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author) Department of Physics and Astronomy University of Iowa		2a. REPORT SECURITY CLASSIFICATION <b>UNCLASSIFIED</b>	
		2b. GROUP	
3. REPORT TITLE  Whistlers with Harmonic Bands Caused by Multiple Stroke Lightning			
4. DESCRIPTIVE NOTES (Type of report and inclusive dates) Progress, December 1970			
5. AUTHOR(S) (Last name, first name, initial) Shaw, Robert R., and Donald A. Gurnett			
6. REPORT DATE December 1970		7a. TOTAL NO. OF PAGES 16	7b. NO. OF REFS 6
8a. CONTRACT OR GRANT NO. N00014-68-A-0196-003		9a. ORIGINATOR'S REPORT NUMBER(S) U. of Iowa 70-61	
b. PROJECT NO.			
c.		9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
d.			
10. AVAILABILITY/LIMITATION NOTICES  Distribution of this document is unlimited.			
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY  Office of Naval Research	
13. ABSTRACT  [See following page]			

14. KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Whistlers Whistler Harmonic Bands Multiple Stroke Lightning						

## INSTRUCTIONS

1. ORIGINATING ACTIVITY: Enter the name and address of the contractor, subcontractor, grantee, Department of Defense activity or other organization (*corporate author*) issuing the report.

2a. REPORT SECURITY CLASSIFICATION: Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.

2b. GROUP: Automatic downgrading is specified in DoD Directive 5200.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as authorized.

3. REPORT TITLE: Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parenthesis immediately following the title.

4. DESCRIPTIVE NOTES: If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period is covered.

5. AUTHOR(S): Enter the name(s) of author(s) as shown on or in the report. Enter last name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.

6. REPORT DATE: Enter the date of the report as day, month, year; or month, year. If more than one date appears on the report, use date of publication.

7a. TOTAL NUMBER OF PAGES: The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.

7b. NUMBER OF REFERENCES: Enter the total number of references cited in the report.

8a. CONTRACT OR GRANT NUMBER: If appropriate, enter the applicable number of the contract or grant under which the report was written.

8b, 8c, & 8d. PROJECT NUMBER: Enter the appropriate military department identification, such as project number, subproject number, system numbers, task number, etc.

9a. ORIGINATOR'S REPORT NUMBER(S): Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unique to this report.

9b. OTHER REPORT NUMBER(S): If the report has been assigned any other report numbers (*either by the originator or by the sponsor*), also enter this number(s).

10. AVAILABILITY/LIMITATION NOTICES: Enter any limitations on further dissemination of the report, other than those

imposed by security classification, using standard statements such as:

- (1) "Qualified requesters may obtain copies of this report from DDC."
- (2) "Foreign announcement and dissemination of this report by DDC is not authorized."
- (3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through \_\_\_\_\_."
- (4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through \_\_\_\_\_."
- (5) "All distribution of this report is controlled. Qualified DDC users shall request through \_\_\_\_\_."

If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.

11. SUPPLEMENTARY NOTES: Use for additional explanatory notes.

12. SPONSORING MILITARY ACTIVITY: Enter the name of the departmental project office or laboratory sponsoring (*paying for*) the research and development. Include address.

13. ABSTRACT: Enter an abstract giving a brief and factual summary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (TS), (S), (C), or (U).

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.

14. KEY WORDS: Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context. The assignment of links, roles, and weights is optional.