

NASA CR 120,029

—SPACE SHUTTLE—

HEAT TRANSFER RATE MEASUREMENTS  
ON NORTH AMERICAN ROCKWELL  
ORBITER (161B) AT NOMINAL  
MACH NUMBER OF 8

by

J. D. Warmbrod, MSFC


W. R. Martindale, ARO, INC.

R. K. Matthews, ARO, INC.

VFK 50-INCH HYPERSONIC  
TUNNEL B

Reproduced by  
NATIONAL TECHNICAL  
INFORMATION SERVICE  
Springfield, Va. 22151

ARNOLD ENGINEERING  
DEVELOPMENT CENTER



SADSAC SPACE SHUTTLE  
AEROTHERMODYNAMIC  
DATA MANAGEMENT SYSTEM

CONTRACT NAS8-4016  
MARSHALL SPACE FLIGHT CENTER  
N72-12895

SPACE DIVISION

Unclas  
10089

502  
(ACCESSION) SPACE SHUTTLE: HEAT  
TRANSFER RATE MEASUREMENTS OF NORTH  
AMERICAN ROCKWELL ORBITER (161B) AT NOMINAL  
MACH NUMBER OF 8 J.D. Warmbrod, et al  
(Chrysler Corp.) Dec. 1971 115 p CSCL 22B G3/31  
(CATEGORY)



NASA Series Number: H-1009

DMS-DR-1177  
VOLUME III  
December, 1971

SADSAC/SPACE SHUTTLE  
WIND TUNNEL TEST DATA REPORT

CONFIGURATION: North American Rockwell Orbiter (161B)

TEST PURPOSE: Heat Transfer Rate Measurement For Reentry of Orbiter  
Configuration at Nominal Mach Number of 8.

TEST FACILITY: AEDC VKF 50-Inch Hypersonic Tunnel B

TESTING AGENCY: AEDC-MSFC

TEST NO. & DATE: VT 1162-3; May 29, 1971

FACILITY COORDINATOR: Mr. L. L. Trimmer - ARO, Inc.

PROJECT ENGINEER(S): Mr. W. R. Martindale - ARO, Inc.  
Mr. R. K. Matthews - ARO, Inc.  
Mr. J. D. Warmbrod - MSFC

DATA MANAGEMENT SERVICES

LIAISON: NA DATA OPERATIONS: *J. R. Ziler*  
J. R. Ziler

RELEASE APPROVAL: *N. D. Kemp*  
N. D. Kemp, Supervisor  
Aero Thermo Data Group

CONTRACT NAS 8-4016

AMENDMENT 153

DRL 184-58

This report has been prepared by Chrysler Corporation Space Division under a Data Management Contract to the NASA. Chrysler assumes no responsibility for the data presented herein other than its display characteristics.

FACILITY COORDINATOR:

Mr. L. L. Trimmer, ARO, Inc.  
Arnold Engineering Development Center  
Arnold Air Force Station, Tennessee 37389

Phone: (615) 455-2611-X7277

PROJECT ENGINEERS:

Mr. J. D. Warmbrod  
Marshall Space Flight Center  
S&E-AERO-AF  
Building 4610  
Huntsville, Alabama 35801

Phone: (205) 453-0170

Mr. W. R. Martindale, ARO, Inc  
Arnold Engineering Development Center  
Arnold Air Force Station, Tennessee 37389

Phone: (615) 455-2611-X575

Mr. R. K. Matthews, ARO, Inc.  
Arnold Engineering Development Center  
Arnold Air Force Station, Tennessee 37389

Phone: (615) 455-2611-X594

SADSAC OPERATIONS:

Mr. J. R. Ziler  
Chrysler Corp. Space Division  
P. O. Box 29200  
Department 2780  
New Orleans, Louisiana 70129

Phone: (504) 255-2304

## A B S T R A C T

Plotted and tabulated heat transfer data from the thin-skin thermocouple test phase of a joint AEDC-MSFC experimental test program are presented herein.

This document designated as Volume III of III presents data representative of the reentry event of the NR Orbiter (161B) alone configuration. Volume I of this series presents heat transfer data applicable to the Ascent Configuration, GD/C B-15B-2 Booster plus NR Orbiter (161B). Volume II presents heat transfer data applicable to the reentry of the B-15B-2 Booster alone configuration.

The model from which these data were generated is a 0.009 scale replica of the North American Orbiter (161B) configuration. The test was conducted in the AEDC VKI 50-Inch Hypersonic Tunnel B at a nominal freestream Mach number of 8, Reynolds number range of  $0.8 \times 10^6$  to  $3.8 \times 10^6$  per foot, and angle of attack range of -5 degrees to 50 degrees.

Thermocouple measurements were reduced to heat transfer coefficient ratio ( $H(TO)/H(REF)$ ), and these data are presented as plotted variations versus longitudinal, lateral, and vertical local model positions. Tabulated values of these data are presented in the Appendix of this report.

THIS PAGE INTENTIONALLY LEFT BLANK

## TABLE OF CONTENTS

	<u>PAGE NUMBER</u>
LIST OF FIGURES & TABLES	2
SUMMARY	3
CONFIGURATION INVESTIGATED	5
MODEL INSTRUMENTATION	5
TEST FACILITY DESCRIPTION	8
TEST CONDITIONS	8
DATA REDUCTION	13
SUMMARY DATA PLOT INDEX	15
FIGURES	16
MODEL COMPONENT DESCRIPTION SHEETS	20
NOMENCLATURE	27
PLOTTED DATA	30
APPENDIX	A-1

LIST OF FIGURES

<u>FIGURE NUMBER</u>	<u>TITLE</u>	<u>PAGE NUMBER</u>
1.	Orbiter Model Photograph	17
2.	Orbiter Thermocouple Location	18

LIST OF TABLES

<u>TABLE NUMBER</u>	<u>TITLE</u>	<u>PAGE NUMBER</u>
1.	Orbiter Thermocouple Coordinates	6
2.	Test Conditions	9
3.	Orbiter Fuselage Details	21
4.	Orbiter Wing Details	22
5.	Orbiter Elevon Details	23
6.	Orbiter Maneuvering System Shroud Details	24
7.	Orbiter Tail Details	25
8.	Orbiter Drag Brake Details	26

## S U M M A R Y

A joint AEDC-MSFC experimental test program in the VKI 50-Inch Hypersonic Tunnel B has been conducted to determine detailed heat-transfer distributions on Phase B Space Shuttle configurations. This volume, III of III, presents the NR (161B) Orbiter reentry event data taken during the thin-skin thermocouple phase of these tests.

The configuration investigated was a 0.009 scale replica of the North American Rockwell 9992-161B Delta Wing Orbiter. Data were obtained at a nominal Mach number of 8 and freestream Reynolds number range of  $0.83 \times 10^6$  to  $3.76 \times 10^6$  per foot. Angle of attack was varied from -5 degrees to 50 degrees. During the higher angle of attack ( $\alpha \geq 30$  deg.) portion of the reentry configuration tests, to obtain turbulent boundary layer flow over as large a portion of the model as possible, carborundum grit was placed on the windward surfaces of the orbiter. The application method consisted of dabbing small dots of Barco Bond<sup>®</sup> epoxy in about 1 inch intervals over the entire bottom surfaces of the model and then sprinkling the surfaces with No. 46 grit ( $\approx 0.015$ -in. diameter). Several pieces of grit adhered to each dot, resulting in model surface irregularities approximately 0.025-in. high. In one case, Run 50, No. 20 grit ( $\approx 0.043$ -in. diameter) was placed on the orbiter nose from the nose tip back about one inch for a low angle of attack test. Test runs where this technique was used are noted in Table 2 Test Conditions as - grit-on.



S U M M A R Y  
(Continued)

Data generated from this test are presented as plotted variations of heat-transfer coefficient ratio ( $H(TO)/H(REF)$ ) versus non-dimensional longitudinal, lateral and vertical local positions. The plotted data are arranged per orbiter component as a function of angle of attack. Tabulated values of the plotted data are located in the Appendix of this document.

## CONFIGURATION INVESTIGATED

The orbiter model was a 0.009 scale replica of the North American Rockwell 9992-161B Delta Wing Orbiter furnished by North American Rockwell Corporation. It was machined from 17-4 PH steel to a nominal skin of 0.04 inch.

Configuration details are tabulated in Tables 3 through 8 and a model photograph is presented as Figure 1.

## MODEL INSTRUMENTATION

The orbiter model was instrumented with 204 iron-constantan thermocouples of which 193 were used during the orbiter reentry tests. Thermocouple locations are shown graphically in Figure 2 and a tabulation of the locations of the thermocouples used during the orbiter reentry test is given in Table 1.

Thermocouple outputs were recorded on magnetic tape by a Beckman digital data system at the rate of 20 times per second from the start of the model injection cycle until about 5 seconds after the completion of the pitch mode, and the model returned to angle of attack of 0 degrees.

TABLE 1. ORBITER THERMOCOUPLE COORDINATES

SADSAC NO.	TC NUMBER	FUSELAGE		SADSAC NO.	TC NUMBER	FUSELAGE	
		X/L	Y/YMAX			X/L	Y/YMAX
1	1	0.0	+0.0	87	88		
2	2	.01	-0.0	88	89	.65	-0.0
3	3		-.441	89	90	.70	-0.0
4	4		-1.000	90	91		-.235
5	5		0.0	91	92		-.469
6	6	.02	-0.0	92	93		-.704
7	7	.03	-0.0	93	94		-.848
8	8		-.303	94	95		1.000
9	9		-1.000	95	96		.908
10	10		0.0	96	97		0.0
11	11		-0.0	97	98	.75	-0.0
12	12	.04	-0.0	98	99	.80	-0.0
13	13	.05	-0.0	99	100		-.223
14	14		-.310	100	101		-.446
15	15		-1.000	101	102		-.669
16	16		0.0	102	103		-.806
17	17	.08	-0.0	103	104	.85	-0.0
18	18		-.360	104	105	.90	-0.0
19	19	.10	-1.000	105	106		-.226
20	20		-0.0	106	107		-.452
21	21		-.383	107	108		-.678
22	22		-.817	108	109		-.817
23	23		-1.000	109	110		1.000
24	24		.783	110	111		.884
25	25		0.0	111	112		.610
26	26	.15	-.893	112	114	.95	-0.0
27	27		-1.000	113	115	.99	-0.0
28	28		.664	114	116		-.253
29	29		0.0	115	117		-.507
30	30	.20	-0.0	116	118		-.660
31	31		-.278	117	119		-.793
32	32		-.466	118	120		-.780
33	33		-.792	119			.305
34	34		-1.000	120			
35	35		.888				
36	36		0.0				
37	37	.21	0.0	119	121		
38	38	.22	0.0	120	122		
39	39	.23	0.0	121	123		
40	40	.24	.486	122	124		
41	41	.25	0.0	123	126		
42	42	.27	.465	124	127		
43	43		.465	125	128		
44	44		0.0	126	134		
45	45	.30	-0.0	127	135		
46	46		-.312	128	136		
47	47		-.504	129	137		
48	48		-.857	130	138		
49	49		-1.000	131	140		
50	50		.983	132	142		
51	51		.853	133	147		
52	52		.433	134	148		
53	53		.361	135	149		
54	54		0.0	136	150		
55	55	.40	-0.0	137	151		
56	56		-.321	138	152		
57	57		-.526	139	154		
58	58		-.951	140	156		
59	59		-1.000	141	157		
60	60		1.000	142	163		
61	61		.906	143	164		
62	62		.750	144	165		
63	63		0.0	145	166		
64	64	.45	-1.000	146	167		
65	65		1.000	147	168		
66	66		.990	148	169		
67	67	.50	-0.0	149	170		
68	68		-.277	150	171		
69	69		-.553	151	172		
70	70		-.830	152	173		
71	71		-1.000	153	175		
72	72		1.000	154	176		
73	73		.886	155	178		
74	74		.640	156	183		
75	75		0.0	157	184		
76	76	.55	-0.0	158	185		
77	77		-1.000	159	186		
78	78		1.000				
79	79		.935				
80	80	.60	-0.0				
81	81		-.249	160	129		
82	82		-.499	161	130		
83	83		-.748	162	131		
84	84		-1.000	163	132		
85	85		1.000	164	133		
86	86		.907	165	143		
87	87		0.0	166	144		

LOWER WING SURFACE	
X/C	Y/S
0.0	0.05
0.0	.10
.1	
.2	
.6	
.7	
.9	
0.0	.15
0.0	.25
.1	
.2	
.4	
.6	
.9	
0.0	.45
.1	.45
0.0	.50
.1	
.2	
.4	
.6	
.8	
.9	
0.0	.55
.1	.55
0.0	.60
.1	.60
0.0	.65
.1	.65
0.0	.70
.1	.70
0.0	.75
.1	
.2	
.4	
.7	
.8	
0.0	.90
.2	
.6	
.8	

UPPER WING SURFACE	
X/C	Y/S
.1	.10
.2	
.4	
.7	
.9	
.1	
.2	

TABLE 1.(Continued)  
ORBITER THERMOCOUPLE COORDINATES

SADSAC NO.	TC NUMBER	UPPER WING SURFACE	
		X/C	Y/S
167	145	.4	.25
168	146	.9	↓
169	158	.1	.50
170	159	.2	↓
171	160	.4	↓
172	161	.8	↓
173	162	.9	↓
174	179	.1	.75
175	180	.2	↓
176	181	.4	↓
177	182	.8	↓
		VERTICAL STABILIZER	
		X/C	Z/S
178	187	0.0	.10
179	188	.1	↓
180	189	.4	↓
181	191	.8	↓
182	192	0.0	.25
183	193	.1	↓
184	194	.4	↓
185	195	.8	↓
186	196	0.0	.50
187	197	.1	↓
188	198	.4	↓
189	200	.8	↓
190	201	0.0	.75
191	202	.1	↓
192	203	.4	↓
193	204	.8	↓

## TEST FACILITY DESCRIPTION

Tunnel B is a continuous, closed-circuit, variable density wind tunnel with an axisymmetric contoured nozzle and a 50-in.-diameter test section. The tunnel can be operated at a nominal Mach number of 6 or 8 at stagnation pressures from 20 to 300 and 50 to 900 psia, respectively, at stagnation temperatures up to 1350°R. The model may be injected into the tunnel for a test run and then retracted for model cooling or model changes without interrupting the tunnel flow.

## TEST CONDITIONS

Nominal test conditions are summarized in Table 2. Specific test conditions for the individual runs are presented at the top of the tabulation sheets located in the Appendix of this document.

TABLE 2

## TEST CONDITIONS

TEST TITLE: AEDC-MSFC Phase B Heating Study - Thin-Skin Thermocouple PhaseTEST NUMBER: VT1162TEST FACILITY: AEDC Tunnel BTEST DATE: May 26-29, 1971TEST ENGINEER: W. R. Martindale & R. K. Matthews

Run No.	Model Configuration Identification	$\delta_c$	$\delta_e$	Model Scale	Free Stream Mach Number	Total Pressure (psia)	Total Temp. ( $^{\circ}$ R)	$\frac{T_{aw}^*}{T_{total}}$	RNX10 <sup>6</sup> Ft	Phase Change Temp. ( $^{\circ}$ F)	Booster-Orbiter Spacing (in.)			Model Position (degrees)		
											XD	ZD	GRIT	$\beta$	$\phi_M$	$\alpha$
1	Booster + Orbiter	0	0	0.009	8.00	857	1339	1.00	3.75	NA	2.22	.234	Ofi	0	0	0
2						858	1347		3.72							-5
3						856	1346		3.72		↓					5
4						858	1341		3.75		1.72					0
5						859	1347		3.73		2.72	↓				
6						858	1338		3.76		2.22	.118				
7					↓	859	1346		3.73			.318				
8					7.93	149	1249		0.74			.234				↓
9						148	1234		0.75							-5
10						151	1233		0.77						↓	5
11	↓				8.00	857	1342		3.74		↓	↓			-5	0
12	Booster					861	1342		3.76		-	-			0	↓
13	↓					860	1341	↓	3.75	↓	-	-	↓	↓		-5

\*\* X axis parallel to stream (+downstream, -upstream)

Y axis (+right, -left, as viewed from the rear)

Z axis (+up, -down)

\*  $T_{aw}$  = adiabatic wall temperature

TABLE 2 - Continued

TEST CONDITIONS

TEST TITLE: AEDC-MSFC Phase B Heating Study - Thin-Skin Thermocouple Phase

TEST NUMBER: VT1162 TEST FACILITY: AEDC Tunnel B

TEST DATE: May 26-29, 1971 TEST ENGINEER: W. R. Martindale & R. K. Matthews

Run No.	Model Configuration Identification			Model Scale	Free Stream Mach Number	Total Pressure (psia)	Total Temp. (°R)	T <sub>aw</sub> * / T <sub>total</sub>	RNX10 <sup>6</sup> Ft	Phase Change Temp. (°F)	Booster-Orbiter Spacing (in.)			Model Position (degrees)		
											XD	ZD	GRIT	β	φ <sub>M</sub>	α
	δ <sub>c</sub>	δ <sub>e</sub>														
14	Booster	0	0	0.009	8.00	855	1347	1.00	3.72	NA	-	-	Off	0	0	5
15					7.93	149	1225		0.76							0
16						150	1223		0.77							-5
17						149	1219		0.77							5
18		60			8.00	857	1353		3.69							60
19		50				855	1340		3.74							50
20		40				857	1338		3.76							40
21		40				856	1342		3.73				On			40
22		60				860	1343		3.75				On			60
23		10				856	1344		3.73				Off			10
24		20				856	1342		3.73							20
25		30				857	1346		3.72							30
26		30	-15			857	1342		3.74							

\*\* X axis parallel to stream (+downstream, -upstream)

Y axis (+right, -left, as viewed from the rear)

Z axis (+up, -down)

\* T<sub>aw</sub> = adiabatic wall temperature

TABLE 2 - Continued

TEST CONDITIONS

TEST TITLE: AEDC-MSFC Phase B Heating Study - Thin-Skin Thermocouple Phase

TEST NUMBER: VT1162 TEST FACILITY: AEDC Tunnel B

TEST DATE: May 26-29, 1971 TEST ENGINEER: W. R. Martindale & R. K. Matthews

Run No.	Model Configuration Identification	Model Scale		Free Stream Mach Number	Total Pressure (psia)	Total Temp. (°R)	T <sub>aw</sub> * / T <sub>total</sub>	RNX10 <sup>6</sup> Ft	Phase Change Temp. (°F)	Booster-Orbiter Spacing (in.)			Model Position (degrees)		
		δ <sub>c</sub>	δ <sub>e</sub>							XD	ZD	GRIT	β	φ <sub>1</sub>	α
27	Booster	30	15	0.009	859	1342	1.00	3.74	NA	-	-	Off	0	0	30
28	Booster	0	0		858	1342		3.74							0
29	Orbiter	-			859	1339		3.76				On			50
30					857	1337		3.76				On			40
31					857	1343		3.74				On			30
32					856	1340		3.74				Off			30
33					856	1343		3.73							40
34					858	1347		3.72							50
35					555	1305		2.52							50
36					553	1311		2.50							40
37					554	1311		2.50							30
38					554	1308		2.51							20
39					553	1307		2.51							10

\*\* X axis parallel to stream (+downstream, -upstream)  
 Y axis (+right, -left, as viewed from the rear)  
 Z axis (+up, -down)

\* T<sub>aw</sub> = adiabatic wall temperature



TABLE 2 - Concluded

TEST CONDITIONS

TEST TITLE: AEDC-MSFC Phase B Heating Study - Thin-Skin Thermocouple Phase

TEST NUMBER: VT1162 TEST FACILITY: AEDC Tunnel B

TEST DATE: May 26-29, 1971 TEST ENGINEER: W. R. Martindale & R. K. Matthews

Run No.	Model Configuration Identification			Model Scale	Free Stream Mach Number	Total Pressure (psia)	Total Temp. (°R)	T <sub>aw</sub> * / T <sub>total</sub>	RNX10 <sup>6</sup> Ft	Phase Change Temp. (°F)	Booster-Orbiter Spacing (in.)			Model Position (degrees)		
											δ <sub>c</sub>	δ <sub>e</sub>	XD	ZD	GRIT	β
40	Orbiter	-	0	0.009	7.94	165	1254	1.00	0.82	NA	-	-	Off	0	0	10
41						165	1237		0.83							20
42						166	1228		0.84							30
43						167	1232		0.85							5
44						167	1237		0.84							0
45						165	1241		0.83							-5
46					8.00	856	1324		3.81							-5
47						863	1335		3.79							0
48						861	1344		3.75							20
49						856	1342		3.74							10
50						856	1344		3.74				*** On			10
51			-10			858	1346		3.73				Off			30

\*\* X axis parallel to stream (+downstream, -upstream)  
 Y axis (+right, -left, as viewed from the rear)  
 Z axis (+up, -down)

\* T<sub>aw</sub> = adiabatic wall temperature

\*\*\*Nose only

## DATA REDUCTION

The reduction of thin-skin thermocouple data normally involves only the calorimetric heat balance which in coefficient form is:

$$h = wb c_p \left( \frac{dT_w/dt}{T_o - T_w} \right) \quad (1)$$

Radiation and conduction losses are neglected in this heat balance and data reduction simply requires evaluation of  $dT_w/dt$  from the temperature-time data and determination of model material properties. For the present tests radiation effects were negligible; however, conduction effects were significant in several regions of the models. To permit identification of these regions and improve evaluation of the data the following procedure was used.

Separation of variables and integration of Equation (1) assuming constant  $w$ ,  $b$ ,  $c_p$ , and  $T_o$  yields

$$\frac{h}{wb c_p} (t - t_1) = \ln \left( \frac{T_o - T_{wi}}{T_o - T_w} \right) \quad (2)$$

Differentiation of Equation (2) with respect to time gives

$$\frac{h}{wb c_p} = \frac{d}{dt} \left[ \ln \left( \frac{T_o - T_{wi}}{T_o - T_w} \right) \right] \quad (3)$$

Since the left side of Equation (3) is a constant, plotting  $\ln \left( \frac{T_o - T_{wi}}{T_o - T_w} \right)$  versus time will give a straight line if conduction is negligible. Thus, deviation from a straight line can be interpreted as conduction effects.

DATA REDUCTION  
(Continued)

The data were evaluated in this manner and generally a reasonably linear portion of the curve could be found for all thermocouples. For high heating rates, such as experienced in the nose, leading edge, and interference regions, the linear portion was quite short. A linear least squares curve fit of  $\ln \left( \frac{T_o - T_{w1}}{T_o - T_w} \right)$  versus time was applied to the data beginning at the time which the model reached uniform flow and extending for a time span which was a function of the heating rate, shown below:

<u>Heating Rate, R/sec</u>	<u>Time Span of Data Used, sec.</u>	<u>Number of Data Points Used</u>
$16 \leq dT_w/dt$	0.2	5
$4 \leq dT_w/dt < 16$	0.4	9
$2 \leq dT_w/dt < 4$	0.6	13
$dT_w/dt < 2$	1.0	21

In general, the above time spans were adequate to keep the evaluation of the right side of Equation (3) within the linear region. Strictly, the value of  $c_p$  is not constant as assumed and the relation

$$c_p = 0.0608 + 1.295 \times 10^{-4} T_w - 6.35 \times 10^{-8} T_w^2 \quad (4)$$

was used with the value of  $T_w$  at the midpoint of the curve fit. The maximum variation of  $c_p$  over any curve fit was less than one percent; thus the assumption of constancy was not grossly violated. A constant  $485 \text{ LB}_m/\text{ft}^3$  was used for  $w$  and measured values of  $b$  for each thermocouple were used.

SUMMARY DATA PLOT INDEX

COMPONENT IDENTIFICATION	PLOTTING SCHEDULE	CONDITIONS VARYING	PAGES
Fuselage	A	Bottom & Top Centerline	31-52
Fuselage	B	X/L	53-96
Upper Wing Surface	C	Elevon Deflection Angle and Y/S	97-118
Lower Wing Surface	C	Elevon Deflection Angle and Y/S	119-140
Vertical Stabilizer	C	Z/S	141-161

SCHEDULE A:

$H(TO)/HREF$  vs. X/L

SCHEDULE B:

$H(TO)/HREF$  vs. Y/YMAX

SCHEDULE C:

$H(TO)/HREF$  vs. X/C

Note: Angle of attack range -5 degrees to 50 degrees.  
 Data measured at selected angles of attack  
 (10, 20, 40, and 50 degrees) for grit-on configuration.

FIGURES




Figure 1 Orbiter Model Photograph





Figure 2 Orbiter Thermocouple Locations





MODEL COMPONENT DESCRIPTION SHEETS

Table 3 Orbiter Fuselage Details

MODEL COMPONENT: BODY - B6

GENERAL DESCRIPTION: Basic delta wing fuselage as per NR lines drawing

9992-161B. Fuselage reference plane is located at water plane 400.00 in.

Model Scale = 0.009

DRAWING NUMBER: Lines Drawing 9992-161B  
ELLCO Engineering EE5424-1106-2 thru -5

<u>DIMENSIONS:</u>	<u>FULL-SCALE</u>	<u>MODEL SCALE</u>
Length	<u>2223.00</u>	<u>20.007</u>
Max. Width	<u>495.80</u>	<u>4.462</u>
Max. Depth	<u>263.00</u>	<u>2.367</u>
Fineness Ratio	<u>6.019</u>	<u>6.019</u>
Area		
Max. Cross-Sectional	<u>743.95</u>	<u>0.06026</u>
Planform	<u>DNA</u>	<u>DNA</u>
Wetted	<u>DNA</u>	<u>DNA</u>
Base	<u>DNA</u>	<u>DNA</u>

Table 4 Orbiter Wing Details

**GENERAL DESCRIPTION:** Delta wing with -5° twist and rounded wing tips. Wing blended into body. Follows NR lines 9992-161B. Used with Body B6.

Model Scale = 0.009

**DRAWING NUMBER:** Ellico Engineering EE5424-1106-4, -6, -23, -24, -25

**DIMENSIONS:** FULL-SCALE MODEL SCALE

TOTAL DATA

Area, ft <sup>2</sup>		
Planform	6511.00	0.52736
Wetted	-	-
Span (equivalent), in.	1272.38	11.451
Aspect Ratio	1.714	1.714
Rate of Taper	1.719	1.719
Taper Ratio	0.144	0.144
Dihedral Angle, degrees	7.000	7.000
Incidence Angle, degrees	0.000	0.000
Aerodynamic Twist, degrees (about T.E.)	-5.000	-5.000
Incidence, Root (B.P. 247.90)	0.000	0.000
Incidence, Tip (B.P. 557.70)	-5.000	-5.000
Sweep Back Angles, degrees		
Leading Edge	59.808	59.808
Trailing Edge	0.000	0.000
0.25 Element Line	52.197	52.197
Chords: in.		
Root (Wing Sta. 0.0)	1287.70	11.589
Tip, (equivalent)(W.S. 640.97)	186.00	1.674
MAC (W.S. 240.62)	874.10	7.867
Fus. Sta. of .25 MAC	1793.32	16.140
W.P. of .25 MAC	280.73	2.527
B.L. of .25 MAC	238.83	2.149
Airfoil Section		
Root (W.S. 249.75)	NACA 0009-64	
Tip (W.S. 561.85)	NACA 0012-64	

EXPOSED DATA

Area, ft <sup>2</sup>	3023.00	0.24482
Span, (equivalent), in.	810.61	7.206
Aspect Ratio	1.408	1.408
Taper Ratio	0.209	0.209
Chords: in.		
Root (Equiv.)(W.S. 232.62)	887.85	7.991
Tip (Equiv.)(W.S. 640.97)	135.00	1.674
MAC (W.S. 392.31)	613.34	5.520
Fus. Sta. of .25 MAC	1938.05	17.620
W.P. of .25 MAC	297.22	2.693
B.L. of .25 MAC	309.39	3.504

LEADING EDGE CURF

Planform Area, ft <sup>2</sup>	62.29	0.00505
L.E. Intersects Fus. M. Sta., in.	1275.00	11.475
L.E. Intersects Wing L.E. Sta., in.	170.00	15.714

Table 5 Orbiter Elevon Details

MODEL COMPONENT: Elevon - E11 (Data for one of two sides)

GENERAL DESCRIPTION: Constant chord elevon located on Delta Wing - W21

Model Scale = 0.009

DRAWING NUMBER: Elco Engineering EE5424-1106-23, -24, -25

<u>DIMENSIONS:</u>	<u>FULL-SCALE</u>	<u>MODEL SCALE</u>
Area (true), ft <sup>2</sup>	<u>423.09</u>	<u>0.03427</u>
Span (equivalent), in.	<u>417.30</u>	<u>3.756</u>
Inb'd equivalent chord, in. (W.S. 237.48)	<u>146.00</u>	<u>1.314</u>
Outb'd equivalent chord, in. (W.S. 654.78)	<u>146.00</u>	<u>1.314</u>
Ratio movable surface chord/ total surface chord		
At Inb'd equiv. chord	<u>0.166</u>	<u>0.166</u>
At Outb'd equiv. chord	<u>0.900</u>	<u>0.900</u>
Sweep Back Angles, degrees		
Leading Edge	<u>0.000</u>	<u>0.000</u>
Tailing Edge	<u>0.000</u>	<u>0.000</u>
Hingeline	<u>0.000</u>	<u>0.000</u>
Area Moment (Normal to hinge line), ft <sup>3</sup> (Product of area and mean chord)	<u>5144.00</u>	<u>0.00375</u>

Table 6 Orbital Maneuvering System Shroud Details

MODEL COMPONENT: Orbital Maneuvering System Shroud - Z2

GENERAL DESCRIPTION: Fairing over orbital maneuvering system. Located on aft upper fuselage mold line.

Model Scale = 0.009

DRAWING NUMBER: Elco Engineering EE5424-1106

<u>DIMENSIONS:</u>	<u>FULL-SCALE</u>	<u>MODEL SCALE</u>
Length (along upper surface), in.	<u>359.31</u>	<u>3.234</u>
Sta. of Leading Edge, in.	<u>2163.33</u>	<u>19.470</u>
Sta. of Trailing Edge, in.	<u>2523.56</u>	<u>22.712</u>
Pitch Angle (T.E. Up), deg.	<u>3.181</u>	<u>3.181</u>
Area		
Max. Cross-Sectional	<u>                    </u>	<u>                    </u>
Planform	<u>                    </u>	<u>                    </u>
Wetted	<u>                    </u>	<u>                    </u>
Base	<u>                    </u>	<u>                    </u>

Table 7 Orbiter Tail Details

MODEL COMPONENT: Vertical Tail - V27

GENERAL DESCRIPTION: Centerline vertical tail on delta wing configuration.

The total data includes the void area listed below. Used with Body-B6.

Follows NR lines 9992-161B.

Model Scale = 0.009

DRAWING NUMBER: Elco Engineering EE5424-1106-7, -8, -11, -12

<u>DIMENSIONS:</u>	<u>FULL-SCALE</u>	<u>MODEL SCALE</u>
<u>TOTAL DATA</u>		
Area, ft <sup>2</sup>		
*Planform	<u>626.03</u>	<u>0.05071</u>
*Void (included above)	<u>1.99</u>	<u>0.00016</u>
Span (equivalent), in.	<u>361.06</u>	<u>3.250</u>
Aspect Ratio	<u>1.446</u>	<u>1.446</u>
Rate of Taper	<u>0.718</u>	<u>0.718</u>
Taper Ratio	<u>0.316</u>	<u>0.316</u>
Dihedral Angle, degrees	<u>-</u>	<u>-</u>
Incidence Angle, degrees	<u>-</u>	<u>-</u>
Aerodynamic Twist, degrees	<u>-</u>	<u>-</u>
Toe-In Angle	<u>0.000</u>	<u>0.000</u>
Cant Angle	<u>0.000</u>	<u>0.000</u>
Sweep Back Angles, degrees		
Leading Edge	<u>50.003</u>	<u>50.003</u>
Trailing Edge	<u>25.352</u>	<u>25.352</u>
0.25 Element Line	<u>45.352</u>	<u>45.352</u>
Chords: in.		
Root (W.P. 511.62)	<u>379.31</u>	<u>3.414</u>
Tip, (equivalent) (W.P. 872.67)	<u>120.05</u>	<u>1.080</u>
MAC (W.P. 660.90)	<u>272.11</u>	<u>2.449</u>
Fus. Sta. of .25 MAC	<u>2422.61</u>	<u>21.803</u>
W.P. of .25 MAC	<u>660.90</u>	<u>5.948</u>
B.L. of .25 MAC	<u>0.00</u>	<u>0.000</u>
Airfoil Section		
(W.P. 500.44)	<u>NACA 0012-64</u>	
(W.P. 878.00)	<u>NACA 0009-64</u>	
<u>EXPOSED DATA</u>		
Area	<u>_____</u>	<u>_____</u>
Span, (equivalent)	<u>_____</u>	<u>_____</u>
Aspect Ratio	<u>_____</u>	<u>_____</u>
Taper Ratio	<u>_____</u>	<u>_____</u>
Chords		
Root	<u>_____</u>	<u>_____</u>
Tip	<u>_____</u>	<u>_____</u>
MAC	<u>_____</u>	<u>_____</u>
Fus. Sta. of .25 MAC	<u>_____</u>	<u>_____</u>
W.P. of .25 MAC	<u>_____</u>	<u>_____</u>
B.L. of .25 MAC	<u>_____</u>	<u>_____</u>

\* This area is the void area located at the lower aft portion of the surface.

Table 8 Orbiter Drag Brake Details

MODEL COMPONENT: Drag Brake - J4 (Data for one of two sides)

GENERAL DESCRIPTION: Drag Brake - J4 is the deflectable side panels of delta wing vertical tail V27 hinged at the 60% element line and extending to the trailing edge.

Model Scale = 0.009

DRAWING NUMBER: Ellco Engineering EF5424-1106-11, -12

(All dimensions are in the drag brake reference plane)

<u>DIMENSIONS:</u>	<u>FULL-SCALE</u>	<u>MODEL SCALE</u>
Area, ft <sup>2</sup>	<u>242.39</u>	<u>0.01963</u>
Span (equivalent), in.	<u>355.61</u>	<u>3.201</u>
Inb'd equivalent chord, in. (W.P. 520.18)	<u>149.22</u>	<u>1.343</u>
Outb'd equivalent chord, in. (W.P. 875.79)	<u>47.08</u>	<u>0.424</u>
Ratio movable surface chord/ total surface chord		
At Inb'd equiv. chord	<u>-</u>	<u>-</u>
At Outb'd equiv. chord	<u>-</u>	<u>-</u>
Sweep Back Angles, degrees		
Leading Edge	<u>37.273</u>	<u>37.273</u>
Trailing Edge	<u>25.352</u>	<u>25.352</u>
Hingeline	<u>37.273</u>	<u>37.273</u>
Area Moment (Normal to hinge line), ft <sup>3</sup> (Produce of area and mean chord)	<u>1921.27</u>	<u>0.00140</u>
Buttock Plane of Hingeline, in.	<u>3.44</u>	<u>0.031</u>

## NOMENCLATURE

<u>TEXT</u>	<u>SYMBOL</u>	<u>DATA PRINTOUT</u>	<u>DEFINITION</u>
b			Skin thickness, ft.
c		C	Local chord length, in.
$c_p$			Specific heat, BTU/lb <sub>m</sub> -°R
$dT_w/dt$		DTWDT	Derivative of the model skin temperature with respect to time, °R/sec
h		H(T <sub>0</sub> )	Heat transfer coefficient based on T <sub>0</sub> , BTU/ft <sup>2</sup> -sec-°R
		H(9T <sub>0</sub> )	Heat transfer coefficient based on 0.9 T <sub>0</sub> , BTU/ft <sup>2</sup> -sec-°R
		H(.85T <sub>0</sub> )	Heat transfer coefficient based on 0.85 T <sub>0</sub> , BTU/ft <sup>2</sup> -sec-°R
$h_{ref}$		HREF	Theoretical stagnation point heat transfer coefficient for a 0.009-foot (1 scale foot) radius sphere calculated from Fay-Riddell theory using a wall temperature of 560 R, BTU/ft <sup>2</sup> -sec-°R
L		L	Fuselage length (See Fig. 2)
		MACH	Free-stream Mach number
		MU-INF	Free-stream viscosity, lb/sec-ft <sup>2</sup>
		P-INF	Free-stream pressure, psia
		PO	Tunnel-stilling chamber pressure, psia



NOMENCLATURE  
(Continued)


<u>TEXT</u>	<u>SYMBOL</u>	<u>DATA PRINTOUT</u>	<u>DEFINITION</u>
		Q-DOT	Heat transfer rate, BTU/ft <sup>2</sup> -sec
		Q-INF	Free-stream dynamic pressure, psia
		RE/FT	Free-stream unit Reynolds number ft <sup>-1</sup>
		RHO-INF	Free-stream density, slugs/ft <sup>3</sup>
		ROLL-MODEL	Model roll angle, deg.
S		S	Semispan, wing, vertical stabilizer (see Figs. 2 and 2 continued)
		ST-FR	Theoretical stagnation point Stanton number for a 0.009-foot (1 scale foot) radius sphere calculated from Fay-Riddell theory using a wall temperature of 560°R
t			Time, sec.
		T-INF	Free-stream temperature, °R
T <sub>o</sub>		TO	Tunnel stilling chamber temperature, °R
T <sub>w</sub>		TW	Model skin temperature, °R
		V-INF	Free-stream velocity, ft/sec
w			Model skin density, lb <sub>m</sub> /ft <sup>3</sup>
X		X	Axial coordinate (see Figs. 2 and 2 continued)
XD			Axial distance from the orbiter nose to the booster nose, in.


NOMENCLATURE  
(Continued)

<u>TEXT</u>	<u>SYMBOL</u>	<u>DATA PRINTOUT</u>	<u>DEFINITION</u>
Y		Y	Lateral coordinate (see Figs. 2 and 2 continued)
		YAW	Model yaw angle (equal to - ), deg.
		YMAX	Local maximum fuselage width, in.
Z		Z	Vertical coordinate (see Fig. 2)
ZD			Vertical distance from the top of the booster to the bottom of the orbiter, in.
$\alpha$		ALPHA-MODEL	Model angle of attack, deg.
		ALPHA-PREBEND	Sting prebend angle, deg.
		ALPHA-SECTOR	Tunnel sector angle, deg.
$\beta$			Sideslip angle, deg.
$\phi^*$		PHI	Orientation angle on the booster (see Fig. 2), deg.
$\phi_M$			Model roll angle, deg.
$\delta_C^*$			Canard deflection angle (see Fig. 2), deg.
$\delta_e$			Elevon deflection angle (see Fig. 2), deg.
<b>SUBSCRIPT</b>			
		i	Initial conditions

\* Not applicable to this configuration.

P L O T T E D   D A T A





SYMBOL

FUSELAGE

RUN  
44

MACH  
7.94

RE/FT  
0.83E+06

ALPHA  
0.07

YAW  
0.00


BOTTOM CENTERLINE  
TOP CENTERLINE

SYMBOL


33

10000  
8000  
6000  
5000  
4000  
3000  
2000  
1000  
500  
300  
200  
100  
80  
60  
50  
40  
30  
20  
10  
8  
6  
5  
4  
3  
2  
1  
0.1  
0.01  
0.001  
0.0001

H(CTD)  
HREF



0 0.1 0.2 0.3 0.4 X/L 0.5 0.6 0.7 0.8 0.9 1.0



FUSELAGE

RUN  
43

MACH  
7.94

RE/FT  
0.84E+06

ALPHA  
5.13

YAW  
0.00

0.1

H(TD)  
HREF

0.01

0.001


0.0001

X/L


BOTTOM CENTERLINE  
TOP CENTERLINE

SYMBOL

35







FUSELAGE

RUN  
39

MACH  
8.00

RE/FT  
2.51E+06

ALPHA  
9.96

YAW  
0.00

BOTTOM CENTERLINE  
TOP CENTERLINE

SYMBOL


0.1


H(10)  
HREF


0.01


0.001

0.0001









SYMBOL

40

FUSELAGE

RUN  
38

MACH  
8.00

RE/FT  
2.52E+06

ALPHA  
20.00

YAW  
0.00

BOTTOM CENTERLINE  
TOP CENTERLINE

SYMBOL  
□  
○

0.1

H(TD)  
HREF


0.01


0.001

0.0001

X/L

0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1.0





FUSELAGE

RUN  
42

MACH  
7.94

RE/FT  
0.84E+06

ALPHA  
29.54

YAW  
0.00


1.  
10000  
5000  
4000  
3000  
2000  
1000  
800  
600  
500  
400  
300  
200  
100  
80  
60  
50  
40  
30  
20  
10  
8  
6  
5  
4  
3  
2  
1  
0.0001

H(TD)  
HREF

0.1

0.01


0.001





BOTTOM CENTERLINE  
TOP CENTERLINE

SYMBOL  
□  
○













SYMBOL

46









FUSELAGE

RUN  
34

MACH  
8.00

RE/FT  
 $3.72E+06$

ALPHA  
49.99

YAW  
0.00

BOTTOM CENTERLINE  
TOP CENTERLINE

SYMBOL


0.1

H(TD)  
AREF


0.01

0.001

0.0001







FUSELAGE

RUN

45

MACH  
7.94

RE/FT  
0.82E+06

ALPHA  
-4.90

YAW  
0.00

0.1

H(TD)  
HREF

0.01


0.001


X/L  
0.1  
0.1  
0.2  
0.2  
0.3  
0.3  
0.4  
0.4


Y/YMAX  
-  
+  
-  
+  
-  
+  
-  
+

SYMBOL  
□  
○  
○  
○  
△  
△  
△  
△

0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1.0  
Y/YMAX







FUSELAGE

RUN  
44

MACH  
7.94

REZFT  
0.83E+06

ALPHA  
0.07

YAW  
0.00

X/L  
0.1  
0.1  
0.2  
0.2  
0.3  
0.3  
0.4  
0.4

Y/YMAX  
-  
+  
+  
+  
-  
+  
-  
+

SYMBOL  
□  
○  
○  
○  
△  
△  
△  
△

0.1


H(TD)  
HREF

0.01

0.001

0.0001

0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1.0  
Y/YMAX



FUSELAGE

RUN  
47

MACH 8.00 RE/FI 3.79E+06 ALPHA 0.08 YAW 0.00

X/L	Y/YMAX	SYMBOL
0.1	-	□
0.1	+	○
0.2	-	○
0.2	+	⊗
0.3	-	△
0.3	+	⊗
0.4	-	△
0.4	+	⊗

0.1

H(TD)  
HREF


0.01

0.001

0.0001

0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1.0  
Y/YMAX





FUSELAGE

RUN  
43

MACH  
7.94

RE/FT  
0.84E+06

ALPHA  
5.13

YAW  
0.00

0.1

H(TD)  
HREF


0.01


0.001


0.0001

X/L	Y/YMAX	SYMBOL
0.1	-	□
0.1	+	○
0.2	-	○
0.2	+	⊗
0.3	-	△
0.3	+	⊙
0.4	-	▽
0.4	+	⊚

0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1.0  
Y/YMAX







FUSELAGE

RUN  
39

MACH  
8.00

RE/FT  
2.51E+06

ALPHA  
9.96

YAW  
0.00

X/L	Y/YMAX	SYMBOL
0.1	-	□
0.1	+	⊙
0.2	-	○
0.2	+	⊗
0.3	-	△
0.3	+	⊠
0.4	-	▽
0.4	+	⊚

0.1


H(TD)  
HREF

0.01

0.001

0.0001

0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1.0  
Y/YMAX



FUSELAGE

RUN  
49

MACH 8.00 RE/FT 3.74E+06 ALPHA 9.52 YAW 0.00

0.1

H(C/D)  
HREF

0.01


0.001


0.0001


X/L	Y/YMAX	SYMBOL
0.1	-	□
0.1	+	⊙
0.2	-	○
0.2	+	⊗
0.3	-	△
0.3	+	⊠
0.4	-	▭
0.4	+	⊞

0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1.0  
Y/YMAX









FUSELAGE

RUN

MACH

RE/FI

ALPHA

YAW

7.94

0.83E+06

20.00

0.00

X/L

Y/YMAX

SYMBOL

0.1

-

□

0.1

+

⊕

0.2

-

○

0.2

+

⊗

0.3

-

△

0.3

+

⊛

0.4

-

▽

0.4

+

⊞

0.1

H(TD)  
HREF


0.01


0.001


0.0001


0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1.0

Y/YMAX




















FUSELAGE

RUN  
37

MACH  
8.00

RE/FT  
2.50E+06

ALPHA  
29.86

YAW  
0.00

X/L	Y/YMAX	SYMBOL
0.1	-	□
0.1	+	⊙
0.2	-	○
0.2	+	⊗
0.3	-	△
0.3	+	⊛
0.4	-	▽
0.4	+	⊝

0.1


H(TD)  
AREF

0.01

0.001

0.0001

0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1.0  
Y/YMAX



FUSELAGE

RUN  
32

MACH  
8.00

RE/FT  
3.74E+06

ALPHA  
29.96

YAW  
0.00

X/L	Y/YMAX	SYMBOL
0.1	-	□
0.1	+	○
0.2	-	○
0.2	+	⊗
0.3	-	△
0.3	+	⊗
0.4	-	△
0.4	+	⊗

0.1

H(10)  
HREF


0.01

0.001

0.0001

0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1.0

Y/YMAX



FUSELAGE

RUN  
31

MACH  
8.00

RE/FT  
3.74E+06

ALPHA  
29.86

YAW  
0.00

CRIT-ON

X/L

Y/YMAX

SYMBOL

0.1  
0.1  
0.2  
0.2  
0.3  
0.3  
0.4  
0.4

-  
+  
-  
+  
-  
+  
-  
+

□  
○  
○  
⊗  
△  
⊗  
△  
⊗



0.1

H(10)  
HREF


0.01

0.001

0.0001







FUSELAGE

RUN 36

MACH 8.00 RE/FT 2.50E+06 ALPHA 39.98 YAW 0.00


X/L	Y/YMAX	SYMBOL
0.1	-	□
0.1	+	○
0.2	-	○
0.2	+	⊗
0.3	-	△
0.3	+	⊗
0.4	-	△
0.4	+	⊗


H(10)  
HREF

0.01


0.001


0.0001






















FUSELAGE

RUN  
34

MACH 8.00 RE/FT 3.72E+06 ALPHA 49.99 YAW 0.00

H(TD)  
HREF

X/L	Y/YMAX	SYMBOL
0.1	-	□
0.1	+	○
0.2	-	○
0.2	+	⊗
0.3	-	△
0.3	+	⊗
0.4	-	○
0.4	+	⊗


0.1


0.01


0.001


0.0001

0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1.0  
Y/YMAX









UPPER WING SURFACE

RUN  
46

MACH 8.00  
 $\delta = 0^\circ$

RE/FT 3.81E+06

ALPHA -5.00

YAW 0.00

Y/S SYMBOL

0.10  $\square$

0.25  $\odot$

0.50  $\triangle$

0.75  $\nabla$


0.1

H(1D)  
HREF

0.01

0.001

0.0001



UPPER WING SURFACE

RUN

44

MACH

7.94

$\delta e = 0$

RE/FT

$0.83E+06$

ALPHA

0.07

YAW

0.00

Y/S

0.10

0.25

0.50

0.75

SYMBOL

□

○

△

▲

0.1

H(TD)  
HREF

0.01

0.001

0.0001

0 0.1 0.2 0.3 0.4 X/C 0.5 0.6 0.7 0.8 0.9 1.0



UPPER WING SURFACE

RUN  
47

MACH  
8.00

RE/FT  
3.79E+06

ALPHA  
0.08

YAW  
0.00


Y/S	SYMBOL
0.10	□
0.25	○
0.50	△
0.75	▽

H(CTD)  
AREF

0.01

0.001

0.0001



100

UPPER WING SURFACE

RUN  
43

MACH  
7.94  
 $\delta_e = 0^\circ$

RE/FT  
0.84E+06

ALPHA  
5.13

YAW  
0.00

Y/S	SYMBOL
0.10	□
0.25	○
0.50	▲
0.75	△

0.1

H(TD)  
HREF


0.01

0.001

0.0001

0 0.1 0.2 0.3 0.4 X/C 0.5 0.6 0.7 0.8 0.9 1.0

101



UPPER WING SURFACE

RUN  
40

MACH 7.94  
 RE/FT  $0.82E+06$   
 ALPHA 9.95  
 YAW 0.00

Y/S SYMBOL  
 0.10 □  
 0.25 ○  
 0.50 ▲  
 0.75 ▽


0.1  
 H(TD)  
 HREF

0.01

0.001

0.0001

0 0.1 0.2 0.3 0.4 X/C 0.5 0.6 0.7 0.8 0.9 1.0



UPPER WING SURFACE

RUN  
39

MACH  
8.00  
 $\delta_c = 0$

RE/FT  
 $2.51E+06$

ALPHA  
9.96

YAW  
0.00


Y/S SYMBOL  
0.10 □  
0.25 ○  
0.50 ▲  
0.75 ▽

H(TD)  
HREF

0.01

0.001

0.0001



UPPER WING SURFACE

RUN  
49

MACH 8.00  
 $\delta = 0^\circ$

REZET 3.74E+06

ALPHA 9.52

YAW 0.00

Y/S SYMBOL

0.10 □

0.25 ○

0.50 ▲

0.75 ▽


HCTD  
HREF


0.1


0.01

0.001

0.0001







UPPER WING SURFACE

RUN  
48

MACH 8.00 RE/FT 3.75E+06 ALPHA 19.48 YAW 0.00

$\delta_a = 0^\circ$

Y/S	SYMBOL
0.10	□
0.25	○
0.50	▲
0.75	△

0.1


H(TD)  
HREF

0.01

0.001

0.0001

0 0.1 0.2 0.3 0.4 X/C 0.5 0.6 0.7 0.8 0.9 1.0





UPPER WING SURFACE

RUN  
42

MACH 7.94  
 $\delta = 10^\circ$   
RE/FT  $0.84E+06$   
ALPHA 29.54  
YAW 0.00

Y/S SYMBOL  
0.10  $\square$   
0.25  $\circ$   
0.50  $\triangle$   
0.75  $\nabla$


0.3

H(TD)  
HREF

0.01

0.001

0.0001



UPPER WING SURFACE

RUN  
37

MACH  
8.00  
 $\delta_c = 0$

RE/FT  
 $2.50E+06$

ALPHA  
29.86

YAW  
0.00

Y/S SYMBOL  
0.10 □  
0.25 ○  
0.50 ▲  
0.75 ▽

H(10)  
AREF


0.1

0.01

0.001

0.0001

0 0.1 0.2 0.3 0.4 X/C 0.5 0.6 0.7 0.8 0.9 1.0



OIT

UPPER WING SURFACE

RUN  
51

MACH 8.00  
 $\delta_e = +10^\circ$

RE/FT  $3.73E+06$

ALPHA 29.62

YAW 0.00

Y/S	SYMBOL
0.10	□
0.25	○
0.50	△
0.75	△


H(1D)  
HREF


0.01

0.001

0.0001

0 0.1 0.2 0.3 0.4 X/C 0.5 0.6 0.7 0.8 0.9 1.0





UPPER WING SURFACE

RUN  
36

MACH  
8.00  
 $\delta_{e=0}$

RE/FT  
 $2.50E+06$

ALPHA  
39.98

YAW  
0.00


Y/S SYMBOL  
0.10 □  
0.25 ○  
0.50 ▲  
0.75 ▽


H(TD)  
HREF

0.01

0.001

0.0001





UPPER WING SURFACE

RUN  
30

MACH 8.00 RE/FT 3.76E+06 ALPHA 39.98 YAW 0.00

GRIT-ON  
 $\delta_e = 0^\circ$

Y/S SYMBOL  
0.10 □  
0.25 ○  
0.50 ▲  
0.75 ▴


0.1

H(TD)  
HREF

0.01


0.001


0.0001




30









LOWER WING SURFACE

RUN  
45

MACH 7.94  
 $\delta = 0^\circ$

RE/FT  $0.82E+06$

ALPHA -4.90

YAW 0.00

Y/S SYMBOL

0.10  $\square$

0.25  $\circ$

0.50  $\triangle$

0.75  $\blacktriangle$


H(TD)  
AREF


0.1

0.01

0.001

0.0001





LOWER WING SURFACE

RUN  
94

MACH 7.94  
 $\delta_e = 0^\circ$

RE/FT  $0.83E+06$

ALPHA 0.07

YAW 0.00

Y/S SYMBOL

0.10 □

0.25 ○

0.50 ▲

0.75 ▽

0.1


H(10)  
HREF


0.01

0.001

0.0001

0 0.1 0.2 0.3 0.4 X/C 0.5 0.6 0.7 0.8 0.9 1.0





LOWER WING SURFACE

RUN  
43

MACH  
7.94  
 $\delta_e = 0^\circ$

RE/FT  
 $0.84E+06$

ALPHA  
5.13

YAW  
0.00


Y/S	SYMBOL
0.10	□
0.25	○
0.50	△
0.75	▽

H(10)  
AREF

0.01

0.001

0.0001





LOWER WING SURFACE

RUN

40

MACH 7.94  
 $\delta e = 0$

RE/FT  $0.82E+06$

ALPHA 9.95

YAW 0.00

Y/S SYMBOL

0.10  $\square$

0.25  $\circ$

0.50  $\triangle$

0.75  $\nabla$


0.1

HCTD  
HREF

0.01

0.001

0.0001



LOWER WING SURFACE

RUN  
39

MACH 8.00  
 $\alpha = 0^\circ$   
RE/FT  $2.51E+06$   
ALPHA 9.96  
YAW 0.00

Y/S SYMBOL  
0.10  $\square$   
0.25  $\circ$   
0.50  $\triangle$   
0.75  $\nabla$


0.1

H(TD)  
HREF

0.01

0.001

0.0001



LOWER WING SURFACE

RUN  
49

MACH  
8.00  
 $\delta_e = 0^\circ$

RE/FT  
 $3.74E+06$

ALPHA  
9.52

YAW  
0.00

Y/S	SYMBOL
0.10	□
0.25	○
0.50	△
0.75	▽


0.1


H(10)  
HREF


0.01


0.001


0.0001











LOWER WING SURFACE

RUN  
37

MACH  
8.00  
 $\delta_e = 0^\circ$

RE/FT  
 $2.50E+06$

ALPHA  
29.86

YAW  
0.00

Y/S	SYMBOL
0.10	□
0.25	○
0.50	▲
0.75	△

H(YD)  
AREF


0.01


0.001


0.0001

0 0.1 0.2 0.3 0.4 X/C 0.5 0.6 0.7 0.8 0.9 1.0









LOWER WING SURFACE

RUN  
36

MACH  
8.00  
 $\alpha_e = 0^\circ$

RE/FT  
 $2.50E+06$

ALPHA  
39.98

YAW  
0.00

Y/S	SYMBOL
0.10	□
0.25	○
0.50	△
0.75	▽


H(TD)  
HREF


0.1


0.01

0.001

0 0.1 0.2 0.3 0.4 X/C 0.5 0.6 0.7 0.8 0.9 1.0







LOWER WING SURFACE

RUN  
34

MACH  
8.00

RE/FT  
3.72E+06

ALPHA  
49.99

YAW  
0.00

$\delta_e = 0$

Y/S SYMBOL  
0.10 □  
0.25 ○  
0.50 ▲  
0.75 ▽

0.1

H(TD)  
HREF


0.01

0.001

0.0001

0 0.1 0.2 0.3 0.4 X/C 0.5 0.6 0.7 0.8 0.9 1.0





VERTICAL STABILIZER

RUN  
45

MACH 7.94 RE/FT 0.82E+06 ALPHA -4.90 YAW 0.00

Z/S SYMBOL  
0.10 □  
0.25 ○  
0.50 ▲  
0.75 ▽

0.1


H(TD)  
HREF


0.01

0.001

0.0001

0 0.1 0.2 0.3 0.4 X/C 0.5 0.6 0.7 0.8 0.9 1.0





# VERTICAL STABILIZER

RUN  
44

MACH      RE/FT      ALPHA      YAW  
7.94      0.83E+06      0.07      0.00

Z/S      SYMBOL  
0.10      □  
0.25      ○  
0.50      ▲  
0.75      ▽

0.1


H(TD)  
HREF


0.01

0.001

0.0001

0      0.1      0.2      0.3      0.4 X/C      0.5      0.6      0.7      0.8      0.9      1.0





VERTICAL STABILIZER

RUN  
43

MACH  
7.94

RE/FT  
0.84E+06

ALPHA  
5.13

YAW  
0.00

Z/S SYMBOL  
0.10 □  
0.25 ○  
0.50 ▲  
0.75 ▽


0.1

H(10)  
HREF

0.01

0.001

0.0001



VERTICAL STABILIZER

RUN  
40

MACH  
7.94

RE/FT  
0.82E+06

ALPHA  
9.95

YAW  
0.00

Z/S	SYMBOL
0.10	□
0.25	○
0.50	△
0.75	▽

H(10)  
HREF

0.01

0.001

0.0001

0 0.1 0.2 0.3 0.4 X/C 0.5 0.6 0.7 0.8 0.9 1.0

VERTICAL STABILIZER

RUN  
39

MACH 8.00 RE/FT 2.51E+06 ALPHA 9.96 YAW 0.00

Z/S SYMBOL  
0.10 □  
0.25 ○  
0.50 ▲  
0.75 ▽

0.1


H(TD)  
HREF

0.01

0.001

0.0001

0 0.1 0.2 0.3 0.4 X/C 0.5 0.6 0.7 0.8 0.9 1.0





VERTICAL STABILIZER

RUN  
49

MACH 8.00 RE/FT 3.74E+06 ALPHA 9.52 YAW 0.00

Z/S SYMBOL  
0.10 □  
0.25 ○  
0.50 ▲  
0.75 ▴

0.1

H(TD)  
AREF

0.01

0.001

0.0001

0 0.1 0.2 0.3 0.4 X/C 0.5 0.6 0.7 0.8 0.9 1.0

VERTICAL STABILIZER

RUN

41

MACH  
7.94

RE/FI  
0.83E+06

ALPHA  
20.00

YAW  
0.00

Z/S  
0.10  
0.25  
0.50  
0.75

SYMBOL  
□  
○  
△  
▽

H(TD)  
HREF

0.01

0.001

0.0001

0 0.1 0.2 0.3 0.4 X/C 0.5 0.6 0.7 0.8 0.9 1.0

# VERTICAL STABILIZER

RUN  
38

MACH  
8.00

RE/FT  
2.52E+06

ALPHA  
20.00

YAW  
0.00

Z/S	SYMBOL
0.10	□
0.25	○
0.50	△
0.75	▽


0.1

H(CTD)  
HREF

0.01

0.001

0.0001



VERTICAL STABILIZER

RUN  
48

MACH  
8.00

REZFT  
3.75E+06

ALPHA  
19.48

YAW  
0.00

Z/S	SYMBOL
0.10	□
0.25	○
0.50	△
0.75	▽


H(1D)  
HREF


0.01

0.001

0.0001

0 0.1 0.2 0.3 0.4 X/C 0.5 0.6 0.7 0.8 0.9 1.0





VERTICAL STABILIZER

RUN  
37

MACH 8.00 RE/FT 2.50E+06 ALPHA 29.86 YAW 0.00

Z/S SYMBOL  
0.10 □  
0.25 ○  
0.50 ▲  
0.75 ▽


0.1

HCTD  
HREF

0.01

0.001

0.0001



VERTICAL STABILIZER

RUN  
32

MACH 8.00 RE/FT 3.74E+06 ALPHA 29.96 YAW 0.00

Z/S SYMBOL  
0.10 □  
0.25 ○  
0.50 ▲  
0.75 △

0.1

H(TD)  
AREF

0.01

0.001

0.0001

0 0.1 0.2 0.3 0.4 X/C 0.5 0.6 0.7 0.8 0.9 1.0

VERTICAL STABILIZER

RUN  
31

MACH 8.00 RE/FT 3.74E+06 ALPHA 29.86 YAW 0.00  
CRIT-ON

Z/S SYMBOL  
0.10 □  
0.25 ○  
0.50 ▲  
0.75 ▽


0.1

H(TD)  
HREF

0.01

0.001

0.0001





VERTICAL STABILIZER

RUN  
36

MACH 8.00 RE/FT 2.50E+06 ALPHA 39.98 YAW 0.00

Z/S SYMBOL  
0.10 □  
0.25 ○  
0.50 ▲  
0.75 ▽


0.1

H(TD)  
HREF

0.01

0.001

0.0001



VERTICAL STABILIZER

RUN  
33

MACH  
8.00

RE/FT  
3.73E+06

ALPHA  
39.97

YAW  
0.00

Z/S SYMBOL  
0.10 □  
0.25 ○  
0.50 ▲  
0.75 ▽

H(10)  
HREF

0.01

0.001

0.0001

0 0.1 0.2 0.3 0.4 X/C 0.5 0.6 0.7 0.8 0.9 1.0

VERTICAL STABILIZER

RUN

30

MACH 8.00 RE/FT 3.76E+06 ALPHA 39.98 YAV 0.00  
CRIT-ON


Z/S SYMBOL  
0.10 □  
0.25 ○  
0.50 ▲  
0.75 △

H(TD)  
HREF

0.01

0.001

0.0001



VERTICAL STABILIZER

RUN  
35

MACH  
8.00

RE/FI  
2.52E+06

ALPHA  
49.99

YAW  
0.00

Z/S	SYMBOL
0.10	□
0.25	○
0.50	△
0.75	◇

H(TD)  
REF

0.01

0.001

0.0001

0 0.1 0.2 0.3 0.4 X/C 0.5 0.6 0.7 0.8 0.9 1.0

VERTICAL STABILIZER

RUN  
34

MACH  
8.00

RE/FT  
3.72E+06

ALPHA  
49.99

YAW  
0.00

Z/S SYMBOL  
0.10 □  
0.25 ○  
0.50 ▲  
0.75 ▽

H(TD)  
HREF


0.1

0.01

0.001

0.0001

0 0.1 0.2 0.3 0.4 X/C 0.5 0.6 0.7 0.8 0.9 1.0



VERTICAL STABILIZER

RUN  
29

MACH	RE/FT	ALPHA	YAW
8.00	3.76E+06	49.96	0.00
GRIT-ON		Z/S	SYMBOL
		0.10	□
		0.25	○
		0.50	△
		0.75	△

0.1

H(TD)  
HREF

0.01

0.001

0.0001

0 0.1 0.2 0.3 0.4 X/C 0.5 0.6 0.7 0.8 0.9 1.0

A P P E N D I X

5/29/71

AEDC(AHO-INC.) ARNOLD AFS, TENNESSEE  
VON KARMAN GAS DYNAMICS FACILITY  
50 INCH HYPERSONIC TUNNEL R  
VT1162

Table with columns: RUN 29, CONFIG 7, MODEL NAM=U=0, MACH NO R.00, PO PSIA 855.8, TO DEG R 1336, ALPHA-MODEL 50.06, ALPHA-SECTOR -R.06, ALPHA-PREBEND -42.00, ROLL-MODEL 180.00, YAW .0. Sub-headers include I-INF, P-INF, Q-INF, U-INF, V-INF, W-INF, MU-INF, RE/FT, MREF-FR, SFM, SWITCH, and various HREF values.

NOT REPRODUCIBLE

1006573



AEDC (ARO, INC.) ARNOLD AFB, TENNESSEE  
VON KARMAN GAS DYNAMICS FACILITY  
50 INCH HYPERSONIC TUNNEL R  
VT1162

ROLL	CONFID	MODEL	MACH NO	PO PSIA	TO DEG R	ALPHA-MODEL	ALPHA-SECTOR	ALPHA-PREBEND	ROLL-MODEL	YAW
29	P	ARR-UMD	A.00	A59-3	1339	A9-96	-7.96	-42.00	180.00	0
T-1NF	P-1NF	Q-1NF	V-1NF	RHO-1NF	MU-1NF	RE/FT	HREF-FH	SIFR	SWITCH POSITION	
(DEG R)	(PSIA)	(PSIA)	(F1/SEC)	(SLUGS/FT3)	(LB-SEC/FT2)	(F1-1)	(H = .009FT)	(H = .009FT)	2	
97.0	.000	3.943	JHA1	7.610E-05	7.612E-04	3.70E 06	6.834E-02	2.923E-02	2	
TC	AO	TM	UMCT	U-DOT	M(TO)	M(TO)/HREF	M(.9TO)	M(.9TO)/HREF	M(.85TO)	M(.85TO)/HREF
99	620	57.799	11.446	1.591E-02	.2524	1.9592E-02	.2869	7.2077E-02	.3230	FUSELAGE
100	617	57.976	11.447	1.591E-02	.2523	1.9644E-02	.2892	7.1999E-02	.3219	K/L
101	616	55.169	11.442	1.537E-02	.2395	2.0088E-02	.2939	7.1999E-02	.3219	Y/ZMAX
102	621	56.432	12.142	1.691E-02	.2476	2.0791E-02	.3042	7.2667E-02	.3315	.8000
103	620	52.824	10.743	1.497E-02	.2190	1.8400E-02	.2692	7.3483E-02	.3435	.8000
104	630	51.050	9.974	1.350E-02	.1974	1.6637E-02	.2434	7.0779E-02	.3040	.8500
105	628	44.404	9.000	1.231E-02	.1801	1.5073E-02	.2209	1.8829E-02	.2754	.9000
106	596	41.619	8.387	1.178E-02	.1651	1.3764E-02	.2014	1.6976E-02	.2484	.9000
107	621	51.083	9.918	1.782E-02	.2021	1.6984E-02	.2445	1.9443E-02	.2262	.9000
108	615	50.622	9.720	1.743E-02	.1964	1.6475E-02	.2410	1.9193E-02	.2206	.9000
109	547	1.831	.172	6.742E-04	.0084	5.7133E-04	.0084	1.8544E-02	.2719	.9000
110	555	1.931	.249	3.815E-04	.0054	4.6005E-04	.0047	1.9288E-02	.2806	.9000
111	546	1.951	.222	2.831E-04	.0041	3.4132E-04	.0050	1.8047E-02	.2552	.9000
112	631	91.059	10.165	1.439E-02	.2101	1.7714E-02	.2592	7.2007E-02	.3056	.9000
113	640	88.457	13.476	1.957E-02	.2863	2.4788E-02	.3541	7.7463E-02	.2934	.9500
114	646	88.364	13.262	1.914E-02	.2801	2.3710E-02	.3472	7.6960E-02	.2901	.9900
115	647	89.984	12.359	1.786E-02	.2612	2.2117E-02	.3239	7.5159E-02	.2944	.9900
116	632	86.544	11.169	1.580E-02	.2311	1.9489E-02	.2891	7.2007E-02	.2928	.9900
117	632	86.441	9.282	1.313E-02	.1921	1.6200E-02	.2170	1.8344E-02	.2684	.9900
118	541	8.027	1.590	2.843E-03	.0299	2.4678E-03	.0261	1.7540E-03	.0403	.9900
119	541	8.027	1.590	2.843E-03	.0299	2.4678E-03	.0261	1.7540E-03	.0403	.9900
120	549	4.819	.560	7.986E-04	.0104	8.9386E-04	.0129	9.4492E-04	.0139	.9900
121	641	40.044	7.466	1.066E-02	.1500	1.3028E-02	.1966	1.4653E-02	.2144	LOWER WING SURFACE
122	615	47.258	8.273	1.143E-02	.1672	1.4021E-02	.2051	1.5816E-02	.2314	K/C
124	622	42.449	11.670	1.427E-02	.2379	1.9997E-02	.2926	7.2589E-02	.3305	Y/S
126	616	51.825	9.075	1.254E-02	.1835	1.5394E-02	.2252	1.7367E-02	.2541	0
127	618	55.267	10.312	1.430E-02	.2092	1.7541E-02	.2569	1.9821E-02	.2541	0
128	647	66.913	9.576	1.384E-02	.2025	1.7147E-02	.2511	1.9508E-02	.2900	0
134	597	47.542	9.853	1.328E-02	.1943	1.6208E-02	.2371	1.8214E-02	.2854	0
135	595	48.924	9.035	1.215E-02	.1777	1.4813E-02	.2167	1.6619E-02	.2655	0
136	616	74.927	14.089	2.005E-02	.2933	2.4764E-02	.3623	2.8067E-02	.2434	0
137	618	74.625	13.194	1.883E-02	.2755	2.3277E-02	.3445	2.6196E-02	.2944	0
138	618	89.974	13.546	1.935E-02	.2831	2.3918E-02	.3499	2.7119E-02	.3962	0
140	627	89.951	10.889	1.529E-02	.2237	1.8830E-02	.2755	2.1245E-02	.3967	0
142	617	59.176	10.034	1.390E-02	.2034	1.7070E-02	.2497	1.9264E-02	.3115	0
147	596	43.648	8.306	1.118E-02	.1636	1.3643E-02	.1996	1.5328E-02	.2918	0
148	616	71.604	13.461	1.913E-02	.2799	2.3631E-02	.3457	2.6779E-02	.2242	0
149	644	82.407	10.012	1.362E-02	.1993	1.6856E-02	.2437	1.8744E-02	.2918	0
151	611	72.339	14.880	2.092E-02	.3066	2.5801E-02	.3775	2.9209E-02	.2742	0
152	623	47.387	12.270	1.707E-02	.2308	2.5981E-02	.3391	2.9386E-02	.4273	0
154	623	60.421	11.248	1.478E-02	.2497	2.0994E-02	.3071	2.3723E-02	.3471	0
156	620	54.284	8.490	1.239E-02	.2308	1.9404E-02	.2839	2.1929E-02	.3208	0
157	622	47.865	8.867	1.203E-02	.2159	1.5924E-02	.2277	1.7191E-02	.2514	0
163	596	41.634	9.828	1.322E-02	.1935	1.4696E-02	.2190	1.6530E-02	.2419	0
164	630	76.087	14.705	2.075E-02	.3034	2.6131E-02	.3260	1.8122E-02	.2651	0
165	610	47.094	8.979	1.214E-02	.2034	2.5582E-02	.3742	2.8954E-02	.4234	0
166	629	72.374	13.566	1.909E-02	.2793	2.4825E-02	.3169	1.6668E-02	.2434	0
167	597	40.511	9.336	1.258E-02	.1841	2.3926E-02	.3442	2.6617E-02	.3894	0
168	620	41.664	12.544	1.748E-02	.2558	2.5344E-02	.2746	1.7294E-02	.2524	0
169	586	43.414	7.991	1.059E-02	.1550	2.1487E-02	.3143	2.4264E-02	.3550	0
170	587	40.272	7.408	9.849E-03	.1550	2.2882E-02	.1884	1.4442E-02	.2113	0
171	596	46.744	8.637	1.163E-02	.1441	1.1982E-02	.1753	1.3437E-02	.1966	0
172	623	45.241	11.429	1.652E-02	.2101	1.4187E-02	.2075	1.5940E-02	.2332	0
173	614	43.794	12.241	1.488E-02	.2416	2.0314E-02	.2972	2.2953E-02	.3358	0
175	606	53.321	11.094	1.513E-02	.2213	2.0700E-02	.3028	2.3343E-02	.3415	0
176	564	16.435	3.171	4.093E-03	.0599	1.6508E-02	.2708	2.0835E-02	.3048	0
174	606	49.559	9.195	1.254E-02	.1834	1.4442E-02	.0724	5.5256E-03	.0808	0
183	577	26.544	3.830	5.027E-03	.0735	1.5335E-02	.2243	1.7263E-02	.2525	0
184	602	44.902	8.317	1.128E-02	.1650	6.0498E-03	.0892	6.8248E-03	.0999	0
185	611	49.719	9.250	1.271E-02	.1860	1.3780E-02	.2016	1.5499E-02	.2267	0
186	597	43.631	8.062	1.086E-02	.1588	1.3246E-02	.2279	1.7560E-02	.2569	0
187	541	.331	.051	6.447E-05	.0009	7.7674E-05	.0011	1.4883E-02	.2177	UPPER WING SURFACE
130	550	.220	.037	4.741E-05	.0007	5.7108E-05	.0004	8.6534E-05	.0013	K/C
131	551	.262	.044	6.894E-05	.0010	8.3052E-05	.0012	1.1614E-05	.0009	Y/S
132	542	.596	.114	1.451E-04	.0021	1.7484E-04	.0026	9.2518E-05	.0014	0
133	548	1.324	.232	2.926E-04	.0043	3.5222E-04	.0052	1.9479E-04	.0028	0
143	547	.700	.142	1.786E-04	.0024	2.1496E-04	.0031	3.9215E-04	.0057	0
145	547	.472	.080	1.010E-04	.0015	1.2146E-04	.0018	2.3929E-04	.0035	0
146	547	1.341	.214	2.959E-04	.0043	3.5594E-04	.0052	1.3531E-04	.0020	0
154	545	1.399	.214	2.489E-04	.0039	3.2341E-04	.0047	3.9623E-04	.0058	0
159	545	1.181	.193	2.435E-04	.0036	2.9288E-04	.0043	3.5989E-04	.0053	0
160	546	.833	.137	1.732E-04	.0025	2.0839E-04	.0030	3.2594E-04	.0048	0
161	545	.669	.122	1.537E-04	.0022	1.8491E-04	.0027	2.3194E-04	.0034	0
162	543	2.984	.407	5.110E-04	.0075	6.1499E-04	.0090	7.0577E-04	.0030	0
170	541	.734	.132	1.655E-04	.0024	1.9893E-04	.0029	6.8353E-04	.0100	0
180	542	.538	.097	1.214E-04	.0018	1.4585E-04	.0021	2.2124E-04	.0032	0
181	542	.544	.068	8.546E-05	.0013	1.0271E-04	.0015	1.6222E-04	.0024	0
182	540	1.197	.202	2.528E-04	.0037	3.0371E-04	.0044	1.1425E-04	.0017	0
187	544	1.135	.186	2.335E-04	.0034	2.8074E-04	.0041	3.1236E-04	.0046	0
188	541	.841	.147	1.837E-04	.0027	2.2049E-04	.0032	2.4543E-04	.0036	0
149	539	.438	.074	9.231E-05	.0014	1.1085E-04	.0016	1.2323E-04	.0018	0
191	535	.854	.161	2.007E-04	.0029	2.4874E-04	.0035	2.6745E-04	.0039	0
192	544	2.792	.533	6.701E-04	.0098	8.0583E-04	.0118	8.9659E-04	.0131	0
193	539	2.029	.353	4.418E-04	.0065	5.3045E-04	.0078	5.8998E-04	.0086	0
194	536	.730	.123	1.530E-04	.0022	1.8364E-04	.0027	2.0406E-04	.0030	0
195	534	1.107	.198	2.461E-04	.0036	2.9524E-04	.0043	3.2796E-04	.0048	0
197	537	2.788	.514	6.406E-04	.0094	7.6889E-04	.0112	8.5467E-04	.0125	0
198	535	1.043	.187	2.323E-04	.0034	2.7877E-04	.0			

5/29/71

AFDC (ARO, INC.) ANNOLD AFS, TPNNESEF  
VON KARMAN GAS DYNAMICS FACILITY  
50 INCH HYPERSONIC TUNNEL N  
V11162

Table with columns: RUN 30, CONFIG, MODEL, MACH NO, PD PSID, TO DEG R, ALPHA-MODEL, ALPHA-SECTOR, ALPHA-PREBEND, ROLL-MODEL, YAW. Includes sub-columns for T-INF, P-INF, Q-INF, V-INF, RHO-INF, MU-INF, RE/FT, MREF-FH, SIFM, SWITCH, TC NO, TW, CTWLT, Q-DINT, H(10), H(10)/MREF, H(.910), H(.910)/MREF, H(.8510), H(.8510)/MREF, FUSELAGE A/L, Y/YMAX.

199561

NOT REPRODUCIBLE

AEDCIARO-INC.) ARNOLD AFS, TENNESSEE  
VON KARMAN GAS DYNAMICS FACILITY  
50 INCH HYPERSONIC TUNNEL #  
V1162

RUN 30	CONFIG		MACH NO	PO PSIA	TO DEG R	ALPHA-MODEL	ALPHA-SECTOR	ALPHA-PREBEND	ROLL-MODEL	YAW
	7	8								
	1-INF (DEG R)	P-INF (PSIA)	Q-INF (PSIA)	V-INF (FT/SFC)	RHO-INF (SLUGS/FT3)	MU-INF (LB-SEC/FT2)	RE/FT (FT-1)	HREF-FR (R# .009F1)	SIFR (M# .009FT)	SWITCH POSITION
96.9	96.9	96.9	96.9	96.9	96.9	96.9	96.9	96.9	96.9	96.9
TC NO	IM	DIRCT	U-001	H(TO)	M(TO)/HREF	P1.9(TO)	M1.9(TO)/HREF	M1.95(TO)	M1.95(TO)/HREF	FUSELAGE K/L Y/YMAX
99	613	42.389	10.345	1.429F-02	.2094	1.7571E-02	.2564	1.9759E-02	.2896	.8000 -2.223
100	612	42.93F	10.371	1.431F-02	.2097	1.7501F-02	.2571	1.9777E-02	.2899	.8000 -2.444
101	613	41.99F	11.145	1.531F-02	.2254	1.8097E-02	.2764	2.1262E-02	.3114	.8000 -2.669
102	61R	41.93A	11.503	1.549F-02	.2306	1.9647E-02	.2879	2.2180E-02	.3251	.8000 -2.804
103	613	46.070	9.750	1.293F-02	.1844	1.5095E-02	.2174	1.7880E-02	.2421	.8500 -0
104	616	41.76F	8.150	1.131F-02	.1657	1.3817E-02	.2034	1.7059E-02	.2299	.9000 -0
105	602	38.152	7.711	1.049F-02	.1537	1.2873E-02	.1879	1.4427E-02	.2114	.9000 -2.274
106	592	36.123	7.247	9.750F-03	.1429	1.1882E-02	.1741	1.3341E-02	.1955	.9000 -2.437
107	613	46.74F	8.762	1.201F-02	.1760	1.4728E-02	.2159	1.6007E-02	.2434	.9000 -2.678
108	607	44.004	8.470	1.154F-02	.1641	1.4174E-02	.2070	1.5908E-02	.2331	.9000 -2.817
109	544	.901	.194	2.934F-04	.0037	3.0634E-04	.0049	7.4211E-04	.0050	.9000 1.000
110	547	1.049	.171	2.459F-04	.0036	2.4706E-04	.0044	3.1162E-04	.0049	.9000 .884
111	541	.984	.150	2.062F-04	.0030	2.4913E-04	.0037	2.7807E-04	.0041	.9000 .610
112	615	19.73F	7.855	1.088F-02	.1595	1.3345E-02	.1947	1.5068E-02	.2204	.9500 -0
114	610	42.002	10.301	1.431F-02	.2098	1.7570E-02	.2576	1.9842E-02	.2908	.9000 -0
115	620	49.404	10.079	1.405F-02	.2080	1.7782E-02	.2571	1.9570E-02	.2861	.9000 -2.253
116	622	47.974	9.792	1.367F-02	.2004	1.6817E-02	.2445	1.9001E-02	.2785	.9000 -2.507
117	615	44.71F	9.089	1.257F-02	.1843	1.5410E-02	.2241	1.7405E-02	.2551	.9000 -2.660
118	616	17.804	7.053	9.773F-03	.1432	1.1995E-02	.1788	1.3534E-02	.1984	.9000 -2.743
119	540	4.104	.812	1.045F-03	.0153	1.2618E-03	.0185	1.4080E-03	.0206	.9000 .780
120	541	2.487	.286	3.634F-04	.0053	4.3779E-04	.0064	4.8773E-04	.0071	.9000 .305
LOWER WING SURFACE										
121	615	48.343	9.552	1.322F-02	.1937	1.6217E-02	.2377	1.8294E-02	.2681	.8000 0
122	628	47.12A	10.058	1.419F-02	.2079	1.7488E-02	.2543	1.9788E-02	.2900	.8000 0
124	621	41.11A	11.421	1.595F-02	.2338	1.9617E-02	.2875	2.2162E-02	.3248	.2000 .100
126	610	45.58F	7.941	1.044F-02	.1604	1.3405E-02	.1945	1.5106E-02	.2214	.6000 .100
127	610	48.26F	8.976	1.235F-02	.1810	1.5132E-02	.2218	1.7055E-02	.2500	.7000 .100
128	628	44.73A	8.337	1.175F-02	.1722	1.4474E-02	.2121	1.6376E-02	.2400	.9000 .100
134	612	49.662	12.451	1.718F-02	.2517	2.1064E-02	.3087	2.3750E-02	.3481	.8000 0
135	609	42.139	11.550	1.587F-02	.2325	1.9438E-02	.2849	2.1903E-02	.3210	.8000 .250
136	618	41.58F	15.355	2.197F-02	.3220	2.7170E-02	.3942	3.0816E-02	.4516	.1000 .250
137	635	33.80F	13.046	1.859F-02	.2726	2.2943E-02	.3345	2.6026E-02	.3814	.2000 .250
138	627	44.650	12.474	1.755F-02	.2572	2.1615E-02	.3148	2.4447E-02	.3583	.4000 .250
140	617	43.133	9.610	1.334F-02	.1955	1.6385E-02	.2491	1.8494E-02	.2710	.6000 .250
142	604	49.449	8.335	1.136F-02	.1665	1.3896E-02	.2037	1.5839E-02	.2292	.9000 .250
147	611	46.620	10.450	1.493F-02	.2189	1.8303E-02	.2682	2.0630E-02	.3024	.8000 0
148	618	40.235	15.101	2.161F-02	.3107	2.6721E-02	.3916	3.0307E-02	.4442	.1000 .450
149	617	45.08A	12.506	1.736F-02	.2545	2.1321E-02	.3125	2.4044E-02	.3527	.8000 0
150	615	40.56A	10.516	2.350F-02	.3445	2.9029E-02	.4244	3.2995E-02	.4821	.1000 .500
151	625	44.727	15.244	2.140F-02	.3136	2.6343E-02	.3841	2.9787E-02	.4365	.2000 .500
152	616	44.14F	11.597	1.608F-02	.2357	1.9742E-02	.2943	2.2782E-02	.3265	.4000 .500
154	614	45.877	10.486	1.438F-02	.2107	1.7639E-02	.2585	1.9842E-02	.2915	.8000 .500
156	606	44.562	7.268	9.937F-03	.1456	1.2181E-02	.1782	1.3843F-02	.2007	.8000 .500
157	590	39.00F	7.194	9.607F-03	.1408	1.1700E-02	.1715	1.3129E-02	.1924	.9000 .500
163	608	44.192	13.052	1.790F-02	.2823	2.1919E-02	.3712	2.4690E-02	.3619	.8000 0
164	613	44.447	16.339	2.320F-02	.3400	2.8637E-02	.4197	3.2439E-02	.4754	.1000 .450
166	613	40.050	11.519	1.590F-02	.2331	1.9504E-02	.2884	2.1994E-02	.3223	.8000 0
168	612	40.740	15.157	2.149F-02	.3150	2.6525E-02	.3887	3.0040E-02	.4403	.1000 .600
167	608	42.640	11.686	1.597F-02	.2341	1.9557E-02	.2866	2.2031E-02	.3229	.8000 0
168	623	33.964	15.070	2.113F-02	.3097	2.6002E-02	.3811	2.9389E-02	.4307	.1000 .650
169	597	33.861	9.941	1.348F-02	.1973	1.6497E-02	.2408	1.8463E-02	.2706	.8000 0
170	587	44.33F	8.157	1.087F-02	.1593	1.3229E-02	.1939	1.4889E-02	.2175	.8000 0
171	611	40.490	11.253	1.550F-02	.2271	1.8995E-02	.2784	2.1412E-02	.3138	.9000 0
172	628	44.121	13.469	1.899F-02	.2783	2.3401E-02	.3430	2.6477E-02	.3880	.1000 .750
173	616	37.468	13.919	1.930F-02	.2828	2.3687E-02	.3471	2.6728E-02	.3910	.2000 .750
175	601	41.122	10.611	1.440E-02	.2111	1.7594E-02	.2579	1.9768E-02	.2900	.4000 .750
176	588	13.615	2.643	3.433F-03	.0503	4.1574E-03	.0609	4.6440E-03	.0681	.7000 .750
178	593	43.684	8.061	1.084F-02	.1588	1.3212E-02	.1936	1.4838E-02	.2175	.8000 .750
183	584	28.379	4.106	5.449F-03	.0799	6.6240E-03	.0971	7.4248E-03	.1088	.8000 0
184	602	48.407	8.967	1.219F-02	.1787	1.4899E-02	.2184	1.6761E-02	.2457	.2000 .900
185	601	46.255	8.566	1.164E-02	.1706	1.4223E-02	.2084	1.5999E-02	.2345	.6000 .900
186	587	40.264	7.478	9.874F-03	.1447	1.2016E-02	.1761	1.3478E-02	.1975	.8000 .900
UPPER WING SURFACE										
129	560	.763	.118	1.511F-04	.0022	1.4256E-04	.0027	2.0345E-04	.0030	.1000 .100
130	559	.462	.076	1.012F-04	.0015	1.2216E-04	.0018	1.3630E-04	.0020	.2000 .100
131	540	.200	.037	4.805F-05	.0007	5.8048E-05	.0009	4.4772E-05	.0009	.4000 .100
132	541	.564	.100	1.401E-04	.0021	1.6921E-04	.0025	1.8886E-04	.0028	.7000 .100
133	544	1.262	.222	2.828F-04	.0041	3.4108E-04	.0049	3.8022E-04	.0056	.9000 .100
143	543	1.367	.277	3.439E-04	.0052	4.2625E-04	.0062	4.7510E-04	.0070	.1000 .250
145	555	.484	.082	1.057F-04	.0015	1.2746E-04	.0019	1.4210E-04	.0021	.4000 .250
146	542	1.130	.198	2.471E-04	.0037	3.0344E-04	.0045	3.3859E-04	.0050	.9000 .250
158	549	1.079	.288	3.452F-04	.0054	4.3988E-04	.0064	4.8996E-04	.0072	.1000 .500
159	540	1.007	.165	2.100F-04	.0031	2.5301E-04	.0037	2.8185E-04	.0041	.2000 .500
160	542	.704	.116	1.472E-04	.0022	1.7744E-04	.0026	1.9773E-04	.0029	.4000 .500
161	540	.561	.098	1.248F-04	.0018	1.5035E-04	.0022	1.6750E-04	.0025	.6000 .500
162	547	2.134	.291	3.690F-04	.0054	4.4414E-04	.0064	4.9492E-04	.0072	.9000 .500
179	546	.494	.089	1.129F-04	.0017	1.3585E-04	.0020	1.5123E-04	.0022	.1000 .750
180	547	.327	.059	7.450F-05	.0011	8.9647E-05	.0013	9.9830E-05	.0015	.2000 .750
181	548	.337	.042	5.369F-05	.0009	6.4638E-05	.0009	7.1975E-05	.0011	.4000 .750
182	544	.901	.152	1.920F-04	.0028	2.3097E-04	.0034	2.5703E-04	.0038	.8000 .750
VERTICAL STABILIZER										
187	540	.978	.161	2.841F-04	.0030	2.4384E-04	.0036	2.7387E-04	.0040	.8000 0
188	546	.711	.124	1.571F-04	.0023	1.8907E-04	.0028	2.1048E-04	.0031	.1000 .100
189	543	.650	.110	1.382F-04	.0020	1.6614E-04	.0024	1.8485E-04	.0027	.4000 .100
191	537	.421	.090	1.000F-04	.0015	1.2007E-04	.0018	1.3347E-04	.0020	.8000 .100
192	549	1.559	.298	3.779F-04	.0055	4.5497E-04	.0067	5.0665E-04	.0074	.8000 .250
193	544	1.500	.262	3.297F-04	.0048	3.9653E-04	.0058	4.4123E-04	.0065	.1000 .250
194										

5/29/71

AEDC(LAND+INC.) AMNOLD AFS, TENNESSEE  
VON KARMAN GAS DYNAMICS FACILITY  
50 INCH HYPERSONIC TUNNEL B  
VII162

Table with columns: RUN, CONFIG, MOUDEL, MACH NO, PO PSIA, TO DEG R, ALPHA-MODEL, ALPHA-SECTOR, ALPHA-PREBEND, ROLL-MODEL, YAW. Includes sub-headers for T-IMP, P-IMP, Q-IMP, V-IMP, RHU-IMP, PU-IMP, RE/FT, MREP-PH, SIFR, SWITCH and various numerical data points.

NOT REPRODUCIBLE

AEDC(AHO-INC.) ARNOLD AFB, TENNESSEE  
 VON KARMAN GAS DYNAMICS FACILITY  
 50 INCH HYPERSONIC TUNNEL B  
 VI1162

ITEM	CONFIG	MODEL	MACH NO	PO PSIA	TO DEG R	ALPHA-MODEL	ALPHA-SECTOR	ALPHA-PREHEND	ROLL-MODEL	YAW	FUSELAGE	
											A/L	Y/YMAX
31	7	NAM-UWO	8.00	857.2	1343	29.06	12.14	-42.00	180.00	0		
	T-INF	P-INF	Q-INF	V-INF	RHO-INF	MU-INF	REF/T	MREF-FH	SIFR	SWITCH		
	(DEG R)	(PSIA)	(PSIA)	(FT/SEC)	(SLUGS/FT <sup>3</sup> )	(LB-SEC/FT <sup>2</sup> )	(FT-1)	(IN-009FT)	(IN-009FT)	POSITION		
	97.3	0.000	3.934	3667	7.972E-05	7.833E-08	3.74E 06	6.830E-02	2.931E-02	2		
TC NO	TM	DTWCT	Q-DOT	H(TO)	H(TO)/HREF	H(,9TO)	H(,9TO)/HREF	H(,85TO)	H(,85TO)/HREF			
99	586	41.534	8.491	1.123F-02	.1044	1.3653E-02	.1999	1.5305E-02	.2241			
100	586	44.752	8.729	1.154F-02	.1090	1.4035E-02	.2055	1.5733E-02	.2303			
101	588	43.104	9.134	1.210F-02	.1171	1.4715E-02	.2154	1.6500E-02	.2416			
102	593	44.911	9.519	1.272E-02	.1262	1.5495E-02	.2268	1.7391E-02	.2546			
103	587	36.605	7.346	9.773F-03	.1126	1.1824E-02	.1731	1.3297E-02	.1941			
104	547	33.451	6.162	8.158F-03	.1196	9.4218E-03	.1453	1.1124E-02	.1629			
105	579	29.794	5.996	7.800F-03	.1142	9.4638E-03	.1386	1.0594E-02	.1551			
106	577	27.180	5.410	7.018F-03	.1027	8.4978E-03	.1244	9.4499E-03	.1391			
107	545	35.957	6.605	6.771F-03	.1216	1.0605E-02	.1553	1.1887E-02	.1741			
108	541	34.244	6.473	6.903F-03	.1245	1.0324E-02	.1511	1.1961E-02	.1693			
109	553	40.60	7.14	1.659F-04	.0025	2.0421E-04	.0030	2.2751E-04	.0033			
110	555	41.130	7.05	2.549F-04	.0038	3.1294E-04	.0046	3.4862E-04	.0051			
111	545	40.81	7.112	1.422F-04	.0041	1.7145E-04	.0049	1.9104E-04	.0058			
112	547	29.684	5.792	7.652F-03	.1122	9.3181E-03	.1364	1.0444E-02	.1529			
114	545	37.184	7.247	9.562E-03	.1400	1.1620E-02	.1701	1.3022E-02	.1906			
115	547	34.988	7.020	9.293F-03	.1300	1.1301E-02	.1655	1.2670E-02	.1855			
116	549	33.724	6.776	8.994E-03	.1317	1.0945E-02	.1602	1.2276E-02	.1797			
117	546	32.461	6.612	8.738F-03	.1279	1.0623E-02	.1555	1.1904E-02	.1743			
118	546	31.464	5.786	7.651E-03	.1120	9.3024E-03	.1342	1.0428E-02	.1527			
119	553	2.188	4.32	5.464E-04	.0080	6.5433E-04	.0096	7.3343E-04	.0107			
120	548	1.533	.176	4.212E-04	.0032	2.6618E-04	.0039	2.9624E-04	.0043			
											LOWER WING SURFACE	
											A/C	Y/S
121	605	61.407	12.080	1.637E-02	.2396	2.0010E-02	.2924	2.2513E-02	.3296		0	.050
122	619	70.545	12.368	1.708F-02	.2501	2.0973E-02	.3071	2.3667E-02	.3465		0	.100
124	598	56.436	10.435	1.402E-02	.2052	1.7100E-02	.2503	1.9213E-02	.2813		2000	.100
126	583	37.344	6.441	8.478E-03	.1241	1.0298E-02	.1508	1.1536E-02	.1689		6000	.100
127	542	37.506	6.882	9.045F-03	.1326	1.0982E-02	.1608	1.2300E-02	.1801		1000	.100
128	590	44.277	6.180	8.214E-03	.1203	9.9988E-03	.1464	1.1217E-02	.1642		9000	.100
134	611	76.604	15.980	2.185F-02	.3200	2.6770E-02	.3919	3.0162E-02	.4416		0	.150
135	610	80.282	14.926	2.037F-02	.2982	2.4937E-02	.3651	2.8087E-02	.4112		0	.250
136	618	90.867	14.943	2.063F-02	.3020	2.5319E-02	.3707	2.8586E-02	.4183		1000	.250
137	610	68.171	11.907	1.625F-02	.2379	1.9900E-02	.2913	2.2415E-02	.3282		2000	.250
138	600	55.444	10.573	1.423F-02	.2084	1.7375E-02	.2544	1.9930E-02	.2959		4000	.250
140	547	42.160	5.522	9.960F-03	.1458	1.2114E-02	.1774	1.3583E-02	.1989		6000	.250
142	573	35.605	5.914	7.683F-03	.1125	9.3068E-03	.1361	1.0406E-02	.1524		9000	.250
147	611	69.354	13.294	1.818F-02	.2662	2.2268E-02	.3260	2.5040E-02	.3673		0	.450
148	620	80.451	15.023	2.078F-02	.3042	2.5520E-02	.3734	2.8805E-02	.4217		1000	.450
149	616	77.314	14.849	2.043F-02	.2990	2.5053E-02	.3668	2.8254E-02	.4136		0	.500
150	618	82.099	16.710	2.305F-02	.3375	2.8296E-02	.4143	3.1425E-02	.4674		1000	.500
151	602	64.354	13.815	1.865F-02	.2731	2.2784E-02	.3336	2.5621E-02	.3751		2000	.500
152	541	44.814	4.797	1.304E-02	.1908	1.5870E-02	.2323	1.7806E-02	.2607		4000	.500
154	583	43.868	6.054	1.061F-02	.1553	1.2883E-02	.1884	1.4433E-02	.2113		6000	.500
155	578	36.203	5.827	7.620F-03	.1116	9.4242E-03	.1353	1.0344E-02	.1514		8000	.500
157	565	29.437	5.357	6.891F-03	.1009	8.3300E-03	.1220	9.3004E-03	.1362		9000	.500
163	606	79.529	15.209	2.045E-02	.3024	2.5260E-02	.3698	2.8430E-02	.4162		0	.550
164	616	88.057	16.413	2.327E-02	.3407	2.8545E-02	.4174	3.2143E-02	.4713		1000	.550
165	613	72.127	13.839	1.896E-02	.2776	2.3234E-02	.3402	2.6185E-02	.3834		0	.600
166	618	86.251	16.091	2.219E-02	.3249	2.7238E-02	.3988	3.0730E-02	.4499		1000	.600
167	608	74.746	13.868	1.881E-02	.2755	2.3005E-02	.3368	2.5888E-02	.3790		0	.650
168	609	78.287	15.871	2.163E-02	.3167	2.6477E-02	.3876	2.9817E-02	.4365		1000	.650
169	598	66.711	12.336	1.658E-02	.2244	2.0195E-02	.2957	2.2688E-02	.3322		0	.700
170	576	46.079	6.446	1.100E-02	.1610	1.3323E-02	.1952	1.4918E-02	.2184		1000	.700
171	612	72.259	13.456	1.843E-02	.2648	2.2580E-02	.3306	2.5447E-02	.3726		0	.750
172	616	79.335	14.340	1.973E-02	.2888	2.4198E-02	.3543	2.7289E-02	.3995		1000	.750
173	592	60.070	11.412	1.520E-02	.2226	1.8517E-02	.2711	2.0788E-02	.3042		2000	.750
175	579	44.213	4.084	1.190E-02	.1742	1.4434E-02	.2113	1.6157E-02	.2366		4000	.750
176	552	10.777	2.066	2.613E-03	.0383	3.1479E-03	.0461	3.5065E-03	.0513		7000	.750
178	570	33.169	6.055	7.839E-03	.1148	9.4869E-03	.1389	1.0605E-02	.1553		8000	.750
183	576	31.062	4.477	6.838E-03	.0855	7.0776E-03	.1036	7.9174E-03	.1159		0	.900
184	581	43.349	7.952	1.044E-02	.1529	1.2681E-02	.1857	1.4201E-02	.2079		2000	.900
185	577	38.401	7.030	9.181E-03	.1344	1.1134E-02	.1630	1.2458E-02	.1824		6000	.900
186	566	31.611	5.756	7.413E-03	.1085	8.9629E-03	.1312	1.0009E-02	.1465		8000	.900
											UPPER WING SURFACE	
											A/C	Y/S
129	547	1.501	.230	2.885F-04	.0042	3.4709E-04	.0051	3.8630E-04	.0057		1000	.100
130	548	1.601	.102	1.282E-04	.0019	1.5420E-04	.0023	1.7165E-04	.0025		2000	.100
131	549	1.364	.068	8.529E-05	.0012	1.0266E-04	.0015	1.1430E-04	.0017		4000	.100
132	549	1.167	.032	4.020E-05	.0006	4.8377E-05	.0007	5.3856E-05	.0008		7000	.100
133	543	1.804	.141	1.758F-04	.0026	2.1128E-04	.0031	2.3448E-04	.0034		9000	.100
143	545	2.517	.520	6.527F-04	.0096	7.8492E-04	.0115	8.7335E-04	.0128		4000	.250
145	545	1.409	.069	8.656E-05	.0013	1.0409E-04	.0015	1.1581E-04	.0017		9000	.250
146	542	1.832	.145	1.810F-04	.0027	2.1747E-04	.0032	2.4182E-04	.0035		4000	.250
158	543	3.044	.465	3.809F-04	.0085	6.9803E-04	.0102	7.7629E-04	.0114		1000	.500
159	543	1.824	.299	3.735E-04	.0055	4.4880E-04	.0066	4.9916E-04	.0073		2000	.500
160	543	1.664	.108	1.350E-04	.0020	1.6229E-04	.0024	1.8051E-04	.0026		4000	.500
161	541	1.534	.093	1.162E-04	.0017	1.3960E-04	.0020	1.5521E-04	.0023		8000	.500
162	539	1.944	.265	3.244E-04	.0048	3.9549E-04	.0058	4.3955E-04	.0064		9000	.500
179	542	4.504	.810	1.012E-03	.0148	1.2159E-03	.0178	1.3522E-03	.0198		1000	.750
180	541	1.854	.333	1.154E-04	.0061	4.9891E-04	.0073	5.5464E-04	.0081		2000	.750
181	540	1.379	.047	5.899E-05	.0009	7.0836E-05	.0010	7.8139E-05	.0012		4000</	

5/29/71

AEDC (ARO+INC.) ARNOLD AFS, TENNESSEE  
 VON KARMAN GAS DYNAMICS FACILITY  
 50 INCH HYPERSONIC TUNNEL B  
 V11162

HIJN 3P	CONFIG I	MODEL NAM-UWO	MACH NO 8.00	PO PSIA 056.9	TO DEG R 1301	ALPHA-MODEL 29.95	ALPHA-SECTOR 12-05	ALPHA-PREBEND -62.00	ROLL-MODEL 100.00	YAW 0	
I-INF (DEG R)	P-INF (PSIA)	O-INF (PSIA)	V-INF (F/SEC)	RHO-INF (\$LUGS/FT3)	MU-INF (LU-SEC/FT2)	RE/FT (F1-1)	MREF-FN (R+009FT)	S/FN (H+009FT)	SWITCH POSITION		
97.2	0.08	3.932	JR60	7.578E-05	7.024E-06	3.74E 06	6.828E-02	2.429E-02	1		
TC NO	TW	UTWLT	W-UOT	H(TO)	M(TO)/MREF	M(L9TO)	M(L9TO)/MREF	M(L85TO)	M(L85TO)/MREF	FUSLLAGE A/L	Y/MAX
1	622	205.439	38.394	5.338E-02	.7818	6.5608E-02	.9609	7.4098E-02	1.0852	0	0
2	589	144.160	24.466	4.319E-02	.4861	4.0389E-02	.5915	4.5301E-02	.6635	-0100	-0
3	571	96.506	15.443	2.012E-02	.2947	2.0345E-02	.3569	2.7234E-02	.3989	-0100	-0.441
4	547	74.054	3.680	4.635E-03	.0679	5.5774E-03	.0817	6.2049E-03	.0909	-0100	-1.000
5	539	1.784	.597	7.444E-04	.0109	6.9383E-04	.0131	4.9358E-04	.0146	-0100	-0
6	543	112.989	19.490	2.572E-02	.3766	3.1745E-02	.4576	3.5008E-02	.5127	-0200	-0
7	578	99.061	18.147	2.380E-02	.3485	2.8873E-02	.4229	3.2321E-02	.4734	-0300	-0
8	569	85.677	15.152	1.763E-02	.2876	2.1744E-02	.3480	2.6557E-02	.3889	-0300	-0.101
9	545	21.564	3.416	4.292E-03	.0629	5.1620E-03	.0756	5.7439E-03	.0841	-0300	-1.000
10	540	4.649	.835	1.042E-03	.0153	1.2521E-03	.0183	1.3921E-03	.0204	-0300	-0
11	571	87.099	17.346	2.254E-02	.3301	2.7290E-02	.3497	3.0505E-02	.4468	-0400	-0
12	564	60.697	12.042	1.549E-02	.2269	1.8721E-02	.2742	2.0900E-02	.3061	-0500	-0
13	562	57.877	11.471	1.472E-02	.2156	1.7833E-02	.2605	1.9846E-02	.2907	-0500	-0.310
14	548	21.001	3.673	4.631E-03	.0678	5.5734E-03	.0816	6.2047E-03	.0909	-0500	-1.000
15	542	6.444	1.335	1.670E-03	.0245	2.0064E-03	.0294	2.2314E-03	.0327	-0500	-0
16	565	61.088	7.746	4.974E-03	.1461	1.2057E-02	.1764	1.3462E-02	.1972	-0800	-0
17	546	39.338	6.495	4.531E-03	.1249	1.0290E-02	.1507	1.1472E-02	.1680	-0800	-0.360
18	549	13.464	2.294	2.880E-03	.0422	3.4669E-03	.0508	3.8601E-03	.0565	-0800	-1.000
19	555	30.013	5.597	7.118E-03	.1042	8.5911E-03	.1257	9.5643E-03	.1401	-1000	-0
20	562	43.334	3.340	4.287E-03	.0628	5.7708E-03	.0758	5.7747E-03	.0846	-1000	-0.303
21	558	34.771	5.732	7.323E-03	.1073	8.8368E-03	.1294	9.8555E-03	.1443	-1000	-0.817
22	546	8.554	1.541	1.937E-03	.0284	2.3301E-03	.0341	2.5930E-03	.0380	-1000	-1.000
23	543	1.356	.244	3.056E-04	.0045	3.6730E-04	.0054	4.0854E-04	.0060	-1000	-0.703
24	546	6.017	1.150	1.446E-03	.0212	1.7391E-03	.0253	1.9353E-03	.0283	-1000	-0
25	554	26.434	5.364	6.818E-03	.0999	8.2190E-03	.1204	9.1602E-03	.1342	-1500	-0.893
26	544	8.287	1.627	2.040E-03	.0299	2.4525E-03	.0359	2.7283E-03	.0400	-1500	-1.000
27	541	.933	.178	2.222E-04	.0033	2.6692E-04	.0039	2.9679E-04	.0043	-1500	-0.664
28	546	7.239	1.146	1.441E-03	.0211	1.7333E-03	.0254	1.9289E-03	.0283	-1500	-0
29	554	25.333	4.585	5.828E-03	.0854	7.0262E-03	.1029	7.8304E-03	.1147	-2000	-0
30	556	24.854	5.898	7.510E-03	.1100	9.0562E-03	.1326	1.0096E-02	.1479	-2000	-0.278
31	556	33.424	6.972	8.883E-03	.1301	1.0713E-02	.1569	1.1944E-02	.1749	-2000	-0.466
32	552	24.819	4.892	6.197E-03	.0908	7.4644E-03	.1093	8.3151E-03	.1218	-2000	-0.792
33	546	9.661	1.740	2.188E-03	.0320	2.6320E-03	.0385	2.9290E-03	.0429	-2000	-1.000
34	540	.663	.126	1.578E-04	.0023	1.8950E-04	.0028	2.1069E-04	.0031	-2000	-0.888
35	543	6.443	1.159	1.452E-03	.0213	1.7448E-03	.0256	1.9408E-03	.0284	-2000	-0
36	549	20.579	3.375	4.260E-03	.0624	5.1273E-03	.0751	5.7047E-03	.0836	-2100	-0
37	549	15.174	2.737	3.454E-03	.0506	4.1576E-03	.0609	4.6291E-03	.0678	-2200	-0
38	547	9.654	1.525	1.925E-03	.0282	2.3159E-03	.0339	2.5776E-03	.0378	-2300	-0
39	542	4.599	.902	1.128E-03	.0165	1.3554E-03	.0199	1.5074E-03	.0221	-2400	-0.486
40	542	3.586	.566	7.080E-04	.0104	8.5086E-04	.0125	9.4631E-04	.0139	-2500	-0
41	541	1.318	.266	3.322E-04	.0049	3.9918E-04	.0058	4.4390E-04	.0065	-2700	-0.465
42	542	1.464	.295	4.434E-04	.0054	4.4344E-04	.0065	4.9314E-04	.0072	-2700	-0.465
43	542	1.677	.255	3.194E-04	.0047	3.8380E-04	.0056	4.2886E-04	.0063	-2700	-0
44	561	18.661	3.286	6.213E-03	.0817	5.0875E-03	.0745	5.8767E-03	.0831	-3000	-0
45	562	20.157	3.774	7.847E-03	.0710	5.8551E-03	.0848	6.5350E-03	.0957	-3000	-0.312
46	566	24.736	6.026	7.778E-03	.1139	4.4060E-03	.1379	1.0508E-02	.1539	-3000	-0.504
47	562	21.533	3.201	4.107E-03	.0601	4.7602E-03	.0726	5.5354E-03	.0811	-3000	-0.857
48	552	11.097	1.894	2.388E-03	.0350	2.8766E-03	.0421	3.2046E-03	.0469	-3000	-1.000
49	544	3.051	.599	7.513E-04	.0110	4.0323E-04	.0132	1.0048E-03	.0147	-3000	-0.983
50	543	1.447	.284	3.556E-04	.0052	6.2743E-04	.0063	4.7543E-04	.0070	-3000	-0.853
51	542	.886	.182	2.781E-04	.0033	2.7413E-04	.0034	3.0488E-04	.0045	-3000	-0.433
52	542	.751	.155	1.945E-04	.0024	2.3379E-04	.0030	2.6002E-04	.0038	-3000	-0.361
53	542	1.119	.195	2.363E-04	.0035	2.8397E-04	.0042	3.1582E-04	.0046	-3000	-0
54	562	15.382	3.049	4.915E-03	.0573	4.7289E-03	.0693	5.2778E-03	.0773	-4000	-0
55	562	17.827	3.534	4.537E-03	.0665	5.4808E-03	.0801	4.1169E-03	.0896	-4000	-0.321
56	566	23.402	4.648	5.998E-03	.0879	7.2537E-03	.1062	8.1014E-03	.1187	-4000	-0.526
57	566	24.501	4.326	5.580E-03	.0817	6.7480E-03	.0988	7.5363E-03	.1104	-4000	-0.951
58	558	14.588	2.641	3.362E-03	.0492	4.0536E-03	.0594	4.5186E-03	.0662	-4000	-1.000
59	548	6.262	1.198	1.511E-03	.0221	1.8191E-03	.0266	2.0252E-03	.0297	-4000	-1.000
60	544	2.579	.464	3.821E-04	.0085	6.9979E-04	.0102	7.7849E-04	.0114	-4000	-0.906
61	542	.749	.139	1.686E-04	.0025	2.0257E-04	.0030	2.2530E-04	.0033	-4000	-0.750
62	542	1.512	.239	2.492E-04	.0044	3.5959E-04	.0053	3.9995E-04	.0059	-4000	-0
63	554	14.777	2.674	3.398E-03	.0498	4.0967E-03	.0600	4.5657E-03	.0669	-4500	-1.000
64	547	6.059	1.225	1.543E-03	.0226	1.8560E-03	.0272	2.0660E-03	.0303	-4500	-1.000
65	543	2.466	.457	5.728E-04	.0084	6.8853E-04	.0101	7.6588E-04	.0112	-4500	-0.990
66	566	14.712	2.760	3.561E-03	.0522	4.3068E-03	.0631	4.8101E-03	.0704	-5000	-0
67	567	15.271	2.951	3.814E-03	.0559	4.6132E-03	.0676	5.1533E-03	.0755	-5000	-0.277
68	568	19.009	3.778	4.885E-03	.0715	5.9097E-03	.0866	6.6020E-03	.0967	-5000	-0.553
69	573	27.005	5.084	6.222E-03	.0970	8.0240E-03	.1175	8.9736E-03	.1314	-5000	-0.830
70	569	25.828	4.995	6.471E-03	.0948	7.8309E-03	.1147	8.7508E-03	.1282	-5000	-1.000
72	548	5.986	1.211	1.527E-03	.0224	1.8380E-03	.0269	2.0462E-03	.0300	-5000	-1.000
73	543	1.862	.345	4.326E-04	.0063	5.1997E-04	.0076	5.7839E-04	.0085	-5000	-0.886
74	542	.800	.108	1.348E-04	.0023	1.6200E-04	.0024	1.8018E-04	.0026	-5000	-0.640
75	543	1.724	.310	3.885E-04	.0057	4.6649E-04	.0068	5.1943E-04	.0076	-5000	-0
76	570	14.823	2.458	3.187E-03	.0467	3.8578E-03	.0565	4.3115E-03	.0631	-5500	-0
77	545	2.867	.454	5.698E-04	.0083	6.8518E-04	.0100	7.6240E-04	.0112	-5500	-1.000
78	547	5.069	.775	3.760E-04	.0143	1.1742E-03	.0172	1.3084E-03	.0191	-5500	-1.000
79	543	1.886	.348	4.366E-04	.0063	5.2472E-04	.0077	5.8366E-04	.0085	-5500	-0.935
80	568	13.833	2.674	3.458E-03	.0507	4.1841E-03	.0613	4.6746E-03	.0685	-6000	-0
81	567	13.407	2.812	3.633E-03	.0532	4.3939E-03	.0644	4.9082E-03	.0719	-6000	-0.249
83	575	22.349	4.459	5.824E-03	.0853	7.0606E-03	.1034	7.8943E-03	.1157	-6000	-0.748
84	535	.474	.095	1.179E-04	.0017	1.4147E-04	.0021	1.5714E-04	.0023	-6000	-1.000
85	548	4.790	.864	1.089E-03	.0159	1.3105E-03	.0192	1.4589E-03	.0214	-6000	-1.000
86	545	1.605	.307	3.849E-04	.0056	4.6279E-04	.0068	5.1492E-04	.0075	-6000	-0.907
87	544	1.582	.276	3.465E-04	.0051	4.1659E-04	.0061	4.6346E-04	.0068	-6000	-0
88	571	11.744	2.143	2.782E-03	.0407	3.3682E-03	.0493	3.7649E-03	.0551	-6500	-0
89	573	11.392	2.144	2.791E-03	.0409	3.3806E-03	.0495	3.7802E-03	.0554	-7000	-0
90	573	11.186	2.230	2.903E-03	.0425	3.5167E-03	.0515	3.9326E-03	.0576	-7000	-0.235
91	572	11.897	2.370	3.081E-03	.0451	3.7311E-03	.0546	4.1715E-03	.0611	-7000	-0.469
92	577	14.343	2.705	3.539E-03	.0518	4.2919E-03	.0629	4.8029E-03	.0703	-7000	-0.704
93	576	14.055	2.882	3.767E-03	.0552	4.5672E-03	.0669	5.			

5/29/71

AEDC(AHO-INC.) AMNOLD AFS, TENNESSEE  
VON KARMAN GAS DYNAMICS FACILITY  
50 INCH HYPERSONIC TUNNEL B  
VF1162

Table with columns: RUN #, CONFIG, MODEL, MACH NO, PO PSIA, TO DEG H, ALPHA-MODEL, ALPHA-SECTOR, ALPHA-PREBEND, HOLL-MODEL, YAW, TC NO, TW, DTWCT, U-DOT, H(TD), H(TD)/HREF, H1.9101, H1.0101/HREF, H1.85101, H1.85101/HREF, FUSELAGE K/L, FUSELAGE Y/YMAX, LOWER WING SURFACE A/C, UPPER WING SURFACE A/C, VERTICAL STABILIZER A/C. Rows include data for runs 99-120, 121-186, 129-182, and 187-204.

8/29/71

AEDC(AO) INC. ARNOLD AFS, TENNESSEE  
VON KARMAN GAS DYNAMICS FACILITY  
50 INCH HYPERSONIC TUNNEL R  
V11162

RUN	CONFIG	MODEL	MACH NO	PO PSIA	TO DEG R	ALPHA-MODEL	ALPHA-SECTOR	ALPHA-PREBEND	ROLL-MODEL	VAN	
33	7	NAH-UO	8.00	857.4	1342	39.99	2.01	-42.00	140.00	.0	
	T-INF (DEG R)	P-INF (PSIA)	Q-INF (PSIA)	V-INF (F1/SEC)	RHO-INF (SLUGS/FT3)	MU-INF (LB-SLUG/FT2)	RE/FT (FT-1)	HREF-FH (H= .004FT)	SIFR (H= .009FT)	SWITCH POSITION	
	97.2	.088	3.935	J865	7.580E-05	7.827E-08	32.4E 06	0.830E-02	2.29E-02	1	
TC NO	TV	DTWCT	Q-DOT	H(TO)	H(TO)/HREF	H(.9TO)	H(.9TO)/HREF	H(.85TO)	H(.85TO)/HREF	FUSLLAGE A/L	Y/YMAX
1	614	146.043	34.645	4.759E-02	.6967	5.8340E-02	.8541	6.5769E-02	.9629	0	0
2	596	161.154	27.069	5.632E-02	.5318	4.296E-02	.6485	4.9758E-02	.7285	.0100	-0
3	582	115.074	18.558	2.443E-02	.3577	2.9675E-02	.4345	3.3240E-02	.4867	.0100	-4.41
4	592	24.127	3.699	5.693E-03	.0686	5.6409E-03	.0824	6.2836E-03	.0720	.0100	-1.000
5	544	5.376	.850	1.067E-03	.0156	1.2829E-03	.0188	1.4268E-03	.0209	.0100	0
6	594	179.407	22.438	3.002E-02	.4395	3.0584E-02	.5356	4.1077E-02	.6014	.0200	-0
7	585	119.981	22.046	2.914E-02	.4268	3.5417E-02	.5185	3.9695E-02	.6812	.0300	-0
8	582	105.284	18.737	2.467E-02	.3812	2.9988E-02	.4388	3.3570E-02	.4915	.0300	-3.03
9	590	21.115	3.350	4.733E-03	.0620	5.0984E-03	.0746	5.6754E-03	.0831	.0300	-1.000
10	548	5.767	1.043	1.310E-03	.0192	1.9756E-03	.0231	1.7533E-03	.0257	.0300	0
11	585	107.881	21.622	2.898E-02	.4185	3.4742E-02	.5087	3.8938E-02	.5701	.0400	-0
12	577	78.140	15.808	2.043E-02	.2990	2.4775E-02	.3627	2.7777E-02	.4059	.0500	-0
13	574	71.718	14.303	1.864E-02	.2729	2.2591E-02	.3308	2.5268E-02	.3700	.0500	-3.10
14	594	21.618	3.193	4.817E-03	.0705	5.8086E-03	.0859	6.4711E-03	.0947	.0500	-1.000
15	547	6.151	1.271	1.607E-03	.0245	1.9337E-03	.0283	2.1523E-03	.0315	.0500	0
16	579	81.451	10.467	1.364E-02	.1948	1.6556E-02	.2424	1.8934E-02	.2718	.0800	-0
17	571	51.740	8.872	1.151E-02	.1686	1.3942E-02	.2041	1.5585E-02	.2282	.0800	-3.60
18	556	13.619	2.317	2.950E-03	.0432	3.5582E-03	.0521	3.9568E-03	.0581	.0800	-1.000
19	570	41.119	7.729	1.002E-02	.1467	1.1288E-02	.1776	1.3555E-02	.1985	.1000	-0
20	578	57.022	4.431	3.804E-03	.0890	7.0418E-03	.1031	7.8820E-03	.1154	.1000	-3.83
21	575	44.572	7.412	4.672E-03	.1416	1.1725E-02	.1717	1.3117E-02	.1920	.1000	-8.17
22	587	8.521	1.845	1.969E-03	.0288	2.3757E-03	.0348	2.6490E-03	.0388	.1000	-1.000
23	544	8.857	1.155	1.967E-04	.0029	2.3709E-04	.0035	2.6420E-04	.0039	.1000	.783
24	555	6.124	1.176	1.496E-03	.0219	1.8034E-03	.0264	2.0102E-03	.0294	.1000	0
25	567	32.266	0.594	0.513E-03	.1246	1.0296E-02	.1507	1.1500E-02	.1684	.1500	-8.93
26	593	8.610	1.699	2.155E-03	.0316	2.5973E-03	.0380	2.8941E-03	.0424	.1500	-1.000
27	549	8.875	.067	2.113E-04	.0031	2.5436E-04	.0037	2.8321E-04	.0041	.1500	.664
28	552	6.386	1.014	1.285E-03	.0188	1.5485E-03	.0224	1.7252E-03	.0253	.1500	0
29	568	34.869	0.354	0.212E-03	.1202	9.9342E-03	.1457	1.1098E-02	.1625	.2000	-0
30	568	40.330	0.019	1.037E-02	.1518	1.2543E-02	.1834	1.4014E-02	.2052	.2000	-2.78
31	567	40.761	0.551	1.104E-02	.1617	1.3355E-02	.1955	1.4918E-02	.2184	.2000	-4.66
32	561	30.165	5.981	7.664E-03	.1122	9.2550E-03	.1355	1.0327E-02	.1512	.2000	-7.92
33	552	10.155	1.836	2.325E-03	.0340	2.8009E-03	.0410	3.1203E-03	.0457	.2000	-1.000
34	543	7.714	.147	1.839E-04	.0027	2.2100E-04	.0032	2.4574E-04	.0036	.2000	.888
35	545	3.179	.572	7.182E-04	.0105	8.6394E-04	.0126	9.6077E-04	.0141	.2000	0
36	547	8.203	1.344	1.691E-03	.0248	2.0341E-03	.0298	2.2639E-03	.0331	.2100	0
37	546	6.478	1.167	1.467E-03	.0215	1.7643E-03	.0258	1.9633E-03	.0287	.2200	0
38	544	4.453	.704	8.834E-04	.0129	1.0620E-03	.0155	1.1815E-03	.0173	.2300	0
39	542	3.602	.707	8.841E-04	.0129	1.0624E-03	.0156	1.1816E-03	.0173	.2400	.486
40	541	1.857	.293	3.665E-04	.0054	4.4031E-04	.0064	4.8962E-04	.0072	.2500	0
41	540	4.955	.192	2.401E-04	.0035	2.8835E-04	.0042	3.2058E-04	.0047	.2700	.465
42	540	4.973	.196	2.446E-04	.0036	2.9383E-04	.0043	3.2669E-04	.0048	.2700	.465
43	541	4.951	.145	1.812E-04	.0027	2.1763E-04	.0032	2.4199E-04	.0035	.2700	0
44	573	27.415	4.858	6.325E-03	.0926	7.6633E-03	.1122	8.5701E-03	.1255	.3000	-0
45	575	33.397	6.292	8.203E-03	.1201	9.9426E-03	.1459	1.1122E-02	.1628	.3000	-3.12
46	577	36.216	7.635	9.989E-03	.1492	1.2116E-02	.1774	1.3599E-02	.1985	.3000	-5.04
47	567	25.585	7.813	4.922E-03	.0721	5.9528E-03	.0872	6.6492E-03	.0973	.3000	-8.57
48	554	12.350	2.099	2.664E-03	.0390	3.2109E-03	.0470	3.5780E-03	.0524	.3000	-1.000
49	543	2.984	.586	1.332E-04	.0107	8.0130E-04	.0129	9.8027E-04	.0144	.3000	.983
50	542	1.147	.225	2.612E-04	.0041	3.3792E-04	.0049	3.7578E-04	.0055	.3000	.853
51	540	4.573	.119	1.479E-04	.0022	1.7788E-04	.0026	1.9755E-04	.0029	.3000	.433
52	541	4.688	.142	1.777E-04	.0026	2.1349E-04	.0031	2.3737E-04	.0035	.3000	.361
53	541	4.856	.144	1.803E-04	.0026	2.1658E-04	.0032	2.4080E-04	.0035	.3000	0
54	566	22.174	4.404	5.678E-03	.0831	6.8620E-03	.1005	7.6630E-03	.1122	.4000	-0
55	567	24.087	4.785	6.174E-03	.0904	7.4669E-03	.1093	8.3399E-03	.1221	.4000	-3.21
56	571	32.639	6.497	8.427E-03	.1234	1.0202E-02	.1494	1.1403E-02	.1689	.4000	-5.26
57	562	27.565	4.857	6.231E-03	.0912	7.5265E-03	.1102	8.3996E-03	.1230	.4000	-4.51
58	549	15.464	2.795	3.528E-03	.0516	4.2468E-03	.0622	4.7288E-03	.0692	.4000	-1.000
59	541	6.814	1.300	1.623E-03	.0238	1.9502E-03	.0286	2.1685E-03	.0317	.4000	1.000
60	537	2.025	.363	4.508E-04	.0066	5.4101E-04	.0079	6.0111E-04	.0088	.4000	.906
61	535	6.670	.120	1.490E-04	.0022	1.7875E-04	.0026	1.9858E-04	.0029	.4000	.758
62	537	1.555	.245	3.043E-04	.0045	3.6512E-04	.0053	4.0568E-04	.0059	.4000	0
63	542	14.837	2.867	3.334E-03	.0498	4.0052E-03	.0586	4.4539E-03	.0652	.4500	-1.000
64	537	6.071	1.270	1.517E-03	.0222	1.8200E-03	.0266	2.0223E-03	.0296	.4500	1.000
65	533	1.998	.368	4.555E-04	.0067	5.4609E-04	.0080	6.0641E-04	.0089	.4500	.990
66	566	21.210	3.979	5.132E-03	.0751	6.2064E-03	.0909	6.9316E-03	.1015	.5000	-0
67	567	22.568	4.361	5.633E-03	.0825	6.8136E-03	.0998	7.6114E-03	.1114	.5000	-2.77
68	549	25.698	5.111	6.613E-03	.0968	8.0015E-03	.1171	8.9404E-03	.1309	.5000	-5.53
69	574	34.093	6.421	8.364E-03	.1225	1.0136E-02	.1484	1.1336E-02	.1660	.5000	-8.30
70	563	28.100	5.417	6.955E-03	.1018	8.4024E-03	.1230	9.3782E-03	.1373	.5000	-1.000
72	537	5.816	1.169	1.453E-03	.0213	1.7441E-03	.0255	1.9380E-03	.0284	.5000	1.000
73	533	1.641	.303	3.742E-04	.0055	4.4865E-04	.0066	4.9820E-04	.0073	.5000	.866
74	532	4.415	.074	4.157E-05	.0013	1.0978E-04	.0016	1.2186E-04	.0018	.5000	.680
75	533	1.714	.307	3.793E-04	.0056	4.5475E-04	.0067	5.0498E-04	.0074	.5000	0
76	571	21.850	3.625	4.703E-03	.0609	5.6937E-03	.0834	6.3842E-03	.0932	.5500	-0
77	534	2.637	.414	5.127E-04	.0075	6.1482E-04	.0090	6.8293E-04	.0100	.5500	-1.000
78	537	4.772	.726	9.025E-04	.0132	1.0832E-03	.0159	1.2036E-03	.0176	.5500	-1.000
79	534	1.847	.341	4.216E-04	.0082	5.3561E-04	.0074	5.6152E-04	.0082	.5500	.935
80	584	37.184	7.244	8.588E-03	.1401	1.0128E-02	.1702	1.3031E-02	.1908	.6000	-0
81	570	22.407	4.706	6.094E-03	.0893	7.3803E-03	.1081	8.2478E-03	.1208	.6000	-2.49
83	579	28.573	5.711	7.484E-03	.1096	9.0811E-03	.1329	1.0165E-02	.1499	.6000	-4.98
84	531	6.858	.132	1.627E-04	.0024	1.9494E-04	.0029	2.1641E-04	.0032	.6000	-1.000
85	539	6.851	1.230	1.532E-03	.0224	1.8396E-03	.0269	2.0448E-03	.0299	.6000	1.000
86	535	1.853	.352	3.666E-04	.0064	5.2377E-04	.0077	5.6185E-04	.0085	.6000	.907
87	534	1.557	.270	3.347E-04	.0049	4.6131E-04	.0059	4.8570E-04	.0065	.6000	0
88	596	72.823	13.455	1.809E-02	.2843	2.2015E-02	.3223	2.4730E-02	.3621	.6500	-0
89	598	70.734	13.477	1.813E-02	.2854	2.2123E-02	.3239	2.4840E-02	.3640	.7000	-0
90	599	54.105	10.421	1.471E-02	.2154	1.7958E-02	.2629	2.0184E-02	.2955	.7000	-2.25
91	581	28.548	5.712	7.508E-03	.1099	9.1156E-03	.1335	1.0208E-02	.1495	.7000	-4.68
92	602	59.578	11.372	1.538E-02	.2232	1.8796E-02	.2752	2.1140E-02	.3095	.7000	-7.04
93	579	23.401	4.808	6.303E-03	.0923	7.6483E-03					



5/29/71

AEDC(AHO, INC.) ARNOLD AFS, TENNESSEE  
VON KARMAN GAS DYNAMICS FACILITY  
50 INCH HYPERSONIC TUNNEL B  
VII162

RUN 33 CONFIG 7 MOUCL NAW-DNO MACH NO 8.00 PO PSIA 855.8 TO DEG R 1343 ALPHA-MODEL 19.97 ALPHA-SECTOR 2.03 ALPHA-PREBEND -42.00 ROLL-MODEL 180.00 YAW 0  
T-INF P-INF Q-INF V-INF RHO-INF MU-INF RE/FT HREF-FR SIFR SWITCH  
(DEG R) (PSIA) (PSIA) (F/SEC) (SLUGS/FT<sup>3</sup>) (LB-SEC/FT<sup>2</sup>) (FT-1) (IN-009FT) (IN-009FT) POSITION  
97.3 0.8H 3.927 JR67 7.556E-05 7.836E-08 3.73E 06 6.025E-02 2.934E-02 2  
TC NO TW DTWLT U-DOT H(TO) H(TO)/HREF H(.9TO) H(.9TO)/HREF H(.85TO) H(.85TO)/HREF

Table with columns for TC NO, TW, DTWLT, U-DOT, H(TO), H(TO)/HREF, H(.9TO), H(.9TO)/HREF, H(.85TO), H(.85TO)/HREF, and FUSELAGE A/L, V/YMAX. Rows 99-120.

Table with columns for TC NO, TW, DTWLT, U-DOT, H(TO), H(TO)/HREF, H(.9TO), H(.9TO)/HREF, H(.85TO), H(.85TO)/HREF, and LOWER WING SURFACE A/C, V/S. Rows 121-186.

Table with columns for TC NO, TW, DTWLT, U-DOT, H(TO), H(TO)/HREF, H(.9TO), H(.9TO)/HREF, H(.85TO), H(.85TO)/HREF, and UPPER WING SURFACE A/C, V/S. Rows 129-182.

Table with columns for TC NO, TW, DTWLT, U-DOT, H(TO), H(TO)/HREF, H(.9TO), H(.9TO)/HREF, H(.85TO), H(.85TO)/HREF, and VERTICAL STABILIZER A/C, Z/S. Rows 187-204.

5/29/71

AEDC (AHO, INC.) ANNOLD AFB, TENNESSEE  
 VON KARMAN GAS DYNAMICS FACILITY  
 50 INCH HYPERSONIC TUNNEL R  
 V11162

RUN	CONFIG	MODEL	MACH NO	PO PSIA	TO DEG R	ALPHA-POSEL	ALPHA-SECTOR	ALPHA-PREBEND	ROLL-MODEL	YAW
34	7	NAN-UW0	8.00	858.0	1346	49.97	-7.97	-42.00	100.00	0
I-INF		P-INF	Q-INF	V-INF	RHO-INF	MU-INF	RE/FT	HREP-FR	SIFR	SWITCH
(DEG R)		(PSIA)	(PSIA)	(FT/SEC)	(SLUGS/FT <sup>3</sup> )	(LB-SEC/FT <sup>2</sup> )	(FT-1)	(R= .009FT)	(H= .009FT)	POSITION
97.5		.088	3.94	J871	7.869E-05	7.851E-08	3.13E 06	6.839E-02	2.232E-02	1
TC NO	TW	DTWGT	U-DDI	H(TO)	H(TO)/HREF	H(.OSTO)	H(.OSTO)/HREF	H(.OSTO)	H(.OSTO)/HREF	FUSELAZE
										R/L Y/THAN
1	586	175.325	32.239	4.245E-02	.6206	5.1586E-02	.7542	5.7810E-02	.8452	0 0
2	593	169.288	28.397	4.775E-02	.5520	4.9976E-02	.6722	5.1597E-02	.7544	10100 -0
3	583	130.915	21.122	4.769E-02	.4409	3.4622E-02	.4916	3.7655E-02	.5505	-0100 -0.441
4	590	22.080	3.383	4.251E-03	.0622	5.1167E-03	.0748	5.6964E-03	.0833	-0100 -1.000
5	544	5.076	.803	1.002E-03	.0146	1.2039E-03	.0178	1.3389E-03	.0196	-0100 0
6	595	142.954	24.801	4.305E-02	.4832	4.0272E-02	.5888	4.5212E-02	.6610	-0200 -0
7	593	134.719	24.857	4.304E-02	.4831	4.0236E-02	.5883	4.5153E-02	.6602	-0300 -0
8	578	175.071	22.213	4.843E-02	.4230	3.5081E-02	.5129	3.9252E-02	.5739	-0300 -0.303
9	548	70.039	3.176	4.978E-03	.0582	4.7851E-03	.0700	5.2250E-03	.0779	-0300 -1.000
10	545	5.419	.976	1.219E-03	.0178	1.4684E-03	.0214	1.6301E-03	.0238	-0300 0
11	581	178.419	25.701	4.762E-02	.4916	4.0809E-02	.5967	4.5690E-02	.6680	-0400 -0
12	580	91.704	18.740	4.447E-02	.3578	2.9685E-02	.4340	3.3227E-02	.4858	-0500 -0
13	576	84.004	16.886	4.193E-02	.3207	2.6977E-02	.3866	2.9725E-02	.4346	-0500 -0.310
14	552	20.951	3.673	4.629E-03	.0677	5.5752E-03	.0815	6.2093E-03	.0908	-0500 -1.000
15	546	5.537	1.148	1.436E-03	.0210	1.7265E-03	.0252	1.9209E-03	.0281	-0500 0
16	580	102.400	13.083	1.708E-02	.2498	2.0723E-02	.3030	2.3194E-02	.3391	-0800 -0
17	571	63.217	10.839	1.400E-02	.2046	1.6938E-02	.2477	1.8929E-02	.2768	-0800 -0.300
18	555	14.611	2.485	1.444E-03	.0460	3.7894E-03	.0554	4.2226E-03	.0617	-0800 -1.000
19	573	53.069	9.988	1.292E-02	.1889	1.5645E-02	.2287	1.7488E-02	.2557	-1000 -0
20	581	68.494	8.330	1.972E-03	.1019	8.4610E-03	.1237	9.4728E-03	.1389	-1000 -0.303
21	575	53.152	8.837	1.147E-02	.1677	1.3892E-02	.2031	1.5536E-02	.2271	-1000 -0.817
22	554	9.389	1.699	2.145E-03	.0314	2.5836E-03	.0378	2.8781E-03	.0421	-1000 -1.000
23	550	.532	.096	1.208E-04	.0018	1.4543E-04	.0021	1.6192E-04	.0024	-1000 .783
24	552	5.858	1.123	1.445E-03	.0207	1.7045E-03	.0249	1.8984E-03	.0278	-1000 0
25	565	37.795	7.711	1.875E-03	.1444	1.1931E-02	.1744	1.3317E-02	.1947	-1500 -0.893
26	550	9.500	1.871	1.352E-03	.0344	2.0311E-03	.0414	3.1520E-03	.0461	-1500 -1.000
27	547	.831	.159	1.989E-04	.0029	2.3914E-04	.0035	2.6608E-04	.0039	-1500 .664
28	549	3.414	.541	6.796E-04	.0099	8.1775E-04	.0120	9.1026E-04	.0133	-1500 0
29	568	44.026	8.024	1.032E-02	.1509	1.2481E-02	.1825	1.3940E-02	.2038	-2000 -0
30	569	50.707	10.084	1.298E-02	.1897	1.5695E-02	.2295	1.7531E-02	.2563	-2000 -0.278
31	567	50.209	10.532	1.353E-02	.1978	1.6353E-02	.2391	1.8261E-02	.2670	-2000 -0.466
32	560	35.280	6.986	8.893E-03	.1300	1.0731E-02	.1569	1.1968E-02	.1750	-2000 -0.792
33	550	11.112	2.006	2.520E-03	.0408	3.0323E-03	.0443	3.3756E-03	.0494	-2000 -1.000
34	542	.648	.124	1.538E-04	.0022	1.8472E-04	.0027	2.0538E-04	.0030	-2000 .888
35	543	2.748	.494	6.158E-04	.0090	7.3975E-04	.0108	8.2258E-04	.0120	-2000 0
36	544	3.743	.612	7.637E-04	.0112	9.1768E-04	.0134	1.0206E-03	.0149	-2100 0
37	543	4.618	.831	1.035E-03	.0151	1.2435E-03	.0182	1.3828E-03	.0202	-2200 0
38	542	3.739	.591	7.354E-04	.0108	8.8343E-04	.0129	9.8224E-04	.0144	-2300 0
39	540	2.279	.447	5.547E-04	.0081	6.6596E-04	.0097	7.4022E-04	.0108	-2400 .486
40	540	1.600	.253	3.137E-04	.0046	3.7660E-04	.0055	4.1859E-04	.0061	-2500 0
41	539	.741	.149	1.850E-04	.0027	2.2202E-04	.0032	2.4673E-04	.0036	-2700 .465
42	540	.748	.151	1.869E-04	.0027	2.2431E-04	.0033	2.4929E-04	.0036	-2700 .465
43	540	1.027	.157	1.944E-04	.0028	2.3344E-04	.0034	2.5934E-04	.0038	-2700 0
44	580	33.862	6.020	7.862E-03	.1149	9.5380E-03	.1395	1.0876E-02	.1561	-3000 -0
45	582	38.182	7.218	9.449E-03	.1382	1.1469E-02	.1677	1.2842E-02	.1878	-3000 -0.312
46	584	43.978	9.304	1.222E-02	.1786	1.4841E-02	.2170	1.6626E-02	.2431	-3000 -0.504
47	589	28.694	4.282	5.515E-03	.0806	6.6709E-03	.0975	7.4521E-03	.1090	-3000 -0.857
48	553	13.388	2.274	2.870E-03	.0420	3.4571E-03	.0505	3.8510E-03	.0563	-3000 -1.000
49	541	2.553	.500	6.222E-04	.0091	7.4715E-04	.0109	8.3059E-04	.0121	-3000 .983
50	540	1.150	.225	2.797E-04	.0041	3.3584E-04	.0049	3.7328E-04	.0055	-3000 .853
51	539	.400	.083	1.026E-04	.0015	1.2314E-04	.0018	1.3684E-04	.0020	-3000 .433
52	539	.570	.118	1.461E-04	.0021	1.7534E-04	.0026	1.9486E-04	.0028	-3000 .361
53	540	.968	.186	2.664E-04	.0030	2.9781E-04	.0036	2.7542E-04	.0040	-3000 0
54	574	27.278	5.439	7.044E-03	.1030	8.5305E-03	.1247	9.5370E-03	.1394	-4000 -0
55	574	31.471	6.281	8.157E-03	.1193	9.8866E-03	.1445	1.1055E-02	.1618	-4000 -0.321
56	580	39.018	7.805	1.020E-02	.1491	1.2376E-02	.1810	1.3855E-02	.2026	-4000 -0.526
57	566	28.181	4.974	6.383E-03	.0933	7.7142E-03	.1128	8.6127E-03	.1259	-4000 -0.951
58	549	15.602	2.816	4.374E-03	.0517	4.2527E-03	.0622	4.7338E-03	.0692	-4000 -1.000
59	542	7.116	1.357	1.689E-03	.0247	2.0282E-03	.0297	2.2550E-03	.0330	-4000 1.000
60	536	1.210	.217	2.680E-04	.0039	3.2142E-04	.0047	3.5701E-04	.0052	-4000 .906
61	536	.531	.095	1.175E-04	.0017	1.4089E-04	.0021	1.5647E-04	.0023	-4000 .750
62	537	1.943	.306	1.785E-04	.0055	4.5402E-04	.0066	5.0435E-04	.0074	-4000 0
63	546	15.195	2.737	4.420E-03	.0500	4.7120E-03	.0601	4.5744E-03	.0669	-4500 -1.000
64	538	5.904	1.188	1.470E-03	.0215	1.7640E-03	.0258	1.9598E-03	.0287	-4500 1.000
65	533	.887	.163	2.011E-04	.0029	2.4098E-04	.0035	2.6751E-04	.0039	-4500 .990
66	576	26.425	4.983	6.477E-03	.0947	7.8497E-03	.1148	8.7805E-03	.1284	-5000 -0
67	578	26.951	5.235	6.817E-03	.0997	8.2657E-03	.1209	9.2483E-03	.1352	-5000 -0.277
68	579	31.149	6.228	8.126E-03	.1188	9.8568E-03	.1441	1.1032E-02	.1613	-5000 -0.553
69	584	38.958	7.374	9.684E-03	.1416	1.1763E-02	.1720	1.3178E-02	.1927	-5000 -0.830
70	566	28.191	5.445	6.988E-03	.1022	8.4465E-03	.1235	9.4308E-03	.1379	-5000 -1.000
72	537	5.745	1.155	1.429E-03	.0209	1.7142E-03	.0251	1.9043E-03	.0278	-5000 1.000
73	532	.935	.172	2.115E-04	.0031	2.5346E-04	.0037	2.8132E-04	.0041	-5000 .886
74	531	.254	.045	5.565E-05	.0008	6.6663E-05	.0010	7.3483E-05	.0011	-5000 .640
75	532	1.813	.289	1.548E-04	.0052	4.2484E-04	.0062	4.7157E-04	.0069	-5000 0
76	580	25.700	4.284	5.596E-03	.0818	6.7894E-03	.0993	7.6001E-03	.1111	-5500 -0
77	531	2.561	.482	4.933E-04	.0072	5.9085E-04	.0086	6.5566E-04	.0096	-5500 -1.000
78	534	4.944	.751	4.250E-04	.0135	1.1088E-03	.0162	1.2312E-03	.0180	-5500 1.000
79	530	1.449	.267	1.268E-04	.0048	1.9141E-04	.0057	4.3432E-04	.0064	-5500 .915
80	614	80.836	15.971	2.184E-02	.3193	2.0763E-02	.3913	3.0164E-02	.4410	-6000 -0
81	609	76.394	16.351	2.220E-02	.3246	2.7163E-02	.3972	3.0982E-02	.4471	-6000 -0.249
83	589	37.534	7.539	4.959E-03	.1456	1.2112E-02	.1771	1.3581E-02	.1986	-6000 -0.748
84	530	.190	.038	4.672E-05	.0007	5.5941E-05	.0008	6.2009E-05	.0009	-6000 -1.000
85	537	7.207	1.292	1.597E-03	.0234	1.9161E-03	.0280	2.1285E-03	.0311	-6000 1.000
86	532	1.839	.349	4.287E-04	.0063	5.1363E-04	.0075	5.7013E-04	.0083	-6000 .907
87	531	1.331	.231	2.834E-04	.0041	3.3949E-04	.0050	3.7679E-04	.0055	-6000 0
88	611	74.335	13.828	1.882E-02	.2752	2.3047E-02	.3370	2.9588E-02	.3795	-6500 -0
89	613	68.797	13.194	1.800E-02	.2632	2.2046E-02	.3223	2.4839E-02	.3632	-7000 -0
90	617	65.48E	13.321	1.827E-02	.2672	2.2408E-02	.3276	2.5268E-02	.3694	-7000 -0.235
91	612	66.344	13.477	1.836E-02	.2684	2.2481E-02	.3287	2.5324E-02	.3703	-7000 -0.469
92	618	72.044	13.853	1.905E-02	.2785	2.3371E-02	.3417	2.6363E-02	.3855	-7000 -0.704
93	616	65.379	13.662	1.871E-02	.2736	2.2938E-02	.3354	2.5859E-02	.3781	-7000 -0.848
94	536	.237	.051	6.349E-05	.0009	7.6149E-05	.0011	8.4578E-05	.0012	-7000 1.000
95	539	1.649	.296	1.666E-04	.0					

5/29/71

AEDC (ARO, INC.) ARNOLD AFB, TENNESSEE  
VON KARMAN GAS DYNAMICS FACILITY  
50 INCH HYPERSONIC TUNNEL B  
VII162

Table with columns: RUN 34, CONFIG 7, MODEL NAR-UWO, MACH NO 8.00, PO PSIA 857.5, TO DEG R 1347, ALPHA-MODEL 49.99, ALPHA-SECTOR -7.99, ALPHA-PREBEND -42.00, ROLL-MODEL 180.00, YAW 0.0. Sub-headers include T-INF, P-INF, Q-INF, V-INF, RHO-INF, MU-INF, RE/FT, MREF-FR, SIFR, SWITCH, TC NO, TW, DTWLT, U-DUT, H(TO), H(TO)/MREF, H(.910), H(.910)/MREF, H(.910), H(.910)/MREF, H(.910), H(.910)/MREF. Data rows include fuselage and wing surface coordinates for various points.

40

5/29/71

AEDC (ARO, INC.) ARNOLD AFS, TENNESSEE  
VON KARMAN GAS DYNAMICS FACILITY  
50 INCH HYPERSONIC TUNNEL B  
VT1162

RUN	CONFIG	MODEL	MACH NO	PN PSIA	TU DEG R	ALPHA-MODEL	ALPHA-SECTOR	ALPHA-PREBEND	ROLL-MODEL	YAW	
35	7	NAH-DWD	8.00	592:2	1310	49.99	-7.99	-42.00	180.00	0	
I-INF	P-INF	Q-INF	V-INF	RHO-INF	MU-INF	RE/FT	HREF-FH	SIFR	SWITCH		
(DEG R)	(PSIA)	(PSIA)	(F/SEC)	(SLUGS/F <sup>3</sup> )	(LB-SEC/F <sup>2</sup> )	(FT-1)	(Re .009FT)	(Re .009FT)	POSITION		
94.9	.057	2.934	3819	5.001E-05	7.640E-08	2.50E 06	5.459E-02	3.557E-02	1		
TC NO	TW	DTMET	Q-D001	H(TO)	H(TO)/HREF	H(.9510)	H(.9510)/HREF	H(.9510)	H(.9510)/HREF	FUSELAGE K/L	Y/YMAX
1	578	124.847	23.598	J-225F-02	.5908	J-4281E-02	.7196	4.4086E-02	.8077	0	0
2	576	132.242	22.002	J-001F-02	.5498	J-653HE-02	.6494	4.0996E-02	.7511	.0100	-0
3	566	102.242	16.357	2-199E-02	.4029	2-6694E-02	.4491	2.9488E-02	.5476	.0100	-0.441
4	517	17.524	2.665	J-448E-03	.0632	4-1518E-03	.0761	4-6234E-03	.0847	.0100	-1.000
5	531	1.434	.519	6-429E-04	.0127	8-3310E-04	.0153	9-2684E-04	.0170	.0100	0
6	576	113.757	19.555	2-667E-02	.4885	J-2462E-02	.5947	3-6422E-02	.6673	.0200	-0
7	569	107.264	19.562	2-667E-02	.4885	J-2462E-02	.5947	3-6422E-02	.6673	.0300	-0
8	566	95.448	16.437	2-277E-02	.4171	2-7635E-02	.5043	3-0440E-02	.5664	.0100	-0.303
9	535	16.705	2.679	J-393E-03	.0622	4-0825E-03	.0748	4-5446E-03	.0833	.0300	-1.000
10	532	J-502	.626	8-046E-04	.0147	9-0748E-04	.0177	1-0764E-03	.0197	.0300	0
11	569	100.344	19.456	2-667E-02	.4934	J-2714E-02	.5993	3-6848E-02	.6714	.0400	-0
12	557	73.137	14.460	1-922F-02	.3521	2-3270E-02	.4261	2-6011E-02	.4765	.0500	-0
13	554	66.947	13.211	1-748E-02	.3202	2-1139E-02	.3873	2-3613E-02	.4326	.0500	-0.310
14	517	16.081	2.400	J-754E-03	.0988	4-5206E-03	.0824	5-0345E-03	.0922	.0500	-1.000
15	532	4.114	.847	1-089E-03	.0200	1-3100E-03	.0240	1-4576E-03	.0267	.0500	0
16	547	80.429	10.159	1-350E-02	.2473	1-6343E-02	.2994	1-8264E-02	.3347	.0800	-0
17	549	49.704	8.426	1-108E-02	.2030	1-3384E-02	.2452	1-4937E-02	.2737	.0800	-0.360
18	514	11.374	1.413	2-467F-03	.0452	2-9677E-03	.0544	3-3034E-03	.0605	.0800	-1.000
19	546	41.765	7.544	1-018E-02	.1861	1-2261E-02	.2246	1-3677E-02	.2506	.1000	-0
20	552	55.958	4.292	5-667E-03	.1038	6-8518E-03	.1255	7-6517E-03	.1402	.1000	-0.383
21	540	41.466	6.887	4-065E-03	.1661	1-0495E-02	.2007	1-2226E-02	.2240	.1000	-0.817
22	533	7.255	1.305	1-680E-03	.0308	2-0201E-03	.0370	2-2479E-03	.0412	.1000	-1.000
23	539	.468	.044	1-071E-04	.0020	1-2845E-04	.0024	1-4388E-04	.0026	.1000	-0.783
24	531	4.261	.808	1-038E-03	.0190	1-2440E-03	.0229	1-3885E-03	.0254	.1000	0
25	542	30.082	6.064	7-902E-03	.1448	9-5276E-03	.1745	1-0820E-02	.1946	.1500	-0.843
26	530	7.044	1.383	1-775E-03	.0325	2-1331E-03	.0391	2-3727E-03	.0435	.1500	-1.000
27	527	.567	.111	1-418E-04	.0026	1-7028E-04	.0031	1-8930E-04	.0035	.1500	-0.664
28	529	3.435	.536	6-863E-04	.0126	8-2470E-04	.0151	9-1719E-04	.0168	.1500	-0
29	546	34.721	6.255	6-187E-03	.1509	9-8801E-03	.1810	1-1020E-02	.2019	.2000	-0
30	547	36.850	7.639	1-001E-02	.1834	1-2047E-02	.2214	1-3484E-02	.2470	.2000	-0.274
31	546	39.559	8.207	1-078F-02	.1769	1-2970E-02	.2374	1-4467E-02	.2650	.2000	-0.466
32	541	27.325	5.357	6-069E-03	.1277	8-4009E-03	.1539	9-3623E-03	.1715	.2000	-0.742
33	534	8.214	1.471	1-895E-03	.0347	2-2800E-03	.0418	2-5376E-03	.0465	.2000	-1.000
34	527	.614	.116	1-484E-04	.0027	1-7828E-04	.0033	1-9821E-04	.0036	.2000	-0.884
35	528	1.701	.303	J-881E-04	.0071	4-6619E-04	.0085	5-1832E-04	.0095	.2000	0
36	528	3.202	.519	6-650E-04	.0122	7-9892E-04	.0146	8-8839E-04	.0163	.2100	0
37	528	2.918	.521	6-666E-04	.0122	8-0087E-04	.0147	8-9056E-04	.0163	.2200	0
38	528	3.064	.480	6-149E-04	.0113	7-3874E-04	.0135	8-2150E-04	.0151	.2300	0
39	527	1.585	.308	J-943E-04	.0072	4-7357E-04	.0087	5-2649E-04	.0096	.2400	.486
40	527	1.346	.211	2-694E-04	.0049	3-2351E-04	.0059	3-5963E-04	.0066	.2500	0
41	526	.451	.090	1-149E-04	.0021	1-3800E-04	.0025	1-5338E-04	.0028	.2700	.465
42	526	.552	.118	1-511E-04	.0028	1-8147E-04	.0033	2-0171E-04	.0037	.2700	.465
43	526	.637	.094	1-221E-04	.0022	1-4662E-04	.0027	1-6297E-04	.0030	.2700	0
44	552	27.434	4.808	6-347E-03	.1163	7-6735E-03	.1406	8-5689E-03	.1570	.3000	-0
45	554	28.637	5.338	7-064E-03	.1294	8-5453E-03	.1566	9-5460E-03	.1749	.3000	-0.312
46	556	34.803	7.259	4-434E-03	.1765	1-1660E-02	.2136	1-3031E-02	.2387	.3000	-0.504
47	546	21.991	3.242	4-247E-03	.0778	5-1260E-03	.0939	5-7179E-03	.1048	.3000	-0.857
48	534	10.517	1.768	2-281E-03	.0418	2-7449E-03	.0503	3-0555E-03	.0560	.3000	-1.000
49	526	2.122	.413	5-265E-04	.0096	6-3221E-04	.0116	7-0272E-04	.0129	.3000	-0.983
50	525	.853	.166	2-113E-04	.0039	2-5368E-04	.0046	2-8194E-04	.0052	.3000	.853
51	524	.235	.048	6-128E-05	.0011	7-3546E-05	.0013	8-1725E-05	.0015	.3000	.433
52	525	.282	.058	7-368E-05	.0013	8-8437E-05	.0016	9-8280E-05	.0018	.3000	.361
53	525	.662	.111	1-411E-04	.0026	1-6935E-04	.0031	1-8819E-04	.0034	.3000	0
54	548	22.381	4.404	5-783E-03	.1059	6-4842E-03	.1280	7-7934E-03	.1428	.4000	-0
55	551	24.555	4.838	6-374E-03	.1168	7-7032E-03	.1411	8-5997E-03	.1575	.4000	-0.321
56	554	30.837	6.089	8-063E-03	.1477	9-7550E-03	.1787	1-0898E-02	.1997	.4000	-0.526
57	545	22.134	3.866	5-058E-03	.0927	6-1035E-03	.1118	6-8071E-03	.1247	.4000	-0.951
58	534	12.204	2.186	2-819E-03	.0516	3-3918E-03	.0621	3-7755E-03	.0692	.4000	-1.000
59	528	5.591	1.058	1-354E-03	.0248	1-6260E-03	.0298	1-8080E-03	.0331	.4000	1.000
60	524	1.205	.214	2-730E-04	.0050	3-2760E-04	.0060	3-6401E-04	.0067	.4000	.906
61	523	.428	.076	9-080F-05	.0018	1-1615E-04	.0021	1-2904E-04	.0024	.4000	.750
62	524	1.580	.247	J-144E-04	.0058	3-7725E-04	.0069	4-1915E-04	.0077	.4000	0
63	533	11.459	2.049	2-638E-03	.0483	3-1735E-03	.0581	3-5318E-03	.0647	.4500	-1.000
64	527	.824	.145	1-733E-03	.0226	1-4810E-03	.0271	1-6466E-03	.0302	.4500	1.000
65	524	.884	.163	2-072E-03	.0308	2-4864E-03	.0346	2-7831E-03	.0381	.4500	.900
66	551	20.274	3.774	4-973E-03	.0911	6-0099E-03	.1101	6-7045E-03	.1229	.5000	-0
67	552	20.949	4.017	5-306F-03	.0972	6-4156E-03	.1175	7-1649E-03	.1313	.5000	-0.277
68	554	25.061	4.948	6-550E-03	.1200	7-9243E-03	.1452	8-8527E-03	.1622	.5000	-0.553
69	548	29.933	5.597	7-451E-03	.1365	9-0237E-03	.1653	1-0089E-02	.1848	.5000	-0.830
70	547	22.395	4.242	5-613E-03	.1028	6-7767E-03	.1242	7-5602E-03	.1385	.5000	-1.000
72	526	4.246	.846	1-082E-03	.0198	1-2498E-03	.0238	1-4436E-03	.0264	.5000	1.000
73	521	.961	.176	2-232E-04	.0041	2-6765E-04	.0049	2-9727E-04	.0054	.5000	.886
74	520	.305	.054	6-857E-05	.0013	8-2220E-05	.0015	9-1304E-05	.0017	.5000	.640
75	521	1.613	.287	J-637E-04	.0067	4-3616E-04	.0080	4-8440E-04	.0089	.5000	0
76	515	20.966	3.443	4-538E-03	.0831	5-4149E-03	.1005	6-1237E-03	.1122	.5500	-0
77	515	1.929	.300	J-775E-04	.0069	4-5199E-04	.0083	5-0144E-04	.0092	.5500	-1.000
78	518	4.193	.624	1-679E-04	.0144	9-4390E-04	.0173	1-0479E-03	.0192	.5500	1.000
79	515	1.376	.251	J-157E-04	.0058	3-7705E-04	.0069	4-1932E-04	.0077	.5500	.935
80	549	20.162	3.859	5-972E-03	.0929	6-1270E-03	.1122	6-8379E-03	.1253	.6000	-0
81	547	18.108	3.759	4-929E-03	.0903	5-9508E-03	.1090	6-6391E-03	.1216	.6000	-0.249
83	556	27.240	5.382	7-142E-03	.1308	8-6434E-03	.1583	9-6591E-03	.1770	.6000	-0.748
84	528	.307	.061	7-856E-05	.0014	9-4378E-05	.0017	1-0495E-04	.0019	.6000	-1.000
85	519	3.984	.707	6-939E-04	.0164	1-0713E-03	.0196	1-1893E-03	.0218	.6000	1.000
86	517	1.371	.258	J-253E-04	.0060	3-8971E-04	.0071	4-3251E-04	.0079	.6000	.907
87	518	1.123	.193	2-442E-04	.0045	2-9264E-04	.0054	3-2485E-04	.0060	.6000	0
88	555	20.508	3.712	4-919E-03	.0901	5-9519E-03	.1090	6-6501E-03	.1218	.6500	-0
89	564	26.713	5.005	6-712E-03	.1230	8-1424E-03	.1492	9-1131E-03	.1670	.7000	-0
90	559	15.631	3.094	4-124E-03	.0756	4-9964E-03	.0915	5-5872E-03	.1024	.7000	-0.235
91	556	16.159	3.194	4-241E-03	.0777	5-1334E-03	.0940	5-7373E-03	.1051	.7000	-0.469
92	559	17.991	3.363	4-482E-03	.0821	5-4296E-03	.0995	6-0714E-03	.1112	.7000	-0.704
93	557	17.460	3.548	4							

5/29/71

AEDC (ARO-INC.) ARNOLD AFS, TENNESSEE  
VON KARMAN GAS DYNAMICS FACILITY  
50 INCH HYPERSONIC TUNNEL R  
V1162

Table with columns: RUN, CONFIG, MOUILL, MACH NO, PO PSIA, TO DEG H, ALPHA-MODEL, ALPHA-SECTOR, ALPHA-PREBEND, ROLL-MODEL, YAW, T-IAF, P-IAF, U-IAF, V-IAF, RHO-IAF, MU-IAF, RE/PY, MREF-FH, SIFR, SWITCH, TC NO, TW, DTWCT, U-DU1, H1(T), H1(T)/MREF, H1(9T), H1(9T)/MREF, H1(85T), H1(85T)/MREF, FUSELAGE A/L, Y/YMAX, LOWER WING SURFACE A/C, Y/S, UPPER WING SURFACE A/C, Y/S, VERTICAL STABILIZER A/C, Y/S. Rows include data for runs 99-120, 121-186, 129-182, and 187-204.

GROUP 99

5/29/71

AEDC (ARO, INC.) ARNOLD AFS, TENNESSEE  
VON KARMAN GAS DYNAMICS FACILITY  
50 INCH HYPERSONIC TUNNEL B  
VII162

Table with columns: RUN 36, CONFIG 7, MODEL NAR-UWD, MACH NO 8.00, PO PSIA 599.0, TO DEG R 1309, ALPHA-MODEL 39.98, ALPHA-SECTOR 2.02, ALPHA-PREBEND -42.00, ROLL-MODEL 180.00, YAW 0.0. Rows 1-98 contain numerical data for various parameters like T-INF, P-INF, Q-INF, V-INF, RHO-INF, MU-INF, RE/FT, MREF-FR, SIFR, SWITCH, TC NO, TR, DTNET, U-DOT, H(TO), H(TO)/MREF, H(L, YTO), H(L, YTO)/MREF, H(L, RSTO), H(L, RSTO)/MREF, FUSELAGE K/L, and Y/YMAX.

NOT REPRODUCIBLE

AEDC(AHO,INC.) ARNOLD AFS, TENNESSEE  
VON KARMAN GAS DYNAMICS FACILITY  
50 INCH HYPERSONIC TUNNEL R  
VII162

RUN	CONFIG	MODEL	MACH NO	PO PSIA	TO DEG R	ALPHA-MODEL	ALPHA-SECTOR	ALPHA-PREBEND	ROLL-MODEL	YAW
36	7	NAR-UWU	0.00	553.1	1311	39.98	2.02	-42.00	100.00	0
T-INF	P-INF	Q-INF	V-INF	RHO-INF	MU-INF	RE/FT	HREF-FH	SIFH	SWITCH	
(DEG R)	(PSIA)	(PSIA)	(F1/SEC)	(SLUGS/F3)	(LB-SLFC/F2)	(FT-1)	(R= .009FT)	(H= .009FT)	POSITION	
95.0	.057	2.538	J821	8.003E-05	7.650E-08	2.50E 06	5.464E-02	J597E-02	2	

TC NO	IN	DTMCT	U-DOT	H(TO)	H(TO)/HREF	H(.910)	H(.910)/HREF	H(.8510)	H(.8510)/HREF	FUSELAGE
99	558	10.971	2.110	2.801E-03	.0513	3.3909E-03	.0621	3.7903E-03	.0694	A/L
100	558	10.881	2.092	2.776E-03	.0508	3.3613E-03	.0619	3.7570E-03	.0688	Y/YMAX
101	560	11.941	2.496	3.325E-03	.0609	4.0290E-03	.0717	4.5058E-03	.0825	
102	564	11.360	2.798	3.742E-03	.0689	4.9302E-03	.0811	5.0782E-03	.0929	
103	561	9.444	1.871	2.493E-03	.0456	3.0214E-03	.0553	3.3791E-03	.0618	
104	564	8.793	1.599	2.139E-03	.0391	2.5938E-03	.0475	2.9025E-03	.0531	
105	560	8.762	1.735	2.310E-03	.0423	2.7989E-03	.0512	3.1300E-03	.0573	
106	556	10.499	2.078	2.749E-03	.0503	3.2269E-03	.0609	3.7172E-03	.0680	
107	565	10.065	1.831	2.454E-03	.0449	2.9775E-03	.0549	3.3327E-03	.0610	
108	564	8.813	1.652	2.211E-03	.0405	2.6015E-03	.0491	3.0009E-03	.0549	
109	543	.300	.061	7.898E-05	.0014	9.5112E-05	.0017	1.0602E-04	.0019	
110	540	.566	.102	1.319E-04	.0024	1.5888E-04	.0029	1.7702E-04	.0032	
111	540	.604	.099	1.278E-04	.0023	1.5397E-04	.0029	1.7354E-04	.0031	
112	567	7.751	1.498	2.013E-03	.0368	2.4436E-03	.0447	2.7363E-03	.0501	
114	569	13.486	2.807	3.511E-03	.0643	4.2643E-03	.0780	4.7764E-03	.0874	
115	573	10.935	2.190	2.954E-03	.0541	3.5916E-03	.0657	4.0266E-03	.0737	
116	572	9.963	1.989	2.692E-03	.0493	3.2733E-03	.0599	3.6691E-03	.0671	
117	568	8.479	1.885	2.537E-03	.0464	3.0808E-03	.0564	3.4506E-03	.0632	
118	568	7.587	1.383	1.862E-03	.0341	2.2610E-03	.0414	2.5324E-03	.0463	
119	544	1.667	.327	4.265E-04	.0078	5.1443E-04	.0094	5.7352E-04	.0105	
120	536	.944	.108	1.396E-04	.0026	1.6798E-04	.0031	1.8702E-04	.0034	

TC NO	IN	DTMCT	U-DOT	H(TO)	H(TO)/HREF	H(.910)	H(.910)/HREF	H(.8510)	H(.8510)/HREF	LOWER WING SURFACE
121	563	21.930	4.228	5.652E-03	.1034	6.8528E-03	.1254	7.4675E-03	.1403	A/C
122	574	27.411	4.706	6.381E-03	.1168	7.7607E-03	.1420	8.7014E-03	.1592	Y/S
124	568	16.228	2.957	3.977E-03	.0720	4.8290E-03	.0884	5.4080E-03	.0990	
126	564	8.700	1.486	1.989E-03	.0364	2.4116E-03	.0441	2.6986E-03	.0494	
127	565	9.859	1.794	2.405E-03	.0440	2.9176E-03	.0534	3.2698E-03	.0598	
128	570	12.187	1.683	2.270E-03	.0415	2.7572E-03	.0505	3.0889E-03	.0565	
134	569	35.816	7.321	9.858E-03	.1804	1.1972E-02	.2191	1.3410E-02	.2454	
135	570	36.611	6.678	9.008E-03	.1649	1.0944E-02	.2003	1.2261E-02	.2244	
136	580	32.090	5.883	8.043E-03	.1472	9.7947E-03	.1793	1.1001E-02	.2013	
137	574	21.135	3.630	4.925E-03	.0901	5.9915E-03	.1097	6.7186E-03	.1230	
138	569	14.608	2.744	3.698E-03	.0677	4.4912E-03	.0922	5.0310E-03	.0921	
140	569	11.616	2.054	2.769E-03	.0507	3.3632E-03	.0616	3.7677E-03	.0690	
142	564	10.866	1.747	2.405E-03	.0440	2.9176E-03	.0534	3.2692E-03	.0598	
147	578	36.064	6.806	9.285E-03	.1699	1.1307E-02	.2069	1.2689E-02	.2322	
148	585	33.106	6.084	8.376E-03	.1533	1.0222E-02	.1871	1.1487E-02	.2102	
149	581	39.551	7.476	1.024E-02	.1875	1.2486E-02	.2285	1.4021E-02	.2566	
150	593	33.287	6.665	9.147E-03	.1674	1.1154E-02	.2041	1.2529E-02	.2293	
151	574	23.444	4.676	6.347E-03	.1182	7.7215E-03	.1413	8.6588E-03	.1585	
152	574	14.957	3.380	4.555E-03	.0834	5.5403E-03	.1014	6.2119E-03	.1137	
154	571	13.928	2.542	3.433E-03	.0628	4.1714E-03	.0763	4.6743E-03	.0855	
154	569	12.502	2.004	2.700E-03	.0544	3.2799E-03	.0680	3.6743E-03	.0872	
157	559	8.374	1.520	2.022E-03	.0370	2.4497E-03	.0448	2.7391E-03	.0501	
163	576	38.977	7.348	9.993E-03	.1829	1.1016E-02	.2226	1.3642E-02	.2497	
164	583	34.776	6.578	9.029E-03	.1652	1.1011E-02	.2015	1.2368E-02	.2264	
165	580	38.175	6.834	9.350E-03	.1711	1.1393E-02	.2085	1.2792E-02	.2341	
166	586	36.893	6.743	9.351E-03	.1711	1.1414E-02	.2089	1.2830E-02	.2348	
167	577	37.439	6.854	9.339E-03	.1709	1.1370E-02	.2081	1.2757E-02	.2338	
168	581	32.747	6.554	8.982E-03	.1644	1.0950E-02	.2004	1.2496E-02	.2250	
169	572	34.058	6.330	8.569E-03	.1568	1.0418E-02	.1907	1.1678E-02	.2137	
170	581	20.722	3.743	5.014E-03	.0918	6.0759E-03	.1112	6.7953E-03	.1244	
171	581	37.384	6.857	9.388E-03	.1718	1.1442E-02	.2094	1.2847E-02	.2351	
172	587	37.556	6.700	9.252E-03	.1693	1.1297E-02	.2068	1.2701E-02	.2325	
173	577	27.910	5.269	7.173E-03	.1413	8.7320E-03	.1598	9.7984E-03	.1793	
175	570	20.902	4.275	5.766E-03	.1055	7.0046E-03	.1282	7.8476E-03	.1436	
176	551	5.374	1.031	1.356E-03	.0248	1.6386E-03	.0300	1.8293E-03	.0335	
178	564	12.834	2.334	3.122E-03	.0571	3.7864E-03	.0693	4.2371E-03	.0775	
183	563	15.740	2.254	3.013E-03	.0551	3.6528E-03	.0669	4.0869E-03	.0748	
184	571	18.847	3.439	4.645E-03	.0840	5.6438E-03	.1033	6.3241E-03	.1157	
185	569	13.623	2.484	3.345E-03	.0612	4.0623E-03	.0743	4.5502E-03	.0833	
186	561	9.218	1.674	2.230E-03	.0408	2.7019E-03	.0494	3.0218E-03	.0553	

TC NO	IN	DTMCT	U-DOT	H(TO)	H(TO)/HREF	H(.910)	H(.910)/HREF	H(.8510)	H(.8510)/HREF	UPPER WING SURFACE
129	536	.461	.070	5.042E-05	.0017	1.0884E-04	.0020	1.2118E-04	.0022	A/C
130	537	.301	.051	6.561E-05	.0012	7.8987E-05	.0014	8.7955E-05	.0016	Y/S
131	540	.096	.018	2.293E-05	.0004	2.7631E-05	.0005	3.0786E-05	.0006	
132	543	.176	.034	4.378E-05	.0008	5.2792E-05	.0010	5.8847E-05	.0011	
133	540	.474	.083	1.071E-04	.0020	1.2905E-04	.0024	1.4379E-04	.0026	
143	539	.909	.183	2.369E-04	.0043	2.8539E-04	.0052	3.1790E-04	.0058	
145	542	.279	.047	6.126E-05	.0011	7.3854E-05	.0014	8.2311E-05	.0015	
146	541	.573	.100	1.295E-04	.0024	1.5607E-04	.0029	1.7389E-04	.0032	
156	541	1.224	.197	2.433E-04	.0045	2.9329E-04	.0054	3.2684E-04	.0060	
159	542	.517	.084	1.098E-04	.0020	1.3241E-04	.0024	1.4759E-04	.0027	
160	544	.295	.048	6.286E-05	.0012	7.5803E-05	.0014	8.4506E-05	.0015	
161	542	.331	.058	7.508E-05	.0014	9.0477E-05	.0017	1.0083E-04	.0018	
162	539	1.360	.185	2.394E-04	.0044	2.8839E-04	.0053	3.2124E-04	.0059	
179	541	.432	.078	1.008E-04	.0018	1.2148E-04	.0022	1.3938E-04	.0025	
180	541	.167	.030	4.910E-05	.0007	4.7123E-05	.0009	5.2512E-05	.0010	
181	542	.103	.013	1.672E-05	.0003	2.0156E-05	.0004	2.2464E-05	.0004	
182	539	.599	.101	1.307E-04	.0024	1.5746E-04	.0029	1.7540E-04	.0032	

TC NO	IN	DTMCT	U-DOT	H(TO)	H(TO)/HREF	H(.910)	H(.910)/HREF	H(.8510)	H(.8510)/HREF	VERTICAL STABILIZER
187	537	.657	.107	1.384E-04	.0025	1.6662E-04	.0030	1.8594E-04	.0034	A/C
188	534	.593	.103	1.325E-04	.0024	1.5939E-04	.0029	1.7739E-04	.0032	Y/S
189	533	.433	.073	5.337E-05	.0017	1.1227E-04	.0021	1.2492E-04	.0023	
191	532	.127	.024	3.084E-05	.0006	3.7080E-05	.0007	4.1251E-05	.0008	
192	536	.975	.184	2.393E-04	.0044	2.8802E-04	.0053	3.2068E-04	.0059	
193	534	1.008	.175	2.249E-04	.0041	2.7057E-04	.0050	3.0112E-04	.0055	
194	532	.684	.115	1.476E-04	.0027	1.7749E-04	.0032	1.9748E-04	.0036	
195	532	.581	.104	1.334E-04	.0024	1.6033E-04	.0029	1.7837E-04	.0033	
197	534	1.713	.316	4.064E-04	.0074	4.8883E-04	.0089	5.4402E-04	.0100	
198	534	1.042	.186	2.399E-04	.0044	2.8855E-04	.0053	3.2113E-04	.0059	
200	532	1.188	.212	4.727E-04	.0050	5.2784E-04	.0060	5.8474E-04	.0067	
201	536	2.399	.456	5.888E-04	.0108	7.0870E-04	.0130	7.8908E-04	.0144	
202	534	2.717	.309	4.981E-04	.0073	4.7890E-04	.0088	5.3298E-04	.0098	
203	532	.970	.110	1.418E-04	.0026	1.7049E-04	.0031	1.8949E-04	.0035	
204	534	2.824	.337	4.335E-04	.0079	5.2139E-04	.0095	5.8029E-04	.0106	

GROUP 100

5/29/71

AEDC(AHO,INC.) ARNOLD AFS, TENNESSEE  
VON KARMAN GAS DYNAMICS FACILITY  
50 INCH HYPERSONIC TUNNEL R  
VTJ162

Table with columns: RUN, CONFIG, MOUCL, MACH NO, PO PSIA, TO DEG R, ALPHA-MODEL, ALPHA-SECTOR, ALPHA-PREBEND, ROLL-MODEL, YAW, T-INP, P-INP, Q-INP, V-INP, RHO-INP, MU-INP, RE/FT, MREF-FH, SIFN, SWITCH, TC NO, TM, UTWLT, U-DOT, H(TO), H(TO)/MREF, H(.070), H(.070)/MREF, H(.050), H(.050)/MREF, FUSELAGE A/L, Y/YMAX. Rows 1-98.

NOT REPRODUCIBLE



5/29/71

AEDC(ARO,INC.) ARNOLD AFS, TENNESSEE  
VON KARMAN GAS DYNAMICS FACILITY  
50 INCH HYPERSONIC TUNNEL B  
VT1162

Table with columns: RUN, CONFIG, MODEL, MACH NO, PO PSIA, TO DEG R, ALPHA-MODEL, ALPHA-SECTOR, ALPHA-PREBEND, ROLL-MODEL, YAW, TC NO, TW, UTWCT, U-DOT, H(TO), H(TO)/HREF, H(.9TO), H(.9TO)/HREF, H(.85TO), H(.85TO)/HREF, FUSELAGE X/L, Y/YMAX, LOWER WING SURFACE X/C, Y/S, UPPER WING SURFACE X/C, Y/S, VERTICAL STABILIZER X/C, Y/S. Rows include data for various configurations like 1-1NF, 1-2NF, etc., and TC numbers 99-204.

GROUP 101

AYUCIANO, INC. ARNOLD AFS, TENNESSEE  
VON KARMAN GAS DYNAMICS FACILITY  
50 INCH HYPERSONIC TUNNEL H  
W11102

Table with columns: RUN 38, CONFIG 7, MODEL KAH-UNO, MACH NO 4.00, PO PSIA 550.9, TO DEG H 1307, ALPHA-MODEL 19-87, ALPHA-SECTOR 2-13, ALPHA-PHENOM -22.00, HOLL-MODEL 100.00, YAW 0. Sub-headers include I-IMP, M-IMP, U-IMP, V-IMP, HNO-IMP, PU-IMP, HE/FT, HMF-FH, SFH, SWITCH, FC NO, TR, UINCI, U-UNIT, H(10), H(10)/HREF, H1.910, H1.910)/HREF, H1.4510, H1.4510)/HREF, FUSELAGE A/L, Y/YMAX. Rows 1-98 contain numerical data.

NOT REPRODUCIBLE

365974

AEDC (AMU-INC.) ANNULUS AFB, TENNESSEE  
VON KARMAN GAS DYNAMICS FACILITY  
50 INCH HYPERSONIC TUNNEL H  
VT1162

Table with columns: RUN, CONFIG, MODEL, Mach No, PN PSIA, TC DEG R, ALPHA-MODEL, ALPHA-SECTOR, ALPHA-PREBEND, HULL-MODEL, YAW. Includes sub-headers for FUSELAGE, LOWER WING SURFACE, UPPER WING SURFACE, and VERTICAL STABILIZER. Data rows include parameters like TC NO, TW, DTACT, G-DIST, H(DIST), H(DIST)/HREF, H(DIST), H(DIST)/HREF, H(DIST), H(DIST)/HREF.

GROUP 102

365978

365979

5/29/71

AEDC (AHO) (INC.) ANNULUS AFS, TENNESSEE  
VON KARMAN GAS DYNAMICS FACILITY  
50 INCH HYPERSONIC TUNNEL M  
V11162

RUN 39	CONFIG I	MODEL NAM-DRU	MACH NO H.00	PO PSIA 995.9	TO DEG R 1307	ALPHA-MODEL 9.98	ALPHA-SECTOR 12.12	ALPHA-PREBEND -22.00	ROLL-MODEL 100.00	YAW .0	FUSELAGE	
											A/L	V/YMAX
1-IMP (OEO H)	2-IMP (PSIA)	3-IMP (PSIA)	4-IMP (SEC)	5-IMP (SLUGS/FI)	6-IMP (LB-SEC/FI)	RE/FT (FT-1)	MHEP-FR (Rm.000FT)	SIFR (Mm.000FT)	SWITCH POSITION			
94.7	0.57	2.551	0.15	9.043E-05	7.947E-08	2.922 06	9.479E-02	3.291E-02	1			
IC NO	TR	DTMCI	Q-D01	M(10)	M(10)/MHEP	F(210)	M(210)/MHEP	M(3510)	M(3510)/MHEP			
1	612	174.304	JJ.181	4.772F-02	.4715	5.8766E-02	1.0733	6.6960E-02	1.2139	0	0	
2	549	174.94M	JJ.163	1.792E-02	.3266	2.1660E-02	.3956	2.4470F-02	.4433	.0100	-0	
3	544	18.98M	6.197	8.728E-03	.1503	4.9599E-03	.1818	1.1124E-02	.2032	.0100	-.441	
4	548	18.37M	2.412	1.702E-03	.0076	4.4714E-03	.0417	4.9900E-04	.0911	.0100	-1.000	
5	545	10.426	1.850	2.164F-03	.0495	2.6114E-03	.0477	2.9133E-03	.0532	.0100	0	
6	559	10.682	8.636	1.153F-02	.7107	1.4974E-02	.2592	1.5027E-02	.2494	.0200	-0	
7	544	14.227	6.978	4.149F-03	.1600	1.1113E-02	.2033	1.2434E-02	.2272	.0300	-0	
8	552	10.471	3.340	1.065F-03	.1490	8.5427E-03	.1560	4.5404E-03	.1743	.0300	-.303	
9	547	15.626	2.475	1.753F-03	.0594	1.4277E-03	.0717	4.3823E-04	.0800	.0300	-1.000	
10	543	1.365	1.325	1.734F-03	.0317	2.0424E-03	.0302	2.3332E-03	.0426	.0300	0	
11	542	10.871	6.049	8.063F-03	.1473	4.7515E-03	.1781	1.0842E-02	.1989	.0400	-0	
12	547	14.210	1.779	4.471F-03	.0908	6.0040E-03	.1097	6.6949E-03	.1224	.0500	-0	
13	548	14.345	1.898	3.009E-03	.0915	6.0447E-03	.1109	6.7512E-03	.1233	.0500	-.110	
14	547	14.470	2.571	1.316F-03	.0066	4.0044E-03	.0731	4.4684E-03	.0816	.0500	-1.000	
15	544	6.533	1.354	1.772F-03	.0324	2.1378E-03	.0390	2.3940E-03	.0435	.0500	0	
16	546	14.521	1.474	2.346F-03	.0448	2.4931E-03	.0528	3.2278E-03	.0590	.0800	-0	
17	546	12.812	2.134	2.401E-03	.0312	1.3913E-03	.0618	3.7720E-03	.0689	.0800	-.160	
18	544	8.863	1.498	1.941F-03	.0388	2.3644E-03	.0432	2.6389E-03	.0482	.0800	-1.000	
19	540	6.777	1.254	1.474F-03	.0298	1.4694E-03	.0360	2.1492E-03	.0401	.1000	-0	
20	542	4.885	.754	4.459E-04	.0180	1.1492E-03	.0217	1.3258E-03	.0242	.1000	-.383	
21	542	4.077	1.444	1.440E-03	.0354	2.3369E-03	.0427	2.6081E-03	.0476	.1000	-.817	
22	541	6.125	1.101	1.430F-03	.0262	1.7319E-03	.0316	1.9304E-03	.0353	.1000	-1.000	
23	540	2.854	.520	6.777E-04	.0124	6.1642E-04	.0149	9.1021E-04	.0166	.1000	.783	
24	539	2.357	.444	3.445F-04	.0107	7.0438E-04	.0129	7.8841E-04	.0143	.1000	0	
25	537	4.624	1.658	2.153F-03	.0393	2.5428E-03	.0474	7.8880E-03	.0527	.1500	-.893	
26	534	6.547	1.278	1.443F-03	.0302	1.9492E-03	.0363	2.2145E-03	.0404	.1500	-1.000	
27	534	2.844	.503	6.498E-04	.0119	7.0188E-04	.0143	8.7036E-04	.0159	.1500	.684	
28	534	1.441	.239	1.031E-04	.0055	3.6448E-04	.0067	4.0945E-04	.0074	.1500	0	
29	525	4.504	.802	1.070F-03	.0187	1.2320E-03	.0225	1.3894E-03	.0250	.2000	-0	
30	526	6.434	1.252	1.460E-03	.0293	1.9247E-03	.0352	2.1349E-03	.0391	.2000	-.278	
31	527	4.485	1.742	2.233F-03	.0408	2.6830E-03	.0440	2.9833E-03	.0545	.2000	-.466	
32	528	4.850	1.723	2.212F-03	.0404	2.6575E-03	.0485	2.9555E-03	.0540	.2000	-.792	
33	528	7.383	1.318	1.442E-03	.0309	2.0327E-03	.0371	7.2807E-03	.0413	.2000	-1.000	
34	530	1.963	.372	4.747E-04	.0087	5.7547E-04	.0105	6.4022E-04	.0117	.2000	.888	
35	532	5.024	.410	1.174F-03	.0214	1.4124E-03	.0258	1.5719E-03	.0267	.2000	0	
36	533	7.316	1.190	1.537E-03	.0281	1.8447E-03	.0334	2.0577E-03	.0376	.2100	0	
37	541	14.143	1.439	4.486E-03	.0819	5.0085E-03	.0988	6.0282E-03	.1101	.2200	0	
38	541	13.052	1.518	1.120E-02	.2057	1.3613E-02	.2486	1.5402E-02	.2777	.2300	0	
39	536	14.048	2.747	1.458E-03	.0050	4.2442E-03	.0783	4.7756E-03	.0872	.2400	.486	
40	534	10.702	1.683	2.177E-03	.0398	2.6193E-03	.0478	2.9198E-03	.0533	.2500	0	
41	532	5.043	1.142	1.472E-03	.0289	1.7711E-03	.0323	1.9709E-03	.0360	.2700	.485	
42	532	5.347	1.081	1.393E-03	.0255	1.6754E-03	.0306	1.8649E-03	.0341	.2700	.485	
43	531	2.822	.428	5.507E-04	.0101	6.8220E-04	.0121	7.3076E-04	.0135	.2700	0	
44	523	3.220	.561	7.155E-04	.0131	8.5867E-04	.0157	9.5415E-04	.0174	.3000	0	
45	524	6.052	1.110	1.418E-03	.0259	1.7001E-03	.0311	1.8893E-03	.0345	.3000	-.312	
46	527	6.510	1.741	2.238F-03	.0409	2.6885E-03	.0491	2.9842E-03	.0546	.3000	-.504	
47	524	4.409	1.374	1.764F-03	.0322	2.1196E-03	.0387	2.3574E-03	.0431	.3000	-.857	
48	528	7.014	1.271	1.638E-03	.0259	1.9480E-03	.0359	2.1885E-03	.0400	.3000	-1.000	
49	528	4.568	.849	1.440E-03	.0208	1.3732E-03	.0248	1.5237E-03	.0278	.3000	.983	
50	528	1.942	.371	4.433E-04	.0088	5.8076E-04	.0106	6.4986E-04	.0118	.3000	.853	
51	531	5.022	1.034	1.331F-03	.0243	1.6008E-03	.0292	1.7811E-03	.0325	.3000	.433	
52	531	4.814	.909	1.171E-03	.0214	1.4076E-03	.0257	1.5860E-03	.0289	.3000	.361	
53	529	1.417	.704	2.422E-04	.0048	3.1517E-04	.0058	3.5055E-04	.0064	.3000	0	
54	525	2.116	.411	3.253E-04	.0046	6.3043E-04	.0115	7.0091E-04	.0128	.4000	-0	
55	525	4.340	.844	1.079F-03	.0197	1.2453E-03	.0227	1.4494E-03	.0263	.4000	-.321	
56	527	7.764	1.510	1.934E-03	.0351	2.3234E-03	.0434	2.9433E-03	.0472	.4000	-.526	
57	531	15.504	2.688	1.463F-03	.0032	4.1642E-03	.0761	4.6334E-03	.0846	.4000	-.951	
58	529	10.754	1.920	2.466E-03	.0450	2.9642E-03	.0541	3.2469E-03	.0602	.4000	-1.000	
59	526	5.546	1.058	1.355E-03	.0247	1.6271E-03	.0297	1.8040E-03	.0330	.4000	1.000	
60	528	4.354	.771	4.967E-04	.0182	1.1974E-03	.0219	1.3315E-03	.0243	.4000	.906	
61	527	2.374	.423	5.426F-04	.0049	6.5188E-04	.0102	7.2443E-04	.0132	.4000	.750	
62	529	7.383	.361	6.639F-04	.0085	5.5749E-04	.0119	6.2004E-04	.0113	.4000	0	
63	530	11.813	2.074	2.667E-03	.0487	3.2044E-03	.0586	3.5668E-03	.0651	.4500	-1.000	
64	528	5.146	1.039	1.333E-03	.0243	1.6010E-03	.0292	1.7803E-03	.0325	.4500	1.000	
65	528	4.008	.731	4.445E-04	.0173	1.1344E-03	.0207	1.2618E-03	.0230	.4500	.990	
66	530	1.644	.303	3.444E-04	.0071	4.6809E-04	.0085	5.2074E-04	.0095	.5000	-0	
67	531	3.482	.660	6.442E-04	.0155	1.4210E-03	.0186	1.1359E-03	.0207	.5000	-.277	
68	531	3.907	1.152	1.443E-03	.0271	1.7829E-03	.0326	1.9437E-03	.0362	.5000	-.553	
69	533	10.367	1.910	2.465F-03	.0450	2.9649E-03	.0547	3.2449E-03	.0603	.5000	-.830	
70	535	14.367	1.490	4.519F-03	.0825	5.4405E-03	.0994	6.0979E-03	.1106	.5000	-1.000	
72	530	5.254	1.053	1.355F-03	.0247	1.6248E-03	.0297	1.8120E-03	.0331	.5000	1.008	
73	524	4.430	.631	6.111F-04	.0148	4.7448E-04	.0178	1.0845E-03	.0194	.5000	.886	
74	529	2.244	.410	3.264E-04	.0046	6.4243E-04	.0116	7.0366E-04	.0129	.5000	.640	
75	532	5.769	1.031	1.379E-03	.0243	1.5949E-03	.0292	1.7711E-03	.0325	.5000	0	
76	535	1.877	.257	1.222E-04	.0081	3.9445E-04	.0073	4.4519E-04	.0081	.5500	-0	
77	530	3.000	.471	6.055F-04	.0111	7.2793E-04	.0133	8.0478E-04	.0148	.5500	-1.000	
78	531	3.603	.546	1.030E-04	.0129	8.4612E-04	.0159	4.4143E-04	.0172	.5500	1.000	
79	529	2.502	.460	3.914E-04	.0108	7.1086E-04	.0130	7.9069E-04	.0144	.5500	.935	
80	535	1.384	.263	3.410E-04	.0082	4.1050E-04	.0075	4.5707E-04	.0083	.6000	-0	
81	535	2.967	.412	1.427E-04	.0145	4.5429E-04	.0174	1.0626E-03	.0194	.6000	-.249	
83	537	7.830	1.532	1.940E-03	.0363	2.3944E-03	.0438	2.6694E-03	.0488	.6000	-.748	
84	532	1.881	.213	2.743F-04	.0050	3.2497E-04	.0060	3.6708E-04	.0067	.6000	-1.000	
85	544	1.742	.312	4.079F-04	.0074	4.8445E-04	.0089	5.3971E-04	.0099	.6000	1.000	
86	531	1.851	.313	4.030E-04	.0074	4.8445E-04	.0089	5.3971E-04	.0099	.6000	.907	
87	532	3.801	.659	6.443E-04	.0155	1.0215E-03	.0187	1.1367E-03	.0208	.6000	0	
88	530	1.282	.230	2.993E-04	.0059	3.6064E-04	.0066	4.0180E-04	.0073	.6500	-0	
89	539	1.625	.301	1.911E-04	.0071	4.7127E-04	.0086	5.2510E-04	.0096	.7000	-0	
90	539	2.574	.505	6.574E-04	.0120	7.4220E-04	.0145	8.8272E-04	.0161	.7000	-.235	
91	560	3.862	.757	4.443E-04	.0180	1.1848E-03	.0217	1.3249E-03	.0242	.7000	-.469	
92	543	4.757	.882	1.154E-03	.0211	1.4917E-03	.0254	1.5919E-03	.0289	.7000	.704	
93	542	4.828	.973	1.272F-03	.0232	1.5343E-03	.0280	1				

ALCANTARA, INC. ANNULUS AFS, TENNESSEE  
VON KAMAN GAS DYNAMICS FACILITY  
50 INCH HYPERSONIC TUNNEL #1  
V11162

Table with columns: RUN, CONF TO, MODEL, MACH NO, PD PSSA, TO DEG R, ALPHA-PODEL, ALPHA-SECTOR, ALPHA-PREBEND, ROLL-MODEL, YAW. Includes sub-headers for I-INF, U-INF, V-INF, HND-INF, MU-INF, HE/FF, HNEF-FH, SIPR, SWITCH, and FUSELAGE. Data rows include coordinates and values for various points.

365986

365987

ALUCIARO, INC., AMNULO AFS, TENNESSEE  
VAN KAMMAN GAS DYNAMICS FACILITY  
50 INCH HYPERSONIC TUNNEL N  
V1162

RUN NO	CONFIG	MODEL	MACH NO	PD PSTA	TO DEG R	ALPHA-MODEL	ALPHA-SECTOR	ALPHA-PREPERG	ROLL-MODEL	YAW
40	7	NAM-000	7.94	106-4	1254	9-95	12-05	-22.00	180.00	0
I-IMP	P-IMP	U-IMP	V-IMP	HMO-IMP	MU-IMP	RE/FT	MNEP-PH	SIFM	SWICH	
(100 W)	(100 W)	(100 W)	(100 W)	(100 W)	(100 W)	(100 W)	(100 W)	(100 W)	(100 W)	
42.1	101.1	119.1	135.1	1.000E-03	1.000E-03	1.000E-03	1.000E-03	1.000E-03	1.000E-03	
IC NO	IN	ITBL	U-IMP	V-IMP	H(10)/MHP	F(1010)	H(1010)/MHP	H(1010)	H(1010)/MHP	
99	513	1.162	.217	1.006F-04	.0094	1.0392E-04	.0120	4.0075E-04	.0134	FUSELAGE
100	513	1.070	.217	1.034F-04	.0145	1.1242E-04	.0176	5.4918E-04	.0197	A/L
101	517	1.162	.164	1.002E-04	.0160	0.1592E-04	.0200	4.4840E-04	.0224	/YMAA
102	518	1.025	.177	1.076F-04	.0174	0.1311E-04	.0211	7.1144E-04	.0234	-223
103	516	.029	.119	1.003E-04	.0093	1.4419E-04	.0044	2.1715E-04	.0072	-448
104	515	.014	.110	1.032E-04	.0091	1.0953E-04	.0061	2.0745E-04	.0069	-669
105	516	.017	.110	1.022F-04	.0073	1.6492E-04	.0049	3.0113E-04	.0100	-808
106	516	.009	.110	1.019F-04	.0073	1.6057E-04	.0049	2.9710E-04	.0098	-900
107	517	1.174	.210	1.043F-04	.0097	1.5597E-04	.0118	3.4770E-04	.0131	-226
108	517	1.133	.219	1.020F-04	.0097	1.5331E-04	.0117	3.4571E-04	.0131	-252
109	516	.028	.078	1.000E-04	.0046	1.3118E-04	.0043	1.4671E-04	.0049	-678
110	516	.020	.073	1.029E-04	.0043	1.5734E-04	.0052	1.7596E-04	.0058	1.000
111	516	.022	.060	1.033F-05	.0041	1.7490E-04	.0026	1.6610E-04	.0029	900
112	517	.024	.064	1.045F-05	.0029	1.0132E-04	.0033	1.2004E-04	.0040	900
113	517	.021	.060	1.115F-04	.0047	1.4514E-04	.0045	1.5115E-04	.0050	900
114	517	.023	.064	1.043F-04	.0049	1.7973E-04	.0059	2.0104E-04	.0066	900
115	517	.021	.061	1.046F-04	.0046	2.0147E-04	.0040	2.7050E-04	.0049	900
116	517	.021	.061	1.046F-04	.0046	2.0147E-04	.0040	2.7050E-04	.0049	900
117	517	.021	.061	1.046F-04	.0046	2.0147E-04	.0040	2.7050E-04	.0049	900
118	518	.021	.061	1.046F-04	.0046	2.0147E-04	.0040	2.7050E-04	.0049	900
119	515	.021	.061	1.046F-04	.0046	2.0147E-04	.0040	2.7050E-04	.0049	900
120	513	1.000	.112	1.051F-04	.0092	1.0895E-04	.0047	2.1120E-04	.0070	900
121	546	27.934	5.338	1.036F-03	.2091	9.1575E-03	.3027	1.0261E-02	.3392	UPPER WING SURFACE
122	550	24.806	5.056	1.143F-03	.2375	8.7401E-03	.2889	9.4026E-03	.3241	A/C
124	541	3.719	.067	1.075F-04	.0304	1.1357E-03	.0379	1.2714E-03	.0420	Y/S
126	516	1.161	.293	1.000E-04	.0135	4.9496E-04	.0166	5.5354E-04	.0183	1000
127	516	1.012	.271	1.077F-04	.0125	4.5704E-04	.0151	5.1108E-04	.0169	1000
128	514	1.237	.160	1.032F-04	.0077	2.0237E-04	.0093	3.1569E-04	.0104	1000
134	549	33.134	6.705	1.014E-03	.3145	1.1573E-02	.3426	1.2777E-02	.4290	1000
135	547	25.849	4.860	1.054F-03	.2719	8.0110E-03	.2648	8.4978E-03	.2968	1000
136	542	8.709	1.566	1.000E-03	.0727	2.6703E-03	.0883	2.9899E-03	.0988	1000
137	541	5.169	.862	1.020F-03	.0400	1.0674E-03	.0485	1.6426E-03	.0543	1000
138	540	2.829	.924	1.030F-04	.0242	8.8499E-04	.0294	9.4905E-04	.0324	1000
140	519	1.041	.286	1.044F-04	.0132	4.8431E-04	.0160	5.4192E-04	.0174	1000
142	516	.922	.150	1.000E-04	.0089	2.5310E-04	.0080	2.8302E-04	.0094	1000
147	549	24.431	4.945	1.044E-03	.2132	7.8417E-03	.2593	8.7455E-03	.2908	1000
148	544	9.521	1.712	1.016E-03	.0799	2.9337E-03	.0970	3.2661E-03	.1086	1000
149	549	23.750	4.416	1.076F-03	.2070	7.6141E-03	.2517	8.5384E-03	.2822	1000
150	544	9.578	1.800	1.064F-03	.0875	3.2186E-03	.1063	3.6006E-03	.1190	1000
151	542	4.967	.974	1.036F-03	.0452	1.6604E-03	.0549	1.8591E-03	.0615	1000
152	542	3.434	.949	1.015F-04	.0278	1.0215E-03	.0338	1.1439E-03	.0378	1000
153	519	2.204	.411	1.074F-04	.0190	6.9710E-04	.0231	7.8034E-04	.0258	1000
154	540	1.531	.282	1.034E-04	.0112	4.0496E-04	.0136	4.5880E-04	.0152	1000
157	517	1.257	.230	1.078F-04	.0146	5.0848E-04	.0178	6.3843E-04	.0194	1000
163	547	25.127	4.778	1.075E-03	.2233	8.0211E-03	.2735	9.2024E-03	.3042	1000
164	545	11.207	2.040	1.035F-03	.0470	1.5664E-03	.0574	1.7946E-03	.0621	1000
165	540	24.504	4.970	1.041E-03	.2146	7.8974E-03	.2611	8.8572E-03	.2924	1000
166	546	12.997	2.142	1.010E-03	.1094	4.0225E-03	.1330	4.9497E-03	.1490	1000
167	548	24.894	4.310	1.017E-03	.2014	7.4294E-03	.2455	8.3252E-03	.2752	1000
168	546	12.361	2.424	1.029F-03	.1134	4.1642E-03	.1377	4.6842E-03	.1543	1000
169	541	24.621	4.809	1.038F-03	.2260	8.3215E-03	.2751	9.3343E-03	.3086	1000
170	543	8.812	1.225	1.072F-03	.0570	2.0918E-03	.0692	2.3426E-03	.0774	1000
171	542	28.814	5.258	1.048F-03	.2452	9.0306E-03	.2985	1.0132E-02	.3350	1000
172	547	15.344	2.642	1.071F-03	.1253	4.6041E-03	.1573	5.1645E-03	.1707	1000
173	544	6.623	1.228	1.079F-03	.0577	2.1022E-03	.0694	2.3524E-03	.0778	1000
175	542	3.305	.666	1.036F-04	.0304	1.1341E-03	.0376	1.2721E-03	.0421	1000
176	519	.620	.118	1.051F-04	.0055	2.0019E-04	.0066	2.2398E-04	.0074	1000
178	519	1.311	.235	1.071F-04	.0109	3.9913E-04	.0132	4.4663E-04	.0148	1000
183	547	11.221	1.994	1.025E-03	.0745	2.7347E-03	.0905	3.0094E-03	.1015	1000
184	544	6.800	1.229	1.025E-03	.0570	2.0453E-03	.0693	2.3464E-03	.0776	1000
185	540	2.873	.516	1.023E-04	.0239	8.7756E-04	.0290	9.8227E-04	.0325	1000
186	516	2.322	.418	1.037F-04	.0193	7.0773E-04	.0234	7.9185E-04	.0262	1000
129	540	3.409	.515	1.073F-04	.0240	8.8219E-04	.0292	9.8733E-04	.0326	1000
130	519	1.095	.185	1.050F-04	.0085	3.1245E-04	.0103	3.5006E-04	.0116	1000
131	518	.372	.065	1.054F-05	.0032	1.1631E-04	.0038	1.3012E-04	.0043	1000
132	516	.029	.013	1.011F-05	.0006	2.2013E-05	.0007	2.4417E-05	.0008	1000
133	534	.042	.042	1.044E-05	.0014	7.0772E-05	.0023	7.9117E-05	.0026	1000
143	541	3.860	.778	1.091E-03	.0361	1.3226E-03	.0434	1.4817E-03	.0490	1000
145	519	.922	.155	1.017E-04	.0072	2.6357E-04	.0087	2.9493E-04	.0094	1000
146	515	.309	.054	1.069E-05	.0025	9.0479E-05	.0030	1.0116E-04	.0033	1000
154	542	4.367	.666	1.035E-04	.0304	1.1344E-03	.0375	1.2707E-03	.0420	1000
159	542	3.251	.538	1.055F-04	.0250	9.1667E-04	.0303	1.0264E-03	.0339	1000
160	541	1.041	.268	1.072F-04	.0124	4.9691E-04	.0151	5.1108E-04	.0169	1000
161	537	.415	.072	1.008F-04	.0043	1.2212E-04	.0049	1.3661E-04	.0056	1000
167	519	.003	.109	1.014E-04	.0050	1.8333E-04	.0061	2.0447E-04	.0068	1000
174	544	10.040	1.407	1.044F-03	.0841	3.0893E-03	.1021	3.4603E-03	.1144	1000
180	541	3.900	.702	1.044F-04	.0326	1.1441E-03	.0399	1.3380E-03	.0442	1000
191	541	1.983	.248	1.048F-04	.0115	4.2257E-04	.0146	4.7303E-04	.0156	1000
192	537	.969	.167	1.032E-04	.0077	2.8161E-04	.0093	3.1498E-04	.0104	1000
187	542	9.433	1.624	1.041F-03	.0750	2.7691E-03	.0915	3.1007E-03	.1025	1000
188	538	2.180	.340	1.080F-04	.0175	6.4054E-04	.0212	7.1634E-04	.0237	1000
189	535	.464	.076	1.088F-04	.0046	1.3175E-04	.0054	1.4732E-04	.0064	1000
191	515	.141	.077	1.073F-05	.0012	4.5094E-05	.0015	5.0417E-05	.0017	1000
192	545	13.121	2.500	1.036F-03	.1169	4.2944E-03	.1420	4.8126E-03	.1591	1000
193	518	4.332	.752	1.052F-03	.0348	1.2747E-03	.0421	1.4426E-03	.0471	1000
194	516	.923	.155	1.065E-04	.0087	2.8236E-04	.0097	2.9342E-04	.0097	1000
195	516	.007	.109	1.014E-04	.0050	1.8333E-04	.0061	2.0447E-04	.0068	1000
197	542	2.313	1.228	1.071F-03	.0577	2.1022E-03	.0694	2.3524E-03	.0778	1000
198	519	1.430	.258	1.025E-04	.0110	4.3687E-04	.0146	4.8896E-04	.0162	1000
200	536	.854	.153	1.013E-04	.0071	2.5882E-04	.0085	2.8912E-04	.0096	1000
201	542	32.435	6.316	1.002E-03	.2976	1.0942E-02	.3620	1.2300E-02	.4066	1000
202	543	14.424	2.109	1.046E-03	.0891	3.0012E-03	.1101	4.0297E-03	.1333	1000
203	538	2.842	.279	1.097F-04	.0129	4.7250E-04	.0150	5.2866E-04	.0175	1000
204	516	1.684	.201	1.000E-04	.0093	3.3923E-04	.0112	3.7934E-04	.0129	1000
199	515	.011	.100	1.000E-04	.0046	1.3118E-04	.0043	1.4671E-04	.0049	1000
200	516	.020	.073	1.029E-04	.0043	1.5734E-04	.0052	1.7596E-04	.0058	1000
201	516	.022	.060	1.033F-05	.0041	1.7490E-04	.0026	1.6610E-04	.0029	1000







AFCO (AMC INC.) ARNOLD AFS, TENNESSEE  
VOH KAMMAN GAS DYNAMIC FACILITY  
50 INCH MIPERSONIC TUNNEL H  
WT1162

Table with columns: RUN, CONFIG, MODEL, MACH AN, POS A1, TO DEG R, ALPHA-MODEL, ALPHA-SECTOR, ALPHA-PREBEND, ROLL-MODEL, YAW. Includes sub-headers for I-INF, M-INF, Q-INF, V-INF, HMO-INF, MU-INF, RE/PT, MREF-PH, SIPH, SWITCH, TC AU, TW, UT/LI, U-DUI, H(LIC), H(TO)/MREF, H(LYTO), H(LSTO)/MREF, H(LSTO)/MREF, and FUSELAGE A/L, Y/YMAX, LOWER WING SURFACE A/C, UPPER WING SURFACE A/C, VERTICAL STABILIZER A/C. Rows 99-204.

GROUP 105

366002

366003

5/29/71

AEDC (ARO, INC.) ARNOLD AFB, TENNESSEE  
VON KARMAN GAS DYNAMICS FACILITY  
50 INCH HYPERSONIC TUNNEL A  
V11162

Table with columns: RUN 42, CONFIG 7, MODEL AAR-UWU, MACH NO 7.94, PU PSIA 185.0, TO DEG H 1232, ALPHA-MODEL 30.02, ALPHA-VECTOR -8.02, ALPHA-PREBEND -22.00, ROLL-MODEL 180.00, YAW .0. Sub-headers include T-INT, P-INT, Q-INT, V-INT, RHO-INT, MU-INT, RE/PT, MREF-FR, STFR, SWITCH, TC NO, TM, DFNCT, U-DOT, H(TOT), H(TOT)/MREF, H(.9TO), H(.9TO)/MREF, H(.ASTO), H(.ASTO)/MREF, FUSELAGE X/L, Y/YMAX.

1052692

5/29/71

ARDC(ARO-INC.) ARNOLD AFB, TENNESSEE  
VON KARMAN GAS DYNAMICS FACILITY  
50 INCH HYPERSONIC TUNNEL B  
V11162

Table with columns: RUN 42, CONFIG T, MODEL KAN-UWU, MACH NO 7.94, PO PSIA 105.8, TO DEG R 1228, ALPHA-MODEL 29.94, ALPHA-SECTOR -1.54, ALPHA-PREHEND -22.00, ROLL-MODEL 100.00, YAM .0. Sub-headers include T-INF, P-INF, Q-INF, V-INF, RHO-INF, MU-INF, RE/FT, HREF-FR, STFR, SWITCH, FC NO, TH, DTWLT, Q-DOT, M(TO), M(TO)/HREF, P(LQTO), M(LQTO)/HREF, M(LBSTO), M(LBSTO)/HREF, FUSELAGE X/L, Y/YMAX, LOWER WING SURFACE X/C, Y/S, UPPER WING SURFACE X/C, Y/S, VERTICAL STABILIZER X/C, Z/S.

1052696

1052697

GROUP 106

5/29/71

ALOCO (AUG. INC.) ANNULUS AFS, TENNESSEE  
VON KARMAN GAS DYNAMICS FACILITY  
50 INCH HYPERSONIC TUNNEL B  
VIA162

RUN	CONFIG	MODEL	MACH NO	PO PSIA	TO DEG R	ALPHA-MODEL	ALPHA-SECTOR	ALPHA-PREBEND	HOLL-MODEL	YAW
43	7	KAN-000	7.94	109.0	1228	5.04	1.04	-2.00	0	0
T-1NF	P-1NF	U-1NF	V-1NF	W-1NF	X-1NF	Y-1NF	Z-1NF	TT-1NF	SWITCH	
(DEG H)	(PSIA)	(PSIA)	(1/1/SEC)	(BLUGS/F1)	(LB-W/C/F12)	(FT-1)	(IN-009FT)	(IN-009FT)	POSITION	
90.3	0.18	0.18	0.40	1.05E-05	1.207E-08	0.241E 09	3.005E-02	0.2413E-02	1	
TC NO	IN	OUT	W-DUT	H(T)	H(T)/HREF	F-(0T)	H-(0T)/HREF	H-(05T)	H-(05T)/HREF	FUSELAGE
A/L	Y/MAX									
1	571	45.407	17.414	2.6497-07	0.8010	1.2583E-02	1.0843	3.6813E-02	1.2250	0
2	547	35.397	9.199	0.9077-03	0.2831	1.0377E-02	0.2453	1.1659E-02	0.3880	0.0100
3	543	18.552	2.307	3.1677-01	0.1120	4.1022E-03	0.1365	4.6051E-03	0.1532	0.0100
4	540	9.621	1.466	2.1307-03	0.0709	2.5431E-03	0.0863	2.9091E-03	0.0968	0.0100
5	539	4.094	1.276	1.8547-03	0.0617	2.2567E-03	0.0751	2.5313E-03	0.0842	0.0100
6	542	14.249	3.091	4.5067-03	0.1499	5.4885E-03	0.1826	6.1604E-03	0.2050	0.0200
7	543	14.477	2.604	3.8007-03	0.1265	4.6297E-03	0.1541	5.1972E-03	0.1730	0.0300
8	541	11.114	1.918	2.8707-03	0.0938	3.3367E-03	0.1142	3.8930E-03	0.1282	0.0300
9	539	7.381	1.165	1.6417E-03	0.0563	2.0575E-03	0.0685	2.3074E-03	0.0768	0.0300
10	539	6.364	1.142	1.6577E-03	0.0551	2.0161E-03	0.0671	2.2612E-03	0.0752	0.0300
11	542	11.385	2.214	3.2567E-03	0.1084	3.9644E-03	0.1320	4.4520E-03	0.1482	0.0400
12	540	6.553	1.292	1.8761E-03	0.0624	2.2827E-03	0.0760	2.5606E-03	0.0852	0.0500
13	540	6.686	1.310	1.9017E-03	0.0633	2.3140E-03	0.0770	2.5957E-03	0.0864	0.0500
14	539	6.502	1.132	1.6437E-03	0.0547	1.9995E-03	0.0665	2.2428E-03	0.0746	0.0500
15	539	5.715	1.141	1.7157E-03	0.0571	2.0873E-03	0.0695	2.3414E-03	0.0779	0.0500
16	540	4.741	0.594	0.4297E-04	0.0287	1.0504E-03	0.0350	1.1785E-03	0.0392	0.0800
17	540	4.418	0.745	1.0837E-03	0.0360	1.3185E-03	0.0439	1.4792E-03	0.0492	0.0800
18	541	3.788	0.639	0.7948E-04	0.0309	1.1320E-03	0.0377	1.2702E-03	0.0423	0.0800
19	540	2.318	0.429	0.2307E-04	0.0207	7.5829E-04	0.0252	8.5065E-04	0.0283	0.1000
20	541	2.743	0.209	0.0437E-04	0.0101	3.7054E-04	0.0123	4.1574E-04	0.0138	0.1000
21	542	3.611	0.590	0.5947E-04	0.0285	1.0467E-03	0.0348	1.1746E-03	0.0391	0.1000
22	541	2.797	0.503	0.3117E-04	0.0243	8.9017E-04	0.0296	9.9881E-04	0.0332	0.1000
23	541	1.982	0.356	0.1767E-04	0.0172	6.1019E-04	0.0210	7.0705E-04	0.0235	0.1000
24	541	2.627	0.591	0.2927E-04	0.0243	8.8740E-04	0.0295	9.9640E-04	0.0332	0.1000
25	541	2.882	0.590	0.4407E-04	0.0281	1.0275E-03	0.0342	1.1828E-03	0.0384	0.1000
26	538	2.619	0.513	0.4237E-04	0.0247	9.0244E-04	0.0300	1.0149E-03	0.0337	0.1000
27	538	2.031	0.396	0.5967E-04	0.0186	6.8062E-04	0.0226	7.8319E-04	0.0254	0.1000
28	537	2.407	0.459	0.6557E-04	0.0221	8.0941E-04	0.0269	9.0834E-04	0.0302	0.1000
29	537	1.170	0.210	0.0357E-04	0.0101	3.6982E-04	0.0123	4.1372E-04	0.0138	0.2000
30	537	1.574	0.309	0.4677E-04	0.0149	5.4322E-04	0.0181	6.0906E-04	0.0203	0.2000
31	538	2.260	0.447	0.7627E-04	0.0225	8.2252E-04	0.0274	9.2232E-04	0.0307	0.2000
32	538	2.718	0.532	0.7606E-04	0.0256	9.3742E-04	0.0312	1.0512E-03	0.0350	0.2000
33	538	3.136	0.582	0.1387E-04	0.0271	9.4002E-04	0.0329	1.1102E-03	0.0369	0.2000
34	537	1.271	0.242	0.1496E-04	0.0110	4.2512E-04	0.0141	4.7860E-04	0.0159	0.2000
35	538	1.167	0.288	0.2387E-04	0.0274	1.0073E-03	0.0334	1.1240E-03	0.0374	0.2000
36	540	7.465	1.294	1.6656E-03	0.0621	2.2703E-03	0.0755	2.8468E-03	0.0848	0.2000
37	533	42.440	1.675	1.134E-02	0.3781	1.3888E-02	0.4622	1.9624E-02	0.5199	0.2200
38	547	27.368	4.336	0.364E-03	0.2118	7.1636E-03	0.2504	8.7228E-03	0.2903	0.2300
39	541	10.564	2.071	0.0137E-03	0.1003	3.6646E-03	0.1221	4.1164E-03	0.1370	0.2400
40	538	4.839	0.763	1.1067E-03	0.0388	1.3455E-03	0.0448	1.5090E-03	0.0502	0.2500
41	539	3.418	0.688	0.4787E-04	0.0322	1.2141E-03	0.0404	1.3817E-03	0.0453	0.2700
42	538	2.901	0.580	0.4557E-04	0.0281	1.0280E-03	0.0342	1.1935E-03	0.0384	0.2700
43	538	1.761	0.268	0.0847E-04	0.0129	4.7294E-04	0.0157	5.2991E-04	0.0176	0.2700
44	538	1.756	0.132	1.9057E-04	0.0063	2.3177E-04	0.0077	2.5990E-04	0.0086	0.3000
45	539	1.273	0.235	0.4137E-04	0.0114	4.1527E-04	0.0139	4.6575E-04	0.0155	0.3000
46	539	2.152	0.445	0.4507E-04	0.0215	7.8484E-04	0.0261	8.8024E-04	0.0293	0.3000
47	540	3.253	0.484	1.035E-04	0.0234	8.5644E-04	0.0283	9.6087E-04	0.0320	0.3000
48	540	2.852	0.481	0.9907E-04	0.0233	8.5083E-04	0.0283	9.5448E-04	0.0318	0.3000
49	538	1.478	0.285	0.1817E-04	0.0139	5.0931E-04	0.0169	5.7107E-04	0.0190	0.3000
50	538	0.926	0.141	0.6237E-04	0.0087	3.1998E-04	0.0106	3.5766E-04	0.0114	0.3000
51	539	3.493	0.722	1.0487E-03	0.0349	1.2759E-03	0.0425	1.4312E-03	0.0476	0.3000
52	538	1.491	0.308	0.457E-04	0.0148	5.4215E-04	0.0180	6.0788E-04	0.0202	0.3000
53	538	0.906	0.153	0.2107E-04	0.0074	2.6881E-04	0.0089	3.0140E-04	0.0100	0.3000
54	538	0.514	0.101	1.458E-04	0.0049	1.7741E-04	0.0059	1.9895E-04	0.0066	0.4000
55	538	1.153	0.226	0.769E-04	0.0109	3.9761E-04	0.0132	4.4586E-04	0.0148	0.4000
56	539	2.358	0.462	0.6957E-04	0.0223	8.1461E-04	0.0271	9.1362E-04	0.0304	0.4000
57	541	5.872	1.023	1.488E-03	0.0495	1.8112E-03	0.0603	2.0322E-03	0.0676	0.4000
58	539	4.442	0.798	1.1587E-03	0.0385	1.4090E-03	0.0469	1.5805E-03	0.0526	0.4000
59	539	2.574	0.491	1.122E-04	0.0237	8.6667E-04	0.0288	9.7205E-04	0.0323	0.4000
60	539	2.351	0.422	0.115E-04	0.0203	7.4394E-04	0.0249	8.3432E-04	0.0278	0.4000
61	538	1.151	0.206	0.492E-04	0.0100	3.6393E-04	0.0121	4.0810E-04	0.0136	0.4000
62	538	0.608	0.096	1.7857E-04	0.0046	1.6845E-04	0.0056	1.8890E-04	0.0063	0.4000
63	540	4.857	0.872	1.7877E-03	0.0222	1.5426E-03	0.0513	1.7306E-03	0.0576	0.4500
64	539	2.158	0.442	0.4117E-04	0.0213	7.7995E-04	0.0260	8.7470E-04	0.0291	0.4500
65	539	2.250	0.423	0.1377E-04	0.0204	7.4640E-04	0.0248	8.3730E-04	0.0279	0.4500
66	540	0.525	0.097	1.4097E-04	0.0047	1.7153E-04	0.0057	1.9242E-04	0.0064	0.5000
67	540	1.078	0.285	0.2481E-04	0.0099	3.6283E-04	0.0121	4.0700E-04	0.0135	0.5000
68	540	2.120	0.415	0.034E-04	0.0201	7.2451E-04	0.0244	8.2402E-04	0.0274	0.5000
69	541	3.529	0.694	0.5137E-03	0.0317	1.1584E-03	0.0385	1.2949E-03	0.0433	0.5000
70	543	6.699	1.278	1.863E-03	0.0620	2.2695E-03	0.0755	2.5475E-03	0.0848	0.5000
72	540	2.371	0.478	0.4407E-04	0.0231	8.4484E-04	0.0281	9.4788E-04	0.0315	0.5000
73	540	2.220	0.411	0.4627E-04	0.0198	7.2561E-04	0.0241	8.1395E-04	0.0271	0.5000
74	540	1.561	0.240	0.073E-04	0.0136	4.9583E-04	0.0165	5.5626E-04	0.0185	0.5000
75	540	0.935	0.168	0.4407E-04	0.0081	2.9702E-04	0.0099	3.3320E-04	0.0111	0.5000
76	542	4.70	0.77	1.119E-04	0.0377	1.3672E-03	0.0445	1.5288E-03	0.051	0.5500
77	540	1.512	0.239	1.1587E-03	0.0115	4.2182E-04	0.0140	4.7318E-04	0.0157	0.5500
78	540	1.694	0.258	0.750E-04	0.0125	4.5639E-04	0.0152	5.1198E-04	0.0170	0.5500
79	539	1.461	0.270	0.4187E-04	0.0130	4.7684E-04	0.0159	5.3462E-04	0.0178	0.5500
80	539	0.438	0.043	1.211E-04	0.0040	1.4733E-04	0.0049	1.6526E-04	0.0055	0.6000
81	540	0.797	0.165	0.2912E-04	0.0080	2.9124E-04	0.0097	3.2671E-04	0.0109	0.6000
83	542	2.575	0.505	1.353E-04	0.0245	8.9544E-04	0.0289	1.0050E-03	0.0334	0.6000
84	531	0.326	0.065	0.3747E-05	0.0031	1.1386E-04	0.0038	1.2750E-04	0.0042	0.6000
85	540	0.859	0.144	0.244E-04	0.0075	2.7323E-04	0.0091	3.0655E-04	0.0102	0.6000
86	540	0.955	0.159	0.2754E-04	0.0092	3.3523E-04	0.0112	3.7609E-04	0.0125	0.6000
87	541	1.727	0.301	0.4380E-04	0.0146	5.3334E-04	0.0177	5.9853E-04	0.0199	0.6000
88	541	0.382	0.069	0.981E-05	0.0033	1.2192E-04	0.0040	1.3836E-04	0.0045	0.6500
89	540	0.344	0.064	0.253E-05	0.0031	1.1263E-04	0.0037	1.2835E-04	0.0042	0.7000
90	540	0.626	0.125	1.812E-04	0.0060	2.4022E-04	0.0073	2.4740E-04	0.0082	0.7000
91	541	1.169	0.233	0.389E-04	0.0113	4.1263E-04	0.0137	4.6297E-04	0.0154	0.7000
92	544	1.599								

ALUCIANO, INC. ANNULUS AFB, TENNESSEE  
VON KARMAN GAS DYNAMICS FACILITY  
50 INCH HYPERSONIC TUNNEL H  
V11162

Table with columns: RIN, CONFIG, MODEL, MACH NO, PO PSIA, TO DEG R, ALPHA-SECTOR, ALPHA-SECTOR, ALPHA-PREHEND, ROLL-MODEL, YAW, T-IMP, P-IMP, U-IMP, V-IMP, WU-IMP, MU-IMP, RE/PT, MREF-FK, SLEN, SWITCH, FC NO, TM, DTBL, U-DOT, V-DOT, W-DOT, MU-DOT, M(DOT)/MREF, M(DOT), M(DOT)/MREF, M(DOT), M(DOT), M(DOT)/MREF, FUSELAGE A/L, FUSELAGE Y/YMAX, LOWER WING SURFACE A/C, LOWER WING SURFACE Y/S, UPPER WING SURFACE A/C, UPPER WING SURFACE Y/S, VENTILATOR STABILIZER A/C, VENTILATOR STABILIZER Y/S.

366018

366019

5/29/71

ALDC (AMC) INC. ANNOLU AFS, TENNESSEE  
VON KARMAN GAS DYNAMICS FACILITY  
50 INCH HYPERSONIC TUNNEL H  
VILLIAR

Table with columns: RISE, CONFIG, MODEL, MACH NO, PO PSIA, TO DEG H, ALPHA-MODEL, ALPHA-SECTOR, ALPHA-PNEBEND, ROLL-MODEL, YAW, TC NO, TH, DTIME, U-DIST, H(T), H(T)/HREF, P(10), H(10)/HREF, P(10), H(10)/HREF, FUSLLAGE A/L, Y/TMAX. Includes a vertical 'NOT REPRODUCIBLE' stamp on the left and a '366022' stamp on the right.

NOT REPRODUCIBLE

366022

5/29/71

MOULDER, INC. ANNULUS AFS, TENNESSEE  
 VON KARMAN GAS DYNAMICS FACILITY  
 50 INCH DIAMETER TUNNEL H  
 V11162

RUN	CONFIG	MODEL	MACH NO	PO PSIA	TO DEG R	ALPHA-MODEL	ALPHA-SECTOR	ALPHA-PREHEND	ROLL-MODEL	YAW
44	1	KAN-000	7.94	166.5	12.7	.07	2.07	-2.00	0	0
I-INF	P-INF	Q-INF	V-INF	RHO-INF	MU-INF	RE/FT	MR/FF-FM	SIPH	SPLITCH	
(106 R)	(PSIA)	(PSIA)	(F/SEC)	(SLUGS/FT <sup>3</sup> )	(LB-SEC/FT <sup>2</sup> )	(F-1)	(NO. 000F1)	(NO. 000F1)	POSITION	
90.4	111.0	17.0	170.0	1.694E-05	7.316E-05	8.38E 05	3.019E-02	6.218E-02	2	
IC NO	Tc	DIRCT	U-INIT	W-TOT	H-TOT/HREF	K-COIT	H-COIT/HREF	H-COIT	H-COIT/HREF	
FUSELAGE										
A/C V/YMAX										
49	515	1.15	0.12	4.749E-05	0.016	5.7544E-04	0.019	6.4564E-05	0.021	0.0000
100	515	1.15	0.12	4.749E-05	0.016	5.7544E-04	0.019	6.4564E-05	0.021	0.0000
101	515	1.15	0.12	4.749E-05	0.016	5.7544E-04	0.019	6.4564E-05	0.021	0.0000
102	515	1.15	0.12	4.749E-05	0.016	5.7544E-04	0.019	6.4564E-05	0.021	0.0000
103	515	1.15	0.12	4.749E-05	0.016	5.7544E-04	0.019	6.4564E-05	0.021	0.0000
104	515	1.15	0.12	4.749E-05	0.016	5.7544E-04	0.019	6.4564E-05	0.021	0.0000
105	515	1.15	0.12	4.749E-05	0.016	5.7544E-04	0.019	6.4564E-05	0.021	0.0000
106	515	1.15	0.12	4.749E-05	0.016	5.7544E-04	0.019	6.4564E-05	0.021	0.0000
107	515	1.15	0.12	4.749E-05	0.016	5.7544E-04	0.019	6.4564E-05	0.021	0.0000
108	515	1.15	0.12	4.749E-05	0.016	5.7544E-04	0.019	6.4564E-05	0.021	0.0000
109	515	1.15	0.12	4.749E-05	0.016	5.7544E-04	0.019	6.4564E-05	0.021	0.0000
110	515	1.15	0.12	4.749E-05	0.016	5.7544E-04	0.019	6.4564E-05	0.021	0.0000
111	515	1.15	0.12	4.749E-05	0.016	5.7544E-04	0.019	6.4564E-05	0.021	0.0000
112	515	1.15	0.12	4.749E-05	0.016	5.7544E-04	0.019	6.4564E-05	0.021	0.0000
114	516	1.25	0.18	1.065E-04	0.025	2.385E-04	0.029	2.671E-04	0.034	0.0000
115	516	1.25	0.18	1.065E-04	0.025	2.385E-04	0.029	2.671E-04	0.034	0.0000
116	516	1.25	0.18	1.065E-04	0.025	2.385E-04	0.029	2.671E-04	0.034	0.0000
117	516	1.25	0.18	1.065E-04	0.025	2.385E-04	0.029	2.671E-04	0.034	0.0000
118	516	1.25	0.18	1.065E-04	0.025	2.385E-04	0.029	2.671E-04	0.034	0.0000
119	516	1.25	0.18	1.065E-04	0.025	2.385E-04	0.029	2.671E-04	0.034	0.0000
120	540	4.245	0.445	0.466E-04	0.0231	8.4689E-04	0.0281	9.4937E-04	0.0315	0.0000
LOWER WING SURFACE										
A/C V/S										
121	550	22.634	4.335	0.713F-03	0.091	7.7000E-03	0.2591	8.6501E-03	0.2866	0
122	552	22.824	3.445	0.674F-03	0.100	6.9239E-03	0.2294	7.7813E-03	0.2578	0
124	543	1.653	0.305	0.393F-04	0.016	5.2461E-04	0.0177	6.9969E-04	0.0199	0.0000
126	518	1.57	0.101	1.440E-04	0.004	1.7494E-04	0.0058	1.9600E-04	0.0065	0.0000
127	517	1.427	0.096	1.235F-04	0.004	1.5006E-04	0.0050	1.6810E-04	0.0056	0.0000
128	515	1.381	0.052	7.378F-05	0.002	8.9573E-05	0.0010	1.0031E-04	0.0013	0.0000
134	551	29.513	5.979	0.724F-03	0.280	1.0644E-02	0.3526	1.1951E-02	0.3463	0
135	548	21.653	3.913	0.681F-03	0.182	6.9237E-03	0.2294	7.7744E-03	0.2576	0
136	542	4.816	0.877	1.242F-03	0.018	1.5348E-03	0.0508	1.7211E-03	0.0570	0.0000
137	541	2.701	0.457	0.608F-04	0.018	7.9895E-04	0.0265	8.4588E-04	0.0297	0.0000
138	541	1.384	0.252	3.628F-04	0.012	4.4117E-04	0.0146	4.9462E-04	0.0164	0.0000
140	541	1.038	0.141	2.649F-04	0.008	3.1591E-04	0.0105	3.5418E-04	0.0117	0.0000
142	517	1.441	0.072	1.076F-04	0.003	1.2443E-04	0.0041	1.3901E-04	0.0046	0.0000
147	549	21.221	3.954	0.753F-03	0.196	7.0151E-03	0.2324	7.8795E-03	0.2610	0
148	542	5.192	0.918	1.322E-03	0.038	1.6099E-03	0.0533	1.8045E-03	0.0598	0.0000
149	548	20.520	3.825	0.588E-03	0.181	6.7741E-03	0.2245	7.6044E-03	0.2521	0
150	542	6.127	1.201	1.730E-03	0.073	2.1045E-03	0.0697	2.3602E-03	0.0782	0.0000
151	542	2.844	0.555	0.945F-04	0.027	4.7481E-04	0.0324	1.0977E-03	0.0364	0.0000
152	544	1.812	0.316	0.698E-04	0.015	5.5611E-04	0.0184	6.2394E-04	0.0207	0.0000
154	542	1.124	0.214	3.076F-04	0.012	3.7422E-04	0.0174	4.1968E-04	0.0193	0.0000
156	541	0.858	0.132	1.942E-04	0.004	2.3624E-04	0.0079	2.6489E-04	0.0088	0.0000
157	518	0.821	0.111	1.593F-04	0.003	1.9356E-04	0.0044	2.1607E-04	0.0072	0.0000
162	548	19.194	3.567	0.716F-03	0.175	6.3085E-03	0.2090	7.0831E-03	0.2347	0
164	544	7.337	1.361	1.465E-03	0.061	2.3926E-03	0.0793	2.8845E-03	0.0869	0.0000
165	550	21.390	3.975	0.793F-03	0.191	7.0654E-03	0.2341	7.9368E-03	0.2629	0
166	546	8.440	1.520	2.700F-03	0.079	2.6793E-03	0.0888	1.0070E-03	0.0986	0.0000
167	548	20.165	3.638	0.744F-03	0.175	6.8815E-03	0.2134	7.2335E-03	0.2396	0
168	546	8.230	1.618	2.342E-03	0.076	2.8524E-03	0.0945	3.2015E-03	0.1061	0.0000
169	552	24.667	4.460	0.517E-03	0.215	1.4548E-03	0.2635	1.9411E-03	0.2452	0
170	544	5.423	0.976	1.409E-03	0.067	1.7158E-03	0.0549	1.9250E-03	0.0638	0.0000
171	553	27.807	4.884	1.141E-03	0.206	6.7180E-03	0.2488	9.7972E-03	0.3247	0
172	547	12.120	2.119	4.073F-03	0.108	3.7451E-03	0.1241	4.2046E-03	0.1393	0.0000
173	545	5.020	0.937	1.795F-03	0.049	1.6504E-03	0.0547	1.8521E-03	0.0614	0.0000
175	544	1.754	0.354	3.112E-04	0.016	6.2224E-04	0.0206	6.9480E-04	0.0231	0.0000
176	542	1.331	0.063	7.049E-05	0.003	1.1056E-04	0.0037	1.2347E-04	0.0041	0.0000
178	519	0.819	0.151	2.158F-04	0.007	2.6238E-04	0.0087	2.9409E-04	0.0097	0.0000
183	549	10.240	1.456	2.118F-03	0.072	2.5425E-03	0.0956	2.9006E-03	0.0961	0.0000
184	545	3.929	0.715	1.039F-03	0.044	1.2655E-03	0.0419	1.4201E-03	0.0470	0.0000
185	541	1.352	0.251	3.599E-04	0.014	4.3770E-04	0.0145	4.9701E-04	0.0163	0.0000
186	518	1.370	0.244	3.517E-04	0.017	4.2738E-04	0.0142	4.7888E-04	0.0159	0.0000
UPPER WING SURFACE										
A/C V/S										
129	546	5.644	0.863	1.249F-03	0.014	1.5214E-03	0.0504	1.7075E-03	0.0566	0.0000
130	544	2.640	0.444	6.440E-04	0.013	7.8380E-04	0.0260	8.7928E-04	0.0291	0.0000
131	542	0.909	0.166	2.423F-04	0.008	2.9477E-04	0.0094	3.3056E-04	0.0110	0.0000
132	519	0.505	0.096	1.778E-04	0.004	1.6752E-04	0.0055	1.8775E-04	0.0062	0.0000
133	517	0.388	0.058	9.641F-05	0.002	1.1709E-04	0.0019	1.3116E-04	0.0019	0.0000
143	545	6.274	1.267	1.831E-03	0.080	2.4301E-03	0.0739	2.4502E-03	0.0829	0.0000
145	544	2.025	0.352	3.084E-04	0.014	6.1412E-04	0.0205	6.9457E-04	0.0230	0.0000
146	518	0.880	0.115	1.645F-04	0.004	1.9983E-04	0.0066	2.2391E-04	0.0074	0.0000
158	545	6.366	0.973	1.405F-03	0.066	1.7113E-03	0.0567	1.9202E-03	0.0636	0.0000
159	545	3.921	0.642	4.779F-04	0.030	1.1300E-03	0.0374	1.2680E-03	0.0420	0.0000
160	546	2.219	0.363	2.264F-04	0.017	6.417E-04	0.0212	7.1940E-04	0.0238	0.0000
161	541	1.765	0.113	1.417F-04	0.004	2.3314E-04	0.0077	2.4139E-04	0.0087	0.0000
162	517	1.049	0.149	2.125F-04	0.007	2.5819E-04	0.0086	2.8927E-04	0.0096	0.0000
174	549	16.014	2.808	4.205F-03	0.134	5.1291E-03	0.1699	5.7606E-03	0.1908	0.0000
180	547	6.451	1.163	1.686E-03	0.058	2.0541E-03	0.0680	2.3059E-03	0.0764	0.0000
181	546	4.471	0.562	6.134E-04	0.029	9.4040E-04	0.0328	1.1123E-03	0.0368	0.0000
182	519	2.365	0.399	5.720F-04	0.019	6.4576E-04	0.0230	7.7938E-04	0.0258	0.0000
VERTICAL STABILIZER										
A/C Z/S										
187	559	47.644	7.859	1.160F-02	0.384	1.4145E-02	0.4703	1.5979E-02	0.5294	0
188	545	6.967	1.216	1.757E-03	0.082	2.1395E-03	0.0709	2.4007E-03	0.0795	0.0000
189	542	1.496	0.253	3.638E-04	0.021	4.4259E-04	0.0147	4.9635E-04	0.0164	0.0000
191	542	0.810	0.116	1.675E-04	0.005	2.0370E-04				

5/29/71

AFLIC (AMU) INC. ARNOLD AFB, TENNESSEE  
VON KAMAN GAS DYNAMICS FACILITY  
40 INCH HYPERSONIC TUNNEL H  
W11162

Table with columns: RUN 45, CONFIG, MODEL, MACH NO, PD PSIA, TC DEG R, ALPHA-MODEL, ALPHA-SECTOR, ALPHA-PREHEND, HOLL-MODEL, YAW. Includes sub-headers for I-INF, P-INF, U-INF, V-INF, WU-INF, MU-INF, HE/FT, PREF-FR, SFR, SWITCH and various numerical data points.

NOT REPRODUCIBLE

366030



ALJIC (AMU) INC.) ANNULUS AFS, TENNESSEE  
VON KARMAN GAS DYNAMICS FACILITY  
50 INCH HYPERSONIC TUNNEL M  
V11162

Table with columns: RUN NO, CONFIG, MODEL, MACH NO, PG PSTA, TO DEG R, ALPHA-MODEL, ALPHA-SECTOR, ALPHA-PREHEND, HULL-MODEL, YAW, and various coordinate and velocity data. Includes sub-sections for FUSELAGE, LOWER WING SURFACE, UPPER WING SURFACE, and VERTICAL STABILIZER.

366034

GROUP 189

ARJIC (AND INC.) ANNULUS AFB, TENNESSEE  
VON KARMAN GAS DYNAMICS FACILITY  
40 INCH HYPERSONIC TUNNEL H  
V11162

RUN NO	CONFIG	MODEL	MACH NO	PO PSIA	TC DEG H	ALPHA-POUFI	ALPHA-SECTOR	ALPHA-PREBEND	HOLL-MOD	YAW	FUSELAGE	
TC AD	TC	DRIFT	Q-001	H(TC)	H(TC)/HREF	P(1,TC)	H(1,TC)/HREF	H(1,TC)	H(1,TC)/HREF		A/L	V/YMAX
1	670	217.044	40.547	5.718E-02	0.4390	7.0371E-02	1.0375	7.4544E-02	1.1672		0	0
2	557	20.932	10.038	1.299E-02	0.1905	1.5084E-02	0.2301	1.7502E-02	0.2568		0.0100	-0
3	544	14.111	3.022	3.046E-03	0.0568	6.0244E-03	0.0874	9.1342E-03	0.0750		0.0100	-0.441
4	546	74.623	3.764	4.003E-03	0.0705	5.7838E-03	0.0849	6.4419E-03	0.0945		0.0100	-1.000
5	550	41.672	0.613	0.446E-03	0.0245	1.0232E-02	0.1901	1.1405E-02	0.1673		0.0100	-0
6	547	27.236	4.611	3.470E-03	0.0604	7.0954E-03	0.1041	7.4037E-03	0.1180		0.0200	-0
7	543	16.426	3.315	2.715E-03	0.0419	5.0726E-03	0.0744	5.6470E-03	0.0829		0.0300	-0
8	543	12.171	2.123	2.468E-03	0.0396	3.2469E-03	0.0476	3.6143E-03	0.0530		0.0300	-0.303
9	545	21.034	3.325	4.243E-03	0.0622	5.1077E-03	0.0749	5.6681E-03	0.0839		0.0300	-1.000
10	548	36.881	0.228	0.007E-03	0.1176	4.0819E-03	0.1414	1.0743E-02	0.1576		0.0700	-0
11	543	12.052	2.074	3.004E-03	0.0552	3.7112E-03	0.0549	6.1195E-03	0.0606		0.0400	-0
12	519	5.944	1.174	1.405E-03	0.0218	1.7050E-03	0.0282	1.4967E-03	0.0242		0.0500	-0
13	519	7.150	1.600	1.773E-03	0.0260	2.1317E-03	0.0311	2.3716E-03	0.0368		0.0500	-0.310
14	543	16.705	2.974	3.717E-03	0.0545	4.4730E-03	0.0656	4.9743E-03	0.0731		0.0500	-1.000
15	547	21.300	0.514	0.373E-03	0.1222	1.0032E-02	0.1472	1.1170E-02	0.1440		0.0500	-0
16	518	2.750	0.345	4.358E-04	0.0084	5.2365E-04	0.0077	5.8424E-04	0.0085		0.0800	-0
17	519	4.906	0.871	1.047E-03	0.0154	1.2540E-03	0.0195	1.4002E-03	0.0205		0.0800	-0.360
18	542	11.577	1.950	2.442E-03	0.0384	2.4963E-03	0.0438	3.1237E-03	0.0488		0.0800	-1.000
19	517	1.071	0.198	2.694E-04	0.0037	2.4940E-04	0.0044	3.1104E-04	0.0049		0.1000	-0
20	534	2.124	0.162	4.050E-04	0.0040	4.4444E-04	0.0034	2.7414E-04	0.0040		0.1000	-0.383
21	540	2.417	0.375	4.497E-04	0.0073	6.0078E-04	0.0098	6.6843E-04	0.0098		0.1000	-0.817
22	543	10.490	1.477	2.514E-03	0.0369	3.0252E-03	0.0444	3.7677E-03	0.0444		0.1000	-1.000
23	542	10.537	1.874	2.407E-03	0.0353	2.8462E-03	0.0429	3.2237E-03	0.0473		0.1000	-0.703
24	546	22.127	4.225	3.347E-03	0.0472	4.5005E-03	0.0594	7.2403E-03	0.1022		0.1000	-0
25	539	1.761	0.757	1.542E-04	0.0141	1.1521E-04	0.0149	1.2617E-04	0.0184		0.1500	-0.693
26	519	7.087	1.541	1.495E-03	0.0286	2.3447E-03	0.0344	2.6086E-03	0.0383		0.1500	-1.000
27	542	14.023	2.674	3.347E-03	0.0494	4.0846E-03	0.0600	4.5444E-03	0.0667		0.1500	-0.664
28	545	21.384	3.791	4.714E-03	0.0622	5.6818E-03	0.0834	6.3275E-03	0.0928		0.1500	-0
29	518	3.400	0.622	1.047E-04	0.0115	1.0441E-04	0.0139	1.0503E-04	0.0154		0.2000	-0
30	516	1.320	0.254	3.268E-04	0.0048	3.2423E-04	0.0054	4.3658E-04	0.0064		0.2000	-0.278
31	517	1.303	0.246	3.602E-04	0.0053	4.3241E-04	0.0064	4.8129E-04	0.0071		0.2000	-0.666
32	538	3.404	0.666	0.422E-04	0.0124	1.0122E-03	0.0149	1.1259E-03	0.0165		0.2000	-0.192
33	540	4.232	1.479	1.875E-03	0.0275	2.2544E-03	0.0331	2.5080E-03	0.0368		0.2000	-1.000
34	541	8.555	1.630	2.067E-03	0.0303	2.4867E-03	0.0365	2.7673E-03	0.0406		0.2000	-0.888
35	545	22.824	4.112	3.244E-03	0.0769	6.3143E-03	0.0926	7.0321E-03	0.1032		0.2000	-0
36	541	152.000	25.547	3.465E-02	0.5084	4.2260E-02	0.6201	4.7476E-02	0.6866		0.2100	-0
37	679	240.063	45.126	0.445E-02	0.9457	7.4558E-02	1.1673	9.0119E-02	1.3223		0.2200	-0
38	570	43.354	14.463	1.469E-02	0.2889	2.3896E-02	0.3902	2.6700E-02	0.3918		0.2300	-0
39	551	37.944	7.474	1.590E-03	0.1408	1.1575E-02	0.1694	1.2903E-02	0.1993		0.2400	-0.486
40	540	5.203	0.821	1.041E-03	0.0153	1.2520E-03	0.0184	1.3931E-03	0.0204		0.2500	-0
41	545	17.449	3.521	4.486E-03	0.0558	5.4011E-03	0.0792	6.0144E-03	0.0882		0.2700	-0.605
42	541	9.130	1.840	2.335E-03	0.0343	2.8088E-03	0.0412	3.1261E-03	0.0459		0.2700	-0.665
43	519	1.264	0.193	2.438E-04	0.0036	2.4313E-04	0.0044	3.2608E-04	0.0048		0.2700	-0
44	541	5.750	1.003	1.272E-03	0.0187	1.5247E-03	0.0224	1.7023E-03	0.0250		0.3000	-0
45	518	1.445	0.271	3.422E-04	0.0050	4.1131E-04	0.0060	4.5748E-04	0.0067		0.3000	-0.312
46	518	0.812	0.168	2.119E-04	0.0031	2.5470E-04	0.0037	2.8427E-04	0.0042		0.3000	-0.504
47	540	2.265	0.332	4.215E-04	0.0062	5.0679E-04	0.0074	5.6386E-04	0.0083		0.3000	-0.857
48	540	4.001	0.635	8.544E-04	0.0125	1.0286E-03	0.0151	1.1445E-03	0.0168		0.3000	-1.000
49	543	11.414	2.338	2.474E-03	0.0336	3.5787E-03	0.0429	3.9484E-03	0.0585		0.3000	-0.983
50	544	17.567	3.453	3.496E-03	0.0455	5.2671E-03	0.0776	5.8918E-03	0.0864		0.3000	-0.853
51	542	8.757	1.813	2.302E-03	0.0338	2.7842E-03	0.0406	3.0822E-03	0.0452		0.3000	-0.433
52	539	3.366	0.741	1.387E-04	0.0138	1.1286E-03	0.0166	1.2957E-03	0.0184		0.3000	-0.361
53	519	1.585	0.261	3.247E-04	0.0048	3.4943E-04	0.0049	4.4102E-04	0.0065		0.3000	-0
54	541	6.126	1.201	1.523E-03	0.0224	1.8324E-03	0.0269	2.0392E-03	0.0299		0.4000	-0
55	538	1.012	0.210	2.660E-04	0.0039	3.1948E-04	0.0047	3.5922E-04	0.0052		0.4000	-0.321
56	517	0.877	0.162	1.042E-04	0.0030	2.4843E-04	0.0036	2.7247E-04	0.0040		0.4000	-0.526
57	541	7.511	1.305	1.662E-03	0.0244	1.9448E-03	0.0293	2.2446E-03	0.0326		0.4000	-0.951
58	543	10.844	1.947	2.425E-03	0.0356	2.4444E-03	0.0428	3.2440E-03	0.0477		0.4000	-1.000
59	545	18.462	4.061	4.146E-03	0.0677	5.2548E-03	0.0819	6.1856E-03	0.0908		0.4000	-1.000
60	547	23.007	4.161	3.317E-03	0.0780	6.4053E-03	0.0940	7.1352E-03	0.0947		0.4000	-0.906
61	505	12.952	2.242	2.458E-03	0.0419	3.4414E-03	0.0505	3.8324E-03	0.0582		0.4000	-0.750
62	548	15.725	2.493	3.188E-03	0.0468	3.8133E-03	0.0564	4.2747E-03	0.0628		0.4000	-0
63	547	14.709	2.662	3.401E-03	0.0494	4.0946E-03	0.0611	4.5636E-03	0.0670		0.4500	-1.000
64	545	12.541	2.543	3.243E-03	0.0476	3.9048E-03	0.0573	4.3487E-03	0.0638		0.4500	-1.000
65	545	12.062	2.345	2.995E-03	0.0439	3.6050E-03	0.0529	4.0157E-03	0.0584		0.4500	-0.990
66	542	6.375	1.181	1.501E-03	0.0220	1.8060E-03	0.0245	2.0103E-03	0.0295		0.5000	-0
67	539	0.874	0.167	2.108E-04	0.0031	2.5346E-04	0.0037	2.9199E-04	0.0041		0.5000	-0.277
68	519	1.453	0.285	3.603E-04	0.0053	4.3324E-04	0.0064	4.8201E-04	0.0071		0.5000	-0.553
69	541	3.041	0.563	7.141E-04	0.0105	8.5898E-04	0.0126	9.5543E-04	0.0140		0.5000	-0.830
70	545	10.010	1.912	2.437E-03	0.0358	2.4337E-03	0.0430	3.2664E-03	0.0479		0.5000	-1.000
72	544	10.820	2.184	2.782E-03	0.0408	3.3495E-03	0.0491	3.7298E-03	0.0547		0.5000	-1.000
73	545	9.525	1.767	2.253E-03	0.0331	2.7178E-03	0.0394	3.0211E-03	0.0443		0.5000	-0.886
74	546	4.937	1.740	2.243E-03	0.0335	2.7494E-03	0.0403	3.0626E-03	0.0449		0.5000	-0.640
75	544	12.952	2.334	2.981E-03	0.0337	3.5899E-03	0.0527	3.9487E-03	0.0587		0.5000	-0
76	544	6.949	1.133	1.442E-03	0.0212	1.7356E-03	0.0255	1.9324E-03	0.0284		0.5500	-0
77	541	6.494	1.026	1.301E-03	0.0191	1.5641E-03	0.0230	1.7405E-03	0.0255		0.5500	-1.000
78	540	4.061	0.744	1.141E-04	0.0138	1.1326E-03	0.0166	1.2601E-03	0.0185		0.5500	-1.000
79	540	5.051	1.083	1.372E-03	0.0201	1.6500E-03	0.0242	1.8459E-03	0.0269		0.5500	-0.935
80	541	6.584	1.256	1.593E-03	0.0234	1.9158E-03	0.0281	2.1320E-03	0.0313		0.6000	-0
81	519	1.141	0.236	2.497E-04	0.0044	3.5908E-04	0.0051	3.9444E-04	0.0054		0.6000	-0.244
83	539	1.109	0.217	2.747E-04	0.0040	3.3017E-04	0.0044	3.6728E-04	0.0054		0.6000	-0.748
84	533	1.602	0.321	4.034E-04	0.0059	4.4428E-04	0.0071	5.3820E-04	0.0079		0.6000	-1.000
85	539	2.075	0.372	4.715E-04	0.0069	5.6690E-04	0.0083	6.3071E-04	0.0093		0.6000	-1.000
86	541	3.972	0.757	1.594E-04	0.0141	1.1538E-03	0.0169	1.2839E-03	0.0188		0.6000	-0.907
87	546	10.176	1.776	2.262E-03	0.0322	2.7231E-03	0.0400	3.0321E-03	0.0445			

5/24/71

ALUC (AMU-INC) ANNULUS AFS: TENNESSEE  
 VON KARMAN GAS DYNAMICS FACILITY  
 50 INCH SUPersonic TUNNEL H  
 V11102

RUN	CONFIG	MODEL	MACH NO	PO PSIA	TO DEG R	ALPHA=00DFL	ALPHA=SECTOR	ALPHA=PREBEND	ROLL-MODEL	YAM
46	1	KAH-000	M.00	M55-0	1324	-5-00	-3-00	-2-00	0	0
1-INF	P-1NF	Q-1NF	V-1NF	HMU-1NF	HU-1NF	HE/FT	HREF-FH	HFR	SWITCH	
(OEL M)	(PSIA)	(PSIA)	(F/VEL)	(SLUGS/F <sup>2</sup> )	(LBS-SEC/F <sup>2</sup> )	(F <sup>-1</sup> )	(MM-009F)	(MM-009F)	POSITION	
90.0	0.00	3.276	0.00	7.092E-05	1.21E-08	3.201F 06	6.800E-02	2.509E-02	2	
IC NO	IM	UTEL	Q-001	H(10)	H(10)/HREF	H(10)	H(10)/HREF	H(10)	H(10)/HREF	
99	540	2.387	0.55	3.779E-04	0.0095	6.5700E-04	0.0102	7.7576E-04	0.0114	FUSELAGE
100	540	0.171	0.167	4.127E-04	0.0031	2.3593E-04	0.0039	2.8440E-04	0.0047	A/L
101	547	0.460	0.445	4.445E-04	0.0037	2.4945E-04	0.0045	3.1306E-04	0.0049	Y/YMAX
102	542	1.021	0.211	4.703E-04	0.0040	3.2535E-04	0.0049	3.6227E-04	0.0053	-0.0000
103	543	1.950	0.175	4.928E-04	0.0046	1.1950E-03	0.0070	1.3304E-03	0.0095	-0.0000
104	542	3.054	0.664	5.491E-04	0.0125	1.0222E-03	0.0150	1.1382E-03	0.0167	-0.0000
105	541	2.219	0.447	5.704E-04	0.0084	6.0864E-04	0.0101	7.4425E-04	0.0112	-0.0000
106	540	0.717	0.181	1.793E-04	0.0026	4.1568E-04	0.0032	2.4008E-04	0.0035	-0.0000
107	542	1.237	0.222	2.041E-04	0.0042	3.4202E-04	0.0050	3.8040E-04	0.0056	-0.0000
108	542	0.627	0.116	1.483E-04	0.0022	1.7856E-04	0.0024	1.9881E-04	0.0029	-0.0000
109	545	2.084	0.542	6.452E-04	0.0102	8.3747E-04	0.0123	9.1243E-04	0.0137	-0.0000
110	544	1.492	0.679	6.659E-04	0.0118	4.7014E-04	0.0141	1.0806E-03	0.0159	-0.0000
111	546	5.710	0.336	1.203E-03	0.0177	1.4492E-03	0.0213	1.6146E-03	0.0237	-0.0000
112	541	2.932	0.559	1.150E-04	0.0105	8.0073E-04	0.0126	9.5843E-04	0.0141	-0.0000
114	542	2.844	0.504	6.433E-04	0.0094	7.7414E-04	0.0114	8.6180E-04	0.0127	-0.0000
115	543	3.210	1.024	1.310E-03	0.0192	1.5776E-03	0.0232	1.7569E-03	0.0258	-0.0000
116	544	5.187	1.010	1.279E-03	0.0190	1.5555E-03	0.0229	1.7358E-03	0.0255	-0.0000
117	545	7.150	1.405	1.802E-03	0.0265	2.1714E-03	0.0319	2.4181E-03	0.0355	-0.0000
118	549	10.820	1.956	2.522E-03	0.0370	3.0417E-03	0.0450	3.7909E-03	0.0498	-0.0000
119	545	7.473	1.466	1.888E-03	0.0277	2.2697E-03	0.0333	2.9285E-03	0.0371	-0.0000
120	542	17.763	2.043	2.644E-03	0.0384	3.1913E-03	0.0469	3.5545E-03	0.0523	-0.0000
										LOWER WING SURFACE
121	561	44.714	9.341	1.728E-02	0.1806	1.4458E-02	0.2182	1.6549E-02	0.2438	A/C
122	544	48.058	8.216	1.608E-02	0.1586	1.3074E-02	0.1920	1.4614E-02	0.2147	Y/S
124	546	2.174	0.392	5.029E-04	0.0076	6.0590E-04	0.0089	6.7507E-04	0.0099	0.0000
126	542	0.490	0.083	1.058E-04	0.0016	1.2713E-04	0.0019	1.4176E-04	0.0021	0.0000
127	542	0.428	0.077	4.847E-05	0.0014	1.1843E-04	0.0017	1.3194E-04	0.0019	0.0000
128	540	0.438	0.060	7.600E-05	0.0011	9.1643E-05	0.0013	1.0179E-04	0.0015	0.0000
134	543	91.934	18.928	2.554E-02	0.2751	3.1094E-02	0.4564	3.4890E-02	0.5125	0.0000
135	542	55.265	10.043	1.311E-02	0.1436	1.5948E-02	0.2343	1.7822E-02	0.2618	0.0000
136	546	9.941	1.620	2.041E-03	0.0208	2.5077E-03	0.0368	2.7941E-03	0.0410	0.0000
137	546	6.334	0.734	4.403E-04	0.0138	1.1326E-03	0.0166	1.2616E-03	0.0185	0.0000
138	546	1.862	0.312	4.007E-04	0.0059	4.8286E-04	0.0071	8.3797E-04	0.0079	0.0000
140	547	1.214	0.223	3.875E-04	0.0042	3.4641E-04	0.0051	3.8617E-04	0.0057	0.0000
142	543	4.903	1.148	1.498E-04	0.0024	2.2755E-04	0.0033	2.5140E-04	0.0037	0.0000
147	570	67.501	12.644	1.688E-02	0.2608	2.0181E-02	0.2994	2.2807E-02	0.3350	0.0000
148	548	10.222	1.844	2.377E-03	0.0349	2.8859E-03	0.0421	3.1947E-03	0.0469	0.0000
149	546	58.952	10.881	1.408E-02	0.2068	1.7095E-02	0.2508	1.9071E-02	0.2801	0.0000
150	549	10.243	2.016	2.600E-03	0.0382	3.1352E-03	0.0441	3.4951E-03	0.0513	0.0000
151	548	4.440	0.884	1.138E-03	0.0167	1.4726E-03	0.0202	1.6308E-03	0.0225	0.0000
152	552	3.860	0.677	6.761E-04	0.0129	1.0574E-03	0.0155	1.1795E-03	0.0173	0.0000
154	551	1.746	0.315	4.080E-04	0.0060	4.4236E-04	0.0072	5.4411E-04	0.0081	0.0000
156	549	1.184	0.185	2.380E-04	0.0035	2.8706E-04	0.0042	3.1999E-04	0.0047	0.0000
157	544	0.804	0.145	1.854E-04	0.0027	2.2331E-04	0.0033	2.4873E-04	0.0037	0.0000
163	562	48.129	9.012	1.183E-02	0.1137	1.4314E-02	0.2103	1.9994E-02	0.2350	0.0000
164	551	12.961	2.413	3.122E-03	0.0459	3.7674E-03	0.0553	4.2018E-03	0.0617	0.0000
165	545	44.507	8.344	1.094E-02	0.1014	1.3309E-02	0.1955	1.4881E-02	0.2186	0.0000
166	543	13.781	2.492	3.229E-03	0.0474	3.8478E-03	0.0573	4.3483E-03	0.0639	0.0000
167	543	39.742	7.225	4.491E-03	0.1394	5.1490E-03	0.1868	1.2842E-02	0.1886	0.0000
168	544	14.557	2.881	3.741E-03	0.0550	4.5182E-03	0.0664	5.0419E-03	0.0741	0.0000
169	574	44.949	10.042	1.338E-02	0.1565	1.6240E-02	0.2385	1.8188E-02	0.2672	0.0000
170	556	16.367	2.965	4.861E-03	0.0567	4.6655E-03	0.0685	5.2081E-03	0.0765	0.0000
171	578	64.377	11.742	1.980E-02	0.2321	1.9211E-02	0.2822	2.1534E-02	0.3163	0.0000
172	562	26.064	4.591	6.018E-03	0.0884	7.4827E-03	0.1070	8.1375E-03	0.1195	0.0000
173	561	20.437	3.825	5.013E-03	0.0736	6.0666E-03	0.0891	6.7786E-03	0.0996	0.0000
175	556	9.391	1.909	4.492E-03	0.0366	3.0122E-03	0.0442	3.3636E-03	0.0494	0.0000
176	550	6.584	1.126	1.626E-04	0.0024	1.9620E-04	0.0029	2.1876E-04	0.0032	0.0000
178	546	1.381	0.249	3.194E-04	0.0047	4.5557E-04	0.0057	4.2965E-04	0.0063	0.0000
183	547	11.206	11.771	1.546E-02	0.1745	1.9461E-02	0.2859	2.3853E-02	0.3210	0.0000
184	559	9.639	1.748	3.283E-03	0.0335	2.7607E-03	0.0406	3.0831E-03	0.0453	0.0000
185	548	3.044	0.549	7.072E-04	0.0104	8.5273E-04	0.0129	9.5050E-04	0.0140	0.0000
186	545	3.551	0.640	6.210E-04	0.0121	7.8916E-04	0.0145	1.1020E-03	0.0162	0.0000
										UPPER WING SURFACE
129	556	28.331	4.355	5.671E-03	0.0833	6.8533E-03	0.1007	7.6505E-03	0.1124	A/C
130	551	13.860	2.352	3.041E-03	0.0447	3.6694E-03	0.0539	4.0922E-03	0.0601	Y/S
131	549	7.342	1.365	1.760E-03	0.0259	2.1224E-03	0.0312	2.3660E-03	0.0348	0.0000
132	547	2.614	0.534	6.928E-04	0.0102	8.3501E-04	0.0123	9.3051E-04	0.0137	0.0000
133	544	2.656	0.463	5.937E-04	0.0087	7.1499E-04	0.0105	7.9635E-04	0.0117	0.0000
143	555	29.555	6.007	7.807E-03	0.1147	9.4302E-03	0.1385	1.0524E-02	0.1546	0.0000
145	554	12.440	2.115	2.745E-03	0.0403	3.31149E-03	0.0487	3.6988E-03	0.0543	0.0000
146	546	3.640	0.636	6.171E-04	0.0120	7.8459E-04	0.0145	1.0970E-03	0.0161	0.0000
158	560	36.104	9.560	7.273E-03	0.1068	8.7971E-03	0.1247	9.8267E-03	0.1443	0.0000
159	563	35.051	9.799	7.616E-03	0.1119	9.2200E-03	0.1354	1.0305E-02	0.1514	0.0000
160	564	24.114	3.986	5.240E-03	0.0770	6.3450E-03	0.0932	7.0926E-03	0.1042	0.0000
161	551	6.366	1.115	1.443E-03	0.0212	1.7413E-03	0.0256	1.9421E-03	0.0285	0.0000
162	547	6.155	1.114	1.433E-03	0.0211	1.7275E-03	0.0254	1.9252E-03	0.0283	0.0000
179	571	50.236	9.171	1.218E-02	0.1789	1.4777E-02	0.2171	1.6542E-02	0.2430	0.0000
180	567	30.233	5.508	7.274E-03	0.1069	8.6163E-03	0.1295	9.8616E-03	0.1449	0.0000
181	571	34.820	4.429	5.877E-03	0.0863	7.1302E-03	0.1047	7.9810E-03	0.1172	0.0000
182	552	12.822	2.177	2.818E-03	0.0414	3.4010E-03	0.0500	3.7934E-03	0.0557	0.0000
										VERTICAL STABILIZER
187	594	118.028	14.804	2.711E-02	0.3983	3.3120E-02	0.4864	3.7245E-02	0.5471	A/C
188	595	18.443	3.238	4.209E-03	0.0618	5.0842E-03				

5/29/71

ALUC (AM) INC. ANNULD AFS, TENNESSEE  
VON KARMAN GAS DYNAMICS FACILITY  
50 INCH HYPERSONIC TUNNEL H  
VILLA 2

ROW	CONFIG	MODEL	MACH NO	PU PSIA	TC DEG R	ALPHA-MODFL	ALPHA-SECTOR	ALPHA-PREHEND	ROLL-MODEL	YAW	
47	T	KAM-DRO	M.00	857.4	1325	01	2.07	-2.00	0	0	
1-IMP	2-IMP	3-IMP	4-IMP	5-IMP	6-IMP	7-IMP	8-IMP	9-IMP			
(INCH)	(PSIA)	(PSIA)	(F/SEC)	(SECONDS)	(LW-DECFI2)	(F-1)	(M-000F)	(M-000F)	SWITCH POSITION		
46.0	0.00	3.435	3.042	7.072E-05	7.372E-08	3.01E 06	6.010E-02	2.000E-02	1		
TC NO	TU	UTGUL	U-DOT	H(10)	H(10)/HREF	H(.910)	H(.910)/HREF	H(.8510)	H(.8510)/HREF	FUSELAGE	
										A/L	Y/YMAX
1	611	230.544	92.894	6.0057E-02	.0811	7.3719E-02	1.0819	4.3216E-02	1.2209	0	0
2	544	74.026	12.279	1.943E-02	.2337	1.9216E-02	.2422	2.1464E-02	.3144	.0100	-0
3	542	27.439	4.316	5.519E-03	.0813	6.0679E-03	.0974	7.4245E-03	.1009	.0100	-441
4	541	25.104	3.828	4.880E-03	.0716	5.6725E-03	.0462	6.5370E-03	.0957	.0100	-1.000
5	544	11.019	4.405	6.274E-03	.0921	7.5594E-03	.1109	4.412E-03	.1235	.0100	0
6	547	35.550	6.019	7.774E-03	.1134	4.3116E-03	.1366	1.0378E-02	.1923	.0200	-0
7	542	27.167	4.885	6.238E-03	.0915	7.5072E-03	.1102	4.3088E-03	.1227	.0300	-0
8	547	14.417	3.304	4.317E-03	.0703	5.1955E-03	.0762	5.7841E-03	.0849	.0300	-303
9	541	12.555	3.048	3.419E-03	.0574	4.7398E-03	.0695	5.2764E-03	.0774	.0300	-1.000
10	544	25.060	4.511	5.712E-03	.0867	6.4500E-03	.1020	7.7403E-03	.1136	.0300	0
11	542	19.541	3.433	4.845E-03	.0718	5.8944E-03	.0865	6.5607E-03	.0963	.0400	-0
12	540	10.843	2.134	2.718E-03	.0494	3.2646E-03	.0480	3.6390E-03	.0534	.0500	-0
13	540	11.407	2.234	2.846E-03	.0514	3.4717E-03	.0502	3.8107E-03	.0559	.0500	-310
14	541	15.951	2.774	3.544E-03	.0620	4.2643E-03	.0626	4.7470E-03	.0696	.0500	-1.000
15	542	20.054	4.278	5.466E-03	.0801	6.5721E-03	.0964	7.3173E-03	.1074	.0500	0
16	541	6.149	.770	4.820E-04	.0144	1.1817E-03	.0173	1.3154E-03	.0193	.0800	-0
17	542	7.417	1.253	1.549E-03	.0235	1.9219E-03	.0282	2.1188E-03	.0314	.0800	-360
18	544	10.840	1.799	2.302E-03	.0334	2.7719E-03	.0407	3.0871E-03	.0451	.0800	-1.000
19	541	7.052	.841	6.254E-04	.0092	7.5333E-04	.0110	8.1835E-04	.0123	.1000	-0
20	542	8.149	1.017	8.926E-04	.0094	4.7255E-04	.0089	4.2816E-04	.0077	.1000	-383
21	543	1.899	.059	7.719E-04	.0113	4.2417E-04	.0136	1.0346E-03	.0152	.1000	-817
22	545	4.348	1.719	2.704E-03	.0323	2.6547E-03	.0390	2.9573E-03	.0434	.1000	-1.000
23	547	7.517	1.359	1.739E-03	.0255	2.0952E-03	.0307	2.3366E-03	.0343	.1000	.783
24	540	13.980	2.878	3.453E-03	.0507	4.1645E-03	.0611	4.6629E-03	.0681	.1000	0
25	541	5.017	1.011	1.288E-03	.0201	1.5504E-03	.0227	1.7258E-03	.0253	.1500	-893
26	541	7.677	1.595	1.918E-03	.0291	2.3045E-03	.0339	2.5694E-03	.0377	.1500	-1.000
27	544	9.781	1.806	2.312E-03	.0349	2.7841E-03	.0408	3.1009E-03	.0459	.1500	.684
28	548	15.280	2.874	3.170E-03	.0488	3.6314E-03	.0582	4.2709E-03	.0627	.1500	0
29	536	1.976	.384	4.350E-04	.0049	4.0253E-04	.0059	4.4788E-04	.0068	.2000	-0
30	535	1.951	.384	4.818E-04	.0071	5.7882E-04	.0085	6.4372E-04	.0094	.2000	-278
31	536	4.847	.711	4.012E-04	.0132	1.0440E-03	.0189	1.2046E-03	.0177	.2000	-466
32	537	5.889	1.070	1.356E-03	.0199	1.6298E-03	.0239	1.8129E-03	.0266	.2000	-792
33	539	8.880	1.558	1.980E-03	.0291	2.3814E-03	.0349	2.6649E-03	.0389	.2000	-1.000
34	542	3.817	1.044	1.312E-03	.0196	1.6037E-03	.0235	1.7855E-03	.0262	.2000	.888
35	546	10.869	3.385	4.320E-03	.0634	5.2042E-03	.0764	5.7998E-03	.0851	.2000	0
36	573	102.883	11.022	2.263E-02	.7321	2.7474E-02	.8031	3.0785E-02	.8516	.2100	0
37	607	124.785	13.749	4.985E-02	.7314	6.1111E-02	.8469	6.8932E-02	1.0114	.2200	0
38	545	124.055	20.141	2.721E-02	.3993	3.3149E-02	.4864	3.7208E-02	.5459	.2300	0
39	541	27.444	5.410	6.498E-03	.1025	8.4312E-03	.1237	9.4022E-03	.1379	.2400	.486
40	546	7.955	1.254	1.615E-03	.0237	1.9449E-03	.0286	2.1679E-03	.0318	.2500	0
41	541	20.555	4.163	5.374E-03	.0788	6.4832E-03	.0951	7.2424E-03	.1061	.2700	.465
42	546	7.216	1.458	1.870E-03	.0274	2.2535E-03	.0331	2.5107E-03	.0368	.2700	.465
43	545	10.711	.286	3.663E-04	.0056	4.4117E-04	.0065	4.9143E-04	.0072	.2700	0
44	542	2.711	.873	6.034E-04	.0049	7.2673E-04	.0107	4.0866E-04	.0114	.3000	-0
45	540	1.179	.218	2.779E-04	.0041	3.3432E-04	.0047	3.7211E-04	.0055	.3000	-312
46	542	3.019	.524	8.035E-04	.0118	4.6718E-04	.0142	1.0769E-03	.0158	.3000	-504
47	545	4.152	.612	7.834E-04	.0115	4.9353E-04	.0138	1.0510E-03	.0154	.3000	-837
48	545	3.857	.652	8.751E-04	.0123	1.0060E-03	.0148	1.2077E-03	.0164	.3000	-1.000
49	547	4.807	.906	1.165E-03	.0171	1.4038E-03	.0206	1.5844E-03	.0230	.3000	.983
50	554	13.447	2.854	3.442E-03	.0505	4.1533E-03	.0610	4.6375E-03	.0680	.3000	.853
51	551	9.034	1.879	2.428E-03	.0356	2.9292E-03	.0430	3.2666E-03	.0479	.3000	.443
52	548	3.704	.769	4.901E-04	.0145	1.7137E-03	.0175	1.3805E-03	.0195	.3000	.361
53	547	.947	.164	2.167E-04	.0032	4.6110E-04	.0038	7.9044E-04	.0043	.3000	0
54	544	3.007	.708	4.066E-04	.0133	1.0919E-03	.0160	1.2162E-03	.0174	.4000	-0
55	542	.738	.149	1.847E-04	.0027	2.2331E-04	.0033	2.4750E-04	.0036	.4000	-321
56	543	2.702	.530	6.778E-04	.0099	8.1607E-04	.0120	7.0874E-04	.0133	.4000	-526
57	548	6.024	1.843	2.166E-03	.0314	2.6120E-03	.0383	2.9113E-03	.0427	.4000	.451
58	547	6.154	1.117	1.439E-03	.0211	1.7297E-03	.0254	1.9274E-03	.0283	.4000	-1.000
59	546	4.356	.833	1.069E-03	.0157	1.2841E-03	.0189	1.4352E-03	.0211	.4000	1.000
60	543	17.082	3.090	4.003E-03	.0587	4.8373E-03	.0709	5.3910E-03	.0791	.4000	.906
61	535	19.544	3.534	4.968E-03	.0674	5.5519E-03	.0815	6.1908E-03	.0909	.4000	.750
62	541	4.207	.688	8.670E-04	.0126	1.0400E-03	.0153	1.1546E-03	.0170	.4000	0
63	546	1.030	1.267	1.626E-03	.0239	1.9549E-03	.0288	2.1836E-03	.0320	.4500	-1.000
64	548	6.702	1.355	1.742E-03	.0256	2.0944E-03	.0308	2.3401E-03	.0343	.4500	1.000
65	535	10.310	3.415	4.430E-03	.0650	5.3504E-03	.0785	5.9703E-03	.0876	.4500	.990
66	544	4.364	.810	1.038E-03	.0152	1.2501E-03	.0183	1.3926E-03	.0204	.5000	-0
67	543	1.117	.213	2.724E-04	.0040	3.2800E-04	.0044	3.6525E-04	.0054	.5000	-277
68	544	2.184	.425	5.485E-04	.0080	6.6049E-04	.0097	7.3559E-04	.0104	.5000	-553
69	545	5.235	.971	1.249E-03	.0183	1.5004E-03	.0220	1.6715E-03	.0245	.5000	-830
70	550	11.254	2.162	2.790E-03	.0494	3.3653E-03	.0494	3.7521E-03	.0551	.5000	-1.000
72	552	13.804	2.798	3.619E-03	.0531	4.3672E-03	.0641	4.8709E-03	.0715	.5000	1.000
73	554	16.919	3.090	3.996E-03	.0586	4.8257E-03	.0708	5.3847E-03	.0790	.5000	.886
74	555	11.845	2.143	2.782E-03	.0490	3.3606E-03	.0493	3.7503E-03	.0550	.5000	.640
75	544	8.767	1.546	2.057E-03	.0302	4.4832E-03	.0364	2.7707E-03	.0407	.5000	0
76	549	4.945	.819	1.055E-03	.0155	1.2720E-03	.0187	1.4419E-03	.0208	.5500	-0
77	548	1.959	.310	3.494E-04	.0059	4.8146E-04	.0071	4.3861E-04	.0079	.5500	-1.000
78	552	4.166	1.466	1.817E-03	.0267	2.1932E-03	.0322	2.4462E-03	.0359	.5500	1.000
79	543	9.049	1.686	2.182E-03	.0320	2.6343E-03	.0382	2.9386E-03	.0431	.5500	.935
80	566	4.310	.824	1.057E-03	.0155	1.2741E-03	.0187	1.4446E-03	.0208	.6000	-0
81	546	1.247	.289	3.453E-04	.0051	4.1601E-04	.0061	4.6349E-04	.0068	.6000	-249
83	550	3.102	.611	7.877E-04	.0116	9.5001E-04	.0139	1.0542E-03	.0155	.6000	-748
84	545	.759	.152	1.930E-04	.0028	2.3191E-04	.0034	2.5740E-04	.0038	.6000	-1.000
85	552	4.460	.810	1.047E-03	.0156	1.2633E-03	.0185	1.4089E-03	.0207	.6000	1.000
86	551	5.585	1.070	1.343E-03	.0203	1.6687E-03	.0245	1.8610E-03	.0273	.6000	.407
87	545	8.878	1.558	2.022E-03	.0297	2.4417E-03	.0358	2.7247E-03	.0400	.6000	0
88	549	3.952	.713	4.189E-04	.0135	1.1041E-03	.0163	1.2353E-03	.0181	.6500	-0
89	547	3.881	.771	4.261E-04	.0136	1.1161E-03	.0164	1.2437E-03	.0182	.7000	-0
90	566	1.573	.309	3.970E-04	.0058	4.7139E-04	.0070	5.3303E-04	.0078	.7000	-235
91	547	.962	.189	2.432E-04	.0036	2.9304E-04	.0043	3.2661E-04	.0048	.7000	-469
92	542	1.535	.286	3.696E-04	.0054	4.4603E-04	.0065	4.9748E-04	.0073	.7000	-704
93	553	2.090	.424	5.484E-04	.0080	6.6200E-04	.0097	7.3846E-04	.0108	.7000	-888
94	556	5.113	1.122	1.459E-03	.0214	1.7623E-03	.0259	1.9669E-0			



5/29/71

ADJUTANT GENERAL'S ANNULUS AFS, KENNESAW  
VON KARMAN GAS DYNAMICS FACILITY  
50 INCH HYPERSONIC TUNNEL M  
V11162

Table with columns: RUN 48, CONFIG 7, MODEL, MACH NO, PO PSIA, TO DEG R, ALPHA-MODEL, ALPHA-SECTOR, ALPHA-PREHEND, ROLL-MODEL, YAW. Includes sub-headers for I-IMP, P-IMP, U-IMP, V-IMP, HMO-IMP, MU-IMP, REZT, HREF-PH, SIFM, SWITCH, POSITION, TC NO, TR, DTG, U-DIG, H(DIG), H(DIG)/HREF, P(DIG), H(DIG)/HREF, H(DIG), H(DIG)/HREF, FUSELAGE, A/L, Y/YMAX.

NOT REPRODUCIBLE

366059

AEDC(AHO-INC.) AMHOLD AFSS, KENNESSEE  
VON KARMAN GAS DYNAMICS FACILITY  
50 INCH HYPERSONIC TUNNEL B  
VII102

Table with columns: RUN 48, CONFIG 7, MODEL, MACH NO, POSIA, TC DEG R, ALPHA-MODEL, ALPHA-SECTOR, ALPHA-PREBEND, ROLL-MODEL, YAW. It contains multiple data blocks for different configurations and Mach numbers, including fuselage and wing surface data.

5/2/71

ARJUNAN INC. AMHOLD AFS, TENNESSEE  
VON KARMAN GAS DYNAMICS FACILITY  
50 INCH DIAMETER TUNNEL H  
V1162

Table with columns: RUN AQ, CONFID, MODEL, MACH NO, P1 PSIA, T0 DEG R, ALPHA-PODEL, ALPHA-SECTOR, ALPHA-PREHEND, HOLL-MODEL, YAW. Includes sub-headers for P-INT, U-INT, V-INT, HMO-INT, MU-INT, HEFT, MHEF-FH, SIFM, SWITCH, TC NO, FM, DTML, W-DOT, M(TO), M(TO)/MHEF, F(L, VTO), M(L, VTO)/MHEF, M(L, VTO), M(L, VTO)/MHEF, FUSELAUE A/L, T/YMAX.

NOT REPRODUCIBLE

366067



ARDC (AHO) INC. ARNOLD AFS, TENNESSEE  
VON KARMAN GAS DYNAMICS FACILITY  
50 INCH HYPERSONIC TUNNEL H  
V11167

Table with columns: RUN #, CONFIG, MODEL, MACH NO, PO PSIA, TC DEG R, ALPHA-SECTOR, ALPHA-PREBEND, HOLL-MODEL, YAW. Includes sub-headers for I-INF, P-INF, U-INF, V-INF, HHO-INF, HU-INF, HE/FT, HREF-FH, SFH, SWITCH, TC AU, LW, DTWL, Q-001, H(10), H(10)/HREF, F(1,10), H(1,10)/HREF, H(1,15), H(1,15)/HREF, FUZZLAGE, A/Z, Y/TMAX, LOWER WING SURFACE, UPPER WING SURFACE, VERTICAL STABILIZER.

366071

GROUP 113

366072

5/29/71

ALUCIANO INC. ANNULUS APS, TENNESSEE  
VON KARMAN GAS DYNAMICS FACILITY  
50 INCH TRANSONIC TUNNEL M  
V1167

Table with columns: RUN 50, CONFIG 7, MODEL KAN-1160, MACH NO H.00, PT PSIA 854-1, TO DEG R 1304, ALPHA-MODEL 9.43, ALPHA-SECTOR 12.57, ALPHA-PREBEND -22.00, ROLL-MODEL 100.00, YAW 0. Includes sub-headers for I-IMP, P-IMP, Q-IMP, V-IMP, W-IMP, MU-IMP, RE/PT, MHEF-FH, SIFM, SWITCH, and FUSELAGE A/L, Y/YMAX.

NOT REPRODUCIBLE

366075

5/29/71

ALC (ARO INC.) ARNOLD AFB, TENNESSEE  
 VON KARMAN GAS DYNAMICS FACILITY  
 30 INCH HYPERSONIC TUNNEL R  
 V11162

RUH	CONFIG	MODEL	MACH NO	PO PSIA	TU DEG K	ALPHA-MODEL	ALPHA-VECTOR	ALPHA-PREHEND	ROLL-MODEL	YAW
51	7	RAM-UWO	4.00	857.9	1346	29.42	-7.62	-22.00	180.00	.0

T-INF	P-INF	Q-INF	V-INF	RHO-INF	MU-INF	RE/PT	HREF-FH	SIFR	SWITCH
(D/G R)	(P/IA)	(P/IA)	(F1/SFC)	(SLUGS/F13)	(LH-SEC/F12)	(PT-1)	(H= .00971)	(H= .00971)	POSITION
97.5	.089	3.937	JMT1	7.562E-05	7.450E-08	3.73E 06	6.4036E-02	2.933E-02	2

TC NO	FW	DTMGT	U-DOT	H(TO)	H(TO)/HREF	H1(TO)	H1(TO)/HREF	H1(H5TO)	H1(H5TO)/HREF	FUSELAGE
99	570	12.915	2.492	3.270E-03	.0471	3.8962E-03	.0570	4.3530E-01	.0637	K/L Y/YMAX
100	569	11.732	2.269	2.921E-03	.0427	3.5327E-03	.0517	3.9461E-03	.0577	.0000 --223
101	572	11.625	2.444	3.158E-03	.0462	3.8275E-03	.0559	4.2720E-03	.0625	.0000 --446
102	574	11.752	2.482	3.218E-03	.0471	3.8982E-03	.0570	4.3987E-03	.0638	.0000 --669
103	571	11.017	2.193	2.430E-03	.0414	3.4242E-03	.0501	3.8261E-03	.0560	.0000 --808
104	571	11.497	2.098	2.707E-03	.0396	3.2757E-03	.0479	3.6601E-03	.0535	.0000 --
105	567	10.414	2.070	2.660E-03	.0389	3.2159E-03	.0470	3.5912E-03	.0525	.0000 --226
106	562	9.464	1.975	2.522E-03	.0369	3.0447E-03	.0445	3.3970E-03	.0497	.0000 --452
107	568	9.807	1.786	2.296E-03	.0336	2.7747E-03	.0406	3.1004E-03	.0454	.0000 --678
108	565	8.902	1.669	2.138E-03	.0313	2.5834E-03	.0378	2.8838E-03	.0422	.0000 --817
109	565	.523	.106	1.719E-04	.0019	1.5855E-04	.0023	1.7636E-04	.0026	.0000 1.000
110	568	1.574	.294	1.557E-04	.0052	4.2740E-04	.0063	4.7607E-04	.0070	.0000 .884
111	567	.792	.130	1.624E-04	.0024	1.9536E-04	.0029	2.1738E-04	.0032	.0000 .610
112	571	10.629	2.057	2.654E-03	.0388	3.2170E-03	.0470	3.5890E-03	.0525	.0000 --
114	570	11.548	2.621	3.379E-03	.0494	4.0877E-03	.0598	4.5668E-03	.0668	.0000 --0
115	573	13.187	2.672	3.401E-03	.0498	4.1183E-03	.0602	4.6037E-03	.0673	.0000 --253
116	572	10.488	2.189	2.428E-03	.0414	3.4730E-03	.0501	3.8255E-03	.0560	.0000 --507
117	566	8.300	1.645	2.117E-03	.0310	2.5590E-03	.0374	2.8572E-03	.0418	.0000 --060
118	563	5.209	.947	1.210E-03	.0177	1.4615E-03	.0214	1.6308E-03	.0239	.0000 --793
119	567	1.544	.314	1.330E-04	.0057	4.7267E-04	.0069	5.2596E-04	.0077	.0000 .780
120	565	1.175	.135	1.681E-04	.0025	2.0708E-04	.0030	2.2475E-04	.0033	.0000 .305

TC NO	FW	DTMGT	U-DOT	H(TO)	H(TO)/HREF	H1(TO)	H1(TO)/HREF	H1(H5TO)	H1(H5TO)/HREF	LOWER WING SURFACE
121	591	39.183	5.400	1.819E-03	.1144	4.5161E-03	.1392	1.0674E-02	.1562	K/C Y/S
122	608	41.712	7.277	4.840E-03	.1442	1.2059E-02	.1744	1.1572E-02	.1985	.0000 0
124	580	18.833	3.415	4.458E-03	.0852	5.4088E-03	.0791	6.0533E-03	.0886	.2000 .100
125	566	7.024	1.292	1.541E-03	.0226	1.8631E-03	.0273	2.0800E-03	.0304	.6000 .100
127	562	8.367	1.520	1.939E-03	.0284	2.3406E-03	.0342	2.6112E-03	.0382	.7000 .100
128	599	40.888	7.111	4.540E-03	.1147	1.1449E-02	.1704	1.3088E-02	.1915	.9000 .100
134	608	58.121	11.400	1.597E-02	.2278	1.9041E-02	.2785	2.1430E-02	.3135	.0000 .150
135	603	44.716	10.142	1.366E-02	.1999	1.6688E-02	.2441	1.8764E-02	.2745	.0000 .250
136	597	37.816	8.990	1.341E-03	.1366	1.1388E-02	.1664	1.2790E-02	.1871	.1000 .250
137	585	23.471	4.053	5.733E-03	.0880	6.4798E-03	.0948	7.2687E-03	.1062	.2000 .250
138	575	16.014	3.017	3.916E-03	.0573	4.7447E-03	.0694	5.3080E-03	.0776	.4000 .250
140	568	17.355	2.191	2.819E-03	.0412	3.4897E-03	.0499	3.8084E-03	.0557	.6000 .250
142	607	74.401	13.482	1.814E-02	.2054	2.2188E-02	.3244	2.4966E-02	.3652	.9000 .250
143	606	46.457	8.882	1.200E-02	.1756	1.4637E-02	.2146	1.6504E-02	.2414	.0000 .450
149	608	36.986	6.981	1.515E-03	.1140	1.1168E-02	.1634	1.2546E-02	.1835	.1000 .450
150	596	30.235	7.705	1.312E-02	.1920	1.8950E-02	.2349	1.8064E-02	.2643	.0000 .500
151	581	25.651	5.141	1.028E-02	.1504	1.2531E-02	.1811	1.4071E-02	.1737	.1000 .500
152	574	19.500	3.456	6.271E-03	.0884	8.1648E-03	.1104	9.1415E-03	.1038	.2000 .500
154	568	14.727	2.670	3.340E-03	.0495	4.2233E-03	.0791	6.0634E-03	.0887	.4000 .500
154	576	30.657	4.925	6.405E-03	.0937	7.7635E-03	.1136	8.6816E-03	.1276	.6000 .500
157	582	45.511	8.353	1.894E-02	.1601	1.3283E-02	.1943	1.4874E-02	.2176	.9000 .500
163	598	49.659	9.467	1.266E-02	.1452	1.5436E-02	.2284	1.7338E-02	.2536	.0000 .500
164	597	47.681	8.127	1.085E-02	.1588	1.3230E-02	.1935	1.4850E-02	.2174	.1000 .550
165	604	47.568	9.086	1.225E-02	.1742	1.4961E-02	.2189	1.6825E-02	.2461	.0000 .600
166	600	45.061	8.335	1.118E-02	.1635	1.3640E-02	.1995	1.5327E-02	.2242	.1000 .600
167	598	49.152	9.087	1.215E-02	.1777	1.4815E-02	.2167	1.6640E-02	.2434	.0000 .650
168	593	41.391	8.330	1.107E-02	.1620	1.3483E-02	.1972	1.5131E-02	.2213	.1000 .650
169	593	47.077	8.814	1.175E-02	.1718	1.4306E-02	.2093	1.6056E-02	.2349	.0000 .700
170	566	26.422	4.809	6.166E-03	.0902	7.4510E-03	.1090	8.3180E-03	.1217	.1000 .700
171	604	42.346	7.716	1.311E-02	.1917	1.6613E-02	.2343	1.8010E-02	.2635	.0000 .750
172	598	45.824	8.183	1.095E-02	.1602	1.3395E-02	.1954	1.5008E-02	.2195	.1000 .750
173	578	31.028	5.855	7.629E-03	.1114	9.2505E-03	.1353	1.0351E-02	.1514	.2000 .750
175	599	22.317	4.498	5.715E-03	.0836	6.8095E-03	.1088	7.6861E-03	.1124	.4000 .750
176	599	16.244	3.127	1.977E-03	.0582	4.7986E-03	.0702	5.3511E-03	.0783	.7000 .750
178	567	20.247	3.688	4.736E-03	.0643	5.7281E-03	.0838	6.3928E-03	.0935	.8000 .750
183	544	22.324	3.200	4.094E-03	.0599	4.9485E-03	.0724	6.3270E-03	.0808	.0000 .900
184	551	19.994	3.613	4.550E-03	.0666	5.4777E-03	.0841	6.0994E-03	.0892	.2000 .900
185	577	29.280	5.360	6.974E-03	.1020	8.4535E-03	.1237	9.4570E-03	.1381	.6000 .900
186	578	36.072	6.606	8.605E-03	.1259	1.0434E-02	.1526	1.1674E-02	.1708	.8000 .900

TC NO	FW	DTMGT	U-DOT	H(TO)	H(TO)/HREF	H1(TO)	H1(TO)/HREF	H1(H5TO)	H1(H5TO)/HREF	UPPER WING SURFACE
129	549	1.632	.250	3.138E-04	.0046	3.7744E-04	.0055	4.2027E-04	.0061	K/C Y/S
130	549	.441	.082	1.049E-04	.0015	1.2974E-04	.0018	1.3996E-04	.0020	.1000 .100
131	547	.420	.078	4.766E-05	.0014	1.1744E-04	.0017	1.3067E-04	.0019	.4000 .100
132	541	.119	.023	2.816E-05	.0004	3.3811E-05	.0005	3.7585E-05	.0005	.7000 .100
133	532	.894	.120	1.478E-04	.0022	1.7702E-04	.0026	1.9647E-04	.0029	.9000 .100
143	548	2.974	.520	6.522E-04	.0095	7.8445E-04	.0115	8.7248E-04	.0128	.1000 .250
145	543	.457	.077	4.288E-05	.0014	1.1548E-04	.0017	1.2865E-04	.0019	.4000 .250
146	534	1.311	.222	2.805E-04	.0041	3.3624E-04	.0049	3.7335E-04	.0055	.9000 .250
158	544	2.671	.408	5.086E-04	.0074	6.1118E-04	.0089	6.7971E-04	.0094	.1000 .500
159	543	1.832	.267	3.725E-04	.0049	3.9948E-04	.0058	4.4421E-04	.0065	.2000 .500
160	540	.872	.110	1.763E-04	.0020	1.6367E-04	.0024	1.8192E-04	.0027	.4000 .500
161	532	.263	.051	6.253E-05	.0009	7.4922E-05	.0011	8.3164E-05	.0012	.8000 .500
162	533	2.471	.335	4.125E-04	.0060	4.9440E-04	.0072	5.4886E-04	.0080	.9000 .500
179	539	4.327	.771	4.634E-04	.0141	1.1564E-03	.0169	1.2851E-03	.0188	.1000 .750
180	535	2.034	.364	4.497E-04	.0066	5.3429E-04	.0079	5.9893E-04	.0088	.2000 .750
181	530	.725	.090	1.107E-04	.0016	1.3242E-04	.0019	1.4717E-04	.0022	.4000 .750
182	530	.475	.080	4.770E-05	.0014	1.1700E-04	.0017	1.2982E-04	.0019	.8000 .750

TC NO	FW	DTMGT	U-DOT	H(TO)	H(TO)/HREF	H1(TO)	H1(TO)/HREF	H1(H5TO)	H1(H5TO)/HREF	VERTICAL STABILIZER
187	550	4.554	.748	4.394E-04	.0137	1.1305E-03	.0145	1.2586E-03	.0184	K/C Z/S
188	542	1.811	.316	3.932E-04	.0058	4.7235E-04	.0069	5.2520E-04	.0077	.1000 .100
189	540	.272	.046	5.699E-05	.0008	6.8411E-0				