X-912-74-78 PREPRINT

NASA TM X= 70623

SOLAR ENERGY MONITOR IN SPACE (SEMIS)

MATTHEW P. THEKAEKARA

x74-10145

Unclas

(NASA-TM-X-70623) SOLAR ENERGY MONITOR IN SPACE (SEMIS) (NASA) 41 p LIMIT CSCL 22B GOVT. +CONTR. F3/31 36517

MARCH 1974



GODDARD SPACE FLIGHT CENTER GREENBELT, MARYLAND

SOLAR ENERGY MONITOR IN SPACE (SEMIS)

by

Matthew P. Thekaekara Upper Atmosphere Branch Atmospheric and Hydrospheric Applications Division

March 1974

GODDARD SPACE FLIGHT CENTER Greenbelt, Maryland

X74-10145

SOLAR ENERGY MONITOR IN SPACE (SEMIS)*

M. P. Thekaekara NASA/Goddard Space Flight Center Greenbelt, Maryland 20771

ABSTRACT

Measurements made at high altitudes from aircraft have resulted in the establishment of standard values of the solar constant and extraterrestrial solar spectral irradiance. They have been adopted as the engineering standard by the American Association of Testing and Materials (ASTM) and as design values for the NASA Space Vehicles Design Criteria. These standard values and other solar spectral curves which were derived from these for practical applications are described. The problem of possible variations of the solar constant and solar spectrum and their influence on the Earth-atmosphere system and weather related phenomena is examined. It is shown that the solar energy input parameters should be determined with considerably greater accuracy and precision than has been hitherto possible. A measurement program which is currently being planned for this purpose and the instrumentation which is being developed will be described. The instrument package is designed as a compact, low weight solar energy monitor in space (SEMIS). Preliminary measurements will be made at 20 km altitude from the U-2 aircraft. More advanced versions of the SEMIS will be flight-tested on balloons and aircraft for installation eventually in the Space Shuttle.

*Paper presented at the Symposium on "Solar Radiation Measurements and Instrumentation," Smithsonian Institution, Radiation Biology Laboratory, Rockville, Md., Nov. 13 to 15, 1973.

CONTENTS

Page

1.	THE SOLAR CONSTANT AND THE SOLAR SPECTRUM 1
2.	UNCERTAINTIES IN CURRENTLY AVAILABLE DATA 13
3.	POSSIBLE VARIATIONS IN SOLAR IRRADIANCE AND THEIR EFFECTS
4	A MEASUREMENT PROGRAM FOR SOLAR ENERGY IN
	$SPACE. \dots \dots$
5.	ACKNOWLEDGMENTS
RE	FERENCES \ldots \ldots \ldots \ldots \ldots \ldots 30

ILLUSTRATIONS

Figure		Page
1	The NASA/ASTM standard curve of extraterrestrial solar spectral irradiance, 0.2 to $2.6 \mu m$.	. 5
2	The extraterrestrial solar spectrum from X-rays to radio waves	. 8
3	Solar irradiance spectra at ground level for air mass 1, 4, 5 and 10, compared to the standard curve - computed values	7 . 9
4	Solar spectrum obtained with a Perkin-Elmer monochroma- tor, air mass zero, 3000 - 4000 A	. 11
5	Solar spectrum obtained with a Perkin-Elmer monochroma- tor, air mass zero, 3600 - 6100 A	. 12
6	The NASA/ASTM standard curve compared with the curves derived by Makarova and Kharitonov, Labs and Neckel, and Nicolet	. 15

V PRECEDING PAGE BLANK NOT FUMED

ILLUSTRATIONS (continued)

Figure	Pagè
7	Comparison of NASA/ASTM spectrum with Labs and Neckel spectrum
8	Comparison of NASA/ASTM spectrum to Johnson spectrum
9.	Comparison of NASA/ASTM spectrum to Nicolet spectrum
10	Comparison of NASA/ASTM spectrum to Stair and Ellis spectrum
11	Annual average sunspot number (Zurich number or Wolf number of sunspots) over the period 1750 to 1960
12	Correlation between annual average of sunspot numbers and the number of days per year of Etesian winds
13	Correlation between geomagnetic disturbance and the 11 year sunspot activity
14	Correlation of geomagnetic disturbance and solar rotation
15	Optical schematic of Solar Energy Monitor in Space (SEMIS)

TABLES

Table		Pag	<u>ge</u>
I	High Altitude Determinations of the Solar Constant	. 2	2
II	Spectral Irradiance Instruments on board CV 990 NASA 711 Aircraft	• 4	1
III	Solar Spectral Irradiance - Standard Curve	. (6

1. THE SOLAR CONSTANT AND THE SOLAR SPECTRUM

We shall present first the data on the solar constant and solar spectrum which have been developed in recent years in the United States. This will show the inadequacy of available data and the need for a program such as the SEMIS.

Since the advent of satellites and high altitudes research aircraft several attempts were made to measure the solar constant from above all or almost all of the Earth's atmosphere. An <u>ad hoc</u> committee on Solar Electromagnetic Radiation was appointed by the NASA Space Vehicles Design Criteria Office and by the Institute of Environmental Sciences to study this question. The Committee made a detailed survey of all available information and recommended standard values for the solar constant and the extraterrestrial solar spectrum. The solar constant was evaluated from nine series of measurements, all made from high altitude platforms, namely, Convair 990 and B-57B jet aircraft, X-15 rocket aircraft, balloons and Mariner Mars probe.

These nine values are shown in Table I. Each one of these is the result of many series of measurements. The uncertainties claimed by the authors are shown in the last column. The values are referenced to three different radiation scales: the International Pyrheliometric Scale of 1956 (IPS 56), the Absolute Electrical Units Scale (AEUS) and the Thermodynamic Kelvin Temperature Scale (TKTS). The differences in values may be due to basic differences in radiation scales, calibration errors of each instrument, errors in extrapolation to air mass zero, window transmittance, scattered light and other causes. The

Platform	Detector	Reference Scale of Radiometry	Solar Constant W m ⁻²	Estimated Error ±W m ⁻² 6	
Balloon ⁽¹⁾ U. of Denver Expt.	Normal incidence pyrheliometer	IPS 56	1338		
CV 990 ⁽²⁾ GSFC Expt.	Ångström 6618	IPS 56	1343	26	
CV 990 ⁽²⁾ GSFC Expt.	Ångström 7635	IPS 56	1349	40	
CV 990(2) GSFC Expt.	Hycal pyrheliometer	TKTS	1352	22	
Mariner 6 and 7 Spacecraft, JPL ⁽³⁾	Cavity radiometer	AEUS	1353	10	
Balloon, U. of Leningrad Expt. ⁽⁴⁾	U. of Leningrad actinometer	IPS 56	1353	14	
CV 990(2) GSFC Expt.	Cone radiometer	AEUS	1358	24	
CV 990, B-57B, X-15 Eppley-JPL Expt. (5,6,7)	Eppley pyrheliometer	IPS 56	1360	13	
Balloon, JPL Expt. (8)	Active Cavity radiometer	AEUS	1368	7	
Standard Value		· · · · · · · · · · · · · · · · · · ·	1353	21	

Table I High Altitude Determinations of the Solar Constant

Goddard experimenters had also another value obtained by integrating the value under the spectral curve, 1352 W m^{-2} . That this was so close to the average was assumed to be fortuitous rather than warranted by the accuracy of the spectral data. So this value was not included in the list selected for averaging. The detectors included Ångström pyrheliometers, cavity radiometers, and normal incidence pyrheliometers of different types and manufacturers. The value of the solar constant derived from these measurements was 1353 W m^{-2} or 1.940 calcm⁻² min⁻¹.

The solar spectral irradiance was obtained mainly from measurements made by NASA GSFC experimenters at an altitude of 11.6 km from a Convair 990 jet aircraft. ⁽²⁾ In Table II are listed the spectroradiometric instruments used on the CV 990. Along with each instrument is shown the disperser, the aircraft window material, the energy detector, and the wavelength range. The main standard of calibration was a set of five 1000 W quartz iodine lamps calibrated at the National Bureau of Standards or the Eppley Laboratory. These were supplemented in the long wavelength range by two blackbody sources operating at 1200 K and 3000 K. As shown in Table II, there were two large prism monochromators, a filter radiometer (33 filters, each 100 A bandwidth) and two interferometers. The spectral irradiance curve obtained from these detailed measurements was modified slightly in the visible range with the aid of data from the multi-channel filter radiometers flown by the Eppley-JPL Team under the direction of A. J. Drummond. ^(5, 6, 7) The GSFC results cover the spectral range

Instrument	Spectral Dispersion by	Aircraft Window Material	Energy Detector	Wavelength Range		
Perkin-Elmer	Lithium	Sapphire	1 P 28 Phototube	$0.3 - 0.7 \mu m$		
monochromator	fluoride prism		Thermocouple	$0.7 - 4.0 \mu m$		
Leiss double	Two quartz	Dynasil	EMI 9558 QA Tube	0.3 - 0.7μm		
prism monochromator	prisms	quartz	PbS tube	0.7 - 1.6μm		
Filter	33 Dielectric	Dynasil	RLA type 917	$0.3 - 1.2 \mu m$		
radiometer	thin film filters	quartz	phototube (S-1)			
P-4 polarization type interferometer	Soleil prism	Infrasil quartz	1 P 28 or R 136 Tube PbS tube	0.3 - 0.7 μm 0.7 - 2.5 μm		
I–4 moving mirror type interferometer	Michelson mirror	Intran 4	Thermistor bolometer	2.6 - 15.0 μm		

Table II

Spectral Irradiance Instruments on board CV 990 NASA 711 Aircraft

0.3 to $15 \,\mu\text{m}$ which contains nearly 99 percent of the Sun's energy. Data from other sources were added for the two extreme ends of the spectrum, from Heath⁽⁹⁾ and Hinteregger⁽¹⁰⁾ for the UV and from Shimabukoro and Stacey⁽¹¹⁾ for the IR beyond $15 \,\mu\text{m}$.

The spectral curve which was derived from the GSFC data and the Eppley-JPL data is shown in Figure 1. The wavelength range is 0.2 to 2.6 μ m. The solar spectral irradiance values for the wavelength range 0.115 to 1000 μ m is given in Table III. The columns are wavelength, spectral irradiance E_{λ} , area under the curve 0 to λ and % area. The values of E_{λ} are averages over 100A for most of the range.



Figure 1. The NASA/ASTM standard curve of extraterrestrial solar spectral irradiance, 0.2 to 2.6 μ m.

Table III. Solar Spectral Irradiance - Standard Curve

 λ - Wavelength in micrometers

 E_{λ} - Solar spectral irradiance averaged over small bandwidth centered at λ , in W m⁻² μ m⁻¹

 $E^{^{\Lambda}}_{\text{ o}-\lambda}$ - Integrated solar irradiance in the wavelength range o to $\lambda,$ in W m $^{^{-2}}$

 $D_{o-\lambda}$ - Percentage of solar constant associated with wavelengths shorter than λ

Solar constant - 1353 $W m^{-2}$

)								1	
λ	E,	E_,)	D_ ;	λ	E,	E	D	λ [E,	E)	D
	^	0-1	0-1		<u> </u>	0-1	0-1		^		0-^
								1		· · · · ·	
.115	.007	.0025	.0001	.510	1882	324.926	24.015	1.55	267	1186.109	87.665
. 1 2 0	. 90.0	0049	0007	646	1877	334.214	24.701	1.60	245	1198.909	88.611
4 2 6	007	0070	.0003	= 20	4077	31.3 370	26 370	1.65	223	1210.609	89.475
4 7 0	.007		.0005	• 7 2 0	1000	762 601	20.019	1 70	202	1221.234	90.261
+130	.007	.00/1	.0005	• 525	1852	392.991	50.023	1.70	202	1070 704	00 067
•140	.030	.0073	.0005	• 5 3 0	1842	361.826	26.742	1.75	180	1230.784	30.307
.150	.070	.0078	.0005	.535	1818	370.976	27.418	1.80	159)	1239.259	91.593
.160	.230	0093	.0006	.540	1783	379.979	28.084	1.85	142	1246.784	92.149
.170	.630	. 0136	.0010	.545	1754	388.821	28.737	1.90	126	1253.484	92.644
1.0.0	1.250	0270	- 0,010	550	1725	307.510	20. 380	1.95	114	1259.484	93.088
100	2 210	02.30	.0010		4720	606 131	70 017	2 0 0	103	1264.909	93.489
+130	2.110	•0420	•003T	• 5 2 2	1120	400.101	30.01/	2.00	203	10040707	
			1. A 1.							1071 550	01. 2024
•500.	10.7	.1098	.ŰŪ.81	.560	1695	414.669	30.648	2.1	90	1274.559	94.2024
.210	22.9	.2778	.0205	.565	1705	423.169	31.276	2.?	79	1283.009	94.8269
.220	57.5	.6798	.0502	.570	1712	431.711	31.907	2.3	69	1290.409	95.3739
.225	64.9	9858	.0728	575	1710	440.289	32.541	2.4	62	1296.959	95.8580
270	66.7	1 71/.0	0071	6.00		448 874	22 176	2.5	55	1302.809	96.2903
.230	50.7	1.5140	.09/1	.900	1/12	440.074	33.110			1707 050	96.6710
.235	59.3	1.5298	+1204	.585	1/12	457.441	33.809	2.0	. 40	1307.999	07 0077
.240	63.0	1.9356	.1430	.590	1700	465.9/1	34.439	2.7	43	1312.509	97.0073
.245	72.3	2.2738	.1680	.595	1582	474.426	35.064	2.8	39	1316.609	97.3103
.250	70.4	2.6306	.1944	.600	1566	482.796	35.683	2.9	35	1320.309	97.5838
.255	104.0	3.0666	2266	.605	1647	491.079	36.295	3.0	31	1323.609	97.8277
1	}	1	12230				<u> </u>				
260	4 3 0			6.4	1676	400 284	36.002	7 4	26.0	1326,459	98.0383
1.200	100	3.0710	.203	. • 01	1037	777+204	20.942	3.1	22.0	1 7 2 8 4 4 4	98.2179
.265	107	4.4391	.328	.52	1602	515.469	0.048	3.2	22.0	1320+009	04 7731
.270	232	5.4816	.405	63	1570	531.329	39.270	3.3	19.2	1330.979	70.3124
.275	204	6.5716	.485	.64	1544	546.899	40.421	3.4	16.6	1332.769	98.5047
.290	222	7.6366	.564	.65	1511	562.174	41.550	3.5	14.6	1334.329	98.6200
.285	315	8.9791	. 663	66	1486	577.159	42.657	3.5	13.5	1335.734	98.7238
200	482	10 0716	810	6.7	41.06	501.860	4 7 744	3.7	12.3	1337.024	98.8192
1.290		10.9710	.010	• 97	1450	606 201	4.0.040	7 0		1339.194	98.9056
1 . 2	204	13.6366	1.007		1427	606+264	44.710	3.0	11.1	1330-134	08 08/7
1.300	514	16.3816	1.210	•69	1402	620.429	45.855	3.9	10.3	1339.204	00 0570
1.305	603	19.1741	1.417	.70	1369	634,284	46.879	4.0	9.5	1340.254	99.05/9
	1	1	1	ł	{ }		1		}		
1.310	689	22.4041	1.655	1.71	1344	647.849	47.882	4.1	8.70	1341.1641	99.12521
315	764	26.0366	1.924	72	+ 3 4 4	661.139	48.864	4.2	7.80	1341.9891	99.18618
1 720	0.70	70 0216	3 34 4	•	1200	674.159	40.826	4.3	7.10	1342.7341	99.24124
1 705	0.75	30.0210	2.010	• 12	10.90	606 000	50 700	6.6	6.50	1343.4141	99.29150
1.362	975	34.7341	2.772	.74	1260	606.909	50./09		5.02	1 744 0754	99. 33740
• 338	1059	39.6191	2.928	1.75	1235	699.384	51.691	4.7	3.92	134460391	00 77005
[.335	1081 .	44.9691	3.323	.76	1211.	711.614	52.595	4.6	5.35	1344.5900	99.37903
.340	1074	50.3556	3.721	.77	1185	723.594	53.480	4.7	4.86	1345.1091	99.415/8
1.345	1069	55.7141	4.117	78	1159	735.314	54.346	4.8	4.47	1345.5757	99.45127
350	1093	61.1191	4.517	70	1134	746.779	55.194	4.9	4.11	1346.0049	99+48299
. 755	1083	66.5591	4.010	90	1100	757.994	56.023	5.0	3.79	1346.3999	99.51219
]••••		1 0000000	4.012	1	11103						
1		1 74 0766	5 344	1	1000	768 966	E6 071.	6	1.8200	1349.2049	99.71950
1 . 100	1000	/1.9366	5,316		1005	700.900	50.034	2	0000	1350.6099	99.82335
1.365	1132	77.4366	5.723	- 85	1060	114.694	51.621		• 9 9 0 0	1751 7074	00 88155
1.370	1181	83.2191	6.150	1.43	j 1036	790.174	58.401		.7050	4764 4774	00 04677
1.375	1157	89.0641	6.582	1 . 84	1013	800.419	59.158	9	.3670	1391-0/34	77.710/3
. 380	1120	94.7566	7.003	.85	990	810.434	59.899	1 2 0	.2410	1372.1774	33.3320
.385	1098	100.3016	7.413	1.8E	968	820.224	60.622	11	.1650	1352.3804	99.95420
1.300	1098	105 7016	7 . 910	.87	947	829.790	61.330	12	,1170	1352.5214	99.96462
1 200	4480	1444 6004	0 21.4	1.85	0.24	830.144	62.022	13	.0851	1352.6224	99.97209
1.342	14. 20	1111.07093	0.241	1	1 0 0 0	8/8 331	62.700	1 1 4	0634	1352.6967	99.97758
1.400	1429	110.0541	8.725	1.33	908	040.334	63.765	ไ เรื่	0481	1352.7524	99,98170
1.405	1044	125.7366	9.293	1.40	891	001.329	1031309	1 **			
1		1		1 -	1.	1	e	1	0.7.7.00	1352 2050	00.084PE
.410	11751	134.224	9.920	1,91	880	866.184	64.019	1 10	.03/100	1752 1950	00 04770
1.419	1774	143.036	10.571	1 .92	869	874.929	164.665] 17	.029100	1 352.8281	44.48130
1.421	1747	151.830	11.222	1.93	85A	883.564	65.304	18	.023100	1352.8542	99.98923
1.00	11697	160 670	11.050	1 . 94	847	892.080	65.934	19	.018609	1352.8751	99.99077
1	146 70	100.439	11.070	L ar	1 0 77	000 500	66.556	20	.015200	1352.8920	99.99202
• 4 50	11039	160.769	12.4/3	1.32	001	000 204	67.168	25	.006170	1352.9454	99,99596
1 . 4 35	1663	177.024	13.403	1 . 20	820	1 300.194	67 764	1 36	003070	1352.0647	99,09765
1.440	1810	185.706	13.725	1 . 97	803	916.909	01.100	30	.002970	1352 0703	99.00260
1.449	5 1922	195.036	14.415	1.98	785	1 924.849	108.355		.uuicud	1 3 3 2 . 9/9/	00 0000
1.450	2006	204.856	15.140	1.99	767	932.609	168.928	<u> 40 </u>		1352-9860	1 22. 22.23
1.450	5 2057	215.014	15.891	11.00	748	940.184	69.488	50	.000391	1 3 5 2 . 9927	99.99946
1	1	1	1		T	T	1	1.	1	1	1.
1	2066	335 734	16.653	11. 115	664	975.584	72.105	60	.00019000	1352.9956	99.99967
1 . 4	12000	227. 321	17 142	1	000	1 0 0 7 1 00	74.435	80	.00006160	1352.9981	99.99986
1.46	2048	235.606	11.413	14 10	1 293	H 00/+109	76 . 540	1 100		1352.0000	99.99992
.47	0 2033	245.809	15.16/	1.15	535	1035.309	70.717	1 1 2 0	000002571	1352 0004	99.00005
.47	5 2044	256.001	18.921	h.50	1.485	p.060.809	110.404	1 450		1352 0007	00.00007
.48	0 2074	266.296	19.681	1.25	438	1083.884	80,109	150	.00000523	1 1 3 7 2 . 9997	00 00000
.48	5 1976	276.421	20.430	1.30	397	1104.759	81.652	200	.0000016	1352.9998	99.99999
1.40	11950	286.276	21.155	4.35	358	1123.634	83.047	250	.00000070	1352.9999	99.99999
1.1.2	5 1060	206 044	21.878	1. 1.0	1 7 7 7	1141 000	84.331	300	.00000030	1352.9999	99.99999
1.49	217300	1290.011	22.010	1.12	1 3 3 1	L 1 1 1 0 0 0	85 620	400	.0000044	1352.9999	99.99999
1.50	0 1942	305.766	166.233	16-22	512	1157.234	96 670	1.000	0000001	1 1 253 . 0000	100.0000
1 50	6 4 9 2 8	1215.421	123.312	n. 50	288	a1/2.234	100.009	11000.	,	1	7=00+00000

Note: lines indicate change in wavelength interval of integration

The whole of the solar electromagnetic spectrum from 10 A to 10 m is shown in Figure 2. There are 10 decades on the wavelength scale. The irradiance scale changes 3 times in the IR each time by 10^6 . The Sun is a variable star in the radio range near 1 m and in the UV. The dashed lines show Planckian curves at equivalent blackbody temperature, which is 5762 K over most of the range but goes to higher values at the two extremes.

Following the recommendation of the Committee on Solar Electromagnetic Radiation, these values have received a wide circulation and have been extensively used as a standard of reference. A monograph $^{(12)}$ published in the NASA Space Vehicles Design Criteria series recommends these values as criteria for design and testing of spacecraft systems. These values have been adopted by the Solar Simulation Committee of the Institute of Environmental Sciences and have been developed by the American Society for Testing and Materials (ASTM) into an "Engineering Standard for the Solar Constant and Solar Spectrum⁽¹³⁾." A practical application which incidentally gave the first impetus to the GSFC Convair 990 project is the design of solar simulators and pre-launch testing of satellites and spacecraft components. In the laboratories of NASA, ESRO and their contractors the new values have replaced the older Johnson⁽¹⁴⁾ values. One of the major suppliers of solar simulators, Spectrolab, Inc. of Sylmar, California. has issued for the convenience of users a wallet size card presenting the data. The standard solar spectral irradiance table is available in the current edition of the American Institute of Physics Handbook $^{(15)}$ and in the forthcoming Van Nostrand-Reinhold Encyclopedia of Physics. The chapter on Solar Radiation in



Figure 2. The extraterrestrial solar spectrum from X-rays to radio waves.

the AFCRL Handbook of Geophysics and Space Environments is in process of revision to incorporate these data. Typical of the new curves to be published in the AFCRL Handbook is Figure 3 which gives irradiance also at ground level of air mass 1, 4, 7 and 10; i.e., for solar zenith angles 0, 75°, 82° and 84°. These curves are for US standard atmosphere, ozone = 3.4 mm, precipitable water



Figure 3. Solar irradiance spectra at ground level for air mass 1, 4, 7 and 10, compared to the standard curve - computed values.

vapor = 20 mm, relatively clear air with turbidity coefficients, $\alpha = 1.3$, $\beta = 0.02$. Elterman's values are assumed for extinction optical thickness due to Rayleigh scattering and ozone absorption⁽¹⁶⁾. For aerosol scattering (turbidity) the optical thickness is assumed to be of the form $\tau = \frac{\beta}{\lambda^{\alpha}}$. For absorption due to water vapor and other molecules the coefficients derived by Gates and Harrop⁽¹⁷⁾ have been used. The program for computing these values for irradiance at ground level and for punching the cards was developed by D. Hoyt of NOAA, Boulder, Colorado.

Solar spectral irradiance values in Table III are listed at intervals of 50A for the visible and near UV, and are averages over 100A bandwidth centered at the given wavelength. This method of listing was chosen so as not to make the table too long and to give a spectrum independent of the Fraunhofer absorption which different instruments portray differently according to their resolution. For many applications like atmospheric modelling, pollution studies, transmittance computations of interference filters, studies of absorptive processes in the atmosphere, etc., a more detailed knowledge of the extraterrestrial solar spectrum was found to be necessary. In response to inquiries from users a project was undertaken recently to meet this need. For the wavelength range 3000 to 6100A tables and charts are now available which give the spectrum at intervals of 1A.

One of the curves for the range 3000 to 4000 A is shown in Figure 4. It is based on the data of the Perkin-Elmer monochromator on board the CV 990 aircraft. The spectral curve was read at 1 A intervals and cards were punched by



Figure 4. Solar spectrum obtained with a Perkin-Elmer monochromator, air mass zero, 3000 - 4000 A.

J. DeLuisi of NCAR. We developed a normalization program so that in each 50 A range the integral under this curve is equal to the values of the standard spectrum (Table III). The dashed line shows the standard curve. The curve for the range 3600 to 6100 is shown in Figure 5. The well known solar absorption Ca⁺ H and K lines at 3969 A and 3934 A respectively, the H_{α} line at 4861 A, the Fe G line at 4308, etc., are readily recognizable on this curve.



Figure 5. Solar spectrum obtained with a Perkin-Elmer monochromator, air mass zero, 3600 - 6100 A.

Punched cards giving solar spectral irradiance data (λ and E_{λ}) are available for the tables and figures discussed earlier, the standard table (Table III), spectral curves at ground level for several sets of atmospheric parameters and the extraterrestrial solar spectrum, 3000 to 6100 A, at one A intervals. User organizations which have need of such data for computer aided applications may obtain them by writing to the National Space Science Data Center, Code 601, NASA/GSFC, Greenbelt, Maryland 20771.

2. UNCERTAINTIES IN CURRENTLY AVAILABLE DATA

In many applications of solar irradiance data, solar and spectral, there are two questions of major importance, the absolute accuracy and the variability of these values.

As for the absolute accuracy of the solar constant there are several major problems. The values given in Table I based on high altitude measurements vary between a maximum of 1338 W m^{-2} and 1368 W m^{-2} . The two extreme values are those which claim the least estimated error. The standard value adopted by NASA and ASTM is 1353 W m^{-2} with an estimated uncertainty of $\pm 21 \text{ W m}^{-2}$. For applications in meteorology, atmospheric physics, solar physics, etc., an absolute accuracy of the order of 0.1% or $\pm 1.4 \text{ W m}^{-2}$ is desirable and many authors believe that it is possible within the state-of-the-art of radiometric measurements. Variations in the solar constant with sporadic or cyclic variations of the Sun itself cannot be detected unless the precision, if not the absolute accuracy, of the solar constant is 0.1% or better.

The values of the solar constant derived from ground-based measurements are significantly higher than 1353 Wm^{-2} . F. S. Johnson's⁽¹⁴⁾ value which was published in 1954 and had long been accepted as a standard in the U.S. was 1395 Wm^{-2} or 3.1% higher. Nicolet's value⁽¹⁸⁾ was close to this, 1380 Wm^{-2} . Still higher are the values derived by Stair and Johnston⁽¹⁹⁾, 1428 Wm^{-2} , and by Makarova and Kharitonov⁽²⁰⁾, 1418 Wm^{-2} . In a recent monograph, "Distribution of Energy in the Solar Spectrum and the Solar Constant" published in Moscow⁽²¹⁾,

Makarova and Kharitonov have proposed a value 1360 Wm^{-2} ; this is a weighted average of all the earlier measurements by many different authors. In 1968 Labs and Neckel⁽²²⁾ derived the value 1366 Wm^{-2} based on measurements they made from Jungfraujoch in the wavelength range 0.33 to $1.25 \ \mu\text{m}$ and data from other authors for the region outside their range. In $1970^{(23)}$ they revised their earlier value downwards to 1358 Wm^{-2} . The measurements made from mountaintops by C. G. Abbot and his co-workers at the Smithsonian Institution are by far the most detailed and extensive for the solar constant and the solar spectrum. They cover a period of nearly half a century. The Smithsonian value, $1352 \text{ Wm}^{-2^{(24)}}$, is very close to the NASA and ASTM standard.

The uncertainties in the distribution of the solar energy as a function of wavelength are considerably greater than in the solar constant itself. The four different instruments used by the GSFC experimenters on board CV 990 for the same wavelength range did not yield identical curves; there was a certain amount of scatter between them, though the variations were within the estimated error limits of the instruments. There were greater differences between the GSFC curve (weighted average of the four instruments) and the Eppley-JPL filter data⁽²⁵⁾.

The differences between the NASA/ASTM standard (based on GSFC and Eppley-JPL data) and the solar spectral curves obtained from earlier ground based measurements are considerably greater. Three of these curves and the standard are shown in Figure 6. The most significant variations are in the

spectral range near $0.55 \,\mu$ m. This mode of comparison fails to show the spectral differences as distinct from those in the solar constant; and in the wavelength range of low irradiance the curves seem to be identical, though they are far from being so.



Figure 6. The NASA/ASTM standard curve compared with the curves derived by Makarova and Kharitonov, Labs and Neckel, and Nicolet.

A clearer and more meaningful comparison of the standard curve with that of Labs and Neckel is shown in Figure 7. The Y-axis is the ratio R = k. P_{λ}'/P_{λ} , where P_{λ} is the irradiance as given in the standard table (Table 3) and P_{λ}' is the irradiance at the same wavelength from Labs and Neckel. k is a normalizing constant which makes the area under the Labs and Neckel curve equal to the standard solar constant, 1353 W m⁻². The excursions of the ratio curve above and below the 1.0 line show to what extent the Labs and Neckel distribution differs from that of the standard curve.

Similar comparisons with three other spectral curves, those published by F. S. Johnson, Nicolet and Stair and Ellis⁽²⁶⁾ are shown in Figures 8, 9 and 10 respectively. A comparison of Figures 7, 8 and 9 shows that in the range



WAVELENGTH (µm)





Figure 8. Comparison of NASA/ASTM spectrum to Johnson spectrum. (Curve gives ratio of normalized Johnson values to those of Table III.)







Figure 10. Comparison of NASA/ASTM spectrum to Stair and Ellis spectrum. (Curve gives the ratio of normalized Stair and Ellis values to those of Table III.)

0.25 to 0.45 μ m, the Johnson values are higher and those of Labs and Neckel and Nicolet are lower than the standard. It will be recalled that Johnson had scaled Dunkelman and Scolnik's values⁽²⁷⁾ upward by 8.8%. The values of Labs and Neckel and of Nicolet are low probably because of the difficulty of estimating the solar continuum in a wavelength range which is so rich in Fraunhofer lines. Both Nicolet and Labs and Neckel show a sharp change in the ratio near the Balmer discontinuity, which is not seen in Figures 8 and 10 where the data are based on irradiance of the whole disc rather than on radiance at the center of the disc. The Stair and Ellis curve is of special significance. Two instruments were used, a Leiss monochromator and a filter radiometer. The wavelength range was limited by the photo-multiplier detector to 0.3 to 0.53 μ m. The excursions of the ratio line above and below the ratio line are more or less evenly balanced.

A wavelength range which has given rise to a certain amount of controversy is from 0.5 to $0.7 \,\mu\text{m}$. In this range the values of Labs and Neckel, Johnson and Nicolet are all higher than the standard values, as shown by Figures 7, 8 and 9. But this is a spectral range where the different instruments of the GSFC CV 990 experiment were in rather close agreement. Confirmation of the standard values was obtained recently from independent sources. Michael Kuhn⁽²⁸⁾ made measurements at Plateau Station in the Antarctic with differential broad band filters and a pyrheliometer and extrapolated the values to zero air mass. The zero air mass solar irradiance values were respectively 178.9 W m⁻² and 116.5 W m⁻² for the wavelength ranges 0.525 to 0.63 μ m and 0.63 to 0.71 μ m. The corresponding values of the standard table are $178.7 \,\mathrm{W}\,\mathrm{m}^{-2}$ and $116.5 \,\mathrm{W}\,\mathrm{m}^{-2}$, as may be seen by taking the differences of the column $E_{\alpha-\lambda}$ of Table III. Since Table III claims an accuracy of $\pm 5\%$, this agreement should be considered rather fortuitous. R. Hulstrom (Martin Marietta, Boulder, Colorado)⁽²⁹⁾ made during 1973 a series of measurements over the range 0.4 to 1.35μ m. His values extrapolated to zero air mass show close agreement with the standard curve over the whole range. The agreement over the range 0.5 to $0.7 \,\mu\text{m}$ is particularly striking. Another valuable confirmation is from A. Ångström⁽³⁰⁾. His detailed analysis of atmospheric turbidity (β coefficient) covers a period of many years and ground based data of several observers including those of himself and A. Drummond from Mauna Loa. He concludes that the extraterrestrial solar spectrum in the range 0.3 to 0.7 as given in Table III is essentially correct.

3. POSSIBLE VARIATIONS IN SOLAR IRRADIANCE AND THEIR EFFECTS

Next question is the variability of the solar energy output. Does the energy output, total and spectral, change with all the other features of the Sun which are known to change? Among the cyclic changes of the Sun the best known is the 11 year sunspot cycle. Figure 11 shows the annual average sunspot numbers from 1760 to 1960. In addition to the 11 year cycle there is the 22 year cycle of solar magnetic field and probably a 90 year cycle of sunspots. There are several intriguing meteorological phenomena which seem to follow the changes in the Sun. J. M. Mitchell⁽³¹⁾ presented a very detailed study of this topic at an



Figure 11. Annual average sunspot number (Zurich number or Wolf number of sunspots) over the period 1750 to 1960.

NCAR symposium in 1965. Among these variations are Etesian winds, wintriness index of the northern hemisphere sea level pattern, the annual march of temperature in different cities of Europe, changes in meridional sea level pressure, growth rings of trees, ozone density, geomagnetism, glacier movement. Add to these, the recurrence of drought in North America every 22 years (solar magnetic cycle) as was pointed out by C. G. Abbot in 1938 and the 11 year pattern in the movement of high pressure systems in Australia as pointed out by E. G. Bowen⁽³²⁾.

Let us look at some of these in more detail. Figure 12 shows the number of days per year when Etesian winds blow over Athens. The annual frequency of Etesian winds from 1893 to 1961 follows the same trends of maxima and minima as the sunspot numbers. That the Earth-atmosphere system reacts to changes in the input energy of the Sun is a well established fact. The density of the ozone layer changes from day to night. The changes in the ionization layers of the upper atmosphere and their dependence on solar phenomena have been studied in great detail because of their direct effects on radio communication. The geomagnetic disturbances have a periodicity of 27 days superposed on an 11-year period, in agreement with the rotational and Wolf number cycles of the Sun⁽³³⁾. The 11-year cycle of magnetic μ figure is clearly shown on Figure 13. In Figure 14 the charts of magnetic character figure C_i over a period of nine solar rotation cycles are shown one below the other. Long period correlation with sunspot cycles has been observed in such weather related phenomena as



Figure 12. Correlation between annual average of sunspot numbers and the number of days per year of Etesian winds.



Figure 13. Correlation between geomagnetic disturbance and the 11 year sunspot activity. Upper curve shows the magnetic μ figure and the lower curve shows the annual mean sunspot number.





the water level in rivers and lakes, annual growth rings of petrified and living trees, and the advance and retreat of glaciers. Solar events such as flares cause corpuscular emission of which the effects are observed in aurorae, geomagnetic disturbances, changes in cosmic ray flux, increase in ionization of the D layer, possibly localized heating of the atmosphere. Changes in photon flux, though small, apparently act as a trigger mechanism which upsets a delicate energy balance and causes large scale meteorological changes.

Several attempts have been made to determine the variations in solar constant. The most extensive data are those of the Smithsonian Institution. Kondratyev and his co-workers⁽⁴⁾ conclude from their balloon data over a sixyear period that the maximum value of the solar constant occurs for sunspot numbers between 80 and 100 and that the solar constant decreases by 2 to 2.5 percent during sunspot maximum and minimum. The Lowell Observatory program on the Sun as a variable star $^{(34)}$ shows a gradual increase of the solar constant by 1.4 percent as the sunspot number increases from 2 to 200. Bossolasco and his group⁽³⁵⁾ analyzed data from four widely separated stations and concluded that the maximum value of the solar constant occurs for Wolf number N about 160, and that the solar constant is significantly lower for N < 160 and N > 160; the minimum at 270 < N < 330 is about 15 percent lower. But this conclusion has been disputed by Kondratyev who ascribes the low value to increased atmospheric turbidity caused by nuclear tests. C. G. Abbot and his co-workers of the Smithsonian Institution⁽³⁶⁾ present a large mass of

 $\mathbf{24}$

evidence for variations in the solar constant, for example, a drop of 4 percent when a large sunspot crosses the disc, a similar decrease accompanied by magnetic storms and West Indian hurricanes, periodicities related to 273 months (period of the solar magnetic cycle) and related weather phenomena.

While there is a great deal of literature about changes in the solar constant and their effects on weather, there is hardly any mention of changes in spectral distribution in the visible and near IR where the energy output is the greatest. The reason is not that changes do not exist, but they are totally unknown and unexplored. Almost all solar energy effects on the atmosphere and the Earth are wavelength dependent. Localized radiation balance and transport of large masses of air, increase of pollution and changes in sink mechanisms, the making of weather and climate and the modelling required for prediction of weather, changes in ozone and their erythemal effects on humans, all depend on some limited portions of the solar spectrum more than on others. The atmosphere is far from being a neutral density filter, nor is the land and ocean surface of the Earth an achromatic absorber. The Earth albedo spectrum is different from the solar spectrum. Ozone production is due to solar UV. Photosynthesis essential for all life support is due to wavelength bands centered round 0.44 and $0.75 \,\mu\text{m}$. Other resonance phenomena are photomorphogenic responses like seed and flower development, shape and size of leaves, plant height, leaf movements as in mimosa; the associated wavelengths are 0.66 and 0.73 μ m. Absorption by water vapor with all its major effects on the making of weather is

 $\mathbf{25}$

in narrow wavelength bands, all beyond $0.7 \,\mu$ m, as shown on Figure 3. This is the more poorly known part of the solar spectrum.

4. A MEASUREMENT PROGRAM FOR SOLAR ENERGY IN SPACE

An obvious conclusion from these discussions of the state of our knowledge on the solar constant and solar spectrum and the relative lack of knowledge about the variations of these parameters is that a strong effort should be made for the measurement of solar irradiance, both total and spectral, with considerably greater accuracy and precision and that such measurements should be made on a continuing basis. During the first decade of the space age it has been possible to measure solar irradiance from above all or almost all of the atmosphere. Except for the Mars Mariner, the observing platforms were spacecraft and balloons. Satellites were not used for this purpose since the degree of accuracy aimed at is such that the experimental package should be retrieved after the flight for recalibration and for checking possible degradation of the optical components and detectors.

A project is now being developed for more precise and accurate determination of solar irradiance on a continuing basis. The objective is to monitor the solar constant with an accuracy of better than one percent and the solar spectral irradiance with an accuracy better than three percent. The variations of these parameters will be determined with a precision considerably greater than the absolute accuracy. The instrument package will be mounted in a U-2 aircraft which has a cruising altitude of 20 km. Observing time per flight will be about

six hours. The instrument package will consist of a medium resolution prism monochromator for the spectrum and a thermopile detector for the total energy.

A schematic of the instrument package is given in Figure 15. Sun's light enters an integrating sphere A through an aperture on its top B. The total irradiance is measured by a thermopile detector C and the spectral irradiance by a monochromator D. The mirror E focusses the light to the entrance slit F. It is chopped by a tuning fork chopper G, collimated by the mirror H, and spectrally dispersed by the prism I. The Littrow mirror J returns the light to the prism for doubling the dispersion. The concave mirror H focusses the light to the exit slit K, from which it falls on another focussing mirror L. The beam splitter M transmits the light to the two detectors, a photodiode N for the wavelength range 0.25 to $1.1 \,\mu$ m and a lead sulfide tube or a thermopile for the wavelength range $\lambda > 0.7 \,\mu$ m.

The instrument package will be provided with a tracking mechanism so that it will view constantly the Sun and a small portion of the circumsolar sky. It will be mounted in the Q-bay of the U-2 aircraft where a pressure of 350 millibars and a temperature range of 5°C to 25°C will be maintained. The residual atmosphere above the aircraft at 20 km is about 5% of what it is at sea level and the water vapor above the aircraft is 0.05% of the average amount of precipitable water in the atmosphere. About 50% or more of the ozone is above the aircraft so that the lower limit of the observable spectrum is $0.27 \,\mu$ m. The upper limit is 2.6 μ m with quartz optics and 4.0 μ m with sapphire optics. Since



Figure 15. Optical schematic of Solar Energy Monitor in Space (SEMIS). Sunlight is received by an integrating sphere. Total energy is measured by a detector C and the spectrum is scanned by a prism monochromator D.

there is a certain amount of residual atmosphere above the aircraft, extrapolation to zero air mass will be made by measuring the solar energy at zenith angles varying between 15° and 60°. The instrument will be sufficiently light weight and compact so that it can be flown "piggy-back" on all routine missions of the U-2 aircraft.

The U-2 measurements will permit the development of a more reliable and rugged instrument for deployment on the Space Shuttle which will be in operation in the 80's. A floating laboratory above the ozonosphere and all other atmospheric absorbents, with manned instruments and on-board calibration, with few constraints as to weight, size and power, with long observation periods, total and spectral irradiance of the Sun can be determined with sufficient accuracy and resolution. This will provide an answer to many questions about the Sun's energy output which have often been raised but never adequately answered.

5. ACKNOWLEDGMENTS

The author wishes to acknowledge the help received from the late Dr. A. J. Drummond in the derivation of the standard values, from D. Hoyt of NOAA, Boulder, Colorado, for the computations of the solar spectrum on the ground, from J. DeLuisi of the National Center of Atmospheric Research, Boulder, Colorado, for the spectrum at one Ångström intervals and from R. Mitchell of NASA/GSFC for computer programs at different stages of this work.

REFERENCES

 D. G. Murcray: Balloon Borne Measurements of the Solar Constant. University of Denver Report AFCRL-69-0070 (Denver, Colorado), Jan. 1969

D. G. Murcray, et al.: The Measurement of the Solar Constant from High Altitude Balloons, University of Colorado, Report AFCRL-68-0452 (Denver, Colorado), Aug. 1968.

2. M. P. Thekaekara, R. Kruger, and C. H. Duncan: Solar Irradiance Measurements from a Research Aircraft. Appl. Opt. 8 (8), 1713-1732 (1969).

M. P. Thekaekara, ed.: The Solar Constant and the Solar Spectrum Measured from a Research Aircraft. NASA TR R-351, Washington, D.C. (1970).

- J. A. Plamondon: The Mariner Mars 1969 Temperature Control Flux Monitor. Jet Propulsion Laboratory Space Programs Summary 37-59, vol. 3, pp. 162-168, Oct. 1969.
- 4. K. Ya. Kondratyev, and G. A. Nikolsky: Solar Radiation and Solar Activity. Quarterly J. Royal Meteorological Society, vol. 96, no. 3, pp. 509-522, July 1970.

K. Ya. Kondratyev, et al.: Direct Solar Radiation up to 30 km and Stratification of Attenuation Components in the Stratosphere. Applied Optics, vol. 6, no. 2, pp. 197-207, Feb. 1967.

- 5. A. J. Drummond, et al.: New Value of the Solar Constant of Radiation. Nature, vol. 218, no. 5138, pp. 259-261, April 20, 1968.
- A. J. Drummond, and J. R. Hickey: The Eppley-JPL Solar Constant Measurement Program. Solar Energy, vol. 12, no. 2, pp. 217-232, Dec. 1968.

E. G. Laue, and A. J. Drummond: Solar Constant: First Direct Measurements. Science, vol. 161, no. 3844, pp. 888-891, Aug. 1968.

- A. J. Drummond, et al.: The Calibration of Multichannel Radiometers for Application in Spacecraft and Space Simulation Programs. Proceedings International Astronautical Federation 18th Congress, Belgrade, vol. 2, pp. 407-422, 1967. (Pergamon Press, New York, 1968.)
- R. C. Willson: Active Cavity Radiometric Scale, International Pyrheliometric Scale and Solar Constant, J. Geophys. Research, vol. 76, no. 19, pp. 4325-4340, 1971.
- 9. D. F. Heath: Observations on the Intensity and Variability of the Near Ultraviolet Solar Flux from the Nimbus III Satellite. J. Atmospheric Sciences, vol. 26, no. 5, pt. 2, pp. 1157-1160, Sept. 1969.
- H. E. Hinteregger: The Extreme Ultraviolet Solar Spectrum and Its Variation During a Solar Cycle. Ann. Geophysique, vol. 26, no. 2, pp. 547-554, 1970.
- F. J. Shimabukoro, and J. M. Stacey: Brightness Temperature of the Quiet Sun at Centimeter and Millimeter Wavelengths. Astrophys. J., vol. 152, no. 6, pp. 777-782, June 1968.

- 12. Anon.: Solar Electromagnetic Radiation, NASA Space Vehicles Design Criteria, NASA, SP 8005, NASA, Washington, D.C., May 1971.
- 13. Anon.: Standard Specification for Solar Constant and Air Mass Zero Solar Spectral Irradiance, ASTM Standard E 490-73a, 1974 Annual Book of ASTM Standards, Part 41, ASTM, Philadelphia, 1974.
- 14. F. S. Johnson: The Solar Constant. J. Meteorology, vol. 11, no. 6, pp. 431-439. Dec. 1964.
- 15. J. Kasper, in American Institute of Physics Handbook, 3rd Edn. McGraw Hill Book Co., Inc., New York, p. 6-216, 1972.
- L. Elterman: UV, Visible and IR Attenuation for Altitudes to 50 km, 1968
 AFCRL-68-0153, Office of Aerospace Research, U.S. Air Force, 1968.
- D. M. Gates, and W. J. Harrop: Infrared Transmission of the Atmosphere to Solar Radiation, App. Optics, <u>2</u>, p. 887, 1963.
 D. M. Gates: Near Infrared Atmospheric Transmission to Solar Radiation, J. Opt. Soc. Am., <u>50</u>, p. 1299, 1960.
- M. Nicolet: Sur le Probleme de la Constante Solaire. Ann. d'Astrophysique, vol. 14, no. 3, pp. 249-265, July-Sept. 1951.
- R. Stair, and R. G. Johnston: Preliminary Spectroradiometric Measurements of the Solar Constant. J. Res. Nat. Bur. Stand., vol. 57, no. 4, pp. 205-211, Oct. 1956.
- 20. E. A. Makarova: A Photometric Investigation of the Energy Distribution in the Continuous Solar Spectrum in Absolute Units. Soviet Astronomy-AJ, vol. 1, no. 4, pp. 531-546, April 1957.

- 21. E. A. Makarova, and A. B. Kharitonov: The Energy Distribution in the Solar Spectrum and the Solar Constant (in Russian), Nauka Publishing House, Moscow, 1972.
- D. Labs, and H. Neckel: The Radiation of the Solar Photosphere from
 2000 A to 100 µ. Zeitschrift fur Astrophysik, vol. 69, pp. 1-73, 1968.
- D. Labs, and H. Neckel: Transformation of the Absolute Solar Radiation
 Data into the International Practical Temperature Scale of 1968, Solar
 Physics, 15, pp. 79-87, 1970.
- 24. L. B. Aldrich, and W. H. Hoover: The Solar Constant. Science, vol. 116, no. 3024, p. 3, Dec. 1952.
- M. P. Thekaekara, and A. J. Drummond: Standard Values for the Solar Constant and its Spectral Components. Nature, Physical Sciences, vol. 229, no. 1, pp. 6-9, Jan. 4, 1971.
- R. Stair, and H. T. Ellis: The Solar Constant Based on New Spectral Irradiance Data from 3100 to 5300 Ångströms. J. of Appl. Meteorology, vol. 7, no. 8, p. 635, Aug. 1968.
- 27. L. Dunkelman, and R. Scolnik: Solar Spectral Irradiance and Vertical Attenuation in the Visible and Ultraviolet. Opt. Soc. Amer. J., vol. 49, no. 4, pp. 356-367, April 1959.
- 28. Private communication, J. Hickey, Sept. 11, 1972; M. Kuhn, Nov. 15, 1973.

- 29. R. L. Hulstrom: Instrumentation, Measurements and Analysis of Solar Energy, paper presented at the NOAA/NSF Workshop, Silver Spring, Md., Nov. 29, 30, 1973.
- 30. Private Communication, A. Ångström, Jan. 17, 1973.
- J. M. Mitchell: The Solar Inconstant, National Center of Atmospheric Research, Tech. Note TN-8, 156, 1965.
- 32. E. G. Bowen, Kidson's Relationship between Sunspot Number and the Movement of High Pressure Systems in Australia, presented at the GSFC Symposium on Solar Activity, November 7, 8, 1973.
- C. F. Campen, et al.: Ed., Handbook of Geophysics (AFCRL) MacMillan
 Co., New York, pp. 10-5 and 17-11, 1960.
- 34. H. L. Johnson, and B. Iriarte: The Sun as a Variable Star, Lowell Observatory, Bulletin No. 96, vol. 4, no. 8, pp. 99-104, 1959.
- 35. M. Bossalasco, et al.: Solar Constant and Sunspots, Pure and Ap. Geophysics, (Pageoph), vol. 62 (1965/III), pp. 207-214, 1965.
- 36. C. G. Abbot, et al.: Annals Astrop. Obs. Smith. Inst. 6, 1942.
 L. B. Aldrich: The Solar Constant and Sunspot Numbers, Smith., Misc.
 Coll. 104 (12) pp. 1-5, 1945.

L. B. Aldrich, and W. H. Hoover, Ann. Astroph. Obs., Smiths. Inst. 7, 1954.

FIGURE CAPTIONS

- Fig. 1. The NASA/ASTM standard curve of extraterrestrial solar spectral irradiance, 0.2 to $2.6 \,\mu\text{m}$.
- Fig. 2. The extraterrestrial solar spectrum from X-rays to radio waves.
- Fig. 3. Solar irradiance spectra at ground level for air mass 1, 4, 7 and 10, compared to the standard curve computed values.
- Fig. 4. Solar spectrum obtained with a Perkin-Elmer monochromator, air mass zero, 3000 4000 A.
- Fig. 5. Solar spectrum obtained with a Perkin-Elmer monochromator, air mass zero, 3600 6100 A.
- Fig. 6. The NASA/ASTM standard curve compared with the curves derived by Makarova and Kharitonov, Labs and Neckel, and Nicolet.
- Fig. 7. Comparison of NASA/ASTM spectrum with Labs and Neckel spectrum. (Curve gives the ratio of normalized Labs and Neckel values to those of Table III.)
- Fig. 8. Comparison of NASA/ASTM spectrum to Johnson spectrum. (Curve gives ratio of normalized Johnson values to those of Table III.)
- Fig. 9. Comparison of NASA/ASTM spectrum to Nicolet spectrum. (Curve gives the ratio of normalized Nicolet values to those of Table III.)
- Fig. 10. Comparison of NASA/ASTM spectrum to Stair and Ellis spectrum. (Curve gives the ratio of normalized Stair and Ellis values to those of Table III.)

- Fig. 11. Annual average sunspot number (Zurich number or Wolf number of sunspots) over the period 1750 to 1960.
- Fig. 12. Correlation between annual average of sunspot numbers and the number of days per year of Etesian winds.
- Fig. 13. Correlation between geomagnetic disturbance and the 11 year sunspot activity. Upper curve shows the magnetic μ figure and the lower curve shows the annual mean sunspot number.
- Fig. 14. Correlation of geomagnetic disturbance and solar rotation. Curve shows the magnetic character figure C_i as a function of days i through 27 over nine solar rotations.
- Fig. 15. Optical schematic of Solar Energy Monitor in Space (SEMIS). Sunlight is received by an integrating sphere. Total energy is measured by a detector C and the spectrum is scanned by a prism monochromator D.