NASA Contractor Report 2916



The Discrete-Time Compensated Kalman Filter

Wing-Hong Lee and Michael Athans

CONTRACT NSG-1312 FEBRUARY 1978





1 Au



NASA Contractor Report 2916

The Discrete-Time Compensated Kalman Filter

Wing-Hong Lee and Michael Athans Massachusetts Institute of Technology Cambridge, Massachusetts

Prepared for Langley Research Center under Contract NSG-1312



Scientific and Technical Information Office

1978

1. INTRODUCTION

It has been widely recognized that modelling errors can lead to sensitivity problems and even divergence of Kalman-Bucy filter. In cases where the nominal plant parameters used in the filter design are different from the actual plant parameters, the uncompensated mismatched steady state Kalman-Bucy filter exhibits bias errors. Athans [1] discussed this problem, and presented a brief survey of the various schemes to reduce filter sensitivity. In particular Ref. [1] introduced the continuous time compensated Kalman filter, a suboptimal state estimator which can be used to eliminate steady state bias errors when it is used in conjunction with the mismatched steady state (asymptotic) time-invariant Kalman-Bucy filter. The approach used relies on the utilization of the residual (innovations) process of the mismatched filter to estimate, via a Kalman-Bucy filter, the state estimation errors and subsequent improvements of the state estimate. The compensated Kalman filter augments the mismatched steady state Kalman-Bucy filter by the introduction of additional dynamics and feedforward integral compensation channels. Satisfactory results of this compensated Kalman filter in a practical design have been reported by Michael and Farrar [2], where it was applied to the estimation and control of critical gas turbine engine variables.

This note follows the same philosophy and development as [1], for the discrete time case. In section 2, we give definitions and

-1-

and assumptions as well as the definition of the nominal mismatched steady state Kalman-Bucy filter. Section 3 analyzes the errors due to mismatching. Section 4 contains the main contribution which deals with the development of the compensated filter structure and equations. Section 5 contains the discussion of the results.

The elimination of bias errors is accomplished by having accumulators (the analog of integrators) acting upon the residuals. Thus if persistent bias errors exist due to model mismatching, the accumulators provide the necessary corrections so that the bias errors are removed from the estimates in steady state.

The approach selected was dictated by issues of simplicity of design, namely the use of constant gains in the estimator realization, and the avoidance of real time parameter estimation, which requires extensive real time calculations. All calculations of the constant filter gains can be carried out off-line.

-2-

....

2. DEFINITIONS AND ASSUMPTIONS

I

Only modelling errors in plant parameters will be considered throughout this paper. We believe that this is often the case in practice. When there are errors in the statistical parameters of the underlying random processes, a different approach is required and the results are more complicated.

2.1 Actual Plant Description

We assume that the actual plant is an n-th order linear timeinvariant, stochastic dynamical system with state vector $\underline{x}(t) \in \mathbb{R}^{n}$, constant input vector $\underline{u} \in \mathbb{R}^{m}$ and noisy measurement vector $\underline{z}(t) \in \mathbb{R}^{r}$ described by

(State Equation)
$$\mathbf{x}(t+1) = \mathbf{A}\mathbf{x}(t) + \mathbf{B}\mathbf{u} + \boldsymbol{\xi}(t)$$
 (1)

(Measurement Equation) $\underline{z}(t) = \underline{C} \underline{x}(t) + \underline{\theta}(t)$ (2)

where <u>A</u>, <u>B</u>, <u>C</u> are respectively nxn, nxm, rxn constant matrices. The plant noise $\underline{\xi}(t)$ and the measurement noise $\underline{\theta}(t)$ are white Gaussian stationary processes with the following statistics, which are assumed to be known to the designer.

$$E(\underline{\xi}(t)) = 0 \qquad \text{for all } t \qquad (3)$$

$$\mathbf{E}\{\underline{\xi}(\mathbf{s})\underline{\xi}'(\mathbf{t})\} = \underline{E}\delta_{\mathbf{s}\mathbf{t}} \qquad \text{for all } \mathbf{s}, \mathbf{t} \qquad (4)$$

 $E(\underline{\theta}(t)) = 0 \qquad \text{for all } t \qquad (5)$

 $E\{\underline{\theta}(s)\underline{\theta}'(t)\} = \underline{\theta}_{st} \qquad \text{for all } s,t \qquad (6)$

-3-

where δ_{st} denotes the Kronecker delta, and $\underline{\Xi}$, the plant noise intensity matrix, is a constant nxn positive semi-definite symmetric matrix, while $\underline{\Theta}$, the measurement noise intensity matrix is a constant rxr positive definite symmetric matrix. Moreover, $\underline{\xi}(t)$ and $\underline{\theta}(s)$ are assumed to be uncorrelated for all s, t, i.e.

$$E\{\underline{\xi}(t)\underline{\theta}'(s)\} = \underline{0}$$
(7)

It is further assumed that (with $t_0 \rightarrow -\infty$)

$$E\{\underline{x}(t_0)\} = \underline{0} \tag{8}$$

2.2 Model Description

The actual plant dynamics are defined by the values of the three constant matrices <u>A</u>, <u>B</u>, <u>C</u> in equations (1) and (2), and the noise statistics defined in equations (3)-(8). We shall assume that the actual values of <u>A</u>, <u>B</u> and <u>C</u> are not known exactly to the designer. Rather, nominal values \underline{A}_n , \underline{B}_n , \underline{C}_n are available to the designer in addition to perfect knowledge of the noise statistics, and the value of the constant input vector <u>u</u>. Thus as far as the designer is concerned, the model is given by

$$\underline{\mathbf{x}}(t+1) = \underline{\mathbf{A}}_{n} \, \underline{\mathbf{x}}(t) + \underline{\mathbf{B}}_{n} \, \underline{\mathbf{u}} + \underline{\boldsymbol{\xi}}(t) \tag{9}$$

$$\underline{z}(t) = \underline{C}_{n} \underline{x}(t) + \underline{\theta}(t)$$
(10)

· |

For later development, define the following parameter error matrices:

$$\underline{\Delta \mathbf{A}} \stackrel{\Delta}{=} \underline{\mathbf{A}} - \underline{\mathbf{A}}_{\mathbf{n}} \tag{11}$$

$$\underline{\Delta B} \stackrel{\Delta}{=} \underline{B} - \underline{B}_{\mathbf{D}} \tag{12}$$

$$\Delta c \stackrel{\Delta}{=} c - c_n \tag{13}$$

2.3 Further Assumptions

ŧ

We limit the discussions to constant gain filters, as in [1], since they represent one of the most practical uses of Kalman-Bucy filters from the application viewpoint, and they can readily lead into steady state error and stability analysis. The following assumptions are necessary for the derivation of the results.

- 1. [A,B] and [A,B] are controllable pairs.
- 2. $[\underline{A},\underline{C}]$ and $[\underline{A},\underline{C}]$ are observable pairs.
- 3. $[\underline{A}, \underline{\Xi}^{1/2}]$ and $[\underline{A}, \underline{\Xi}^{1/2}]$ are controllable pairs.
- 4. Both <u>A</u> and <u>A</u> are strictly stable matrices, i.e all of their eigenvalues lie within the unit circle. This also implies that $(\underline{A}-\underline{I})^{-1}$ and $(\underline{A}_n - \underline{I})^{-1}$ exist.

These assumptions are indeed necessary for the rigorous development of a unique, stable, steady state Kalman-Bucy filter.

2.4 Definition of the Nominal Mismatched Steady-State Kalman Bucy Filter (NMSSKBF)

Let us suppose that the designer constructs the NMSSKBF on the basis of the nominal parameter values available to him and the assumed known statistical parameters. Then the state estimate of $\underline{x}(t)$, $\hat{\underline{x}}_{n}(t) \in \mathbb{R}^{n}$, generated by such a filter, is given by the following

mismatched filter dynamics.

$$\frac{\hat{\mathbf{x}}_{n}(t+1|t)}{n} = \underline{\mathbf{A}}_{n-n} \hat{\mathbf{x}}_{n}(t) + \underline{\mathbf{B}}_{n-n}$$
(14a)

$$\hat{\mathbf{x}}_{n}(t+1) = \hat{\mathbf{x}}_{n}(t+1|t) + \underline{G}_{n-n}(t+1), \quad \underline{\mathbf{x}}_{n}(t_{0}) = \underline{0}$$
 (14b)

$$\underline{r}_{n}(t) = \underline{z}(t) - \underline{c} \hat{x}_{n-n}(t|t-1)$$
(15)

where \underline{G}_{n} is a constant nxr filter gain matrix given by

$$\underline{G}_{n} = \underline{\Sigma}_{n} \underline{C}_{n}^{\prime} (\underline{\Theta} + \underline{C}_{n} \underline{\Sigma}_{n} \underline{C}_{n}^{\prime})^{-1}$$
(16)

and \sum_{n} is the nxn constant, symmetric, positive definite solution of the algebraic matrix Riccati equation [3]

$$\frac{A \sum A' - A \sum C' (C \sum C' + \Theta)^{-1} C \sum A' + \Xi}{n - n - n} = \frac{\Sigma}{n}$$
(17)

The block diagram of the NMSSKBF is shown in Figure 1.

The existence of \underline{G}_n and $\underline{\Sigma}_n$ are guaranteed by our assumptions. Also it is well known that the closed-loop filter matrix

$$\left[\frac{A}{n} - \frac{A}{n} \frac{G}{n} \frac{C}{n}\right] = \left[\frac{A}{n} - \frac{A}{n} \frac{\Sigma}{n} \frac{C'}{\Omega} \left(\frac{\Theta}{n} + \frac{C}{n} \frac{\Sigma}{n} \frac{C}{n}\right)^{-1} \frac{C}{n}\right]$$
(18)

is a strictly stable matrix.



ţ

.

Figure 1: Discrete Time Nominal Mismatched Steady State Kalman-Bucy Filter

i

ः भ्रम्ब्य

3. ERRORS DUE TO MISMATCHING

If the NMSSKBF of Figure 1 is used without further compensation, severe inaccuracies arise due to the fact that the nominal plant matrices \underline{A}_n , \underline{B}_n , \underline{C}_n are used rather than the actual (but unknown) matrices \underline{A} , \underline{B} , \underline{C} . These effects are particularly bothersome because bias errors in the estimates exist. It is instructive to isolate these errors, because the structure of the equation suggests that compensation techniques can be used.

3.1 Estimation Errors and their Dynamics

Define the state estimation error $\underline{\tilde{x}}_{n}(t)$ induced by the NMSSKBF by

$$\underline{\widetilde{\mathbf{x}}}_{\mathbf{n}}(t) \stackrel{\Delta}{=} \underline{\mathbf{x}}(t) - \underline{\widehat{\mathbf{x}}}_{\mathbf{n}}(t|t-1)$$
(19)

From equations (1), (2), (14), (15), and (19), one can readily deduce that the state estimate error $\frac{\tilde{x}}{n}$ (t) satisfies the stochastic difference equation

$$\widetilde{\mathbf{x}}_{n}(t+1) = \underline{A} \ \underline{\mathbf{x}}(t) + \underline{B} \ \underline{\mathbf{u}} + \underline{\xi}(t) - (\underline{A} \ \hat{\underline{\mathbf{x}}}_{n-n}(t) + \underline{B} \ \underline{\mathbf{u}})$$
(20)

Rearranging, one obtains

-8-

$$\frac{\tilde{\mathbf{x}}_{n}(t+1) = [\underline{\mathbf{A}}_{n} - \underline{\mathbf{A}}_{n} - \underline{\mathbf{G}}_{n} - \underline{\mathbf{C}}_{n}] \frac{\tilde{\mathbf{x}}_{n}(t) + \underline{\boldsymbol{\xi}}(t) - \underline{\mathbf{A}}_{n} - \underline{\mathbf{G}}_{n} - \underline{\boldsymbol{\theta}}(t) + \underline{\Delta \mathbf{A}}_{n} \underline{\mathbf{x}}(t) - \underline{\mathbf{A}}_{n} - \underline{\mathbf{G}}_{n} \underline{\Delta \mathbf{C}}_{n} \underline{\mathbf{x}}(t) + \underline{\Delta \mathbf{B}}_{n} \underline{\mathbf{u}}$$
(21)

3.2 Mean State Estimation Error

Equation (21) readily allows one to deduce the effects of model mismatching upon the estimation errors; bias effects are introduced. To compute these, one simply takes expected values in equation (21). We remark that the expectations are not conditional ones, since the filter structure has been fixed. Thus

$$E\{\underline{\tilde{x}}_{n}(t+1)\} = [\underline{A}_{n} - \underline{A}_{n} \underline{G}_{n} \underline{C}_{n}] E\{\underline{\tilde{x}}_{n}(t)\} + \underline{\Delta A} E\{\underline{x}(t)\} -\underline{A}_{n} \underline{G}_{n} \underline{\Delta C} E\{\underline{x}(t)\} + \underline{\Delta B} \underline{u}$$
(22)

But from equation (1),

$$E\{\underline{x}_{n}(t+1)\} = \underline{A} E\{\underline{x}(t)\} + \underline{B} \underline{u}$$
(23)

This yields, in view of equation (8), a non-zero mean state, i.e.,

$$E\{\underline{\mathbf{x}}(t)\} = \sum_{\tau=t_0}^{t} \underline{A}^{t-\tau} \underline{B} \ \underline{\mathbf{u}} \neq \underline{\mathbf{0}}$$
(24)

Thus, if some or all of ΔA , ΔB , and ΔC are non-zero, then one can readily conclude from (22) that bias errors exist. Note that the effect of the constant input <u>u</u> accentuates these errors, even for stable system. From equations (22) and (24),

$$E\{\tilde{\underline{x}}_{n}(t)\} = [\underline{A}_{n} - \underline{A}_{n} \underline{G}_{n} \underline{C}_{n}]^{t-t_{0}} E\{\tilde{\underline{x}}_{n}(t_{0})\}$$

$$+ \sum_{s=t_{0}}^{t} [\underline{A}_{n} - \underline{A}_{n} \underline{G}_{n} \underline{C}_{n}]^{t-s} \{ [\underline{\Delta A}_{n} - \underline{A}_{n} \underline{G}_{n} \underline{\Delta C}] [\sum_{\tau=t_{0}}^{s} \underline{A}_{n}^{s-\tau} \underline{B}] + \underline{\Delta B} \} \underline{u}$$

$$(25)$$

Noting that, in view of equations (8) and (14),

$$E\{\underbrace{\tilde{\mathbf{x}}}_{n}(\mathbf{t}_{0})\} = E\{\underline{\mathbf{x}}(\mathbf{t}_{0})\} - \underline{E}\{\underbrace{\hat{\mathbf{x}}}_{n}(\mathbf{t}_{0})\} = \underline{0}$$
(26)

equation (25) becomes

$$E\{\underline{\tilde{x}}_{n}(t)\} = \sum_{s=t_{0}}^{t} [\underline{A}_{n} - \underline{A}_{n} \underline{G}_{n} \underline{C}_{n}]^{t-s} \{ [\underline{\Delta A} - \underline{A}_{n} \underline{G}_{n} \underline{\Delta C}] [\sum_{\tau=t_{0}}^{s} \underline{A}^{s-\tau} \underline{B}] + \underline{\Delta B} \} \underline{u}$$
(27)

This is in general non-vanishing, and cannot be evaluated since <u>A</u>, <u>B</u>, <u>C</u>, <u> ΔA , ΔB </u>, <u> ΔC </u> are not known exactly. In particular, as t gets large, the mean steady state estimation errors are approached,

$$\lim_{t \to \infty} E\{\underline{x}(t)\} = -[\underline{A}-\underline{I}]^{-1} \underline{B} \underline{u}$$
(28)

$$\lim_{t\to\infty} E\{\tilde{\mathbf{x}}_n(t)\} = [\underline{A}_n - \underline{A}_n \underline{G}_n - \underline{I}]^{-1} \{ [\underline{\Delta A} - \underline{A}_n \underline{G}_n \underline{\Delta C}] [\underline{A} - \underline{I}]^{-1} \underline{B} - \underline{\Delta B} \} \underline{u}$$
(29)

Both of these are non-zero. Therefore, in the mismatched case, there exists a non-zero mean steady-state estimation error. Again, due to incomplete information, one cannot compute this mean steady-state estimate error so as to add it to the NMSSKBF estimate \hat{x}_n (t) to arrive

at unbiased estimates.

3.3 Discussion

The above development indicates that the NMSSKBF should not be used without further modification. It necessitates the use of compensation by a suboptimal estimator, because the truly optimal filter (that estimates the unknown elements of <u>A</u>, <u>B</u> and <u>C</u>) is an infinite dimensional one [3]. The degree of suboptimality has to be related to the extra dynamics that are required to improve the performance of the nominal mismatched Kalman-Bucy filter.

The next section presents a compensation technique, which is similar to [1]. The central idea is that it augments the NMSSKBF by additional filter dynamics and tries to extract further information from the residual (innovation) processes. It has the merits that all gains can be pre-computed, and it avoids the complexity of non-linear estimation (or the extended Kalman filter algorithm) which is not always guaranteed to work properly [3]. Moreover, it compensates the biased mean steady state estimate error without sacrificing the accuracy of the state estimate, i.e. increase of RMS errors, which is very often the case when other techniques are used, e.g., increased artifical plant noise covariance matrix [4].

-11-

4. THE DEVELOPMENT OF THE DYNAMIC FILTER COMPENSATOR

First recall the dynamic equations of the state estimation error $\underline{\tilde{x}}_{n}(t)$, and the residual process $\underline{r}_{n}(t)$ (equations (21), (15)).

$$\frac{\tilde{\mathbf{x}}}{n}(t+1) = [\underline{\mathbf{A}} - \underline{\mathbf{A}} - \underline{\mathbf{G}} - \underline{\mathbf{C}}] \frac{\tilde{\mathbf{x}}}{n}(t) + \underline{\boldsymbol{\xi}}(t) - \underline{\mathbf{A}} - \underline{\mathbf{G}} - \underline{\boldsymbol{\theta}}(t) + \underline{\boldsymbol{\Delta}} \underline{\mathbf{x}}(t) - \underline{\mathbf{A}} - \underline{\mathbf{G}} - \underline{\boldsymbol{\Delta}} - \underline{\mathbf{C}} - \underline{\mathbf{x}}(t) + \underline{\boldsymbol{\Delta}} \underline{\mathbf{x}}(t) - \underline{\mathbf{A}} - \underline{\mathbf{G}} - \underline{\mathbf{M}} - \underline{\mathbf$$

$$\underline{\mathbf{r}}_{\mathbf{n}}(t) = \underline{\mathbf{z}}(t) - \underline{\mathbf{C}}_{\mathbf{n}} \hat{\underline{\mathbf{x}}}_{\mathbf{n}}(t|t-1)$$
(31)

Using equations (1),(2) and (19), equation (31) can be written as

$$\underline{\underline{r}}_{n}(t) = \underline{\underline{C}}_{n} \, \underline{\underline{x}}_{n}(t) + \underline{\underline{\Delta}\underline{C}} \, \underline{\underline{x}}(t) + \theta(t)$$
(32)

Note that the residual process $\underline{r}_n(t)$ is linear in the state estimation error $\underline{\tilde{x}}_n(t)$. It is reasonable to attempt using equation (32) as a "measurement equation" to obtain an estimate of $\underline{\tilde{x}}_n(t)$, the state estimation error. However, the existence of the unknown matrices, $\underline{\Delta A}$, $\underline{\Delta B}$ and $\underline{\Delta C}$ in equations (30) and (32) prohibits us from solving this as a linear estimation problem. Thus certain approximations have to be made. In what follows, it is shown how one can form such a linear estimation problem, by making approximations with reasonable physical interpretation.

4.1 Philosophy

Define the time sequences $\underline{w}(t) \in R^n$ and $\underline{v}(t) \in R^r$ as follows:

$$\underline{\mathbf{w}}(t) \stackrel{\Delta}{=} \underline{\Delta \mathbf{A}} \underline{\mathbf{x}}(t) + \underline{\Delta \mathbf{B}} \underline{\mathbf{u}}$$
(33)
$$\underline{\mathbf{v}}(t) \stackrel{\Delta}{=} \underline{\Delta \mathbf{C}} \underline{\mathbf{x}}(t)$$
(34)

Thus equations (30) and (32) reduce to

$$\frac{\tilde{\mathbf{x}}_{n}(t+1)}{n} = \left[\underline{\mathbf{A}}_{n} - \underline{\mathbf{A}}_{n} - \underline{\mathbf{G}}_{n} - \underline{\mathbf{C}}_{n}\right] \frac{\tilde{\mathbf{x}}_{n}(t)}{n} + \underline{\mathbf{w}}(t) - \underline{\mathbf{A}}_{n} - \underline{\mathbf{G}}_{n} - \underline{\mathbf{v}}(t) + \underline{\boldsymbol{\xi}}(t) - \underline{\mathbf{A}}_{n} - \underline{\mathbf{G}}_{n} - \underline{\mathbf{G}}_{$$

$$\underline{\underline{r}}_{n}(t) = \underline{\underline{C}}_{n} \, \underline{\underline{x}}_{n}(t) + \underline{\underline{v}}(t) + \underline{\theta}(t)$$
(36)

Now it is apparent that equations (35) and (36) form a linear estimation problem, with correlated plant and measurement noise, provided that $\underline{w}(t)$ and $\underline{v}(t)$ satisfy linear equations. So the next step is to develop simple linear equations for $\underline{w}(t)$ and $\underline{v}(t)$. If one is primarily interested in the development of a steady-state constant gain filter, one can proceed as follows.

From equations (28) and (33), we can deduce that

$$\lim_{t \to \infty} E\{\underline{w}(t)\} = [\underline{\Delta B} + \underline{\Delta A}(I-\underline{A})^{-1}\underline{B}]\underline{u} = \text{unknown constant}$$
(37)

Also

$$\underline{w}(t+1) - \underline{w}(t) = \underline{\Delta A}[(\underline{A}-\underline{I})\underline{x}(t) + \underline{B} \underline{u}] + \underline{\Delta A}\xi(t)$$
(38)

Equation (37) implies that $\underline{w}(t)$ must have a nonzero (but unknown) mean steady state, while equation (38) indicates that it must contain a zero mean driving noise term. Both of these objectives can be satisfied if one selects the dynamics of $\underline{w}(t)$ to be of the form

$$\underline{w}(t+1) - \underline{w}(t) = \underline{\gamma}(t); \quad \underline{w}(t_0) \neq \underline{0}$$
(39)

where $\gamma(t)$ is a zero mean, white, Gaussian stationary process, i.e.

$$E\{\underline{\gamma}(t)\} = \underline{0} \tag{40}$$

$$E\{\underline{\gamma}(t)\underline{\gamma}'(t)\} = \underline{\Gamma}\delta_{t\tau}$$
(41)

$$\underline{\Gamma} = \underline{\Gamma}' \ge 0 \tag{42}$$

Similarly, for $\underline{v}(t)$, from equations (28) and (34), one can see that

$$\lim_{t \to \infty} E\{\underline{v}(t)\} = - \Delta C(\underline{A}-\underline{I})^{-1} \underline{B} \underline{u} = \text{unknown constant}$$
(43)

and

$$\underline{\mathbf{v}}(\mathbf{t+1}) - \underline{\mathbf{v}}(\mathbf{t}) = \underline{\Delta C} \left[(\underline{\mathbf{A}} - \underline{\mathbf{I}}) \underline{\mathbf{x}}(\mathbf{t}) + \underline{\mathbf{B}} \underline{\mathbf{u}} \right] + \underline{\Delta C} \underline{\boldsymbol{\xi}}(\mathbf{t})$$
(44)

This leads us to select the dynamics of $\underline{v}(t)$ by the equation

$$\underline{\mathbf{v}}(t+1) - \underline{\mathbf{v}}(t) = \underline{\lambda}(t); \quad \underline{\mathbf{v}}(t_0) \neq \underline{\mathbf{0}}$$
(45)

where $\underline{\lambda}(t)$ is a white, Gaussian, stationary noise process with statistics

$$E\{\underline{\lambda}(t)\} = \underline{0}$$
 (46)

$$E\{\underline{\lambda}(t)\underline{\lambda}'(\tau)\} = \underline{\Lambda}\delta_{t\tau}$$

$$\underline{\Lambda} = \underline{\Lambda}' \ge \underline{0}$$
(47)

We remark that if ΔA is known (or can be estimated on the basis of physical considerations) one should select

$$\underline{\Upsilon}(t) = \underline{\Delta A} \, \underline{\xi}(t) \tag{48}$$

and set

$$\underline{\Gamma} = \underline{\Delta \mathbf{A}} \ \underline{\Xi} \ \underline{\Delta \mathbf{A}}^{\prime} \tag{49}$$

Similarly, if ΔC is known (or can be estimated) one should select

$$\underline{\lambda}(t) = \underline{\Delta C} \, \underline{\xi}(t) \tag{50}$$

and set

$$\underline{\Lambda} = \underline{\Delta \mathbf{C}} \ \underline{\Xi} \ \underline{\Delta \mathbf{C}}^{\dagger} \tag{51}$$

In view of equations (48) and (50), or physical reasoning, one should consider $\underline{\gamma}(t)$ and $\underline{\lambda}(t)$ as two correlated processes, i.e.

$$\mathbb{E}\{\underline{\gamma}(t)\underline{\lambda}^{\dagger}(t)\} = \underline{\Omega}_{\gamma\lambda}\delta_{t\tau}$$
(52)

Indeed if both ΔA and ΔC are known or can be estimated, one should set

$$\underline{\Omega}_{\gamma\lambda} = \underline{\Delta \mathbf{A}} \underline{\Xi} \underline{\Delta \mathbf{C}}^{\mathsf{T}}$$
(53)

Also $\xi(t)$ should be correlated with $\gamma(t)$, and $\lambda(t)$. Let

$$E\{\underline{\xi}(t)\underline{\gamma}'(\tau)\} = \underline{\Omega}_{\xi\gamma}\delta_{t\tau}$$
(54)

$$E\{\underline{\xi}(t)\underline{\lambda}'(\tau)\} = \underline{\Omega}_{\xi\lambda}\delta_{t\tau}$$
(55)

In particular

$$\frac{\Omega_{\gamma}}{\xi\gamma} = \underline{\Xi} \Delta \underline{A}$$
(56)

if ΔA is known (or can be estimated), and

$$\underline{\Omega}_{\xi\lambda} = \underline{\Xi} \, \underline{\Delta c}^{\,\prime} \tag{57}$$

if ΔC is known (or can be estimated).

The above development allows one, by making certain approximations, to replace equations (30) and (32) by a linear estimation problem with plant dynamics given by

$$\begin{bmatrix} \underline{\tilde{x}}_{n}^{}(t+1) \\ \underline{w}(t+1) \\ \underline{v}(t+1) \\ \underline{\psi}(t+1) \end{bmatrix} = \begin{bmatrix} \underline{A}_{n} - \underline{A}_{n} - \underline{G}_{n} - \underline{n} & \underline{I} & -\underline{A}_{n} - \underline{G}_{n} - \underline{n} \\ \underline{0} & \underline{I} & \underline{0} \\ \underline{0} & \underline{I} & \underline{0} \\ \underline{\psi}(t) \end{bmatrix} \begin{bmatrix} \underline{\tilde{x}}_{n}^{}(t) \\ \underline{\psi}(t) \\ \underline{\psi}(t) \end{bmatrix} + \begin{bmatrix} \underline{I} & \underline{0} & \underline{0} & -\underline{A}_{n} - \underline{G}_{n} \\ \underline{0} & \underline{I} & \underline{0} & \underline{0} \\ \underline{0} & \underline{0} & \underline{I} & \underline{0} \\ \underline{\psi}(t) \end{bmatrix} \begin{bmatrix} \underline{\xi}(t) \\ \underline{\chi}(t) \\ \underline{\lambda}(t) \\ \underline{\theta}(t) \end{bmatrix}$$
(58)
$$\underline{\chi}(t) \\ \underline{\psi}(t) \end{bmatrix} = \underbrace{\underbrace{P}_{n} - \underline{A}_{n} - \underline{G}_{n} - \underline{n}_{n} - \underline{n}_{n} - \underline{M}_{n} - \underline{M}_$$

and measurement equation given by

$$\underline{\underline{r}}_{n}(t) = [\underline{\underline{C}}_{n} \quad \underline{\underline{0}} \quad \underline{\underline{I}}] \begin{bmatrix} \underline{\underline{\tilde{x}}}_{n}(t) \\ \underline{\underline{w}}(t) \\ \underline{\underline{w}}(t) \\ \underline{\underline{v}}(t) \end{bmatrix} + \underline{\underline{\theta}}(t)$$
(59)

Thus a Kalman-Bucy filter can be designed to generate estimates of $\frac{\tilde{x}}{n}(t)$, $\underline{w}(t)$, and $\underline{v}(t)$, denoted respectively by $\hat{\underline{x}}_{n}(t)$, $\hat{\underline{w}}(t)$, and $\hat{\underline{v}}(t)$, based on past measurements of $\underline{r}_{n}(\tau)$, $\underline{t}_{0} \leq \tau \leq t$.

Recalling that (see equation (19))

$$\underline{\mathbf{x}}(t) = \hat{\underline{\mathbf{x}}}_{n} (t | t-1) + \hat{\underline{\mathbf{x}}}_{n} (t)$$
(60)

it is clear that an improved predicted estimate $\hat{\underline{x}}(t|t-1)$, and updated estimate $\hat{\underline{x}}(t)$ of $\underline{x}(t)$ can be constructed by

$$\underline{\hat{x}}(t|t-1) = \underline{\hat{x}}_{n}(t|t-1) + \underline{\hat{x}}_{n}(t|t-1)$$
(61a)

$$\frac{\hat{x}(t)}{dt} = \frac{\hat{x}}{n}(t|t-1) + \frac{\hat{x}}{n}(t)$$
 (61b)

4.2 Details of Constructing the Compensated Filter

Using a steady state Kalman-Bucy filter, the estimates $\hat{\frac{x}{n}}(t)$, $\hat{\underline{w}}(t)$ and $\hat{\underline{v}}(t)$ are generated via the following equations

$$\hat{\hat{x}}_{n}(t+1|t) = [\underline{A}_{n} - \underline{A}_{n} \underline{G}_{n} \underline{C}_{n}] \tilde{\underline{x}}_{n}(t) + \hat{\underline{w}}(t) - \underline{A}_{n} \underline{G}_{n} \hat{\underline{v}}(t) - \underline{A}_{n} \underline{G}_{n} \underline{\Theta}(\underline{\Theta} + \underline{HSH'})^{-1}$$
$$[\underline{r}_{n}(t) - \underline{C}_{n} \hat{\underline{x}}_{n}(t|t-1) - \hat{\underline{v}}(t-1)] \quad (62a)$$

$$\hat{\underline{x}}_{n}^{\prime}(t+1) = \hat{\underline{x}}_{n}^{\prime}(t+1|t) + \underline{L}_{x}^{\prime}[\underline{r}_{n}^{\prime}(t+1) - \underline{C}_{n}\hat{\underline{x}}_{n}^{\prime}(t+1|t) - \underline{\hat{v}}(t)] \quad (62b)$$

$$\hat{\underline{\mathbf{w}}}(t+1) = \hat{\underline{\mathbf{w}}}(t) + \underline{\mathbf{L}}_{\mathbf{w}}[\underline{\mathbf{r}}_{\mathbf{n}}(t+1) - \underline{\mathbf{C}}_{\mathbf{n}}\hat{\underline{\mathbf{x}}}_{\mathbf{n}}(t+1|t) - \underline{\hat{\mathbf{v}}}(t)]$$
(63)

$$\frac{\hat{\mathbf{v}}(t+1)}{\mathbf{v}} = \frac{\hat{\mathbf{v}}(t)}{\mathbf{v}} + \underline{\mathbf{L}}_{\mathbf{v}}[\underline{\mathbf{r}}_{\mathbf{n}}(t+1) - \underline{\mathbf{C}}_{\mathbf{n}}\hat{\mathbf{x}}_{\mathbf{n}}(t+1|t) - \underline{\hat{\mathbf{v}}}(t)]$$
(64)

-17-

where $\underline{L}_{\mathbf{x}}$, $\underline{L}_{\mathbf{w}}$, $\underline{L}_{\mathbf{v}}$ are respectively nxr, nxr and rxr constant matrices (steady state filter gains), which will be defined below. The initial conditions that one might use are

$$\frac{\widetilde{x}}{\widetilde{x}}(t_0) = 0 \tag{65}$$

$$\widehat{\underline{w}}(t_0) = 0 \tag{66}$$

$$\frac{\hat{\mathbf{v}}}{\mathbf{t}}(\mathbf{t}_{0}) = 0 \tag{67}$$

They are chosen because one can view ΔA , ΔB , ΔC as random matrices with zero means, the nominal values A_n , B_n , C_n used by the designer represent the <u>a priori</u> mean values of <u>A</u>, <u>B</u> and <u>C</u>, respectively.

Now referring back to equations (58) and (59), define for notational convenience the matrices

$$\underline{\mathbf{M}} \stackrel{\Delta}{=} \begin{bmatrix} \underline{\Xi} & \underline{\Omega}_{\xi\gamma} & \underline{\Omega}_{\xi\lambda} & \underline{0} \\ \\ \underline{\Omega}_{\xi\gamma} & \underline{\Gamma} & \underline{\Omega}_{\gamma\lambda} & \underline{0} \\ \\ \underline{\Omega}_{\xi\lambda} & \underline{\Omega}_{\gamma\lambda}' & \underline{\Lambda} & \underline{0} \\ \\ \underline{0} & \underline{0} & \underline{0} & \underline{\Theta} \end{bmatrix}$$
(68)

$$\underline{N} \stackrel{\Delta}{=} \begin{bmatrix} \underline{O} \\ \underline{O} \\ \underline{O} \\ \underline{O} \\ \underline{\Theta} \end{bmatrix}$$
(69)

Then <u>M</u> plays the role of the composite plant white noise $(\underline{\Psi}(t))$ intensity matrix, and <u>N</u> yields the correlation between the composite plant white noise $\Psi(t)$ and the measurement white noise $\theta(t)$.

Let \underline{S} denote the steady state predicted error covariance matrix associated with the estimation problem defined by equations (58) and (59). Then \underline{S} is a symmetric at least semi-positive definite matrix. In addition, it is the positive semi-definite matrix solution to the algebraic Riccati equation (take e.g. the dual in [5].

$$\underline{\mathbf{s}} = [\underline{\mathbf{F}} - \underline{\mathbf{D}} \, \underline{\mathbf{N}} \, \underline{\mathbf{\Theta}}^{-1} \underline{\mathbf{H}}] [\underline{\mathbf{s}} - \underline{\mathbf{s}} \, \underline{\mathbf{H}}' \, (\underline{\mathbf{\Theta}} + \underline{\mathbf{H}} \, \underline{\mathbf{s}} \, \underline{\mathbf{H}}')^{-1} \underline{\mathbf{H}} \, \underline{\mathbf{s}}] [\underline{\mathbf{F}} - \underline{\mathbf{D}} \, \underline{\mathbf{N}} \, \underline{\mathbf{\Theta}}^{-1} \underline{\mathbf{H}}]' + \underline{\mathbf{D}} [\underline{\mathbf{M}} - \underline{\mathbf{N}} \, \underline{\mathbf{\Theta}}^{-1} \underline{\mathbf{N}}'] \underline{\mathbf{D}}'$$
(70)

One can then compute the filter gain matrices \underline{L}_{x} , \underline{L}_{w} and \underline{L}_{v} that appear in (62)-(64) by

$$\begin{bmatrix} \underline{L}_{\mathbf{x}} \\ \underline{L}_{\mathbf{w}} \end{bmatrix} = \underline{S} \underline{H}^{*} \left(\underline{\Theta} + \underline{H} \underline{S} \underline{H}^{*} \right)^{-1}$$

$$\begin{bmatrix} \underline{L}_{\mathbf{w}} \end{bmatrix}$$

$$\begin{bmatrix} \underline{L}_{\mathbf{w}} \end{bmatrix}$$

$$(71)$$

4.3 Simplification

The realization of Section 4.2 can be considerably simplified. Define the compensated residual process r(t) by

$$\underline{\mathbf{r}}(t) \stackrel{\Delta}{=} \underline{\mathbf{z}}(t) - \underline{\mathbf{C}}_{n} \hat{\underline{\mathbf{x}}}(t|t-1) - \hat{\underline{\mathbf{v}}}(t-1)$$
(72)

. ...

-20-

.

From equation (61) we deduce that

$$\underline{\mathbf{r}}(t) = \underline{\mathbf{z}}(t) - \underline{\mathbf{C}}_{n-n} \hat{\underline{\mathbf{x}}}_{n}(t|t-1) - \underline{\mathbf{C}}_{n-n} \hat{\underline{\mathbf{x}}}_{n}(t|t-1) - \underline{\hat{\mathbf{v}}}(t-1)$$
(73)

Then from equation (15), this becomes

.

$$\underline{\mathbf{r}}(t) = \underline{\mathbf{r}}_{n}(t) - \underline{\mathbf{C}}_{n}\hat{\underline{\mathbf{x}}}_{n}(t|t-1) - \underline{\hat{\mathbf{v}}}(t-1)$$
(74)

Equations (61), (62), (14) and (74) yield

$$\hat{\underline{x}}(t+1|t) = \hat{\underline{x}}_{n}(t+1|t) + \hat{\underline{x}}_{n}(t+1|t)$$

$$= \underline{A}_{n}\hat{\underline{x}}_{n}(t|t-1) + \underline{B}_{n}\underline{u} + \underline{A}_{n}\underline{G}_{n}\underline{r}_{n}(t)$$

$$+ (\underline{A}_{n}-\underline{A}_{n}\underline{G}_{n}\underline{C}_{n})\hat{\underline{x}}_{n}(t) + \hat{\underline{w}}(t) - \underline{A}_{n}\underline{G}_{n}\hat{\underline{v}}(t)$$

$$- \underline{A}_{n}\underline{G}_{n}\underline{\Theta}(\underline{\Theta} + \underline{H} \underline{S} \underline{H}')^{-1}\underline{r}(t)$$

$$= \underline{A}_{n}\hat{\underline{x}}(t) + \underline{B}_{n}\underline{u} + \hat{\underline{w}}(t)$$

$$+ [(\underline{A}_{n}\underline{G}_{n} - \underline{A}_{n}\underline{G}_{n}\underline{C}_{n}\underline{L}_{x} - \underline{A}_{n}\underline{G}_{n}\underline{L}_{y}) - \underline{A}_{n}\underline{G}_{n}\underline{\Theta}(\underline{\Theta} + \underline{H}\underline{S}\underline{H}')^{-1}]\underline{r}(t)$$
(75)

From equation (71), it is easy to see that

$$\underline{C}_{\underline{L}} \underline{L} + \underline{L}_{\underline{V}} = \underline{H} \underline{S} \underline{H}' (\underline{\Theta} + \underline{H} \underline{S} \underline{H}')^{-1}$$

After a little algebra, it can be shown that the last term in equation (75) vanishes for all t. That is, equation (75) reduces to

$$\underline{\hat{x}}(t+1|t) = \underline{A}_{n}\underline{\hat{x}}(t) + \underline{B}_{n}\underline{u} + \underline{\hat{w}}(t)$$
(76a)

Thus the compensated state estimate $\hat{x}(t+1)$ is given by

$$\frac{\hat{x}(t+1) = \hat{x}_{n}(t+1|t) + \hat{x}_{n}(t+1)$$

$$= \hat{x}_{n}(t+1|t) + \hat{x}_{n}(t+1|t) + \underline{L}_{x}(t+1)$$

$$= \hat{x}(t+1|t) + \underline{L}_{x}(t+1)$$
(76e)

In addition, equations (63) and (64) become

$$\underline{\widehat{W}}(t+1) = \underline{\widehat{W}}(t) + \underline{L}_{W} \underline{r}(t+1)$$
(77)

بعام مناجلات ما المسابقية المتم المتم ماتس والا

$$\hat{v}(t+1) = \hat{v}(t) + L_{r} r(t+1)$$
 (78)

Figure 2 shows the realization of equations (76) to (78). From this representation, one can deduce simpler computational procedures for the evaluation of the compensated Kalman filter gain matrices \underline{L}_{x} , \underline{L}_{w} , \underline{L}_{v} . To be specific, we can reduce the computations of the augmented matrices \underline{F} , \underline{D} , \underline{H} , \underline{M} , \underline{N} (equations (58), (59), (68), (69)) and the matrix solution \underline{S} in the algebraic Riccati equation (70), and the subsequent evaluation of the matrices \underline{L}_{x} , \underline{L}_{w} , and \underline{L}_{v} by equation (71). After some algebraic manifulations with equations (58), (59), (68)-(71) and (17), one obtains the following:

$$\underline{\mathbf{F}} - \underline{\mathbf{D}} \ \underline{\mathbf{N}} \ \underline{\mathbf{O}}^{-1} \underline{\mathbf{H}} = \begin{bmatrix} \underline{\mathbf{A}}_{n} & \underline{\mathbf{I}} & \underline{\mathbf{O}} \\ \underline{\mathbf{O}} & \underline{\mathbf{I}} & \underline{\mathbf{O}} \\ \underline{\mathbf{O}} & \underline{\mathbf{I}} & \underline{\mathbf{O}} \\ \underline{\mathbf{O}} & \underline{\mathbf{O}} & \underline{\mathbf{I}} \end{bmatrix}^{-\underline{\mathbf{A}}} \underline{\mathbf{F}}_{1}$$

(79)

$$\underline{\mathbf{D}}[\underline{\mathbf{W}}-\underline{\mathbf{N}} \ \underline{\mathbf{O}}^{-1}\underline{\mathbf{N}},]\mathbf{D}, = \begin{bmatrix} \underline{\Xi} & \underline{\mathbf{U}}^{\mathbf{\xi}} \lambda & \underline{\mathbf{U}}^{\mathbf{\xi}} \lambda \\ \underline{\overline{\mathbf{U}}}^{\mathbf{\xi}} \underline{\mathbf{U}} & \underline{\mathbf{U}} & \underline{\mathbf{U}}^{\mathbf{\xi}} \lambda & \underline{\mathbf{U}}^{\mathbf{\xi}} \lambda \end{bmatrix} \stackrel{\nabla}{=} \overline{\mathbf{W}}^{\mathbf{I}}$$

-21-



Figure 2: Discrete Time Compensated Kalman Filter

-22-

and equations (70), (71) become

$$\underline{\mathbf{S}} = \underline{\mathbf{F}}_{1} [\underline{\mathbf{S}} - \underline{\mathbf{S}} \underline{\mathbf{H}}' (\underline{\Theta} + \underline{\mathbf{H}} \underline{\mathbf{S}} \underline{\mathbf{H}}')^{-1} \underline{\mathbf{H}} \underline{\mathbf{S}}] \underline{\mathbf{F}}_{1}' + \underline{\mathbf{M}}_{1}$$
(80)

$$\begin{bmatrix} \underline{L}_{\mathbf{x}} \\ \underline{L}_{\mathbf{w}} \\ \underline{L}_{\mathbf{v}} \end{bmatrix} \Rightarrow \underline{S} \underline{H}' (\underline{\Theta} + \underline{H} \underline{S} \underline{H}')^{-1}$$
(81)

4.4 Discussion

The structure of the discrete-time compensated Kalman filter, illustrated in Figure 2, has certain appealing physical aspects. The major structural difference between the uncompensated Kalman filter of Figure 1 and of the compensated one of Figure 2, hinges upon the addition of distinct accumulator loops driven, through appropriate gains, by the compensated residual vector r(t+1). Note that an accumulator is the discrete time analog of an integrator in the continuous time case. In the absence of any accumulators, the residual vector of the the uncompensated Kalman filter would exhibit bias errors. In the compensated filter these residual bias errors are accumulated (integrated) with appropriate weightings (the gain matrices \underline{L}_{ψ} and \underline{L}_{ψ} in Figure 2) in two different ways. The accumulator that generates the sequence $\hat{\mathbf{w}}(\mathsf{t})$ corrects for bias errors in the predict cycle, to compensate for the errors modelled by the matrices ΔA and ΔB . This makes sense, because w(t) was defined by Eq. (33) in terms of ΔA and ΔB . The accumulator that generates the sequence $\hat{v}(t)$ corrects for bias errors in the

residuals due to modelling errors ΔC in the measurement equation; if $\Delta C = 0$, the accumulator channel that generates $\hat{\underline{v}}(t)$ would be absent.

One can then think of $\underline{\hat{w}}(t)$ as being a crude estimate of constant but unknown disturbances that are additive to the state equations, and of $\underline{\hat{v}}(t)$ as a crude estimate of constant but unknown bias errors in the measurement equation.

The improved estimate $\hat{\underline{x}}(t+1)$ generated by the compensated Kalman filter (Figure 2) is still instantanously influenced by the compensated instantaneous residual $\underline{r}(t+1)$ through the feedforward gain $\underline{L}_{\underline{x}}$. The nominal dynamics \underline{A}_n , \underline{B}_n , \underline{C}_n are still being utilized and bias corrections via $\hat{\underline{w}}(t)$ influence the predicted compensated estimate $\hat{\underline{x}}(t+1|t)$ and hence the residual.

Obviously the transient performance of the estimation errors of the compensated Kalman filter would hinge upon the numerical values of the three gain matrices \underline{L}_{χ} , \underline{L}_{w} , and \underline{L}_{v} . These in time would not only depend upon the nominal parameters, but upon the way the intensity matrices of the white noise sequences $\underline{\gamma}(t)$ - see eq. (39) - and $\underline{\lambda}(t)$ - see eq. (45) - are selected. It is the authors' opinion that the suggested guidelines for the covariance selection are reasonable, since for most practical problems the designer has a reasonable idea of the worst possible modelling errors, exhibited in $\underline{\Delta A}$, $\underline{\Delta B}$, and $\underline{\Delta C}$, from the nominal parameters. It is important to stress that the white noise intensity matrices $\underline{\Gamma}$ and $\underline{\Lambda}$ not only depend upon the modelling errors, but also upon the intensity matrix Ξ of the original plant noise $\underline{\xi}(t)$, shown by eqs. (49) and (51). Furthermore, $\underline{\gamma}(t)$ and $\underline{\lambda}(t)$ are correlated according to eqs. (52) to (57). Thus, the guesswork on the part of the designer is minimized.

-24-

5. FURTHER SIMPLIFICATIONS IN PRACTICAL DESIGNS

At first glance, the compensated Kalman filter might seem somewhat complicated than that of the NMSSKBF alone. We remark that the complexity is directly related to the dimensionality of the two auxiliary vectors $\underline{v}(t)$ and $\underline{w}(t)$. However, in most cases of practical interest, canonical representations can be used to arrive at the smallest number of additional accumulators in the realization of the compensated Kalman filter.

5.1 A Single Input Single Output Example

To illustrate these implications consider the design of the compensated Kalman filter in the case of linear, timeinvariant, stable single input single output plants. Suppose that the actual plant is characterized by its transfer function

$$G(z) = \frac{c_n z^{n-1} + c_{n-1} z^{n-2} + \dots + c_2 z^2 + c_1}{z^n + a_n z^{n-1} + \dots + a_2 z^2 + a_1}$$
(82)

Then there are at most 2n unknowns (the a_i 's and c_i 's) in the plant description.

Let a_{in} and c_{in} , i=1,...,n, denote the nominal values of the a_{i} and c_{i} , respectively. Then the standard controllable representation for the actual plant (equation (82)) is

-25-

$$\underline{\mathbf{x}}(t+1) = \begin{bmatrix} 0 & 1 & 0 & \cdots & 0 \\ 0 & 0 & 1 & 0 & \cdots & 0 \\ \vdots & \vdots & \vdots & \vdots \\ 0 & 0 & 0 & 1 \\ \vdots & \vdots & \vdots \\ -\mathbf{a}_{1} - \mathbf{a}_{2} & \cdots & -\mathbf{a}_{n} \end{bmatrix} \xrightarrow{\underline{\mathbf{x}}(t)} + \begin{bmatrix} 0 \\ 0 \\ \vdots \\ 0 \\ 1 \\ \vdots \\ \underline{\mathbf{B}} \end{bmatrix} \quad u(t) + \underline{\xi}(t)$$
(83)

$$z(t) = [\underbrace{c_1 c_2 \cdots c_n}_{\underline{c}}] \underline{x}(t) + \theta(t)$$
(84)

and the nominal values of $\frac{A}{n}$, $\frac{B}{n}$, $\frac{C}{n}$ are (in the same representation)

$$\underline{A}_{n} = \begin{bmatrix} 0 & 1 & 0 & \dots & 0 \\ 0 & 0 & 1 & \dots & 0 \\ \dots & \dots & \dots & \dots & \dots \\ -a_{1n} & -a_{2n} & \dots & \dots & -a_{nn} \end{bmatrix}$$
(85)
$$\underline{B}_{n} = \begin{bmatrix} 0 \\ 0 \\ \dots \\ 0 \\ 1 \end{bmatrix}$$
(86)
$$\underline{C}_{n} = [c_{1n} c_{2n} & \dots & c_{nn}]$$
(87)

Thus

$$\underline{\Delta \mathbf{A}} = \begin{bmatrix} \underline{\mathbf{0}} \\ ((\mathbf{n}-1) \ \text{rows}) \\ \underline{\delta \mathbf{a}}^{\dagger} \end{bmatrix}$$
(88)

$$\underline{\Delta B} = \underline{0} \tag{89}$$

$$\Delta C = \delta c^{*} \tag{90}$$

where

$$\underline{\delta a'} = [a_1 - a_{1n}, a_2 - a_{2n}, \dots, a_n - a_{nn}]$$
(91)

$$\underline{\delta c}' = [c_1 - c_{1n}, c_2 - c_{2n}, \dots, c_n - c_{nn}]$$
(92)

Examine the way the vector $\underline{w}(t)$ is defined (equation (33)). Since $\Delta B = 0$, $\underline{w}(t)$ is given by

$$\underline{\mathbf{w}}(t) = \underline{\Delta \mathbf{A}} \underline{\mathbf{x}}(t) = \begin{bmatrix} \underline{\mathbf{0}} \\ \underline{\delta \mathbf{a}}' \underline{\mathbf{x}}(t) \end{bmatrix}$$
(93)

which means that although $\underline{w}(t)$ is an nxl vector, it really contains only one uncertain parameter, namely the scalar $w_n(t)$,

$$w_n(t) \stackrel{\Delta}{=} \underline{\delta a' x}(t)$$
 (94)

 $\underline{v}(t)$ in this case is also a scalar

$$\mathbf{v}(\mathbf{t}) = \underline{\delta \mathbf{c}^{\dagger} \mathbf{x}(\mathbf{t})} \tag{95}$$

.

Following then the procedures described in Section 4, one can see that the scalars $w_n(t)$ and v(t) should be modelled as

$$w_n(t+1) - w_n(t) = \gamma_n(t)$$
(96)

$$\mathbf{v}(\mathbf{t+l}) - \mathbf{v}(\mathbf{t}) = \lambda(\mathbf{t}) \tag{97}$$

with

$$E\{\gamma_{n}(t)\} = 0 \tag{98}$$

$$E\{\lambda(t)\} = 0 \tag{99}$$

and

$$E\{\gamma_{n}(t)\gamma_{n}(\tau)\} = \Gamma_{nn}\delta_{t\tau}$$
(100)

$$E\{\lambda(t)\lambda(\tau)\} = \Lambda\delta_{t\tau}$$
(101)

$$E\{\gamma_{n}(t)\lambda(\tau)\} = \Omega_{\gamma_{n}}\lambda^{\delta}t\tau$$
(102)

$$E\{\underline{\xi}(t)\gamma_{n}(\tau)\} = \frac{\Omega_{\xi}\delta_{\tau}}{\xi\gamma_{n}^{\delta}t\tau}$$
(103)

$$E\{\underline{\xi}(t)\lambda(\tau)\} = \underline{\Omega}_{\xi\lambda}\delta_{t\tau}$$
(104)

Ideally, one selects

ĺ

$$\Gamma_{nn} = \underline{\delta a'} \underline{\Xi} \, \underline{\delta a} \tag{105}$$

$$\Lambda = \underline{\delta c'} \underline{\Xi} \, \underline{\delta c} \tag{106}$$

$$\Omega_{\gamma_n\lambda} = \underline{\delta a' \Xi} \underline{\delta c} \tag{107}$$

$$\frac{\Omega_{\xi\gamma_n}}{\xi\gamma_n} = \frac{\Xi}{2} \frac{\delta a}{\delta a}$$
(108)

$$\underline{\Omega}_{\xi\lambda} = \underline{\Xi} \, \underline{\delta c} \tag{109}$$

In practice, since δa and δc are not known one should use their worst possible values in equations (105)-(109) to determine the covariances.

Under these conditions, the equations of the compensated Kalman filter become (see equations (76)-(78))

$$\hat{\mathbf{x}}(t+1) = \underline{A} \cdot \hat{\mathbf{x}}(t) + \underline{B} \cdot \underline{\mathbf{u}} + \underline{\mathbf{L}} \cdot \mathbf{x}^{r}(t+1) + \begin{bmatrix} \mathbf{0} \\ \cdots \\ \mathbf{0} \\ \mathbf{w}_{n}(t) \end{bmatrix}$$
(110)

$$\hat{w}_{n}(t+1) = \hat{w}_{n}(t) + L_{wn}r(t+1)$$
 (111)

$$\hat{v}(t+1) = \hat{v}(t) + L_{r}r(t+1)$$
 (112)

with

$$r(t) = z(t) - \underline{c_n \hat{x}}(t|t-1) - \hat{v}(t-1)$$
 (113)

where

a)	$\frac{L}{x}$ is a constant nxl gain vector;
b)	L is a constant scalar gain; wn
c)	L, is a constant scalar gain.

5.2 Extension to Multi-Input Multi-Output Systems

The above procedures can be easily extended to the multi-input multi-output systems. We outline the step by step procedure that should be followed.

Step 1: Examine the structure of the nxn matrix ΔA for arbitrary variations of the actual and nominal plant parameters. Let p, $0 \le p \le n$, denote the number of non-zero rows of ΔA . Define an nxp matrix <u>P</u> according to the following rule. Let j=1,2,..., p index the columns of P.

- (a). Let i=1, j=1
- (b). If the i-th row of ΔA is nonzero, set the j-th column of <u>P</u> equal to <u>e</u>; (the natural basis vector in \mathbb{R}^n), set j=j+1, and go to (c). If the i-th row of ΔA is zero, go to (c).
- (c). If i=n stop; otherwise set i=i+l and go to (b).

Example: Suppose ΔA has the structure (where x denotes a nonzero element)

$$\underline{\Delta \mathbf{A}} = \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & \mathbf{x} & 0 & \mathbf{x} \\ 0 & 0 & 0 & 0 \\ \mathbf{x} & \mathbf{x} & \mathbf{x} & 0 \end{bmatrix}$$

Then p=2, and the 4x2 <u>P</u> matrix is given by

$$\mathbf{P} = \begin{bmatrix} 0 & 0 \\ 1 & 0 \\ 0 & 0 \\ 0 & 1 \end{bmatrix}$$

Step 2: Examine the structure of the rxn matrix ΔC for arbitrary variations of the actual and nominal plant parameters. Let q, $0 \leq q \leq r$, denote the number of non-zero rows of ΔC . Define an rxq matrix <u>Q</u> according to the following rule. Let k=1,2,...,q index the columns of <u>Q</u>.

- (a). Let i=1, k=1
- (b). If the i-th row of <u>ΔC</u> is non-zero, set the k-th column of <u>Q</u> equal to <u>e</u>_i (the natural basic vector in R^r), set k=k+l, and go to ^(c). If the i-th row of <u>ΔC</u> is zero, go to ^(c).

5

(c). If i=r, stop; otherwise, set i=i+l and go to (b).

Example: Suppose that ΔC has the following structure

$$\underline{\Delta \mathbf{C}} = \begin{bmatrix} \mathbf{x} & \mathbf{x} & \mathbf{0} & \mathbf{0} & \mathbf{x} \\ \mathbf{0} & \mathbf{0} & \mathbf{0} & \mathbf{0} \\ \mathbf{0} & \mathbf{0} & \mathbf{0} & \mathbf{0} \end{bmatrix}$$

Then q=l and the Q matrix is given by

$$\underline{Q} = \begin{bmatrix} 1 \\ 0 \\ 0 \end{bmatrix}$$

<u>Step 3</u>: Let $\underline{w}_1(t) \in \mathbb{R}^p$, $\underline{\gamma}_1(t) \in \mathbb{R}^p$, such that

$$\underline{w}_{1}(t+1) - \underline{w}_{1}(t) = \underline{\gamma}_{1}(t)$$
(114)

with

$$E[\underline{\gamma}_{1}(t)] = \underline{0}$$
(115)

$$E[\underline{\gamma}_{1}(t)\underline{\gamma}_{1}(t)] = \underline{\Gamma}_{1}\delta_{t\tau}$$
(116)

Make the identification

$$\underline{w}(t) = \underline{P} \underline{w}_{1}(t) \tag{117}$$

$$\gamma_1(t) = \underline{P}' \gamma(t)$$
 (118)

$$\Gamma = \underline{P} \cdot \underline{\Gamma} \underline{P} \tag{119}$$

<u>Step 4</u>: Let $\underline{v}_1(t) \in \mathbb{R}^q$, $\underline{\lambda}_1(t) \in \mathbb{R}^q$ such that

$$\underline{\mathbf{v}}(t+1) - \underline{\mathbf{v}}(t) = \underline{\lambda}_{1}(t)$$
(120)

with

$$E[\lambda_{1}(t)] = 0$$
(121)

$$E\left[\underline{\lambda}_{1}(t)\underline{\lambda}_{1}'(t)\right] = \underline{\Lambda}_{1}\delta_{tT}$$
(122)

Make the identification

$$\underline{\mathbf{v}}(t) = \underline{\mathbf{0}} \ \underline{\mathbf{v}}_{1}(t) \tag{123}$$

$$\underline{\lambda}_{1}(t) = \underline{Q}' \underline{\lambda}(t)$$
(124)

$$\underline{\Lambda}_{1} = \underline{Q}^{\dagger}\underline{\Lambda} \underline{Q} \tag{125}$$

<u>Step 5</u>: Assume that $\xi(t)$, $\gamma_1(t)$ and $\lambda_1(t)$ are pairwise correlated.

$$E[\underline{\xi}(t)\underline{\gamma}_{1}(\tau)] = \underline{\Omega}_{\xi\gamma_{1}}\delta_{t\tau}$$
(126)

$$E[\underline{\xi}(t)\underline{\lambda}_{1}(\tau)] = \underline{\Omega}_{\xi\lambda_{1}}\delta_{t\tau}$$
(127)

$$E[\underline{\gamma}_{1}(t)\underline{\lambda}_{1}(\tau)] = \underline{\Omega}_{\gamma\lambda_{1}}\delta_{t\tau}$$
(128)

Make the identification

$$\frac{\Omega}{\xi}\gamma_{1} = \frac{\Omega}{\xi}\gamma^{\underline{P}}$$
(129)

$$\underline{\Omega}_{\xi\lambda_1} = \underline{\Omega}_{\xi\lambda}\underline{Q} \tag{130}$$

$$\frac{\Omega}{\gamma \lambda_1} = \underline{P}^* \underline{\Omega}_{\gamma \lambda} \underline{Q}$$
(131)

5.3 Reduced Dimension Compensated Kalman Filter: Summary of Equations

The following equations are obtained by substitution of equations (114) through (131) into (76) to (78).

Filter Equations

$$\underline{\hat{x}}(t+1|t) = \underline{A}_{n}\underline{\hat{x}}(t) + \underline{B}_{n}\underline{u} + \underline{P}_{n}\underline{\hat{w}}_{1}(t)$$
(132a)

$$\hat{\underline{x}}(t+1|t+1) = \hat{\underline{x}}(t+1|t) + \underline{L}_{x1}\underline{r}_{1}(t+1)$$
(132b)

$$\underline{\hat{w}}_{1}(t+1) = \underline{\hat{w}}_{1}(t) + \underline{L}_{w1}\underline{r}_{1}(t+1)$$
(133a)

$$\underline{v}_{1}(t+1) = \underline{v}_{1}(t) + \underline{L}_{v1}\underline{r}_{1}(t+1)$$
(133b)

$$\underline{r}_{l}(t+1) = \underline{z}(t+1) - \underline{C}_{n} \hat{\underline{x}}(t+1|t) - \underline{Q}_{l} \hat{\underline{v}}_{l}(t)$$
(134)

Filter Gain Equations

The filter gain matrices $L_{x1}(nxr)$, $L_{w1}(pxr)$, and $L_{v1}(qxr)$ are given by

$$\begin{bmatrix} \underline{L}_{x1} \\ \underline{L}_{w1} \\ \underline{L}_{v1} \end{bmatrix} = \underline{Y} \underline{H}_{1}' (\underline{\Theta} + \underline{H}_{1} \underline{Y} \underline{H}_{1}')^{-1}$$
(135)

where \underline{Y} is the unique (symmetric) positive definite solution of the (n+p+q)-th order algebraic matrix Riccati equation

$$\underline{\mathbf{Y}} = \underline{\mathbf{F}}_{2} [\underline{\mathbf{Y}} - \underline{\mathbf{Y}} + \underline{\mathbf{H}}_{1}' (\underline{\Theta} + \underline{\mathbf{H}}_{1} \underline{\mathbf{Y}} + \underline{\mathbf{H}}_{1}')^{-1} \underline{\mathbf{H}}_{1} \underline{\mathbf{Y}}] \underline{\mathbf{F}}_{2}' + \underline{\mathbf{M}}_{2}$$
(136)

 \underline{F}_2 , \underline{H}_1 , \underline{M}_2 are respectively (n+p+q)x(n+p+q), rx(n+p+q), (n+p+q)x(n+p+q), (n+p+q)x(n+p+q)x(n+p+q), (n+p+q)x(n+p+q)x(n+p+q), (n+p+q)x(n+p+q)x(n+p+q)x(n+p+q), (n+p+q)x(n+p+q)x(n+p+q)x(n+p+q)x(n+p+q)x(n+p+q), (n+p+q)x(n+p

$$\underline{\mathbf{F}}_{2} = \begin{bmatrix} \underline{\mathbf{A}}_{\mathbf{n}} & \underline{\mathbf{P}} & \underline{\mathbf{0}} \\ \underline{\mathbf{0}} & \underline{\mathbf{I}} & \underline{\mathbf{0}} \\ \underline{\mathbf{0}} & \underline{\mathbf{0}} & \underline{\mathbf{I}} \end{bmatrix}$$
(137)

 $\underline{H}_{1} = [\underline{C}_{n} \ \underline{0} \ \underline{0}] \tag{138}$

$$\underline{\mathbf{M}}_{2} = \begin{bmatrix} \underline{\Xi} & \underline{\Omega}_{\xi} \mathbf{\gamma}_{\mathbf{I}} & \underline{\Omega}_{\xi} \lambda_{\mathbf{I}} \\ \underline{\Omega}_{\xi}^{*} \mathbf{\gamma}_{\mathbf{I}} & \underline{\Gamma}_{\mathbf{I}} & \underline{\Omega}_{\gamma} \lambda_{\mathbf{I}} \\ \underline{\Omega}_{\xi}^{*} \mathbf{\gamma}_{\lambda_{\mathbf{I}}} & \underline{\Omega}_{\gamma}^{*} \lambda_{\mathbf{I}} & \underline{\Lambda}_{\mathbf{I}} \end{bmatrix}$$
(139)

5.4 Discussion

I

The compensated Kalman filter equations presented in Section 5.3 are the recommended ones for practical design. The additional workload associated with the computation of the <u>P</u> and <u>Q</u> matrices is justified in terms of the simplification that results in specific problems. From a technical viewpoint the essential difference between the filters of Section 4.3 and 5.3 is that in the latter case the compensated Kalman filter can be shown to possess all the requisite controllability and observability conditions which are necessary for the existance of a unique positive definite solution to the algebraic matrix Riccati equation and the guaranteed stability of the resultant filter. It also pinpoints the additional number (p+q) of accumulators required to stabilize the uncompensated filter.

The only "guesswork" required by the designer is the selection of the intensity matrices $\underline{\Gamma}_{1}(pxp)$ and $\underline{\Lambda}_{1}(qxq)$ and the correlation covariance matrices $\underline{\Omega}_{\xi\gamma_{1}}(nxp), \underline{\Omega}_{\xi\lambda_{1}}(nxq)$ and $\underline{\Omega}_{\gamma\lambda_{1}}(pxq)$. All of them scale with the intensity matrix $\underline{\Xi}$ of the plant noise $\underline{\xi}(t)$. This is evident from equations (49), (51), (53)-(55), (119), and (125)-(128), from which we obtain

$$\underline{\Gamma}_{,} = \underline{P'} \underline{\Delta} \underline{A} \equiv \underline{\Delta} \underline{A'} \underline{P}$$
(140)

$$\underline{\Lambda}_{1} = \underline{Q}^{*} \underline{\Delta C} = \underline{\Delta C}^{*} \underline{Q}$$
(141)

$$\underline{\Omega}_{\underline{r}\gamma_{-}} = \underline{\Xi} \, \underline{\Delta}\underline{A}^{\dagger}\underline{P} \tag{142}$$

$$\underline{\Omega}_{\xi\lambda_{\gamma}} = \underline{\Xi} \ \underline{\Delta C' Q} \tag{143}$$

$$\frac{\Omega}{\gamma \lambda_{1}} = \underline{P}' \underline{\Delta A} \stackrel{\Xi}{=} \underline{\Delta C}' \underline{Q}$$
(144)

Since $\underline{\Xi}$ is assumed known, and \underline{P} and \underline{Q} are readily evaluated, the selection of $\underline{\Gamma}_1, \underline{\Lambda}_1, \underline{\Omega}_{\xi\gamma_1}, \underline{\Omega}_{\xi\lambda_1}$, and $\underline{\Omega}_{\gamma\lambda_1}$ only involves the use of judicious estimates for $\underline{\Delta A}$ and $\underline{\Delta C}$ by the designer. As remarked before, these estimates can be usually found from a worst case analysis, i.e., the worst probable deviation of each parameter from its assumed nominal value. Of course, there is still an element of judicious judgement to be made; at least in this design the "guesswork" can be related to the degree of worst deviation of the nominal plant from the actual one.

6. CONCLUSIONS

A method for compensating the mismatched constant gain discrete time Kalman filter has been presented. The resultant compensated Kalman filter is time invariant, and the gains are all computed off-line, with some added complexity to the estimator. The compensation consists of the introduction of feed-forward accumulating (integrating) channels between the residual process and the uncompensated mismatched filter.

The compensated Kalman filter has the property that bias errors in the state estimates are eliminated asymptotically. More complex algorithms have to be used if unbiased estimates are required for all t.

-39-

REFERENCES

I

- M. Athans, "The Compensated Kalman Filter," Proc. Symposium on Nonlinear Estimation, University of California at San Diego, September 1971.
- [2] G.J. Michael, F.A. Farrar, "Estimation and Control of Critical Gas Turbine Engine Variables," ASME paper, 76-WA/Aut-12, 1976.
- [3] A.H. Jazwinski, <u>Stochastic Processes and Filtering Theory</u>, N.Y. Academic Press, 1970.
- [4] M. Athans, "The Discrete Time Linear-Quadratic-Gaussian Stochastic Control Problem", Annuals of Economic and Social Measurement, Vol. 1, No. 4, 1972.
- [5] P. Dorato and A.H. Levis, "Optimal Linear Regulators: The Discrete Time Case" <u>IEEE Trans. on Auto. Control</u>, Vol. AC-16, No. 6, December 1971.

4. Title and Subtitie 5. Report Date Pebruary 1978 THE DISCRETE-TIME COMPENSATED KALMAN FILTER 5. Report Date Pebruary 1978 7. Author(s) 8. Performing Organization Code Wing-Hong Lee Michael Athans 10. Work Unit No. 8. Performing Organization Report No. 10. Work Unit No. 9. Performing Organization Report No. 505-07-13-02 10. Work Unit No. 505-07-13-02 11. Contract or Grant No. NSE-1312 12. Sponsoring Agency Name and Address National Aeroanutics and Space Administration Washington, DC 20546 10. Work Unit No. 15. Supplementary Notes Langley Technical Monitor: Ernest S. Armstrong Topical Report 11. Contractor Report 18. Abstract A suboptimal dynamic compensator to be used in conjunction with the ordinary discrete time Kalman filter is derived. The resultant compensated Kalman Filter has the property that steady-state bias estimation errors, resulting from modelling errors, are eliminated. 17. Key Work (Suppended by Author(a)) Digital control Kalman filtering Suboptimal control Dynamic compensator 18. Distribution Statement Unclassified - Unlimited Suboptimal control 18. Suboptimal control Bymain Control 19. Encircle detates of 03	1. Report No. NASA CR-2916	2. Government Acces	sion No.	3. Rec	ipient's Catalog No.			
THE DISCRETE-TIME COMPENSATED KALMAN FILTER February 1978 7. Author(s) 8. Performing Organization Code Wing-Hong Lee 1410 8. Performing Organization Remark Address 10. Work Unit Ne. 9. Performing Organization Remark Address 10. Work Unit Ne. 11. Contract or Grant No. NSG-1312 12. Sponsoring Agency Name and Address 10. Work Unit Ne. 13. Support Paramet of Electrical Engineering NSG-1312 13. Support Paramet of Space Administration NSG-1312 13. Support Paramet of Report 13. Type of Report and Period Covered 14. Sponsoring Agency Name and Address 14. Sponsoring Agency Code 15. Supplementary Nores 13. Sponsoring Agency Code 16. Abstract A suboptimal dynamic compensator to be used in conjunction with the ordinary discrete time Kalman filter is derived. The resultant compensated Kalman Filter has the property that steady-state bias estimation errors, resulting from modelling errors, are eliminated. 17. Key Words (Suppended by Author(a)) 18. Distribution Statement Unclassified - Unlimited Suboptimal control Suboptimal control Uyanic compensator 19. Suboptice Category 63	4. Title and Subtitle		5. Rep	ort Date				
	THE DISCRETE-TIME COMPEN	ER	Fe	bruary 1978				
7. Author(s) 1410 Wing-Hong Lee 8. Performing Organization Report No. Michael Athans 10. Work Unit No. Service/init Organization Name and Address 10. Work Unit No. Electronic Systems Laboratory 505-07-13-02 Department of Electrical Engineering Massachusetts Institute of Technology Cambridge, MA 02139 11. Contractor Report 12. Somoning Agency Name and Address Contractor Report National Aeroanutics and Space Administration NSG-1312 13. Supplementary Notes 14. Sponsoring Agency Code 14. Sponsoring Agency Name 14. Sponsoring Agency Code 15. Supplementary Notes 14. Sponsoring Agency Code 16. Abstract A suboptimal dynamic compensator to be used in conjunction with the ordinary discrete time Kalman filter is derived. The resultant compensated Kalman Filter has the property that steady-state bias estimation errors, resulting from modelling errors, are eliminated. 17. Key Wordt (Suggested by Author(s)) 18. Distribution Statement Unclassified - Unlimited Suboptimal control Subject Category 63 19. Securit Count for the full thereard 20. Securit (state count)			6. Perf	orming Organization Code				
7. Autor(a) 8. Performing Organization Report No. 9. Solverst of Systems Laboratory 10. Work Unit No. 9. Solverst of Record and Period Covered 11. Contractor Report 11. Sonsoring Agency Name and Address 12. Sponsoring Agency Name and Address 13. Supplementary Notes 14. Sponsoring Agency Code 15. Supplementary Notes 16. Abstract 16. Abstract 17. Key Words (Suggested by Author(s)) Digital control Kaiman filtering Suboptimal Control Kaiman filtering Suboptimal control Dynamic Compensator 12. Distribution Statement Unclassified - Unlimited Suboptimal Control Subject Category 63 10. Subj					1410			
Michael Athans 10. Work Unit No. 9. Performing Organization Name and Address 10. Work Unit No. Electronic Systems Laboratory 505-07-13-02 Department of Electrical Engineering NSG-1312 Mashington, DC 20546 13. Type of Report and Period Covered Contractor Report 14. Sponsoring Agency Name and Address 14. Sponsoring Agency Notes Langley Technical Monitor: Ernest S. Armstrong Topical Report 14. Sponsoring Agency Code 15. Supplementary Notes Langley Technical Monitor: Ernest S. Armstrong Topical Report 16. Abstract A suboptimal dynamic compensator to be used in conjunction with the ordinary discrete time Kalman filter is derived. The resultant compensated Kalman Filter has the property that steady-state bias estimation errors, resulting from modelling errors, are eliminated. 17. Key Words (Suggested by Author(s)) Digital control Kalman filtering Suboptimal control Dynamic compensator 18. Distribution Statement Unclassified - Unlimited Subject Category 63 19. Second David (ditherment 20. Second Gavid (ditherment 20. State (ditherment	V. Author(s)			8. Pert	orming Organization Report No.			
8. Performing Organization Name and Address 505-07-13-02 Electronic Systems Laboratory 505-07-13-02 Department of Electrical Engineering Massachusetts Institute of Technology Cambridge, MA 02139 11. Contract or Grant No. National Aeroanutics and Space Administration NSG-1312 Massachusetts Institute of Technology 13. Type of Report and Period Covered Contractor Report 15. Supplementary Notes Langley Technical Monitor: Ernest S. Armstrong Topical Report 14. Sponsoring Agency Code 16. Abstract A suboptimal dynamic compensator to be used in conjunction with the ordinary discrete time Kalman filter is derived. The resultant compensated Kalman Filter has the property that steady-state bias estimation errors, resulting from modelling errors, are eliminated. 18. Distribution Statement Unclassified - Unlimited Subject Category 63	Michael Athans			10 10	L LL-is No.			
Electronic Systems Laboratory DBOPTIMENT of Electrical Engineering Massachusetts Institute of Technology 11. Contract or Grant No. Cambridge, MA 02139 13. Type of Report and Period Covered 12. Sponsoring Agency Name and Address 0.01713-02 National Aeroanutics and Space Administration 13. Type of Report and Period Covered 15. Supplementary Notes Cambridge, MA 001001; Ernest S. Armstrong Topical Report 14. Sponsoring Agency Code 16. Abstract A suboptimal dynamic compensator to be used in conjunction with the ordinary discrete time Kalman filter is derived. The resultant compensated Kalman Filter has the property that steady-state bias estimation errors, resulting from modelling errors, are eliminated. 17. Key Words (Suggested by Author(s)) Digital control Kalman filtering Suboptimal control Suboptimal control Kalman filtering Suboptimal control Kalman filtering Suboptimal control Subopt	9. Performing Organization Name and Addr							
Department of Electrical Engineering 11. Supplemented of Gall No. Massachweite M Stilute of Technology NSG-1312 12. Separating Agency Name and Adress National Aeroanutics and Space Administration Mashington, DC 20546 13. Type of Report and Period Covered Contractor Report 15. Supplementary Notes Langley Technical Monitor: Ernest S. Armstrong Topical Report 16. Abstract A suboptimal dynamic compensator to be used in conjunction with the ordinary discrete time Kalman filter is derived. The resultant compensated Kalman Filter has the property that steady-state bias estimation errors, resulting from modelling errors, are eliminated. 17. Key Words (Suggested by Author(s)) 18. Distribution Statement 19. Jugital control Kalman filtering Suboptimal control Digital control Subpict Cartering 18. Distribution Statement Unclassified - Unlimited Subject Category 63	Electronic Systems Labor		11. 600	005-07-13-02				
Massachusetts Institute of Technology INSC-1312 Cambridge, MA 02139 13. Type of Report and Period Covered Contractor Report 12. Sponsoring Agency Name and Address Inscretzion and Period Covered Contractor Report 14. Sponsoring Agency Names and Address Inscretzion and Period Covered Contractor Report 15. Supprementary Notes Inscretzion and Period Covered Contractor Report 16. Supprementary Notes Inscretzion and Period Covered Contractor Report 16. Abstract A suboptimal dynamic compensator to be used in conjunction with the ordinary discrete time Kalman filter is derived. The resultant compensated Kalman Filter has the property that steady-state bias estimation errors, resulting from modelling errors, are eliminated. 17. Key Words (Suggested by Author(s)) Its. Distribution Statement Digital control Kalman filtering Suboptimal control Dynamic compensator 18. Distribution Statement Unclassified - Unlimited Suboptimal control Subject Category 63	Department of Electrical	Engineering		TT. Con	NCC 1212			
12. Sponsoring Agency Name and Address 13. Supportention and Address National Aeroanutics and Space Administration 14. Sponsoring Agency Code 15. Supplementary Notes Langley Technical Monitor: Ernest S. Armstrong Topical Report 14. Sponsoring Agency Code 16. Abstract A suboptimal dynamic compensator to be used in conjunction with the ordinary discrete time Kalman filter is derived. The resultant compensated Kalman Filter has the property that steady-state bias estimation errors, resulting from modelling errors, are eliminated. 17. Key Words (Suppended by Author(s)) Digital control Kalman filtering Suboptimal control Suboptimal control Suboptimal control Suboptimal control Subpertimal control	Massachusetts Institute		12 7	NSG-1312				
National Aeroanutics and Space Administration Washington, DC 20546 14. Sponsoring Agency Code 15. Supplementary Notes Langley Technical Monitor: Ernest S. Armstrong Topical Report 14. Sponsoring Agency Code 16. Abstract A suboptimal dynamic compensator to be used in conjunction with the ordinary discrete time Kalman filter is derived. The resultant compensated Kalman Filter has the property that steady-state bias estimation errors, resulting from modelling errors, are eliminated. 17. Key Words (Suppested by Author(s)) Digital control Kalman filtering Suboptimal control Dynamic compensator 18. Distribution Statement Unclassified - Unlimited Subject Category 63	12. Sponsoring Agency Name and Address	13. Type of Report and Period Covered						
Washington, DC 20546 14. Spontoring Agency Code 15. Supplementary Notes Langley Technical Monitor: Ernest S. Armstrong Topical Report 16. Abstract A suboptimal dynamic compensator to be used in conjunction with the ordinary discrete time Kalman filter is derived. The resultant compensated Kalman Filter has the property that steady-state bias estimation errors, resulting from modelling errors, are eliminated. 17. Key Words (Suppested by Author(s)) 18. Distribution Statement Digital control Kalman filtering Suboptimal control Subpitimal control Subpitimal control Subject Category 63 9. Sendity (Durit (elthement) 20. Sendity (Supple to the filter) 19. Sendity (Durit (elthement) 20. Sendity (Supple to the filter)	National Aeroanutics and	Space Administra	tion					
15. Supplementary Notes Langley Technical Monitor: Ernest S. Armstrong Topical Report 16. Abstract A suboptimal dynamic compensator to be used in conjunction with the ordinary discrete time Kalman filter is derived. The resultant compensated Kalman Filter has the property that steady-state bias estimation errors, resulting from modelling errors, are eliminated. 17. Key Words (Suppeted by Author(s)) Digital control Kalman filtering Suboptimal control Dynamic compensator 18. Outribution Statement Unclassified - Unlimited Subject Category 63	Washington, DC 20546	•	14. 5	14. Spor	nsoring Agency Code			
Langley Technical Monitor: Ernest S. Armstrong Topical Report 16. Abstract A suboptimal dynamic compensator to be used in conjunction with the ordinary discrete time Kalman filter is derived. The resultant compensated Kalman Filter has the property that steady-state bias estimation errors, resulting from modelling errors, are eliminated. 17. Key Words (Suggested by Author(s)) Digital control Kalman filtering Suboptimal control Dynamic compensator 18. Distribution Statement Unclassified - Unlimited Subject Category 63	15. Supplementary Notes			_				
16. Abstract A suboptimal dynamic compensator to be used in conjunction with the ordinary discrete time Kalman filter is derived. The resultant compensated Kalman Filter has the property that steady-state bias estimation errors, resulting from modelling errors, are eliminated. 17. Key Words (Suggested by Author(s)) 18. Distribution Statement Digital control Kalman filtering Suboptimal control Dynamic compensator 18. Distribution Statement Unclassified - Unlimited Subject Category 63 19. Senvite Caref. (d this event)	Langley Technical Monitor: Ernest S. Armstrong Topical Report							
A suboptimal dynamic compensator to be used in conjunction with the ordinary discrete time Kalman filter is derived. The resultant compensated Kalman Filter has the property that steady-state bias estimation errors, resulting from modelling errors, are eliminated.	16. Abstract							
A suboptimal dynamic compensator to be used in conjunction with the ordinary discrete time Kalman filter is derived. The resultant compensated Kalman Filter has the property that steady-state bias estimation errors, resulting from modelling errors, are eliminated.								
discrete time Kalman filter is derived. The resultant compensated Kalman Filter has the property that steady-state bias estimation errors, resulting from modelling errors, are eliminated. 17. Key Words (Suggested by Author(s)) Digital control Kalman filtering Suboptimal control Dynamic compensator 18. Distribution Statement Unclassified - Unlimited Subject Category 63	A suboptimal dynamic com	pensator to be us	ed in cor	junction with	the ordinary			
discrete time Kalman filter is derived. The resultant compensated Kalman Filter has the property that steady-state bias estimation errors, resulting from modelling errors, are eliminated. 17. Key Words (Suggested by Author(s)) Digital control Kalman filtering Suboptimal control Dynamic compensator 18. Distribution Statement Unclassified - Unlimited Subject Category 63		the the deviced of	Th		ad Kalman			
Filter has the property that steady-state bias estimation errors, resulting from modelling errors, are eliminated. 17. Key Words (Suggested by Author(s)) Digital control Kalman filtering Suboptimal control Dynamic compensator 18. Distribution Statement Unclassified - Unlimited Subject Category 63	discrete time Kalman fil	ter is derived.	The resul	tant compensat	ed Kalman			
17. Key Words (Suggested by Author(s)) 18. Distribution Statement Digital control Unclassified - Unlimited Suboptimal control Subject Category 63 19. Service Complexator 20. Service Complexator	Filter has the property	that steady-state	bias est	timation errors	, resulting			
17. Key Words (Suggested by Author(s)) 18. Distribution Statement Digital control Unclassified - Unlimited Suboptimal control Subject Category 63 19. Service Charit (of this second) 20. Service Charit (of this second)	from modelling errors, a	re eliminated.						
17. Key Words (Suggested by Author(s)) 18. Distribution Statement Digital control Unclassified - Unlimited Suboptimal control Subject Category 63 19. Sensity Charify (of this senset) 20. Sensity Charify (of this senset)								
17. Key Words (Suggested by Author(s)) 18. Distribution Statement Digital control Unclassified - Unlimited Suboptimal control Subject Category 63 19. Security Charify (of this control) 20. Security Charify (of this control)								
17. Key Words (Suggested by Author(s)) 18. Distribution Statement Digital control Unclassified - Unlimited Suboptimal control Subject Category 63 19. Servity Const. (of this second) 20. Servity Const. (of this second)								
17. Key Words (Suggested by Author(s)) 18. Distribution Statement Digital control Unclassified - Unlimited Suboptimal control Subject Category 63 19. Service Cheric (of this second) 20. Service Cheric (of this second)								
17. Key Words (Suggested by Author(s)) 18. Distribution Statement Digital control Unclassified - Unlimited Suboptimal control Subject Category 63 19. Servity Clarify (dithic spect) 20. Servity Clarify (dithic spect)								
17. Key Words (Suggested by Author(s)) 18. Distribution Statement Digital control Unclassified - Unlimited Suboptimal control Subject Category 63 19. Security Clarif. (of this report) 20. Security Clarif. (of this report)								
17. Key Words (Suggested by Author(s)) 18. Distribution Statement Digital control Unclassified - Unlimited Suboptimal control Subject Category 63								
17. Key Words (Suggested by Author(s)) 18. Distribution Statement Digital control Unclassified - Unlimited Suboptimal control Subject Category 63 19. Service Clarif. (of this servet) 20. Service Clarif. (of this servet)								
17. Key Words (Suggested by Author(s)) 18. Distribution Statement Digital control Unclassified - Unlimited Suboptimal control Subject Category 63 19. Service Clarif. (of this servet) 20. Service Clarif. (of this service)								
17. Key Words (Suggested by Author(s)) 18. Distribution Statement Digital control Unclassified - Unlimited Suboptimal control Subject Category 63 19. Service Clarif. (of this report) 20. Service Clarif. (of this report)								
17. Key Words (Suggested by Author(s)) 18. Distribution Statement Digital control Unclassified - Unlimited Suboptimal control Subject Category 63								
17. Key Words (Suggested by Author(s)) 18. Distribution Statement Digital control Unclassified - Unlimited Suboptimal control Subject Category 63								
Digital control Kalman filtering Suboptimal control Dynamic compensator Unclassified - Unlimited Subject Category 63	17. Key Words (Suggested by Author(s))		18. Distribution Statement					
Suboptimal control Dynamic compensator 19. Servity Charit (of this servit)	Digital control	Unalogoified Unlimited						
Dynamic compensator Subject Category 63	Kalman Tlitering Suboptimal control	Subject Category 63						
19. Sequrity Charif (of this second) 20. Sequrity Charif (of this second) 21. No. of Decad	Dynamic compensator							
10. Sequrity Clarif (of this report) 20. Sequrity Clarif (of this second and the of th								
is security classif, for this report (22, Price)	19. Security Classif. (of this report)	20. Security Classif. (of this	page)	21. No. of Pages	22. Price*			
Unclassified Unclassified 38 \$4.00	Unclassified	Unclassified	-	38	\$4.00			

* For sale by the National Technical Information Service, Springfield, Virginia 22161

_

_