

## **General Disclaimer**

### **One or more of the Following Statements may affect this Document**

- This document has been reproduced from the best copy furnished by the organizational source. It is being released in the interest of making available as much information as possible.
- This document may contain data, which exceeds the sheet parameters. It was furnished in this condition by the organizational source and is the best copy available.
- This document may contain tone-on-tone or color graphs, charts and/or pictures, which have been reproduced in black and white.
- This document is paginated as submitted by the original source.
- Portions of this document are not fully legible due to the historical nature of some of the material. However, it is the best reproduction available from the original submission.

**LOCKHEED**

16983  
JSC-[REDACTED]

ENGINEERING AND MANAGEMENT SERVICES COMPANY, INC.

OCT 06 1980

Ref: 644-1788  
Contract NAS 9-15800  
Job Order: 74-402

TECHNICAL MEMORANDUM

PURE PIXEL CLASSIFICATION SOFTWARE

By

O. A. Wehmanen


(NASA-CR-160872) PURE PIXEL CLASSIFICATION  
SOFTWARE (Lockheed Engineering and  
Management) 53 p HC A04/MF A01 CSCL 09B

N81-11689

G3/61 Unclas  
37738

Approved By:

*M. D. Pore*  
M. D. Pore, Supervisor  
Accuracy Assessment  
Section



LEMSCO-15309

1. Report No. JSC-16783	2. Government Accession No.	3. Recipient's Catalog No.		
4. Title and Subtitle  Pure Pixel Classification Software		5. Report Date July 1980		
7. Author(s)  O. A. Wehmieren		6. Performing Organization Code		
9. Performing Organization Name and Address  Lockheed Engineering and Management Services Co., Inc. 1830 NASA Road 1 Houston, Texas 77058		8. Performing Organization Report No. LEMSCO-15309		
12. Sponsoring Agency Name and Address  National Aeronautics and Space Administration Lyndon B. Johnson Space Center Houston, Texas 77058		10. Work Unit No.  11. Contract or Grant No. NAS 9-15800		
15. Supplementary Notes		13. Type of Report and Period Covered Technical Memorandum		
		14. Sponsoring Agency Code		
16. Abstract  In this memorandum programs are described which permit classification runs with the LARSYS software to be made on images which have the ground truth field boundaries removed.				
17. Key Words (Suggested by Author(s))  Pixel Clustering Classification Mixed Pixel LandSat Ag Survey		18. Distribution Statement		
19. Security Classif. (of this report) Unclassified		20. Security Classif. (of this page) Unclassified	21. No. of Pages	22. Price*

\*For sale by the National Technical Information Service, Springfield, Virginia 22161

## CONTENTS

Section	Page
1. INTRODUCTION.....	1
2. DESCRIPTION OF THE SOFTWARE.....	1
2.1 <u>IMAGE PROCESSOR PROGRAMS</u> .....	1
2.1.1 GROUND TRUTH INPUT.....	1
2.1.2 PIXEL PURITY IMAGE PROGRAM (PUROUT).....	3
2.1.3 SUBROUTINE PURE.....	4
2.1.4 SUBROUTINE STRIP.....	5
2.1.5 TAPE GENERATION (TAPEOUT).....	6
2.1.6 TASKBUILDER COMMAND FILE.....	6
2.2 <u>LARS PROGRAMS</u> .....	7
2.2.1 TAPE TRANSFER (TAPTRAN).....	7
2.2.2 PURITY IMAGE TAPE TO DISK (TPURCO).....	7
2.2.3 SPECTRAL VALUE TAPE TO DISK (TACOP).....	7
2.2.4 FILE MERGE (DSKRED).....	8
2.2.5 BYTE MANIPULATION (TRNSLT).....	9
2.2.6 EXECUTIVE ROUTINES.....	10
2.3 <u>MODIFICATIONS TO LARSSYS ROUTINES</u> .....	10
2.3.1 WRTHED.....	11
2.3.2 PSPPAT.....	11
2.3.3 COVPAT.....	11
2.3.4 CURRENT DATE (IDTE).....	11
2.3.5 MONTH CONVERSION (IMONTH).....	12
3. LISTINGS.....	13

## 1. INTRODUCTION

It has been hypothesized that boundary pixels, the so-called mixels, are a major source of classification error in the various clustering and classification algorithms applied to LANDSAT data. This classification error is due to (1) the distortion of the statistics for the classes identified by the algorithm caused by the inclusion of different targets and (2) because the label assignment for nonhomogeneous areas is not well defined. It is expected that if the boundary pixels were removed, the accuracy of clustering and classification would be greatly improved.

This document describes programs which generate an image file that has all ground truth boundary pixel spectral values set to one value. This image, when processed by LARSYS routines, gives classification and clustering maps with all boundary pixels assigned to one class.

Using these programs the performance of clustering and classification procedures for pure pixels can be tested.

## 2. DESCRIPTION OF THE SOFTWARE

The ground truth data are available at JSC, thus the ground truth processing takes place on the image processor in the Data Techniques Laboratory. The spectral data are available both at JSC and LARS. Since the clustering and classification system is included in LARSYS at Purdue, the ground truth purity data have been merged with the spectral data at LARS. The flow of data is shown in figure 1.

### 2.1 Image Processor Programs

#### 2.1.1 GROUND TRUTH INPUT

The ground truth input comes from disk files installed by accuracy assessment software on a disk mounted on the second disk drive (DB2) of the image processor. This input is a digital map generated from ground truth data with six pixels for each LANDSAT pixel. These data are documented in "Format




Figure 1.- Data flow.

Specifications for LACIE (Phase III) and Accuracy Assessment Computer Data Products," LEMSCO-12507.

### 2.1.2 PIXEL PURITY IMAGE PROGRAM (PUROUT)

#### 2.1.2.1 Linkage

PUROUT calls subroutine PURE at the entry points PURE, PURE1, PURE2 and ROLL. PUROUT calls subroutine STRIP at the entry points STIN and STRIP.

#### 2.1.2.2 Interface

PUROUT communicates with PURE and STRIP through the common block /PURE/.

#### 2.1.2.3 Input

PUROUT reads FILNAM.DAT to get the name of the image data file on logical unit 2. PUROUT reads the image file for example DB2:[111,3]013579999.GTO, on Logical unit 1.

#### 2.1.2.4 Output

PUROUT writes the image file of type PT1 on logical unit 3. For example: [111,3]013579999.PT1).

#### 2.1.2.5 Storage

Total space allocated 3184.

#### 2.1.2.6 Description

PUROUT first reads the input file name and checks it interactively with the operator. Then the header is copied, unchanged, to the output file and processing begins.

PUROUT holds three lines of data in the array BUF (392,9). Since each pixel corresponds to 6 subpixels each line occupies a 392 x 3 block of space. The data are read into sublines 7, 8, and 9. Subroutine PURE determines whether the pixels on the input line are pure. Pure means that all subpixels are in

the same class. Subroutine ROLL moves all the data up one line. Subroutine PURE1 checks pure pixels in 4, 5, and 6 and marks those surrounded by subpixels of the same class as "more-pure". PURE2 checks pure pixels in 4, 5, and 6 and marks those surrounded by pure pixels of the same class as "most-pure". STRIP removes strip-fallow classes. As data are rolled to the top of the array it is written to the output file.

### 2.1.3 SUBROUTINE PURE

#### 2.1.3.1 Linkage

PURE has four entry points, PURE, PURE1, PURE2, and ROLL.

#### 2.1.3.2 Interface

All information is transferred through the common block/PURE/. This block contains the input Byte data, array, BUF (392,9), and the output integer \*2 array LAB (196,3).

#### 2.1.3.3 Input

No input

#### 2.1.3.4 Output

No output

#### 2.1.3.5 Storage

Total space allocated 2729

#### 2.1.3.6 Description

1. Entry PURE — A pixel is pure only if all subpixels are of the same subclass. Subroutine PURE marks pure pixels with "1" and impure pixels with "0". The majority label is also saved. PURE works on the bottom line, sublines 7, 8, and 9 of the input array.

2. Entry PURE1 — PURE1 checks pure pixels in line 2 and sublines 4, 5, and 6. The purity label is changed to "2" if all neighboring subpixels have the same label as the pixel. The figure below shows the order of checking.

1	11	13	3
7			10
6			5
9			8
4	14	12	2

3. Entry PUR2 — PUR2 checks more pure (Label = "2") pixels in line 2 and sublines 4, 5, and 6, and changes the label to "3" if all adjacent pixels have the same label. Pixels are checked in the order shown in the figure below.

1	5	3
7		8
4	6	2

4. Entry ROLL — ROLL moves the data up one line and three sublines, in preparation for new input. Line 1 and sublines 1, 2, and 3 are destroyed in the process. Sublines 7, 8, and 9 are not cleared.

#### 2.1.4 SUBROUTINE STRIP

##### 2.1.4.1 Linkage

STRIP has two entry points, STRIP and STIN.

##### 2.1.4.2 Interface

STRIP transfers data through the common block /PURE/ and through the calling arguments.

#### 2.1.4.3 Input

Entry STIN reads the array ZAP (256) on logical unit 8 from the file specified in the array CRDFIL (32).

#### 2.1.4.4 Output

STIN may type an error message.

#### 2.1.4.5 Storage

Total space allocated 2778

#### 2.1.4.6 Description

##### 1. STRIP (KK)

STRIP changes the purity class of marked classes to "0". The marked classes are typically problem fields, strip fields, and non-inventoried fields. These fields can be marked in two different ways. Three different sets of class identifiers may be coded into the array TEST (8, 3), or the array ZAP (256) may be read in. If KK = 10, the ZAP alternative is used. If KK = 1, 2, or 3 the array TEST (\*, KK) is used.

##### 2. STIN (CRDFIL)

STIN reads the array ZAP from the file specified by CRDFIL. If ZAP (N) = 0, class N is accepted, if ZAP (N) = i, class N is marked and purity will be set to "0".

#### 2.1.5 TAPE GENERATION (TAPEOUT)

The program TAPEOUT outputs a universal format tape from a disk file (reference Action Document, 63-3107-4402-16).

#### 2.1.6 TASKBUILDER COMMAND FILE

The file PUROUT.CMD contains the taskbuilder commands needed to construct the PUROUT.TSK file.

## 2.2 LARS PROGRAMS

### 2.2.1 TAPE TRANSFER (TAPTRAN)

TAPTRAN is a program written and maintained by Purdue. It is documented in "LARS DATA - 10J Operator's Manual."

### 2.2.2 PURITY IMAGE TAPE TO DISK (TPURCO)

#### 2.2.2.1 Linkage

None

#### 2.2.2.2 Interface

None

#### 2.2.2.3 Input

TPURCO reads a universal format, 1 channel tape from unit 11. The line size is 90 INTEGER\*4 words or 360 Bytes.

#### 2.2.2.4 Output

The header is copied to unit 13. The data are copied to unit 12. A small report is written on unit 6.

#### 2.2.2.5 Storage

Program Size = 4050.

#### 2.2.2.6 Description

TPURCO reads the tape and copies it to disk files.

### 2.2.3 SPECTRAL VALUE TAPE TO DISK (TAPCOP)

#### 2.2.3.1 Linkage

TAPCOP calls GETACQ, RTEERR, and TOPRD. These are all Purdue maintained routines. Documentation can be found in LARS Program abstract 11 for module TAPOP and LARS Program Abstract 2020 for module GTINFO.

### 2.2.3.2 Interface

Interface is through the calling arguments and the tape mounted by GETACQ.

### 2.2.3.3 Input

TAPCOP interactively gets the segment name and date and TOPRD reads the tape mounted by GETACQ.

### 2.2.3.4 Output

The header of the universal format input tape is written on unit 13. The 4-channel spectral data are written on unit 12.

### 2.2.3.5 Storage

Program size = 4822.

### 2.2.3.6 Description

TAPCOP interactively gets segment and data. These are passed to GETACQ which mounts the correct LARS library tape and positions it at the correct file. RTEERR decodes the error flag returned by GETACQ. If there is no error, TOPRD reads the tape which is then written to a disk file for further processing.

## 2.2.4 FILE MERGE (DSKRED)

### 2.2.4.1 Linkage

DSKRED calls TRNSLT.

### 2.2.4.2 Interface

The interface is through the calling arguments.

### 2.2.4.3 Input

DSKRED interactively gets the desired purity class from the terminal. A universal header is read from unit 17. Four-channel spectral data are read from unit 18 and 1-channel purity data are read from unit 19.

#### 2.2.4.4 Output

A universal format image tape file is written on unit 20.

#### 2.2.4.5 Storage

Program size = 9918.

#### 2.2.4.6 Description

DSKRED reads the spectral values and purity values. For those pixels with less purity than is desired, the spectral values are changed to ch 1 = 0, ch 2 = 0, ch 3 = 0, and ch 4 = 255.

Then these data are written out in universal format.

### 2.2.5 BYTE MANIPULATION (TRNSLT)

#### 2.2.5.1 Linkage

Subroutine TRNSLT does not call any other program.

#### 2.2.5.2 Interface

All data are passed through the calling arguments.

TRNSLT (DUF, PUF, DH1, DH2, DH3, DH4, PH, OPTION)

DUF (225) spectral value input line

PUF (90) purity value input line

DH1 (196) - DH4 (196) output values

PH (196) purity output values

OPTION. If OPTION = 1 DH

is KAUTH transformed

If OPTION = 2 DH

is LANDSAT 3 corrected

and KAUTH transformed

If OPTION = 0 DH is raw channel values.

#### 2.2.5.3 Input

None

#### 2.2.5.4 Output

None

#### 2.2.5.5 Storage

Program size = 8202.

#### 2.2.5.6 Description

Subroutine TRNSLT converts one line of spectral data in bytes to four-integer arrays, and also one line of purity data in bytes to an integer array. The spectral output may be raw channel values, KAUTH transformed values or Lockheed/EMSCO's LANDSAT 3 corrected KAUTII transformed values.

The data are placed in LOGICAL\*1 arrays by equivalence statements and then assigned to integer arrays.

### 2.2.6 EXECUTIVE ROUTINES

For the programs TPURCO TAPCOP and DSKRED there are EXEC files with the same names which give the required FILEDEF commands and start execution. In addition RTE EXEC may be executed to give the needed GETDISK commands. Subroutines GLTACQ, RTEERR, and TOPRD reside on JSC19A.

### 2.3 MODIFICATIONS TO LARSYS ROUTINES

To run LARSYS on the output file of DSKRED the supervisor program, MONTOR, is used. Also, three of the LARSYS subroutines required slight modification. These modified programs reside on JSC808.

### 2.3.1 WRTHED

The information saved by LARSHY for the output tape header was deemed inadequate. Therefore code was added to read the input file header and write it to the output file after two small changes were made.

WRTHED calls the new subroutine IDTE for current date.

### 2.3.2 PSPPAT

Because the channel 4 value for impure pixels is set to 255, the accumulator register for sum of channel 4 squared has excessive error. It was necessary to change this variable to REAL\*8, double precision to avoid excessive error.

### 2.3.3 COVPAT

Because the values for all impure pixels are the same, the covariance matrix for impure pixels is singular. LARSHY rejects singular covariance matrices. Code was modified in subroutine COVPAT to insert a nonsingular covariance matrix whenever mean channel 4 exceeds 250 counts.

### 2.3.4 CURRENT DATE (IDTE)

#### 2.3.4.1 Linkage

IDTE calls GTDATE and IMONTH.

#### 2.3.4.2 Interface

All interface is through the calling arguments.

NA is month number

NB is day of month

NC is year.

For the system routine GTDATE the array data are in A format. For example, printing DATE as 3A4 gives June 14, 1980.

#### 2.3.4.3 Input

None.

#### 2.3.4.4 Output

None.

#### 2.3.4.5 Storage

Program Size = 524.

#### 2.3.4.6 Description

Subroutine IDIL obtains the current date in Alphanumeric format. Conversion of the numbers is done by writing and rereading. IMONTH is called to convert the month.

### 2.3.5 MONTH CONVERSION (IMONTH)

#### 2.3.5.1 Linkage

None.

#### 2.3.5.2 Interface

Date is a 4-character month name. I is the integer month number.

#### 2.3.5.3 Input

None.

#### 2.3.5.4 Output

Possible error statement on unit 6.

#### 2.3.5.5 Storage

Program size = 496.

#### 2.3.5.6 Description

IMONTH compares the month name to test values until a match is found. If no match is found an error statement is generated.

### 3. LISTINGS

```

      C PURROUT,FTN
      C THIS PROGRAM GENERATES PIXEL ALITY MAPS
      C 111 MEANS PURE
      C 1111 MEANS PURE WITH A 1 SUBPIXEL PURITY
      C 11111 MEANS PURE WITH A 1 PIXEL PURITY
      C 111111 MEANS IMPURE
      C 1111111 MAY ALSO MEAN IMPURE
      C

      C
      C      IMPLICIT INTEGER(2) (A=2)
      C      INTEGER(2) LAR(196/3)
      C      BYTE    BUFL(32/9),BYL(196/2,3),DUL
      C      BYTE    RDIN(139/2),RDIN(392),RDIN
      C      BYTE    LOUT(196/2),FLINAP(32),HEADB
      C      BYTE    FILL(192),CRDFIL(32)
      C

      C      EQUIVALENCE (BYL(1,1)-LAB(1,1))
      C      EQUIVALENCE (BYL(1,2)-LEU(1,1))
      C      EQUIVALENCE (BUF(1,1)-HEAER(1))
      C      EQUIVALENCE (RDIN(1,1)-BUF(1,1))
      C      EQUIVALENCE (RDIN(2,1)-BUF(1,8))
      C      EQUIVALENCE (RDIN(3,1)-BUF(1,9))
      C      DATA   FILL/92*0/
      C      DATA   CRDFIL(1C),IR1,"D",IFL,11,11,11,11
      C      DATA   11,22*0/
      C

      C      CALL SPIN(CRDFIL)
      C      BPE ('UNIT=2,NAME=FILNAM,DATE',TYPE='FILE')
      C      READONLY,ACCESS='SEQUENTIAL',ERR=200
      C      CONTINUE
      C      READ(2,END=166) FILNAM
      C      FOPEN(32A1,2X,14)
      C      CAN'T USE
      C      LINES=117
      C      22TB1
      C      21PB1
      C      0025      D0 21 11,32
      C      IF(FILNAM().EQ.'')120T#0
      C      IF(FILNAM().EQ.'')121P#1
      C      IF(F27T#0)D0 00FILNAM()100
      C      TYPE 23, FILNAH,LINES
      C      FOPEN(1,  FILNAM(),32A1,1  LINES = 1
      C      ACCEPT 25,125
      C      FOPEN(1A1)
      C      IF(125.EQ. 1S1) STOP 1123 !
      C

      C      OPEN(UNIT=1,NAME=FILNAM,TYPE='OLD',ACC
      C      ,READONLY,FORM='UNFORMATTED',ERR=6
      C      FILNAM(ZIP=1)SP1
      C      FILNAM(ZIP=2)SP1
      C      FILNAM(ZIP=3)SP1
      C      OPEN(UNIT=3,NAME=FILNAM,TYPE='NEW'

```

ORIGINAL PAGE IS  
OF POOR QUALITY

9. ACCESS TO SEQUENTIAL FILES UNFORMATTED (ERR#666)

```

C
C
0039      666   WRITE(6,661) FILNAM
0040      66   F2MATT(1) DUM,ERROR UNIT 1, FILNAM = '1,2A21'
0041      66   STB(1) 666 OPEN ERROR FILE 1,
0042      - CONTINUE
0043      666   READ(1) HEADER
0044      - READ(1) HEADER
0045      - WRITE(3) HEADER
0046      - READ(1) DUM,RDIN1
0047      - READ(1) DUM,RDIN2
0048      - READ(1) DUM,RDIN3
0049      - CALL PURE
0050      - CALL R2LL
0051      - READ(1) DUM,RDIN1
0052      - READ(1) DUM,RDIN2
0053      - READ(1) DUM,RDIN3
0054      - CALL PURE
0055      - CALL R2LL
0056      - READ(1) DUM,RDIN1
0057      - READ(1) DUM,RDIN2
0058      - READ(1) DUM,RDIN3
0059      - CALL PURE
0060      - CALL PURE1
0061      - CALL PURE2
0062      D   LI-ES = 12
0063      - CALL STRIP(10)
0064      - WR-TE(3) DUM,LBUF,FILL
0065      - DO 100 14,LINES
0066      - CALL R2LL
0067      - READ(1) DUM,RDIN1
0068      - READ(1) DUM,RDIN2
0069      - CALL PURE
0070      - CALL PURE1
0071      - CALL PURE2
0072      96   WRITE(6,96) L2UT
0073      - F2MATT(1) L2UT '1,49A2'
0074      D   CALL STRIP(10)
0075      97   WRITE(3) DUM,LBUF,FILL
0076      - WRITE(6,97) BUF '1,98A2'
0077      - CONTINUE
0078      100   CALL R2LL
0079      - CALL STRIP(10)
0080      - WRITE(3) DUM,LBUF,FILL
0081      - CALL R2LL
0082      - CALL STRIP(10)
0083      - WRITE(3) DUM,LBUF,FILL
0084      - CALL R2LL
0085      - CALL STRIP(10)
0086      - WRITE(3) DUM,LBUF,FILL
0087      - CLOSE(UNIT=1)
0088      - CLOSE(UNIT=3)
0089      - DO TA 155

```

FORTRAN IV-PLUS V02-51 /TRIBLOCKS/WR  
PURBUT,ETH  
0089 166 STOP 1END PF DATA UNIT 2!  
0090 END

PAGE 3

FORTRAN IV-PLUS V02-E1  
PURAUT, LPI

PAGE 4

PROGRAM SECTIONS

NUMBER	NAME	SIZE	ATTRIBUTES
1	SCODE1	002040	536
2	SPDATA	00104	34
3	SIDATA	00436	143
4	SYRS	00036	119
5	PURE	012140	2352

VARIABLES

NAME	TYPE	ADDRESS	NAME	TYPE	ADDRESS	NAME	TYPE	ADDRESS
1	1e2	4.003392	125	1e2	4.000554	LINES	1e2	4.000344

ARRAYS

NAME	TYPE	ADDRESS	SIZE	DIMENSIONS
BUF	Loc	6.000000	006710	1764
BYL	Loc	6.000210	585	(392, 5)
CRDFILE	Loc	4.000404	000230	(196, 1, 3)
DUM	Loc	4.000500	000010	16
FILL	Loc	4.0004150	000034	(72)
FILNAH	Loc	4.0002110	000090	46
HEADER	Loc	6.000400	005764	(32)
LAB	Loc	6.000210	002230	1530
LAUT	Loc	6.000214	000034	588
RDIN1	Loc	6.0002160	196	(196)
RDIN2	Loc	6.0002170	0000610	196
RDIN3	Loc	6.0002180	0000610	196

LABELS

LABEL	ADDRESS	LABEL	ADDRESS	LABEL	ADDRESS	LABEL	ADDRESS
25	"	221	"	231	"	24	"
66	3.000120	961	3.000010	971	"	251	3.000114
166	1.002042	666	1.000406	100	"	195	2.0000946

FUNCTIONS AND SUBROUTINES REFERENCED

CLOSES PURE1 PURE2 FILE1 STIN1 STRIP

TOTAL SPACE ALLOCATED = 014340 3184

NB FPP INSTRUCTIONS GENERATED

PURAUT,LPI=PURAUT



```

C      WHITEL(6,245) LAB(1,1),LAB(1,2),LAB(1,3),BUF(1,1),
D      *           BUF(1,2),BUF(1,3),BUF(1,4),BUF(1,5),
D      *           BUF(1,6),BUF(1,7),BUF(1,8),BUF(1,9)
0032    C      FERAT(1)  PURE1
D      *           1,12A5//1
0033    C      92 200 1*2,195
D      *           JF BYL(1,2,2),NE, 11) GE 10 200
0034    C      *200*1
D      *           93 201 KJ1,14
0035    C      *1*DEL10(KJ)
0036    D      *           91 *DEL10(KJ)
0037    C      *2*DEL11(KJ)
D      *           JF BYL(1,1,2),NE,BUF(1,1,2),NE,BUF(1,1,3)) GE 10 200
0038    C      RETURN
0039    C      201
D      *           92 195
0040    C      *201*2) *12*
0041    C      2241NJE
0042    D      WHITEL(6,245) LAB(1,1),LAB(1,2),LAB(1,3),BUF(1,1),
D      *           BUF(1,2),BUF(1,3),BUF(1,4),BUF(1,5),
D      *           BUF(1,6),BUF(1,7),BUF(1,8),BUF(1,9),
D      *           BUF(1,10),BUF(1,11),BUF(1,12),BUF(1,13)
0043    C      RETURN
C      PURE2 CHECKS ADJACENT PIXELS FOR A HALO OF PURE PIXELS
C
C      ENTRY PURE2
0044    C      WHITEL(6,345) LAB(1,1),LAB(1,2),LAB(1,3),BUF(1,1),
D      *           BUF(1,2),BUF(1,3),BUF(1,4),BUF(1,5),
D      *           BUF(1,6),BUF(1,7),BUF(1,8),BUF(1,9)
0045    C      FORMAT(1,1,1255)//1
0046    C      92 300 1*2,195
0047    C      JF BYL(1,2,2),NE, 12) GE 10 300
0048    C      *201*8
0049    C      1,1*DEL20(KJ)
0050    C      *2*DEL21(KJ)
0051    C      17(BYL(1,2,12),17,11) J0R, BYL(1,2,12),13)
0052    C      98 12 300
0053    C      JF BYL(1,1,2),NE,BYL(1,1,12)) GE 10 300
0054    C      LAB(1,1,2),NE,BYL(1,1,2))
0055    C      300
D      *           201*NE
0056    C      RETURN
C      ROLL MOVES ALL THE DATA 1P 1 LINE, (3 SUBLINES)
C
C      ENTRY ROLL
0057    C      WHITEL(6,445) LAB(1,1),LAB(1,2),LAB(1,3),BUF(1,1),
D      *           BUF(1,2),BUF(1,3),BUF(1,4),BUF(1,5),
D      *           BUF(1,6),BUF(1,7),BUF(1,8),BUF(1,9)

```

ORIGINAL PAGE IS  
OF POOR QUALITY

FORTRAN IV-PLUS V02-51  
PYRE, FIN /TILEBLOCKS/WR

PAGE 3

	C	D <sub>0</sub> 400 J=1,196	
0058		L <sub>0</sub> B(1,1)*LAB(1,2)	
0059		LAB(1,2)*LAB(1,3)	
0060	400	D <sub>0</sub> 401 J=1,392	
0061		L <sub>0</sub> =3	
0062		D <sub>0</sub> 401 K=1,6	
0063		L <sub>0</sub> =L <sub>K</sub> +1	
0064		BYF(J,K)=BUF(J,LK)	
0065		CNTINUE	
0066	401	WAIT(6,445) LAB(1,1),LAB(1,2),BUF(1,1),	
	D	BUF(1,2),BUF(1,3),BUF(1,4),BUF(1,5),	
	D	BUF(1,6),BUF(1,7),BUF(1,8),BUF(1,9)	
0067	445	FORMAT(1,ROLL 1,3A4,2X,9A3,//)	
0068		RETURN	
	C		
	C		
	C		
0069		END	

FORTRAN IV-PLUS V02-51  
PURE,STM  
FILE BLOCKS/NR

PAGE 4

PROGRAM SECTIONS

NUMBER	NAME	SIZE	ATTRIBUTES
1	SCODE4	001146	307
4	SYARS	000214	70
6	PURE	010140	2352

ENTRY POINTS

NAME	TYPE	ADDRESS	NAME	TYPE	ADDRESS	NAME	TYPE	ADDRESS	NAME	TYPE	ADDRESS
PURE		1.000000	PURE1		1.0000314	PURE2		1.0000326	R8LL		1.0000746

VARIABLES

NAME	TYPE	ADDRESS									
I	1e2	4.000160	I4	1e2	4.000204	I2	1e2	4.000206	J	1e2	4.000170
J2	1e2	4.000172	K	1e2	4.000212	KJ	1e2	4.000202	KK	1e2	4.000174
K2	1e2	4.000200	LK	1e2	4.000219	N	1e2	4.000264	NN	1e2	4.000166

ARRAYS

NAME	TYPE	ADDRESS	SIZE	DIMENSIONS
BUF	Buf	6.0004000	006710	1764 (396,5)
BYL	Buf	6.000710	002230	588 (196,3)
DEL1	1e2	4.000200	000034	5 (6)
DEL10	1e2	4.0006030	000034	14 (14)
DEL11	1e2	4.0006064	000034	14 (14)
DEL2	1e2	4.0000014	000014	6 (6)
DEL20	1e2	4.000120	000020	8 (6)
DEL24	1e2	4.000140	000020	8 (6)
LAB	1e2	6.0002710	002230	588 (196,3)

LABELS

LABEL	ADDRESS	LABEL	ADDRESS	LABEL	ADDRESS	LABEL	ADDRESS	LABEL	ADDRESS
100	00	101	1.0000234	102	00	103	1.0000220	145	00
200	1.0000502	201	00	245	00	300	1.0000722	301	00
345	00	400	00	401	00	445	00		

TOTAL SPACE ALLOCATED = 012522 2729

NO FPP INSTRUCTIONS GENERATED

```

FORTRAN IV-PLUS V02.92 1149124 394,UN=800 PAGE 1
STRIP,FTH /1-BLOCKS/NR

C STRIP,FIN
C IDENTIFIES STRIPPING INVENTORIED PROBLEM FIELDS
C AND SETS THEIR PURITY TO 0
C
C SUBROUTINE STRIP(CK)
C
C      IMPLICIT INTEGER*2 (A=2)
C      INTEGER*2 LAB(1963),TT
C      BYTE BUF(3929),BYL(96,62,3)
C      PYTE TEST(6,3),ZAP(226)
C      CROFILE(32)

C      COMMON /PURE/ BUF,LAB
C      EQUIVALENCE (BYL(1,1,1),LAB(1,1,1))
C      DATA I100/0/          ! PROBLEM FIELD
C      DATA TEST/80,154,165,185,190,210,215,235,180/    ! NON INVENTORIED
C                                         ! STRIP FIELD
C                                         ! FUTURE CODES
C
C      DATA ZAP /79*0,1,83*0,1,21*0,21*0,40*0,21*0,1,21*0/    ! PROBLEM FIELD
C                                         ! NON INVENTORIED
C                                         ! STRIP FIELDS
C
C      IF(IKK .EQ. 10) GO TO 200
C      LB 100 1*1,196
C      IF(.BF.,BYL(1,2,1),.LT.,1)
C      IF(.BP.,BYL(1,2,1),.GT.,3') GE 10 100
C      IF(BYU(1,1,1),.LT.,1)
C      ITST(1,1,1)
C      ITST(1,2,1)
C      IF(IT,TEST(1,1,1)) EYL(1,2,1) = 101
C      IF(IT,TEST(2,1,1)) EYL(1,2,1) = 101
C      IF(IT,TEST(3,1,1)) EYL(1,2,1) = 101
C      AN, IT, LE, TEST(6,1) EYL(1,2,1) = 101
C      IF(IT,GE,TEST(5,1))
C      IF(IT,GE,TEST(5,1))
C      END IT,LE,TEST(6,1) EYL(1,2,1) = 101
C      IF(IT,GE,TEST(7,1))
C      IF(IT,LE,TEST(8,1)) EYL(1,2,1) = 101
C      CONTINUE
C      RETURN
C
C      200
C      CONTINUE
C      FILE,NE,1) WRITE(6,222) ZAP
C      L102
C      LB 201 1*1,196
C      IT = SYL(1,2,1)
C      ITSY+128
C      IF(ZAP(1) .EQ. 1) SYL(1,2,1) = 100
C      CONTINUE
C      RETURN
C
C      201
C      CONTINUE
C      FILE,NE,1) WRITE(6,222) ZAP
C      L102
C      LB 201 1*1,196
C      IT = SYL(1,2,1)
C      ITSY+128
C      IF(ZAP(1) .EQ. 1) SYL(1,2,1) = 100
C      CONTINUE
C      RETURN

```

ORIGINAL PAGE IS  
OF POOR QUALITY

FORTRAN IV-PLUS V02-51  
STRIP,FTN /FILE BLOCKS/WR

PAGE 2

```
      C          ENTRY STIN(CRDFIL)  READ ZAP ARRAY FROM CARD FILE
      C          OPEN(UNIT=8,NAME=CRDFIL,ACCESS='SEQUENTIAL',
      0032      C          TYPE='OLD',READONLY,ERR=444)
      C          READ(8,455) ZAP
      0033      C          ZBPHAT(6011) 1 5 CARDS
      0034      455    ZBPHAT(6011) 1 5 CARDS
      0035      C          CLOSE(UNIT=8)
      0036      C          WRITE(6,456) ZAP,CRDFIL
      0037      456    ZBPHAT(41, ZAP, 1,6011),1, ZAP, 1,14,1,
      0038      C          STIN FILE NAME = '32A1'
      C          RETURN
      C          TYPE 443,CRDFIL
      0039      443    ZBPHAT(1, ERROR SPENDING UNIT 6, 1,
      0040      C          1, FILENAME = '32A1',
      0041      C          1, DEFAULT VALUES 'SED0'
      0042      C          RETURN
      END
```

FORTRAN IV-PLUS V02.51  
STRIP,PN

PAGE 3

PROGRAM SECTIONS

NUMBER	NAME	SIZE
1	SC2DE1	000672
3	SIDATA	305174
4	SVARS	002436
6	PURE	011140
		221
		62
		143
		2352

ATTRIBUTES

1	SC2DE1	R1,L,LSA,LCS,
3	SIDATA	R1,E,CBN,LCS,
4	SVARS	AB,E,CBN,LCS,
6	PURE	PL1,E,VBR,GBL,

ENTRY POINTS

NAME	TYPE	ADDRESS	NAME	TYPE	ADDRESS	NAME	TYPE	ADDRESS
STIN	I	0002502	STRIP	I	0000009			

VARIABLES

NAME	TYPE	ADDRESS	NAME	TYPE	ADDRESS	NAME	TYPE	ADDRESS
1	I	1e2	4.0009434	I1D	1e2	4.000436	KK	1e2
							F=0000024	TT
								1e2
								4.0000000

ARRAYS

NAME	TYPE	ADDRESS	SIZE	DIM1	ITEMS
BUF	L02	6.0000000	006710	1764	(196,6)
BYL	L11	6.0002710	002230	588	(196,4,3)
CARDFL	L01	F=0002502	000040	16	(12)
LAB	Ie2	6.0002710	002230	588	(196,3)
TEST	L01	4.000002	000030	12	(6,3)
ZLP	L02	4.000932	000400	128	(256)

LABELS

LABEL	ADDRESS	LABEL	ADDRESS	LABEL	ADDRESS	LABEL	ADDRESS
100	I-0000364	200	I-0000410	201	**	222	**
444	I-000642	451	3-0000000	451	**		443
							3e000004

FUNCTIONS AND SUBROUTINES REFERENCED

CLASS OPENS

TOTAL SPACE ALLOCATED = 012664 2778

NB FPP INSTRUCTIONS GENERATED

STRIP,UP,STRIP

FONTRAN IV 6 LEVEL FILE TRURCO

PRJRC0 DATE = 80171  
PILGRIM / LARS 30331

PAGE 0001  
08/26/39

25

FORTRAN IV 6 LEVEL 21

FILE TPIURCO

    PAGE 0002  
    08/29/59

    PROJECT = 89171

    PLATE / LAMS 1031

SYMBOL LOCATION     SYMBOL STATEMENT CALLER SYMBOL LOCATION     SYMBOL LOCATION     SYMBOL LOCATION  
THCOWK

SYMBOL LOCATION     SYMBOL SCALING STATEMENT SYMBOL LOCATION     SYMBOL LOCATION     SYMBOL LOCATION  
I

SYMBOL LOCATION     SYMBOL ARRAY STATEMENT SYMBOL LOCATION     SYMBOL LOCATION     SYMBOL LOCATION  
HIF

SYMBOL LOCATION     SYMBOL FILE STATEMENT SYMBOL LOCATION     SYMBOL LOCATION     SYMBOL LOCATION  
ENC

OPTIONS IN EFFECTS     IN FCBIC, SOURCE, VOLIST, BACK, VOLUME, MAP  
\*OPTIONS IN FFFFCT\*, VAF = TPIURCO, LINFO = 75  
\*STATISTICS SOURCE STATEMENT = 17, PROGRAM SIZE = 75  
\*STATISTICS IN DIAGNOSTICS STATEMENT = 3982

FORTRAN IV G/EVFL ?1  
FILE TAPCOP

TAPCOP  
TAPCOP FFUHTRATI  
TAPCOP FFUHTRATI

08/16/59  
PAGE 0001

0001  
0002  
0003  
0004  
0005  
0006  
0007  
0008  
0009  
0010  
0011  
0012  
0013  
0014  
0015  
0016  
0017  
0018  
0019  
0020  
0021  
0022  
0023  
0024  
0025  
0026  
0027  
0028  
0029

IMPLICIT INTEGER \*4, (A-Z)  
INTEGER(775), Line(225)  
29 F25 \* A T (16,20)  
SF25,(17,21) SF25, SE5 AND DATE ,14,15,  
\*1TF (15,16) SF25, DATE  
FC25,(14,16)  
DF =1.  
CALL SFTACO((1,5-6,DATE,ERR,IR,DEV,061,1  
SF25,(16,162) SF25,  
16K F12, A (1,162), IR  
C21 SFTACO((17,21)  
TR (17,21) SF25, 16,  
C21, IR = 3663  
C21 CALL TOPD((1,162),T,ERR,IR,RUF)  
SF25,(17,21) SF25,  
171 SF25,(17,24) SF25,  
226 C21, T, IR  
SF25,(17,21) SF25,  
55 HFADE2 H(F1)  
0020  
0021  
0022  
0023  
0024  
0025  
0026  
0027  
0028  
0029

00 221 I=1,117  
CJ, JR = 500  
CALL TOPD((1,162), T, IR  
SF25,(17,21) SF25,  
12 Format(15,(1504),  
1 IF(1,1,4) SF25,(6,70),  
76 FO-45(/,1,4) SF25,(6,70),  
SF25,(6,77) SF25,(6,77),  
77 FO-45(/,1,4) SF25,(6,77),  
221 C21, T, IR  
SF25,(17,21) SF25,  
P1,P

TAP00010  
TAP00020  
TAP00030  
TAP00040  
TAP00050  
TAP00060  
TAP00070  
TAP00080  
TAP00090  
TAP00100  
TAP00110  
TAP00120  
TAP00130  
TAP00140  
TAP00150  
TAP00160  
TAP00170  
TAP00180  
TAP00190  
TAP00200  
TAP00210  
TAP00220  
TAP00230  
TAP00240  
TAP00250  
TAP00260  
TAP00270  
TAP00280  
TAP00290  
TAP00300  
TAP00310  
TAP00320  
TAP00330  
TAP00340  
TAP00350  
TAP00360  
TAP00370  
TAP00380  
TAP00390  
TAP00400

FORTRAN IV 6 LEVEL 21

PAGE 0002

DATE = 4/17/59

04/15/59

FILF TAPCOP

PROGRAM / LINES 3631

SYMBOL	LOCATION	SYMBOL	LOCATION	SYMBOL	LOCATION
I-COM	J.C	SYMBOL \$FTC1	SYMBOL \$FTFH4	SYMBOL \$FTU7	SYMBOL \$FHJ
SYMBOL	LOCATION	SYMBOL \$FTC1	SYMBOL \$FTFH4	SYMBOL \$FTU7	SYMBOL \$FHJ
SFG I	FC 161	SYMBOL \$FTC1	SYMBOL \$FTFH4	SYMBOL \$FTU7	SYMBOL \$FHJ
SYMBOL	LOCATION	SYMBOL \$FTC1	SYMBOL \$FTFH4	SYMBOL \$FTU7	SYMBOL \$FHJ
HIF	Ia4	SYMBOL \$FTC1	SYMBOL \$FTFH4	SYMBOL \$FTU7	SYMBOL \$FHJ
SYMBOL	LOCATION	SYMBOL \$FTC1	SYMBOL \$FTFH4	SYMBOL \$FTU7	SYMBOL \$FHJ
Z. 12	Ia2 164	SYMBOL \$FTC1	SYMBOL \$FTFH4	SYMBOL \$FTU7	SYMBOL \$FHJ

\*OPTIONS IN EFFECT\*  
 \*OPTIONS IN EFFECT\*  
 \*STATISTICS\*  
 \*STATISTICS\*

TOE-CRITICAL TEST, FILE 1, PCK 1, LOC 1022.

MAP = TPC12, FILE 1, PCK 1, LOC 1022.

SOURCE STATISTICS, FILE 1, PCK 1, LOC 1022.

NO DIAGNOSTICS, FILE 1, PCK 1, LOC 1022.

ORIGINAL PAGE  
W/ DIR QUALITY

```

FORTNAN IV 6 LEVEL 21          USKED      DATE = 80171    11/02/26    PAGE 0001
FILE DISKED          PURGE / LWS 3031

C DISKED FORTRAN          READS JTSK FILES AND CONVERTS TO BYTE AND PRINTS
0001          INTEGER HUF(765),LINE(265),CH1(196),CH2(196),CH3(196),CH4(196)      DISK0010
0002          INTEGER CPP(196),PUPL1(190),PUPL2(190),PUPL3(190)      DISK0020
0003          LOGICAL *1 C1(196),C2(196),C3(196),C4(196)      DISK0030
0004          EQUIVALENT HUF(196),LINE(196),CH1(196),CH2(196),CH3(196),CH4(196)      DISK0040
0005          EQUIVALENT CH1(196),CH2(196),CH3(196),CH4(196)      DISK0050
0006          EQUIVALENT CPP(196),PUPL1(190),PUPL2(190),PUPL3(190)      DISK0060
0007          EQUIVALENT LINE(196),HUF(196),CH1(196),CH2(196),CH3(196),CH4(196)      DISK0070
0008          DATA HUF/017/,*16/250/*25/275/      DISK0080
0009          DATA PUPL1/021/,*16/250/*25/275/      DISK0090
0010          DATA PUPL2/022/,*16/250/*25/275/      DISK0100

0011          226          CONTINUE      DISK0110
0012          83           *          READ (1,*,HUF)      DISK0120
0013          *          FORMAT (1,*,HUF)      DISK0130
0014          84           *          READ (1,*,HUF)      DISK0140
0015          85           *          READ (1,*,HUF)      DISK0150
0016          86           *          READ (1,*,HUF)      DISK0160
0017          77           *          READ (1,*,HUF)      DISK0170
0018          999          1d          READ (1,*,HUF)      DISK0180
0019          1d          READ (1,*,HUF)      DISK0190
0020          9d          READ (1,*,HUF)      DISK0200
0021          1d          READ (1,*,HUF)      DISK0210

C THIS FORTNAN FILE HEADER WRITE      DISK0220
0022          221          I=1,19      DISK0221
0023          READ (1,*,HUF)      DISK0230
0024          READ (1,*,HUF)      DISK0240
0025          READ (1,*,HUF)      DISK0250
0026          READ (1,*,HUF)      DISK0260
0027          CALL PPUT (1,*,HUF,PUPL1,CH1,CH2,CH3,CH4,CPP,0)      DISK0270
0028          DO 29 I=1,195      DISK0280
0029          IF (I.EQ.0) IS VEHY PUE GE. IF STI 60 To 20      DISK0290
0030          IF (CPP(I).EQ.0) GE. IF STI 60 To 20      DISK0300
0031          C1(I)=015(I)      DISK0310
0032          C2(I)=016(I)      DISK0320
0033          C3(I)=017(I)      DISK0330
0034          C4(I)=018(I)      DISK0340

C 64          CONTINUE      DISK0350
0035          64          READ (1,*,HUF)      DISK0351
0036          65          READ (1,*,HUF)      DISK0361
0037          66          READ (1,*,HUF)      DISK0371
0038          67          READ (1,*,HUF)      DISK0381
0039          68          READ (1,*,HUF)      DISK0391

0040          666          WRITE (1,*,HUF)      DISK0400
0041          666          FORMAT (1,*,HUF)      DISK0410
0042          666          STOP      DISK0420
0043          667          FORMAT (16,116)      DISK0430
0044          667          FORMAT (16,116)      DISK0440
0045          668          FORMAT (16,116)      DISK0450
0046          668          FORMAT (16,116)      DISK0460
0047          668          FORMAT (16,116)      DISK0470
0048          668          STOP      DISK0480
0049          668          END      DISK0490

```



FEBRUARY 19, 1952 21  
ELLE TEST

TRUST - TRUSTEE / ESTATE / MHS 3931

PAGE 0001  
11/17/59

FORTRAN IV 6 LEVEL 21

LF TRANSIT

0064 56

CONTINUE

LANDSAT 3 & 4 INPUT TRANSFORM

0065 0066 0067 0068 0069 0070 0071 0072 0073

14

Y<sub>i</sub>( $\lambda$ ) = 1 + 1.96 \* C<sub>01</sub>( $\lambda$ ) + 3.45 \* C<sub>02</sub>( $\lambda$ ) + 7.12 \* C<sub>03</sub>( $\lambda$ ) + 8.42 \* C<sub>04</sub>( $\lambda$ ) + 2.79 \* C<sub>05</sub>( $\lambda$ )  
D<sub>01</sub>( $\lambda$ ) = 1 + 0.324 \* C<sub>01</sub>( $\lambda$ ) + 0.812 \* C<sub>02</sub>( $\lambda$ ) + 0.719 \* C<sub>03</sub>( $\lambda$ ) + 0.417 \* C<sub>04</sub>( $\lambda$ )  
D<sub>02</sub>( $\lambda$ ) = 1 - 0.44 \* C<sub>01</sub>( $\lambda$ ) + 0.527 \* C<sub>02</sub>( $\lambda$ ) + 0.045 \* C<sub>03</sub>( $\lambda$ ) - 0.043 \* C<sub>04</sub>( $\lambda$ )  
D<sub>03</sub>( $\lambda$ ) = 1 - 0.14 \* C<sub>01</sub>( $\lambda$ ) + 0.161 \* C<sub>02</sub>( $\lambda$ ) - 0.563 \* C<sub>03</sub>( $\lambda$ ) + 0.937 \* C<sub>04</sub>( $\lambda$ )  
D<sub>04</sub>( $\lambda$ ) = P<sub>01</sub>( $\lambda$ )  
CONTINUE  
END

TRANSIT PAGE = 50184  
Pukuyut / Latin 3031

PAGE 0002

11/1/59

ORIGINAL PAGE IS  
OF POOR QUALITY

FILE TRANSLT

21

PAGE 0003

11/11/54

TRANSLT

SYMBOL

LOCATION

SYMBOL	LOCATION	SYMBOL	LOCATION	SYMBOL	LOCATION	SYMBOL	LOCATION
TC1	TC1	TC2	TC2	CC1	CC1	CC2	CC2
CC3	CC3	CC4	CC4	CC3	CC3	CC4	CC4
TC2	TC2	CC4	CC4	CC3	CC3	CC4	CC4
CC3	CC3	CC4	CC4	CC3	CC3	CC4	CC4
CC4	CC4	CC4	CC4	CC4	CC4	CC4	CC4
CP	CP	CP	CP	CP	CP	CP	CP
11F4	11F4	11F4	11F4	11F4	11F4	11F4	11F4

SYMBOL	LOCATION	SYMBOL	LOCATION	SYMBOL	LOCATION	SYMBOL	LOCATION
J	1524	J	1524	J	1524	J	1524

SYMBOL	LOCATION	SYMBOL	LOCATION	SYMBOL	LOCATION	SYMBOL	LOCATION
JIF	1524	JIF	1524	JIF	1524	JIF	1524

SYMBOL	LOCATION	SYMBOL	LOCATION	SYMBOL	LOCATION	SYMBOL	LOCATION
I	1524	I	1524	I	1524	I	1524

\*OPTIONS IN EFFECT: LINE-CR-LF, SOURCE, STATEMENT, FIELD, STATISTICS, & DIAGNOSTICS.  
\*OPTIONS IN FFEC: NAME = TBL1 \* LINE-CR-LF \* SOURCE, STATEMENT, FIELD, STATISTICS, & DIAGNOSTICS.  
\*STATISTICS: SOURCE, STATEMENT, FIELD, STATISTICS, & DIAGNOSTICS.

FORTRAN IV 6 LEVEL 21  
FILE APTHED

PAGE 0001



FTI E WDTRED

```

0072      IF (COUNTRHANZ .EQ. 0)    WRITE / LNE 3041
0073      IF (COUNTRHANZ .EQ. 0)    COUNT = COUNT + 1
0074      IF ((LFFLT <= 0.0) * L)    COUNT = COUNT + 1
0075      IF ((PSS7 * PSS8) * L)    COUNT = COUNT + 1
0076      COUNT = COUNT + 1
0077      COUNT = COUNT + 1
      THE FILE IS CREATING AND WRITE TO THE OUTPUT FILE READFILE
0078      MF = TNS(2)
0079      PFACT(3*(L-1)) = PCX
      PFACT(17*(L-1)) =
0080
0081      DO K1 = 1, 75,
      PACT(K1) = 0
0082      DO L1 = 1, 15
      PACT(L1) = 0
0083      DO L1 = 1, 15
      PACT(L1) = 0
0084      DO L1 = 1, 15
      PACT(L1) = 0
0085      DO L1 = 1, 15
      PACT(L1) = 0
0086      DO L1 = 1, 15
      PACT(L1) = 0
0087      DO L1 = 1, 15
      PACT(L1) = 0
      THF EXTRACT CUSET, SET THE CURRENT FILE 1. THE READFILE
0088      READ(IPLAC, 67) THE CUSET FILE
0089      CALL IODE (180, II, YY)
0090      PACAY (61) = 1
0091      PACAY (62) = 1
0092      PACAY (63) = 1
      PACAY (61) = VAL(1)
      PACAY (62) = VAL(2)
      PACAY (63) = VAL(3)
      THE ASSOCIATIVE PACAY(S3) TO D1
      PACAY (53) = 0
      DO 110 L = 1, 15
      PACAY (111 + L) = VAL(111 + L)
110      DO 120 L = 1, 15
      PACAY (200 + L) = VAL(200 + L)
120      DO 130 L = 1, 15
      PACAY (L) = 1
130      DO 140 L = 1, 15
      PACAY (L) = VAL(L)
140      THE ABOVE FILE IS A OF NO ADDITION FOR SOIL LINES
      ADDEND ACT.
      CALL GETFILE (1000, 0)
      PFILE = 1
      ETC.
0094      THE ABOVE FILE IS A OF NO ADDITION FOR SOIL LINES
0095      ADDEND ACT.
      CALL GETFILE (1000, 0)
      PFILE = 1
      ETC.
0096
0097
0098
0099
0100
      WRT01430
      WRT01440
      WRT01450
      WRT01460
      WRT01470
      WRT01480
      WRT01490
      WRT01500
      WRT01510
      WRT01520
      WRT01530
      WRT01540
      WRT01550
      WRT01560
      WRT01570
      WRT01580
      WRT01590
      WRT01600
      WRT01610
      WRT01620
      WRT01630
      WRT01640
      WRT01650
      WRT01660
      WRT01670
      WRT01680
      WRT01690
      WRT01700
      WRT01710
      WRT01720
      WRT01730
      WRT01740
      WRT01750
      WRT01760
      WRT01770
      WRT01780
      WRT01790
      WRT01800
      WRT01810
      WRT01820
      WRT01830
      WRT01840
      WRT01850
      WRT01860
      WRT01870
      WRT01880
      WRT01890
      WRT01900
      WRT01910
      WRT01920
      WRT01930
      WRT01940
      WRT01950
      WRT01960

```

## FORTRAN IV G LF/LFL 21

FILE WRTHEF

PAGE 004

11/11/65

SYMBOL LOCATION

SYMBOL LOCATION SYMBOL LOCATION SYMBOL LOCATION

SYMBOL LOCATION / CHARTABLE / PRINTABLE / LITERAL / SYM SYMBOL LOCATION SYMBOL LOCATION

SYMBOL LOCATION CHARTABLE / PRINTABLE / LITERAL / SYM SYMBOL LOCATION SYMBOL LOCATION

SYMBOL LOCATION CHARTABLE / PRINTABLE / LITERAL / SYM SYMBOL LOCATION SYMBOL LOCATION

SYMBOL LOCATION CHARTABLE / PRINTABLE / LITERAL / SYM SYMBOL LOCATION SYMBOL LOCATION

SYMBOL LOCATION CHARTABLE / PRINTABLE / LITERAL / SYM SYMBOL LOCATION SYMBOL LOCATION

SYMBOL LOCATION CHARTABLE / PRINTABLE / LITERAL / SYM SYMBOL LOCATION SYMBOL LOCATION

OPTIONS IN EFFECT: HISTOGRAM SOURCE STATEMENT • LIFE CYCLE = 52  
 \*OPTIONS IN EFFECT: DATA STATEMENT • LIFE CYCLE = 52  
 \*STATISTICS: NO DIAGNOSTICS, SF, ERM

CARDS: NO

= 52

FORTRAN IV G LEVEL 21 PSSPAT PAGE 0001  
 FILE PSSPAT PAGE 0001  
 DATE = 8004 / LATE 3031 11/18/74  
 PAGE 0001  
 1001  
 1002  
 1003  
 1004  
 1005  
 1006  
 1007  
 1008  
 1009  
 1010  
 1011  
 1012  
 1013  
 1014  
 1015  
 1016  
 1017  
 1018  
 1019  
 1020  
 1021  
 1022  
 1023  
 1024  
 1025  
 1026  
 1027  
 1028  
 1029  
 1030  
 1031  
 1032  
 1033  
 1034  
 1035  
 1036  
 1037  
 1038  
 1039  
 1040  
 1041  
 1042  
 1043  
 1044  
 1045  
 1046  
 1047  
 1048  
 1049  
 1050

```

    1001 IF(LEN(ITEMP) .NE. 1) THEN
    1002   PRINT*, 'ITEMP IS NOT A CHARACTER'
    1003   PRINT*, 'IT IS', ITEMP
    1004   STOP
    1005   CALL LBL(1)
    1006   CALL LBL(2)
    1007   CALL LBL(3)
    1008   CALL LBL(4)
    1009   CALL LBL(5)
    1010   CALL LBL(6)
    1011   CALL LBL(7)
    1012   CALL LBL(8)
    1013   CALL LBL(9)
    1014   CALL LBL(10)
    1015   CALL LBL(11)
    1016   CALL LBL(12)
    1017   CALL LBL(13)
    1018   CALL LBL(14)
    1019   CALL LBL(15)
    1020   CALL LBL(16)
    1021   CALL LBL(17)
    1022   CALL LBL(18)
    1023   CALL LBL(19)
    1024   CALL LBL(20)
    1025   CALL LBL(21)
    1026   CALL LBL(22)
    1027   CALL LBL(23)
    1028   CALL LBL(24)
    1029   CALL LBL(25)
    1030   CALL LBL(26)
    1031   CALL LBL(27)
    1032   CALL LBL(28)
    1033   CALL LBL(29)
    1034   CALL LBL(30)
    1035   CALL LBL(31)
    1036   CALL LBL(32)
    1037   CALL LBL(33)
    1038   CALL LBL(34)
    1039   CALL LBL(35)
    1040   CALL LBL(36)
    1041   CALL LBL(37)
    1042   CALL LBL(38)
    1043   CALL LBL(39)
    1044   CALL LBL(40)
    1045   CALL LBL(41)
    1046   CALL LBL(42)
    1047   CALL LBL(43)
    1048   CALL LBL(44)
    1049   CALL LBL(45)
    1050
    1051 IF(LEN(ITEMP) .NE. 1) THEN
    1052   PRINT*, 'ITEMP IS NOT A CHARACTER'
    1053   PRINT*, 'IT IS', ITEMP
    1054   STOP
    1055   CALL LBL(1)
    1056   CALL LBL(2)
    1057   CALL LBL(3)
    1058   CALL LBL(4)
    1059   CALL LBL(5)
    1060   CALL LBL(6)
    1061   CALL LBL(7)
    1062   CALL LBL(8)
    1063   CALL LBL(9)
    1064   CALL LBL(10)
    1065   CALL LBL(11)
    1066   CALL LBL(12)
    1067   CALL LBL(13)
    1068   CALL LBL(14)
    1069   CALL LBL(15)
    1070   CALL LBL(16)
    1071   CALL LBL(17)
    1072   CALL LBL(18)
    1073   CALL LBL(19)
    1074   CALL LBL(20)
    1075   CALL LBL(21)
    1076   CALL LBL(22)
    1077   CALL LBL(23)
    1078   CALL LBL(24)
    1079   CALL LBL(25)
    1080   CALL LBL(26)
    1081   CALL LBL(27)
    1082   CALL LBL(28)
    1083   CALL LBL(29)
    1084   CALL LBL(30)
    1085   CALL LBL(31)
    1086   CALL LBL(32)
    1087   CALL LBL(33)
    1088   CALL LBL(34)
    1089   CALL LBL(35)
    1090   CALL LBL(36)
    1091   CALL LBL(37)
    1092   CALL LBL(38)
    1093   CALL LBL(39)
    1094   CALL LBL(40)
    1095   CALL LBL(41)
    1096   CALL LBL(42)
    1097   CALL LBL(43)
    1098   CALL LBL(44)
    1099   CALL LBL(45)
    1100   CALL LBL(46)
    1101
    1102
    1103
    1104
    1105
    1106
    1107
    1108
    1109
    1110
    1111
    1112
    1113
    1114
    1115
    1116
    1117
    1118
    1119
    1120
    1121
    1122
    1123
    1124
    1125
    1126
    1127
    1128
    1129
    1130
    1131
    1132
    1133
    1134
    1135
    1136
    1137
    1138
    1139
    1140
    1141
    1142
    1143
    1144
    1145
    1146
    1147
    1148
    1149
    1150
  
```



FNUPTD4 IV 6 LEVEL 21

FILE PSPDAT

11/16/24

PAGE 0003

IF(J>0,F0,A0,K0) 110  
CALL X21(J,K0,110,110,110)  
A0=F0\*(J-K0)/K0  
IF(I>STAT,PR,1),5 T0  
I-C=LOC-1  
IF(I>C,GT,110 T0 20  
I>A = 1  
C,I,T,LNE  
DO 130 K=1,L,CIT  
TF(0,(J-1)\*L+K,10 130  
R0=FLG(0,110)  
DO 130 J=1,JFR,1  
A0=TF(J,K)=A0-(J,K)/R0  
IF(CS(J,K)=Z0(J,K)=DAN(J,K)/R0  
CS(J,K)=Z0(J,K)=((AVP(J,K)/R0)-DAN(J,K))/R0  
IF(U000\*L000,0.0001)V00=0.0001  
ST0F0(J,K)=S0\*ST0(J,K)  
T0=(J00-A0\*L00\*A0)V00  
ST0F0(J,K)=T0  
C01T0U0  
F00  
130  
1122  
1123  
1124  
1125  
1126  
1127  
1128  
1129  
1130  
1131  
1132  
1133  
1134  
1135  
1136  
1137  
1138  
1139  
1140  
1141  
1142  
1143  
1144



11/11/11 11:11:11 PM PAGE 001



PAGE 0003

FORTRAN IV LEVEL 21

FILE COVAT

```
0102      AN COMPUTE
          SF(1,2,3)
0103      90 FORMAT(//, COVARIANCE MATRIX FOR CLUSTERS•14/)
0104      100 FORMAT(1X,12F0.2)
0105      110 FORMAT(//)
0106      120 FORMAT(1H1)
0107      130 FORMAT(1X,12(12.1)•3X)
0108      140 FORMAT(1X,12(12.1)•3X)
0109      150 FORMAT(1X, COVARIANCES FOR CLUSTERS•2X•34//)
          END
```

10/43/51

COMPUTER / LHS 3151

COV01430

COV01440

COV01450

COV01460

COV01470

COV01480

COV01490

COV01500

COV01510

PAGE 0004  
FORTNIGHTLY COPYCAT  
FORTNIGHTLY COPYCAT  
FORTNIGHTLY COPYCAT  
FORTNIGHTLY COPYCAT  
FORTNIGHTLY COPYCAT

بِرْلَانْد ۳۰۳۱

卷之三

三  
七  
七

FORTRAN IV GLEVFL 21

CNVPAT

11/43/51

FILE CNVPAT

11/43/51

\*STATISTICS\* NO DIAGNOSTICS (FREQUENT)

PAGE 0005

	LINE	NUMBER / LINE	FORMAT = 801/0	12/43/25
0001	1	SUBROUTINE L1F (IA, NC)		
	2	THIS SUBROUTINE IS FOR COMPUTATION OF THE CURRENT STATE ( FIRST EX HNLF 17, 19H6 )		
	3	AND CALLS IT TO A 3 HYPERGEOMETRIC FUNCTION ( F345 EX HNLF 17, 17 AG ).		
	4	LOGICAL = 1	ENDIF (0) • ENDIF (1) • ENDIF (2) • ENDIF (3) • ENDIF (4) •	
	5	CALL GETDATA (DATF)		
	6	F0 = AI (3A8)		
	7	F1 = AI (3A8)		
	8	F2 = AI (3A8)		
	9	F3 = AI (5A12)		
	10	F4 = AI (5A12)		
	11	CALL IMLT (MLT (1))		
	12	MLT = DATF (4)		
	13	NC = DATF (5)		
	14	AG = DATF (6)		
	15	TRIG = DATF (7)		
	16	END		
	17	1010010		
	18	1010020		
	19	1010030		
	20	1010040		
	21	1010050		
	22	1010060		
	23	1010070		
	24	1010080		
	25	1010090		
	26	10100A0		
	27	10100B0		
	28	10100C0		
	29	10100D0		
	30	10100E0		
	31	10100F0		
	32	1010100		
	33	1010110		
	34	1010120		
	35	1010130		
	36	1010140		
	37	1010150		
	38	1010160		
	39	1010170		
	40	1010180		
	41	1010190		
	42	1010200		
	43	1010210		
	44	1010220		
	45	1010230		
	46	1010240		

- FORTRAN IV G LEVEL

21

1111  
PRINT / LOC 341

12/4 4725

PAGE 0002

FILE STATE

SYMBOL	LOCATION	SYMBOL	LOCATION	SYMBOL	LOCATION	SYMBOL	LOCATION
STATEDATE	SYMBOL INCONDE	SYMBOL LOCATN	SYMBOL INCONDE	SYMBOL LOCATN	SYMBOL LOCATN	SYMBOL	LOCATION
SYMBOL	LOCATION	SYMBOL INCONDE	SYMBOL LOCATN	SYMBOL LOCATN	SYMBOL LOCATN	SYMBOL	LOCATION
SYMBOL	LOCATION	SYMBOL INCONDE	SYMBOL LOCATN	SYMBOL LOCATN	SYMBOL LOCATN	SYMBOL	LOCATION
SYMBOL	LOCATION	SYMBOL INCONDE	SYMBOL LOCATN	SYMBOL LOCATN	SYMBOL LOCATN	SYMBOL	LOCATION
SYMBOL	LOCATION	SYMBOL INCONDE	SYMBOL LOCATN	SYMBOL LOCATN	SYMBOL LOCATN	SYMBOL	LOCATION
SYMBOL	LOCATION	SYMBOL INCONDE	SYMBOL LOCATN	SYMBOL LOCATN	SYMBOL LOCATN	SYMBOL	LOCATION
SYMBOL	LOCATION	SYMBOL INCONDE	SYMBOL LOCATN	SYMBOL LOCATN	SYMBOL LOCATN	SYMBOL	LOCATION

\*OPTIONS IN EFFECT\*    IN, E, CUD, SOURCE, NAME, INT, OFCK, MNL, DAI, GAO  
\*OPTIONS IN EFFECT\*    NAME = INT \* LINE = 75  
\*STATISTICS\*    SOURCE STATEMENTS = \* LINE = 75 \* PROGRAM SITE = 75  
\*STATISTICS\*    NO DIAGNOSTICS \* DATE = 424

ESTATE AND INCOME TAXES 21

卷之三

11/51/12

PAGE - 001

FIFTH MONTH

PUBLISHER / APRIL 2011

ပုဂ္ဂနိုင် / အေဒီ ၂၀၁၈

C . SUBJECTIVE TEST DATA • I  
 C THIS SUBJECTIVE TEST CHANGES THE MUSICAL FORM ALPHABET TO  
 C NUMEROUS CHARACTERISTICS.  
 C  
 0002 DATA TEST (1) 1 MAY 1964  
 0003 DATA TEST (1) 1 JULY 1964  
 C  
 0004 DATA TEST (1) = 1.12  
 C DATA TEST (1) 20  
 C DATA TEST (1) 45  
 C  
 0005 DATA TEST (1) 20  
 0006 DATA TEST (1) 45  
 0007 DATA TEST (1) 45  
 0008 DATA TEST (1) 45  
 0009 DATA TEST (1) 45  
 0010 DATA TEST (1) 45

- FORTRAN IV 6 LEVEL 21  
 FILE IMONTH  
 SYMBOL LOCATION      SYMBOL LOCATION      SYMBOL LOCATION  
 IFCOM#      SYMBOL LOCATION      SYMBOL LOCATION      SYMBOL LOCATION  
 SYMBOL LOCATION      SYMBOL LOCATION      SYMBOL LOCATION  
 I      SYMBOL LOCATION      SYMBOL LOCATION      SYMBOL LOCATION  
 SYMBOL LOCATION      SYMBOL LOCATION      SYMBOL LOCATION  
 TFS#      SYMBOL LOCATION      SYMBOL LOCATION      SYMBOL LOCATION  
 SYMBOL LOCATION      SYMBOL LOCATION      SYMBOL LOCATION  
 45      SYMBOL LOCATION      SYMBOL LOCATION      SYMBOL LOCATION

\*OPTIONS IN EFFECT\*      LD.FUNCLC.SOURCE=FILELIST,NO.CK,NO.LINENO,  
 \*OPTIONS IN EFFECT\*      NO.DIAGNOSTICS      SOURCE=FILELIST  
 \*STATISTICS\*      SOURCE=FILELIST      LD.FUNCLC=FILELIST  
 \*STATISTICS\*      NO.DIAGNOSTICS      SOURCE=FILELIST

ORIGINAL PAGE IS  
OF POOR QUALITY