

TM-85835/v.2

NASA Technical Memorandum 85835

NASA-TM-85835-VOL-2  
19850004214

**GASP Cloud- and Particle-Encounter  
Statistics, and Their Application  
to LFC Aircraft Studies**

*Volume II: Appendixes*

ON CONVERGENCE

~~NOT TO BE TAKEN FROM THIS BOOK~~

William H. Jasperson, Gregory D. Nastrom,  
Richard E. Davis, and James D. Holdeman

OCTOBER 1984

10/23/84  
LRC LIBRARY

10/23/84

LANGLEY RESEARCH CENTER  
LIBRARY, NASA  
HAMPTON, VIRGINIA





NASA Technical Memorandum 85835

# GASP Cloud- and Particle-Encounter Statistics, and Their Application to LFC Aircraft Studies

*Volume II: Appendixes*

William H. Jasperson and Gregory D. Nastrom

*Control Data Corporation  
Minneapolis, Minnesota*

Richard E. Davis

*Langley Research Center  
Hampton, Virginia*

James D. Holdeman

*Lewis Research Center  
Cleveland, Ohio*



National Aeronautics  
and Space Administration

Scientific and Technical  
Information Branch

1984



## CONTENTS

### VOLUME I

SUMMARY .....	1
INTRODUCTION .....	1
SYMBOLS AND ABBREVIATIONS .....	2
DATA .....	4
CLOUD-ENCOUNTER ANALYSIS .....	8
Relation to Global Circulation Features .....	9
Cloudiness and Relative Vorticity .....	10
Cloudiness, Temperature, and Ozone .....	12
PARTICLE-CONCENTRATION ANALYSIS .....	13
Concentrations in Clear and Cloudy Air .....	13
Application of GASP Particle-Concentration Data to LFC Aircraft Studies .....	14
APPLICATION OF GASP CLOUD-ENCOUNTER DATA TO AIRLINE ROUTE STUDIES .....	16
Overall Results .....	16
Results Analyzed With Respect to Altitude .....	17
Results Analyzed With Respect to Distance From the Tropopause .....	19
Results Derived Directly From Route Statistics .....	20
Empirical Model .....	20
EFFECT OF CLOUDS ON LFC .....	22
CONCLUSIONS .....	22
REFERENCES .....	25
TABLES .....	29
FIGURES .....	54

VOLUME II

SUMMARY .....	1
APPENDIX A - GASP CLOUD AND PARTICLE INSTRUMENTATION .....	2
APPENDIX B - INDIVIDUAL FLIGHT SUMMARIES .....	3
APPENDIX C - INDEPENDENCE OF CLOUD OBSERVATION PERIODS .....	142
APPENDIX D - CLOUD-ENCOUNTER STATISTICS AS FUNCTIONS OF LATITUDE, LONGITUDE, NORTHERN HEMISPHERE SEASON, AND ALTITUDE .....	147
APPENDIX E - CLOUD-ENCOUNTER STATISTICS AS FUNCTIONS OF LATITUDE, LONGITUDE, NORTHERN HEMISPHERE SEASON, AND DISTANCE FROM THE NMC TROPOPAUSE .....	177

## SUMMARY

Summary statistics, tabulations, and variability studies are presented for the entire cloud observation archive - nearly 88 000 samples - from the NASA Global Atmospheric Sampling Program (GASP), which was conducted from 1975 to 1979 aboard four commercial airliners in regular service. Summary statistics, tabulations, and variability studies are also presented for GASP particle-concentration data - nearly 56 000 samples - gathered concurrently with the cloud observations. Clouds were encountered in about 15 percent of the data samples, but the probability of cloud encounter is shown to vary significantly with altitude, latitude, and distance from the tropopause, and less significantly with season. Several meteorological circulation features, such as the Intertropical Convergence Zone, are apparent in the latitudinal distribution of cloud cover. The cloud-encounter statistics are shown to be consistent with the classical mid-latitude cyclone model, with more clouds encountered in the upper troposphere in highs than in lows. Observations of clouds spaced more closely than 90 minutes of flight time are shown to be statistically dependent.

The number density of particles with a diameter greater than 3  $\mu\text{m}$  also varies with time and location. It depends primarily on the horizontal extent of cloudiness, that is, the portion of each sampling interval that is spent within clouds. Thus, the variability of time in clouds and the variability of particle number density are closely related.

The summary statistics for cloud and particle encounter are utilized to estimate the frequency of cloud encounter on long-range commercial transport routes and to assess the probability and extent of laminar flow (LF) loss due to cloud or particle encounter by aircraft utilizing laminar flow control (LFC). The observations of route-averaged time in clouds are found to fit an empirical model based on a gamma probability density function; this model can be used to estimate the probability of extended cloud encounter along a route. The analysis in this report shows that the probability of LF loss in clear air is negligible and that the probability of extended cloud encounter, and associated significant loss of LF, is too low, of itself, to make LFC impractical.

For user convenience, this report is presented in two volumes. Volume I contains the narrative, analysis, and conclusions. Volume II is composed of five appendices, as follows: A - GASP Cloud and Particle Instrumentation; B - Individual Flight Summaries; C - Independence of Cloud Observation Periods; D - Cloud-Encounter Statistics as Functions of Latitude, Longitude, Northern Hemisphere Season, and Altitude; and E - Cloud-Encounter Statistics as Functions of Latitude, Longitude, Northern Hemisphere Season, and Distance From the National Meteorological Center (NMC) Tropopause.

## APPENDIX A

### GASP CLOUD AND PARTICLE INSTRUMENTATION

GASP cloud and particle data were obtained with a particle counter (Royco Instruments, Inc., model number 245), which used a forward light-scattering technique to measure the number of airborne particles larger than  $0.3 \mu\text{m}$  in diameter. The operation was similar to that of the unit described in reference 33 (Vol. I.). As the air sample containing particles passed through the sensor, it was illuminated by a light beam, and light scattered by the particles in a forward direction was detected by a photomultiplier tube. The sensor thus operated at night as well as in day. Under normal operating conditions, each particle caused a pulse in the photomultiplier output. The particle concentration was determined by counting the number of output pulses during the counting period and then dividing that number by the corresponding sample volume flow during the same period, corrected to altitude-ambient conditions. Particle-counter volumetric flow rate was approximately 30 liters per minute and the counting period was normally 1 minute.

The particle count accumulated during the sampling period was separated (within the instrument) into five particle-diameter ranges -  $0.3$  to  $0.45 \mu\text{m}$ ,  $0.45$  to  $0.65 \mu\text{m}$ ,  $0.65$  to  $1.4 \mu\text{m}$ ,  $1.4$  to  $3.0 \mu\text{m}$ , and  $>3.0 \mu\text{m}$  - based on the amplitude of the pulse. Each instrument was calibrated by the manufacturer for particle-size detection. An aerosol generator and latex particles were used at NASA Lewis Research Center to check each instrument.

The GASP particle counters had two discrete output signals to indicate proper flight operation. One of these indicated that the light source had remained on during the full counting period, and the second verified that the automatic-gain adjustment was completed prior to each counting cycle. The sample flow rate through the sensing unit was measured with a choked venturi.

During laboratory evaluation of a flight-test prototype of this instrument, it was found that the sample volume was not receiving uniform illumination. This resulted in a substantial ambiguity in the number and sizes of particles counted. (See ref. 34, Vol. I.) A detailed mapping of the sample-volume light field was not made for any of the instruments flown on GASP airliners, nor has any attempt been made to correct or normalize the data. The particle number density data reported herein are subject to variations between instruments due to differences in sample-volume illumination. These differences may be on the order of +300 percent to -70 percent ( $\pm 1/2$  cycle) in particle count. (See refs. 28 to 33, Vol. I.)

## APPENDIX B

### INDIVIDUAL FLIGHT SUMMARIES

DEP - airport of departure

ARR - airport of arrival

IM/ID/IY - date of departure (month/day/year)

Note: \* following date means departure and arrival airports are reversed for the flight.

CODE: XYZ

<u>X = Aircraft code</u>	<u>Y = Particle counter code</u>	<u>Z = Moisture sensor code</u>
A = PANAM (N533PA)	A = #3	A = Aluminum oxide
B = PANAM (N655PA)	B = #4	B = Chilled mirror
C = UAL (N4711U)	C = #6	
D = QANTAS (VH-EBE)	D = #7	

AVFL - average flight altitude, kft

EXHI - highest flight altitude, kft

EXLO - lowest flight altitude, kft

ALAT - average latitude (positive for degrees N, negative for degrees S)

EXTN - northernmost data point (degrees latitude)

EXTS - southernmost data point (degrees latitude)

FLT TOT - includes all data on flight

IN CLR - in clear air, only observation periods with time in cloud equal to zero

NOT CLR - only observation periods with time in cloud greater than zero

NUMBER OF OBS - CLD - cloud-encounter data not missing

PD5 - cloud-encounter data not missing and particle density  
data present

OZ - cloud-encounter data not missing and ozone data present

H2O - cloud-encounter data not missing and water vapor data  
present

H2S - relative humidity equals 100 percent

## APPENDIX B

AVERAGES FOR THE FLIGHT - %TIC      - average percentage of time in cloud per data sample  
PATCHES      - average number of cloud patches per data sample  
PD5      - average particle concentration or number density, if available (particles/m<sup>3</sup>)  
OZ      - average ozone mixing ratio (parts per billion by volume)  
RH      - average relative humidity, percent  
H2O      - average water vapor mixing ratio (parts per million by volume)

TROP N - when available, number of observation periods in the troposphere

STRAT N - when available, number of observation periods in the stratosphere

DEP-ARR	IM/ID/IY	CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT						TROP	STRAT	
									CLD	PD5	OZ	H2O	H2S	%TIC	PATCHES	PD5	OZ	RH	H2O	N					
<b>AKL-AKL</b>																									
5/24/78	ABB	324	331	268	-28	-23	-36		FLT	TOT:	12	12	6	4	0	0.0	0.0	0.0	.125E+02	41	33	59	12	0	
									IN	CLR:	12	0	6	0	0	0.0	0.0	0.0	.125E+02	41	33	59	12	0	
									NOT	CLR:	0	0	0	0	0	0.0	0.0	0.0	0.	0	0	0	0	0	
<b>AKL-CPT</b>																									
10/29/77 *	ABB	384	430	307	-64	-36	-88		FLT	TOT:	60	0	10	0	0	0.4	0.0	0.0	0.	425	465	0	0	9	51
									IN	CLR:	59	1	0	1	0	23.5	0.0	1.0	0.	64	0	0	0	1	0
									NOT	CLR:	1	0	1	0	0	0.0	0.0	0.0	0.						
<b>AKL-HNL</b>																									
11/13/78 *	BBB	336	351	247	-9	18	-36		FLT	TOT:	90	90	58	50	5	18.7	0.9	0.9	.443E+05	37	54	138	90	0	
									IN	CLR:	61	61	40	38	0	0.0	0.0	0.0	.406E+03	36	43	109	61	0	
									NOT	CLR:	29	29	18	12	5	58.0	2.9	2.9	.137E+06	39	38	229	29	0	
<b>AKL-LAX</b>																									
5/21/78 *	ABB	373	390	275	0	33	-35		FLT	TOT:	140	140	93	70	27	0.0	0.0	0.0	.428E+01	45	70	60	140	0	
									IN	CLR:	140	0	93	70	27	0.0	0.0	0.0	.428E+01	45	70	60	140	0	
									NOT	CLR:	0	0	0	0	0	0.0	0.0	0.0	0.						
5/22/78	ABB	391	412	293	0	32	-36		FLT	TOT:	129	129	83	74	38	0.0	0.0	0.0	.329E+02	81	81	50	123	6	
									IN	CLR:	129	129	83	74	38	0.0	0.0	0.0	.329E+02	81	81	50	123	0	
									NOT	CLR:	0	0	0	0	0	0.0	0.0	0.0	0.						
5/23/78 *	ABB	374	391	273	1	33	-35		FLT	TOT:	139	139	93	60	12	0.0	0.0	0.0	.573E+02	53	67	65	134	5	
									IN	CLR:	138	138	93	60	12	0.0	0.0	0.0	.575E+02	53	67	65	133	0	
									NOT	CLR:	1	1	0	0	0	0.4	1.0	1.0	.215E+02	0	0	0	0	1	
5/24/78	ABB	386	411	370	7	32	-18		FLT	TOT:	94	94	60	48	3	0.0	0.0	0.0	.631E+01	80	48	34	85	9	
									IN	CLR:	94	94	60	48	3	0.0	0.0	0.0	.631E+01	80	48	34	85	0	
									NOT	CLR:	0	0	0	0	0	0.0	0.0	0.0	0.						
<b>AKL-SFO</b>																									
1/ 1/77 *	AAA	386	410	270	1	37	-35		FLT	TOT:	140	0	91	115	36	5.4	4	0.	64	71	40	133	7		
									IN	CLR:	122	0	80	100	24	0.0	0.0	0.	70	67	39	115	0		
									NOT	CLR:	18	0	11	15	12	42.0	3.3	3.3	0.	24	99	44	118	7	
2/ 4/77	AAA	377	410	278	1	36	-35		FLT	TOT:	125	125	0	104	7	11.4	6	0.	104E+06	0	44	55	115	10	
									IN	CLR:	101	101	0	84	0	0.0	0.0	0.	.675E+02	0	34	38	91	0	
									NOT	CLR:	24	24	0	20	7	59.3	3.0	3.0	.540E+06	0	87	125	24	0	
3/31/77 *	AAA	383	390	263	-3	36	-9		FLT	TOT:	18	18	0	14	13	13.7	2.2	2.2	.106E+06	0	100	53	0	0	
									IN	CLR:	10	10	0	7	7	0.0	0.0	0.	.166E+03	0	99	52	0	0	
									NOT	CLR:	8	8	0	7	7	30.7	4.9	4.9	.238E+06	0	100	54	0	0	

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS		NUMBER OF OBS CLD PD5 0Z H20, H2S	AVERAGES FOR THE FLIGHT %TIC PATCHES PD5 0Z RH H20 TROP N STRAT N												
							FLT TOT:	141	141	91	0	0	6.1	.5	.188E+05	73	0	0	126
<b>AKL-SFG (CONT.)</b>																			
5/ 5/77 * AAA	376	392 1	37	239 -35	FLT TOT: IN CLR: NOT CLR:	141 115 26	141 115 26	91 77 14	0 0 0	0 0 0	6.1 0.0 32.9	.5 0.0 2.8	.188E+05 .124E+03 .101E+06	73 86 34	0 0 0	0 0 0	126 100 26	15 15 0	
5/ 6/77 AAA	381	410 5	37	257 -35	FLT TOT: IN CLR: NOT CLR:	128 102 26	128 102 26	85 68 17	0 0 0	0 0 0	5.7 0.0 27.9	.5 0.0 2.7	.143E+05 .275E+03 .692E+05	127 151 34	0 0 0	0 0 0	110 85 25	18 17 1	
5/19/77 * AAA	365	391 -2	36	234 -36	FLT TOT: IN CLR: NOT CLR:	58 45 13	58 45 13	31 24 7	0 0 0	0 0 0	8.8 0.0 39.3	.6 0.0 2.5	.827E+05 .365E+03 .368E+06	48 50 36	0 0 0	0 0 0	59 45 13	0 0 0	
5/20/77 AAA	368	410 -2	32	318 -35	FLT TOT: IN CLR: NOT CLR:	52 38 14	52 38 14	33 23 10	0 0 0	0 0 0	11.1 0.0 41.4	.9 0.0 3.4	.256E+05 .108E+03 .947E+05	48 50 43	0 0 0	0 0 0	50 36 14	220 0 0	
5/21/77 * AAA	376	391 -2	35	337 -35	FLT TOT: IN CLR: NOT CLR:	66 56 10	66 56 10	46 38 8	0 0 0	0 0 0	3.4 0.0 22.5	.6 0.0 3.8	.649E+05 .584E+02 .428E+06	52 54 45	0 0 0	0 0 0	66 56 10	0 0 0	
6/30/77 * ACA	370	392 1	37	240 -35	FLT TOT: IN CLR: NOT CLR:	136 103 33	0 0 0	0 0 0	0 0 0	0 0 0	12.4 0.0 51.0	0.0 0.0 0.0	0	0	0	0	0	136 103 33	
7/ 1/77 ACA	388	420 3	37	293 -35	FLT TOT: IN CLR: NOT CLR:	122 106 16	0 0 0	0 0 0	0 0 0	0 0 0	5.6 0.0 42.5	0.0 0.0 0.0	0	0	0	0	0	122 106 16	
7/ 2/77 * ACA	367	390 0	36	270 -36	FLT TOT: IN CLR: NOT CLR:	136 103 33	0 0 0	0 0 0	0 0 0	0 0 0	8.4 0.0 34.5	0.0 0.0 0.0	0	0	0	0	0	136 103 33	
9/29/77 * ABA	381	410 2	37	322 -35	FLT TOT: IN CLR: NOT CLR:	132 114 18	0 0 0	80 71 9	0 0 0	0 0 0	3.5 0.0 25.6	.4 0.0 3.3	0	47 49 26	0	0	0	122 104 18	
9/30/77 ABA	393	413 2	37	268 -35	FLT TOT: IN CLR: NOT CLR:	116 104 12	0 0 0	74 68 6	0 0 0	0 0 0	2.7 0.0 26.6	.2 0.0 1.8	0	59 60 41	0	0	0	105 94 11	
10/ 1/77 * ABA	373	390 -1	36	232 -36	FLT TOT: IN CLR: NOT CLR:	117 108 9	0 0 0	77 72 5	0 0 0	0 0 0	.7 0.0 8.6	.3 0.0 3.4	0	59 61 32	0	0	0	108 99 99	
10/30/77 ABB	393	410 0	34	315 -35	FLT TOT: IN CLR: NOT CLR:	46 35 11	0 0 0	2 20 0	0 0 0	0 0 0	7.7 0.0 32.4	.7 0.0 2.7	0	112 112 0	0	0	0	46 35 11	
12/16/76 * AAA	386	410 4	37	277 -33	FLT TOT: IN CLR: NOT CLR:	121 84 37	0 0 0	77 51 26	0 0 0	0 0 0	11.5 0.0 37.6	.6 0.0 1.9	0	50 64 24	0	0	0	121 84 37	

DEP-ARR	IM/ID/IY	CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	NUMBER OF OBS	CLD	PD5	0Z	H20, H2S	AVERAGES FOR THE FLIGHT	PD5	0Z	RH	H20	TROP N	STRAT N
---------	----------	------	------	------	------	------	------	------	---------------	-----	-----	----	----------	-------------------------	-----	----	----	-----	--------	---------

**AKL-SFO (CONT.)**

12/17/76	AAA	385 2	430 37	269 -35	FLT TOT:	126	0	81	0	0	3.4	0.0	0.	0.	57	0	0	0	112 96	14 14
				IN CLR:	110	0	71	0	0	27.2	0.0	2.6	0.	61	0	0	0	16	0	
				NOT CLR:	16	0	10	0	0					25					0	
12/18/76 *	AAA	366 1	390 37	282 -35	FLT TOT:	136	0	89	0	0	6.1	0.0	0.5	0.	58	0	0	0	136 110	0 0
				IN CLR:	110	0	71	0	0	32.0	0.0	2.4	0.	64	0	0	0	26	0	
				NOT CLR:	26	0	18	0	0					34					0	
12/23/76 *	AAA	377 1	430 37	250 -34	FLT TOT:	134	0	22	0	0	7.8	0.0	0.6	0.	91	0	0	0	121 99	13 13
				IN CLR:	112	0	21	0	0	47.3	0.0	3.4	0.	94	0	0	0	22	0	
				NOT CLR:	22	0	1	0	0					18					0	
12/24/76	AAA	387 6	410 37	330 -34	FLT TOT:	116	0	74	0	0	8.8	0.0	0.8	0.	45	0	0	0	116 81	0 0
				IN CLR:	81	0	53	0	0	29.3	0.0	2.6	0.	49	0	0	0	35	0	
				NOT CLR:	35	0	21	0	0					35					0	
12/25/76 *	AAA	391 0	450 37	235 -35	FLT TOT:	141	0	93	0	0	7.7	0.0	0.7	0.	63	0	0	0	141 100	0 0
				IN CLR:	100	0	65	0	0	26.3	0.0	2.4	0.	66	0	0	0	41	0	
				NOT CLR:	41	0	28	0	0					57					0	
12/30/76 *	AAA	379 1	414 37	259 -35	FLT TOT:	145	0	97	115	3	12.1	0.0	0.7	0.	63	54	35	32	140 97	550 43
				IN CLR:	102	0	68	79	1	40.7	0.0	0.0	0.	73	48	32	41	43	0	
				NOT CLR:	43	0	29	36	2					39	68	41	43		0	
12/31/76	AAA	385 2	412 37	197 -35	FLT TOT:	131	0	14	19	0	8.3	0.0	0.4	0.	80	72	71	71	121 96	100 25
				IN CLR:	106	0	13	18	0	43.2	0.0	2.1	0.	80	71	71	78		0	
				NOT CLR:	25	0	1	1	0					82	96				0	

APPENDIX B

**AKL-SYD**

1/ 1/77	AAA	416 -36	437 -34	276 -37	FLT TOT:	17	0	5	0	0	0.0	0.0	0.0	0.	176	0	0	0	17 0	0 0
				IN CLR:	17	0	5	0	0	0.0	0.0	0.0	0.	176	0	0	0		0	
				NOT CLR:	0	0	0	0	0										0	
2/ 3/77	AAA	386 -36	390 -34	326 -37	FLT TOT:	27	27	0	22	5	0.2	0.1	0.0	0.	123E+01	0	90	28	27	0
				IN CLR:	26	26	0	21	4	0.0	0.0	0.0	0.	128E+01	0	90	28	26	1	
				NOT CLR:	1	1	0	1	1	6.3	3.0	0.		0	100					
2/ 4/77 *	AAA	396 -36	410 -34	213 -37	FLT TOT:	25	25	0	20	8	1.3	0.2	0.0	0.	254E+04	0	90	85	17	88 0
				IN CLR:	22	22	0	18	8	0.0	0.0	0.0	0.	211E+05	0	88	649	14	3	
				NOT CLR:	3	3	0	2	0	10.6	2.0								0	
2/ 6/77 *	DDA	323 -36	330 -34	248 -37	FLT TOT:	23	23	16	0	0	3.4	0.0	0.7	0.	139E+05	65	0	0	23	0
				IN CLR:	18	18	14	0	0	0.0	0.0	0.0	0.	161E+02	69	0	0	18	0	
				NOT CLR:	5	5	2	0	0	15.6	3.0			637E+05	43	0	0	5	0	
2/ 6/77	DDA	308 -36	310 -34	272 -37	FLT TOT:	24	24	16	0	0	11.8	0.0	1.1	0.	151E+06	60	0	0	24	0
				IN CLR:	18	18	10	6	0	47.1	0.0	4.5	0.	565E+02	65	0	0	18	0	
				NOT CLR:	6	6	6	0	0					52	0	0	0		0	

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	FLT IN NOT CLR:	TOT: 21 20 1	TOT: 31 30 1	TOT: 19 19 0	TOT: 00 00 0	TOT: 00 00 0	NUMBER OF OBS CLOUDS PD5 OZ H2O, H2S	AVERAGES FOR THE FLIGHT %TIC PATCHES PD5				TROP N	STRAT N
												OZ	RH	H2O			
<b>AKL-SYD (CONT.)</b>																	
5/ 5/77	AAA	382 -36	391 -34	243 -37	FLT IN NOT CLR:	31 30 1	31 30 1	19 19 0	00 00 0	00 00 0	1.7 0.0 51.4	1 0 4.0	0. 0. 0.	89 89 0	0 0 0	18 17 1	13 13 0
5/ 6/77 *	AAA	400 -36	410 -34	281 -37	FLT IN NOT CLR:	21 20 1	21 20 1	13 13 0	00 00 0	00 00 0	0.0 0.0 0.8	0. 0. 1.0	315E+01 0. 662E+02	98 98 0	0 0 0	2 1 1	19 19 0
5/19/77	AAA	411 -36	430 -34	389 -37	FLT IN NOT CLR:	11 7 4	11 7 4	7 4 3	00 00 0	00 00 0	7.6 0.0 20.8	2.0 0.0 5.5	.183E+05 .290E+02 .502E+05	115 165 49	0 0 0	10 6 4	1 1 0
5/20/77 *	AAA	380 -36	410 -34	201 -37	FLT IN NOT CLR:	13 12 1	13 12 1	8 7 1	00 00 0	00 00 0	0.5 0.0 6.3	2. 0. 2.0	.492E+01 .533E+01 0.	119 133 21	0 0 0	13 12 1	0 0 0
5/21/77	AAA	382 -36	391 -34	281 -37	FLT IN NOT CLR:	14 14 0	14 14 0	4 4 0	00 00 0	00 00 0	0.0 0.0 0.0	0. 0. 0.	85 85 0	0 0 0	11 11 0	3 3 0	
5/21/78	ABB	423 -36	430 -34	305 -37	FLT IN NOT CLR:	27 27 0	27 27 0	17 17 0	9 9 0	00 00 0	0.0 0.0 0.0	0. 0. 0.	.534E+01 .534E+01 0.	183 183 0	41 41 0	36 36 0	11 10 0
5/22/78 *	ABB	405 -36	411 -34	321 -37	FLT IN NOT CLR:	22 22 0	22 22 0	12 12 0	5 5 0	00 00 0	0.0 0.0 0.0	0. 0. 0.	.663E+01 .663E+01 0.	207 207 0	30 30 0	26 26 0	22 20 0
5/24/78 *	ABB	405 -36	410 -34	332 -37	FLT IN NOT CLR:	20 20 0	20 20 0	11 11 0	4 4 0	00 00 0	0.0 0.0 0.0	0. 0. 0.	.543E+01 .543E+01 0.	257 257 0	9 9 0	7 7 0	11 10 0
6/30/77	ACA	422 -36	430 -34	364 -37	FLT IN NOT CLR:	29 29 0	0 0 0	0 0 0	0 0 0	00 00 0	0.0 0.0 0.0	0. 0. 0.	0. 0. 0.	0 0 0	0 0 0	11 10 0	28 28 0
7/ 1/77 *	ACA	361 -36	370 -34	244 -37	FLT IN NOT CLR:	21 21 0	0 0 0	0 0 0	0 0 0	00 00 0	0.0 0.0 0.0	0. 0. 0.	0. 0. 0.	0 0 0	0 0 0	5 5 0	16 16 0
7/ 2/77	ACA	423 -36	430 -34	324 -37	FLT IN NOT CLR:	26 25 1	0 0 0	0 0 0	0 0 0	00 00 0	0.0 0.0 0.4	0. 0. 0.	0. 0. 0.	0 0 0	0 0 0	11 10 0	25 24 1
9/29/77	ABA	369 -36	391 -34	245 -37	FLT IN NOT CLR:	21 20 1	0 0 0	13 12 1	0 0 0	00 00 0	0.0 0.0 0.4	0. 0. 1.0	0. 0. 0.	202 194 293	0 0 0	4 4 0	17 16 1
9/30/77 *	ABA	404 -36	412 -34	319 -37	FLT IN NOT CLR:	22 21 1	0 0 0	14 14 0	0 0 0	00 00 0	0.2 0.0 3.5	0. 0. 8.0	0. 0. 0.	152 152 0	0 0 0	11 10 0	21 20 1

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS						AVERAGES FOR %TIC PATCHES			THE FLIGHT PD5			TROP N	STRAT N
					CLD	PD5	0Z	H20, H2S	0Z	RH	H20	0Z	RH	H20	0Z	RH	H20	
<b>AKL-SYD (CONT.)</b>																		
10/ 1/77	ABA	404 -36	411 -34	327 -37	FLT IN NOT CLR:	27 25 0	0 16 1	0 0 0	0 0 0	1.6 0.0 22.2	.3 0.0 3.5	0. 0. 0.	327 324 379	0 0 0	0 0 0	21 1	25 24	
11/24/76 *	DDA	326 -36	330 -34	265 -37	FLT IN NOT CLR:	21 18 3	0 0 0	0 0 0	0 0 0	5.3 0.0 37.1	.8 0.0 5.7	0. 0. 0.	0 0 0	0 0 0	0 0 0	21 16 3	0 0	
11/25/76	DDA	372 -36	390 -34	307 -37	FLT IN NOT CLR:	28 28 0	0 0 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	0 0 0	0 0 0	0 0 0	24 24 0	440	
11/13/78	BBB	322 -36	330 -34	217 -37	FLT IN NOT CLR:	26 26 0	26 16 0	16 9 0	9 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	415E+02 415E+02	150 150	61 61	58 58	26 26 0	0 0
12/ 7/76	DDA	343 -36	350 -34	244 -37	FLT IN NOT CLR:	26 22 4	0 0 0	0 0 0	0 0 0	5.9 0.0 38.5	.7 0.0 4.3	0. 0. 0.	0 0 0	0 0 0	0 0 0	26 22 4	0 0 0	
12/ 7/76 *	DDA	326 -36	330 -34	263 -37	FLT IN NOT CLR:	21 17 4	0 0 0	0 0 0	0 0 0	6.6 0.0 34.9	1.0 0.0 5.0	0. 0. 0.	0 0 0	0 0 0	0 0 0	21 17 4	0 0 0	
12/ 8/76 *	DDA	325 -36	330 -34	235 -37	FLT IN NOT CLR:	21 12 9	0 0 0	0 0 0	0 0 0	8.3 0.0 19.3	1.0 0.0 2.4	0. 0. 0.	0 0 0	0 0 0	0 0 0	21 12 9	0 0 0	
12/ 8/76	DDA	338 -36	350 -34	236 -37	FLT IN NOT CLR:	25 19 16	0 0 0	0 0 0	0 0 0	23.4 0.0 36.6	2.4 0.0 3.8	0. 0. 0.	0 0 0	0 0 0	0 0 0	25 9 16	0 0 0	
12/15/76	DDA	342 -36	351 -33	230 -37	FLT IN NOT CLR:	27 17 10	0 0 0	0 0 0	0 0 0	23.9 0.0 64.5	1.1 0.0 2.9	0. 0. 0.	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	
12/15/76 *	DDA	326 -36	330 -34	266 -37	FLT IN NOT CLR:	21 20 1	0 0 0	0 0 0	0 0 0	.9 0.0 18.4	.1 0.0 3.0	0. 0. 0.	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	
12/16/76	AAA	423 -36	430 -34	340 -37	FLT IN NOT CLR:	27 25 2	0 0 0	15 14 1	0 0 0	0.5 0.0 6.1	.1 0.0 1.5	0. 0. 0.	149 153 89	0 0 0	0 0 0	25 23 2	200	
12/17/76 *	AAA	402 -36	409 -34	321 -37	FLT IN NOT CLR:	21 20 1	0 0 0	14 13 1	0 0 0	2.1 0.0 43.5	.0 0.0 1.0	0. 0. 0.	167 174 80	0 0 0	0 0 0	15 14 1	660	
12/18/76	AAA	393 -36	410 -34	232 -37	FLT IN NOT CLR:	29 29 0	0 0 0	19 19 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	267 267 0	0 0 0	0 0 0	4 4 0	25 25 0	

DEP-ARR IM>ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT			TROP N	STRAT N		
					CLD	PD5	OZ	H20, H2S	% TIC PATCHES	PD5	OZ	RH	H20				
<b>AKL-SYD (CONT.)</b>																	
12/23/76	AAA	419 -36	432 -34	312 -37	FLT IN NOT	TOT CLR:	23 21	0 0	0 0	0 0	0 0	2.4 0.0	.1 0.0	0 0	0 0	0 0	13 10 11 0
12/24/76 *	AAA	399 -36	410 -35	284 -37	FLT IN NOT	TOT CLR:	12 10	0 0	6 0	0 0	0 0	4.9 0.0	.3 0.0	0 0	179 179	0 0	8 4 6 0
12/25/76	AAA	421 -36	430 -34	281 -37	FLT IN NOT	TOT CLR:	28 28	0 0	16 0	22 22	1 0	0.0 0.0	0.0 0.0	0 0	121 121	63 63	42 28 42 0
12/27/76	DDA	309 -36	310 -34	274 -37	FLT IN NOT	TOT CLR:	27 16	0 0	0 0	0 0	0 0	19.6 0.0	1.4 0.0	0 0	0 0	0 0	27 27 16 0
12/27/76 *	DDA	324 -36	330 -34	248 -37	FLT IN NOT	TOT CLR:	23 16	0 0	0 0	0 0	0 0	14.4 0.0	1.0 0.0	0 0	0 0	0 0	23 23 16 0
12/30/76	AAA	417 -36	430 -34	201 -37	FLT IN NOT	TOT CLR:	28 28	0 0	15 0	21 21	1 0	0.0 0.0	0.0 0.0	0 0	314 314	47 47	18 18 18 0
12/31/76 *	AAA	362 -36	371 -34	207 -37	FLT IN NOT	TOT CLR:	24 24	0 0	16 0	20 20	4 4	0.0 0.0	0.0 0.0	0 0	175 175	65 65	35 35 35 0
<b>AMS-ATH</b>																	
1/20/77	DDA	306 46	331 52	199 39	FLT IN NOT	TOT CLR:	26 17	26 17	16 9	0 0	0 0	12.7 0.0	.7 0.0	.237E+05 108E+03	73 87	0 0	26 26 17 0
<b>AMS-BAH</b>																	
12/21/76	DDA	325 40	330 52	199 27	FLT IN NOT	TOT CLR:	57 50	0 0	0 0	0 0	0 0	4.8 0.0	.4 0.0	0 0	0 0	0 0	0 0 0 0
<b>ATH-BAH</b>																	
1/21/77	DDA	288 32	290 36	227 27	FLT IN NOT	TOT CLR:	34 34	34 34	22 0	0 0	0 0	0.0 0.0	0.0 0.0	.748E+02 .748E+02	69 69	0 0	34 34 34 0

DEP-ARR	IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	FLT IN NOT	TOT: CLR: CLR:	NUMBER OF OBS						AVERAGES FOR THE FLIGHT			TRCP N	STRAT N		
								CLD	PDS	GZ	H2D, H2S	% TIC PATCHES	PDS	GZ	RH	H2D				
<b>ATH-BEG</b>																				
8/19/76	*	DDA	319 41	330 43	264 39	FLT IN NOT	TOT: CLR: CLR:	8 7 1	0 0 0	4 4 0	0 0 0	8.8 0.0 70.2	0.9 0.0 7.0	0. 0. 0.	130 130 0	0 0 0	0 0 0	8 7 1	0 0 0	
8/19/76		DDA	299 42	310 44	271 40	FLT IN NOT	TOT: CLR: CLR:	6 5 1	0 0 0	2 1 1	0 0 0	.1 0.0 .4	0.2 0.0 1.0	0. 0. 0.	94 105 83	0 0 0	0 0 0	6 5 1	0 0 0	
<b>ATH-BGR</b>																				
11/ 9/78		BBB	320 47	370 50	286 39	FLT IN NOT	TOT: CLR: CLR:	96 76 20	96 76 20	49 36 13	52 43 9	4 2 2	8.4 0.0 40.2	0.4 0.0 2.0	.122E+05 .684E+02 .610E+05	48 53 34	48 42 78	46 40 77	96 76 20	0 0 0
<b>ATH-BKK</b>																				
8/22/76	*	DDA	334 25	350 37	223 14	FLT IN NOT	TOT: CLR: CLR:	102 82 20	0 0 0	65 54 11	0 0 0	8.9 0.0 45.1	0.6 0.0 3.3	0. 0. 0.	47 52 27	0 0 0	0 0 0	102 82 20	0 0 0	
8/23/76		DDA	327 24	370 36	247 14	FLT IN NOT	TOT: CLR: CLR:	104 .68 36	0 0 0	70 46 24	0 0 0	13.5 0.0 39.1	1.3 0.0 3.8	0. 0. 0.	43 50 30	0 0 0	0 0 0	104 68 36	0 0 0	
8/29/76	*	DDA	326 24	351 37	231 14	FLT IN NOT	TOT: CLR: CLR:	106 66 40	0 0 0	63 36 27	0 0 0	18.0 0.0 47.8	1.5 0.0 4.1	0. 0. 0.	33 42 21	0 0 0	0 0 0	106 66 40	0 0 0	
8/30/76		DDA	329 24	371 36	241 14	FLT IN NOT	TOT: CLR: CLR:	103 57 46	0 0 0	68 36 32	0 0 0	26.7 0.0 59.7	1.7 0.0 3.8	0. 0. 0.	39 51 25	0 0 0	0 0 0	103 57 46	0 0 0	
<b>ATH-DAM</b>																				
8/19/76	*	DDA	336 35	350 37	243 34	FLT IN NOT	TOT: CLR: CLR:	17 17 0	0 0 0	10 10 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	69 69 0	0 0 0	0 0 0	17 17 0	0 0 0	
12/ 5/76	*	DDA	334 35	350 37	199 34	FLT IN NOT	TOT: CLR: CLR:	19 13 16	0 0 0	0 0 0	0 0 0	43.3 0.0 51.4	3.2 0.0 3.8	0. 0. 0.	0 0 0	0 0 0	0 0 0	19 13 16	0 0 0	
<b>ATH-DEL</b>																				
8/19/76		DDA	306 32	331 36	243 28	FLT IN NOT	TOT: CLR: CLR:	59 59 0	0 0 0	36 36 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	62 62 0	0 0 0	0 0 0	59 59 0	0 0 0	

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	FLT IN NOT	TOT: CLR: CLR:	NUMBER OF OBS					AVERAGES FOR THE FLIGHT			TROP N	STRAT N			
							CLD	PD5	OZ	H2O, H2S	% TIC PATCHES	PD5	OZ	RH	H2O				
<b>ATH-FCG</b>																			
2/22/77	DDA	340 39	350 42	265 38	FLT IN NOT	TOT: CLR: CLR:	14 2 12	14 2 12	8 1 7	00 00 00	00 00 00	66.0 0.0 77.0	2.5 2.0 2.9	.166E+06 .323E+04 .193E+06	57 75 55	000 000 000	000 000 000	000 000 000	
8/10/76	DDA	297 39	310 41	195 38	FLT IN NOT	TOT: CLR: CLR:	11 1 0	00 0 0	7 7 0	00 00 00	00 0.0 0.0	0.0 0.0 0.0	0 0 0	0 0 0	900 900 900	000 000 000	11 11 0	000 000 000	
8/10/76 *	DDA	313 40	330 41	213 38	FLT IN NOT	TOT: CLR: CLR:	10 1 0	00 0 0	7 7 0	00 00 00	00 0.0 0.0	0.0 0.0 0.0	0 0 0	0 0 0	900 900 900	000 000 000	10 10 0	000 000 000	
8/15/76	DDA	330 39	351 41	221 38	FLT IN NOT	TOT: CLR: CLR:	12 1 0	00 0 0	7 7 0	00 00 00	00 0.0 0.0	0.0 0.0 0.0	0 0 0	0 0 0	8990 8990 8990	000 000 000	1NN 1NN 0	000 000 000	
8/15/76 *	DDA	313 40	330 41	232 38	FLT IN NOT	TOT: CLR: CLR:	10 6 4	00 0 0	6 4 2	00 00 00	00 23.4 23.4	9.4 0.0 0.0	0.7 0.0 1.8	0 0 0	5050 5050 5050	000 000 000	1064 1064 1064	000 000 000	
12/ 5/76 *	DDA	316 40	330 41	215 38	FLT IN NOT	TOT: CLR: CLR:	12 10 2	00 0 0	0 0 0	00 00 00	00 70.4 70.4	11.7 0.0 0.0	0.7 0.0 4.0	0 0 0	000 000 000	000 000 000	97 97 2	000 000 000	
12/ 5/76	DDA	301 39	310 42	207 38	FLT IN NOT	TOT: CLR: CLR:	14 8 6	00 0 0	0 0 0	00 00 00	00 56.5 56.5	24.2 0.0 0.0	1.9 0.0 4.5	0 0 0	000 000 000	000 000 000	14 14 6	000 000 000	
<b>ATH-JFK</b>																			
11/ 9/78 *	BBB	322 47	371 52	209 39	FLT IN NOT	TOT: CLR: CLR:	94 68 26	94 68 26	60 43 17	48 39 9	5 23 3	13.8 0.0 49.8	0.7 0.0 2.4	.406E+05 .951E+02 .147E+06	59 66 41	53 45 86	56 34 151	94 68 26	000
<b>ATH-LHR</b>																			
8/23/76	DDA	373 46	391 52	333 40	FLT IN NOT	TOT: CLR: CLR:	29 29 0	00 0 0	18 18 0	00 00 00	00 0.0 0.0	0.0 0.0 0.0	0 0 0	0 0 0	2100 2100 0	000 000 000	23 23 0	6 6 0	
8/23/76 *	DDA	363 46	370 51	325 39	FLT IN NOT	TOT: CLR: CLR:	28 28 0	00 0 0	19 19 0	00 00 00	00 0.0 0.0	0.0 0.0 0.0	0 0 0	0 0 0	1460 1460 0	000 000 000	17 17 0	11 11 0	
8/30/76	DDA	280 46	280 52	277 40	FLT IN NOT	TOT: CLR: CLR:	27 19 8	00 0 0	16 11 5	00 00 00	00 42.4 42.4	12.5 0.0 6.4	1.9 0.0 0.0	0 0 0	72 74 68	000 000 000	27 27 8	000 000 000	

DEP-ARR	IM/ID/IY	CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT				STRAT				
									CLD	PD5	OZ	H20, H2S	%TIC PATCHES	PD5	OZ	RH	H20						
<b>ATH-LHR (CONT.)</b>																							
8/30/76 *	DDA	364	371	274	39				FLT IN NOT	TOT CLR:	28 0	0 0	17 0	0 0	0 0	0.0 0.0	0.0 0.0	0.0 0.0	135 135	0 0	0 0	22 22	6 6
<b>ATH-THR</b>																							
2/22/77	DDA	326	330	265	34				FLT IN NOT	TOT CLR:	33 26	33 26	21 18	0 0	0 0	4.8 0.0	.4 0.0	.253E+05 .771E+02	99 109	0 0	0 0	0 0	0 0
2/22/77 *	DDA	347	349	294	34				FLT IN NOT	TOT CLR:	35 33	35 33	21 20	0 0	0 0	2.8 0.0	0.0 0.5	.810E+04 .203E+02	148 152	0 0	0 0	0 0	0 0
8/10/76 *	DDA	342	370	205	34				FLT IN NOT	TOT CLR:	33 33	0 0	21 21	0 0	0 0	0.0 0.0	0.0 0.0	0.0 0.0	55 55	0 0	0 0	33 33	0 0
8/11/76	DDA	327	330	262	34				FLT IN NOT	TOT CLR:	30 30	0 0	19 19	0 0	0 0	0.0 0.0	0.0 0.0	0.0 0.0	52 52	0 0	0 0	30 30	0 0
8/15/76	DDA	319	331	208	33				FLT IN NOT	TOT CLR:	31 31	0 0	19 19	0 0	0 0	0.0 0.0	0.0 0.0	0.0 0.0	58 58	0 0	0 0	31 31	0 0
8/15/76 *	DDA	346	351	263	33				FLT IN NOT	TOT CLR:	29 29	0 0	17 17	0 0	0 0	0.0 0.0	0.0 0.0	0.0 0.0	48 48	0 0	0 0	29 29	0 0
12/ 5/76	DDA	322	330	275	34				FLT IN NOT	TOT CLR:	28 10	0 0	0 0	0 0	0 0	36.8 0.0	2.1 0.0	0.0 0.0	0 0	0 0	0 0	28 10	0 0
											18	0	0	0	0	57.3 3.3	3.3 0.0	0.0 0.0	0 0	0 0	0 0	18	0 0
<b>BAH-BEG</b>																							
12/21/76	DDA	301	350	199	28				FLT IN NOT	TOT CLR:	44 33	0 0	0 0	0 0	0 0	4.9 0.0	1.0 0.0	0.0 0.0	0 0	0 0	0 0	0 0	0 0
											11	0	0	0	0	19.4 3.8	0.0 0.0	0.0 0.0	0 0	0 0	0 0	0 0	0 0
<b>BAH-BKK</b>																							
1/30/77 *	DDA	308	310	249	14				FLT IN NOT	TOT CLR:	58 50	58 50	20 14	0 0	0 0	4.2 0.0	.8 0.0	.302E+05 .754E+01	38 32	0 0	0 0	58 50	0 0
2/ 1/77	DDA	327	331	261	14				FLT IN NOT	TOT CLR:	62 62	62 62	40 40	0 0	0 0	0.0 0.0	0.0 0.0	.219E+06 .772E+01	53 42	0 0	0 0	62 62	0 0
											0	0	0	0	0	0.0 0.0	0.0 0.0	.772E+01 .772E+01	42 42	0 0	0 0	62 62	0 0

**APPENDIX B**

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER CLD	PDS	OZ	H2O, H2S	AVERAGES %TIC PATCHES	FOR THE FLIGHT PDS	OZ	RH	H2O	TROP N	STRAT N
---------------------	------	--------------	--------------	--------------	---------------	-----	----	----------	--------------------------	-----------------------	----	----	-----	-----------	------------

## BAH-BKK (CONT.)

2/13/77 * DDA	304 20	310 26	193 14	FLT IN NOT CLR:	66 2	64 2	41 1	0 0	0 0	1.0 0.0	.3 8.5	.140E+04 .436E+02	50 50	0 0	0 0	66 64	0 0
				TOT CLR:	64 2	64 2	40 1	0 0	0 0	33.9 0.0		.449E+05	16			2	
2/15/77 DDA	348 19	370 26	247 14	FLT IN NOT CLR:	63 0	63 0	41 0	0 0	0 0	0.0 0.0	0.0 0.0	.148E+02 .148E+02	47 47	0 0	0 0	63 63	0 0
				TOT CLR:	63 0	63 0	41 0	0 0	0 0	0.0 0.0	0.0 0.0		0			0	
11/21/76 * DDA	326 20	350 26	237 14	FLT IN NOT CLR:	64 5	59 0	0 0	0 0	0 0	3.3 0.0	.3 0.0	0.	0	0	0	0	64 59
				TOT CLR:	59 0	59 0	0 0	0 0	0 0	42.0 3.4						5	0
11/28/76 * DDA	307 20	310 26	211 14	FLT IN NOT CLR:	68 7	61 0	0 0	0 0	0 0	5.5 0.0	.4 0.0	0.	0	0	0	0	68 61
				TOT CLR:	61 0	61 0	0 0	0 0	0 0	53.7 3.6						7	0
11/30/76 DDA	301 19	330 25	240 14	FLT IN NOT CLR:	62 8	54 0	0 0	0 0	0 0	6.9 0.0	.5 0.0	0.	0	0	0	0	62 54
				TOT CLR:	54 0	54 0	0 0	0 0	0 0	53.4 3.9						8	0
12/30/76 DDA	331 19	370 25	264 14	FLT IN NOT CLR:	56 12	44 0	0 0	0 0	0 0	17.6 0.0	.5 0.0	0.	0	0	0	0	56 44
				TOT CLR:	44 0	44 0	0 0	0 0	0 0	82.1 2.5						12	0

## BAH-FRA

1/20/77 DDA	337 38	351 49	277 27	FLT IN NOT CLR:	63 9	63 9	41 6	0 0	0 0	7.0 0.0	.6 0.0	.781E+05 .636E+02	162 178	0 0	0 0	21 13	42 41
				TOT CLR:	54 9	54 9	35 6	0 0	0 0	49.3 4.3		.546E+06	70			8	1
1/31/77 * DDA	289 35	292 45	239 27	FLT IN NOT CLR:	42 8	42 8	24 5	0 0	0 0	9.7 0.0	.6 0.0	.351E+05 .324E+02	52 52	0 0	0 0	42 34	0 0
				TOT CLR:	34 8	34 8	19 5	0 0	0 0	51.0 3.0		.184E+06	52			8	
1/31/77 DDA	328 38	350 50	233 27	FLT IN NOT CLR:	66 6	66 6	37 3	0 0	0 0	2.1 0.0	.4 0.0	.786E+04 .313E+02	154 164	0 0	0 0	60 54	6 0
				TOT CLR:	60 6	60 6	34 3	0 0	0 0	22.6 4.5		.862E+05	40			6	
2/14/77 DDA	316 41	350 49	226 30	FLT IN NOT CLR:	43 13	43 13	14 4	0 0	0 0	7.0 0.0	1.1 0.0	.108E+06 .115E+03	245 314	0 0	0 0	33 20	10 0
				TOT CLR:	30 13	30 13	10 4	0 0	0 0	23.1 3.5		.355E+06	73			13	
2/14/77 * DDA	347 38	370 49	200 27	FLT IN NOT CLR:	59 6	59 6	30 3	0 0	0 0	4.4 0.0	.2 0.0	.111E+05 .445E+02	119 125	0 0	0 0	42 36	17 0
				TOT CLR:	53 6	53 6	27 3	0 0	0 0	42.9 1.7		.105E+06	59			6	
11/22/76 DDA	307 38	310 49	214 27	FLT IN NOT CLR:	59 18	0 0	0 0	0 0	0 0	9.8 0.0	1.3 0.0	0.	0	0	0	0	59 41
				TOT CLR:	41 18	0 0	0 0	0 0	0 0	32.1 4.3						18	0

DEP-ARR	IM/ID/IY	CODE	AVFL	EXHI	EXLQ	ALAT	EXTN	EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT			TRP N	STRAT N	
									CLD	PDS	0Z	H20, H2S	%TIC PATCHES	PDS	0Z	RH	H20			
<b>BAH-FRA (CONT.)</b>																				
11/29/76	DDA	325 37	350 49	254 27	FLT	TOT:	61	0	0	0	0	0	2.3	.3	0.	0	0	0	61 53 8	000
11/29/76 *	DDA	327 38	330 49	262 27	FLT	TOT:	46	0	0	0	0	0	2.1	.1	0.	0	0	0	46 43 3	000
12/29/76 *	DDA	314 38	330 49	251 27	FLT	TOT:	53	0	0	0	0	0	5.5	.2	0.	0	0	0	53 46 7	000
<b>BAH-JFK</b>																				
1/25/77 *	AAA	389 40	411 46	283 27	FLT	TOT:	120	120	37	100	7	14.6	.4	.574E+05	302	41	14	30 8	90 90 0	
1/26/77	AAA	359 46	429 57	200 27	FLT	TOT:	157	157	0	128	11	13.8	.7	.959E+05	0	44	33	62	95 92 3	
3/23/77	AAA	386 47	410 58	200 29	FLT	TOT:	134	134	92	113	1	0.6	.1	.191E+03	420	21	12	0	000	
5/23/77 *	AAA	384 41	410 48	214 27	FLT	TOT:	76	76	49	0	0	0.1	0.0	.991E+03	295	0	0	30 27	46 46 0	
5/25/77	AAA	377 44	410 54	194 28	FLT	TOT:	81	81	50	0	0	2.0	.2	.195E+05	348	0	0	34 31	47 46 1	
7/11/77 *	ACA	394 42	411 48	278 28	FLT	TOT:	100	100	67	0	0	6.7	0.0	.124E+05	200	0	0	9 0	000	
7/12/77	ACA	382 46	430 55	203 27	FLT	TOT:	138	138	90	0	0	1.5	0.0	.231E+04	257	0	0	85 83	53 51 2	
8/23/77 *	ABA	397 43	411 50	286 28	FLT	TOT:	119	119	81	0	0	0.6	.2	.351E+04	155	0	0	75 72	44 43 1	
8/24/77	ABA	386 46	430 57	246 27	FLT	TOT:	145	145	95	0	0	0.0	0.0	.341E+02	220	0	0	50 50	95 95 0	

APPENDIX B

DEP-ARR IM/DY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT					TROP N	STRAT N	
					CLD	PD5	0Z	H20, H2S	% TIC PATCHES	PD5	0Z	RH	H20							
<b>BAH-KUL</b>																				
1/19/77 * DDA	338	350	222	3	FLT IN NOT	TOT CLR:	79	79	49	0	0	0.0	0.0	0.0	142E+02	58	0	00	79 79 0	000
	12	25	22	3	CLR:	79	79	49	0	0	0	0.0	0.0	0.0	142E+02	58	0	00	00	000
12/20/76 * DDA	313	350	237	4	FLT IN NOT	TOT CLR:	77	0	0	0	0	10.5	0.7	0.	0.	0	0	00	00	000
	16	26	23	4	CLR:	60	0	0	0	0	0	0.0	0.0	0.0	0.	0	0	00	00	000
12/22/76 DDA	325	330	253	4	FLT IN NOT	TOT CLR:	69	0	0	0	0	17.8	1.3	0.	0.	0	0	00	00	000
	15	25	25	4	CLR:	45	0	0	0	0	0	0.0	0.0	0.0	0.	0	0	00	00	000
<b>BAH-SIN</b>																				
1/21/77 DDA	317	331	287	2	FLT IN NOT	TOT CLR:	70	70	47	0	0	1.7	0.3	0.0	364E+02	57	0	00	70 64 6	000
	14	25	28	2	CLR:	64	64	44	3	0	0	19.5	3.0	3.0	212E+02	59	0	00	00	000
<b>BEG-LHR</b>																				
12/21/76 DDA	280	280	273	45	FLT IN NOT	TOT CLR:	20	0	0	0	0	18.6	1.6	0.	0.	0	0	00	00	000
	49	52	27	45	CLR:	14	0	0	0	0	0	0.0	0.0	0.0	0.	0	0	00	00	000
<b>BEG-ORY</b>																				
8/19/76 DDA	324	351	205	45	FLT IN NOT	TOT CLR:	16	0	10	0	0	12.1	.8	0.	0.	150	0	00	16 11 5	000
	47	48	20	45	CLR:	11	0	7	0	0	0	0.0	0.0	0.0	0.	173	0	00	00	000
8/19/76 * DDA	328	331	289	45	FLT IN NOT	TOT CLR:	15	0	9	0	0	0.0	0.0	0.0	0.	81	0	00	15 15 0	000
	47	48	28	45	CLR:	15	0	9	0	0	0	0.0	0.0	0.0	0.	81	0	00	00	000
<b>BGR-LAX</b>																				
11/10/78 BBB	343	350	210	34	FLT IN NOT	TOT CLR:	58	58	36	32	1	9.7	1.3	0.	212E+05	37	49	53	58 44 14	000
	39	44	21	34	CLR:	44	44	29	24	1	0	0.0	0.0	0.0	0.	38	41	35	44	000
12/14/78 BBB	343	349	290	35	FLT IN NOT	TOT CLR:	54	54	35	28	0	0.0	0.0	0.0	109E+02	189	37	24	28 28 0	26 26 0
	42	46	29	35	CLR:	54	54	35	28	0	0	0.0	0.0	0.0	0.	189	37	24	28 28 0	26 26 0

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXL0 EXTS	CLD	NUMBER OF OBS	PDS	0Z	H20, H2S	AVERAGES FOR THE FLIGHT PDS	0Z	RH	H20	TROP N	STRAT N	APPENDIX B			
<b>BGR-LPA</b>																			
12/13/78 * BBB	292	310	219	29	FLT IN NOT	TOT CLR:	70 50 20	70 50 20	41 26 15	33 27 6	7 2 5	16.6 0.0 58.0	1.0 0.0 3.7	.879E+05 .245E+02 .307E+06	41 43 39	56 48 93	125 108 203	70 50 20	0 0 0
<b>BKK-BOM</b>																			
5/24/79 * BDB	363	371	290	14	FLT IN NOT	TOT CLR:	36 26 10	36 26 10	22 15 7	20 15 5	2 2	7.9 0.0 28.4	1.1 0.0 4.0	.117E+06 .113E+04 .419E+06	65 68 58	47 40 67	96 82 138	36 26 10	0 0 0
<b>BKK-DAM</b>																			
8/18/76 DDA	311	351	209	16	FLT IN NOT	TOT CLR:	82 64 18	0 0 0	55 41 14	0 0 0	0 0 0	4.6 0.0 21.2	0.5 0.0 2.5	0 0 0	38 42 28	0 0 0	0 0 0	82 64 18	0 0 0
12/ 4/76 DDA	313	350	236	16	FLT IN NOT	TOT CLR:	94 94 0	0 0 0	0 0 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0 0 0	0 0 0	0 0 0	0 0 0	94 94 0	0 0 0
<b>BKK-DEL</b>																			
1/23/76 BBA	337	351	212	15	FLT IN NOT	TOT CLR:	22 18 4	0 0 0	22 18 4	0 0 0	0 0 0	7.6 0.0 41.7	0.6 3.5 0.	0 0 0	36 36 35	0 0 0	0 0 0	22 18 4	0 0 0
3/19/76 BBA	336	351	209	15	FLT IN NOT	TOT CLR:	24 20 4	0 0 0	24 20 4	0 0 0	0 0 0	4.3 0.0 26.0	0.5 0.0 2.6	0 0 0	58 59 50	0 0 0	0 0 0	24 20 4	0 0 0
3/24/76 * BBA	360	371	219	15	FLT IN NOT	TOT CLR:	21 20 1	0 0 0	21 20 1	0 0 0	0 0 0	0.3 0.0 5.9	0.6 0.0 12.0	0 0 0	73 72 97	0 0 0	0 0 0	21 20 1	0 0 0
4/20/76 * BBA	376	411	209	14	FLT IN NOT	TOT CLR:	23 23 0	0 0 0	23 23 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0 0 0	98 98 0	0 0 0	0 0 0	23 23 0	0 0 0
8/20/76 * DDA	321	331	251	15	FLT IN NOT	TOT CLR:	35 17 18	0 0 0	23 7 16	0 0 0	0 0 0	14.4 0.0 27.9	1.7 0.0 3.3	0 0 0	34 31 35	0 0 0	0 0 0	35 17 18	0 0 0
9/ 6/76 BBA	342	353	246	15	FLT IN NOT	TOT CLR:	33 33 0	0 0 0	19 0 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0 0 0	40 40 0	0 0 0	0 0 0	33 33 0	0 0 0
10/12/77 * BCB	362	371	217	14	FLT IN NOT	TOT CLR:	31 27 4	31 27 4	0 0 0	0 0 0	0 0 0	1.5 0.0 11.8	0.0 0.0 0.0	.326E+04 .209E+02 .251E+05	0 0 0	0 0 0	0 0 0	31 27 4	0 0 0

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT				TROP N	STRAT N	
					CLD	PD5	OZ	H2O, H2S	% TIC PATCHES	PDS	OZ	RH	H2O						
<b>BKK-DEL (CONT.)</b>																			
12/ 8/78 *	BBB	358 21	370 28	258 15	FLT IN NOT	TOT CLR:	32 27	32 5	13 10	13 10	3 3	4.5 0.0	.5 0.0	.145E+05 .314E+02 .927E+05	61 50 64	58 46 100	55 41 102	32 27	0 0
<b>BKK-DRW</b>																			
8/18/76 *	DDA	333 -1	350 12	249 -11	FLT IN NOT	TOT CLR:	56 43	0 0	36 28	0 3	0 0	11.9 0.0	.7 0.0	0. 0.	21 21 18	0 0 0	0 0 0	56 43 13	0 0
8/20/76	DDA	334 -3	370 10	205 -12	FLT IN NOT	TOT CLR:	53 39	0 0	35 25	0 10	0 0	7.7 0.0	.8 0.0	0. 0.	20 19 21	0 0 0	0 0 0	53 39 14	0 0
<b>BKK-HKG</b>																			
1/23/76 *	BBA	376 13	390 22	218 8	FLT IN NOT	TOT CLR:	24 24	0 0	24 24	0 0	0 0	0.0 0.0	0.0 0.0	0. 0.	10 10 0	0 0 0	0 0 0	24 24 0	0 0
3/19/76 *	BBA	336 13	352 21	204 8	FLT IN NOT	TOT CLR:	22 20	0 0	22 20	0 2	0 0	.6 7.1	.2 2.0	0. 0.	40 40 33	0 0 0	0 0 0	22 20 2	0 0
3/24/76	BBA	327 13	331 21	251 8	FLT IN NOT	TOT CLR:	19 17	0 0	19 17	0 2	0 0	.3 2.5	.5 5.0	0. 0.	49 50 48	0 0 0	0 0 0	19 17 2	0 0
4/20/76	BBA	334 10	371 13	210 8	FLT IN NOT	TOT CLR:	6 6	0 0	6 6	0 0	0 0	0.0 0.0	0.0 0.0	0. 0.	41 41 0	0 0 0	0 0 0	6 6 0	0 0
5/25/79	BDB	359 17	371 21	280 15	FLT IN NOT	TOT CLR:	20 19	20 19	12 12	9 0	2 0	.1 0.0	.1 0.0	.532E+04 .276E+04 .541E+05	70 70 0	45 45 0	151 151 0	20 19 1	0 0 0
9/ 6/76 *	BBA	382 12	390 21	271 8	FLT IN NOT	TOT CLR:	33 33	0 0	22 22	0 0	0 0	0.0 0.0	0.0 0.0	0. 0.	33 33 0	0 0 0	0 0 0	33 33 0	0 0
10/ 8/77 *	BCB	310 12	310 20	310 8	FLT IN NOT	TOT CLR:	27 22	27 5	0 0	0 0	0 0	5.4 0.0	0.0 0.0	.110E+05 .555E+01 .595E+05	0 0 0	0 0 0	0 0 0	27 22 5	0 0 0
10/12/77	BCB	361 13	371 21	193 8	FLT IN NOT	TOT CLR:	32 14	32 14	0 0	0 0	0 0	21.5 0.0	0.0 0.0	.882E+05 .229E+02 .157E+06	0 0 0	0 0 0	0 0 0	32 14 18	0 0 0

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLG EXTS	NUMBER OF OBS							AVERAGES FOR THE FLIGHT			TROP N	STRAT N		
					CLD	PDS	OZ	H20, H2S	%TIC PATCHES	PDS	OZ	RH	H20					
<b>BKK-HKG (CONT.)</b>																		
11/ 3/78	BBB	347 17	370 22	198 14	FLT TOT: IN CLR: NOT CLR:	21 14 7	21 14 7	13 8 5	11 5 6	3 0 3	17.1 0.0 51.3	1.0 0.0 2.9	.531E+05 .931E+01 .159E+06	37 37 37	64 55 72	240 220 257	21 14 7	0 0 0
12/ 8/78	BBB	322 17	330 21	259 15	FLT TOT: IN CLR: NOT CLR:	16 18 0	18 18 0	12 12 0	8 8 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.209E+02 .209E+02 0.	58 58 0	31 31 0	124 124 0	18 18 0	0 0 0
<b>BKK-KHI</b>																		
10/ 8/77	BCB	324 20	351 25	282 14	FLT TOT: IN CLR: NOT CLR:	40 35 5	40 35 5	0 0 0	0 0 0	0 0 0	2.7 21.0 21.6	0.0 0.0 0.0	.223E+05 .181E+03 .177E+06	0 0 0	0 0 0	0 0 0	40 35 5	0 0 0
<b>BKK-MEL</b>																		
8/ 9/76 * DDA	322 -12	352 12	191 -37	FLT TOT: IN CLR: NOT CLR:	81 81 0	0 0 0	54 54 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0 0 0	27 27 0	0 0 0	0 0 0	81 81 0	0 0 0	
8/11/76 DDA	315 -15	330 10	235 -37	FLT TOT: IN CLR: NOT CLR:	90 83 7	0 0 0	58 54 4	0 0 0	0 0 0	1.0 0.0 12.5	0.2 0.0 2.9	0 0 0	29 28 35	0 0 0	0 0 0	90 83 7	0 0 0	
8/14/76 * DDA	318 -15	351 12	244 -37	FLT TOT: IN CLR: NOT CLR:	91 67 24	0 0 0	59 42 17	0 0 0	0 0 0	11.8 0.0 44.6	1.0 0.0 3.8	0 0 0	28 26 33	0 0 0	0 0 0	91 67 24	0 0 0	
8/16/76 DDA	337 -15	370 11	239 -37	FLT TOT: IN CLR: NOT CLR:	83 64 19	0 0 0	42 32 10	0 0 0	0 0 0	9.0 0.0 39.1	0.8 0.0 3.6	0 0 0	42 49 20	0 0 0	0 0 0	77 58 19	6 0 0	
8/24/76 DDA	324 -15	370 11	238 -38	FLT TOT: IN CLR: NOT CLR:	87 70 17	0 0 0	58 48 10	0 0 0	0 0 0	7.4 0.0 37.9	0.7 0.0 3.5	0 0 0	120 140 21	0 0 0	0 0 0	68 51 17	19 19 0	
8/31/76 DDA	343 -15	371 11	215 -37	FLT TOT: IN CLR: NOT CLR:	89 79 10	0 0 0	56 49 7	0 0 0	0 0 0	2.3 0.0 20.7	0.4 0.0 3.3	0 0 0	80 85 44	0 0 0	0 0 0	78 68 10	11 11 0	
<b>BKK-SIN</b>																		
1/30/77 * DDA	341 8	350 12	267 3	FLT TOT: IN CLR: NOT CLR:	15 11 4	15 11 4	3 3 0	0 0 0	0 0 0	11.9 0.0 44.5	0.9 0.0 3.3	0 0 0	.369E+05 .520E+02 .138E+06	47 47 0	0 0 0	0 0 0	15 11 4	0 0 0
2/13/77 * DDA	337 8	350 13	262 3	FLT TOT: IN CLR: NOT CLR:	14 13 1	14 13 1	7 6 1	0 0 0	0 0 0	0.2 0.0 2.4	0.1 0.0 1.0	0 0 0	.139E+02 .125E+02 .326E+02	20 22 13	0 0 0	0 0 0	14 13 1	0 0 0

DEP-ARR IM/ID/IY	CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT				TROP N	STRAT N			
								CLD	PDS	OZ	H2O, H2S	%TIC PATCHES	PDS	OZ	RH	H2O								
<b>BKK-SIN (CONT.)</b>																								
2/15/77	DDA	351 7	370 12	229 2	FLT	TOT:	16	16	10	0	0	7.1	.8	.103E+05	18	0	0	0	16	11	5	000	000	
					IN CLR:		11	11	6	4	0	0.0	0.0	.543E+02	14									
					NOT CLR:		5	5	4	0	0	22.6	2.6	.328E+05	25									
2/21/77 *	DDA	343 8	350 12	267 3	FLT	TOT:	15	15	9	0	0	2.5	.2	.28CE+03	26								000	000
					IN CLR:		13	13	8	1	0	0.0	0.0	.352E+02	27									
					NOT CLR:		2	2	2	1	0	18.6	1.5	.187E+04	22									
2/23/77	DDA	283 7	290 12	202 2	FLT	TOT:	15	15	9	0	0	0.0	0.0	.615E+01	24								000	000
					IN CLR:		15	15	9	0	0	0.0	0.0	.615E+01	24									
					NOT CLR:		0	0	0	0	0	0.0	0.0	0.	0									
11/21/76 *	DDA	338 8	350 13	261 3	FLT	TOT:	15	0	0	0	0	19.3	2.6	0.								15	7	8
					IN CLR:		7	0	0	0	0	0.0	0.0	0.									000	000
					NOT CLR:		8	0	0	0	0	36.1	4.9	0.										
11/28/76 *	DDA	337 8	351 13	246 3	FLT	TOT:	15	0	0	0	0	35.3	2.7	0.								15	7	8
					IN CLR:		7	0	0	0	0	0.0	0.0	0.									000	000
					NOT CLR:		8	0	0	0	0	66.3	5.1	0.										
11/30/76	DDA	289 7	290 11	279 3	FLT	TOT:	14	0	0	0	0	0.0	0.0	0.								000	000	14
					IN CLR:		14	0	0	0	0	0.0	0.0	0.									000	000
					NOT CLR:		0	0	0	0	0	0.0	0.0	0.										
12/ 4/76 *	DDA	337 8	350 13	234 3	FLT	TOT:	15	0	0	0	0	19.3	3.8	0.								000	000	15
					IN CLR:		5	0	0	0	0	0.0	0.0	0.									000	000
					NOT CLR:		10	0	0	0	0	29.0	5.7	0.										
12/ 6/76	DDA	351 7	370 12	249 3	FLT	TOT:	14	5	0	0	0	6.6	1.1	0.								000	000	14
					IN CLR:		5	0	0	0	0	0.0	0.0	0.									000	000
					NOT CLR:		9	0	0	0	0	10.2	1.8	0.										
12/30/76	DDA	358 7	370 12	267 3	FLT	TOT:	15	0	0	0	0	0.0	0.0	0.								000	000	15
					IN CLR:		15	0	0	0	0	0.0	0.0	0.									000	000
					NOT CLR:		0	0	0	0	0	0.0	0.0	0.										
<b>BKK-SYD</b>																								
8/22/76 *	DDA	346 -14	390 12	267 -33	FLT	TOT:	99	0	66	0	0	11.5	1.0	0.					34	00	0	99	000	
					IN CLR:		73	0	49	0	0	0.0	0.0	0.					38	00	0	73	000	
					NOT CLR:		26	0	17	0	0	43.9	3.8	0.					22	00	0	26	000	
8/29/76 *	DDA	322 -14	351 12	193 -33	FLT	TOT:	99	0	57	0	0	0.0	0.0	0.					29	00	0	99	000	
					IN CLR:		99	0	57	0	0	0.0	0.0	0.					29	00	0	99	000	
					NOT CLR:		0	0	0	0	0	0.0	0.0	0.					0	00	0	00	000	

DEP-ARR	IM/ID/IY	CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT						TROP N	STRAT N					
									CLD	PDS	OZ	H2O, H2S	%TIC PATCHES	PDS	OZ	RH	H2O												
<b>BKK-THR</b>																													
2/21/77	*	DDA	328 26	349 35	252 15	FLT	TOT:	73 45	73 45	39 21	0 0	0 0	14.3 0.0	2.0 0.0	.101E+06 .117E+03	61 64	00 00	00 00	00 00	00 00	00 00	00 00	00 00	00 00	00 00	00 00	00 00	00 00	
2/23/77	*	DDA	339 25	370 34	260 15	FLT	TOT:	56 37	56 37	33 22	0 0	0 0	20.7 0.0	1.0 0.0	.643E+05 .623E+03	48 45	00 00	00 00	00 00	00 00	00 00	00 00	00 00	00 00	00 00	00 00	00 00	00 00	00 00
8/ 9/76	*	DDA	313 26	351 33	236 16	FLT	TOT:	62 49	0 0	39 32	0 7	0 0	4.9 0.0	7 0.0	0. 0.	37 39	00 25	00 00											
8/11/76	*	DDA	322 25	330 34	243 15	FLT	TOT:	63 37	0 0	41 23	0 18	0 0	18.1 0.0	1.6 0.0	0. 0.	39 45	00 30	00 00											
8/14/76	*	DDA	311 26	350 35	245 15	FLT	TOT:	66 66	0 0	40 40	0 0	0 0	0.0 0.0	0.0 0.0	0. 0.	22 22	N0 N0	00 00											
8/16/76	*	DDA	311 26	330 34	238 14	FLT	TOT:	67 49	0 0	43 30	0 13	0 0	12.8 0.0	0. 0.0	0. 0.	43 48	00 32	00 00											
11/ 2/78	*	BBB	350 25	370 34	252 14	FLT	TOT:	64 64	64 64	41 41	0 0	26 26	0.0 0.0	0.0 0.0	.111E+02 .111E+02	66 66	00 00	22 22	00 00	37 37	00 00								
12/ 6/76	*	DDA	327 25	331 34	258 14	FLT	TOT:	59 57	0 2	0 0	0 0	0 0	1.1 0.0	0. 0.0	0. 0.	00 00	00 00	00 00	00 00	00 00	00 00	00 00	00 00	00 00	00 00	00 00	00 00	00 00	
<b>BOM-FRA</b>																													
5/24/79	*	BCB	330 36	370 49	213 20	FLT	TOT:	80 58	80 58	52 22	37 15	40 9	10 1	9.5 0.0	1.3 0.0	.356E+06 .112E+04	98 92	40 36	70 52	30 22	00 00								
<b>BOM-IST</b>																													
1/ 6/79	*	BBB	353 30	376 40	241 20	FLT	TOT:	51 30	0 0	33 18	28 17	10 11	10 1	14.4 0.0	1.4 0.0	0. 0.	59 87	52 41	32 27	51 38	00 00								
2/24/79	*	BBB	340 34	371 40	206 20	FLT	TOT:	15 15	0 0	10 10	7 0	0 0	0.0 0.0	0.0 0.0	0. 0.	160 160	15 15	18 18	11 10	00 00									

APPENDIX B

DEP-ARR IM/DD/YR	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT						TROP N	STRAT N
					CLD	PD5	OZ	H2O, H2S	ZTIC	PATCHES	PD5	OZ	RH	H2O				
<b>BOM-LHR</b>																		
1/ 7/77	DDA	325 37	350 52	206 19	FLT IN NOT CLR:	101 91	0 0	0 0	0 0	0 0	2.6 0.0	.3 0.0	0. 0.	0 0	0 0	0 0	78 71	23 20
1/ 8/77 *	DDA	310 37	370 51	249 20	FLT IN NOT CLR:	86 66	0 0	0 0	0 0	0 0	12.5 0.0	1.1 0.7	0. 0.	0 0	0 0	0 0	81 61	55 20
1/23/77	DDA	331 35	350 51	253 19	FLT IN NOT CLR:	107 76	107 76	71 49	0 0	0 0	13.3 0.0	.6 0.0	.318E+05 .178E+03	82 88	0 0	0 0	96 65	11 10
1/24/77 *	DDA	340 32	371 39	330 21	FLT IN NOT CLR:	50 44	50 44	33 29	0 0	0 0	6.2 0.0	.4 0.0	.107E+05 .451E+03	76 77	0 0	0 0	42 36	88 0
8/ 3/76	DDA	319 38	350 52	233 19	FLT IN NOT CLR:	78 74	0 0	47 45	0 2	0 0	2.1 0.0	.3 0.0	0. 0.	98 100	0 0	0 0	68 65	109 3
8/ 4/76 *	DDA	319 36	330 51	276 21	FLT IN NOT CLR:	84 67	0 0	53 41	0 0	0 0	10.2 0.0	.5 0.0	0. 0.	79 85	0 0	0 0	84 67	000 17
8/ 6/76	DDA	322 37	351 51	279 23	FLT IN NOT CLR:	70 66	0 0	45 43	0 0	0 0	.8 0.0	.2 0.0	0. 0.	86 87	0 0	0 0	59 59	11 4
8/ 7/76 *	DDA	320 37	330 51	199 20	FLT IN NOT CLR:	88 86	0 0	58 56	0 2	0 0	0. 1.8	0. 1.0	0. 0.	84 84	0 0	0 0	88 86	000 2
11/22/76 *	DDA	315 37	330 51	261 20	FLT IN NOT CLR:	87 63	0 0	00 00	0 0	0 0	16.4 0.0	1.2 0.0	0. 0.	0 0	0 0	0 0	87 63	000 24
12/ 9/76	DDA	321 36	350 52	250 19	FLT IN NOT CLR:	110 101	0 0	00 00	0 0	0 0	3.8 0.0	.4 0.0	0. 0.	0 0	0 0	0 0	96 87	14 14
12/10/76 *	DDA	313 37	330 51	234 20	FLT IN NOT CLR:	85 59	0 0	00 00	0 0	0 0	16.0 0.0	2.0 0.0	0. 0.	0 0	0 0	0 0	85 59	000 26
12/28/76	DDA	311 37	350 52	211 19	FLT IN NOT CLR:	113 80	0 0	00 00	0 0	0 0	17.1 58.4	.9 3.2	0. 0.	0 0	0 0	0 0	101 68	12 10

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXH1 EXTN	EXL0 EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT						TRCP N	STRAT N
					CLD	PDS	OZ	H2O, H2S	%TIC PATCHES	PDS	OZ	RH	H2O					
<b>BOM-PER</b>																		
1/ 7/77 * DDA	324 -7	350 17	240 -31	FLT IN NOT	TOT: 87 CLR: 74	0 0 0	0 0 0	0 0 0	2.8 0.0	4.05 2.5	0 0	0 0 0	0 0 0	0 0 0	0 0 0	87 74	13	0 0 0
1/ 8/77 DDA	327 -7	340 16	227 -31	FLT IN NOT	TOT: 85 CLR: 77	0 0 0	0 0 0	0 0 0	1.7 0.0	3.0 3.0	0 0	0 0 0	0 0 0	0 0 0	0 0 0	85 77	8	0 0 0
1/23/77 * DDA	350 11	351 18	345 3	FLT IN NOT	TOT: 22 CLR: 13	22 13	14 8	0 6	27.9 0.0	1.5 0.0	201E+06 123E+02	47 54	0 0 0	0 0 0	0 0 0	22 13	9	0 0 0
1/24/77 DDA	324 -8	340 17	194 -31	FLT IN NOT	TOT: 75 CLR: 60	75 60	45 39	0 0	6.3 0.0	0.9 0.5	422E+05 230E+02	50 53	0 0 0	0 0 0	0 0 0	75 60	15	0 0 0
8/ 3/76 * DDA	329 -6	351 16	244 -31	FLT IN NOT	TOT: 78 CLR: 50	0 0	52 32	0 20	7.5 0.0	1.0 2.7	0 0	50 55	0 0 0	0 0 0	0 0 0	78 50	28	0 0 0
8/ 4/76 DDA	327 -7	341 16	249 -31	FLT IN NOT	TOT: 87 CLR: 87	0 0	54 54	0 0	0.0 0.0	0.00 0.00	0 0	31 31	0 0 0	0 0 0	0 0 0	87 87	0	0 0 0
8/ 6/76 * DDA	307 -5	350 17	199 -30	FLT IN NOT	TOT: 82 CLR: 71	0 0	55 48	0 7	2.7 0.0	0.05 1.5	0 0	44 45	0 0 0	0 0 0	0 0 0	82 71	11	0 0 0
8/ 7/76 DDA	308 -6	341 16	205 -31	FLT IN NOT	TOT: 76 CLR: 56	0 0	47 34	0 0	7.3 0.0	0.8 3.0	0 0	36 36	0 0 0	0 0 0	0 0 0	76 56	20	0 0 0
11/23/76 DDA	326 -7	360 17	253 -31	FLT IN NOT	TOT: 88 CLR: 57	0 0	0 0	0 0	12.7 0.0	1.40 4.0	0 0	0 0 0	0 0 0	0 0 0	0 0 0	66 57	21	0 0 0
12/ 9/76 * DDA	324 -7	350 17	192 -31	FLT IN NOT	TOT: 90 CLR: 75	0 0	0 0	0 0	4.5 0.0	.7 0.0	0 0	0 0 0	0 0 0	0 0 0	0 0 0	90 75	15	0 0 0
12/10/76 DDA	328 -7	341 17	251 -31	FLT IN NOT	TOT: 83 CLR: 79	0 0	0 0	0 0	1.0 0.0	0.2 1.9	0 0	0 0 0	0 0 0	0 0 0	0 0 0	63 79	9	0 0 0
12/28/76 * DDA	334 -7	350 16	251 -31	FLT IN NOT	TOT: 87 CLR: 65	0 0	0 0	0 0	14.3 0.0	1.1 4.2	0 0	0 0 0	0 0 0	0 0 0	0 0 0	87 65	22	0 0 0

APPENDIX B

DEP-ARR IM/DD/YR	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS							AVERAGES FOR THE FLIGHT				TROP N	STRAT N		
					CLD	PD5	OZ	H2O, H2S	% TIC PATCHES	PD5	OZ	RH	H2O						
<b>BOM-THR</b>																			
1/ 7/79	BBB	343 28	361 35	272 22	FLT IN NOT	TOT CLR:	39 24	0 0	25 15	19 12	7 1	17.6 0.0	0.0	0.	79 82	76 65	57 50	39 24	
2/25/79	BBB	325 25	351 35	202 19	FLT IN NOT	TOT CLR:	43 43	0 0	27 27	20 20	0 0	0.0 0.0	0.0	0.	52 52	50 13	13 70	43 43	
11/25/78	BBB	382 25	391 34	243 19	FLT IN NOT	TOT CLR:	41 40	41 40	26 25	21 21	0 0	0.0 1.6	0.0	0.	131E+02 134E+02	66 66	45 45	26 26	41 40
11/25/78 *	BBB	359 27	370 35	191 20	FLT IN NOT	TOT CLR:	32 30	32 30	21 19	18 17	1 1	0.6 0.4	0.3 4.0	0.	980E+03 .844E+01 .156E+05	65 69	38 38	30 26	32 30
12/17/78	BBB	344 28	350 35	219 21	FLT IN NOT	TOT CLR:	42 42	42 42	25 25	18 18	0 0	0.0 0.0	0.0	0.	.459E+02 .459E+02	72 72	33 33	25 25	000
12/17/78 *	BBB	369 27	370 34	349 21	FLT IN NOT	TOT CLR:	27 27	27 27	15 15	12 12	0 0	0.0 0.0	0.0	0.	.967E+01 .967E+01	69 69	32 32	23 23	000
12/23/78	BBB	347 28	350 35	280 21	FLT IN NOT	TOT CLR:	37 37	37 37	0 0	17 17	0 0	0.0 0.0	0.0	0.	.273E+02 .273E+02	0 0	18 18	31 31	000
12/23/78 *	BBB	360 28	370 35	231 20	FLT IN NOT	TOT CLR:	31 31	31 31	0 0	14 14	0 0	0.0 0.0	0.0	0.	.406E+02 .406E+02	0 0	23 23	34 34	000
<b>BOS-DTW</b>																			
9/15/76 *	BBA	344 42	370 43	196 42	FLT IN NOT	TOT CLR:	10 10	0 0	6 6	0 0	0 0	0.0 0.0	0.0	0.	52 52	0 0	0 0	10 100	
9/15/76	BBA	320 43	351 43	231 43	FLT IN NOT	TOT CLR:	11 11	0 0	8 8	0 0	0 0	0.0 0.0	0.0	0.	57 57	0 0	0 0	11 110	
9/16/76 *	BBA	350 42	369 43	269 42	FLT IN NOT	TOT CLR:	10 10	0 0	6 6	0 0	0 0	0.0 0.0	0.0	0.	70 70	0 0	0 0	10 100	
9/16/76	BBA	371 43	390 43	291 43	FLT IN NOT	TOT CLR:	10 10	0 0	6 6	0 0	0 0	0.0 0.0	0.0	0.	73 73	0 0	0 0	10 100	

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT			TROP N	STRAT N				
					CLD	PD5	OZ	H2O, H2S	% TIC PATCHES	PD5	OZ	RH	H2O						
<b>BOS-DTW (CONT.)</b>																			
9/27/77 *	ABA	328 42	330 43	311 42	FLT IN NOT	TOT: CLR: CLR:	9 9 0	0 0 0	55 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	124 124 0	0 0 0	990 990 000	000 000 000		
9/27/77	ABA	385 43	430 43	231 43	FLT IN NOT	TOT: CLR: CLR:	8 8 0	0 0 0	55 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	138 138 0	0 0 0	NNO NNO 000	660 660 000		
<b>BOS-LHR</b>																			
5/28/77 *	AAA	389 53	392 56	353 44	FLT IN NOT	TOT: CLR: CLR:	31 31 0	31 31 0	17 17 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	126E+02 126E+02 383	0 0 0	0 0 0	110 110 30	30 30 0	
5/28/77	AAA	370 47	370 50	369 43	FLT IN NOT	TOT: CLR: CLR:	16 15 1	16 15 1	3 2 1	0 0 0	0.5 0.2 8.2	0.1 0.0 2.0	0. 0. 0.	116E+05 605E+02 185E+06	221 303 58	0 0 0	0 0 0	871 871 880	880 880 000
5/29/77 *	AAA	401 53	430 55	267 44	FLT IN NOT	TOT: CLR: CLR:	37 37 0	37 37 0	18 18 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	179E+02 179E+02 449	449 449 0	0 0 0	0 0 0	330 330 340	340 340 000
5/29/77	AAA	380 50	390 52	273 44	FLT IN NOT	TOT: CLR: CLR:	15 14 1	15 14 1	5 5 0	0 0 0	0.6 0.4 9.4	0.2 0.0 3.0	0. 0. 0.	208E+04 217E+04 802E+03	422 422 0	0 0 0	0 0 0	651 651 990	990 990 000
9/15/76 *	BBA	369 50	390 53	230 44	FLT IN NOT	TOT: CLR: CLR:	73 73 0	0 0 0	48 48 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	87 87 0	0 0 0	0 0 0	61 61 120	120 120 000	
9/16/76 *	BBA	359 53	389 56	282 44	FLT IN NOT	TOT: CLR: CLR:	71 71 0	0 0 0	39 39 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	113 113 0	0 0 0	0 0 0	43 43 28	28 28 0	
9/16/76	BBA	317 50	369 53	246 44	FLT IN NOT	TOT: CLR: CLR:	49 49 0	0 0 0	32 32 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	75 75 0	0 0 0	0 0 0	48 48 110	48 48 0	
9/17/76	BBA	343 50	350 53	252 44	FLT IN NOT	TOT: CLR: CLR:	56 56 0	0 0 0	35 35 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	107 107 0	0 0 0	0 0 0	48 48 80	48 48 0	
9/26/77	ABA	406 50	411 52	291 43	FLT IN NOT	TOT: CLR: CLR:	50 49 1	0 0 0	32 31 1	0 0 0	0.0 0.4 1.0	0.0 0.0 0.0	0. 0. 0.	301 297 428	0 0 0	0 0 0	330 330 471	330 330 471	
9/26/77 *	ABA	402 53	430 56	339 44	FLT IN NOT	TOT: CLR: CLR:	68 65 3	0 0 0	42 41 1	0 0 0	0.8 0.0 19.1	0.1 0.0 2.3	0. 0. 0.	254 257 160	0 0 0	0 0 0	15 15 53	15 15 52	

APPENDIX B

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	CLD	PDS	NUMBER OF GAS OZ H <sub>2</sub> O, H <sub>2</sub> S	AVERAGES FOR %TIC PATCHES	THE FLIGHT PDS	OZ	RH	H <sub>2</sub> O	TREP N	STRAT N			
<b>BOS-LHR (CONT.)</b>																	
9/27/77 *	ABA	398 51	430 54	275 43	FLT IN	TOT:	75	000	45	00	000	000	000	144 147 81	000	000	3550 364
9/27/77	ABA	404 50	411 52	209 43	FLT IN	TOT:	56	000	36	29	000	000	000	184 200 80	000	000	3415 2420
9/28/77	ABA	403 50	410 53	234 43	FLT IN	TOT:	49	000	31	31	000	000	000	167 1670	000	000	901 4040
<b>BOS-SFO</b>																	
12/29/75 *	CAA	383 43	410 44	214 38	FLT IN	TOT:	30	000	30	23	000	000	000	153 190 31	000	000	1367 1710
12/30/75	CAA	369 41	390 43	218 38	FLT IN	TOT:	42	000	42	41	000	000	000	145 147 35	000	000	1211 1110
<b>CCS-GIG</b>																	
4/ 8/76	BBA	360 -6	371 9	207 -22	FLT IN	TOT:	36	000	36	32	000	000	000	20.0 18.0	0.0	000	3500 3330
4/24/76	BBA	358 -4	370 9	208 -22	FLT IN	TOT:	32	000	32	13	000	000	000	39.5 0.0 66.6	1.8 0.0 3.1	000	3340 3330
4/24/76 *	BBA	346 -1	352 9	303 -15	FLT IN	TOT:	27	000	27	11	000	000	000	18.9 0.0 34.1	1.9 0.0 3.0	000	3306 3330
4/25/76	BBA	348 -2	371 9	205 -15	FLT IN	TOT:	28	000	28	23	000	000	000	6.0 0.8	0.0	000	4107 3305
4/26/76 *	BBA	386 -3	391 9	351 -16	FLT IN	TOT:	30	000	30	24	000	000	000	30.8 0.0 38.5	1.5 0.0 1.9	000	3720 3310
9/ 2/76	BBA	363 -6	369 9	221 -22	FLT IN	TOT:	56	000	36	36	000	000	000	0.0 0.0 0.0	0.0	000	5660 5200

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT				TROP N	STRAT N		
					CLD	PDS	0Z	H20, H2S	%TIC PATCHES	PDS	0Z	RH	H20					
<b>CCS-GUA</b>																		
4/ 8/76 *	BBA	354 12	374 14	210 11	FLT IN NOT	TOT CLR:	16 15	0 0	16 15	000	000	.5 0.0	.6 0.0	0 0	48 45 93	000	000	16 15 1
4/24/76 *	BBA	361 12	371 14	213 10	FLT IN NOT	TOT CLR:	20 18	0 0	20 12	000	000	27.3 0.0	2.0 0.7	0 0	62 60 63	000	000	20 18 1
4/26/76	BBA	345 13	351 14	277 12	FLT IN NOT	TOT CLR:	12 12	0 0	12 10	000	000	28.5 0.0	2.8 0.4	0 0	54 56 53	000	000	18 10 1
5/ 2/76 *	BBA	350 12	371 15	190 10	FLT IN NOT	TOT CLR:	31 13	0 0	20 9	000	000	28.3 0.0	1.5 0.6	0 0	46 47 44	000	000	31 13 18
9/ 1/76 *	BBA	353 12	370 14	254 11	FLT IN NOT	TOT CLR:	26 26	0 0	17 17	000	000	0.0 0.0	0.0 0.0	0 0	51 50 40	000	000	26 20 0
<b>CCS-MIA</b>																		
4/25/76 *	BBA	322 14	331 18	265 11	FLT IN NOT	TOT CLR:	8 3	0 0	8 3	000	000	29.5 0.0	0.5 0.0	0 0	46 48 45	000	000	8 10 0
<b>CHC-SYD</b>																		
1/ 2/77	DDA	367 -39	390 -35	286 -43	FLT IN NOT	TOT CLR:	25 19	0 0	000	000	000	14.5 0.0	1.0 0.0	0 0	000	000	000	25 19 6
1/ 2/77 *	DDA	301 -39	330 -35	257 -42	FLT IN NOT	TOT CLR:	19 10	0 0	000	000	000	25.3 0.0	2.0 0.5	0 0	000	000	000	19 10 9
8/26/76	DDA	347 -39	350 -35	277 -43	FLT IN NOT	TOT CLR:	27 27	0 0	17 17	000	000	0.0 0.0	0.0 0.0	0 0	194 194 0	000	000	24 20 0
8/26/76 *	DDA	321 -39	331 -35	199 -43	FLT IN NOT	TOT CLR:	22 19	0 0	14 13	000	000	1.1 0.0	0.0 0.7	0 0	176 185 61	000	000	20 13 0
12/19/76	DDA	345 -39	350 -35	261 -43	FLT IN NOT	TOT CLR:	25 21	0 0	000	000	000	3.2 0.0	.9 0.0	0 0	000	000	000	000

APPENDIX B

DEP-ARR IM>ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT						TROP N	STRAT N
					CLD	PDS	OZ	H2O, H2S	% TIC PATCHES	PDS	OZ	RH	H2O					
<b>CHC-SYD (CONT.)</b>																		
12/19/76 * DDA		333 -39	350 -35	258 -43	FLT IN NOT	TOT CLR:	22 19	00	00	00	00	2.0 0.0	.5 0.0	0. 0.		00	00	00
<b>CLE-ORD</b>																		
5/ 9/76	CAA	284 41	310 41	217 41	FLT IN NOT	TOT CLR:	5 5	00	330	00	00	0.0 0.0	0.0 0.0	0. 0.		90 90	000	000
5/15/76	CAA	256 41	310 42	192 41	FLT IN NOT	TOT CLR:	5 1	00	211	00	00	60.7 0.0	2.0 2.5	0. 0.		41 34 47	000	000
<b>CPH-JFK</b>																		
7/ 7/77 * ACA		400 53	411 58	303 41	FLT IN NOT	TOT CLR:	74 73	00	00	00	00	0.0 0.0	0.0 0.0	0. 0.		000	000	000
7/ 7/77	ACA	407 55	430 60	200 41	FLT IN NOT	TOT CLR:	75 72	00	00	00	00	.1 0.0	0.0 0.0	0. 0.		000	000	000
7/11/77 * ACA		368 57	370 63	288 41	FLT IN NOT	TOT CLR:	72 72	72	46	00	00	0.0 0.0	0.0 0.0	0. 0.		.206E+03 .206E+03	296 296	000
7/11/77	ACA	391 54	430 58	293 42	FLT IN NOT	TOT CLR:	79 75	79	52	00	00	.1 0.0	0.0 0.0	0. 0.		.287E+03 .372E+02 .497E+04	323 333 80	000
7/16/77	ACA	380 57	391 63	304 42	FLT IN NOT	TOT CLR:	80 78	80	54	00	00	1.2 0.0	0.0 0.0	0. 0.		.154E+04 .793E+02 .585E+05	394 397 223	000
7/16/77 * ACA		394 49	410 54	296 41	FLT IN NOT	TOT CLR:	40 37	40	25	00	00	.4 0.0	0.0 0.0	0. 0.		.201E+04 .154E+03 .248E+05	210 215 89	000
8/22/77 * ABA		396 51	411 56	313 41	FLT IN NOT	TOT CLR:	64 61	64 61	42	00	00	1.1 0.0	.1 0.0	0. 0.		.335E+04 .214E+02 .710E+05	267 271 107	000
8/22/77	ABA	398 56	411 62	200 41	FLT IN NOT	TOT CLR:	76 76	76	50	00	00	0.0 0.0	0.0 0.0	0. 0.		.315E+02 .315E+02	334 334	000

DEP-ARR	IM/ID/IY	CODE	AVFL	ALAT	EXHI	EXTN	EXLG	EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT				TROP N	STRAT N		
									CLD	PD5	02	H20, H2S	%TIC PATCHES	PD5	02	RH	H20							
<b>CPH-JFK (CONT.)</b>																								
9/ 3/77	ABA	375 57	411 64	244 41	FLT	TOT:	83	83	53	75	8	47	6	0.0	0.0	0.0	2.3 0.0 23.8	.5 0.0 5.1	.942E+04 .559E+02 .972E+05	312 337 118	0.0	0.0	990	7468
9/ 3/77 *	ABA	395 52	410 56	235 41	FLT	TOT:	71	71	46	62	9	62	42	0.0	0.0	0.0	4.1 0.0 32.2	.4 0.0 3.2	.239E+05 .235E+02 .188E+06	237 253 70	0.0	0.0	2129	5050
9/ 4/77 *	ABA	394 52	410 56	187 41	FLT	TOT:	72	72	45	72	0	72	45	0.0	0.0	0.0	0.0 0.0 0.0	0.0 0.0 0.	.202E+02 .202E+02	258 256 0	0.0	0.0	13130	660
9/ 4/77	ABA	401 56	430 62	200 41	FLT	TOT:	78	78	49	77	1	77	49	0.0	0.0	0.0	0.0 0.0 16.9	.0 0.0 2.0	.848E+02 .828E+02 .239E+03	359 359 0	0.0	0.0	660	7271
9/ 9/77	ABA	402 56	430 62	207 41	FLT	TOT:	83	83	56	83	0	83	56	0.0	0.0	0.0	0.0 0.0 0.	0.0 0.0 0.	.184E+02 .184E+02	290 290 0	0.0	0.0	11110	72720
9/ 9/77 *	ABA	375 53	410 56	216 42	FLT	TOT:	67	67	46	58	9	58	40	0.0	0.0	0.0	6.7 0.0 49.7	.7 0.0 5.0	.370E+05 .838E+02 .275E+06	214 236 63	0.0	0.0	25169	42420
<b>CPT-LHR</b>																								
10/29/77 *	ABB	363 8	430 50	283 -32	FLT	TOT:	42	00	00	35	7	00	00	0.0	5.8 0.0 35.0	.7 0.0 4.0	0.0 0.0 0.	0.0	0.0	0.0	0.0	38317	440	
<b>CTS-JFK</b>																								
2/18/78 *	ABB	370 53	391 64	230 42	FLT	TOT:	63	63	41	62	1	62	40	36	0.0	.7 0.0 47.1	.0 0.0 3.0	.105E+02 .198E+01 .540E+03	613 628 47	42 40 89	46 46 67	101	62620	
<b>CUN-JFK</b>																								
3/ 2/79 *	BBB	349 31	351 39	292 22	FLT	TOT:	30	0	17	26	4	15	2	11	0.0	3.0 0.0 22.3	.6 0.0 4.8	0.0 0.0 0.	73 77 41	37 30 56	27 19 47	24204	660	
3/ 2/79	BBB	324 31	370 39	212 23	FLT	TOT:	25	0	16	10	15	7	9	10	0.0	17.6 0.0 29.4	1.0 0.0 1.7	0.0 0.0 0.	57 68 49	72 38 96	82 43 110	23914	211	

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT				TROP N	STRAT N	
					CLD	PD5	0Z	H20, H2S	% TIC PATCHES	PD5	0Z	RH	H20						
<b>DEL-FRA</b>																			
2/13/79	BBB	347 33	391 49	257 25	FLT	TOT:	95	0	60	45	4	2.6	.6	0.	144	36	45	70	25
					IN CLR:	82	0	53	39	3	0.0	0.0	0.	155	28	40	57	25	
					NOT CLR:	13	0	7	6	1	18.7	4.1	0.	64	85	75	13	0	
2/16/79 *	BBB	327 34	330 49	198 25	FLT	TOT:	75	0	48	42	1	8.5	.7	0.	77	30	30	75	00
					IN CLR:	62	0	40	34	1	0.0	0.0	0.	80	21	26	62	00	
					NOT CLR:	13	0	8	8	0	49.2	3.9	0.	58	67	43	13	0	
2/22/79	BBB	332 32	391 49	247 25	FLT	TOT:	83	0	54	47	0	1.5	.0	0.	153	14	47	64	19
					IN CLR:	81	0	53	45	0	0.0	0.0	0.	155	12	44	62	19	
					NOT CLR:	2	0	1	2	0	63.1	.5	0.	49	65	104	2	0	
3/ 9/79 *	BBB	322 38	365 48	191 28	FLT	TOT:	66	0	43	36	1	3.9	.3	0.	141	32	31	53	13
					IN CLR:	57	0	38	35	1	0.0	0.0	0.	152	30	30	44	13	
					NOT CLR:	9	0	5	1	1	28.9	2.4	0.	54	100	58	9	0	
3/14/79	BBB	360 37	391 49	280 28	FLT	TOT:	90	0	56	43	4	11.8	.9	0.	144	50	28	51	39
					IN CLR:	68	0	43	31	0	0.0	0.0	0.	172	39	18	32	36	
					NOT CLR:	22	0	13	12	4	48.1	3.6	0.	52	81	54	19	3	
<b>DEL-HKG</b>																			
1/ 4/79 *	BBB	332 20	350 28	251 15	FLT	TOT:	61	0	38	27	0	0.0	.1	0.	34	37	75	61	00
					IN CLR:	59	0	37	26	1	0.0	0.0	0.	34	36	73	59	00	
					NOT CLR:	2	0	1	1	0	1.0	2.0	0.	21	83	122	2	00	
2/13/79 *	BBB	345 20	350 28	260 15	FLT	TOT:	58	0	38	30	0	.1	0.0	0.	43	32	78	58	00
					IN CLR:	57	0	37	29	1	0.0	0.0	0.	43	30	77	57	00	
					NOT CLR:	1	0	1	1	0	8.2	2.0	0.	52	74	109	1	00	
2/16/79	BBB	368 20	370 28	326 15	FLT	TOT:	49	0	9	27	0	.6	.3	0.	39	43	50	49	00
					IN CLR:	44	0	6	26	1	0.0	0.0	0.	38	42	49	44	00	
					NOT CLR:	5	0	3	1	0	5.6	3.2	0.	40	52	66	5	00	
2/22/79 *	BBB	332 20	351 28	280 15	FLT	TOT:	60	0	39	32	0	0.0	0.0	0.	53	14	69	60	00
					IN CLR:	60	0	39	32	0	0.0	0.0	0.	53	14	69	60	00	
					NOT CLR:	0	0	0	0	0	0.0	0.0	0.	0	20	44	10	00	
3/ 9/79	BBB	354 25	371 27	291 19	FLT	TOT:	10	0	6	6	0	0.0	0.0	0.	52	20	44	10	00
					IN CLR:	10	0	6	6	0	0.0	0.0	0.	52	20	44	10	00	
					NOT CLR:	0	0	0	0	0	0.0	0.0	0.	0	0	0	0	00	
3/14/79 *	BBB	327 21	351 28	236 15	FLT	TOT:	63	0	39	27	0	1.2	.1	0.	45	27	126	63	00
					IN CLR:	59	0	35	24	3	0.0	0.0	0.	46	21	81	59	00	
					NOT CLR:	4	0	4	3	0	18.6	1.5	0.	31	76	489	4	00	
5/11/79 *	BDB	307 20	311 28	223 15	FLT	TOT:	57	57	0	14	1	22.8	2.3	.440E+06	0	40	383	57	00
					IN CLR:	31	31	0	10	1	0.0	0.0	.155E+03	0	18	208	31	00	
					NOT CLR:	26	26	0	4	1	50.0	5.0	.965E+06	0	94	823	26	00	

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT			TROP N	STRAT N	
					CLD	PD5	OZ	H20, H2S	%TIC PATCHES	PD5	OZ	RH	H20					
<b>DEL-HKG (CONT.)</b>																		
5/30/79	BDB	365 20	370 27	223 15	FLT TOT: IN CLR: NOT CLR:	57 31 26	57 31 26	36 19 17	29 14 15	6 0 6	12.1 0.0 26.6	1.2 0.0 2.7	.247E+06 .433E+04 .537E+06	73 77 69	70 50 88	179 176 183	57 31 26	00
6/ 4/79 *	BDB	347 20	350 28	283 15	FLT TOT: IN CLR: NOT CLR:	55 37 18	55 37 18	35 23 12	17 10 7	0 0 0	10.4 0.0 31.8	1.6 0.0 4.9	.342E+06 .834E+03 .104E+07	78 82 70	60 46 79	227 184 287	55 37 18	00
10/15/78 *	BBB	329 17	350 28	243 8	FLT TOT: IN CLR: NOT CLR:	72 64 8	72 64 8	47 43 4	0 0 0	0 0 0	4.8 0.0 43.3	0.3 0.0 2.4	.278E+05 .397E+02 .250E+06	42 43 35	0 0 0	0 0 0	72 64 6	000
10/29/78 *	BBB	331 20	350 28	207 15	FLT TOT: IN CLR: NOT CLR:	57 49 8	57 49 8	37 31 6	28 26 2	1 1 0	1.5 0.0 10.6	0.5 0.0 3.3	.330E+04 .931E+02 .230E+05	34 34 34	44 43 52	197 191 282	57 49 8	000
12/26/78	BBB	367 20	370 28	269 15	FLT TOT: IN CLR: NOT CLR:	55 55 0	55 55 0	0 0 0	28 28 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.116E+02 .116E+02 0.	0 0 0	19 19 0	26 26 0	00 00 00	000
<b>DEL-IST</b>																		
1/ 4/79	BBB	313 34	350 40	240 28	FLT TOT: IN CLR: NOT CLR:	57 44 13	0 0 0	34 28 6	29 27 2	0 0 0	11.6 0.0 50.7	0.8 0.0 3.7	0. 0. 0.	63 65 55	36 33 78	40 40 45	57 44 13	00
<b>DEL-KHI</b>																		
4/20/76 *	BBA	308 28	331 29	216 26	FLT TOT: IN CLR: NOT CLR:	5 2 3	0 0 0	5 2 3	0 0 0	0 0 0	12.9 0.0 21.4	2.0 0.0 3.3	0. 0. 0.	75 71 77	0 0 0	0 0 0	52 3 0	00
5/11/79	BDB	346 28	351 29	300 26	FLT TOT: IN CLR: NOT CLR:	11 11 0	11 11 0	0 0 0	6 6 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.143E+05 .143E+03 0.	0 0 0	21 21 0	76 76 0	11 11 0	000
6/ 4/79	BDB	337 28	350 29	276 26	FLT TOT: IN CLR: NOT CLR:	11 11 0	11 11 0	7 7 0	5 5 0	3 3 0	0.0 0.0 0.0	0.0 0.0 0.0	.568E+03 .568E+03 0.	77 77 0	75 75 0	244 244 0	11 11 0	000
<b>DEL-THR</b>																		
1/24/76	BBA	343 30	350 34	216 28	FLT TOT: IN CLR: NOT CLR:	25 9 16	0 0 0	25 9 16	0 0 0	0 0 0	24.1 0.0 37.6	2.2 0.0 3.4	0. 0. 0.	29 35 25	0 0 0	0 0 0	25 9 16	00
3/20/76	BBA	337 30	350 35	206 28	FLT TOT: IN CLR: NOT CLR:	24 23 1	0 0 0	24 23 1	0 0 0	0 0 0	1.3 0.0 30.6	0.1 0.0 2.0	0. 0. 0.	171 176 55	0 0 0	0 0 0	24 23 1	00

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	CLD	NUMBER OF OBS PD5	OZ H2O, H2S	%TIC PATCHES	THE FLIGHT PD5	OZ	RH H2O	TROP N	STRAT N	APPENDIX B				
<b>DEL-THR (CONT.)</b>																		
3/23/76 * BBA	363	372	221	28	FLT IN CLR: NOT CLR:	21 20 1	0 0 0	21 20 1	0 0 0	0 0 0	0 0 0	102 102 116	000 000 000	21 20 1	000 000 000			
5/30/79 * BDB	326	331	270	29	FLT IN CLR: NOT CLR:	28 23 5	28 23 5	17 14 3	12 8 4	1 1	5.9 0.0 32.9	.6 0.0 3.4	.390E+05 .117E+05 .165E+06	66 67 61	58 50 74	183 198 151	28 23 5	
9/ 7/76 BBA	339	350	198	28	FLT IN CLR: NOT CLR:	32 32 0	0 0 0	20 20 0	0 0 0	0 0 0	0 0 0	0 0 0	43 43 0	000 000 000	32 32 0	000 000 000		
10/11/77 * BCB	326	331	259	28	FLT IN CLR: NOT CLR:	26 26 0	26 26 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	.334E+02 .334E+02 0.	000 000 000	26 26 0	000 000 000		
10/15/78 BBB	343	351	238	28	FLT IN CLR: NOT CLR:	30 30 0	30 30 0	10 10 0	0 0 0	0 0 0	0 0 0	0 0 0	.235E+02 .235E+02 0.	900 900 0	000 000 000	30 30 0	000 000 000	
10/29/78 BBB	280	280	269	28	FLT IN CLR: NOT CLR:	34 34 0	34 34 0	20 20 0	19 19 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.571E+01 .571E+01 0.	45 45 0	41 41 0	135 135 0	34 34 0	000 000 000
12/ 7/78 * BBB	290	290	290	28	FLT IN CLR: NOT CLR:	28 23 5	28 23 5	18 15 3	13 10 3	0 0 0	5.6 0.0 31.4	.9 0.0 0.0	.117E+06 .111E+02 .657E+06	51 52 42	35 23 75	80 59 148	28 23 5	000 000 000
12/26/78 * BBB	329	331	285	28	FLT IN CLR: NOT CLR:	29 18 11	29 18 11	0 0 0	16 10 6	1 1 1	21.6 0.0 57.0	.8 0.0 2.2	.645E+05 0. .170E+06	0 0 0	49 40 63	51 46 61	000 000 000	000 000 000
<b>DEN-LAX</b>																		
2/ 6/76 * CAA	339	370	212	34	FLT IN CLR: NOT CLR:	12 11 1	0 0 0	12 11 1	9 8 1	0 0 0	1.7 0.0 20.0	.1 0. 1.0	0. 0. 0.	97 102 39	34 33 56	63 64 56	3 2 1	000 000 000
2/15/79 * CAB	352	371	221	35	FLT IN CLR: NOT CLR:	14 14 0	14 14 0	9 9 0	7 7 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.943E+02 .943E+02 0.	123 123 0	47 47 0	82 82 0	14 14 0	000 000 000
2/22/79 * CAB	360	371	281	35	FLT IN CLR: NOT CLR:	14 14 0	14 14 0	9 9 0	6 6 0	1 1 0	0.0 0.0 0.0	0.0 0.0 0.0	.304E+02 .304E+02 0.	391 391 0	68 68 0	76 76 0	NN0 NN0 0	12 12 0
3/13/79 * CAB	347	370	246	35	FLT IN CLR: NOT CLR:	7 4 3	7 4 3	3 2 1	4 3 1	0 0 0	11.8 0.0 27.5	.4 0.0 1.0	.230E+05 .631E+04 .452E+05	349 346 354	31 37 24	28 17 38	101 101 0	64N 64N 0

DEP-ARR IM/DD/YR	CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT						TROP N	STRAT N
								CLD	PD5	OZ	H20, H2S	%TIC PATCHES	PD5	OZ	RH	H20					
<b>DEN-LAX (CONT.)</b>																					
3/13/79	CAB	368 38	391 39	283 35	FLT	TOT:	7 5 2	7 5 2	2 1	220	110	0.2 0.8 0.0	0.0 0.0 0.0	.110E+05 .494E+02 .385E+05	494 454 534	65 65 0	29 29 0	110	110	642	
3/17/79 *	CAB	364 37	371 39	313 35	FLT	TOT:	13 13 0	13 13 0	8 8 0	7 7 0	110	0.0 0.0 0.0	0.0 0.0 0.	.384E+03 .384E+03	417 417 0	75 75 0	58 58 0	110	110	120	
3/20/79 *	CAB	318 37	332 39	211 35	FLT	TOT:	15 13 2	15 13 2	9 8 1	9 7 2	330	5.3 0.0 39.4	0.1 0.0 1.0	.579E+04 .412E+04 .166E+05	189 207 48	64 76 24	86 93 60	1082	1082	550	
3/22/79 *	CAB	289 38	370 39	200 35	FLT	TOT:	14 11 3	14 11 3	6 5 1	5 4 1	000	3.3 0.0 15.3	0.4 0.0 1.7	.133E+04 .772E+03 .339E+04	236 264 95	61 53 95	249 211 400	853	853	660	
3/29/79	CAB	383 37	390 39	308 35	FLT	TOT:	14 14 0	14 14 0	9 9 0	1 1 0	110	0.0 0.0 0.0	0.0 0.0 0.	.455E+02 .455E+02	509 509 0	100 100 0	123 123 0	110	110	1330	
4/ 9/76	CAA	364 37	389 40	216 35	FLT	TOT:	9 8 1	0 0 0	9 8 1	9 8 1	211	1.2 0.0 11.0	0.1 0.0 1.0	0. 0. 0.	159 170 78	94 94 100	158 170 59	981	981	000	
4/ 9/76 *	CAA	345 37	371 39	214 35	FLT	TOT:	8 8 0	0 0 0	8 8 0	8 8 0	440	0.0 0.0 0.0	0.0 0.0 0.	0. 0. 0.	97 97 0	89 89 0	163 163 0	880	880	000	
4/18/76 *	CAA	346 36	370 38	216 34	FLT	TOT:	7 7 0	0 0 0	7 7 0	0 0 0	000	0.0 0.0 0.0	0.0 0.0 0.	0. 0. 0.	194 194 0	0 0 0	0 0 0	n50	n50	nnn	
5/11/76 *	CAA	394 37	430 39	220 34	FLT	TOT:	17 16 1	0 0 0	11 10 1	0 0 0	000	3.0 0.0 51.0	0.2 0.0 3.0	0. 0. 0.	255 275 60	0 0 0	0 0 0	761	761	1000	
5/11/76	CAA	362 37	409 40	220 34	FLT	TOT:	16 14 12	0 0 0	11 3 8	0 0 0	000	36.4 0.0 48.6	1.8 0.0 2.4	0. 0. 0.	144 193 126	0 0 0	0 0 0	164 164 12	164 164 12	000	
6/15/78	CAB	375 37	391 39	261 35	FLT	TOT:	17 17 0	17 17 0	10 10 0	8 8 0	000	0.0 0.0 0.0	0.0 0.0 0.	.677E+03 .677E+03	76 76 0	40 40 0	34 34 0	17170	17170	000	
6/28/78	CAB	365 37	390 39	240 35	FLT	TOT:	16 15 1	16 15 1	10 10 0	10 9 1	000	0.5 0.0 8.2	0.1 0.0 2.0	.787E+02 .839E+02	105 105 0	29 29 0	48 51 27	16151	16151	000	
6/ 3/79	CAB	362 37	390 39	228 34	FLT	TOT:	13 10 3	13 10 3	0 0 0	9 7 2	000	5.3 0.0 23.0	0.2 0.0 0.7	.104E+05 .225E+04 .377E+05	0 0 0	30 37 7	25 20 43	13103	13103	000	

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT				TROP N	STRAT N	
					CLD	PDS	OZ	H20, H2S	%TIC Patches	PDS	OZ	RH	H20	OZ	RH	H20			
<b>DEN-LAX (CONT.)</b>																			
6/ 5/79 *	CAB	368 37	371 39	333 35	FLT IN NOT	TOT: 15 14 CLR: 7 14 CLR: 8 0	15 14 7 14 8 0	0 0 0 0 0 0	0 0 5 8 5 0	31.0 0.0 58.0	1.5 0.0 2.9	.988E+05 .103E+05 .176E+06	0 0 0 0 0 0	75 74 81 74 43 0	33 261 29 0	15 14 7 0 8 0	0 0	0 0	
7/ 1/78 *	CAB	347 37	371 39	190 35	FLT IN NOT	TOT: 14 14 CLR: 14 0 CLR: 0 0	14 14 14 0 0 0	9 9 8 0 0 0	8 8 0 0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.123E+03 .123E+03 0.	74 74 74 0 0 0	17 17 261 0	14 14 14 0	0 0	0 0		
7/ 6/78 *	CAB	347 37	371 39	230 35	FLT IN NOT	TOT: 13 13 CLR: 12 12 CLR: 1 1	13 13 12 12 7 0	7 7 7 7 0 0	7 7 7 0 0 0	0.0 0.0 0.4	0.1 0.0 1.0	.349E+02 .327E+02 .616E+02	182 182 182 0 0 0	8 8 11 0 11 0	13 12 12 1 11 0	0 0	0 0		
7/ 8/78 *	CAB	360 37	371 39	312 35	FLT IN NOT	TOT: 13 13 CLR: 10 10 CLR: 3 3	13 13 10 10 8 3	8 7 5 3 7 3	7 4 3 3 3 0	2.7 11.6 11.6	.7 3.0 3.0	.380E+04 .627E+01 .164E+05	45 42 47 42 42 3	5 5 6 3 3 3	6 3 8 3 10 3	13 13 13 0 10 0	0 0	0 0	
<b>DEN-ORD</b>																			
2/15/79	CAB	360 41	370 42	290 40	FLT IN NOT	TOT: 12 12 CLR: 12 0 CLR: 0 0	12 12 12 0 0 0	7 7 6 0 0 0	6 6 0 0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.848E+02 .848E+02 0.	75 75 43 0 60 0	75 75 43 0 60 0	12 12 20 0 20 0	0 0	0 0		
2/22/79	CAB	370 41	370 42	369 40	FLT IN NOT	TOT: 11 11 CLR: 11 11 CLR: 0 0	11 11 11 11 0 0	7 7 4 4 0 0	4 4 4 4 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.458E+02 .458E+02 0.	111 111 100 0 100 0	100 100 36 36 36 0	36 36 36 0 99 0	0 0	NNO		
3/13/79 *	CAB	316 41	391 42	201 40	FLT IN NOT	TOT: 14 13 CLR: 8 7 CLR: 6 6	14 13 8 7 6 6	6 6 4 2 2 2	6 6 4 2 2 0	0.0 0.0 85.6	0.4 0.0 .8	.769E+05 .402E+04 .162E+06	322 434 322 99 99 21	21 20 46 28 21 81	21 20 46 28 21 81	6 15 6 15 6 15	8 7 1		
3/13/79	CAB	352 41	371 42	283 40	FLT IN NOT	TOT: 10 8 CLR: 6 4 CLR: 4 4	10 8 6 4 4 4	5 5 4 1 1 2	5 5 3 2 2 0	25.6 64.1 64.1	.8 2.0 2.0	.424E+05 .171E+04 .831E+05	322 362 322 164 164 25	23 22 23 12 25 15	13 12 13 12 15 15	1 0 1	9 6 3		
3/17/79	CAB	392 41	410 42	270 40	FLT IN NOT	TOT: 14 14 CLR: 12 12 CLR: 2 2	14 14 12 12 2 1	9 9 8 6 1 0	7 6 6 6 0 0	5.6 0.0 39.0	.6 0.0 4.0	.352E+05 .357E+03 .244E+06	346 383 346 51 51 25	89 100 37 25 25 65	37 32 20 25 20 65	2 0 2	12 12 0		
3/20/79	CAB	345 41	371 42	260 40	FLT IN NOT	TOT: 12 12 CLR: 15 7 CLR: 7 7	12 12 15 7 7 7	8 6 2 6 4 3	6 6 2 4 3 0	23.1 39.6 39.6	1.3 2.3 2.3	.338E+05 .305E+03 .578E+05	121 186 121 100 100 86	90 99 64 64 67 67	66 64 66 64 66 67	6 5 1	6 5 1		
3/22/79	CAB	343 41	370 42	210 40	FLT IN NOT	TOT: 9 9 CLR: 6 6 CLR: 3 3	9 9 6 6 3 3	4 4 2 2 1 0	4 4 0 0 0 0	1.4 0.0 4.3	.4 0.0 1.3	.124E+05 .274E+04 .317E+05	116 181 116 52 52 7	50 64 39 64 31 65	39 31 39 31 31 65	2 1 1	7 5 2		
3/29/79 *	CAB	380 42	391 42	259 40	FLT IN NOT	TOT: 18 18 CLR: 14 14 CLR: 4 4	18 18 14 14 4 4	10 9 9 1 1 0	0 0 0 0 0 0	9.7 0.0 43.8	.4 0.0 2.0	.443E+05 .392E+03 .198E+06	190 208 208 36 36 0	0 0 0 0 0 0	0 0 0 0 0 0	10 6 4	8 8 0		

DEP-ARR	IM/ID/IY	CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	NUMBER OF OBS	CLD	PD5	OZ	H2O, H2S	AVERAGES FOR	%TIC PATCHES	THE FLIGHT	PD5	OZ	RH	H2O	TROP	N	STRAT
---------	----------	------	------	------	------	------	------	------	---------------	-----	-----	----	----------	--------------	--------------	------------	-----	----	----	-----	------	---	-------

DEN-ORD (CONT.)

6/15/78 *	CAB	371 39	410 41	201 39		FLT TOT:	17 13	17 13	10 8	8 8	3 3	10.8 0.0	.4 0.5	.361E+05 .591E+02 .153E+06	78 80 67	82 82 0	105 105 0	17 13 4	0 0 0
6/28/78 *	CAB	372 41	391 42	222 40		FLT TOT:	18 17	18 17	11 10	10 10	0 0	1.5 0.0	.2 0.0	.298E+03 .166E+03 .255E+04	65 67 40	43 43 0	27 27 0	18 17 1	0 0 0
6/ 3/79 *	CAB	371 41	390 42	200 40		FLT TOT:	17 15	17 15	0 0	9 9	0 0	6.1 0.0	.1 0.0	.107E+05 .427E+04 .593E+05	0 0 0	43 43 0	29 29 0	6 4 2	11 11 0
6/ 5/79	CAB	393 41	411 43	284 40		FLT TOT:	14 13	14 13	0 0	7 7	1 0	.8 0.0	.1 0.0	.272E+04 .188E+04 .137E+05	0 0 0	40 40 0	24 24 0	7 6 1	7 7 0
7/ 1/78	CAB	352 41	370 42	203 40		FLT TOT:	16 14	16 14	10 9	10 9	0 1	.2 0.0	.3 0.0	.103E+03 .113E+03 .319E+02	91 92 83	4 4 3	6 6 5	16 14 2	0 0 0
7/ 6/78	CAB	361 41	370 42	301 40		FLT TOT:	12 13	12 13	7 1	2 1	0 0	40.7 0.0	2.2 0.0	.128E+06 .152E+03 .171E+06	66 105 59	38 16 59	38 17 59	12 13 9	0 0 0
7/ 8/78	CAB	356 41	371 42	232 40		FLT TOT:	14 14	14 14	8 8	8 8	0 0	0.0 0.0	0.0 0.0	.330E+02 .330E+02 0.	56 56 0	26 26 0	68 68 0	14 14 0	0 0 0

DFW-HNL

3/28/77	AAA	408 30	421 35	272 21		FLT TOT:	85 85	85 85	0 0	70 70	1 0	0.0 0.0	0.0 0.0	.368E+01 .368E+01 0.	0 0 0	18 18 0	12 12 0	0 0 0	0 0 0
3/30/77 *	AAA	418 30	431 34	221 22		FLT TOT:	64 64	64 64	0 0	54 54	0 0	0.0 0.0	0.0 0.0	.711E+01 .711E+01 0.	0 0 0	15 15 0	17 17 0	0 0 0	0 0 0
5/ 2/77	AAA	410 31	420 35	326 21		FLT TOT:	78 64	78 64	52 44	0 8	0 0	4.6 0.0	.2 0.0	.102E+05 .588E+C3 .541E+05	309 341 138	0 0 0	0 0 0	43 29 14	35 35 0
5/ 4/77 *	AAA	380 30	390 33	247 22		FLT TOT:	72 62	72 62	44 38	0 0	0 0	11.7 0.0	.4 0.0	.515E+05 .118E+C3 .370E+06	101 109 53	0 0 0	0 0 0	66 56 10	66 66 0
5/ 9/77	AAA	405 32	420 38	224 22		FLT TOT:	86 79	86 79	55 50	0 0	0 0	2.9 0.0	.3 0.0	.408E+05 .127E+03 .500E+06	262 278 102	0 0 0	0 0 0	37 30 7	49 49 0

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT				TROP N	STRAT N	
					CLD	PDS	OZ	H2O, H2S	%TIC PATCHES	PDS	OZ	RH	H2O						
<b>DFW-HNL (CONT.)</b>																			
5/11/77 * AAA	393 31	411 34	339 22	FLT IN NOT	TOT: CLR: CLR:	66 49 17	66 49 17	45 34 11	0 0 0	0 0 0	10.7 0.0 41.4	.3 0.0 1.2	.146E+05 .109E+03 .565E+05	232 298 29	0 0 0	0 0 0	37 20 17	29 29 0	
5/16/77 AAA	390 30	401 35	235 21	FLT IN NOT	TOT: CLR: CLR:	40 40 0	40 40 0	25 25 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.900E+02 .900E+02 0.	128 128 0	0 0 0	0 0 0	30 30 0	10 10 0	
5/18/77 * AAA	400 27	411 32	370 22	FLT IN NOT	TOT: CLR: CLR:	23 23 0	23 23 0	11 11 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.	.228E+02 .228E+02 0.	243 243 0	0 0 0	0 0 0	14 14 0	9 9 0	
12/13/76 AAA	413 31	430 34	289 22	FLT IN NOT	TOT: CLR: CLR:	80 80 0	0 0 0	52 52 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.	0.	104 104 0	0 0 0	0 0 0	51 51 0	29 29 0	
12/15/76 * AAA	337 30	340 33	248 22	FLT IN NOT	TOT: CLR: CLR:	72 71 1	0 0 0	48 48 0	0 0 0	0 0 0	0.0 3.5 4.0	1 0 0	0.	61 61 0	0 0 0	0 0 0	72 71 1	0 0 0	
12/20/76 AAA	347 32	350 38	190 22	FLT IN NOT	TOT: CLR: CLR:	86 53 33	0 0 0	49 33 16	45 28 17	10 3 7	11.6 0.0 30.1	1.3 0.0 3.4	0.	95 113 58	73 62 92	64 65 64	72 39 33	14 14 0	
12/22/76 * AAA	426 29	450 33	280 22	FLT IN NOT	TOT: CLR: CLR:	66 66 0	0 0 0	45 45 0	0 0 0	0 0 0	0.0 0.0 0.0	0. 0. 0.	0.	160 160 0	0 0 0	0 0 0	42 42 0	24 24 0	
12/27/76 AAA	339 30	351 34	269 21	FLT IN NOT	TOT: CLR: CLR:	95 52 43	0 0 0	13 19 4	0 0 0	0 0 0	16.4 0.0 36.2	1.0 0.0 2.2	0.	62 62 62	0 0 0	0 0 0	95 52 43	0 0 0	
12/29/76 * AAA	421 31	430 35	314 22	FLT IN NOT	TOT: CLR: CLR:	67 66 1	0 0 0	44 43 1	53 53 0	0 0 0	0.0 0.0 0.6	0. 0. 1.0	0.	137 139 63	46 46 0	15 15 0	20 19 1	47 47 0	
<b>DFW-JFK</b>																			
3/28/77 * AAA	420 37	433 40	217 33	FLT IN NOT	TOT: CLR: CLR:	29 23 6	29 23 6	0 0 0	23 18 5	8 3 5	10.5 0.0 50.7	.5 0.0 2.3	.489E+05 .180E+02 .236E+06	0 0 0	54 41 100	13 14 10	0 0 0	0 0 0	0 0 0
3/30/77 AAA	404 37	410 39	345 33	FLT IN NOT	TOT: CLR: CLR:	22 21 1	22 21 1	0 0 0	19 18 1	0 0 0	0.2 0.0 3.5	0. 0. 1.0	0.	.257E+01 .270E+01 0.	0 0 0	23 20 84	15 12 53	0 0 0	0 0 0
5/ 2/77 * AAA	422 37	429 40	274 34	FLT IN NOT	TOT: CLR: CLR:	29 27 2	29 27 2	18 17 1	0 0 0	0 0 0	2.0 0.0 28.6	.1 0.0 1.5	0.	.125E+05 .901E+02 .180E+06	304 318 74	0 0 0	0 0 0	21 21 1	27 26 1

DEP-ARR	IM>ID/IY	CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT			TROP N	STRAT N	
									CLD	PD5	OZ	H2O, H2S	% TIC PATCHES	PD5	OZ	RH	H2O			
<b>DFW-JFK (CONT.)</b>																				
5/ 4/77	AAA	415 37	430 39	329 33		FLT TOT:	24	24	15	0	0	0	23.5 0.0	.9 0.0	.628E+05 .515E+02	233 314	0	0	13 1	11 1
						IN CLR:	12	12	8	0	0	0	47.1	1.8	.126E+06	142	0	0	12	0
						NOT CLR:	12	12	7	0	0	0								
5/ 9/77 *	AAA	417 37	430 40	264 33		FLT TOT:	26	26	15	0	0	0	.9 0.0	.0 0.5	.490E+04 .373E+02	472 503	0	0	20 2	24 24
						IN CLR:	24	24	14	0	0	0	12.2		.632E+05	39	0	0	0	0
						NOT CLR:	2	2	1	0	0	0								
5/11/77	AAA	398 37	410 39	223 33		FLT TOT:	24	24	16	0	0	0	1.1 0.0	.1 0.0	.227E+02 .247E+02	348 369	0	0	0	22 22
						IN CLR:	22	22	15	0	0	0	12.7	1.5	0.	38	0	0	0	0
						NOT CLR:	2	2	1	0	0	0								
5/16/77 *	AAA	399 36	430 39	206 33		FLT TOT:	10	10	4	0	0	0	5.1 0.0	.5 0.0	0.	90 90	0	0	0	5 5
						IN CLR:	9	9	4	0	0	0	50.6	5.0	0.	0	0	0	0	
						NOT CLR:	1	1	0	0	0	0								
5/18/77	AAA	404 37	410 39	367 33		FLT TOT:	7	7	3	0	0	0	10.3 0.0	.9 0.0	.855E+05 .299E+06	150 150	0	0	0	5 4
						IN CLR:	5	5	3	0	0	0	35.9	3.0	0.	0	0	0	0	
						NOT CLR:	2	N	0	0	0	0								
12/13/76 *	AAA	425 37	430 40	342 34		FLT TOT:	32	0	0	0	0	0	0.0 0.0	0.0 0.0	0.	0 0	0	0	0	6 6
						IN CLR:	32	0	0	0	0	0	0.0 0.0	0.0 0.0	0.	0 0	0	0	0	0
						NOT CLR:	0	0	0	0	0	0								
12/15/76	AAA	327 36	331 39	271 33		FLT TOT:	25	0	17	0	0	0	3.5 0.0	.4 0.0	0.	59 60	0	0	0	25 23
						IN CLR:	23	0	16	0	0	0	43.3	5.5	0.	51	0	0	0	2
						NOT CLR:	2	0	1	0	0	0								
12/20/76 *	AAA	348 37	350 40	318 34		FLT TOT:	36	0	23	0	0	0	7.5 0.0	1.4 0.0	0.	110 126	0	0	0	36 28
						IN CLR:	28	0	18	0	0	0	34.0	6.4	0.	50	0	0	0	0
						NOT CLR:	8	0	5	0	0	0								
12/22/76	AAA	438 37	450 39	314 33		FLT TOT:	24	0	0	0	0	0	0.0 0.0	0.0 0.0	0.	0 0	0	0	0	22 22
						IN CLR:	24	0	0	0	0	0	0.0 0.0	0.0 0.0	0.	0 0	0	0	0	0
						NOT CLR:	0	0	0	0	0	0								
12/27/76 *	AAA	342 37	350 40	193 33		FLT TOT:	32	0	21	0	0	0	13.3 0.0	1.0 0.0	0.	87 110	0	0	0	25 13
						IN CLR:	20	0	11	0	0	0	35.6	2.6	0.	61	0	0	0	12 0
						NOT CLR:	12	0	10	0	0	0								
12/29/76	AAA	398 37	410 39	240 33		FLT TOT:	22	0	14	0	17	0	0.0 0.0	0.0 0.0	0.	492 492	23	19	4	18 18
						IN CLR:	22	0	14	0	17	0	0.0 0.0	0.0 0.0	0.	0 0	0	0	0	0
						NOT CLR:	0	0	0	0	0	0								

**APPENDIX B**

**DRW-SYD**

8/18/76 *	DDA	347 -23	352 -14	273 -33	FLT TOT:	37	0	24	0	0	0	0.0 0.0	0.0 0.0	0.	35 35	0	0	0	37 37
					IN CLR:	37	0	24	0	0	0	0.0 0.0	0.0 0.0	0.	0 0	0	0	0	0
					NOT CLR:	0	0	0	0	0	0								

IM/ID/IY	CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT				STRAT		
								CLD	PD5	OZ	H2O, H2S	%TIC	PATCHES	PD5	OZ	RH	H2O			
<b>DRW-SYD (CONT.)</b>																				
8/20/76	DDA	344 -24	370 -14	223 -33	FLT	TOT:	33	0	0	20	0	0	0.0	0.0	0.0	0.	40 40 0	0 0 0	33 33 0	0 0
<b>DTW-HNL</b>																				
4/25/76 *	CAA	326 38	370 42	194 29	FLT	TOT:	42	0	0	42	39	3	0	0	2.0	0.3	0. 147 153 72	0 0 0	37 34 3	5 5
<b>DTW-IAD</b>																				
6/ 6/79 *	BDB	294 41	311 41	228 40	FLT	TOT:	550	550	NN0	1	1	1	0.0	0.0	0.0	.183E+04 0.	53 53 0	100 100 0	296 296 0	0 0
9/30/78 *	BBB	303 40	311 41	283 40	FLT	TOT:	532	532	312	0	0	0	22.5 0.0	1.6 0.0	.631E+06 .410E+04	.183E+04 .157E+07	75 85	0 0	0 0	0 0
10/ 1/78	BBB	263 41	291 42	245 40	FLT	TOT:	615	615	312	0	0	0	54.1 0.0	3.2 0.0	.540E+06 .625E+02	.148E+06 .648E+06	67 50 76	0 0 0	0 0 0	6 15
10/ 6/78 *	BBB	298 41	310 41	250 40	FLT	TOT:	550	550	NN0	0	0	0	0.0 0.0	0.0 0.0	.798E+03 .798E+03	.148E+03 0.	148 0	0 0	0 0	0 0
10/ 7/78 *	BBB	300 40	310 41	258 40	FLT	TOT:	651	651	330	0	0	0	7.5 0.0	0.2 0.0	.215E+05 .148E+03	.128E+06	115 115 0	0 0 0	0 0 0	0 0
10/ 7/78	BBB	278 40	291 41	232 39	FLT	TOT:	550	550	NN0	0	0	0	44.7 0.0	1.0 0.0	.296E+03 .148E+03	.296E+03 .128E+06	90 90 0	0 0 0	0 0 0	0 0
11/16/78	BBB	277 40	290 41	226 39	FLT	TOT:	505	505	NN0	0	0	0	0.0 0.0	0.0 0.0	.296E+03 .296E+03	.296E+03 0.	90 90 0	0 0 0	0 0 0	0 0
12/15/78	BBB	277 40	289 41	227 39	FLT	TOT:	550	550	NN0	0	0	0	0.0 0.0	0.0 0.0	.230E+06 .230E+06	.230E+06 0.	23 23 0	96 96 0	271 271 0	505 505 0
12/15/78 *	BBB	294 40	310 41	240 40	FLT	TOT:	660	660	330	0	0	0	0.0 0.0	0.0 0.0	.110E+02 .110E+02	.110E+02 0.	46 46 0	0 0 0	0 0 0	0 0

DEP-ARR IM/ID/IY	CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT						TROP N	STRAT N
								CLD	PDS	OZ	H2O, H2S	%TIC PATCHES	PDS	OZ	RH	H2O					
<b>DTW-LHR</b>																					
5/26/77	AAA	393 47	410 51	270 42	FLT	TOT:	36	36	20	0	0	1.7	0.3	.163E+03	543	0	0	0	532	31301	
					IN CLR:		33	33	19	0	0	0.0	0.0	.398E+01	560	0	0	0			
					NOT CLR:		3	3	1	0	0	20.1	3.0	.191E+04	217	0	0	0			
5/27/77 *	AAA	382 51	391 56	216 43	FLT	TOT:	38	38	19	0	0	0.8	0.0	.106E+04	360	0	0	0	642	32320	
					IN CLR:		36	36	17	0	0	0.0	0.0	.136E+02	389	0	0	0			
					NOT CLR:		2	2	2	0	0	16.1	0.5	.199E+05	121	0	0	0			
<b>FAI-SEA</b>																					
12/13/77	BCB	366 57	370 64	291 49	FLT	TOT:	27	27	17	0	0	0.0	0.0	.209E+02	259	0	0	0	110	26260	
					IN CLR:		27	27	17	0	0	0.0	0.0	.209E+02	259	0	0	0			
					NOT CLR:		0	0	0	0	0	0.0	0.0	0.							
12/13/77 *	BCB	343 57	351 64	266 49	FLT	TOT:	29	29	18	0	0	0.0	0.0	.724E+02	196	0	0	0	15150	14140	
					IN CLR:		29	29	18	0	0	0.0	0.0	.724E+02	196	0	0	0			
					NOT CLR:		0	0	0	0	0	0.0	0.0	0.							
<b>FCA-IST</b>																					
1/ 6/79	BBB	345 43	371 44	224 41	FLT	TOT:	16	0	9	7	220	0.1	0.1	0.	207	55	62	16151	00000		
					IN CLR:		15	0	9	7	0	0.0	0.0	207	55	62	0				
					NOT CLR:		1	0	0	0	0	1.2	1.0	0.							
1/ 7/79 *	BBB	268 43	280 44	260 42	FLT	TOT:	18	0	11	10	0	0.0	0.0	0.	67	26	46	18180	00000		
					IN CLR:		18	0	11	10	0	0.0	0.0	67	26	46	0				
					NOT CLR:		0	0	0	0	0	0.0	0.0	0.							
2/24/79	BBB	326 43	330 44	276 41	FLT	TOT:	15	0	9	7	20	10.6	0.5	0.	136	57	20	1183	440		
					IN CLR:		12	0	7	4	2	0.0	0.0	152	27	10	34				
					NOT CLR:		3	0	2	3	2	52.9	2.7	82	97	34					
2/25/79 *	BBB	303 43	310 44	280 42	FLT	TOT:	18	0	11	7	0	0.9	0.2	0.	69	39	19	18162	00000		
					IN CLR:		16	0	9	5	2	0.0	0.0	74	35	15	27				
					NOT CLR:		2	0	2	2	0	8.2	2.0	48	49	27					
3/16/79	BBB	317 43	331 44	230 41	FLT	TOT:	15	0	9	8	0	1.7	0.3	0.	213	43	42	15132	00000		
					IN CLR:		13	0	8	7	0	0.0	0.0	202	36	55	99				
					NOT CLR:		2	0	1	1	0	12.5	2.5	303	99	55					
3/17/79 *	BBB	388 43	391 44	364 42	FLT	TOT:	12	0	0	4	0	4.7	0.3	0.	0	19	35	0	0	12111	
					IN CLR:		11	0	0	4	0	0.0	0.0	0	19	35	0	0			
					NOT CLR:		1	0	0	0	0	56.9	4.0	0	0	0	0	0			
11/22/78	BBB	300 43	330 44	227 41	FLT	TOT:	18	18	11	10	0	0.0	0.0	.109E+02	56	44	74	18180	00000		
					IN CLR:		18	18	11	10	0	0.0	0.0	.109E+02	56	44	74	0			
					NOT CLR:		0	0	0	0	0	0.0	0.0	0.							

DEP-ARR IM>ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT				TROP N	STRAT N		
					CLD	PDS	OZ	H2O, H2S	%TIC PATCHES	PDS	OZ	RH	H2O					
<b>FC6-1ST (CONT.)</b>																		
11/23/78 * BBB	272 43	350 44	200 42	FLT TOT: IN CLR: NOT CLR:	16 0	16 0	10 0	10 0	0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	.722E+02 .722E+02 0.	52 52 0	18 18 0	40 40 0	16 16 0	0 0
11/25/78 BBB	342 43	370 44	265 41	FLT TOT: IN CLR: NOT CLR:	16 16 0	16 10 0	10 9 0	9 0 0	0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	.841E+01 .841E+01 0.	60 60 0	40 40 0	19 19 0	6 6 0	10 10 0
11/26/78 * BBB	301 43	310 44	193 42	FLT TOT: IN CLR: NOT CLR:	18 13 5	18 13 5	11 8 3	8 6 2	1	6.4 0.0 23.1	1.3 0.0 4.6	0.0 0.0 0.0	.227E+05 .102E+02 .817E+05	75 89 40	56 52 68	33 34 30	18 13 5	0 0 0
11/28/78 BBB	316 43	370 44	231 41	FLT TOT: IN CLR: NOT CLR:	17 10 7	17 10 7	10 7 3	10 7 3	0	26.1 0.0 68.1	2.4 0.0 5.7	0.0 0.0 0.0	.191E+06 .670E+01 .464E+06	231 315 35	30 19 56	33 9 91	8 7 1	990 990 0
11/29/78 * BBB	316 43	390 44	260 42	FLT TOT: IN CLR: NOT CLR:	12 5 7	12 5 7	5 3 2	6 4 2	1	43.4 0.0 74.3	2.2 0.0 3.7	0.0 0.0 0.0	.533E+06 0. .913E+06	313 515 10	56 35 97	53 17 125	7 7 7	550 550 0
12/ 4/78 BBB	309 43	331 44	230 42	FLT TOT: IN CLR: NOT CLR:	15 5 10	15 5 10	9 2 7	8 3 5	4	21.4 0.0 32.1	1.5 0.0 2.3	0.0 0.0 0.0	.411E+05 .461E+03 .614E+05	54 75 48	97 96 97	66 23 91	15 15 10	0 0 0
12/17/78 BBB	309 43	331 44	257 41	FLT TOT: IN CLR: NOT CLR:	15 13 2	15 13 2	9 8 1	8 7 1	2	0.9 0.0 6.5	3 0.0 2.0	0.0 0.0 0.0	.183E+04 .192E+03 .125E+05	42 41 53	63 58 100	66 64 80	0 0 0	0 0 0
12/18/78 * BBB	298 43	310 44	240 42	FLT TOT: IN CLR: NOT CLR:	21 17 4	21 17 4	13 10 3	10 8 2	2	3.2 0.0 16.8	0.7 0.0 3.5	0.0 0.0 0.0	.717E+04 .347E+02 .375E+05	41 40 43	55 44 96	87 46 250	0 0 0	0 0 0
12/20/78 BBB	285 43	291 44	230 42	FLT TOT: IN CLR: NOT CLR:	13 13 0	13 13 0	8 8 0	7 7 0	0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	.501E+02 0. .501E+02	89 0 89	36 0 36	48 0 48	0 0 0	0 0 0
12/21/78 * BBB	296 43	310 44	240 42	FLT TOT: IN CLR: NOT CLR:	20 9 11	20 9 11	11 5 6	7 0 7	5	27.6 0.0 50.2	1.6 0.0 2.9	0.0 0.0 0.0	.693E+05 .217E+02 .126E+06	37 41 34	99 0 99	74 0 74	0 0 0	0 0 0
12/23/78 BBB	293 43	331 44	250 42	FLT TOT: IN CLR: NOT CLR:	17 3 14	17 3 14	0 0 0	10 0 9	3	40.2 0.0 48.8	3.3 0.0 4.0	0.0 0.0 0.0	.154E+06 .547E+03 .186E+06	0 0 0	81 53 84	78 32 83	0 0 0	0 0 0
12/24/78 * BBB	364 43	389 44	267 42	FLT TOT: IN CLR: NOT CLR:	16 12 4	16 12 4	0 0 0	8 7 1	0	10.2 0.0 40.7	0.6 0.0 2.5	0.0 0.0 0.0	.245E+05 .221E+02 .981E+05	0 0 0	43 47 20	22 22 23	0 0 0	0 0 0

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT						TROP N	STRAT N
					CLD	PDS	OZ	H20, H2S	%TIC PATCHES	PDS	OZ	RH	H20					
<b>FCC-JFK</b>																		
1/27/76 * BBA	349 47	370 51	165 41	FLT IN NOT CLR:	52 32 20	0 0 0	52 32 20	0 0 0	0.0 40.7	15.6 0.0 0.0	.6 1.5 0.	0. 0. 0.	180 226 108	0 0 0	0 0 0	31 16 15	21 16 5	
1/28/76 * BBA	359 48	390 52	208 41	FLT IN NOT CLR:	52 23 29	0 0 0	52 23 29	0 0 0	0.0 79.5	44.3 0.0 2.4	1.4 0.0 0.	0. 0. 0.	158 312 36	0 0 0	0 0 0	34 7 27	18 16 2	
1/28/76 BBA	329 44	390 48	203 41	FLT IN NOT CLR:	66 39 27	0 0 0	66 39 27	0 0 0	0.0 56.0	22.9 0.0 2.6	1.1 0.0 0.	0. 0. 0.	71 91 41	0 0 0	0 0 0	66 39 27	0 0 0	
1/ 6/79 * BBB	330 51	369 55	246 42	FLT IN NOT CLR:	67 45 22	0 0 0	44 30 14	38 25 13	3 3 3	19.6 0.0 59.8	1.2 0.0 3.7	0. 0. 0.	104 134 41	48 33 79	28 20 44	46 26 20	21 19 2	
2/24/79 * BBB	326 46	370 48	202 41	FLT IN NOT CLR:	69 49 20	0 0 0	44 30 14	34 20 14	2 2 0	9.1 0.0 31.4	.8 0.0 2.9	0. 0. 0.	137 173 59	53 44 66	39 39 39	49 30 19	20 19 1	
2/25/79 BBB	327 47	370 49	199 41	FLT IN NOT CLR:	71 36 35	0 0 0	47 23 24	34 18 16	1 1 0	17.7 0.0 35.9	1.5 0.0 3.1	0. 0. 0.	83 96 71	55 48 62	59 24 98	71 36 35	0 0 0	
3/16/79 * BBB	331 44	371 46	260 41	FLT IN NOT CLR:	82 73 9	0 0 0	53 49 4	45 41 4	3 1 2	6.2 0.0 56.7	.3 0.0 2.8	0. 0. 0.	214 228 50	35 31 82	30 27 56	15 15 0	35 35 0	
4/12/76 BBA	361 45	390 46	194 41	FLT IN NOT CLR:	56 52 4	0 0 0	56 52 4	0 0 0	0.0 1.3	.1 0.0 1.3	.1 0.0 1.3	0. 0. 0.	223 215 328	0 0 0	0 0 0	41 39 2	15 13 2	
4/12/76 * BBA	306 47	370 51	203 41	FLT IN NOT CLR:	49 44 5	0 0 0	49 44 5	0 0 0	0.0 9.6	1.0 0.0 3.2	.3 0.0 0.	0. 0. 0.	172 179 114	0 0 0	0 0 0	38 33 5	11 11 0	
5/28/79 * BDB	347 45	370 46	215 41	FLT IN NOT CLR:	80 69 11	80 69 11	50 44 6	34 30 4	1 1 0	1.7 0.0 12.4	.4 0.0 2.8	.214E+05 .182E+04 .144E+06	206 223 80	52 49 76	43 43 45	58 47 11	22 22 0	
5/28/79 BDB	325 50	350 56	215 41	FLT IN NOT CLR:	94 73 21	94 73 21	62 50 12	54 40 14	10 3 7	4.8 0.0 21.6	1.0 0.0 4.5	.115E+06 .432E+04 .499E+06	183 206 85	59 49 89	82 61 142	72 51 21	22 22 0	
9/20/76 BBA	362 50	370 56	240 42	FLT IN NOT CLR:	89 89 0	0 0 0	57 57 0	0 0 0	0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	76 76 0	0 0 0	0 0 0	64 64 0	25 25 0	
9/20/76 * BBA	332 45	370 47	269 41	FLT IN NOT CLR:	75 75 0	0 0 0	43 48 0	0 0 0	0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	60 60 0	0 0 0	0 0 0	75 75 0	0 0 0	

APPENDIX B

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT				TROP N	STRAT N	
					CLD	PDS	OZ	H20, H2S	%TIC PATCHES	PDS	OZ	RH	H20						
<b>FC0-JFK (CONT.)</b>																			
9/22/76 * BBA	344 45	370 47	199 41	FLT IN CLR: NOT CLR:	80 80 0	0 0 0	50 50 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0 0 0	0 0 0	61 61 0	0 0 0	0 0 0	0 0 0	0 0 0	
11/22/78 * BBB	346 48	371 50	259 41	FLT IN CLR: NOT CLR:	75 58 17	75 58 17	48 37 11	38 30 8	1 0 1	4.3 0.0 18.8	1.1 0.0 4.8	.144E+05 .523E+02 .633E+05	85 96 46	48 38 85	16 13 26	60 43 17	15 15 0		
11/23/78 BBB	334 45	371 48	200 41	FLT IN CLR: NOT CLR:	91 59 32	91 59 32	58 40 18	51 31 20	2 2 2	23.7 0.0 67.5	.9 0.0 2.5	.709E+05 .363E+03 .201E+06	63 70 47	53 43 69	51 17 103	87 55 32	44 44 0		
11/25/78 * BBB	333 47	370 50	268 41	FLT IN CLR: NOT CLR:	74 42 32	74 42 32	49 29 20	42 23 19	2 1 1	30.5 0.0 70.6	.7 0.0 1.6	.118E+06 .444E+02 .273E+06	71 90 43	45 32 60	28 22 34	55 23 32	19 19 0		
11/26/78 BBB	342 46	370 48	200 41	FLT IN CLR: NOT CLR:	90 54 36	90 54 36	58 33 25	50 29 21	3 0 3	17.6 0.0 44.0	.9 0.0 2.2	.555E+05 .180E+02 .139E+06	114 163 50	43 20 75	28 19 39	64 28 36	26 26 0		
11/28/78 * BBB	354 47	370 49	238 41	FLT IN CLR: NOT CLR:	78 58 20	78 58 20	52 38 14	47 33 14	6 3 3	15.5 0.0 60.5	.7 0.0 2.9	.568E+05 .600E+03 .220E+06	118 152 27	46 37 68	37 20 77	51 31 20	27 27 0		
11/29/78 BBB	332 53	349 59	219 41	FLT IN CLR: NOT CLR:	97 75 22	97 75 22	62 50 12	48 36 10	10 7 3	11.1 0.0 49.1	.5 0.0 2.2	.330E+05 .614E+02 .145E+06	169 198 48	52 43 89	74 69 95	45 27 18	52 48 4		
12/4/78 * BBB	339 44	370 46	236 41	FLT IN CLR: NOT CLR:	71 42 29	71 42 29	47 28 19	39 23 16	12 0 12	27.3 0.0 66.9	.6 0.0 1.6	.724E+05 .779E+01 .177E+06	147 216 45	58 30 98	37 16 68	31 29 29	40 40 0		
12/17/78 * BBB	330 46	371 48	238 41	FLT IN CLR: NOT CLR:	78 61 17	78 61 17	52 40 12	43 33 10	7 2 5	9.3 0.0 42.9	.9 0.0 4.2	.723E+05 .429E+01 .332E+06	123 144 51	55 44 92	38 29 66	0 0 0	0 0 0		
12/18/78 BBB	340 47	371 49	201 41	FLT IN CLR: NOT CLR:	86 64 22	86 64 22	59 46 13	41 30 11	7 0 7	13.8 0.0 53.9	.8 0.0 3.0	.408E+05 .672E+02 .159E+06	175 207 62	54 40 91	30 26 41	0 0 0	0 0 0		
12/20/78 * BBB	289 46	291 49	236 41	FLT IN CLR: NOT CLR:	73 60 13	73 60 13	48 38 10	40 32 8	1 0 1	8.5 0.0 47.8	.6 0.0 3.6	.313E+05 .543E+C2 .175E+06	106 124 38	52 47 75	64 51 116	0 0 0	0 0 0		
12/22/78 BBB	331 51	352 56	220 41	FLT IN CLR: NOT CLR:	78 58 20	78 58 20	27 15 12	44 33 11	8 0 8	14.4 0.0 56.2	.5 0.0 2.1	.625E+05 .224E+03 .243E+06	141 208 57	42 26 91	31 29 37	0 0 0	0 0 0		
12/23/78 * BBB	317 42	350 43	207 40	FLT IN CLR: NOT CLR:	74 64 10	74 64 10	0 0 0	40 33 7	0 0 0	7.5 0.0 55.4	.4 0.0 3.0	.387E+05 .233E+02 .286E+06	0 0 0	40 30 86	41 36 65	0 0 0	0 0 0		

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLG EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT				TROP N	STRAT N	
					CLD	PDS	OZ	H2O, H2S	%TIC PATCHES	PDS	OZ	RH	H2O						
<b>FCD-JFK (CONT.)</b>																			
12/24/78	BBB	300 51	310 56	200 41	FLT IN NOT	TOT: CLR:	90 72 18	90 72 18	0 0 0	46 36 10	3 1 2	13.6 0.0 68.1	.3 0.0 1.6	.247E+05 .409E+02 .123E+06	0 0 0	46 35 87	108 35 372	0 0 0	0 0 0
<b>FCD-LHR</b>																			
9/22/76	BBA	321 47	350 51	208 43	FLT IN NOT	TOT: CLR:	16 16 0	0 0 0	99 0 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	66 66 0	0 0 0	0 0 0	0 0 0	0 0 0
<b>FCD-SNN</b>																			
1/27/76	BBA	387 49	390 52	353 43	FLT IN NOT	TOT: CLR:	16 16 0	0 0 0	16 16 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	354 354 0	0 0 0	0 0 0	1 1 0	15 15 0
<b>FCD-YQX</b>																			
1/7/79	BBB	328 54	370 58	240 43	FLT IN NOT	TOT: CLR:	75 69 6	0 0 0	51 47 4	42 39 3	0 0 0	2.2 0.0 27.6	0.2 0.0 2.2	0. 0. 0.	184 196 37	29 28 45	19 17 44	38 32 6	37 37 0
<b>FRA-IST</b>																			
1/24/76 *	BBA	283 45	310 49	213 42	FLT IN NOT	TOT: CLR:	15 14 1	0 0 0	15 14 1	0 0 0	0 0 0	0.1 0.0 0.8	0.1 0.0 1.0	0. 0. 0.	130 137 32	0 0 0	0 0 0	11 10 1	440
1/5/79 *	BBB	329 45	351 49	249 42	FLT IN NOT	TOT: CLR:	25 23 2	0 0 0	15 14 1	12 12 0	0 0 0	3.7 0.0 45.7	0.3 0.0 3.5	0. 0. 0.	167 177 34	32 32 0	21 21 0	19 17 2	660
3/20/76 *	BBA	330 45	351 49	217 41	FLT IN NOT	TOT: CLR:	16 16 0	0 0 0	16 16 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	262 262 0	0 0 0	0 0 0	440	1210
3/23/76	BBA	346 45	371 49	214 41	FLT IN NOT	TOT: CLR:	14 14 0	0 0 0	14 14 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	496 496 0	0 0 0	0 0 0	0 0 0	1210
4/19/76	BBA	356 45	371 48	220 41	FLT IN NOT	TOT: CLR:	14 11 3	0 0 0	14 11 3	0 0 0	0 0 0	1.3 0.0 6.1	1.2 0.0 5.7	0. 0. 0.	360 357 370	0 0 0	0 0 0	0 0 0	1293

APPENDIX B

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT				TROP N	STRAT N	
					CLD	PDS	OZ	H2O, H2S	% TIC PATCHES	PDS	OZ	RH	H2O						
<b>FRA-JFK</b>																			
1/30/76 *	BBA	341 51	370 54	209 41	FLT IN CLR:	45 32	0	45 32	0	0	15.0 0.0	1.6 0.0	0. 0.	148 184 60	0	0	0	24 11 13	21 21 0
1/31/76	BBA	331 55	350 61	209 43	FLT IN CLR:	54 46	0	54 46	0	0	7.8 0.0	.4 0.0	0. 0.	253 289 47	0	0	0	24 16 8	30 30 0
1/ 9/79 *	BBB	335 50	371 52	243 41	FLT IN CLR:	64 57	0	18 14	35 18	4	21.1 0.0	1.0 0.0	0. 0.	182 226 28	55 30 82	35 19 51	51 24 27	13 13 0	
1/10/79	BBB	339 55	370 62	271 42	FLT IN CLR:	90 83	0	0	37 36	1	1.2 0.0	.1 0.0	0. 0.	0 0 0	21 18 100	17 16 44	7 5 2	83 83 0	
1/12/79	BBB	349 54	391 58	210 41	FLT IN CLR:	91 86	0	33 33	36 35	3	1.9 0.0	.2 0.0	0. 0.	304 304 0	32 30 100	26 26 27	7 4 3	84 82 2	
1/12/79 *	BBB	324 49	370 52	288 42	FLT IN CLR:	67 56	0	3 3	36 34	0	3.6 0.0	.5 0.0	0. 0.	407 407 0	35 31 70	31 29 49	37 26 11	30 30 0	
2/23/79	BBB	347 50	351 52	220 41	FLT IN CLR:	82 64	0	53 41	47 36	0	10.5 0.0	.4 0.0	0. 0.	177 217 39	37 30 60	27 15 66	41 23 18	41 41 0	
2/27/79 *	BBB	335 45	369 50	198 41	FLT IN CLR:	19 12	0	12 7	10 6	4	27.9 0.0	.3 0.0	0. 0.	145 214 49	69 58 86	93 112 65	19 12 7	0 0 0	
2/28/79	BBB	332 46	350 50	210 41	FLT IN CLR:	89 66	0	58 43	49 35	6	6.1 0.0	.8 0.0	0. 0.	127 154 48	51 37 84	53 40 86	67 44 23	22 22 0	
3/ 1/79 *	BBB	348 50	370 53	279 41	FLT IN CLR:	58 31	0	37 20	31 17	7	10.7 0.0	1.3 0.0	0. 0.	99 146 44	66 52 83	40 31 50	51 26 25	7 5 2	
3/ 1/79	BBB	323 46	331 50	242 41	FLT IN CLR:	84 51	0	55 33	45 28	4	13.3 0.0	1.3 0.0	0. 0.	64 73 50	58 43 83	48 34 70	82 49 33	2 2 0	
3/ 3/79 *	BBB	354 49	365 52	256 41	FLT IN CLR:	58 43	0	34 27	26 21	0	10.9 0.0	.4 0.0	0. 0.	245 294 57	27 23 44	9 9 8	21 10 11	37 33 4	
3/ 4/79	BBB	337 52	370 53	238 41	FLT IN CLR:	61 40	0	39 25	33 22	10	18.5 0.0	.9 0.0	0. 0.	168 225 66	60 41 98	22 20 26	25 16 9	36 24 12	

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLC EXTS	NUMBER OF OBS							AVERAGES FOR			THE FLIGHT PD5	0Z	RH	H20	TROP N	STRAT N
					CLD	PDS	0Z	H20, H2S	%TIC	PATCHES										
<b>FRA-JFK (CONT.)</b>																				
3/ 5/79 *	BBB	352 50	370 53	189 43	FLT IN CLR: NOT CLR:	56 31 25	0 18 0	35 15 17	30 15 15	6 0 6	12.6 0.0 28.2	1.3 0.0 2.8	0. 0. 0.		169 285 46	63 41 86	30 23 38	31 14 17	25 17 8	
3/ 5/79	BBB	345 58	371 62	221 41	FLT IN CLR: NOT CLR:	56 39 17	0 25 0	36 23 11	31 1 8	4 1 3	18.1 0.0 59.5	.8 0.0 2.7	0. 0. 0.		256 343 57	50 37 87	16 16 18	16 5 11	39 34 5	
3/ 6/79 *	BBB	343 50	377 53	280 43	FLT IN CLR: NOT CLR:	51 30 21	0 0 0	31 18 13	21 11 10	11 3 8	17.3 0.0 42.1	1.1 0.0 2.7	0. 0. 0.		173 264 48	72 46 100	48 30 67	24 5 19	27 25 2	
3/ 6/79	BBB	356 51	383 53	200 41	FLT IN CLR: NOT CLR:	60 44 16	0 0 0	39 29 10	31 23 8	5 3 2	10.8 0.0 40.6	.6 0.0 2.3	0. 0. 0.		264 334 62	53 43 82	85 25 256	23 11 12	37 33 4	
3/ 7/79	BBB	323 47	331 52	196 41	FLT IN CLR: NOT CLR:	80 40 40	0 0 0	49 25 24	40 20 20	5 5 5	26.3 0.0 52.5	1.6 0.0 3.2	0. 0. 0.		102 147 55	64 43 85	95 36 154	72 32 40	8 8 0	
3/ 7/79 *	BBB	351 51	371 53	193 43	FLT IN CLR: NOT CLR:	49 22 27	0 0 0	32 14 18	26 10 16	8 0 8	36.5 0.0 66.2	.9 0.0 1.6	0. 0. 0.		102 162 54	84 81 87	43 18 58	39 12 27	10 10 0	
4/12/76 *	BBA	331 50	341 52	207 41	FLT IN CLR: NOT CLR:	45 40 5	0 0 0	45 40 5	0 0 0	0 0 0	.1 0.0 1.1	.1 0.0 1.2	0. 0. 0.		232 221 314	0 0 0	0 0 0	38 34 4	7 6 1	
4/13/76	BBA	367 52	391 55	218 42	FLT IN CLR: NOT CLR:	54 46 8	0 0 0	54 46 8	0 0 0	0 0 0	1.6 0.0 10.6	.6 0.0 3.8	0. 0. 0.		405 432 255	0 0 0	0 0 0	10 5 5	44 41 3	
4/14/76 *	BBA	334 50	371 53	209 41	FLT IN CLR: NOT CLR:	44 44 0	0 0 0	44 44 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.		252 252 0	0 0 0	0 0 0	21 21 0	23 23 0	
4/14/76	BBA	373 56	410 59	296 43	FLT IN CLR: NOT CLR:	54 53 1	0 0 0	54 53 1	0 0 0	0 0 0	0.0 0.0 2.0	.1 0.0 3.0	0. 0. 0.		488 487 553	0 0 0	0 0 0	9 9 0	45 44 1	
4/15/76 *	BBA	345 50	371 53	205 41	FLT IN CLR: NOT CLR:	45 39 6	0 0 0	45 39 6	0 0 0	0 0 0	3.8 0.0 28.4	.4 0.0 3.0	0. 0. 0.		192 198 158	0 0 0	0 0 0	35 30 5	10 9 1	
4/16/76	BBA	354 50	371 53	210 42	FLT IN CLR: NOT CLR:	44 43 1	0 0 0	44 43 1	0 0 0	0 0 0	0.0 0.0 .8	0.0 0.0 2.0	0. 0. 0.		319 313 564	0 0 0	0 0 0	26 26 0	18 17 1	
4/16/76 *	BBA	333 49	371 53	279 41	FLT IN CLR: NOT CLR:	47 40 7	0 0 0	47 40 7	0 0 0	0 0 0	2.7 0.0 18.3	.2 0.0 1.3	0. 0. 0.		146 148 138	0 0 0	0 0 0	41 35 6	6 5 1	

APPENDIX B

DEP-ARR IM/DD/YY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT						TROP N	STRAT N	
					CLD	PD5	OZ	H20, H2S	%TIC	PATCHES	PD5	OZ	RH	H20					
<b>FRA-JFK (CONT.)</b>																			
4/17/76	BBA	364 53	391 58	201 41	FLT IN NOT	TOT: CLR: CLR:	55 39 16	0 0 0	55 39 16	0 0 0	0 0 0	5.1 0.0 17.6	1.0 0.0 3.3	0. 0. 0.	347 425 157	0 0 0	29 14 15	26 25 1	
5/23/79	BDB	335 53	373 56	219 41	FLT IN NOT	TOT: CLR: CLR:	84 62 22	84 62 22	52 38 14	37 27 10	8 2 6	8.3 0.0 31.6	1.5 0.0 5.6	.134E+06 .610E+03 .510E+06	316 394 102	44 25 95	47 34 84	40 44 22	44 44 0
5/23/79 *	BDB	342 49	370 51	212 41	FLT IN NOT	TOT: CLR: CLR:	72 49 23	72 49 23	48 32 16	40 25 15	10 1 9	5.1 0.0 15.9	1.3 0.0 4.0	.708E+05 .150E+04 .218E+06	286 394 69	51 29 88	78 63 102	37 35 22	35 34 1
9/14/76	BBA	355 53	390 56	226 41	FLT IN NOT	TOT: CLR: CLR:	77 77 0	0 0 0	50 50 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.	0. 0. 0.	99 99 0	0 0 0	52 52 0	25 25 0	
9/14/76 *	BBA	347 52	369 56	248 42	FLT IN NOT	TOT: CLR: CLR:	72 72 0	0 0 0	45 45 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.	0. 0. 0.	103 103 0	0 0 0	58 58 0	14 14 0	
9/18/76 *	BBA	342 50	369 52	244 41	FLT IN NOT	TOT: CLR: CLR:	65 62 3	0 0 0	43 40 3	0 0 0	0 0 0	0.1 0.0 1.7	0.2 0.0 3.3	0. 0. 0.	92 87 152	0 0 0	49 48 1	16 14 2	
9/18/76	BBA	327 54	370 60	252 42	FLT IN NOT	TOT: CLR: CLR:	76 74 2	0 0 0	50 49 1	0 0 0	0 0 0	0.0 0.0 0.4	0.0 0.0 1.0	0. 0. 0.	69 69 75	0 0 0	76 74 0	0 0 0	
9/18/76 *	BBA	336 49	369 52	203 41	FLT IN NOT	TOT: CLR: CLR:	72 72 0	0 0 0	47 47 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.	0. 0. 0.	91 91 0	0 0 0	55 55 0	17 17 0	
9/19/76	BBA	370 54	390 58	240 42	FLT IN NOT	TOT: CLR: CLR:	76 76 0	0 0 0	49 49 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.	0. 0. 0.	101 101 0	0 0 0	40 40 0	36 36 0	
9/25/76 *	BBA	348 50	370 52	245 41	FLT IN NOT	TOT: CLR: CLR:	71 71 0	0 0 0	44 44 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.	0. 0. 0.	69 69 0	0 0 0	0 0 0	0 0 0	
9/25/76 *	BBA	337 50	369 52	248 41	FLT IN NOT	TOT: CLR: CLR:	73 73 0	0 0 0	48 48 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.	0. 0. 0.	62 62 0	0 0 0	0 0 0	0 0 0	
9/25/76	BBA	342 50	371 54	204 41	FLT IN NOT	TOT: CLR: CLR:	84 84 0	0 0 0	56 56 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.	0. 0. 0.	55 55 0	0 0 0	0 0 0	0 0 0	
9/26/76	BBA	334 51	350 54	240 42	FLT IN NOT	TOT: CLR: CLR:	81 81 0	0 0 0	52 52 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.	0. 0. 0.	71 71 0	0 0 0	0 0 0	0 0 0	

DEP-ARR IM/1D/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS		NUMBER OF OBS	AVERAGES FOR THE FLIGHT			TROP N	STRAT N		
							CLD	PD5	OZ H2O, H2S	PDS	OZ	RH	H2O
<b>FRA-JFK (CONT.)</b>													
10/ 1/78 *	BBB	343 51	351 54	197 42	FLT	TOT:	67	67	43	0	0	22.1	1.4
					IN CLR:	38	38	26	0	0	0.0	0.0	
					NOT CLR:	29	29	17	0	0	51.0	3.2	
10/ 2/78 *	BBB	341 50	370 54	233 41	FLT	TOT:	69	69	47	0	0	8.7	.8
					IN CLR:	55	55	36	0	0	0.0	0.0	
					NOT CLR:	14	14	11	0	0	43.1	4.1	
10/ 2/78	BBB	344 47	371 50	192 41	FLT	TOT:	85	85	57	0	0	8.2	.7
					IN CLR:	57	57	39	0	0	0.0	0.0	
					NOT CLR:	28	28	18	0	0	25.0	2.1	
10/ 3/78	BBB	326 46	350 50	199 41	FLT	TOT:	83	83	52	0	0	17.6	1.3
					IN CLR:	46	46	28	0	0	0.0	0.0	
					NOT CLR:	37	37	24	0	0	39.4	3.0	
10/ 4/78	BBB	359 47	371 52	220 41	FLT	TOT:	32	32	21	0	0	14.3	1.4
					IN CLR:	17	17	10	0	0	0.0	0.0	
					NOT CLR:	15	15	11	0	0	30.5	3.1	
10/ 4/78 *	BBB	335 50	371 54	202 42	FLT	TOT:	34	34	21	0	0	5.7	1.1
					IN CLR:	20	20	15	0	0	0.0	0.0	
					NOT CLR:	14	14	6	0	0	13.8	2.7	
10/ 5/78	BBB	347 50	371 52	246 42	FLT	TOT:	79	79	49	0	0	11.9	1.0
					IN CLR:	46	46	28	0	0	0.0	0.0	
					NOT CLR:	33	33	21	0	0	28.6	2.5	
10/ 5/78 *	BBB	331 53	371 57	211 42	FLT	TOT:	65	65	41	0	0	18.2	1.5
					IN CLR:	36	36	22	0	0	0.0	0.0	
					NOT CLR:	29	29	19	0	0	40.8	3.3	
11/24/78	BBB	351 53	391 57	220 41	FLT	TOT:	90	90	61	51	5	19.2	1.0
					IN CLR:	64	64	43	37	1	0.0	0.0	
					NOT CLR:	26	26	18	14	4	66.4	3.5	
11/24/78 *	BBB	348 49	361 52	272 41	FLT	TOT:	66	66	42	28	2	22.9	1.0
					IN CLR:	42	42	26	17	0	0.0	0.0	
					NOT CLR:	24	24	16	11	2	62.9	2.8	
11/27/78	BBB	319 51	349 54	209 41	FLT	TOT:	87	87	54	49	1	11.1	.6
					IN CLR:	66	66	39	36	1	0.0	0.0	
					NOT CLR:	21	21	15	13	0	45.8	2.5	
11/27/78 *	BBB	331 51	361 55	241 41	FLT	TOT:	70	70	44	36	0	7.9	.5
					IN CLR:	54	54	34	26	0	0.0	0.0	
					NOT CLR:	16	16	10	10	0	34.7	2.3	
11/30/78 *	BBB	334 48	370 51	290 42	FLT	TOT:	65	65	44	40	8	31.0	1.3
					IN CLR:	34	34	24	22	0	0.0	0.0	
					NOT CLR:	31	31	20	18	8	65.1	2.8	

APPENDIX B

DEP-ARR TM/ID/IY	CODE	AVFL	EXHI	EXLD	ALAT	EXTN	EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT						TRGP N	STRAT N		
								CLD	PDS	0Z	H20, H2S	%TIC PATCHES	PDS	0Z	RH	H20									
<b>FRA-JFK (CONT.)</b>																									
12/ 1/78	BBB	333	390	240	52	56	42	FLT IN NOT	TOT CLR:	85 77	85 77	55 49	47 43	2 0	5.4 0.0	.4 0.0	.288E+05 .494E+02	204 222	26 23	25 20	48 40	8 8	37 37	0 0	
12/ 1/78 *	BBB	346	370	262	47	51	41	FLT IN NOT	TOT CLR:	63 42	63 42	42 27	34 22	5 0	22.2 0.0	.7 0.0	.746E+05 .178E+03	111 144	53 35	57 19	37 17	20 20	26 25	1 1	
<b>FRA-KHI</b>																									
5/11/79 *	BDB	329	352	217	38	50	26	FLT IN NOT	TOT CLR:	79 78	79 78	0 0	39 38	0 0	0.1 0.0	0.0 1.0	.206E+04 .193E+04	0 0	39 37	44 45	79 78	1 1	0 0	0 0	
6/ 4/79 *	BDB	308	311	223	38	50	26	FLT IN NOT	TOT CLR:	76 57	76 57	47 36	41 32	0 0	3.2 0.0	.8 0.0	.583E+05 .319E+04	90 92	49 42	112 102	76 57	19 19	0 0	0 0	
<b>FRA-LHR</b>																									
1/20/77	DDA	240	240	240	51	52	50	FLT IN NOT	TOT CLR:	6 6	6 6	3 0	0 0	0 0	59.2 0.0	6.7 0.0	.342E+06 .342E+06	31 31	0 0	0 0	0 0	0 0	0 0	0 0	0 0
1/ 5/79	BBB	292	310	240	51	52	50	FLT IN NOT	TOT CLR:	6 5	0 0	3 0	0 0	0 0	2.0 0.0	.3 0.0	0 0	95 95	0 0	0 0	0 0	0 0	0 0	0 0	0 0
2/14/77	DDA	240	240	240	51	52	50	FLT IN NOT	TOT CLR:	6 6	6 6	3 0	0 0	0 0	0.0 0.0	0.0 0.0	.261E+03 .261E+03	53 53	0 0	0 0	0 0	0 0	0 0	0 0	0 0
2/14/79	BBB	286	310	212	51	52	50	FLT IN NOT	TOT CLR:	7 5	0 0	3 2	3 2	0 0	1.7 0.0	.9 0.0	0 0	115 103	49 36	33 24	211 211	541 541	0 0	0 0	
2/16/79 *	BBB	268	270	259	51	51	50	FLT IN NOT	TOT CLR:	6 5	0 0	3 2	3 2	0 0	0.1 0.0	.2 0.0	0 0	57 59	38 38	35 35	651 651	0 0	0 0	0 0	
3/15/79	BBB	322	351	224	51	52	51	FLT IN NOT	TOT CLR:	5 4	0 0	3 2	0 0	0 0	10.5 0.0	.8 0.0	0 0	167 222	0 0	0 0	0 0	0 0	0 0	0 0	0 0
5/12/79	BDB	303	311	268	51	52	50	FLT IN NOT	TOT CLR:	6 6	6 6	0 0	3 3	0 0	0.0 0.0	0.0 0.0	.114E+04 .114E+04	0 0	42 42	66 66	660 660	0 0	0 0	0 0	

DEP-ARR	IM/ID/IY	CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT				TROP N	STRAT N
									CLD	PDS	GZ	H20, H2S	%TIC PATCHES	PDS	GZ	RH	H20			
FRA-LHR (CONT.)																				
5/24/79	*	BDB	276 51	291 51	201 50	FLT TOT:	6	6	3	1	1	40.1	4.7	.859E+06	78	100	177	6	00	
						IN CLR:	0	0	3	1	1	0.0	0.0	.859E+06	0	0	0	6	00	
						NOT CLR:	5	5	3	3	0	40.1	4.7					5	50	
6/ 5/79		BDB	291 51	310 52	215 51	FLT TOT:	5	5	3	3	0	0.0	0.0	.226E+04	94	54	95	5	00	
						IN CLR:	0	0	30	0	0	0.0	0.0	.226E+04	94	54	95	5	00	
						NOT CLR:	0	0	0	0	0	0.0	0.0	0.				5	50	
9/ 7/76		BBA	352 51	390 52	280 50	FLT TOT:	6	0	0	0	0	0.1	0.2	0.				6	00	
						IN CLR:	5	0	0	0	0	0.0	0.0	0.				5	10	
						NOT CLR:	1	0	0	0	0	0.4	1.0	0.				5	00	
10/ 9/77		BCB	303 51	311 52	286 50	FLT TOT:	5	5	0	0	0	5.1	0.0	.218E+05	0	0	0	5	00	
						IN CLR:	2	2	0	0	0	0.0	0.0	.364E+05	0	0	0	5	23	
						NOT CLR:	3	3	0	0	0	8.5	0.0					5	00	
10/11/77	*	BCB	277 52	290 52	228 52	FLT TOT:	5	5	0	0	0	5.8	0.0	.323E+05	0	0	0	5	14	
						IN CLR:	1	1	0	0	0	0.0	0.0	.404E+05	0	0	0	5	00	
						NOT CLR:	4	4	0	0	0	7.3	0.0					5	00	
10/16/78		BBB	274 51	281 51	241 50	FLT TOT:	6	6	0	0	0	50.9	1.8	.177E+06	0	0	0	6	00	
						IN CLR:	0	0	0	0	0	0.0	0.0	.177E+06	0	0	0	6	00	
						NOT CLR:	6	6	0	0	0	50.9	1.8					6	00	
10/30/78		BBB	294 51	310 52	240 50	FLT TOT:	7	7	3	3	0	0.0	0.0	.187E+02	41	45	65	7	00	
						IN CLR:	7	7	30	30	0	0.0	0.0	.187E+02	41	45	65	7	00	
						NOT CLR:	0	0	0	0	0	0.0	0.0	0.				7	00	
11/22/76		DDA	241 51	241 52	241 50	FLT TOT:	6	0	0	0	0	0.4	0.3	0.				6	51	
						IN CLR:	5	0	0	0	0	0.0	0.0	0.				6	00	
						NOT CLR:	1	0	0	0	0	2.4	2.0	0.				6	00	
11/29/76		DDA	240 51	240 52	238 50	FLT TOT:	7	0	0	0	0	51.5	2.0	0.				7	25	
						IN CLR:	2	0	0	0	0	0.0	0.0	0.				7	00	
						NOT CLR:	5	0	0	0	0	72.1	2.8	0.				7	00	
11/ 2/78	*	BBB	281 51	290 51	257 50	FLT TOT:	5	5	0	0	0	0.0	0.0	0.				5	00	
						IN CLR:	5	5	0	0	0	0.0	0.0	0.				5	00	
						NOT CLR:	0	0	0	0	0	0.0	0.0	0.				5	00	
12/29/76	*	DDA	230 51	230 51	230 50	FLT TOT:	5	0	0	0	0	0.0	0.0	0.				5	00	
						IN CLR:	0	0	0	0	0	0.0	0.0	0.				5	00	
						NOT CLR:	0	0	0	0	0	0.0	0.0	0.				5	00	
12/ 7/78	*	BBB	267 51	271 51	252 50	FLT TOT:	6	6	3	4	1	0.0	0.0	.555E+02	41	68	131	6	00	
						IN CLR:	6	6	30	40	10	0.0	0.0	.555E+02	41	68	131	6	00	
						NOT CLR:	0	0	0	0	0	0.0	0.0	0.				6	00	
12/26/78	*	BBB	274 51	291 51	209 50	FLT TOT:	5	5	0	0	0	64.8	1.2	.158E+06	0	67	56	0	00	
						IN CLR:	5	5	0	0	0	0.0	0.0	.158E+06	0	67	56	0	00	
						NOT CLR:	5	5	0	0	0	64.6	1.2					0	00	

IM/ID/IY	CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	NUMBER OF CBS						AVERAGES FOR THE FLIGHT						TROP N	STRAT N
								CLD	PDS	OZ	H2O, H2S	%TIC PATCHES	PDS	OZ	RH	H2O					
<b>FRA-THR</b>																					
5/30/79	BDB	358 41	370 48	276 36	FLT	TOT:	49	49	24	19	16	0	5.6	.9	.241E+06	226	37	20	39	10 4 6	
					IN CLR:	40	40	9	5	3	0	0	0.0	0.0	.901E+03	239	36	43	36	3	
					NOT CLR:	9	9					30.4	5.1		.131E+07	177	21	16	36		
9/ 7/76 *	BBA	341 42	350 50	198 36	FLT	TOT:	54	0	33	0	0	0	0.0	0.0	0.	0.	79	0	0	54 54 0	
					IN CLR:	54	0	33	0	0	0	0.0	0.0	0.	0.	79	0	0	54 54 0		
					NOT CLR:	0	0	0	0	0	0	0.0	0.0	0.	0.						
10/ 9/77 *	BCB	334 42	391 50	217 37	FLT	TOT:	49	49	0	0	0	0	5.5	0.0	.201E+05		0	0	0	28 20 8	
					IN CLR:	41	41	0	0	0	0	0.0	0.0	.863E+03		0	0	0	21 21 0		
					NOT CLR:	8	8	0	0	0	0	33.4	0.0	.119E+06		0	0	0			
10/11/77	BCB	299 42	332 48	290 36	FLT	TOT:	44	44	0	0	0	0	9.4	0.0	.340E+05		0	0	0	44 29 15	
					IN CLR:	29	29	0	0	0	0	0.0	0.0	.499E+02		0	0	0			
					NOT CLR:	15	15	0	0	0	0	27.5	0.0	.997E+05		0	0	0			
10/16/78 *	BBB	344 42	350 49	251 36	FLT	TOT:	47	47	28	0	0	0	5.6	.7	.220E+05	68	0	0	0	47 38 9	
					IN CLR:	38	38	24	0	0	0	0.0	0.0	.974E+03	70	0	0	0			
					NOT CLR:	9	9	4	0	0	0	29.1	3.7	.111E+06	59	0	0	0			
10/30/78 *	BBB	279 42	280 49	250 36	FLT	TOT:	41	41	25	22	3	1	11.5	1.0	.543E+05	56	62	125	41 29 12		
					IN CLR:	29	29	18	18	1	2	0.0	0.0	.180E+02	52	55	125				
					NOT CLR:	12	12	7	4	1	2	39.3	3.3	.186E+06	65	93	122				
11/23/77	BCB	352 41	370 48	266 36	FLT	TOT:	41	41	25	0	0	0	0.0	0.0	.105E+02	126	0	0	0	29 29 0	
					IN CLR:	41	41	25	0	0	0	0.0	0.0	.105E+02	126	0	0	0			
					NOT CLR:	0	0	0	0	0	0	0.0	0.0	0.	0	0	0	0			
11/24/77 *	BCB	368 41	391 49	251 36	FLT	TOT:	57	57	36	0	0	0	0.5	0.0	.135E+02	130	0	0	0	27 26 1	
					IN CLR:	56	56	35	0	0	0	0.0	0.0	.113E+02	134	0	0	0			
					NOT CLR:	1	1	1	0	0	0	26.3	0.0	.137E+03	0	0	0	0			
11/ 2/78	BBB	328 42	331 49	260 37	FLT	TOT:	45	45	22	25	1	1	3.2	.4	.601E+04	75	51	34	38 32 6		
					IN CLR:	39	39	19	23	1	0	0.0	0.0	.506E+01	77	48	31				
					NOT CLR:	6	6	3	2	1	1	23.8	2.8	.451E+05	63	88	69				
12/ 7/78	BBB	278 42	291 49	229 36	FLT	TOT:	44	44	30	22	5	1	16.9	1.2	.120E+06	52	64	97	44 29 15		
					IN CLR:	29	29	19	15	1	4	0.0	0.0	.787E+02	55	50	54				
					NOT CLR:	15	15	11	7	1	4	49.5	3.5	.351E+06	46	93	189				
12/26/78	BBB	320 41	330 49	218 36	FLT	TOT:	42	42	0	21	1	1	2.8	.6	.386E+05	0	47	32	0	0	
					IN CLR:	35	35	0	18	1	0	0.0	0.0	.486E+02	0	45	25				
					NOT CLR:	7	7	0	3	0	0	16.6	3.6	.231E+06	0	55	72	0			
<b>GIG-JFK</b>																					
4/10/76	BBA	325 7	350 39	204 -21	FLT	TOT:	55	0	55	0	0	0	7.6	.9	0.	73	0	0	29 26 3		
					IN CLR:	43	0	43	0	0	0	0.0	0.0	0.	81	0	0				
					NOT CLR:	12	0	12	0	0	0	34.7	4.0	0.	46	0	0				

DEP-ARR	IM/ID/IY	CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT						
									CLD	PD5	OZ	H2O, H2S	%TIC PATCHES	PD5	OZ	RH	H2O				
<b>GIG-JFK (CONT.)</b>																					
4/ 9/77 *	AAA	365	8	370	39	196	-22		FLT TOT:	97	0	0	0	0	0	10.9	.8	0.	0	0	92
									IN CLR:	67	0	0	0	0	0	0.0	2.5	0.	0	0	62
									NOT CLR:	30	0	0	0	0	0	35.2	0.0	0.	0	0	30
4/10/77	AAA	388	9	390	39	260	-21		FLT TOT:	99	0	0	0	0	0	7.6	.7	0.	0	0	89
									IN CLR:	76	0	0	0	0	0	0.0	0.0	0.	0	0	66
									NOT CLR:	23	0	0	0	0	0	32.5	2.9	0.	0	0	23
4/16/77 *	AAA	368	9	371	39	291	-20		FLT TOT:	94	0	0	0	0	0	5.8	.7	0.	0	0	86
									IN CLR:	62	0	0	0	0	0	0.0	0.0	0.	0	0	54
									NOT CLR:	32	0	0	0	0	0	17.0	1.9	0.	0	0	32
4/17/77	AAA	388	9	430	40	235	-21		FLT TOT:	101	0	0	0	0	0	13.6	.9	0.	0	0	81
									IN CLR:	63	0	0	0	0	0	0.0	0.0	0.	0	0	43
									NOT CLR:	38	0	0	0	0	0	36.2	2.3	0.	0	0	38
4/23/77 *	AAA	381	9	410	39	271	-21		FLT TOT:	93	0	0	0	0	0	14.5	.9	0.	0	0	93
									IN CLR:	65	0	0	0	0	0	0.0	0.0	0.	0	0	65
									NOT CLR:	28	0	0	0	0	0	48.2	3.0	0.	0	0	28
4/24/77	AAA	394	8	410	39	257	-21		FLT TOT:	99	0	0	0	0	0	23.7	1.0	0.	0	0	99
									IN CLR:	47	0	0	0	0	0	0.0	0.0	0.	0	0	47
									NOT CLR:	52	0	0	0	0	0	45.1	1.9	0.	0	0	52
<b>GIG-PTY</b>																					
9/ 4/76	BBA	364	-6	390	7	266	-21		FLT TOT:	66	0	33	0	0	0	0.0	0.0	0.	46	0	66
									IN CLR:	66	0	33	0	0	0	0.0	0.0	0.	46	0	66
									NOT CLR:	0	0	0	0	0	0	0.0	0.0	0.	0	0	0
<b>GUA-LAX</b>																					
4/ 7/76 *	BBA	332	23	371	33	203	15		FLT TOT:	25	0	25	0	0	0	8.9	.7	0.	55	0	25
									IN CLR:	17	0	17	0	0	0	0.0	0.0	0.	60	0	17
									NOT CLR:	8	0	8	0	0	0	27.8	2.1	0.	45	0	8
4/23/76 *	BBA	341	24	371	33	207	15		FLT TOT:	24	0	24	0	0	0	18.8	1.3	0.	85	0	24
									IN CLR:	17	0	17	0	0	0	0.0	0.0	0.	99	0	17
									NOT CLR:	7	0	7	0	0	0	64.4	4.6	0.	51	0	7
4/26/76	BBA	379	24	390	33	211	15		FLT TOT:	31	0	31	0	0	0	.3	.2	0.	99	0	31
									IN CLR:	29	0	29	0	0	0	0.0	0.0	0.	106	0	29
									NOT CLR:	2	0	2	0	0	0	4.7	2.5	0.	106	0	2
5/ 1/76 *	BBA	337	23	371	33	208	15		FLT TOT:	41	0	27	0	0	0	1.7	.1	0.	98	0	41
									IN CLR:	36	0	24	0	0	0	0.0	0.0	0.	105	0	36
									NOT CLR:	5	0	3	0	0	0	13.6	1.2	0.	46	0	5

DEP-ARR IM/ID/IY	CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT						TROP N	STRAT N	
								CLD	PDS	GZ	H2O, H2S	%TIC PATCHES	PDS	GZ	RH	H2O								
<b>GUA-LAX (CONT.)</b>																								
5/19/79 * BDB	360	371	190	15	24	32	15	FLT IN NOT CLR:	43 29 14	43 29 14	27 10 6	23 17 3	5 23	6.2 0.0 19.1	1.5 0.0 4.5	.103E+06 .295E+03 .316E+06	95 54 88	63 73 118	84 73 118	43 29 14	000			
5/20/79 BDB	363	392	215	16	24	33	16	FLT IN NOT CLR:	46 41 5	46 41 5	29 26 3	23 21 2	0 0 0	0.3 0.0 2.6	0.2 0.0 1.6	.213E+04 .127E+03 .185E+05	133 142 52	40 39 48	65 66 54	39 34 5	770			
9/ 1/76 * BBA	324	331	210	15	23	32	15	FLT IN NOT CLR:	38 38 0	0 0 0	22 22 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	57 57 0	000	000	38 38 0	000			
9/ 4/76 BBA	367	390	296	15	24	33	15	FLT IN NOT CLR:	43 43 0	0 0 0	28 28 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	59 59 0	000	000	43 43 0	000			
<b>GUA-PTY</b>																								
9/ 4/76 * BBA	333	350	256	9	12	14	9	FLT IN NOT CLR:	15 15 0	0 0 0	10 10 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	44 44 0	000	000	15 15 0	000			
<b>GUA-SJO</b>																								
5/19/79 BDB	315	330	263	11	12	13	11	FLT IN NOT CLR:	7 7 0	7 7 0	22 20 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.430E+02 .430E+02 0.	38 38 0	000	000	770	000			
5/20/79 * BDB	325	350	261	12	13	14	12	FLT IN NOT CLR:	8 8 0	8 8 0	4 4 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.438E+02 .438E+02 0.	32 32 0	000	000	880	000			
<b>GUM-HNL</b>																								
2/ 3/76 * BBA	347	351	210	13	16	21	13	FLT IN NOT CLR:	54 53 1	0 0 0	54 53 1	0 0 0	0 0 0	1.1 0.0 60.4	0.0 0.0 1.0	0.0 0.0 0.	21 21 22	000	000	54 53 1	000			
3/28/76 * BBA	344	351	296	13	16	20	13	FLT IN NOT CLR:	52 51 1	0 0 0	52 51 1	0 0 0	0 0 0	0.0 0.4 0.4	0.0 1.0 0.0	0.0 0.0 0.	70 71 27	000	000	52 51 1	000			
3/29/76 BBA	353	390	261	14	19	21	14	FLT IN NOT CLR:	36 30 6	0 0 0	36 30 6	0 0 0	0 0 0	0.1 0.0 0.4	0.2 0.0 1.0	0.0 0.0 0.	52 53 48	000	000	36 30 6	000			
4/27/76 * BBA	344	351	207	14	20	23	14	FLT IN NOT CLR:	50 44 6	0 0 0	50 44 6	0 0 0	0 0 0	6.8 0.0 56.4	0.3 0.0 2.7	0.0 0.0 0.	84 88 52	000	000	50 44 6	000			

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS							AVERAGES FOR THE FLIGHT				TROP N	STRAT N	
					CLD	PD5	OZ	H20, H2S	%TIC PATCHES	PD5	OZ	RH	H20					
<b>GUM-HNL (CONT.)</b>																		
5/ 9/79 *	BDB	369 19	390 22	270 14	FLT TOT: IN CLR: NOT CLR:	86 57 29	86 57 29	0 0 0	43 28 15	7 7 7	5.8 0.0 17.1	1.3 0.0 3.9	.800E+05 .222E+04 .233E+06	0 0 0	56 38 89	89 53 156	86 57 29	0 0
5/10/79	BDB	366 18	370 21	255 14	FLT TOT: IN CLR: NOT CLR:	68 46 22	68 46 22	0 0 0	35 20 15	10 1 9	8.4 0.0 26.0	1.1 0.0 3.3	.178E+06 .517E+04 .539E+06	0 0 0	64 39 97	97 72 130	68 46 22	0 0
5/15/79 *	BDB	376 18	390 21	267 14	FLT TOT: IN CLR: NOT CLR:	78 75 3	78 75 3	0 0 0	38 37 1	0 0 0	.1 0.0 1.4	.1 0.0 1.3	.190E+04 .826E+03 .289E+05	0 0 0	38 38 29	35 36 25	78 75 3	0 0
5/16/79	BDB	377 18	391 21	252 14	FLT TOT: IN CLR: NOT CLR:	75 74 1	75 74 1	0 0 0	40 40 0	0 0 0	.2 0.0 16.5	0.0 0.0 3.0	.233E+04 .266E+03 .155E+06	0 0 0	38 38 0	34 34 0	75 74 1	0 0
5/17/79 *	BDB	343 19	351 21	264 14	FLT TOT: IN CLR: NOT CLR:	75 75 0	75 75 0	48 48 0	39 39 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.332E+03 .332E+03 0.	77 77 0	29 29 0	61 61 0	75 75 0	0 0
5/18/79	BDB	330 17	370 21	277 13	FLT TOT: IN CLR: NOT CLR:	75 64 11	75 64 11	45 41 4	38 33 5	4 1 3	3.6 0.0 24.6	.6 0.0 4.0	.667E+05 .139E+04 .447E+06	60 60 59	49 42 97	164 141 319	75 64 11	0 0 0
12/28/78 *	BBB	334 18	351 21	261 14	FLT TOT: IN CLR: NOT CLR:	83 83 0	83 83 0	52 52 0	47 47 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.	.450E+01 .450E+01 0.	49 49 0	15 15 0	60 60 0	0 0 0	0 0 0
12/29/78	BBB	324 19	370 21	229 14	FLT TOT: IN CLR: NOT CLR:	68 59 9	68 59 9	45 39 6	29 24 5	3 3 3	4.6 0.0 36.2	.9 0.0 6.8	.118E+05 .837E+01 .891E+05	73 76 54	26 15 75	140 81 423	0 0 0	0 0 0
12/30/78 *	BBB	350 19	370 22	254 14	FLT TOT: IN CLR: NOT CLR:	73 73 0	73 73 0	47 47 0	41 41 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.	.778E+01 .778E+01 0.	61 61 0	16 16 0	47 47 0	0 0 0	0 0 0
12/31/78	BBB	367 23	370 27	287 15	FLT TOT: IN CLR: NOT CLR:	72 72 0	72 72 0	48 48 0	43 43 0	1 1 0	0.0 0.0 0.0	0.0 0.0 0.	.134E+02 .134E+02 0.	45 45 0	20 20 0	69 69 0	19 19 0	0 0 0
<b>GUM-MNL</b>																		
2/ 3/76	BBA	368 14	390 15	209 14	FLT TOT: IN CLR: NOT CLR:	21 15 6	0 0 0	21 15 6	0 0 0	0 0 0	2.0 0.0 7.1	.6 0.0 2.0	0. 0. 0.	7. 6 0	0 0 0	0 0 0	21 15 6	0 0 0
2/ 4/76 *	BBA	358 14	371 15	211 14	FLT TOT: IN CLR: NOT CLR:	17 13 4	0 0 0	17 13 4	0 0 0	0 0 0	7.0 0.0 29.7	1.0 0.0 4.3	0. 0. 0.	5. 5 6	0 0 0	0 0 0	17 13 4	0 0 0

APPENDIX B

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS		NUMBER OF OBS CLD PDS	OZ H20, H2S	AVERAGES FOR THE FLIGHT %TIC PATCHES PDS			OZ	RH	H20	TROP N	STRAT N				
								FLT TOT:	IN CLR:	NOT CLR:									
<b>GUM-MNL (CONT.)</b>																			
3/28/76	BBA	346 14	350 15	298 14		FLT TOT: IN CLR: NOT CLR:	14 10 4	0 0 0	14 10 4	0 0 0	0.2 0.0 .7	0.3 0.0 1.0	0. 0. 0.	24 24 26	0 0 0	0 0 0	14 10 4	0 0 0	
5/17/79	BDB	308 14	311 15	272 14		FLT TOT: IN CLR: NOT CLR:	28 25 3	28 25 3	18 17 1	15 13 2	1 1 1	4.3 0.0 40.0	0.3 0.0 3.0	.170E+05 .235E+04 .139E+06	44 45 30	34 28 69	301 227 785	23 25 3	0 0 0
5/18/79 *	BDB	357 14	370 15	234 14		FLT TOT: IN CLR: NOT CLR:	31 28 3	31 28 3	18 16 2	17 15 2	0 0 0	0.5 0.0 5.2	0.1 0.0 1.3	.298E+04 .105E+04 .210E+05	38 38 31	37 35 54	106 102 133	31 28 3	0 0 0
12/28/78	BBB	327 14	330 15	282 14		FLT TOT: IN CLR: NOT CLR:	29 28 1	29 28 1	18 18 0	16 16 0	0 0 0	0.5 0.0 15.7	0.2 0.0 6.0	.594E+03 .400E+02 .161E+05	26 26 0	29 29 0	115 115 0	0 0 0	0 0 0
12/29/78 *	BBB	351 14	370 15	210 14		FLT TOT: IN CLR: NOT CLR:	28 22 6	28 22 6	9 9 0	13 9 4	0 0 0	5.6 0.0 26.1	0.5 0.0 2.3	.187E+05 .627E+03 .851E+05	29 29 0	46 27 87	66 39 125	0 0 0	0 0 0
<b>GUM-NRT</b>																			
5/10/79 *	BDB	367 25	370 34	328 15		FLT TOT: IN CLR: NOT CLR:	29 25 4	29 25 4	0 0 0	13 13 0	0 0 0	3.0 0.0 21.7	0.4 0.0 3.0	.231E+05 .945E+03 .161E+06	0 0 0	47 47 0	72 72 0	29 25 4	0 0 0
5/10/79	BDB	381 25	390 35	218 16		FLT TOT: IN CLR: NOT CLR:	31 29 2	31 29 2	0 0 0	14 14 0	0 0 0	0.4 0.0 6.3	0.2 0.0 2.5	.618E+04 .247E+03 .921E+05	0 0 0	65 65 0	56 56 0	31 29 2	0 0 0
5/15/79	BDB	386 25	391 34	308 15		FLT TOT: IN CLR: NOT CLR:	31 17 14	31 17 14	0 0 0	14 10 4	4 4 4	6.3 0.0 13.9	1.6 0.0 3.6	.111E+06 .102E+03 .246E+06	0 0 0	82 74 100	72 59 104	31 17 14	0 0 0
5/16/79 *	BDB	368 25	371 34	328 15		FLT TOT: IN CLR: NOT CLR:	30 12 18	30 12 18	0 0 0	15 7 8	8 8 8	29.7 0.0 49.4	2.2 0.0 3.6	.283E+06 .238E+03 .472E+06	0 0 0	77 50 100	156 73 229	30 12 18	0 0 0
12/31/78 *	BBB	358 24	371 35	196 14		FLT TOT: IN CLR: NOT CLR:	31 31 0	31 31 0	19 19 0	16 16 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.	.302E+02 .302E+02 0.	38 38 0	24 24 0	40 40 0	0 0 0	0 0 0
12/31/78	BBB	378 25	390 34	231 15		FLT TOT: IN CLR: NOT CLR:	31 30 1	31 30 1	19 18 1	11 11 0	0 0 0	0.1 0.0 2.0	0.0 0.0 1.0	.106E+02 .109E+02 0.	53 54 38	25 25 0	24 24 0	0 0 0	0 0 0

DEP-ARR	IM/ID/IY	CODE	AVFL	EXHI	EXLD	ALAT	EXTN	EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT							
									CLD	PD5	OZ	H20, H2S	%TIC	PATCHES	PD5	OZ	RH	H20				
<b>HKG-HND</b>																						
1/23/76	*	BBA	307 27	311 34	219 22	FLT	TOT:	30	0	30	0	0	0	0.0	0.0	0.0	0.		18 18	0	0	30 30
3/19/76	*	BBA	308 27	311 34	221 22	FLT	TOT:	28	0	28	0	0	0	0.0	0.0	0.0	0.		72 72	0	0	28 28
3/25/76	BBA	351 28	371 35	213 21	FLT	TOT:	22	0	22	0	0	0	0	0.0	0.0	0.0	0.		98 98	0	0	20 20
4/21/76	BBA	360 29	371 35	213 22	FLT	TOT:	19	0	19	0	0	0	0	26.6 0.0	1.2 0.0	0.			70 64	0	0	19 11
9/ 6/76	*	BBA	381 28	390 34	264 22	FLT	TOT:	32	0	19	0	0	0	2.5 0.0	0.3 0.0	0.			64 62	0	0	32 27
10/ 8/77	*	BCB	345 28	351 34	250 22	FLT	TOT:	37	37	0	0	0	0	0.3 0.0	0.0 0.0	511E+01 541E+01	0.		0	0	0	37 35
10/13/77	BCB	361 29	371 35	212 22	FLT	TOT:	28	28	0	0	0	0	0	0.8 10.6	0.0 0.0	130E+04 265E+02 -178E+05	0		0	0	0	28 26
<b>HKG-MNL</b>																						
1/ 1/77	*	DDA	341 19	350 21	283 16	FLT	TOT:	11	0	0	0	0	0	0.5 0.0	0.2 0.0	0.			0	0	0	11 10
1/ 1/77	DDA	318 19	330 21	257 17	FLT	TOT:	8	0	0	0	0	0	0	3.8 0.0	1.1 0.0	0.			0	0	0	8 6
1/ 4/77	DDA	321 19	330 21	263 16	FLT	TOT:	10	0	0	0	0	0	0	1.3 0.0	0.2 0.0	0.			0	0	0	10 8
1/ 4/77	*	DDA	334 19	350 21	252 16	FLT	TOT:	12	0	0	0	0	0	0.0 0.0	0.0 0.0	0.			0	0	0	12 12
2/ 3/76	*	BBA	298 19	391 21	219 16	FLT	TOT:	5	0	5	0	0	0	0.0 0.0	0.0 0.0	0.			29 29	0	0	0 5

DEP-ARR IM/DD/YR	CODE	AVFL ALAT	EXHI EXTN	EXLD EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT			TROP N	STRAT N		
					CLD	PD5	OZ	H2O, H2S	% TIC PATCHES	PD5	OZ	RH	H2O				
<b>HKG-MNL (CONT.)</b>																	
2/ 4/76	BBA	259 18	341 22	210 16	FLT TOT: IN CLR: NOT CLR:	6 0 0	0 0 0	6 60 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	33 33 0	0 0 0	0 0 0	660 000 000	
3/28/76 *	BBA	381 19	391 21	340 17	FLT TOT: IN CLR: NOT CLR:	8 6 2	0 0 0	8 62 0	0 0 0	0.3 0.0 1.4	0.6 0.0 2.5	0. 0. 0.	27 28 25	0 0 0	0 0 0	852 000 000	
3/29/76	BBA	355 18	371 21	293 16	FLT TOT: IN CLR: NOT CLR:	7 6 1	0 0 0	7 61 0	0 0 0	0.1 0.0 0.4	0.1 0.0 1.0	0. 0. 0.	33 29 58	0 0 0	0 0 0	761 000 000	
8/17/76	DDA	317 18	330 21	263 16	FLT TOT: IN CLR: NOT CLR:	11 6 5	0 0 0	7 34 0	0 0 0	9.1 0.0 20.0	1.6 0.0 3.6	0. 0. 0.	31 29 32	0 0 0	0 0 0	1165 000 000	
8/17/76 *	DDA	343 19	351 21	289 16	FLT TOT: IN CLR: NOT CLR:	12 5 7	0 0 0	8 53 0	0 0 0	28.9 0.0 49.5	1.5 0.0 2.6	0. 0. 0.	20 22 18	0 0 0	0 0 0	1257 000 000	
<b>HKG-NRT</b>																	
1/ 4/79 *	BBB	306 29	310 34	187 22	FLT TOT: IN CLR: NOT CLR:	41 41 0	0 0 0	27 27 0	20 20 0	1 1 0	0.0 0.0 0.0	0. 0. 0.	51 51 0	25 25 0	52 52 0	41 41 0	
2/13/79 *	BBB	346 28	351 34	228 22	FLT TOT: IN CLR: NOT CLR:	49 38 11	0 0 0	29 24 5	25 21 4	2 2 2	8.6 0.0 38.5	0. 0. 2.5	0. 0. 0.	44 42 57	53 45 96	152 74 560	49 38 11
2/17/79	BBB	354 28	370 34	245 22	FLT TOT: IN CLR: NOT CLR:	31 31 0	0 0 0	19 19 0	11 11 0	0 0 0	0.0 0.0 0.0	0. 0. 0.	151 151 0	16 16 0	55 55 0	20 20 0	
2/22/79 *	BBB	347 28	351 34	251 22	FLT TOT: IN CLR: NOT CLR:	41 35 6	0 0 0	26 24 2	21 21 0	0 0 0	5.9 0.0 40.5	0. 0. 1.7	0. 0. 0.	58 57 62	21 21 0	35 35 0	41 35 6
3/14/79 *	BBB	372 28	391 34	231 22	FLT TOT: IN CLR: NOT CLR:	46 45 1	0 0 0	30 30 0	23 23 0	0 0 0	0.1 0.0 6.3	0. 0. 0.	18 18 0	26 26 0	37 37 0	46 45 1	
5/11/79 *	BDB	341 29	350 34	274 22	FLT TOT: IN CLR: NOT CLR:	44 24 20	44 24 20	0 0 0	24 15 9	7 1 6	13.0 0.0 28.6	1.0 0.0 2.2	.107E+06 .104E+05 .223E+06	0 0 0	67 50 95	137 114 173	44 24 20
5/25/79	BDB	363 28	370 35	223 22	FLT TOT: IN CLR: NOT CLR:	34 34 0	34 34 0	20 20 0	16 16 0	0 0 0	0.0 0.0 0.0	0. 0. 0.	.996E+02 .996E+02 0.	140 140 0	30 30 0	74 74 0	34 34 0

DEP-ARR  
IM/ID/IY CODE AVFL EXHI EXLO  
ALAT EXTN EXTS

NUMBER OF OBS  
CLD PD5 0Z H20, H2S

AVERAGES FOR THE FLIGHT  
%TIC PATCHES PD5 0Z RH H20 TRP N STRAT N

HKG-NRT (CONT.)

5/31/79	BDB	361 29	370 35	258 22	FLT TOT: IN CLR: NOT CLR:	37 37 0	37 37 0	24 24 0	18 18 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	.118E+05 .118E+05 0.	122 122 0	38 38 0	89 89 0	30 30 0	7 7 0
6/ 4/79 *	BDB	370 29	391 34	271 22	FLT TOT: IN CLR: NOT CLR:	38 18 20	38 18 20	25 12 13	22 10 12	4 2 2	10.6 0.0 20.1	2.1 0.0 3.9	.158E+06 .111E+05 .290E+06	105 121 90	73 56 88	89 95 84	38 18 20	0 0 0	
10/15/78 *	BBB	346 29	350 35	253 22	FLT TOT: IN CLR: NOT CLR:	35 29 6	35 29 6	23 20 3	0 0 0	0 0 0	10.4 0.0 60.6	.6 0.0 3.3	.475E+05 .304E+03 .276E+06	40 39 43	0 0 0	0 0 0	35 29 6	0 0 0	
10/29/78 *	BBB	335 27	351 34	243 22	FLT TOT: IN CLR: NOT CLR:	40 38 2	40 38 2	26 25 1	20 19 1	0 0 0	2.0 0.0 39.2	.2 0.0 4.0	.544E+04 .833E+01 .109E+06	30 30 34	53 53 44	190 175 483	40 38 2	0 0 0	
11/ 3/78	BBB	326 28	330 34	260 22	FLT TOT: IN CLR: NOT CLR:	32 32 0	32 32 0	20 20 0	17 17 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.992E+01 .992E+01 0.	61 61 0	34 34 0	114 114 0	32 32 0	0 0 0	
12/ 8/78	BBB	352 29	370 35	252 22	FLT TOT: IN CLR: NOT CLR:	31 31 0	31 31 0	19 19 0	13 13 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.188E+02 .188E+02 0.	66 66 0	36 36 0	21 21 0	31 31 0	0 0 0	
12/27/78	BBB	354 29	370 34	261 22	FLT TOT: IN CLR: NOT CLR:	31 31 0	31 31 0	0 0 0	13 13 0	2 2 0	0.0 0.0 0.0	0.0 0.0 0.0	.143E+02 .143E+02 0.	0 0 0	31 31 0	139 139 0	0 0 0	0 0 0	

HKG-SFO

1/18/78 *	ABB	381 43	430 55	187 22	FLT TOT: IN CLR: NOT CLR:	162 160 2	162 160 2	0 0 0	85 85 0	13 13 0	.3 0.0 27.8	.0 0.0 4.0	.548E+04 .206E+03 .428E+06	0 0 0	45 45 0	65 65 0	52 50 2	110 110 0
1/20/78 *	ABB	421 25	430 28	254 22	FLT TOT: IN CLR: NOT CLR:	19 19 0	19 19 0	0 0 0	9 9 0	4 4 0	0.0 0.0 0.0	0.0 0.0 0.0	.289E+02 .289E+02 0.	0 0 0	85 85 0	54 54 0	19 19 0	0 0 0
1/20/78	ABB	379 34	391 38	265 22	FLT TOT: IN CLR: NOT CLR:	117 117 0	117 117 0	0 0 0	67 67 0	9 9 0	0.0 0.0 0.0	0.0 0.0 0.0	.602E+01 .602E+01 0.	0 0 0	64 64 0	76 76 0	75 75 0	42 42 0
1/27/78	ABB	392 35	411 38	335 32	FLT TOT: IN CLR: NOT CLR:	79 77 2	79 77 2	52 51 1	46 45 1	0 0 0	.2 0.0 7.5	.0 0.0 1.5	.351E+01 .320E+01 .153E+02	158 160 57	46 46 33	48 48 61	56 54 2	23 23 0
1/27/78 *	ABB	388 39	410 54	369 22	FLT TOT: IN CLR: NOT CLR:	102 102 0	102 102 0	67 67 0	58 58 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.395E+01 .395E+01 0.	315 315 0	36 36 0	45 45 0	43 43 0	59 59 0

APPENDIX B

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF GBS							AVERAGES FOR THE FLIGHT			TROP N	STRAT N		
					CLD	PDS	OZ	H20, H2S	% TIC PATCHES	PDS	OZ	RH	H20					
<b>HKG-SFO (CONT.)</b>																		
1/29/78	ABB	399 38	410 38	208 38	FLT IN NOT	TOT: 20 20 0	20 20 0	11 11 0	10 10 0	1 1 0	0.0 0.0 0.0	0.0 0.0 0.0	.159E+01 0.	283 283 0	71 71 0	44 44 0	1 1 0	19 19 0
2/ 5/78 *	ABB	389 43	430 55	201 22	FLT IN NOT	TOT: 136 136 0	136 136 0	89 89 0	77 77 0	21 21 0	0.0 0.0 0.0	0.0 0.0 0.0	.866E+02 0.	320 320 0	65 65 0	37 37 0	41 41 0	95 95 0
5/24/78 *	ABB	380 44	410 58	217 22	FLT IN NOT	TOT: 141 141 1	140 140 1	91 91 0	40 40 0	6 6 0	0.0 0.4 0.4	0.0 1.0 1.0	.155E+02 0.	398 398 0	40 40 0	35 35 0	56 55 1	85 85 0
5/26/78	ABB	368 38	390 45	312 22	FLT IN NOT	TOT: 116 116 0	116 116 0	70 70 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.827E+01 0.	245 245 0	0 0 0	0 0 0	92 92 0	24 24 0
5/26/78 *	ABB	377 43	430 55	266 22	FLT IN NOT	TOT: 153 153 1	152 152 1	101 100 1	0 0 0	0 0 0	0.0 0.4 0.4	0.0 1.0 1.0	.343E+01 0.	263 265 57	0 0 0	0 0 0	90 89 1	63 63 0
5/28/78	ABB	375 39	391 44	256 22	FLT IN NOT	TOT: 130 130 0	130 130 0	84 84 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.826E+01 0.	158 158 0	0 0 0	0 0 0	110 110 0	20 20 0
5/29/78 *	ABB	371 43	411 55	213 22	FLT IN NOT	TOT: 148 148 0	148 148 0	95 95 0	45 45 0	24 24 0	0.0 0.0 0.0	0.0 0.0 0.0	.820E+01 0.	204 204 0	88 88 0	45 45 0	115 115 0	33 33 0
5/30/78	ABB	374 39	410 45	259 22	FLT IN NOT	TOT: 131 130 0	131 130 0	86 86 0	10 10 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.657E+01 0.	188 188 0	54 54 0	216 216 0	104 104 0	27 27 0
<b>HKG-SIN</b>																		
1/20/78 *	ABB	399 11	411 21	200 3	FLT IN NOT	TOT: 32 32 0	28 28 0	0 0 0	2 2 0	0 0 0	1.7 0.0 13.8	0.6 0.0 4.5	.406E+03 0.	0 0 0	45 45 0	225 225 0	32 28 4	0 0 0
1/27/78 *	ABB	403 11	410 21	295 3	FLT IN NOT	TOT: 32 32 0	22 22 0	0 0 0	16 13 3	15 12 3	6.3 0.0 20.0	0.9 0.0 2.9	.816E+04 0.	0 0 0	95 94 100	74 73 79	32 22 10	0 0 0
5/27/78	ABB	422 12	432 21	271 3	FLT IN NOT	TOT: 31 31 0	31 31 0	18 18 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.145E+01 0.	49 49 0	0 0 0	0 0 0	31 31 0	0 0 0
5/28/78 *	ABB	397 12	411 21	246 3	FLT IN NOT	TOT: 33 33 0	33 33 0	21 21 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.465E+01 0.	41 41 0	0 0 0	0 0 0	33 33 0	0 0 0

DEP-ARR	IM>ID/IY	CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	NUMBER OF OBS							AVERAGES FOR THE FLIGHT					TROP N	STRAT N
									CLD	PD5	0Z	H20, H2S	%TIC PATCHES	PD5	0Z	RH	H20					
<b>HKG-SIN (CONT.)</b>																						
5/29/78	ABB	426 11	431 21	321 4	FLT	TOT:	25	25	16	13	7	0.0	0.0	0.0	.256E+01	42	93	23	25	25	000	
					IN CLR:	25	25	0	0	0	0	0.0	0.0	0.0	.256E+01	42	93	0	25	0	000	
					NOT CLR:	0	0	0	0	0	0	0.0	0.0	0.0	0.	0	0	0	25	0	000	
5/30/78 *	ABB	405 13	411 21	276 6	FLT	TOT:	27	27	17	7	3	0.0	0.0	0.0	.394E+01	57	58	189	27	27	000	
					IN CLR:	27	27	0	0	0	0	0.0	0.0	0.0	.394E+01	57	58	0	27	0	000	
<b>HND-JFK</b>																						
1/21/77 *	AAA	381 54	410 65	277 37	FLT	TOT:	148	148	94	123	0	0.3	0.0	0.0	.351E+03	472	24	14	14	11	134 134	
					IN CLR:	145	145	93	122	1	0	0.0	0.0	0.0	.861E+00	475	23	65	27	3	0	
					NOT CLR:	3	3	1	1	0	0	13.1	1.7	0.	.173E+05	183	65	26	39	1	0	
1/23/77	AAA	388 51	410 60	269 36	FLT	TOT:	129	129	83	106	0	0.1	0.0	0.0	.337E+01	490	13	14	14	4	125 125	
					IN CLR:	128	128	83	105	0	0	0.0	0.0	0.0	.340E+01	490	12	13	39	1	0	
					NOT CLR:	1	1	0	1	0	0	18.8	3.0	0.	0.	0.	0.	0.	0.	0.	0	
1/28/77 *	AAA	382 54	430 62	206 37	FLT	TOT:	134	134	0	113	0	0.0	0.0	0.0	.768E+01	0	18	17	15	15	119 119	
					IN CLR:	134	134	0	113	0	0	0.0	0.0	0.0	.768E+01	0	18	0	0	0	0	
					NOT CLR:	0	0	0	0	0	0	0.0	0.0	0.0	0.	0.	0.	0.	0.	0.	0	
1/ 8/78 *	ABB	381 56	411 65	334 37	FLT	TOT:	136	136	0	0	0	0.3	0.0	0.0	.109E+02	0	0	0	0	42	132 132	
					IN CLR:	134	134	2	2	0	0	0.0	0.0	0.0	.627E+01	0	0	0	0	0	0	
					NOT CLR:	2	2	0	0	0	0	21.8	1.5	0.	.321E+03	0	0	0	0	0	0	
1/10/78	ABB	373 54	391 65	238 36	FLT	TOT:	132	132	0	0	0	1.1	0.0	0.0	.290E+03	0	0	0	0	13	117 117	
					IN CLR:	129	129	3	3	0	0	0.0	0.0	0.0	.872E+01	0	0	0	0	1	0	
					NOT CLR:	3	3	0	0	0	0	47.1	2.0	0.	.124E+05	0	0	0	0	0	0	
1/13/78	ABB	407 49	410 55	364 42	FLT	TOT:	23	23	0	10	0	0.1	0.0	0.0	.139E+01	0	51	46	1	22	22 22	
					IN CLR:	22	22	0	10	0	0	0.0	0.0	0.0	.145E+01	0	51	46	0	1	0	
					NOT CLR:	1	1	0	0	0	0	1.6	1.0	0.	0.	0.	0.	0.	0.	0.	0	
1/16/78	ABB	391 51	430 60	249 36	FLT	TOT:	122	122	0	70	2	2.3	0.1	0.1	.158E+05	0	28	36	11	11	111 111	
					IN CLR:	118	118	4	4	0	1	0.0	0.0	0.0	.818E+01	0	27	35	4	4	0	
					NOT CLR:	4	4	0	1	1	1	69.7	3.8	0.	.481E+06	0	100	85	4	4	0	
1/17/78 *	ABB	379 53	410 62	270 37	FLT	TOT:	147	147	0	82	7	3.9	0.2	0.2	.125E+05	0	43	44	3	3	144 135	
					IN CLR:	139	139	8	8	0	0	0.0	0.0	0.0	.556E+02	0	43	44	0	0	0	
					NOT CLR:	8	8	0	0	0	0	72.5	3.0	0.	.229E+06	0	0	0	0	0	0	
2/11/78	ABB	403 46	410 47	195 41	FLT	TOT:	41	41	27	23	0	0.0	0.0	0.0	.383E+01	423	53	63	1	40	40 40	
					IN CLR:	41	41	0	0	0	0	0.0	0.0	0.0	.383E+01	428	53	63	0	0	0	
					NOT CLR:	0	0	0	0	0	0	0.0	0.0	0.0	0.	0	0	0	0	0	0	
3/26/77	AAA	352 46	370 50	261 41	FLT	TOT:	54	54	35	45	4	3.9	0.4	0.4	.544E+04	213	61	21	0	0	000	
					IN CLR:	45	45	9	9	7	1	0.0	0.0	0.0	.258E+03	224	54	18	0	0	000	
					NOT CLR:	9	9	7	8	3	3	23.3	2.7	0.	.313E+05	168	93	33	0	0	000	

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT						TROP N	STRAT N	
					CLD	PD5	OZ	H2O, H2S	% TIC PATCHES	PD5	OZ	RH	H2O	TROP N					
<b>HND-JFK (CONT.)</b>																			
4/ 6/77 *	AAA	391 55	430 65	278 37	FLT IN CLR: 151 NOT CLR: 150	000 000	000 000	000 000	.0 0.0	.0 1.0	.0 0.	.0 0.	.0 0.	000 000	000 000	000 000	321 148	148 0	
4/ 8/77	AAA	376 52	410 60	206 36	FLT IN CLR: 131 NOT CLR: 125	000 000	000 000	000 000	1.1 0.0	.1 2.0	0. 0.	0. 0.	0. 0.	000 000	000 000	000 000	3125 100	100 0	
4/10/77 *	AAA	348 53	351 64	216 36	FLT IN CLR: 144 NOT CLR: 133	000 000	000 000	000 000	2.6 0.0	.2 0.3	0. 0.	0. 0.	0. 0.	000 000	000 000	000 000	3524 109	109 0	
4/12/77	AAA	347 46	370 51	265 36	FLT IN CLR: 127 NOT CLR: 102	000 000	000 000	000 000	7.8 0.0	.5 2.8	0. 0.	0. 0.	0. 0.	000 000	000 000	000 000	7449 53	53 0	
4/13/77 *	AAA	386 54	431 65	264 37	FLT IN CLR: 147 NOT CLR: 136	000 000	000 000	000 000	.9 0.0	.2 0.5	0. 0.	0. 0.	0. 0.	000 000	000 000	000 000	4635 101	101 0	
4/15/77	AAA	377 52	410 60	270 36	FLT IN CLR: 130 NOT CLR: 101	000 000	000 000	000 000	6.7 0.0	.5 0.0	0. 0.	0. 0.	0. 0.	000 000	000 000	000 000	4012 90	90 89	
4/17/77 *	AAA	383 53	431 64	281 37	FLT IN CLR: 153 NOT CLR: 142	000 000	000 000	000 000	3.8 0.0	.2 0.5	0. 0.	0. 0.	0. 0.	000 000	000 000	000 000	4130 112	112 0	
4/19/77	AAA	374 51	390 59	278 37	FLT IN CLR: 126 NOT CLR: 93	000 000	000 000	000 000	13.1 0.0	1.0 0.0	0. 0.	0. 0.	0. 0.	000 000	000 000	000 000	5734 69	69 59	
4/20/77 *	AAA	378 53	411 61	276 37	FLT IN CLR: 124 NOT CLR: 115	000 000	000 000	000 000	1.9 0.0	.2 0.0	0. 0.	0. 0.	0. 0.	000 000	000 000	000 000	2921 95	95 94	
4/22/77	AAA	368 50	390 59	200 36	FLT IN CLR: 135 NOT CLR: 113	000 000	000 000	000 000	4.4 0.0	.3 0.0	0. 0.	0. 0.	0. 0.	000 000	000 000	000 000	4429 91	91 84	
4/24/77 *	AAA	371 52	390 61	205 37	FLT IN CLR: 151 NOT CLR: 129	000 000	000 000	000 000	6.5 0.0	.4 0.0	0. 0.	0. 0.	0. 0.	000 000	000 000	000 000	6341 88	88 0	
4/25/77	AAA	383 53	410 63	243 36	FLT IN CLR: 134 NOT CLR: 113	000 000	000 000	000 000	6.1 0.0	.4 0.0	0. 0.	0. 0.	0. 0.	000 000	000 000	000 000	2010 114	114 103	
4/26/77 *	AAA	358 51	370 59	279 37	FLT IN CLR: 145 NOT CLR: 128	145 128	92 83	000 000	3.7 0.0	.3 0.0	.104E+05 .175E+04	345 373	000 000	000 000	000 000	000 000	000 000	8770 5858	58 0

DEP-ARR IM/ID/IY	CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT						TROP N	STRAT N
								CLD	PDS	0Z	H20, H2S	%TIC PATCHES	PDS	0Z	RH	H20					
<b>HND-JFK (CONT.)</b>																					
4/28/77	AAA	361 52	410 59	200 37	FLT	TOT:	128	128	84	0	0	5.8	.3	.340E+05	521	0	0	0	28	100 99	
					IN CLR:	111	111	74	0	0	0.0	0.0	0.0	.701E+02	578	0	0	0	12 16	1 1	
					NOT CLR:	17	17	10	0	0	43.9	2.2	0.	.256E+06	99	0	0	0			
4/29/77 *	AAA	374 53	410 63	218 37	FLT	TOT:	148	148	96	0	0	0.0	0.0	0.	.679E+03	527	0	0	0	36 36	112 112 0
					IN CLR:	148	148	96	0	0	0.0	0.0	0.0	.679E+03	527	0	0	0			
					NOT CLR:	0	0	0	0	0	0.0	0.0	0.0	0.	0.	0	0	0			
4/ 9/78	ABB	379 48	391 59	217 35	FLT	TOT:	81	81	0	41	20	6.8	.1	.185E+05	0	73	50	29	22 7	52 51 1	
					IN CLR:	73	73	0	35	14	0.0	0.0	0.0	.351E+03	0	68	54	22			
					NOT CLR:	8	8	0	6	6	68.4	.9	0.	.184E+06	0	100	28	7			
4/28/78 *	ABB	370 54	390 65	255 37	FLT	TOT:	145	145	0	74	27	3.0	.3	.263E+05	0	76	39	45	34 11	100 98 2	
					IN CLR:	132	132	0	66	22	0.0	0.0	0.0	.925E+03	0	73	38	34			
					NOT CLR:	13	13	0	8	5	33.6	2.8	0.	.283E+06	0	97	45	11			
4/30/78	ABB	370 54	390 65	260 36	FLT	TOT:	134	134	0	71	14	1.1	.1	.322E+04	0	59	46	32	26 6	102 102 0	
					IN CLR:	128	128	0	70	13	0.0	0.0	0.0	.106E+04	0	58	45	26			
					NOT CLR:	6	6	0	1	1	24.3	1.3	0.	.492E+05	0	100	119	6			
5/ 1/77	AAA	387 50	410 59	252 35	FLT	TOT:	130	130	79	0	0	1.4	.1	.522E+04	614	0	0	0	14 7	116 116 0	
					IN CLR:	123	123	79	0	0	0.0	0.0	0.0	.460E+02	614	0	0	0	7		
					NOT CLR:	7	7	0	0	0	26.0	2.4	0.	.961E+05	0	0	0	0			
5/ 1/78 *	ABB	382 54	431 65	264 37	FLT	TOT:	146	146	0	82	18	.1	0.0	0.	.362E+03	0	54	34	35	34 1	111 111 0
					IN CLR:	145	145	0	81	17	0.0	0.0	0.0	.316E+03	0	53	34	34			
					NOT CLR:	1	1	0	1	1	13.7	1.0	0.	.703E+04	0	100	33	1			
5/ 3/78	ABB	377 46	411 49	264 35	FLT	TOT:	124	124	0	71	22	9.6	.4	.198E+05	0	68	47	35	21 14	89 80 9	
					IN CLR:	101	101	0	60	12	0.0	0.0	0.0	.804E+03	0	62	45	21			
					NOT CLR:	23	23	0	11	10	52.0	2.0	0.	.103E+06	0	100	60	14			
5/ 4/78 *	ABB	378 54	431 65	199 36	FLT	TOT:	141	141	0	79	13	4.0	.2	.697E+04	0	68	60	32	22 10	109 106 3	
					IN CLR:	128	128	0	74	12	0.0	0.0	0.0	.286E+03	0	68	58	22			
					NOT CLR:	13	13	0	5	1	43.8	2.0	0.	.728E+05	0	65	100	10			
5/ 6/78	ABB	379 51	410 60	261 35	FLT	TOT:	136	136	0	76	16	1.5	.1	.285E+04	0	58	47	28	18 10	108 108 0	
					IN CLR:	126	126	0	71	12	0.0	0.0	0.0	.108E+03	0	56	41	18			
					NOT CLR:	10	10	0	5	4	20.4	1.9	0.	.375E+05	0	97	135	10			
5/ 7/78 *	ABB	365 41	389 45	256 37	FLT	TOT:	19	19	0	10	9	32.0	1.8	0.	.921E+05	0	93	65	18	5 13	1 0
					IN CLR:	5	5	0	5	5	0.0	0.0	0.0	.343E+04	0	100	41	5			
					NOT CLR:	14	14	0	5	4	43.4	2.5	0.	.124E+06	0	86	89	13			
5/19/78 *	ABB	387 53	432 61	312 37	FLT	TOT:	144	144	87	70	4	0.0	0.0	0.	.111E+02	474	36	29	33 0	111 111 0	
					IN CLR:	144	144	87	70	4	0.0	0.0	0.0	.111E+02	474	36	29	33 0			
					NOT CLR:	0	0	0	0	0	0.0	0.0	0.0	0.	0.	0	0	0			
6/ 1/77 *	AAA	388 53	430 65	349 37	FLT	TOT:	46	0	16	0	0	1.2	.2	0.	.375	0	0	0	16 3	30 30 0	
					IN CLR:	43	0	15	0	0	18.3	2.3	0.	.396	52	0	0	0	13		
					NOT CLR:	3	0	1	0	0	0.0	0.0	0.0	0.	0.	0	0	0			

APPENDIX B

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT						TROP N	STRAT N
					CLD	PD5	OZ	H2O, H2S	% TIC PATCHES	PD5	OZ	RH	H2O					
<b>HND-JFK (CONT.)</b>																		
6/ 2/77	AAA	382 46	410 50	345 37	FLT IN NOT	TOT: 29 13 0 0 0 0	0.0 14.5 0.0 1.3 0.0 0.0	1.5 0.0 0.0 0.0 0.0 0.0	1.0 0.0 0.0 0.0 0.0 0.0	321 341 76	000 000 000	000 000 000	000 000 000	000 000 000	000 000 000	000 000 000	6 3 3	23 23 0
6/ 3/77 *	AAA	391 50	430 60	205 35	FLT IN NOT	TOT: 149 98 0 0 0 0	0.0 36.2 0.0 3.7 0.0 0.0	3.6 0.0 0.0 0.0 0.0 0.0	4 0.0 0.0 0.0 0.0 0.0	.502E+04 .297E+03 .473E+05	276 300 88	000 000 000	000 000 000	000 000 000	000 000 000	000 000 000	55 46 9	94 88 6
7/ 4/77 *	ACA	395 55	430 65	256 37	FLT IN NOT	TOT: 139 0 0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0	0 0.0 0.0 0.0 0.0 0.0	000 000 000 000 000 000	000 000 000 000 000 000	000 000 000 000 000 000	000 000 000 000 000 000	000 000 000 000 000 000	52 52 0	87 87 0	
7/ 6/77	ACA	384 47	411 51	279 36	FLT IN NOT	TOT: 120 0 0 0 0 0	0.0 34.4 0.0 0.0 0.0 0.0	7.5 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0	0 0.0 0.0 0.0 0.0 0.0	000 000 000 000 000 000	000 000 000 000 000 000	000 000 000 000 000 000	000 000 000 000 000 000	000 000 000 000 000 000	89 64 25	31 30 1	
7/ 8/77 *	ACA	376 55	410 65	248 37	FLT IN NOT	TOT: 135 86 0 0 0 0	0.0 16.1 0.0 0.0 0.0 0.0	0.8 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0	.156E+04 .947E+02 .283E+05	381 394 107	000 000 000	000 000 000	000 000 000	000 000 000	000 000 000	42 36 6	93 92 1
7/10/77	ACA	378 51	410 60	218 36	FLT IN NOT	TOT: 133 85 0 0 0 0	0.0 32.5 0.0 0.0 0.0 0.0	6.9 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0	.310E+05 .478E+03 .145E+06	310 357 73	000 000 000	000 000 000	000 000 000	000 000 000	000 000 000	59 35 24	74 70 4
7/14/77 *	ACA	350 54	370 65	205 36	FLT IN NOT	TOT: 85 54 0 0 0 0	0.0 40.5 0.0 0.0 0.0 0.0	3.3 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0	.727E+04 .207E+03 .860E+05	298 315 83	000 000 000	000 000 000	000 000 000	000 000 000	000 000 000	39 32 7	46 46 0
7/15/77	ACA	376 47	411 51	260 35	FLT IN NOT	TOT: 111 76 0 0 0 0	0.0 31.5 0.0 0.0 0.0 0.0	8.8 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0	.511E+05 .205E+03 .182E+06	171 207 82	000 000 000	000 000 000	000 000 000	000 000 000	000 000 000	90 60 30	21 20 1
7/17/77 *	ACA	380 55	432 66	217 37	FLT IN NOT	TOT: 143 88 0 0 0 0	0.0 20.2 0.0 0.0 0.0 0.0	1.8 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0	.884E+04 .199E+03 .953E+05	321 350 90	000 000 000	000 000 000	000 000 000	000 000 000	000 000 000	62 49 13	81 81 0
7/19/77	ACA	381 47	410 53	211 35	FLT IN NOT	TOT: 124 80 0 0 0 0	0.0 15.2 0.0 0.0 0.0 0.0	4.3 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0	.256E+05 .997E+03 .881E+05	231 272 124	000 000 000	000 000 000	000 000 000	000 000 000	000 000 000	79 45 34	45 44 1
7/28/77 *	ACA	397 53	431 63	289 37	FLT IN NOT	TOT: 118 71 0 0 0 0	0.0 21.7 0.0 0.0 0.0 0.0	1.7 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0	.497E+04 .177E+03 .630E+05	277 287 118	000 000 000	000 000 000	000 000 000	000 000 000	000 000 000	51 45 6	67 64 3
8/16/77 *	ABA	379 54	431 65	225 37	FLT IN NOT	TOT: 138 86 0 0 0 0	0.0 38.9 0.0 0.0 0.0 0.0	7.3 0.0 0.0 0.0 0.0 0.0	0.6 0.0 0.0 0.0 0.0 0.0	.319E+05 .572E+03 .167E+06	172 195 54	000 000 000	000 000 000	000 000 000	000 000 000	000 000 000	58 32 26	80 80 0
8/18/77	ABA	383 54	411 67	313 37	FLT IN NOT	TOT: 98 49 0 0 0 0	0.0 24.2 0.0 0.0 0.0 0.0	2.2 0.0 0.0 0.0 0.0 0.0	0.3 0.0 0.0 0.0 0.0 0.0	.280E+05 .396E+02 .305E+06	246 249 104	000 000 000	000 000 000	000 000 000	000 000 000	000 000 000	32 23 9	66 66 0

DEP-ARR IM/ID/IY	CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	CLD	NUMBER OF OBS	PD5	OZ	H2O, H2S	AVERAGES FOR THE FLIGHT			TROP N	STRAT N			
													%TIC PATCHES	PD5	OZ RH H2O					
<b>HND-JFK (CONT.)</b>																				
8/19/77 * ABA	381	430	275	37	54	63	37	FLT IN NOT	TOT: 148 139 139	148 139 9	79 4	00 0	00 0	0.2 3.2	0.1 1.6	.583E+03 .741E+02 .844E+04	208 214 93	00 00 0	65 57 8	83 82 1
8/21/77 ABA	380	411	258	36	54	67	36	FLT IN NOT	TOT: 123 106 106	123 106 17	54 51 3	00 0	00 0	6.0 0.0 43.6	.3 0.0 1.9	.111E+05 .342E+03 .783E+05	259 270 72	00 00 0	56 39 17	67 67 0
8/25/77 * ABA	381	430	243	37	53	65	37	FLT IN NOT	TOT: 141 120 120	141 120 21	93 82 11	00 0	00 0	3.3 0.0 21.9	.5 0.0 3.2	.140E+05 .184E+03 .928E+05	178 196 45	00 00 0	64 45 19	77 75 2
8/27/77 ABA	363	411	237	35	44	50	35	FLT IN NOT	TOT: 106 89 89	106 89 17	67 56 11	00 0	00 0	5.2 0.0 32.4	.7 0.0 4.4	.173E+05 .106E+03 .107E+06	117 128 59	00 00 0	89 72 17	17 17 0
8/28/77 * ABA	385	430	258	37	52	60	37	FLT IN NOT	TOT: 140 135 135	140 135 5	92 88 4	00 0	00 0	0.5 0.0 15.0	.1 0.0 2.6	.167E+04 .145E+03 .430E+05	223 230 81	00 00 0	41 36 5	99 99 0
8/30/77 ABA	396	430	266	36	45	50	36	FLT IN NOT	TOT: 115 97 97	115 97 18	73 61 12	00 0	00 0	6.4 0.0 41.0	.7 0.0 4.3	.316E+05 .663E+02 .202E+06	149 164 73	00 00 0	74 56 18	41 41 0
8/31/77 * ABA	389	430	271	37	55	65	37	FLT IN NOT	TOT: 137 127 127	137 127 10	92 87 5	00 0	00 0	3.2 0.0 44.0	.2 0.0 2.8	.120E+05 .630E+02 .164E+06	237 247 54	00 00 0	42 32 10	95 95 0
9/ 2/77 ABA	377	410	215	35	46	51	35	FLT IN NOT	TOT: 129 107 107	129 107 22	84 70 14	00 0	00 0	3.8 0.0 22.3	.7 0.0 3.9	.107E+05 .866E+02 .624E+05	181 204 66	00 00 0	83 61 22	46 46 0
9/ 6/77 * ABA	388	431	235	37	54	65	37	FLT IN NOT	TOT: 152 146 148	152 146 4	99 95 4	00 0	00 0	.6 0.0 22.1	.1 0.0 4.3	.163E+04 .113E+03 .577E+05	202 208 74	00 00 0	78 74 4	74 74 0
9/ 8/77 ABA	383	431	198	36	51	59	36	FLT IN NOT	TOT: 117 99 99	117 99 18	77 67 10	00 0	00 0	4.6 0.0 30.0	.6 0.0 3.6	.340E+05 .183E+03 .220E+06	199 218 73	00 00 0	50 37 13	67 62 5
9/10/77 * ABA	379	430	267	37	55	65	37	FLT IN NOT	TOT: 143 126 126	143 126 17	93 80 13	00 0	00 0	2.0 0.0 16.5	.3 0.0 2.2	.474E+04 .682E+03 .349E+05	163 185 28	00 00 0	80 63 17	63 63 0
9/12/77 ABA	364	410	204	36	52	60	36	FLT IN NOT	TOT: 121 101 101	121 101 20	74 59 15	00 0	00 0	5.7 0.0 34.7	.5 0.0 2.9	.151E+05 .755E+02 .909E+05	150 179 39	00 00 0	59 39 20	62 62 0
9/13/77 * ABA	389	430	277	37	55	67	37	FLT IN NOT	TOT: 150 145 145	150 145 5	98 94 4	00 0	00 0	.6 0.0 18.4	.1 0.0 4.2	.209E+04 .676E+02 .609E+C5	238 245 82	00 00 0	30 25 5	120 120 0

APPENDIX B

DEP-ARR IM/ID/IY	CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT				TROF N	STRAT N	
								CLD	P05	OZ	H2O, H2S	%TIC PATCHES	PD5	OZ	RH	H2O				
<b>HND-JFK (CONT.)</b>																				
9/15/77	ABA	382 53	410 62	273 36	FLT	TOT:	118	118	79	0	0	4.4	.5	.178E+05	166	0	0	57	61	
					IN CLR:	99	99	66	00	00	0.0	27.6	2.8	.125E+03	186	0	0	38	61	
					NOT CLR:	19	19	13	0	0	0.0			.110E+06	54	0	0	19	0	
9/16/77 *	ABA	377 50	410 60	216 35	FLT	TOT:	145	145	96	0	0	7.1	.6	.171E+05	100	0	0	0	122	
					IN CLR:	118	118	76	00	00	0.0	37.9	3.1	.545E+02	110	0	0	95	23	
					NOT CLR:	27	27	20	0	0	0.0			.915E+05	62	0	0	27	0	
9/20/77 *	ABA	391 53	430 65	245 35	FLT	TOT:	148	148	101	0	0	.8	.1	.126E+04	169	0	0	0	65	
					IN CLR:	138	138	93	00	00	0.0	12.2	1.6	.381E+03	180	0	0	75	63	
					NOT CLR:	10	10	8	0	0	0.0			.133E+05	47	0	0	10	0	
9/23/77 *	ABA	377 54	411 63	270 37	FLT	TOT:	149	0	97	0	0	1.9	.3	0.	0.	167	0	0	70	
					IN CLR:	137	0	88	00	00	0.0	23.3	4.1	0.	178	0	0	60	77	
					NOT CLR:	12	0	9	0	0	0.0			58	0	0	10	2		
9/25/77	ABA	358 45	410 52	198 35	FLT	TOT:	132	0	87	0	0	1.4	.1	0.	0.	138	0	0	74	
					IN CLR:	126	0	84	00	00	0.0	30.7	3.0	0.	142	0	0	69	58	
					NOT CLR:	6	0	3	0	0	0.0			40	0	0	5	57		
10/ 3/77 *	ABA	382 54	430 65	209 37	FLT	TOT:	132	0	80	0	0	.2	.2	0.	0.	208	0	0	43	
					IN CLR:	127	0	77	00	00	0.0			207	0	0	41	89		
					NOT CLR:	5	0	3	0	0	0.0	4.9	4.6	0.	226	0	0	2	86	
10/17/77 *	ABB	368 54	431 65	190 37	FLT	TOT:	145	0	95	0	0	0.0	0.0	0.	0.	261	0	0	18	
					IN CLR:	145	0	95	00	00	0.0			261	0	0	0	127		
					NOT CLR:	0	0	0	0	0	0.0			0	0	0	0	0		
10/20/77	ABB	384 47	410 51	309 36	FLT	TOT:	116	0	75	0	0	0.0	0.0	0.	0.	180	0	0	47	
					IN CLR:	115	0	75	00	00	0.0			180	0	0	46	69		
					NOT CLR:	1	0	0	0	0	0.4	1.0	0.	0.	0	0	0	1	69	
10/31/77 *	ABB	381 54	410 65	250 36	FLT	TOT:	138	138	89	22	1	4.0	.3	.201E+05	183	47	89	0	37	
					IN CLR:	125	125	81	21	1	0.0	0.0	0.0	.701E+02	197	44	43	24	101	
					NOT CLR:	13	13	8	1	0	43.0	3.5		.213E+06	39	100	1042	13	0	
11/ 2/77	ABB	374 51	411 59	223 37	FLT	TOT:	121	121	79	0	0	1.1	.1	.198E+04	183	0	0	0	51	
					IN CLR:	117	117	76	3	0	0.0	33.3	1.8	.843E+02	187	0	0	47	70	
					NOT CLR:	4	4	3	0	0	0.0			.573E+05	83	0	0	4	0	
<b>HND-LAX</b>																				
1/22/77	AAA	407 37	430 39	217 35	FLT	TOT:	94	94	61	78	0	0.0	0.0	0.	.537E+01	413	13	16	0	92
					IN CLR:	94	94	61	78	0	0.0	0.0	0.0	.537E+01	413	13	16	0	92	
					NOT CLR:	0	0	0	0	0	0.0	0.0	0.0	0.	0	0	0	0	0	
1/22/77 *	AAA	388 47	410 55	209 35	FLT	TOT:	116	116	77	97	3	2.3	.2	.281E+04	550	27	15	0	99	
					IN CLR:	110	110	73	92	1	0.0	0.0	0.0	.444E+02	576	24	15	0	101	
					NOT CLR:	6	6	4	5	2	45.3	3.2		.150E+06	75	94	13	0	6	

DEP-ARR	IM/ID/IY	CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT						TROP	STRAT	
									CLD	PDS	OZ	H20, H2S	%TIC PATCHES	PDS	OZ	RH	H20								
<b>HND-LAX (CONT.)</b>																									
1/29/77	AAA	401 38	430 40	201 34	FLT	TOT:	100 99	100 99	59 58	84 83	0 1	0 1	0.0 0.4	0.0 1.0	0. 0.	.210E+02 .212E+02	381 383	15 14	18 17	15 15	15 0	85 84	85 1		
1/ 9/78	ABB	400 36	430 37	295 35	FLT	TOT:	93 93	93 93	0 0	0 0	0 0	0 0	0.0 0.0	0.0 0.0	0. 0.	.824E+01 .824E+01	0 0	0 0	0 0	0 0	36 36	57 57	57 0		
1/ 9/78 *	ABB	389 50	391 55	309 37	FLT	TOT:	89 89	89 89	0 0	0 0	0 0	0 0	0.0 0.0	0.0 0.0	0. 0.	.353E+00 .353E+00	0 0	0 0	0 0	0 0	1 1	88 88	88 0		
1/15/78 *	ABB	388 48	410 54	290 35	FLT	TOT:	116 116	116 116	0 0	66 66	0 0	0 0	0.0 0.0	0.0 0.0	0. 0.	.327E+01 .327E+01	0 0	27 27	56 56	19 0	97 97	97 0			
1/18/78	ABB	402 39	430 40	297 35	FLT	TOT:	90 89	90 89	0 0	54 54	0 0	0 0	0.8 70.6	0.0 1.0	0. 0.	.254E+04 .599E+02 .223E+06	0 0 0	20 20	27 27	35 34	35 1	55 55	55 0		
2/ 8/78 *	ABB	369 46	390 54	350 36	FLT	TOT:	41 41	41 41	0 0	22 22	1 1	0 0	0.0 0.0	0.0 0.0	0. 0.	.297E+01 .297E+01	0 0	49 49	75 75	12 12	29 29	29 0			
2/13/78 *	ABB	404 49	430 55	195 37	FLT	TOT:	103 102	103 102	67 67	52 52	0 0	0 0	0.2 0.0	0.0 5.0	0. 5.0	.948E+02 .933E+02 .254E+03	661 661 0	35 35	52 52	21 0	101 101	101 0			
2/16/78	ABB	395 38	410 39	279 35	FLT	TOT:	92 90	92 90	0 0	53 51	4 3	0 1	0.0 1.6	0.0 1.5	0. 0.	.357E+02 .361E+02 .164E+02	0 0 0	37 36	14 14	60 59	32 31	32 1			
3/25/77	AAA	393 47	431 52	208 35	FLT	TOT:	50 35	50 35	24 15	41 29	11 10	11 10	9.4 0.0	1.1 3.8	0. 0.	.304E+05 .101E+06	395 593	44 21	12 98	0 18	0 0	0 0	0 0		
4/ 7/77	AAA	390 40	410 44	236 35	FLT	TOT:	100 91	0 0	0 0	0 0	0 0	0 0	3.6 39.5	0.1 1.0	0. 0.	0	0	0 0	0 0	0 0	49 40	51 9			
4/ 7/77 *	AAA	384 50	432 58	261 35	FLT	TOT:	117 115	0 0	0 0	0 0	0 0	0 0	0.2 0.0	0.0 1.5	0. 0.	0	0	0 0	0 0	0 0	16 14	101 2			
4/11/77	AAA	368 41	370 44	271 34	FLT	TOT:	96 57	0 0	0 0	0 0	0 0	0 0	17.7 43.6	1.5 3.6	0. 0.	0	0	0 0	0 0	0 0	52 27	44 12			
4/11/77 *	AAA	393 47	431 55	290 35	FLT	TOT:	122 104	0 0	0 0	0 0	0 0	0 0	3.3 22.2	0.5 3.2	0. 0.	0	0	0 0	0 0	0 0	36 18	84 0			

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS					AVERAGES FOR THE FLIGHT			TROP N	STRAT N	
					CLD	PD5	OZ	H2O, H2S	% TIC PATCHES	PD5	OZ	RH	H2O		
<b>HND-LAX (CONT.)</b>															
4/14/77 * AAA	367 47	390 55	286 35	FLT TOT: IN CLR: NOT CLR:	125 101 24	0 0 0	0 0 0	0 0 0	8.4 0.0 43.6	.3 0.0 1.8	0. 0. 0.	0 0 0	0 0 0	55 31 24	70 70 0
4/14/77 AAA	367 41	370 45	205 35	FLT TOT: IN CLR: NOT CLR:	95 77 18	0 0 0	0 0 0	0 0 0	5.5 0.0 29.0	.6 0.0 3.3	0. 0. 0.	0 0 0	0 0 0	63 45 18	32 32 0
4/18/77 AAA	403 46	414 52	210 35	FLT TOT: IN CLR: NOT CLR:	93 89 4	0 0 0	0 0 0	0 0 0	.8 0.0 19.5	.2 0.0 5.5	0. 0. 0.	0 0 0	0 0 0	33 29 4	60 60 0
4/19/77 * AAA	395 39	432 43	200 35	FLT TOT: IN CLR: NOT CLR:	125 93 32	0 0 0	0 0 0	0 0 0	8.8 0.0 34.3	.6 0.0 2.3	0. 0. 0.	0 0 0	0 0 0	99 72 27	26 21 5
4/21/77 * AAA	389 50	411 59	298 35	FLT TOT: IN CLR: NOT CLR:	120 111 9	0 0 0	0 0 0	0 0 0	1.7 0.0 22.4	.2 0.0 2.2	0. 0. 0.	0 0 0	0 0 0	26 17 9	94 94 0
4/21/77 AAA	386 43	390 48	295 35	FLT TOT: IN CLR: NOT CLR:	92 88 4	0 0 0	0 0 0	0 0 0	.6 0.0 14.6	.1 0.0 2.5	0. 0. 0.	0 0 0	0 0 0	60 56 4	32 32 0
4/27/77 AAA	374 40	390 44	296 35	FLT TOT: IN CLR: NOT CLR:	97 75 22	97 75 22	59 47 12	0 0 0	10.0 0.0 44.1	.2 0.0 .9	.263E+05 .132E+04 .111E+06	367 434 104	0 0 0	52 30 22	45 45 0
4/27/77 * AAA	375 45	411 51	200 35	FLT TOT: IN CLR: NOT CLR:	115 95 20	115 95 20	68 56 12	0 0 0	11.2 0.0 64.5	.4 0.0 2.3	.505E+05 .121E+04 .285E+06	429 506 69	0 0 0	59 39 20	56 56 0
4/30/77 * AAA	390 49	410 58	287 35	FLT TOT: IN CLR: NOT CLR:	113 107 6	113 107 6	76 73 3	0 0 0	3.2 0.0 60.0	.1 0.0 1.2	.149E+05 .328E+02 .280E+06	642 662 163	0 0 0	13 7 6	100 100 0
4/30/77 AAA	361 41	370 46	280 35	FLT TOT: IN CLR: NOT CLR:	90 66 24	90 66 24	58 41 17	0 0 0	12.4 0.0 46.5	.5 0.0 2.0	.512E+05 .407E+03 .191E+06	283 365 83	0 0 0	57 35 22	33 31 2
4/ 8/78 * ABB	372 47	391 54	205 36	FLT TOT: IN CLR: NOT CLR:	116 113 3	116 113 3	20 19 1	67 65 2	.1 0.0 4.1	0. 0. 1.3	.243E+03 .195E+03 .207E+04	64 62 87	61 60 72	46 46 45	36 33 3
4/20/78 ABB	387 42	390 45	241 35	FLT TOT: IN CLR: NOT CLR:	94 72 22	94 72 0	0 0 0	19 19 0	11.4 0.0 48.6	.3 0.0 1.4	.236E+05 .962E+03 .975E+05	0 0 0	83 83 0	35 35 0	58 54 4
4/29/78 * ABB	381 48	411 56	227 35	FLT TOT: IN CLR: NOT CLR:	122 109 13	122 109 13	0 0 0	67 63 4	5.9 0.0 55.4	.2 0.0 2.3	.311E+05 .553E+03 .288E+06	0 0 0	67 65 100	55 55 48	29 29 13

DEP-ARR IM/ID/IY	CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT			TROP N	STRAT N
								CLD	PD5	OZ	H20, H2S	% TIC PATCHES	PD5	OZ	RH	H20		
<b>HND-LAX (CONT.)</b>																		
5/ 5/78 * ABB	368	411	197		46	54	35	FLT IN NOT	TOT: 92 92 0 52 21	118 118 0 14 7	7.0 0.0 31.9	.7 0.0 3.1	.130E+05 .255E+03 .582E+05	0 0 0	68 59 100	57 59 96	57 31 26	61 61 0
5/17/78 * ABB	377	412	260		47	55	35	FLT IN NOT	TOT: 118 118 77 52 10	118 118 77 52 10	0.0 0.0 0.0	0.0 0.0 0.0	.460E+02 .460E+02 0	347 347 0	45 45 0	34 34 0	50 50 0	68 68 0
6/ 4/77 AAA	389	410	257		39	42	35	FLT IN NOT	TOT: 94 94 62 0 0	72 72 48 0 0	6.9 0.0 29.6	1.0 0.0 4.1	.261E+05 .638E+03 .109E+06	186 221 67	0 0 0	0 0 0	72 50 22	22 22 0
7/ 5/77 ACA	393	429	213		42	46	35	FLT IN NOT	TOT: 87 0 0 0 0	62 0 0 0 0	7.4 0.0 25.8	0.0 0.0 0.0	0. 0. 0.	0 0 0	0 0 0	0 0 0	69 44 25	18 18 0
7/ 5/77 * ACA	386	391	197		49	55	36	FLT IN NOT	TOT: 116 0 0 0 0	113 0 0 0 0	.9 0.0 33.5	0.0 0.0 0.0	0. 0. 0.	0 0 0	0 0 0	0 0 0	46 43 3	70 70 0
7/ 9/77 * ACA	376	410	261		43	49	35	FLT IN NOT	TOT: 116 116 74 0 0	99 99 62 0 0	3.6 0.0 24.7	0.0 0.0 0.0	.156E+05 .140E+04 .984E+05	139 147 98	0 0 0	0 0 0	116 99 17	000 000 000
7/ 9/77 ACA	393	410	281		42	47	35	FLT IN NOT	TOT: 90 90 61 0 0	78 78 52 0 0	2.9 0.0 22.1	0.0 0.0 0.0	.155E+05 .119E+04 .108E+06	177 187 120	0 0 0	0 0 0	63 58 5	27 20 7
7/18/77 * ACA	365	390	285		38	38	35	FLT IN NOT	TOT: 49 49 31 0 0	43 43 27 0 0	1.4 0.0 11.8	0.0 0.0 0.0	.916E+04 .264E+03 .729E+05	58 60 45	0 0 0	0 0 0	49 43 6	000 000 000
7/18/77 ACA	374	390	284		45	51	35	FLT IN NOT	TOT: 53 53 36 0 0	43 43 29 0 0	1.8 0.0 9.6	0.0 0.0 0.0	.741E+04 .246E+04 .287E+05	152 164 103	0 0 0	0 0 0	47 37 10	66 60 0
8/17/77 * ABA	373	390	203		45	52	35	FLT IN NOT	TOT: 113 113 74 0 0	85 85 58 0 0	6.0 0.0 24.4	1.3 0.0 5.3	.391E+05 .138E+05 .116E+06	138 165 40	0 0 0	0 0 0	81 53 28	32 32 0
8/17/77 ABA	388	412	280		42	45	35	FLT IN NOT	TOT: 97 97 61 0 0	71 71 45 0 0	10.6 0.0 39.7	.8 0.0 3.0	.406E+05 .109E+03 .151E+06	133 166 39	0 0 0	0 0 0	68 42 26	29 29 0
8/20/77 * ABA	365	370	209		48	55	35	FLT IN NOT	TOT: 105 105 68 0 0	99 99 66 0 0	2.9 0.0 51.4	.2 0.0 4.2	.111E+05 .113E+03 .193E+06	224 229 55	0 0 0	0 0 0	50 45 5	55 54 1
8/20/77 ABA	392	411	281		40	43	35	FLT IN NOT	TOT: 84 84 52 0 0	66 66 42 0 0	9.9 0.0 46.4	.8 0.0 3.5	.711E+05 .190E+03 .331E+06	91 104 36	0 0 0	0 0 0	83 65 18	1 1 0

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	CLD	NUMBER OF OBS PD5 OZ H20, H2S	AVERAGES FOR THE FLIGHT %TIC PATCHES PD5 OZ RH H20		TROP N	STRAT N					
							FLT TOT: IN CLR: NOT CLR:	87 57 30 87 57 30 51 37 14 0 0 0 0 0 0 0 0 0	12.1 0.0 35.2 0.0 0.0 0.0	1.1 0.0 3.3 0.0 0.0 0.0	.328E+05 .802E+02 .950E+05 .138E+03 .551E+05 .571E+04	52 56 40 134 20 48	0 0 0 0 0 0	87 57 30 69 56 52	0 0 0 47 47 50
<b>HND-LAX (CONT.)</b>															
8/26/77	ABA	384 42	411 47	274 35	FLT	TOT: IN CLR: NOT CLR:	87 57 30 87 57 30 51 37 14 0 0 0 0 0 0 0 0 0	12.1 0.0 35.2 0.0 0.0 0.0	1.1 0.0 3.3 0.0 0.0 0.0	.328E+05 .802E+02 .950E+05 .138E+03 .551E+05 .571E+04	52 56 40 134 20 48	0 0 0 0 0 0	0 0 0 0 0 0	87 57 30 69 56 52	0 0 0 47 47 50
8/26/77 *	ABA	379 46	411 55	236 35	FLT	TOT: IN CLR: NOT CLR:	116 116 74 103 103 64 13 13 10 0 0 0 0 0 0 0 0 0	1.9 0.0 16.7 0.0 0.0 0.0	.5 0.0 4.3 0.0 0.0 0.0	.630E+04 .138E+03 .551E+05 .571E+04	134 151 20 173 182 48	0 0 0 0 0 0	0 0 0 0 0 0	69 56 13 58 52 6	47 47 0 50 50 0
8/29/77 *	ABA	384 47	410 55	206 35	FLT	TOT: IN CLR: NOT CLR:	108 108 70 102 102 65 6 6 5 0 0 0 0 0 0 0 0 0	.3 0.0 5.6 0.0 0.0 0.0	.2 0.0 3.5 0.0 0.0 0.0	.447E+03 .138E+03 .571E+04	173 182 48	0 0 0	0 0 0	58 52 6	50 50 0
8/29/77	ABA	391 42	410 47	261 35	FLT	TOT: IN CLR: NOT CLR:	91 91 57 86 86 53 5 5 4 0 0 0 0 0 0 0 0 0	1.3 0.0 23.5 0.0 0.0 0.0	.3 0.0 4.6 0.0 0.0 0.0	.234E+04 .108E+03 .407E+05	115 119 56	0 0 0	0 0 0	83 78 5	8 8 0
9/ 1/77 *	ABA	397 47	410 54	281 35	FLT	TOT: IN CLR: NOT CLR:	120 120 82 114 114 78 6 6 4 0 0 0 0 0 0 0 0 0	.9 0.0 18.6 0.0 0.0 0.0	.2 0.0 3.3 0.0 0.0 0.0	.939E+04 .131E+03 .185E+06	233 241 69	0 0 0	0 0 0	49 43 6	71 71 0
9/ 1/77	ABA	396 43	430 47	206 34	FLT	TOT: IN CLR: NOT CLR:	103 103 69 93 93 63 10 10 6 0 0 0 0 0 0 0 0 0	1.6 0.0 16.5 0.0 0.0 0.0	.5 0.0 5.0 0.0 0.0 0.0	.371E+04 .990E+02 .373E+05	138 141 102	0 0 0	0 0 0	61 56 5	42 37 5
9/ 7/77 *	ABA	384 40	430 43	280 35	FLT	TOT: IN CLR: NOT CLR:	115 115 74 103 103 65 12 12 9 0 0 0 0 0 0 0 0 0	1.2 0.0 11.7 0.0 0.0 0.0	.3 0.0 3.3 0.0 0.0 0.0	.336E+04 .237E+03 .302E+05	89 92 69	0 0 0	0 0 0	98 90 8	17 13 4
9/ 7/77	ABA	390 46	411 54	240 35	FLT	TOT: IN CLR: NOT CLR:	102 102 61 92 92 55 10 10 6 0 0 0 0 0 0 0 0 0	3.7 0.0 37.8 0.0 0.0 0.0	.4 0.0 3.7 0.0 0.0 0.0	.996E+04 .120E+03 .100E+06	129 133 87	0 0 0	0 0 0	73 63 10	29 29 0
9/11/77 *	ABA	382 41	390 45	254 35	FLT	TOT: IN CLR: NOT CLR:	109 109 73 94 94 62 15 15 11 0 0 0 0 0 0 0 0 0	1.7 0.0 12.2 0.0 0.0 0.0	.5 0.0 3.7 0.0 0.0 0.0	.360E+04 .494E+02 .258E+05	95 103 48	0 0 0	0 0 0	102 87 15	7 7 0
9/11/77	ABA	388 45	410 50	278 35	FLT	TOT: IN CLR: NOT CLR:	107 107 72 88 88 57 19 19 15 0 0 0 0 0 0 0 0 0	4.2 0.0 23.4 0.0 0.0 0.0	.5 0.0 3.1 0.0 0.0 0.0	.935E+04 .636E+02 .524E+05	101 118 39	0 0 0	0 0 0	84 65 19	23 23 0
9/14/77	ABA	398 46	430 55	250 35	FLT	TOT: IN CLR: NOT CLR:	99 99 67 74 74 51 25 25 16 0 0 0 0 0 0 0 0 0	4.4 0.0 17.3 0.0 0.0 0.0	1.1 0.0 4.3 0.0 0.0 0.0	.106E+05 .347E+02 .413E+05	133 154 64	0 0 0	0 0 0	71 46 25	28 28 0
9/14/77 *	ABA	391 39	430 42	290 35	FLT	TOT: IN CLR: NOT CLR:	106 106 69 105 105 68 1 1 1 0 0 0 0 0 0 0 0 0	0.0 0.0 2.4 0.0 0.0 0.0	0.0 0.0 4.0 0.0 0.0 0.0	.255E+03 .403E+02 .228E+05	78 78 62	0 0 0	0 0 0	106 105 1	0 0 0
9/17/77	ABA	410 37	410 38	410 36	FLT	TOT: IN CLR: NOT CLR:	6 6 2 6 6 0 0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	6 6 0	0 0 0	0 0 0	6 6 0	0 0 0

DEP-ARR IM/ID/IY	CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT						TROP N	STRAT N
								CLD	PD5	OZ	H20, H2S	%TIC	PATCHES	PD5	OZ	RH	H20				
<b>HND-LAX (CONT.)</b>																					
9/21/77	ABA	386 47	410 49	369 42	FLT	TOT:	62	62	33	0	0	3.9 0.0	.4 0.0	.180E+05 .359E+02	95 103 38	0	0	0	56 47 9	6 6 0	
NOT CLR:					IN		53	53	29	4	0	26.6	2.7	.124E+06							
9/24/77 *	ABA	374 42	410 45	318 35	FLT	TOT:	109	0	63	0	0	.8 0.0	.2 0.0	0.	133 141 58	0	0	0	90 82 8	19 19 0	
NOT CLR:					IN		101	0	57	6	0	10.8	2.8	0.							
9/24/77	ABA	397 44	429 50	276 35	FLT	TOT:	102	0	66	0	0	.1 0.0	.2 0.0	0.	108 108 105	0	0	0	84 79 5	18 17 1	
NOT CLR:					IN		96	0	62	4	0	2.4	3.2	0.							
10/4/77	ABB	400 43	410 48	304 35	FLT	TOT:	95	0	61	0	0	7.0 0.0	.9 0.0	0.	139 154 48	0	0	0	50 35 15	45 45 0	
NOT CLR:					IN		80	0	52	0	0	44.5	5.7	0.							
10/18/77	ABB	387 43	410 47	210 35	FLT	TOT:	76	0	50	0	0	7.5 0.0	.4 0.0	0.	118 132 35	0	0	0	44 32 12	32 32 0	
NOT CLR:					IN		64	0	43	7	0	47.5	2.7	0.							
10/18/77 *	ABB	390 47	450 54	285 35	FLT	TOT:	122	0	82	0	0	0.0 0.0	0.0 0.0	0.	244 244 0	0	0	0	38 38 0	84 84 0	
NOT CLR:					IN		122	0	82	0	0	0.0 0.0	0.0 0.0	0.							
10/19/77 *	ABB	394 48	430 55	287 35	FLT	TOT:	119	0	80	0	0	.1 0.0	.1 0.0	0.	243 247 101	0	0	0	31 30 1	88 87 1	
NOT CLR:					IN		117	0	78	2	0	5.5	5.0	0.							
10/19/77	ABB	381 42	390 45	268 35	FLT	TOT:	82	0	52	0	0	8.7 0.0	1.0 0.0	0.	102 118 57	0	0	0	68 42 26	14 14 0	
NOT CLR:					IN		56	0	38	14	0	27.5	3.3	0.							
11/1/77	ABB	390 44	409 48	329 35	FLT	TOT:	97	97	64	0	0	.6 0.0	.2 0.0	.135E+04 .141E+03	115 120 60	0	0	0	48 43 5	49 49 0	
NOT CLR:					IN		92	92	59	5	0	11.9	3.2	0.	.235E+05						
11/1/77 *	ABB	379 39	410 43	309 35	FLT	TOT:	120	120	80	1	0	0.0 0.0	0.0 0.0	0.	.157E+02 .157E+02	79 79 0	70	203 203 0	101 101 0	19 19 0	
NOT CLR:					IN		120	120	80	0	0	0.0 0.0	0.0 0.0	0.							

APPENDIX B

1/22/76 *	BBA	343 49	370 56	205 37	FLT	TOT:	72	0	72	0	0	1.1 0.0	.3 0.0	0.	338 362 9	0	0	0	15 10 5	57 57 0
3/18/76 *	BBA	356 49	390 57	202 37	FLT	TOT:	76	0	76	0	0	0.0 0.0	0.0 0.0	0.	524 524 0	0	0	0	4 4 0	72 72 0

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLG EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT			TROF N	STRAT N			
					CLD	PD5	OZ	H2O, H2S	%TIC PATCHES	PD5	OZ	RH	H2O					
<b>HND-SFO (CONT.)</b>																		
3/25/76	BBA	355 41	371 44	208 35	FLT TOT: IN CLR: NOT CLR:	56 45 11	0 0 0	56 45 11	0 0 0	0 0 0	4.6 0.0 23.2	.6 0.0 3.1	0. 0. 0.	309 332 213	0 0 0	0 0 0	25 17 8	31 28 3
4/21/76	BBA	363 42	391 46	203 36	FLT TOT: IN CLR: NOT CLR:	47 44 3	0 0 0	47 44 3	0 0 0	0 0 0	5.7 0.0 88.9	0.0 0.0 .7	0. 0. 0.	258 270 80	0 0 0	0 0 0	30 27 3	17 17 0
5/ 2/78	ABB	392 43	410 45	285 35	FLT TOT: IN CLR: NOT CLR:	93 77 16	93 77 16	0 0 0	46 39 7	23 17 6	3.4 0.0 19.6	.2 0.0 1.1	.966E+04 .110E+04 .509E+05	0 0 0	75 72 92	35 34 43	43 45 5	
5/ 5/78	ABB	372 43	391 47	282 36	FLT TOT: IN CLR: NOT CLR:	94 73 21	94 73 21	0 0 0	51 40 11	23 12 11	7.4 0.0 33.2	.7 0.0 3.2	.282E+05 .540E+03 .125E+06	0 0 0	76 69 100	50 45 71	59 36 21	
5/17/78	ABB	391 42	412 45	259 35	FLT TOT: IN CLR: NOT CLR:	97 97 0	96 96 0	64 64 0	49 49 0	8 8 0	0.0 0.0 0.0	0.0 0.0 0.	.316E+01 .316E+01 0.	257 257 0	60 60 0	21 21 0	54 54 0	
5/20/78	ABB	389 43	412 46	186 36	FLT TOT: IN CLR: NOT CLR:	95 95 0	95 95 0	64 64 0	49 49 0	11 11 0	0.0 0.0 0.0	0.0 0.0 0.	.411E+01 .411E+01 0.	290 290 0	56 56 0	22 22 0	35 35 0	
9/ 5/76 *	BBA	326 50	330 58	243 37	FLT TOT: IN CLR: NOT CLR:	110 110 0	0 0 0	68 68 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.	0. 0. 0.	108 108 0	0 0 0	0 0 0	92 92 0	18 18 0
10/ 7/77 *	BCB	357 38	391 41	267 35	FLT TOT: IN CLR: NOT CLR:	112 63 49	112 63 49	0 0 0	0 0 0	0 0 0	14.9 0.0 34.1	0.0 0.0 0.0	.453E+05 .122E+02 .104E+06	0 0 0	0 0 0	0 0 0	112 63 49	0 0 0
10/ 7/77	BCB	362 45	391 50	219 36	FLT TOT: IN CLR: NOT CLR:	88 61 27	88 61 27	0 0 0	0 0 0	0 0 0	7.4 0.0 24.2	0.0 0.0 0.0	.175E+05 .983E+02 .569E+05	0 0 0	0 0 0	0 0 0	85 58 27	330
10/13/77	BCB	358 43	371 45	200 37	FLT TOT: IN CLR: NOT CLR:	84 67 17	84 67 17	0 0 0	0 0 0	0 0 0	6.9 0.0 34.0	0.0 0.0 0.0	.167E+05 .914E+01 .823E+05	0 0 0	0 0 0	0 0 0	80 63 17	440
<b>HND-YVR</b>																		
10/ 6/77 *	BCB	356 41	391 49	272 35	FLT TOT: IN CLR: NOT CLR:	104 86 18	104 86 18	0 0 0	0 0 0	0 0 0	5.6 0.0 32.2	0.0 0.0 0.0	.164E+05 .233E+03 .936E+05	0 0 0	0 0 0	104 86 18	0 0 0	

DEP-ARR	IM>ID/IY	CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT						TROP N	STRAT N
									CLD	PDS	0Z	H20, H2S	% TIC PATCHES	PDS	0Z	RH	H20					
<b>HNL-LAS</b>																						
5/12/76	CAA	335 29	370 35	208 21	FLT IN NOT	TOT: CLR: CLR:	53 51 2	0	35 33 2	0	0	0	.3 0.0 7.1	.1 0.0 1.5	0. 0.0 0.	76 78 49	0	0	0	53 51 2	00	
<b>HNL-LAX</b>																						
1/27/76 *	CAA	341 28	351 34	186 21	FLT IN NOT	TOT: CLR: CLR:	34 34 0	0	34 34 0	34 34 0	0	0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0.0 0.	52 52 0	33 33 0	54 54 0	34 34 0	00		
1/27/76	CAA	324 28	330 34	203 21	FLT IN NOT	TOT: CLR: CLR:	34 30 4	0	34 30 4	34 30 4	4	0	.6 0.0 5.4	.2 0.0 1.5	0. 0.0 0.	36 37 35	46 39 100	75 73 85	34 30 4	00		
2/ 2/76 *	CAA	381 28	390 34	223 21	FLT IN NOT	TOT: CLR: CLR:	41 40 1	0	41 40 1	36 36 0	8	0	.3 0.0 12.9	0.0 0.0 1.0	0. 0.0 0.	104 106 20	45 45 0	34 34 0	30 29 1	11 11 0		
2/ 3/76	CAA	360 29	371 33	209 21	FLT IN NOT	TOT: CLR: CLR:	37 37 0	0	37 37 0	31 31 0	1	0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0.0 0.	92 92 0	19 19 0	21 21 0	29 29 0	8 8 0		
2/ 5/76	CAA	361 28	371 34	209 21	FLT IN NOT	TOT: CLR: CLR:	35 20 15	0	35 20 15	29 16 13	16	0	10.3 0.0 23.9	1.3 0.0 3.1	0. 0.0 0.	128 198 35	73 51 100	55 48 63	26 11 15	990		
2/ 5/76 *	CAA	341 28	350 34	199 20	FLT IN NOT	TOT: CLR: CLR:	39 27 12	0	39 27 12	35 24 11	25	0	13.7 0.0 44.6	.6 0.0 1.9	0. 0.0 0.	74 81 58	86 80 100	62 44 101	37 25 12	220		
2/ 6/76 *	CAA	339 28	350 34	221 21	FLT IN NOT	TOT: CLR: CLR:	33 28 5	0	33 28 5	28 25 3	8	0	5.7 0.0 37.6	.3 0.0 2.2	0. 0.0 0.	149 171 27	59 54 100	71 67 107	24 19 5	990		
2/ 6/76 *	BBA	345 27	353 34	213 21	FLT IN NOT	TOT: CLR: CLR:	23 14 9	0	23 14 9	0	0	0	19.8 0.0 50.5	1.6 0.0 4.0	0. 0.0 0.	67 99 13	0 0 0	0 0 0	20 11 9	330		
2/ 7/76	BBA	302 28	330 34	195 22	FLT IN NOT	TOT: CLR: CLR:	10 6 4	0	10 6 4	0	0	0	18.1 0.0 45.2	.5 0.0 1.3	0. 0.0 0.	24 34 9	0 0 0	0 0 0	10 6 4	000		
2/ 8/76 *	BBA	351 26	351 31	351 21	FLT IN NOT	TOT: CLR: CLR:	23 15 8	0	23 15 8	0	0	0	13.8 0.0 39.7	1.0 0.0 3.0	0. 0.0 0.	17 19 14	0 0 0	0 0 0	23 15 8	000		
2/ 9/76	BBA	326 29	331 34	211 21	FLT IN NOT	TOT: CLR: CLR:	30 28 2	0	30 28 2	0	0	0	2.6 0.0 42.7	.2 0.0 3.0	0. 0.0 0.	54 57 18	0 0 0	0 0 0	30 28 2	000		

DEP-ARR IM/ID/YR	CODE	AVFL ALAT	EXHI EXTN	EXLD EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT				TROP N	STRAT N	
					CLD	PDS	0Z	H20, H2S	%TIC Patches	F05	0Z	RH	H20						
<b>HNL-LAX (CONT.)</b>																			
2/10/76 * BBA	345 28	351 34	212 21	FLT IN NOT	TOT: CLR: CLR:	34 32 2	0 0 0	34 32 2	0 0 0	0 0 0	.4 0.0 6.3	2.0 0.0 3.0	0. 0. 0.	73 76 23	0 0 0	0 0 0	30 28 2	4 4 0	
2/11/76 CAA	322 28	330 34	202 21	FLT IN NOT	TOT: CLR: CLR:	29 29 0	0 0 0	29 29 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	50 50 0	0 0 0	0 0 0	29 29 0	0 0 0	
2/26/76 * CAA	330 29	390 34	215 21	FLT IN NOT	TOT: CLR: CLR:	40 15 25	0 0 0	40 15 25	39 14 25	39 14 25	20.0 0.0 32.0	1.4 0.0 2.2	0. 0. 0.	49 59 44	100 100 100	40 26 48	40 15 25	0 0 0	
2/27/76 CAA	363 29	370 34	238 22	FLT IN NOT	TOT: CLR: CLR:	26 7 19	0 0 0	26 7 19	26 7 19	26 7 19	29.6 0.0 40.6	2.1 0.0 2.8	0. 0. 0.	44 46 43	100 100 100	77 33 94	26 7 19	0 0 0	
2/29/76 * CAA	342 28	350 34	211 21	FLT IN NOT	TOT: CLR: CLR:	40 19 21	0 0 0	40 19 21	39 18 21	27 6 21	25.3 0.0 48.2	1.5 0.0 2.8	0. 0. 0.	42 51 34	77 51 100	74 82 67	40 19 21	0 0 0	
2/ 8/79 CAB	339 29	341 34	289 22	FLT IN NOT	TOT: CLR: CLR:	46 24 22	46 24 22	30 15 15	23 11 12	1 0 1	15.9 0.0 33.1	1.4 0.0 2.9	.344E+05 .265E+03 .716E+05	49 52 45	71 62 80	67 56 77	46 24 22	0 0 0	
2/10/79 CAB	337 29	342 34	278 22	FLT IN NOT	TOT: CLR: CLR:	43 7 36	43 7 36	26 4 22	22 2 20	12 0 12	36.1 0.0 43.1	2.6 0.0 3.1	.111E+06 .165E+04 .132E+06	46 54 45	91 83 92	120 111 121	43 7 36	0 0 0	
2/11/79 * BBB	378 28	401 34	264 22	FLT IN NOT	TOT: CLR: CLR:	55 33 22	0 0 0	35 22 13	27 17 10	1 0 1	14.0 0.0 35.0	1.5 0.0 3.9	0. 0. 0.	49 53 43	41 24 70	28 18 44	55 33 22	0 0 0	
2/12/79 * CAB	348 27	352 34	240 21	FLT IN NOT	TOT: CLR: CLR:	61 60 1	61 60 1	39 38 1	29 29 0	0 0 0	.1 0.0 4.7	0. 0. 1.0	.297E+03 .133E+03 .101E+05	87 88 37	39 39 0	106 106 0	61 60 1	0 0 0	
2/14/79 * CAB	353 28	361 34	218 22	FLT IN NOT	TOT: CLR: CLR:	55 50 5	55 50 5	37 34 3	33 31 2	0 0 0	2.2 0.0 24.2	0. 0. 3.6	.223E+04 .565E+02 .240E+05	171 180 77	43 43 49	86 74 276	38 33 5	17 0 0	
2/14/79 CAB	368 29	381 34	217 22	FLT IN NOT	TOT: CLR: CLR:	42 42 0	42 42 0	27 27 0	22 22 0	1 1 0	0.0 0.0 0.0	0.0 0.0 0.0	.809E+02 .809E+02 0.	154 154 0	59 59 0	93 93 0	22 22 0	20 20 0	
2/17/79 * CAB	346 27	350 34	200 21	FLT IN NOT	TOT: CLR: CLR:	61 33 28	61 33 28	38 21 17	35 18 17	11 1 10	31.7 0.0 69.1	.6 0.0 1.3	.603E+05 .396E+03 .131E+06	56 89 16	85 77 92	90 41 143	61 33 28	0 0 0	
2/27/79 * CAB	363 28	371 34	296 21	FLT IN NOT	TOT: CLR: CLR:	53 44 9	53 44 9	33 27 6	25 20 5	14 9 5	4.8 0.0 28.4	.4 0.0 2.2	.673E+04 .334E+03 .380E+05	89 95 65	80 76 100	40 42 33	53 44 9	0 0 0	

DEP-ARR	IM>ID/IY	CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT						TROP N	STRAT N	
									CLD	PD5	OZ	H20, H2S	% TIC PATCHES	PD5	OZ	RH	H20								
<b>HNL-LAX (CONT.)</b>																									
3/ 6/76	CAB	358 29	370 34	209 21	FLT	TOT:	30 21	0 9	30 21	30 9	25 16	9	7.4 0.0	1.5 0.0	0. 0.		82 108 21	97 95 100	73 84 49	30 21 9	00	00			
3/ 6/79	CAB	355 29	360 34	285 21	FLT	TOT:	36 34	36 2	23 21	17 15	8 7	1	0.8 0.0	0.2 0.0	0. 0.	.376E+04 .157E+03 .651E+05	89 92 56	79 81 66	146 157 64	36 34 2	00	00			
3/ 7/79 *	CAB	346 28	351 34	206 21	FLT	TOT:	43 41	43 41	29 27	23 22	22 21	1	0.1 0.0	0.1 0.0	0. 0.	.244E+03 .248E+03 .154E+03	78 80 52	98 97 100	273 282 69	43 41 2	00	00			
3/12/79 *	CAB	367 28	371 34	266 21	FLT	TOT:	52 36	52 36	31 19	29 17	19 8	6	6.9 0.0	0.7 0.0	0. 0.	.166E+05 .358E+04 .459E+05	163 223 68	92 86 99	53 57 47	33 19 14	19 17 2	19 17 2			
3/12/79	CAB	353 28	361 34	193 21	FLT	TOT:	41 36	41 36	26 23	24 21	0 0	0	1.5 0.0	0.4 0.0	0. 0.	.237E+04 .173E+04 .697E+04	168 184 47	52 54 37	45 38 97	23 18 5	18 18 0	18 18 0			
3/13/79 *	CAB	347 31	371 33	243 21	FLT	TOT:	16 14	15 13	10 10	8 8	5 5	0	0.5 0.0	0.4 0.0	0. 0.	.633E+04 .636E+04 .610E+04	124 124 0	95 95 0	35 35 0	10 9 1	6 5 1	6 5 1			
3/15/79	CAB	355 27	387 34	252 21	FLT	TOT:	42 26	42 26	27 17	21 14	5 0	5	20.0 0.0	0.8 0.0	0. 0.	.303E+05 .720E+03 .785E+05	90 113 50	81 74 94	52 27 100	0 0 0	00	00			
3/16/79	CAB	349 27	382 34	208 21	FLT	TOT:	14 13	9 8	9 9	10 10	0 0	0	1.3 0.0	0.1 0.0	0. 0.	.513E+05 .410E+05 .134E+06	168 168 0	69 69 0	106 108 0	11 10 1	33 33 0	33 33 0			
3/16/79 *	CAB	343 33	370 34	295 32	FLT	TOT:	7 4	7 4	2 1	1 1	1 1	1	9.0 0.0	1.0 0.0	0. 0.	.356E+04 .264E+04 .477E+04	167 213 120	100 100 0	39 39 0	22 22 0	5 5 3	5 5 3			
3/19/79	CAB	351 25	381 34	214 21	FLT	TOT:	17 17	13 13	12 12	11 11	0 0	0	0.0 0.0	0.0 0.0	0. 0.	.363E+03 .363E+03 0.	94 94 0	48 48 0	74 74 0	14 14 0	33 33 0	33 33 0			
3/21/79	CAB	364 28	380 34	231 21	FLT	TOT:	43 43	43 43	26 28	24 24	0 0	0	0.0 0.0	0.0 0.0	0. 0.	.142E+03 .142E+03 0.	182 182 0	35 35 0	35 35 0	35 35 0	8 8 0	8 8 0			
3/21/79 *	CAB	361 28	370 34	195 21	FLT	TOT:	55 55	55 55	36 36	31 31	1 0	0	0.0 0.0	0.0 0.0	0. 0.	.248E+03 .248E+03 0.	191 191 0	39 39 0	41 41 0	46 46 0	9 9 0	9 9 0			
3/24/79 *	CAB	347 28	350 34	217 21	FLT	TOT:	55 55	55 55	35 35	29 29	16 16	0	0.0 0.0	0.0 0.0	0. 0.	.678E+03 .678E+03 0.	159 159 0	94 94 0	67 67 0	35 35 0	20 20 0	20 20 0			

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT				TROP N	STRAT N	
					CLD	PD5	OZ	H2O, H2S	%TIC PATCHES	PD5	OZ	RH	H2O						
<b>HNL-LAX (CONT.)</b>																			
3/25/79 *	CAB	347 28	351 34	218 21	FLT IN NOT	TOT: CLR: CLR:	59 38 21	59 38 21	39 26 13	33 21 12	8 4 4	5.3 0.0 14.8	1.2 0.0 3.4	.148E+05 .443E+03 .408E+05	76 84 61	83 84 82	60 62 58	59 38 21	00
3/27/79 *	CAB	348 28	351 34	242 21	FLT IN NOT	TOT: CLR: CLR:	60 57 3	60 57 3	36 34 2	31 28 3	2 1 1	1.3 0.0 26.0	.2 0.0 3.0	.293E+04 .800E+03 .434E+05	139 142 89	75 73 94	84 88 47	37 34 3	23 23 0
3/27/79	CAB	356 28	360 34	292 21	FLT IN NOT	TOT: CLR: CLR:	44 41 3	44 41 3	28 25 3	21 19 2	4 2 2	1.4 0.0 20.3	.1 0.0 1.7	.290E+04 .106E+04 .261E+05	166 180 47	73 71 100	39 38 53	29 26 3	15 15 0
3/28/79 *	CAB	344 31	392 34	234 21	FLT IN NOT	TOT: CLR: CLR:	17 17 0	15 15 0	11 11 0	10 10 0	1 1 0	0.0 0.0 0.0	0.0 0.0 0.0	.838E+03 .838E+03 0.	235 235 0	55 55 0	43 43 0	4 4 0	13 13 0
3/29/79 *	CAB	357 28	371 34	291 21	FLT IN NOT	TOT: CLR: CLR:	56 32 24	56 32 24	36 20 16	6 4 2	6 4 2	15.2 0.0 35.5	.9 0.0 2.1	.479E+05 .103E+04 .110E+06	103 145 62	100 100 100	125 145 84	56 32 24	00
4/ 3/76	CAA	363 27	370 33	213 21	FLT IN NOT	TOT: CLR: CLR:	28 27 1	0 27 0	28 24 1	25 19 1	20 19 1	0.1 0.0 2.7	0.1 0.0 2.0	0. 0. 0.	139 141 88	93 93 100	33 33 24	26 27 1	00
4/ 4/76	BBA	387 26	392 32	316 20	FLT IN NOT	TOT: CLR: CLR:	27 25 2	0 25 0	27 0 2	0 0 0	0 0 0	0.0 0.0 .4	0.1 0.0 1.0	0. 0. 0.	202 197 266	0 0 0	0 0 0	22 20 2	55 55 0
4/ 5/76 *	BBA	388 28	392 34	333 21	FLT IN NOT	TOT: CLR: CLR:	36 34 2	0 34 0	36 0 2	0 0 0	0 0 0	0.0 0.0 .4	0.1 0.0 1.0	0. 0. 0.	190 191 165	0 0 0	0 0 0	32 30 2	44 44 0
4/ 8/76	CAA	359 29	370 34	211 22	FLT IN NOT	TOT: CLR: CLR:	29 24 5	0 24 0	29 23 5	28 22 5	27 22 5	2.2 0.0 12.8	.4 0.0 2.6	0. 0. 0.	79 89 32	100 100 100	70 55 136	29 24 5	00
4/ 9/76 *	CAA	307 28	310 34	205 21	FLT IN NOT	TOT: CLR: CLR:	34 19 15	0 19 0	34 19 15	33 19 14	29 15 14	11.7 0.0 26.5	1.3 0.0 3.0	0. 0. 0.	66 76 55	95 92 100	235 174 318	34 19 15	00
4/17/76	CAA	359 29	370 34	205 21	FLT IN NOT	TOT: CLR: CLR:	29 23 6	0 23 0	29 0 6	0 0 0	0 0 0	11.9 0.0 57.5	.1 0.0 .7	0. 0. 0.	81 78 93	0 0 0	0 0 0	29 23 6	00
4/18/76 *	CAA	343 28	350 34	213 21	FLT IN NOT	TOT: CLR: CLR:	34 23 11	0 23 0	34 0 11	0 0 0	0 0 0	7.6 0.0 23.5	.9 0.0 2.9	0. 0. 0.	84 85 83	0 0 0	0 0 0	34 23 11	00
5/10/76	CAA	368 30	407 35	190 22	FLT IN NOT	TOT: CLR: CLR:	52 46 6	0 16 0	16 0 0	0 0 0	0 0 0	1.3 0.0 11.2	.4 0.0 3.2	0. 0. 0.	74 74 0	0 0 0	0 0 0	52 46 6	00

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	FLT	TOT:	NUMBER OF OBS						%TIC PATCHES	THE FLIGHT PD5	OZ	RH	H2O	TROP N	STRAT N
							CLD	PD5	OZ	H2O	H2S								
<b>HNL-LAX (CONT.)</b>																			
5/11/76 * CAA	349 28	350 33	279 21	FLT IN NOT CLR:	46 38 8	0 0 0	7 0 0	0 0 0	0 0 0	7.2 0.0 41.5	.8 0.0 4.9	0. 0. 0.		67 67 0	0 0 0	0 0 0	46 38 8	0 0 0	
5/16/76 * CAA	372 28	390 34	209 21	FLT IN NOT CLR:	55 55 0	0 0 0	14 14 0	46 46 0	11 11 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.		108 108 0	75 75 0	44 44 0	55 55 0	0 0 0	
5/28/76 CAA	376 30	380 34	248 24	FLT IN NOT CLR:	38 38 0	0 0 0	24 24 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.		92 92 0	0 0 0	0 0 0	38 38 0	0 0 0	
5/29/76 * CAA	355 29	360 34	213 22	FLT IN NOT CLR:	48 47 1	0 0 0	31 31 0	0 0 0	0 0 0	0.0 .8 0.8	0.0 0.0 1.0	0. 0. 0.		71 71 0	0 0 0	0 0 0	48 47 1	0 0 0	
5/18/79 BDB	357 28	381 34	280 21	FLT IN NOT CLR:	51 42 9	51 42 9	32 26 6	27 21 6	2 2 2	2.9 0.0 16.7	.9 0.0 4.9	.108E+06 .102E+04 .605E+06		66 65 72	49 42 73	46 37 74	51 42 9	0 0 0	
5/26/79 * BDB	358 28	370 34	296 21	FLT IN NOT CLR:	51 42 9	51 42 9	31 27 4	26 21 5	2 2 2	3.4 0.0 19.5	.6 0.0 3.4	.356E+05 .104E+04 .197E+06		61 59 73	52 46 79	68 61 97	51 42 9	0 0 0	
6/15/78 * CAB	357 28	360 34	291 21	FLT IN NOT CLR:	58 43 15	58 43 15	38 30 8	33 26 7	5 4 1	4.8 0.0 18.4	.5 0.0 1.8	.781E+04 .366E+04 .197E+05		62 62 62	64 62 70	65 57 97	58 43 15	0 0 0	
6/22/78 * CAB	355 28	360 34	296 21	FLT IN NOT CLR:	56 48 8	56 48 8	36 31 5	31 29 2	5 3 2	3.9 0.0 27.1	.6 0.0 4.5	.905E+04 .556E+03 .600E+05		84 84 83	68 66 100	60 59 69	56 48 8	0 0 0	
6/22/78 * CAB	355 28	361 34	198 21	FLT IN NOT CLR:	56 55 1	56 55 1	37 37 0	32 31 1	0 0 0	.1 0.0 3.9	0. 0.0 2.0	.198E+03 .195E+03 .389E+03		100 100 80	50 49 41	44 44 41	56 55 1	0 0 0	
6/22/78 CAB	364 28	371 34	284 21	FLT IN NOT CLR:	45 45 0	45 45 0	29 29 0	25 25 0	0 0 0	0.0 0.0 0.0	0. 0.0 0.	.669E+02 .669E+02 0.		96 96 0	61 61 0	47 47 0	45 45 0	0 0 0	
6/24/78 * CAB	356 28	361 34	233 21	FLT IN NOT CLR:	59 59 0	59 59 0	39 39 0	34 34 0	0 0 0	0.0 0.0 0.0	0. 0.0 0.	.413E+02 .413E+02 0.		73 73 0	42 42 0	57 57 0	59 59 0	0 0 0	
6/28/78 * CAB	357 28	360 34	288 21	FLT IN NOT CLR:	56 50 6	56 50 6	36 33 3	31 27 4	4 0 4	1.5 0.0 14.2	.4 0.0 3.8	.146E+04 .318E+03 .110E+05		73 78 22	54 47 100	61 49 141	56 50 6	0 0 0	
6/30/78 * CAB	355 28	360 34	197 21	FLT IN NOT CLR:	58 52 6	58 52 6	37 32 5	33 27 6	3 0 3	1.0 0.0 9.9	.5 0.0 4.5	.238E+04 .240E+03 .209E+05		45 47 29	46 37 85	63 55 98	58 52 6	0 0 0	

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS										AVERAGES FOR THE FLIGHT			TROP N	STRAT N
					CLD	PDS	OZ	H20, H2S	%TIC PATCHES	PD5	OZ	RH	H20						
<b>HNL-LAX (CONT.)</b>																			
6/30/78	CAB	338 26	341 34	281 22	FLT TOT: IN CLR: NOT CLR:	42 37 5	42 37 5	25 21 4	19 19 0	0 0 0	4.2 0.0 35.0	.6 0.0 5.4	.111E+05 .224E+03 .916E+05	38 40 30	27 27 0	53 53 0	42 37 5	00	
6/ 1/79 *	BDB	327 28	331 34	208 21	FLT TOT: IN CLR: NOT CLR:	51 47 4	51 47 4	32 31 1	30 27 3	8 6 2	.1 0.0 1.4	.1 0.0 1.3	.484E+04 .248E+04 .326E+05	70 71 37	65 64 75	151 126 375	51 47 4	00	
6/ 2/79	BDB	358 28	380 34	224 21	FLT TOT: IN CLR: NOT CLR:	49 48 1	49 48 1	31 30 1	20 19 1	0 0 0	.1 0.0 4.7	.0 0.0 1.0	.134E+04 .136E+04 .665E+02	119 121 63	43 42 71	41 40 52	49 48 1	00	
6/ 3/79 *	BDB	372 28	391 34	218 21	FLT TOT: IN CLR: NOT CLR:	53 53 0	53 53 0	34 34 0	20 20 0	1 1 0	0.0 0.0 0.0	0.0 0.0 0.0	.645E+04 .645E+04 0.	141 141 0	42 42 0	34 34 0	53 53 0	00	
6/ 3/79 *	CAB	363 28	370 34	231 22	FLT TOT: IN CLR: NOT CLR:	42 24 18	42 24 18	0 0 0	21 9 12	0 0 0	30.0 0.0 70.1	.0 0.0 .1	.301E+05 .305E+04 .661E+05	0 0 0	32 34 30	40 23 54	42 24 18	00	
6/ 4/79	CAB	376 28	381 33	295 21	FLT TOT: IN CLR: NOT CLR:	48 41 -7	48 41 7	0 0 0	25 20 5	2 0 0	2.4 0.0 16.2	.3 0.0 2.3	.748E+04 .311E+04 .331E+05	0 0 0	34 29 54	29 16 84	48 41 7	00	
6/ 7/79 *	CAB	347 28	351 34	265 21	FLT TOT: IN CLR: NOT CLR:	53 45 8	53 45 8	0 0 0	28 24 4	0 0 0	3.4 0.0 22.6	.2 0.0 1.4	.119E+05 .366E+04 .585E+05	0 0 0	39 38 44	42 42 41	53 45 8	00	
7/ 2/78 *	CAB	348 27	351 33	293 21	FLT TOT: IN CLR: NOT CLR:	55 50 5	55 50 5	35 32 3	28 26 2	1 0 1	1.1 0.0 12.2	.5 0.0 6.0	.758E+03 .423E+02 .792E+04	33 34 19	44 40 92	72 66 149	55 50 5	000	
7/ 4/78 *	CAB	348 27	351 33	279 21	FLT TOT: IN CLR: NOT CLR:	53 47 6	53 47 6	33 29 4	29 27 2	13 12 1	.5 0.0 4.8	.3 0.0 2.8	.337E+03 .280E+02 .276E+04	26 27 24	86 87 85	171 170 194	53 47 6	000	
7/ 5/78	CAB	365 28	370 34	254 21	FLT TOT: IN CLR: NOT CLR:	47 47 0	47 47 0	31 31 0	26 26 0	3 3 0	0.0 0.0 0.0	0.0 0.0 0.0	.207E+02 .207E+02 0.	36 36 0	35 35 0	59 59 0	47 47 0	000	
7/ 7/78	CAB	365 28	371 34	239 21	FLT TOT: IN CLR: NOT CLR:	48 48 0	48 48 0	32 32 0	27 27 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.783E+02 .783E+02 0.	61 61 0	18 18 0	30 30 0	46 48 0	000	
7/10/78 *	CAB	358 28	360 34	311 21	FLT TOT: IN CLR: NOT CLR:	52 52 0	52 52 0	32 32 0	30 30 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.282E+02 .282E+02 0.	39 39 0	19 19 0	28 28 0	52 52 0	000	
7/10/78	CAB	337 29	341 34	262 22	FLT TOT: IN CLR: NOT CLR:	48 48 0	48 48 0	32 32 0	24 24 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.877E+02 .877E+02 0.	34 34 0	18 18 0	54 54 0	48 48 0	000	

DEP-ARR IM/ID/IY	CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT			TROP N	STRAT N	
								CLD	PDS	OZ	H2O, H2S	%TIC PATCHES	PDS	OZ	RH	H2O			
<b>HNL-LAX (CONT.)</b>																			
7/17/78	CAB	338 29	341 34	282 22	FLT	TOT:	46	46	30	24	1	0.0	0.0	384E+02	52	34	76	46	000
					IN CLR:	46	46	30	24	0	0.0	0.0	384E+02	52	34	76	46	000	
					NOT CLR:	0	0	0	0	0	0.0	0.0	0.	0	0	0	0	000	
7/19/78 *	CAB	354 28	361 34	205 21	FLT	TOT:	52	52	34	31	0	0.0	0.0	109E+02	49	10	42	52	000
					IN CLR:	52	52	34	31	0	0.0	0.0	109E+02	49	10	42	52	000	
					NOT CLR:	0	0	0	0	0	0.0	0.0	0.	0	0	0	0	000	
7/19/78 *	CAB	365 29	381 34	277 22	FLT	TOT:	46	46	29	23	0	0.0	0.0	550E+01	55	16	34	46	000
					IN CLR:	46	46	29	23	0	0.0	0.0	550E+01	55	16	34	46	000	
					NOT CLR:	0	0	0	0	0	0.0	0.0	0.	0	0	0	0	000	
7/19/78 *	CAB	354 28	361 34	191 21	FLT	TOT:	52	52	34	29	1	0.0	0.0	278E+02	50	26	70	52	000
					IN CLR:	52	52	34	29	0	0.0	0.0	278E+02	50	26	70	52	000	
					NOT CLR:	0	0	0	0	0	0.0	0.0	0.	0	0	0	0	000	
7/21/78 *	CAB	357 28	361 34	291 21	FLT	TOT:	51	51	33	30	0	0.6	0.0	754E+01	47	25	53	51	000
					IN CLR:	50	50	33	29	1	0.0	0.0	769E+01	47	23	39	50	000	
					NOT CLR:	1	1	0	1	0	31.4	2.0	0.	0	0	0	0	000	
7/23/78	CAB	367 29	371 34	252 25	FLT	TOT:	37	37	24	20	0	0.0	0.0	258E+02	56	21	28	37	000
					IN CLR:	37	37	24	20	0	0.0	0.0	258E+02	56	21	28	37	000	
					NOT CLR:	0	0	0	0	0	0.0	0.0	0.	0	0	0	0	000	
10/23/78	BBB	372 29	381 34	210 22	FLT	TOT:	49	49	31	0	0	0.0	0.0	130E+01	39	0	0	49	000
					IN CLR:	49	49	31	0	0	0.0	0.0	130E+01	39	0	0	49	000	
					NOT CLR:	0	0	0	0	0	0.0	0.0	0.	0	0	0	0	000	
11/4/78 *	BBB	355 28	360 34	251 21	FLT	TOT:	51	51	32	26	6	15.4	1.3	960E+05	32	67	94	51	000
					IN CLR:	29	29	18	13	5	0.0	0.0	938E+05	46	48	76	29	000	
					NOT CLR:	22	22	14	13	5	35.7	3.0	989E+05	14	86	112	22	000	
11/7/78	BBB	344 29	380 34	228 22	FLT	TOT:	45	45	31	11	5	26.3	1.4	831E+05	40	85	70	45	000
					IN CLR:	18	18	12	2	5	0.0	0.0	350E+03	53	37	71	18	000	
					NOT CLR:	27	27	19	9	5	43.9	2.3	138E+06	32	95	70	27	000	
11/12/78 *	BBB	355 29	360 34	245 22	FLT	TOT:	50	50	32	29	0	0.0	0.0	389E+01	83	18	25	50	000
					IN CLR:	50	50	32	29	0	0.0	0.0	389E+01	83	18	25	50	000	
					NOT CLR:	0	0	0	0	0	0.0	0.0	0.	0	0	0	0	000	
11/12/78	BBB	375 28	380 34	270 22	FLT	TOT:	50	50	33	30	0	0.0	0.0	394E+01	58	21	27	46	440
					IN CLR:	50	50	33	30	0	0.0	0.0	394E+01	58	21	27	46	440	
					NOT CLR:	0	0	0	0	0	0.0	0.0	0.	0	0	0	0	000	
11/13/78 *	BBB	332 28	360 34	239 21	FLT	TOT:	48	48	33	27	0	0.0	0.0	164E+02	72	14	31	48	000
					IN CLR:	48	48	33	27	0	0.0	0.0	164E+02	72	14	31	48	000	
					NOT CLR:	0	0	0	0	0	0.0	0.0	0.	0	0	0	0	000	
11/14/78	BBB	337 29	340 34	265 22	FLT	TOT:	45	45	29	20	0	0.0	0.0	427E+01	73	15	33	45	000
					IN CLR:	45	45	29	20	0	0.0	0.0	427E+01	73	15	33	45	000	
					NOT CLR:	0	0	0	0	0	0.0	0.0	0.	0	0	0	0	000	

APPENDIX B

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT				TROP N	STRAT N	
					CLD	PDS	OZ	H2O, H2S	% TIC PATCHES	PDS	OZ	RH	H2O						
<b>HNL-LAX (CONT.)</b>																			
12/31/75	CAA	363 29	370 34	213 22	FLT IN NOT CLR:	28 21 7	0 0 0	28 21 7	0 0 0	7.2 0.0 28.8	.7 0.0 2.7	0. 0. 0.	47 52 33	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	
12/14/77	BCB	372 28	380 34	254 21	FLT IN NOT CLR:	45 44 1	45 44 1	30 29 1	0 0 0	.5 0.0 23.5	0.0 0.0 0.0	.101E+02 .962E+01 .306E+02	36 35 65	0 0 0	0 0 0	0 0 44	1 0 0	0 0 0	
12/15/77 *	BCB	345 25	350 32	255 20	FLT IN NOT CLR:	54 54 0	54 54 0	34 34 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.235E+01 .235E+01 0.	35 35 0	0 0 0	0 0 0	0 0 54	0 0 0	0 0 0	
12/16/77	BCB	335 29	341 34	249 22	FLT IN NOT CLR:	37 37 0	37 37 0	20 20 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.302E+02 .302E+02 0.	53 53 0	0 0 0	0 0 0	0 0 37	0 0 0	0 0 0	
12/17/77 *	BCB	347 28	351 33	262 21	FLT IN NOT CLR:	59 59 0	59 59 0	36 36 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.428E+01 .428E+01 0.	54 54 0	0 0 0	0 0 0	0 0 59	0 0 0	0 0 0	
<b>HNL-NAN</b>																			
1/ 5/77 *	DDA	344 2	370 20	251 -15	FLT IN NOT CLR:	61 45 16	0 0 0	0 0 0	0 0 0	5.8 0.0 22.2	1.0 0.0 3.8	0. 0. 0.	0 0 0	0 0 0	0 0 0	0 0 0	61 45 16	0 0 0	0 0 0
1/ 6/77	DDA	292 1	310 19	253 -16	FLT IN NOT CLR:	56 54 2	0 0 0	0 0 0	0 0 0	.8 0.0 22.5	.1 0.0 4.0	0. 0. 0.	0 0 0	0 0 0	0 0 0	0 0 0	56 54 2	0 0 0	0 0 0
2/11/77 *	DDA	357 1	371 19	254 -15	FLT IN NOT CLR:	59 50 9	59 50 9	36 30 6	0 0 0	4.9 0.0 32.4	.5 0.0 3.4	.336E+05 .182E+02 .220E+06	32 35 18	0 0 0	0 0 0	0 0 0	59 50 9	0 0 0	0 0 0
2/12/77	DDA	336 1	350 19	220 -16	FLT IN NOT CLR:	59 55 4	59 55 4	37 35 2	0 0 0	1.8 0.0 27.1	.2 0.0 3.3	.984E+04 .977E+01 .145E+06	27 27 14	0 0 0	0 0 0	0 0 0	59 55 4	0 0 0	0 0 0
2/19/77 *	DDA	364 2	371 20	256 -15	FLT IN NOT CLR:	61 57 4	61 57 4	38 35 3	0 0 0	1.7 0.0 26.0	.3 0.0 4.0	.545E+04 .286E+01 .830E+05	24 24 25	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0
2/20/77	DDA	345 1	350 19	248 -16	FLT IN NOT CLR:	60 54 6	60 54 6	38 34 4	0 0 0	.8 0.0 7.8	.2 0.0 1.5	.360E+04 .831E+01 .360E+05	22 23 16	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0
6/ 1/79	BDB	344 1	370 19	203 -16	FLT IN NOT CLR:	63 51 12	63 51 12	41 34 7	19 16 3	5.4 0.0 28.5	1.0 0.0 5.4	.115E+06 .146E+04 .595E+06	41 43 31	56 52 77	129 122 167	63 51 12	0 0 0	0 0 0	

DEP-ARR	IM/ID/IY	CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT			TROP N	STRAT N	
									CLD	PD5	6Z	H20, H2S	%TIC PATCHES	PD5	6Z	RH	H20					
<b>HNL-NAN (CONT.)</b>																						
6/ 2/79 *	BDB	354	370	263	-14				FLT TOT:	59	59	39	30	4	3.2	.6	.713E+05	50	55	121	59	00
		2	20	-14					IN CLR:	43	43	26	21	9	0.0	0.0	.289E+04	41	41	100	43	00
									NOT CLR:	16	16	13	9	4	11.6	2.1	.255E+06	39	55	169	16	00
11/19/76	DDA	335	350	207	-16				FLT TOT:	64	0	0	0	0	0.0	0.0	0.	00	00	0	64	000
		1	19	-16					IN CLR:	64	0	0	0	0	0.0	0.0	0.	00	00	0	64	000
									NOT CLR:	0	0	0	0	0	0.0	0.0	0.	00	00	0	0	000
11/26/76 *	DDA	343	370	246	-15				FLT TOT:	59	0	0	0	0	10.9	1.4	0.	00	00	0	59	000
		2	20	-15					IN CLR:	42	0	0	0	0	0.0	0.0	0.	00	00	0	42	000
									NOT CLR:	17	0	0	0	0	37.8	4.8	0.	00	00	0	17	000
11/27/76	DDA	330	350	258	-16				FLT TOT:	61	0	0	0	0	4.8	.5	0.	00	00	0	61	000
		1	19	-16					IN CLR:	51	0	0	0	0	0.0	0.0	0.	00	00	0	51	000
									NOT CLR:	10	0	0	0	0	29.5	3.2	0.	00	00	0	10	000
11/14/78 *	BBB	353	370	246	-15				FLT TOT:	59	59	39	31	0	.5	.1	.989E+01	32	46	83	59	000
		2	20	-15					IN CLR:	55	55	36	28	3	0.0	0.0	.106E+02	33	44	79	55	000
									NOT CLR:	4	4	3	3	0	7.7	1.5	0.	21	71	120	4	000
12/ 2/76 *	DDA	344	370	255	-15				FLT TOT:	62	0	0	0	0	9.5	1.0	0.	00	00	0	62	000
		2	20	-15					IN CLR:	43	0	0	0	0	0.0	0.0	0.	00	00	0	43	000
									NOT CLR:	19	0	0	0	0	31.1	3.3	0.	00	00	0	19	000
12/ 3/76	DDA	295	310	257	-16				FLT TOT:	63	0	0	0	0	5.3	.6	0.	00	00	0	63	000
		1	19	-16					IN CLR:	50	0	0	0	0	0.0	0.0	0.	00	00	0	50	000
									NOT CLR:	13	0	0	0	0	25.8	2.8	0.	00	00	0	13	000
12/13/76 *	DDA	302	330	223	-15				FLT TOT:	63	0	0	0	0	4.8	1.0	0.	00	00	0	0	000
		2	20	-15					IN CLR:	50	0	0	0	0	0.0	0.0	0.	00	00	0	0	000
									NOT CLR:	13	0	0	0	0	23.4	5.0	0.	00	00	0	0	000
12/14/76	DDA	337	350	249	-16				FLT TOT:	59	0	0	0	0	31.5	1.9	0.	00	00	0	0	000
		1	19	-16					IN CLR:	31	0	0	0	0	0.0	0.0	0.	00	00	0	0	000
									NOT CLR:	28	0	0	0	0	66.4	4.0	0.	00	00	0	0	000
12/15/76 *	DDA	336	370	250	-15				FLT TOT:	59	0	0	0	0	14.3	.7	0.	00	00	0	0	000
		2	20	-15					IN CLR:	44	0	0	0	0	0.0	0.0	0.	00	00	0	0	000
									NOT CLR:	15	0	0	0	0	56.2	2.9	0.	00	00	0	0	000
12/16/76	DDA	298	310	238	-16				FLT TOT:	62	0	0	0	0	4.8	.8	0.	00	00	0	0	000
		1	19	-16					IN CLR:	51	0	0	0	0	0.0	0.0	0.	00	00	0	0	000
									NOT CLR:	11	0	0	0	0	27.1	4.3	0.	00	00	0	0	000
12/23/76 *	DDA	348	370	255	-15				FLT TOT:	59	0	0	0	0	9.7	1.2	0.	00	00	0	0	000
		2	20	-15					IN CLR:	44	0	0	0	0	0.0	0.0	0.	00	00	0	0	000
									NOT CLR:	15	0	0	0	0	38.3	4.7	0.	00	00	0	0	000
12/24/76	DDA	346	350	219	-16				FLT TOT:	63	0	0	0	0	19.5	1.6	0.	00	00	0	0	000
		2	19	-16					IN CLR:	41	0	0	0	0	0.0	0.0	0.	00	00	0	0	000
									NOT CLR:	22	0	0	0	0	55.8	4.7	0.	00	00	0	0	000

DEP-ARR IM/DY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT				TROP N	STRAT N	
					CLD	PD5	OZ	H20, H2S	% TIC PATCHES	PD5	OZ	RH	H20				
<b>HNL-NAN (CONT.)</b>																	
12/25/76 * DDA	3492	37020	260-15	FLT TOT: IN CLR: NOT CLR:	63 45 18	0 0 0	0 0 0	0 0 0	12.6 0.0 44.0	1.2 0.0 4.3	0. 0. 0.	0 0 0	0 0 0	0 0 0	63 45 18	0 0 0	
12/26/76 DDA	3471	35019	266-16	FLT TOT: IN CLR: NOT CLR:	59 49 10	0 0 0	0 0 0	0 0 0	8.1 0.0 48.0	.7 0.0 4.1	0. 0. 0.	0 0 0	0 0 0	0 0 0	59 49 10	0 0 0	
12/15/77 BCB	3071	31219	229-16	FLT TOT: IN CLR: NOT CLR:	54 46 8	54 46 8	32 28 4	0 0 0	6.1 0.0 41.3	0.0 0.0 0.0	.723E+05 .463E+01 .488E+06	29 30 21	0 0 0	0 0 0	54 46 8	0 0 0	
12/16/77 * BCB	3541	37020	241-15	FLT TOT: IN CLR: NOT CLR:	61 44 17	61 44 17	39 29 10	0 0 0	7.8 0.0 27.8	0.0 0.0 0.0	.311E+05 .284E+01 .111E+06	29 32 20	0 0 0	0 0 0	61 44 17	0 0 0	
<b>HNL-NRT</b>																	
1/ 2/78 * BCB	37431	39036	19321	FLT TOT: IN CLR: NOT CLR:	60 60 0	60 60 0	40 40 35	35 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	65 65 0	23 23 0	37 37 0	0 0 0	0 0 0	
1/ 3/79 BBB	33525	35035	25121	FLT TOT: IN CLR: NOT CLR:	92 92 0	0 0 0	59 59 0	45 45 0	0 0 0	0.0 0.0 0.0	0. 0. 0.	44 44 0	26 26 0	124 124 0	92 92 0	0 0 0	
2/12/79 BBB	33632	35138	27822	FLT TOT: IN CLR: NOT CLR:	83 59 24	0 0 17	57 40 25	39 11 14	4 1 3	12.6 0.0 43.4	1.2 0.0 4.0	0. 0. 0.	156 193 69	55 37 87	65 70 55	61 37 24	22 22 0
2/20/79 * BBB	35932	37036	25422	FLT TOT: IN CLR: NOT CLR:	21 21 0	0 0 0	12 12 0	11 11 0	1 1 0	0.0 0.0 0.0	0. 0. 0.	198 198 0	31 31 0	37 37 0	10 10 0	11 11 0	
2/21/79 BBB	33932	35136	25122	FLT TOT: IN CLR: NOT CLR:	95 60 35	0 0 0	63 40 23	49 33 16	0 0 0	11.1 0.0 30.2	2.1 0.0 5.6	0. 0. 0.	86 106 51	48 33 77	47 31 79	95 60 35	0 0 0
3/13/79 BBB	37234	39040	30322	FLT TOT: IN CLR: NOT CLR:	90 66 24	0 0 0	57 42 15	52 38 14	6 6 6	13.5 0.0 50.5	1.1 0.0 4.0	0. 0. 0.	283 365 54	45 28 91	49 42 68	35 11 24	55 55 0
3/13/79 * BBB	36831	37036	29222	FLT TOT: IN CLR: NOT CLR:	64 44 20	0 0 0	42 29 13	37 25 12	3 3 3	13.5 0.0 43.1	1.2 0.0 3.7	0. 0. 0.	120 142 72	48 32 72	45 51 33	29 13 16	35 31 4
5/10/79 BDB	34229	35135	26522	FLT TOT: IN CLR: NOT CLR:	84 57 27	84 57 27	0 0 0	49 31 18	10 2 8	7.4 0.0 22.9	1.0 0.0 3.1	.160E+06 .851E+03 .496E+06	0 0 0	65 51 88	110 90 146	84 57 27	0 0 0

DEP-ARR IM/DD/YR	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	FLT	TOT:	NUMBER OF CBS CLD PD5 OZ H2O, H2S						AVERAGES FOR THE FLIGHT %TIC PATCHES PD5						TROP N	STRAT N				
							IN CLR:	NOT CLR:	80	80	54	38	1	.2	.1	.269E+04	.969E+03	.285E+05	79	45	45	80	75	
<b>HNL-NRT (CONT.)</b>																								
6/ 3/79	BDB	375 29	390 35	263 22	FLT	TOT:	80	80	54	38	1	0	.2	.1	.269E+04	.969E+03	.285E+05	79	45	45	80	75	0	0
10/14/78 *	BBB	361 33	370 38	256 22	FLT	TOT:	65	65	43	0	0	0	9.1	1.2	.473E+05	.906E+03	.160E+06	59	0	0	0	65	0	0
10/14/78	BBB	349 28	370 35	258 22	FLT	TOT:	80	80	52	0	0	0	10.0	1.3	.157E+05	.217E+03	.444E+05	36	0	0	0	80	0	0
10/25/78 *	BBB	365 32	371 37	261 21	FLT	TOT:	66	66	44	36	2	1	3.5	.4	.268E+05	.288E+02	.354E+06	61	49	30	66	61	0	0
10/29/78	BBB	351 31	351 35	349 28	FLT	TOT:	52	52	28	29	9	0	8.1	1.0	.267E+05	.203E+02	.694E+05	35	76	103	52	32	0	0
11/ 6/78 *	BBB	345 33	354 38	261 22	FLT	TOT:	57	57	35	32	7	2	3.6	.9	.258E+04	.243E+02	.122E+05	57	58	142	57	45	0	0
<b>HNL-ORD</b>																								
2/ 9/79 *	CAB	343 32	352 42	278 21	FLT	TOT:	89	89	57	52	5	3	21.4	1.8	.566E+05	.305E+03	.114E+06	58	79	63	89	45	0	0
2/ 9/79	CAB	348 35	371 42	232 23	FLT	TOT:	77	77	50	42	9	5	8.3	.7	.138E+05	.239E+03	.456E+05	87	78	59	65	42	12	0
2/15/79 *	CAB	341 38	351 43	278 25	FLT	TOT:	92	92	60	54	7	0	.1	.1	.210E+03	.790E+02	.411E+04	185	69	45	53	50	39	0
2/16/79	CAB	326 33	370 41	263 22	FLT	TOT:	76	76	48	41	2	0	0.0	0.0	.117E+03	.117E+03	0.	153	46	53	55	21	21	0
2/22/79 *	CAB	339 37	352 43	274 23	FLT	TOT:	89	89	57	47	9	7	3.1	.8	.163E+05	.267E+03	.896E+05	159	78	52	66	50	23	0
3/ 2/76	CAA	329 35	335 42	204 22	FLT	TOT:	49	0	49	48	25	1	14.4	.7	0.	113	75	99	36	21	13	13		
					IN CLR:		34	0	34	34	11	0	0.0	0.0	0.	147	65	100	21	15	0	0		
					NOT CLR:		15	0	15	14	14	47.0	2.3	0.	36	100	96	15	0	0	0			

DEP-ARR IM/DD/YY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT				TROP N	STRAT N
					CLD	PDS	OZ	H20, H2S	% TIC PATCHES	PDS	OZ	RH	H20					
<b>HNL-ORD (CONT.)</b>																		
3/ 4/76 *	CAA	347 36	390 43	204 22	FLT IN CLR:	62 47	0 0	62 47	60 46	30 16	10.8 0.0	.7 0.0	0. 0.	140 166 56	74 66 100	46 39 69	43 28 15	19 19 0
3/ 5/76 *	CAA	334 37	355 44	197 22	FLT IN CLR:	59 47	0 0	59 47	59 47	44 32	6.9 0.0	.7 0.0	0. 0.	126 142 62	87 83 100	70 72 60	56 44 12	33 33 0
3/ 5/76	CAA	343 35	370 42	204 22	FLT IN CLR:	53 39	0 0	53 39	52 38	27 13	5.5 0.0	.3 0.0	0. 0.	218 280 45	62 48 100	69 41 142	30 16 14	23 23 0
3/30/76	CAA	335 36	370 42	203 22	FLT IN CLR:	50 36	0 0	50 36	50 36	35 21	5.1 0.0	1.0 0.0	0. 0.	253 319 84	75 65 100	93 73 144	33 19 14	17 17 0
3/31/76 *	CAA	343 40	351 42	205 37	FLT IN CLR:	28 27	0 0	28 27	27 26	13 12	.1 0.0	.0 0.0	0. 0.	226 232 80	68 67 100	42 42 42	15 14 1	13 13 0
3/ 2/79 *	CAB	339 35	351 42	275 22	FLT IN CLR:	90 67	90 67	57 44	48 37	40 31	11.4 0.0	.7 0.0	.288E+05 .762E+02 .113E+06	85 97 43	99 99 100	101 109 77	85 62 23	55 55 0
3/22/79 *	CAB	341 38	350 45	287 22	FLT IN CLR:	88 64	88 64	55 39	50 34	19 12	13.2 0.0	.7 0.0	.477E+05 .925E+03 .172E+06	187 238 62	88 87 91	64 62 66	56 32 24	32 32 0
3/23/79	CAB	341 31	370 41	221 21	FLT IN CLR:	76 72	76 72	49 48	41 40	4 4	2.5 0.0	.2 0.0	.178E+05 .240E+03 .334E+06	186 189 31	62 61 98	99 99 71	32 28 4	44 44 0
4/ 1/76	CAA	344 35	370 42	205 22	FLT IN CLR:	58 56	0 0	58 56	0 0	0 0	0.0 0.0	0.0 0.0	0. 0.	156 159 81	0 0 0	0 0 0	37 35 2	21 21 0
4/ 7/76 *	CAA	341 39	351 45	213 26	FLT IN CLR:	56 46	0 0	56 46	0 0	0 0	4.1 0.0	.4 0.0	0. 0.	193 219 70	0 0 0	0 0 0	49 39 10	7 7 0
4/10/76	CAA	350 35	390 42	206 22	FLT IN CLR:	52 51	0 0	52 51	51 50	14 13	1.2 0.0	0.0 0.0	0. 0.	179 182 51	78 78 100	94 91 272	42 41 1	10 10 0
4/10/76 *	CAA	314 44	350 45	205 42	FLT IN CLR:	17 15	0 0	17 15	17 15	8 2	1.2 0.0	.4 0.0	0. 0.	124 131 75	90 89 100	170 165 205	17 15 2	0 0 0
4/12/76	CAA	370 40	390 42	222 34	FLT IN CLR:	28 28	0 0	28 28	27 20	13 0	0.0 0.0	0.0 0.0	0. 0.	246 246 0	74 74 0	59 59 0	8 8 0	20 20 0

DEP-ARR	IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS		NUMBER OF OBS	AVERAGES FOR THE FLIGHT						TROP N	STRAT N					
								CLD	PD5	0Z	H20, H28	%TIC PATCHES	PD5	0Z	RH	H20				
<b>HNL-ORD (CONT.)</b>																				
4/13/76 *	CAA	316 42	351 42	207 40	FLT	TOT:	17	0	17	17	10	19.0 0.0	1.4 0.0	0.	179 241 91	80 66 100	135 142 127	14 7 7	3 3 0	
IN CLR:		10 7	0 0	10 7	IN CLR:	TOT:	27	0	27	26	16	1.7 0.0	.5 0.0	0.	68 71 57	84 80 100	185 180 203	27 21 6	0 0 0	
NOT CLR:		6 6	0 0	6 6	IN CLR:	TOT:	37	0	37	36	28	1.3 0.0	.1 0.0	0.	104 108 72	92 91 100	160 161 152	35 31 4	2 2 0	
NOT CLR:		33 31	370 39	210 22	IN CLR:	TOT:	37	0	33	32	24	12.1 2.1	1.0 1.0	0.	104 108 72	92 91 100	160 161 152	35 31 4	2 2 0	
NOT CLR:		4 4	0 0	4 4	IN CLR:	TOT:	40	0	40	40	35	1.3 0.0	.2 0.0	0.	85 84 89	97 96 100	147 147 152	40 34 6	0 0 0	
NOT CLR:		340 32	370 40	208 22	IN CLR:	TOT:	40	0	34	34	29	8.7 0.0	0.5 1.5	0.	85 84 89	97 96 100	147 147 152	40 34 6	0 0 0	
NOT CLR:		364 41	391 43	206 35	FLT	TOT:	43	0	43	42	22	9.6 0.0	.8 0.0	0.	228 285 98	73 61 100	35 31 46	32 20 12	11 10 1	
NOT CLR:		341 35	351 43	187 22	IN CLR:	TOT:	43	0	30	29	13	31.9 0.0	2.6 0.0	0.	228 285 98	73 61 100	35 31 46	32 20 12	11 10 1	
NOT CLR:		50 10	0 0	50 10	IN CLR:	TOT:	60	0	60	60	8	5.7 0.0	.4 0.0	0.	220 247 87	57 49 98	57 51 85	53 43 10	7 0 0	
NOT CLR:		50 10	0 0	50 10	IN CLR:	TOT:	60	0	50	50	7	34.3 2.2	2.0 0.0	0.	220 247 87	57 49 98	57 51 85	53 43 10	7 0 0	
4/ 4/79 *	CAB	387 35	410 42	235 22	FLT	TOT:	96	96	63	55	30	1.0 0.0	.2 0.0	.120E+05 .106E+04 .151E+06	214 223 108	86 86 90	23 23 19	56 50 6	40 39 1	
IN CLR:		89 7	89 7	58 5	IN CLR:	TOT:	96	96	58	52	28	13.7 2.4	2.4 0.0	0.	120E+05 .106E+04 .151E+06	214 223 108	86 86 90	23 23 19	56 50 6	40 39 1
NOT CLR:		47 0	44 0	31 0	NOT CLR:	TOT:	47	44	31	21	10	0.0 0.0	0.0 0.0	0.	.433E+04 .433E+04	121 121 0	86 86 0	49 49 0	45 45 0	2 0 0
NOT CLR:		47 0	44 0	31 0	NOT CLR:	TOT:	47	44	31	21	10	0.0 0.0	0.0 0.0	0.	.433E+04 .433E+04	121 121 0	86 86 0	49 49 0	45 45 0	2 0 0
5/ 7/76 *	CAA	340 35	350 42	208 22	FLT	TOT:	89	0	48	0	0	0.0 0.0	0.0 0.0	0.	58 58 0	0 0 0	0 0 0	89 88 1	0 0 0	
IN CLR:		88 1	0	48 0	IN CLR:	TOT:	89	0	48	0	0	0.0 0.0	0.0 0.0	0.	58 58 0	0 0 0	0 0 0	89 88 1	0 0 0	
NOT CLR:		1 0	0	0	NOT CLR:	TOT:	89	0	48	0	0	0.0 0.0	0.0 0.0	0.	58 58 0	0 0 0	0 0 0	89 88 1	0 0 0	
NOT CLR:		1 0	0	0	NOT CLR:	TOT:	89	0	48	0	0	0.0 0.0	0.0 0.0	0.	58 58 0	0 0 0	0 0 0	89 88 1	0 0 0	
5/ 9/76 *	CAA	345 35	350 42	207 22	FLT	TOT:	85	0	25	0	0	1.9 0.0	.3 0.0	0.	117 117 120	0 0 0	0 0 0	85 71 14	0 0 0	
IN CLR:		71 0	0	21 4	IN CLR:	TOT:	85	0	21	0	0	11.3 1.6	0.3 0.0	0.	117 117 120	0 0 0	0 0 0	85 71 14	0 0 0	
NOT CLR:		14 0	0	4 3	NOT CLR:	TOT:	85	0	25	0	0	11.3 1.6	0.3 0.0	0.	117 117 120	0 0 0	0 0 0	85 71 14	0 0 0	
NOT CLR:		14 0	0	4 3	NOT CLR:	TOT:	85	0	25	0	0	11.3 1.6	0.3 0.0	0.	117 117 120	0 0 0	0 0 0	85 71 14	0 0 0	
5/13/76 *	CAA	367 32	390 42	205 21	FLT	TOT:	90	0	49	73	23	1.0 0.0	.1 0.0	0.	129 134 46	76 75 100	53 51 100	90 85 5	0 0 0	
IN CLR:		85 5	0	46 3	IN CLR:	TOT:	90	0	49	73	23	1.0 0.0	.1 0.0	0.	129 134 46	76 75 100	53 51 100	90 85 5	0 0 0	
NOT CLR:		21 0	0	12 0	NOT CLR:	TOT:	83	0	37	0	0	5.4 0.0	.5 0.0	0.	105 132 50	0 0 0	0 0 0	83 62 21	0 0 0	
NOT CLR:		62 21	0	25 12	NOT CLR:	TOT:	83	0	37	0	0	21.3 2.0	2.0 0.0	0.	105 132 50	0 0 0	0 0 0	83 62 21	0 0 0	
5/15/76 *	CAA	339 34	351 42	214 22	FLT	TOT:	88	0	30	73	56	13.1 0.0	1.0 0.0	0.	79 82 64	93 90 100	94 85 113	88 62 26	0 0 0	
IN CLR:		62 26	0	25 5	IN CLR:	TOT:	88	0	30	73	56	44.4 0.0	3.5 0.0	0.	79 82 64	93 90 100	94 85 113	88 62 26	0 0 0	
NOT CLR:		26 0	0	25 5	NOT CLR:	TOT:	88	0	30	73	56	44.4 0.0	3.5 0.0	0.	79 82 64	93 90 100	94 85 113	88 62 26	0 0 0	

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT				TROP N	STRAT N	
					CLD	PD5	OZ	H20, H2S	% TIC PATCHES	PD5	OZ	RH	H20						
<b>HNL-ORD (CONT.)</b>																			
5/30/79 *	CAB	368 35	390 42	192 22	FLT IN CLR: NOT CLR:	87 80 7	87 80 7	0 0 0	48 44 4	5 4 1	2.8 0.0 54.6	0.1 0.0 1.0	.919E+04 .332E+04 .762E+05	0 0 0	72 50 91	53 85 85	76 69 7	11 11 0	
5/30/79	CAB	353 35	373 42	195 23	FLT IN CLR: NOT CLR:	81 71 10	81 71 10	9 9 0	42 33 9	4 0 4	7.4 0.0 60.3	0.3 0.0 2.2	.231E+05 .295E+04 .166E+06	90 90 0	59 51 91	83 43 231	68 58 10	13 13 0	
5/31/79	CAB	361 34	370 42	217 22	FLT IN CLR: NOT CLR:	83 80 3	83 80 3	0 0 0	46 43 3	2 1 1	1.6 0.0 45.1	0.2 0.0 5.7	.545E+04 .271E+04 .783E+05	0 0 0	55 54 73	75 46 502	64 61 3	19 19 0	
6/15/78	CAB	353 35	391 42	260 23	FLT IN CLR: NOT CLR:	79 65 14	79 65 14	51 44 7	42 39 3	1 1 0	7.7 0.0 43.2	0.4 0.0 2.3	.396E+05 .185E+04 .215E+06	82 80 94	59 59 52	52 52 51	75 62 13	43 31 1	
6/18/78 *	CAB	341 38	361 45	266 22	FLT IN CLR: NOT CLR:	85 81 4	85 81 4	50 48 2	45 43 2	6 4 2	1.4 0.0 30.5	0.2 0.0 4.5	.882E+04 .138E+04 .159E+06	150 151 115	65 64 100	76 71 176	74 70 4	11 11 0	
6/20/78 *	CAB	334 38	351 45	262 22	FLT IN CLR: NOT CLR:	90 87 3	90 87 3	58 56 2	50 49 1	0 0 0	0.4 0.0 10.7	0.2 0.0 6.7	.516E+04 .922E+03 .128E+06	121 122 82	53 52 90	56 55 104	84 81 3	6 6 0	
6/28/78	CAB	347 36	370 42	192 23	FLT IN CLR: NOT CLR:	77 70 7	77 70 7	49 44 5	40 38 2	0 0 0	2.4 0.0 25.9	0.3 0.0 3.3	.600E+04 .426E+03 .617E+05	134 143 53	29 26 87	33 31 83	68 61 7	9 9 0	
6/ 3/79	CAB	371 31	404 41	253 21	FLT IN CLR: NOT CLR:	82 79 3	82 79 3	0 0 0	42 41 1	0 0 0	1.4 0.0 37.6	0.0 0.0 1.0	.432E+04 .310E+04 .364E+05	0 0 0	25 25 6	23 22 47	71 68 3	11 11 0	
6/ 5/79 *	CAB	364 37	391 42	243 22	FLT IN CLR: NOT CLR:	46 42 4	25 21 4	0 0 0	33 29 4	1 1 0	2.5 0.0 28.5	0.1 0.0 1.3	.278E+05 .202E+04 .163E+06	0 0 0	58 56 68	45 36 112	46 42 4	0 0 0	
6/ 6/79	CAB	358 38	370 44	264 23	FLT IN CLR: NOT CLR:	78 68 10	78 68 10	0 0 0	45 39 6	0 0 0	3.4 0.0 26.2	0.3 0.0 2.4	.112E+05 .297E+03 .350E+05	0 0 0	45 40 74	55 55 56	78 68 10	0 0 0	
7/ 1/78 *	CAB	349 38	390 45	258 22	FLT IN CLR: NOT CLR:	93 85 8	93 85 8	61 55 6	53 49 4	22 20 0	2.8 0.0 32.9	0.5 0.0 5.6	.620E+04 .264E+03 .693E+05	219 235 72	32 34 3	29 31 13	74 66 8	19 19 0	
7/ 2/78	CAB	343 32	370 41	240 21	FLT IN CLR: NOT CLR:	75 74 1	75 74 1	49 49 0	36 35 1	0 0 0	0.0 0.0 2.4	0.0 0.0 2.0	.151E+02 .136E+02 .128E+03	46 46 0	11 9 85	20 18 109	75 74 1	0 0 0	
7/ 6/78 *	CAB	338 37	351 43	197 22	FLT IN CLR: NOT CLR:	90 67 23	90 67 23	58 44 14	52 40 12	4 0 4	9.0 0.0 35.2	0.8 0.0 3.2	.256E+C5 .214E+03 .996E+05	115 130 70	50 41 79	88 47 226	90 67 23	0 0 0	

DEP-ARR	IM/ID/IY	CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT					
									CLD	PD5	OZ	H2O, H2S	%TIC PATCHES	PD5	OZ	RH	H2O			
<b>HNL-ORD (CONT.)</b>																				
7/ 8/78 *	CAB	338 37	351 44	193 22	FLT	TOT:	90 83	90 83	58 4	31 0	0 0	3.8 0.0	.3 0.0	:147E+05 .157E+03	101 101	45 45	126 126	90 83	7 0	0 0
NOT CLR:		7 7	7 7	7 0	IN CLR:		77 77	77 77	49 49	45 45	0 0	0.0 0.0	0.0 0.0	:187E+06 0.	94 0	0 0	126 126	0 0	7 7	0 0
7/15/78	CAB	347 35	371 42	209 23	FLT	TOT:	77 77	77 77	49 49	45 45	0 0	0.0 0.0	0.0 0.0	:540E+02 :540E+02	76 76	17 17	28 28	77 77	0 0	0 0
NOT CLR:		0 0	0 0	0 0	IN CLR:		89 80	89 80	57 50	48 47	11 11	1.5 0.0	.3 0.0	:135E+05 .727E+02	58 57	63 63	143 144	89 80	9 9	0 0
7/15/78 *	CAB	342 34	351 42	272 22	FLT	TOT:	89 80	89 80	57 50	48 47	11 11	14.8 0.0	.3 3.0	:133E+06 0.	67 70	70 116	116 116	89 80	9 9	0 0
NOT CLR:		9 9	9 9	7 1	IN CLR:		91 89	91 89	56 54	49 48	0 1	0.0 0.8	0.0 1.0	:410E+02 :412E+02	67 66	24 23	84 83	91 89	2 2	0 0
7/17/78 *	CAB	341 31	351 41	262 21	FLT	TOT:	91 89	91 89	56 54	49 48	0 1	0.0 0.8	0.0 1.0	:308E+02	67 104	64 64	24 135	84 83	2 2	0 0
NOT CLR:		2 2	2 2	2 1	IN CLR:		57 34	0 0	57 34	0 0	0 0	12.2 0.0	1.4 0.0	0.	64 79	0 0	0 0	50 28	7 6	1 1
12/27/75 *	CAA	346 35	351 42	210 22	FLT	TOT:	57 34	0 0	57 34	0 0	0 0	12.2 0.0	1.4 0.0	0.	64 79	0 0	0 0	50 28	7 6	1 1
NOT CLR:		23 0	0 0	23 0	IN CLR:		53 37	0 0	53 37	0 0	0 0	8.8 0.0	.8 0.0	0.	66 72	0 0	0 0	48 32	5 5	0 0
12/27/75	CAA	366 34	408 42	210 22	FLT	TOT:	53 37	0 0	53 37	0 0	0 0	8.8 0.0	.8 0.0	0.	66 72	0 0	0 0	48 32	5 5	0 0
NOT CLR:		16 0	0 0	16 0	IN CLR:		53 37	0 0	53 37	0 0	0 0	29.3 2.7	2.7 0.0	0.	66 72	0 0	0 0	48 32	5 5	0 0
<b>HNL-OFA</b>																				
1/ 3/79 *	BBB	345 31	350 35	271 22	FLT	TOT:	66 66	0 0	42 42	34 34	0 0	0.0 0.0	0.0 0.0	0.	61 61	19 19	47 47	66 66	0 0	0 0
NOT CLR:		0 0	0 0	0 0	IN CLR:		66 66	0 0	42 42	34 34	0 0	0.0 0.0	0.0 0.0	0.	61 61	19 19	47 47	66 66	0 0	0 0
1/ 3/79	BBB	338 25	370 35	220 21	FLT	TOT:	95 95	0 0	60 60	50 50	0 0	0.0 0.0	0.0 0.0	0.	50 50	18 18	64 64	95 95	0 0	0 0
NOT CLR:		0 0	0 0	0 0	IN CLR:		95 95	0 0	60 60	50 50	0 0	0.0 0.0	0.0 0.0	0.	50 50	18 18	64 64	95 95	0 0	0 0
2/11/79	BBB	374 32	391 37	284 22	FLT	TOT:	92 92	0 0	63 63	40 40	1 1	0.0 0.0	0.0 0.0	0.	274 274	29 29	42 42	32 32	0 0	60 60
NOT CLR:		0 0	0 0	0 0	IN CLR:		92 92	0 0	63 63	40 40	0 0	0.0 0.0	0.0 0.0	0.	274 274	29 29	42 42	32 32	0 0	60 60
2/12/79 *	BBB	374 28	391 35	199 21	FLT	TOT:	66 64	0 0	42 41	36 34	1 1	.3 0.0	.1 0.0	0.	128 130	25 22	25 24	51 49	2 2	15 15
NOT CLR:		2 2	0 1	2 2	IN CLR:		66 64	0 0	42 41	36 34	1 1	11.2 0.0	2.5 0.0	0.	51 51	25 24	25 24	51 49	2 2	15 15
2/20/79	BBB	323 27	370 35	220 22	FLT	TOT:	15 15	0 0	6 6	6 6	3 3	0.0 0.0	0.0 0.0	0.	105 105	56 56	127 127	15 15	0 0	0 0
NOT CLR:		0 0	0 0	0 0	IN CLR:		15 15	0 0	6 6	6 6	3 3	0.0 0.0	0.0 0.0	0.	105 105	56 56	127 127	15 15	0 0	0 0
2/21/79 *	BBB	335 33	371 35	196 22	FLT	TOT:	8 8	0 0	3 3	1 1	1 1	0.0 0.0	0.0 0.0	0.	166 166	100 100	192 192	3 3	0 0	5 5
NOT CLR:		0 0	0 0	0 0	IN CLR:		8 8	0 0	3 3	1 1	0 0	0.0 0.0	0.0 0.0	0.	166 166	100 100	192 192	3 3	0 0	5 5

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT						TROP N	STRAT N
					CLD	PDS	OZ	H2O, H2S	XTC PATCHES	PDS	OZ	RH	H2O	OZ	RH	H2O	TROP N	STRAT N		
<b>HNL-OSA (CONT.)</b>																				
10/28/78	BBB	328 30	350 35	210 22	FLT TOT: IN CLR: NOT CLR:	87 41 46	87 41 46	58 29 29	45 20 25	4 1 3	20.3 0.0 38.4	1.6 0.0 3.0	.837E+05 .104E+03 .158E+06	57 71 43	59 42 73	110 68 144	87 41 46	0 0 0		
10/28/78 *	BBB	366 33	390 39	262 22	FLT TOT: IN CLR: NOT CLR:	61 30 31	61 30 31	41 22 19	26 19 7	8 2 6	33.4 0.0 65.6	1.1 0.0 2.3	.930E+05 .273E+03 .183E+06	66 132 38	65 53 99	69 15 215	56 25 31	5 0 0		
11/ 6/78	BBB	367 27	390 35	225 21	FLT TOT: IN CLR: NOT CLR:	77 77 0	77 51 0	51 40 0	40 40 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.925E+01 .925E+01 0.	45 45 0	31 31 0	49 49 0	77 77 0	0 0 0		
11/ 7/78 *	BBB	358 29	390 35	230 22	FLT TOT: IN CLR: NOT CLR:	76 65 11	76 65 11	50 42 8	42 36 6	7 1 6	5.1 0.0 35.1	6 0.0 4.2	.133E+05 .203E+02 .918E+05	52 53 47	34 23 100	53 52 56	76 65 11	0 0 0		
<b>HNL-PDX</b>																				
10/25/78	BBB	356 34	371 45	254 22	FLT TOT: IN CLR: NOT CLR:	50 49 1	50 49 1	33 32 1	24 23 1	1 1 0	0.0 0.0 0.4	0.0 0.0 1.0	.519E+01 .530E+01 0.	73 73 69	41 40 73	47 47 34	50 49 1	0 0 0		
10/26/78 *	BBB	330 35	350 45	247 23	FLT TOT: IN CLR: NOT CLR:	52 48 4	52 48 4	34 32 2	27 25 2	5 3 2	3.3 0.0 42.9	2 0.0 3.0	.738E+04 .396E+01 .959E+05	54 55 35	48 44 100	86 82 130	52 48 4	0 0 0		
10/27/78	BBB	361 35	370 45	230 22	FLT TOT: IN CLR: NOT CLR:	46 40 6	46 40 6	28 26 2	23 23 0	0 0 0	3.3 0.0 25.2	6 0.0 4.3	.258E+04 .646E+01 .197E+05	56 56 58	38 38 0	29 29 0	46 40 6	0 0 0		
10/27/78 *	BBB	357 33	391 45	205 22	FLT TOT: IN CLR: NOT CLR:	53 49 4	53 49 4	35 33 2	28 25 3	2 1 1	.8 0.0 10.9	3 0.0 3.5	.517E+03 .406E+01 .681E+04	63 64 50	33 28 81	49 48 58	53 49 4	0 0 0		
<b>HNL-PPG</b>																				
2/ 6/76	BBA	346 3	370 20	206 -12	FLT TOT: IN CLR: NOT CLR:	22 17 5	0 0 0	22 17 5	0 0 0	0 0 0	13.4 0.0 59.1	.9 0.0 4.0	0. 0. 0.	7 7 8	0 0 0	0 0 0	11 6 5	0 0 0		
2/ 7/76 *	BBA	351 8	351 14	351 5	FLT TOT: IN CLR: NOT CLR:	5 4 1	0 0 0	5 4 1	0 0 0	0 0 0	17.3 0.0 86.7	.8 0.0 4.0	0. 0. 0.	41 49 6	0 0 0	0 0 0	5 4 1	0 0 0		
3/29/77	AAA	386 4	389 20	315 -12	FLT TOT: IN CLR: NOT CLR:	50 29 21	50 29 21	0 0 0	40 24 16	15 3 12	8.8 0.0 20.8	1.2 0.0 2.9	.103E+06 .311E+02 .245E+06	0 0 0	69 52 95	56 36 86	0 0 0	0 0 0		

DEP-ARR	IM/ID/IY	CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT				TRCP	STRAT		
									CLD	PDS	OZ	H2O, H2S	%TIC PATCHES	PDS	OZ	RH	H2O							
HNL-PPG (CONT.)																								
3/29/77 *	AAA	404	3	410	20	234	-12	FLT	TOT:	50	50	0	41	27	20.2	1.6	.688E+05	0	87	44	0	0	0	
								IN CLR:	21	21	0	18	23	20	34.8	0.0	.121E+02	0	73	56	35	0	0	
								NOT CLR:	29	29	0	0	0	0	0.0	2.8	.119E+06	0	0	0	0	0	0	
5/ 3/77 *	AAA	405	3	410	20	275	-12	FLT	TOT:	51	51	32	0	0	0	5.9	.6	.140E+05	40	0	0	0	51	0
								IN CLR:	40	40	26	0	0	0	0.0	0.0	.207E+02	36	0	0	0	40	0	
								NOT CLR:	11	11	6	0	0	0	27.4	3.0	.650E+05	61	0	0	0	11	0	
5/ 3/77	AAA	400	3	430	20	260	-12	FLT	TOT:	52	52	30	0	0	0	22.6	1.0	.574E+05	37	0	0	0	52	0
								IN CLR:	30	30	16	0	0	0	0.0	0.0	.366E+03	42	0	0	0	30	0	
								NOT CLR:	22	22	14	0	0	0	53.5	2.5	.135E+06	32	0	0	0	22	0	
5/10/77	AAA	398	4	410	20	313	-12	FLT	TOT:	49	49	30	0	0	0	17.8	.9	.291E+05	29	0	0	0	49	0
								IN CLR:	25	25	16	0	0	0	0.0	0.0	.541E+03	35	0	0	0	25	0	
								NOT CLR:	24	24	14	0	0	0	36.4	1.9	.589E+05	23	0	0	0	24	0	
5/10/77 *	AAA	408	3	430	20	290	-12	FLT	TOT:	48	48	32	0	0	0	30.5	1.3	.125E+06	32	0	0	0	48	0
								IN CLR:	21	21	15	0	0	0	0.0	0.0	.908E+01	31	0	0	0	21	0	
								NOT CLR:	27	27	17	0	0	0	54.1	2.3	.223E+06	33	0	0	0	27	0	
5/17/77 *	AAA	404	4	410	17	304	-12	FLT	TOT:	16	16	10	0	0	0	37.1	1.4	.130E+06	19	0	0	0	16	0
								IN CLR:	4	4	2	0	0	0	0.0	0.0	.154E+02	40	0	0	0	4	0	
								NOT CLR:	12	12	8	0	0	0	49.5	1.8	.174E+06	13	0	0	0	12	0	
5/17/77	AAA	398	4	410	19	382	-12	FLT	TOT:	15	15	4	0	0	0	3.0	.5	.536E+05	37	0	0	0	15	0
								IN CLR:	13	13	4	0	0	0	0.0	0.0	.500E+01	37	0	0	0	13	0	
								NOT CLR:	2	2	0	0	0	0	22.5	3.5	.402E+06	0	0	0	0	2	0	
5/14/79 *	BDB	366	4	370	20	287	-11	FLT	TOT:	50	50	0	25	1	1	.2	.2	.258E+04	0	36	51	50	48	0
								IN CLR:	48	48	0	24	1	0	0.0	0.0	.271E+03	0	35	49	68	99	2	
								NOT CLR:	2	2	0	1	0	0	4.7	5.0	.580E+05	0	68	99	0	0	0	
5/26/79	BDB	348	3	350	19	282	-12	FLT	TOT:	50	50	31	24	7	15.7	1.7	.175E+06	25	73	195	27	50	0	
								IN CLR:	27	27	18	13	7	0	0.0	0.0	.334E+04	27	56	128	23	27	0	
								NOT CLR:	23	23	13	11	7	0	34.1	3.6	.375E+06	23	93	274	0	23	0	
10/23/78 *	BBB	365	4	369	20	295	-11	FLT	TOT:	46	46	0	0	0	0	2.9	.2	.192E+04	0	0	0	0	46	0
								IN CLR:	41	41	0	0	0	0	0.0	0.0	.476E+01	0	0	0	0	41	0	
								NOT CLR:	5	5	0	0	0	0	26.4	2.0	.176E+05	0	0	0	0	5	0	
11/ 4/78	BBB	345	3	350	19	248	-12	FLT	TOT:	50	50	32	23	0	0	4.0	.4	.101E+05	42	23	47	43	50	0
								IN CLR:	43	43	29	23	0	0	0.0	0.0	.458E+03	43	23	47	0	43	0	
								NOT CLR:	7	7	3	0	0	0	28.4	2.9	.691E+05	30	0	0	0	7	0	
12/14/76	AAA	410	3	430	20	294	-12	FLT	TOT:	51	0	33	0	0	0	33.9	1.1	0.	23	0	0	0	51	0
								IN CLR:	16	0	9	0	0	0	0.0	0.0	0.	23	0	0	0	16	0	
								NOT CLR:	35	0	24	0	0	0	49.4	1.7	0.	23	0	0	0	35	0	
12/15/76 *	AAA	409	3	431	20	256	-12	FLT	TOT:	53	0	34	0	0	0	12.7	.8	0.	22	0	0	0	53	0
								IN CLR:	32	0	22	0	0	0	0.0	0.0	0.	23	0	0	0	32	0	
								NOT CLR:	21	0	12	0	0	0	32.2	2.0	0.	19	0	0	0	21	0	

DEP-ARR IM/ID/IY	CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT						TROP N	STRAT N
								CLD	PDS	OZ	H2O, H2S	% TIC PATCHES	PDS	OZ	RH	H2O					
<b>HNL-PPG (CONT.)</b>																					
12/21/76 * AAA	401	413	19	314	-12	FLT	TOT:	44	0	26	0	0	1.2	.3	0.	40	0	0	44	000	
	3	19				IN CLR:		39	0	23	0	0	0.0	0.0	0.	40	0	0	39		
						NOT CLR:		5	0	3	0	0	10.4	2.6	0.	45	0	0	5	000	
12/21/76	AAA	403	410	196	-13	FLT	TOT:	56	0	36	46	14	8.3	.7	0.	39	80	32	56	000	
	3	20				IN CLR:		40	0	28	35	6	0.0	0.0	0.	37	75	30	40		
						NOT CLR:		16	0	8	11	8	29.1	2.5	0.	43	98	39	16	000	
12/28/76	AAA	385	390	198	-13	FLT	TOT:	54	0	35	0	0	0.0	0.0	0.	35	0	0	54	000	
	3	20				IN CLR:		54	0	35	0	0	0.0	0.0	0.	35	0	0	54		
						NOT CLR:		0	0	0	0	0	0.0	0.0	0.	0	0	0	0	000	
12/28/76 * AAA	408	414	19	310	-12	FLT	TOT:	46	0	30	38	12	9.6	1.4	0.	30	79	31	46	000	
	3	19				IN CLR:		29	0	19	24	11	0.0	0.0	0.	32	68	29	29		
						NOT CLR:		17	0	11	14	11	26.0	3.8	0.	27	97	34	17	000	
12/12/77 * BCB	373	390	20	256	-11	FLT	TOT:	50	50	32	0	0	15.6	0.0	0.	170E+06	27	0	50	000	
	4	20				IN CLR:		35	35	22	0	0	0.0	0.0	0.	426E+02	28	0	35		
						NOT CLR:		15	15	10	0	0	52.1	0.0	0.	567E+06	24	0	15	000	
12/17/77 BCB	330	350	19	251	-12	FLT	TOT:	43	43	26	0	0	14.3	0.0	0.	348E+05	26	0	43	000	
	3	19				IN CLR:		24	24	15	0	0	0.0	0.0	0.	959E+02	28	0	24		
						NOT CLR:		19	19	11	0	0	32.4	0.0	0.	786E+05	23	0	19	000	
<b>HNL-SEA</b>																					
2/13/78 CAB	364	371	47	201	23	FLT	TOT:	40	40	27	18	1	0.0	0.0	0.	462E+02	353	46	89	16	24
	34	47				IN CLR:		40	40	27	0	0	0.0	0.0	0.	462E+02	353	46	89	0	
						NOT CLR:		0	0	0	0	0	0.0	0.0	0.	0	0	0	0	240	
3/30/76 BBA	366	371	47	222	25	FLT	TOT:	31	0	31	0	0	0.1	.2	0.	296	0	0	31	000	
	36	47				IN CLR:		25	0	25	0	0	0.0	0.0	0.	329	0	0	25		
						NOT CLR:		6	0	6	0	0	0.7	1.2	0.	161	0	0	6	000	
3/30/76 * BBA	381	390	44	212	21	FLT	TOT:	32	0	32	0	0	3.0	.1	0.	143	0	0	20	120	
	32	44				IN CLR:		29	0	29	0	0	0.0	0.0	0.	150	0	0	19		
						NOT CLR:		3	0	3	0	0	32.4	1.0	0.	76	0	0	1	102	
3/31/76 * BBA	349	352	46	320	22	FLT	TOT:	24	0	24	0	0	0.1	.1	0.	108	0	0	18	642	
	34	46				IN CLR:		22	0	22	0	0	0.0	0.0	0.	109	0	0	18		
						NOT CLR:		2	0	2	0	0	1.0	1.5	0.	102	0	0	0	000	
3/31/76 BBA	338	351	46	331	29	FLT	TOT:	27	0	27	0	0	0.7	.8	0.	91	0	0	17	100	
	39	46				IN CLR:		23	0	23	0	0	0.0	0.0	0.	95	0	0	13		
						NOT CLR:		4	0	4	0	0	4.8	5.3	0.	69	0	0	4	000	
4/ 1/76 * BBA	327	337	46	305	22	FLT	TOT:	35	0	35	0	0	0.0	.1	0.	141	0	0	35	000	
	36	46				IN CLR:		32	0	32	0	0	0.4	1.0	0.	137	0	0	32		
						NOT CLR:		3	0	3	0	0	0.0	1.0	0.	185	0	0	3	000	

DEP-ARR	IM>ID/IY	CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	NUMBER OF OBS							AVERAGES FOR THE FLIGHT			TROP N	STRAT N
									CLD	PDS	OZ	H2O, H2S	%TIC PATCHES	PDS	OZ	RH	H2O			
<b>HNL-SEA (CONT.)</b>																				
4/ 1/76	BBA	312 35	334 46	290 23	FLT	TOT:	33	0	33	0	0	0	.5	.4	0.	134	0	0	33 25 8	0 0
					IN CLR:	25	0	25	0	0	0	0	0.0	1.8	0.	140	0	0		
					NOT CLR:	8	0	8	0	0	0	0	2.2	0.0	0.	114	0	0		
4/ 2/76 *	BBA	378 34	390 46	291 22	FLT	TOT:	35	0	35	0	0	0	.6	0.0	0.	134	0	0	27 27 0	8 7 1
					IN CLR:	34	0	34	0	0	0	0	0.0	0.0	0.	135	0	0		
					NOT CLR:	1	0	1	0	0	0	0	22.4	0.0	0.	83	0	0		
4/ 2/76	BBA	290 36	292 46	285 23	FLT	TOT:	34	0	34	0	0	0	3.6	.8	0.	88	0	0	34 24 10	0 0 0
					IN CLR:	24	0	24	0	0	0	0	0.0	0.0	0.	96	0	0		
					NOT CLR:	10	0	10	0	0	0	0	12.3	2.7	0.	68	0	0		
4/ 3/76	BBA	361 37	371 47	209 23	FLT	TOT:	32	0	32	0	0	0	2.3	.2	0.	93	0	0	24 19 5	8 8 0
					IN CLR:	27	0	27	0	0	0	0	0.0	0.0	0.	95	0	0		
					NOT CLR:	5	0	5	0	0	0	0	14.4	1.4	0.	86	0	0		
4/ 3/76 *	BBA	372 35	393 46	196 22	FLT	TOT:	36	0	36	0	0	0	0.0	.1	0.	273	0	0	32 31 1	4 4 0
					IN CLR:	35	0	35	0	0	0	0	0.0	0.0	0.	275	0	0		
					NOT CLR:	1	0	1	0	0	0	0	.8	2.0	0.	181	0	0		
12/12/77	BCB	367 35	390 47	263 23	FLT	TOT:	45	45	30	0	0	0	3.0	0.0	0.	287E+04	59	0	0	39 36 3
					IN CLR:	42	42	28	0	0	0	0	0.0	0.0	0.	794E+02	59	0		
					NOT CLR:	3	3	2	0	0	0	0	45.1	0.0	0.	420E+05	56	0		
12/13/77 *	BCB	373 34	391 47	203 22	FLT	TOT:	62	62	39	0	0	0	3.9	0.0	0.	250E+05	73	0	0	56 51 5
					IN CLR:	57	57	37	0	0	0	0	0.0	0.0	0.	839E+01	74	0		
					NOT CLR:	5	5	2	0	0	0	0	48.3	0.0	0.	310E+06	52	0		
<b>HNL-SFO</b>																				
1/26/76 *	CAA	343 30	351 37	217 22	FLT	TOT:	30	0	30	30	30	3	3.4	.2	0.	40	46	55	30 28 2	0 0 0
					IN CLR:	28	0	28	28	28	2	0	0.0	0.0	0.	38	42	54		
					NOT CLR:	2	0	2	2	2	2	0	51.4	3.5	0.	63	100	67		
1/26/76	CAA	358 31	371 37	210 22	FLT	TOT:	32	0	32	32	32	0	2.1	.7	0.	40	31	41	32 28 4	0 0 0
					IN CLR:	28	0	28	28	28	4	0	0.0	0.0	0.	39	28	36		
					NOT CLR:	4	0	4	4	4	0	0	16.7	5.3	0.	51	55	76		
1/28/76	CAA	359 30	371 37	210 22	FLT	TOT:	30	0	30	30	30	0	1.0	.4	0.	66	24	30	30 27 3	0 0 0
					IN CLR:	27	0	27	27	27	3	0	0.0	0.0	0.	67	23	32		
					NOT CLR:	3	0	3	3	3	0	0	9.8	3.7	0.	52	35	14		
1/ 5/77	DDA	329 30	330 37	301 22	FLT	TOT:	43	0	0	0	0	0	16.8	1.4	0.	0	0	0	43 26 17	0 0 0
					IN CLR:	26	0	0	0	0	0	0	0.0	0.0	0.	0	0	0		
					NOT CLR:	17	0	0	0	0	0	0	42.4	3.5	0.	0	0	0		
1/ 6/77 *	DDA	348 30	350 37	267 22	FLT	TOT:	44	0	0	0	0	0	17.5	1.3	0.	0	0	0	44 27 17	0 0 0
					IN CLR:	27	0	0	0	0	0	0	0.0	0.0	0.	0	0	0		
					NOT CLR:	17	0	0	0	0	0	0	45.4	3.2	0.	0	0	0		

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT				TROP N	STRAT N		
					CLD	PD5	0Z	H20, H2S	%TIC	PATCHES	PD5	0Z	RH	H20						
<b>HNL-SFO (CONT.)</b>																				
2/ 2/76 * CAA	342	351	216	22	FLT IN NOT	TOT: CLR:	36	0	36	30	15	0.0	0.0	0.	83	63	49	36	000	
	30	37	22		0	0	36	30	30	15	0	0.0	0.0	0.	83	63	49	36	000	
2/ 2/76 CAA	358	370	218	22	FLT IN NOT	TOT: CLR:	35	0	35	31	0	0.0	0.0	0.	94	21	37	28	770	
	30	37	22		0	0	35	31	0	0	0	0.0	0.0	0.	94	21	37	28	770	
2/ 3/76 * BBA	345	350	209	22	FLT IN NOT	TOT: CLR:	33	0	33	0	0	0.0	0.0	0.	75	0	0	33	000	
	30	37	22		0	0	33	0	0	0	0	0.0	0.0	0.	75	0	0	33	000	
2/10/76 * CAA	342	351	211	22	FLT IN NOT	TOT: CLR:	34	0	34	0	0	0.0	0.0	0.	34	0	0	34	000	
	31	38	22		0	0	34	0	0	0	0	0.0	0.0	0.	34	0	0	34	000	
2/11/76 BBA	324	330	214	22	FLT IN NOT	TOT: CLR:	31	0	31	0	0	2.6	.3	0.	32	0	0	31	000	
	30	37	22		26	0	26	5	0	0	0	0.0	0.0	0.	32	0	0	31	265	
2/26/76 CAA	364	370	214	22	FLT IN NOT	TOT: CLR:	24	0	24	23	23	14.2	2.2	0.	44	100	31	24	000	
	29	35	22		9	0	9	8	8	8	0.0	0.0	0.	46	100	29	24	000		
2/26/76 * CAA	375	390	209	23	FLT IN NOT	TOT: CLR:	30	0	30	30	27	5.2	.8	0.	58	96	61	30	000	
	30	37	23		21	0	21	9	21	18	0.0	0.0	0.	65	95	74	30	000		
2/29/76 CAA	363	390	206	22	FLT IN NOT	TOT: CLR:	27	0	27	26	14	5.9	.1	0.	43	100	32	21	000	
	30	37	22		25	0	25	2	24	12	0.0	0.0	0.	150	78	116	13	140		
2/11/77 DDA	368	371	295	22	FLT IN NOT	TOT: CLR:	41	41	26	0	0	49.1	2.1	.244E+06	66	0	0	41	000	
	30	36	22		14	14	9	0	0	0	0.0	0.0	0.	.706E+01	102	0	0	14	000	
2/12/77 * DDA	348	350	270	22	FLT IN NOT	TOT: CLR:	51	51	33	0	0	34.4	2.3	.285E+06	55	0	0	51	000	
	30	37	22		23	23	13	0	0	0	0.0	0.0	0.	.241E+02	81	0	0	23	000	
2/19/77 DDA	380	390	269	22	FLT IN NOT	TOT: CLR:	43	43	27	0	0	0.0	0.0	.535E+01	520E+06	39	0	0	28	000
	30	36	22		0	0	27	0	0	0	0.0	0.0	0.	.535E+01	0	0	0	0	000	
2/20/77 * DDA	346	350	252	22	FLT IN NOT	TOT: CLR:	49	49	15	0	0	1.0	.2	.121E+05	29	0	0	0	000	
	30	37	22		48	48	15	0	0	0	0.0	0.0	0.	.251E+02	29	0	0	0	000	
2/ 7/79 * CAB	344	352	271	22	FLT IN NOT	TOT: CLR:	52	52	33	30	4	17.3	2.6	.100E+06	49	82	94	52	000	
	30	36	22		22	22	15	14	16	1	0.0	0.0	0.	.457E+03	56	77	105	22	000	
					30	30	18	16	16	3	29.9	4.5	.174E+06	44	86	84	30	000		

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS							AVERAGES FOR THE FLIGHT				TROP N	STRAT N	
					CLD	PDS	OZ	H20, H2S	% TIC PATCHES	PDS	OZ	RH	H20					
<b>HNL-SFO (CONT.)</b>																		
2/ 8/79 *	CAB	321 30	322 37	296 22	FLT TOT: IN CLR: NOT CLR:	46 18 28	46 18 28	31 12 19	23 6 17	2 1	30.5 0.0 50.2	1.5 0.0 2.5	.487E+05 .923E+02 .799E+05	45 48 43	80 72 82	147 73 173	46 18 28	0 0 0
2/17/79	CAB	327 30	330 37	272 22	FLT TOT: IN CLR: NOT CLR:	43 22 21	43 22 21	27 14 13	24 16 8	8 3 5	18.5 0.0 37.8	.9 0.0 1.9	.401E+05 .932E+03 .811E+05	57 55 58	78 69 96	118 149 57	43 22 21	0 0 0
2/18/79	CAB	365 30	371 37	292 22	FLT TOT: IN CLR: NOT CLR:	40 9 31	40 9 31	23 3 20	14 5 9	9 3 6	10.1 0.0 13.0	2.5 0.0 3.2	.125E+05 .203E+04 .155E+05	33 47 31	92 96 91	42 46 40	40 9 31	0 0 0
2/18/79 *	CAB	354 30	360 37	194 22	FLT TOT: IN CLR: NOT CLR:	49 27 22	49 27 22	31 17 14	27 13 14	11 4 7	18.2 0.0 40.5	1.2 0.0 2.6	.456E+05 .658E+03 .101E+06	33 43 21	90 92 88	141 40 235	49 27 22	0 0 0
2/19/79 *	CAB	358 31	360 37	295 22	FLT TOT: IN CLR: NOT CLR:	60 33 27	60 33 27	39 22 17	34 19 15	10 2 8	19.8 0.0 44.1	.8 0.0 1.7	.372E+05 .436E+02 .826E+05	34 42 23	84 77 92	81 54 115	60 33 27	0 0 0
2/19/79	CAB	362 30	370 37	254 22	FLT TOT: IN CLR: NOT CLR:	34 12 22	34 12 22	21 7 14	15 5 8	13 13 8	13.3 0.0 20.5	1.4 0.0 2.2	.303E+05 .914E+03 .464E+05	35 59 23	96 92 100	67 49 83	34 12 22	0 0 0
2/20/79 *	CAB	342 30	351 36	241 22	FLT TOT: IN CLR: NOT CLR:	55 33 22	55 33 22	35 21 14	31 19 12	9 4 5	22.9 0.0 57.2	1.1 0.0 2.6	.532E+05 .110E+03 .133E+06	83 112 38	82 79 88	129 80 206	53 31 22	0 0 0
2/23/79	CAB	366 30	385 37	199 22	FLT TOT: IN CLR: NOT CLR:	42 29 13	42 29 13	27 19 8	14 10 4	8 4 4	11.2 0.0 36.2	.8 0.0 2.5	.307E+05 .100E+03 .988E+05	99 105 84	84 78 100	124 162 30	42 29 13	0 0 0
2/27/79	CAB	357 30	360 37	299 22	FLT TOT: IN CLR: NOT CLR:	45 45 0	45 45 0	28 28 0	24 24 0	6 6 0	0.0 0.0 0.0	0.0 0.0 0.0	.669E+02 .669E+02 0.	86 86 0	76 76 0	52 52 0	45 45 0	0 0 0
2/28/79 *	CAB	375 31	390 37	287 22	FLT TOT: IN CLR: NOT CLR:	51 50 1	51 50 1	33 32 1	26 26 0	10 10 0	0.0 0.0 1.6	0.0 0.0 1.0	.320E+03 .322E+03 .252E+03	111 112 90	90 90 0	64 64 0	48 47 1	3 3 0
2/28/79	CAB	357 30	360 37	303 22	FLT TOT: IN CLR: NOT CLR:	45 41 4	45 41 4	28 26 2	20 18 2	14 13 1	1.0 0.0 11.6	.2 0.0 2.3	.463E+03 .181E+03 .335E+04	98 100 71	95 98 65	58 61 27	45 41 4	0 0 0
3/ 1/76 *	CAA	343 30	350 37	210 22	FLT TOT: IN CLR: NOT CLR:	36 26 10	0 0 0	36 26 10	36 26 10	32 22 10	13.3 0.0 47.7	.9 0.0 3.1	0. 0. 0.	103 128 38	99 99 100	102 88 138	34 24 10	2 2 0
3/28/76 *	BBA	343 29	351 37	250 22	FLT TOT: IN CLR: NOT CLR:	30 26 4	0 0 0	30 26 4	30 0 0	0 0 0	1.1 0.0 8.3	.3 0.0 2.5	0. 0. 0.	95 99 71	0 0 0	0 0 0	30 26 4	0 0 0

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLC EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT				TROP N	STRAT N		
					CLD	PDS	OZ	H2O, H2S	%TIC PATCHES	PDS	OZ	RH	H2O							
<b>HNL-SFO (CONT.)</b>																				
3/ 3/79	CAB	362 30	380 37	186 22	FLT IN NOT	TOT CLR CLR	49 49	49 30	30 28	28 12	0.0 0.0	0.0 0.0	0.0 0.0	.151E+03 0.	.151E+03	154 0	90 0	127 0	45 45	4 0
3/ 5/79 *	CAB	364 28	370 36	209 21	FLT IN NOT	TOT CLR CLR	50 46	50 46	31 29	22 21	1 0	0.8 0.0	0.1 0.0	.105E+04 .252E+03	.102E+05	78 78	48 46	70 71	50 46	0 0
3/14/79	CAB	357 30	360 37	280 22	FLT IN NOT	TOT CLR CLR	43 38	43 38	26 24	21 21	8 0	2.3 0.0	0.2 0.0	.274E+04 .105E+04	.156E+05	95 96	83 83	26 0	34 29	9 0
3/14/79 *	CAB	360 30	371 37	202 22	FLT IN NOT	TOT CLR CLR	49 29	49 29	29 16	24 17	21 6	12.6 0.0	1.4 0.0	.562E+05 .109E+04	.136E+06	126 166	97 97	45 47	34 16	15 18
3/19/79 *	CAB	355 34	370 37	308 23	FLT IN NOT	TOT CLR CLR	6 6	4 4	3 3	4 4	3 0	0.0 0.0	0.0 0.0	.104E+04 .104E+04	0.	187 187	87 87	112 112	3 3	3 0
3/30/79	CAB	368 30	381 37	201 22	FLT IN NOT	TOT CLR CLR	44 29	44 29	28 18	24 14	8 5	3.5 0.0	0.6 0.0	.124E+05 .944E+03	.346E+05	92 109	84 78	59 83	43 28	1 10
4/ 2/76 *	CAA	371 30	390 37	215 22	FLT IN NOT	TOT CLR CLR	34 28	0 0	34 28	33 27	23 17	4.4 0.0	2 0.0	0.	0.	187 203	90 88	52 60	34 28	0 0
4/11/76 *	CAA	349 30	350 37	317 22	FLT IN NOT	TOT CLR CLR	29 15	0 0	29 15	29 15	22 8	23.0 0.0	0.8 0.0	0.	0.	95 123	95 90	74 70	27 13	N N 0
4/17/76 *	CAA	363 30	390 37	211 22	FLT IN NOT	TOT CLR CLR	30 30	0 0	30 30	4 4	4 0	0.0 0.0	0.0 0.0	0.	0.	36 36	100 100	424 424	30 30	0 0
4/22/76	CAA	359 32	370 37	210 22	FLT IN NOT	TOT CLR CLR	33 27	0 0	33 27	33 27	24 18	1.7 0.0	0.2 0.0	0.	0.	102 100	91 89	88 95	33 27	0 0
4/23/76 *	CAA	364 30	390 37	217 22	FLT IN NOT	TOT CLR CLR	31 29	0 0	31 29	31 29	14 12	0.1 0.0	0.1 0.0	0.	0.	98 99	81 80	76 76	31 29	0 0
4/23/76	CAA	357 27	370 32	205 22	FLT IN NOT	TOT CLR CLR	18 16	0 0	18 16	18 16	13 11	1.5 0.0	0.6 0.0	0.	0.	108 108	89 87	69 72	18 16	2 0
4/27/76 *	BBA	344 30	352 37	213 22	FLT IN NOT	TOT CLR CLR	34 32	0 0	34 32	0 0	0 0	0.7 0.0	0.1 0.0	0.	0.	120 122	0 94	0 0	34 32	0 0

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT				TROP N	STRAT N	
					CLD	PDS	OZ	H20, H2S	% TIC PATCHES	PDS	OZ	RH	H20						
<b>HNL-SFO (CONT.)</b>																			
4/27/76	CAA	359 30	370 37	211 22	FLT IN NOT CLR:	29 0	0	29 0	28 0	13 0	0.0	0.0	0.	134 0	86 0	61 0	29 0	00	
5/28/76 *	CAA	344 30	350 37	211 22	FLT IN NOT CLR:	48 45 3	0	29 27 2	0	0	.2	.1	0.	80 79 91	00 00 00	00 00 00	48 45 3	00	
5/ 9/79 *	BDB	329 30	331 37	275 22	FLT IN NOT CLR:	49 41 8	49 41 8	0	23 21 2	1 0	.8	.4	.115E+05	0	49 44 95	93 89 139	49 41 8	00	
5/14/79	BDB	355 30	361 37	199 22	FLT IN NOT CLR:	49 46 3	49 46 3	0	25 25 0	0	.2	.1	.128E+05	0	63 63 0	42 42 0	49 46 3	00	
5/15/79 *	BDB	346 30	350 37	212 22	FLT IN NOT CLR:	46 44 2	46 44 2	0	24 23 1	0	.2	.1	.645E+04	0	59 58 62	68 69 44	46 44 2	00	
5/16/79	BDB	339 30	341 37	299 22	FLT IN NOT CLR:	48 48 0	48 48 0	0	22 22 0	0	0.0	0.0	.405E+04	0	36 36 0	49 49 0	48 48 0	00	
5/17/79 *	BDB	326 30	331 37	234 22	FLT IN NOT CLR:	45 45 0	45 45 0	29 29 0	25 25 0	2 0	0.0	0.0	.404E+04	100	35 35 0	75 75 0	45 45 0	00	
5/29/79 *	CAB	365 30	370 37	286 22	FLT IN NOT CLR:	43 37 6	43 37 6	26 22 4	23 19 4	0	2.5	.2	.835E+04	65	42 42 62	35 26 79	43 37 6	00	
6/14/78 *	CAB	359 31	360 37	315 22	FLT IN NOT CLR:	51 27 24	51 27 24	33 17 16	28 14 14	6	20.1	.7	.372E+05	71	81 78 80	60 52 84	51 27 24	00	
6/16/78	CAB	368 30	373 37	292 22	FLT IN NOT CLR:	43 37 6	43 37 6	26 23 3	24 23 1	0	1.1	.2	.574E+04	242	69 68 83	48 47 96	43 37 6	00	
6/17/78 *	CAB	348 31	350 38	289 22	FLT IN NOT CLR:	48 47 1	48 47 1	31 30 1	28 27 1	9 8 1	0.0	.1	.164E+04	172	69 68 34	80 77 100	48 47 1	00	
6/17/78	CAB	365 30	370 36	285 22	FLT IN NOT CLR:	43 43 0	43 43 0	27 27 0	23 23 0	0	0.0	0.0	.112E+04	233	61 61 0	42 42 0	43 43 0	00	
6/19/78	CAB	367 30	371 37	297 22	FLT IN NOT CLR:	43 41 2	43 41 2	28 27 1	24 23 1	3 2 1	.2	.1	.166E+04	104	78 77 69	47 47 100	43 41 2	00	

APPENDIX B

DEP-ARR IM/DD/IY	CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT				TROP N	STRAT N		
								CLD	PDS	OZ	H20, H2S	%TIC PATCHES	PDS	OZ	RH	H20							
<b>HNL-SFO (CONT.)</b>																							
6/24/78	CAB	362	371	192	22	30	37	42	42	27	24	0	0.0	0.0	0.0	.157E+03	92	4	4	42	42	0	
								IN CLR:	42	42	27	24	0	0.0	0.0	0.0	.157E+03	92	4	4	42	42	0
								NOT CLR:	0	0	0	0	0	0.0	0.0	0.0	0.	0	0	0	0	0	0
6/27/78 *	CAB	357	363	272	22	30	37	50	50	32	29	0	0	1.4	0.2	.749E+03	93	37	59	50	46	0	
								IN CLR:	46	46	31	29	0	0.0	0.0	0.0	.648E+03	94	37	59	50	46	0
								NOT CLR:	4	4	1	0	0	17.6	2.5	.191E+04	61	0	0	0	0	0	
6/ 2/79 *	CAB	367	370	304	22	30	37	46	46	0	24	1	28.7	0.1	.359E+05	0	40	27	46	23	0	0	
								IN CLR:	23	23	0	12	0	0.0	0.0	0.0	.874E+04	0	45	29	46	23	0
								NOT CLR:	23	23	0	12	0	57.4	0.2	.631E+05	0	36	25	46	23	0	
6/ 7/79	CAB	356	360	291	22	30	37	43	43	0	23	1	2.7	0.2	.666E+04	0	43	36	43	38	5	0	
								IN CLR:	38	38	0	18	1	0.0	0.0	0.0	.405E+04	0	41	36	43	38	5
								NOT CLR:	5	5	0	5	0	23.5	2.0	.265E+05	0	49	35	43	38	5	
6/ 8/79	CAB	365	381	287	22	30	37	42	42	0	21	0	0.0	0.0	.149E+04	0	60	40	42	42	0	0	
								IN CLR:	42	42	0	21	0	0.0	0.0	0.0	.149E+04	0	60	40	42	42	0
								NOT CLR:	0	0	0	0	0	0.0	0.0	0.0	0.	0	0	0	0	0	
6/ 8/79 *	CAB	366	371	297	22	30	37	50	50	0	28	1	0.3	0.1	.202E+04	0	34	25	50	47	3	0	
								IN CLR:	47	47	0	26	0	0.0	0.0	0.0	.178E+04	0	30	22	50	47	3
								NOT CLR:	3	3	0	2	1	5.0	1.3	.576E+04	0	82	56	50	47	3	
7/ 4/78	CAB	363	370	214	22	30	37	42	42	27	24	0	0.0	0.0	0.0	.638E+02	58	6	6	42	42	0	
								IN CLR:	42	42	27	24	0	0.0	0.0	0.0	.638E+02	58	6	6	42	42	0
								NOT CLR:	0	0	0	0	0	0.0	0.0	0.0	0.	0	0	0	0	0	
7/ 5/78 *	CAB	358	361	282	22	30	37	53	53	34	28	7	0.0	0.0	0.0	.704E+02	73	44	57	53	53	0	
								IN CLR:	53	53	34	28	7	0.0	0.0	0.0	.704E+02	73	44	57	53	53	0
								NOT CLR:	0	0	0	0	0	0.0	0.0	0.0	0.	0	0	0	0	0	
7/ 9/78	CAB	364	370	252	23	32	38	43	43	20	24	2	0.2	0.0	0.0	.109E+03	81	32	41	43	42	0	
								IN CLR:	42	42	19	23	1	0.0	0.0	0.0	.100E+03	82	29	39	43	42	0
								NOT CLR:	1	1	1	1	1	8.6	1.0	.457E+03	57	100	81	41	42	0	
7/ 9/78 *	CAB	364	390	254	22	29	36	50	50	32	27	0	0.0	0.0	0.0	.733E+02	63	30	48	50	50	0	
								IN CLR:	50	50	32	27	0	0.0	0.0	0.0	.733E+02	63	30	48	50	50	0
								NOT CLR:	0	0	0	0	0	0.0	0.0	0.0	0.	0	0	0	0	0	
7/10/78	CAB	369	390	295	22	30	37	44	44	27	24	0	0.0	0.0	0.0	.293E+02	69	17	20	44	44	0	
								IN CLR:	44	44	27	24	0	0.0	0.0	0.0	.293E+02	69	17	20	44	44	0
								NOT CLR:	0	0	0	0	0	0.0	0.0	0.0	0.	0	0	0	0	0	
7/14/78 *	CAB	358	361	290	22	30	37	52	52	33	31	0	0.0	0.0	0.0	.308E+02	72	23	26	52	52	0	
								IN CLR:	52	52	33	31	0	0.0	0.0	0.0	.308E+02	72	23	26	52	52	0
								NOT CLR:	0	0	0	0	0	0.0	0.0	0.0	0.	0	0	0	0	0	
7/16/78 *	CAB	356	361	241	22	30	37	51	51	24	30	0	0.0	0.0	0.0	.387E+02	72	30	43	51	51	0	
								IN CLR:	51	51	24	30	0	0.0	0.0	0.0	.387E+02	72	30	43	51	51	0
								NOT CLR:	0	0	0	0	0	0.0	0.0	0.0	0.	0	0	0	0	0	

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	CLD	PD5	NUMBER OF OBS			%TIC PATCHES	THE FLIGHT PD5	GZ	RH	H2G	TROP N	STRAT N			
							IN	TOT:	0Z H2G, H2S										
<b>HNL-SFO (CONT.)</b>																			
7/16/78	CAB	366 30	370 37	288 22	FLT IN	TOT: CLR:	42 40	42 40	25 25	23 23	0	0.0 0.4	0.0 1.0	.249E+02 .245E+02 .330E+02	65 65 0	35 35 0	34 34 0	42 40 2	000
7/21/78	CAB	363 30	370 37	200 22	FLT IN	TOT: CLR:	46 45	46 45	29 29	26 26	0	0.1 2.7	0.0 1.0	.972E+01 .994E+01	51 51 0	22 22 0	38 38 0	46 45 1	000
7/22/78 *	CAB	354 30	361 37	192 22	FLT IN	TOT: CLR:	48 48	48 48	31 31	23 23	0	0.0 0.0	0.0 0.0	.244E+02 .244E+02	50 50 0	24 24 0	37 37 0	48 48 0	000
11/19/76 *	DDA	348 30	350 37	271 22	FLT IN	TOT: CLR:	47 47	0 0	0 0	0 0	0	0.0 0.0	0.0 0.0	0.	00	00	00	47 47 0	000
11/26/76	DDA	325 30	330 37	196 22	FLT IN	TOT: CLR:	43 34	0 0	0 0	0 0	0	10.1 0.0	.7 0.0	0.	00	00	00	43 34 9	000
11/27/76 *	DDA	347 30	350 37	271 22	FLT IN	TOT: CLR:	44 29	0 0	0 0	0 0	0	12.4 0.0	.9 0.0	0.	00	00	00	44 29 15	000
12/26/75 *	CAA	322 30	350 37	225 22	FLT IN	TOT: CLR:	31 22	0 0	31 22	0 9	0	4.1 0.0	.7 0.0	0.	28 27 30	00	00	31 22 9	000
12/28/75	CAA	364 30	371 36	216 22	FLT IN	TOT: CLR:	29 26	0 0	29 26	0 3	0	3.7 0.0	.2 0.0	0.	38 38 33	00	00	29 26 3	000
12/30/75 *	CAA	344 32	350 38	210 23	FLT IN	TOT: CLR:	31 25	0 0	31 25	0 6	0	5.9 0.0	.5 0.0	0.	39 38 43	00	00	00 00 0	000
12/ 2/76	DDA	326 30	330 37	217 22	FLT IN	TOT: CLR:	46 30	0 0	0 0	0 0	0	18.4 0.0	1.3 0.0	0.	00	00	00	46 30 16	000
12/ 3/76 *	DDA	347 30	350 37	285 22	FLT IN	TOT: CLR:	48 34	0 0	0 0	0 0	0	16.5 0.0	.9 0.0	0.	00	00	00	48 34 14	000
12/13/76	DDA	302 30	332 37	244 22	FLT IN	TOT: CLR:	45 45	0 0	0 0	0 0	0	0.0 0.0	0.0 0.0	0.	00	00	00	00 00 0	000
12/14/76 *	DDA	357 30	360 37	271 22	FLT IN	TOT: CLR:	49 49	0 0	0 0	0 0	0	0.0 0.0	0.0 0.0	0.	00	00	00	00 00 0	000

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT				TROP N	STRAT N		
					CLD	PD5	OZ	H2O, H2S	% TIC PATCHES	PD5	OZ	RH	H2O					
<b>HNL-SFO (CONT.)</b>																		
12/16/76 * DDA	281 31	319 37	257 22	FLT IN NOT	TOT: CLR: CLR:	47 42 5	0 0 0	0 0 0	0 0 0	5.5 0.0 52.0	.6 0.0 5.4	0. 0. 0.	0 0 0	0 0 0	0 0 0	0 0 0		
12/16/76 DDA	325 30	330 37	207 22	FLT IN NOT	TOT: CLR: CLR:	39 31 8	0 0 0	0 0 0	0 0 0	7.5 0.0 36.6	1.3 0.0 6.5	0. 0. 0.	0 0 0	0 0 0	0 0 0	0 0 0		
12/23/76 DDA	327 30	330 37	259 22	FLT IN NOT	TOT: CLR: CLR:	46 30 16	0 0 0	0 0 0	0 0 0	14.3 0.0 41.3	1.5 0.0 4.4	0. 0. 0.	0 0 0	0 0 0	0 0 0	46 30 16		
12/24/76 * DDA	346 30	350 37	254 22	FLT IN NOT	TOT: CLR: CLR:	50 35 15	0 0 0	0 0 0	0 0 0	18.6 0.0 62.1	1.8 0.0 6.1	0. 0. 0.	0 0 0	0 0 0	0 0 0	50 35 15		
12/25/76 DDA	329 30	330 37	269 22	FLT IN NOT	TOT: CLR: CLR:	46 23 23	0 0 0	0 0 0	0 0 0	27.9 0.0 55.8	1.6 0.0 3.1	0. 0. 0.	0 0 0	0 0 0	0 0 0	46 23 23		
12/26/76 * DDA	348 30	350 36	275 22	FLT IN NOT	TOT: CLR: CLR:	46 22 24	0 0 0	0 0 0	0 0 0	25.2 0.0 48.4	1.3 0.0 2.6	0. 0. 0.	0 0 0	0 0 0	0 0 0	46 22 24		
12/28/78 * BBB	348 30	361 37	219 22	FLT IN NOT	TOT: CLR: CLR:	46 41 5	46 41 5	24 24 0	24 24 0	0 0 0	4.6 0.0 42.7	.5 0.0 4.8	.246E+05 .467E+01 .226E+06	102 102 0	17 17 0	37 37 0	0 0 0	
12/29/78 BBB	334 31	341 37	219 22	FLT IN NOT	TOT: CLR: CLR:	40 12 28	40 12 28	26 7 19	22 6 16	13 0 13	16.1 0.0 23.0	3.2 0.0 4.5	.472E+05 .155E+04 .667E+05	48 65 42	83 48 97	101 29 129	0 0 0	
12/30/78 * BBB	358 30	361 37	273 22	FLT IN NOT	TOT: CLR: CLR:	57 32 25	57 32 25	37 23 14	35 19 16	14 4 10	15.0 0.0 34.3	2.2 0.0 4.9	.491E+05 .426E+03 .111E+06	35 37 32	78 65 93	71 79 62	0 0 0	
12/31/79 BDB	362 29	391 37	227 22	FLT IN NOT	TOT: CLR: CLR:	33 25 8	23 22 1	17 15 2	19 13 6	4 0 4	13.5 0.0 55.5	.8 0.0 3.3	.277E+01 .290E+01 0.	77 83 29	49 32 86	92 117 37	22 14 8	
																11 11 0		
<b>IAD-LHR</b>																		
6/ 6/79 * BDB	337 48	351 52	260 40	FLT IN NOT	TOT: CLR: CLR:	79 56 23	79 56 23	50 36 14	37 28 9	6 4 2	7.5 0.0 25.8	1.1 0.0 3.8	.879E+05 .135E+05 .269E+06	148 177 73	71 64 93	72 64 99	71 48 23	8 8 0
6/ 7/79 BDB	348 49	370 53	285 40	FLT IN NOT	TOT: CLR: CLR:	68 57 11	68 57 11	45 39 6	34 31 3	2 1 1	.8 0.0 4.7	.4 0.0 2.4	.187E+05 .431E+04 .934E+05	207 228 69	55 52 88	49 46 79	42 31 11	26 26 0

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	FLT IN CLR: NOT CLR:	TOT: 63 0	CLD 0	NUMBER OF OBS PD5 OZ H20, H2S	AVERAGES FOR THE FLIGHT %TIC PATCHES PD5			TROP N	STRAT N					
									OZ	RH	H20							
<b>IAD-LHR (CONT.)</b>																		
9/10/76	BBA	346 49	349 53	252 40	FLT IN CLR: NOT CLR:	63 0	0	39 0	0	0	0.0	0.0	0.	85 85 0	0 0 0	0 0 0	53 53 0	10 10 0
9/13/76	BBA	332 49	340 52	253 40	FLT IN CLR: NOT CLR:	67 67 0	0	40 40 0	0	0	0.0	0.0	0.	81 81 0	0 0 0	0 0 0	67 67 0	0 0 0
9/13/76 *	BBA	369 51	390 54	272 40	FLT IN CLR: NOT CLR:	69 69 0	0	46 46 0	0	0	0.0	0.0	0.	106 108 0	0 0 0	0 0 0	47 47 0	22 22 0
9/17/76 *	BBA	341 53	370 58	254 40	FLT IN CLR: NOT CLR:	74 72 2	0	48 46 2	0	0	0.0	0.0	0.	92 93 80	0 0 0	0 0 0	54 52 N	20 20 0
9/24/76 *	BBA	358 48	369 52	267 40	FLT IN CLR: NOT CLR:	80 80 0	0	51 51 0	0	0	0.0	0.0	0.	83 83 0	0 0 0	0 0 0	0 0 0	0 0 0
9/24/76	BBA	351 49	390 53	249 40	FLT IN CLR: NOT CLR:	68 68 0	0	43 43 0	0	0	0.0	0.0	0.	85 85 0	0 0 0	0 0 0	0 0 0	0 0 0
9/30/78 *	BBB	322 47	370 52	255 41	FLT IN CLR: NOT CLR:	80 60 20	80 60 20	52 38 14	0	0	4.9 0.0 19.5	.8 0.0 3.0	.117E+05 .120E+03 .463E+05	67 72 54	0 0 0	0 0 0	80 60 20	0 0 0
10/ 1/78	BBB	320 49	331 53	253 40	FLT IN CLR: NOT CLR:	68 58 10	68 58 10	44 37 7	0	0	4.4 0.0 29.9	.4 0.0 2.6	.252E+04 .295E+02 .170E+05	70 71 65	0 0 0	0 0 0	68 58 10	0 0 0
10/ 6/78 *	BBB	337 49	392 52	239 40	FLT IN CLR: NOT CLR:	76 51 25	76 51 25	52 36 16	0	0	13.0 0.0 39.7	.9 0.0 2.6	.341E+05 .273E+03 .103E+06	82 92 61	0 0 0	0 0 0	74 49 25	2 2 0
10/ 7/78 *	BBB	338 49	370 53	208 40	FLT IN CLR: NOT CLR:	75 60 15	75 60 15	48 37 11	0	0	7.9 0.0 39.6	.6 0.0 3.1	.576E+05 .711E+02 .288E+06	115 131 61	0 0 0	0 0 0	56 41 15	19 19 0
10/ 7/78	BBB	338 49	350 53	256 40	FLT IN CLR: NOT CLR:	64 51 13	64 51 13	43 33 10	0	0	11.3 0.0 55.6	.6 0.0 2.8	.375E+05 .155E+03 .184E+06	106 120 59	0 0 0	0 0 0	51 38 13	13 13 0
11/22/77 *	BCB	365 49	390 52	249 40	FLT IN CLR: NOT CLR:	75 31 44	75 31 44	50 20 30	0	0	19.3 0.0 33.0	0.0 0.0 0.0	.628E+05 .361E+03 .107E+06	105 149 75	0 0 0	0 0 0	61 17 44	14 14 0
11/23/77	BCB	359 50	371 54	276 40	FLT IN CLR: NOT CLR:	61 40 21	61 40 21	41 26 15	0	0	17.9 0.0 52.1	0.0 0.0 0.0	.430E+05 .210E+02 .125E+06	102 134 46	0 0 0	0 0 0	41 20 21	20 20 0

DEP-ARR IM/ID/IY	CODE	AVFL	EXHI	EXLD	ALAT	EXTN	EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT				TROP N	STRAT N	
								CLD	PD5	OZ	H2O, H2S	% TIC PATCHES	PD5	OZ	RH	H2O						
<b>IAD-LHR (CONT.)</b>																						
11/16/78 *	BBB	308 55	310 61	262 40	FLT	TOT:	85 79	85 79	57 53	46 43	1 3	4.2 0.0	.3 0.0	.993E+04 .319E+02 .140E+06	148 156 34	37 34 85	28 21 132	50 44 6	35 35 0			
11/17/78	BBB	328 48	331 52	254 40	FLT	TOT:	62 43	62 43	40 29	33 23	10 0	18.9 0.0	.9 0.0	.877E+05 .119E+02 .286E+06	134 173 30	47 23 100	48 21 110	43 24 19	19 19 0			
12/15/78 *	BBB	332 53	350 57	252 40	FLT	TOT:	77 60	77 60	50 39	40 33	6 0	14.5 0.0	.6 0.0	.723E+05 .132E+02 .327E+06	158 187 56	48 39 93	29 26 43	29 22 7	46 36 10			
12/16/78	BBB	316 49	330 53	257 40	FLT	TOT:	64 43	64 43	39 26	30 18	11 0	15.6 0.0	.6 0.0	.453E+05 .754E+01 .138E+06	92 112 53	63 39 99	42 28 62	0 0 0	0 0 0			
<b>IAH-JFK</b>																						
2/15/79	BBB	360 35	370 39	276 30	FLT	TOT:	22 6	0 0	16 10	12 7	0 0	25.8 0.0	2.2 0.0	0. 0.	46 62 36	64 37 84	43 34 50	22 16	0 0			
2/15/79 *	BBB	362 36	390 40	301 31	FLT	TOT:	28 26	0 0	17 16	16 15	1 1	4.2 0.0	.1 0.0	0. 0.	70 69 99	28 23 100	26 21 103	23 22 1	5 4 1			
3/ 8/79	BBB	357 32	371 39	298 30	FLT	TOT:	8 8	0 0	3 3	0 0	0 0	0.0 0.0	0.0 0.0	0. 0.	122 122 0	0 0 0	0 0 0	1 1 0	7 7 0			
3/ 8/79 *	BBB	363 38	390 40	232 31	FLT	TOT:	8 8	0 0	3 3	3 0	0 0	0.0 0.0	0.0 0.0	0. 0.	555 555 0	23 23 0	33 33 0	1 1 0	7 7 0			
5/28/79 *	BDB	374 35	391 40	216 30	FLT	TOT:	30 15	30 15	19 8	10 9	0 0	26.2 0.0	3.4 0.0	.731E+06 .513E+04 .146E+07	195 292 125	50 49 54	24 25 18	19 15 14	11 10 1			
5/29/79	BDB	355 35	371 40	213 31	FLT	TOT:	25 13	25 13	15 9	0 0	0 0	17.2 0.0	2.5 0.0	.402E+06 .408E+04 .833E+06	154 178 118	0 0 0	0 0 0	25 13 12	0 0 0			
10/12/78 *	BBB	379 36	391 40	231 31	FLT	TOT:	28 28	28 0	17 0	0 0	0 0	0.0 0.0	0.0 0.0	.203E+03 .203E+03 0.	89 89 0	0 0 0	0 0 0	28 28 0	0 0 0			
10/16/78 *	BBB	345 37	351 40	274 30	FLT	TOT:	30 29	30 29	18 17	0 1	0 0	0.0 0.4	0.0 1.0	.177E+02 .183E+02 0.	166 173 44	0 0 0	0 0 0	17 16 1	13 13 0			

DEP-ARR	IM/ID/IY	CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT				TROP	STRAT			
									CLD	PDS	OZ	H2O, H2S	XTC PATCHES	PDS	OZ	RH	H2O								
<b>IAH-JFK (CONT.)</b>																									
10/17/78	BBB	359 35	371 39	237 30	FLT	TOT:	25	25	16	0	0	0	0.1	0.1	.159E+02	92	0	0	0	22	21	33	0		
					IN CLR:	NOT CLR:	24	24	16	0	0	0	0.0	0.0	.165E+02	92	0	0	0						
11/ 1/78	BBB	360 35	370 39	256 30	FLT	TOT:	26	26	17	12	0	0	0.0	0.0	.249E+01	151	26	38	38	26	26	0	0		
					IN CLR:	NOT CLR:	26	26	17	12	0	0	0.0	0.0	.249E+01	151	26	38	38	26	26	0	0		
11/ 1/78 *	BBB	380 35	390 40	255 30	FLT	TOT:	27	27	17	14	0	0	0.0	0.0	.974E+01	76	35	21	21	27	27	0	0		
					IN CLR:	NOT CLR:	27	27	17	14	0	0	0.0	0.0	.974E+01	76	35	21	21	27	27	0	0		
<b>IAH-MEX</b>																									
2/15/79	BBB	374 25	390 29	269 20	FLT	TOT:	15	0	1	8	1	1	7.2	1.0	0.	23	58	53	15	12	3	0	0		
					IN CLR:	NOT CLR:	12	0	1	8	1	0	0.0	0.0	36.1	5.0	0.	23	58	53	15	12	3	0	0
2/15/79 *	BBB	389 25	410 29	302 21	FLT	TOT:	12	0	8	6	2	2	0.5	0.2	0.	84	47	52	12	11	1	0	0		
					IN CLR:	NOT CLR:	11	0	7	6	2	0	0.0	0.0	47	12	33	12	11	1	0	0			
3/ 8/79	BBB	371 25	391 27	252 21	FLT	TOT:	7	0	3	3	1	1	0.1	0.1	0.	156	71	48	6	5	1	110	0		
					IN CLR:	NOT CLR:	6	0	3	3	1	0	0.0	0.0	156	71	48	6	5	1	110	0			
3/ 8/79 *	BBB	351 24	370 29	222 21	FLT	TOT:	8	0	3	3	0	0	0.0	0.0	0.	62	49	88	8	8	0	0	0		
					IN CLR:	NOT CLR:	8	0	3	3	0	0	0.0	0.0	62	49	88	8	8	0	0	0			
5/29/79 *	BDB	355 27	370 30	216 21	FLT	TOT:	19	19	10	7	0	0	0.0	0.0	.508E+03	68	39	40	19	19	0	0	0		
					IN CLR:	NOT CLR:	19	19	10	7	0	0	0.0	0.0	68	39	40	19	19	0	0	0			
5/29/79	BDB	338 24	351 28	206 20	FLT	TOT:	13	13	9	5	0	0	0.5	0.4	.916E+02	50	28	137	13	12	1	0	0		
					IN CLR:	NOT CLR:	12	12	9	5	0	0	0.6	0.4	.620E+02	50	32	72	13	12	1	0	0		
<b>IAH-SFO</b>																									
10/13/78	BBB	378 33	390 38	240 30	FLT	TOT:	35	35	22	0	0	0	0.0	0.0	.170E+02	74	0	0	0	35	35	0	0		
					IN CLR:	NOT CLR:	35	35	22	0	0	0	0.0	0.0	.170E+02	74	0	0	0	35	35	0	0		
<b>IST-KHI</b>																									
4/19/76	BBA	344 35	371 40	212 26	FLT	TOT:	34	0	34	0	0	0	14.9	1.8	0.	170	0	0	0	32	21	16	14		
					IN CLR:	NOT CLR:	19	0	34	0	0	0	0.0	0.0	33.9	4.1	0.	168	0	0	0	32	21	16	14

DEP-ARR IM/DD/YR	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	FLT IN NOT	TOT: CLR: CLR:	12 0 0	0 12 0	12 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	76 76 0	0 0 0	0 0 0	12 20 0	0 0 0	NUMBER OF OBS				TROP N	STRAT N	
																			PDS	OZ	RH	H20			
<b>IST-THR</b>																									
1/24/76 * BBA	297 38	310 41	215 36	FLT IN NOT	TOT: CLR: CLR:	12 0 0	0 12 0	12 0 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	76 76 0	0 0 0	0 0 0	12 20 0	0 0 0	APPENDIX B						
1/ 7/79 * BBB	320 39	350 41	241 36	FLT IN NOT	TOT: CLR: CLR:	30 28 2	0 0 0	19 19 0	18 18 0	1 1 0	0.5 0.0 6.9	0.2 0.0 3.0	0. 0. 0.	106 106 0	50 50 0	33 33 0	30 28 2	0 0 0							
2/25/79 * BBB	345 39	381 40	281 36	FLT IN NOT	TOT: CLR: CLR:	25 25 0	0 0 0	16 16 0	14 14 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	277 277 0	22 22 0	19 19 0	16 16 0	9 9 0							
3/20/76 * BBA	334 39	351 40	212 36	FLT IN NOT	TOT: CLR: CLR:	16 16 0	0 0 0	16 16 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	290 290 0	0 0 0	0 0 0	8 8 0	8 8 0							
3/23/76 BBB	283 38	291 41	209 36	FLT IN NOT	TOT: CLR: CLR:	16 16 0	0 0 0	16 16 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	82 82 0	0 0 0	0 0 0	16 16 0	0 0 0							
3/16/79 BBB	289 38	291 40	247 36	FLT IN NOT	TOT: CLR: CLR:	23 23 0	0 0 0	15 15 0	10 10 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	53 53 0	22 22 0	51 51 0	23 23 0	0 0 0							
3/17/79 * BBB	310 39	310 40	307 37	FLT IN NOT	TOT: CLR: CLR:	24 18 6	0 0 0	0 0 0	13 11 2	0 0 0	5.9 23.8 2.5	0.6 0.0 0.	0. 0. 0.	0 0 0	38 36 51	52 50 65	18 18 6	24 18 6	0 0 0						
11/22/78 BBB	340 39	370 40	230 36	FLT IN NOT	TOT: CLR: CLR:	24 24 0	24 24 0	16 16 0	15 15 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	140E+02 140E+02 0	106 106 0	27 27 0	47 47 0	6 6 0	18 18 0						
11/23/78 * BBB	308 39	310 40	281 36	FLT IN NOT	TOT: CLR: CLR:	25 25 0	25 25 0	17 17 0	13 13 0	1 1 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	105E+02 105E+02 0	64 64 0	32 32 0	29 29 0	25 25 0	0 0 0						
11/25/78 BBB	314 38	329 40	250 36	FLT IN NOT	TOT: CLR: CLR:	24 24 0	24 24 0	16 16 0	10 10 0	1 1 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	136E+02 136E+02 0	47 47 0	31 31 0	47 47 0	24 24 0	0 0 0						
11/26/78 * BBB	325 39	350 40	272 36	FLT IN NOT	TOT: CLR: CLR:	22 22 0	22 22 0	14 14 0	10 10 0	1 1 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	120E+02 120E+02 0	77 77 0	40 40 0	24 24 0	22 22 0	0 0 0						
11/28/78 BBB	350 38	370 40	234 36	FLT IN NOT	TOT: CLR: CLR:	21 19 2	21 19 2	14 13 1	11 10 1	0 0 0	6.6 69.6 8.5	0.8 0.0 8.5	0. 0. 0.	681E+05 697E+01 715E+06	131 136 59	23 20 57	11 8 39	21 19 2	0 0 0						
11/29/78 * BBB	339 39	352 41	199 36	FLT IN NOT	TOT: CLR: CLR:	27 18 9	27 18 9	16 11 5	12 9 3	5 3 3	15.6 0.0 46.7	1.6 0.0 4.9	0. 0. 0.	.517E+05 .336E+02 .155E+06	93 113 51	94 92 100	38 34 49	27 18 9	0 0 0						

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	FLT IN NOT	TOT: CLR: CLR:	NUMBER OF OBS						AVERAGES FOR THE FLIGHT			TROP N	STRAT N		
							CLD	PDS	OZ	H2O, H2S	%TIC PATCHES	PDS	OZ	RH	H2O				
<b>IST-THR (CONT.)</b>																			
12/17/78	BBB	287 39	291 40	257 36	FLT IN NOT	TOT: CLR: CLR:	19 13 6	19 13 6	10 3	8 6 2	3 1 2	5.0 0.0 15.8	.9 0.0 3.0	.627E+04 .189E+04 .158E+05	43 49 30	75 67 100	170 139 264	0 0 0	0 0 0
12/18/78 *	BBB	346 39	351 40	277 36	FLT IN NOT	TOT: CLR: CLR:	26 17 9	26 17 9	14 10 4	15 9 6	4 4	10.2 0.0 29.6	1.8 0.0 5.2	.326E+05 .785E+01 .941E+05	60 62 54	64 51 83	29 25 34	0 0 0	0 0 0
12/20/78	BBB	346 38	371 40	216 36	FLT IN NOT	TOT: CLR: CLR:	22 22 0	22 22 0	14 14 0	12 12 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.615E+01 .615E+01 0.	84 84 84	58 58 0	63 63 0	0 0 0	0 0 0
12/23/78	BBB	324 38	331 40	258 36	FLT IN NOT	TOT: CLR: CLR:	22 18 4	22 18 4	0 0 0	9 9 0	0 0 0	3.5 0.0 19.4	0.7 0.0 4.0	.315E+05 .409E+03 .171E+06	0 0 0	54 54 0	33 33 0	0 0 0	0 0 0
12/24/78 *	BBB	358 39	390 40	280 36	FLT IN NOT	TOT: CLR: CLR:	22 18 4	22 18 4	0 0 0	14 11 3	1 1 0	14.8 0.0 81.2	0.6 0.0 3.5	.362E+05 0. .199E+06	0 0 0	49 45 64	25 26 22	0 0 0	0 0 0
<b>I TO-LAX</b>																			
2/12/76 *	CAA	340 28	350 34	212 21	FLT IN NOT	TOT: CLR: CLR:	26 24 2	0 0 0	26 24 2	0 0 0	0 0 0	0.4 0.0 5.5	0.2 0.0 0.0	0. 0. 0.	58 59 44	0 0 0	0 0 0	23 25 2	10 33 0
2/13/76	CAA	346 28	371 34	200 21	FLT IN NOT	TOT: CLR: CLR:	28 28 0	0 0 0	28 28 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	55 55 0	0 0 0	0 0 0	25 25 0	33 33 0
2/14/76 *	CAA	377 29	393 34	201 21	FLT IN NOT	TOT: CLR: CLR:	29 29 0	0 0 0	29 29 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	187 187 0	0 0 0	0 0 0	20 20 0	99 99 0
2/15/76	CAA	354 27	391 34	211 20	FLT IN NOT	TOT: CLR: CLR:	28 28 0	0 0 0	28 28 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	184 184 0	0 0 0	0 0 0	25 25 0	33 33 0
3/ 7/76 *	CAA	382 29	390 35	214 23	FLT IN NOT	TOT: CLR: CLR:	27 27 0	0 0 0	27 27 0	27 27 0	4 4 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	174 174 0	45 45 0	48 48 0	21 21 0	66 66 0
3/ 8/79	CAB	348 28	360 34	264 21	FLT IN NOT	TOT: CLR: CLR:	37 36 1	37 36 1	20 20 0	18 17 1	13 13 0	0.3 0.0 11.0	0. 0. 1.0	.126E+04 .142E+03 .415E+05	129 129 0	93 98 19	167 172 84	37 36 1	0 0 0
3/26/79	CAB	369 28	380 34	268 22	FLT IN NOT	TOT: CLR: CLR:	42 27 15	42 27 15	26 18 8	9 7 2	8 6 2	3.5 0.0 9.9	0.9 0.0 2.5	.255E+05 .433E+03 .706E+05	109 143 33	99 99 100	82 54 184	20 12 12	22 19 3

DEP-ARR IM/DD/YR	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	FLT IN NOT	TOT: CLR: CLR:	NUMBER OF OBS							AVERAGES FOR THE FLIGHT				TROP N	STRAT N	
							CLD	PDS	OZ	H2O, H2S	%TIC PATCHES	PD5	OZ	RH	H2O					
<b>I TO-LAX (CONT.)</b>																				
3/29/79	CAB	370 28	381 34	244 22	FLT IN NOT	TOT: CLR: CLR:	41 26 15	41 26 15	25 18 7	22 14 8	17 9 8	22.8 0.0 62.4	.8 0.0 2.1	.771E+05 .190E+04 .207E+06	126 163 32	95 92 100	45 47 40	32 21 11	904	000
4/30/76 *	CAA	342 28	350 33	213 20	FLT IN NOT	TOT: CLR: CLR:	43 34 9	0 0 0	28 21 7	35 28 7	28 21 7	4.9 0.0 23.6	.6 0.0 2.9	0. 0. 0.	114 116 107	96 95 100	129 103 235	43 34 9	000	000
5/ 1/76	CAA	370 27	389 34	208 20	FLT IN NOT	TOT: CLR: CLR:	40 28 12	0 0 0	24 18 6	33 23 10	26 18 10	12.6 0.0 41.9	.8 0.0 2.5	0. 0. 0.	115 122 95	96 94 100	74 61 102	40 28 12	000	000
5/ 2/76 *	CAA	382 28	390 34	211 20	FLT IN NOT	TOT: CLR: CLR:	51 34 17	0 0 0	16 12 4	42 28 14	30 16 14	11.8 0.0 35.5	.7 0.0 2.0	0. 0. 0.	175 206 82	86 78 100	64 60 71	51 34 17	000	000
5/ 3/76	CAA	358 27	370 33	206 20	FLT IN NOT	TOT: CLR: CLR:	49 41 8	0 0 0	32 29 3	40 35 5	30 25 25	4.1 0.0 25.3	.4 0.0 2.8	0. 0. 0.	140 148 65	86 84 100	81 83 63	49 41 8	000	000
6/23/78	CAB	366 28	371 34	283 22	FLT IN NOT	TOT: CLR: CLR:	44 41 3	44 41 3	27 25 2	24 22 2	0 0 0	.3 0.0 4.7	.1 0.0 1.0	.572E+02 .521E+02 .126E+03	89 92 54	52 52 58	42 38 85	44 41 3	000	000
7/20/78	CAB	347 28	371 34	194 22	FLT IN NOT	TOT: CLR: CLR:	46 46 0	46 46 0	30 30 0	26 26 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.136E+02 .136E+02 0.	58 58 0	33 33 0	8 8 0	46 46 0	000	000
<b>I TO-ORD</b>																				
2/ 7/76	CAA	355 31	371 41	204 20	FLT IN NOT	TOT: CLR: CLR:	61 55 6	0 0 0	61 55 6	0 0 0	0 0 0	2.2 0.0 22.0	.3 0.0 3.2	0. 0. 0.	153 167 23	00 00 0	00 00 0	27 21 6	34 34 0	000
5/ 8/76	CAA	354 33	370 41	206 21	FLT IN NOT	TOT: CLR: CLR:	79 70 9	0 0 0	32 26 6	0 0 0	0 0 0	1.5 0.0 13.2	.3 0.0 2.4	0. 0. 0.	94 98 76	00 00 0	00 00 0	79 70 9	000	000
6/21/78	CAB	358 34	390 43	268 22	FLT IN NOT	TOT: CLR: CLR:	75 75 0	75 75 0	49 49 0	41 41 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.355E+03 .355E+03 0.	107 107 0	53 53 0	50 50 0	69 69 0	660	000
6/29/78	CAB	347 33	371 41	234 22	FLT IN NOT	TOT: CLR: CLR:	79 74 5	79 74 5	51 49 2	44 43 1	1 1 0	1.8 0.0 29.0	.2 0.0 3.0	.796E+04 .213E+03 .123E+06	73 73 77	41 40 76	65 65 76	79 74 5	000	000
7/ 3/78	CAB	347 33	371 41	216 22	FLT IN NOT	TOT: CLR: CLR:	77 74 3	77 74 3	50 49 1	45 44 1	8 7 1	.2 0.0 5.2	.1 0.0 1.3	.901E+02 .801E+02 .337E+03	67 68 19	44 43 100	84 81 208	77 74 3	000	000

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS										AVERAGES FOR THE FLIGHT						TROP N	STRAT N
					CLD	PD5	OZ	H20, H2S	%TIC PATCHES	PD5	OZ	RH	H20									
<b>I TO ORD (CONT.)</b>																						
7/18/78	CAB	347 35	371 41	252 23	FLT IN NOT	TOT: CLR: CLR:	79 72 7	79 72 7	51 47 4	45 41 4	11 11 0	2.8 0.0 31.6	2.0 0.0 2.0	.562E+04 .297E+02 .631E+05	68 66 93	54 63 77	144 150 82	79 72 7	000	000		
<b>JFK-JFK</b>																						
4/ 6/77	AAA	383 45	431 48	255 42	FLT IN NOT	TOT: CLR: CLR:	19 19 0	0 0 0	0 0 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	000	000	000	440	150	150	150	150
<b>JFK-LAS</b>																						
2/12/79	CAB	364 39	391 40	204 36	FLT IN NOT	TOT: CLR: CLR:	52 35 17	52 35 17	34 23 11	29 19 10	8 6	19.0 0.0 58.2	0.7 0.0 2.0	.779E+05 .434E+02 .238E+06	144 136 58	82 78 89	75 26 170	34 18 16	18 17 1	18 17 1	18 17 1	18 17 1
<b>JFK-LAX</b>																						
1/31/76 *	CAA	362 40	370 42	208 35	FLT IN NOT	TOT: CLR: CLR:	36 21 15	0 0 0	36 21 15	31 18 13	21 8 13	25.2 0.0 60.5	0.9 0.0 2.3	0. 0. 0.	157 246 33	79 64 100	34 43 20	21 16 15	15 15 15	15 15 15	15 15 15	
2/ 3/76 *	CAA	355 40	370 42	200 34	FLT IN NOT	TOT: CLR: CLR:	34 31 3	0 0 0	34 31 3	28 25 15	17 2 2	1.5 0.0 16.7	0.3 0.0 3.7	0. 0. 0.	118 122 81	36 86 83	48 42 103	21 19 12	13 13 13	13 13 13	13 13 13	
2/ 4/76	CAA	368 37	390 40	211 34	FLT IN NOT	TOT: CLR: CLR:	42 37 5	0 0 0	42 37 5	37 33 4	21 17 4	1.1 0.0 9.3	0.2 0.0 1.4	0. 0. 0.	113 119 65	69 100	41 39	25 20 15	17 17 17	17 17 17	17 17 17	
2/24/76 *	CAA	380 39	410 42	214 34	FLT IN NOT	TOT: CLR: CLR:	31 30 1	0 0 0	31 30 1	30 29 1	15 14 1	0.0 0.0 .4	0.0 0.0 1.0	0. 0. 0.	152 157 0	87 87 100	74 75 43	5 4 1	26 26 0	26 26 0	26 26 0	
2/25/76	CAA	374 39	390 41	208 34	FLT IN NOT	TOT: CLR: CLR:	36 35 1	0 0 0	36 35 1	33 32 1	26 25 1	0.0 0.0 1.2	0.0 0.0 1.0	0. 0. 0.	180 184 39	96 96 100	45 46 21	14 13 1	22 22 0	22 22 0	22 22 0	
2/28/76	CAA	359 38	390 40	213 34	FLT IN NOT	TOT: CLR: CLR:	37 28 9	0 0 0	37 28 9	37 29 9	31 22 9	4.2 0.0 17.4	0.5 0.0 2.0	0. 0. 0.	75 79 63	97 96 100	64 75 31	37 28 9	000 000 000	000 000 000	000 000 000	
2/ 8/79 *	CAB	332 37	371 41	195 35	FLT IN NOT	TOT: CLR: CLR:	9 3 6	9 3 6	4 1 3	2 1 1	0 0 0	11.3 0.0 17.0	1.3 0.0 2.0	.193E+05 .110E+04 .284E+05	47 46 47	79 82 73	194 366 23	9 3 6	000 000 000	000 000 000	000 000 000	
2/10/79 *	CAB	368 40	372 42	298 35	FLT IN NOT	TOT: CLR: CLR:	47 35 12	47 35 12	30 24 6	25 20 5	11 8 3	4.5 0.0 17.8	0.6 0.0 2.3	.133E+05 .336E+03 .512E+05	197 226 80	85 82 99	55 63 22	21 12 9	26 23 3	26 23 3	26 23 3	

IM/ID/IY	CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT						TROP N	STRAT N		
								CLD	PDS	OZ	H2O, H2S	% TIC PATCHES	PDS	OZ	RH	H2O									
<b>JFK-LAX (CONT.)</b>																									
2/11/79 *	CAB	364 40	370 42	199 35	FLT	TOT:	43	43	29	23	21	5	9.1 0.0	.4 0.0	.201E+05 .307E+03 .856E+05	190	83	43	19	24	24	24	0		
					IN CLR:	33	33	23	6	17	4	1	39.0	1.9		215	81	47	29	10					
					NOT CLR:	10	10	6	4	1						94	90								
2/16/79	CAB	356 38	391 40	282 34	FLT	TOT:	59	59	39	39	33	1	0.0 0.0	0.0 0.0	.330E+03 .602E+02 .160E+05	209	57	40	24	23	35	35	0		
					IN CLR:	58	58	39	0	33	0	0	2.4	1.0		209	57	40	0	0					
					NOT CLR:	1	1	0	0	0	0					0	0								
2/21/79 *	CAB	369 37	391 39	264 34	FLT	TOT:	43	43	27	15	14	14	19.4 0.0	1.4 0.0	.510E+05 .868E+02 .122E+06	108	100	33	32	15	11	10	1	1	
					IN CLR:	25	25	15	4	14	14						151	100	32	17					
					NOT CLR:	18	18	12	10	10	10	46.4	3.3		56	100	33								
2/24/79 *	CAB	345 38	370 42	235 34	FLT	TOT:	44	44	29	20	22	7	18.7 0.0	0.8 0.0	.588E+05 .126E+04 .182E+06	204	91	97	30	16	14	14	0		
					IN CLR:	30	30	20	9	17	5	2	58.9	2.4		264	90	47	267	14					
					NOT CLR:	14	14	9	5	2						72	92								
2/25/79	CAB	350 39	390 42	308 35	FLT	TOT:	53	53	30	22	11	11	20.7 0.0	1.3 0.0	.538E+05 .118E+04 .134E+06	216	91	72	38	17	15	15	0		
					IN CLR:	32	32	19	12	12	5					306	87	62							
					NOT CLR:	21	21	11	10	10	6	52.3	3.2		60	96	83								
2/28/79	CAB	385 39	391 41	268 35	FLT	TOT:	52	52	34	30	18	15	1.9 0.0	0.2 0.0	.985E+03 .725E+02 .119E+05	337	94	50	3	2	49	47	2		
					IN CLR:	48	48	31	27	15	3	24.1	2.5		358	94	50								
					NOT CLR:	4	4	3	3	3	3					120	100	47							
3/ 6/79 *	CAB	335 38	371 40	212 34	FLT	TOT:	37	37	25	18	12	13	10.8 0.0	0.4 0.0	.148E+05 .166E+03 .679E+05	178	91	66	27	19	10	10	0		
					IN CLR:	29	29	18	12	9	4	49.8	2.0		224	93	71								
					NOT CLR:	8	8	7	7	4						59	87	56							
3/ 8/79 *	CAB	367 38	410 41	194 34	FLT	TOT:	42	42	28	19	10	10	0.0 0.0	0.0 0.0	.127E+03 .127E+03	317	89	79	25	20	17	17	0		
					IN CLR:	42	42	28	19	10	0					317	89	79							
					NOT CLR:	0	0	0	0	0	0					0	0	0							
3/ 9/79	CAB	356 39	371 41	264 35	FLT	TOT:	47	47	29	27	27	10	3.4 0.0	0.1 0.0	.116E+05 .575E+03 .104E+06	327	69	35	10	3	37	35	2		
					IN CLR:	42	42	27	24	24	3	32.4	1.4		344	65	35								
					NOT CLR:	5	5	2	1	3	3					110	100	36							
3/ 9/79 *	CAB	369 37	410 39	281 34	FLT	TOT:	41	41	27	22	6	6	0.9 0.0	0.1 0.0	.524E+02 .535E+02 .311E+02	421	58	70	16	14	25	25	0		
					IN CLR:	39	39	26	21	21	0	18.0	2.0		434	60	73								
					NOT CLR:	2	2	1	1	0	0					87	11	15							
3/10/79	CAB	333 40	368 41	230 34	FLT	TOT:	9	9	4	1	1	1	10.5 0.0	1.4 0.0	.203E+05 .184E+04 .434E+05	213	100	41	4	4	5	5	0		
					IN CLR:	5	5	3	1	1	0					144	0	41							
					NOT CLR:	4	4	1	0	0	0	23.7	3.3												
3/15/79 *	CAB	366 36	371 39	302 34	FLT	TOT:	42	42	26	21	1	1	0.1 0.0	0.0 0.0	.265E+03 .122E+03 .614E+04	225	61	49	0	0	0	0	0		
					IN CLR:	41	41	26	21	1	0	5.1	2.0		225	61	49								
					NOT CLR:	1	1	0	0	0	0					0	0	0							
3/17/79 *	CAB	379 40	411 42	283 35	FLT	TOT:	41	41	26	22	12	5	23.2 0.0	1.2 0.0	.738E+05 .501E+03 .201E+06	299	81	32	14	11	27	23	4		
					IN CLR:	26	26	17	14	8	7	63.3	3.3		395	73	36								
					NOT CLR:	15	15	9	8	7					117	94	24	11							

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT				TROP N	STRAT N	
					CLD	PDS	OZ	H20, H2S	%TIC PATCHES	PDS	OZ	RH	H20						
<b>JFK-LAX (CONT.)</b>																			
3/23/79	CAB	377 39	391 41	202 34	FLT TOT: IN CLR: NOT CLR:	53 45 8	53 45 8	34 28 6	30 27 3	6 4 2	8.1 0.0 53.5	.3 0.0 2.1	.171E+05 .169E+03 .112E+06	345 391 131	76 76 79	102 108 48	12 4 8	41 41 0	
3/24/79 *	CAB	365 35	370 39	268 32	FLT TOT: IN CLR: NOT CLR:	46 45 1	46 45 1	30 29 1	26 25 1	1 1 0	.9 0.0 41.2	.0 0.0 2.0	.156E+03 .155E+03 .190E+03	324 335 20	67 69 25	157 160 89	3 2 1	43 43 0	
3/24/79	CAB	383 39	391 41	252 34	FLT TOT: IN CLR: NOT CLR:	51 51 0	51 51 0	33 33 0	28 28 0	4 4 0	0.0 0.0 0.0	0.0 0.0 0.0	.149E+03 .149E+03 0.	422 422 0	68 68 0	93 93 0	2 2 0	49 49 0	
3/26/79	CAB	374 38	391 40	238 34	FLT TOT: IN CLR: NOT CLR:	57 57 0	57 57 0	37 37 0	32 32 0	1 1 0	0.0 0.0 0.0	0.0 0.0 0.0	.422E+03 .422E+03 0.	257 257 0	64 64 0	28 28 0	7 7 0	50 50 0	
3/27/79 *	CAB	366 40	371 42	236 35	FLT TOT: IN CLR: NOT CLR:	43 31 12	43 31 12	25 18 7	13 10 3	6 3 3	15.6 0.0 56.0	1.0 0.0 3.7	.774E+05 .728E+03 .276E+06	214 268 76	74 66 100	43 42 49	17 18 9	26 23 3	
3/28/79	CAB	380 38	391 40	201 34	FLT TOT: IN CLR: NOT CLR:	59 44 15	59 44 15	38 28 10	32 23 9	12 6 6	18.7 0.0 73.4	.7 0.0 2.9	.756E+05 .549E+03 .296E+06	258 302 133	79 72 97	27 30 19	17 12 5	42 32 10	
5/12/76 *	CAA	382 41	410 43	188 34	FLT TOT: IN CLR: NOT CLR:	49 46 3	0 0 0	31 28 3	0 0 0	0 0 0	1.5 0.0 24.4	0.0 0.0 0.7	0. 0. 0.	299 307 230	0 0 0	0 0 0	18 15 3	31 31 0	
5/16/76	CAA	372 39	390 42	206 35	FLT TOT: IN CLR: NOT CLR:	48 47 1	0 0 0	30 29 1	39 38 1	3 2 1	1.0 0.0 49.4	.1 0.0 3.0	0. 0. 0.	265 271 94	31 29 100	74 73 131	27 26 1	21 21 0	
5/12/79	BDB	363 37	391 40	233 34	FLT TOT: IN CLR: NOT CLR:	55 52 3	55 52 3	0 0 0	29 26 3	2 2 2	.8 0.0 15.6	.2 0.0 4.3	.273E+05 .325E+03 .495E+06	0 0 0	34 27 97	45 33 144	21 18 3	34 34 0	
5/27/79 *	BDB	357 37	370 39	236 34	FLT TOT: IN CLR: NOT CLR:	48 47 1	48 47 1	30 30 0	24 24 0	4 4 0	.5 0.0 22.4	.2 0.0 10.0	.317E+04 .323E+04 .114E+03	233 233 0	49 49 0	50 50 0	30 29 1	18 18 0	
6/17/78	CAB	391 37	420 40	241 34	FLT TOT: IN CLR: NOT CLR:	54 39 15	54 39 15	34 25 9	29 21 8	7 5 5	9.3 0.0 33.3	.3 0.0 2.9	.173E+05 .315E+03 .614E+05	55 54 56	81 76 96	44 42 47	54 39 15	0 0 0	
6/23/78 *	CAB	379 36	410 39	271 34	FLT TOT: IN CLR: NOT CLR:	46 33 13	46 33 13	30 22 8	19 16 3	8 5 3	11.9 0.0 42.1	.7 0.0 2.5	.198E+05 .171E+03 .696E+05	99 102 92	50 40 100	42 41 48	42 29 13	44 40 0	
6/24/78	CAB	386 38	391 40	249 34	FLT TOT: IN CLR: NOT CLR:	54 47 7	54 47 7	32 29 3	30 27 3	0 0 0	2.6 0.0 19.9	.5 0.0 4.1	.275E+05 .236E+02 .212E+06	97 96 108	45 43 55	24 24 23	49 43 6	54 41 1	

DEP-ARR IM/DD/YY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT				TROP N	STRAT N	
					CLD	PD5	OZ	H2O, H2S	% TIC PATCHES	PD5	OZ	RH	H2O						
<b>JFK-LAX (CONT.)</b>																			
6/ 6/79	CAB	367 36	390 40	295 34	FLT IN NOT	TOT: 50 43 7	50 43 7	0 0	29 25 4	2 2	4.6 0.0	.2 0.0	.164E+05 .254E+04 .102E+06	0 0 0	39 34 69	38 32 75	50 43 7	0 0	
7/ 2/78	CAB	375 38	391 40	288 34	FLT IN NOT	TOT: 51 42 9	51 42 9	33 29 4	30 25 5	0 0	4.7 0.0	.4 0.0	.856E+04 .567E+02 .482E+05	71 68 87	7 7 5	8 8 10	51 42 9	0 0	
7/17/78 *	CAB	380 40	410 42	285 35	FLT IN NOT	TOT: 47 43 4	47 43 4	31 29 2	27 26 1	0 0	.9 0.0	.2 0.0	.174E+04 .270E+02 .202E+05	106 107 81	23 23 16	28 28 12	41 37 4	6 6 0	
7/20/78 *	CAB	362 39	373 41	197 34	FLT IN NOT	TOT: 48 36 12	48 36 12	32 24 8	28 21 7	0 0	2.3 0.0	.7 0.0	.349E+04 .850E+02 .137E+05	109 111 105	48 47 50	93 102 65	48 36 12	0 0 0	
7/21/78	CAB	369 38	391 40	241 34	FLT IN NOT	TOT: 48 35 13	48 35 13	30 20 10	23 15 8	5 3	4.9 0.0	.6 0.0	.698E+04 .415E+02 .257E+05	111 115 103	66 51 92	75 72 82	48 35 13	0 0 0	
7/23/78 *	CAB	379 40	410 42	289 35	FLT IN NOT	TOT: 43 39 4	43 39 4	27 24 3	22 22 0	0 0	.7 0.0	.1 0.0	.452E+04 .465E+02 .481E+05	85 84 95	21 21 0	18 18 0	43 39 4	0 0 0	
11/ 9/78 *	BBB	346 39	370 41	212 35	FLT IN NOT	TOT: 47 34 13	47 34 13	30 23 7	23 18 5	2 2	10.5 0.0	.5 0.0	.210E+05 .385E+01 .760E+05	43 42 47	61 53 91	40 38 49	47 34 13	0 0 0	
<b>JFK-LHR</b>																			
1/24/76 *	BBA	349 53	370 57	211 41	FLT IN NOT	TOT: 47 36 11	0 0	47 36 11	0 0	0 0	11.5 0.0	.6 0.0	0 0	215 268 41	0 0 0	0 0 0	21 26 11	26 0	
1/25/76	BBA	326 50	330 52	206 41	FLT IN NOT	TOT: 36 26 10	0 0	36 26 10	0 0	0 0	8.9 0.0	.8 0.0	0 0	36 33 41	0 0 0	0 0 0	36 26 10	0 0	
1/26/76 *	BBA	368 46	390 50	201 41	FLT IN NOT	TOT: 42 31 11	0 0	42 31 11	0 0	0 0	9.9 0.0	.6 0.0	0 0	78 83 62	0 0 0	0 0 0	42 31 11	0 0	
1/29/76	BBA	362 48	371 51	212 41	FLT IN NOT	TOT: 43 33 10	0 0	43 33 10	0 0	0 0	14.4 0.0	.5 0.0	0 0	204 250 54	0 0 0	0 0 0	26 16 10	17 0	
1/30/76 *	BBA	354 53	390 57	209 42	FLT IN NOT	TOT: 52 40 12	0 0	52 40 12	0 0	0 0	11.8 0.0	.6 0.0	0 0	283 354 44	0 0 0	0 0 0	25 13 12	27 27 0	

DEP-ARR IM/DD/YR	CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT						TROP N	STRAT N
								CLD	PDS	OZ	H2O, H2S	% TIC PATCHES	PDS	OZ	RH	H2O					
<b>JFK-LHR (CONT.)</b>																					
1/ 5/79 * BBB	319	351	201	41	46	51	41	FLT TOT:	78	0	50	40	2	13.2	.9	0.	61	58	76	57	21
					IN CLR:	50	0	32	24	0	18	16	2	0.0	0.9	0.	79	45	60	29	21
					NOT CLR:	28	0	18	16	0	0	0	2	36.8	2.5	0.	30	79	102	28	0
1/ 8/79 BBB	352	371	254	42	51	55	42	FLT TOT:	56	0	36	18	0	43.4	.6	0.	185	52	25	23	33
					IN CLR:	25	0	18	13	0	0	0	0	0.0	0.0	0.	329	39	14	1	24
					NOT CLR:	31	0	18	15	0	0	0	0	78.3	1.0	0.	41	86	53	22	9
1/ 9/79 * BBB	348	391	197	41	46	52	41	FLT TOT:	75	0	49	43	5	40.0	1.4	0.	90	63	34	52	23
					IN CLR:	31	0	19	18	0	0	0	5	0.0	0.0	0.	157	33	21	9	22
					NOT CLR:	44	0	30	25	0	0	0	5	68.2	2.4	0.	47	86	44	43	1
2/ 9/79 BBB	338	370	255	41	46	50	41	FLT TOT:	64	0	42	27	2	0.0	0.0	0.	302	33	48	110	63
					IN CLR:	63	0	42	27	0	0	0	2	0.0	0.0	0.	302	33	48	0	62
					NOT CLR:	1	0	0	0	0	0	0	2	1.2	1.0	0.	0	0	0	0	1
2/14/79 * BBB	364	390	251	42	53	57	42	FLT TOT:	68	0	46	35	0	0.2	0.0	0.	443	20	28	8	60
					IN CLR:	67	0	46	34	0	0	0	0	0.0	0.0	0.	443	21	28	25	60
					NOT CLR:	1	0	0	1	0	0	0	0	14.9	3.0	0.	0	17	25	1	0
2/16/79 BBB	329	351	211	41	47	51	41	FLT TOT:	60	0	37	36	0	22.0	.6	0.	215	41	48	30	30
					IN CLR:	38	0	24	22	0	0	0	0	0.0	0.0	0.	304	20	33	21	29
					NOT CLR:	22	0	13	14	0	0	0	0	59.9	1.7	0.	52	74	72	21	1
3/20/76 * BBA	371	392	200	42	53	57	42	FLT TOT:	48	0	48	0	0	19.1	.8	0.	376	0	0	27	21
					IN CLR:	35	0	35	0	0	0	0	0	0.0	0.0	0.	486	0	0	14	10
					NOT CLR:	13	0	13	0	0	0	0	0	70.4	3.1	0.	78	0	0	13	0
3/21/76 BBA	326	332	195	45	50	52	45	FLT TOT:	36	0	36	0	0	29.5	1.1	0.	142	0	0	36	0
					IN CLR:	18	0	18	0	0	0	0	0	0.0	0.0	0.	208	0	0	13	0
					NOT CLR:	18	0	18	0	0	0	0	0	58.9	2.2	0.	76	0	0	18	0
3/22/76 * BBA	369	390	209	41	46	51	41	FLT TOT:	50	0	50	0	0	12.3	.6	0.	226	0	0	31	19
					IN CLR:	38	0	38	0	0	0	0	0	0.0	0.0	0.	276	0	0	19	0
					NOT CLR:	12	0	12	0	0	0	0	0	51.4	2.3	0.	66	0	0	12	0
3/23/76 BBA	322	331	196	41	50	53	41	FLT TOT:	38	0	38	0	0	0.0	0.0	0.	174	0	0	38	0
					IN CLR:	33	0	38	0	0	0	0	0	0.0	0.0	0.	174	0	0	38	0
					NOT CLR:	0	0	0	0	0	0	0	0	0.0	0.0	0.	0	0	0	0	0
3/ 9/79 BBB	352	360	217	42	49	52	42	FLT TOT:	61	0	39	32	0	13.1	.7	0.	185	52	24	44	17
					IN CLR:	44	0	29	25	0	7	0	0	0.0	0.0	0.	223	46	23	28	16
					NOT CLR:	17	0	10	7	0	0	0	0	47.0	2.4	0.	74	77	30	16	1
3/15/79 * BBB	326	331	221	41	50	53	41	FLT TOT:	71	0	46	37	7	5.5	.5	0.	188	75	61	0	0
					IN CLR:	58	0	37	29	0	8	1	1	0.0	0.0	0.	219	74	68	0	0
					NOT CLR:	13	0	9	8	0	1	0	1	30.3	3.0	0.	63	80	39	0	0
4/10/76 BBA	336	371	202	41	49	52	41	FLT TOT:	40	0	40	0	0	6.9	.3	0.	147	0	0	40	0
					IN CLR:	37	0	37	0	0	3	0	0	0.0	0.0	0.	149	0	0	37	0
					NOT CLR:	3	0	3	0	0	0	0	0	91.5	3.7	0.	113	0	0	37	0

**APPENDIX B**

DEP-ARR IM/DD/YR	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT				TROP N	STRAT N
					CLD	PDS	OZ	H20, H2S	%TIC PATCHES	PDS	OZ	RH	H20					
<b>JFK-LHR (CONT.)</b>																		
4/11/76 * BBA	342 52	390 56	201 41	FLT TOT: IN CLR: NOT CLR:	49 42 7	0 0 0	49 42 7	0 0 0	0 0 0	7.1 0.0 50.0	0.4 0.0 2.9	0. 0. 0.	266 297 63	0 0 0	0 0 0	27 20 7	22 22 0	
4/18/76 BBA	324 49	340 53	204 41	FLT TOT: IN CLR: NOT CLR:	38 33 5	0 0 0	38 33 5	0 0 0	0 0 0	0.9 0.0 6.6	0.7 0.0 5.2	0. 0. 0.	331 316 428	0 0 0	0 0 0	20 18 2	18 15 3	
5/13/77 AAA	387 47	390 51	308 41	FLT TOT: IN CLR: NOT CLR:	64 62 2	64 62 2	42 41 1	0 0 0	0 0 0	0.4 0.0 13.1	0.1 0.0 2.5	.317E+04 .409E+01 .101E+06	563 570 292	0 0 0	0 0 0	2 1 1	62 61 1	
5/14/77 * AAA	397 53	430 57	201 41	FLT TOT: IN CLR: NOT CLR:	73 73 0	73 73 0	47 47 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.421E+02 .421E+02 0.	524 524 0	0 0 0	0 0 0	3 3 0	70 70 0	
5/15/77 AAA	369 46	371 51	308 41	FLT TOT: IN CLR: NOT CLR:	61 61 0	61 61 0	40 40 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.223E+02 .223E+02 0.	346 346 0	0 0 0	0 0 0	20 20 0	41 41 0	
5/15/77 * AAA	388 54	391 58	280 42	FLT TOT: IN CLR: NOT CLR:	72 72 0	72 72 0	49 49 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.889E+01 .889E+01 0.	418 418 0	0 0 0	0 0 0	1 1 0	71 71 0	
5/30/77 AAA	397 49	410 52	338 42	FLT TOT: IN CLR: NOT CLR:	28 28 0	0 0 0	0 0 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	0 0 0	0 0 0	0 0 0	2 2 0	26 26 0	
5/31/77 * AAA	408 52	420 56	320 43	FLT TOT: IN CLR: NOT CLR:	39 39 0	39 39 0	26 26 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.851E+01 .851E+01 0.	450 450 0	0 0 0	0 0 0	3 3 0	36 36 0	
5/12/79 * BDB	338 50	371 53	213 41	FLT TOT: IN CLR: NOT CLR:	66 50 16	66 50 16	0 0 0	32 25 7	4 1 3	1.8 0.0 7.6	0.5 0.0 2.3	.199E+05 .246E+04 .744E+05	0 0 0	54 42 95	74 68 98	57 41 16	9 9 0	
5/21/79 * BDB	346 51	370 54	219 41	FLT TOT: IN CLR: NOT CLR:	76 55 21	76 55 21	49 37 12	45 31 14	7 1 6	3.0 0.0 11.0	0.8 0.0 3.0	.506E+05 .377E+04 .173E+06	246 300 81	59 45 89	76 59 115	46 27 21	28 28 0	
5/24/79 BDB	353 49	370 52	249 42	FLT TOT: IN CLR: NOT CLR:	63 50 13	63 50 13	41 33 8	29 22 7	11 5 6	4.6 0.0 22.5	0.7 0.0 3.5	.623E+05 .423E+04 .286E+06	258 298 94	68 58 99	53 39 95	39 26 13	24 24 0	
5/30/79 BDB	336 49	370 52	276 41	FLT TOT: IN CLR: NOT CLR:	66 45 21	66 45 21	42 28 14	35 26 9	0 0 0	5.7 0.0 17.8	0.7 0.0 2.3	.860E+05 .414E+04 .261E+06	218 275 103	29 27 33	28 21 46	48 27 21	18 18 0	
6/ 5/79 * BDB	362 49	390 52	201 41	FLT TOT: IN CLR: NOT CLR:	72 51 21	72 51 21	45 33 12	36 25 11	19 9 10	4.7 0.0 16.1	0.9 0.0 3.0	.799E+05 .622E+04 .259E+06	189 227 85	77 67 99	70 80 47	42 24 18	30 27 3	

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT				TROP N	STRAT N	
					CLD	PD5	OZ	H2O, H2S	% TIC PATCHES	PD5	OZ	RH	H2O						
<b>JFK-LHR (CONT.)</b>																			
6/ 6/79	BDB	355 49	370 52	264 41	FLT IN NOT CLR:	66 45 21	66 45 21	42 32 10	31 24 7	9 45	5.6 0.0 17.6	.9 0.0 2.8	.954E+05 .148E+05 .268E+06	226 266 95	63 54 94	55 54 59	34 21 13	32 24 8	
9/ 7/76 *	BBA	360 50	390 53	281 42	FLT IN NOT CLR:	69 69 0	0 0 0	43 43 0	0 0 0	0 0 0	0.0 0.0 0.0	0 0 0	0 0 0	86 86 0	0 0 0	0 0 0	51 51 0	18 18 0	
9/ 8/76	BBA	343 52	370 55	227 41	FLT IN NOT CLR:	64 64 0	0 0 0	41 41 0	0 0 0	0 0 0	0.0 0.0 0.0	0 0 0	0 0 0	128 128 0	0 0 0	0 0 0	37 37 0	27 27 0	
9/ 9/76 *	BBA	344 48	370 52	199 41	FLT IN NOT CLR:	73 73 0	0 0 0	48 48 0	0 0 0	0 0 0	0.0 0.0 0.0	0 0 0	0 0 0	93 93 0	0 0 0	0 0 0	52 52 0	21 21 0	
9/10/76 *	BBA	346 51	365 55	193 39	FLT IN NOT CLR:	81 81 0	0 0 0	54 54 0	0 0 0	0 0 0	0.0 0.0 0.0	0 0 0	0 0 0	98 98 0	0 0 0	0 0 0	64 64 0	17 17 0	
9/11/76	BBA	357 52	369 56	227 41	FLT IN NOT CLR:	70 70 0	0 0 0	42 42 0	0 0 0	0 0 0	0.0 0.0 0.0	0 0 0	0 0 0	90 90 0	0 0 0	0 0 0	60 60 0	10 10 0	
9/12/76 *	BBA	354 48	390 52	195 41	FLT IN NOT CLR:	69 69 0	0 0 0	45 45 0	0 0 0	0 0 0	0.0 0.0 0.0	0 0 0	0 0 0	83 83 0	0 0 0	0 0 0	57 57 0	12 12 0	
9/15/76	BBA	341 49	349 53	251 41	FLT IN NOT CLR:	63 63 0	0 0 0	42 42 0	0 0 0	0 0 0	0.0 0.0 0.0	0 0 0	0 0 0	74 74 0	0 0 0	0 0 0	61 61 0	nn nn 0	
9/22/76 *	BBA	337 48	370 53	200 41	FLT IN NOT CLR:	70 69 1	0 0 0	42 41 1	0 0 0	0 0 0	0.0 0.0 0.4	0 0 1.0	0 0 0	80 81 41	0 0 0	0 0 0	0 0 0	0 0 0	
9/28/77 *	ABA	397 53	410 56	268 42	FLT IN NOT CLR:	76 76 0	0 0 0	49 49 0	0 0 0	0 0 0	0.0 0.0 0.0	0 0 0	0 0 0	208 208 0	0 0 0	0 0 0	17 17 0	59 59 0	
10/ 9/77 *	BCB	343 54	370 57	268 46	FLT IN NOT CLR:	68 39 29	68 39 29	0 0 0	0 0 0	0 0 0	21.5 0.0 50.4	0 0 0	0 0 0	.581E+05 .741E+01 .136E+06	0 0 0	0 0 0	0 0 0	43 16 27	25 23 2
10/11/77	BCB	306 55	331 62	235 42	FLT IN NOT CLR:	59 35 24	59 35 24	0 0 0	0 0 0	0 0 0	25.8 0.0 63.5	0 0 0	0 0 0	.845E+05 .310E+02 .208E+06	0 0 0	0 0 0	0 0 0	53 29 24	66 0 0
10/ 1/78 *	BBB	342 48	370 52	200 41	FLT IN NOT CLR:	75 65 10	75 65 10	49 43 6	0 0 0	0 0 0	2.6 0.0 19.8	.4 0.0 2.8	0 0 0	.124E+05 .326E+03 .906E+05	74 76 60	0 0 0	0 0 0	75 65 10	0 0 0

APPENDIX B

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT						TROP N	STRAT N	
					CLD	PD5	OZ	H2O, H2S	% TIC PATCHES	PD5	OZ	RH	H2O						
<b>JFK-LHR (CONT.)</b>																			
10/10/78 * BBB	349	371	220	41	FLT IN NOT	TOT CLR:	67	67	43	0	0	11.5	.7	.462E+05	219	0	0	29	38
	51	53	41		52	52	34	9	0	0	0	0.0	0.0	.110E+02	262	0	0	14	38
					15	15	9				51.3	3.2		.206E+06	55	0	0	15	0
10/11/78 BBB	352	371	199	41	FLT IN NOT	TOT CLR:	68	68	43	0	0	.9	.1	.340E+03	177	0	0	0	34
	48	51	41		66	66	42	1	0	0	0.0	0.0	.182E+03	179	0	0	0	33	
					2	2	1				30.6	3.0	.555E+04	82	0	0	0	1	
10/12/78 * BBB	339	371	230	41	FLT IN NOT	TOT CLR:	68	68	43	0	0	5.0	.7	.681E+04	99	0	0	0	58
	50	54	41		56	56	37	6	0	0	0.0	0.0	.271E+03	105	0	0	0	48	
					12	12	6				28.4	3.8	.374E+05	65	0	0	0	10	
10/16/78 * BBB	336	351	201	41	FLT IN NOT	TOT CLR:	67	67	44	0	0	24.8	.7	.604E+05	66	0	0	0	67
	48	52	41		42	42	29	15	0	0	0.0	0.0	.796E+02	70	0	0	0	42	
					25	25	15				66.5	1.9	.162E+06	57	0	0	0	0	
10/18/78 BBB	361	371	272	41	FLT IN NOT	TOT CLR:	60	60	38	0	0	4.2	.8	.219E+05	140	0	0	0	18
	52	55	41		47	47	31	7	0	0	0.0	0.0	.219E+03	146	0	0	0	13	
					13	13	7				19.2	3.7	.100E+06	111	0	0	0	5	
10/19/78 * BBB	353	371	206	41	FLT IN NOT	TOT CLR:	72	72	45	0	0	17.1	1.0	.580E+05	132	0	0	0	44
	49	52	41		47	47	30	15	0	0	0.0	0.0	.348E+02	170	0	0	0	19	
					25	25	15				49.3	2.9	.167E+06	56	0	0	0	25	
10/20/78 BBB	333	341	199	41	FLT IN NOT	TOT CLR:	62	62	38	0	0	12.8	1.2	.532E+05	92	0	0	0	48
	50	53	41		41	41	23	15	0	0	0.0	0.0	.114E+02	119	0	0	0	28	
					21	21	15				37.7	3.5	.157E+06	52	0	0	0	20	
10/30/78 * BBB	332	350	220	41	FLT IN NOT	TOT CLR:	75	75	48	44	1	.9	.2	.205E+04	188	37	42	0	46
	53	57	41		68	68	44	4	3	0	0.0	0.0	.172E+02	201	33	38	0	46	
					7	7	4				9.5	2.6	.218E+05	51	93	100	0	7	
11/21/77 BCB	345	351	262	41	FLT IN NOT	TOT CLR:	71	71	47	0	0	15.0	0.0	.221E+05	127	0	0	0	49
	52	55	41		42	42	27	20	0	0	0.0	0.0	.323E+02	173	0	0	0	20	
					29	29	20				36.7	0.0	.540E+05	65	0	0	0	29	
11/ 2/78 BBB	327	350	232	41	FLT IN NOT	TOT CLR:	59	59	38	30	0	.7	.1	.115E+03	168	32	40	0	19
	49	53	41		57	57	37	29	1	0	0.0	0.0	.921E+02	172	31	28	0	19	
					2	2	1				21.8	2.5	.765E+03	4	51	402	0	0	
11/21/78 * BBB	326	370	193	41	FLT IN NOT	TOT CLR:	80	80	55	44	0	2.8	.6	.126E+05	150	35	35	0	37
	52	56	41		68	68	47	38	6	0	0.0	0.0	.314E+02	169	28	27	0	43	
					12	12	8				19.0	4.3	.840E+05	36	80	87	0	0	
12/ 6/78 BBB	326	331	255	41	FLT IN NOT	TOT CLR:	61	61	37	30	0	1.8	.1	.159E+05	200	26	59	0	21
	48	51	41		58	58	35	30	0	0	0.0	0.0	.132E+02	208	26	59	0	40	
					3	3	2	0	0		37.5	1.7	.323E+06	55	0	0	0	3	
12/16/78 * BBB	343	370	219	41	FLT IN NOT	TOT CLR:	71	71	45	41	11	15.3	.9	.432E+05	154	64	33	0	0
	51	53	41		49	49	31	29	12	10	0.0	0.0	.204E+02	206	50	45	0	0	
					22	22	14				49.5	3.0	.139E+06	40	97	45	0	0	

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT				TROP N	STRAT N	
					CLD	PDS	OZ	H2O, H2S	%TIC PATCHES	PDS	OZ	RH	H2O						
<b>JFK-LHR (CONT.)</b>																			
12/26/78	BBB	342 47	351 51	244 41	FLT IN NOT	TOT: CLR: CLR:	62 61 1	62 61 1	0 0 0	33 33 0	0 0 0	.5 0.0 32.9	0.0 0.0 1.0	.832E+02 .846E+02 0.	0 0 0	27 27 0	47 47 0	0 0 0	0 0 0
<b>JFK-BRD</b>																			
2/28/76 *	CAA	331 42	370 42	212 41	FLT IN NOT	TOT: CLR: CLR:	8 7 1	0 0 0	8 7 1	7 6 1	6 5 1	6.3 0.0 50.6	0.0 0.0 0.0	0. 0. 0.	154 167 66	99 99 100	81 91 20	3 2 1	5 5 0
2/16/79 *	CAB	349 42	370 42	228 41	FLT IN NOT	TOT: CLR: CLR:	10 10 0	10 10 0	6 6 0	5 5 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.357E+02 .357E+02 0.	161 161 0	19 19 0	30 30 0	2 2 0	8 8 0
2/21/79	CAB	380 41	391 42	265 40	FLT IN NOT	TOT: CLR: CLR:	16 16 0	16 16 0	11 11 0	9 9 0	1 1 0	0.0 0.0 0.0	0.0 0.0 0.0	.551E+02 .551E+02 0.	273 273 0	83 83 0	44 44 0	1 1 0	15 15 0
3/ 6/79	CAB	386 41	411 41	284 40	FLT IN NOT	TOT: CLR: CLR:	12 10 2	12 10 2	8 7 1	4 4 0	2 2 0	6.5 0.0 39.0	0.0 0.0 0.0	.120E+05 .562E+02 .716E+05	431 447 317	95 95 0	139 139 0	2 2 0	10 8 2
3/15/79	CAB	380 41	411 41	217 40	FLT IN NOT	TOT: CLR: CLR:	15 14 1	15 14 1	9 9 0	6 5 1	0 0 0	.3 0.0 5.1	0.1 0.0 1.0	.275E+04 .746E+02 .402E+05	631 631 0	22 24 10	28 26 42	0 0 0	0 0 0
3/23/79 *	CAB	385 42	411 42	248 41	FLT IN NOT	TOT: CLR: CLR:	12 9 3	12 9 3	8 7 1	6 5 1	0 0 0	7.0 0.0 28.0	0.5 0.0 2.0	.178E+05 .230E+03 .706E+05	216 231 107	51 47 69	22 22 20	4 2 1	8 7 1
3/26/79 *	CAB	389 42	411 42	310 41	FLT IN NOT	TOT: CLR: CLR:	11 11 0	11 11 0	7 7 0	6 6 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.797E+03 .797E+03 0.	302 302 0	31 31 0	37 37 0	1 1 0	10 10 0
5/13/76	CAA	325 41	350 41	203 40	FLT IN NOT	TOT: CLR: CLR:	15 4 11	0 0 0	10 3 7	0 0 0	0 0 0	27.7 0.0 37.8	1.2 0.0 1.6	0. 0. 0.	80 80 79	0 0 0	0 0 0	15 4 11	0 0 0
6/20/78	CAB	337 41	390 41	191 40	FLT IN NOT	TOT: CLR: CLR:	12 11 1	12 11 1	8 8 0	7 6 1	0 0 0	.2 0.0 2.4	.2 0.0 2.0	.133E+04 .143E+04 .200E+03	117 117 0	40 35 76	124 138 39	12 11 1	0 0 0
6/26/78	CAB	293 43	390 43	210 42	FLT IN NOT	TOT: CLR: CLR:	21 12 9	21 12 9	15 8 7	8 8 0	2 2 0	17.0 0.0 39.7	.9 0.0 2.1	.506E+05 .682E+03 .117E+06	71 62 81	741542 741542 0	542 542 0	21 12 9	0 0 0
6/ 6/79 *	CAB	348 42	380 42	207 41	FLT IN NOT	TOT: CLR: CLR:	11 6 5	11 6 5	0 0 0	5 2 3	1 1 0	8.9 0.0 19.5	.5 0.0 1.0	.154E+05 .774E+04 .245E+05	0 0 0	48 70 34	181 54 265	11 6 5	0 0 0

APPENDIX B

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	FLT IN NOT	TOT: CLR: CLR:	NUMBER CLD	OF PD5	OBS 0Z H20, H2S	AVERAGES FOR THE FLIGHT %TIC PATCHES PD5				TROP N	STRAT N				
										DZ	RH	H20							
<b>JFK-GRD (CONT.)</b>																			
7/ 2/78 *	CAB	345 42	371 42	241 41	FLT IN NOT	TOT: CLR: CLR:	10 4 6	10 4 6	6 4	6 24	0 00	19.7 32.8	1.0 0.7	.294E+05 .624E+04 .449E+05	85 85 86	8 16	12 21	10 46	000
7/12/78 *	CAB	396 42	410 42	336 41	FLT IN NOT	TOT: CLR: CLR:	10 0	10 00	0 00	5 50	0 00	0.0 0.0	0.0 0.0	.604E+02 .604E+02 0.	00 00	11 10	8 80	4 40	660
7/12/78	CAB	335 42	351 43	264 42	FLT IN NOT	TOT: CLR: CLR:	13 12 1	13 12 1	8 80	7 70	0 00	.7 8.6	.20 0.0	.155E+03 .968E+02 .856E+03	75 75 70	12 120	21 210	13 121	000
7/17/78	CAB	352 41	391 41	247 40	FLT IN NOT	TOT: CLR: CLR:	13 11 2	13 11 2	9 81	5 41	0 00	3.6 0.0	1.1 0.0	.892E+04 .597E+01 .590E+05	214 202 309	30 36 10	219 269 19	13 112	000
<b>JFK-SFO</b>																			
2/ 1/76	BBA	369 42	390 43	211 38	FLT IN NOT	TOT: CLR: CLR:	35 33 2	0 00	35 33 2	0 00	0 00	2.1 0.0 36.5	0.0 0.05 0.	201 212 20	00 00	000 000	15 132	200	
2/ 2/77	AAA	421 43	430 45	196 38	FLT IN NOT	TOT: CLR: CLR:	55 55 0	55 55 0	0 00	45 45 0	1 10	0.0 0.0 0.0	0.0 0.0 0.	.267E+02 .267E+02 0.	00 00	23 230	22 220	3 30	520
2/ 8/79	CAB	367 41	391 43	253 38	FLT IN NOT	TOT: CLR: CLR:	55 43 12	55 43 12	35 27 8	32 24 8	NN0	11.7 0.0 53.6	.9 0.0 4.0	.640E+05 .945E+02 .293E+06	286 358 42	61 57 73	59 69 28	14 12	410
2/10/79	CAB	382 38	391 40	257 36	FLT IN NOT	TOT: CLR: CLR:	61 36 25	61 36 25	40 24 16	35 21 14	7 25	27.5 0.0 67.2	1.0 0.0 2.3	.898E+05 .200E+03 .219E+06	201 306 43	76 68 88	32 42 16	30 30	310
2/28/79 *	CAB	375 41	411 42	239 38	FLT IN NOT	TOT: CLR: CLR:	48 33 15	48 33 15	32 23 9	20 14 6	18 16	12.8 0.0 40.9	.5 0.0 1.5	.205E+05 .700E+03 .641E+05	291 359 119	95 93 100	45 55 23	11 13 8	370
3/18/76	BBA	334 40	351 41	203 38	FLT IN NOT	TOT: CLR: CLR:	38 22 16	0 00	38 22 16	0 00	0 00	18.8 0.0 44.7	1.6 0.0 3.7	0. 0. 0.	110 143 64	00 00 00	000 000 000	38 22 16	000
3/30/77	AAA	347 43	350 45	227 38	FLT IN NOT	TOT: CLR: CLR:	58 57 1	58 57 1	0 00	48 47 1	2 20	.1 0.0 5.1	0.0 0.0 0.	.138E+02 .140E+02 0.	00 00 0.	28 27 56	22 21 68	000	000
3/18/79	CAB	382 41	391 42	319 38	FLT IN NOT	TOT: CLR: CLR:	54 30 24	54 30 24	32 20 12	24 13 11	9 1	21.6 0.0 48.6	.9 0.0 2.0	.637E+05 .506E+03 .143E+06	300 422 96	66 69 98	23 30 16	25 32	292

DEP-ARR	IM/ID/IY	CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT			TROP N	STRAT N		
									CLD	FDS	OZ	H2O, H2S	% TIC PATCHES	PDS	OZ	RH	H2O				
<b>JFK-SFO (CONT.)</b>																					
5/ 4/77	AAA	414	435	242	38	42	43	38	FLT IN NOT CLR:	57 48 9	57 48 9	38 34 4	0 0 0	4.1 0.0 25.7	.2 0.0 1.4	.118E+05 .534E+02 .747E+05	302 324 117	0 0 0	21 12 9	36 36 0	
5/ 8/77 *	AAA	389	410	198	38	41	42	38	FLT IN NOT CLR:	50 49 1	50 49 1	31 31 0	0 0 0	1.1 0.0 53.7	.1 0.0 3.0	.456E+04 .199E+03 .218E+06	356 356 0	0 0 0	4 4 0	46 45 1	
5/18/77	AAA	396	430	241	38	42	43	38	FLT IN NOT CLR:	22 17 5	22 17 5	8 6 2	0 0 0	4.6 0.0 20.1	.6 0.0 2.8	.105E+05 .865E+02 .458E+05	236 309 20	0 0 0	5 4 1	17 13 4	
5/22/77 *	AAA	370	372	370	38	41	42	38	FLT IN NOT CLR:	24 13 11	24 13 11	16 10 6	0 0 0	17.8 0.0 38.9	1.2 0.0 2.6	.990E+05 .146E+03 .216E+06	121 148 75	0 0 0	18 18 10	6 5 1	
6/17/78 *	CAB	359	372	203	38	41	43	38	FLT IN NOT CLR:	45 32 13	45 32 13	29 20 9	25 19 6	3 0 3	6 0.0 47.2	.525E+05 .438E+04 .171E+06	107 132 52	66 56 97	191 49 641	45 32 13	
6/26/78 *	CAB	364	370	222	38	41	42	38	FLT IN NOT CLR:	44 40 4	44 40 4	29 26 3	25 24 1	0 0 0	6.0 0.0 66.1	.108E+05 .113E+03 .113E+06	123 128 80	32 31 37	77 35 1071	37 33 4	
6/27/78	CAB	364	391	287	35	37	39	35	FLT IN NOT CLR:	57 50 7	57 50 7	37 32 5	32 27 5	5 2 3	4.3 0.0 34.7	.117E+05 .421E+02 .953E+05	165 192 54	32 24 77	54 39 133	49 42 7	
6/ 2/79	CAB	372	391	210	37	43	45	37	FLT IN NOT CLR:	53 46 7	53 46 7	0 0 0	28 26 2	2 1 1	2.1 0.0 16.0	.569E+04 .340E+04 .207E+05	0 0 0	36 33 78	31 26 91	27 20 7	
6/ 7/79 *	CAB	359	370	250	38	41	42	38	FLT IN NOT CLR:	45 31 14	45 31 14	0 0 0	24 16 8	1 1 0	12.7 0.0 40.9	.518E+05 .189E+04 .162E+06	0 0 0	41 26 72	65 72 52	43 29 14	
6/ 8/79	CAB	364	391	274	38	40	41	38	FLT IN NOT CLR:	55 42 13	55 42 13	0 0 0	29 27 2	1 0 1	5.1 0.0 21.5	.142E+05 .590E+03 .581E+05	0 0 0	30 26 82	53 47 133	36 23 13	
7/ 3/77 *	ACA	407	410	318	38	41	42	38	FLT IN NOT CLR:	46 46 0	46 46 0	0 0 0	0 0 0	0.0 0.0 0.0	0. 0. 0.	0.	0 0 0	0 0 0	46 46 0	0 0 0	
7/13/78 *	CAB	376	410	309	38	41	42	38	FLT IN NOT CLR:	45 44 1	45 44 1	27 26 1	22 21 1	0 0 0	.1 0.0 3.5	.0. 0. 1.0	.143E+02 .146E+02 .0.	44 44 45	21 18 65	34 24 240	0 0 0
7/14/78	CAB	359	390	211	38	39	40	38	FLT IN NOT CLR:	56 53 3	56 53 3	33 33 0	19 19 0	0 0 0	3.9 0.0 73.3	.2 0.0 4.0	.140E+05 .219E+02 .262E+06	60 80 0	28 28 0	36 36 0	56 53 3

APPENDIX B

IM/ID/IY	CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT						TROP N	STRAT N
								CLD	PDS	OZ	H20, H2S	%TIC PATCHES	PDS	OZ	RH	H20					
<b>JFK-SFO (CONT.)</b>																					
9/28/77	ABA	419 40	430 40	231 38				FLT IN NOT	TOT: 54 CLR: 53 1	0 34 0 34 0	0 0 0 0 0	0.0 2.0 0.0	0.0 1.0 0.	0. 0. 0.		92 92 0	0 0 0	0 0 0	41 40 1	13 13 0	
10/ 2/77 *	ABA	384 40	410 41	315 38				FLT IN NOT	TOT: 23 CLR: 22 1	0 14 0 13 0 1	0 0 0 0 0	0.6 0.0 13.3	0.5 0.0 12.0	0. 0. 0.		107 109 79	0 0 0	0 0 0	23 22 1	0 0 0	
10/31/77 *	ABB	347 41	350 42	330 38				FLT IN NOT	TOT: 47 CLR: 32 15	47 30 32 20 10	0 0 0 0 0	12.8 0.0 40.1	1.8 0.0 5.7	.110E+06 .472E+02 .345E+06	90 117 37	0 0 0	0 0 0	36 21 15	11 11 0		
12/15/76	AAA	346 41	350 43	209 38				FLT IN NOT	TOT: 56 CLR: 45 11	0 36 0 29 0 7	0 0 0 0 0	6.5 0.0 33.2	0.3 0.0 1.7	0. 0. 0.		118 134 50	0 0 0	0 0 0	26 15 11	29 29 0	
12/19/76 *	AAA	411 41	430 42	224 38				FLT IN NOT	TOT: 47 CLR: 46 1	0 31 0 31 0 0	0 0 0 0 0	0.9 0.0 41.2	0.2 0.0 9.0	0. 0. 0.		189 189 0	0 0 0	0 0 0	3 2 1	44 44 0	
12/22/76	AAA	347 41	350 43	240 38				FLT IN NOT	TOT: 56 CLR: 39 17	0 27 0 16 0 11	0 0 0 0 0	19.2 0.0 63.1	0.9 0.0 3.1	0. 0. 0.		143 209 47	0 0 0	0 0 0	33 23 17	23 23 0	
12/26/76 *	AAA	404 41	411 42	202 39				FLT IN NOT	TOT: 46 CLR: 37 9	0 32 0 25 0 7	35 14 27 6 8	5.8 0.0 29.7	0.6 0.0 3.0	0. 0. 0.		234 279 76	72 63 100	19 21 13	2 2 0	44 35 9	
12/29/76	AAA	416 41	434 43	316 38				FLT IN NOT	TOT: 54 CLR: 53 1	0 0 0 0 0 0	0 0 0 0 0	0.3 0.0 17.3	0.1 0.0 3.0	0. 0. 0.		0 0 0	0 0 0	0 0 0	1 1 0	53 53 0	
<b>JFK-SNN</b>																					
1/27/76 *	BBA	362 49	391 53	201 41				FLT IN NOT	TOT: 44 CLR: 12 32	0 44 0 12 0 32	0 0 0 0 0	57.4 0.0 78.9	2.3 0.0 3.2	0. 0. 0.		116 329 37	0 0 0	0 0 0	37 35 32	7 7 0	
11/30/78 *	BBB	324 51	350 55	220 41				FLT IN NOT	TOT: 69 CLR: 53 16	69 44 53 34 10	38 3 29 0 9	8.5 0.0 36.5	0.5 0.0 2.1	.176E+05 .171E+02 .758E+05	166 204 38	35 48 91	18 20 138	26 10 16	43 43 0		
<b>JFK-YQX</b>																					
1/ 8/79 *	BBB	326 44	351 48	201 41				FLT IN NOT	TOT: 13 CLR: 10 13	0 8 0 8 0 8	8 5 8 5 8 5	88.8 0.0 88.8	3.0 0.0 3.0	0. 0. 0.		33 33 33	86 86 86	51 51 51	12 12 12	101	

DEP-ARR	IM/ID/IY	CODE	AVFL	EXH1	EXL0	ALAT	EXTN	EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT								TROP N	STRAT N		
									CLD	PD5	OZ	H2O, H2S	%TIC PATCHES	PD5	OZ	RH	H2O	PD5	OZ	RH	H2O	PD5	OZ	RH	H2O			
<b>JNB-MRU</b>																												
1/27/77 *	DDA	304 -24	310 -21	193 -26	FLT	TOT:	30	30	15	0	0	0	14.3	1.5	.124E+06	46	0	0	0	30	19	0	0	0	0	0	0	
					IN CLR:	19	19	12	3	0	0	0	0.0	0.0	.652E+01	47	0	0	0	11	11	0	0	0	0	0	0	
					NOT CLR:	11	11	3	0	0	0	0	38.9	4.0	.338E+06	43	0	0	0	11	11	0	0	0	0	0	0	
1/28/77	DDA	324 -22	330 -21	204 -24	FLT	TOT:	21	21	14	0	0	0	5.8	1.1	.164E+05	70	0	0	0	21	14	0	0	0	0	0	0	
					IN CLR:	14	14	9	5	0	0	0	0.0	0.0	.112E+02	68	0	0	0	14	14	0	0	0	0	0	0	
					NOT CLR:	7	7	5	0	0	0	0	17.3	3.4	.552E+05	73	0	0	0	14	14	0	0	0	0	0	0	
2/17/77 *	DDA	309 -24	310 -21	272 -26	FLT	TOT:	30	30	19	0	0	0	0.0	0.1	.744E+02	43	0	0	0	0	0	0	0	0	0	0	0	0
					IN CLR:	29	29	19	0	0	0	0	0.0	0.0	.117E+02	43	0	0	0	0	0	0	0	0	0	0	0	0
					NOT CLR:	1	1	0	0	0	0	0	1.2	3.0	.189E+04	0	0	0	0	0	0	0	0	0	0	0	0	0
2/18/77	DDA	338 -24	370 -21	255 -26	FLT	TOT:	35	35	23	0	0	0	1.3	0.2	.147E+03	48	0	0	0	0	0	0	0	0	0	0	0	0
					IN CLR:	33	33	21	2	0	0	0	0.0	0.0	.870E+01	46	0	0	0	0	0	0	0	0	0	0	0	0
					NOT CLR:	2	2	2	0	0	0	0	22.4	4.0	.244E+04	60	0	0	0	0	0	0	0	0	0	0	0	0
<b>KHI-THR</b>																												
3/16/79 *	BBB	289 30	291 34	250 26	FLT	TOT:	19	0	11	10	0	0	13.2	1.2	0.	54	46	204	19	36	0	0	0	0	0	0	0	0
					IN CLR:	13	0	8	7	0	0	0	0.0	0.0	.54	27	90	471	13	6	0	0	0	0	0	0	0	
					NOT CLR:	6	0	3	3	0	0	0	41.9	3.7	0.	54	92	471	13	6	0	0	0	0	0	0	0	
3/17/79	BBB	346 31	350 35	257 27	FLT	TOT:	23	0	4	13	1	0	5.1	0.7	0.	59	40	54	23	6	0	0	0	0	0	0	0	0
					IN CLR:	17	0	2	11	0	1	0	0.0	0.0	.60	30	34	165	17	6	0	0	0	0	0	0	0	
					NOT CLR:	6	0	2	2	1	1	0	19.5	2.5	0.	58	98	165	17	6	0	0	0	0	0	0	0	
10/ 9/77	BCB	385 30	390 34	311 26	FLT	TOT:	23	23	0	0	0	0	0.0	0.0	.711E+01	0	0	0	0	23	0	0	0	0	0	0	0	0
					IN CLR:	23	23	0	0	0	0	0	0.0	0.0	.711E+01	0	0	0	0	0	0	0	0	0	0	0	0	
					NOT CLR:	0	0	0	0	0	0	0	0.0	0.0	0.	0	0	0	0	0	0	0	0	0	0	0		
11/22/78 *	BBB	347 30	371 35	196 26	FLT	TOT:	19	19	11	9	0	0	1.2	0.4	.202E+02	93	30	18	14	1	0	0	0	0	0	0	0	0
					IN CLR:	18	18	11	9	0	0	0	0.0	0.0	.213E+02	93	30	18	14	1	0	0	0	0	0	0	0	
					NOT CLR:	1	1	0	0	0	0	0	22.0	7.0	0.	0	0	0	0	0	0	0	0	0	0	0		
11/23/78	BBB	385 30	390 35	294 25	FLT	TOT:	27	27	10	15	0	0	0.0	0.0	.155E+02	141	32	15	14	0	0	0	0	0	0	0	0	0
					IN CLR:	27	27	10	15	0	0	0	0.0	0.0	.155E+02	141	32	15	14	0	0	0	0	0	0	0	0	
					NOT CLR:	0	0	0	0	0	0	0	0.0	0.0	0.	0	0	0	0	0	0	0	0	0	0	0		
12/20/78 *	BBB	360 30	370 34	270 26	FLT	TOT:	20	20	11	10	1	0	0.0	0.0	.230E+02	164	37	31	0	0	0	0	0	0	0	0	0	
					IN CLR:	20	20	11	10	0	1	0	0.0	0.0	.230E+02	164	37	31	0	0	0	0	0	0	0	0		
					NOT CLR:	0	0	0	0	0	0	0	0.0	0.0	0.	0	0	0	0	0	0	0	0	0	0	0		
12/21/78	BBB	342 30	351 35	269 25	FLT	TOT:	20	20	10	6	0	0	0.7	0.2	.982E+01	81	45	28	0	0	0	0	0	0	0	0	0	0
					IN CLR:	19	19	9	5	1	1	0	0.0	0.0	.103E+02	87	49	28	0	0	0	0	0	0	0	0	0	
					NOT CLR:	1	1	1	1	0	0	0	13.7	3.0	0.	29	21	31	0	0	0	0	0	0	0	0	0	

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS		NUMBER OF OBS	AVERAGES FOR THE FLIGHT					TROP N	STRAT N						
							CLD	PDS	OZ	H2O, H2S	%TIC PATCHES	PDS	OZ	RH	H2O				
<b>KUL-MEL</b>																			
12/17/76	DDA	366 -19	370 1	241 -37	FLT	TOT:	78	0	0	0	0	0	0	0	0	0	0	0	
					IN CLR:		76	0	0	0	0	0	0	0	0	0	0	0	
					NOT CLR:		2	0	0	0	0	0	0	0	0	0	0	0	
12/18/76 *	DDA	329 -17	350 1	228 -36	FLT	TOT:	77	0	0	0	0	0	0	0	0	0	0	0	0
					IN CLR:		68	0	0	0	0	0	0	0	0	0	0	0	
					NOT CLR:		9	0	0	0	0	0	0	0	0	0	0	0	
<b>KUL-SYD</b>																			
12/17/76 *	DDA	338 -16	350 1	192 -33	FLT	TOT:	81	0	0	0	0	0	0	0	0	0	0	0	0
					IN CLR:		77	0	0	0	0	0	0	0	0	0	0	0	
					NOT CLR:		4	0	0	0	0	0	0	0	0	0	0	0	
12/18/76	DDA	366 -16	390 1	249 -34	FLT	TOT:	79	0	0	0	0	0	0	0	0	0	0	0	0
					IN CLR:		68	0	0	0	0	0	0	0	0	0	0	0	
					NOT CLR:		11	0	0	0	0	0	0	0	0	0	0	0	
<b>LAS-GRD</b>																			
1/29/76	CAA	360 40	410 42	211 37	FLT	TOT:	20	0	20	17	9	0	0	0	83	73	44	14	6
					IN CLR:		19	0	19	16	8	0	0	0	85	72	46	24	6
					NOT CLR:		1	0	1	1	1	0	0	0	37	100	24	13	0
1/29/76 *	CAA	372 38	390 42	202 36	FLT	TOT:	24	0	24	20	20	0	0	0	48	100	38	20	4
					IN CLR:		24	0	24	20	20	0	0	0	48	100	38	20	4
					NOT CLR:		0	0	0	0	0	0	0	0	0	0	0	0	
3/ 2/76 *	CAA	379 41	391 42	216 39	FLT	TOT:	17	0	17	16	9	26.8	.6	0	239	73	32	8	9
					IN CLR:		11	0	11	10	6	0	0	0	339	57	40	20	9
					NOT CLR:		6	0	6	6	6	76.0	1.8	0	55	100	20	6	0
3/ 3/76	CAA	354 40	390 42	212 37	FLT	TOT:	17	0	17	16	2	3.5	.1	0	323	51	41	5	12
					IN CLR:		16	0	16	16	0	0	0	340	51	41	0	12	
					NOT CLR:		1	0	1	0	0	60.0	2.0	0	43	0	0	0	0
3/30/76	CAA	381 39	410 41	224 37	FLT	TOT:	18	0	18	18	6	0	0	0	493	45	69	3	15
					IN CLR:		18	0	18	18	6	0	0	0	493	45	69	0	15
					NOT CLR:		0	0	0	0	0	0	0	0	0	0	0	0	
3/30/76 *	CAA	372 40	390 42	227 37	FLT	TOT:	19	0	19	19	2	0.6	.1	0	556	20	45	3	16
					IN CLR:		18	0	18	18	1	10.6	2.0	0	583	15	39	2	16
					NOT CLR:		1	0	1	1	1	10.6	2.0	0	65	100	160	1	0
4/12/76 *	CAA	377 41	390 42	220 39	FLT	TOT:	15	0	15	15	10	0	0	0	252	93	54	12	3
					IN CLR:		15	0	15	15	0	0.0	0.0	0	252	93	54	0	3
					NOT CLR:		0	0	0	0	0	0.0	0.0	0	0	0	0	0	

DEP-ARR  
IM/ID/IY CODE AVFL EXHI EXLO  
ALAT EXTN EXTS

NUMBER OF OBS  
CLD PDS ØZ H20, H2S

AVERAGES FOR THE FLIGHT  
%TIC PATCHES PDS

ØZ RH H20

TROP N STRAT N

LAS-ORD (CONT.)

4/20/76 *	CAA	373 40	390 42	210 37	FLT TOT: IN CLR: NOT CLR:	20 18 2	0 0 0	20 18 2	20 18 2	4 2 2	5.5 0.0 55.1	.4 0.0 3.5	0. 0. 0.	278 293 146	55 50 100	145 159 23	7 5 2	13 13 0
4/20/76	CAA	354 40	370 42	213 37	FLT TOT: IN CLR: NOT CLR:	19 13 6	0 0 0	19 13 6	19 13 6	8 2 6	21.7 0.0 68.8	.4 0.0 1.3	0. 0. 0.	141 158 106	88 83 100	159 120 244	19 13 6	0 0 0
5/ 6/76	CAA	354 40	392 42	211 37	FLT TOT: IN CLR: NOT CLR:	30 17 13	0 0 0	10 3 7	0 0 0	0 0 0	24.2 0.0 56.0	.8 0.0 1.9	0. 0. 0.	100 103 98	0 0 0	0 0 0	30 17 13	0 0 0
5/ 6/76 *	CAA	380 39	410 42	214 36	FLT TOT: IN CLR: NOT CLR:	34 34 0	0 0 0	22 22 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	166 166 0	0 0 0	0 0 0	25 25 0	9 9 0
5/ 8/76 *	CAA	374 40	390 42	215 36	FLT TOT: IN CLR: NOT CLR:	32 31 1	0 0 0	20 19 1	0 0 0	0 0 0	1.6 0.0 52.2	.1 0.0 2.0	0. 0. 0.	351 365 64	0 0 0	0 0 0	22 21 1	10 10 0
5/ 8/76	CAA	350 39	370 41	215 37	FLT TOT: IN CLR: NOT CLR:	27 24 3	0 0 0	16 15 1	0 0 0	0 0 0	.6 0.0 5.0	.3 0.0 2.3	0. 0. 0.	259 272 64	0 0 0	0 0 0	27 24 3	0 0 0
5/14/76	CAA	351 40	370 42	211 37	FLT TOT: IN CLR: NOT CLR:	24 24 0	0 0 0	14 14 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	113 113 0	0 0 0	0 0 0	24 24 0	0 0 0
5/14/76 *	CAA	373 39	390 42	215 36	FLT TOT: IN CLR: NOT CLR:	27 26 1	0 0 0	17 16 1	23 22 1	2 1 1	1.2 0.0 32.2	.3 0.0 7.0	0. 0. 0.	153 150 195	45 42 100	131 131 124	18 17 1	9 9 0

LAX-LHR

2/10/79 *	BBB	336 53	390 59	193 35	FLT TOT: IN CLR: NOT CLR:	96 69 27	0 0 0	63 45 18	50 36 14	10 4 6	13.8 0.0 49.0	.8 0.0 2.7	0. 0. 0.	190 244 56	51 38 82	27 25 31	54 54 27	42 42 0
5/21/79	BDB	352 53	371 62	286 35	FLT TOT: IN CLR: NOT CLR:	111 110 1	111 110 1	72 71 1	54 53 1	0 0 0	0.0 0.0 1.6	0.0 0.0 2.0	254E+04 135E+04 133E+06	383 387 164	32 31 84	46 46 30	31 31 0	80 79 1
11/15/78	BBB	349 48	370 57	250 34	FLT TOT: IN CLR: NOT CLR:	102 97 5	102 97 5	67 63 4	53 50 3	3 1 2	.5 0.0 10.4	.1 0.0 2.2	571E+01 601E+01 0.	186 194 57	28 24 96	57 55 90	35 30 5	67 67 0
11/17/78 *	BBB	350 59	390 70	260 35	FLT TOT: IN CLR: NOT CLR:	113 103 10	113 103 10	64 64 0	63 56 7	2 0 2	5.2 0.0 58.6	.2 0.0 2.6	133E+05 827E+01 150E+C6	256 256 0	37 31 68	28 15 132	27 17 10	86 86 0

IM/ID/IY	CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	CLD	PDS	NUMBER OF OBS				AVERAGES FOR XTIC PATCHES	THE FLIGHT PDS	0Z	RH	H20	TROP N	STRAT N	
										02	H26	H2S	02								
<b>LAX-LHR (CONT.)</b>																					
11/18/78	BBB	333 53	371 61	240 35	FLT	TOT:	98	98	66	44	4	3	1	9.8 0.0	.8 0.0	.255E+05 .141E+03	178 206	45	32	39 25	59 55
					IN CLR:	80	80	52	35	9				53.4 4.4		.138E+06	78	78	50	14	4
11/19/78 *	BBB	343 61	370 73	208 35	FLT	TOT:	109	109	71	54	1	0	1	2.4 0.0	.2 0.0	.583E+04 .297E+02	213 226	38	10	13 7	96 93
					IN CLR:	100	100	65	51	3				28.8 2.8		.703E+05	70	85	14	6	3
11/20/78	BBB	344 46	370 53	263 35	FLT	TOT:	100	100	65	56	5	5	0	1.6 0.0	.2 0.0	.164E+04 .286E+01	108 114	45	30	69 61	31 31
					IN CLR:	92	92	59	51	5				19.9 2.1		.204E+05	45	60	32	8	0
12/ 9/78	BBB	344 50	370 56	262 35	FLT	TOT:	112	112	73	56	2	1	1	1.7 0.0	.3 0.0	.611E+04 .650E+02	229 237	33	29	28 23	84 84
					IN CLR:	107	107	70	54	3	2	1		37.3 6.4		.135E+06	44	96	51	5	0
12/14/78	BBB	346 46	370 53	208 35	FLT	TOT:	105	105	66	49	11	5	6	5.8 0.0	.7 0.0	.293E+05 .206E+03	210 227	50	39	35 23	70 67
					IN CLR:	90	90	59	42	7	7	6		40.3 4.7		.204E+06	64	98	92	12	3
<b>LAX-NRT</b>																					
2/17/79 *	BBB	326 40	331 42	248 35	FLT	TOT:	94	0	62	50	0	0	0	11.5 0.0	1.0 0.0	0	92 104	40 49	24 27	94 73	00
					IN CLR:	73	0	48	39	11				51.5 4.3		0	49	85	42	21	00
5/25/79 *	BDB	347 39	370 41	245 35	FLT	TOT:	98	98	62	47	13	5	8	4.7 0.0	.5 0.0	.635E+05 .961E+04	133 150	63	103 94	83 62	15 15
					IN CLR:	77	77	47	36	11				21.9 2.5		.261E+06	82	97	135	21	0
5/31/79 *	BDB	348 41	370 44	191 34	FLT	TOT:	101	101	65	48	8	2	6	4.4 0.0	.4 0.0	.634E+05 .193E+05	141 166	53	75 44	85 67	16 16
					IN CLR:	83	83	52	39	9	2	6		24.5 2.1		.267E+06	42	92	180	18	0
11/ 3/78 *	BBB	348 44	370 50	252 35	FLT	TOT:	82	82	54	44	9	1	8	21.8 0.0	1.6 0.0	.572E+05 .281E+03	86 109	58	40 38	71 33	11 9
					IN CLR:	47	47	31	27	17				51.0 3.7		.134E+06	56	90	53	33	2
12/ 9/78 *	BBB	349 39	370 41	238 35	FLT	TOT:	94	94	63	51	9	6	3	3.0 0.0	.3 0.0	.322E+04 .495E+02	125 130	55	21 20	50 46	44 38
					IN CLR:	84	84	57	45	6	6	3		28.1 3.0		.298E+05	84	76	27	4	6
12/27/78 *	BBB	338 37	371 39	222 35	FLT	TOT:	104	104	0	45	0	0	0	1.2 0.0	.2 0.0	.241E+05 .174E+04	0	26	26	0	00
					IN CLR:	102	102	0	45	0	0	0		62.4 9.5		.116E+07	0	0	0	0	0

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT						TROP N	STRAT N
					CLD	PDS	OZ	H20, H2S	%TIC PATCHES	PDS	OZ	RH	H20							
<b>LAX-ORD</b>																				
1/30/76 * CAA 384 39	411 42	210 35	FLT TOT: IN CLR: NOT CLR:	29 26 3	0	29 26 3	25 23 2	2 1	6.1 0.0 58.6	0.1 0.0 .7	0. 0.0 0.			285 308 90	29 27 60	36 37 27	3 2	26 25 1		
2/11/76 * CAA 376 39	390 42	217 35	FLT TOT: IN CLR: NOT CLR:	24 24 0	0	24 24 0	0	0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0.0 0.			188 188 0	0 0 0	0 0 0	9 9 0	15 15 0		
2/11/76 CAA 386 37	410 41	268 34	FLT TOT: IN CLR: NOT CLR:	17 17 0	0	17 17 0	0	0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0.0 0.			173 173 0	0 0 0	0 0 0	4 4 0	13 13 0		
2/13/76 CAA 354 38	371 41	218 34	FLT TOT: IN CLR: NOT CLR:	18 18 0	0	18 18 0	0	0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0.0 0.			180 180 0	0 0 0	0 0 0	22 22 0	16 16 0		
2/13/76 * CAA 382 39	390 42	290 35	FLT TOT: IN CLR: NOT CLR:	25 25 0	0	25 25 0	0	0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0.0 0.			130 130 0	0 0 0	0 0 0	22 22 0	23 23 0		
2/27/76 CAA 330 39	370 41	209 34	FLT TOT: IN CLR: NOT CLR:	21 22 19	0	21 22 19	21 22 19	21 22 19	59.7 0.0 66.0	1.9 0.0 2.1	0. 0. 0.			39 19 41	100 100 100	137 584 90	21 2 19	0 0 0		
2/13/79 * CAB 370 38	391 41	211 34	FLT TOT: IN CLR: NOT CLR:	38 27 11	38 27 11	25 18 7	20 15 5	4 0 4	9.0 0.0 31.0	.9 0.0 3.0				587E+05 269E+03 202E+06	54 61 35	73 63 100	63 52 96	38 27 11	0 0 0	
2/21/79 * CAB 372 39	391 42	239 34	FLT TOT: IN CLR: NOT CLR:	40 31 9	40 31 9	25 20 5	20 17 3	15 12 3	7.6 0.0 33.6	.4 0.0 1.8				224E+05 504E+02 994E+05	286 344 57	91 89 100	68 74 35	16 7 9	24 24 0	
2/25/79 CAB 333 39	371 41	201 36	FLT TOT: IN CLR: NOT CLR:	40 31 9	40 31 9	26 21 5	19 15 4	12 8 4	5.5 0.0 24.5	.5 0.0 2.0				112E+05 235E+04 415E+05	102 104 93	79 74 100	127 152 31	35 26 9	55 55 0	
2/26/79 * CAB 344 39	379 42	236 34	FLT TOT: IN CLR: NOT CLR:	28 24 4	28 24 4	19 17 2	16 13 3	3 2 1	5.4 0.0 37.8	.2 0.0 1.5				797E+04 461E+03 530E+05	153 165 50	84 93 91	47 51 30	25 21 4	33 33 0	
3/ 6/76 CAA 348 38	370 41	203 34	FLT TOT: IN CLR: NOT CLR:	21 21 0	0 0 0	21 21 0	21 21 0	5 5 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0.0 0.			197 197 0	60 60 0	82 82 0	13 13 0	8 8 0		
3/ 6/76 * CAA 388 40	411 42	215 35	FLT TOT: IN CLR: NOT CLR:	22 22 0	0 0 0	22 22 0	22 22 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0.0 0.			348 348 0	29 28 0	32 32 0	22 22 0	20 20 0		
3/ 1/79 CAB 358 39	370 41	246 35	FLT TOT: IN CLR: NOT CLR:	25 12 13	25 12 13	13 8 7	11 6 5	10 5 5	24.9 0.0 48.0	1.2 0.0 2.3				478E+05 119E+04 .909E+05	181 278 33	100 100 100	39 55 20	5 1 4	20 11 9	

DEP-ARR IM/DD/YY	CODE	AVFL ALAT	EXHI EXTN	EXLD EXTS	NUMBER OF OBS							AVERAGES FOR THE FLIGHT				TROP N	STRAT N
					CLD	PD5	OZ	H2O, H2S	%TIC PATCHES	PD5	OZ	RH	H2O				
<b>LAX-ORD (CONT.)</b>																	
3/ 6/79 * CAB	385 39	391 42	321 35	FLT TOT: IN CLR: NOT CLR:	30 30 0	30 30 0	18 18 0	16 16 0	13 13 0	0.0 0.0 0.	0.0 0.0 0.	.113E+03 .113E+03 0.	413 413 0	90 90 0	80 80 0	1 1 0	29 29 0
3/ 7/79 * CAB	359 40	390 42	272 34	FLT TOT: IN CLR: NOT CLR:	7 7 0	7 7 0	3 3 0	0 0 0	0 0 0	0.0 0.0 0.	0.0 0.0 0.	.607E+02 .607E+02 0.	623 623 0	0 0 0	0 0 0	1 1 0	6 6 0
3/ 7/79 CAB	344 38	371 41	230 35	FLT TOT: IN CLR: NOT CLR:	11 11 0	9 9 0	6 6 0	4 4 0	1 1 0	0.0 0.0 0.	0.0 0.0 0.	.166E+03 .166E+03 0.	107 107 0	78 78 0	78 78 0	1 1 0	110 110 0
3/10/79 CAB	331 37	370 41	201 34	FLT TOT: IN CLR: NOT CLR:	11 11 0	10 10 0	5 5 0	6 6 0	2 2 0	0.0 0.0 0.	0.0 0.0 0.	.422E+03 .422E+03 0.	303 303 0	57 57 0	116 116 0	9 9 0	NNO NNO 0
3/11/79 * CAB	383 39	390 41	284 35	FLT TOT: IN CLR: NOT CLR:	29 28 1	29 28 1	19 18 1	18 17 1	6 6 0	3.4 0.0 98.8	0.0 0.0 1.0	.633E+04 .560E+02 .182E+06	160 164 84	84 86 63	64 61 110	4 3 1	25 25 0
3/15/79 * CAB	358 38	391 42	229 34	FLT TOT: IN CLR: NOT CLR:	36 30 6	36 30 6	20 18 2	20 16 4	3 2 1	2.3 0.0 13.5	0.4 0.0 2.7	.333E+05 .707E+04 .165E+06	191 193 171	74 75 74	36 25 78	0 0 0	000 000 0
3/17/79 * CAB	373 39	391 42	220 34	FLT TOT: IN CLR: NOT CLR:	36 26 10	36 26 10	22 16 6	18 16 2	3 1 2	13.6 0.0 48.9	0.4 0.0 1.3	.248E+05 .301E+03 .886E+05	365 463 104	54 48 100	34 33 39	13 13 10	23 23 0
3/20/79 * CAB	361 38	390 42	211 34	FLT TOT: IN CLR: NOT CLR:	36 24 12	36 24 12	24 16 8	21 14 7	7 1 6	15.8 0.0 47.5	0.7 0.0 2.0	.372E+05 .277E+03 .111E+06	278 391 51	62 46 94	56 48 72	11 11 5	25 18 7
3/26/79 CAB	363 38	391 41	240 35	FLT TOT: IN CLR: NOT CLR:	30 29 1	30 29 1	19 19 1	14 14 0	1 1 0	0.3 0.0 8.2	0.2 0.0 0.6	.873E+03 .800E+03 .299E+04	226 236 60	59 59 0	29 29 0	16 15 1	14 14 0
3/29/79 CAB	359 38	371 42	194 34	FLT TOT: IN CLR: NOT CLR:	31 29 2	31 29 2	20 19 1	13 13 0	3 3 0	3.9 0.0 60.4	0.8 0.0 2.5	.192E+05 .743E+03 .287E+06	261 270 89	84 84 0	55 55 0	16 14 0	150 150 0
4/29/76 * CAA	367 40	390 42	216 39	FLT TOT: IN CLR: NOT CLR:	9 9 0	0 0 0	9 9 0	9 9 0	8 8 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	183 183 0	95 95 0	77 77 0	9 9 0	000 000 0
5/ 1/76 CAA	362 39	371 42	252 34	FLT TOT: IN CLR: NOT CLR:	35 35 0	0 0 0	11 11 0	28 28 0	14 14 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	129 129 0	85 85 0	45 45 0	27 27 0	880 880 0
5/ 1/76 * CAA	343 39	351 42	218 35	FLT TOT: IN CLR: NOT CLR:	27 27 0	0 0 0	18 18 0	22 22 0	13 13 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	140 140 0	90 90 0	57 57 0	27 27 0	000 000 0

DEP-ARR TM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT				TROP N	STRAT N	
					CLD	PD5	OZ	H20, H2S	% TIC PATCHES	PD5	OZ	RH	H20						
<b>LAX-ORD (CONT.)</b>																			
5/ 3/76	CAA	358 38	370 41	209 34	FLT IN NOT	TOT: 33 12 21	0 0 0	18 4 14	27 9 18	21 3 18	20.8 0.0 32.7	1.4 0.2 2.2	0.0 0.0 0.0	104 100 106	88 65 100	47 89 26	29 8 21	440	
5/ 3/76 *	CAA	375 39	390 42	215 35	FLT IN NOT	TOT: 36 26 10	0 0 0	15 9 6	28 20 8	22 14 8	8.3 0.0 29.9	.4 0.0 1.6	0.0 0.0 0.0	231 283 152	91 83 100	51 40 78	30 20 10	660	
5/ 4/76 *	CAA	375 39	390 42	192 34	FLT IN NOT	TOT: 39 25 14	0 0 0	17 11 6	0 0 0	0 0 0	9.4 0.0 26.1	1.0 0.9 2.9	0.0 0.0 0.0	242 299 137	0 0 0	0 0 0	39 25 14	000	
5/ 4/76	CAA	385 39	410 42	218 34	FLT IN NOT	TOT: 34 31 3	0 0 0	11 11 0	27 24 3	19 16 3	.4 0.0 4.4	0.2 0.3 0.3	0.0 0.0 0.0	374 374 0	95 94 100	28 27 26	16 13 13	180	
5/ 5/76	CAA	358 38	410 41	209 34	FLT IN NOT	TOT: 27 11 16	0 0 0	15 5 10	0 0 0	0 0 0	15.1 0.0 25.6	1.2 0.0 2.1	0.0 0.0 0.0	175 262 131	0 0 0	0 0 0	27 11 16	000	
5/31/79 *	CAB	385 38	391 42	282 34	FLT IN NOT	TOT: 35 32 3	35 32 3	0 0 0	660 0 0	0 0 0	.7 0.0 0.8	.1 0.0 1.3	.147E+04 .495E+03 .119E+05	0 0 0	5660 5660 5660	50 50 50	642	228-	
6/18/78	CAB	363 39	371 41	281 35	FLT IN NOT	TOT: 30 15 15	30 15 15	19 9 10	16 10 0	NON	19.9 0.0 39.7	1.4 0.0 2.9	.240E+05 .125E+04 .467E+05	59 76 43	6936 6936 175	97 150 15	305	000	
6/21/78 *	CAB	345 37	351 41	236 34	FLT IN NOT	TOT: 36 35 1	36 35 1	22 22 0	21 21 0	0 0 0	.1 0.0 2.0	0.0 0.0 1.0	.257E+03 .179E+03 .299E+04	53 53 0	41 41 0	81 81 0	36351	000	
6/29/78 *	CAB	342 38	352 41	218 34	FLT IN NOT	TOT: 31 28 3	31 28 3	20 18 2	16 16 0	0 0 0	.8 0.8 0.8	.5 0.5 4.7	.201E+03 .214E+03 .850E+02	80 81 68	28 28 0	59 59 0	31263	000	
6/ 1/79	CAB	364 39	370 41	299 35	FLT IN NOT	TOT: 30 27 3	30 27 3	0 0 0	16 14 2	1 1 0	4.3 0.0 42.6	.4 0.0 4.0	.686E+04 .286E+04 .429E+04	0 0 0	64 60 90	45 44 47	20173	100	
7/ 3/78 *	CAB	374 38	391 41	201 34	FLT IN NOT	TOT: 36 36 0	36 36 0	16 16 0	21 21 0	4 4 0	0.0 0.0 0.0	0.0 0.0 0.0	.156E+02 .156E+02 0.	90 90 0	57 57 0	65 65 0	36360	000	
7/18/78 *	CAB	352 38	391 41	196 34	FLT IN NOT	TOT: 35 32 3	35 32 3	22 21 1	8 8 0	4 4 0	.4 0.0 4.3	.2 0.0 2.3	.617E+03 .424E+02 .675E+04	97 98 92	68 68 0	533 533 0	35323	000	

**APPENDIX B**

DEP-ARR IM/DD/YY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS							AVERAGES FOR THE FLIGHT					TROP N	STRAT N	
					CLD	PDS	OZ	H2O, H2S	% TIC PATCHES	PDS	OZ	RH	H2O						
<b>LAX-PIK</b>																			
11/10/78	BBD	330 50	369 56	232 35	FLT IN NOT	TOT: CLR:	90 40	90 40	58 26	51 25	7 0	23.7 0.0	2.3 0.0	.109E+06 .102E+04 .195E+06	104 180 42	61 32 90	57 25 88	57 10 47	33 30 3
<b>LAX-PPT</b>																			
5/13/79	BDB	360 8	391 32	246 -16	FLT IN NOT	TOT: CLR:	86 75	86 75	0 0	42 38	4 3	2.7 0.0	.5 0.0	.656E+05 .825E+C0 .507E+06	0 0 0	47 43 90	113 59 623	86 75 11	000
5/27/79 *	BDB	364 9	370 33	265 -14	FLT IN NOT	TOT: CLR:	80 72	80 72	54 49	34 30	2 2	4.0 0.0	.7 0.0	.732E+05 .174E+03 .730E+06	56 58 36	31 25 73	43 32 124	80 72 8	000
10/22/78	BBB	371 7	390 32	251 -15	FLT IN NOT	TOT: CLR:	76 66	76 66	47 40	0 0	0 0	7.0 0.0	.5 0.0	.185E+05 .691E+01 .141E+06	43 46 22	0 0 0	0 0 0	76 65 10	000
11/ 5/78 *	BBB	378 9	410 33	248 -15	FLT IN NOT	TOT: CLR:	80 72	80 72	50 46	36 33	5 3	2.1 0.0	.4 0.0	.412E+04 .363E+C2 .409E+05	58 61 21	43 38 100	56 50 117	80 72 8	000
12/11/77	BCB	373 8	390 33	258 -15	FLT IN NOT	TOT: CLR:	80 66	80 66	49 40	0 0	0 0	8.0 0.0	0.0 0.0	.280E+05 .197E+02 .160E+06	32 33 23	0 0 0	0 0 0	80 66 14	000
12/18/77 *	BCB	374 9	391 33	290 -14	FLT IN NOT	TOT: CLR:	76 59	76 59	51 40	0 0	0 0	8.9 0.0	0.0 0.0	.294E+05 .136E+03 .131E+06	35 37 28	0 0 0	0 0 0	76 59 17	000
<b>LAX-SEA</b>																			
6/ 4/77	AAA	380 42	390 47	253 36	FLT IN NOT	TOT: CLR:	15 12	15 12	8 6	0 0	0 0	1.3 0.0	.6 0.0	.926E+02 .329E+02 .331E+03	42 50 20	0 0 0	0 0 0	15 12 3	000
<b>LAX-SFO</b>																			
1/18/78	ABB	340 36	350 37	303 34	FLT IN NOT	TOT: CLR:	5 4	5 4	0 0	2 2	0 0	0.9 0.0	.4 0.0	.131E+02 .815E+01 .330E+02	0 0 0	60 60 0	87 87 0	54 1 1	000
2/11/79 *	CAB	274 35	331 36	201 34	FLT IN NOT	TOT: CLR:	6 3	6 3	3 1	3 2	1 1	3.5 0.0	.8 0.0	.247E+05 .105E+04 .484E+05	42 47 33	54 22 70	131 132 131	63 3 3	000
2/17/79	BBB	310 36	351 37	200 35	FLT IN NOT	TOT: CLR:	5 4	0 0	2 2	3 3	1 1	21.3 0.0	2.8 0.0	0. 0.	54 54	78 78	32 32	54 14	000

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT			TROP N	STRAT N			
					CLD	PDS	OZ	H2O, H2S	% TIC PATCHES	PDS	OZ	RH	H2O					
<b>LAX-SFO (CONT.)</b>																		
5/ 1/76 *	BBA	269 36	292 37	214 35	FLT IN CLR: NOT CLR:	6 0	0 0	2 0	0 0	0.0 0.0	0.0 0.0	0. 0.	116 116	0 0	0 0	660 660	0 0	
5/ 2/78 *	ABB	333 36	370 37	219 35	FLT IN CLR: NOT CLR:	5 550	550 0	0 0	1 0	0.0 0.0	0.0 0.0	0. 0.	.112E+02 .112E+02	0 0	20 20	292 292	0 0	
5/ 5/78 *	ABB	323 36	370 37	186 34	FLT IN CLR: NOT CLR:	5 32	532 0	0 0	1 0	0.0 0.0	22.7 56.7	.6 1.5	.346E+05 .130E+03 .862E+05	0 0	12 120	428 428	0 0	
9/ 1/76 *	BBA	275 36	289 37	225 35	FLT IN CLR: NOT CLR:	5 550	550 0	0 0	0 0	0.0 0.0	0.0 0.0	0. 0.	31 31	0 0	0 0	660 660	0 0	
10/24/78	BBB	334 35	350 36	299 35	FLT IN CLR: NOT CLR:	5 550	550 0	0 0	0 0	0.0 0.0	0.0 0.0	0. 0.	.266E+02 .266E+02	57 57	0 0	0 0	660 660	0 0
11/ 5/78	BBB	324 35	350 36	265 35	FLT IN CLR: NOT CLR:	5 550	550 0	0 0	0 1	44.1 44.1	3.2 3.2	0. 0.	.830E+05 .830E+05	35 35	100 100	73 73	660 660	0 0
12/11/77 *	BCB	271 36	291 37	195 35	FLT IN CLR: NOT CLR:	5 32	532 2	2 1	0 0	0.0 0.0	3.1 7.6	0.0 0.0	.526E+04 .132E+05	35 24	0 0	0 0	533 533	0 0
12/18/77	BCB	305 36	350 37	203 34	FLT IN CLR: NOT CLR:	7 52	752 2	4 3	0 0	0.0 0.0	1.1 3.7	0.0 0.0	.103E+04 .143E+04 .334E+02	52 54 45	0 0 0	0 0 0	533 533	0 0
12/27/78	BBB	336 35	351 36	312 35	FLT IN CLR: NOT CLR:	5 41	541 0	0 0	3 0	0.0 0.0	.2 1.2	0.0 1.0	.930E+02 .116E+03	0 0	61 61	48 48	0 0	0 0
<b>LHR-LPA</b>																		
12/13/78	BBB	384 33	390 37	301 29	FLT IN CLR: NOT CLR:	16 8	16 8	2 1	7 3	4 3	7.9 0.0	1.4 2.9	.339E+05 .108E+03 .677E+05	16 31 1	97 94 100	30 29 33	16 8	0 0
<b>LHR-PIK</b>																		
11/11/78 *	BBB	230 53	230 54	229 52	FLT IN CLR: NOT CLR:	6 0	6 0	3 0	3 0	0 0	0.0 0.0	0.0 0.0	.111E+02 .111E+02	38 38	49 49	272 272	660 660	0 0

**APPENDIX B**

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT						TROP N	STRAT N
					CLD	PD5	OZ	H20, H2S	%TIC	PATCHES	PD5	OZ	RH	H20						
<b>LHR-SEA</b>																				
2/18/79 *	BBB	339 62	370 69	255 49	FLT TOT: IN CLR: NOT CLR:	91 58 33	0 0 0	57 36 21	42 25 17	3 3 3	19.2 0.0 53.0	1.0 0.0 2.9	0. 0. 0.		168 231 60	50 36 71	17 10 27	48 19 29	43 39 4	
2/18/79	BBB	339 61	351 68	230 48	FLT TOT: IN CLR: NOT CLR:	94 83 11	0 0 0	61 53 6	53 47 6	1 1 0	2.7 0.0 23.1	.5 0.0 4.4	0. 0. 0.		205 225 68	41 36 65	21 18 41	22 15 7	72 68 4	
3/25/76 *	BBA	343 60	371 64	223 50	FLT TOT: IN CLR: NOT CLR:	53 47 6	0 0 0	53 47 6	0 0 0	0 0 0	.3 0.0 2.6	.1 0.0 1.0	0. 0. 0.		398 405 347	0 0 0	0 0 0	7 6 1	46 41 5	
3/26/76	BBA	343 65	391 76	224 46	FLT TOT: IN CLR: NOT CLR:	65 60 5	0 0 0	65 60 5	0 0 0	0 0 0	0.1 0.0 .9	.1 0.0 1.6	0. 0. 0.		430 427 466	0 0 0	0 0 0	32 29 3	33 31 2	
4/22/76	BBA	359 61	371 69	291 49	FLT TOT: IN CLR: NOT CLR:	62 58 4	0 0 0	62 58 4	0 0 0	0 0 0	.9 0.0 14.1	.2 0.0 2.8	0. 0. 0.		452 477 79	0 0 0	0 0 0	17 13 4	45 45 0	
4/29/76 *	BBA	345 62	371 69	203 49	FLT TOT: IN CLR: NOT CLR:	61 56 5	0 0 0	61 56 5	0 0 0	0 0 0	1.4 0.0 17.6	.2 0.0 2.2	0. 0. 0.		443 464 203	0 0 0	0 0 0	26 22 4	35 34 1	
4/30/76	BBA	349 62	371 70	206 49	FLT TOT: IN CLR: NOT CLR:	66 52 14	0 0 0	66 52 14	0 0 0	0 0 0	14.9 0.0 70.4	.5 0.0 2.6	0. 0. 0.		345 414 90	0 0 0	0 0 0	33 19 14	33 33 0	
6/10/77	AAA	396 63	429 70	283 48	FLT TOT: IN CLR: NOT CLR:	94 94 0	94 94 0	59 59 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.612E+01 .612E+01 0	512 512 0	0 0 0	0 0 0	4 4 0	90 90 0		
6/11/77 *	AAA	397 60	410 65	295 48	FLT TOT: IN CLR: NOT CLR:	83 76 7	83 76 7	55 51 4	0 0 0	0 0 0	1.8 0.0 21.7	.3 0.0 3.4	.668E+04 .690E+01 .791E+05	431 459 81	0 0 0	0 0 0	7 1 6	76 75 1		
6/12/77	AAA	402 64	430 73	304 49	FLT TOT: IN CLR: NOT CLR:	90 88 2	90 88 2	59 58 1	0 0 0	0 0 0	.5 0.0 22.9	.0 0.0 2.0	.488E+03 .705E+00 .219E+05	424 424 447	0 0 0	0 0 0	1 0 1	89 88 1		
6/13/77 *	AAA	390 58	411 64	249 48	FLT TOT: IN CLR: NOT CLR:	89 85 4	89 85 4	56 54 2	0 0 0	0 0 0	2.5 0.0 56.5	.2 0.0 4.5	.446E+05 .294E+02 .992E+06	389 401 50	0 0 0	0 0 0	5 1 4	84 84 0		
6/17/77	ACA	387 62	391 69	195 48	FLT TOT: IN CLR: NOT CLR:	100 98 2	100 98 2	66 65 1	0 0 0	0 0 0	.3 0.0 16.1	0.0 0.0 0.0	.229E+03 .135E+03 .484E+04	543 550 101	0 0 0	0 0 0	9 7 2	91 91 0		
6/18/77 *	ACA	377 63	391 68	269 51	FLT TOT: IN CLR: NOT CLR:	83 81 2	83 81 2	56 54 2	0 0 0	0 0 0	.1 0.0 3.3	0.0 0.0 0.0	.233E+03 .187E+03 .213E+04	528 533 388	0 0 0	0 0 0	3 2 1	80 79 1		

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT			TRGP N	STRAT N	
					CLD	PDS	GZ	H2D, H2S	%TIC PATCHES	PDS	GZ	RH	H2D					
<b>LHR-SEA (CONT.)</b>																		
6/19/77	ACA	402 59	430 62	301 52	FLT IN NOT CLR:	67 67	67 67	38 38	000	0.0 0.0	0.0 0.0	.608E+02 .608E+02	526 526	0	000	000	NNO	65 65
6/20/77 *	ACA	391 64	410 69	356 53	FLT IN NOT CLR:	78 77	78 77	44 44	000	0.0 83.1	0.0 0.0	.716E+04 .132E+03 .548E+06	553 553 0	0	000	000	000	73 72
6/21/77	ACA	400 62	430 68	195 49	FLT IN NOT CLR:	96 95	96 95	61 60	000	0.0 0.0	0.0 0.0	.122E+03 .561E+02 .643E+04	491 495 252	0	000	000	000	91 90
6/22/77 *	ACA	394 62	410 69	289 48	FLT IN NOT CLR:	89 89	89 89	60 60	000	0.0 0.0	0.0 0.0	.600E+02 .600E+02	481 481	0	000	000	000	73 73
6/25/77 *	ACA	392 61	410 67	245 49	FLT IN NOT CLR:	92 92	92 92	56 56	000	0.0 0.0	0.0 0.0	.699E+02 .699E+02	484 484	0	000	000	000	88 88
6/26/77	ACA	401 65	430 77	185 48	FLT IN NOT CLR:	90 90	000	000	000	0.0 0.0	0.0 0.0	0	000	000	000	000	88 88	
6/27/77 *	ACA	393 60	410 67	299 48	FLT IN NOT CLR:	89 88	000	000	000	0.0 .4	0.0 0.0	0	000	000	000	000	88 88	
6/28/77	ACA	387 64	410 73	304 49	FLT IN NOT CLR:	97 92	000	000	000	1.8 34.0	0.0 0.0	0	000	000	000	000	93 93	
6/29/77 *	ACA	395 57	410 51	296 48	FLT IN NOT CLR:	39 86	000	000	000	1.0 30.6	0.0 0.0	0	000	000	000	000	88 88	
10/ 8/78	BBB	341 62	390 70	251 49	FLT IN NOT CLR:	94 84	94 84	62 56	000	5.0 46.7	3 0.9	.208E+05 .160E+03 .194E+06	159 168 75	0	000	000	000	41 40
10/ 9/78 *	BBB	329 62	331 69	256 49	FLT IN NOT CLR:	83 52	83 52	55 34	000	15.7 42.1	-1 0.9	.520E+05 .161E+02 .140E+06	139 189 58	0	000	000	000	31 31
10/20/78	BBB	328 60	390 68	256 49	FLT IN NOT CLR:	106 63	106 63	70 41	000	21.4 52.9	1.4 3.4	.645E+05 .220E+03 .159E+06	139 203 49	0	000	000	000	53 53
10/21/78 *	BBB	328 58	331 61	254 48	FLT IN NOT CLR:	87 73	87 73	54 46	000	4.1 25.6	.5 3.1	.507E+05 .274E+02 .315E+06	178 199 54	0	000	000	000	48 48

**APPENDIX B**

**DEP-ARR**      **IM/ID/IY**      **CODE**      **AVFL**      **EXHI**      **EXLO**      **ALAT**      **EXTN**      **EXTS**      **NUMBER OF OBS**      **AVERAGES FOR THE FLIGHT**      **TROP**      **STRAT**  
                         **CLD**      **PD5**      **OZ**      **H20**      **H2S**      **%TIC PATCHES**      **PD5**      **OZ**      **RH**      **H20**      **N**      **N**

LHR-SEA (CONT.)

12/ 7/77	*	BCB	329 57	331 62	253 48	FLT IN NOT	TOT: CLR: CLR:	95 95 0	95 95 0	63 63 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.483E+01 .483E+01 0.	238 238 0	0 0 0	0 0 0	5 5 0	90 90 0
12/ 8/77		BCB	341 62	370 70	240 48	FLT IN NOT	TOT: CLR: CLR:	92 86 6	92 86 6	56 52 4	0 0 0	0 0 0	1.1 0.0 16.8	0.0 0.0 0.0	.366E+04 .539E+02 .554E+05	239 253 59	0 0 0	0 0 0	21 15 6	71 71 0
12/ 9/77	*	BCB	325 57	330 62	234 48	FLT IN NOT	TOT: CLR: CLR:	90 81 9	90 81 9	47 46 1	0 0 0	0 0 0	3.6 0.0 36.4	0.0 0.0 0.0	.262E+05 .889E+01 .262E+06	228 232 51	0 0 0	0 0 0	9 3 6	81 78 3
12/10/77		BCB	349 63	390 70	265 49	FLT IN NOT	TOT: CLR: CLR:	94 92 2	94 92 2	52 51 1	0 0 0	0 0 0	0.2 0.0 9.2	0.0 0.0 0.0	.194E+04 .177E+01 .910E+05	249 252 93	0 0 0	0 0 0	10 10 2	84 82 2

LHR-SFO

6/10/77	*	AAA	393 58	410 67	288 39	FLT	TOT:	93	93	60	0	0	5.7	.3	.213E+05	444	0	0	14	79
			IN	CLR:	83	83	54			0	0	53.3	2.7	.361E+02	487	0	0	10	79	
			NOT	CLR:	10	10	6							.198E+06	58	0	0		0	
6/11/77		AAA	387 59	410 69	267 38	FLT	TOT:	105	105	67	0	0	.2	.1	.867E+01	426	0	0	20	103
			IN	CLR:	103	103	67			0	0	0.0	0.0	.433E+01	426	0	0	20	103	
			NOT	CLR:	2	2	0			0	0	11.0	3.0	.232E+03	0	0	0		0	
6/12/77	*	AAA	394 54	411 64	285 38	FLT	TOT:	94	94	63	0	0	2.9	.4	.133E+05	330	0	0	12	82
			IN	CLR:	83	83	55			0	0	25.2	3.0	.489E+02	355	0	0		76	
			NOT	CLR:	11	11	8			0	0			.113E+06	158	0	0	5	6	
6/13/77		AAA	394 61	410 73	212 39	FLT	TOT:	111	111	73	0	0	.4	.0	.126E+04	473	0	0	3	108
			IN	CLR:	109	109	72			0	0	0.0	0.0	.465E+01	478	0	0		108	
			NOT	CLR:	2	2	1			0	0	23.1	1.5	.695E+05	98	0	0	2	0	
6/17/77	*	ACA	396 54	410 62	306 38	FLT	TOT:	106	106	67	0	0	3.1	0.0	.258E+05	486	0	0	14	92
			IN	CLR:	95	95	64			0	0	0.0	0.0	.181E+03	505	0	0		90	
			NOT	CLR:	11	11	3			0	0	30.2	0.0	.247E+06	76	0	0	0	2	
6/18/77		ACA	396 56	410 62	242 39	FLT	TOT:	112	112	72	0	0	.4	0.0	.926E+03	471	0	0	12	100
			IN	CLR:	108	108	70			0	0	0.0	0.0	.173E+03	481	0	0		98	
			NOT	CLR:	4	4	2			0	0	11.9	0.0	.212E+05	119	0	0	0	2	
6/19/77	*	ACA	392 58	411 67	250 39	FLT	TOT:	98	98	65	0	0	2.2	0.0	.118E+05	464	0	0	18	80
			IN	CLR:	89	89	61			0	0	0.0	0.0	.448E+02	485	0	0		78	
			NOT	CLR:	9	9	4			0	0	24.0	0.0	.128E+06	150	0	0	0	2	
6/20/77		ACA	387 58	393 67	194 38	FLT	TOT:	110	110	74	0	0	3.8	0.0	.707E+04	451	0	0	19	91
			IN	CLR:	96	96	65			0	0	0.0	0.0	.101E+03	491	0	0		87	
			NOT	CLR:	14	14	9			0	0	30.1	0.0	.549E+05	160	0	0	0	4	

DEP-ARR IM/DD/YY	CODE	AVFL	ALAT	EXHI	EXTN	EXLO EXTS	CLD	PD5	NUMBER OF OBS				AVERAGES FOR THE FLIGHT				TRGP N	STRAT N			
									FLT	TOT:	94	94	60	47	00	00					
<b>LHR-SFO (CONT.)</b>																					
6/21/77 *	ACA	392	53	410	60	275	38	FLT IN NOT CLR:	94 76 18	94 76 18	60 47 13	000	000	8.7 0.0 45.5	0.0 0.0 0.0	.145E+06 .362E+03 .755E+06	427 500 162	000	000	32 14 18	62 NO
6/22/77	ACA	384	58	410	67	263	38	FLT IN NOT CLR:	111 110 11	111 110 11	71 70 1	000	000	0.0 20.0	0.0 0.0 0.0	.499E+04 .122E+03 .540E+06	424 427 176	000	000	23 23 0	88 87 1
6/25/77	ACA	385	62	410	77	190	38	FLT IN NOT CLR:	106 99 7	106 99 7	53 51 2	000	000	0.9 0.0 14.0	0.0 0.0 0.0	.375E+04 .298E+02 .564E+05	507 512 379	000	000	20 14 6	86 85 1
6/26/77 *	ACA	385	58	411	67	291	39	FLT IN NOT CLR:	95 87 8	000	000	000	000	2.4 28.3	0.0 0.0 0.0	0.0 0.0 0.0	000	000	000	18 10 8	77 77 0
6/27/77	ACA	381	60	410	70	254	38	FLT IN NOT CLR:	114 107 7	000	000	000	000	2.1 34.1	0.0 0.0 0.0	0.0 0.0 0.0	000	000	000	21 14 7	93 93 0
6/28/77 *	ACA	384	57	410	65	241	39	FLT IN NOT CLR:	99 97 2	000	000	000	000	1.2 59.2	0.0 0.0 0.0	0.0 0.0 0.0	000	000	000	19 17 2	88 88 0
6/29/77	ACA	385	60	410	69	220	39	FLT IN NOT CLR:	107 95 12	000	000	000	000	3.8 34.0	0.0 0.0 0.0	0.0 0.0 0.0	000	000	000	20 10 11	87 86 1
10/28/77 *	ABB	384	66	430	88	290	40	FLT IN NOT CLR:	42 41 1	000	000	000	000	1.6 65.5	0.0 0.0 0.0	0.0 0.0 0.0	000	000	000	39 39 1	39 39 0
10/ 9/78	BBB	349	58	391	67	219	39	FLT IN NOT CLR:	113 94 19	113 94 19	63 50 13	000	000	4.4 26.3	0.0 0.0 0.0	.156E+05 .223E+03 .914E+05	141 166 46	000	000	67 49 18	46 45 1
10/10/78 *	BBB	329	58	372	67	203	39	FLT IN NOT CLR:	95 69 26	95 69 26	61 45 16	000	000	13.3 48.5	0.0 0.0 0.0	.530E+05 .344E+03 .193E+06	120 145 51	000	000	75 50 25	20 19 1
10/21/78	BBB	338	60	371	71	238	39	FLT IN NOT CLR:	108 100 8	108 100 8	69 63 6	000	000	1.0 12.9	0.0 0.0 0.0	.129E+04 .569E+02 .166E+05	223 238 57	000	000	28 20 8	80 80 0
<b>MEL-PER</b>																					
1/27/77	DDA	348	-35	350	-33	279	-38	FLT IN NOT CLR:	36 36 0	36 36 0	16 16 0	000	000	0.0 0.0	0.0 0.0 0.0	.117E+02 .117E+02 0.	84 84 0	000	000	36 36 0	000

APPENDIX B

## APPENDIX B

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS						AVERAGES FOR %TIC PATCHES	THE FLIGHT PD5	OZ	RH	H2O	TROP N	STRAT N			
					CLD	FDS	OZ	H2O	H2S											
<b>MEL-PER (CONT.)</b>																				
1/29/77 *	DDA	359 -35	370 -33	201 -38	FLT IN CLR: NOT CLR:	30 30 0	30 30 0	8 8 0	000	000	0.0 0.0 0.	0.0 0.0 0.	0.0 0.0 0.	.109E+02 .109E+02 0.	61 61 0	000	000	30 30 0	000	000
2/ 2/77	DDA	383 -35	390 -33	291 -38	FLT IN CLR: NOT CLR:	35 34 1	35 34 1	12 12 0	000	000	7 0 23.9	0 0 0.	0 0 0.	.515E+04 .684E+01 .180E+06	79 79 0	000	000	35 34 1	000	000
2/16/77	DDA	382 -35	390 -33	244 -38	FLT IN CLR: NOT CLR:	35 35 0	35 35 0	23 23 0	000	000	0.0 0.0 0.	0.0 0.0 0.	0.0 0.0 0.	.103E+02 .103E+02 0.	90 90 0	000	000	000	000	000
2/19/77 *	DDA	362 -35	371 -33	261 -38	FLT IN CLR: NOT CLR:	30 29 1	30 29 1	19 18 1	000	000	5.0 16.1	0 0 0.	1.00 0.0 0.	.267E+02 .265E+02 .310E+02	92 92 0	000	000	000	000	000
12/28/76	DDA	343 -35	350 -33	197 -37	FLT IN CLR: NOT CLR:	36 36 0	00 00 0	00 00 0	000	000	0.0 0.0 0.	0.0 0.0 0.	0.0 0.0 0.	0.	000	000	33 33 0	000	000	
<b>MEL-SIN</b>																				
2/21/77	DDA	361 -20	390 0	265 -37	FLT IN CLR: NOT CLR:	73 48 25	73 48 25	47 32 15	000	000	23.5 0.0 68.5	1.6 0.4 0.	1.6 0.4 0.	.173E+06 .106E+02 .506E+06	41 50 23	000	000	000	000	000
2/24/77 *	DDA	314 -20	350 0	235 -37	FLT IN CLR: NOT CLR:	75 58 17	75 58 17	49 37 12	000	000	11.4 0.0 50.3	6.05 0.25 0.	6.05 0.25 0.	.342E+05 .180E+02 .151E+06	44 53 16	000	000	000	000	000
12/ 4/76	DDA	340 -21	350 0	243 -37	FLT IN CLR: NOT CLR:	79 48 31	00 00 0	00 00 0	000	000	12.0 30.7	1.8 4.7	0.0 0.	0.	000	000	79 48 31	000	000	
12/ 6/76 *	DDA	319 -20	350 0	251 -37	FLT IN CLR: NOT CLR:	71 53 18	00 00 0	00 00 0	000	000	5.5 21.6	1.20 0.4	0.0 0.	0.	000	000	71 53 18	000	000	
<b>MEL-SYD</b>																				
1/21/77 *	DDA	319 -36	351 -35	195 -37	FLT IN CLR: NOT CLR:	77 70	77 70	33 30	000	000	0.0 0.0 0.	0.0 0.0 0.	0.0 0.0 0.	.461E+01 .461E+01 0.	117 117 0	000	000	77 0	000	000
1/22/77	DDA	345 -36	371 -35	284 -37	FLT IN CLR: NOT CLR:	55 50	55 50	22 20	000	000	0.0 0.0 0.	0.0 0.0 0.	0.0 0.0 0.	.131E+02 .131E+02 0.	82 82 0	000	000	65 0	000	000

DEP-ARR	IM/ID/IY	CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT				TROP N	STRAT N
									CLD	PDS	OZ	H2O, H2S	%TIC PATCHES	PDS	OZ	RH	H2O			
<b>MEL-SYD (CONT.)</b>																				
1/29/77	DDA	313 -35	370 -34	220 -37	FLT TOT:	7	7	3	0	0	43.8 0.0	3.3 0.0	.140E+06 .627E+03	57	0	0	0	7 000	000	
2/15/77 *	DDA	329 -36	351 -35	285 -37	FLT TOT:	6	6	3	0	0	0.0 0.0	0.0 0.0	.111E+02 .111E+02	32	0	0	0	000	000	
2/16/77 *	DDA	320 -36	350 -35	227 -37	FLT TOT:	6	6	NN	0	0	0.0 0.0	0.0 0.0	.535E+01 .535E+01	61	0	0	0	000	000	
2/16/77	DDA	335 -36	370 -35	271 -36	FLT TOT:	5	5	3	0	0	0.0 0.0	0.0 0.0	.642E+01 .642E+01	37	0	0	0	000	000	
2/19/77	DDA	311 -36	330 -34	259 -37	FLT TOT:	5	5	3	0	0	0.0 0.0	0.0 0.0	0.	520	0	0	0	000	000	
2/21/77 *	DDA	336 -36	351 -35	282 -37	FLT TOT:	5	5	2	0	0	20.3 50.8	3.2 8.0	.531E+05 .133E+06	93	0	0	0	000	000	
6/ 2/79	BDB	313 -35	331 -35	249 -36	FLT TOT:	5	5	NN	0	0	0.0 0.0	0.0 0.0	.149E+03 .149E+03	70	0	0	0	000	000	
6/ 2/79 *	BDB	373 -36	391 -35	328 -37	FLT TOT:	6	6	6	0	0	0.0 0.0	0.0 0.0	.148E+03 .148E+03	126	71	0	34	000	000	
8/ 9/76 *	DDA	295 -36	334 -35	200 -37	FLT TOT:	7	0	3	0	0	0.0 0.0	0.0 0.0	0.	108	1080	0	0	000	000	
8/11/76	DDA	288 -35	290 -34	282 -36	FLT TOT:	5	0	NN	0	0	0.0 0.0	0.0 0.0	0.	420	0	0	0	000	000	
8/14/76 *	DDA	339 -36	350 -35	293 -37	FLT TOT:	5	0	0	0	0	0.0 0.0	0.0 0.0	0.	600	0	0	0	000	000	
8/16/76	DDA	321 -35	370 -34	206 -36	FLT TOT:	6	1	0	0	0	.7 4.3	.2 1.0	0.	94	0	0	0	000	000	
8/24/76	DDA	300 -35	370 -34	219 -36	FLT TOT:	8	0	4	4	0	0.0 0.0	0.0 0.0	0.	200	0	0	0	000	000	

APPENDIX B

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	FLT	TOT:	NUMBER OF OBS					AVERAGES FOR THE FLIGHT			TROP N	STRAT N	
							CLD	PD5	O2	H2O, H2S	%TIC PATCHES	FDS	OZ	RH	H2O		
<b>MEL-SYD (CONT.)</b>																	
8/31/76	DDA	344 -36	371 -35	297 -37	FLT	TOT: IN CLR: NOT CLR:	6 4 2	0 0 0	0 0 0	0 0 0	16.3 0.0 48.8	.7 2.0 0.	0. 0. 0.	297 297 0	0 0 0	2 2 0	440 000 000
11/30/76 *	DDA	341 -36	350 -35	295 -37	FLT	TOT: IN CLR: NOT CLR:	6 6 0	0 0 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.	0. 0. 0.	0 0 0	0 0 0	6 6 0	000 000 000
11/14/78	BBB	295 -35	330 -34	189 -36	FLT	TOT: IN CLR: NOT CLR:	6 6 0	6 6 0	330 330 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.	0. 0. 0.	43 43 0	0 0 0	6 6 0	000 000 000
11/14/78 *	BBB	287 -36	310 -35	225 -37	FLT	TOT: IN CLR: NOT CLR:	6 6 0	6 6 0	330 330 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.	107E+02 107E+02 0.	38 38 0	0 0 0	6 6 0	000 000 000
12/ 1/76	DDA	318 -35	370 -34	201 -37	FLT	TOT: IN CLR: NOT CLR:	6 6 0	0 0 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.	0. 0. 0.	0 0 0	0 0 0	6 6 0	000 000 000
12/ 4/76 *	DDA	334 -36	350 -35	262 -37	FLT	TOT: IN CLR: NOT CLR:	8 8 0	0 0 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.	0. 0. 0.	0 0 0	0 0 0	8 8 0	000 000 000
12/ 6/76	DDA	284 -35	330 -34	219 -36	FLT	TOT: IN CLR: NOT CLR:	6 6 0	0 0 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.	0. 0. 0.	0 0 0	0 0 0	6 6 0	000 000 000
12/28/76 *	DDA	335 -36	351 -35	290 -37	FLT	TOT: IN CLR: NOT CLR:	7 7 0	0 0 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.	0. 0. 0.	0 0 0	0 0 0	7 7 0	000 000 000
12/30/76 *	DDA	328 -36	350 -35	242 -37	FLT	TOT: IN CLR: NOT CLR:	7 5 2	0 0 0	0 0 0	0 0 0	1.1 0.0 3.7	.3 0.0 1.0	0. 0. 0.	0 0 0	0 0 0	7 7 0	000 000 000
12/31/76	DDA	301 -35	330 -34	190 -36	FLT	TOT: IN CLR: NOT CLR:	6 6 0	0 0 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.	0. 0. 0.	0 0 0	0 0 0	9 9 0	000 000 000
12/16/77	BCB	289 -36	293 -35	281 -36	FLT	TOT: IN CLR: NOT CLR:	5 4 1	5 4 1	2 0 0	0 0 0	0.4 0.0 2.0	0.0 0.0 0.0	493E+03 .160E+02 .240E+04	32 32 0	0 0 0	5 5 1	000 000 000
12/16/77 *	BCB	358 -36	390 -35	290 -37	FLT	TOT: IN CLR: NOT CLR:	7 6 1	7 6 1	3 2 1	0 0 0	1.7 0.0 11.8	0.0 0.0 0.0	.454E+01 .530E+01 0.	150 155 139	0 0 0	7 6 1	000 000 000

DEP-ARR IM>ID/IY	CODE	AVFL	EXHI	EXLO		NUMBER OF OBS	AVGES FOR THE FLIGHT	TROP	STRAT
		ALAT	EXTN	EXTS		CLD PD5 0Z H20, H2S	%TIC PATCHES PD5 0Z RH H20	N	N

MNL-SYD

1/ 1/77	DDA	347 -10	396 12	221 -33	FLT TOT: IN CLR: NOT CLR:	76 36 40	0 0 0 0 0 0	22.1 0.0 42.0	2.0 0.0 3.8	0. 0. 0.	0 0 0 0 0 0	76 36 40	0 0 0
1/ 1/77 *	DDA	340 -11	351 12	253 -33	FLT TOT: IN CLR: NOT CLR:	75 29 46	0 0 0 0 0 0	25.7 0.0 41.8	2.1 0.0 3.4	0. 0. 0.	0 0 0 0 0 0	75 29 46	0 0 0
1/ 4/77 *	DDA	337 -11	351 12	257 -33	FLT TOT: IN CLR: NOT CLR:	72 72 0	0 0 0 0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	0 0 0 0 0 0	72 72 0	0 0 0
1/ 4/77	DDA	343 -9	370 12	190 -33	FLT TOT: IN CLR: NOT CLR:	78 53 25	0 0 0 0 0 0	17.3 0.0 54.1	1.1 0.0 3.5	0. 0. 0.	0 0 0 0 0 0	78 53 25	0 0 0
8/17/76 *	DDA	334 -10	351 12	256 -33	FLT TOT: IN CLR: NOT CLR:	79 57 22	0 0 15 0 0 0	10.6 0.0 37.9	1.2 0.0 4.2	0. 0. 0.	29 33 18 0 0 0	79 57 22	0 0 0
8/17/76	DDA	347 -10	370 12	255 -33	FLT TOT: IN CLR: NOT CLR:	77 61 16	0 0 44 8 0 0	7.1 0.0 34.0	.5 0.0 2.3	0. 0. 0.	32 35 18 0 0 0	77 61 16	0 0 0

MRU-PER

1/27/77 *	DDA	266 -23	267 -21	266 -25	FLT TOT: IN CLR: NOT CLR:	14 14 0	14 0 0 0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.872E+01 0.	76 76 0	0 0 0 0 0 0	14 14 0	0 0 0
1/28/77	DDA	314 -28	321 -21	245 -32	FLT TOT: IN CLR: NOT CLR:	65 61 4	65 61 4 38 2 0	1.3 0.0 20.9	0.0 0.0 ,8	.301E+03 .103E+02 .473E+04	69 71 49	0 0 0 0 0 0	65 61 4	0 0 0
2/ 4/77	DDA	344 -28	370 -21	239 -32	FLT TOT: IN CLR: NOT CLR:	68 62 6	68 62 6 4 0 0	3.5 0.0 39.3	3. 0.0 3.0	.159E+05 .621E+01 .180E+06	70 70 0	0 0 0 0 0 0	68 62 6	0 0 0
2/17/77 *	DDA	331 -28	361 -21	227 -32	FLT TOT: IN CLR: NOT CLR:	69 69 0	69 69 0 46 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.630E+01 0.	53 53 0	0 0 0 0 0 0	0 0 0	0 0 0
2/18/77	DDA	360 -28	380 -21	218 -32	FLT TOT: IN CLR: NOT CLR:	67 67 0	67 67 0 43 0 0	0.0 0.0 0.0	0.0 0.0 0.0	.429E+01 0.	50 50 0	0 0 0 0 0 0	0 0 0	0 0 0

DEP-ARR IM>ID/IY		CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	NUMBER OF OBS							AVERAGES FOR THE FLIGHT			TROP	STRAT			
									CLD	PDS	OZ	H2O	H2S	PDS	OZ	RH	H2O	N	N				
<b>MUC-SNN</b>																							
11/30/78	BBB	342	349	16	264	52	54	50	FLT IN NOT	TOT CLR:	18 16	18 16	10 1	7 1	1 1	3.5 0.0	0.0 0.5	.493E+05 .414E+01 .444E+06	145 147 130	50 42 100	15 12 32	3 2	15 0
<b>NAN-SYD</b>																							
1/ 5/77 *	DDA	324	330	19	239	-26	-19	-33	FLT IN NOT	TOT CLR:	35 34	00 1	00 0	00 0	00 0	0.0 0.4	0.0 1.0	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	35 34	000 000
1/ 6/77	DDA	346	350	19	266	-27	-19	-33	FLT IN NOT	TOT CLR:	36 31	00 7	00 0	00 0	00 0	14.6 79.3	0.0 6.0	1.1 0.0	0.0 0.0	0.0 0.0	0.0 0.0	38 31	000 000
2/11/77 *	DDA	326	330	19	250	-27	-19	-33	FLT IN NOT	TOT CLR:	29 23	29 23	17 14	0 0	0 0	12.9 62.5	0.0 7.5	.323E+05 .156E+06	63 62	1N 1N	0.0 0.0	29 23	000 000
2/12/77	DDA	345	350	20	235	-27	-20	-34	FLT IN NOT	TOT CLR:	34 25	34 25	23 18	0 5	0 0	4.0 15.0	0.0 3.0	.545E+04 .206E+05	43 43	26 26	0.0 0.0	34 29	000 000
2/19/77 *	DDA	324	331	19	218	-26	-19	-33	FLT IN NOT	TOT CLR:	35 30	35 30	23 20	0 3	0 0	3.0 21.2	0.8 0.5	.450E+04 .314E+05	68 67	17 17	0.0 0.0	29 23	000 000
2/20/77	DDA	325	351	19	213	-27	-19	-34	FLT IN NOT	TOT CLR:	41 19	41 19	24 10	0 0	0 0	22.3 41.0	0.9 0.3	.202E+06 .377E+06	34 34	0.0 0.0	0.0 0.0	0.0 0.0	000 000
6/ 1/79	BDB	348	351	20	289	-27	-20	-34	FLT IN NOT	TOT CLR:	41 41	41 41	25 20	21 0	0 0	0.0 0.0	0.0 0.0	.318E+02 .318E+02	70 70	0.0 0.0	400 400	410 410	000 000
6/ 2/79 *	BDB	364	371	19	288	-27	-19	-34	FLT IN NOT	TOT CLR:	36 36	36 36	22 20	16 16	1 1	0.0 0.0	0.0 0.0	.614E+03 .614E+03	58 58	0.0 0.0	410 410	360 360	000 000
11/19/76	DDA	361	390	19	262	-27	-19	-33	FLT IN NOT	TOT CLR:	45 45	0 0	0 0	0 0	0 0	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	440 440	110 110
11/26/76 *	DDA	302	330	19	255	-26	-19	-33	FLT IN NOT	TOT CLR:	31 15	0 0	0 0	0 0	0 0	37.5 72.7	3.1 5.9	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	31 16	000 000
11/27/76	DDA	341	350	19	269	-27	-19	-33	FLT IN NOT	TOT CLR:	40 32	0 8	0 0	0 0	0 0	11.8 59.1	1.1 5.3	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	40 38	000 000

DEP-ARR	IM/ID/IY	CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	NUMBER OF OBS							AVERAGES FOR THE FLIGHT				TROP	STRAT	
									CLD	PDS	OZ	H20, H2S	XTC PATCHES		PDS	OZ	RH	H20				
NAN-SYD (CONT.)																						
11/14/78 *	BBB	326	330	255	-27	-19	-33		FLT TOT:	34	34	21	16	3	2.1	.4	.856E+03	86	48	93	34	0
									IN CLR:	31	31	19	13	2	0.0	0.0	.165E+02	90	40	72	31	0
									NOT CLR:	3	3	2	3	1	23.9	4.0	.953E+04	50	24	185	3	0
12/ 2/76 *	DDA	322	330	201	-26	-19	-33		FLT TOT:	33	0	0	0	0	3.2	1.1	0.	0	0	0	33	0
									IN CLR:	25	0	0	0	0	0.0	0.0	0.	0	0	0	25	0
									NET CLR:	8	0	0	0	0	13.3	4.4	0.	0	0	0	8	0
12/ 3/76	DDA	309	311	267	-27	-19	-34		FLT TOT:	35	0	0	0	0	6.4	0.	0.	0	0	0	35	0
									IN CLR:	30	0	0	0	0	0.0	0.0	0.	0	0	0	30	0
									NOT CLR:	5	0	0	0	0	44.5	5.4	0.	0	0	0	5	0
12/13/76 *	DDA	287	290	218	-26	-19	-33		FLT TOT:	36	0	0	0	0	0.2	0.0	0.	0	0	0	0	0
									IN CLR:	35	0	0	0	0	7.5	1.0	0.	0	0	0	0	0
									NOT CLR:	1	0	0	0	0	0.0	0.0	0.	0	0	0	0	0
12/14/76	DDA	344	350	208	-28	-19	-34		FLT TOT:	41	0	0	0	0	0.0	0.0	0.	0	0	0	0	0
									IN CLR:	40	0	0	0	0	2.0	1.0	0.	0	0	0	0	0
									NOT CLR:	1	0	0	0	0	0.0	0.0	0.	0	0	0	0	0
12/15/76 *	DDA	319	330	245	-27	-19	-33		FLT TOT:	32	0	0	0	0	8.2	0.7	0.	0	0	0	0	0
									IN CLR:	26	0	0	0	0	0.0	0.0	0.	0	0	0	0	0
									NOT CLR:	6	0	0	0	0	43.5	3.8	0.	0	0	0	0	0
12/16/76	DDA	308	310	254	-27	-19	-34		FLT TOT:	41	0	0	0	0	8.7	0.7	0.	0	0	0	0	0
									IN CLR:	32	0	0	0	0	0.0	0.0	0.	0	0	0	0	0
									NOT CLR:	9	0	0	0	0	39.5	3.3	0.	0	0	0	0	0
12/23/76 *	DDA	324	330	251	-27	-19	-33		FLT TOT:	33	0	0	0	0	63.0	4.1	0.	0	0	0	0	0
									IN CLR:	5	0	0	0	0	0.0	0.0	0.	0	0	0	0	0
									NOT CLR:	28	0	0	0	0	74.3	4.8	0.	0	0	0	0	0
12/24/76	DDA	374	390	278	-27	-19	-33		FLT TOT:	39	0	0	0	0	19.0	2.1	0.	0	0	0	0	0
									IN CLR:	22	0	0	0	0	0.0	0.0	0.	0	0	0	0	0
									NOT CLR:	17	0	0	0	0	43.6	4.8	0.	0	0	0	0	0
12/25/76 *	DDA	323	330	214	-27	-19	-33		FLT TOT:	34	0	0	0	0	23.9	2.5	0.	0	0	0	0	0
									IN CLR:	16	0	0	0	0	0.0	0.0	0.	0	0	0	0	0
									NOT CLR:	18	0	0	0	0	45.1	4.7	0.	0	0	0	0	0
12/26/76	DDA	370	390	271	-27	-19	-34		FLT TOT:	41	0	0	0	0	7.5	2.0	0.	0	0	0	0	0
									IN CLR:	35	0	0	0	0	0.0	0.0	0.	0	0	0	0	0
									NOT CLR:	6	0	0	0	0	50.9	1.7	0.	0	0	0	0	0
12/15/77	BCB	346	351	264	-27	-19	-34		FLT TOT:	41	41	26	0	0	3.2	0.0	0.	.177E+05	67	0	0	41
									IN CLR:	32	32	19	7	0	0.0	0.0	0.	.408E+02	63	0	0	32
									NOT CLR:	9	9	7	0	0	14.7	0.0	0.	.807E+05	77	0	0	9
12/16/77 *	BCB	344	365	250	-27	-19	-33		FLT TOT:	33	33	21	0	0	2.4	0.0	0.	.182E+04	71	0	0	33
									IN CLR:	27	27	18	3	0	0.0	0.0	0.	.116E+03	72	0	0	27
									NOT CLR:	6	6	3	0	0	12.9	0.0	0.	.947E+04	62	0	0	6

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT				TROP N	STRAT N	
					CLD	PDS	CZ	H2O, H2S	%	STIC PATCHES	PDS	CZ	RH	H2O					
<b>NOU-SYD</b>																			
8/25/76 * DDA	321 -29	330 -23	220 -34	FLT IN CLR: NOT CLR:	21 18 3	0 0 C	13 11 2	0 0 0	0 0 0	0.4 0.0 2.5	0.5 0.0 3.3	0. 0. 0.	87 95 33	0 0 0	0 0 0	21 18 3	0 0 0		
8/25/76 DDA	324 -29	350 -23	252 -34	FLT IN CLR: NOT CLR:	26 23 3	0 0 0	16 14 2	0 0 0	0 0 0	2.1 0.0 17.8	0.4 0.0 3.3	0. 0. 0.	67 71 42	0 0 0	0 0 0	26 23 3	0 0 0		
<b>NRT-SFO</b>																			
1/ 1/78 * BCB	326 48	331 54	223 36	FLT IN CLR: NOT CLR:	104 75 29	82 68 14	70 51 19	57 39 18	10 1 9	11.1 0.0 39.7	0.6 0.0 2.0	.167E+05 .242E+02 .980E+05	189 241 47	47 26 93	45 33 70	22 7 15	0 0 0		
2/20/79 * BBB	348 49	351 55	281 36	FLT IN CLR: NOT CLR:	111 104 7	0 0 0	73 69 4	59 58 1	1 0 1	3.2 0.0 50.6	0.2 0.0 3.0	0. 0. 0.	339 355 59	21 20 100	23 23 29	15 9 6	96 95 1		
3/13/79 * BBB	342 49	351 55	288 36	FLT IN CLR: NOT CLR:	111 97 14	0 0 0	72 63 9	62 59 4	4 4 0	3.5 0.0 27.4	0.2 0.0 1.6	0. 0. 0.	359 398 79	34 31 80	37 38 33	36 22 14	75 75 0		
10/13/78 * BBB	347 47	371 55	209 36	FLT IN CLR: NOT CLR:	110 99 11	110 99 11	71 63 8	0 0 0	0 0 0	3.8 0.0 37.6	0.3 0.0 3.0	.641E+04 .195E+02 .640E+05	181 197 52	0 0 0	0 0 0	42 32 10	68 67 1		
10/24/78 * BBB	348 47	391 54	218 36	FLT IN CLR: NOT CLR:	112 104 8	112 104 8	71 66 5	59 58 1	1 0 1	1.6 0.0 22.4	0.3 0.0 4.8	.712E+04 .236E+02 .994E+05	172 182 35	29 28 100	30 28 188	47 39 8	64 64 0		
11/ 5/78 * BBB	331 50	350 58	252 36	FLT IN CLR: NOT CLR:	115 100 15	115 100 15	77 67 10	62 52 10	6 0 6	5.3 0.0 40.7	0.4 0.0 3.4	.133E+05 .811E+02 .101E+06	153 171 29	41 31 91	83 47 268	38 24 14	77 76 1		
<b>ORD-PIT</b>																			
5/ 1/76 CAA	296 42	332 42	218 41	FLT IN CLR: NOT CLR:	6 3 3	0 0 0	3 1 1	5 2 2	3 2 2	4.1 0.0 8.2	0.7 0.0 1.3	0. 0. 0.	101 93 116	93 89 100	216 271 135	6 3 3	0 0 0		
5/ 1/76 * CAA	288 41	332 41	189 41	FLT IN CLR: NOT CLR:	8 4 4	0 0 0	5 4 1	5 3 2	3 2 1	8.9 0.0 17.8	1.0 0.0 2.0	0. 0. 0.	128 136 86	89 87 92	265 81 541	8 4 4	0 0 0		
5/ 3/76 CAA	301 42	331 42	223 41	FLT IN CLR: NOT CLR:	6 6 0	0 0 0	3 3 0	5 5 0	1 1 0	0.0 0.0 0.0	0.0 0.0 0.0	0. 0. 0.	355 355 0	36 38 0	68 68 0	3 3 0	3 3 0		

DEP-ARR	IM/ID/IY	CODE	AVFL	EXHI	EXLO	ALAT	EXTN	EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT								TROP	STRAT		
									CLD	PD5	OZ	H2O, H2S	%TIC PATCHES	PD5	OZ	RH	H2O	N										
<b>ORD-PIT (CONT.)</b>																												
5/ 3/76 *	CAA	323 41	391 41	200 41	FLT	TOT:	8 8	0	0	4 4	6 6	1 0	0.0	0.0	0.0	0.0	0.	479 479	30 30	66 66	33 0	33 0	55 0	55 0				
5/ 4/76	CAA	294 41	330 42	219 41	FLT	TOT:	7 7	0	0	4 4	0 0	0 0	0.0	0.0	0.0	0.0	0.	52 52	0 0	0 0	77 77	0 0	0 0	0 0	0 0	0 0		
5/ 4/76 *	CAA	293 41	311 41	223 41	FLT	TOT:	8 5	0	0	5 4	0 0	0 0	11.8 0.0	0.4 0.0	0.0 1.0	0.0 0.0	0.	77 76	0 0	0 0	85 78	0 0	0 0	85 3	85 0	0 0		
<b>ORD-SEA</b>																												
2/13/79 *	CAB	393 46	412 47	205 43	FLT	TOT:	26 24	26 24	17 2	16 1	15 1	3 0	5.7 0.0	0.3 3.5	.652E+04 .253E+02	116 119	69 70	126 77	86 61	86 63	86 808	86 0	86 0	18 0	18 0			
4/28/76	CAA	382 46	390 48	217 42	FLT	TOT:	25 25	0	25 0	25 0	25 0	6 0	0.0 0.0	0.0 0.0	0.0 0.0	0.	457 457	50 50	31 31	99 0	99 0	99 0	99 0	99 0	16 0	16 0		
4/29/76 *	CAA	380 45	410 .47.	201 43	FLT	TOT:	21 21	0	21 0	21 0	21 0	33 0	0.0 0.0	0.0 0.0	0.0 0.0	0.	498 498	38 38	67 67	55 0	55 0	55 0	55 0	55 0	16 0	16 0		
<b>ORD-SFO</b>																												
1/24/76 *	CAA	362 41	370 42	212 39	FLT	TOT:	19 18	0	19 0	19 1	19 1	0 0	.2 0.0	.2 3.0	0. 0.	0.	287 301	21 13	34 17	10 45	10 78	10 341	10 1	10 1	18 0	18 0		
1/28/76 *	CAA	356 42	411 43	213 38	FLT	TOT:	27 21	0	27 0	24 21	15 18	15 6	5.0 0.0	.5 0.0	0. 2.3	0.	78 98	74 65	31 33	22 10	22 100	22 25	22 6	22 6	55 0	55 0		
4/ 1/76	CAA	342 41	351 43	210 36	FLT	TOT:	28 26	0	28 0	0 2	0 0	0 0	1.6 0.0	.2 3.0	0. 0.	0.	150 156	0 0	0 0	20 79	20 0	20 0	20 2	20 0	88 0			
4/14/76	CAA	380 41	390 42	217 38	FLT	TOT:	25 19	0	25 0	25 19	11 6	11 5	15.7 0.0	.9 0.0	0. 3.8	0.	335 399	61 50	78 93	126 133	126 95	126 30	126 6	126 6	13 0	13 0		
4/15/76 *	CAA	359 41	390 42	214 38	FLT	TOT:	20 15	0	20 0	20 15	20 5	10 1	9.5 0.0	.6 0.0	0. 2.2	0.	360 455	36 22	68 27	105 77	105 81	105 189	105 5	105 5	10 0	10 0		

DEP-ARR TM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLD EXTS	NUMBER OF CBS CLD PDS OZ H2O, H2S								AVERAGES FOR THE FLIGHT %TIC PATCHES PDS OZ RH H2O						TROP N	STRAT N
					FLT	TOT:	IN CLR:	22	0	22	22	14	8.4	.4	0.	156	90	78	14	
<b>ORD-SFO (CONT.)</b>																				
4/28/76 *	CAA	368 41	410 42	204 38	FLT	TOT:	22	0	22	22	14	9	8.4	.4	0.	156	90	78	14	880
					IN CLR:	17	5	0	17	5	17	5	Q.0	0.0	0.	170	88	71	95	
					NOT CLR:	5	0	0	5	0	5	0	37.1	1.6	0.	108	100	33	5	
6/25/78 *	CAB	368 39	371 41	313 38	FLT	TOT:	38	38	24	22	0	0	0.0	0.0	0.	743E+02	106	14	17	380
					IN CLR:	38	38	24	22	0	22	0	0.0	0.0	0.	743E+02	106	14	17	380
					NOT CLR:	0	0	0	0	0	0	0	0.0	0.0	0.					
6/26/78	CAB	379 41	391 42	307 38	FLT	TOT:	39	39	25	22	12	12	0.0	0.0	0.	396E+02	216	85	119	270
					IN CLR:	39	39	25	22	0	22	0	0.0	0.0	0.	396E+02	216	85	119	270
					NOT CLR:	0	0	0	0	0	0	0	0.0	0.0	0.					1200
7/11/78 *	CAB	377 41	410 43	234 38	FLT	TOT:	33	33	20	16	1	1	0.2	1	0.	183E+04	63	11	21	331
					IN CLR:	31	31	19	15	1	15	1	0.0	0.0	0.	252E+02	64	12	23	312
					NOT CLR:	2	2	1	1	0	0	0	2.9	2.0	0.	299E+05	45	4	5	322
7/12/78	CAB	375 41	391 43	293 38	FLT	TOT:	37	37	24	20	1	0	5.0	.3	0.	149E+05	60	28	44	373
					IN CLR:	32	32	22	22	0	22	0	0.0	0.0	0.	165E+03	59	21	27	325
					NOT CLR:	5	5	2	2	1	2	1	37.3	2.2	0.	109E+06	79	85	204	000
<b>ORD-YYZ</b>																				
2/ 9/79 *	CAB	309 43	350 43	230 42	FLT	TOT:	6	6	3	1	1	1	0.0	0.0	0.	356E+03	219	100	327	220
					IN CLR:	6	6	3	1	0	0	0	0.0	0.0	0.	356E+03	219	100	327	220
					NOT CLR:	0	0	0	0	0	0	0	0.0	0.0	0.					440
3/ 5/76	CAA	241 43	332 43	214 42	FLT	TOT:	14	0	14	3	3	2	74.2	.4	0.	41	84	232	143	
					IN CLR:	13	0	13	3	0	2	0	0.0	0.5	0.	67	84	232	111	
					NOT CLR:	11	0	11	0	0	0	0	94.4	0.	0.	34	84	232	111	
3/ 5/76 *	CAA	334 43	390 44	215 42	FLT	TOT:	5	0	5	5	0	2	0.0	0.0	0.	212	56	208	330	
					IN CLR:	5	0	5	5	0	0	0	0.0	0.0	0.	212	56	208	330	
					NOT CLR:	0	0	0	0	0	0	0	0.0	0.0	0.					2200
<b>PER-SYD</b>																				
1/ 7/77 *	DDA	345 -33	351 -32	261 -34	FLT	TOT:	39	0	0	0	0	0	7.0	.6	0.	0	0	0	0	39336
					IN CLR:	33	0	0	0	0	0	0	45.6	0.0	0.	0	0	0	0	000
					NOT CLR:	6	0	0	0	0	0	0	0.0	3.7	0.					
1/ 9/77	DDA	364 -34	370 -33	275 -35	FLT	TOT:	37	0	0	0	0	0	0.1	0.0	0.	0	0	0	0	37361
					IN CLR:	36	0	0	0	0	0	0	4.7	1.0	0.	0	0	0	0	000
1/25/77	DDA	356 -34	371 -33	199 -35	FLT	TOT:	36	36	18	0	0	0	0.0	0.0	0.	720E+01	129	0	0	0
					IN CLR:	36	36	18	0	0	0	0	0.0	0.0	0.	720E+01	129	0	0	0
					NOT CLR:	0	0	0	0	0	0	0	0.0	0.0	0.					36360

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT %TIC PATCHES PDS						TROP N	STRAT N	
					CLD	PDS	OZ	H2O, H2S	OZ	H2O	RH	H2O	OZ	H2O	RH	H2O			
<b>PER-SYD (CONT.)</b>																			
8/ 3/76 * DDA	347	351 -33	351 -32	270 -34	FLT IN NOT	TOT: CLR: CLR:	43 41 2	0 0 0	28 26 2	0 0 0	0 0 0	0 0 0	0.6 13.5 0.0	0.3 5.5 0.0	0 0 0	79 82 45	0 0 0	38 36 N	550
8/ 5/76 DDA	360	370 -34	370 -33	274 -35	FLT IN NOT	TOT: CLR: CLR:	30 30 0	0 0 0	20 20 0	0 0 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0 0 0	162 162 0	0 0 0	8 8 0	220
8/ 6/76 * DDA	354	390 -33	390 -32	260 -34	FLT IN NOT	TOT: CLR: CLR:	47 46 1	0 0 0	30 29 1	0 0 0	0 0 0	0 0 0	0.4 18.8 4.0	0.1 4.0 0.0	0 0 0	120 122 70	0 0 0	32 31 1	1550
8/ 8/76 DDA	352	370 -34	370 -33	268 -35	FLT IN NOT	TOT: CLR: CLR:	32 32 0	0 0 0	20 20 0	0 0 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0 0 0	86 86 0	0 0 0	24 24 0	880
11/23/76 DDA	345	370 -34	370 -33	210 -35	FLT IN NOT	TOT: CLR: CLR:	37 36 1	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0.0 0.8 1.0	0.0 0.0 0.0	0 0 0	0 0 0	0 0 0	37 36 1	000
12/ 9/76 * DDA	353	370 -33	370 -32	260 -34	FLT IN NOT	TOT: CLR: CLR:	48 48 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0 0 0	0 0 0	0 0 0	48 48 0	000
12/11/76 DDA	347	370 -34	370 -33	241 -35	FLT IN NOT	TOT: CLR: CLR:	33 33 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0 0 0	0 0 0	0 0 0	33 33 0	000
<b>PPG-PPT</b>																			
3/29/77 * AAA	416	431 -16	431 -14	218 -17	FLT IN NOT	TOT: CLR: CLR:	25 16 9	25 16 9	0 0 0	21 13 8	16 8 8	16.4 0.0 45.5	1.0 0.0 2.9	.554E+05 .354E+02 .154E+06	0 0 C	95 92 100	123 188 19	0 0 0	000
3/29/77 AAA	416	431 -16	431 -15	327 -17	FLT IN NOT	TOT: CLR: CLR:	25 12 13	25 12 13	0 0 0	22 10 12	21 9 12	24.8 0.0 47.7	1.3 0.0 2.5	.780E+05 .104E+04 .149E+06	0 0 0	98 95 100	35 38 32	0 0 0	000
5/ 3/77 AAA	398	410 -16	410 -15	265 -17	FLT IN NOT	TOT: CLR: CLR:	27 24 3	27 24 3	16 14 2	0 0 0	0 0 0	0 0 3.9	0.4 0.0 1.0	.165E+05 .148E+06	28 29 22	0 0 0	27 24 3	000	
5/ 3/77 * AAA	423	430 -16	430 -15	255 -17	FLT IN NOT	TOT: CLR: CLR:	28 23 5	28 23 5	18 15 3	0 0 0	0 0 0	1.6 0.0 8.8	0.3 0.0 1.8	.384E+03 .215E+04	35 35 36	0 0 0	28 23 5	000	
5/10/77 AAA	400	410 -16	410 -15	244 -17	FLT IN NOT	TOT: CLR: CLR:	20 13 7	20 13 7	13 8 5	0 0 0	0 0 0	5.1 0.0 14.5	0.9 0.0 2.4	.121E+05 .104E+02 .344E+05	29 30 28	0 0 0	20 13 7	000	

APPENDIX B

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT				TROP N	STRAT N	
					CLD	PD5	OZ	H2O, H2S	% TIC PATCHES	PD5	OZ	RH	H2O						
<b>PPG-PPT (CONT.)</b>																			
5/10/77 *	AAA	421 -16	430 -15	299 -17	FLT TOT: IN CLR: NOT CLR:	30 18 12	30 18 12	16 11 5	0 0 0	0 0 0	15.2 0.0 37.9	1.1 0.0 2.7	.444E+05 .129E+03 .111E+06	39 39 39	0 0 0	0 0 0	30 18 12	0 0 0	
5/17/77	AAA	410 -16	410 -15	410 -17	FLT TOT: IN CLR: NOT CLR:	5 3 2	5 3 3	0 0 0	0 0 0	0 0 0	1.0 0.0 1.7	.8 0.0 1.3	.788E+02 0. .131E+03	0 0 0	0 0 0	0 0 0	5 2 3	0 0 0	
5/17/77 *	AAA	416 -16	430 -15	278 -17	FLT TOT: IN CLR: NOT CLR:	11 10 1	11 10 1	7 7 0	0 0 0	0 0 0	.1 0.0 1.6	.1 0.0 1.0	.552E+03 .607E+03 0.	67 67 0	0 0 0	0 0 0	11 10 1	0 0 0	
5/14/79 *	BDB	385 -16	398 -15	264 -17	FLT TOT: IN CLR: NOT CLR:	26 8 18	26 8 18	0 0 0	6 4 2	1 0 1	29.3 0.0 42.3	4.7 0.0 6.7	.170E+07 .512E+04 .245E+07	0 0 0	76 69 91	61 54 76	26 28 18	0 0 0	
5/26/79	BDB	321 -16	331 -15	195 -16	FLT TOT: IN CLR: NOT CLR:	26 25 1	26 25 1	17 17 0	15 15 0	0 0 0	.3 0.0 9.0	.1 0.0 2.0	.627E+03 .403E+02 .153E+05	31 31 0	33 33 0	162 162 0	26 25 1	0 0 0	
10/23/78 *	BBB	382 -16	390 -15	287 -17	FLT TOT: IN CLR: NOT CLR:	27 18 9	27 18 9	0 0 0	0 0 0	0 0 0	19.0 0.0 57.0	1.0 0.0 3.0	.393E+05 .140E+04 .115E+06	0 0 0	0 0 0	0 0 0	27 18 9	0 0 0	
11/4/78	BBB	321 -16	331 -15	214 -17	FLT TOT: IN CLR: NOT CLR:	21 20 1	21 20 1	16 15 1	14 13 1	3 2 1	.6 0.0 11.3	.1 0.0 3.0	.394E+02 .350E+02 .126E+03	32 32 24	60 57 100	394 401 306	21 20 1	0 0 0	
12/14/76 *	AAA	419 -16	430 -15	238 -17	FLT TOT: IN CLR: NOT CLR:	30 19 11	0 0 0	19 12 7	14 6 8	11 5 6	13.5 0.0 36.9	1.1 0.0 3.1	0. 0. 0.	22 23 20	96 98 95	199 435 21	30 19 11	0 0 0	
12/14/76	AAA	402 -16	410 -15	304 -17	FLT TOT: IN CLR: NOT CLR:	25 16 9	0 0 0	16 10 5	0 0 0	0 0 0	11.7 0.0 32.5	1.1 0.0 3.0	0. 0. 0.	24 24 23	0 0 0	0 0 0	25 16 9	0 0 0	
12/21/76	AAA	400 -16	410 -15	297 -17	FLT TOT: IN CLR: NOT CLR:	25 12 13	0 0 0	16 8 8	20 10 10	14 4 10	31.5 0.0 60.6	1.3 0.0 2.5	0. 0. 0.	59 68 50	94 89 100	63 96 31	25 12 13	0 0 0	
12/21/76 *	AAA	427 -16	430 -15	347 -17	FLT TOT: IN CLR: NOT CLR:	27 11 16	0 0 0	17 6 9	0 0 0	0 0 0	20.0 0.0 33.7	1.2 0.0 2.1	0. 0. 0.	67 70 64	0 0 0	0 0 0	27 11 16	0 0 0	
12/28/76 *	AAA	424 -16	430 -15	330 -17	FLT TOT: IN CLR: NOT CLR:	29 7 22	0 0 0	19 5 14	0 0 0	0 0 0	35.3 0.0 46.6	1.6 0.0 2.0	0. 0. 0.	37 43 35	0 0 0	0 0 0	29 7 22	0 0 0	
12/28/76	AAA	418 -16	430 -15	304 -17	FLT TOT: IN CLR: NOT CLR:	25 1 24	0 0 0	17 1 16	0 0 0	0 0 0	48.8 0.0 50.8	1.3 0.0 1.3	0. 0. 0.	45 36 45	0 0 0	0 0 0	25 1 24	0 0 0	

DEP-ARR	IM/ID/IY	CODE	AVFL	EXHI	EXLD	ALAT	EXTN	EXTS	NUMBER OF OBS						AVERAGES FOR THE FLIGHT						
									CLD	PD5	OZ	H20, H2S	%TIC	PATCHES	PD5	OZ	RH	H20			
<b>PPG-PPT (CONT.)</b>																					
12/12/77	*	BCB	380 -16	391 -15	272 -17	FLT	TOT:	29	29	17	0	0	0.0	0.0	.557E+01	31	0	0	0	29 29 0	0 0 0
						IN CLR:		29	29	0	0	0	0.0	0.0	.557E+01	31	0	0	0		
						NOT CLR:		0	0	0	0	0	0.0	0.0	0.						
12/17/77		BCB	317 -16	330 -15	212 -18	FLT	TOT:	24	24	15	0	0	0.0	0.0	.138E+02	36	0	0	0	24 24 0	0 0 0
						IN CLR:		24	24	0	0	0	0.0	0.0	.138E+C2	36	0	0	0		
						NOT CLR:		0	0	0	0	0	0.0	0.0	0.						
<b>PPG-SYD</b>																					
2/ 6/76		BBA	377 -27	390 -18	206 -34	FLT	TOT:	21	0	21	0	0	6.5	2	45	0	0	0	0	0 0 0	0 0 0
						IN CLR:		18	0	18	0	0	0.0	0.0	53	0	0	0			
						NOT CLR:		3	0	3	0	0	45.8	1.3	0.						
2/ 7/76	*	BBA	315 -23	330 -16	211 -34	FLT	TOT:	16	0	16	0	0	18.4	1.5	11	0	0	0	0	0 0 0	0 0 0
						IN CLR:		7	0	7	0	0	0.0	0.0	24	0	0	0			
						NOT CLR:		9	0	9	0	0	32.8	2.7	0.						
<b>SEA-SFO</b>																					
2/18/79	*	BBB	369 43	390 -46	285 39	FLT	TOT:	11	0	7	3	0	10.1	0.8	302	28	10	3	12	8 7 1	
						IN CLR:		8	0	1	3	0	0.0	0.0	345	0	0	0			
						NOT CLR:		3	0	0	0	0	37.1	3.0	43	0	0				
2/19/79		BBB	350 42	370 -46	248 39	FLT	TOT:	12	0	8	4	0	0.4	0.3	281	20	11	2	11	10 0	
						IN CLR:		11	0	8	4	0	0.0	0.0	281	0	0				
						NOT CLR:		1	0	0	0	0	4.3	3.0	0.						
3/25/76	*	BBA	371 43	391 47	231 39	FLT	TOT:	9	0	9	0	0	0.0	0.0	307	0	0	0	0	2 2 0	
						IN CLR:		9	0	9	0	0	0.0	0.0	307	0	0				
						NOT CLR:		0	0	0	0	0	0.0	0.0	0.						
3/27/76		BBA	371 41	372 44	371 39	FLT	TOT:	6	0	6	0	0	0.0	0.0	643	0	0	0	0	6 6 0	
						IN CLR:		6	0	6	0	0	0.0	0.0	643	0	0				
						NOT CLR:		0	0	0	0	0	0.0	0.0	0.						
4/23/76		BBA	312 43	332 46	213 40	FLT	TOT:	6	0	6	0	0	3.1	1.3	111	0	0	0	0	6 4 2	
						IN CLR:		4	0	4	0	0	0.0	0.0	118	0	0				
						NOT CLR:		2	0	2	0	0	9.2	4.0	98	0	0				
4/29/76	*	BBA	372 44	390 47	274 40	FLT	TOT:	8	0	8	0	0	1.2	0.4	350	0	0	0	0	6 6 0	
						IN CLR:		7	0	7	0	0	0.0	0.0	390	0	0				
						NOT CLR:		1	0	1	0	0	0.4	0.0	75	0	0				
6/ 9/77		AAA	397 44	410 48	271 39	FLT	TOT:	17	17	10	9	0	4.7	0.5	376E+05	343	0	0	0	3 1 2	14 14 0
						IN CLR:		15	15	9	1	0	0.0	0.0	379E+03	381	0				
						NOT CLR:		2	2	1	0	0	40.2	4.5	317E+06	52	0				

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLO EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT				TROP N	STRAT N	
					CLD	PDS	OZ	H20, H2S	%TIC PATCHES	PDS	OZ	RH	H20						
<b>SEA-SFO (CONT.)</b>																			
12/ 7/77 *	BCB	380 43	390 46	301 39	FLT IN NOT CLR:	11 0	11 0	8 0	0 0	0 0	0.0 0.0	0.0 0.0	0.0 0.0	.244E+02 .244E+02	119 0	0 0	0 0	4 4	7 0
12/ 9/77 *	BCB	358 43	391 46	195 39	FLT IN NOT CLR:	11 2	11 2	8 1	0 0	0 0	5.6 30.8	0.0 0.0	0.0 0.0	.357E+05 .670E+03 .194E+06	77 78 64	0 0 0	0 0 0	4 3	7 1
12/ 9/77	BCB	348 43	370 46	226 39	FLT IN NOT CLR:	10 5	10 5	6 3	0 0	0 0	15.6 31.2	0.0 0.0	0.0 0.0	.628E+04 .404E+02 .125E+05	41 45 38	0 0 0	0 0 0	10 5	0 0
12/11/77	BCB	348 43	370 46	266 39	FLT IN NOT CLR:	12 7	12 7	7 5	0 0	0 0	19.9 47.7	0.0 0.0	0.0 0.0	0.151E+06 .363E+06	69 79 44	0 0 0	0 0 0	7 4	3 2
<b>SFO-SYD</b>																			
1/ 2/77 *	AAA	400 12	410 36	330 -32	FLT IN NOT CLR:	70 66	0 0	45 42	0 0	0 0	2.0 34.2	0.0 0.0	0.0 3.3	0. 0.	94 99	0 23	0 0	57 53	13 0
5/22/77 *	AAA	373 1	410 37	263 -32	FLT IN NOT CLR:	55 45	55 45	34 29	0 0	0 0	5.5 30.2	0.0 0.0	0.4 2.2	.233E+05 .801E+03 .124E+06	64 69 40	0 0 0	0 0 0	54 44	11 0
7/ 3/77 *	ACA	392 1	430 37	202 -33	FLT IN NOT CLR:	149 119	0 0	0 0	0 0	0 0	8.1 40.1	0.0 0.0	0.0 0.0	0. 0.	0 0	0 0	0 0	149 119	0 0
10/ 2/77 *	ABA	376 2	410 37	238 -33	FLT IN NOT CLR:	121 91	0 0	80 52	0 0	0 0	5.0 20.1	0.0 0.0	0.6 2.4	0. 0.	68 80	0 0	0 0	103 73	18 0
12/19/76 *	AAA	374 3	431 37	251 -33	FLT IN NOT CLR:	142 113	0 0	89 70	0 0	0 0	4.7 23.1	0.0 0.0	0.5 2.3	0. 0.	77 86	0 0	0 0	126 97	16 0
12/26/76 *	AAA	377 -2	410 36	272 -34	FLT IN NOT CLR:	143 115	0 0	94 76	0 0	0 0	8.0 41.0	0.0 0.0	0.3 1.7	0. 0.	81 92	0 0	0 0	116 88	27 0
<b>SFO-YVR</b>																			
10/ 5/77	BCB	292 40	310 42	196 38	FLT IN NOT CLR:	16 14	16 14	0 2	0 0	0 0	.9 7.1	0.0 0.0	0.0 0.0	.197E+04 .150E+04 .525E+04	0 0 0	0 0 0	0 0 0	16 14	0 0

DEP-ARR IM/ID/IY	CODE	AVFL ALAT	EXHI EXTN	EXLD EXTS	NUMBER OF OBS								AVERAGES FOR THE FLIGHT				TROP N	STRAT ON	
					CLD	PD5	OZ	H2O, H2S	%TIC PATCHES	PD5	OZ	RH	H2O						
<b>SIN-SYD</b>																			
1/19/77 * DDA	354 -17	390 0	260 -33	FLT IN NOT	TOT: CLR: CLR:	76 54 22	76 54 22	50 34 16	0 0 0	0 0 0	14.5 0.0 50.0	1.1 0.0 3.7	.481E+05 .820E+01 .166E+06	46 55 27	0 0 0	0 0 0	76 54 22	0 0 0	
1/21/77 DDA	309 -17	331 0	199 -34	FLT IN NOT	TOT: CLR: CLR:	72 54 18	72 54 18	47 36 11	0 0 0	0 0 0	13.4 0.0 53.8	.7 0.0 2.7	.391E+05 .980E+01 .156E+06	50 57 30	0 0 0	0 0 0	72 54 18	0 0 0	
1/30/77 * DDA	340 -17	351 0	214 -33	FLT IN NOT	TOT: CLR: CLR:	69 56 13	69 56 13	27 18 9	0 0 0	0 0 0	9.8 0.0 52.0	.7 0.0 3.9	.366E+05 .908E+01 .194E+06	42 48 29	0 0 0	0 0 0	69 56 13	0 0 0	
2/ 1/77 DDA	322 -17	351 0	237 -33	FLT IN NOT	TOT: CLR: CLR:	73 65 8	73 65 8	24 24 0	0 0 0	0 0 0	2.4 0.0 21.7	.5 0.0 4.5	.618E+04 .562E+02 .559E+05	63 63 0	0 0 0	0 0 0	73 65 8	0 0 0	
2/13/77 * DDA	341 -17	351 0	188 -33	FLT IN NOT	TOT: CLR: CLR:	75 44 31	75 44 31	51 30 21	0 0 0	0 0 0	20.6 0.0 49.7	1.5 0.0 3.7	.719E+05 .377E+02 .174E+06	45 59 25	0 0 0	0 0 0	75 44 31	0 0 0	
2/15/77 DDA	348 -20	370 0	249 -34	FLT IN NOT	TOT: CLR: CLR:	51 31 20	51 31 20	25 17 8	0 0 0	0 0 0	16.5 0.0 42.1	1.9 0.0 4.8	.423E+05 .161E+03 .108E+06	49 56 34	0 0 0	0 0 0	25 10 15	0 0 0	
11/21/76 * DDA	348 -18	351 0	260 -34	FLT IN NOT	TOT: CLR: CLR:	81 81 0	0 0 0	0 0 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0 0 0	0 0 0	0 0 0	0 0 0	81 81 0	0 0 0	
11/28/76 * DDA	329 -14	350 0	247 -33	FLT IN NOT	TOT: CLR: CLR:	82 32 50	0 0 0	0 0 0	0 0 0	0 0 0	28.7 0.0 47.1	2.7 0.0 4.4	0 0 0	0 0 0	0 0 0	0 0 0	82 32 50	0 0 0	
11/30/76 DDA	315 -18	330 0	211 -34	FLT IN NOT	TOT: CLR: CLR:	72 59 13	0 0 0	0 0 0	0 0 0	0 0 0	5.7 0.0 31.7	.7 0.0 3.7	0 0 0	0 0 0	0 0 0	0 0 0	72 59 13	0 0 0	
12/20/76 * DDA	335 -17	351 0	197 -33	FLT IN NOT	TOT: CLR: CLR:	80 80 0	0 0 0	0 0 0	0 0 0	0 0 0	0.0 0.0 0.0	0.0 0.0 0.0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	
12/22/76 DDA	338 -17	370 0	248 -34	FLT IN NOT	TOT: CLR: CLR:	71 63 8	0 0 0	0 0 0	0 0 0	0 0 0	5.5 0.0 48.8	.5 0.0 4.3	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	
12/30/76 DDA	334 -17	350 0	257 -34	FLT IN NOT	TOT: CLR: CLR:	76 51 25	0 0 0	0 0 0	0 0 0	0 0 0	10.9 0.0 33.3	1.0 0.0 3.2	0 0 0	0 0 0	0 0 0	0 0 0	76 51 25	0 0 0	

APPENDIX B

## APPENDIX C

### INDEPENDENCE OF CLOUD OBSERVATION PERIODS

The GASP cloud-encounter observation periods are normally repeated at 5-minute intervals, or about every 36 n.mi. at a ground speed of 500 knots. For two events to be statistically independent, the probability of occurrence of the second event cannot be conditionally dependent upon the occurrence of the first event. In fact, if two events are independent, the probability that both events occur is equal to the product of the probability that each event occurs. It is apparent from any satellite picture of the Earth that clouds are organized on scales from small to large. Adjacent cloud observation periods are, therefore, unlikely to be independent. The next two subsections discuss the degree of dependence between the cloud or no cloud ( $TIC > 0$ ,  $TIC = 0$ ) observations and, given a large cloud, the degree of dependence between values of TIC.

#### Independence of Cloud or No Cloud Observations

An example of dependence or persistence between adjacent cloud observation periods is shown in table CI. For the altitude band from 23.5 to 28.5 kft, 80 percent of the observation periods were clear, 20 percent had some clouds, and 14.5 percent had values of TIC greater than 10 percent. The next section of the table shows that the probability of a clear observation following a clear observation is 94.5 percent, while the probability of an observation with  $TIC > 0$  following another observation with  $TIC > 0$  is 81.7 percent. If all of the observation periods were statistically independent, these probabilities would be  $(0.8)^2$  (or 0.64) and  $(0.2)^2$  (or 0.04), respectively.

The dependence between observation periods should decrease as they become farther apart in time or space. In order to examine this relationship, all flights were separated into segments wholly contained within 500-ft altitude intervals. From these flight segments, the empirical probability that two cloud observation periods separated by  $N$  observation periods both contain some clouds ( $TIC > 0$ ) was computed as a function of  $N$ . The results for the 23.5 to 28.5 kft altitude interval are shown in figure C1. The curve approaches the value of 0.04, the value expected if the observations were independent, after a separation of about 20 observation periods. This result suggests that observation of the cloud or no cloud condition should be separated by 1 1/2 to 2 hours to be statistically independent.

Similar analyses performed for 500-ft height intervals at higher altitudes showed some tendency for increased separation between independent observations. However, because the probability of clouds ( $TIC > 0$ ) decreased with altitude and there were fewer long flight segments at these altitudes, no conclusive statement can be made. In any case, an observation separation of 90 to 120 minutes will likely yield nearly independent estimates of a cloud or no cloud condition at normal commercial flight levels.

#### Independence of TIC Values Within a Cloud

Another analysis was performed on series of sequential cloud observation periods for which  $TIC > 0$ . There were a total of 2068 series of two or more observation

## APPENDIX C

periods that fit this criterion. The breakdown of cloud-encounter series as a function of length (intervals of 5 observation periods) is presented in table CII. Over 85 percent of the cloud-encounter series consist of 10 intervals or less. This table also shows that the average value of TIC tends to increase as the length of cloud increases. Table CIII presents the percentage of observation periods which fall into each of four TIC classes. Relatively few observations fall into the high TIC classes compared with the low TIC classes.

The results of the analysis of the TIC values indicate that when TIC is less than 50 percent, the time between independent in-clouds observations is 10 to 20 minutes (2 to 4 observation periods). When TIC is greater than 50 percent, the sample-to-sample observations are highly correlated, and time between independent observation periods is too long to estimate reliably from the data available. It is safe to assume, however, that it is between the 20-minute value for low TIC and 90- to 120-minute value for the cloud or no cloud observations.

These results are consistent with intuition and meteorological observation. Large values of TIC tend to be associated with large (synoptic) scale storms where the clouds are uniform and extensive. Small values of TIC tend to be associated with individual convective storms or convective storm complexes. The resulting low values of TIC tend to vary appreciably from one observation period to another.

## APPENDIX C

TABLE CI.- PERSISTENCE OF CLOUD-ENCOUNTER DATA

[Altitude = 23.5 to 28.5 kft]

	Probability, percent, that present observation will be -		
	Clear	TIC > 0	TIC > 10
If previous observation was Random	80.0	20.0	14.5
If previous observation was			
Clear	94.5	5.5	2.1
TIC > 0	18.3	81.7	66.9
TIC > 10	9.6	90.4	79.2
If previous two observations were			
Clear	95.7	4.3	2.1
TIC > 0	16.5	83.5	73.2
TIC > 10	8.6	91.4	81.4

## APPENDIX C

TABLE CII.- DISTRIBUTION OF CLOUD EXTENT OBSERVATIONS AS  
MEASURED IN GASP

[ Total number of cloud encounters (series of 2 or more sequential observations with TIC > 0) = 2068 ]

	Cloud length category (no. of sequential observation periods with TIC > 0)						
	2-5	6-10	11-15	16-20	21-25	26-30	31-35
Number of cloud-encounter series .....	1264	541	172	61	18	10	2
Average TIC, percent .....	23.3	38.9	47.5	52.1	51.2	58.3	72.0

TABLE CIII.- DISTRIBUTION OF TIC FOR OBSERVATION PERIODS WITH  
TIC > 0

TIC category, percent	Percentage of observation periods in category
1 to 20	37
21 to 50	24
51 to 80	20
81 to 100	19




Figure C1.- The probability that two cloud-encounter observations both contain some clouds ( $TIC > 0$ ), as a function of observation separation.

## APPENDIX D

### CLOUD-ENCOUNTER STATISTICS AS FUNCTIONS OF LATITUDE, LONGITUDE, NORTHERN HEMISPHERE SEASON, AND ALTITUDE

This appendix is a tabulation of statistics for several quantities related to cloud encounter over the geographic area covered by the GASP flights. These statistics are presented with respect to altitude. The geographic grid (latitude and longitude) chosen had cells small enough to uncover significant geographic variability but large enough to obtain an adequate number of samples for statistical analyses. The grid chosen appears in figure D1. Subsequent pages of this appendix give statistical data within each grid cell in accordance with the code given at the top of each page in this appendix. The season and altitude range appear near the top of each page. Appendix E presents similar data described in terms of altitude separation from the tropopause.

APPENDIX D




Figure D1.- Map of cell structure used in cloud-encounter and particle-concentration analysis.

APPENDIX D




Figure D1.- Concluded.



APPENDIX D

CODE:	$N_{\text{Flights}}$	$N_{\text{Indep. obs.}}$	$N_{\text{Total obs.}}$
	$\overline{\text{TIC}} \%$	$\text{SIGMA}_{\text{TIC}}$	$P(\text{TIC} > 0 \%)$
	$\text{TICIV} \%$	$\text{SIGMA}_{\text{TICIV}}$	$P(\text{TIC} > 10 \%)$
	$\overline{T}_{\text{CLEAR}}$	$\overline{T}_{\text{CLOUD}}$	$P(\text{TIC} > 25 \%)$
$\overline{\Delta z}_{\text{CLEAR}}$		$\overline{\Delta z}_{\text{CLOUD}}$	$P(\text{TIC} > 50 \%)$

Explanation of entries:

- $N_{\text{Flights}}$  - number of flights in latitude-longitude-altitude cell
- $N_{\text{Indep. obs.}}$  - number of observation periods considered independent in cell
- $N_{\text{Total obs.}}$  - total number of observation periods in cell
- $\overline{\text{TIC}} \%$  - average percentage of time in clouds, for all observation periods in cell
- $\text{SIGMA}_{\text{TIC}}$  - standard deviation of percentage of time in clouds, percent
- $\text{TICIV} \%$  - average percentage of time in clouds with clouds in vicinity
- $\text{SIGMA}_{\text{TICIV}}$  - standard deviation of percentage of time in clouds with clouds in vicinity
- $\overline{T}_{\text{CLEAR}}, \overline{T}_{\text{CLOUD}}$  - average temperature (Celsius) in clear or cloudy air
- $\overline{\Delta z}_{\text{CLEAR}}, \overline{\Delta z}_{\text{CLOUD}}$  - average distance above (negative values indicate below) the time-and-space-interpolated NMC tropopause, for observations made in the clear or cloudy air, kft
- $P(\text{TIC} > 0 \%)$  - probability, expressed in percent, that the time in clouds is greater than zero during an observation period in the cell (thus, the probability of cloud encounter; note that this is equal to PCE; see Vol. I)
- $P(\text{TIC} > 10 \%)$   
 $P(\text{TIC} > 25 \%)$   
 $P(\text{TIC} > 50 \%)$  } - probability that the time in clouds during an observation period in the cell will equal or exceed 10, 25, or 50 percent

**APPENDIX D**

Code:	N <sub>Flights</sub>	N <sub>Indep. obs.</sub>	N <sub>Total obs.</sub>
	TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)
	TICIV %	SIGMA <sub>TICIV</sub>	P(TIC $\geq$ 10 %)
	$\bar{T}_{CLEAR}$	$\bar{T}_{CLOUD}$	P(TIC $\geq$ 25 %)
WINTER 28.5-33.5 KFT	$\bar{\Delta z}_{CLEAR}$	$\bar{\Delta z}_{CLOUD}$	P(TIC $\geq$ 50 %)

	15E	60E	105E	150E	165W
80N					
70N					
60N					1 2 32 .0 .1 3.1 .4 0.0 0.0 -44.6 -48.0 0.0 0.0 0.0 0.0
50N	33 37 341 14.6 28.7 32.0 45.7 34.0 25.8 -52.1 -52.5 18.8 -4.5 -4.8 15.2		2 2 10 0.0 0.0 0.0 0.0 0.0 0.0 -53.4 0.0 0.0 1.2 0.0 0.0	3 4 47 0.0 0.0 0.0 0.0 0.0 0.0 -51.7 0.0 0.0 -2.8 0.0 0.0	
40N	45 59 603 9.7 23.9 21.4 45.5 32.1 17.6 -49.7 -48.1 13.4 -6.5 -8.1 10.0		30 31 85 4.4 16.9 8.2 53.6 29.0 8.2 -45.5 -48.1 5.9 -6.3 -7.4 3.5	5 7 101 6.1 18.4 16.8 36.2 30.5 11.9 -50.6 -51.4 7.9 -3.7 -5.2 6.9	
30N	26 26 203 5.8 18.7 12.3 47.5 29.6 11.3 -41.5 -44.8 8.4 -15.4 -15.7 5.4	32 44 458 5.5 18.9 12.0 45.9 33.5 9.4 -40.5 -43.5 7.9 -17.6 -17.0 5.0	14 16 67 0.0 0.0 0.0 0.0 0.0 0.0 -36.9 0.0 0.0 -18.2 0.0 0.0	7 10 137 4.1 13.1 15.3 27.0 22.3 11.7 -35.5 -48.2 8.0 -21.2 -3.8 2.9	
20N		28 38 343 7.0 22.3 11.1 63.2 30.8 9.9 -35.5 -36.3 9.6 -25.2 -25.8 6.7	16 17 101 .8 3.7 5.0 16.3 4.1 5.0 -35.8 -35.4 0.0 -23.5 -25.6 0.0	2 3 45 0.0 0.0 0.0 0.0 0.0 0.0 -35.2 0.0 0.0 0.0 0.0 0.0	
10N		19 22 162 6.7 18.2 19.8 33.9 27.3 14.8 -34.5 -36.1 10.5 -26.3 -26.1 6.2	3 4 36 24.7 29.0 58.3 42.4 26.4 50.0 -37.4 -37.2 38.9 -24.9 -25.2 22.2	10 10 78 6.3 16.8 21.8 28.8 25.4 12.8 -32.4 -33.4 11.5 -24.4 -24.6 5.1	
0		7 7 28 11.3 19.6 60.7 18.7 22.2 21.4 -37.5 -38.1 17.9 -25.2 -24.7 7.1	10 14 150 26.7 31.4 61.3 43.6 29.5 50.7 -32.2 -32.5 42.7 -27.5 -26.8 27.3	12 12 170 9.5 21.4 31.8 29.9 28.9 21.8 -32.9 -33.9 14.1 -25.4 -24.3 6.5	
10S		3 4 52 1.6 5.9 11.5 14.0 11.5 5.8 -34.8 -36.7 1.9 -26.3 -25.3 0.0	10 11 125 2.6 9.5 13.6 19.1 18.7 8.0 -32.6 -31.7 4.0 -26.9 -25.4 1.6	42 42 179 10.5 22.4 30.7 34.2 28.7 22.3 -33.1 -34.2 16.2 -25.2 -24.2 7.3	
20S	4 8 101 5.6 15.8 19.8 28.3 25.0 11.9 -34.8 -35.9 8.9 -25.4 -25.6 3.0	7 9 77 4.2 14.1 13.0 32.0 25.3 10.4 -37.0 -41.1 6.5 -22.2 -20.1 3.9	15 20 215 1.7 10.0 3.3 51.0 22.9 2.8 -37.1 -38.9 2.8 -23.7 -25.6 2.3	15 26 259 13.6 28.0 29.0 47.1 33.6 21.2 -38.3 -38.6 18.9 -21.0 -22.8 15.4	
30S		2 2 30 0.0 0.0 0.0 0.0 0.0 0.0 -39.5 0.0 0.0 -19.3 0.0 0.0	39 39 152 4.0 14.2 13.8 29.2 27.1 9.2 -38.8 -40.7 5.9 -19.1 -14.9 3.3	41 48 349 9.7 24.2 22.9 42.5 34.0 17.2 -43.6 -41.7 12.9 -13.1 -12.2 9.5	
40S					

APPENDIX D

$N_{\text{Flights}}$	$N_{\text{Indep. obs.}}$	$N_{\text{Total obs.}}$
TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)
TICIV %	SIGMA <sub>TICIV</sub>	P(TIC $\geq$ 10 %)
$\bar{T}_{\text{CLEAR}}$	$\bar{T}_{\text{CLOUD}}$	P(TIC $\geq$ 25 %)
$\Delta Z_{\text{CLEAR}}$	$\Delta Z_{\text{CLOUD}}$	P(TIC $\geq$ 50 %)

WINTER  
28.5-33.5 KFT

165W	120W	75W	30W	15E	ZONAL MEAN
					80N
1 1 1 0.0 0.0 0.0 0.0 0.0 0.0 -52.0 0.0 0.0 -.2 0.0 0.0	3 4 37 .4 2.4 2.7 14.9 0.0 2.7 -60.0 -67.0 0.0 2.3 -.4 0.0	8 10 101 6.8 19.5 14.9 45.7 27.8 14.9 -54.1 -60.8 7.9 2.0 -.6 6.9	5 5 51 .3 2.4 2.0 17.6 0.0 2.0 -53.2 -56.0 0.0 .6 .6 0.0		17 20 190 3.8 14.6 8.9 42.2 27.8 8.9 -55.0 -60.9 4.2 1.6 -.5 3.7
2 2 29 6.4 14.6 24.1 26.6 18.7 17.2 -53.3 -58.3 13.8 2.4 0.0 0.0	4 6 72 12.3 27.6 20.6 59.2 29.7 20.8 -52.9 -53.5 16.7 3.1 -5.1 13.9	14 18 203 11.0 25.8 23.2 47.3 34.1 20.2 -51.2 -56.2 14.3 .2 -1.5 10.3	45 55 427 10.1 24.9 21.8 46.6 34.1 16.4 -51.8 -54.5 14.3 -1.5 -5.3 9.8		66 83 763 10.0 24.7 21.4 46.8 33.7 17.2 -51.4 -55.0 13.9 -.4 -4.2 9.6
11 12 77 24.0 33.6 50.6 47.4 33.5 39.0 -49.9 -51.5 33.8 -7.0 -5.9 24.7	43 47 170 8.2 21.7 21.2 38.5 32.4 15.3 -50.9 -51.5 11.2 -1.6 -5.3 8.2	44 59 549 12.2 27.4 23.7 51.6 33.7 20.6 -47.6 -50.2 16.4 -1.5 -7.1 12.4	33 45 420 17.1 31.2 33.8 50.5 34.5 26.9 -51.1 -53.9 22.6 -4.1 -6.0 17.6		169 206 1614 13.7 28.4 28.3 48.5 34.1 22.9 -50.0 -52.1 18.2 -2.9 -6.0 14.1
81 92 431 10.4 23.3 27.8 37.3 30.8 20.2 -48.8 -50.0 14.8 -7.7 -7.8 10.0	50 54 165 13.6 26.5 32.1 42.3 31.0 26.1 -48.0 -46.0 19.4 -7.7 -9.6 14.5	3 4 31 28.1 35.5 48.4 58.2 29.4 45.2 -41.7 -42.1 38.7 -16.2 -12.0 29.0	1 1 8 0.0 0.0 0.0 0.0 0.0 0.0 -41.4 0.0 0.0 -18.0 0.0 0.0		215 248 1424 10.2 23.8 23.9 42.4 31.7 18.9 -48.9 -48.3 14.2 -7.2 -8.3 10.3
74 82 432 13.6 26.9 30.1 45.3 31.0 24.8 -41.5 -42.8 19.7 -15.9 -13.6 13.4	2 2 3 2.0 2.8 33.3 5.9 0.0 0.0 -38.0 -40.0 0.0 -23.4 -23.7 0.0		2 2 7 0.0 0.0 0.0 0.0 0.0 0.0 -40.9 0.0 0.0 -15.8 0.0 0.0		157 182 1307 7.8 21.3 17.6 43.9 31.3 14.5 -40.2 -43.7 11.4 -17.1 -13.5 7.3
15 15 80 1.0 9.3 1.3 83.9 0.0 1.3 -33.6 -40.0 1.3 -26.9 -16.9 1.3					61 73 569 4.5 18.0 7.7 58.4 32.5 7.0 -35.2 -36.3 6.0 -25.1 -25.3 4.2
5 5 10 0.0 0.0 0.0 0.0 0.0 0.0 -31.0 0.0 0.0 -26.7 0.0 0.0					37 41 286 8.6 20.2 24.5 35.2 27.1 18.2 -33.9 -35.8 14.0 -25.8 -25.4 7.7
					29 33 348 17.1 27.4 46.8 36.4 29.9 34.2 -32.9 -33.6 26.7 -25.9 -25.9 15.5
5 5 23 1.5 7.1 4.3 34.9 0.0 4.3 -34.1 -29.0 4.3 -24.9 -29.5 0.0					60 62 379 6.1 17.1 20.8 29.4 26.8 14.2 -33.3 -33.8 9.5 -25.9 -24.6 4.0
					41 63 652 7.3 20.8 17.2 42.6 31.9 12.4 -37.1 -38.3 10.6 -22.8 -23.3 7.8
					82 89 531 7.6 21.3 19.0 39.8 33.1 13.9 -41.6 -41.5 10.2 -15.1 -12.9 7.2
					40S

APPENDIX D

Code: SPRING 28.5-33.5 KFT	N <sub>Flights</sub>	N <sub>Indep. obs.</sub>	N <sub>Total obs.</sub>
	TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)
	TICIV %	SIGMA <sub>TICIV</sub>	P(TIC $\geq$ 10 %)
	$\bar{T}_{CLEAR}$	$\bar{T}_{CLOUD}$	P(TIC $\geq$ 25 %)
$\Delta Z_{CLEAR}$		$\Delta Z_{CLOUD}$	P(TIC $\geq$ 50 %)
15E 60E 105E 150E 165W			
60N			
70N			
60N			
50N			
40N			
30N			
20N			
10N			
0			
10S			
20S			
30S			
40S			

APPENDIX D

N <sub>Flights</sub>	N <sub>Indep. obs.</sub>	N <sub>Total obs.</sub>
TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)
TICIV %	SIGMA <sub>TICIV</sub>	P(TICIV ≥ 10 %)
$\bar{T}_{CLEAR}$	$\bar{T}_{CLOUD}$	P(TIC ≥ 25 %)
$\bar{Z}_{CLEAR}$	$\bar{Z}_{CLOUD}$	P(TIC ≥ 50 %)

SPRING  
28.5-33.5 KFT

165W	120W	75W	30W	15E	ZONAL MEAN
				1    1    3 0.0    0.0    0.0 0.0    0.0    0.0 -56.0    0.0    0.0 -3.1    0.0    0.0	80N 1    1    3 0.3    0.0    0.0 0.0    0.0    0.0 -56.0    0.0    0.0 -3.1    0.0    0.0
		2    2    17 .0    .1    5.9 .4    0.0    0.0 -56.6    -60.0    0.0 -.4    .5    0.0		3    3    24 28.8    38.6    41.7 69.2    28.0    37.5 -56.7    -57.0    37.5 -2.6    -3.0    33.3	70N 5    5    41 16.9    32.8    26.8 63.0    33.2    22.0 -56.7    -57.3    22.0 -1.5    -2.7    19.5
3    3    23 11.0    28.6    13.0 84.1    11.4    13.0 -43.5    -53.0    13.0 1.8    -8.6    13.0	4    4    48 4.1    10.9    22.9 17.8    16.5    10.4 -50.9    -53.3    8.3 -1.6    -5.9    0.0	10    13    127 8.4    20.1    24.4 34.2    27.8    18.9 -49.9    -52.7    13.4 -2.6    -4.1    7.1	37    42    275 3.9    13.8    19.6 20.0    25.6    9.5 -49.3    -51.1    4.4 -2.9    -5.0    2.5	55    64    494 5.2    16.3    20.0 26.1    28.0    11.7 -49.1    -51.9    7.3 -2.2    -4.9    3.8	60N 55    64    494 5.2    16.3    20.0 26.1    28.0    11.7 -49.1    -51.9    7.3 -2.2    -4.9    3.8
13    16    187 4.7    14.6    20.4 23.0    24.9    11.7 -49.6    -53.4    8.0 -4.1    -4.3    3.6	103    107    357 13.3    25.7    33.1 40.2    30.2    27.2 -48.9    -49.3    19.3 -4.6    -6.7    11.8	45    53    366 13.3    25.4    36.1 36.9    30.3    27.6 -49.3    -50.7    18.6 -5.6    -7.1    11.5	10    12    83 7.7    18.0    30.1 25.7    24.8    21.7 -47.4    -50.4    12.0 -4.8    -8.8    6.0	183    203    1058 11.6    24.0    32.4 35.9    30.1    24.5 -48.8    -49.8    16.9 -4.7    -6.8    10.0	50N 183    203    1058 11.6    24.0    32.4 35.9    30.1    24.5 -48.8    -49.8    16.9 -4.7    -6.8    10.0
70    72    331 2.6    9.3    18.1 14.2    17.6    7.9 -46.9    -47.3    3.0 -9.0    -9.0    1.2	64    65    159 9.8    22.1    27.0 36.2    29.3    22.0 -47.6    -47.5    14.5 -5.1    -7.2    8.8	4    4    4 3.4    5.9    25.0 13.7    0.0    25.0 -49.3    -46.0    0.0 -5.6    -5.7    0.0		199    207    783 5.0    15.6    20.1 24.7    27.0    11.6 -46.1    -46.8    7.0 -7.7    -8.0    3.7	40N 199    207    783 5.0    15.6    20.1 24.7    27.0    11.6 -46.1    -46.8    7.0 -7.7    -8.0    3.7
81    88    375 4.0    13.1    20.8 19.4    22.9    10.1 -44.0    -42.4    6.1 -12.9    -13.7    2.9	7    7    55 13.3    25.8    38.2 35.0    31.4    23.6 -46.3    -44.7    18.2 -13.3    -13.3    10.9			118    130    635 4.7    14.8    18.7 25.0    25.7    10.6 -41.8    -42.5    7.6 -15.1    -13.6    3.6	30N 118    130    635 4.7    14.8    18.7 25.0    25.7    10.6 -41.8    -42.5    7.6 -15.1    -13.6    3.6
4    4    4 0.0    0.0    0.0 0.0    0.0    0.0 -39.3    0.0    0.0 -17.4    0.0    0.0	4    4    10 .3    .8    10.0 2.7    0.0    0.0 -34.0    -36.0    0.0 -24.9    -18.7    0.0	2    2    8 19.7    31.3    50.0 39.4    34.4    37.5 -38.3    -39.3    25.0 -16.3    -15.8    12.5		37    41    229 6.8    19.2    19.2 35.4    29.9    13.1 -35.9    -32.8    10.5 -19.3    -22.1    5.7	20N 37    41    229 6.8    19.2    19.2 35.4    29.9    13.1 -35.9    -32.8    10.5 -19.3    -22.1    5.7
	1    1    3 0.0    0.0    0.0 0.0    0.0    0.0 -25.3    0.0    0.0 -27.9    0.0    0.0	5    5    18 2.4    8.7    16.7 14.4    16.8    5.6 -37.9    -34.0    5.6 -18.6    -19.1    0.0		9    9    31 1.4    6.7    12.9 11.0    15.7    3.2 -36.7    -35.8    3.2 -19.6    -18.2    0.0	10N 9    9    31 1.4    6.7    12.9 11.0    15.7    3.2 -36.7    -35.8    3.2 -19.6    -18.2    0.0
		1    1    10 11.1    26.0    30.0 37.0    36.0    30.0 -33.7    -34.3    10.0 0.0    0.0    10.0		1    1    10 11.1    26.0    30.0 37.0    36.0    30.0 -33.7    -34.3    10.0 0.0    0.0    10.0	0 1    1    10 11.1    26.0    30.0 37.0    36.0    30.0 -33.7    -34.3    10.0 0.0    0.0    10.0
5    6    24 .1    .4    4.2 2.0    0.0    0.0 -37.7    -37.0    0.0 -19.3    -25.1    0.0		1    1    12 12.5    22.6    33.3 37.6    24.1    25.0 -34.9    -34.3    25.0 0.0    0.0    16.7		17    18    51 4.0    13.3    13.7 29.1    23.6    7.8 -36.4    -33.7    7.8 -21.1    -27.0    3.9	10S 17    18    51 4.0    13.3    13.7 29.1    23.6    7.8 -36.4    -33.7    7.8 -21.1    -27.0    3.9
		4    4    4 1.8    3.1    25.0 7.1    0.0    0.0 -32.3    -34.0    0.0 -26.8    -26.1    0.0		7    7    22 .3    1.5    4.5 7.1    0.0    0.0 -40.8    -34.0    0.0 -21.4    -26.1    0.0	20S 7    7    22 .3    1.5    4.5 7.1    0.0    0.0 -40.8    -34.0    0.0 -21.4    -26.1    0.0
				11    11    30 14.9    29.4    26.7 55.8    31.1    23.3 -48.3    -49.3    20.0 -9.6    -19.5    16.7	30S 11    11    30 14.9    29.4    26.7 55.8    31.1    23.3 -48.3    -49.3    20.0 -9.6    -19.5    16.7

APPENDIX D

Code: SUMMER 28.5-33.5 KFT	N <sub>Flights</sub>	N <sub>Indep. obs.</sub>	N <sub>Total obs.</sub>	
	TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)	
	TICIV %	SIGMA <sub>TICIV</sub>	P(TIC $\geq$ 10 %)	
	$\bar{T}$ <sub>CLEAR</sub>	$\bar{T}$ <sub>CLOUD</sub>	P(TIC $\geq$ 25 %)	
	$\Delta\bar{Z}$ <sub>CLEAR</sub>	$\Delta\bar{Z}$ <sub>CLOUD</sub>	P(TIC $\geq$ 50 %)	
15E	60E	105E	150E	165W
80N				
70N				
60N				
50N	11 13 95 3.4 14.3 16.8 20.0 29.7 5.3 -43.4 -45.1 4.2 -9.9 -6.4 3.2			
40N	25 36 333 .6 4.8 4.2 14.9 18.1 1.8 -32.0 -41.3 .9 -23.3 -10.6 .6	1 1 1 0.0 0.0 0.0 0.0 0.0 0.0 -23.0 0.0 0.0 -27.8 0.0 0.0	19 19 29 19.0 34.1 31.0 61.1 34.4 24.1 -33.5 -36.4 24.1 -23.1 -17.5 17.2	1 2 19 0.0 0.0 0.0 0.0 0.0 0.0 -36.6 0.0 0.0 -17.8 0.0 0.0
30N	9 11 76 0.0 0.0 0.0 0.0 0.0 0.0 -29.7 0.0 0.0 -26.1 0.0 0.0	16 26 297 11.4 25.5 27.9 40.8 33.5 20.5 -30.2 -31.6 15.5 -24.0 -23.9 10.8	2 2 2 1.4 1.4 50.0 2.7 0.0 0.0 -37.0 -29.0 0.0 -23.6 -26.1 0.0	
20N		15 17 168 23.8 31.0 53.6 44.5 29.6 43.5 -31.2 -32.1 37.5 -25.7 -25.1 23.2	4 4 15 26.9 34.2 60.0 44.9 33.8 46.7 -35.3 -33.7 40.0 -23.0 -24.3 20.0	
10N		8 8 115 14.8 25.3 45.2 32.7 28.8 32.2 -33.7 -32.0 24.3 -24.7 -25.4 9.6	2 2 18 13.9 23.3 38.9 35.6 24.9 27.8 -38.3 -38.3 22.2 -22.6 -22.7 11.1	
0		8 9 56 5.1 12.2 23.2 22.0 16.5 19.6 -35.7 -34.2 7.1 -24.2 -24.6 1.8	9 10 129 4.1 12.9 15.5 26.3 22.2 10.9 -36.2 -35.5 7.8 -23.4 -23.6 2.3	1 1 10 3.4 6.0 40.0 8.5 6.7 20.0 -37.5 -37.8 0.0 -19.2 -20.1 0.0
10S		3 3 34 6.0 15.9 20.6 29.0 23.7 20.6 -32.5 -37.0 5.9 -25.3 -23.5 5.9	11 12 129 0.0 0.0 0.0 0.0 0.0 0.0 -36.5 0.0 0.0 -23.0 0.0 0.0	4 4 19 .0 .1 5.3 .4 0.0 0.0 -34.2 -38.0 0.0 -16.9 -15.8 0.0
20S		2 2 5 0.0 0.0 0.0 0.0 0.0 0.0 -32.4 0.0 0.0 -25.0 0.0 0.0	10 14 163 .5 4.4 3.1 17.8 18.4 1.2 -37.6 -39.0 1.2 -19.0 -20.3 0.0	2 2 21 .4 1.1 14.3 2.5 1.6 0.0 -38.3 -43.0 0.0 -17.5 -15.3 0.0
30S			19 20 80 4.7 14.8 16.3 29.1 25.1 12.5 -48.0 -47.9 7.5 -6.2 -9.8 2.5	7 7 29 2.4 10.3 10.3 22.7 23.5 6.9 -48.2 -49.0 3.4 -6.1 -6.6 3.4
40S				

APPENDIX D

N <sub>Flights</sub>	N <sub>Indep. obs.</sub>	N <sub>Total obs.</sub>
TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)
TICIV %	SIGMA <sub>TICIV</sub>	P(TIC $\geq$ 10 %)
$\bar{T}$ <sub>CLEAR</sub>	$\bar{T}$ <sub>CLOUD</sub>	P(TIC $\geq$ 25 %)
$\Delta Z$ <sub>CLEAR</sub>	$\Delta Z$ <sub>CLOUD</sub>	P(TIC $\geq$ 50 %)

SUMMER  
28.5-33.5 KFT

165W	120W	75W	30W	15E	ZONAL MEAN
					80N
					70N
					60N
	1 1 15 1.2 2.2 33.3 3.5 2.7 0.0 -55.8 -55.4 0.0 -.3 -1.3 0.0	1 1 2 .8 .8 50.0 1.6 0.0 0.0 -50.0 -51.0 0.0 -.9 -1.1 0.0	35 36 83 4.9 13.2 30.1 16.2 19.9 9.6 -46.7 -47.9 6.0 -4.1 -4.2 2.4	37 38 100 4.2 12.2 31.0 13.7 18.7 8.0 -48.1 -49.2 5.0 -3.5 -3.6 2.0	91 99 378 6.7 18.6 22.0 30.3 29.4 13.5 -42.1 -42.0 10.8 -11.0 -10.4 5.8
8 8 17 .3 1.2 5.9 5.1 0.0 0.0 -43.3 -41.0 0.0 -6.9 -6.8 0.0	49 54 188 8.5 21.4 23.4 36.3 30.8 17.0 -40.0 -39.9 13.3 -13.9 -13.4 7.4	14 15 41 6.2 15.5 29.3 21.3 22.4 14.6 -44.4 -42.7 12.2 -6.5 -9.7 7.3	9 9 37 9.0 18.7 27.0 33.4 21.9 21.6 -45.9 -45.5 18.9 -6.2 -5.1 5.4	143 158 628 2.2 12.4 6.7 33.5 35.2 4.0 -35.3 -39.8 2.7 -20.1 -13.9 2.1	50N
59 62 177 1.3 8.8 4.5 29.9 29.3 3.4 -41.4 -40.1 1.7 -15.1 -14.2 1.1	37 37 68 6.0 21.2 16.2 37.2 40.3 8.8 -36.1 -40.5 5.9 -16.9 -15.1 5.9	1 1 1 0.0 0.0 0.0 0.0 0.0 0.0 -34.0 0.0 0.0 -11.0 0.0 0.0			40N
56 59 234 .9 6.5 5.1 17.9 22.9 2.1 -39.9 -38.5 1.7 -16.8 -16.7 .4					30N
1 1 13 0.0 0.0 0.0 0.0 0.0 0.0 -39.8 0.0 0.0 -17.3 0.0 0.0					20N
					10N
					0
					10S
					20S
					30S
					40S

APPENDIX D

Code: AUTUMN 28.5-33.5 KFT	N <sub>Flights</sub>	N <sub>Indep. obs.</sub>	N <sub>Total obs.</sub>
	TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)
	TICIV %	SIGMA <sub>TICIV</sub>	P(TIC $\geq$ 10 %)
	$\bar{T}_{CLEAR}$	$\bar{T}_{CLOUD}$	P(TIC $\geq$ 25 %)
	$\bar{\Delta z}_{CLEAR}$	$\bar{\Delta z}_{CLOUD}$	P(TIC $\geq$ 50 %)

	15E	60E	105E	150E	165W
80N					
70N					
60N				2 3 38 0.0 0.0 0.0 0.0 0.0 0.0 -50.9 0.0 0.0 -1.9 0.0 0.0	
50N	15 19 146 11.9 23.3 35.6 33.4 28.3 26.7 -51.0 -48.6 18.5 -5.9 -8.1 9.6		1 1 8 0.0 0.0 0.0 0.0 0.0 0.0 -42.9 0.0 0.0 -12.5 0.0 0.0	4 4 53 6.1 22.2 7.5 80.9 22.4 7.5 -44.1 -49.0 7.5 -9.2 -8.2 5.7	
40N	21 27 208 1.4 10.4 1.9 73.1 20.6 1.9 -48.4 -53.5 1.9 -8.0 -8.2 1.4		36 36 122 8.1 22.7 18.0 44.9 34.7 13.9 -39.6 -38.3 11.5 -15.0 -18.1 7.4	7 7 30 8.3 24.5 13.3 62.3 34.0 10.0 -40.9 -45.3 10.0 -10.8 -13.7 10.0	
30N	5 5 46 1.9 12.8 4.3 43.9 43.5 2.2 -38.5 -46.5 2.2 -21.5 -10.3 2.2	11 12 87 5.7 20.7 8.0 70.4 28.0 6.9 -37.6 -38.7 6.9 -22.2 -18.7 6.9	4 4 28 0.7 3.9 3.6 20.8 0.0 3.6 -37.4 -34.0 0.0 -22.3 -26.7 0.0	2 4 48 12.6 17.7 50.0 25.2 17.5 37.5 -43.8 -42.3 25.0 -12.1 -15.0 6.3	
20N		13 19 167 6.6 19.7 15.6 42.1 31.6 12.0 -32.2 -34.0 9.0 -23.7 -22.0 6.6	3 3 43 1.0 3.9 9.3 10.3 8.2 4.7 -32.7 -33.3 0.0 -24.3 -24.1 0.0		
10N		5 5 39 13.3 24.4 35.9 36.9 28.0 25.6 -29.9 -30.0 20.5 -22.4 -19.9 10.3	3 3 13 .4 1.3 7.7 4.7 0.0 0.0 -33.0 -32.0 0.0 -23.4 -20.1 0.0	2 2 20 13.7 22.3 45.0 30.4 24.5 25.0 -33.7 -35.0 25.0 -22.5 -21.6 15.0	
0		1 1 7 1.2 2.7 28.6 4.1 3.7 0.0 -28.0 -30.5 0.0 -21.6 -20.4 0.0	2 2 23 22.1 26.4 69.6 31.7 26.4 56.5 -28.3 -28.7 34.8 -21.0 -21.0 17.4	2 2 25 3.9 8.5 24.0 16.4 9.8 16.0 -37.6 -37.5 4.0 -22.4 -22.0 0.0	
10S			2 3 28 1.4 7.1 3.6 38.0 0.0 3.6 -33.1 -31.0 3.6 -20.5 -20.9 0.0	9 9 32 5.6 18.3 12.5 44.4 30.6 9.4 -38.6 -30.0 9.4 -21.9 -22.8 6.3	
20S			2 4 42 18.8 29.4 35.7 52.6 25.4 31.0 -40.6 -35.6 31.0 -19.2 -21.2 19.0	5 7 58 9.5 23.2 17.2 54.9 25.0 15.5 -41.4 -37.8 15.5 -18.2 -20.9 10.3	
30S	2 2 2 0.0 0.0 0.0 0.0 0.0 0.0 -43.5 0.0 0.0 -13.9 0.0 0.0		7 7 39 0.0 0.0 0.0 0.0 0.0 0.0 -47.2 0.0 0.0 -11.1 0.0 0.0	14 16 79 8.8 24.1 13.9 62.9 27.8 12.7 -49.6 -47.9 11.4 -5.2 -10.1 10.1	
40S					

APPENDIX D

N Flights	N Indep. obs.	N Total obs.
TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)
TICIV %	SIGMA <sub>TICIV</sub>	P(TIC $\geq$ 10 %)
$\bar{T}$ <sub>CLEAR</sub>	$\bar{T}$ <sub>CLOUD</sub>	P(TIC $\geq$ 25 %)
$\Delta Z$ <sub>CLEAR</sub>	$\Delta Z$ <sub>CLOUD</sub>	P(TIC $\geq$ 50 %)

AUTUMN  
28.5-33.5 KFT

165W	120W	75W	30W	15E	ZONAL MEAN
			1 1 9 0.0 0.0 0.0 0.0 0.0 0.0 -59.0 0.0 0.0 3.3 0.0 0.0		1 1 9 0.0 0.0 0.0 0.0 0.0 0.0 -59.0 0.0 0.0 3.3 0.0 0.0
		4 5 52 14.6 27.5 34.6 42.2 32.0 26.9 -47.2 -53.3 21.2 3.8 -2.9 11.5	12 16 166 21.6 35.4 32.5 66.5 29.4 30.1 -50.2 -52.6 28.3 1.0 -3.9 23.5	10 11 125 9.3 23.4 20.0 46.4 32.0 16.8 -52.2 -51.2 13.6 .2 -4.9 8.8	26 32 343 16.1 30.9 28.3 56.8 32.5 24.8 -50.6 -52.4 21.9 .9 -4.0 16.3
4 6 71 5.3 13.4 16.9 31.2 16.1 15.5 -48.5 -45.8 11.3 1.1 -2.9 1.4	6 7 86 13.5 27.2 27.9 48.4 31.1 20.9 -51.4 -53.1 20.9 -1.0 -3.0 14.0	25 36 408 3.2 13.8 8.1 40.0 29.5 6.6 -48.0 -47.8 4.9 .5 -5.0 3.2	84 100 793 10.6 23.6 30.0 35.4 31.3 21.1 -46.6 -47.7 15.1 -5.0 -7.3 9.7	121 152 1396 8.1 21.0 22.0 36.7 30.9 16.0 -47.6 -48.0 11.9 -2.7 -6.6 7.4	60N
13 17 153 6.7 18.7 19.6 34.3 29.0 13.1 -42.1 -45.0 10.5 -10.5 -8.8 5.2	29 33 151 11.6 25.0 29.1 39.7 32.0 21.9 -49.1 -47.2 17.2 -5.4 -7.5 10.6	76 93 794 12.1 27.7 22.4 53.9 34.2 19.3 -45.6 -47.4 16.1 -6.2 -7.7 12.0	26 32 253 9.4 23.5 22.1 42.6 32.9 17.4 -49.8 -52.3 12.6 -5.8 -6.2 9.1	164 199 1558 10.8 25.4 23.4 46.2 33.7 18.8 -46.6 -48.1 15.0 -6.7 -7.6 10.2	50N
27 29 120 4.1 13.2 20.0 20.5 23.1 12.5 -42.9 -45.5 5.8 -11.9 -11.9 3.3	30 32 106 8.2 22.9 16.0 51.4 32.6 13.2 -43.9 -42.6 11.3 -10.0 -11.0 8.5	1 1 1 0.0 0.0 0.0 0.0 0.0 0.0 -25.0 0.0 0.0 -11.2 0.0 0.0		122 132 587 4.9 17.8 12.1 40.8 33.9 9.0 -44.5 -43.0 6.8 -10.6 -13.5 4.8	40N
15 16 65 7.7 21.9 15.4 50.2 31.5 13.8 -41.7 -41.4 9.2 -17.9 -17.0 7.7	1 2 19 0.0 0.0 0.0 0.0 0.0 0.0 -37.2 0.0 0.0 -20.5 0.0 0.0			38 43 293 5.8 18.1 15.0 38.8 30.0 11.9 -39.2 -41.5 8.5 -20.0 -16.1 5.1	30N
5 5 31 11.2 24.4 29.0 38.4 31.6 22.6 -35.3 -34.9 16.1 -20.4 -23.5 9.7	3 3 14 0.0 0.0 0.0 0.0 0.0 0.0 -34.9 0.0 0.0 -22.0 0.0 0.0			24 30 255 5.8 18.4 15.3 38.0 31.5 11.4 -32.8 -34.1 7.8 -23.4 -22.6 5.5	20N
2 2 14 7.1 21.6 14.3 50.0 33.5 14.3 -36.5 -35.0 7.1 -24.3 -24.8 7.1	2 2 3 0.0 0.0 0.0 0.0 0.0 0.0 -34.7 0.0 0.0 -23.6 0.0 0.0	1 1 1 0.0 0.0 0.0 0.0 0.0 0.0 -29.0 0.0 0.0 -25.1 0.0 0.0		15 15 90 9.9 21.6 28.9 34.4 27.9 18.9 -32.6 -32.2 15.6 -23.1 -20.9 8.9	10N
				5 5 55 11.2 20.3 43.6 25.6 24.0 30.9 -33.9 -31.0 16.4 -21.9 -21.2 7.3	0
3 3 19 .6 2.6 5.3 11.8 0.0 5.3 -39.2 -41.0 0.0 -21.4 -20.9 0.0		1 1 1 0.0 0.0 0.0 0.0 0.0 0.0 -39.0 0.0 0.0 -25.6 0.0 0.0		15 16 80 2.8 12.5 7.5 37.9 27.7 6.3 -36.7 -32.0 5.0 -21.3 -22.2 2.5	10S
		1 1 1 0.0 0.0 0.0 0.0 0.0 0.0 -38.0 0.0 0.0 -25.7 0.0 0.0		8 12 101 13.3 26.3 24.8 53.5 25.3 21.8 -41.1 -36.5 21.8 -18.6 -21.1 13.9	20S
				23 25 120 5.8 20.0 9.2 62.9 27.8 8.3 -48.6 -47.9 7.5 -7.5 -10.1 6.7	30S
					40S

APPENDIX D

Code: WINTER 33.5-38.5 KFT	N Flights	N Indep. obs.	N Total obs.
	TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)
	TICIV %	SIGMA <sub>TICIV</sub>	P(TIC $\geq$ 10 %)
	$\bar{T}$ <sub>CLEAR</sub>	$\bar{T}$ <sub>CLOUD</sub>	P(TIC $\geq$ 25 %)
$\Delta\bar{Z}$ <sub>CLEAR</sub>		$\Delta\bar{Z}$ <sub>CLOUD</sub>	P(TIC $\geq$ 50 %)

	15E	60E	105E	150E	165W
80N					
70N					1 1 8 0.0 0.0 0.0 0.0 0.0 0.0 -48.3 0.0 0.0 4.2 0.0 0.0
60N					9 14 179 0.0 0.0 0.0 0.0 0.0 0.0 -50.1 0.0 0.0 4.5 0.0 0.0
50N	13 18 158 6.6 20.0 17.7 37.1 33.6 12.7 -55.9 -61.4 7.6 -.8 -2.2 6.3		5 5 37 0.0 0.0 0.0 0.0 0.0 0.0 -49.3 0.0 0.0 5.7 0.0 0.0	8 12 135 0.0 0.0 0.0 0.0 0.0 0.0 -48.0 0.0 0.0 4.9 0.0 0.0	
40N	32 39 438 6.9 20.3 15.5 44.3 31.8 11.9 -54.0 -56.1 9.6 -3.3 -5.2 6.6		28 28 229 3.4 13.4 9.2 37.1 26.9 7.9 -49.3 -55.5 5.2 -3.6 -4.4 2.6	17 24 263 2.6 14.4 4.9 52.9 38.9 3.8 -48.1 -57.4 3.4 -3.7 -3.7 2.3	
30N	7 8 96 1.8 7.1 8.3 21.8 12.8 6.3 -46.3 -58.0 3.1 -11.7 -2.5 0.0	21 30 339 5.8 17.5 14.7 39.5 27.3 13.0 -48.8 -53.7 8.6 -10.9 -10.0 4.7	16 19 142 .2 2.6 .7 31.0 0.0 .7 -46.5 -51.0 .7 -15.1 -10.2 0.0	10 14 183 0.0 0.0 0.0 0.0 0.0 0.0 -44.2 0.0 0.0 -15.1 0.0 0.0	
20N	1 1 1 0.0 0.0 0.0 0.0 0.0 0.0 -44.0 0.0 0.0 -23.1 0.0 0.0	23 26 232 1.1 7.0 5.2 21.3 22.7 3.0 -46.0 -49.5 1.7 -20.5 -18.2 .9	17 18 128 2.6 10.6 14.8 17.8 21.9 5.5 -46.1 -48.7 4.7 -18.7 -15.2 1.6	5 10 138 0.0 0.0 0.0 0.0 0.0 0.0 -44.6 0.0 0.0 -12.6 0.0 0.0	
10N		15 16 152 10.9 23.8 32.9 33.1 31.5 20.4 -44.0 -44.8 15.1 -22.6 -22.1 8.6	7 7 35 27.0 34.4 45.7 59.1 26.3 40.0 -42.2 -42.3 40.0 -22.7 -23.3 34.3	15 15 181 17.6 29.4 35.9 49.0 29.5 31.5 -44.8 -44.6 26.0 -21.0 -20.8 18.2	
0		8 8 76 23.1 30.4 59.2 39.1 30.6 46.1 -41.5 -42.3 34.2 -23.5 -23.5 21.1	12 16 174 11.8 23.1 35.1 33.6 28.1 25.9 -42.6 -42.8 17.2 -22.5 -22.2 9.2	18 18 184 13.3 27.0 31.5 42.3 33.0 22.8 -44.8 -43.4 18.5 -21.7 -21.3 14.1	
10S		3 4 55 0.0 0.0 0.0 0.0 0.0 0.0 -40.8 0.0 0.0 -23.6 0.0 0.0	18 24 251 10.0 23.7 22.3 44.6 31.1 17.5 -42.4 -41.7 14.3 -22.5 -22.7 9.2	32 33 204 16.6 30.2 34.8 47.6 33.8 27.5 -46.1 -46.5 22.5 -20.9 -21.3 18.1	
20S	2 2 11 0.0 0.0 0.0 0.0 0.0 0.0 -47.0 0.0 0.0 0.0 0.0 0.0	6 10 102 0.0 0.0 0.0 0.0 0.0 0.0 -43.1 0.0 0.0 -19.3 0.0 0.0	18 27 294 1.1 8.2 3.4 32.7 30.8 2.0 -42.1 -45.8 1.7 -22.7 -22.2 1.0	16 23 241 11.8 26.0 28.6 41.2 33.9 20.3 -45.3 -47.4 15.8 -19.6 -19.3 11.6	
30S		2 2 30 0.0 0.0 0.0 0.0 0.0 0.0 -47.8 0.0 0.0 -16.3 0.0 0.0	38 48 480 1.9 11.4 4.2 45.5 33.9 3.3 -48.2 -49.5 2.3 -12.7 -11.7 1.9	24 28 186 8.3 22.4 21.0 39.7 34.0 15.1 -49.9 -50.0 11.3 -10.2 -8.0 8.6	
40S					

**APPENDIX D**

$N_{\text{Flights}}$	$N_{\text{Indep. obs.}}$	$N_{\text{Total obs.}}$
TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)
TICIV %	SIGMA <sub>TICIV</sub>	P(TICIV ≥ 10 %)
$\bar{T}_{\text{CLEAR}}$	$\bar{T}_{\text{CLOUD}}$	P(TIC ≥ 25 %)
$\bar{\Delta z}_{\text{CLEAR}}$	$\bar{\Delta z}_{\text{CLOUD}}$	P(TIC ≥ 50 %)

WINTER  
33.5-38.5 KFT

165W	120W	75W	30W	15E	ZONAL MEAN
		2 2 14 0.0 0.0 0.0 0.0 0.0 0.0 -53.1 0.0 0.0 4.9 0.0 0.0			2 2 14 0.0 0.0 0.0 0.0 0.0 0.0 -53.1 0.0 0.0 4.9 0.0 0.0
7 9 85 0.0 0.0 0.0 0.0 0.0 0.0 -54.3 0.0 0.0 3.7 0.0 0.0	7 10 110 .4 4.1 .9 43.1 0.0 .9 -58.1 -65.0 .9 3.8 -.1 0.0	4 4 39 0.0 0.0 0.0 0.0 0.0 0.0 -57.2 0.0 0.0 3.2 0.0 0.0	1 1 16 0.0 0.0 0.0 0.0 0.0 0.0 -56.1 0.0 0.0 2.1 0.0 0.0		20 25 258 .2 2.7 .4 43.1 0.0 .4 -56.3 -65.0 .4 3.6 -.1 0.0
9 12 131 0.0 0.0 0.0 0.0 0.0 0.0 -50.2 0.0 0.0 3.6 0.0 0.0	8 14 176 .0 .1 .6 .8 0.0 0.0 -55.5 -63.0 0.0 2.9 -1.1 0.0	21 31 344 12.1 28.8 18.0 67.0 30.3 16.6 -51.8 -62.1 15.4 4.4 -3.9 12.8	31 37 381 10.8 25.6 23.1 46.7 34.0 17.8 -56.4 -61.9 15.2 2.0 -3.3 10.0		78 108 1211 6.8 21.7 12.5 54.8 34.2 10.3 -53.2 -62.0 9.2 3.4 -3.5 6.8
22 26 198 3.1 12.7 10.6 29.4 27.2 7.1 -52.5 -61.4 6.1 1.4 -.7 1.5	60 71 608 5.0 17.6 14.6 34.0 33.1 9.0 -54.2 -60.1 7.1 1.3 -2.5 4.8	34 51 525 19.6 33.7 31.6 62.1 30.9 28.4 -53.4 -58.0 26.1 1.4 -6.4 21.7	26 28 209 10.0 25.8 17.2 58.0 32.8 14.4 -54.3 -60.7 12.9 1.1 -2.5 10.5		168 211 1870 9.1 24.4 18.2 50.2 34.5 14.3 -53.3 -59.3 12.4 1.6 -4.2 9.5
104 135 1407 8.8 22.0 23.4 37.5 31.3 17.3 -53.1 -55.9 12.4 -4.5 -6.5 8.0	54 65 603 10.1 23.6 24.4 41.6 31.4 19.4 -54.6 -59.1 15.1 -2.6 -5.0 9.1				235 291 2940 7.8 21.1 19.7 39.7 31.6 15.0 -52.7 -56.8 11.2 -3.7 -5.8 7.1
86 126 1526 10.2 22.9 27.1 37.6 29.9 20.8 -49.0 -51.8 14.7 -11.4 -11.0 9.3	2 2 3 19.0 26.8 33.3 56.9 0.0 33.3 -53.0 -52.0 33.3 -17.0 -20.3 33.3				142 199 2289 7.8 20.3 20.7 37.6 29.5 16.1 -48.2 -52.1 11.3 -11.9 -10.7 6.9
27 29 304 5.7 17.3 13.8 41.5 26.1 11.8 -47.4 -49.6 9.9 -20.5 -19.7 4.6					73 84 803 2.9 12.3 9.1 32.0 26.9 6.2 -46.3 -49.4 5.0 -19.6 -18.6 2.2
22 25 150 11.1 22.7 32.0 34.7 28.1 22.0 -48.5 -48.4 18.7 -20.2 -20.3 9.3					59 63 518 14.4 26.8 34.6 41.6 30.8 26.1 -45.6 -45.5 21.6 -21.3 -21.3 13.9
9 9 93 4.0 13.6 14.0 28.4 25.1 8.6 -48.5 -48.4 6.5 -21.2 -21.2 3.2					47 51 527 12.6 25.0 33.6 37.5 30.6 24.7 -44.6 -43.3 18.2 -21.9 -22.3 11.6
6 6 13 15.4 21.3 46.2 33.3 19.6 38.5 -45.6 -46.3 30.8 -22.0 -21.4 7.7					59 67 523 11.6 25.7 25.4 45.7 32.3 20.1 -43.5 -44.5 16.4 -22.1 -21.9 11.7
					42 62 648 4.9 17.6 12.2 40.2 33.6 8.5 -43.3 -47.2 6.6 -21.2 -19.6 4.8
					64 78 696 3.5 15.3 8.5 41.7 34.0 6.3 -48.6 -49.8 4.6 -12.3 -9.4 3.6
					40S

APPENDIX D

Code: SPRING 33.5-38.5 KFT	N <sub>Flights</sub>	N <sub>Indep. obs.</sub>	N <sub>Total obs.</sub>	
	TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)	
	TICIV %	SIGMA <sub>TICIV</sub>	P(TIC $\geq$ 10 %)	
	$\bar{T}$ <sub>CLEAR</sub>	$\bar{T}$ <sub>CLOUD</sub>	P(TIC $\geq$ 25 %)	
	$\bar{\Delta Z}$ <sub>CLEAR</sub>	$\bar{\Delta Z}$ <sub>CLOUD</sub>	P(TIC $\geq$ 50 %)	
15E	60E	105E	150E	165W
80N				
70N				1 1 7 0.0 0.0 0.0 0.0 0.0 0.0 -47.1 0.0 0.0 6.0 0.0 0.0
60N				19 31 375 5.0 17.4 10.7 46.8 29.5 9.1 -52.4 -62.6 7.7 2.9 -.3 5.1
50N	9 11 84 3.7 14.2 10.7 34.2 29.1 7.1 -54.9 -56.8 4.8 .0 1.1 4.8		8 8 48 7.0 19.3 22.9 30.4 30.1 16.7 -51.4 -56.7 8.3 1.3 -5.3 4.2	33 48 585 6.7 21.0 15.4 43.8 35.2 11.1 -53.8 -56.1 8.7 .5 -4.5 7.0
40N	11 15 174 5.5 16.7 16.7 32.7 28.1 11.5 -54.2 -56.3 8.6 -2.6 -4.2 3.4	3 3 3 28.9 40.9 33.3 86.7 0.0 33.3 -50.0 -51.0 33.3 -8.8 -7.5 33.3	46 47 321 11.1 24.1 29.9 37.0 31.3 21.5 -52.5 -53.5 16.2 -5.6 -7.7 9.7	24 25 191 8.2 21.8 20.4 40.1 32.4 14.7 -52.6 -52.3 12.0 -1.0 -6.3 8.9
30N	3 3 8 0.0 0.0 0.0 0.0 0.0 0.0 -49.9 0.0 0.0 -17.4 0.0 0.0	14 17 174 5.4 18.7 13.2 40.5 34.8 8.6 -48.3 -50.2 7.5 -10.5 -9.7 5.2	13 15 129 5.7 16.2 20.9 27.2 25.8 14.0 -46.3 -46.5 7.8 -12.5 -14.1 4.7	9 12 177 5.3 13.6 31.6 16.9 19.8 14.1 -50.1 -49.4 9.0 -12.3 -12.6 2.8
20N		9 11 71 9.5 19.9 31.0 30.6 25.0 22.5 -46.6 -46.0 15.5 -14.4 -16.3 8.5	16 17 113 2.7 10.4 16.8 16.3 20.5 5.3 -45.8 -45.2 4.4 -16.3 -17.5 2.7	9 14 180 4.6 16.4 11.7 39.3 30.8 9.4 -47.1 -48.6 7.2 -15.4 -14.7 3.9
10N		2 2 5 0.0 0.0 0.0 0.0 0.0 0.0 -48.4 0.0 0.0 -11.8 0.0 0.0	1 1 6 2.4 4.2 33.3 7.1 4.3 16.7 -45.0 -45.5 0.0 -13.6 -13.7 0.0	5 5 11 5.2 12.0 18.2 28.4 11.6 18.2 -50.7 -43.0 9.1 -19.7 -17.2 0.0
0				6 6 63 9.3 20.9 28.6 32.6 27.7 23.8 -47.6 -49.6 12.7 -17.8 -20.0 6.3
10S				10 10 66 2.7 10.3 10.6 25.0 20.8 6.1 -50.3 -49.1 4.5 -19.1 -20.6 1.5
20S				3 3 36 .1 .3 2.8 2.0 0.0 0.0 -52.1 -50.0 0.0 -13.8 -23.4 0.0
30S				5 5 16 .4 1.5 6.3 6.3 0.0 0.0 -54.9 -57.0 0.0 -10.5 -9.0 0.0
40S				

APPENDIX D

$N_{\text{Flights}}$	$N_{\text{Indep. obs.}}$	$N_{\text{Total obs.}}$				
TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)				
TICIV %	SIGMA <sub>TICIV</sub>	P(TIC $\geq$ 10 %)				
$\bar{T}_{\text{CLEAR}}$	$\bar{T}_{\text{CLOUD}}$	P(TIC $\geq$ 25 %)				
$\Delta Z_{\text{CLEAR}}$	$\Delta Z_{\text{CLOUD}}$	P(TIC $\geq$ 50 %)				
			SPRING 33.5-38.5 KFT			
165W	120W	75W	30W	15E	ZONAL MEAN	
						80N
		1 1 8	2 2 14	1 1 3	4 4 25	
		0.0 0.0 0.0	.1 .4 7.1	0.0 0.0 0.0	1 .3 4.0	
		0.0 0.0 0.0	1.6 0.0 0.0	0.0 0.0 0.0	1.6 0.0 0.0	
		-58.8 0.0 0.0	-52.9 -59.0 0.0	-59.0 0.0 0.0	-55.6 -59.0 0.0	
		2.4 0.0 0.0	1.9 -.7 0.0	.1 0.0 0.0	1.8 -.7 0.0	
10 11 151	13 13 122	6 6 88	4 4 40		34 35 408	
.0 .0 .7	.0 .1 3.3	.0 .2 4.5	0.0 0.0 0.0		.0 .1 2.2	
.4 0.0 0.0	.4 0.0 0.0	.7 .5 0.0	0.0 0.0 0.0		.5 .4 0.0	
-49.2 -47.0 0.0	-50.3 -49.0 0.0	-51.7 -57.8 0.0	-50.9 0.0 0.0		-50.2 -52.7 0.0	
4.9 5.4 0.0	4.3 5.9 0.0	3.8 2.8 0.0	3.8 0.0 0.0		4.4 4.4 0.0	
24 32 337	17 29 343	29 32 327	35 47 503		124 171 1885	
1.2 7.9 4.2	1.8 9.4 9.0	11.4 26.2 27.5	4.8 16.4 14.5		4.8 17.0 13.2	
27.8 27.4 2.1	20.1 24.6 4.1	41.4 35.5 18.7	32.9 30.6 9.9		36.4 32.5 8.8	
-50.4 -63.1 1.8	-55.4 -59.7 2.9	-52.8 -57.1 14.7	-53.7 -60.6 6.6		-53.0 -59.7 6.7	
3.4 -2.2 .9	.7 -3.2 1.2	1.1 -3.6 11.3	1.5 -1.6 4.2		1.9 -2.4 4.5	
36 50 531	115 136 1026	39 50 439	13 17 138		253 320 2851	
6.1 18.1 19.8	7.1 20.2 17.3	8.6 21.9 23.5	3.1 13.3 11.6		6.8 19.9 18.0	
30.7 30.1 12.4	41.1 31.0 13.5	36.7 31.9 16.9	26.6 30.0 6.5		37.7 32.1 12.9	
-54.5 -58.8 8.5	-54.4 -58.1 10.8	-54.2 -56.5 13.0	-52.5 -59.4 4.3		-54.1 -57.6 9.8	
-.4 -5.5 5.1	-.3 -3.4 6.4	-1.2 -3.2 7.7	.2 -2.9 2.2		-.4 -3.9 6.2	
130 162 1606	110 125 873	4 4 47			328 381 3215	
2.6 11.5 11.6	5.1 17.5 12.7	.0 .1 2.1			4.6 16.1 14.4	
22.5 26.2 6.1	40.1 31.8 9.5	.4 0.0 0.0			31.9 30.5 9.3	
-54.8 -57.5 3.8	-53.7 -59.7 7.4	-55.1 -38.0 0.0			-54.1 -56.6 6.7	
-.4 -4.8 2.1	-.7 -3.1 4.8	-3.7 2.0 0.0			-3.2 -5.1 4.0	
95 137 1489	9 10 90	4 4 54			147 198 2121	
5.9 18.1 17.3	3.4 12.1 15.6	2.1 9.6 5.6			5.6 17.3 18.0	
34.2 30.3 12.2	21.8 23.1 7.8	38.4 16.4 5.6			31.2 29.5 11.8	
-52.2 -54.4 8.9	-48.1 -50.6 5.6	-53.8 -49.3 3.7			-51.2 -52.7 8.4	
-.8.4 -7.9 5.0	-13.6 -14.9 2.2	-14.5 -13.5 1.9			-.9.5 -9.5 4.6	
13 16 143	11 12 107	8 8 72			66 78 686	
2.4 8.2 11.9	11.1 23.4 34.6	10.4 25.1 29.2			6.0 17.5 20.0	
20.0 14.4 7.0	32.0 30.2 21.5	35.8 35.4 16.7			29.8 28.7 12.2	
-48.5 -46.6 4.2	-48.5 -48.8 15.9	-50.4 -49.9 13.9			-47.6 -47.7 9.0	
-15.5 -15.5 0.0	-14.8 -14.6 10.3	-18.6 -16.1 11.1			-15.7 -15.6 5.1	
11 13 142		7 7 76			26 28 240	
6.4 19.0 15.5		18.7 30.3 39.5			10.0 23.4 23.3	
41.6 29.7 12.7		47.4 31.2 34.2			43.0 30.6 19.6	
-48.2 -45.5 9.2		-48.3 -49.1 28.9			-48.3 -47.3 15.0	
-19.3 -17.4 7.0		-17.7 -16.5 17.1			-18.6 -16.8 9.6	
3 3 37		7 7 72			16 16 172	
0.0 0.0 0.0		17.7 26.1 55.6			10.8 22.2 33.7	
0.0 0.0 0.0		31.9 27.9 41.7			32.1 27.8 26.2	
-47.3 0.0 0.0		-49.0 -48.9 25.0			-47.9 -49.1 15.1	
-20.1 0.0 0.0		-19.3 -19.2 15.3			-18.9 -19.6 8.7	
2 2 10		8 8 84			20 20 160	
4.5 11.2 20.0		12.0 23.1 41.7			7.7 18.8 27.5	
22.7 14.5 10.0		28.8 28.2 26.2			27.9 26.7 16.9	
-43.6 -46.5 10.0		-49.5 -48.7 16.7			-49.5 -48.6 11.3	
-20.7 -14.0 0.0		-20.1 -19.9 8.3			-19.5 -19.7 5.0	
		6 6 12			9 9 48	
		11.8 21.9 25.0			3.0 12.1 8.3	
		47.3 15.2 25.0			36.0 23.7 6.3	
		-50.0 -49.3 25.0			-51.6 -49.5 6.3	
		-20.2 -19.7 8.3			-14.7 -20.6 2.1	
					5 5 16	
					.4 1.5 6.3	
					6.3 0.0 0.0	
					-54.9 -57.0 0.0	
					-10.5 -9.0 0.0	

APPENDIX D

Code:	N <sub>Flights</sub>	N <sub>Indep. obs.</sub>	N <sub>Total obs.</sub>
	TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)
	TICIV %	SIGMA <sub>TICIV</sub>	P(TIC $\geq$ 10 %)
	$\bar{T}$ <sub>CLEAR</sub>	$\bar{T}$ <sub>CLOUD</sub>	P(TIC $\geq$ 25 %)
SUMMER 33.5-38.5 KFT	$\Delta Z$ <sub>CLEAR</sub>	$\Delta Z$ <sub>CLOUD</sub>	P(TIC $\geq$ 50 %)

	15E	60E	105E	150E	165W
80N					
70N					2 2 16 1.8 7.0 6.3 29.0 0.0 6.3 -53.7 -58.0 6.3 .7 -4.4 0.0
60N					7 10 107 1.3 5.0 10.3 12.3 10.5 4.7 -47.1 -57.0 .9 2.2 -.7 0.0
50N	7 8 88 .3 2.0 2.3 12.9 3.5 1.1 -49.0 -54.0 0.0 -2.8 .5 0.0		6 6 26 .3 1.0 7.7 3.7 .2 0.0 -46.5 -44.0 0.0 -10.3 -16.4 0.0	17 28 350 12.7 24.0 38.3 33.3 28.7 26.6 -50.3 -51.8 18.6 -5.7 -8.6 12.0	
40N	13 20 232 0.0 0.0 0.0 0.0 0.0 0.0 -40.3 0.0 0.0 -20.4 0.0 0.0		27 27 132 16.9 27.4 42.4 39.8 29.3 31.8 -48.9 -47.3 25.0 -13.0 -14.2 15.2	11 11 53 6.7 15.1 22.6 29.4 18.5 18.9 -49.0 -51.8 11.3 -13.2 -11.9 3.8	
30N	4 6 56 0.0 0.0 0.0 0.0 0.0 0.0 -39.4 0.0 0.0 -22.9 0.0 0.0	5 7 67 4.1 16.5 6.0 69.0 9.5 6.0 -38.8 -39.5 6.0 -18.5 -15.6 6.0	1 1 2 0.0 0.0 0.0 0.0 0.0 0.0 -41.5 0.0 0.0 -21.4 0.0 0.0	1 2 35 0.0 0.0 0.0 0.0 0.0 0.0 -48.7 0.0 0.0 -14.3 0.0 0.0	
20N		9 11 108 29.8 31.5 71.3 41.9 29.8 58.3 -42.2 -44.2 46.3 -20.7 -19.5 29.6	3 3 25 21.2 28.3 56.0 37.8 28.3 44.0 -40.1 -41.5 32.0 -22.2 -21.3 20.0		
10N		6 6 74 9.5 22.2 29.7 32.0 30.7 17.6 -43.6 -42.9 12.2 -20.8 -20.7 8.1	3 3 21 6.2 13.4 23.8 26.0 15.5 19.0 -43.6 -43.2 14.3 -20.7 -20.7 0.0	2 2 32 1.7 6.0 21.9 7.7 10.8 6.3 -45.2 -48.1 3.1 -18.7 -18.4 0.0	
0		4 4 29 6.0 20.7 10.3 57.9 33.6 10.3 -43.0 -42.7 6.9 -21.0 -20.2 6.9	8 9 87 8.2 20.0 20.7 39.7 26.2 17.2 -44.5 -43.8 13.8 -20.2 -20.2 6.9	3 3 27 20.9 28.1 66.7 31.3 29.3 40.7 -47.7 -48.7 29.6 -14.3 -15.4 22.2	
10S		2 2 31 0.0 0.0 0.0 0.0 0.0 0.0 -41.1 0.0 0.0 -21.6 0.0 0.0	7 8 79 .0 .1 1.3 .8 0.0 0.0 -44.7 -49.0 0.0 -19.6 -17.8 0.0	4 4 38 1.6 9.2 5.3 30.2 27.1 2.6 -50.1 -50.0 2.6 -17.1 -20.1 2.6	
20S		2 2 7 0.0 0.0 0.0 0.0 0.0 0.0 -40.9 0.0 0.0 -21.4 0.0 0.0	9 12 130 .0 .4 .8 4.3 0.0 0.0 -46.1 -51.0 0.0 -15.4 -11.2 0.0	5 8 88 1.2 5.3 8.0 15.1 11.7 5.7 -46.6 -48.1 2.3 -13.4 -15.1 0.0	
30S			17 22 206 .1 1.4 1.0 13.5 5.7 .5 -48.7 -51.0 0.0 -2.0 -6.4 0.0	10 11 86 0.0 0.0 0.0 0.0 0.0 0.0 -50.9 0.0 0.0 -3.2 0.0 0.0	
40S					

APPENDIX D

N <sub>Flights</sub>	N <sub>Indep. obs.</sub>	N <sub>Total obs.</sub>							
TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)							
TICIV %	SIGMA <sub>TICIV</sub>	P(TIC ≥ 10 %)							
̄T <sub>CLEAR</sub>	̄T <sub>CLOUD</sub>	P(TIC ≥ 25 %)							
ΔZ <sub>CLEAR</sub>	ΔZ <sub>CLOUD</sub>	P(TIC ≥ 50 %)							
SUMMER 33.5-38.5 KFT									
165W		120W		75W		30W		15E	
								ZONAL MEAN	
								80N	
						1 1 7		1 1 7	
				0.0 0.0 0.0		.1 .1 14.3		.0 .1 7.1	
				0.0 0.0 0.0		.4 0.0 0.0		.4 0.0 0.0	
				-42.0 0.0 0.0		-44.5 -45.0 0.0		-43.2 -45.0 0.0	
				5.5 0.0 0.0		4.6 4.7 0.0		5.1 4.7 0.0	
								33 39 410	
								.4 4.3 2.7	
						13.0 23.1 1.0		13.0 23.1 1.0	
						-49.3 -55.7 .5		-49.3 -55.7 .5	
						2.5 -.7 .2		2.5 -.7 .2	
								80 99 865	
						2.0 9.0 10.3		19.0 21.6 4.9	
						-50.7 -55.4 2.8		-50.7 -55.4 2.8	
						1.1 -2.3 .9		1.1 -2.3 .9	
						150 185 1765		150 185 1765	
						8.5 20.6 25.8		8.5 20.6 25.8	
						33.1 28.9 17.8		33.1 28.9 17.8	
						-50.2 -52.3 12.7		-50.2 -52.3 12.7	
						-6.8 -8.1 7.5		-6.8 -8.1 7.5	
				181 244 2415		181 244 2415		40N	
				3.1 13.0 9.6		3.1 13.0 9.6		32.3 28.4 6.4	
				-48.7 -50.9 4.7		-48.7 -50.9 4.7		-12.5 -11.1 2.4	
				75 126 1577		75 126 1577		30N	
				1.8 10.2 6.5		1.8 10.2 6.5		27.3 30.0 3.9	
				-48.3 -50.6 2.5		-48.3 -50.6 2.5		-13.6 -12.4 1.5	
				16 19 187		16 19 187		20.2 29.1 51.9	
				39.0 30.0 39.6		39.0 30.0 39.6		-44.8 -43.9 31.0	
				-19.9 -20.0 19.8		-19.9 -20.0 19.8		10N	
				14 14 151		14 14 151		7.9 20.1 25.8	
				30.5 29.6 15.9		30.5 29.6 15.9		-44.4 -44.7 11.9	
				-20.7 -20.6 6.0		-20.7 -20.6 6.0		0	
				15 16 143		15 16 143		10.1 22.5 27.3	
				37.2 29.2 20.3		37.2 29.2 20.3		-44.4 -46.0 15.4	
				-19.9 -18.0 9.8		-19.9 -18.0 9.8		10S	
				13 14 148		13 14 148		20.4 26.1 .7	
				-45.3 -49.7 .7		-45.3 -49.7 .7		-19.4 -19.3 .7	
				16 22 225		16 22 225		.5 3.3 3.6	
				13.8 11.5 2.2		13.8 11.5 2.2		-46.1 -48.5 .9	
				-14.9 -14.7 0.0		-14.9 -14.7 0.0		-14.9 -14.7 0.0	
				27 33 292		27 33 292		.1 1.2 .7	
				13.5 5.7 .3		13.5 5.7 .3		-49.4 -51.0 0.0	
				-2.4 -6.4 0.0		-2.4 -6.4 0.0		40S	

APPENDIX D

Code: AUTUMN 33.5-38.5 KFT	$N_{\text{Flights}}$	$N_{\text{Indep. obs.}}$	$N_{\text{Total obs.}}$	
	$\bar{T}_{\text{TIC}} \%$	$SIGMA_{\text{TIC}}$	$P(\text{TIC} > 0 \%)$	
	$T_{\text{TICIV}} \%$	$SIGMA_{\text{TICIV}}$	$P(\text{TIC} \geq 10 \%)$	
	$\bar{T}_{\text{CLEAR}}$	$\bar{T}_{\text{CLOUD}}$	$P(\text{TIC} \geq 25 \%)$	
	$\bar{\Delta Z}_{\text{CLEAR}}$	$\bar{\Delta Z}_{\text{CLOUD}}$	$P(\text{TIC} \geq 50 \%)$	
15E	60E	105E	150E	
80N				
70N			1 1 1 0.0 0.0 0.0 0.0 0.0 0.0 -50.0 0.0 0.0 -.6 0.0 0.0	
60N			10 16 193 4.0 16.1 9.3 43.3 32.8 6.7 -52.2 -53.7 5.2 .7 -5.4 4.7	
50N	10 12 122 .8 5.7 4.1 19.8 20.5 3.3 -54.6 -57.4 .8 -3.5 -5.9 .8	9 9 33 2.9 11.4 6.1 47.6 1.8 6.1 -48.4 -49.0 6.1 -5.5 -12.9 0.0	25 35 453 7.0 18.2 24.7 28.5 27.1 15.5 -49.6 -52.0 10.2 -6.2 -9.2 6.4	
40N	16 18 186 2.4 11.1 7.0 34.0 26.2 5.4 -53.2 -58.6 4.3 -6.3 -3.8 2.2	32 32 215 11.3 25.7 27.4 41.3 34.2 20.0 -46.5 -48.4 15.3 -14.0 -14.0 11.6	19 29 287 11.2 24.4 33.4 33.5 32.0 23.0 -50.7 -51.4 14.6 -10.9 -12.0 9.8	
30N	1 1 12 0.0 0.0 0.0 0.0 0.0 0.0 -45.0 0.0 0.0 -21.4 0.0 0.0	13 18 197 .6 3.1 4.6 13.1 6.9 3.0 -45.7 -47.9 0.0 -16.8 -15.9 0.0	7 9 77 .0 .2 1.3 1.6 0.0 0.0 -44.9 -40.0 0.0 -20.6 -23.8 0.0	7 9 98 2.2 8.8 14.3 15.3 18.3 7.1 -47.4 -48.9 2.0 -15.6 -15.2 1.0
20N		10 10 79 5.0 15.1 16.5 30.5 24.8 13.9 -45.0 -46.1 7.6 -19.6 -18.4 2.5	3 3 30 28.6 37.2 46.7 61.2 31.0 40.0 -48.9 -49.1 36.7 -20.0 -19.9 33.3	
10N		3 3 22 36.4 33.4 72.7 50.1 29.1 63.6 -42.8 -43.4 50.0 -18.7 -18.8 40.9	1 1 6 7.3 7.1 83.3 8.7 6.9 50.0 -49.0 -49.0 0.0 -19.8 -19.7 0.0	8 8 56 9.3 22.3 26.8 34.8 31.1 17.9 -45.9 -48.0 16.1 -19.1 -17.6 7.1
0		1 1 12 40.3 20.8 91.7 43.9 17.6 83.3 -40.0 -40.7 83.3 -14.0 -15.2 33.3	2 4 44 20.2 32.7 36.4 55.6 31.1 29.5 -42.0 -41.8 29.5 -14.9 -14.9 22.7	8 8 101 1.0 6.7 5.9 17.0 21.8 2.0 -45.5 -50.7 1.0 -19.3 -17.3 1.0
10S		1 2 19 6.6 15.2 26.3 25.3 20.1 21.1 -44.2 -40.0 10.5 -13.0 -13.6 5.3	2 3 39 13.7 27.3 33.3 41.1 33.3 20.5 -41.9 -41.3 20.5 -16.1 -16.6 12.8	8 8 80 11.9 24.9 30.0 39.7 31.1 21.3 -46.2 -47.5 17.5 -19.0 -19.8 10.0
20S		1 1 2 0.0 0.0 0.0 0.0 0.0 0.0 -45.0 0.0 0.0 -14.4 0.0 0.0	2 3 42 0.0 0.0 0.0 0.0 0.0 0.0 -46.7 0.0 0.0 -11.3 0.0 0.0	6 7 86 8.7 24.8 14.0 62.3 32.4 12.8 -47.4 -48.2 10.5 -13.7 -16.5 9.3
30S	1 1 2 0.0 0.0 0.0 0.0 0.0 0.0 -55.5 0.0 0.0 -4.2 0.0 0.0		4 5 36 .0 .1 2.8 .8 0.0 0.0 -52.7 -61.0 0.0 -3.9 -2.4 0.0	8 8 56 9.5 24.8 19.6 48.4 35.1 14.3 -51.0 -52.5 12.5 -3.4 -5.4 12.5
40S				

APPENDIX D

$N_{\text{Flights}}$	$N_{\text{Indep. obs.}}$	$N_{\text{Total obs.}}$									
TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)									
TICIV %	SIGMA <sub>TICIV</sub>	P(TIC $\geq$ 10 %)									
$\bar{T}_{\text{CLEAR}}$	$\bar{T}_{\text{CLOUD}}$	P(TIC $\geq$ 25 %)									
$\bar{\Delta z}_{\text{CLEAR}}$	$\bar{\Delta z}_{\text{CLOUD}}$	P(TIC $\geq$ 50 %)									
AUTUMN 33.5-38.5 KFT											
<b>165W</b>											
<b>120W</b>											
<b>75W</b>											
<b>30W</b>											
<b>15E</b>											
<b>ZONAL MEAN</b>											
<b>80N</b>											
<b>70N</b>											
<b>60N</b>											
<b>50N</b>											
<b>40N</b>											
<b>30N</b>											
<b>20N</b>											
<b>10N</b>											
<b>0</b>											
<b>10S</b>											
<b>20S</b>											
<b>30S</b>											
<b>40S</b>											

**APPENDIX D**

Code: WINTER 38.5-43.5 KFT	N <sub>Flights</sub>	N <sub>Indep. obs.</sub>	N <sub>Total obs.</sub>		
	TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)		
	TICIV %	SIGMA <sub>TICIV</sub>	P(TIC $\geq$ 10 %)		
	T <sub>CLEAR</sub>	T <sub>CLOUD</sub>	P(TIC $\geq$ 25 %)		
	$\bar{\Delta}z_{CLEAR}$	$\bar{\Delta}z_{CLOUD}$	P(TIC $\geq$ 50 %)		
15E	15E	60E	105E	150E	165W
80N					
70N					5 5 27 0.0 0.0 0.0 0.0 0.0 0.0 -49.7 0.0 0.0 7.4 0.0 0.0
60N					13 22 274 0.0 0.0 0.0 0.0 0.0 0.0 -48.5 0.0 0.0 8.0 0.0 0.0
50N	5 6 61 15.2 31.3 19.7 77.2 13.6 19.7 -56.5 -69.3 19.7 4.1 -2.3 19.7		10 10 102 0.0 0.0 0.0 0.0 0.0 0.0 -48.1 0.0 0.0 10.0 0.0 0.0	11 11 150 0.0 0.0 0.0 0.0 0.0 0.0 -47.0 0.0 0.0 10.1 0.0 0.0	
40N	3 4 38 0.0 0.0 0.0 0.0 0.0 0.0 -58.2 0.0 0.0 3.2 0.0 0.0		13 16 164 0.0 0.0 0.0 0.0 0.0 0.0 -51.1 0.0 0.0 4.3 0.0 0.0	9 17 207 0.0 0.0 0.0 0.0 0.0 0.0 -50.4 0.0 0.0 1.8 0.0 0.0	
30N	1 1 8 0.0 0.0 0.0 0.0 0.0 0.0 -58.5 0.0 0.0 1.0 0.0 0.0		7 10 111 .2 1.4 1.8 10.6 1.6 .9 -60.2 -62.5 0.0 -15.8 -17.4 0.0	2 3 38 0.0 0.0 0.0 0.0 0.0 0.0 -48.8 0.0 0.0 -3.2 0.0 0.0	
20N		1 1 2 0.0 0.0 0.0 0.0 0.0 0.0 -58.0 0.0 0.0 -6.7 0.0 0.0	6 6 61 1.5 5.5 11.5 13.2 10.3 4.9 -57.5 -57.7 1.6 -12.2 -11.9 0.0		
10N		3 3 5 .2 .5 20.0 1.2 0.0 0.0 -58.3 -54.0 0.0 -9.4 -18.2 0.0	4 4 32 6.1 14.9 28.1 21.5 21.4 18.8 -59.5 -60.1 9.4 -14.1 -16.0 3.1	6 6 11 13.2 29.2 18.2 72.7 19.0 18.2 -58.0 -63.0 18.2 -16.6 -13.4 18.2	
0		1 1 5 55.5 36.8 80.0 69.3 27.1 80.0 -54.0 -53.8 60.0 0.0 0.0 60.0	2 2 27 62.9 27.9 96.3 65.3 25.5 88.9 -53.0 -52.9 88.9 -18.8 -18.8 66.7	12 12 108 20.0 28.5 48.1 41.6 28.0 41.7 -57.2 -60.2 31.5 -17.4 -15.5 17.6	
10S			1 1 7 53.4 32.1 85.7 62.3 25.5 85.7 -52.0 -52.0 71.4 0.0 0.0 57.1	18 21 167 21.2 30.0 54.5 38.9 31.0 43.1 -57.3 -60.1 29.9 -16.9 -16.8 18.0	
20S			2 3 26 .1 .2 7.7 .8 .4 0.0 -50.0 -57.5 0.0 -17.9 -16.4 0.0	9 9 110 4.1 14.5 13.6 29.9 27.7 8.2 -58.2 -58.7 6.4 -11.8 -15.5 3.6	
30S			4 6 75 0.0 0.0 0.0 0.0 0.0 0.0 -53.0 0.0 0.0 -6.8 0.0 0.0	19 27 305 1.0 8.0 2.6 36.4 34.2 2.0 -57.7 -62.4 1.0 -3.3 -5.0 .7	
40S					

## APPENDIX D

$N_{\text{Flights}}$	$N_{\text{Indep. obs.}}$	$N_{\text{Total obs.}}$
$\overline{\text{TIC}} \%$	$\text{SIGMA}_{\text{TIC}}$	$P(\text{TIC} > 0 \%)$
$\overline{\text{TICIV}} \%$	$\text{SIGMA}_{\text{TICIV}}$	$P(\text{TIC} \geq 10 \%)$
$\overline{T}_{\text{CLEAR}}$	$\overline{T}_{\text{CLOUD}}$	$P(\text{TIC} \geq 25 \%)$
$\overline{\Delta z}_{\text{CLEAR}}$	$\overline{\Delta z}_{\text{CLOUD}}$	$P(\text{TIC} \geq 50 \%)$

165W	120W	75W	30W	15E	ZONAL MEAN
					80N
6 7 91 0.0 0.0 0.0 0.0 0.0 0.0 -51.7 0.0 0.0 5.7 0.0 0.0	1 1 7 15.6 25.9 28.6 54.7 14.3 28.6 -65.0 -69.5 28.6 2.1 2.3 14.3				70N
7 11 138 0.0 0.0 0.0 0.0 0.0 0.0 -49.2 0.0 0.0 6.6 0.0 0.0	5 8 88 0.0 0.0 0.0 0.0 0.0 0.0 -52.6 0.0 0.0 7.3 0.0 0.0	5 5 32 0.0 0.0 0.0 0.0 0.0 0.0 -50.0 0.0 0.0 8.3 0.0 0.0	2 4 44 0.0 0.0 0.0 0.0 0.0 0.0 -56.3 0.0 0.0 5.0 0.0 0.0		60N
8 8 60 .5 4.0 3.3 16.3 14.7 1.7 -56.0 -62.0 1.7 2.2 1.0 0.0	31 43 469 1.7 10.8 3.8 44.8 33.6 2.8 -54.6 -67.2 2.6 5.5 .3 1.7	8 8 82 20.7 36.3 28.0 73.9 27.8 26.8 -51.8 -69.3 24.4 6.1 -4.5 23.2	5 6 57 17.7 34.2 22.8 77.5 22.5 22.8 -56.2 -70.1 21.1 3.9 -2.5 21.1		50N
34 51 607 1.8 11.1 4.4 39.9 35.5 2.6 -56.0 -63.9 2.5 1.6 -2.1 2.0	33 44 450 7.4 22.5 12.0 61.4 30.3 10.9 -56.7 -65.7 9.6 .2 -2.0 8.4		1 1 15 8.5 14.4 53.3 15.9 16.5 26.7 -61.1 -62.5 13.3 -8.5 -8.4 0.0		40N
22 32 380 1.1 8.3 3.2 33.7 32.7 2.4 -57.4 -63.5 1.3 -8.7 -6.1 .8	2 2 20 2.2 9.4 5.0 43.1 0.0 5.0 -56.4 -57.0 5.0 -15.2 -18.3 0.0				30N
18 19 251 3.3 11.4 15.1 22.0 21.2 9.2 -57.2 -58.2 6.0 -16.9 -15.6 2.0					20N
17 20 229 11.1 24.2 26.2 42.5 30.1 21.0 -56.4 -56.6 16.6 -17.8 -17.0 10.9					10N
9 9 118 6.9 18.6 19.5 35.3 27.9 13.6 -54.5 -56.3 11.9 -18.8 -17.0 6.6					0
8 11 143 22.4 31.3 52.4 42.6 31.7 42.7 -59.0 -64.1 32.9 -16.0 -14.5 20.3					10S
					20S
					30S
					40S

APPENDIX D

Code: SPRING 38.5-43.5 KFT	N <sub>Flights</sub>	N <sub>Indep. obs.</sub>	N <sub>Total obs.</sub>
	TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)
	TICIV %	SIGMA <sub>TICIV</sub>	P(TIC $\geq$ 10 %)
	$\bar{T}$ <sub>CLEAR</sub>	$\bar{T}$ <sub>CLOUD</sub>	P(TIC $\geq$ 25 %)
	$\bar{\Delta Z}$ <sub>CLEAR</sub>	$\bar{\Delta Z}$ <sub>CLOUD</sub>	P(TIC $\geq$ 50 %)
15E	80N		
60E	70N	11 0.0 0.0 -50.8 6.7	11 0.0 0.0 0.0 0.0
105E	60N	24 .0 .4 -52.1 5.7	44 .0 0.0 -59.0 3.2
150E	50N	23 .0 5.9 -56.1 3.3	23 .4 0.0 -63.0 -5.3
165W	40N	205 .5 4.0 46.4 2.4	52 16.2 32.9 -64.0 -3.8
	30N	38 4.0 4.0 46.4 2.4	640 8.6 6.7 5.5 4.2
	20N	30 8.3 48.6 -57.9 .2	7 17.6 32.6 -61.8 -7.3
	10N	33 24.1 37.9 -61.6 -6.2	7 11.8 9.2 6.6 5.3
	0	264 17.0 12.9 10.2 7.6	76 11.8 9.2 6.6 5.3
	10S	10 .4 7.9 -57.3 -13.7	25 8.0 4.0 0.0 0.0
	20S	14 .7 8.4 -57.9 -10.4	25 8.0 4.0 0.0 0.0
	30S	3 3.2 8.4 -58.0 -9.8	25 8.0 4.0 0.0 0.0
	40S	2 8.0 8.4 -58.0 -14.0	25 8.0 4.0 0.0 0.0
		3 0.0 0.0 -53.3 -14.0	69 0.0 0.0 0.0 0.0
		5 0.0 4.7 -58.3 -15.6	13 0.0 1.1 0.0 0.0
		6 3.3 1.1 0.0 0.0	113 43.4 30.1 21.2 13.3
		7 4.9 13.4 15.4 0.0	14 24.9 17.3 15.4 13
		7 32.2 17.3 15.4 0.0	14 24.9 17.3 15.4 13
		7 -57.5 -57.5 7.7 0.0	14 13.4 15.4 7.7 13
		7 -17.6 0.0 0.0 0.0	14 24.9 17.3 15.4 13
		20 6.8 28.2 -58.4 -16.3	145 24.1 16.6 10.3 5.5
		23 18.0 27.3 -58.4 -17.1	145 24.1 16.6 10.3 5.5
		145 24.1 16.6 10.3 5.5	145 24.1 16.6 10.3 5.5
		5 .1 3.1 -57.0 -11.6	72 4.2 0.0 0.0 2.7
		6 .9 2.8 -58.7 -15.0	72 4.2 0.0 0.0 2.7
		13 2.8 57.3 -57.4 1.1	182 4.9 4.9 3.3 2.7
		18 14.5 33.6 -62.2 -11.6	182 4.9 4.9 3.3 2.7

APPENDIX D

N Flights	N Indep. obs.	N Total obs.
TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)
TICIV %	SIGMA <sub>TICIV</sub>	P(TIC $\geq$ 10 %)
$\bar{T}$ <sub>CLEAR</sub>	$\bar{T}$ <sub>CLOUD</sub>	P(TIC $\geq$ 25 %)
$\Delta Z$ <sub>CLEAR</sub>	$\Delta Z$ <sub>CLOUD</sub>	P(TIC $\geq$ 50 %)

SPRING  
38.5-43.5 KFT

165W	120W	75W	30W	15E	ZONAL MEAN
					80N
12 15 200 0.0 0.0 0.0 0.0 0.0 0.0 -49.7 0.0 0.0 6.5 0.0 0.0	3 3 28 0.0 0.0 0.0 0.0 0.0 0.0 -54.1 0.0 0.0 4.7 0.0 0.0				70N
17 24 291 .0 .3 1.7 1.8 1.2 0.0 -52.0 -60.0 0.0 5.4 1.8 0.0	11 20 242 0.0 0.0 0.0 0.0 0.0 0.0 -54.6 0.0 0.0 5.0 0.0 0.0	16 20 214 .0 .1 .5 .8 0.0 0.0 -49.0 -60.0 0.0 6.4 2.3 0.0	12 16 182 .1 .7 .5 9.4 0.0 0.0 -53.6 -65.0 0.0 4.4 -1.2 0.0		60N
25 45 539 2.2 10.4 8.0 27.3 26.1 5.2 -59.9 -65.1 3.5 .7 -2.3 1.5	68 79 793 6.0 19.1 13.4 44.7 31.7 10.7 -56.0 -65.0 8.6 3.4 -1.0 6.2	22 24 216 2.9 14.9 8.3 35.1 39.1 3.7 -50.7 -60.2 3.7 5.4 1.0 3.2	5 5 43 0.0 0.0 0.0 0.0 0.0 0.0 -56.1 0.0 0.0 4.1 0.0 0.0		50N
44 52 502 1.3 7.8 7.4 17.3 23.4 3.0 -59.7 -66.0 1.8 -.5 -2.4 .8	67 96 957 4.7 17.9 8.7 54.0 31.8 7.6 -57.5 -64.1 6.7 2.4 -2.1 4.8	3 3 47 9.3 23.8 21.3 43.6 34.2 14.9 -57.7 -67.3 14.9 1.9 -6.4 8.5			40N
30 44 500 1.9 10.4 6.6 28.9 29.4 3.8 -60.3 -63.3 3.0 -.5 -9.5 1.8	3 3 34 .5 1.7 11.8 4.3 3.0 0.0 -56.3 -58.5 0.0 -6.4 -6.6 0.0	3 3 45 1.7 6.8 11.1 15.0 14.6 6.7 -61.1 -64.6 2.2 -10.9 -7.0 0.0			30N
13 14 152 14.9 28.2 36.2 41.1 33.4 29.6 -58.1 -59.6 17.8 -13.5 -15.4 13.8	1 1 8 0.0 0.0 0.0 0.0 0.0 0.0 -56.4 0.0 0.0 -10.3 0.0 0.0	3 3 50 17.1 28.9 44.0 38.8 32.4 34.0 -55.6 -56.2 24.0 -16.6 -16.3 14.0			20N
13 15 138 16.1 28.5 39.1 41.1 32.4 29.0 -57.4 -57.8 23.9 -17.1 -17.4 14.5		5 5 61 13.8 27.0 36.1 38.2 33.1 23.0 -54.7 -55.6 23.0 -16.4 -14.2 13.1			10N
8 9 111 2.8 11.1 11.7 24.2 23.3 7.2 -55.0 -56.1 4.5 -18.1 -18.5 1.8		5 5 68 35.3 32.5 82.4 42.9 30.9 63.2 -54.3 -56.3 54.4 -17.0 -16.4 35.3			0
10 14 155 14.7 26.1 39.4 37.4 29.7 29.0 -63.3 -61.0 21.3 -15.6 -13.8 15.5		4 4 53 28.4 35.9 54.7 51.9 33.6 49.1 -57.7 -55.8 37.7 -16.2 -16.9 26.4			10S
		3 3 4 0.0 0.0 0.0 0.0 0.0 0.0 -57.8 0.0 0.0 -16.4 0.0 0.0			20S
					30S
					40S

APPENDIX D

Code: SUMMER 38.5-43.5 KFT	N <sub>Flights</sub>	N <sub>Indep. obs.</sub>	N <sub>Total obs.</sub>
	TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)
	TICIV %	SIGMA <sub>TICIV</sub>	P(TIC ≥ 10 %)
	̄T <sub>CLEAR</sub>	̄T <sub>CLOUD</sub>	P(TIC ≥ 25 %)
	ΔZ <sub>CLEAR</sub>	ΔZ <sub>CLOUD</sub>	P(TIC ≥ 50 %)
80N			
70N			8      8      45 0.0    0.0    0.0 0.0    0.0    0.0 -48.2    0.0    0.0 5.5    0.0    0.0
60N			15     26    338 .4    3.6    2.7 15.1    16.2    1.2 -50.7    -61.9    .6 4.4    .2    0.0
50N	3      3      45 0.0    0.0    0.0 0.0    0.0    0.0 -50.3    0.0    0.0 -2.3    0.0    0.0	12     12    91 3.8    14.5    8.8 42.7    27.2    6.6 -57.5    -63.6    6.6 -4.8    -8.8    5.5	24     31    363 2.6    11.6    9.9 26.3    27.0    6.1 -55.9    -59.7    3.9 -1.8    -7.7    1.9
40N	2      4      41 0.0    0.0    0.0 0.0    0.0    0.0 -53.1    0.0    0.0 -16.0    0.0    0.0	17     17    110 3.4    12.8    14.5 23.3    25.6    8.2 -57.8    -58.4    3.6 -8.6    -12.9    2.7	5      5      41 3.3    11.0    17.1 19.6    19.8    7.3 -55.2    -54.4    7.3 -11.9    -13.0    0.0
30N	2      2      6 9.2    16.6    33.3 27.6    17.8    16.7 -54.3    -55.0    16.7 -17.0    0.0    0.0	1      2      20 4.5    7.1    50.0 9.0    7.7    20.0 -51.7    -51.9    0.0 -12.1    -14.9    0.0	1      1      12 0.0    0.0    0.0 0.0    0.0    0.0 -54.0    0.0    0.0 -16.1    0.0    0.0
20N		1      1      4 27.5    35.5    100.0 27.5    35.5    50.0 0.0    -52.3    25.0 0.0    -16.8    25.0	
10N		1      1      13 55.5    34.9    84.6 65.6    27.8    84.6 -53.5    -53.3    69.2 -16.8    -16.8    61.5	2      2      3 14.6    20.7    33.3 43.9    0.0    33.3 -57.5    -56.0    33.3 -18.8    -20.6    0.0
0			4      4      33 22.1    29.1    54.5 40.5    28.4    42.4 -55.7    -56.2    30.3 -19.6    -19.5    24.2
10S			3      4      41 9.8    20.7    26.8 36.4    25.1    22.0 -56.1    -56.2    17.1 -15.9    -17.8    7.3
20S			2      3      37 .1    .6    2.7 3.5    0.0    0.0 -56.2    -56.0    0.0 -12.9    -17.9    0.0
30S		2      2      15 0.0    0.0    0.0 0.0    0.0    0.0 -54.5    0.0    0.0 -9.5    0.0    0.0	4      6      74 .0    .3    2.7 1.6    1.2    0.0 -51.8    -54.5    0.0 3.2    -1.7    0.0
40S			

APPENDIX D

N <sub>Flights</sub>	N <sub>Indep. obs.</sub>	N <sub>Total obs.</sub>
TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)
TICIV %	SIGMA <sub>TICIV</sub>	P(TIC ≥ 10 %)
̄T <sub>CLEAR</sub>	̄T <sub>CLOUD</sub>	P(TIC ≥ 25 %)
ΔZ <sub>CLEAR</sub>	ΔZ <sub>CLOUD</sub>	P(TIC ≥ 50 %)

SUMMER  
38.5-43.5 KFT

165W	120W	75W	30W	15E	ZONAL MEAN
		5 5 46 0.0 0.0 0.0 0.0 0.0 0.0 -42.7 0.0 0.0 7.8 0.0 0.0	6 9 82 0.0 0.0 0.0 0.0 0.0 0.0 -42.0 0.0 0.0 7.4 0.0 0.0	1 1 7 0.0 0.0 0.0 0.0 0.0 0.0 -42.3 0.0 0.0 7.1 0.0 0.0	12 15 135 0.0 0.0 0.0 0.0 0.0 0.0 -42.2 0.0 0.0 7.5 0.0 0.0
11 19 236 .5 4.7 3.4 14.3 21.4 .8 -51.4 -62.3 .8 3.5 -1.6 .4	33 40 420 0.0 0.0 0.0 0.0 0.0 0.0 -45.7 0.0 0.0 6.5 0.0 0.0	30 47 545 .0 .0 .2 .8 0.0 0.0 -45.9 -52.0 0.0 6.9 5.1 0.0	25 25 295 .2 .3 .3 3.5 0.0 0.0 -49.1 -65.0 0.0 5.7 1.8 0.0	107 139 1541 .1 1.9 .6 11.8 19.8 .1 -47.4 -61.5 1 6.0 -.6 .1	80N
15 18 148 0.0 0.0 0.0 0.0 0.0 0.0 -52.1 0.0 0.0 2.6 0.0 0.0	31 38 440 .0 .7 .5 9.6 3.3 .2 -50.1 -62.0 0.0 5.0 -1.6 0.0	15 23 264 .1 1.6 .8 18.6 3.7 .8 -50.1 -61.5 0.0 5.5 1.6 0.0	34 43 509 .0 .3 1.0 2.0 1.9 0.0 -51.6 -56.0 0.0 5.0 5.4 0.0	110 148 1699 .1 1.8 1.1 11.2 13.2 .4 -50.8 -60.2 .1 4.8 1.6 0.0	70N
28 36 324 3.0 11.2 14.2 21.3 22.3 8.3 -57.6 -63.3 4.6 -.8 -4.5 1.2	42 56 613 3.4 13.6 10.1 34.0 27.9 7.0 -55.4 -60.5 5.4 -2.0 -5.7 3.4	12 15 196 1.7 9.8 8.7 19.5 27.8 4.1 -54.2 -57.8 1.5 .7 -4.6 1.0	5 7 82 0.0 0.0 0.0 0.0 0.0 0.0 -53.1 0.0 0.0 1.9 0.0 0.0	126 160 1714 2.7 11.9 9.9 27.9 27.1 6.2 -55.6 -61.0 4.1 -1.5 -5.8 2.3	60N
21 24 198 .7 4.4 5.6 13.3 13.3 3.0 -57.6 -61.9 1.0 -4.9 -9.0 0.0	29 41 391 3.8 13.5 11.8 32.3 24.9 8.4 -54.4 -57.8 6.6 -9.4 -12.7 3.1			74 91 781 2.7 11.3 10.2 26.8 24.4 6.5 -55.7 -58.2 4.5 -8.4 -12.2 1.9	50N
5 7 94 0.0 0.0 0.0 0.0 0.0 0.0 -59.3 0.0 0.0 -9.8 0.0 0.0				9 12 132 1.1 5.1 9.1 12.1 12.3 3.8 -58.0 -52.4 .8 -10.8 -14.9 0.0	40N
2 2 35 3.3 14.4 6.6 38.0 33.3 5.7 -60.2 -58.7 2.9 -12.4 -15.6 2.9				3 3 39 5.7 19.2 17.9 32.0 35.0 10.3 -60.2 -55.0 5.1 -12.4 -16.3 5.1	30N
4 4 47 19.4 32.2 40.4 48.1 34.4 27.7 -56.0 -58.8 25.5 -19.6 -18.5 21.3				8 8 64 26.3 35.4 50.0 52.5 33.5 39.1 -56.0 -56.7 34.4 -19.4 -17.9 28.1	20N
2 2 31 54.8 30.1 93.5 58.6 27.3 90.3 -55.5 -55.5 77.4 -20.2 -20.1 54.8				6 6 64 37.9 33.8 73.4 51.7 29.1 65.6 -55.6 -55.8 53.1 -19.6 -19.9 39.1	0
				3 4 41 9.8 20.7 26.8 36.4 25.1 22.0 -56.1 -56.2 17.1 -15.9 -17.8 7.3	10S
				2 3 37 .1 .6 2.7 3.5 0.0 0.0 -56.2 -56.0 0.0 -12.9 -17.9 0.0	20S
				6 8 89 .0 .3 2.2 1.6 1.2 0.0 -52.3 -54.5 0.0 1.0 -1.7 0.0	30S
					40S

APPENDIX D

Code: AUTUMN 38.5-43.5 KFT	N <sub>Flights</sub>	N <sub>Indep. obs.</sub>	N <sub>Total obs.</sub>	
	TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)	
	TICIV %	SIGMA <sub>TICIV</sub>	P(TIC $\geq$ 10 %)	
	$\bar{T}$ <sub>CLEAR</sub>	$\bar{T}$ <sub>CLOUD</sub>	P(TIC $\geq$ 25 %)	
$\Delta\bar{z}$ <sub>CLEAR</sub>		$\Delta\bar{z}$ <sub>CLOUD</sub>	P(TIC $\geq$ 50 %)	
15E	60E	105E	150E	
80N				
70N			8    8    55 0.0    0.0    0.0 0.0    0.0    0.0 -47.6    0.0    0.0 7.5    0.0    0.0	
60N			16    28    379 .2    2.6    1.3 13.9    17.6    .5 -52.0    -55.8    .3 3.9    -5.2    0.0	
50N	3    5    53 0.0    0.0    0.0 0.0    0.0    0.0 -56.2    0.0    0.0 3.1    0.0    0.0	12    12    108 2.4    8.9    8.3 28.5    14.6    7.4 -56.2    -62.4    4.6 -1.4    -8.1    .9	27    39    526 .8    4.4    5.9 12.8    13.4    2.3 -55.4    -59.2    1.0 -1.3    -9.1    0.0	
40N	3    3    31 0.0    0.0    0.0 0.0    0.0    0.0 -54.5    0.0    0.0 -6.1    0.0    0.0	23    23    185 5.0    18.8    10.3 49.1    35.8    7.6 -56.7    -57.1    7.0 -8.8    -13.2    5.4	12    15    159 4.3    15.0    11.9 36.0    27.0    9.4 -57.8    -55.6    6.3 -10.2    -13.7    5.0	
30N	1    1    16 .1    .4    6.3 1.6    0.0    0.0 -59.9    -61.0    0.0 -7.5    -9.2    0.0	3    3    32 0.0    0.0    0.0 0.0    0.0    0.0 -57.9    0.0    0.0 -9.7    0.0    0.0	1    2    19 4.2    12.4    21.1 19.9    20.3    10.5 -49.7    -52.0    5.3 -18.4    -18.8    5.3	3    4    54 4.7    17.0    11.1 42.7    31.2    7.4 -53.8    -56.2    7.4 -11.5    -10.9    5.6
20N		2    2    7 0.0    0.0    0.0 0.0    0.0    0.0 -54.6    0.0    0.0 -14.1    0.0    0.0	1    1    14 0.0    0.0    0.0 0.0    0.0    0.0 -52.2    0.0    0.0 -17.8    0.0    0.0	
10N		1    1    6 0.0    0.0    0.0 0.0    0.0    0.0 -52.7    0.0    0.0 -16.9    0.0    0.0	1    1    6 0.0    0.0    0.0 0.0    0.0    0.0 -53.0    0.0    0.0 -17.0    0.0    0.0	1    1    2 32.7    32.7    50.0 65.5    0.0    50.0 -56.0    -55.0    50.0 -17.6    -17.5    50.0
0			3    3    4 18.4    31.9    25.0 73.7    0.0    25.0 -58.7    -55.0    25.0 -16.2    -17.2    25.0	
10S			4    5    46 2.4    13.6    10.9 22.0    35.6    4.3 -58.3    -55.8    2.2 -15.5    -17.0    2.2	
20S			3    3    33 .0    .1    3.0 .8    0.0    0.0 -55.5    -56.0    0.0 -10.2    -17.6    0.0	
30S	1    1    1 0.0    0.0    0.0 0.0    0.0    0.0 -61.0    0.0    0.0 -13.2    0.0    0.0		7    9    104 .0    .3    1.9 2.0    1.6    0.0 -51.1    -53.0    0.0 3.0    5.6    0.0	
40S				

APPENDIX D

$N_{\text{Flights}}$	$N_{\text{Indep. obs.}}$	$N_{\text{Total obs.}}$
TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)
TICIV %	SIGMA <sub>TICIV</sub>	P(TIC $\geq$ 10 %)
$\bar{T}_{\text{CLEAR}}$	$\bar{T}_{\text{CLOUD}}$	P(TIC $\geq$ 25 %)
$\Delta Z_{\text{CLEAR}}$	$\Delta Z_{\text{CLOUD}}$	P(TIC $\geq$ 50 %)

AUTUMN  
38.5-43.5 KFT

165W	120W	75W	30W	15E	ZONAL MEAN
				1 1 4 0.0 0.0 0.0 0.0 0.0 0.0 -51.5 0.0 0.0 8.3 0.0 0.0	1 1 4 0.0 0.0 0.0 0.0 0.0 0.0 -51.5 0.0 0.0 8.3 0.0 0.0
9 .1 13 168 .9 .6 0.0 0.0 12.2 0.0 .6 0.0 0.0 -51.9 -59.0 0.0 0.0 3.9 -2.7 0.0 3.6 0.0	2 2 14 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 -57.6 0.0 0.0 0.0 0.0 -45.6 0.0 0.0 0.0 0.0	3 3 27 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 -47.8 0.0 0.0 0.0 0.0 5.8 0.0 0.0 0.0 0.0	3 5 56 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 -47.8 0.0 0.0 0.0 0.0 5.8 0.0 0.0 0.0 0.0	25 .0 31 320 .7 .3 0.0 0.0 12.2 0.0 .3 0.0 -50.1 -59.0 0.0 0.0 5.2 -2.7 0.0 0.0	25 .0 31 320 .7 .3 0.0 0.0 12.2 0.0 .3 0.0 -50.1 -59.0 0.0 0.0 5.2 -2.7 0.0 0.0
13 18 212 1.0 5.1 6.1 0.0 0.0 16.6 12.8 3.8 0.0 0.0 -53.5 -65.5 1.4 0.0 0.0 2.6 -2.3 0.0 4.6 0.0	10 14 149 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 -53.6 0.0 0.0 0.0 0.0 -52.8 -56.3 0.0 0.0	16 25 283 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 -54.3 -65.8 1.7 0.0 0.0 3.9 -2.0 .4 0.0	14 21 232 1.1 6.9 3.9 0.0 0.0 28.9 20.8 3.0 0.0 0.0 -54.3 -65.8 1.7 0.0 0.0 3.9 -2.0 .4 0.0	69 .4 106 1255 3.9 2.4 17.7 1.4 0.0 -53.0 -63.1 .6 0.0 3.8 -1.9 .1 0.0	69 .4 106 1255 3.9 2.4 17.7 1.4 0.0 -53.0 -63.1 .6 0.0 3.8 -1.9 .1 0.0
22 38 502 2.0 9.7 10.8 2.0 9.8 19.0 23.5 5.2 29.9 24.1 -58.0 -64.4 3.2 -57.6 -64.1 3.7 .3 -3.3 1.6 .6 -2.7 1.4	13 18 219 2.0 9.8 6.8 0.0 0.0 29.9 24.1 5.0 47.6 35.0 7.6 -57.6 -64.1 3.7 -55.9 -65.5 6.7 .6 -2.7 1.4 .4 -2.3 5.1	23 29 314 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 -56.5 -64.0 0.0 0.0 2.8 -2.1 0.0 0.0	2 2 7 .7 1.6 14.3 0.0 0.0 4.7 0.0 0.0 0.0 0.0 -56.5 -64.0 0.0 0.0 2.8 -2.1 0.0 0.0	102 2.1 143 1729 10.6 8.2 27.7 4.7 0.0 -56.6 -63.4 3.2 0.0 .3 -4.6 1.6 0.0	102 2.1 143 1729 10.6 8.2 27.7 4.7 0.0 -56.6 -63.4 3.2 0.0 .3 -4.6 1.6 0.0
16 16 135 .0 .1 1.5 .1 1.1 .7 1.2 0.0 0.0 13.3 0.0 .7 -58.9 -57.5 0.0 -56.6 -51.0 0.0 -3.7 -4.9 0.0 -7.9 -5.4 0.0	13 17 137 .1 1.1 .7 0.0 0.0 -56.6 -51.0 0.0 0.0 0.0 -7.9 -5.4 0.0 0.0 0.0				
7 8 86 2.9 12.1 16.3 0.0 0.0 0.0 17.8 25.2 7.0 0.0 0.0 0.0 -59.4 -60.6 3.5 -52.8 0.0 0.0 -11.1 -11.0 2.3 -14.0 0.0 0.0				1 1 1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 -57.0 0.0 0.0 0.0 0.0 -17.3 0.0 0.0 0.0 0.0	1 1 1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 -57.0 0.0 0.0 0.0 0.0 -17.3 0.0 0.0 0.0 0.0
4 4 53 8.8 19.6 30.2 29.1 26.2 20.8 -58.6 -58.2 13.2 -14.9 -16.1 7.5				1 1 6 .8 1.8 16.7 0.0 0.0 4.7 0.0 0.0 0.0 0.0 -56.0 -56.0 0.0 0.0 -18.5 -18.8 0.0 0.0	1 1 6 .8 1.8 16.7 0.0 0.0 4.7 0.0 0.0 0.0 0.0 -56.0 -56.0 0.0 0.0 -18.5 -18.8 0.0 0.0
6 6 58 4.6 17.4 8.6 0.0 0.0 0.0 53.7 29.9 6.9 0.0 0.0 0.0 -57.3 -57.0 6.9 -55.0 0.0 0.0 -16.7 -15.7 5.2 -16.8 0.0 0.0	1 1 6 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 -53.8 0.0 0.0 0.0 0.0 -17.2 0.0 0.0 0.0 0.0	1 1 13 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 -54.5 -55.3 40.0 0.0 0.0 -18.7 -18.8 20.0 0.0 0.0	1 1 5 22.7 22.4 60.0 0.0 0.0 37.8 16.3 60.0 0.0 0.0 -54.5 -55.3 40.0 0.0 0.0 -18.7 -18.8 20.0 0.0 0.0	8 5.9 16.5 21.3 2.7 12.0 11.3 23.5 28.0 5.4 -56.6 -58.2 3.6 -11.5 -12.1 2.7 -15.7 -16.3 5.0	8 5.9 16.5 21.3 2.7 12.0 11.3 23.5 28.0 5.4 -56.6 -58.2 3.6 -11.5 -12.1 2.7 -15.7 -16.3 5.0
5 5 69 2.0 12.3 7.2 27.2 37.4 2.9 -55.6 -57.4 2.9 -17.6 -17.0 1.4		1 1 9 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 -55.4 0.0 0.0 0.0 0.0 -17.4 0.0 0.0 0.0 0.0	1 1 6 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 -54.7 0.0 0.0 0.0 0.0 -18.1 0.0 0.0 0.0 0.0	10 2.4 13.3 6.8 35.0 38.3 3.4 55.7 -57.0 3.4 -17.6 -17.0 2.3 0.0	10 2.4 13.3 6.8 35.0 38.3 3.4 55.7 -57.0 3.4 -17.6 -17.0 2.3 0.0
2 2 26 19.7 32.8 30.8 63.9 25.9 30.8 -57.1 -58.0 26.9 -14.9 -16.8 23.1				7 8 77 8.1 23.3 16.9 47.8 36.3 13.0 -58.2 -57.2 10.4 -15.2 -16.9 9.1	7 8 77 8.1 23.3 16.9 47.8 36.3 13.0 -58.2 -57.2 10.4 -15.2 -16.9 9.1
				4 4 37 .0 .1 2.7 .8 0.0 0.0 -56.1 -56.0 0.0 0.0 -10.8 -17.6 0.0 0.0	4 4 37 .0 .1 2.7 .8 0.0 0.0 -56.1 -56.0 0.0 0.0 -10.8 -17.6 0.0 0.0
				8 10 105 .0 .3 1.9 2.0 1.6 0.0 -51.2 -53.0 0.0 0.0 2.9 5.6 0.0 0.0	8 10 105 .0 .3 1.9 2.0 1.6 0.0 -51.2 -53.0 0.0 0.0 2.9 5.6 0.0 0.0



## APPENDIX E

### CLOUD-ENCOUNTER STATISTICS AS FUNCTIONS OF LATITUDE, LONGITUDE, NORTHERN HEMISPHERE SEASON, AND DISTANCE FROM THE NMC TROPOAUSE

This appendix is a tabulation of statistics for several quantities related to cloud encounter over the geographic area covered by the GASP flights. These statistics are presented with respect to distance from the tropopause. The latitude and longitude grid chosen appears in figure D1. Subsequent pages of this appendix give statistical data within each grid cell in accordance with the code given at the top of each page. The variables in the code and their explanation are identical to those for appendix D. The season and distance from the tropopause appear near the top of each page.

APPENDIX E

Code:	N <sub>Flights</sub>	N <sub>Indep. obs.</sub>	N <sub>Total obs.</sub>	
	TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)	
	TICIV %	SIGMA <sub>TICIV</sub>	P(TIC $\geq$ 10 %)	
	$\bar{T}$ <sub>CLEAR</sub>	$\bar{T}$ <sub>CLOUD</sub>	P(TIC $\geq$ 25 %)	
WINTER 10-15 KFT BELOW TROP	$\Delta Z$ <sub>CLEAR</sub>		$\Delta Z$ <sub>CLOUD</sub>	
15E	60E	105E	150E	
80N				
70N				
60N				
50N	8 8 18 33.8 38.5 55.6 60.9 31.9 44.4 -40.4 -40.2 44.4 -11.6 -11.6 38.9			
40N	21 21 97 12.7 25.4 33.0 38.5 31.1 22.7 -46.9 -44.2 18.6 -12.2 -11.9 12.4	17 17 53 3.0 15.4 3.8 80.4 9.8 3.8 -43.3 -38.5 3.8 -12.1 -13.2 3.8	4 4 37 0.0 0.0 0.0 0.0 0.0 0.0 -43.7 0.0 0.0 -12.2 0.0 0.0	
30N	17 17 87 2.2 11.0 5.7 37.8 27.3 5.7 -43.0 -47.6 2.3 -12.9 -12.2 1.1	19 20 149 5.8 19.3 10.7 53.9 29.2 9.4 -45.5 -50.2 8.7 -12.3 -12.1 6.7	12 13 75 .4 3.6 1.3 31.0 0.0 1.3 -46.3 -51.0 1.3 -13.4 -10.2 0.0	
20N		5 5 13 1.0 3.4 15.4 6.7 6.3 7.7 -46.2 -50.5 0.0 -13.0 -14.3 0.0	4 4 22 5.5 16.9 27.3 20.1 27.5 9.1 -49.6 -51.2 9.1 -12.5 -11.2 4.5	
10N			1 1 2 72.7 19.0100.0 72.7 19.0100.0 0.0 -63.0100.0 0.0 -13.4100.0	
0			1 1 15 47.5 23.2100.0 47.5 23.2 93.3 0.0 -63.6 86.7 0.0 -13.6 40.0	
10S			5 5 27 35.7 36.6 70.4 50.8 33.8 63.0 -63.4 -65.8 48.1 -14.0 -14.0 33.3	
20S		1 1 1 0.0 0.0 0.0 0.0 0.0 0.0 -46.0 0.0 0.0 -14.5 0.0 0.0	1 1 6 0.0 0.0 0.0 0.0 0.0 0.0 -42.0 0.0 0.0 -13.5 0.0 0.0	15 15 56 2.9 7.6 17.9 16.4 10.1 10.7 -54.5 -52.1 3.6 -13.2 -12.2 0.0
30S		1 1 7 0.0 0.0 0.0 0.0 0.0 0.0 -47.6 0.0 0.0 -14.0 0.0 0.0	22 27 203 2.1 10.6 8.4 24.8 27.9 4.4 -48.7 -44.1 2.5 -12.6 -13.0 1.5	30 31 162 8.0 21.5 21.0 38.1 32.6 14.8 -47.4 -44.5 11.1 -12.0 -13.0 8.0
40S				

APPENDIX E

$N_{\text{Flights}}$	$N_{\text{Indep. obs.}}$	$N_{\text{Total obs.}}$
TIC %	$\text{SIGMA}_{\text{TIC}}$	$P(\text{TIC} > 0 \%)$
TICIV %	$\text{SIGMA}_{\text{TICIV}}$	$P(\text{TIC} \geq 10 \%)$
$\bar{T}_{\text{CLEAR}}$	$\bar{T}_{\text{CLOUD}}$	$P(\text{TIC} \geq 25 \%)$
$\Delta Z_{\text{CLEAR}}$	$\Delta Z_{\text{CLOUD}}$	$P(\text{TIC} \geq 50 \%)$

WINTER  
10-15 KFT  
BELOW TROP

165W	120W	75W	30W	15E	ZONAL MEAN
					80N
					70N
					60N
			1 1 11 45.7 27.9 90.9 50.2 25.1 81.8 -54.0 -53.6 81.8 -10.1 -11.4 36.4	15 15 33 17.6 30.2 33.3 52.7 29.7 27.3 -41.4 -37.8 24.2 -11.7 -12.6 18.2	16 16 44 24.6 32.0 47.7 51.5 27.6 40.9 -41.9 -45.3 38.6 -11.6 -12.0 22.7
7 7 21 4.2 15.0 14.3 29.2 29.1 9.5 -43.4 -45.0 4.8 -12.1 -10.2 4.8	21 21 40 11.5 28.2 22.5 51.0 38.8 15.0 -37.2 -37.7 15.0 -12.3 -12.0 10.0	28 30 117 27.1 35.1 50.4 53.7 31.9 44.4 -42.6 -50.7 38.5 -11.6 -12.3 29.1	11 11 36 12.7 23.9 41.7 30.4 28.9 25.0 -43.3 -44.8 19.4 -11.7 -11.7 8.3	75 77 232 20.6 32.7 41.4 49.8 33.5 33.2 -41.5 -47.3 28.9 -11.9 -12.0 21.1	50N
58 59 237 12.5 24.8 30.8 40.7 29.3 24.9 -47.1 -49.9 18.6 -12.1 -11.7 11.8	38 40 115 13.1 26.4 31.3 42.0 32.0 26.1 -45.4 -46.6 19.1 -12.3 -12.8 11.3	3 3 8 51.2 30.4 100.0 51.2 30.4 87.5 0.0 -40.5 75.0 0.0 -12.7 50.0		141 144 547 11.5 24.6 27.6 41.6 30.7 21.9 -45.9 -47.3 16.8 -12.2 -12.1 10.8	40N
85 94 655 17.7 28.9 42.1 41.9 31.2 33.1 -50.5 -49.0 25.2 -12.5 -12.4 17.1	1 1 9 0.0 0.0 0.0 0.0 0.0 0.0 -55.2 0.0 0.0 -11.9 0.0 0.0		1 1 1 0.0 0.0 0.0 0.0 0.0 0.0 -42.0 0.0 0.0 -14.5 0.0 0.0	141 152 1003 12.6 25.8 29.7 42.4 31.1 23.6 -48.0 -49.0 18.0 -12.6 -12.4 12.3	30N
10 11 62 11.6 22.8 38.7 30.0 28.1 25.8 -58.2 -57.9 19.4 -13.6 -14.0 11.3				20 23 142 6.0 17.3 22.5 26.7 27.9 13.4 -51.1 -56.2 9.9 -13.1 -13.5 5.6	20N
6 6 25 25.2 32.9 44.0 57.3 24.8 44.0 -53.9 -63.0 36.0 -13.0 -13.6 28.0				7 7 27 28.7 34.4 48.1 59.7 24.7 48.1 -53.9 -63.0 40.7 -13.0 -13.6 33.3	10N
				1 1 15 47.5 23.2 100.0 47.5 23.2 93.3 0.0 -63.6 86.7 0.0 -13.6 40.0	0
4 7 77 27.0 31.5 68.8 39.2 31.1 54.5 -64.8 -65.8 39.0 -14.0 -13.9 23.4				9 12 104 29.3 33.1 69.2 42.3 32.2 56.7 -64.4 -65.8 41.3 -14.0 -13.9 26.0	10S
				17 17 63 2.6 7.2 15.9 16.4 10.1 9.5 -52.9 -52.1 3.2 -13.2 -12.2 0.0	20S
				53 59 372 4.6 16.5 13.7 33.6 31.8 8.9 -48.2 -44.4 6.2 -12.4 -13.0 4.3	30S
					40S

APPENDIX E

Code:  SPRING 10-15 KFT BELOW TROP	N <sub>Flights</sub>	N <sub>Indep. obs.</sub>	N <sub>Total obs.</sub>		
	TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)		
	TICIV %	SIGMA <sub>TICIV</sub>	P(TIC $\geq$ 10 %)		
	$\bar{T}$ <sub>CLEAR</sub>	$\bar{T}$ <sub>CLOUD</sub>	P(TIC $\geq$ 25 %)		
$\Delta Z$ <sub>CLEAR</sub>		$\Delta Z$ <sub>CLOUD</sub>	P(TIC $\geq$ 50 %)		
15E 60E 105E 150E 165W					
80N					
70N					
60N					
50N					
5 5 5					
0.0 0.0 0.0					
0.0 0.0 0.0					
-33.6 0.0 0.0					
-13.4 0.0 0.0					
7 7 43					
6.7 19.1 18.6					
35.8 30.3 11.6					
-57.4 -56.3 11.6					
-11.8 -12.3 4.7					
40N					
8 8 16					
0.0 0.0 0.0					
0.0 0.0 0.0					
-39.3 0.0 0.0					
-12.2 0.0 0.0					
44 45 145					
15.1 29.0 32.4					
46.6 33.7 26.9					
-45.9 -48.1 19.3					
-12.3 -11.8 15.2					
4 4 21					
17.0 24.0 66.7					
25.4 25.4 38.1					
-44.3 -46.2 28.6					
-12.6 -13.4 14.3					
30N					
2 2 3		10 11 83			
0.0 0.0 0.0		8.4 22.9 18.1			
0.0 0.0 0.0		46.7 33.3 14.5			
-52.0 0.0 0.0		-45.1 -49.7 13.3			
-13.6 0.0 0.0		-12.5 -12.1 8.4			
19 20 110					
6.6 17.5 24.5					
26.8 26.5 15.5					
-50.9 -48.6 9.1					
-12.3 -11.8 15.2					
8 10 135					
5.4 14.2 25.9					
20.9 21.4 13.3					
-50.0 -48.4 9.6					
-12.9 -13.3 3.7					
20N					
7 7 29		14 14 72			
9.2 18.8 27.6		.3 1.4 8.3			
33.4 21.8 24.1		3.1 4.0 1.4			
-45.9 -46.9 17.2		-48.6 -44.8 0.0			
-12.6 -11.7 6.9		-12.9 -12.7 0.0			
8 13 174					
4.7 17.0 10.3					
45.9 29.9 9.2					
-48.7 -47.2 7.5					
-13.1 -13.7 4.6					
10N					
4 4 10		3 3 24			
0.0 0.0 0.0		.6 2.3 8.3			
0.0 0.0 0.0		7.1 4.3 4.2			
-56.8 0.0 0.0		-61.5 -45.5 0.0			
-12.6 0.0 0.0		-14.2 -13.7 0.0			
2 2 21					
23.4 32.4 57.1					
40.9 33.5 38.1					
-48.4 -63.6 33.3					
-14.6 -14.6 23.8					
0					
7 7 41					
3.1 9.4 17.1					
18.2 15.7 12.2					
-58.9 -61.6 2.4					
-13.4 -14.0 2.4					
10S					
7 8 48					
.2 1.0 4.2					
4.5 2.5 0.0					
-56.6 -58.0 0.0					
-12.4 -14.3 0.0					
20S					
12 12 23					
3.8 17.9 4.3					
87.8 0.0 4.3					
-49.3 -61.0 4.3					
-12.9 -14.8 4.3					
30S					
40S					

APPENDIX E

$N_{\text{Flights}}$	$N_{\text{Indep. obs.}}$	$N_{\text{Total obs.}}$
TIC %	$\text{SIGMA}_{\text{TIC}}$	$P(\text{TIC} > 0 \%)$
TICIV %	$\text{SIGMA}_{\text{TICIV}}$	$P(\text{TIC} \geq 10 \%)$
$\bar{T}_{\text{CLEAR}}$	$\bar{T}_{\text{CLOUD}}$	$P(\text{TIC} \geq 25 \%)$
$\Delta Z_{\text{CLEAR}}$	$\Delta Z_{\text{CLOUD}}$	$P(\text{TIC} \geq 50 \%)$

SPRING  
10-15 KFT  
BELOW TROP

165W	120W	75W	30W	15E	ZONAL MEAN
					80N
					70N
					60N
					50N
7 7 19 2.4 6.3 31.6 7.6 9.3 10.5 -45.7 -55.8 5.3 -12.9 -12.2 0.0	54 54 63 11.5 24.7 27.0 42.7 30.4 20.6 -34.1 -34.7 17.5 -12.4 -12.6 11.1	37 38 80 13.6 26.4 31.3 43.5 30.4 25.0 -40.4 -39.8 21.3 -12.1 -12.0 13.8	17 17 28 5.2 15.5 25.0 20.8 25.1 10.7 -37.2 -32.9 10.7 -12.6 -12.8 3.6	18 18 34 4.3 14.2 20.6 20.8 25.1 8.8 -37.3 -32.9 8.8 -12.7 -12.8 2.9	121 122 252 9.5 22.3 26.6 35.7 30.6 18.3 -42.1 -43.0 15.1 -12.2 -12.2 8.7
47 47 234 2.2 9.7 12.8 16.8 22.0 5.6 -46.8 -45.5 3.0 -12.0 -11.7 1.3	52 52 67 11.1 23.8 28.4 39.2 30.0 20.9 -37.9 -37.6 16.4 -12.3 -12.5 11.9	5 5 10 2.4 6.7 20.0 12.0 10.4 10.0 -49.9 -29.5 0.0 -12.1 -11.6 0.0			160 161 493 7.7 20.8 22.7 34.1 31.8 15.2 -45.2 -45.1 10.5 -12.1 -12.1 7.3
98 103 601 6.0 18.1 19.3 30.9 30.5 13.0 -49.3 -49.9 9.0 -12.2 -12.7 4.5	11 11 69 9.7 23.1 27.5 35.2 32.2 15.9 -49.9 -47.3 13.0 -12.5 -12.8 10.1	7 7 27 4.3 13.3 11.1 38.4 16.4 11.1 -56.5 -49.3 7.4 -12.9 -13.5 3.7			155 164 1028 6.4 18.3 20.9 30.4 29.6 13.5 -49.5 -49.2 9.6 -12.4 -12.8 5.2
15 15 77 8.4 22.2 19.5 43.1 32.1 14.3 -54.4 -57.1 11.7 -12.2 -13.6 6.5	8 8 73 10.5 23.7 31.5 33.3 32.1 19.2 -51.1 -49.7 13.7 -12.2 -13.4 9.6	6 6 21 29.1 37.0 57.1 50.9 35.8 38.1 -51.2 -53.0 38.1 -13.2 -13.4 33.3			58 63 446 7.0 20.3 18.4 38.2 32.4 12.8 -49.9 -50.4 10.1 -12.8 -13.3 6.5
2 2 14 21.5 31.9 42.9 50.3 30.6 28.6 -51.6 -48.8 28.6 -13.2 -13.1 28.6		3 3 31 42.8 40.1 71.0 60.3 34.7 58.1 -49.1 -51.3 58.1 -13.1 -12.1 41.9			12 12 79 20.8 34.4 38.0 54.8 35.4 29.1 -56.6 -50.4 27.8 -13.5 -12.4 21.5
					0
					2
					10S
5 6 65 19.4 27.0 49.2 39.4 26.4 40.0 -65.3 -59.5 29.2 -14.4 -12.6 21.5					12 13 106 13.1 23.4 36.8 35.6 26.1 29.2 -62.0 -59.8 18.9 -13.9 -12.9 14.2
					20S
					7 8 48 .2 1.0 4.2 4.5 2.5 0.0 -56.6 -58.0 0.0 -12.4 -14.3 0.0
					30S
					12 12 23 3.8 17.9 4.3 87.8 0.0 4.3 -49.3 -61.0 4.3 -12.9 -14.8 4.3
					40S

APPENDIX E

Code:  SUMMER 10-15 KFT BELOW TROP	$N_{\text{Flights}}$	$N_{\text{Indep. obs.}}$	$N_{\text{Total obs.}}$
	TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)
	TICIV %	SIGMA <sub>TICIV</sub>	P(TIC $\geq$ 10 %)
	$\bar{T}_{\text{CLEAR}}$	$\bar{T}_{\text{CLOUD}}$	P(TIC $\geq$ 25 %)
	$\bar{\Delta z}_{\text{CLEAR}}$	$\bar{\Delta z}_{\text{CLOUD}}$	P(TIC $\geq$ 50 %)
15E	80N		
60E	70N		
105E	60N		
150E	50N		
165W	40N		
	30N		
	20N		
	10N		
	0		
	10S		
	20S		
	30S		
	40S		
80N	15E		
70N	60E		
60N	105E		
50N	150E		
40N	165W		
30N			
20N			
10N			
0			
10S			
20S			
30S			
40S			

APPENDIX E

$N_{\text{Flights}}$	$N_{\text{Indep. obs.}}$	$N_{\text{Total obs.}}$
TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)
TICIV %	SIGMA <sub>TICIV</sub>	P(TIC $\geq$ 10 %)
$\bar{T}_{\text{CLEAR}}$	$\bar{T}_{\text{CLOUD}}$	P(TIC $\geq$ 25 %)
$\bar{\Delta z}_{\text{CLEAR}}$	$\bar{\Delta z}_{\text{CLOUD}}$	P(TIC $\geq$ 50 %)

SUMMER  
10-15 KFT  
BELOW TROP

165W	120W	75W	30W	15E	ZONAL MEAN
					80N
					70N
					60N
					50N
10 12 62 6.8 15.4 37.1 18.4 20.6 16.1 -50.2 -52.9 8.1 -13.2 -12.1 4.8	56 58 395 9.8 24.2 24.1 40.8 34.1 17.0 -49.5 -49.2 13.9 -12.6 -12.4 10.4	10 10 16 16.6 28.8 37.5 44.2 31.4 25.0 -43.6 -49.3 25.0 -12.1 -12.4 18.8	10 10 12 5.9 19.7 8.3 71.4 0.0 8.3 -33.9 -31.0 8.3 -12.2 -10.9 8.3		10 10 12 5.9 19.7 8.3 71.4 0.0 8.3 -33.9 -31.0 8.3 -12.2 -10.9 8.3
72 79 644 2.9 13.9 6.8 41.9 34.4 4.8 -49.4 -51.8 3.9 -12.3 -11.8 2.6	37 43 378 3.7 12.8 14.6 25.5 23.9 9.0 -52.0 -53.8 6.1 -13.2 -13.5 2.4	1 1 1 0.0 0.0 0.0 0.0 0.0 0.0 -34.0 0.0 0.0 -11.0 0.0 0.0	6 6 14 5.0 15.1 28.6 17.5 24.1 7.1 -35.7 -36.0 7.1 -12.1 -11.5 7.1		113 117 653 10.1 23.0 29.2 34.4 31.2 19.1 -48.8 -49.7 14.5 -12.5 -12.3 9.8
66 74 702 2.9 13.2 10.0 29.5 31.1 6.1 -49.5 -50.7 4.0 -12.6 -12.8 2.6					40N
3 3 21 0.0 0.0 0.0 0.0 0.0 0.0 -57.5 0.0 0.0 -12.5 0.0 0.0					30N
1 1 2 0.0 0.0 0.0 0.0 0.0 0.0 -60.5 0.0 0.0 -12.9 0.0 0.0					20N
					10N
					0
					10S
					20S
					30S
					40S

APPENDIX E

Code: AUTUMN 10-15 KFT BELOW TROP	N <sub>Flights</sub>	N <sub>Indep. obs.</sub>	N <sub>Total obs.</sub>	
	TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)	
	TICIV %	SIGMA <sub>TICIV</sub>	P(TIC $\geq$ 10 %)	
	$\bar{T}$ <sub>CLEAR</sub>	$\bar{T}$ <sub>CLOUD</sub>	P(TIC $\geq$ 25 %)	
	$\bar{\Delta}z$ <sub>CLEAR</sub>	$\bar{\Delta}z$ <sub>CLOUD</sub>	P(TIC $\geq$ 50 %)	
15E	60E	105E	150E	
80N				
70N				
60N			2 2 17 8.5 17.8 23.5 36.1 18.5 23.5 -50.8 -53.8 11.8 -12.1 -13.2 5.9	
50N	13 13 63 14.2 27.0 31.7 44.7 30.5 27.0 -41.8 -46.0 20.6 -11.5 -11.4 12.7	6 6 19 5.0 14.6 10.5 47.6 1.8 10.5 -46.5 -49.0 10.5 -12.6 -12.9 0.0	21 23 188 7.5 17.1 30.3 24.6 23.4 19.1 -51.5 -53.0 11.2 -12.4 -12.1 5.9	
40N	16 16 75 0.0 0.0 0.0 0.0 0.0 0.0 -44.9 0.0 0.0 -12.5 0.0 0.0	37 37 151 11.6 25.4 28.5 40.8 32.7 21.2 -50.2 -49.7 16.6 -12.3 -13.0 11.3	22 25 200 8.8 19.6 32.5 27.2 26.2 22.5 -52.0 -50.4 11.5 -12.4 -12.5 7.0	
30N	2 2 9 17.1 32.3 33.3 51.2 37.0 22.2 -45.3 -43.0 22.2 -13.5 -11.8 22.2	10 10 88 .2 1.5 2.3 9.4 2.7 1.1 -46.3 -49.5 0.0 -12.7 -12.9 0.0	6 6 68 6.2 14.9 27.9 22.1 21.0 16.2 -50.8 -48.2 10.3 -12.3 -12.2 2.9	
20N		1 1 5 0.0 0.0 0.0 0.0 0.0 0.0 -54.4 0.0 0.0 -11.2 0.0 0.0		
10N				
0				
10S		1 1 6 31.4 16.6 83.3 37.6 9.7 83.3 -40.0 -40.4 83.3 -14.0 -14.6 16.7	2 2 30 22.0 32.9 40.0 55.1 29.8 33.3 -41.9 -41.8 33.3 -14.6 -14.8 23.3	1 1 3 9.5 9.0 66.7 14.3 7.3 33.3 -51.0 -51.5 0.0 -14.6 -15.0 0.0
20S		1 2 19 6.6 15.2 26.3 25.3 20.1 21.1 -44.2 -40.0 10.5 -13.0 -13.6 5.3	1 1 2 0.0 0.0 0.0 0.0 0.0 0.0 -42.0 0.0 0.0 -15.0 0.0 0.0	3 3 19 0.0 0.0 0.0 0.0 0.0 0.0 -58.7 0.0 0.0 -13.7 0.0 0.0
30S		1 1 2 0.0 0.0 0.0 0.0 0.0 0.0 -45.0 0.0 0.0 -14.4 0.0 0.0	2 2 17 0.0 0.0 0.0 0.0 0.0 0.0 -44.2 0.0 0.0 -13.7 0.0 0.0	9 10 57 3.2 15.3 7.0 45.3 38.0 5.3 -47.8 -49.5 3.5 -12.9 -13.6 3.5
40S	1 1 1 0.0 0.0 0.0 0.0 0.0 0.0 -61.0 0.0 0.0 -13.2 0.0 0.0	7 7 14 0.0 0.0 0.0 0.0 0.0 0.0 -45.9 0.0 0.0 -12.1 0.0 0.0	8 8 19 20.4 33.1 31.6 64.4 25.0 31.6 -40.2 -43.2 26.3 -12.1 -12.2 26.3	

APPENDIX E

$N_{\text{Flights}}$	$N_{\text{Indep. obs.}}$	$N_{\text{Total obs.}}$				
TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)				
TICIV %	SIGMA <sub>TICIV</sub>	P(TIC $\geq$ 10 %)				
$\bar{T}_{\text{CLEAR}}$	$\bar{T}_{\text{CLOUD}}$	P(TIC $\geq$ 25 %)				
$\bar{\Delta z}_{\text{CLEAR}}$	$\bar{\Delta z}_{\text{CLOUD}}$	P(TIC $\geq$ 50 %)				
						AUTUMN 10-15 KFT BELOW TROP
165W	120W	75W	30W	15E	ZONAL MEAN	80N
1 1 2		6 6 23	48 49 172			
0.0 0.0 0.0		0.0 0.0 0.0	8.5 20.2 30.8			
0.0 0.0 0.0		0.0 0.0 0.0	27.5 28.3 18.0			
-56.5 0.0 0.0		-43.6 0.0 0.0	-38.1 -40.0 12.8			
-11.9 0.0 0.0		-11.6 0.0 0.0	-11.9 -12.5 7.0			
19 20 149	20 20 51	57 58 224	25 25 63			
4.0 15.5 9.4	17.4 32.7 33.3	13.4 28.0 24.1	2.5 10.8 11.1			
42.5 30.1 6.7	52.1 37.4 25.5	55.7 29.9 21.9	22.2 24.7 6.3			
-46.7 -52.4 6.7	-46.1 -45.4 21.6	-41.4 -45.5 18.8	-43.8 -42.9 3.2			
-12.7 -11.6 4.0	-11.4 -11.7 17.6	-12.4 -11.2 14.7	-11.9 -11.5 3.2			
32 32 179	27 30 124	3 3 3				
3.8 15.1 11.7	10.6 25.2 21.0	0.0 0.0 0.0				
32.4 31.8 7.8	50.5 31.8 16.1	0.0 0.0 0.0				
-48.8 -48.3 5.6	-50.3 -46.3 14.5	-34.7 0.0 0.0				
-12.6 -12.0 2.8	-12.3 -11.7 12.9	-11.8 0.0 0.0				
21 23 224	1 1 13					
6.9 20.0 21.4	0.0 0.0 0.0					
32.3 32.4 11.6	0.0 0.0 0.0					
-52.1 -51.4 10.7	-52.8 0.0 0.0					
-12.6 -13.9 6.7	-14.0 0.0 0.0					
5 5 42						
7.5 20.6 21.4						
35.0 32.0 11.9						
-57.8 -56.8 9.5						
-14.1 -14.6 9.5						
2 2 9						
0.0 0.0 0.0						
0.0 0.0 0.0						
-52.1 0.0 0.0						
-13.5 0.0 0.0						
2 2 11		1 1 4				
0.0 0.0 0.0		0.0 0.0 0.0				
0.0 0.0 0.0		0.0 0.0 0.0				
-56.5 0.0 0.0		-62.5 0.0 0.0				
-13.5 0.0 0.0		-13.4 0.0 0.0				
		1 1 2				
		0.0 0.0 0.0				
		0.0 0.0 0.0				
		-60.5 0.0 0.0				
		-14.3 0.0 0.0				
16 16 34						
11.4 26.7 17.6						
64.4 25.0 17.6						
-43.8 -43.2 14.7						
-12.1 -12.2 14.7						

APPENDIX E

Code:  WINTER 5-10 KFT BELOW TROP	N <sub>Flights</sub>	N <sub>Indep. obs.</sub>	N <sub>Total obs.</sub>
	TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)
	TICIV %	SIGMA <sub>TICIV</sub>	P(TIC $\geq$ 10 %)
	$\bar{T}$ <sub>CLEAR</sub>	$\bar{T}$ <sub>CLOUD</sub>	P(TIC $\geq$ 25 %)
	$\bar{\Delta Z}$ <sub>CLEAR</sub>	$\bar{\Delta Z}$ <sub>CLOUD</sub>	P(TIC $\geq$ 50 %)
15E			
80N			
70N			
60N			
50N	17 18 129 12.5 28.0 24.0 51.9 34.9 20.2 -48.0 -50.1 14.7 -7.1 -6.5 13.2	1 1 1 47.1 0.0100.0 47.1 0.0100.0 0.0 -48.0100.0 0.0 -8.5 0.0	
40N	29 31 253 14.1 27.5 28.9 48.9 30.2 24.9 -48.6 -49.1 19.8 -7.4 -7.5 13.4	24 24 96 3.2 11.9 10.4 30.9 22.6 10.4 -48.1 -49.8 4.2 -7.3 -7.0 1.0	6 6 55 7.8 21.6 18.2 43.1 32.4 12.7 -46.4 -52.5 10.9 -6.8 -6.3 10.9
30N	11 11 47 7.1 21.8 10.6 66.9 21.5 10.6 -45.7 -45.2 10.6 -8.2 -7.9 6.4	16 16 115 6.2 17.2 20.9 29.8 26.8 13.9 -47.5 -52.9 9.6 -7.7 -7.1 3.5	4 4 25 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 -48.8 0.0 0.0 -7.8 0.0 0.0
20N		2 2 5 0.0 0.0 0.0 0.0 0.0 0.0 -53.0 0.0 0.0 -7.2 0.0 0.0	3 3 27 1.5 5.5 14.8 10.2 10.8 3.7 -56.7 -56.0 3.7 -6.0 -7.9 0.0
10N		1 1 3 0.0 0.0 0.0 0.0 0.0 0.0 -57.3 0.0 0.0 -7.4 0.0 0.0	1 1 5 0.0 0.0 0.0 0.0 0.0 0.0 -58.0 0.0 0.0 -7.0 0.0 0.0
0			
10S			
20S			6 6 17 0.0 0.0 0.0 0.0 0.0 0.0 -60.4 0.0 0.0 -8.1 0.0 0.0
30S		13 14 87 4.2 16.3 8.0 52.2 28.1 8.0 -50.1 -50.0 6.9 -7.9 -7.9 4.6	24 26 198 5.5 18.5 14.1 39.2 33.2 9.6 -54.6 -50.3 7.6 -7.2 -7.4 5.1
40S			

APPENDIX E

$N_{\text{Flights}}$	$N_{\text{Indep. obs.}}$	$N_{\text{Total obs.}}$
TIC %	$\Sigma_{\text{TIC}}$	$P(\text{TIC} > 0 \%)$
TICIV %	$\Sigma_{\text{TICIV}}$	$P(\text{TIC} \geq 10 \%)$
$\bar{T}_{\text{CLEAR}}$	$\bar{T}_{\text{CLOUD}}$	$P(\text{TIC} \geq 25 \%)$
$\bar{\Delta z}_{\text{CLEAR}}$	$\bar{\Delta z}_{\text{CLOUD}}$	$P(\text{TIC} \geq 50 \%)$

WINTER  
5-10 KFT  
BELOW TROP

165W	120W	75W	30W	15E	ZONAL MEAN	80N	
						70N	
						60N	
	1 1 11 56.6 34.0 90.9 62.2 30.3 90.9 -52.0 -52.7 72.7 -6.8 -6.6 63.6	6 6 13 41.5 43.5 53.8 77.1 27.9 53.8 -56.3 -61.3 46.2 -6.2 -6.2 46.2	33 33 154 23.4 33.0 50.6 46.2 33.2 37.0 -51.5 -55.1 33.1 -7.0 -6.9 22.1	40 40 178 26.8 35.1 53.4 50.2 33.7 41.6 -51.9 -55.3 36.5 -6.9 -6.8 26.4	115 118 524 28.5 37.7 48.3 59.0 33.8 42.6 -48.4 -52.7 36.3 -7.1 -7.2 30.3	201 208 1218 11.9 25.2 28.0 42.4 31.4 22.4 -50.5 -52.2 16.6 -7.3 -7.4 11.3	50N
11 11 30 31.9 36.3 60.0 53.1 32.7 50.0 -47.7 -48.6 43.3 -7.6 -7.6 33.3	28 28 64 19.3 30.8 42.2 45.7 32.4 32.8 -47.4 -51.3 26.6 -6.8 -6.7 21.9	31 32 169 47.6 40.5 70.4 67.6 31.2 67.5 -47.2 -54.6 59.2 -7.0 -7.4 51.5	27 28 131 23.2 35.1 43.5 53.2 35.0 35.1 -50.3 -52.1 30.5 -7.2 -7.3 23.7	106 111 773 7.2 19.0 21.9 33.0 28.4 15.7 -50.5 -53.1 10.6 -7.7 -8.0 5.7	106 111 773 7.2 19.0 21.9 33.0 28.4 15.7 -50.5 -53.1 10.6 -7.7 -8.0 5.7	30N	
89 94 594 10.9 24.5 27.8 39.3 32.4 20.7 -52.5 -53.3 15.0 -7.3 -7.3 10.1	49 49 196 15.6 27.1 35.2 44.2 28.6 30.6 -49.4 -53.0 23.0 -7.2 -7.5 15.8	3 3 9 53.4 39.5 66.7 80.1 13.9 66.7 -45.7 -42.7 66.7 -6.5 -7.9 66.7	1 1 15 8.5 14.4 53.3 15.9 16.5 26.7 -61.1 -62.5 13.3 -8.5 -8.4 0.0	6 6 35 1.2 4.9 11.4 10.2 10.8 2.9 -56.6 -56.0 2.9 -6.4 -7.9 0.0	6 6 35 1.2 4.9 11.4 10.2 10.8 2.9 -56.6 -56.0 2.9 -6.4 -7.9 0.0	20N	
71 76 575 7.9 19.6 24.3 32.3 28.1 17.4 -51.7 -53.5 11.5 -7.7 -8.1 6.4				2 2 8 0.0 0.0 0.0 0.0 0.0 0.0 -57.8 0.0 0.0 -7.2 0.0 0.0	2 2 8 0.0 0.0 0.0 0.0 0.0 0.0 -57.8 0.0 0.0 -7.2 0.0 0.0	10N	
1 1 3 0.0 0.0 0.0 0.0 0.0 0.0 -61.7 0.0 0.0 -7.5 0.0 0.0				6 6 17 0.0 0.0 0.0 0.0 0.0 0.0 -60.4 0.0 0.0 -8.1 0.0 0.0	6 6 17 0.0 0.0 0.0 0.0 0.0 0.0 -60.4 0.0 0.0 -8.1 0.0 0.0	0	
						10S	
						20S	
						30S	
						40S	

**APPENDIX E**

Code:  SPRING 5-10 KFT BELOW TROP	$N_{\text{Flights}}$	$N_{\text{Indep. obs.}}$	$N_{\text{Total obs.}}$	
	$\bar{T}_{\text{TIC}} \%$	$\text{SIGMA}_{\text{TIC}}$	$P(\text{TIC} > 0 \%)$	
	$T_{\text{TICIV}} \%$	$\text{SIGMA}_{\text{TICIV}}$	$P(\text{TIC} \geq 10 \%)$	
	$\bar{T}_{\text{CLEAR}}$	$\bar{T}_{\text{CLOUD}}$	$P(\text{TIC} \geq 25 \%)$	
	$\bar{\Delta z}_{\text{CLEAR}}$	$\bar{\Delta z}_{\text{CLOUD}}$	$P(\text{TIC} \geq 50 \%)$	
15E	15E	105E	150E	
80N				
70N				
60N				
50N	9 10 38 7.1 14.9 26.3 26.9 17.6 21.1 -43.4 -43.7 13.2 -7.2 -6.7 2.6	7 7 15 21.6 25.2 73.3 29.4 25.2 53.3 -61.8 -52.0 26.7 -5.6 -7.2 13.3	16 17 145 26.0 35.5 53.8 48.3 35.6 38.6 -57.3 -53.6 35.2 -6.9 -6.8 27.6	
40N	14 17 116 5.1 16.0 18.1 28.1 27.8 9.5 -46.0 -50.7 8.6 -8.1 -7.3 4.3	3 3 3 28.9 40.9 33.3 86.7 0.0 33.3 -50.0 -51.0 33.3 -8.8 -7.5 33.3	46 46 194 13.0 24.9 37.1 34.9 30.1 26.8 -53.6 -54.2 20.1 -7.4 -7.2 9.3	12 12 54 4.0 14.2 16.7 23.9 27.1 11.1 -53.2 -49.2 3.7 -7.3 -7.3 1.9
30N		12 13 93 5.6 17.2 16.1 35.8 27.6 10.8 -49.5 -47.5 9.7 -8.2 -7.7 5.4	8 8 37 .1 .7 2.7 4.3 0.0 0.0 -52.8 -51.0 0.0 -7.9 -9.9 0.0	3 3 15 2.3 6.9 26.7 8.5 11.2 6.7 -54.0 -53.8 6.7 -9.4 -7.6 0.0
20N		3 3 9 0.0 0.0 0.0 0.0 0.0 0.0 -50.1 0.0 0.0 -8.8 0.0 0.0	2 2 5 .5 .8 40.0 1.4 .6 0.0 -52.7 -55.0 0.0 -9.2 -8.6 0.0	
10N				
0				
10S				
20S			3 3 15 0.0 0.0 0.0 0.0 0.0 0.0 -54.2 0.0 0.0 -7.1 0.0 0.0	
30S			11 11 36 2.5 7.2 16.7 15.0 11.1 11.1 -54.5 -60.8 2.8 -7.4 -7.5 0.0	
40S				

APPENDIX E

$N_{\text{Flights}}$	$N_{\text{Indep. obs.}}$	$N_{\text{Total obs.}}$
TIC %	SIGMA <sub>TIC</sub>	$P(\text{TIC} > 0 \%)$
TICIV %	SIGMA <sub>TICIV</sub>	$P(\text{TIC} \geq 10 \%)$
$\bar{T}_{\text{CLEAR}}$	$\bar{T}_{\text{CLOUD}}$	$P(\text{TIC} \geq 25 \%)$
$\bar{\Delta Z}_{\text{CLEAR}}$	$\bar{\Delta Z}_{\text{CLOUD}}$	$P(\text{TIC} \geq 50 \%)$

SPRING  
5-10 KFT  
BELOW TROP

165W	120W	75W	30W	15E	ZONAL MEAN
					80N
					70N
1 1 3 84.1 11.4 100.0 84.1 11.4 100.0 0.0 -53.0 100.0 0.0 -8.6 100.0	5 5 44 6.8 13.6 27.3 25.0 14.9 20.5 -56.1 -55.1 13.6 -6.1 -7.1 0.0	10 10 81 24.0 29.8 67.9 35.4 30.2 45.7 -52.4 -54.3 35.8 -6.3 -6.3 22.2	35 35 115 5.6 14.0 33.0 17.0 20.0 14.8 -51.1 -49.3 7.8 -6.9 -6.9 1.7	51 51 243 12.9 23.7 44.4 29.1 28.1 27.2 -52.5 -52.6 19.3 -6.6 -6.7 9.5	51 51 243 12.9 23.7 44.4 29.1 28.1 27.2 -52.5 -52.6 19.3 -6.6 -6.7 9.5
22 24 167 11.7 22.9 37.7 31.1 28.0 24.6 -56.4 -57.7 17.4 -6.8 -6.8 9.6	86 87 277 17.6 28.3 44.0 39.9 30.4 34.3 -48.2 -49.5 27.4 -7.4 -7.4 14.8	41 42 205 15.9 27.2 43.4 36.7 30.6 33.2 -50.6 -50.2 22.0 -7.2 -7.2 13.7	13 13 51 11.7 23.1 35.3 33.1 28.3 27.5 -47.0 -50.5 17.6 -7.9 -7.8 11.8	194 200 898 16.8 28.1 43.5 38.5 31.3 32.3 -51.4 -51.7 24.4 -7.2 -7.1 14.9	194 200 898 16.8 28.1 43.5 38.5 31.3 32.3 -51.4 -51.7 24.4 -7.2 -7.1 14.9
102 111 803 3.0 11.9 14.1 21.5 24.7 8.2 -53.2 -54.2 4.1 -7.1 -7.1 2.1	73 73 186 12.5 25.0 31.2 40.1 30.0 25.3 -49.7 -50.6 18.8 -7.0 -7.0 10.8	8 8 32 9.1 18.2 31.3 29.2 21.9 21.9 -56.8 -59.8 18.8 -7.8 -7.8 6.3		258 270 1368 6.1 17.7 20.5 29.8 28.7 13.7 -52.3 -53.2 9.1 -7.3 -7.1 4.6	258 270 1368 6.1 17.7 20.5 29.8 28.7 13.7 -52.3 -53.2 9.1 -7.3 -7.1 4.6
95 102 860 4.1 13.8 16.2 25.5 25.3 9.7 -53.8 -55.6 6.7 -7.6 -7.6 3.1	8 8 37 3.6 11.0 18.9 19.0 18.7 8.1 -52.7 -53.9 5.4 -8.0 -7.6 0.0	6 6 24 3.1 9.0 16.7 18.5 14.2 12.5 -59.1 -64.3 4.2 -8.6 -7.6 0.0		132 140 1066 4.1 13.7 15.9 25.5 25.2 9.4 -53.5 -55.0 6.7 -7.9 -7.6 3.0	132 140 1066 4.1 13.7 15.9 25.5 25.2 9.4 -53.5 -55.0 6.7 -7.9 -7.6 3.0
6 6 22 6.4 21.5 9.1 70.8 22.9 9.1 -57.9 -67.0 9.1 -8.2 -7.9 4.5	1 1 2 0.0 0.0 0.0 0.0 0.0 0.0 -56.0 0.0 0.0 -9.9 0.0 0.0			12 12 38 3.8 16.6 10.5 36.1 38.3 5.3 -55.3 -61.0 5.3 -8.6 -8.3 2.6	12 12 38 3.8 16.6 10.5 36.1 38.3 5.3 -55.3 -61.0 5.3 -8.6 -8.3 2.6
					10N
					0
					10S
					20S
				3 3 15 0.0 0.0 C.0 0.0 0.0 0.0 -54.2 0.0 0.0 -7.1 0.0 0.0	3 3 15 0.0 0.0 C.0 0.0 0.0 0.0 -54.2 0.0 0.0 -7.1 0.0 0.0
				11 11 36 2.5 7.2 16.7 15.0 11.1 11.1 -54.5 -60.8 2.8 -7.4 -7.5 0.0	11 11 36 2.5 7.2 16.7 15.0 11.1 11.1 -54.5 -60.8 2.8 -7.4 -7.5 0.0
					40S

APPENDIX E

Code:  SUMMER 5-10 KFT BELOW TROP	N Flights	N Indep. obs.	N Total obs.
	TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)
	TICIV %	SIGMA <sub>TICIV</sub>	P(TIC $\geq$ 10 %)
	$\bar{T}$ <sub>CLEAR</sub>	$\bar{T}$ <sub>CLOUD</sub>	P(TIC $\geq$ 25 %)
	$\Delta Z$ <sub>CLEAR</sub>	$\Delta Z$ <sub>CLOUD</sub>	P(TIC $\geq$ 50 %)
15E	60E	105E	150E
80N			
70N			
60N			1    1    2 17.3 17.3 50.0 34.5 0.0 50.0 -51.0 -51.0 50.0 -9.1 -6.2 0.0
50N	13    14    67 2.9 12.3 17.9 15.9 25.3 4.5 -45.4 -44.7 3.0 -7.7 -6.7 3.0	11    11    48 6.0 18.3 14.6 41.5 28.9 10.4 -55.1 -63.7 10.4 -7.1 -8.5 8.3	23    24    170 13.6 26.1 37.1 36.8 31.4 26.5 -53.7 -53.9 18.8 -7.2 -7.3 13.5
40N	6    6    24 1.9 4.8 25.0 7.6 7.1 8.3 -46.2 -44.5 0.0 -7.5 -7.0 0.0	14    14    53 3.8 11.4 17.0 22.4 18.7 11.3 -57.6 -51.1 7.5 -7.1 -8.1 1.9	6    6    26 5.6 13.9 15.4 36.1 12.4 15.4 -54.6 -54.3 11.5 -7.8 -7.3 0.0
30N		1    1    3 0.0 0.0 0.0 0.0 0.0 0.0 -38.7 0.0 0.0 -9.5 0.0 0.0	1    1    4 0.0 0.0 0.0 0.0 0.0 0.0 -51.8 0.0 0.0 -8.0 0.0 0.0
20N			
10N			
0			
10S			1    1    2 0.0 0.0 0.0 0.0 0.0 0.0 -48.0 0.0 0.0 -8.8 0.0 0.0
20S		7    7    24 0.0 0.0 0.0 0.0 0.0 0.0 -43.8 0.0 0.0 -8.2 0.0 0.0	5    6    41 1.3 5.9 7.3 17.8 13.5 4.9 -49.0 -48.0 2.4 -8.2 -9.4 0.0
30S		17    18    75 1.0 4.8 5.3 19.4 8.3 4.0 -47.7 -48.8 1.3 -7.2 -7.7 0.0	9    9    42 .3 1.8 4.8 7.3 4.5 2.4 -52.0 -47.5 0.0 -6.9 -8.6 0.0
40S			

APPENDIX E

N <sub>Flights</sub>	N <sub>Indep. obs.</sub>	N <sub>Total obs.</sub>					
TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)					
TICIV %	SIGMA <sub>TICIV</sub>	P(TICIV ≥ 10 %)					
$\bar{T}_{CLEAR}$	$\bar{T}_{CLOUD}$	P(TIC ≥ 25 %)					
$\bar{Z}_{CLEAR}$	$\bar{Z}_{CLOUD}$	P(TIC ≥ 50 %)					
							SUMMER 5-10 KFT BELOW TROP
165W	120W	75W	30W	15E	ZONAL MEAN	80N	
						70N	
						60N	
1 1 2 0.0 0.0 0.0 0.0 0.0 0.0 -48.0 0.0 0.0 -7.9 0.0 0.0	7 7 26 7.2 14.5 34.6 20.7 18.1 23.1 -50.9 -49.0 11.5 -6.9 -7.6 3.8	1 1 4 .9 1.5 25.0 3.5 0.0 0.0 -51.0 -51.0 0.0 -5.4 -5.3 0.0	28 28 68 8.8 21.3 29.4 29.8 30.2 14.7 -48.4 -43.5 11.8 -6.8 -6.9 7.4	38 38 102 8.0 19.2 30.4 26.5 26.8 16.7 -49.1 -45.5 11.8 -6.8 -7.1 5.9	143 143 854 8.0 19.7 25.8 31.0 28.1 16.9 -52.6 -54.2 12.5 -7.6 -7.4 7.1	50N	
22 24 160 7.1 16.4 28.8 24.7 22.2 18.8 -54.0 -58.8 13.8 -7.5 -7.4 2.5	52 54 335 7.0 18.7 22.4 31.4 28.2 14.6 -53.2 -53.4 11.0 -7.9 -7.6 6.6	16 16 57 8.7 18.9 26.3 33.0 23.6 19.3 -52.6 -48.7 14.0 -7.2 -7.8 10.5	6 6 17 2.2 7.3 11.8 18.4 12.2 5.9 -43.4 -46.5 5.9 -7.3 -6.8 0.0	118 126 708 2.3 9.8 9.6 23.9 22.1 5.9 -52.9 -52.4 4.0 -7.8 -8.0 1.4	40N		
63 70 490 1.4 7.1 6.9 19.8 19.0 3.9 -52.6 -53.6 2.2 -7.9 -8.4 .8	28 29 114 4.9 16.1 13.2 37.5 27.6 9.6 -53.1 -53.2 8.8 -7.5 -7.6 4.4	1 1 1 0.0 0.0 0.0 0.0 0.0 0.0 -35.0 0.0 0.0 -9.6 0.0 0.0	36 43 431 .7 6.3 4.2 17.7 25.3 1.6 -52.7 -52.7 1.2 -7.9 -8.3 .5	30N			
34 41 424 .8 6.3 4.2 17.7 25.3 1.7 -52.8 -52.7 1.2 -7.9 -8.3 .5				2 2 19 1.1 4.6 5.3 20.4 0.0 5.3 -58.5 -66.0 0.0 -9.0 -8.9 0.0	20N		
2 2 19 1.1 4.6 5.3 20.4 0.0 5.3 -58.5 -66.0 0.0 -9.0 -8.9 0.0				1 1 1 0.0 0.0 0.0 0.0 0.0 0.0 -60.0 0.0 0.0 -9.7 0.0 0.0	10N		
1 1 1 0.0 0.0 0.0 0.0 0.0 0.0 -60.0 0.0 0.0 -9.7 0.0 0.0					0		
						10S	
						20S	
						30S	
						40S	

APPENDIX E

Code: AUTUMN 5-10 KFT BELOW TROP	N Flights	N Indep. obs.	N Total obs.
	TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)
	TICIV %	SIGMA <sub>TICIV</sub>	P(TIC $\geq$ 10 %)
	$\bar{T}$ <sub>CLEAR</sub>	$\bar{T}$ <sub>CLOUD</sub>	P(TIC $\geq$ 25 %)
$\Delta\bar{T}$ <sub>CLEAR</sub>		$\Delta\bar{T}$ <sub>CLOUD</sub>	
15E	60E	105E	150E
80N			
70N			
60N			9 9 46 4.6 15.9 15.2 30.0 29.8 8.7 -54.8 -51.9 6.5 -6.9 -6.9 6.5
50N	19 20 117 13.5 26.0 35.0 38.4 31.1 28.2 -51.0 -47.3 20.5 -7.8 -7.7 11.1	9 9 29 8.9 15.5 31.0 28.5 14.6 27.6 -53.2 -62.4 17.2 -7.7 -8.1 3.4	28 32 249 7.9 19.7 25.7 30.9 28.3 16.5 -51.3 -52.6 11.6 -7.8 -7.9 6.8
40N	19 20 139 4.3 17.5 6.5 66.1 25.3 6.5 -50.5 -49.6 5.8 -7.3 -7.9 5.0	27 27 112 3.9 15.0 8.9 43.3 28.4 6.3 -51.4 -56.0 6.3 -7.6 -8.9 5.4	18 18 110 14.9 30.8 27.3 54.5 36.5 21.8 -52.9 -55.7 19.1 -8.0 -8.5 15.5
30N	2 2 20 .1 -.3 5.0 1.6 0.0 0.0 -56.8 -61.0 0.0 -8.0 -9.2 0.0	4 4 15 0.0 0.0 0.0 0.0 0.0 0.0 -57.5 0.0 0.0 -7.9 0.0 0.0	4 4 19 14.6 25.7 26.3 55.5 15.8 26.3 -47.9 -49.2 26.3 -8.0 -9.5 15.8
20N			
10N			
0			
10S			
20S		1 1 6 0.0 0.0 0.0 0.0 0.0 0.0 -50.3 0.0 0.0 -7.5 0.0 0.0	7 7 26 0.0 0.0 0.0 0.0 0.0 0.0 -54.3 0.0 0.0 -8.4 0.0 0.0
30S	1 1 1 0.0 0.0 0.0 0.0 0.0 0.0 -45.0 0.0 0.0 -9.5 0.0 0.0	4 4 24 0.0 0.0 0.0 0.0 0.0 0.0 -50.0 0.0 0.0 -7.3 0.0 0.0	13 13 58 11.4 26.2 19.0 60.2 26.0 17.2 -50.0 -50.0 15.5 -7.6 -7.7 15.5
40S			

APPENDIX E

$N_{\text{Flights}}$	$N_{\text{Indep. obs.}}$	$N_{\text{Total obs.}}$
TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)
TICIV %	SIGMA <sub>TICIV</sub>	P(TIC $\geq$ 10 %)
$\bar{T}_{\text{CLEAR}}$	$\bar{T}_{\text{CLOUD}}$	P(TIC $\geq$ 25 %)
$\Delta Z_{\text{CLEAR}}$	$\Delta Z_{\text{CLOUD}}$	P(TIC $\geq$ 50 %)

AUTUMN  
5-10 KFT  
BELOW TROP

165W	120W	75W	30W	15E	ZONAL MEAN
					80N
					70N
					60N
					50N
					40N
					30N
					20N
					10N
					0
					10S
					20S
					30S
					40S

APPENDIX E

Code:  WINTER 0-5 KFT BELOW TROP	N <sub>Flights</sub>	N <sub>Indep. obs.</sub>	N <sub>Total obs.</sub>	
	TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)	
	TICIV %	SIGMA <sub>TICIV</sub>	P(TIC $\geq$ 10 %)	
	$\bar{T}_{CLEAR}$	$\bar{T}_{CLOUD}$	P(TIC $\geq$ 25 %)	
	$\bar{\Delta z}_{CLEAR}$	$\bar{\Delta z}_{CLOUD}$	P(TIC $\geq$ 50 %)	
15E	60E	105E	150E	
80N				
70N				
60N			1 1 8 0.0 0.0 0.0 0.0 0.0 0.0 -68.9 0.0 0.0 .9 0.0 0.0	
50N	25 29 239 14.2 28.9 29.7 47.8 34.8 23.4 -55.0 -60.5 18.0 -2.4 -2.7 15.5	2 2 5 0.0 0.0 0.0 0.0 0.0 0.0 -49.6 0.0 0.0 -1.0 0.0 0.0	4 5 36 0.0 0.0 0.0 0.0 0.0 0.0 -52.6 0.0 0.0 -2.6 0.0 0.0	
40N	28 32 281 6.7 20.2 16.7 40.0 33.2 12.8 -53.3 -54.5 8.5 -2.6 -3.3 6.8	32 32 125 6.6 19.5 14.4 45.7 29.0 12.0 -50.0 -55.7 10.4 -2.5 -3.8 5.6	14 20 200 4.4 17.5 10.0 43.5 36.7 7.5 -52.2 -54.7 5.5 -2.4 -3.7 3.5	
30N	5 5 25 7.0 12.5 32.0 21.8 12.8 24.0 -48.0 -58.0 12.0 -2.8 -2.5 0.0	8 8 33 2.4 13.6 3.0 79.6 0.0 3.0 -48.2 -54.0 3.0 -3.1 -4.8 3.0	2 2 11 0.0 0.0 0.0 0.0 0.0 0.0 -51.8 0.0 0.0 -3.1 0.0 0.0	5 6 47 11.5 20.0 42.6 27.0 22.8 31.9 -50.2 -48.9 21.3 -2.8 -3.8 8.5
20N				
10N				
0				
10S				
20S			4 4 17 0.0 0.0 0.0 0.0 0.0 0.0 -63.7 0.0 0.0 -3.1 0.0 0.0	
30S		5 5 39 .6 3.8 2.6 23.9 0.0 2.6 -53.3 -59.0 0.0 -4.0 -3.0 0.0	20 20 149 2.7 10.9 12.1 22.5 23.2 8.7 -58.0 -52.8 3.4 -3.0 -3.4 2.0	
40S				

APPENDIX E

$N_{\text{Flights}}$	$N_{\text{Indep. obs.}}$	$N_{\text{Total obs.}}$
TIC %	SIGMA <sub>TIC</sub>	$P(\text{TIC} > 0 \%)$
TICIV %	SIGMA <sub>TICIV</sub>	$P(\text{TIC} \geq 10 \%)$
$\bar{T}_{\text{CLEAR}}$	$\bar{T}_{\text{CLOUD}}$	$P(\text{TIC} \geq 25 \%)$
$\Delta \bar{z}_{\text{CLEAR}}$	$\Delta \bar{z}_{\text{CLOUD}}$	$P(\text{TIC} \geq 50 \%)$

WINTER  
0-5 KFT  
BELOW TROP

165W	120W	75W	30W	15E	ZONAL MEAN
					80N
2 2 2 0.0 0.0 0.0 0.0 0.0 0.0 -52.0 0.0 0.0 -.7 0.0 0.0	2 2 12 4.8 12.3 16.7 29.0 14.1 16.7 -63.9 -66.0 8.3 -.7 -.3 0.0	3 3 12 43.2 33.6 75.0 57.6 25.9 75.0 -58.3 -61.1 58.3 -.9 -1.4 50.0	5 5 25 0.0 0.0 0.0 0.0 0.0 0.0 -51.4 0.0 0.0 -1.7 0.0 0.0		12 12 51 11.3 24.9 21.6 52.4 26.6 21.6 -55.1 -62.0 15.7 -1.3 -1.2 11.8
1 1 11 0.0 0.0 0.0 0.0 0.0 0.0 -54.6 0.0 0.0 -.5 0.0 0.0	4 4 31 7.6 22.1 16.1 47.1 34.3 12.9 -60.7 -56.6 9.7 -1.5 -2.4 9.7	13 14 104 23.4 34.9 41.3 56.6 32.6 36.5 -54.0 -61.8 30.8 -2.2 -2.7 24.0	37 38 246 14.2 28.4 30.5 46.5 33.9 23.6 -55.9 -59.9 19.9 -2.4 -2.6 13.8		56 58 400 15.4 29.8 30.8 50.1 33.8 25.0 -56.2 -60.5 21.0 -2.2 -2.6 15.5
20 20 88 10.8 23.6 28.4 37.9 30.6 20.5 -55.3 -56.3 19.3 -2.1 -3.1 8.0	57 56 298 9.7 23.3 29.5 32.8 32.9 17.4 -56.4 -60.0 13.4 -1.7 -2.7 9.1	35 36 256 23.6 34.5 42.2 55.9 31.9 35.9 -54.1 -58.7 32.0 -2.1 -2.9 24.6	26 27 175 23.1 35.0 42.9 54.0 34.5 34.9 -55.6 -60.7 29.1 -3.0 -2.6 24.0		169 177 1097 15.8 29.9 33.5 47.2 34.4 25.4 -55.2 -59.6 21.2 -2.2 -2.8 16.0
92 97 760 8.5 22.4 22.1 38.7 33.3 15.5 -55.6 -56.5 11.4 -2.4 -3.3 8.6	49 56 469 15.1 29.2 30.9 48.8 33.3 24.9 -57.8 -62.6 20.9 -2.3 -2.5 15.6	1 1 1 0.0 0.0 0.0 0.0 0.0 0.0 -43.0 0.0 0.0 -4.7 0.0 0.0			216 238 1836 9.3 23.7 21.7 43.1 33.6 16.4 -54.9 -59.2 12.7 -2.4 -3.0 9.3
44 45 271 4.5 17.1 9.6 47.2 32.3 7.7 -52.6 -56.2 5.9 -3.1 -3.1 4.8					64 66 387 5.2 16.9 14.2 36.7 29.3 11.1 -51.8 -53.8 7.8 -3.1 -3.3 4.7
1 1 3 0.0 0.0 0.0 0.0 0.0 0.0 -59.0 0.0 0.0 -3.2 0.0 0.0					1 1 3 0.0 0.0 0.0 0.0 0.0 0.0 -59.0 0.0 0.0 -3.2 0.0 0.0
					10N
					0
					10S
					20S
					30S
					40S

**APPENDIX E**

Code:  SPRING 0-5 KFT BELOW TROP	$N_{\text{Flights}}$	$N_{\text{Indep. obs.}}$	$N_{\text{Total obs.}}$
	$\overline{T}_{\text{TIC}} \%$	$SIGMA_{\overline{T}_{\text{TIC}}}$	$P(TIC > 0 \%)$
	TICIV %	$SIGMA_{\text{TICIV}}$	$P(TIC \geq 10 \%)$
	$\overline{T}_{\text{CLEAR}}$	$\overline{T}_{\text{CLOUD}}$	$P(TIC \geq 25 \%)$
		$\overline{\Delta Z}_{\text{CLEAR}}$	$\overline{\Delta Z}_{\text{CLOUD}}$
			$P(TIC \geq 50 \%)$
15E            60E            105E            150E            165W			
80N			
70N			
60N			
50N	8      9      80 .3    2.5    5.0 6.6    9.2    1.3 -55.8   -50.3   0.0 -1.2   -3.1   0.0	14      14      61 3.2    13.2   11.5 27.9   29.0   8.2 -60.7   -58.7   4.9 -2.2   -3.6   1.6	9      10      72 12.1   23.5   27.8 43.4   25.2   25.0 -58.8   -62.1   20.8 -1.3   -1.5   12.5
40N	12      13      146 5.2    17.0   16.4 31.9   30.2   11.0 -53.8   -55.8   7.5 -2.4   -1.9   3.4	39      40      183 9.9    25.9   21.9 45.1   38.5   14.8 -57.4   -60.4   12.6 -2.9   -2.9   9.8	34      40      379 6.0    19.3   14.0 43.2   32.6   11.1 -57.3   -60.9   7.7 -2.1   -2.7   6.3
30N		5      5      21 .1    .7    4.8 3.1   0.0   0.0 -52.6   -49.0   0.0 -3.5   -4.8   0.0	20      20      92 13.2   27.0   26.1 50.4   30.2   22.8 -53.5   -56.4   19.6 -2.7   -2.8   15.2
20N		1      1      7 0.0   0.0   0.0 0.0   0.0   0.0 -58.0   0.0   0.0 -3.7   0.0   0.0	
10N			
0			
10S			
20S			
30S			
40S			

APPENDIX E

N <sub>Flights</sub>	N <sub>Indep. obs.</sub>	N <sub>Total obs.</sub>
TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)
TICIV %	SIGMA <sub>TICIV</sub>	P(TIC $\geq$ 10 %)
$\bar{T}$ <sub>CLEAR</sub>	$\bar{T}$ <sub>CLOUD</sub>	P(TIC $\geq$ 25 %)
$\Delta Z$ <sub>CLEAR</sub>	$\Delta Z$ <sub>CLOUD</sub>	P(TIC $\geq$ 50 %)

SPRING  
0-5 KFT  
BELOW TROP

165W	120W	75W	30W	15E	ZONAL MEAN	80N
		1 1 7 .2 .5 14.3 1.6 0.0 0.0 -58.7 -59.0 0.0 -.5 -.7 0.0	1 1 4 0.0 0.0 0.0 0.0 0.0 0.0 -56.5 0.0 0.0 -2.4 0.0 0.0	2 2 11 .1 .5 9.1 1.6 0.0 0.0 -57.8 -59.0 0.0 -1.3 -.7 0.0		
		2 2 13 0.0 0.0 0.0 0.0 0.0 0.0 -57.1 0.0 0.0 -1.8 0.0 0.0	1 1 1 0.0 0.0 0.0 0.0 0.0 0.0 -58.0 0.0 0.0 -.1 0.0 0.0	3 3 28 24.7 37.2 35.7 69.2 28.0 32.1 -57.0 -57.0 32.1 -2.5 -3.0 28.6	6 6 42 16.5 32.5 23.8 69.2 28.0 21.4 -57.1 -57.0 21.4 -2.1 -3.0 19.0	70N
10 10 79 5.0 15.7 19.0 26.1 27.2 8.9 -59.3 -63.1 7.6 -1.3 -2.2 3.8	16 18 174 3.0 12.2 15.5 19.1 25.6 5.7 -59.2 -59.5 4.6 -1.8 -3.1 2.3	27 28 169 13.0 27.9 29.0 44.9 35.5 22.5 -54.9 -56.5 16.6 -2.1 -2.9 13.0	42 43 287 8.8 22.0 27.5 31.9 31.9 17.4 -56.5 -56.5 11.5 -2.1 -2.7 8.4	104 109 781 8.3 21.7 24.3 34.2 32.3 15.7 -57.4 -58.1 11.5 -1.9 -2.6 7.9	104 109 781 8.3 21.7 24.3 34.2 32.3 15.7 -57.4 -58.1 11.5 -1.9 -2.6 7.9	60N
48 53 415 5.6 17.2 20.2 27.9 29.1 12.5 -57.4 -59.7 8.2 -2.1 -3.5 4.6	122 129 805 12.6 26.4 27.8 45.4 31.7 23.1 -56.7 -60.2 18.1 -2.2 -2.7 12.5	50 54 381 11.2 24.5 29.1 38.3 31.9 21.8 -55.0 -57.3 16.8 -2.3 -3.1 10.0	13 14 72 6.1 17.0 22.2 27.3 26.7 13.9 -53.4 -57.9 9.7 -2.5 -3.2 4.2	289 313 2193 9.0 22.5 22.8 39.5 32.0 17.3 -56.6 -59.4 12.9 -2.2 -3.0 8.5	289 313 2193 9.0 22.5 22.8 39.5 32.0 17.3 -56.6 -59.4 12.9 -2.2 -3.0 8.5	50N
119 128 911 2.6 10.9 13.6 19.1 23.6 5.9 -57.8 -60.3 4.0 -2.7 -2.9 1.8	100 106 663 9.3 23.5 20.5 45.5 32.2 17.0 -57.0 -61.3 13.4 -2.1 -2.7 9.0	6 6 23 8.9 27.6 13.0 68.0 42.5 8.7 -52.9 -67.3 8.7 -2.3 -3.2 8.7				40N
52 58 507 4.6 16.9 12.0 37.9 33.1 8.1 -56.9 -57.3 6.3 -2.8 -2.7 4.1	4 4 15 0.0 0.0 0.0 0.0 0.0 0.0 -52.9 0.0 0.0 -3.0 0.0 0.0	2 2 6 .1 .3 16.7 .8 0.0 0.0 -64.0 -66.0 0.0 -2.5 -4.4 0.0				30N
1 1 1 0.0 0.0 0.0 0.0 0.0 0.0 -63.0 0.0 0.0 -4.8 0.0 0.0						20N
						10N
						0
						10S
						20S
						30S
						40S

APPENDIX E

Code:  SUMMER 0-5 KFT BELOW TROP	N <sub>Flights</sub>	N <sub>Indep. obs.</sub>	N <sub>Total obs.</sub>
	TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)
	TICIV %	SIGMA <sub>TICIV</sub>	P(TIC $\geq$ 10 %)
	$\bar{T}_{CLEAR}$	$\bar{T}_{CLOUD}$	P(TIC $\geq$ 25 %)
	$\Delta\bar{z}_{CLEAR}$	$\Delta\bar{z}_{CLOUD}$	P(TIC $\geq$ 50 %)
15E		60E	
80N		105E	
70N		150E	
60N		165W	
50N			
40N			
30N			
20N			
10N			
0			
10S			
20S			
30S			
40S			

**APPENDIX E**

$N_{\text{Flights}}$	$N_{\text{Indep. obs.}}$	$N_{\text{Total obs.}}$
TIC %	$\text{SIGMA}_{\text{TIC}}$	$P(\text{TIC} > 0 \%)$
TICIV %	$\text{SIGMA}_{\text{TICIV}}$	$P(\text{TIC} \geq 10 \%)$
$\bar{T}_{\text{CLEAR}}$	$\bar{T}_{\text{CLOUD}}$	$P(\text{TIC} \geq 25 \%)$
$\Delta Z_{\text{CLEAR}}$	$\Delta Z_{\text{CLOUD}}$	$P(\text{TIC} \geq 50 \%)$

SUMMER  
0-5 KFT  
BELOW TROP

165W	120W	75W	30W	15E	ZONAL MEAN
					30N
4 6 65 1.8 8.8 15.4 11.5 19.9 3.1 -58.3 -61.1 3.1 -2.1 -1.7 1.5	2 2 22 5.1 17.0 27.3 18.6 28.4 13.6 -56.3 -56.0 4.5 -.8 -.6 4.5		2 2 14 0.0 0.0 0.0 0.0 0.0 0.0 -57.0 0.0 0.0 -2.1 0.0 0.0		9 11 110 2.3 10.6 15.5 15.0 23.3 5.5 -57.6 -59.1 3.6 -1.9 -1.4 1.8
12 13 71 5.5 15.1 25.4 21.8 23.5 11.3 -55.3 -55.7 8.5 -1.9 -2.7 1.4	26 27 126 4.3 14.7 16.7 25.9 27.0 8.7 -54.9 -56.7 6.3 -1.7 -1.5 4.0	5 5 21 1.5 2.5 33.3 4.4 2.4 0.0 -54.5 -52.0 0.0 -1.3 -3.5 0.0	36 38 132 3.6 11.0 20.5 17.6 18.5 9.1 -53.6 -52.4 6.1 -2.2 -2.5 .8		86 90 391 3.8 12.5 20.7 18.4 21.9 8.4 -54.4 -54.9 5.6 -1.9 -2.3 1.8
31 34 236 5.2 15.4 16.1 32.4 24.2 12.3 -55.6 -58.6 8.1 -2.6 -3.2 3.4	51 52 306 8.1 20.2 21.6 37.4 28.3 16.0 -54.2 -57.9 12.4 -2.7 -2.3 6.9	14 19 154 6.6 18.0 26.6 24.6 27.7 16.9 -53.5 -54.3 7.1 -2.3 -2.5 5.2	8 8 60 5.7 16.6 15.0 37.8 24.9 13.3 -55.7 -48.7 10.0 -1.8 -3.2 3.3		153 164 1103 5.7 16.8 17.7 32.0 27.3 12.7 -54.4 -56.6 8.3 -2.5 -2.7 4.4
30 33 241 4.4 14.4 11.6 37.6 23.1 9.5 -53.7 -54.7 7.9 -3.4 -2.7 2.9	19 20 114 4.8 16.4 14.0 34.4 30.1 8.8 -53.3 -57.9 7.0 -2.1 -2.7 5.3				59 63 399 4.7 15.2 13.0 35.9 25.6 9.5 -53.9 -55.6 8.0 -3.1 -2.9 3.8
5 5 18 1.0 3.5 16.7 6.3 6.4 5.6 -52.6 -51.7 0.0 -3.8 -3.3 0.0					5 5 18 1.0 3.5 16.7 6.3 6.4 5.6 -52.6 -51.7 0.0 -3.8 -3.3 0.0
					20N
					10N
					0
					10S
					20S
					30S
					40S

APPENDIX E

Code:  AUTUMN 0-5 KFT BELOW TROP	N <sub>Flights</sub>	N <sub>Indep. obs.</sub>	N <sub>Total obs.</sub>	
	TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)	
	TICIV %	SIGMA <sub>TICIV</sub>	P(TIC ≥ 10 %)	
	̄T <sub>CLEAR</sub>	̄T <sub>CLOUD</sub>	P(TIC ≥ 25 %)	
	̄ΔZ <sub>CLEAR</sub>	̄ΔZ <sub>CLOUD</sub>	P(TIC ≥ 50 %)	
15E	60E	105E	150E	
80N				
70N			1    1    1 0.0    0.0    0.0 0.0    0.0    0.0 -50.0    0.0    0.0 -.6    0.0    0.0	
60N			13    14    87 5.6    19.7    11.5 48.7    35.8    8.0 -53.0    -55.9    6.9 -2.4    -3.0    5.7	
50N	14    16    116 2.5    10.8    11.2 21.9    24.6    6.0 -53.5    -55.9    3.4 -2.7    -2.7    2.6	11    11    52 0.0    0.0    0.0 0.0    0.0    0.0 -56.7    0.0    0.0 -2.6    0.0    0.0	23    26    280 1.8    10.9    6.8 26.5    32.9    2.9 -54.9    -57.4    1.8 -2.6    -3.0    1.4	
40N	16    18    144 2.7    11.7    8.3 32.2    26.4    6.3 -55.1    -58.8    4.9 -3.3    -3.6    2.1	15    15    62 0.0    0.0    0.0 0.0    0.0    0.0 -53.5    0.0    0.0 -3.1    0.0    0.0	7    7    60 0.0    0.0    0.0 0.0    0.0    0.0 -56.5    0.0    0.0 -3.0    0.0    0.0	
30N		2    2    13 1.7    5.9    7.7 22.0    0.0    7.7 -59.3    -58.0    0.0 -2.5    -2.7    0.0		2    2    8 0.0    0.0    0.0 0.0    0.0    0.0 -58.6    0.0    0.0 -2.2    0.0    0.0
20N				
10N				
0				
10S				
20S				
30S	1    1    2 0.0    0.0    0.0 0.0    0.0    0.0 -55.5    0.0    0.0 -4.2    0.0    0.0	1    1    9 0.0    0.0    0.0 0.0    0.0    0.0 -50.7    0.0    0.0 -2.8    0.0    0.0	2    2    5 0.0    0.0    0.0 0.0    0.0    0.0 -50.0    0.0    0.0 -1.8    0.0    0.0	
40S			11    13    75 .0    .1    3.6 .8    0.0    0.0 -53.7    -61.0    0.0 -2.2    -2.4    0.0	

## APPENDIX E

$N_{\text{Flights}}$	$N_{\text{Indep. obs.}}$	$N_{\text{Total obs.}}$
$\overline{\text{TIC}} \%$	$\text{SIGMA}_{\text{TIC}}$	$P(\text{TIC} > 0 \%)$
$\text{TICIV} \%$	$\text{SIGMA}_{\text{TICIV}}$	$P(\text{TIC} \geq 10 \%)$
$\overline{T}_{\text{CLEAR}}$	$\overline{T}_{\text{CLOUD}}$	$P(\text{TIC} \geq 25 \%)$
$\overline{\Delta Z}_{\text{CLEAR}}$	$\overline{\Delta Z}_{\text{CLOUD}}$	$P(\text{TIC} \geq 50 \%)$

AUTUMN  
0-5 KFT  
BELOW TROP

APPENDIX E

Code:  WINTER 0-5 KFT ABOVE TROP	N <sub>Flights</sub>	N <sub>Indep. obs.</sub>	N <sub>Total obs.</sub>
	TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)
	TICIV %	SIGMA <sub>TICIV</sub>	P(TIC $\geq$ 10 %)
	$\bar{T}_{CLEAR}$	$\bar{T}_{CLOUD}$	P(TIC $\geq$ 25 %)
	$\Delta Z_{CLEAR}$	$\Delta Z_{CLOUD}$	P(TIC $\geq$ 50 %)
15E	60E	105E	150E
80N			
70N			2 2 10 0.0 0.0 0.0 0.0 0.0 0.0 -48.8 0.0 0.0 4.4 0.0 0.0
60N			9 11 118 0.0 0.0 0.0 0.0 0.0 0.0 -50.8 0.0 0.0 3.7 0.0 0.0
50N	10 11 62 2.7 11.0 9.7 28.0 23.3 8.1 -58.6 -62.2 3.2 .7 .8 1.6	2 2 16 0.0 0.0 0.0 0.0 0.0 0.0 -54.6 0.0 0.0 3.0 0.0 0.0	7 10 75 0.0 0.0 0.0 0.0 0.0 0.0 -49.8 0.0 0.0 3.5 0.0 0.0
40N	12 12 102 0.0 0.0 0.0 0.0 0.0 0.0 -54.7 0.0 0.0 1.5 0.0 0.0	14 14 77 0.0 0.0 0.0 0.0 0.0 0.0 -52.0 0.0 0.0 2.3 0.0 0.0	9 13 145 0.0 0.0 0.0 0.0 0.0 0.0 -50.3 0.0 0.0 2.5 0.0 0.0
30N	2 2 12 0.0 0.0 0.0 0.0 0.0 0.0 -53.3 0.0 0.0 1.6 0.0 0.0	1 1 2 0.0 0.0 0.0 0.0 0.0 0.0 -46.0 0.0 0.0 1.1 0.0 0.0	1 1 10 0.0 0.0 0.0 0.0 0.0 0.0 -47.5 0.0 0.0 1.6 0.0 0.0
20N			
10N			
0			
10S			
20S			1 1 2 0.0 0.0 0.0 0.0 0.0 0.0 -54.5 0.0 0.0 1.1 0.0 0.0
30S			10 11 68 0.0 0.0 0.0 0.0 0.0 0.0 -55.4 0.0 0.0 2.3 0.0 0.0
40S			

APPENDIX E

$N_{\text{Flights}}$	$N_{\text{Indep. obs.}}$	$N_{\text{Total obs.}}$				WINTER 0-5 KFT ABOVE TROP	
TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)					
TICIV %	SIGMA <sub>TICIV</sub>	P(TIC $\geq$ 10 %)					
$\bar{T}_{\text{CLEAR}}$	$\bar{T}_{\text{CLOUD}}$	P(TIC $\geq$ 25 %)					
$\Delta Z_{\text{CLEAR}}$	$\Delta Z_{\text{CLOUD}}$	P(TIC $\geq$ 50 %)					
165W	120W	75W	30W	15E	ZONAL MEAN		
						80N	
			1    1    6 0.0    0.0    0.0 0.0    0.0    0.0 -54.5    0.0    0.0 2.7    0.0    0.0			1    1    6 0.0    0.0    0.0 0.0    0.0    0.0 -54.5    0.0    0.0 2.7    0.0    0.0	
7    10    93 0.0    0.0    0.0 0.0    0.0    0.0 -55.4    0.0    0.0 3.5    0.0    0.0	10    11    94 1.2    8.2    2.1 54.7    14.3    2.1 -59.5    -69.5    2.1 2.5    2.3    1.1	8    10    120 1.4    7.5    5.0 27.8    19.9    5.0 -55.2    -60.3    .8 2.2    .6    .8	5    5    48 .4    2.5    2.1 17.6    0.0    2.1 -54.4    -56.0    0.0 1.8    .6    0.0			32    38    365 .8    6.1    2.5 32.6    21.4    2.5 -56.1    -61.9    .8 2.6    .9    .5	
9    12    123 0.0    0.0    0.0 0.0    0.0    0.0 -51.0    0.0    0.0 3.4    0.0    0.0	12    18    189 .2    2.2    .5 30.6    0.0    .5 -55.3    -55.0    .5 3.0    0.0    0.0	20    22    194 8.7    26.1    12.9 67.7    35.8    10.8 -52.5    -60.6    9.8 2.4    .7    9.3	30    35    312 .5    4.3    3.2 15.4    18.6    1.3 -53.2    -60.7    1.0 2.3    1.1    .3			80    98    936 2.0    12.6    3.8 52.1    39.3    2.8 -52.9    -60.5    2.5 2.8    .8    2.0	
22    23    165 2.5    12.5    7.3 34.0    32.8    4.8 -54.2    -63.2    3.6 2.3    1.7    1.8	65    72    592 1.6    9.9    4.6 35.2    30.9    3.2 -54.4    -63.7    2.5 2.5    1.5    1.4	28    37    332 1.1    8.7    2.4 44.9    34.4    1.8 -50.7    -60.3    1.5 2.2    1.4    1.2	20    22    157 .6    6.5    1.9 33.7    33.3    1.3 -53.9    -61.0    .6 2.0    .7    .6			154    177    1399 1.4    9.4    4.0 35.5    31.6    2.9 -53.3    -62.8    2.1 2.3    1.4    1.2	
42    46    368 .7    6.0    1.9 36.6    23.4    1.6 -55.1    -66.6    1.1 2.2    2.0    .5	37    43    357 .2    1.9    1.1 14.3    10.8    .8 -56.2    -62.3    .3 2.3    .2    0.0					114    128    1049 .3    3.7    1.0 28.5    22.5    .9 -54.5    -65.0    .5 2.2    1.3    .2	
11    11    76 0.0    0.0    0.0 0.0    0.0    0.0 -52.6    0.0    0.0 1.6    0.0    0.0						15    15    100 0.0    0.0    0.0 0.0    0.0    0.0 -52.0    0.0    0.0 1.6    0.0    0.0	
						20N	
						10N	
						0	
						10S	
						20S	
						30S	
						40S	

APPENDIX E

Code:  SPRING 0-5 KFT ABOVE TROP	N <sub>Flights</sub>	N <sub>Indep. obs.</sub>	N <sub>Total obs.</sub>
	TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)
	TICIV %	SIGMA <sub>TICIV</sub>	P(TIC $\geq$ 10 %)
	$\bar{T}$ <sub>CLEAR</sub>	$\bar{T}$ <sub>CLOUD</sub>	P(TIC $\geq$ 25 %)
	$\Delta Z$ <sub>CLEAR</sub>	$\Delta Z$ <sub>CLOUD</sub>	P(TIC $\geq$ 50 %)
15E			
80N			
70N			2 2 4 0.0 0.0 0.0 0.0 0.0 0.0 -54.3 0.0 0.0 3.3 0.0 0.0
60N			34 45 487 2.1 12.0 4.3 47.9 33.8 3.3 -54.1 -62.8 2.9 3.0 1.0 2.1
50N	9 9 60 5.1 16.6 15.0 34.2 29.1 10.0 -56.0 -56.8 6.7 1.6 1.1 6.7	16 16 91 0.0 0.0 0.0 0.0 0.0 0.0 -55.1 0.0 0.0 2.6 0.0 0.0	41 46 469 1.9 11.4 4.7 41.0 34.3 3.4 -55.3 -61.1 2.6 2.5 2.2 2.1
40N	6 7 57 .7 3.1 7.0 9.7 7.3 1.8 -56.7 -57.0 0.0 1.1 .7 0.0	23 23 103 .9 5.2 4.9 19.3 14.5 2.9 -55.6 -61.4 1.9 2.7 1.8 0.0	11 11 76 3.1 15.5 6.6 47.5 39.2 3.9 -52.1 -56.8 3.9 2.0 1.2 3.9
30N			1 1 5 0.0 0.0 0.0 0.0 0.0 0.0 -45.8 0.0 0.0 .6 0.0 0.0
20N			
10N			
0			
10S			
20S			1 1 5 0.0 0.0 0.0 0.0 0.0 0.0 -54.2 0.0 0.0 1.5 0.0 0.0
30S			9 10 72 0.0 0.0 0.0 0.0 0.0 0.0 -58.6 0.0 0.0 2.1 0.0 0.0
40S			

**APPENDIX E**

$N_{\text{Flights}}$	$N_{\text{Indep. obs.}}$	$N_{\text{Total obs.}}$					
TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)					
TICIV %	SIGMA <sub>TICIV</sub>	P(TIC $\geq$ 10 %)					
$\bar{T}_{\text{CLEAR}}$	$\bar{T}_{\text{CLOUD}}$	P(TIC $\geq$ 25 %)					
$\Delta Z_{\text{CLEAR}}$	$\Delta Z_{\text{CLOUD}}$	P(TIC $\geq$ 50 %)					
SPRING 0-5 KFT ABOVE TROP							
165W	120W	75W	30W	15E	ZONAL MEAN		
						80N	
		1 1 8 0.0 0.0 0.0 0.0 0.0 0.0 -58.8 0.0 0.0 2.4 0.0 0.0	1 1 2 0.0 0.0 0.0 0.0 0.0 0.0 -60.0 0.0 0.0 0.0 0.0 0.0	1 1 2 0.0 0.0 0.0 0.0 0.0 0.0 -59.5 0.0 0.0 .3 0.0 0.0	3 3 12 0.0 0.0 0.0 0.0 0.0 0.0 -59.1 0.0 0.0 1.6 0.0 0.0		
10 13 110 0.0 0.0 0.0 0.0 0.0 0.0 -51.4 0.0 0.0 3.2 0.0 0.0	13 13 87 .0 .1 3.4 .4 0.0 0.0 -53.7 -53.3 0.0 2.7 2.9 0.0	6 6 68 .0 .2 5.9 .7 .5 0.0 -52.7 -57.8 0.0 3.0 2.8 0.0	3 3 20 0.0 0.0 0.0 0.0 0.0 0.0 -51.9 0.0 0.0 3.1 0.0 0.0	34 37 289 .0 .1 2.4 .6 .4 0.0 -52.4 -55.9 0.0 3.0 2.8 0.0		70N	
25 27 283 .0 .2 .7 1.8 1.4 0.0 -52.8 -61.5 0.0 2.9 1.4 0.0	23 26 266 .0 .1 1.1 .5 .2 0.0 -55.7 -56.0 0.0 2.6 1.5 0.0	30 30 198 3.1 15.2 7.6 40.8 39.0 4.5 -32.6 -62.6 3.5 2.4 1.9 3.0	39 42 382 1.5 8.6 5.8 25.9 25.7 3.7 -52.5 -62.7 2.1 2.5 1.2 1.0	151 170 1616 1.4 9.5 3.9 34.8 34.0 2.4 -53.6 -62.4 1.8 2.7 1.3 1.2		60N	
48 57 531 .5 5.1 1.9 25.1 27.5 .9 -56.3 -62.3 .8 2.1 1.6 .4	97 103 754 2.4 11.9 6.4 37.5 29.9 4.9 -55.4 -62.8 3.4 2.2 1.6 2.1	33 34 202 1.3 8.2 5.9 21.4 26.5 3.0 -51.9 -54.5 1.5 2.3 2.0 1.0	13 15 107 .9 8.3 1.9 50.6 34.5 1.9 -51.7 -59.0 .9 2.6 1.6 .9	257 280 2214 1.6 10.0 4.7 35.1 31.1 3.3 -55.1 -60.8 2.3 2.3 1.7 1.6		50N	
60 62 393 .9 7.4 3.8 22.6 30.8 1.5 -55.7 -61.9 1.0 2.0 1.0 1.0	84 97 743 2.0 12.2 4.0 49.2 37.2 3.0 -56.6 -62.9 2.6 2.2 1.1 2.2	5 5 26 .0 .1 3.8 .4 0.0 0.0 -56.7 -38.0 0.0 2.2 2.0 0.0		189 205 1398 1.6 10.5 4.3 36.4 36.2 2.5 -56.0 -61.2 2.0 2.1 1.1 1.6		40N	
13 15 83 1.5 7.9 6.0 24.2 21.8 3.6 -58.0 -61.8 1.2 1.3 .4 1.2	1 1 1 0.0 0.0 0.0 0.0 0.0 0.0 -59.0 0.0 0.0 .2 0.0 0.0	1 1 4 0.0 0.0 0.0 0.0 0.0 0.0 -63.5 0.0 0.0 .7 0.0 0.0		16 18 93 1.3 7.4 5.4 24.2 21.8 3.2 -57.6 -61.8 1.1 1.3 .4 1.1		30N	
						20N	
						10N	
						0	
						10S	
						20S	
						30S	
						40S	

## APPENDIX E

Code: SUMMER 0-5 KFT ABOVE TROP	N <sub>Flights</sub>	N <sub>Indep. obs.</sub>	N <sub>Total obs.</sub>
	TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)
	TICIV %	SIGMA <sub>TICIV</sub>	P(TIC ≥ 10 %)
	$\bar{T}$ <sub>CLEAR</sub>	$\bar{T}$ <sub>CLOUD</sub>	P(TIC ≥ 25 %)
$\Delta\bar{z}$ <sub>CLEAR</sub>		$\Delta\bar{z}$ <sub>CLOUD</sub>	P(TIC ≥ 50 %)
15E	60E	105E	150E
80N			
70N			5    5    25 0.0    0.0    0.0 0.0    0.0    0.0 -51.6    0.0    0.0 2.4    0.0    0.0
60N			18    24    263 .7    4.4    4.2 16.8    14.0    2.3 -51.1    -59.7    .8 2.9    1.1    0.0
50N	6    6    35 .7    3.1    5.7 12.9    3.5    2.9 -50.3    -54.0    0.0 1.7    .5    0.0	2    2    12 0.0    0.0    0.0 0.0    0.0    0.0 -54.9    0.0    0.0 2.0    0.0    0.0	24    24    143 .0    .4    .7 4.3    0.0    0.0 -53.8    -64.0    0.0 1.9    0.0    0.0
40N			
30N			
20N			
10N			
0			
10S			
20S		1    1    2 0.0    0.0    0.0 0.0    0.0    0.0 -50.0    0.0    0.0 .7    0.0    0.0	
30S		11    12    95 0.0    0.0    0.0 0.0    0.0    0.0 -48.6    0.0    0.0 1.9    0.0    0.0	3    3    28 .0    .1    3.6 .4    0.0    0.0 -51.1    -54.0    0.0 3.0    4.7    0.0
40S			

**APPENDIX E**

$N_{\text{Flights}}$	$N_{\text{Indep. obs.}}$	$N_{\text{Total obs.}}$				
TIC %	SIGMA <sub>TIC</sub>	P(TIC > 0 %)				
TICIV %	SIGMA <sub>TICIV</sub>	P(TICIV ≥ 10 %)				
$\bar{T}_{\text{CLEAR}}$	$\bar{T}_{\text{CLOUD}}$	P(TIC ≥ 25 %)				
$\Delta Z_{\text{CLEAR}}$	$\Delta Z_{\text{CLOUD}}$	P(TIC ≥ 50 %)				
SUMMER 0-5 KFT ABOVE TROP						
165W	120W	75W	30W	15E	ZONAL MEAN	80N
	1 1 1 0.0 0.0 0.0 0.0 0.0 0.0 -48.0 0.0 0.0 5.0 0.0 0.0	1 1 3 0.0 0.0 0.0 0.0 0.0 0.0 -44.0 0.0 0.0 4.8 0.0 0.0	1 1 7 .1 .1 14.3 .4 0.0 0.0 -44.5 -45.0 0.0 4.6 4.7 0.0	3 3 11 .0 .1 9.1 .4 0.0 0.0 -44.7 -45.0 0.0 4.7 4.7 0.0		
	10 12 144 0.0 0.0 0.0 0.0 0.0 0.0 -53.1 0.0 0.0 2.3 0.0 0.0	27 29 243 .0 .1 .8 1.2 .8 0.0 -49.5 -53.0 0.0 3.1 2.0 0.0	18 18 151 0.0 0.0 0.0 0.0 0.0 0.0 -50.2 0.0 0.0 3.9 0.0 0.0	20 20 187 .0 .3 .5 3.5 0.0 0.0 -51.1 -65.0 0.0 3.3 1.8 0.0	80 84 750 .0 .1 .4 2.0 1.3 0.0 -50.8 -57.0 0.0 3.2 1.9 0.0	70N
	14 19 176 .2 1.5 1.7 11.0 3.9 1.1 -50.5 -58.3 0.0 2.8 .2 0.0	38 46 437 .3 4.3 1.6 21.6 26.8 .7 -51.4 -58.3 .5 2.7 .8 .2	14 15 134 .3 2.3 3.0 10.3 8.8 1.5 -53.2 -60.8 0.0 2.7 1.5 0.0	37 41 331 .1 .7 2.1 3.8 3.2 .3 -53.6 -59.1 0.0 2.9 1.8 0.0	121 145 1341 .3 3.3 2.4 13.6 16.7 1.0 -51.9 -59.3 .3 2.8 1.2 .1	60N
	21 21 127 2.0 12.1 7.1 28.1 36.4 3.9 -54.2 -63.2 1.6 1.9 2.6 1.6	36 38 238 1.5 8.3 5.5 27.7 23.4 3.8 -54.5 -60.2 2.9 2.0 .9 .8	11 11 105 1.3 6.7 7.6 17.2 17.8 3.8 -53.5 -55.9 1.9 2.6 1.0 1.0	8 8 39 1.1 4.9 7.7 14.4 10.7 5.1 -53.5 -54.0 2.6 1.9 .4 0.0	108 110 699 1.2 7.7 5.2 22.9 25.6 3.0 -53.9 -59.2 1.7 2.0 1.3 .7	50N
	10 10 54 .9 6.7 1.9 49.8 0.0 1.9 -54.5 -55.0 1.9 2.4 .3 0.0	10 10 63 .1 .7 1.6 5.5 0.0 0.0 -51.0 -56.0 0.0 2.2 1.1 0.0			20 20 117 .5 4.6 1.7 27.6 22.2 .9 -52.6 -55.5 .9 2.3 .7 0.0	40N
						30N
						20N
						10N
						0
						10S
						20S
					1 1 2 0.0 0.0 0.0 0.0 0.0 0.0 -50.0 0.0 0.0 .7 0.0 0.0	30S
					14 15 123 .0 .0 .8 .4 0.0 0.0 -49.2 -54.0 0.0 2.2 4.7 0.0	40S

**APPENDIX E**

Code:  AUTUMN 0-5 KFT ABOVE TROP	$N_{\text{Flights}}$	$N_{\text{Indep. obs.}}$	$N_{\text{Total obs.}}$
	$\overline{\text{TIC}} \%$	$\text{SIGMA}_{\text{TIC}}$	$P(\text{TIC} > 0 \%)$
	TICIV %	$\text{SIGMA}_{\text{TICIV}}$	$P(\text{TIC} \geq 10 \%)$
	$\overline{\text{T}}_{\text{CLEAR}}$	$\overline{\text{T}}_{\text{CLOUD}}$	$P(\text{TIC} \geq 25 \%)$
	$\overline{\Delta Z}_{\text{CLEAR}}$	$\overline{\Delta Z}_{\text{CLOUD}}$	$P(\text{TIC} \geq 50 \%)$
15E	60E	105E	150E
80N			
70N			3    3    5 0.0    0.0    0.0 0.0    0.0    0.0 -49.4    0.0    0.0 4.5    0.0    0.0
60N			16    20    246 .0    .0    .4 .4    0.0    0.0 -53.7    -57.0    0.0 2.8    1.1    0.0
50N	5    7    72 0.0    0.0    0.0 0.0    0.0    0.0 -56.7    0.0    0.0 2.3    0.0    0.0	10    10    47 0.0    0.0    0.0 0.0    0.0    0.0 -53.2    0.0    0.0 1.9    0.0    0.0	20    21    194 .0    .2    .5 2.7    0.0    0.0 -53.7    -51.0    0.0 2.2    1.0    0.0
40N	5    5    50 0.0    0.0    0.0 0.0    0.0    0.0 -54.0    0.0    0.0 1.9    0.0    0.0	3    3    7 0.0    0.0    0.0 0.0    0.0    0.0 -49.9    0.0    0.0 .7    0.0    0.0	2    2    5 0.0    0.0    0.0 0.0    0.0    0.0 -57.4    0.0    0.0 1.2    0.0    0.0
30N			1    1    2 0.0    0.0    0.0 0.0    0.0    0.0 -60.0    0.0    0.0 .3    0.0    0.0
20N			
10N			
0			
10S			
20S			
30S			2    2    4 0.0    0.0    0.0 0.0    0.0    0.0 -48.3    0.0    0.0 1.6    0.0    0.0
40S			8    8    57 .0    .1    5.3 .5    .2    0.0 -51.2    -52.0    0.0 3.0    3.1    0.0

## APPENDIX E





1. Report No. NASA TM-85835	2. Government Accession No.	3. Recipient's Catalog No.	
4. Title and Subtitle  GASP CLOUD- AND PARTICLE-ENCOUNTER STATISTICS, AND THEIR APPLICATION TO LFC AIRCRAFT STUDIES VOLUME II: APPENDIXES		5. Report Date October 1984	
		6. Performing Organization Code 505-45-63-35	
7. Author(s)  William H. Jasperson, Gregory D. Nastrom, Richard E. Davis, and James D. Holdeman		8. Performing Organization Report No. L-15789	
9. Performing Organization Name and Address  NASA Langley Research Center Hampton, VA 23665		10. Work Unit No.	
		11. Contract or Grant No.	
12. Sponsoring Agency Name and Address  National Aeronautics and Space Administration Washington, DC 20546		13. Type of Report and Period Covered Technical Memorandum	
		14. Sponsoring Agency Code	
15. Supplementary Notes  William H. Jasperson and Gregory D. Nastrom: Control Data Corp., Minneapolis, MN. Richard E. Davis: Langley Research Center, Hampton, VA. James D. Holdeman: Lewis Research Center, Cleveland, OH.			
16. Abstract  Summary studies are presented for the entire cloud observation archive from the NASA Global Atmospheric Sampling Program (GASP). Studies are also presented for GASP particle-concentration data gathered concurrently with the cloud observations. Cloud encounters are shown on about 15 percent of the data samples overall, but the probability of cloud encounter is shown to vary significantly with altitude, latitude, and distance from the tropopause. Several meteorological circulation features are apparent in the latitudinal distribution of cloud cover, and the cloud-encounter statistics are shown to be consistent with the classical mid-latitude cyclone model. Observations of clouds spaced more closely than 90 minutes are shown to be statistically dependent. The statistics for cloud and particle encounter are utilized to estimate the frequency of cloud encounter on long-range airline routes, and to assess the probability and extent of laminar flow loss due to cloud or particle encounter by aircraft utilizing laminar flow control (LFC). It is shown that the probability of extended cloud encounter is too low, of itself, to make LFC impractical. This report is presented in two volumes. Volume I contains the narrative, analysis, and conclusions. Volume II contains five supporting appendixes.			
17. Key Words (Suggested by Author(s))  Probability of cloud encounter Cloud-encounter statistics Aircraft measurements Global Atmospheric Sampling Program (GASP) Statistical analysis Laminar-flow-control loss probability Meteorological parameters		18. Distribution Statement  Unclassified - Unlimited	
Subject Category 47			
19. Security Classif. (of this report) Unclassified	20. Security Classif. (of this page) Unclassified	21. No. of Pages 212	22. Price A10



National Aeronautics and  
Space Administration

Washington, D.C.  
20546

Official Business  
Penalty for Private Use, \$300

SPECIAL FOURTH CLASS MAIL  
BOOK

Postage and Fees Paid  
National Aeronautics and  
Space Administration  
NASA-451



NASA

POSTMASTER: If Undeliverable (Section 158  
Postal Manual) Do Not Return

---