

---

# Computational Unsteady Transonic Aerodynamics and Aeroelasticity About Airfoils and Wings

---

Peter M. Goorjian and Guru P. Guruswamy

---

(NASA-TM-89414) COMPUTATIONAL, UNSTEADY  
TRANSONIC AERODYNAMICS AND AEROELASTICITY  
ABOUT AIRFOILS AND WINGS (NASA) 9 p

N87-16801

CSCD 01A

Unclas  
G3/02 43923

January 1987



National Aeronautics and  
Space Administration

---

# **Computational Unsteady Transonic Aerodynamics and Aeroelasticity About Airfoils and Wings**

---

Peter M. Goorjian, Ames Research Center, Moffett Field, California

Guru P. Guruswamy, Sterling Federal Systems Inc., Palo Alto, California

January 1987



National Aeronautics and  
Space Administration

**Ames Research Center**  
Moffett Field, California 94035

COMPUTATIONAL, UNSTEADY TRANSONIC AERODYNAMICS  
AND AEROELASTICITY ABOUT AIRFOILS AND WINGS

Peter M. Goorjian

NASA Ames Research Center, Moffett Field, CA 94035 USA

and

Guru P. Guruswamy

Sterling Federal Systems Inc., Palo Alto, CA USA

INTRODUCTION

This article will survey some of the research in the area of computational, unsteady transonic flows about airfoils and wings, including aeroelastic effects.<sup>[1,2]</sup> In the last decade, there have been extensive developments in computational methods in response to the need for computer codes with which to study fundamental aerodynamic and aeroelastic problems in the critical transonic regime. For example, large commercial aircraft cruise most effectively in the transonic flight regime and computational fluid dynamics (CFD) provides a new tool, which can be used in combination with test facilities to reduce the costs, time, and risks of aircraft development.

One of the major uses of unsteady transonic aerodynamics is in the flutter analysis of supercritical wings. Experiments have shown that dips occur at transonic Mach numbers in the flutter boundaries for wings and such dips are especially severe for supercritical wings. This phenomenon is attributable to the motion of shock waves on the wings. The proper modeling of the physics of such moving shock waves requires that the CFD methods solve nonlinear partial differential equations for regions of mixed subsonic and supersonic flow. Currently, the most advanced codes use potential equations for modeling the flow; such codes are being used for generic research in aeroelasticity. More advanced codes are being developed that use the Euler and Navier-Stokes equations; such codes also model vortices.

In this article, first an early result<sup>[3]</sup> will be described of transonic flow with moving shock waves over an airfoil. Then a current result<sup>[4]</sup> will be shown of flow over a variable sweep wing,

including comparisons with experimental data. Then the effect of varying the sweep on the aeroelastic damping will be shown.

### TRANSONIC FLOW OVER AIRFOILS

The development of algorithms and codes for simulating unsteady transonic flows by solving the unsteady transonic small disturbance potential equation was started at NASA Ames Research Center by Ballhaus and Lomax. Initially a code, called LTRAN2, was developed<sup>[3]</sup> for a low-frequency approximation to the governing equation. Later the code was generalized to account for all frequencies and was called ATRAN2. The algorithm used in the code is an alternating-direction, implicit (ADI), finite-difference scheme. It is conservative and time-accurate so that shock wave motions are modeled correctly. There have been many improvements to the code, including improvements in: (1) accuracy, such as the use of second-order differencing; (2) stability, such as the use of monotone schemes; and (3) capability, such as the inclusion of viscous modeling and the capability to model wind tunnel walls and supersonic free streams. See refs. 1-2 for details.

In Fig. 1, a sample calculation<sup>[3]</sup> is shown from the LTRAN2 code. The results are for transonic flow over a NACA-64A006 airfoil with an oscillating flap. For this case, the shock-wave motion is classified<sup>[3]</sup> as type B; notice that the shock wave disappears during a portion of the cycle of flap motion. Comparisons are made with results obtained by using the Euler equations by Magnus and Yoshihara. The LTRAN2 results were calculated over a 100 times faster than the Euler results. The improved efficiency was due primarily to the use of an implicit method compared to the explicit method that was used to obtain the Euler results.

### TRANSONIC FLOW OVER WINGS

The two dimensional algorithm has been extended to three dimensions and there have been extensive code developments and computations of transonic flow over wings.<sup>[1,2,4]</sup> These applications include the computation of flow around transport wings and low-aspect-ratio

wings. Some results include viscous modeling and aeroelastic effects, such as the calculation of flutter boundaries.

Here calculations are shown of aeroelastic simulations for a variable sweep wing. The aerodynamic and aeroelastic equations are simultaneously integrated at every time-step in order to properly account for the interaction of the nonlinear aerodynamics with the structural motion. Figure 2 shows the wing planforms and Fig. 3 shows the six vibrational modes that were modeled in the calculations. Figures 4 and 5 show the comparisons with experiment of the steady flow calculations at the two sweep angles (computed results denoted by ATRAN3S). Finally, Figs. 6 and 7 show the dynamic aeroelastic responses at the two sweep angles. Notice that the aeroelastic damping has been severely reduced as a result of sweeping back the wing.

#### REFERENCES

- [1] Goorjian, P. M.: "Computations of Unsteady Transonic Flows," Chapter 8 in Advances in Computational Transonics; Vol. IV in the series: Recent Advances in Numerical Methods in Fluids, Ed. W. G. HABASHI, Pineridge Press Ltd., Swansea, U.K., 1985.
- [2] Goorjian, P. M. and Guruswamy, G. P., "Unsteady Transonic Aerodynamic and Aeroelastic Calculations about Airfoils and Wings," AGARD Specialists Meeting on Transonic Unsteady Aerodynamics and Its Aeroelastic Applications, Toulouse, France, AGARD Conference Proceedings No. 374, Paper No. 15, September 1984.
- [3] Ballhaus, W. F., and Goorjian, P. M.: Implicit Finite-Difference Computations of Unsteady Transonic Flows About Airfoils, Including the Treatment of Irregular Shock-Wave Motions. AIAA Paper No. 77-205, AIAA 15th Aerospace Sciences Meeting, Los Angeles, Jan. 1977 AIAA Journal, Vol. 15, No. 12, Dec. 1977, pp. 1728-1735.
- [4] Goorjian, P. M., Guruswamy, G. P., Ide, H. and Miller, G., "Transonic Aerodynamic and Aeroelastic Characteristics of a Variable-Sweep Wing." AGARD Specialists Meeting on Unsteady Aerodynamics--Fundamentals and Applications to Aircraft Dynamics, Gottingen, FRG, AGARD Conference Proceedings No. 386, Paper No. 13, May, 1985. Also J. Aircraft, July, 1986, p. 547.




Fig. 1 Unsteady upper surface pressure coefficients for an airfoil with an oscillating flap. Type B shock wave motion.




Fig. 2 Wing planforms for analysis.




Fig. 3 Six natural vibrational modes.




Fig. 4 Steady pressure distributions for the 25 deg sweep case at  $M = 0.75$  and  $\alpha = 4.11$  deg.




Fig. 5 Steady pressure distributions for the 67.5 deg sweep case at  $M = 0.873$  and  $\alpha = 2.06$  deg.




Fig. 6 Dynamic aeroelastic response of the first normal mode for the 25 deg sweep case at  $M = 0.72$ .




Fig. 7 Dynamic aeroelastic response of the first normal mode for the 67.5 deg sweep case at  $M = 0.873$ .





## Report Documentation Page

1. Report No. <b>NASA TM 89414</b>		2. Government Accession No.		3. Recipient's Catalog No.	
4. Title and Subtitle <b>Computational, Unsteady Transonic Aerodynamics and Aeroelasticity about Airfoils and Wings</b>				5. Report Date <b>January 1987</b>	
				6. Performing Organization Code	
7. Author(s) <b>Peter M. Goorjian and Guru P. Guruswamy (Sterling Federal Systems Inc., Palo Alto, CA)</b>				8. Performing Organization Report No. <b>A-87042</b>	
				10. Work Unit No. <b>505-60</b>	
9. Performing Organization Name and Address <b>Ames Research Center Moffett Field, CA 94035</b>				11. Contract or Grant No.	
				13. Type of Report and Period Covered <b>Technical Memorandum</b>	
12. Sponsoring Agency Name and Address <b>National Aeronautics and Space Administration Washington, DC 20546</b>				14. Sponsoring Agency Code	
15. Supplementary Notes  <b>Point of Contact: Peter M. Goorjian, Ames Research Center, M/S 258-1, Moffett Field, CA 94035, (415)694-5547 or FTS 464-5547</b>					
16. Abstract  <b>This article will survey some of the research in the area of computational, unsteady transonic flows about airfoils and wings, including aeroelastic effects. In the last decade, there have been extensive developments in computational methods in response to the need for computer codes with which to study fundamental aerodynamic and aeroelastic problems in the critical transonic regime. For example, large commercial aircraft cruise most effectively in the transonic flight regime and computational fluid dynamics (CFD) provides a new tool, which can be used in combination with test facilities to reduce the costs, time, and risks of aircraft development.</b>					
17. Key Words (Suggested by Author(s)) <b>Computational, unsteady transonic aerodynamics Aeroelasticity</b>				18. Distribution Statement  <b>Unlimited - Unclassified</b>  <b>Subject category - 02</b>	
19. Security Classif. (of this report) <b>Unclassified</b>		20. Security Classif. (of this page) <b>Unclassified</b>		21. No. of pages <b>9</b>	
				22. Price <b>A02</b>	