

INTERNATIONAL SATELLITES
FOR IONOSPHERE STUDIES
**ALOQUETTE
ISIS
PROGRAM
SUMMARY**

(NASA-CR-180747) ALOQUETTE-ISIS PROGRAM
SUMMARY (NASA) 95 p CSCL 04A

N88-16195

g3/46 Unclass
0064378

NASA

National Aeronautics and
Space Administration

Goddard Space Flight Center

Alouette-ISIS
Program Summary

By
John E. Jackson

August 1986

National Space Science Data Center (NSSDC)/
World Data Center A for Rockets and Satellites (WDC-A-R&S)
National Aeronautics and Space Administration
Goddard Space Flight Center
Greenbelt, Maryland 20771

This Program Summary is dedicated
to the memory of John H. Chapman,
C. David Florida and Eldon S. Warren
in recognition of their major contributions
to the Alouette-ISIS satellite program.

CONTENTS

I. FOREWORD	1
II. INTRODUCTION	3
III. THE ALOUETTE-ISIS PROGRAM	11
1. Introduction	13
2. History	14
3. Working Group	15
4. Objectives and Mission Profiles	17
4.1 Alouette 1	17
4.2 Explorer 20	18
4.3 ISIS X (Alouette 2-Explorer 31)	19
4.4. ISIS 1	21
4.5. ISIS 2	23
5. Summary of Technological Accomplishments	25
6. Unique Aspects of the Alouette-ISIS Program	25
IV. SPACECRAFT AND EXPERIMENT CHARACTERISTICS WITH LITERATURE REFERENCES	29
1. Alouette 1	31
2. Explorer 20 (IE-A)	32
3. Alouette 2	33
4. Explorer 31 (DME-A)	34
5. ISIS 1	36
6. ISIS 2	38
V. LITERATURE CITATIONS	43
VI. LIST OF CONTRIBUTORS TO THE ALOUETTE-ISIS PROGRAM	83
VII. APPENDIX A - DEFINITIONS.....	89
VIII. APPENDIX B - LIST OF DOCUMENTS AVAILABLE FROM NSSDC AND REQUEST FORMS	93

I. FOREWORD

A program summary provides a valuable but, unfortunately, seldom available final report for a major research undertaking, representing the combined efforts of hundreds of scientists, engineers, technicians, and administrators over a period of a decade or more. The concept of the program summary, as developed at the National Space Science Data Center (NSSDC), includes not only a description of the objectives, spacecraft, experiments, and flight performance, but also a complete experiment-related bibliography along with a comprehensive assessment of the technological and scientific accomplishments. Such a document should provide a useful management tool with which the cost effectiveness of a scientific program can be measured. This should be valuable for the planning of future efforts, as well as for historical purposes.

The NSSDC facilities are unusually well suited for the compilation of program summaries. The comprehensive approach used by NSSDC for the archiving and distribution of satellite data has led not only to an extensive collection of data tapes, films and prints but also to a very complete documentation on spacecraft and experiments. The spacecraft documentation is in fact more complete than the acquisition of data at NSSDC, because it is usually initiated for all missions during the prelaunch hardware phase and it is available for all missions, whether or not data are ever deposited at NSSDC. This supporting documentation is computerized, and it includes complete descriptions of spacecraft and experiments. Also available at NSSDC is a computerized space science literature file containing about 36,000 literature citations coded according to satellite(s) and experiment(s). The task of producing a program summary can therefore be greatly simplified with the help of appropriate computer printouts from the above NSSDC files. Program-related papers and reports, which have not been published in scientific journals, can usually be found in the NSSDC microfiche file.

The first program summary produced at NSSDC was the *IMP Series Report/Bibliography*, prepared by Joseph H. King in December 1971. The second document of this type generated at NSSDC was the *OGO Program Summary*, compiled in two volumes. The first volume, dated December 1975, was prepared by John E. Jackson and James I. Vette. The second volume, prepared by John E. Jackson, was published in June 1978. Although the basic objectives of the IMP and OGO summaries were similar, the format, organization, and contents were quite different. The Alouette-ISIS program summary is also different from the two previous summaries. Its organization resembles that of the OGO summary, but many features found in the OGO summary are not included in the Alouette-ISIS summary. Thus, the present summary does not provide abstracts of the cited publications, nor does it include subject, author and corporate source indexes. Also omitted in the present report is a comprehensive discussion of scientific results. It is planned to include these in a later publication.

Introduction

PRECEDING PAGE BLANK NOT FILMED

II. INTRODUCTION

Prior to the launch of Alouette 1 (September 29, 1962), the ionosphere was virtually unknown above an altitude of about 400 km. The Alouette-ISIS satellites have provided a wealth of data concerning the morphology of the polar, midlatitude, and equatorial ionosphere to altitudes up to 3500 km. The measurements (which included not only electron density, but also plasma composition and temperatures) included all local times and all seasons, and encompassed a full range of solar activity. New knowledge was also acquired concerning the propagation and generation of electro-magnetic waves in the ionosphere at both radio and VLF frequencies. A large family of plasma wave phenomena was discovered and explained. Valuable data were also obtained concerning the flux of particles at energies ranging from 5 eV to 20 MeV. Last, but not least, spectacular results were achieved with the optical experiments on ISIS 2, which for the first time provided snapshots of the full auroral oval.

The previous paragraph merely hints at some of the scientific areas that have benefited significantly from the Alouette-ISIS data. The importance of the Alouette-ISIS program can also be appreciated from the fact that it represents 50 satellite-years of measurements in the terrestrial ionosphere, which have led to approximately 1000 publications.

Although articles based upon the Alouette-ISIS data continue to appear in the published literature, the majority of them have been written, and one is now able to assess the accomplishments of the program. Alouette 1 won recognition mainly through the success of the topside sounder, which alone led to 220 publications. Some additional interesting statistical data pertaining to the Alouette-ISIS literature will be discussed later. Much of the enormous volume of data obtained has been deposited in the World Data Centers where it has been made available to the scientific community for further studies and analysis. All of these factors have contributed to the major role which the Alouette-ISIS data have played in furthering our understanding of the near-earth environment.

The Alouette-ISIS program was a joint undertaking between Canada and the United States. Canada provided the Alouette and ISIS spacecraft, data acquisition, and satellite control. The USA provided the launch capability, tracking, and data acquisition. Satellite instruments and data processing support were provided by both countries. The USA also provided the Explorer 20 and Explorer 31 spacecraft that are considered part of the Alouette-ISIS program and are included in this summary. During the course of the program these countries contributed telemetry support and collaborative data analysis: Australia, Finland, France, India, Japan, New Zealand, Norway, and the United Kingdom.

The design of the Alouette 1 spacecraft was begun in 1959 at a very early stage of space technology, when satellite equipment and components were prone to failure, and most spacecraft had a lifetime of only a few months. Alouette was at least as complex as any spacecraft previously launched, and it

incorporated large structures that had never been used in space before. The performance of Alouette 1 exceeded by far the most optimistic expectancies and its 10-year life established a longevity record. The other Canadian spacecraft of the program--Alouette 2, ISIS 1 and ISIS 2--have matched and surpassed this record. At least 90 percent of the Alouette-ISIS experiments have operated for at least 1 year and many of them considerably longer. Section III of this document provides a discussion of the objectives, history, spacecraft characteristics, mission profiles, technological accomplishments, and unique aspects of the Alouette-ISIS program.

Brief descriptions of the six spacecraft of the program and of the investigations on each are given in Section IV. All information in Section IV has been extracted from the NSSDC information system. The spacecraft are ordered by launch dates, and the investigations are listed according to their NSSDC ID number (see Appendix A).

Each spacecraft description entry in Section IV includes the spacecraft alternate names, NSSDC ID number, launch information (date, site, and vehicle), spacecraft weight, orbit parameters (type, epoch date, period, inclination, periapsis, and apoapsis), sponsoring country and agency, personnel (project manager, "PM"; project scientist, "PS"; and their affiliation at the start of the project), and a brief description concerning the mission. Additional information concerning the PM and PS codes is given in Appendix A. The "NLA" code that sometimes follows a person's name is explained in Appendix A. The brief description is followed by a spacecraft-related bibliography represented by a list of reference numbers. The citations corresponding to these reference numbers are found in Section V. For convenient reference to the bibliography, consecutive numbers have been assigned to each citation.

Each investigation description entry in Section IV includes the investigation name (as used by NSSDC), the NSSDC ID number, the name and current affiliations of the principal investigator (PI) and of the associated other investigator(s) (OI), and a brief description of the investigation. The principal investigators are listed first, but the other investigators are not listed in any particular order. The brief description is followed by an investigation-related bibliography represented by a list of reference numbers (see previous paragraph, last two sentences).

Section V contains the Alouette-ISIS bibliography, ordered alphabetically by first author's name. A few publications that have no author are listed ahead of the alphabetical sequence. This bibliography was generated from the NSSDC computerized space science literature file (see Foreword, second paragraph). The citations in the file can be searched by spacecraft, investigations, authors, titles, journals, publication dates, etc., and organized accordingly.

We conclude this section with some statistical information on the bibliography contained in Section V. Table 1 shows the journals where most of the Alouette-ISIS papers were published. It is seen that the leading journal was the *Journal of Geophysical Research*. A large number of papers also appeared in the *Proceedings of the IEEE* because a special issue of this journal in June 1969 was devoted to topside sounding, which was the

principal research tool used on Alouette 1, Alouette 2, and Explorer 20.

CAN. J. PHYS.	44
PROC. OF THE IEEE	49
GEOMAG. AERONOMY	20
GEOPHYS. RES. LETT.	17
J. ATMOS. TERR. PHYS.	68
J. GEOPHYS. RES.	229
NATURE	29
PLANET. SPACE SCI.	49
RADIO RES. LAB. J. (JAPAN)	19
RADIO SCIENCE	31
OTHERS (51 JOURNALS)	<u>134</u>
TOTAL	689

TABLE 1. Alouette-ISIS Refereed Publications Sorted by Journal
(as of July 1986)

Table 2 shows the distribution of the same publications by nations. The nationality assigned to a given paper was the same as the nationality of the sponsoring agency. Some prorating was done whenever authors of a given paper were sponsored by agencies in different countries. The final figures in Table 2 have been rounded off to whole numbers. It is seen that most of the publications originated in Canada and in the United States, followed by the United Kingdom, Japan, and surprisingly the USSR. Except for the USSR, the nations shown in Table 2 were active participants in the program, helping with

CANADA	238
FRANCE	24
INDIA	15
JAPAN	39
NEW ZEALAND	15
UNITED KINGDOM	43
UNITED STATES	254
USSR	34
OTHERS (6 NATIONS)	<u>27</u>
TOTAL	689

TABLE 2. Alouette-ISIS Refereed Publications Sorted by Nation
(as of July 1986)

data acquisition, processing, and analysis. Papers originating in nations other than Canada and the United States were, in almost all cases, based upon the topside sounder data, because of the very well-known sounder technique and format. This technique had been used for ground-based studies of the ionosphere since the mid-thirties, and it was familiar to ionosphericists throughout the world when Alouette 1 was launched.

Table 3 provides further information on Alouette-ISIS publications based either partly or entirely on sounder data. It is seen that the percentage of papers based upon sounder data decreases steadily with each spacecraft of the Alouette-ISIS series. The total number of papers based entirely upon sounder data is about one order of magnitude greater on Alouette 1 than on ISIS 2. Yet the quality of the sounder data was significantly better on ISIS 2 than on Alouette 1. This comparison demonstrates clearly the importance of making the first comprehensive, synoptic measurements of a given parameter. Subsequent observations seldom have the same impact as did the first look at the unknown. Table 3 also reveals (indirectly) the broadening of the program with subsequent spacecraft. On Alouette 1 the sounder was the principal investigation. The three other experiments were included almost as an afterthought. On ISIS 2 the number of investigations had grown to 12; the importance of the new investigations was comparable to that of the sounder. Thus, the statistics of Table 3 reflect the steady increase in the scope of the Alouette-ISIS program. In contrast to publications based upon topside sounder data, where worldwide participation was evidenced, the publications based upon the other investigations were written almost entirely by the corresponding principal investigators and their immediate associates, reflecting the more specialized nature of the data reduction and analysis.

	AL 1	AL 2	ISIS 1	ISIS 2
TOTAL PUBLICATIONS (REFEREED)	302	176	116	178
SOUNDER & OTHER DATA	234 (77%)	130 (74%)	55 (47%)	55 (31%)
SOUNDER DATA ONLY	219 (72%)	103 (58%)	38 (33%)	26 (15%)

TABLE 3. Sounder Publications Compared to Total Publications and Percentage of Total

Tables 1, 2, and 3 were based upon refereed journal publications. A number of non-refereed, yet quite useful, publications appear in government, industry, and university reports, in proceedings of meetings (including books), and in the COSPAR publication, *Advances in Space Research*. The number

of reports in the various categories is indicated in Table 4.

PROCEEDINGS (AND BOOKS)	129
COSPAR	34
GOVERNMENT REPORTS	83
INDUSTRY REPORTS	8
UNIVERSITY REPORTS	<u>26</u>
TOTAL (NONJOURNALS)	280
TOTAL (REFEREED JOURNALS)	<u>689</u>
TOTAL (JOURNALS & NONJOURNALS)	969

TABLE 4. Total Alouette-ISIS Publications
(as of July 1986)

One last quantitative assessment of the Alouette-ISIS bibliography is presented by the data shown in Figure 1. The abscissa is time shown as calendar years for the period 1960 to 1985, and the ordinate is the cumulative number of experiment-related articles published in refereed journals. Superimposed on Figure 1 are boxes that are related only to the abscissa. The length of each box shows the period of time during which Alouette 1, Alouette 2, ISIS 1, and ISIS 2 were operating. The ISIS 1 and ISIS 2 boxes were left open to show that both spacecraft were still operating as of January 1, 1985. Actually, ISIS 1 and ISIS 2 were still operating at the time of this writing (May 1986). The altitudes indicated in the boxes for Alouette 2 and ISIS 1 are perigee and apogee, respectively. Only one altitude is shown for Alouette 1 and ISIS 2 since these spacecraft were in circular orbits. The four spacecraft were in similar near-polar orbits; therefore, inclination information was not included in the time-span boxes.

The top graph shows as a function of time the cumulative total number of Alouette-ISIS publications (including those based upon Explorers 20 and 31). Separate graphs are not included for Explorers 20 and 31, since these spacecraft were relatively short-lived and the resulting publications, although extremely important, represent a small percentage of the total Alouette-ISIS publications. Since publications were often based upon more than one spacecraft, such publications are included in the cumulative totals for each of the corresponding spacecraft. One could have arbitrarily assigned such multiple-spacecraft publications to the latest spacecraft. However, such an assignment would have been unrealistic, since in many cases the more important data source was an earlier spacecraft. In the case of Alouette 1, two graphs are given, one showing the number of publications based upon Alouette 1 only and the other showing the total number of publications related to Alouette 1 (i.e., Alouette 1 alone plus Alouette 1 combined with other spacecraft). To avoid overcrowding Figure 1, this two-graph presentation was not repeated for Alouette 2, ISIS 1 and ISIS 2. For these later spacecraft, only the total number of related publications has been shown. The graphs show that the Alouette-ISIS program has continuously produced scientific results for a period of time well in excess of 20 years.




FIGURE 1. Alouette-ISIS Journal Publications

The total Alouette-ISIS publications graph reveals a very rapid increase in the number of publications that occurred in 1969. This was due mainly to the special issue of the *IEEE Proceedings* (June 1969) that included 46 papers based upon Alouette 1, Alouette 2, Explorer 20, and Explorer 31. It is of interest to note that about 40 papers based either partly or entirely on Alouette 1 were published during the period 1973 to 1983, i.e., during the 10-year period following the termination of Alouette 1 operations. Perhaps a proper environment for continued Alouette 1 studies was provided by the Alouette 2 and ISIS operations, which extended well beyond the termination of Alouette 1. Very little support is now available for Alouette-ISIS studies, and no significant further increase is expected in the total number of journal publications. This number was 682 on January 1, 1985, the cutoff date for Figure 1. The period January 1985 to July 1986 yielded only seven additional journal publications.

In view of the very close monitoring of Alouette-ISIS publications that has been done by the author since the beginning of the Alouette-ISIS program, and considering the very small increase in the number of publications during the past 18 months, it is reasonable to conclude that the present document provides an Alouette-ISIS bibliography that will be essentially complete for years to come.

The Alouette-ISIS Program

III. THE ALOUETTE-ISIS PROGRAM

1. Introduction

The Alouette-ISIS program is the one of earliest* and probably one of the best examples of international cooperation in space research by the National Aeronautics and Space Administration (NASA). Specific directives for such cooperation were included in the Congressional Act† which created the National Aeronautics and Space Administration (NASA) on July 29, 1958. When this legislation was enacted, the United States was one of 66 nations engaged in an unprecedented joint effort to understand the earth and its environment under the programs of the International Geophysical Year (July 1, 1957, to December 31, 1958). It is not surprising therefore that the Space Act of 1958 reflects the IGY spirit of international cooperation. One highlight of the IGY cooperation was the very successful U.S./Canadian rocket program conducted at Fort Churchill, Canada, which, in a sense, was a precursor to the Alouette-ISIS program.

A joint U.S./Canadian effort to investigate the global structure of the upper ionosphere was initiated at the end of 1958. The basic concept of the experimental approach was to explore the upper (or topside) ionosphere from a satellite by the same ionosonde (or sounder) technique which had been used for several decades from the ground. The satellite version of the ionosonde became known as the topside sounder (Franklin and Maclean, 1969), and, until 1963, the related U.S./Canadian effort was named the Topside Sounder Program. This program led to the first topside sounder satellite, Alouette 1,†† launched on September 29, 1962. This satellite was designed and built in Canada. The launch vehicle was provided by the United States. On December 23, 1963, Canada (the Defense Research Board) and the United States (NASA) agreed to a continued and expanded program of satellite studies of the ionosphere (International Satellites for Ionospheric Studies, ISIS). The expanded program led to three additional Canadian-built, U.S.-launched, satellites: Alouette 2, ISIS 1, and ISIS 2. The United Kingdom was involved in the program from the beginning. International participation was increased later to include France, Japan, and Norway after 1966; India, New Zealand, and Australia after 1971; and Finland after 1977. To date, over 50 research groups and agencies have made use of topside sounder data** to aid or supplement their own research. The topside sounder, however, was only one of many experiments included in the Alouette-ISIS program. The satellites of the series (Alouette 1, Explorer 20, Alouette 2,

*A cooperative effort between NASA and the United Kingdom led to the successful launching of Ariel 1 on April 26, 1962, making Ariel 1 the first international satellite of NASA.

†The National Aeronautics and Space Act of 1958, sections 102 and 205.

††The name "Alouette," the French word for a high-flying bird, the lark, has connotations that extend deep into early Canadian colonial history. It is also the title of one of the country's best known and most nonsensical folk songs, originally brought to North America from France many centuries ago.

**Analysis of topside sounder data (topside ionograms) yields ionospheric electron-density versus altitude from the satellite height down to the height of maximum electron-density hmaxF2 (located typically at 300 km), as well as a wealth of information concerning plasma and propagation effects.

Explorer 31, ISIS 1, and ISIS 2), particularly the last two, contained a diversity of mutually supporting experiments, selected to provide a more complete understanding of the ionosphere. Collectively, these satellites have provided continuous observations of the topside ionosphere from 1962 until now (1986), representing over 50 satellite-years of ionospheric data.

The overall coordination of the program was provided by an international Working Group, which was named the Topside Sounder Working Group from January 1960 until December 1963 and later was known as the ISIS Working Group. The Working Group has provided (for over 20 years) the framework for the extensive international cooperation which was unquestionably the most important factor for the remarkable success and duration of the program.

2. History

The history of topside sounding appears to have begun in July 1958, when the Space Science Board of the National Academy of Sciences of the United States, under the chairmanship of L. V. Berkner, sent out a request for suggestions for satellite experiments. At a meeting in October 1958, called by H. G. Booker of Cornell University to discuss ionospheric experiments in satellites, a number of groups in the United States and Canada indicated an interest in topside sounding. In particular, this meeting stimulated a proposal from the Defense Research Telecommunications Establishment (DRTE) at Ottawa, Canada, which came to NASA at the end of 1958. NASA accepted the proposal as a joint undertaking between Canada and the United States, each country paying its own costs in the project. Canada agreed to supply the satellite instrumentation and the United States the launch vehicle. The United States also agreed to provide tracking and telemetry support from a number of NASA stations which eventually included (at the time of the Alouette 1 launch) Antofagasta, Chile; College, Alaska; East Grand Forks, Minnesota; Fort Myers, Florida; Quito, Ecuador; St. John's, Canada; South Point, Hawaii; Winkfield, England; and Woomera, Australia. Canada was to establish telemetry stations needed in Canada (at Ottawa, Ontario; Prince Albert, Saskatchewan; and Resolute Bay, Northwest Territories). A joint announcement of this arrangement was made by both countries on April 20, 1959. Canada subsequently assumed full responsibility for the topside sounder spacecraft with the exception of the environmental tests which were conducted at the Goddard Space Flight Center (GSFC).

Concurrently, NASA had requested that the Central Radio Propagation Laboratory (CRPL) of the National Bureau of Standards, Boulder, Colorado, examine the topside sounder proposals received by NASA for scientific merit and engineering feasibility and recommend immediate and long-range approaches to this area of research. In June 1959, a CRPL study report recommended the fixed-frequency system as a first-generation experiment and suggested that DRTE be encouraged to develop its swept-frequency system as a second-generation experiment. This second recommendation was, in fact, a concurrence by CRPL with the decision already reached between NASA and DRTE. NASA accepted the CRPL recommendation to develop the fixed-frequency topside sounder at the same time as the swept-frequency sounder. This project was started in 1960 and placed under the scientific supervision of CRPL. GSFC was made responsible for the NASA management of the two topside sounder projects. In view of the similarity of objectives and techniques in the two projects, a joint working group was set up early in 1960.

The United Kingdom then expressed an interest in participating in the topside sounder program. Under an arrangement of March 1961, the United Kingdom agreed to support the program by operating telemetry stations in the South Atlantic and Singapore. In return for this assistance, the Radio Research Station (RRS) at Slough, England, was given immediate access to the topside sounder data.* The early cooperative agreements between Canada and the United States were extended in 1964 to include the ISIS program. The RRS participation also was extended subsequent to this new agreement. The international participation was increased during 1965 and 1966 to include agencies in France, Norway, and Japan; in 1971 and 1972 to include agencies in India, New Zealand, and Australia; and in 1977 to include Finland. Specific arrangements differed in detail, but basically all these nations have supported the program by providing telemetry services and by participating in the reduction and analysis of topside ionograms. The French telemetry stations used in the Alouette-ISIS program include Brazzaville, Congo; Bretigny, France; Colomb Bechar, Algeria; Kerguelen Island; Kourou, French Guyana; Las Palmas, Canary Is.; Ouagadougou, Upper Volta; Pretoria, S. Africa; and Terre Adelie, Antarctica. Other nations have provided telemetry services at Tromso (Norway), at Kashima (Japan), at Ahmedabad and Thumba (India), at Lauder (New Zealand), at Darwin (Australia), and at Sodankyla (Finland).

The phenomenal growth of the international participation has resulted in the creation of an ISIS telemetry network (outside of the NASA telemetry network) which became capable of acquiring most of the data desired from the Alouette-ISIS satellites. Consequently, in the early seventies, NASA reduced considerably its telemetry support of the ISIS program. A complete list of telemetry stations used in the ISIS program is given in Tables 5 and 6, at the end of Section III. These tables show the status as of March 9, 1984, which is the date when ISIS operations were terminated in Canada. The Radio Research Laboratories (Tokyo, Japan) then requested and received permission to reactivate ISIS 1 and ISIS 2. Regular ISIS operations were started from Kashima, Japan, in early August 1984. The ISIS data processing facilities in Ottawa were kept operational until March 1985.

3. Working Group

The Topside Sounder Working Group, later to become the ISIS Working Group, was organized to coordinate and guide the rather diverse activities involved in planning and implementing an international program of ionospheric sounding from satellites. In Working Group meetings both the scientific goals of the program and the proposed solutions to the associated engineering problems were debated. A valuable consequence has been that the scientific, engineering, and administrative personnel involved developed an understanding of all the important issues.

*In the sixties, when a new satellite was launched, the scientific data were considered proprietary to the principal investigators for a reasonable period of time, usually 1 year. After the proprietary period the data were usually made available to the scientific community. Participants in the Alouette-ISIS program were, in effect, given principal investigator status.

The Working Group was concerned with the typical scientific, engineering, and operational problems of a satellite project. In addition, the Working Group had to devise, recommend, and carry out preliminary space investigations to establish the feasibility of topside soundings and to obtain a number of design parameters which previously were unknown. For example, it was evident when the project was initiated that the topside sounder would require antennas about one order of magnitude longer than previously had been used on space vehicles. Major advances in the existing technology were needed to build suitable antennas, and the reliability of the proposed system had to be established. Since the space environment could not be suitably simulated on the ground, the Working Group recommended that a special rocket test be conducted to test these unusually long antennas. Also, the power required from the sounder transmitter was unknown because the reflection coefficient of the topside ionosphere and the level of ambient noise at the sounding frequencies were both unknown. A radiometer for measuring the intensity of radio noise in the topside ionosphere at 3.8 MHz was constructed and installed in Transit 2A (Chapman and Molozzi, 1961), which was launched on June 22, 1960. The measured value of the cosmic noise provided the required design information.

On June 14, 1961, a rocket test was made of the technique of extending from a spinning vehicle the 75-ft antennas required for efficient radiation of the sounder transmissions (Molozzi and Richardson, 1967). Two antenna units were flown on the rocket; one of the antennas extended its full length, the other extended three-quarters of its length. The engineering information obtained was adequate for specifying the modifications required in the final mechanical design of the antennas used in the Alouette and Explorer 20 satellites. Feasibility of the topside sounding technique was established by rocket tests instrumented by Airborne Instruments Laboratory (AIL). Each of the rockets carried one or more fixed-frequency sounders. The first was launched on June 24, 1961, during the day into a quiet ionosphere that had smooth reflection surfaces; the second was launched on October 31, 1961, at night into moderately disturbed ionospheric conditions during spread F (Knecht et al., 1961; Knecht and Russell, 1962). The required engineering information was obtained and, in addition, important new phenomena were observed. The first of these rockets obtained evidence of plasma resonance phenomena; the second provided the first strong evidence of ducted propagation along the magnetic field in the ionosphere. A third rocket, launched to observe the properties of the topside winter ionosphere, failed; the heat shield did not detach.

The Working Group has also contributed significantly to the optimum use of the Alouette-ISIS satellites, by coordinating the acquisition, processing, publication and exchange of the data. Periodic reporting by the member organizations of technical and scientific developments has provided the information necessary for effective collaboration between experimenters, especially between those associated with different experimental equipment. Fifty Alouette-ISIS Working Group meetings were held during the period January 1960 to September 1972. A comparable number of separate engineering or experimenters' meetings have also been held, representing a more specialized extension of the Working Group activities. During the period January 1973 to December 1980, Working Group meetings were held approximately once a year, and Experimenters' meetings were held about three times per year.

4. Objectives and Mission Profiles

The broad objectives of the Alouette-ISIS program were to conduct a comprehensive synoptic study of the topside ionosphere over a complete range of solar activity, and to provide the basis for a theoretical understanding of the observations. The discussion of objectives and mission profiles does not include detailed descriptions of spacecraft and experiments. This information is given in Section IV of the *Alouette-ISIS Program Summary*. The present discussion is concerned primarily with the scientific purposes of the various missions, with the various technological problems encountered, and with the methods used to solve these problems.

4.1 Alouette 1 (launched September 29, 1962)

The primary purpose of the Alouette 1 mission was to investigate the geographic and diurnal properties of the topside ionosphere at altitudes up to 1000 km. These considerations led to the choice of a circular orbit at 1000 km with an inclination of 80 deg prograde which provided a complete coverage of all geomagnetic latitudes, while making it still possible to achieve a diurnal variation in a period of 3 months. Design parameters for the sounder were based partly upon existing knowledge and partly upon additional space experiments conducted primarily to supply the needed design data. The maximum sounder frequency was based upon the known maximum densities to be encountered at $h_{max}F_2$, while the minimum sweep frequency was essentially the minimum gyrofrequency at 1000 km. This made it theoretically possible to obtain echoes through the total altitude range on at least the extraordinary mode. Secondary objectives included cosmic noise measurements, VLF studies and energetic particle investigations (electrons in the 40 keV to 3.9 MeV energy range; protons in the 0.5 to 700 MeV energy range).

Satellite technology was still in its infancy when the design of Alouette 1 was initiated by the Canadian Topside Sounder Group at DRTE, Ottawa. To optimize the chances of success, undue complexity was avoided in the payload design, and redundancy of vital components was stressed. Thus, data storage was not provided in the spacecraft, but spare batteries were included. The conservative approach used in the design led to the remarkable 10-year life of Alouette 1. One consequence of the decision not to have satellite-borne data storage was that provisions had to be made for a large network of telemetry stations. Operation of the satellite (for 10-minute periods) was initiated by a command signal from the ground, when the satellite came within the telemetry range of a ground station and when the turn-on had been scheduled by the satellite controller. The master ground station was at DRTE (now CRC*), Ottawa, and it was there that the satellite controller monitored the engineering status of the spacecraft and prepared operating schedules. The Ottawa station also transmitted the more complex commands such as those required to switch spare batteries or to select certain operating modes.

*DRTE was transferred in April 1969 to the newly formed Department of Communications, and DRTE became known as the Communications Research Centre.

One complexity which could not be avoided was the sounder antenna system which had to be capable of radiating efficiently signals in the frequency range from 0.5 to 12 MHz. To satisfy this requirement, extremely long antennas had to be provided. A dipole 45.7 meters long was used for the band 0.5 to 5 MHz, while one 22.8 meters long was used from 5 MHz upward. The two dipoles were perpendicular to the spin axis and to each other. Such long antennas had never been used previously on a satellite, and the successful mechanical design of these antennas represents a unique and major contribution to the field of spacecraft engineering (Mar and Garrett, 1969).

Alouette 1 was spin-stabilized with the spin axis (at the time of launch) normal to the plane of the ecliptic. The initial spin rate after antenna deployment was 1.4 rpm. The spin rate, however, decreased at a much faster rate than expected and it was down to 0.9 rpm at the end of 1 year (Mar and Garrett, 1969). After a few years, this rapid decay in spin rate caused Alouette 1 to become gravity-stabilized with the long antennas aligned with the local vertical. The spin rate decay did not, however, cause a significant loss of data.

4.2 Explorer 20 (launched August 25, 1964)

The fixed-frequency topside sounder satellite, Explorer 20, was developed in the United States as a part of the International Topside Sounder Program. The spacecraft was built at the Airborne Instruments Laboratory (AIL), Deer Park, N.Y., and the data analysis was done at CRPL. Explorer 20 was conceived initially as a first-generation topside sounder satellite because of its simplicity relative to Alouette 1. The Explorer 20 sounder was designed for operation at only six fixed frequencies, namely 1.5, 2.0, 2.85, 3.72, 5.47, and 7.22 MHz. These frequencies were spaced logarithmically to optimize the resulting low-resolution sampling of the exponentially shaped topside profile. The CRPL/AIL sounder was designed to complete its 6-frequency sounding in 1/10 s, during which time the satellite would travel less than 1 km along its orbit. The time required for a complete sounding on Alouette 1 was about 5 to 10 s, corresponding to a horizontal displacement of 35 to 70 km. Thus, the Explorer 20 sounder was designed to provide a horizontal resolution considerably greater than that of Alouette 1. The frequency resolution (or, equivalently, the vertical resolution), however, was two orders of magnitude greater on Alouette 1, since approximately 700 discrete and closely spaced frequencies were used on Alouette 1 during the complete 0.5 to 12.0 MHz sweep. Clearly, the two sounder techniques were complementary.

The Explorer 20 spacecraft was built on a schedule paralleling that of the Canadian Alouette 1 spacecraft, and the Explorer 20 launch was planned for the summer of 1962, i.e., slightly ahead of the Alouette 1 launch. The Explorer 20 program, however, was delayed by problems with the Scout launch vehicle, and the Canadian satellite was launched first. The fixed-frequency topside sounder was continued in spite of the successful launch of Alouette 1 and the excellent in-orbit performance of the Canadian sounder, because of the complementary nature of the two sounder techniques.

Explorer 20 was launched into an orbit similar to that of Alouette 1 and it has provided useful data for the period August 1964 to January 1966. The fixed-frequency sounder has yielded data on the fine structure of ionospheric irregularities and plasma resonances which are impossible to obtain with a swept-frequency sounder. The fixed-frequency sounder data also could be used to calculate the electron-density (N) as a function of height (h) (Lawrence and Hallenbeck, 1965). The Alouette 1 ionograms, however, were plentiful* and much better suited for N(h) calculations. Consequently, the data from the Explorer 20 sounder were used almost exclusively to study small-scale ionospheric irregularities and the fine structure of plasma resonances.

The Explorer 20 spacecraft also included a spherical ion probe designed to measure ion concentrations and ion temperatures in the immediate vicinity of the satellite. Experiments of this type that provide various parameters of the ambient medium (such as density, temperature, and composition) by using sensors at the satellite surface are known as direct measurement experiments. These experiments require that local disturbances be minimized in the vicinity of the sensors. These disturbances are due primarily to electrical potentials on the surface of the spacecraft. Theoretical considerations indicated that these effects might be sufficiently minimized at the sensor locations by the use of blocking capacitors at the antenna feed points, which would isolate the $V \times B$ potentials induced on the large antennas.

The spherical probe on Explorer 20 was the first attempt to combine direct measurements with topside soundings on a satellite. Although ac-coupling was used to connect the sounder antennas to the spacecraft, this proved to be inadequate and most of the spherical probe data were unusable. The topside sounder project, however, benefited from this experience, and sheath guards were added to the sounder antennas on Alouette 2.

4.3 ISIS X (launched November 29, 1965)

The primary purpose of the ISIS X mission was to extend the scope of the Alouette 1 mission both in altitude coverage and in the number of ionospheric parameters to be investigated. Secondary objectives included cosmic noise measurements, VLF studies, and energetic particle investigations. The new ionospheric parameters to be measured included electron temperature, ion temperature, and ion composition. These parameters are most readily obtained using direct measurement techniques, and a sufficient number of these techniques were incorporated in the ISIS X mission to provide at least two independent measurements of each parameter. As explained earlier, a difficult spacecraft potential problem had to be overcome in order to conduct successful direct measurements on a satellite containing a topside sounder. Although the blocking capacitors used on Explorer 20 between the spacecraft and the antennas did not solve this problem, the use of these capacitors was a step in the proper direction. Additional precautions taken in the ISIS X design included the use of sheath guards on the sounder antennas and the use of insulation on the spacecraft skin of all exposed metallic surfaces with nonfloating potentials (such as the solar cell interconnections).

*During the first 3 years in orbit, Alouette 1 was providing topside ionograms at the rate of 1100 ionograms per day.

Modifications also were made to the antenna system in an attempt to correct the excessive spin rate decay experienced on Alouette 1. A theoretical study by Etkin and Hughes (1967) indicated that the observed spin decay on Alouette 1 could be explained by taking into consideration the flexibility of the long antennas. When this was done, additional de-spin torques were obtained from the action on the antennas of (1) the combination of the thermal and pressure fields of the sun, and (2) the combination of the thermal field of the sun and atmospheric drag. The temperature difference between the sunlit side of the antenna and the shadow side causes differential expansion and bending of the antenna. As a result, the center of mass and the center of pressure separate, allowing the Alouette satellites to experience torques due to solar radiation pressure and also due to atmospheric drag when below 1000 km. To counteract the solar radiation de-spin torque on ISIS X, highly reflective end plates were installed on the ends of the long antennas. The high reflectivity ensured that most of the incident radiation was reflected specularly, resulting in a net spin-up torque on the satellite.

The ISIS X objectives required that the sounder experiment be extensively modified. Since the sounder would operate during a period of increasing solar activity, the maximum density in the ionosphere would be greater than for Alouette 1, and the highest frequency of the sounder had to be raised to 13.5 MHz. On the other hand, the much higher apogee planned for ISIS X would bring the sounder into regions of much lower electron density and magnetic field, requiring that the lowest frequency of the sounder be reduced from 0.5 to 0.2 MHz. The decision to reduce the lower frequency limit required in turn that the length of the longer sounder antenna be increased from 45.7 to 73.0 meters.

The ISIS X mission was designed to test the spacecraft modifications outlined above, while at the same time ensuring that the basic scientific objectives would be met. This was accomplished by launching two satellites simultaneously into the same orbit (3000 km apogee, 500 km perigee, 80 deg inclination): Alouette 2* (a modified version of Alouette 1) and Explorer 31** (Direct-Measurements Explorer A or DMEA), a spacecraft of shape and size known to be suitable for local sensing of ionospheric parameters. For the safe placement in orbit and deployment of spacecraft appendages, the two ISIS X spacecraft had to be provided with a small but sufficient separation velocity. A separation velocity of 8.75 km per day was achieved, resulting in a period of about 4 months during which the two spacecraft could perform essentially simultaneous measurements. This "close proximity" period turned out to be five times longer than specified. One of the Explorer 31 temperature probes was duplicated on Alouette 2, and comparison between the two identical experiments showed that the Alouette 2 structure would be satisfactory for direct sensing experiments.

*Alouette 2, like Alouette 1, was designed and built at DRTE, Ottawa.

**Explorer 31 was designed and built at the Applied Physics Laboratory (APL), Silver Spring, Maryland.

In keeping with the conservative approach used to ensure the success of the ISIS X mission, undue complexity again was avoided and redundancy of critical components was emphasized. For example, there was no provision for data storage on either Alouette 2 or Explorer 31, but spare batteries were included in both spacecraft. The lack of data storage facilities in the ISIS X spacecraft required that a large network of telemetry stations be used with Alouette 2 and Explorer 31. The ISIS X mission utilized essentially the same telemetry network as that used for Alouette 1. In some cases, the telemetry station capability had to be increased to permit simultaneous command and telemetry of Alouette 2 and Explorer 31. The Alouette 1 master station at DRTE, Ottawa, was used also as the Alouette 2 master station. It was at DRTE that Alouette 2 housekeeping data were obtained and more complex commands were executed. The master station for Explorer 31 was the APL station at Laurel, Maryland. The satellite controller at the APL station monitored the operational status of Explorer 31 and issued the special commands required for housekeeping and attitude control.

To optimize the direct measurements on Explorer 31, an elaborate magnetic attitude stabilization and control system was included on this satellite. The magnetic spin-up system was designed to maintain a 3-rpm spin rate with less than a 10 percent duty cycle of the attitude control system. The spin-axis orientation system was designed to maintain the spin axis orthogonal to the orbital plane. The detectors were mounted perpendicular to the spin axis.

The ISIS X mission achieved all of its scientific and technological objectives. The modifications made to the Alouette 2 antenna system reduced the spin rate decay by one order of magnitude, showing that the highly reflective end plates installed on the long Alouette 2 antennas had effectively counteracted any rapid de-spin of this satellite. The success of the ISIS X compatibility test showed that the Alouette 2 structure was satisfactory for direct measurements. The next step was to combine all the measurements on a single spacecraft. This was done on ISIS 1.

4.4 ISIS 1 (launched January 30, 1969)

The objectives of ISIS 1 were to make measurements similar to those of ISIS X during a period of maximum and declining solar activity. The selected ISIS 1 orbit (3500 km apogee and 565 km perigee), therefore, was similar to that of the ISIS X satellites. The ISIS 1 objectives had to be accomplished with a single spacecraft instead of the two satellites required for the ISIS X mission. One advantage of the single spacecraft approach was that simultaneous measurements would no longer be limited to a few months of "close proximity" as was the case for ISIS X. In fact, based upon the performances of Alouettes 1 and 2, it seemed likely that the ISIS 1 mission could provide simultaneous measurements for several years. Therefore, comprehensive ionospheric data were desired from ISIS 1 over essentially the same altitude range and geographic areas as those selected for the ISIS X mission. In addition, data were also desired from several very large areas of the world which could not be explored by the previous satellites of the series, since only real-time telemetry was available for the earlier missions.

The ISIS 1 spacecraft included basically the same experiments as those of ISIS X. In addition, it contained a fixed-frequency sounder similar to that of Explorer 20, a VLF transmitter used to excite various VLF phenomena in the vicinity of the spacecraft, a Beacon experiment, and instrumentation to measure electrons and positive ions in the 10 eV to 10 keV energy range. This last addition represented both an increased awareness of the importance (to ionospheric phenomena) of particles in this energy range and an increased emphasis on the development of suitable technology to make the required measurements. The ISIS 1 objectives required a spacecraft far more complex than the earlier spacecraft of the Alouette-ISIS program. The ISIS 1 satellite was the first of the Alouette-ISIS series to incorporate the following features: (1) swept- and fixed-frequency sounder techniques combined with a complete set of direct measurements; (2) active spin maintenance and spin-axis attitude control; and (3) onboard data storage. To meet these new requirements the spacecraft design used on Alouette 2 had to be extensively modified. New facilities had to be added to the ISIS 1 spacecraft, and the capabilities of earlier facilities had to be greatly expanded.

When the design of the ISIS 1 spacecraft was initiated (1964), the results of the ISIS X mission were not yet known. However, the spacecraft potential problem was sufficiently understood to expect a successful compatibility test on ISIS X and to proceed with plans for a complete selection of direct measurement experiments on ISIS 1. The theory of the antenna spin decay on Alouette 1 was still in a tentative stage, and even if the passive spin decay compensation planned for Alouette 2 were successful, changes in spin-axis orientation were a certainty and these changes would be excessive for direct measurement experiments. Active spin rate and attitude controls, therefore, were incorporated in the ISIS 1 spacecraft. Magnetic torquing techniques were used to control the spin rate within the range 1 to 3 rpm and to correct the spin-axis attitude (when necessary) at a rate of 3 deg per orbit.

The spacecraft tape recorder was a 4-track unit capable of storing data from all ISIS 1 experiments simultaneously for several periods, for a total of 64 min. The playback data were telemetered to the master ground station at DRTE. The playback speed was four times the recording speed. In order to acquire data over locations inaccessible to the ground-based telemetry network, it was necessary to provide an onboard programmer that could switch on the desired experiments and the tape recorder at pre-selected times. A total of five commands could be stored together with their times of execution. These commands could be selected from a group of 10. The actual times at which the data were obtained by the tape recorder were provided by a clock that could be reset. The greater number of experiments to be controlled on ISIS 1, the addition of a programmer and clock, and provisions for active spin and attitude controls required that the command capability be expanded from the 24 commands used on Alouettes 1 and 2 to the 216 commands used on ISIS 1.

The primary data acquisition system for ISIS 1 continued to be the telemetry network used for Alouette 1 and for ISIS X. The tape recorder data were intended to be supplementary and obtainable without causing a reduction in the primary data acquisition. This was achieved by providing an additional telemetry link operating at 400 MHz and having a bandwidth of 500 kHz. This wide-band telemetry system also could be used to transmit real-time sounder or

VLF data in the event of a failure of the wide-band 136 MHz telemetry link. Finally, to operate the additional experiments and spacecraft systems, the power system had to be greatly enlarged. The number of solar cells (n-on-p type) was increased from 6480 (Alouettes 1 and 2) to 11,000 (ISIS 1). It is seen from the above discussion of the spacecraft experiments and systems that the ISIS 1 satellite was much more complex than its predecessors. The greater complexity also resulted in a significant weight increase from 145 kg (Alouettes 1 and 2) to 241 kg (ISIS 1).

Another very important difference between ISIS 1 and the Alouette satellites was in the basic approach used for the design and construction of the ISIS 1 spacecraft. With the exception of the sounder antennas which were manufactured by de Havilland Aircraft of Canada, Ltd., and with the exception of some standard components available commercially, Alouettes 1 and 2 were both completely designed and built at DRTE, a laboratory operated and staffed by the Canadian government. The ISIS 1 spacecraft, on the other hand, was built almost entirely by Canadian industry under contract to DRTE. The prime contractor was RCA Victor (RCAV), Ltd., Montreal. SPAR Aerospace Ltd., Toronto, provided the mechanical structure and the sounder antennas. Thus, with the ISIS mission, private industry in Canada became a major participant in the Canadian space program. The overall management of the ISIS 1 mission, however, remained at DRTE. A close cooperation established between DRTE and RCAV ensured that RCAV derived maximum benefit from the extensive experience with space technology available at DRTE.

ISIS 1 has now (1986) been operating for over 17 years, and its longevity has exceeded the 10-year records of Alouettes 1 and 2. Because of its long life, ISIS 1 was also able to provide data during the 1975-1976 sunspot minimum and to participate in the IMS program (International Magnetospheric Study, January 1, 1976, to December 31, 1979). The ISIS 1 satellite was the oldest of the 27 IMS satellites.

4.5 ISIS 2 (launched April 1, 1971)

The official Canadian/U.S. statement of the ISIS 2 mission was as follows: "To inject the spacecraft into a near circular earth orbit which will permit the study of the topside of the ionosphere above the electron peak of the F region. To continue and extend the cooperative Canadian/U.S. program of ionospheric studies initiated by Alouette 1 by combining sounder data with correlative direct measurements for a time sufficient to cover latitudinal and diurnal variations during a period of declining solar activity."

An eccentric orbit such as the one selected for ISIS 1 was excellent for the exploratory purposes of the ISIS 1 mission, but it was not well suited for the ISIS 2 mission which stressed the study of latitudinal effects. When direct measurements were made on ISIS 1, it was often very difficult to separate latitude and altitude effects. The complete latitudinal (pole-to-pole) variation of the vertical electron-density distribution could not be satisfactorily derived from the ISIS 1 sounder data. At perigee, the sounder data were very limited in altitude range; and at apogee, they suffered from poor resolution. A circular orbit at 1400 km, which avoids these problems, was found best suited for the ISIS 2 mission.

To fulfill the primary objectives, measurements were planned to study: (1) the distribution of free electrons and of the various species of ions as a function of time and position; (2) ionospheric irregularities such as spread-F and field-aligned ionization; (3) the composition and fluxes of energetic particles that interact with the ionosphere; and (4) the velocity distribution of thermal electrons and ions. The ISIS 2 spacecraft included basically all the ISIS 1 experiments plus two new ones. Of the 10 experiments similar to those on ISIS 1, eight were almost identical and two provided essentially the same information as their ISIS 1 counterparts but with different instruments. Many of the additional objectives of ISIS 2, therefore, were similar to those of ISIS 1, including cosmic-noise measurements, VLF studies, and energetic particle investigations. The two new experiments were designed to study atmospheric optical emissions at 6300, 5577, and 3914 Å. The optical experiments also required a circular orbit and attitude control.

Due to budgetary constraints, the design changes on ISIS 2 were kept to a minimum. Consequently, as many systems and units as possible from ISIS 1 were incorporated in the design of the ISIS 2 spacecraft. Thus, attitude control, telemetry, command, data storage, and antenna and power systems on ISIS 2 were essentially the same as those of ISIS 1. A few changes were made in the sounder design to increase accuracy (onboard range marker and amplitude calibration), output power (two 400-W power amplifiers) and versatility (mixed mode, VLF/sounder mode, AIT mode). The AIT (Automatic Ionogram Transmission) mode allowed for the automatic operation of the sounder system once every 3 minutes. This gave an opportunity for small institutions to acquire topside ionograms with low-cost telemetry stations. The scope of the VLF experiment was increased to include antenna impedance measurements (sounder short dipole antenna measurements). The addition of two experiments and the various new features added to the previous experiments led to a slight increase in spacecraft weight from 241 kg on ISIS 1 to 256 kg on ISIS 2. The ISIS 2 spacecraft was built by Canadian industry under the same contractual arrangements as were used for the design and construction of ISIS 1.

The ISIS 2 mission was initiated in 1971 during a period of declining solar activity, and it has continued through the subsequent 1975-1976 sunspot minimum. In order to give the various ISIS 2 experiments the opportunity to acquire data under their "optimum operating conditions," the orientation of the spacecraft axis has been changed periodically from an orientation perpendicular to the orbital plane (cartwheel orbit) to an orientation parallel to the orbit plane (orbit aligned). It took about 10 days to accomplish these orientation changes. During this 10-day period, the orientation was unfavorable for most of the experiments, and the power available for experiments was significantly reduced. The orientation was changed typically once every 3 months. Thus about 10 percent of the total operational life of the satellite was spent for orientation maneuvers. The ISIS 2 satellite has now (1986) been operating for over 15 years, and it has participated in the IMS program with 10 of the 12 experiments still fully operational and with all spacecraft systems (except for the data storage capability) also fully operational. The ISIS 2 satellite has provided a unique and most comprehensive combination of experiments for ionospheric, auroral, and magnetospheric studies.

5. Summary of Technological Accomplishments

The scientific and technological objectives of the Alouette-ISIS program were met and exceeded in all five missions. The technological accomplishments include

- (1) the first launch of a NASA satellite from the Western Test Range (California);
- (2) near-perfect orbits for all missions;
- (3) near-perfect spacecraft performance for all missions;
- (4) very high percentage (>90%) of successful experiments;
- (5) a major breakthrough in the design of extremely long extendible spacecraft antennas;
- (6) perfect deployment in orbit of these antennas;
- (7) superiority of this new antenna design as evidenced by its adoption and extensive use in many other space programs;
- (8) the development of techniques to overcome the very severe spacecraft potential problem caused by extremely long spacecraft antennas;
- (9) major progress in the understanding of long spacecraft antenna dynamics leading to the invention of a passive spin-control technique;
- (10) the first (and successful) use of sounder techniques in a satellite;
- (11) the first successful combination of sounder and direct measurement techniques, two techniques formerly considered to be incompatible;
- (12) the extraordinary longevity of Alouettes 1 and 2 (10 years of operation each) and the continued operation of ISIS 1 and 2 in 1986 after 17 and 15 years in orbit, respectively;
- (13) the extraordinary longevity of the Alouette-ISIS program, which is still active after 24 years.

6. Unique Aspects of the Alouette-ISIS Program

For many reasons, the Alouette-ISIS program is probably the most outstanding of the international programs of NASA. The efforts of the unusually competent and dedicated members of the Canadian team, together with the wholehearted support of their U.S. counterparts, led to Canada's spectacular entry into the space age with Alouette 1 on September 29, 1962. The Canadian space program has since then maintained an unequalled record for overall excellence, in both the scientific and applications areas.

The summary of technological accomplishments given above did not take into consideration the international aspect of the Alouette-ISIS program. This aspect of the program also includes an impressive number of accomplishments.

- (1) Alouette 1 was the first spacecraft completely designed and built by a nation other than the United States or the Soviet Union.
- (2) The Canadian-built Alouette 1 was as complex as any previously launched U.S. or USSR satellite.
- (3) The longevity of Alouette 1 was far greater than that of any previously launched satellite.

- (4) Until the early seventies, Alouette 1 was the satellite that had led to the greatest number of scientific publications. A comparable publication record has been achieved more recently by very large orbiting observatories such as OGO 5.
- (5) The success of Alouette 1 was equaled, if not surpassed, by that of Alouette 2, ISIS 1, and ISIS 2, the other Canadian-built satellites of the program.
- (6) Since it is essentially as old as NASA itself, the Alouette-ISIS program has lasted longer than (or as long as) any other NASA program.
- (7) The program which started as a joint effort between Canada and the United States grew steadily to include a total of 10 nations. All participating nations provided telemetry stations, many of which were built specially for the Alouette-ISIS program. The average length of this participation has been about 10 years.
- (8) The program has led to an ISIS telemetry network (distinct from NASA's telemetry network), which after 1972 has met most of the telemetry requirements of the ISIS program.
- (9) Finally, the program has had an outstanding record in making the data available to the scientific community. The Alouette-ISIS program was the first satellite program to make extensive and well-documented contributions of data to the international data centers. Approximately 100 Alouette-ISIS data sets (Jackson and Horowitz,^{*} 1986) are available at the National Space Science Data Center. The magnitude of these data holdings can be conveyed by pointing out that the one million Alouette 1 ionograms constitute only one data set. Because of its very early support of data center activities, the Alouette-ISIS Working Group also helped to develop some of the procedures and policies for submitting satellite data to the data centers. Data from the Alouette-ISIS program made available in this manner have been used by over 50 research groups and agencies.

* J. E. Jackson and R. N. Horowitz, "Data Catalog Series for Space Science and Applications Flight Missions, Volume 3B, Descriptions of Data Sets from Low- and Medium-Altitude Scientific Spacecraft and Investigations," NSSDC/WDC-A-R&S 86-01, April 1986.

TABLE 5. RETIRED ALOUETTE/ISIS DATA ACQUISITION STATIONS (MARCH 1984)*

STATION	CODE	NO.	LONG		LAT		START	END	AGENCY**
			Deg	Min	Deg	Min			
Ascension Island	ACN	56	345	41	-07	57		18 Apr 80	GSFC
Antofagasta, Chile	AG		239	43	-23	37	29 Sept 62	Jul 63	GSFC
Santiago, Chile	AGO	08	289	19	-33	08	Jul 63	18 Apr 80	GSFC
Ahmedabad, India	AME	57	072	31	23	01	28 Aug 65	Mar 81	PRL
Richland, Washington	BAT	67	240	24	46	24	13 Nov 73	15 May 78	BATT
Boulder, Colorado	BOUL	46	254	52	40	05	Dec 65	31 Mar 72	NOAA
Blossom Point, Maryland	BPT	01	282	30	38	25	29 Nov 65	01 Sep 66	GSFC
Bretigny, France	BRET	79	002	21	48	36	19 Jun 66	16 Dec 72	CNES
Byrd Sta., Antarctica	BRDS	51	240	30	-80	00	Mar 65	22 Feb 71	STAN
Johannesburg, S. Africa	BUR	16	027	42	-25	52	29 Nov 65	31 Oct 75	GSFC
Brazzaville, Congo	BZV	97	015	15	-04	11	19 Jun 66	01 Jun 74	CNES
Las Palmas, Canary Is.	CNA	93	344	34	27	50	Nov 67	31 Dec 75	CNES
College, Alaska	COL	13	212	09	64	52	29 Sept 65	31 Oct 66	GSFC
Darwin, Australia	DAR	65	130	49	-12	28	08 Jul 72	30 Dec 74	IPSD
Greenbelt, Maryland	ETC	24	283	09	39	00		18 Apr 80	GSFC
Fort Myers, Florida	FTMY	03	278	08	26	32	29 Sept 62	09 Jul 72	GSFC
East Grand Forks, Minn.	GRK	14	262	59	48	01	29 Sept 62	01 Jul 66	GSFC
Guam	GWM	23	144	44	13	18	30 Jun 77	18 Apr 80	GSFC
Kauai, Hawaii	HAW	37	200	20	22	08	Sept 75	31 Dec 77	GSFC
Colomb Bechar, Algeria	HMG	74	358	00	30	49	19 Jun 66	01 Jul 66	CNES
South Point, Hawaii	HW		204	18	18	56	07 Nov 62	14 Jun 65	GSFC
Kano, Nigeria	KNO	53	008	31	11	58	29 Sept 64	18 Nov 66	GSFC
Kourou, French Guyana	KRU	92	307	92	05	15	03 Jan 72	Nov 80	CNES
Lauder, New Zealand	LAU	60	169	41	-45	02	02 Nov 71	28 Sep 80	DSIR
Lima, Peru	LIMA	06	282	50	-11	46	29 Nov 65	02 Aug 69	GSFC
Merritt Island, Florida	MIL	71	279	18	28	30	01 Aug 73	31 Dec 77	GSFC
St. Johns, Canada	NEWF	12	307	16	47	44	29 Sept 62	09 Mar 70	GSFC
Ouagadougou, Upper Volta	ODG	96	358	50	12	41	19 Jun 66	31 Aug 76	CNES
Woomera, Australia	OW	18	136	52	-31	23	29 Sept 62	Oct 65	GSFC
Prince Albert, Sask.	PA		254	04	53	13	29 Sept 62	Aug 63	CRC
Pretoria, S. Africa	PTA	91	028	22	-25	33	06 Mar 70	23 Feb 81	CNES
Quito, Ecuador	QUI	05	281	25	-00	37	29 Sept 62	18 Apr 80	GSFC
Chilton, England	RAL	15	358	41	51	34	08 Apr 81	23 Dec 81	RAL
Resolute Bay, Canada	RES	43	265	07	74	41	29 Sept 62	14 Aug 79	CRC
Rosman, North Carolina	ROS		277	07	35	12			GSFC
Singapore	SNPO	48	103	49	01	25	29 Sept 62	31 Jul 71	RSRS
Falkland Islands	SOLA	38	302	10	-51	41	29 Sept 62	31 Dec 72	RSRS
Thumba, India	THU	82	076	52	08	32	04 Mar 72	Dec 77	RRL
Tromso, Norway	TRM	69	018	56	69	39	16 Aug 66	Feb 77	NTNF
Winkfield, England	WNK	15	359	18	51	26	29 Sept 62	31 Mar 81	GSFC

* The information in Table 5 was provided by J. David R. Boulding, Manager, Spacecraft Ground Control, CRC, Ottawa, Canada.

** The agency abbreviations are explained in a list following Table 6.

TABLE 6. DATA ACQUISITION STATIONS FOR ISIS SATELLITES AVAILABLE AS OF MARCH 1984*

STATION	CODE	NO.	LONG		LAT		START	AGENCY**
			Deg	Min	Deg	Min		
Terre Adelle, Antarctica	ADL	35	140	01	-66	40	15 Jan 72	LGE
Kerguelen Island	KER	84	070	12	-49	21	26 Mar 77	CNES
Kashima, Japan	KSH	70	140	39	35	57	15 Aug 66	RRL
Ottawa, Canada	OTT	50	284	07	45	21	29 Sept 62	CRC
Orroral, Australia	ORR	21	148	57	-35	37	29 Nov 65	GSFC
Sodankyla, Finland	SOD	98	026	38	67	22	05 Dec 77	GEFSO
Syowa, Antarctica	SYO	80	039	35	-69	00	05 Apr 76	RRL
Fairbanks, Alaska	ULA	19	212	29	64	58	29 Nov 66	GSFC
England	UKZ	17	358	07	51	37	May 82	

* The information in Table 6 was provided by J. David R. Boulding, Manager, Spacecraft Ground Control, CRC, Ottawa, Canada.

** The agency abbreviations are explained below. *

SPONSORING AGENCIES FOR CURRENT AND RETIRED STATIONS

- BATT - Battelle Institute, USA
- CNES - Centre National d'Etudes Spatiales, France
- CRC - Communications Research Centre, Canada
- DSIR - Department of Scientific and Industrial Research, New Zealand
- GEFSO - Geophysical Observatory, Finland
- GSFC - Goddard Space Flight Center, USA
- IPSD - Ionospheric Prediction Service Division, Australia
- LGE - Laboratoire de Geophysique Externe, France
- NOAA - National Oceanic and Atmospheric Administration, USA
- NTNF - Council for Scientific and Industrial Research, Norway
- PRL - Physical Research Laboratory, India
- RRL - Radio Research Laboratories, Japan
- RSRS - Radio Space Research Station, England
- STAN - Stanford University, USA
- RAL - Rutherford and Appleton Laboratory, England

**Spacecraft and Experiment
Characteristics with
Literature References**

***** ALOUETTE 1*****

SPACECRAFT COMMON NAME- ALOUETTE 1
 ALTERNATE NAMES- 1962 BETA ALPHA 1, S 27
 ALOUETTE-A, 00424
 S 27A

NSSDC ID- 62-049A

LAUNCH DATE- 09/29/62 WEIGHT- 145.7 KG
 LAUNCH SITE- VANDENBERG AFB, UNITED STATES
 LAUNCH VEHICLE- THOR

SPONSORING COUNTRY/AGENCY

CANADA DRB-DRTE
 UNITED STATES NASA-OSSA

INITIAL ORBIT PARAMETERS

ORBIT TYPE- GEOCENTRIC EPOCH DATE- 10/17/62
 ORBIT PERIOD- 105.5 MIN INCLINATION- 80.5 DEG
 PERIAPSIS- 996. KM ALT APOAPSIS- 1032. KM ALT

PERSONNEL

PM - J.E. JACKSON NASA-GSFC
 PM - R.K. BROWN(NLA) DRB-DRTE
 PS - J.E. JACKSON NASA-GSFC
 PS - E.S. WARREN(DECEASED) DRB-DRTE

BRIEF DESCRIPTION

Alouette 1 was a small ionospheric observatory instrumented with an ionospheric sounder, a VLF receiver, an energetic particle detector, and a cosmic noise experiment. Extended from the satellite shell were two dipole antennas (45.7- and 22.8-m long, respectively) which were shared by three of the experiments on the spacecraft. The satellite was spin-stabilized at about 1.4 rpm after antenna extension. After about 500 days, the spin slowed more than had been expected, to about 0.6 rpm when satellite spin-stabilization failed. It is believed that the satellite gradually progressed toward a gravity gradient stabilization with the longer antenna pointing earthward. Attitude information was deduced only from a single magnetometer and temperature measurements on the upper and lower heat shields. (Attitude determination could have been in error by as much as 10 deg.) There was no tape recorder, so data were available only from the vicinity of telemetry stations. Telemetry stations were located to provide primary data coverage near the 80 deg W meridian and in areas near Hawaii, Singapore, Australia, Europe, and Central Africa. Initially, data were recorded for about 6 h per day. In September 1972, spacecraft operations were terminated.

BIBLIOGRAPHY									
2	3	27	51	123	124	142	143	189	191
194	195	201	226	232	253	271	300	308	309
310	311	319	320	321	381	397	427	440	441
442	472	524	525	566	583	584	585	586	587
646	648	649	724	725	732	749	810	820	867
870	902	903	904	905	906	907	908	929	938

***** ALOUETTE 1, WARREN*****

INVESTIGATION NAME- SWEEP-FREQUENCY SOUNDER

NSSDC ID- 62-049A-01

INVESTIGATIVE PROGRAM
 CODE EE, SCIENCE

INVESTIGATION DISCIPLINE(S)
 IONOSPHERES AND RADIO PHYSICS

PERSONNEL

PI - E.S. WARREN(DECEASED) DOC-CRC
 OI - J.H. WHITEKER DOC-CRC
 OI - J.E. JACKSON NASA-GSFC
 OI - L. COLIN NASA-ARC
 OI - J.W. KING RUTHERFORD APPLETON L.
 OI - R.W. KNECHT NATL BUREAU OF STD
 OI - G.L. NELMS DOC-CRC

BRIEF DESCRIPTION

The purpose of the sweep frequency sounder was to conduct synoptic measurements of the electron density distribution in the ionosphere at altitudes between 300 and 1000 km. The instrumentation consisted of a radio transmitter/receiver that recorded the time delay between a transmitted and returned radio pulse. A continuum of frequencies between 0.5 and 12 MHz was sampled once every 18 s. Several delay times were usually observed for each frequency due to ground reflections, plasma resonances, birefringence of the ionosphere, nonvertical propagation, etc. Delay time was primarily a function of distance traversed by the signal, the electron density along the propagation path, and the mode of propagation. The standard data form was an ionogram (graph) showing time (virtual distance of signal reflection from the satellite) vs radio frequency. Two other common forms of data were prepared from the ionograms. They were (1) digital frequency data and/or virtual height values of characteristic ionospheric features and (2) computations of electron density profiles. Performance far exceeded expectations for the experiment. Initially, observations were recorded for about 6 h per day. The experiment provided data for 10 full years.

BIBLIOGRAPHY

ORIGINAL PAGE IS
 OF POOR QUALITY

1	3	4	7	9	11	15	17	18	25
26	29	30	41	42	43	44	45	45	47
48	49	50	51	64	67	70	71	76	78
79	80	81	82	83	84	85	86	90	91
94	95	109	113	117	119	120	121	122	125
126	127	135	144	161	163	166	167	169	172
183	184	185	187	189	190	191	192	193	195
197	202	203	204	208	215	217	218	219	222
223	225	225	227	228	229	238	240	241	242
243	244	245	246	247	249	250	252	254	255
256	257	258	264	265	266	269	270	274	275
276	277	278	279	280	281	282	283	284	285
286	287	288	289	290	291	292	293	294	301
303	304	305	306	316	318	322	327	331	332
333	334	340	347	348	351	357	360	361	368
372	377	396	398	400	401	418	427	429	430
435	436	437	438	439	442	443	444	453	461
462	463	473	474	476	477	478	479	480	481
482	483	484	485	486	487	488	489	490	491
492	493	494	495	496	497	499	500	512	515
517	520	521	527	528	529	530	531	536	540
541	543	544	546	547	548	549	550	551	552
553	562	564	565	588	596	597	598	599	601
635	636	638	640	641	645	654	655	656	657
658	659	661	663	665	667	668	670	677	678
688	693	694	695	696	698	700	701	705	706
707	708	709	711	712	713	724	731	732	739
742	743	744	745	746	747	750	751	757	758
759	761	779	791	793	794	805	807	808	811
812	813	817	820	827	841	842	844	845	848
849	851	852	853	854	855	856	857	858	860
862	863	867	868	869	870	871	872	873	874
875	876	877	878	879	880	885	886	888	889
893	899	900	912	913	914	924	925	926	927
932	933	934	935	936	941	965	967	968	

***** ALOUETTE 1, MCDIARMID*****

INVESTIGATION NAME- ENERGETIC PARTICLES DETECTORS

NSSDC ID- 62-049A-02

INVESTIGATIVE PROGRAM
 CODE EE, SCIENCE

INVESTIGATION DISCIPLINE(S)
 PARTICLES AND FIELDS

PERSONNEL

PI - I.B. MCDIARMID NATL RES COUNCIL OF CAN

BRIEF DESCRIPTION

This experiment consisted of six detectors whose objectives were to determine the intensity structure of the lower portion of the outer Van Allen radiation belt at high latitudes and measure intensity changes associated with solar and geophysical phenomena, particularly auroras. The first, an Anton 302 Geiger counter, was in a shielded part of the package and was used only for omnidirectional measurements of protons and electrons with energies greater than 33 and 2.8 MeV, respectively. An Anton 223 Geiger counter, which pointed 10 deg off the spacecraft spin axis, responded directionally to electrons and protons with energies greater than 40 and 500 keV, respectively. A second Anton 223 Geiger counter, pointed parallel to the spacecraft spin axis and coupled to a magnetic broom, responded directionally to electrons and protons with energies greater than 250 and 500 keV. Omnidirectionally, both Geiger counters responded to electrons and protons with energies greater than 2.8 and 33 MeV, respectively. The fourth detector, a silicon junction, was collimated to look 10 deg off the spin axis. Directionally, it responded to protons and alpha particles in the energy ranges 1.3 to 7 and 4.3 to 28 MeV, respectively. Omnidirectionally, the silicon junction responded to protons in the energy range 55 to 60 MeV. The last two detectors, a Geiger telescope consisting of two trays of Philips 18509 Geiger counters and a plastic scintillator located between the two Geiger counter trays of the telescope, were pointed perpendicular to the spacecraft spin axis. These detectors had only directional responses to protons and alpha particles with energies greater than 100 and 400 MeV, respectively. This experiment performed well initially and was turned off on January 29, 1968, though still performing normally. No alpha particle data were obtained from this experiment.

BIBLIOGRAPHY									
11	63	137	153	191	205	324	328	329	339
372	379	383	442	456	457	458	460	539	605
606	607	608	609	610	611	617	618	619	654
732	782	883							

***** ALOUETTE 1, BELROSE*****

INVESTIGATION NAME- VLF RECEIVER

NSSDC ID- 62-049A-03

INVESTIGATIVE PROGRAM
 CODE EE, SCIENCE

INVESTIGATION DISCIPLINE(S)
 IONOSPHERES AND RADIO PHYSICS

PERSONNEL
 PI - J.S. BELROSE DOC-CRC
 OI - F.H. PALMER DEFENCE RESEARCH ESTAB
 OI - H.G. JAMES DOC-CRC

BRIEF DESCRIPTION

The purpose of the VLF experiment was to investigate the propagation characteristics of natural and manmade VLF signals. This experiment was a wideband high-gain receiver with a passband from 0.4 to 10 kHz using only the longest (45.7 m) sounder antenna. The receiver output, which sensed the electric field component of the signal strength, was maintained constant by means of an AGC loop. The standard VLF data form was a sonogram (graph) showing signals as a function of time and frequency. Whistlers and radio noise of various origins were observed in this region of radio frequencies. Performance had been nominal since launch, except for interference from the sounder which had not prevented observation of useful data. The sounder operation was most frequent, but a small percentage of observations were VLF only or both VLF and sounder.

BIBLIOGRAPHY									
11	60	61	62	63	65	69	70	71	89
138	139	140	141	145	175	176	177	178	179
191	193	226	325	341	342	344	345	346	442
538	569	633	719	725	726	731	732	809	812
818	850								

----- ALOUETTE 1, HARTZ-----

INVESTIGATION NAME- COSMIC RADIO NOISE

NSSDC ID- 62-049A-04 INVESTIGATIVE PROGRAM
 CODE EE, SCIENCE

INVESTIGATION DISCIPLINE(S)
 IONOSPHERES AND RADIO PHYSICS
 ASTRONOMY

PERSONNEL
 PI - T.R. HARTZ (RETIRED) DOC-CRC

BRIEF DESCRIPTION

This experiment utilized the ionosonde receiver automatic gain control (AGC) voltage to measure the galactic and solar radio noise levels. The sweep-frequency receiver covered the range from 0.5 to 12 MHz in 18 s, but below 5 MHz the system response dropped off rapidly. The receiver had a noise figure of 15 dB, a bandwidth of 33 kHz, and a dynamic range of 50 dB. The antennas were two orthogonal dipoles, 45.7 and 22.8 m long, located orthogonal to the spacecraft spin axis. The experiment functioned satisfactorily, providing relatively good frequency resolution with relatively poor flux resolution.

BIBLIOGRAPHY									
11	67	134	191	226	326	368	369	370	371
373	374	378	442	459	732	893			

***** IE-A*****

SPACECRAFT COMMON NAME- IE-A
 ALTERNATE NAMES- EXPLORER 20, S 48
 TOPSI, 00870

NSSDC ID- 64-051A

LAUNCH DATE- 08/25/64 WEIGHT- 44. KG
 LAUNCH SITE- VANDENBERG AFB, UNITED STATES
 LAUNCH VEHICLE- SCOUT

SPONSORING COUNTRY/AGENCY
 UNITED STATES NASA-OSSA

ORBIT PARAMETERS
 ORBIT TYPE- GEOCENTRIC EPOCH DATE- 12/12/65
 ORBIT PERIOD- 104. MIN INCLINATION- 79.9 DEG
 PERIAPSIS- 864. KM ALT APOAPSIS- 1025. KM ALT

PERSONNEL
 PM - J.E. JACKSON NASA-GSFC
 PS - J.E. JACKSON NASA-GSFC

BRIEF DESCRIPTION

Explorer 20 was designed to measure electron distribution, ion density and temperature, and to estimate cosmic noise levels between 2 and 7 MHz. The satellite was a small ionospheric observatory instrumented with a six-frequency ionospheric sounder and an ion probe. A cosmic noise experiment used the noise signal from the sounder receivers. The satellite consisted of a short cylinder terminated on either end by truncated cones. The ion probe, mounted on a short boom, extended from the upper cone. The six sounding antennas (3 dipoles) extended from the satellite equator. One pair of 18.28 m antennas formed the dipole used for the low frequencies, and the other two dipoles consisted of four 9.14 m antennas. The satellite was spin stabilized at 1.53 rpm just after antenna extension, with the spin axis initially very close to the orbit plane. At the end of 1 year, the spin had slowed to 0.45 rpm. Since there was no tape recorder, data were received only in the vicinity of telemetry stations. Telemetry stations were located to provide primary data

coverage near 80 deg W plus areas near Hawaii, Singapore, England, Australia, and Africa. Data were recorded for periods of 1/2 h to over 4 h per day depending upon available power. Even though there were problems with telemetry and interference, the experiments operated satisfactorily for about 16 months. A large spacecraft plasma sheath prevented the ion probe data from being useful in spite of attempts to compensate. For this spacecraft, the 1-yr automatic satellite turnoff was disconnected just prior to launch. The satellite responses to command signals were not dependable after December 20, 1965, and the satellite transmitter, which was often spuriously turned on, did not respond to a turnoff command.

BIBLIOGRAPHY									
5	171	201	271	362	428	440	441	442	511
513	514	792	903	907					

----- IE-A, KNECHT-----

INVESTIGATION NAME- FIXED-FREQUENCY IONOSONDE

NSSDC ID- 64-051A-01 INVESTIGATIVE PROGRAM
 CODE EE/CO-OP, SCIENCE

INVESTIGATION DISCIPLINE(S)
 IONOSPHERES AND RADIO PHYSICS

PERSONNEL
 PI - R.W. KNECHT NATL BUREAU OF STD
 OI - W. CALVERT U OF IOWA
 OI - T.E. VAN ZANDT NOAA-ERL
 OI - R.B. NORTON NOAA-ERL
 OI - J.M. WARNOCK NOAA

BRIEF DESCRIPTION

The purpose of the fixed-frequency ionosonde was to investigate ionospheric electron density in the altitude range 300 to 1000 km. The experiment was most useful for the study of irregularities in the electron density distribution and for the investigation of fine structure in the plasma resonances. The fixed-frequency ionosonde was a radio transmitter-receiver that recorded the time delay between a transmitted and a returned radio pulse. Six specific frequencies from 1.5 to 7.22 MHz were sampled in sequence once every 0.105 second. Several delay times were often observed for each frequency due to plasma resonances, birefringence of the ionosphere, nonvertical propagation, etc. Delay time was primarily a function of distance traversed by the signal, electron density along the signal path, and the mode of propagation. A total of 1450 h of data was acquired. Most of these data were of adequate quality to prepare ionograms. Since only time is noted on each ionogram, satellite position and other related information must be obtained from world maps.

BIBLIOGRAPHY									
119	159	160	161	163	168	169	170	171	173
180	217	246	266	295	396	442	444	465	466
480	498	511	513	514	533	535	554	563	596
597	598	599	600	601	602	663	665	742	792
812	866	873	896	897	922				

----- IE-A, BOYD-----

INVESTIGATION NAME- SPHERICAL ION-MASS SPECTROMETER

NSSDC ID- 64-051A-02 INVESTIGATIVE PROGRAM
 CODE EE/CO-OP, SCIENCE

INVESTIGATION DISCIPLINE(S)
 IONOSPHERES
 AERONOMY

PERSONNEL
 PI - R.L.F. BOYD (RETIRED) U COLLEGE LONDON
 OI - A.P. WILLMORE U OF BIRMINGHAM

BRIEF DESCRIPTION

The ion probe on Explorer 20 was a spherical retardation potential instrument from which ion mass spectra and ion temperatures could be determined. It consisted of a spherical inner electrode, 9 cm in diam, surrounded by a spherical gridded (0.5 mm holes), nickel foil covering, 10 cm in diam and 0.1 mm thick. A negative charge was maintained in the grid to remove electron effects. The more massive ions passed through the grid to form an ion current dependent upon the voltage condition of the inner electrode. A slow-sweeping sawtooth potential from about -2 to +10 volts (with two low-voltage 0.5- and 3.2-kHz sinewave forms impressed upon it) provided a profile of voltage versus ion current. The change in slope of the voltage versus ion current profile, gives the energy distribution profile, which, for thermal ions, is a function of ion mass and satellite velocity. Thermal ion velocities broaden the mass peaks somewhat and thereby degrade mass resolution slightly, but this broadening effect was used to determine the ion temperature. Analysis of current variations resulting from the two sinewave forms on the sweep voltage provided the required slope change data for analysis of the profiles. The probe was mounted at the positive end of the spin (Z) axis on a short tubular support. With the nominal spin axis, perpendicular to the orbit plane, this arrangement eliminated spin modulation of the observations. Although the experiment functioned properly, the occurrence of a large

ORIGINAL PAGE IS
 OF POOR QUALITY

plasma sheath about the spacecraft, prevented acquisition of scientifically useful data.

950

BIBLIOGRAPHY

----- IE-A, STONE-----

INVESTIGATION NAME- COSMIC NOISE

NSSDC ID- 64-051A-03 INVESTIGATIVE PROGRAM
CODE EE/CO-OP, SCIENCE

INVESTIGATION DISCIPLINE(S)
IONOSPHERES AND RADIO PHYSICS
ASTRONOMY

PERSONNEL
PI - R.G. STONE NASA-GSFC

BRIEF DESCRIPTION
The cosmic noise experiment utilized the noise signal from the sounder receiver to investigate cosmic noise in the 1.5- to 7.2-MHz frequency range. The measurements were in rough agreement with previous observations of cosmic noise. The receiver calibration, however, was not sufficiently accurate to yield new scientific results.

BIBLIOGRAPHY
NO REFERENCES

***** ALOUETTE 2*****

SPACECRAFT COMMON NAME- ALOUETTE 2
ALTERNATE NAMES- ALOUETTE-B, S 27B
ISIS-X, 01804

NSSDC ID- 65-098A

LAUNCH DATE- 11/29/65 WEIGHT- 146. KG
LAUNCH SITE- VANDENBERG AFB, UNITED STATES
LAUNCH VEHICLE- THOR

SPONSORING COUNTRY/AGENCY
CANADA DRB-DRTE
UNITED STATES NASA-OSSA

INITIAL ORBIT PARAMETERS
ORBIT TYPE- GEOCENTRIC EPOCH DATE- 11/30/65
ORBIT PERIOD- 121.4 MIN INCLINATION- 79.8 DEG
PERIAPSIS- 505. KM ALT APOAPSIS- 2987. KM ALT

PERSONNEL
PM - E.D. NELSEN(NLA) NASA-GSFC
PM - C.D. FLORIDA(DECEASED) DRB-DRTE
PS - I. PAGHIS(RETIRED) DRB-DRTE
PS - J.E. JACKSON NASA-GSFC

BRIEF DESCRIPTION
Alouette 2 was a small ionospheric observatory instrumented with a sweep-frequency ionospheric sounder, a VLF receiver, an energetic particle experiment, a cosmic noise experiment, and an electrostatic probe. The spacecraft used two long dipole antennas (73 m and 22.8 m, respectively) for the sounder, VLF, and cosmic noise experiments. The satellite was spin-stabilized at about 2.25 rpm after antenna deployment. End plates on the 73 m antenna corrected the rapid despin that had occurred on Alouette 1, and which was believed to result from thermal distortion of the antenna and from radiation pressure. There was no tape recorder, so that data were available only when the spacecraft was in line of sight of telemetry stations. Telemetry stations were located so that primary data coverage was near the 80 deg W meridian plus areas near Hawaii, Singapore, Australia, England, India, Norway, and Central Africa. Initially data were recorded about 8 h per day. Degradation of the power supply system had, by June 1975, reduced the operating time to about 1/2 h per day. Routine operations were terminated in July 1975. The spacecraft was successfully reactivated on November 28 and 29, 1975, in order to obtain data on its 10th anniversary.

BIBLIOGRAPHY
27 96 124 196 271 308 309 310 311 320
321 381 442 472 586 810 812 902 903 904
905 906 907 908 929

----- ALOUETTE 2, WARREN-----

INVESTIGATION NAME- SWEEP-FREQUENCY SOUNDER

NSSDC ID- 65-098A-01 INVESTIGATIVE PROGRAM
CODE EE, SCIENCE

INVESTIGATION DISCIPLINE(S)
IONOSPHERES AND RADIO PHYSICS

PERSONNEL
PI - E.S. WARREN(DECEASED) DOC-CRC
OI - J.H. WHITTEKER DOC-CRC
OI - J.E. JACKSON NASA-GSFC
OI - J.W. KING RUTHERFORD APPLETON L.
OI - L. COLIN NASA-ARC
OI - J. TURNER IONOSPHERIC PRED SERV
OI - C. TAIEB CNET
OI - O. HOLT AURORAL OBS
OI - G.L. NELMS DOC-CRC
OI - Y. OGATA RADIO RESEARCH LAB
OI - R. RAGHAVAIAO PHYSICAL RESEARCH LAB
OI - G.E.K. LOCKWOOD DOC-CRC

BRIEF DESCRIPTION
The purpose of the sweep-frequency sounder experiment was to extend the Alouette 1 measurements to higher altitudes (3000 km) and to a different period of the solar cycle. The Alouette 2 sounder was also designed to provide greatly improved observations of plasma resonances. The sweep-frequency ionosonde was a radio transmitter/receiver that recorded the time delay between a transmitted and returned radio frequency pulse. A continuum of frequencies between 0.12 and 14.5 MHz were sampled once every 32 s. A multiplicity of delay times was usually observed due to birefringence of the ionosphere, nonvertical propagation, ground echoes, plasma resonances, etc. Delay time was primarily a function of distance traversed by the signal, electron density along the propagation path, and mode of propagation. The standard data form is an ionogram (graph) showing delay time (virtual distance of signal reflection from the satellite) versus frequency. Two other common forms of data were prepared from the ionograms. They are digital frequency and/or virtual height values of characteristic ionospheric features and computations of electron density profiles.

		BIBLIOGRAPHY									
		6	8	10	12	13	14	28	49	52	57
58	59	65	67	74	75	75	90	92	93		
94	95	96	97	99	100	104	107	108	109		
117	118	122	127	161	162	163	169	170	184		
186	193	197	199	200	207	216	217	218	219		
220	221	235	237	239	240	245	250	259	260		
261	266	296	297	305	306	307	316	317	318		
322	323	327	335	336	349	350	351	357	358		
360	361	365	377	380	384	398	399	404	409		
412	413	416	429	430	436	437	438	439	442		
444	459	462	467	479	480	503	517	529	541		
545	546	547	570	572	589	590	591	592	593		
596	597	598	601	603	659	660	661	663	664		
665	666	668	671	672	673	691	697	698	699		
702	703	704	706	707	710	717	727	728	729		
730	735	736	738	751	766	767	768	769	770		
771	772	773	780	781	805	813	815	816	843		
847	862	864	866	873	884	900	917	922	928		
930	937	945	962	968							

----- ALOUETTE 2, BELROSE-----

INVESTIGATION NAME- VLF RECEIVER

NSSDC ID- 65-098A-02 INVESTIGATIVE PROGRAM
CODE EE, SCIENCE

INVESTIGATION DISCIPLINE(S)
IONOSPHERES AND RADIO PHYSICS

PERSONNEL
PI - J.S. BELROSE DOC-CRC
OI - F.H. PALMER DEFENCE RESEARCH ESTAB
OI - H.G. JAMES DOC-CRC

BRIEF DESCRIPTION
The purpose of the VLF experiment was to investigate the VLF radio spectrum for whistlers, chorus, hiss, and resonance effects. The VLF experiment was a wideband high-gain receiver with a passband from 0.05 to 30 kHz that used the long sounder antenna. The instrument was a considerably improved version of the Alouette 1 receiver. The standard VLF data form was a sonogram (graph) that showed signal as a function of time and frequency. Whistlers, ionospheric noise, VLF noise, etc. were observed in this very low region of the radio frequency spectrum.

		BIBLIOGRAPHY									
		22	59	60	61	62	65	68	72	73	175
179	193	198	233	375	382	414	415	421	442		
538	555	569	570	634	699	716	717	809			

----- ALOUETTE 2, HARTZ-----

INVESTIGATION NAME- COSMIC RADIO NOISE

NSSDC ID- 65-098A-03 INVESTIGATIVE PROGRAM
CODE EE, SCIENCE

INVESTIGATION DISCIPLINE(S)
ASTRONOMY
IONOSPHERES AND RADIO PHYSICS

ORIGINAL PAGE IS
OF POOR QUALITY

PERSONNEL

PI - T.R. HARTZ (RETIRED)

DOC-CRC

NSSDC ID- 65-098B

BRIEF DESCRIPTION

This experiment used the ionosonde receiver automatic gain control (AGC) voltage to measure background radio noise from the ionosphere, galaxy, and sun. The antennas were dipoles 23 and 73 m long. The receiver swept the range 0.1 to 15 MHz every 32 s. The receiver bandwidth was 40 kHz, and the dynamic range was 80 dB. The receiver sensitivity permitted galactic radio emission observations at frequencies greater than 0.6 MHz. The experiment functioned satisfactorily, providing good frequency resolution with relatively poor flux resolution.

LAUNCH DATE- 11/29/65

WEIGHT- 99.0 KG

LAUNCH SITE- VANDENBERG AFB, UNITED STATES
LAUNCH VEHICLE- THOR

SPONSORING COUNTRY/AGENCY
UNITED STATES

NASA-OSSA

INITIAL ORBIT PARAMETERS

ORBIT TYPE- GEOCENTRIC
ORBIT PERIOD- 121.4 MIN
PERIAPSIS- 505. KM ALT

EPOCH DATE- 11/30/65
INCLINATION- 79.8 DEG
APOAPSIS- 2978. KM ALT

PERSONNEL

PM - E.D. NELSEN (NLA)
PS - J.E. JACKSON

NASA-GSFC
NASA-SSFC

BIBLIOGRAPHY
67 73 175 326 358 359 373 374 375 376
380 699

----- ALOUETTE 2, MCDIARMID -----

INVESTIGATION NAME- ENERGETIC PARTICLE DETECTORS

NSSDC ID- 65-098A-04

INVESTIGATIVE PROGRAM
CODE EE, SCIENCE

INVESTIGATION DISCIPLINE(S)
PARTICLES AND FIELDS

PERSONNEL

PI - I.B. MCDIARMID

NATL RES COUNC OF CAN

BRIEF DESCRIPTION

The purpose of the energetic particle experiment was to investigate the Van Allen radiation belt at high latitudes. The Alouette 2 energetic particle experiment was composed of seven detectors. Four of these were Geiger-Mueller (GM) tubes. The first responded to electrons greater than 3.9 MeV and protons greater than 40 MeV. The second had a magnetic broom and responded to electrons greater than 250 keV and protons greater than 500 keV. The third responded to electrons greater than 40 keV and protons greater than 500 keV. These three GM tubes were perpendicular to the spin axis. The fourth GM tube was 10 deg from the spin axis and responded to electrons greater than 40 keV and protons greater than 500 keV. The fifth detector was a silicon junction that detected protons and alpha particles with minimum energies of 1 and 5 MeV, respectively, and maximum energies of 8 and 24 MeV, respectively. The sixth detector was a Geiger telescope that detected protons greater than 100 MeV. The seventh detector was a plastic scintillator that determined the proton spectra in the energy range from 100 to 600 MeV. Particles associated with auroral and solar events were studied. No alpha particle data were obtained from this experiment.

BRIEF DESCRIPTION

Explorer 31 was a small ionospheric observatory instrumented to make direct measurements of selected ionospheric parameters at the spacecraft. It carried seven experiments: a thermal ion experiment, a thermal electron experiment, an electrostatic probe, an electron temperature probe, a spherical mass spectrometer, an energetic electron current monitor, and a magnetic ion-mass spectrometer. Since the spacecraft had no tape recorder, data could be observed at the spacecraft only when the spacecraft was in sight of the telemetry station and when commanded on. Experiments were operated either simultaneously or sequentially, as desired. The satellite was spin-stabilized with the spin axis perpendicular to the orbit plane. The spin rate and spin axis were controlled by an onboard magnetic torquing system. The attitude and spin rate information were observed by a sun sensor and a three-axis magnetometer. Satellite performance was satisfactory except for a partial power failure in May 1966, which reduced data acquisition time to about half the nominal amount. Some difficulties were encountered in obtaining attitude information that was necessary for the reduction of the experiment observations. On July 1, 1969, the satellite data observations were terminated with five of the seven experiments operating. Responsibility for standby monitoring of the satellite was given to the ESSA telemetry station at Boulder, Colorado, on July 8, 1969. During this standby operation, experiment data were collected only once on October 1, 1969, for 9 min from the electrostatic probe for use in studying a red arc event. On January 15, 1971, no response was received from a variety of satellite commands, and the satellite was abandoned.

122 310 442

BIBLIOGRAPHY

BIBLIOGRAPHY
155 298 299 376 398 424 611 612 613 614
615 620 621 622 623 624 699 883 945

----- DME-A, DONLEY -----

INVESTIGATION NAME- THERMAL ION PROBE

NSSDC ID- 65-098B-01

INVESTIGATIVE PROGRAM
CODE EE, SCIENCE

INVESTIGATION DISCIPLINE(S)
IONOSPHERES
AERONOMY

PERSONNEL

PI - J.L. DONLEY

NASA-GSFC

BRIEF DESCRIPTION

The purpose of the thermal ion probe experiment was to measure ion density, temperature, and composition at the satellite. The sensor consisted of a planar ion trap with three circular mesh grids and a collector. With the innermost suppressor grid maintained at -15 V to exclude electrons and the middle retarding grid swept from zero to 6.3 V, the resulting current-voltage curve due to ion current was interpreted to obtain ion temperature, ion composition, and density. Determination of these parameters was made by curve fitting, assuming various models of ion parameters and assuming that the model with the least rms residual was correct. The associated electronics were shared with experiment 65-098B-06. Further details are given in J. L. Donley, "The thermal ion and electron trap experiments on the Explorer XXXI satellite," Proc. IEEE, v. 57, n. 6, pp. 1061-1067, June 1969. NSSDC has all the useful data that exist from this investigation.

BIBLIOGRAPHY
122 188 220 236 237 330 578 653 774 775
798 799 803 819

----- ALOUETTE 2, BRACE -----

INVESTIGATION NAME- CYLINDRICAL ELECTROSTATIC PROBES

NSSDC ID- 65-098A-05

INVESTIGATIVE PROGRAM
CODE EE, SCIENCE

INVESTIGATION DISCIPLINE(S)
IONOSPHERES
AERONOMY

PERSONNEL

PI - L.H. BRACE

NASA-GSFC

BRIEF DESCRIPTION

Two cylindrical electrostatic probes were used to measure local electron temperature and density at the satellite. The main purpose of this experiment, however, was to determine the feasibility of placing direct measurements on a spacecraft equipped with the long antennas required for topside sounding. The sensors were operated as Langmuir probes and consisted each of a collector electrode extending from the central axis of a cylindrical guard ring. The guard ring extended 23 cm from the spacecraft and the collector electrode extended 46 cm. The two sensors were mounted on opposite sides of the lower portion of the satellite and both extended downward at an angle of 45 deg to the spacecraft spin axis, which was oriented in a northward direction in the orbital plane. The sensors were operated sequentially. NSSDC has all the useful data that exist from this investigation.

BIBLIOGRAPHY
77 94 96 128 131 174 214 259 260 261
302 365 398 399 571 595 699 707 730 764
780 781 945

----- DME-A, BRACE -----

INVESTIGATION NAME- CYLINDRICAL ELECTROSTATIC PROBES

NSSDC ID- 65-098B-02

INVESTIGATIVE PROGRAM
CODE EE, SCIENCE

INVESTIGATION DISCIPLINE(S)
AERONOMY
IONOSPHERES

SPACECRAFT COMMON NAME- DME-A
ALTERNATE NAMES- EXPLORER 31, ISIS-X
01806, S 30A

ORIGINAL PAGE IS
OF POOR QUALITY

PERSONNEL
PI - L.H. BRACE

NASA-GSFC

BRIEF DESCRIPTION

The cylindrical electrostatic probes were used to measure electron temperature and density in the ionosphere. Each sensor was basically a Langmuir probe consisting of a collector electrode extending from the central axis of a cylindrical guard ring. The guard rings extended 23 cm from the spacecraft and the collector electrode extended 46 cm. The two sensors were mounted on opposite sides of the spacecraft, and were perpendicular to the spin axis and in the orbit plane. Data sets are no longer available from this experiment.

BIBLIOGRAPHY

57 122 128 131 174 220 237 302 365 595
642 798 799

----- DME-A, WILLMORE-----

INVESTIGATION NAME- ELECTRON TEMPERATURE

NSSDC ID- 65-098B-03

INVESTIGATIVE PROGRAM
CODE EE, SCIENCE

INVESTIGATION DISCIPLINE(S)

PERSONNEL
PI - A.P. WILLMORE

U OF BIRMINGHAM

BRIEF DESCRIPTION

The purpose of the electron temperature probe was to measure the energy distribution of ionospheric electrons. From these measurements electron temperature and density could be derived. The sensor was a disk, 2 cm in diameter, mounted flush with the satellite surface. The probe current-voltage characteristics were investigated by means of the same modulation technique that was used in the spherical ion-mass spectrometer. (See description for 65-098B-04.)

BIBLIOGRAPHY

237 797 800 801 802 847 865 892 950 961
962 963

----- DME-A, WILLMORE-----

INVESTIGATION NAME- ION MASS SPECTROMETER

NSSDC ID- 65-098B-04

INVESTIGATIVE PROGRAM
CODE EE, SCIENCE

INVESTIGATION DISCIPLINE(S)

PERSONNEL
PI - A.P. WILLMORE

U OF BIRMINGHAM

BRIEF DESCRIPTION

The spherical ion mass spectrometer probe was used to investigate the composition of positive ions at altitudes between 500 and 3000 km. The instrument consisted of a 9 cm diameter ion collector, circumscribed by a 10 cm diameter nickel grid that was approximately 40% transparent. The grid had a 6-V bias to prevent electrons from reaching the collector. The probe rested on top of a 32-cm-long rod mounted along the satellite spin axis. In addition to the principal bias-potential sweep, two small ac potentials were applied to the collector. The amplitude and depth of modulation of the resulting carrier current were then measured as a function of probe potential. This "retarding potential" ion spectrometer had low resolution. Hydrogen, with a mass-to-charge ratio (M/Q) of 1, was readily distinguished from atomic oxygen ions (M/Q = 16). However, atomic nitrogen ions (M/Q = 14) could not be distinguished from atomic oxygen ions. The signal current to the probe varied inversely with ionic mass, and consequently, the instrument was less sensitive to heavy masses. When the concentration of atomic oxygen ions was significantly greater than 300 ions per cc, accurate temperature measurements could be made for the atomic oxygen ions. Further details of the experiment can be found in G. L. Wrenn, "The Langmuir probe and spherical ion probe experiments aboard Explorer 31," Proc. IEEE, v. 45, n. 6, p. 1072, 1969.

BIBLIOGRAPHY

122 237 797 798 799 800 802 865 950 962

----- DME-A, HOFFMAN-----

INVESTIGATION NAME- MAGNETIC ION-MASS SPECTROMETER

NSSDC ID- 65-098B-05

INVESTIGATIVE PROGRAM
CODE EE, SCIENCE

INVESTIGATION DISCIPLINE(S)
IONOSPHERES
AERONOMY

PERSONNEL
PI - J.H. HOFFMAN

U OF TEXAS, DALLAS

BRIEF DESCRIPTION

A magnetic sector field mass spectrometer was used to measure the abundances of the ionospheric positive ion species in the mass range 1 to 20 atomic mass units. The mass range was swept every 3 s by an exponentially decreasing accelerating voltage, which varied from -4000 to -150 volts. The ions were separated according to mass-to-charge ratio in the magnetic analyzer section of the spectrometer. A particular ion species, depending on the accelerating voltage, was then passed through the analyzer into an electron multiplier. The output ion current from the multiplier was measured by a logarithmic electrometer amplifier and converted to a voltage. The experiment operated normally and yielded useful data from launch on November 29, 1965, until about April 1967. Then low battery voltage resulted in a voltage regulator problem. The experiment provided useful data only intermittently after that, and it failed in March 1968. NSSDC has all the useful data that exist from this investigation.

BIBLIOGRAPHY

53 54 55 56 77 122 220 237 365 402
403 404 405 409 442 595 737

----- DME-A, DONLEY-----

INVESTIGATION NAME- THERMAL ELECTRON PROBE

NSSDC ID- 65-098B-06

INVESTIGATIVE PROGRAM
CODE EE, SCIENCE

INVESTIGATION DISCIPLINE(S)
IONOSPHERES
AERONOMY

PERSONNEL
PI - J.L. DONLEY

NASA-GSFC

BRIEF DESCRIPTION

The purpose of the thermal electron probe experiment was to measure the electron density and temperature at the satellite. The instrumentation was a modified Langmuir probe in which unwanted ion and photo-current components were eliminated through the use of a grid with appropriate bias. The grid was mounted flush with the satellite surface and it received a sweep voltage of from -5 to +4 V. The collector was biased at +25 V. From the measured current-voltage data the electron density could be obtained with an accuracy of about 20%. The electron temperature could normally be obtained with an accuracy of about 150 deg K, but a computer curve-fitting analysis improved the accuracy to about 10 deg K. The associated electronics were shared with experiment 65-098B-01. Further details can be found in J. L. Donley, "The thermal ion and electron trap experiments on the Explorer XXXI satellite," Proc. IEEE, v. 57, n. 6, pp. 1061-1067, June 1969. NSSDC has all the useful data that exist from this investigation.

BIBLIOGRAPHY

122 188 235 236 237 330 578 579 595 653
692 774 775 798 799 803 804 892

----- DME-A, MAIER-----

INVESTIGATION NAME- ENERGETIC ELECTRON CURRENT MONITOR

NSSDC ID- 65-098B-07

INVESTIGATIVE PROGRAM
CODE EE, SCIENCE

INVESTIGATION DISCIPLINE(S)
IONOSPHERES
AERONOMY

PERSONNEL
PI - E.J. MAIER

NASA-GSFC

BRIEF DESCRIPTION

The purpose of this experiment was to measure the electron energy spectrum in the suprathermal energy range of 0.2 to 2000 eV. Two three-grid retarding potential analyzers were used, one providing analog data in the 0.2 to 200 eV range and the other providing digital data in the 0.2 to 2000 eV range. The two analyzers had separate power supplies and associated electronics. The instrumentation for the digital measurement included an electron multiplier and a digital pulse counting system. Because of moisture contamination of the detector in the launch tower prior to launch, the gain of the electron multiplier was so degraded that no geophysical measurements could be obtained. The instrumentation for the analog measurement included a range-changing electrometer. The analog data were plots of the measured current-voltage function. The analog experiment yielded excellent data for 4 months, after which the experiment deteriorated because of radiation damage to its circuitry. Further details of the analog and digital instruments are presented in E. J. R. Mater, "Explorer XXXI total current monitor experiments," Proc. IEEE, v. 57, n. 6, pp. 1068-1071, June 1969. NSSDC has all the useful data that exist from this investigation.

BIBLIOGRAPHY

188 235 576 577 579 692 774 775 776

ORIGINAL PAGE IS
OF POOR QUALITY

***** ISIS 1*****

SPACECRAFT COMMON NAME- ISIS 1
ALTERNATE NAMES- ISIS-A, 03669

NSSDC ID- 69-009A

LAUNCH DATE- 01/30/69 WEIGHT- 241. KG
LAUNCH SITE- VANDENBERG AFB, UNITED STATES
LAUNCH VEHICLE- DELTA

SPONSORING COUNTRY/AGENCY

CANADA DRB-DRTE
UNITED STATES NASA-OSSA
JAPAN RRL

INITIAL ORBIT PARAMETERS

ORBIT TYPE- GEOCENTRIC EPOCH DATE- 02/04/69
ORBIT PERIOD- 128.42 MIN INCLINATION- 88.42 DEG
PERIAPSIS- 578. KM ALT APOAPSIS- 3526. KM ALT

PERSONNEL

PM - L.H. BRACE NASA-GSFC
PM - C.D. FLORIDA (DECEASED) DRB-DRTE
PS - L.H. BRACE NASA-GSFC
PS - I. PAGHIS (RETIRED) DRB-DRTE
PS - J.E. JACKSON NASA-GSFC

BRIEF DESCRIPTION

ISIS 1 was an ionospheric observatory instrumented with sweep- and fixed-frequency ionosondes, a VLF receiver, energetic and soft particle detectors, an ion mass spectrometer, an electrostatic probe, an electrostatic analyzer, a beacon transmitter, and a cosmic noise experiment. The sounder used two dipole antennas (73 and 18.7 m long). The satellite was spin-stabilized at about 2.9 rpm after antenna deployment. Some control was exercised over the spin rate and attitude by using magnetically induced torques to change the spin rate and to precess the spin axis. A tape recorder with 1-h capacity was included on the satellite. The satellite could be programmed to take recorded observations for four different time periods for each full recording period. The recorder data were dumped only at Ottawa. For non-tape-recorded observations, data for the satellite and subsatellite regions could be acquired and telemetered when the spacecraft was in the line of sight of telemetry stations. The selected telemetry stations were in areas that provided primary data coverage near the 80-deg-W meridian and in areas near Hawaii, Singapore, Australia, England, Norway, India, Japan, Antarctica, New Zealand, and Central Africa. NASA support of the ISIS project was terminated on October 1, 1979. A significant amount of experimental data, however, was acquired after this date by the Canadian project team. ISIS 1 operations were terminated in Canada on March 9, 1984. The Radio Research Laboratories (Tokyo, Japan) then requested and received permission to reactivate ISIS 1. Regular ISIS 1 operations were started from Kashima, Japan, in early August 1984.

BIBLIOGRAPHY

16 27 196 272 308 309 310 311 337 381
446 526 537 567 568 647 650 760 778 822
904 905 906 909 910 911 944 969

----- ISIS 1, NELMS-----

INVESTIGATION NAME- SWEEP-FREQUENCY SOUNDER

NSSDC ID- 69-009A-01

INVESTIGATIVE PROGRAM
CODE EE/CO-OP, SCIENCE

INVESTIGATION DISCIPLINE(S)
IONOSPHERES AND RADIO PHYSICS

PERSONNEL

PI - G.L. NELMS DOC-CRC
OI - J.E. JACKSON NASA-GSFC
OI - J.H. WHITTEKER DOC-CRC
OI - J. TURNER IONOSPHERIC PRED SERV
OI - M. SYLVAIN LGE
OI - O. HOLT AURORAL OBS
OI - Y. OGATA RADIO RESEARCH LAB
OI - R. RAGHAVARAO PHYSICAL RESEARCH LAB
OI - R.B. NORTON NOAA-ERL
OI - K.L. CHAN NASA-ARC
OI - R.S. UNWIN DEPT OF SCI+INDUST RES

BRIEF DESCRIPTION

The purpose of this experiment was to investigate the ionospheric electron density in the altitude range 300 to 3500 km for a full solar cycle (by combining the ISIS 1 measurements with the Alouette 2 data). Another important function of the sounder was to provide correlative data for the other ISIS 1 experiments, particularly those measuring ionospheric parameters. The ISIS 1 ionosonde was basically a radio transmitter/receiver that recorded the time delay between a transmitted and a returned radio frequency pulse. A continuum of frequencies between 0.1 and 20 MHz was sampled once every 19 or 29 s, and one of six selected frequencies was also used for a period of 3 to 5 s during this 19- or 29-s period. In addition to the sweep- and fixed-frequency modes of operation, a mixed mode was possible where the transmitter frequency was

fixed at 0.82 MHz while the receiver swept. Several virtual-height (delay-time) traces were normally observed due to ground reflections, plasma resonances, birefringence of the ionosphere, nonvertical propagation, etc. Virtual height at a given frequency was primarily a function of distance traversed by the signal, electron density along the propagation path, and mode of propagation. The standard data format was an ionogram showing virtual height as a function of frequency.

BIBLIOGRAPHY

23 97 98 100 101 102 103 105 105 110
111 112 127 135 148 164 165 221 246 262
263 266 267 305 306 318 322 343 377 416
426 444 445 448 449 450 451 452 433 480
503 517 600 601 603 662 663 665 669 673
676 728 751 777 781 795 815 816 827 887
898 916 917 918 923 940 942 944 945 946

----- ISIS 1, CALVERT-----

INVESTIGATION NAME- FIXED-FREQUENCY SOUNDER

NSSDC ID- 69-009A-02

INVESTIGATIVE PROGRAM
CODE EE/CO-OP, SCIENCE

INVESTIGATION DISCIPLINE(S)
IONOSPHERES AND RADIO PHYSICS

PERSONNEL

PI - W. CALVERT U OF IOWA
OI - R.B. NORTON NOAA-ERL
OI - J.M. WARNOCK NOAA
OI - J.H. WHITTEKER DOC-CRC

BRIEF DESCRIPTION

This experiment was designed to study ionospheric features of a smaller scale than could be detected by the sweep sounder, and to study plasma resonances. Parameters measured were virtual range (a function of propagation time of the reflected pulse) and time. These data were normally observed only when the spacecraft was in range of a telemetry station. The fixed-frequency sounder operated from the same antenna, transmitter, and receiver used for the sweep-frequency experiment. It normally operated for 5 s during the frequency flyback period of the sweep-frequency operation that was every 19 or 29 s. One of six frequencies (0.25, 0.48, 1.00, 1.95, 4.00, or 9.303 MHz) was chosen for use by the experimenter as desired. Other modes of operation were available, including continuous observation at a selected frequency, and a special mixed mode with transmission at the fixed frequency of 0.82 MHz and sweep reception.

BIBLIOGRAPHY

266 448 449 450 923 944

----- ISIS 1, BARRINGTON-----

INVESTIGATION NAME- VLF RECEIVER

NSSDC ID- 69-009A-03

INVESTIGATIVE PROGRAM
CODE EE/CO-OP, SCIENCE

INVESTIGATION DISCIPLINE(S)
IONOSPHERES AND RADIO PHYSICS

PERSONNEL

PI - R.E. BARRINGTON DOC-CRC
OI - F.H. PALMER DEFENCE RESEARCH ESTAB
OI - H.G. JAMES DOC-CRC

BRIEF DESCRIPTION

The purpose of this experiment was to study natural and man-made VLF signals. Specific objectives included the investigation of VLF propagation phenomena, ion and hybrid plasma resonances, and correlations between VLF emissions and intense fluxes of energetic particles. In this experiment an attempt was made to stimulate the ion resonances of the ambient plasma by using signals from a VLF sweep-frequency exciter, contained within the spacecraft. The instrumentation consisted of a low-frequency, broadband receiver that sensed signals received by the 73-m dipole (split monopole) antenna, between 0.05 and 30 kHz. This same antenna was used for receiving frequencies below 5 MHz on the ionosonde. The receiver had a wide dynamic range (80 dB) that was achieved by use of an automatic gain control system. This VLF experiment included an optional-use onboard exciter that operated over a frequency cycle pattern of 0 to 0.3 to 0 to 11 to 0 kHz over a 3.5-s "frame" period. The frames sequenced through four steps where the transmissions were attenuated by 0, 20, 20, then 40 dB, thus requiring 14 s for one complete cycle of exciter operation. The exciter transmitted on the short antennas and the receiver sensed the signals coupled between the two antennas by the ambient plasma, plus any noise signals which were excited in the plasma. This VLF experiment also permitted antenna impedance measurements, with or without a dc bias or the antenna. The real-time data were transmitted on 136.08-MHz telemetry. The VLF data could be recorded on one of the four tape-recorder channels during the time the tape recorder operated. Tape-recorded and backup real-time data were transmitted on 400-MHz telemetry.

BIBLIOGRAPHY

BRIEF DESCRIPTION

The ISIS 1 ion mass spectrometer (IMS) experiment was planned to provide in situ measurements of the exospheric ion concentrations, for species having mass-to-charge ratios from 1 to 20, as a function of latitude, longitude, time of day, season, and special events such as solar flares and magnetic storms. Ion concentrations from five ions to 5.E5 ions/cc could be measured. The instrumentation consisted of two mass analyzer assemblies plus a power supply and control unit that generated sweep voltages, bias potentials, and supply voltages. Each analyzer assembly contained a quadrupole mass filter, an electron multiplier, and excitation and detection electronics. The quadrupole rods were 7.62 cm long and 0.38 cm in diameter. The electron multiplier brought ion currents to values greater than 1.E-12 A, and an electrometer amplifier converted output currents to voltages suitable for telemetry. The mass filter was operated at 7 MHz, with the peak radio frequency voltage across the rods at 365 V. The IMS experiment failed during the period of February 2 and 3, 1969.

BIBLIOGRAPHY

944

----- ISIS 1, MCDIARMID-----

INVESTIGATION NAME- ENERGETIC PARTICLE DETECTORS

NSSDC ID- 69-009A-04

INVESTIGATIVE PROGRAM
CODE EE/CO-OP, SCIENCE

INVESTIGATION DISCIPLINE(S)
MAGNETOSPHERIC PHYSICS
PARTICLES AND FIELDS

PERSONNEL

PI - I.B. MCDIARMID NATL RES COUNC OF CAN
OI - J.R. BURROWS NATL RES COUNC OF CAN
OI - R.C. ROSE(RETIRED) NATL RES COUNC OF CAN

BRIEF DESCRIPTION

The purpose of this experiment was to provide data that would aid in understanding (1) the mechanisms responsible for the production and control of the outer radiation zone, (2) the related problems of particle entry into the earth's magnetic field, and (3) interactions between the earth's magnetosphere and the solar wind. This experiment consisted of four sets of detectors. The first set, comprising four Geiger counters, measured electrons greater than 20 and 40 keV and protons greater than 300 and 500 keV parallel and perpendicular to the satellite spin axis. All remaining detectors measured particles perpendicular to the spin axis. The second set consisted of solid-state, silicon-junction detectors. These responded to electrons greater than 25 and 140 keV, electrons in the range 220 to 770 keV, and protons greater than 200 and 400 keV. The third set consisted of five silicon-junction detectors that responded to protons between 0.15 and 30 MeV. The fourth set consisted of cesium iodide scintillation photomultiplier systems. Each system operated in two modes and responded to electrons greater than 8, 40, and 60 keV and protons greater than 50 keV and in the range 50 to 70 keV.

BIBLIOGRAPHY

151 154 156 423 424 425 532 616 623 624
821 823 846 944 945 946 956

----- ISIS 1, HEIKKILA-----

INVESTIGATION NAME- SOFT-PARTICLE SPECTROMETER

NSSDC ID- 69-009A-05

INVESTIGATIVE PROGRAM
CODE EE/CO-OP, SCIENCE

INVESTIGATION DISCIPLINE(S)
IONOSPHERES
PARTICLES AND FIELDS
AERONOMY

PERSONNEL

PI - W.J. HEIKKILA U OF TEXAS, DALLAS
OI - D.M. KLUMPAR U OF TEXAS, DALLAS

BRIEF DESCRIPTION

The purpose of this experiment was to study auroral and ionospheric phenomena by studying low-energy electrons and ions. The spectrometer simultaneously measured the differential energy spectra of positive and negative particles by a divergent electrostatic deflection system with electron multipliers for detectors. The experiment consisted of two such systems--one looking along the satellite spin axis and one perpendicular to it. A programmed power supply provided swept and stepped modes of operation selected either by internal programming or by ground command. The energy range was from 10 eV to 10 keV per unit charge. The swept mode of energy selection provided a 22-point spectrum in 0.5 s, while the stepped mode provided a 20-point (geometrically spaced) spectrum in 40 s. The experiment worked well. NSSDC has all the useful data that exist from this investigation.

BIBLIOGRAPHY

101 106 110 112 156 206 262 376 377 386
387 388 389 390 392 393 394 395 411 445
453 468 469 470 504 506 532 752 814 827
942 944 951 952 953 954 955 957 964 966

----- ISIS 1, NARCISI-----

INVESTIGATION NAME- POSITIVE ION MASS SPECTROMETER (1-20 AMU)

NSSDC ID- 69-009A-06

INVESTIGATIVE PROGRAM
CODE EE/CO-OP, SCIENCE

INVESTIGATION DISCIPLINE(S)
IONOSPHERES
AERONOMY

PERSONNEL

PI - R.S. NARCISI USAF GEOPHYS LAB

----- ISIS 1, BRACE-----

INVESTIGATION NAME- CYLINDRICAL ELECTROSTATIC PROBES

NSSDC ID- 69-009A-07

INVESTIGATIVE PROGRAM
CODE EE/CO-OP, SCIENCE

INVESTIGATION DISCIPLINE(S)
IONOSPHERES
AERONOMY

PERSONNEL

PI - L.H. BRACE NASA-GSFC
OI - J.A. FINDLAY NASA-GSFC

BRIEF DESCRIPTION

The purpose of this experiment was to study the global variations of electron temperature and electron concentration at S/C altitudes during solar maximum, and to study characteristics of the S/C ion sheath. The measurements were made with two cylindrical probes, operating as Langmuir probes. There were a boom probe and an axial probe. The axial probe extended 48.3 cm from the S/C, along the spin axis, and was centered among the four telemetry antennas on the underside of the S/C. This probe was capable of measurements undisturbed by the satellite motion only when the probe preceded the S/C in its motion through the plasma. The boom probe extended horizontally and outward (in S/C frame of reference) from a boom 1 m long, which in turn extended from an upper surface of the S/C at an angle of about 45 deg to the spin axis. This probe provided some observations during each S/C spin cycle that were free of S/C wake effects. The probes consisted of three concentric, electrically isolated, stainless steel tubes. The outer (0.24-cm diam and 23-cm long) tube floated at its own equilibrium potential and served to place the collector well away from the S/C plasma sheath. The middle tube (0.165-cm diam) extending 23 cm outward from the outer tube acted as an electrical guard for the collector. Its electrical potential was controlled. The collector (0.058-cm diam) extended 23 cm outward from the driven guard. During each 2-min sequence, a volt-ampere curve was obtained from the sawtooth voltage (-2 to +10 V) applied to the collector. This was interpreted in electron densities over a range from 1.E2 to 1.5E6 electrons per cc, and temperatures from about 400 to 5.E4 deg K. NSSDC has all the useful data that exist from this investigation.

BIBLIOGRAPHY

106 110 129 130 131 132 208 445 455 518
534 573 574 543 676 765 781 344 945 950

----- ISIS 1, SAGALYN-----

INVESTIGATION NAME- SPHERICAL ELECTROSTATIC ANALYZER

NSSDC ID- 69-009A-08

INVESTIGATIVE PROGRAM
CODE EE/CO-OP, SCIENCE

INVESTIGATION DISCIPLINE(S)
IONOSPHERES
AERONOMY

PERSONNEL

PI - R.C. SAGALYN USAF GEOPHYS LAB
OI - M. SMIDDY USAF GEOPHYS LAB

BRIEF DESCRIPTION

The objective of the spherical electrostatic analyzer experiment was to measure the temporal and spatial variations in the concentration and energy distribution of the charged particles throughout the orbit. Specifically, the objectives were to measure the following parameters: (1) the density of positive ions having thermal energy in the concentration range from 1.E1 to 1.E6 ions per cc, (2) the kinetic temperature of the thermal ions in the range from 700 to 4000 deg K, (3) the flux and energy spectrum of protons in the range from 0 to 2 keV, and (4) the satellite potential with respect to the undisturbed plasma. Two units made up the experiment package: a 96-cm boom that supported the sensor and made possible omnidirectional measurements, and an electronics package

ORIGINAL PAGE IS
OF POOR QUALITY

(considered to include the sensor) to perform the measurements and to process the data into a suitable form for telemetry. The sensor was made up of three concentric spherical meshed grids having radii of 3.18, 2.54, and 1.90 cm. The innermost grid was the collector. These grids were made from tungsten mesh and had a transparency of 80 to 90%. To measure the parameters listed above, suitable sweep and step voltages were applied to the grids. This instrument was operated in several modes. The ion densities were sampled 60 times a second, corresponding to a spatial resolution of 150 m. Once per minute the ratio of mass to temperature was sampled, and the energy distribution was sampled once every 2 min. NSSDC has all the useful data that exist from this investigation.

BIBLIOGRAPHY

19 20 21 149 150 231 269 748 795 796
944 948 949

----- ISIS 1, FORSYTH-----

INVESTIGATION NAME- RADIO BEACON

NSSDC ID- 69-009A-09

INVESTIGATIVE PROGRAM
CODE EE/CO-OP, SCIENCE

INVESTIGATION DISCIPLINE(S)
IONOSPHERES AND RADIO PHYSICS

PERSONNEL

PI - P.A. FORSYTH WESTERN ONTARIO U
OI - G.F. LYON WESTERN ONTARIO U
OI - E.H. TULL WESTERN ONTARIO U

BRIEF DESCRIPTION

This experiment was devised to study the ionospheric irregularities giving special attention to the disturbed ionospheric conditions. Beacon transmitters aboard the satellite radiated polarized radio emissions on command, at 136.41 and 137.95 MHz. The signal polarization, the amplitude of the signal, the relative phase of the signal, and the incident direction of the signal were observed from ground stations. Coincident observations were made at stations about 100 wavelengths apart. From known spacecraft position information and these observations, ionospheric irregularities could be almost completely described in terms of height, horizontal size and shape, electron peak concentration, and radial distribution of electrons. An important part of these descriptions was to originate from the computed values of total electron content (TEC) obtained primarily from the polarization and phase observations.

BIBLIOGRAPHY

234 352 353 354 355 734

----- ISIS 1, HARTZ-----

INVESTIGATION NAME- COSMIC RADIO NOISE

NSSDC ID- 69-009A-10

INVESTIGATIVE PROGRAM
CODE EE/CO-OP, SCIENCE

INVESTIGATION DISCIPLINE(S)
ASTRONOMY
IONOSPHERES AND RADIO PHYSICS

PERSONNEL

PI - T.R. HARTZ(RETIRED) DOC-CRC

BRIEF DESCRIPTION

This experiment used the sweep-frequency ionosonde receiver automatic gain control voltage to measure galactic and solar radio noise levels. The receiver swept from 0.1 to 20 MHz. The dynamic range was 50 dB, and the bandwidth was 55 kHz. The antennas used were 18.7-m and 73-m dipoles.

BIBLIOGRAPHY

23 376 377 445 446 451 454 944

***** ISIS 2*****

SPACECRAFT COMMON NAME- ISIS 2

ALTERNATE NAMES- ISIS-B, PL-701F
05104

NSSDC ID- 71-024A

LAUNCH DATE- 04/01/71 WEIGHT- 256. KG
LAUNCH SITE- VANDENBERG AFB, UNITED STATES
LAUNCH VEHICLE- DELTA

SPONSORING COUNTRY/AGENCY

CANADA DOC-CRC
UNITED STATES NASA-OSSA
JAPAN RRL

INITIAL ORBIT PARAMETERS

ORBIT TYPE- GEOCENTRIC EPOCH DATE- 04/02/71
ORBIT PERIOD- 113.8 MIN INCLINATION- 88.1 DEG
PERIAPSIS- 1358. KM ALT APOAPSIS- 1428. KM ALT

PERSONNEL

PM - C.A. FRANKLIN DOC-CRC
PM - L.H. BRACE NASA-GSFC
PS - L.H. BRACE NASA-GSFC
PS - T.R. HARTZ(RETIRED) DOC-CRC
PS - J.E. JACKSON NASA-GSFC

BRIEF DESCRIPTION

ISIS 2 was an ionospheric observatory instrumented with a sweep- and a fixed-frequency ionosonde, a VLF receiver, energetic and soft particle detectors, an ion mass spectrometer, an electrostatic probe, a retarding potential analyzer, a beacon transmitter, a cosmic noise experiment, and two photometers. Two long crossed-dipole antennas (73 and 18.7 m) were used for the sounding, VLF, and cosmic noise experiments. The spacecraft was spin-stabilized to about 2 rpm after antenna deployment. There were two basic orientation modes for the spacecraft, cartwheel and orbit-aligned. The spacecraft operated approximately the same length of time in each mode, remaining in one mode typically 3 to 5 months. The cartwheel mode with the axis perpendicular to the orbit plane was made available to provide ram and wake data for some experiments for each spin period, rather than for each orbit period. Attitude and spin information was obtained from a three-axis magnetometer and a sun sensor. Control of attitude and spin was possible by means of magnetic torquing. The experiment package also included a programmable tape recorder with a 1-h capacity. For nonrecorded observations, data from satellite and subsatellite regions were telemetered when the spacecraft was in the line of sight of a telemetry station. Telemetry stations were located so that primary data coverage was near the 80-deg-W meridian and near Hawaii, Singapore, Australia, England, France, Norway, India, Japan, Antarctica, New Zealand, and Central Africa. NASA support of the ISIS project was terminated on October 1, 1979. A significant amount of experimental data, however, was acquired after this date by the Canadian project team. ISIS 2 operations were terminated in Canada on March 9, 1984. The Radio Research Laboratories (Tokyo, Japan) then requested and received permission to reactivate ISIS 2. Regular ISIS 2 operations were started from Kashima, Japan, in early August 1984.

BIBLIOGRAPHY

27 158 224 309 311 381 446 508 526 537
632 679 756 828 832 906 909

----- ISIS 2, WHITTEKER-----

INVESTIGATION NAME- SWEEP-FREQUENCY SOUNDER

NSSDC ID- 71-024A-01

INVESTIGATIVE PROGRAM
CODE EE/CO-OP, SCIENCE

INVESTIGATION DISCIPLINE(S)
IONOSPHERES AND RADIO PHYSICS

PERSONNEL

PI - J.H. WHITTEKER DOC-CRC
OI - J. TURNER IONOSPHERIC PRED SERV
OI - M. SYLVAIN LGE
OI - O. HOLT AURORAL OBS
OI - Y. OGATA RADIO RESEARCH LAB
OI - R. RAGHAVARAO PHYSICAL RESEARCH LAB
OI - J.E. JACKSON NASA-GSFC
OI - R.B. NORTON NOAA-ERL
OI - K.L. CHAN NASA-ARC
OI - R.S. UNWIN DEPT OF SCI+INDUST RES

BRIEF DESCRIPTION

The purpose of this experiment was to measure the ionospheric electron density in the altitude range 300 to 1400 km. Another important function of the sounder was to provide correlative data for the other ISIS 2 experiments, particularly those measuring ionospheric parameters. The ISIS 2 ionosonde was a radio transmitter that recorded the time delay between a transmitted and returned radio-frequency pulse. A continuum of frequencies between 0.1 and 20 MHz was sampled every 14 or 21 s, and one of six selected frequencies was also used for sounding for a few seconds during each 14- or 21-s period. In addition to the sweep- and fixed-frequency modes of operation, a mixed mode was available in which the transmitter frequency was fixed at one of six possible frequencies while the receiver swept. Several virtual-range (delay-time) traces resulting from ground reflections, plasma resonances, birefringence of the ionosphere, nonvertical propagation, etc., were normally observed. Virtual range at a given frequency was primarily a function of distance traversed by the signal, electron density along the propagation path, and mode of propagation. The standard data format was an ionogram (graph) showing virtual range as a function of radio frequency.

BIBLIOGRAPHY

23 28 100 133 144 148 158 181 182 262
314 338 343 356 416 426 431 444 447 448
449 450 452 453 480 505 508 516 517 542
581 594 601 637 639 652 669 673 674 675
678 679 720 733 751 752 753 762 763 777
784 785 788 789 790 816 827 828 832 835
836 861 881 890 918 942 943 945 945

----- ISIS 2, CALVERT-----

INVESTIGATION NAME- FIXED-FREQUENCY SOUNDER

NSSDC ID- 71-024A-02 INVESTIGATIVE PROGRAM CODE EE/CO-OP, SCIENCE INVESTIGATION DISCIPLINE(S) IONOSPHERES AND RADIO PHYSICS

PERSONNEL PI - W. CALVERT U OF IOWA OI - R.B. NORTON NOAA-ERL OI - J.H. WHITTEKER DOC-CRC OI - J.M. WARNOCK NOAA

BRIEF DESCRIPTION This experiment was designed to study ionospheric features of a smaller scale than could be detected by the sweep sounder and to study plasma resonances. Parameters measured were virtual range (a function of propagation time of the pulse) and time. These data were normally observed only when the spacecraft was in range of a telemetry station. The fixed-frequency sounder operated from the same antenna, transmitter, and receiver used for the sweep-frequency experiment. It normally operated for 3 to 5 s during the frequency flyback period of the sweep-frequency operation which was every 14 or 21 s. One of six frequencies (0.12, 0.48, 1.00, 1.95, 4.00, or 9.303 MHz) was chosen for use by the experimenter, as desired. Other modes of operation were available, including continuous observation at a selected frequency and a special mixed mode with transmission at a selected one of the six fixed frequencies and sweep reception.

BIBLIOGRAPHY 100 432 448 449 450 831

----- ISIS 2, BARRINGTON-----

INVESTIGATION NAME- VLF RECEIVER

NSSDC ID- 71-024A-03 INVESTIGATIVE PROGRAM CODE EE/CO-OP, SCIENCE INVESTIGATION DISCIPLINE(S) IONOSPHERES AND RADIO PHYSICS

PERSONNEL PI - R.E. BARRINGTON DOC-CRC OI - F.H. PALMER DEFENCE RESEARCH ESTAB OI - H.S. JAMES DOC-CRC

BRIEF DESCRIPTION The purpose of this experiment was to study natural and man-made VLF signals. Specific objectives included the investigation of VLF propagation phenomena, ion and hybrid plasma resonances, and correlations between VLF emissions and intense fluxes of energetic particles. In this experiment a sweep-frequency exciter, covering the range from 15 kHz down to 0.05 kHz in 1.0 s, was used to stimulate ion resonances in the plasma. The instrumentation consisted of a low-frequency broadband receiver that observed signals from the 73-m long dipole (split monopole) antenna between 0.05 and 30 kHz. This same antenna was used for receiving signals below 5 MHz on the ionosonde. The VLF receiver had a wide dynamic range that was achieved by use of an automatic gain control system. The experiment also permitted antenna impedance measurements, with or without a dc bias on the antenna. The real-time data were transmitted on 136.08-MHz telemetry. The VLF data could be recorded on one of the four tape-recorder channels when the spacecraft tape-recorder was operating. Tape-recorded and backup real-time data were transmitted on 400-MHz telemetry.

BIBLIOGRAPHY 86 87 88 158 268 273 363 364 417 419 420 422 447 508 522 523 570 679 690 715 718 719 720 721 722 723 733 828 836 881 882 921 930 931

----- ISIS 2, MCDIARMID-----

INVESTIGATION NAME- ENERGETIC PARTICLE DETECTORS

NSSDC ID- 71-024A-04 INVESTIGATIVE PROGRAM CODE EE/CO-OP, SCIENCE INVESTIGATION DISCIPLINE(S) MAGNETOSPHERIC PHYSICS PARTICLES AND FIELDS

PERSONNEL PI - I.B. MCDIARMID NATL RES COUNC OF CAN OI - J.R. BURROWS NATL RES COUNC OF CAN

BRIEF DESCRIPTION The objectives of the energetic particle experiment were to provide data that would aid in the understanding of (1) the mechanisms responsible for the production and control of the outer radiation zone, (2) the related problem of solar-flare particle entry into the earth's magnetic field, and (3) interactions between the earth's magnetosphere and the solar wind. This experiment consisted of four sets of detectors.

The first set consisted of three Geiger counters (one of which failed after launch) and measured electrons greater than 20 and 40 keV perpendicular and parallel to the spin axis. These Geiger counters were also sensitive to protons with energies greater than 240 and 600 keV, respectively. All remaining detectors measured particles perpendicular to the spin axis. The second set consisted of two solid-state, silicon-junction detectors. Both detectors were operated in low- and high-threshold mode, while one could additionally be switched to another discrimination level. They measured electrons with energies greater than 40, 60, 90, 120, 150, and 200 keV. They were also sensitive to protons with energies greater than 150, 200, and 750 keV. The switchable detector experienced continuous saturation. The third set consisted of three silicon-junction detectors that measured protons in the energy ranges 0.8 to 4.0, 3.2 to 12.7, and 12.9 to 28.0 MeV, alpha particles in the energy range 2.5 to 16.0 MeV, and electrons in the energy range 1.0 to 2.0 MeV. The fourth set was composed of two cesium iodide scintillation-photomultiplier systems (channeltrons with cylindrical electrostatic analyzers) stepped through eight energies in 64/60 of a second. These differential spectrometers measured electrons at 9.6, 7.8, 6.0, 4.1, 3.0, 2.2, 1.3, and 0.15 keV, and measured protons at 26.2, 21.6, 17.0, 12.4, 9.4, 7.6, 5.2, and 2.2 keV.

BIBLIOGRAPHY 146 152 157 158 230 312 314 423 447 508 516 557 561 582 604 624 625 626 627 628 629 631 632 652 679 783 785 786 827 828 836 895 901 919 921 937 945 946 960

----- ISIS 2, HEIKKILA-----

INVESTIGATION NAME- SOFT-PARTICLE SPECTROMETER

NSSDC ID- 71-024A-05 INVESTIGATIVE PROGRAM CODE EE/CO-OP, SCIENCE INVESTIGATION DISCIPLINE(S) IONOSPHERES PARTICLES AND FIELDS AERONOMY

PERSONNEL PI - W.J. HEIKKILA U OF TEXAS, DALLAS OI - D.M. KLUMPAR U OF TEXAS, DALLAS

BRIEF DESCRIPTION The soft-particle spectrometer (basically an electrostatic analyzer) was used to study the directional intensity and differential energy spectra of ions and electrons to obtain a greater understanding of auroras, geomagnetic disturbances, and various ionospheric features. Differential energy spectra were obtained in the energy range 5 eV to 15 keV with a 20% energy resolution. The voltage sweep program of the analyzer was flexible. The experiment worked well from launch until October 1969, when the ion part of the experiment failed. Subsequently, only electron data were acquired. NSSDC has all the useful data that exist from this investigation.

BIBLIOGRAPHY 24 146 147 157 158 182 230 248 251 262 312 313 315 391 434 446 447 453 464 468 470 501 502 504 505 506 507 508 509 510 516 561 582 604 626 631 679 689 752 754 784 785 786 787 826 827 828 831 835 836 837 859 894 895 921 939 942 945 946 955 957 958 959 964

----- ISIS 2, HOFFMAN-----

INVESTIGATION NAME- ION-MASS SPECTROMETER

NSSDC ID- 71-024A-06 INVESTIGATIVE PROGRAM CODE EE/CO-OP, SCIENCE INVESTIGATION DISCIPLINE(S) IONOSPHERES AERONOMY

PERSONNEL PI - J.H. HOFFMAN U OF TEXAS, DALLAS

BRIEF DESCRIPTION The magnetic ion-mass spectrometer experiment was flown to measure the distribution of the concentrations of the positive ion species as a function of time and position, with particular interest focused on the polar wind particles. The instrument had two ion detector systems, and mass scanning through the range from 1 to 64 atomic mass units (u) was accomplished in two sections, 1 to 8 u and 8 to 64 u. Two ion beams emerged from the magnetic sector of the instrument and were simultaneously detected by electron multipliers and log electrometer amplifiers. A circuit following each amplifier detected the peak amplitude of the ion current. This peak value, rather than the entire mass spectrum, was transmitted in order to reduce the required telemetry bandwidth. In this mode of operation, the complete mass range was scanned in 1 s. A backup mode was provided that produced an analog output with a sweep period of 8 s. This experiment operated nominally after launch with most of the data obtained in the peak mode and while the satellite operated in the cartwheel mode. For about

ORIGINAL PAGE IS OF POOR QUALITY

2 min per pass over Ottawa, Canada, the experiment operated in the analog mode. Inflight calibration was achieved by comparing ion concentration measurements at appropriate altitudes, i.e., where a single ion species predominated, with electron density data from the sounder on board. Other comparisons were made between the spectrometer output and measurements obtained from other related experiments on board. NSSDC has all the useful data that exist from this investigation.

BIBLIOGRAPHY									
133	136	158	208	224	314	315	406	407	408
410	447	508	519	575	581	679	828	831	835
836	881	882	945						

----- ISIS 2, BRACE-----

INVESTIGATION NAME- CYLINDRICAL ELECTROSTATIC PROBES

NSSDC ID- 71-024A-07 INVESTIGATIVE PROGRAM
CODE EE/CO-OP, SCIENCE

INVESTIGATION DISCIPLINE(S)
IONOSPHERES
AERONOMY

PERSONNEL

PI - L.H. BRACE NASA-GSFC
OI - J.A. FINDLAY NASA-GSFC

BRIEF DESCRIPTION

The purpose of this experiment was to study the global variations of electron temperature and electron concentration at spacecraft altitudes during the waning phase of the solar cycle. The measurements were made with two cylindrical probes mounted along the spin axis, one at each end of the spacecraft. The sensors were operated as Langmuir probes, with the probe current being measured as a function of probe voltage. Although basically the same cylindrical probe experiment was flown on ISIS 1, the ISIS 2 probe provided (1) greater sensitivity allowing a more complete coverage of low-density regions such as the region over the polar cap, (2) very high resolution of plasma structure (down to 10 m in extent), and (3) onboard signal processing with backup to provide data in the format that had been used for the ISIS 1 experiment. NSSDC has all the useful data that exist from this investigation.

BIBLIOGRAPHY									
39	130	133	146	158	208	224	251	314	447
475	508	519	575	581	644	652	679	828	831
832	835	836	945						

----- ISIS 2, MAIER-----

INVESTIGATION NAME- RETARDING POTENTIAL ANALYZER

NSSDC ID- 71-024A-08 INVESTIGATIVE PROGRAM
CODE EE/CO-OP, SCIENCE

INVESTIGATION DISCIPLINE(S)
IONOSPHERES
AERONOMY

PERSONNEL

PI - E.J. MAIER NASA-GSFC
OI - B.E. TROY, JR. US NAVAL RESEARCH LAB
OI - J.L. DONLEY NASA-GSFC

BRIEF DESCRIPTION

The primary objective of this experiment was to measure the positive ion density, composition, and temperature in the vicinity of the spacecraft. A secondary objective was to measure the thermal electron density and temperature, and the flux of suprathermal electrons. This retarding potential analyzer consisted of three grids (aperture grid, retarding grid, and suppressor grid) that provided a volt-ampere curve relating sweep voltage on the retarding grid to current flow to the collector. Analysis of the volt-ampere curves provided ion/electron temperatures and densities. This experiment was designed to operate only with the satellite in a cartwheel mode of operation. In this mode, the spin axis was perpendicular to the orbit plane. This allowed the analyzer aperture to face the direction of satellite motion once each spin period. NSSDC has all the useful data that exist from this investigation.

BIBLIOGRAPHY									
158	314	475	508	575	580	581	582	679	828
831	835	891	945						

----- ISIS 2, FORSYTH-----

INVESTIGATION NAME- RADIO BEACON

NSSDC ID- 71-024A-09 INVESTIGATIVE PROGRAM
CODE EE/CO-OP, SCIENCE

INVESTIGATION DISCIPLINE(S)
IONOSPHERES AND RADIO PHYSICS

PERSONNEL

PI - P.A. FORSYTH WESTERN ONTARIO U
OI - G.F. LYON WESTERN ONTARIO U
OI - E.H. TULL WESTERN ONTARIO U

BRIEF DESCRIPTION

A continuous-wave transmitter (137 to 138 MHz band) radiating about 100 mW and operating in conjunction with the tracking beacon (136 to 137 MHz band) provided facilities for observing scintillations from irregularities, determining magnitudes and positions, and evaluating electron content between ground observer and satellite.

BIBLIOGRAPHY		
353	354	355

----- ISIS 2, HARTZ-----

INVESTIGATION NAME- COSMIC RADIO NOISE

NSSDC ID- 71-024A-10 INVESTIGATIVE PROGRAM
CODE EE/CO-OP, SCIENCE

INVESTIGATION DISCIPLINE(S)
ASTRONOMY
IONOSPHERES AND RADIO PHYSICS

PERSONNEL

PI - T.R. HARTZ (RETIRED) DOC-CRC

BRIEF DESCRIPTION

This experiment used the sweep-frequency ionosonde receiver automatic gain control voltages to measure galactic and solar radio-noise levels. The receiver swept from 0.1 to 20 MHz. The dynamic range was 50 dB, and the bandwidth was 55 kHz. The antennas used were 18.7-m and 73-m dipoles.

BIBLIOGRAPHY					
23	446	454	501	784	790

----- ISIS 2, ANGER-----

INVESTIGATION NAME- 3914- AND 5577-A PHOTOMETER

NSSDC ID- 71-024A-11 INVESTIGATIVE PROGRAM
CODE EE/CO-OP, SCIENCE

INVESTIGATION DISCIPLINE(S)
IONOSPHERES
PARTICLES AND FIELDS
AERONOMY

PERSONNEL

PI - C.D. ANGER U OF CALGARY

BRIEF DESCRIPTION

This dual-wavelength scanning auroral photometer was designed to map the distribution of auroral emissions at 5577 and 3914 Å over the portion of the dark earth visible to the spacecraft. A combination of internal electronic scanning performed by an image dissector and of the natural orbital and rotational motions of the spacecraft permitted the sensor to systematically scan across the earth. The detector system was constructed to allow incident radiation to be accepted from two directions 180 deg apart, and then to focus this light at a common point on the single-image-dissector photometer tube. Only one of the two optical systems pointed at the earth at any one time, while the other faced into space. When the spacecraft spin axis was oriented to lie in the orbital plane, each rotation of the spacecraft resulted in an earth scan 5 deg wide. This width size was chosen to ensure overlap with the previous scan. The image dissector repetitively scanned at a high speed across the narrow dimension of each 5-deg band and divided it into separately resolved regions 0.4 deg by 0.4 deg. Similar strips were scanned at each of the two wavelengths, but at times which differed by half the rotation period of about 10 s. A calibration light source for each wavelength was built into the optical assembly, and a calibration cycle was initiated automatically whenever a "power on" command was given. To minimize the problems arising from solar illumination of the optics and the direct viewing of the sunlit earth, a sunlight protection system was included. Complete details about the experiment can be found in C. D. Anger et al., "The ISIS-II scanning auroral photometer," Applied Optics, v. 12, no. 8, pp. 1753-1766, August 1973.

BIBLIOGRAPHY									
31	32	33	34	35	36	37	38	39	40
114	115	116	146	152	158	208	209	210	211
212	213	224	312	366	367	385	391	392	433
434	471	508	516	556	557	558	559	560	561
651	652	679	680	681	682	683	684	685	686
687	826	827	928	831	833	834	835	837	895
915	920	921	946	947	958				

----- ISIS 2, SHEPHERD-----

INVESTIGATION NAME- 6300-A PHOTOMETER

ORIGINAL PAGE IS
OF POOR QUALITY

INVESTIGATION DISCIPLINE(S)
IONOSPHERES
PARTICLES AND FIELDS
AERONOMY

PERSONNEL

PI - G.G. SHEPHERD

YORK U

BRIEF DESCRIPTION

A two-channel photometer was used to measure directly and to map the intensity of the atomic oxygen red line at 6300 Å in day, twilight, and night airglow and aurora. Each channel had its own optical input, and the two inputs were mounted at the same end of the spacecraft, separated by 180 deg, with their axes at 90 deg to the spacecraft's spin axis. One optical input was characterized by a spectral bandwidth of 12 Å centered around the 6300-Å line of atomic oxygen, and the other input was used for white-light measurements. The spinning satellite caused the photometer to alternately view the earth and then the sky; i.e., when one sensor viewed the earth, the other sensor saw the dark sky. Both sensors had a 2.5-deg circular field of view. With the use of a beam-combiner arrangement, the same photomultiplier accepted the two inputs. The dynamic range of intensity measurements was from about $1 \cdot E11$ photons/(sq m-s) (10 rayleighs) to more than $1 \cdot E16$ photons/(sq m-s). Sunlight could enter the optical systems directly in addition to earth-reflected light. The instrument baffle was illuminated by the sun only for the off-axis angles less than 47 deg. Outside this limit, the data were not degraded by sunlight, permitting normal operation in the region of the orbit where the spacecraft was in sunlight, but the portion of the earth beneath it was dark. An external light source "saw" the filter only when it was 7.5 deg or less off axis. In the range 7.5 to 47 deg, good data were still obtained when the sunlit earth was the origin of the contamination. To perform the data analysis, it was necessary, among other operations, to evaluate different geometrical situations, and to locate the point at which the 12-Å bandpass photometer's FOV crosses the earth's leading limb so that the data could be organized into spin maps. For more details see G. G. Shepherd et al. "ISIS-II atomic oxygen red line photometer," Applied Optics, v. 12, n. 8, pp. 1757-1774, August 1973.

BIBLIOGRAPHY

38	39	133	146	158	224	248	391	508	581
651	679	683	740	741	824	825	826	827	828
829	830	831	832	833	834	835	836	837	838
839	840	946	955	958					

**ORIGINAL PAGE IS
OF POOR QUALITY**

Literature Citations

PRECEDING PAGE BLANK NOT FILMED

- 1 ALOUETTE 1 IONOSPHERIC DATA N(H)
*DEF. RES. TELECOMMUN. ESTABL., UNNUMBERED, OTTAWA, CAN., UNDATED.
- 2 ALOUETTE - THE CANADIAN TOP-SIDE SOUNDING SATELLITE
*ELECTRON. COMMUN., 10, NO. 11, 31-38, 43-44, NOV. 1962.
- 3 ALOUETTE - CANADIAN-US IONOSPHERIC TOPSIDE SOUNDER SATELLITE
*IG BULL., NO. 65, 9-15, NOV. 1962.
- 4 HEIGHT DISTRIBUTIONS OF ELECTRON CONCENTRATION IN THE TOPSIDE IONOSPHERE AS DEDUCED FROM TOPSIDE SOUNDER SATELLITE IONOGRAMS
*RADIO RES. STATION, DITTON PARK, SLOUGH, ENGLAND, DEC. 1963.
- 5 IONOSPHERE SATELLITE - EXPLORER XX
*TRANS. AM. GEOPHYS. UNION, 46, 305-310, MARCH 1965.
- 6 ATLAS OF ALOUETTE 2 IONOGRAMS RECORDED AT PORT STANLEY, SINGAPORE AND WINKFIELD DURING THE MONTH AFTER LAUNCH
*RADIO SPACE RES. STATION (RSRS), UNNUMBERED, DITTON PARK, SLOUGH, ENGLAND, JAN. 1966.
- 7 ALOUETTE 1 IONOSPHERIC DATA INTERPOLATED N(H)
*DEF. RES. TELECOMMUN. ESTABL., 1-6, OTTAWA, CAN., AUG. 1967.
- 8 OCCURRENCE OF HF PROPAGATION BY DUCTING BASED ON TOPSIDE SOUNDING DATA
*RADIO RES. LAB., C.C.I.R. STUDY GROUP, REP. 341-1, TOKYO, JAPAN, 1970-1973.
- 9 ALOUETTE 1 IONOSPHERIC DATA (ALOSYN)
*DEF. RES. TELECOMMUN. ESTABL., UNNUMBERED, OTTAWA, CAN., UNDATED.
- 10 ALOUETTE 2 IONOSPHERIC DATA INTERPOLATED N(H)
*COMMUN. RES. CENT., 1-2, OTTAWA, CANADA, UNDATED.
- 11 ALOUETTE 1 DATA AVAILABLE
*COMMUN. RES. CENT., UNNUMBERED, OTTAWA, CAN., UNDATED.
- 12 ALOUETTE 2 DATA AVAILABLE
*COMMUN. RES. CENT., UNNUMBERED, OTTAWA, CAN., UNDATED.
- 13 ALOUETTE 2 IONOSPHERIC DATA N(H)
*COMMUN. RES. CENT., 1-2, OTTAWA, CANADA, UNDATED.
- 14 DATA ON TOPSIDE IONOSPHERE - ELECTRON DENSITIES AND SCALE HEIGHTS FROM ALOUETTE 2 OBSERVATIONS OVER JAPAN
*MINISTRY OF POSTS AND TELECOMMUN., RADIO RES. LAB., TOP ION 1 - TOP ION 6, TOKYO, JAPAN, FEB. 1970 - FEB. 1974.
- 15 AARONS, J. ALLEN, R. S.
SCINTILLATION OF A RADIO STAR AT A SUBAURORAL LATITUDE
*RADIO SCI., 1, NO. 10, 1180-1186, OCT. 1966.
- 16 ABDÜLEZER, J. BOAG, J. C. SAUNDERS, J.
FOUR HUNDRED MC/S 5 WATT SOLID STATE FM/PM MODULATED TRANSMITTER FOR SPACECRAFT TELEMETRY
*IN -- CAN. ELECTRON. CONF., TORONTO, CAN., OCT. 4-6, 1965, IEEE, PAPER NO. 65125, TORONTO, CAN., OCT. 1965.
- 17 AGALAKOV, V. S. SIRE, A. S. M.
CHARGED PARTICLES AND TEMPERATURE IN THE IONOSPHERE (IN RUSSIAN)
*PRIRODA, NO. 11, 69-72, NOV. 1970.
- 18 AGGARWAL, S. FATKULLIN, M. N. MALHOTRA, P. L.
ABNORMAL LATITUDINAL DISTRIBUTIONS OF THE F2 LAYER CRITICAL FREQUENCY
*NATURE PHYS. SCI., 230, 171-172, APR. 1971.
- 19 AHMED, M. SAGALYN, R. C.
THERMAL POSITIVE IONS IN THE DAYSIDE POLAR CUSP MEASURED ON THE ISIS 1 SATELLITE
*SPACE RES., 13, 1, 541-547, 1972. (PROC. OF 15TH COSPAR PLENARY MEETING, MADRID, SPAIN, MAY 10-24, 1972).
- 20 AHMED, M. RAD, L. D. V.
ROCKET AND SATELLITE EXPERIMENTS FOR THE MEASUREMENT OF THE PROPERTIES OF THERMAL AND HIGH ENERGY PLASMA
- FINAL REPORT #073071-093072
*AFCLR, 72-0662, BEDFORD, MA, NOV. 1972.
- 21 AHMED, M. SAGALYN, R. C. WILDMAN, P. J. L. BURKE, W. J.
TOPSIDE IONOSPHERIC TROUGH MORPHOLOGY - OCCURRENCE FREQUENCY AND DIURNAL, SEASONAL AND ALTITUDE VARIATIONS
*J. GEOPHYS. RES., 84, NO. A2, 489-497, FEB. 1979.
- 22 AIKYO, K. ONDOH, T. NAGAYAMA, M.
NONDUCTED WHISTLERS OBSERVED IN THE PLASMASPHERE
*RADIO RES. LAB. J., 19, NO. 100, 151-174, 1972.
- 23 AIKYO, K. ONDOH, T. NISHIZAKI, R. MARUYAMA, T. IGI, S. NAGAYAMA, M. YABUUMA, H. IDE, T. HIRASAWA, T.
SPECTRAL CHARACTERISTICS OF RADIO NOISE AT LOW AND MEDIUM FREQUENCIES IN THE ANTARCTIC TOPSIDE IONOSPHERE
*MEM. NATL. INST. POLAR RES., 19, 1982.
- 24 AKASOFU, S. - I. DEFOREST, S. MCILWAIN, C.
AURORAL DISPLAYS NEAR THE 'FOOT' OF THE FIELD LINE OF THE ATS-5 SATELLITE
*PLANET. SPACE SCI., 22, NO. 1, 25-40, JAN. 1974.
- 25 AL'PERT, YA. L. SINEL'NIKOV, V. M.
ON THE LOCAL AND INTEGRAL ELECTRON DENSITY OF THE IONOSPHERE MEASURED BY MEANS OF COHERENT RADIO WAVES EMITTED FROM ARTIFICIAL EARTH SATELLITES-I
*J. ATMOS. TERR. PHYS., 31, 641-661, MAY 1969.
- 26 AL'PERT, YA. L. SINEL'NIKOV, V. M.
RESULTS OF AN INVESTIGATION OF THE LOCAL AND INTEGRAL ELECTRON CONCENTRATION IN THE IONOSPHERE BY MEANS OF COHERENT RADIO WAVES EMITTED FROM A SATELLITE-I
*GEOMAG. AERON., 9, NO. 3, 331-338, MAY 1969.
- 27 ALMOND, J. FRANKLIN, C. A. WARREN, E. S.
PERSPECTIVE ON THE CANADIAN SATELLITE PROGRAM
*CAN. ELEC. ENG. J., 1, NO. 1, JAN. 1976.
- 28 ANDREWS, M. K.
NON DUCTED WHISTLER-MODE SIGNALS AT LOW LATITUDES
*J. ATMOS. TERR. PHYS., 40, 429-436, APRIL 1978.
- 29 ANDREWS, M. K. THOMAS, J. O.
ELECTRON DENSITY DISTRIBUTION ABOVE THE WINTER POLE
*NATURE, 221, 223-227, JAN. 1969.

ORIGINAL PAGE IS
OF POOR QUALITY

PRECEDING PAGE BLANK NOT FILMED

- 30 ANDREWS,M.K. THOMAS,J.O.
POLAR EXOSPHERIC PLASMA
*IN -- POLAR IONOS. AND MAGNETOS. PROCESS, 225-231, 1970.
- 31 ANGER,C.D.
AURORA IN THE POLAR CAP DURING DECEMBER 1971, AS SEEN BY THE ISIS 2 SCANNING AURORAL PHOTOMETER
*IN -- SOL. TERR. RELATIONS, 617-644, U. OF CALGARY, ALBERTA, CANADA, 1973.
- 32 ANGER,C.D.
AURORAL SUBSTORM SEEN FROM ABOVE
*SPACE SCI. REV., 15, NO. 4, 402, FEB. 1974.
- 33 ANGER,C.D.
AURORA
*IN -- YEARBOOK OF SCI. AND TECHNOL., 117-118, MCGRAW HILL BOOK CO., NEW YORK, NY, 1975.
- 34 ANGER,C.D. LUI,A.T.Y.
GLOBAL VIEW AT THE POLAR REGION ON 18 DECEMBER 1971
*PLANET. SPACE SCI., 21, NO. 5, 873-878, MAY 1973.
- 35 ANGER,C.D. MURPHREE,J.S.
ISIS 2 SATELLITE IMAGERY AND AURORAL MORPHOLOGY
*IN -- MAGNETOS. PART. AND FIELDS, 223-234, D. REIDEL PUBL. CO., DORDRECHT, THE NETHERLANDS, 1976.
- 36 ANGER,C.D. LUI,A.T. AKASOFU,S.I.
OBSERVATIONS OF THE AURORAL OVAL AND A WESTWARD TRAVELING SURGE FROM THE ISIS 2 SATELLITE AND THE ALASKAN MERIDIAN ALL-SKY CAMERAS
*J. GEOPHYS. RES., 78, 3020-3026, JUNE 1973.
- 37 ANGER,C.D. FANCOTT,T. MCNALLY,J. KERR,H.S.
ISIS 2 SCANNING AURORAL PHOTOMETER
*APPL. OPT., 12, NO. 8, 1753-1766, AUG. 1973.
- 38 ANGER,C.D. SAWCHUK,W. SHEPHERD,G.G.
POLAR CAP OPTICAL AURORA SEEN FROM ISIS 2
*IN -- MAGNETOS. PHYS., 357-366, B.M. MCCORMAC, D. REIDEL PUBL. CO., DORDRECHT, THE NETHERLANDS, 1974.
- 39 ANGER,C.D. MOSHUPI,M.C. WALLIS,D.D. MURPHREE,J.S. BRACE,L.H. SHEPHERD,G.G.
DETACHED AURORAL ARCS IN THE TROUGH REGION
*J. GEOPHYS. RES., 83, NO. A6, 2683-2689, JUNE 1978.
- 40 ANGER,C.D. MURPHREE,J.S. COGGER,L.L.
SATELLITE OBSERVATIONS OF SPATIAL AND TEMPORAL FLUCTUATIONS IN POST-MIDNIGHT AURORAS
*CAN. J. PHYS., 59, NO. 8, 1137-1142, AUG. 1981.
- 41 ANGERAMI,J.J. THOMAS,J.O.
STUDIES OF PLANETARY ATMOSPHERES. 1. THE DISTRIBUTION OF ELECTRONS AND IONS IN THE EARTH'S EXOSPHERE
*J. GEOPHYS. RES., 69, NO. 21, 4537-4560, NOV. 1964.
- 42 ARENDT,P.R.
COMPARISON OF EXPERIMENTAL DATA OF THE EFFECTIVE ION MASS IN THE UPPER IONOSPHERE WITH A THEORETICAL STRUCTURE
*NATURE, 208, NO. 5009, 443-445, OCT. 1965.
- 43 ARENDT,P.R.
REMARKS ON THE MATCHING OF TOPSIDE AND BOTTOMSIDE ELECTRON DENSITY PROFILES OF THE IONOSPHERE
*ECOM, 3077, FT. MONMOUTH, NJ, FEB. 1969.
- 44 ARENDT,P.R.
COMPARISON OF THE TOPSIDE IONOSPHERE DURING MAGNETIC STORMS OF VARIOUS TYPES
*PLANET. SPACE SCI., 17, 1993-1995, DEC. 1969.
- 45 ARENDT,P.R. PAPAYOANOU,A.
CONVERSION OF TOPSIDE IONOGRAMS TO EXPONENTIAL ELECTRON DENSITY PROFILES
*U.S. ARMY ELECTRON. RES. AND DEVELOP. LAB., TECH. REPT. 2424, FORT MONMOUTH, NJ, FEB. 1964.
- 46 ARENDT,P.R. PAPAYOANOU,A.
STRUCTURE AND VARIATION OF THE TOPSIDE IONOSPHERE CLOSE TO THE FORT MONMOUTH LONGITUDE
*J. GEOPHYS. RES., 70, NO. 15, 3675-3685, AUG. 1965.
- 47 ARENDT,P.R. SOICHER,H.
TOPSIDE IONOSPHERIC STRUCTURE AT NORTHERN MID-LATITUDES AFTER GROUND SUNSET IN SUMMER
*NATURE, 222, NO. 5199, 1155-1156, JUNE 1969.
- 48 ARENDT,P.R. PAPAYOANOU,A. SOICHER,H.
DETERMINATION OF THE IONOSPHERIC ELECTRON CONTENT UTILIZING SATELLITE SIGNALS
*PROC. OF THE IEEE, 53, 268-277, MAR. 1965.
- 49 ARENDT,P.R. ROSATI,V. SOICHER,H.
QUICK LOOK SYSTEM FOR VIRTUAL REAL-TIME TELEMETRY RECEPTION OF TOPSIDE IONOGRAMS
*PROC. OF THE IEEE, 57, 947-948, JUNE 1969.
- 50 ARENDT,P.R. GORMAN,F., JR. SOICHER,H.
SYNOPTIC PREVIEW OF IONOSPHERIC DATA TAKEN AT FORT MONMOUTH, NEW JERSEY, DURING THE ECLIPSE
*NATURE, 226, NO. 5251, 1114, JUNE 1970.
- 51 ATKINS,E.A. CHAPMAN,J.H.
SATELLITE MEASUREMENTS OF RADIO BREAKTHROUGH
*CAN. J. PHYS., 41, 1388-1393, MAY 1963.
- 52 AUBRY,M.P.
INFLUENCE OF ELECTRON DENSITY IRREGULARITIES ON THE PROPAGATION OF VLF WAVES IN THE IONOSPHERE (IN FRENCH)
*ANN. DE GEOPHYS., 24, 39-48, JAN.-MAR. 1968.
- 53 BANKS,P.M.
PLASMA TRANSPORT IN THE TOPSIDE POLAR IONOSPHERE
*IN -- POLAR IONOS. AND MAGNETOS. PROCESSES, 193-208, G. SKOVLI, GORDON AND BREACH SCI. PUBL. INC., NEW YORK, NY, 1970.
- 54 BANKS,P.M.
POLAR WIND AND ITS IMPLICATIONS
*IN -- ATMOS. EMISSIONS, 533-538, VAN NOSTRAND REINHOLD CO., NEW YORK, NY, 1969.
- 55 BANKS,P.M.
DYNAMICAL BEHAVIOR OF THE POLAR TOPSIDE IONOSPHERE
*IN -- MAGNETOS.-IONOS. INTERACTIONS, 87-95, B.M. MCCORMAC, UNIVERSITETSFORLAGET, OSLO, NORWAY, 1972.
- 56 BANKS,P.M. MCGOWAN,J.W.
HE2+ IN THE TOPSIDE IONOSPHERE

- 57 BANKS,P.M. DOUPNIK,J.R.
STUDIES OF THE STRUCTURE OF THE PLASMASPHERE AS SEEN BY RADIOSOUNDER MEASUREMENTS ABOARD THE ALOUETTE
SATELLITE-FINAL TECHNICAL REPORT
*CALIF. U., NASA-CR-137371, LA JOLLA, CA, NOV. 1973.
- 58 BANKS,P.M. DOUPNIK,J.R.
THERMAL PROTON FLOW IN THE PLASMASPHERE - THE MORNING SECTOR
*PLANET. SPACE SCI., 22, NO. 1, 79-94, JAN. 1974.
- 59 BARRINGTON,R.E.
PRELIMINARY ROCKET INVESTIGATION OF VERY LOW FREQUENCY IONOSPHERIC RESONANCES
*SPACE RES., 9, 279-286, 1969. (PROCEEDINGS OF THE 11TH PLENARY MEETING OF COSPAR, TOKYO, JAPAN, MAY 9-21,
1968. EDS. K.S.W. CHAMPION, P.A. SMITH, R.L. SMITH-ROSE, NORTH-HOLLAND PUBLISHING CO., AMSTERDAM,
NETHERLANDS).
- 60 BARRINGTON,R.E.
SATELLITE OBSERVATIONS OF VLF RESONANCES
*IN -- PLASMA WAVES IN SPACE AND IN THE LAB., 361-378, AM. ELSEVIER PUBL. CO., NEW YORK, NY, 1969.
- 61 BARRINGTON,R.E.
IONOSPHERIC ION COMPOSITION DEDUCED FROM VLF OBSERVATIONS
*PROC. OF THE IEEE, 57, 1036-1041, JUNE 1969.
- 62 BARRINGTON,R.E.
ION RESONANCES IN THE IONOSPHERE
*IN -- PROGRESS IN RADIO SCI. 1966-1969, VOL. 1, 101-106, G.M. BROWN, INT. UNION OF RADIO SCI., BRUSSELS,
BELGIUM, 1970.
- 63 BARRINGTON,R.E. BELROSE,J.S.
PRELIMINARY RESULTS FROM THE VLF RECEIVER ABOARD CANADA'S ALOUETTE SATELLITE
*NATURE, 198, NO. 4881, 651-656, MAY 1963.
- 64 BARRINGTON,R.E. HERZBERG,L.
FREQUENCY VARIATION IN IONOSPHERIC CYCLOTRON HARMONIC SERIES OBTAINED BY THE ALOUETTE 1 SATELLITE
*CAN. J. PHYS., 44, 987-994, MAY 1966.
- 65 BARRINGTON,R.E. MCEWEN,D.J.
ION COMPOSITION FROM VLF PHENOMENA OBSERVED BY ALOUETTE 1 AND 2
*SPACE RES., 7, 624-633, 1967. (PROC. OF THE 7TH INT. SPACE SCI. SYMP., VIENNA, AUSTRIA, MAY 10-18, 1966.
- 66 BARRINGTON,R.E. HARTZ,T.R.
SATELLITE IONOSONDE RECORDS - RESONANCES BELOW THE CYCLOTRON FREQUENCY
*SCIENCE, 160, 181-184, APR. 1968.
- 67 BARRINGTON,R.E. HARTZ,T.R.
RESONANCES OBSERVED BY THE ALOUETTE TOPSIDE SOUNDERS
*IN -- PLASMA WAVES IN SPACE AND IN THE LAB., 1, 55-79, AM. ELSEVIER PUBL. CO., NEW YORK, NY, 1969.
- 68 BARRINGTON,R.E. PALMER,F.H.
DISTRIBUTION OF ELF/VLF NOISE IN THE POLAR IONOSPHERE
*IN -- MAGNETOS.-IONOS. INTERACTIONS, 97-104, B.M. MCCORMAC, UNIVERSITETSFORLAGET, OSLO, NORWAY, 1972.
- 69 BARRINGTON,R.E. BELROSE,J.S. KEELEY,D.A.
VERY LOW FREQUENCY NOISE BANDS OBSERVED BY THE ALOUETTE 1 SATELLITE
*J. GEOPHYS. RES., 68, NO. 23, 6539-6541, DEC. 1963.
- 70 BARRINGTON,R.E. BELROSE,J.S. NELMS,G.L.
ION COMPOSITION AND TEMPERATURES AT 1000 KM AS DEDUCED FROM SIMULTANEOUS OBSERVATIONS OF A VLF PLASMA
RESONANCE AND TOPSIDE SOUNDING DATA FROM ALOUETTE 1 SATELLITE
*J. GEOPHYS. RES., 70, NO. 7, 1647-1664, APR. 1965.
- 71 BARRINGTON,R.E. BELROSE,J.S. NELMS,G.L.
ION COMPOSITION AND TEMPERATURE AT 1000 KM AS DEDUCED FROM VLF RESONANCES AND TOPSIDE IONOGRAMS
*IN -- ELECTRON DENSITY PROFILES IN IONOS. AND EXOS., 387-396, J. FRIHAGEN, NORTH-HOLLAND PUBL. CO.,
AMSTERDAM, THE NETHERLANDS, 1966.
- 72 BARRINGTON,R.E. BELROSE,J.S. MATHER,W.E.
HELIUM WHISTLER OBSERVED IN THE CANADIAN SATELLITE ALOUETTE 2
*NATURE, 210, 80-81, APR. 1966.
- 73 BARRINGTON,R.E. HARTZ,T.R. HARVEY,R.W.
DIURNAL DISTRIBUTION OF ELF, VLF, AND LF NOISE AT HIGH LATITUDES AS OBSERVED BY ALOUETTE 2
*J. GEOPHYS. RES., 76, NO. 22, 5278-5291, AUG. 1971.
- 74 BARRY,J.D. COLEMAN,P.J., JR. LIBBY,W.F. LIBBY,L.M.
RADIO REFLECTION BY FREE RADICALS IN EARTH'S ATMOSPHERE
*SCIENCE, 156, 1730-1732, JUNE 1967.
- 75 BARRY,J.D. COLEMAN,P.J., JR. LIBBY,W.F. LIBBY,L.M.
DAY NIGHT VARIATION OF ALOUETTE 2 SECONDARY RESONANCES
*PROC. OF THE IEEE, 57, 1126-1128, JUNE 1969.
- 76 BAUER,S.J.
DIFFUSIVE EQUILIBRIUM IN THE TOPSIDE IONOSPHERE
*PROC. OF THE IEEE, 57, NO. 6, 1114-1118, JUNE 1969.
- 77 BAUER,S.J.
TEMPERATURE AND COMPOSITION STUDIES IN THE POLAR IONOSPHERE
*IN -- POLAR IONOS. AND MAGNETOS. PROCESS, 161-173, 1970.
- 78 BAUER,S.J. JACKSON,J.E.
ALOUETTE MID-LATITUDE TOPSIDE STUDIES
*IG BULL., NO. 79, 7-11, JAN. 1964.
- 79 BAUER,S.J. BLUMLE,L.J.
MEAN DIURNAL VARIATION OF THE TOPSIDE IONOSPHERE AT MID-LATITUDES
*J. GEOPHYS. RES., 69, NO. 17, 3613-3618, SEPT. 1964.
- 80 BAUER,S.J. KRISHNAMURTHY,B.V.
BEHAVIOR OF THE TOPSIDE IONOSPHERE DURING A GREAT MAGNETIC STORM
*PLANET. SPACE SCI., 16, 653-663, MAY 1968.
- 81 BAUER,S.J. BLUMLE,L.J. DONLEY,J.L. FITZENREITER,R.J. JACKSON,J.E.
SIMULTANEOUS ROCKET AND SATELLITE MEASUREMENTS OF THE TOPSIDE IONOSPHERE
*J. GEOPHYS. RES., 69, NO. 1, 186-189, JAN. 1964.
- 82 BECKER,W.
DETERMINATION OF THE FINE STRUCTURE OF THE IONOSPHERE ON THE BASIS OF IONOGRAMS

ORIGINAL PAGE IS
OF POOR QUALITY

- *KLEINHEUBACHER BERICHTE, 13, 37-44, JAN. 1969.
- 83 BECKER,W.
FEW EXAMPLES OF ELECTRON DENSITY PROFILES FOR THE BOTTOMSIDE AND TOPSIDE IONOSPHERE
*KLEINHEUBACHER BERICHTE, 14, 145-154, 1971.
- 84 BECKER,W.
STANDARD PROFILE OF THE MID-LATITUDE F REGION OF THE IONOSPHERE AS DEDUCED FROM BOTTOMSIDE AND TOPSIDE IONOGRAMS
*SPACE RES., 12, 1241-1252, 1972. (PROC. OF THE 14TH COSPAR PLENARY MEETING, SEATTLE, WA, JUNE 21-JULY 2, 1971).
- 85 BECKER,W.
MEAN ELECTRON DENSITY PROFILES FOR THE INNER AND OUTER F-REGION AND ITS SEASONAL DEPENDANCE
*KLEINHEUBACHER BERICHTE, 15, 43-56, 1972.
- 86 BECKER,W.
STUDIES ON THE THERMOSPHERE AND IONOSPHERE BASED ON A DETAILED ANALYSIS OF TOPSIDE IONOGRAMS
*MAX-PLANK-INSTITUT FUER AERONOMIE, BMFT-FB-W-7801, LINDAU UBER NORTHEIM, WEST GERMANY, NOV. 1978.
- 87 BELL,T.F. JAMES,H.G. INAN,U.S. KATSUFRAKIS,J.P.
APPARENT SPECTRAL BROADENING OF VLF TRANSMITTER SIGNALS DURING TRANSIONOSPHERIC PROPAGATION
*J. GEOPHYS. RES., 88, NO. A6, 4813-4840, JUNE 1983.
- 88 BELL,T.F. KATSUFRAKIS,J.P. JAMES,H.G.
NEW TYPE OF VLF EMISSION TRIGGERED AT LOW ALTITUDE IN THE SUBAURORAL REGION BY SIPLE STATION VLF TRANSMITTER SIGNALS
*J. GEOPHYS. RES., 90, NO. A12, 12183-12194, DEC. 1985.
- 89 BELROSE,J.S. BARRINGTON,R.E.
VLF NOISE BANDS OBSERVED BY THE ALOUETTE 1 SATELLITE
*RADIO SCI., 69D, NO. 1, 69, JAN. 1965.
- 90 BENSON,R.F.
FREQUENCY SHIFTS OBSERVED IN THE ALOUETTE 2 CYCLOTRON HARMONIC PLASMA RESONANCES
*PROC. OF THE IEEE, 57, 1139-1142, JUNE 1969.
- 91 BENSON,R.F.
ANALYSIS OF ALOUETTE 1 PLASMA RESONANCE OBSERVATIONS
*IN -- PLASMA WAVES IN SPACE AND IN THE LAB., 2, 25-54, J.O. THOMAS, AM. ELSEVIER PUBL. CO., NEW YORK, NY, 1970.
- 92 BENSON,R.F.
FREQUENCY INTERPOLATION CORRECTION FOR ALOUETTE 2 IONOGRAMS
*PROC. OF THE IEEE, 58, NO. 12, 1959-1961, DEC. 1970.
- 93 BENSON,R.F.
ALOUETTE 2 OBSERVATIONS SUPPORTING THE OBLIQUE ECHO MODEL FOR THE PLASMA FREQUENCY RESONANCE
*J. GEOPHYS. RES., 76, 1083-1087, FEB. 1971.
- 94 BENSON,R.F.
IONOSPHERIC PLASMA RESONANCES - TIME DURATIONS *VERSUS LATITUDE, ALTITUDE, AND FN/FH
*PLANET. SPACE SCI., 20, 683-706, MAY 1972.
- 95 BENSON,R.F.
FREQUENCY SHIFTS OF IONOSPHERIC NF*SUB H RESONANCES
*J. ATMOS. TERR. PHYS., 34, 1201-1214, JULY 1972.
- 96 BENSON,R.F.
SIMULTANEOUS IN SITU ELECTRON TEMPERATURE COMPARISON USING ALOUETTE 2 PROBE AND PLASMA RESONANCE DATA
*J. GEOPHYS. RES., 78, NO. 28, 6755-6759, OCT. 1973.
- 97 BENSON,R.F.
STIMULATION OF THE HARRIS INSTABILITY IN THE IONOSPHERE
*PHYS. FLUIDS, 17, NO. 5, 1032-1037, MAY 1974.
- 98 BENSON,R.F.
ON THE GENERATION OF THE SEQUENCE OF DIFFUSE RESONANCES OBSERVED ON TOP SIDE IONOGRAMS
*J. GEOPHYS. RES., 79, NO. 19, 2911-2912, JULY 1974.
- 99 BENSON,R.F.
ION EFFECTS ON IONOSPHERIC ELECTRON RESONANT PHENOMENA
*RADIO SCI., 10, NO. 2, 173-185, FEB. 1975.
- 100 BENSON,R.F.
STIMULATED PLASMA WAVES IN THE IONOSPHERE
*RADIO SCI., 12, NO. 6, 861-878, NOV.-DEC. 1977.
- 101 BENSON,R.F.
AURORAL KILOMETRIC RADIATION SOURCE REGION OBSERVATIONS FROM ISIS 1
*IN -- PHYSICS OF AURORAL ARC FORMATION, GEOPHYSICAL MONOGRAPH 25, 369-379, S.-I. AKASOFU, AMERICAN GEOPHYSICAL UNION, WASH., DC, 1981.
- 102 BENSON,R.F.
REMOTE DETECTION OF THE MAXIMUM ALTITUDE OF EQUATORIAL IONOSPHERIC PLASMA BUBBLES
*IN -- THE EFFECT OF THE IONOSPHERE ON RADIOWAVE SYSTEMS, APR. 14-16 1981, NRL, ONR, AFGL, UNDATED.
- 103 BENSON,R.F.
HARMONIC AURORAL KILOMETRIC RADIATION OF NATURAL ORIGIN
*GEOPHYS. RES. LETT., 9, NO. 9, 1120-1123, SEPT. 1982.
- 104 BENSON,R.F.
STIMULATED PLASMA INSTABILITY AND NONLINEAR PHENOMENA IN THE IONOSPHERE
*RADIO SCI., 17, NO. 6, 1637-1659, DEC. 1982.
- 105 BENSON,R.F.
ORDINARY MODE AURORAL KILOMETRIC RADIATION, WITH HARMONICS, OBSERVED BY ISIS 1
*RADIO SCI., 19, NO. 2, 543-550, MAR.-APR. 1984.
- 106 BENSON,R.F.
AURORAL KILOMETRIC RADIATION: WAVE MODES, HARMONICS, AND SOURCE REGION ELECTRON DENSITY STRUCTURES
*J. GEOPHYS. RES., 90, NO. A3, 2753-2784, MAR. 1985.
- 107 BENSON,R.F.
FIELD-ALIGNED ELECTRON DENSITY IRREGULARITIES NEAR 500 KM: EQUATOR TO POLAR CAP TOPSIDE SOUNDER OBSERVATIONS
*RADIO SCI., 20, NO. 3, 477-485, JUNE 1985.
- 108 BENSON,R.F. HOEGY,W.R.
EFFECT OF AN ISOTROPIC NON-EQUILIBRIUM PLASMA ON ELECTRON TEMPERATURE MEASUREMENTS

ORIGINAL PAGE IS
OF POOR QUALITY

- *J. GEOPHYS. RES., 78, NO. 22, 4702-4706, AUG. 1973.
- 109 BENSON,R.F. BITOUN,J.
INTERPRETATION OF SATELLITE GYROHARMONIC RESONANCE OBSERVATIONS
*RADIO SCI., 14, NO. 1, 113-123, JAN.-FEB. 1979.
- 110 BENSON,R.F. CALVERT,W.
ISIS 1 OBSERVATIONS AT THE SOURCE OF AURORAL KILOMETRIC RADIATION
*GEOPHYS. RES. LETT., 6, NO. 6, 479-482, JUNE 1979.
- 111 BENSON,R.F. AKASOFU,S.-I.
AURORAL KILOMETRIC RADIATION/AURORA CORRELATION
*RADIO SCI., 19, NO. 2, 527-541, APR. 1984.
- 112 BENSON,R.F. CALVERT,W. KLUMPAR,D.M.
SIMULTANEOUS WAVE AND PARTICLE OBSERVATIONS IN THE AURORAL KILOMETRIC RADIATION SOURCE REGION
*GEOPHYS. RES. LETT., 7, NO. 11, 959-962, NOV. 1980.
- 113 BENT,R.B. WALLOCH,M.K. LLEWELLYN,S.K.
DESCRIPTION AND EVALUATION OF THE BENT IONOSPHERIC MODEL
*DBA SYSTEMS INC., UNNUMBERED, MELBOURNE, FL, OCT. 1972.
- 114 BERKEY,F.T. KAMIDE,Y.
ON THE DISTRIBUTION OF GLOBAL AURORAS DURING INTERVALS OF MAGNETOSPHERIC QUIET
*J. GEOPHYS. RES., 81, NO. 25, 4701-4714, SEPT. 1976.
- 115 BERKEY,F.T. COGGER,L.L. ISMAIL,S.
EVIDENCE FOR A CORRELATION BETWEEN SUN ALIGNED ARCS AND THE INTERPLANETARY MAGNETIC FIELD DIRECTION
*GEOPHYS. RES. LETT., 3, NO. 3, 145-147, MAR. 1976.
- 116 BERKEY,F.T. ANGER,C.D. AKASOFU,S.-I.
SIGNATURE OF LARGE SCALE AURORAL STRUCTURE IN RADIOWAVE ABSORPTION
*J. GEOPHYS. RES., 85, NO. A2, 593-606, FEB. 1980.
- 117 BERNARD,R. TAIEB,C.
STUDY OF THE LINK BETWEEN TOPSIDE AND BOTTOMSIDE SOUNDINGS PERFORMED AT OUAGADOUGOU (IN FRENCH)
*CNET, GRI-NT-78, ISSY-LES-MOULINEAUX, FRANCE, APR. 1970.
- 118 BITOUN,J. GRAFF,P.H. AUBRY,M.
RAY TRACING IN WARM MAGNETOPLASMA AND APPLICATIONS TO TOPSIDE RESONANCES
*RADIO SCI., 5, NO. 11, 1341-1349, NOV. 1970.
- 119 BLUMLE,L.J. FITZENREITER,R.J. JACKSON,J.E.
NASA TOPSIDE SOUNDER PROGRAM
*IN -- ADV. IN ASTRON. SCI., 12, 67-95, AMER. ASTRON. SOC., NEW YORK, NY, 1963.
- 120 BOENKOVA,N.M.
SPATIAL AND TEMPORAL MANIFESTATION OF THE SEASONAL ANOMALY IN THE TOPSIDE IONOSPHERE
*GEOMAG. AERON., 12, NO. 1, 99-100, JAN. 1972.
- 121 BOENKOVA,N.M.
SEASONAL ANOMALY OF THE ELECTRON DENSITY OF THE F REGION AT NIGHT
*GEOMAGN. I AERON., 17, 418-421, MAY-JUNE 1977.
- 122 BOOKER,H.G. SMITH,E.K.
COMPARATIVE STUDY OF IONOSPHERIC MEASUREMENT TECHNIQUES
*J. ATMOS. TERR. PHYS., 32, 467-497, APR. 1970.
- 123 BOOTH,G.H.
CHARACTERISTICS OF THE ALOUETTE SATELLITE 1962 BETA ALPHA ONE
*DEF. RES. TELECOMMUN. ESTABL., REP. NO. 1111, OTTAWA, CAN., JUNE 1963.
- 124 BOULDING,J.D.R.
ALOUETTE COMMUTATORS
*IN -- CAN. ELECTRON. CONF., TORONTO, CAN., OCT. 4-6, 1965, IEEE, PAPER NO. 65040, TORONTO, CAN., OCT. 1965.
- 125 BOURDEAU,R.E.
TEMPERATURE OF CHARGED PARTICLES IN THE UPPER ATMOSPHERE
*IN -- NASA-GSFC, TN D-2798, 51-62, JULY 1965.
- 126 BOURDEAU,R.E. CHAPMAN,J.H. MAEDA,K.
IONOSPHERIC RESEARCH BY MEANS OF ROCKETS AND SATELLITES
*IN -- PROGRESS IN RADIO SCIENCE 1960-1963, VOL. 8, 5-70, K. MAEDA AND S. SILVER, ELSEVIER PUBL. CO., NEW YORK, NY, 1965.
- 127 BOWHILL,S.A.
REVIEW ON IONOSPHERE
*SPACE RES., 10, 681-688, 1970. (PROC. OF THE 12TH COSPAR PLENARY MEET., PRAGUE, CZECHOSLOVAKIA, MAY 12-14, 1969).
- 128 BRACE,L.H. FINDLAY,J.A.
COMPARISON OF CYLINDRICAL ELECTROSTATIC PROBE MEASUREMENTS ON ALOUETTE 2 AND EXPLORER 31 SATELLITES
*PROC. OF THE IEEE, 57, 1057-1060, JUNE 1969.
- 129 BRACE,L.H. THEIS,R.F.
BEHAVIOR OF THE PLASMAPAUSE AT MID-LATITUDES - ISIS-1 LANGMUIR PROBE MEASUREMENTS
*J. GEOPHYS. RES., 79, NO. 13, 1871-1883, MAY 1974.
- 130 BRACE,L.H. THEIS,R.F.
GLOBAL EMPIRICAL MODELS OF IONOSPHERIC ELECTRON TEMPERATURE IN THE UPPER F-REGION AND PLASMASPHERE BASED ON IN SITU MEASUREMENTS FROM THE ATMOSPHERE EXPLORER-C, ISIS-1 AND ISIS-2 SATELLITES
*J. ATMOS. TERR. PHYS., 43, NO. 12, 1317-1343, DEC. 1981.
- 131 BRACE,L.H. CARIGNAN,G.R. FINDLAY,J.A.
EVALUATION OF IONOSPHERIC ELECTRON TEMPERATURE MEASUREMENTS BY CYLINDRICAL ELECTROSTATIC PROBES
*SPACE RES., 11, 1079-1105, 1971. (PROC. OF THE 13TH PLENARY MEET. OF COSPAR, LENINGRAD, USSR, MAY 20-29, 1970).
- 132 BRACE,L.H. THEIS,R.F. JOHNSTON,J.
OVERVIEW OF THE ISIS-1 ELECTROSTATIC PROBE MEASUREMENTS OF ELECTRON TEMPERATURE AND CONCENTRATION
*NASA-GSFC, X-621-73-49, GREENBELT, MD, FEB. 1973.
- 133 BRACE,L.H. MAIER,E.J. HOFFMAN,J.H. WHITTEKER,J. SHEPHERD,G.G.
DEFORMATION OF THE NIGHT SIDE PLASMASPHERE AND IONOSPHERE DURING THE AUGUST 1972 GEOMAGNETIC STORM
*J. GEOPHYS. RES., 79, NO. 34, 5211-5218, DEC. 1974.
- 134 BRADFORD,H.M. HUGHES,V.A.
EXCITATION AND DECAY OF LOW FREQUENCY TYPE 3 SOLAR RADIO BURSTS
*ASTRON. ASTROPHYS., 31, NO. 4, 419-429, APR. 1974.

- 135 BRADLEY,P.A. ECCLES,D. KING,J.W.
SOME EFFECTS OF THE EQUATORIAL IONOSPHERE ON TERRESTRIAL HF RADIOCOMMUNICATION
*ITU TELECOMM. J., 39, 717-724, DEC. 1972.
- 136 BREIG,E.L. HOFFMAN,J.H.
VARIATIONS IN ION COMPOSITION AT MIDDLE AND LOW LATITUDES FROM ISIS 2 SATELLITE
*J. GEOPHYS. RES., 80, NO. 16, 2207-2216, JUNE 1975.
- 137 BRICE,N.
AVERAGE BEHAVIOUR OF HIGH-LATITUDE DISTURBANCE PHENOMENA
*CONJUGATE POINT SYMPOSIUM JUNE 13-16, 1967 BOULDER, COLORADO, 1, SESSIONS 1-2, II-13-1 TO II-13-21, JULY 1967.
- 138 BRICE,N.M.
ION EFFECTS OBSERVED IN RADIO WAVE PROPAGATION IN THE IONOSPHERE
*IN -- ELECTROMAG. WAVE THEORY, PT. 1, 197-208, PERGAMON PRESS, 1967.
- 139 BRICE,N.M. SMITH,R.L.
VERY LOW FREQUENCY PLASMA RESONANCE
*NATURE, 203, 4948, 926, AUG. 1964.
- 140 BRICE,N.M. SMITH,R.L.
LOWER HYBRID RESONANCE EMISSIONS
*J. GEOPHYS. RES., 70, NO. 1, 71-80, JAN. 1965.
- 141 BRICE,N.M. SMITH,R.L. BELROSE,J.S. BARRINGTON,R.E.
TRIGGERED VERY-LOW-FREQUENCY EMISSIONS
*NATURE, 203, 926-927, AUG. 1964.
- 142 BROWN,R.K.
CANADIAN SWEEP FREQUENCY IONOSPHERIC SOUNDING SATELLITE
*ELECTRON. COMMUN., 10, NO. 3, 29-32, 63, 68, MARCH 1962.
- 143 BROWN,R.K.
CANADIAN TOPSIDE SOUNDER SATELLITE ENGINEERING PERFORMANCE
*ENGINEERING J., 46, 44-48, JUNE 1963.
- 144 BUCHAU,J. PIKE,C.P. WONG,M.
DETAILED SPECIFICATION OF THE ARCTIC IONOSPHERE AND AN APPLICATION TO THREE-DIMENSIONAL RAYTRACING
*AIR FORCE CAMBRIDGE RES. LAB., AFCL-TR-73-0726, HANSCOM FIELD, MA, NOV. 1973.
- 145 BUDKO,N.I.
EXCITATION BY WHISTLERS OF LOWER HYBRID RESONANCE IN THE VICINITY OF A BODY MOVING IN A PLASMA
*GEOMAG. AERON., 9, NO. 3, 350-355, MAY 1969.
- 146 BUNN,F.E. SHEPHERD,G.G.
SOLAR TERRESTRIAL EVENT OF 14-21 DECEMBER 1971 - THE PATTERN OF 6300 A EMISSION OVER THE POLAR CAP
*PLANET. SPACE SCI., 27, NO. 7, 973-996, JULY 1979.
- 147 BUNTING,W.D., JR. TARSTRUP,J. HEIKKILA,W.J.
DETECTION EFFICIENCY OF ELECTRON MULTIPLIERS FOR LOW ENERGY ELECTRONS
*J. APPL. PHYS., 43, 1585-1590, APR. 1972.
- 148 BURGE,J.D. KING,J.W. SLATER,A.J.
MAPPING OF FOF2 BY MEANS OF TOPSIDE SOUNDER SATELLITES
*TELECOMMUN. J., 40, 356-363, JULY 1973.
- 149 BURKE,W.J. DONATELLI,D.E. SAGALYN,R.C. KELLEY,M.C.
LARGE AMPLITUDE IRREGULARITIES AT LOW LATITUDES IN THE TOPSIDE IONOSPHERE
*AFGL, TR-77-0263, HANSCOM AFB, MA, NOV. 1977.
- 150 BURKE,W.J. DONATELLI,D.E. SAGALYN,R.C. KELLEY,M.C.
LOW DENSITY REGIONS OBSERVED AT HIGH ALTITUDES AND THEIR CONNECTION WITH EQUATORIAL SPREAD F.
*PLANET. SPACE SCI., 27, 593-601, MAY 1979.
- 151 BURROWS,J.R.
REVIEW OF THE MAGNETOSPHERIC CHARACTERISTICS OF SOLAR FLARE PARTICLES
*IN -- PROC. OF COSPAR SYM. ON SOLAR PARTICLE EVENT ON NOVEMBER 1969, AFCL-TR-73-0474, 61-83, AFCL, HANSCOM AFB, MA, AUG. 1972.
- 152 BURROWS,J.R.
PLASMA SHEET IN THE EVENING SECTOR
*IN -- MAGNETOS. PHYS., 179-197, B. M. MCCORMAC, D. REIDEL PUBL. CO., DORDRECHT, THE NETHERLANDS, 1974.
- 153 BURROWS,J.R. MCDIARMID,I.B.
STUDY OF ELECTRONS ARTIFICIALLY INJECTED INTO THE GEOMAGNETIC FIELD IN OCTOBER, 1962
*CAN. J. PHYS., 42, 1529-1547, AUG. 1964.
- 154 BURROWS,J.R. MCDIARMID,I.B.
TRAPPED PARTICLE BOUNDARY REGIONS
*IN -- CRITICAL PROB. OF MAGNETOS. PHYS., 83-104, IUCSTP SECRETARIAT, WASH., D.C., NOV. 1972.
- 155 BURROWS,J.R. MCDIARMID,I.B. WILSON,M.D.
ON THE HIGH-LATITUDE LIMIT OF CLOSED GEOMAGNETIC FIELD LINES
*PROC. OF THE IEEE, 57, 1051-1053, JUNE 1969.
- 156 BURROWS,J.R. MCDIARMID,I.B. WILSON,M.D.
PITCH ANGLES AND SPECTRA OF PARTICLES IN THE OUTER ZONE NEAR NOON
*IN -- EARTH'S MAGNETOS. PROCESSES, 153-167, D. REIDEL PUBL. CO., DORDRECHT, HOLLAND, 1972.
- 157 BURROWS,J.R. WILSON,M.D. MCDIARMID,I.B.
SIMULTANEOUS FIELD ALIGNED CURRENT AND CHARGED PARTICLE MEASUREMENTS IN THE CLEFT
*IN -- MAGNETOS. PART. AND FIELDS, 111-124, D. REIDEL PUBL. CO., DORDRECHT, THE NETHERLANDS, 1976.
- 158 BURROWS,J.R. COGGER,L.L. JAMES,H.G.
COORDINATED IONOSPHERIC AND MAGNETOSPHERIC OBSERVATIONS FROM THE ISIS 2 SATELLITE BY THE ISIS 2 EXPERIMENTERS: VOLUME 4 A. LARGE STORMS B. AIRGLOW AND RELATED MEASUREMENTS C. VLF OBSERVATIONS
*NSSDC, 81-01, GREENBELT, MD, JUNE 1981.
- 159 CALVERT,W.
OBSERVATIONS OF IONOSPHERIC IRREGULARITIES AND PLASMA RESONANCES BY THE FIXED-FREQUENCY TOPSIDE SOUNDER SATELLITE
*IN -- ELECTRON DENSITY PROFILES IN IONOS. AND EXOS., 280-298, J. FRIHAGEN, NORTH-HOLLAND PUBL. CO., AMSTERDAM, THE NETHERLANDS, 1966.
- 160 CALVERT,W.
STEEP HORIZONTAL ELECTRON-DENSITY GRADIENTS IN THE TOPSIDE F LAYER
*J. GEOPHYS. RES., 71, 3665-3669, AUG. 1966.
- 161 CALVERT,W.

ORIGINAL PAGE IS
OF POOR QUALITY

- 162 CALVERT,W.
OBLIQUE Z MODE ECHOES IN THE TOPSIDE IONOSPHERE
*J. GEOPHYS. RES., 71, 5579-5583, DEC. 1966.
- 163 CALVERT,W.
RESONANCES IN THE IONOSPHERE
*IN -- PLASMA WAVES IN SPACE AND IN THE LAB., 41-54, AM. ELSEVIER PUBL. CO., NEW YORK, NY, 1969.
- 164 CALVERT,W.
SIGNATURE OF AURORAL KILOMETRIC RADIATION ON ISIS 1 IONOGRAMS
*J. GEOPHYS. RES., 86, NO. A1, 76-82, JAN. 1981.
- 165 CALVERT,W.
AURORAL PLASMA CAVITY
*GEOPHYS. RES. LETT., 8, NO. 8, 919-921, AUG. 1981.
- 166 CALVERT,W. GOE,G.B.
PLASMA RESONANCES IN THE UPPER IONOSPHERE
*J. GEOPHYS. RES., 68, NO. 22, 6113-6120, NOV. 1963.
- 167 CALVERT,W. SCHMID,C.W.
SPREAD F OBSERVATIONS BY THE ALOUETTE TOPSIDE SOUNDER SATELLITE
*J. GEOPHYS. RES., 69, NO. 9, 1839-1852, MAY 1964.
- 168 CALVERT,W. VAN ZANDT,T.E.
FIXED FREQUENCY OBSERVATIONS OF PLASMA RESONANCES IN THE TOPSIDE IONOSPHERE
*J. GEOPHYS. RES., 71, 1799-1813, APR. 1966.
- 169 CALVERT,W. WARNOCK,J.M.
IONOSPHERIC IRREGULARITIES OBSERVED BY TOPSIDE SOUNDERS
*PROC. OF THE IEEE, 57, 1019-1025, JUNE 1969.
- 170 CALVERT,W. MCAFEE,J.R.
TOPSIDE SOUNDER RESONANCES
*PROC. OF THE IEEE, 57, 1089-1096, JUNE 1969.
- 171 CALVERT,W. VANZANDT,T.E. KNECHT,R.W. GOE,G.B.
EVIDENCE FOR FIELD-ALIGNED IONIZATION IRREGULARITIES BETWEEN 400 AND 1000 KM ABOVE THE EARTH'S SURFACE
*PROC. OF THE INTERN. CONF. ON THE IONOS., 324-329, 1962.
- 172 CALVERT,W. RISHBETH,W.H. VANZANDT,T.E.
ALOUETTE IONIC, MAGNETIC-FIELD, AND PLASMA STUDIES
*TRANS. AM. GEOPHYS. UNION, 45, 398-401, JUNE 1964.
- 173 CALVERT,W. KNECHT,R.W. VAN ZANDT,T.E.
IONOSPHERE EXPLORER I SATELLITE, FIRST OBSERVATIONS FROM THE FIXED-FREQUENCY TOPSIDE SOUNDER
*SCIENCE, 146, 391-395, OCT. 1964.
- 174 CARLSON,H.C. SAYERS,J.
DISCREPANCY IN ELECTRON TEMPERATURES DEDUCED FROM LANGMUIR PROBES AND FROM INCOHERENT SCATTER RADARS
*J. GEOPHYS. RES., 75, 4883-4886, SEPT. 1970.
- 175 CARPENTER,D.L.
RECENT RESEARCH ON THE MAGNETOSPHERIC PLASMAPAUSE
*RADIO SCI., 3, NO. 7, 719-725, JULY 1968.
- 176 CARPENTER,D.L.
WHISTLERS AND VLF NOISES PROPAGATING JUST OUTSIDE THE PLASMAPAUSE
*J. GEOPHYS. RES., 83, NO. A1, 45-57, JAN. 1978.
- 177 CARPENTER,D.L. DUNCKEL,N.
DISPERSION ANOMALY IN WHISTLERS RECEIVED ON ALOUETTE 1
*J. GEOPHYS. RES., 70, NO. 15, 3781-3786, AUG. 1965.
- 178 CARPENTER,D.L. DUNCKEL,N. WALKUP,J.F.
NEW VERY LOW FREQUENCY PHENOMENON, WHISTLERS TRAPPED BELOW THE PROTONOSPHERE
*J. GEOPHYS. RES., 69, NO. 23, 5009-5017, DEC. 1964.
- 179 CARPENTER,D.L. WALTER,F. BARRINGTON,R.E. MCEWEN,D.J.
ALOUETTE 1 AND 2 OBSERVATIONS OF ABRUPT CHANGES IN WHISTLER RATE AND OF VLF NOISE VARIATIONS AT THE
PLASMAPAUSE-A SATELLITE-GROUND STUDY
*J. GEOPHYS. RES., 73, NO. 9, 2929-2940, MAY 1968.
- 180 CATHEY,E.H.
SOME MIDLATITUDE SPORADIC-E RESULTS FROM THE EXPLORER 20 SATELLITE
*J. GEOPHYS. RES., 74, 2240-2247, MAY 1969.
- 181 CHACKO,C.C.
HIGH LATITUDE BEHAVIOR OF HMF2 AND NMF2 ALONG THE NOON-MIDNIGHT MERIDIAN UNDER QUIET CONDITIONS
*J. GEOPHYS. RES., 83, NO. A12, 5733-5736, DEC. 1978.
- 182 CHACKO,C.C. MENDILLO,M.
ELECTRON DENSITY ENHANCEMENTS IN THE F REGION BEVEATH THE MAGNETOSPHERIC CUSP
*J. GEOPHYS. RES., 82, NO. 29, 4757-4764, OCT. 1977.
- 183 CHAN,K.L.
TOPSIDE IONOSPHERE OVER THE AMERICAN CONTINENTS
*RADIO SCI., 1, NO. 10, 1158-1162, OCT. 1966.
- 184 CHAN,K.L. COLIN,L.
GLOBAL ELECTRON DENSITY DISTRIBUTIONS FROM TOPSIDE SOUNDINGS
*PROC. OF THE IEEE, 57, 990-1004, JUNE 1969.
- 185 CHAN,K.L. COLIN,L. THOMAS,J.O.
ELECTRON DENSITIES AND SCALE HEIGHTS IN THE TOPSIDE IONOSPHERE, ALOUETTE 1 OBSERVATIONS
*NASA, 1-4, WASH., D.C., 1966-67.
- 186 CHAN,T. WALKER,G.O.
STUDY OF SCINTILLATIONS AT LOW LATITUDES DURING A PERIOD FROM SUNSPOT MINIMUM TO SUNSPOT MAXIMUM
*J. GEOPHYS. RES., 75, 2517-2528, MAY 1970.
- 187 CHANDRA,S. KRISHNAMURTHY,B.V.
DAILY RESPONSE OF THE UPPER F REGION TO CHANGES IN UPPER ATMOSPHERIC TEMPERATURE AND GEOMAGNETIC ACTIVITY
*J. ATMOS. TERR. PHYS., 30, 47-54, JAN. 1968.
- 188 CHANDRA,S. MAIER,E.J. TROY,B.E., JR. RAO,B.C.N.
SUBAURORAL RED ARCS AND ASSOCIATED IONOSPHERIC PHENOMENA

- *J. GEOPHYS. RES., 76, NO. 4, 920-925, FEB. 1971.
- 189 CHAPMAN, J.H.
TOPSIDE SOUNDING OF THE IONOSPHERE
*IN -- ADV. IN ASTRON. SCI., 12, 41-63, AMER. ASTRON. SOC., NEW YORK, NY, 1963.
- 190 CHAPMAN, J.H.
SURVEY OF TOPSIDE SOUNDING OF THE IONOSPHERE
*IN -- PROGRESS IN RADIO SCI., 3, 46-64, 1964.
- 191 CHAPMAN, J.H.
ALOUETTE TOPSIDE SOUNDER SATELLITE - EXPERIMENTS, DATA, AND RESULTS
*J. SPACECR. ROCKETS, 1, NO. 6, 684-686, NOV.-DEC. 1964.
- 192 CHAPMAN, J.H.
TOPSIDE IONOSPHERE
*IN -- ELECTRON DENSITY PROFILES IN IONOS. AND EXOS., 264-269, J. FRIHAGEN, NORTH-HOLLAND PUBL. CO., AMSTERDAM, THE NETHERLANDS, 1966.
- 193 CHAPMAN, J.H.
RADIO WAVES IN THE IONOSPHERE AND PLASMA RESONANCES
*TRANS. ROY. SOC. CAN., 4, SER. 4, 205-212, JUNE 1966.
- 194 CHAPMAN, J.H. MOLOZZI, A.R.
INTERPRETATION OF COSMIC NOISE MEASUREMENTS AT 3.8 MC/S FROM SATELLITE 1960 ETA 1
*NATURE, 191, 480, JULY 1961.
- 195 CHAPMAN, J.H. WARREN, E.S.
TOPSIDE SOUNDER SATELLITE ALOUETTE
*IN -- ELEC. DENS. DISTRIB. IN IONOS. AND EXOSPHERE, 307-321, NORTH-HOLLAND PUBL. CO., AMSTERDAM, NETHERLANDS, 1964.
- 196 CHAPMAN, J.H. DAVIES, F.T.
CANADIAN EARTH SATELLITE PROGRAM
*IN -- CAN. ELECTRON. CONF., TORONTO, CAN., OCT. 4-6, 1965, IEEE, PAPER NO. 65150, TORONTO, CAN., OCT. 1965.
- 197 CHAPMAN, J.H. WARREN, E.S.
TOPSIDE SOUNDING OF THE EARTH'S IONOSPHERE
*SPACE SCI. REV., 8, 846-865, DEC. 1968.
- 198 CHARCOSSET, G. TIXIER, M. CORCUFF, Y. GARNIER, M.
EXPERIMENTAL AND THEORETICAL STUDY OF NONGUIDED WHISTLERS RECEIVED ON BOARD OF THE ALOUETTE 2 SATELLITE AT LOW LATITUDES
*ANN. DE GEOPHYS., 29, NO. 2, 279-291, APR.-JUNE 1973.
- 199 CHEN, C.S. LEWAK, G.J.
HIGHER ORDER RESONANCES IN A MAGNETOPLASMA
*J. GEOPHYS. RES., 74, 4765-4771, SEPT. 1969.
- 200 CHEN, C.S. LEWAK, G.J.
HIGHER ORDER RESONANCES IN A PLASMA
*J. PLASMA PHYS., 3, PART 3, 481-497, SEPT. 1969.
- 201 CHERCHAS, D.B.
SPIN DECAY OF A CLASS OF SATELLITES CAUSED BY SOLAR RADIATION
*TORONTO U., INST. OF AEROS. STUDIES, UTIAS-TN-137, ONTARIO, CANADA, AUG. 1969.
- 202 CHIA, R.C. FUNG, A.K. MOORE, R.K.
HIGH FREQUENCY BACKSCATTER FROM THE EARTH MEASURED AT 1000 KM ALTITUDE
*RADIO SCI., 69D, NO. 4, 641-649, APR. 1965.
- 203 CHIA, R.C. DOENLAND, H.H. MOORE, R.K.
STUDY OF EARTH RADAR RETURNS FROM ALOUETTE SATELLITE
*U. OF KANSAS, CRES REPT. 37-1, LAWRENCE, KS, APR. 1967.
- 204 CHINVICK, R.F.
UPPER ATMOSPHERE AND SPACE RESEARCH IN CANADA
*CAN. AERONAUT. SPACE J., 8, NO. 8, 197-213, OCT. 1962.
- 205 CHIVERS, H.J.A. BURROWS, J.R.
SIMULTANEOUS SATELLITE AND GROUND-BASED OBSERVATIONS OF SOLAR PROTONS
*PLANET. SPACE SCI., 14, 131-142, 1966.
- 206 CICERONE, R.J.
PHOTOELECTRONS IN THE IONOSPHERE - RADAR MEASUREMENTS AND THEORETICAL COMPUTATIONS
*REV. GEOPHYS. SPACE PHYS., 12, 259-271, MAY 1974.
- 207 CLARK, W.L., JR. MCAFEE, J.R. NORTON, R.B. WARNOCK, J.M.
RADIO WAVE REFLECTIONS FROM LARGE HORIZONTAL GRADIENTS IN THE TOPSIDE IONOSPHERE
*PROC. OF THE IEEE, 57, 493-496, APR. 1969.
- 208 COGGER, L.L.
SOME CONTRIBUTIONS OF THE ISIS PROGRAM TOWARDS ADVANCES IN KNOWLEDGE OF LOW LATITUDE IONOSPHERIC PHENOMENA
*SPACE SCI. REV., 31, NO. 4, 437-452, 1982.
- 209 COGGER, L.L. ANGER, C.D.
OI 5577A AIRGLOW EXPERIMENT ON THE ISIS 2 SATELLITE
*J. ATMOS. TERR. PHYS., 35, NO. 11, 2081-2084, NOV. 1973.
- 210 COGGER, L.L. KHANEJA, R.
CHARACTERISTICS OF THE MIDLATITUDE MAXIMUM IN THE O I 5577 A AIRGLOW EMISSION RATE
*CAN. J. PHYS., 57, 926-932, JULY 1979.
- 211 COGGER, L.L. MURPHREE, J.S.
LATITUDINAL AND SEASONAL VARIATION OF ATOMIC OXYGEN DEDUCED FROM OBSERVATIONS OF THE E-REGION OI 557.7NM AIRGLOW
*SPACE RES., 20, 115-120, 1980 (PROC. OF THE OPEN MEET. OF THE WORK. GROUP ON PHYS. SCI. OF THE 22ND PLENARY MEET. OF COSPAR, BANGALORE, INDIA, MAY 29 - JUNE 9, 1979).
- 212 COGGER, L.L. MURPHREE, J.S. ISMAIL, S. ANGER, C.D.
CHARACTERISTICS OF DAYSIDE 5577A AND 3914A AURORA
*GEOPHYS. RES. LETT., 4, NO. 10, 413-416, OCT. 1977.
- 213 COGGER, L.L. ELPHINSTONE, R.D. MURPHREE, J.S.
TEMPORAL AND LATITUDINAL 5577 A AIRGLOW VARIATIONS
*CAN. J. PHYS., 59, NO. 10, 1296-1307, OCT. 1981.
- 214 COLE, K.D. FINDLAY, J.A.

EVOLUTION OF ELECTRON DENSITY AND TEMPERATURE DISTRIBUTION IN THE TOPSIDE IONOSPHERE DURING MAGNETIC STORMS

*NASA-GSFC, TM-X-70768, X-621-74-283, GREENBELT, MD, OCT. 1974.

- 215 COLIN,L. DUFOUR,S.W.
CHARGED PARTICLE TEMPERATURES AND CONCENTRATIONS IN THE EARTH'S EXOSPHERE
*J. GEOPHYS. RES., 73, 2967-2984, NO. 9, MAY 1968.
- 216 COLIN,L. CHAN,K.L.
MODEL STUDIES OF THE KINKED Z TRACE IN TOPSIDE IONOGRAMS
*PROC. OF THE IEEE, 57, 1143-1147, JUNE 1969.
- 217 COLIN,L. CHAN,K.L. LEE,J.G.K.
PHASE AND GROUP REFRACTIVE INDICES FROM THE COLLISIONLESS MAGNETOIONIC THEORY
*NASA-AMES RES. CENT., TM-X-1553, MOFFET FIELD, CA, APR. 1968.
- 218 COLIN,L. SHMOYS,J. MCCULLEY,G.
RAY TRACING STUDIES FOR THE TOPSIDE IONOSPHERE
*J. GEOPHYS. RES., 74, NO. 3, 809-814, FEB. 1969.
- 219 COLIN,L. CHAN,K.L. LEE,J.G.K.
COMPUTATION OF TOPSIDE IONOGRAMS FROM N(H) PROFILES
*NASA, TN D-5052, WASH., DC, APR. 1969.
- 220 COLIN,L. DUFOUR,S.W. WILLOUGHBY,D.S.
TEMPERATURE AND ION ABUNDANCE PROFILES DEDUCED FROM SIMULTANEOUS EXPLORER 31 AND ALOUETTE 2 DATA
*PROC. OF THE IEEE, 57, 1154-1158, JUNE 1969.
- 221 COLIN,L. CHAN,K.L. MADSEN,R.G.
CLOSED LOOP IONOGRAM PROCESSOR FOR THE ANALYSIS OF TOPSIDE SOUNDER IONOGRAM FILMS
*NASA, TN D-6204, WASH., D.C., MAR. 1971.
- 222 CRAWFORD,F.W. HARP,R.S. MANTEI,T.D.
ON THE INTERPRETATION OF IONOSPHERIC RESONANCES STIMULATED BY ALOUETTE 1
*J. GEOPHYS. RES., 72, NO. 1, 57-68, JAN. 1967.
- 223 DA ROSA,A.V. GARRIOTT,O.K.
PROTONOSPHERIC ELECTRON CONCENTRATION PROFILES
*J. GEOPHYS. RES., 74, 6386-6402, DEC. 1969.
- 224 DANIELS,F.
ISIS 2 SPACECRAFT
*COMMUN. RES. CENT., REP. NO. 1218, OTTAWA, CAN., MAR. 1971.
- 225 DASGUPTA,A. CHATTERJEE,S.K.
LARGE SCALE FLUCTUATIONS IN F2 IONIZATION AT LOW AND TEMPERATE LATITUDES AS OBTAINED FROM TOPSIDE SOUNDER DATA
*INDIAN J. RADIO SPACE PHYS., 2, 164-165, SEPT. 1973.
- 226 DAVIES,F.T.
ALOUETTE TOPSIDE IONOSPHERE STUDIES
*IG BULL., NO. 79, 1-7, JAN. 1964.
- 227 DAVIES,K.
USE OF TOPSIDE SOUNDERS IN IONOSPHERIC RESEARCH
*TELECOMMUN. J., 32, NO. 3, 116-123, MAR. 1965.
- 228 DAYHARSH,T.I. MILIC,P.L.
ALOUETTE SATELLITE AND THE STUDY OF THE UPPER IONOSPHERE DURING THE IQSY
*STANFORD RES. INST., TECH. NOTE 3, MENLO PARK, CA, JULY 1964.
- 229 DAYHARSH,T.I. FARLEY,W.W.
ELECTRON DENSITY VARIATIONS AT 1000 KILOMETERS
*J. GEOPHYS. RES., 70, NO. 21, 5361-5368, NOV. 1965.
- 230 DEEHR,C.S. WINNINGHAM,J.D. YASUHARA,F. AKASOFU,S-I.
SIMULTANEOUS OBSERVATIONS OF DISCRETE AND DIFFUSE AURORAS BY THE ISIS 2 SATELLITE AND AIRBORNE INSTRUMENTS
*J. GEOPHYS. RES., 81, NO. 31, 5527-5535, NOV. 1976.
- 231 DELANEY,J.R.
DATA PROCESSING OF SPHERICAL ELECTROSTATIC ANALYZER (SEA) EXPERIMENTS FLOWN ON INJUN-5 AND ISIS-1 SATELLITES
*ANALYSIS AND COMPUTER SYSTEMS, INC., AFCL-TR-74-0132, BURLINGTON, MA, MAR. 1974.
- 232 DICKINSON,P.H.G.
POSITIVE ION SHEATHS DUE TO V X B
*RADIO RES. STATION, DEPT. SCI. IND. RES., I.M. 123, UNDATED.
- 233 DIKSHIT,S.K. LALMANI SOMAYAJULU,V.V. TANTRY,B.A.P.
LOW DISPERSION WHISTLERS AT LOW LATITUDES
*INDIAN J. PURE APPL. PHYS., 9, 580-585, AUG. 1971.
- 234 DOAN,J.W. FORSYTH,P.A.
MID LATITUDE QUASI-PERIODIC SCINTILLATIONS OF SATELLITE BEACON SIGNALS
*J. ATMOS. TERR. PHYS., 40, NO. 9, 981-990, SEPT. 1978.
- 235 DONLEY,J.L.
OBSERVATIONS OF THE POLAR IONOSPHERE IN THE ALTITUDE RANGE 2000 TO 3000 KM BY MEANS OF SATELLITE BORNE ELECTRON TRAPS
*SPACE RES., 8, 381-389, 1967. (PROC. OF THE 10TH COSPAR PLENARY MEETING, LONDON, ENGLAND, JULY 14-29, 1967).
- 236 DONLEY,J.L.
THERMAL ION AND ELECTRON TRAP EXPERIMENTS ON THE EXPLORER 31 SATELLITE
*PROC. OF THE IEEE, 57, 1061-1063, JUNE 1969.
- 237 DONLEY,J.L. BRACE,L.H. FINDLAY,J.A. HOFFMAN,J.H. WRENN,G.L.
COMPARISON OF RESULTS OF EXPLORER 31 DIRECT MEASUREMENT PROBES
*PROC. OF THE IEEE, 57, 1078-1084, JUNE 1969.
- 238 DOT,M. FAYNOT,J.M.
ELECTRON DENSITY PROFILES OBTAINED OVER FRANCE USING TOPSIDE AND GROUND BASED IONOSPHERIC SOUNDINGS
*GROUPE DE RECH. IONOSPHERIQUES, GRI/NT/50, PARIS, FRANCE, DEC. 1965.
- 239 DOUGHERTY,J.P. WATSON,S.R.
INTERPRETATION OF PLASMA RESONANCES OBSERVED BY IONOSPHERIC TOPSIDE SOUNDERS
*IN--ADV. IN PLASMA PHYS., VOL. 4, 1-41, JOHN WILEY AND SONS, INC., 1971.
- 240 DOUPNIK,J.R. SCHMERLING,E.R.

ORIGINAL PAGE IS
OF POOR QUALITY

- REDUCTION OF IONOGRAMS FROM THE BOTTOMSIDE AND TOPSIDE
*J. ATMOS. TERR. PHYS., 27, 917-941, SEPT. 1965.
- 241 DU CASTEL
ON THE INTERPRETATION OF ECHOS AT A GREAT DISTANCE OBSERVED ON CERTAIN IONOGRAMS OF THE SATELLITE
'ALOUETTE'
*C. R. ACAD. SC. PARIS., 258, GROUPE 10, 5689-5691, JUNE 1964.
- 242 DU CASTEL, F.
CONCERNING GUIDED ECHOES OBSERVED BY IONOSPHERIC SOUNDINGS FROM A SATELLITE
*SPACE RES., 5, 216-228, 1965. (PROC. 5TH INT. SPACE SCI. SYMP., FLORENCE, ITALY, MAY 12-16, 1964.)
- 243 DU CASTEL, F. FAYNOT, J.-M.
SOME IRREGULARITIES OBSERVED SIMULTANEOUSLY IN THE UPPER AND LOWER IONOSPHERE AT MIDDLE LATITUDES
*NATURE, 984-985, DEC. 1964.
- 244 DU CASTEL, F. FAYNOT, J.-M. VASSEUR, G.
OBSERVATIONS OF TRAVELING IONOSPHERIC DISTURBANCES AT SUB-AURORAL LATITUDES
*C. R. ACAD. SC. PARIS, 261, GROUPE 10, 3443-3446, OCT. 1965.
- 245 DU CASTEL, F. FAYNOT, J.-M. VASSEUR, G.
OBSERVATION OF IONOSPHERIC IRREGULARITIES IN THE BOTTOMSIDE AND TOPSIDE IONOSPHERE
*IN -- ELECTRON DENSITY PROFILES IN IONOS. AND EXOS., 579-586, J. FRIHAGEN, NORTH-HOLLAND PUBL. CO.,
AMSTERDAM, THE NETHERLANDS, 1966.
- 246 DUBACH, L.L.
NOTE ON THE AVAILABILITY OF TOPSIDE SOUNDING DATA
*PROC. OF THE IEEE, 57, NO. 6, 866, JUNE 1969.
- 247 DUBACH, L.L. RUSH, C.M.
ELECTRON DISTRIBUTION FROM 400 TO 1200 KM
*AMS/AIAA PAPER 66-395, PRESENTED AT AMS/AIAA CONF. ON AEROSP. METEOROL., LOS ANGELES, CA, MAR. 28-31,
1966.
- 248 DUBOIN, M.L. LASSEN, K. SHEPHERD, G.G.
OBSERVATIONS OF HORIZONTAL TRANSPORT EFFECTS ON HIGH LATITUDE METASTABLE O(1D), N(2D) AURORAL EMISSIONS
*PLANET. SPACE SCI., 32, NO. 11, 1407-1421, DEC. 1984.
- 249 DUCHARME, E.D. MAYNARD, L.A.
NEW TECHNIQUE FOR THE MEASUREMENT OF THE ELECTRON/ION TEMPERATURE RATIO AT HIGH ALTITUDES
*CAN. J. PHYS., 43, 2080-2092, NOV. 1965.
- 250 DUFAUX, J.
ON THE ORIGIN OF CERTAIN DIFFUSE TRACES OBSERVED BY THE ALOUETTE SATELLITE IONOSPHERIC PROBE
*C.R. ACAD. SC. PARIS, SER. 8, 264, 1170-1172, APR. 1967.
- 251 DUMBS, A. EMMENEGGER, G. KIST, R. KLUMPAR, D. NESKE, E. SLAVIK, J.
SPENNER, K. WOLF, H.
RESULTS FROM THE PLASMA EXPERIMENTS ON AEROS
*J. GEOMAG. GEOELECTR., 31, S125-S139, 1979.
- 252 DUNFORD, E.
RELATIONSHIP BETWEEN THE IONOSPHERIC EQUATORIAL ANOMALY AND THE E-REGION CURRENT SYSTEM
*J. ATMOS. TERR. PHYS., 29, 1489-1498, DEC. 1967.
- 253 DUTTON, I.R.
ALOUETTE SATELLITE PROBES IONOSPHERE
*CAN. ELECTRONICS ENGINEERING, 6, NO. 10, 55-59, OCT. 1962.
- 254 DYSON, P.L.
COMPARISON OF IRREGULAR FEATURES APPEARING ON IONOGRAMS RECORDED BY TOPSIDE AND GROUND-BASED SOUNDERS
*J. ATMOS. TERR. PHYS., 29, 881-886, JULY 1967.
- 255 DYSON, P.L.
MAGNETIC FIELD ALIGNED IRREGULARITIES AT MID GEOMAGNETIC LATITUDES
*J. ATMOS. TERR. PHYS., 29, 857-869, JULY 1967.
- 256 DYSON, P.L.
ELECTRON DENSITIES AND SCALE HEIGHTS IN THE MID-LATITUDE TOPSIDE IONOSPHERE
*AUSTRALIAN J. PHYS., 20, 401-405, AUG. 1967.
- 257 DYSON, P.L.
TOPSIDE REFRACTIVE IRREGULARITIES AND TRAVELLING IONOSPHERIC DISTURBANCES
*AUSTRALIAN J. PHYS., 20, 467-469, AUG. 1967.
- 258 DYSON, P.L.
TOPSIDE SPREAD F AT MIDLATITUDES
*J. GEOPHYS. RES., 73, NO. 7, 2441-2446, APR. 1968.
- 259 DYSON, P.L.
DIRECT MEASUREMENTS OF THE SIZE AND AMPLITUDE OF IRREGULARITIES IN THE TOPSIDE IONOSPHERE
*J. GEOPHYS. RES., 74, 6291-6303, DEC. 1969.
- 260 DYSON, P.L.
ON THE SIGNIFICANCE OF ELECTROSTATIC PROBE OBSERVATIONS OF ELECTRON DENSITY IRREGULARITIES
*J. GEOPHYS. RES., 76, 4689-4693, JULY 1971.
- 261 DYSON, P.L.
COMPARISON OF SCINTILLATION, SPREAD F AND ELECTROSTATIC PROBE OBSERVATIONS OF ELECTRON DENSITY
IRREGULARITIES
*J. ATMOS. TERR. PHYS., 33, NO. 8, 1185-1192, AUG. 1971.
- 262 DYSON, P.L. WINNINGHAM, J.D.
TOPSIDE IONOSPHERIC SPREAD F AND PARTICLE PRECIPITATION IN THE DAYSIDE MAGNETOSPHERIC CLEFTS
*J. GEOPHYS. RES., 79, NO. 34, 5219-5230, DEC. 1974.
- 263 DYSON, P.L. BENSON, R.F.
TOPSIDE SOUNDER OBSERVATIONS OF EQUATORIAL BUBBLES
*GEOPHYS. RES. LETT., 5, NO. 9, 795-798, SEPT. 1978.
- 264 ECCLES, D.
QUICK METHOD OF USING TOPSIDE IONOGRAMS FOR IONOSPHERIC INVESTIGATIONS
*J. ATMOS. TERR. PHYS., 29, 1337-1344, NOV. 1967.
- 265 ECCLES, D. KING, J.W.
REVIEW OF TOPSIDE SOUNDER STUDIES OF THE EQUATORIAL IONOSPHERE
*PROC. OF THE IEEE, 57, NO. 6, 1012-1018, JUNE 1969.
- 266 ECCLES, D. KING, J.W.
IONOSPHERIC PROBING USING VERTICAL INCIDENCE SOUNDING TECHNIQUES

ORIGINAL PAGE IS
OF POOR QUALITY

- *J. ATMOS. TERR. PHYS., 32, 517-538, APR. 1970.
- 267 ECCLES, D. KING, J. W. SLATER, A. J.
ISIS-1 SATELLITE OBSERVATIONS OF THE IONOSPHERE AT HIGH SOUTHERN LATITUDES
*J. ATMOS. TERR. PHYS., 35, 625-632, APRIL 1973.
- 268 EDGAR, B. C.
THEORY OF VLF DOPPLER SIGNATURES AND THEIR RELATION TO MAGNETOSPHERIC DENSITY STRUCTURE
*J. GEOPHYS. RES., 81, NO. 19, 3327-3339, JULY 1976.
- 269 ELKINS, T. J.
EMPIRICAL MODEL OF THE POLAR IONOSPHERE
*AFCL, TR-73-0331, BEDFORD, MA, MAY 1973.
- 270 ELKINS, T. J. RUSH, C. M.
STATISTICAL PREDICTIVE MODEL OF THE POLAR IONOSPHERE
*IN -- EMPIR. MODEL OF POLAR IONOS., AFCL, TR-7-3-0331, 1-100, MAY 1973.
- 271 ETKIN, B. HUGHES, P. C.
EXPLANATION OF THE ANOMALOUS SPIN BEHAVIOR OF SATELLITES WITH LONG FLEXIBLE ANTENNAE
*J. SPACECR. ROCKETS, 4, 1139-1145, SEPT. 1967.
- 272 EVANS, W. A. HARRISON, R. G. TEARE, M. J. J.
PCM ENCODER FOR THE ISIS-A SATELLITE
*IN -- CAN. ELECTRON. CONF., TORONTO, CAN., OCT. 4-6, 1965, IEEE, PAPER NO. 65126, TORONTO, CAN., OCT. 1965.
- 273 FARLEY, A. F. DOWDEN, R. L.
SIMULTANEOUS SATELLITE AND GROUND OBSERVATIONS OF DUCTED AND NONDUCTED VLF EMISSIONS: GENERATION REGION LOCATION AND DRIFT
*J. GEOPHYS. RES., 89, NO. A10, 9133-9138, OCT. 1984.
- 274 FATKULLIN, M. N.
CONCENTRATION OF HYDROGEN IN THE UPPER ATMOSPHERE OF THE EARTH IN THE 300-600 KM ALTITUDE RANGE ACCORDING TO IONOSPHERIC DATA
*KOMICH ISSLED, 6, NO. 3, 407-410, 1968.
- 275 FATKULLIN, M. N.
NIGHTTIME LATITUDINAL TEMPERATURE DISTRIBUTION OF THE F2 REGION OF THE IONOSPHERE IN QUIET AND DISTURBED CONDITIONS AS CALCULATED FROM DATA OF THE SATELLITE ALOUETTE 1
*COSMIC RES., 7, NO. 3, 382-385, MAY-JUNE 1969.
- 276 FATKULLIN, M. N.
DEPENDENCE OF THE PLASMA SCALE HEIGHT IN THE UPPER F2 REGION ON MAGNETIC ACTIVITY
*GEOMAG. AERON., 10, NO. 2, 199-203, MAR. 1970.
- 277 FATKULLIN, M. N.
CASES WHEN THERE IS NO F-LAYER AT HIGH LATITUDES IN THE EARTH'S IONOSPHERE
*GEOMAG. I AERON., 10, NO. 3, 443-446, MAY 1970.
- 278 FATKULLIN, M. N.
SEASONAL ANOMALY IN THE ELECTRON DENSITY OF THE TOPSIDE F2-REGION
*J. ATMOS. TERR. PHYS., 32, NO. 6, 1067-1075, JUNE 1970.
- 279 FATKULLIN, M. N.
VERTICAL DISTRIBUTION OF THE STORM EFFECT IN THE OUTER IONOSPHERE AROUND NOON
*GEOMAG. AERON., 10, NO. 6, 864-866, NOV. 1970.
- 280 FATKULLIN, M. N.
DIURNAL DEVELOPMENT OF THE SEASONAL ANOMALY PHENOMENON IN THE MIDDLE LATITUDE TOPSIDE F2-REGION
*J. ATMOS. TERR. PHYS., 32, 1989-1994, DEC. 1970.
- 281 FATKULLIN, M. N.
ELECTRON DENSITY DISTURBANCES IN THE F2-LAYER AND IN THE TOPSIDE IONOSPHERE DURING THE MAGNETIC STORM OF MARCH 10, 1963
*GEOMAG. AERON., 11, NO. 3, 453-456, MAY 1971.
- 282 FATKULLIN, M. N.
COMMON FEATURES IN THE VERTICAL DISTRIBUTION OF THE SEASONAL ANOMALY AND OF THE DISTURBANCE EFFECT IN THE DAYTIME TOPSIDE IONOSPHERE AT MIDDLE LATITUDES
*GEOMAG. AERON., 11, NO. 4, 604-605, JULY 1971.
- 283 FATKULLIN, M. N.
EFFECTS OF DISTURBANCES IN THE OUTER IONOSPHERE IN DIFFERENT PHASES OF TWO SUCCESSIVE MAGNETIC STORMS DURING SEPTEMBER 1963
*COSMIC RES., 10, NO. 1, 60-68, JAN.-FEB. 1972.
- 284 FATKULLIN, M. N.
TOPSIDE IONOSPHERE DISTURBANCE EFFECTS DURING DIFFERENT PHASES OF TWO SUCCESSIVE MAGNETIC STORMS IN SEPTEMBER, 1963
*PLANET. SPACE SCI., 20, NO. 4, 627-636, APR. 1972.
- 285 FATKULLIN, M. N.
STORMS AND THE SEASONAL ANOMALY IN THE TOPSIDE IONOSPHERE
*J. ATMOS. TERR. PHYS., 35, NO. 3, 453-468, MAR. 1973.
- 286 FATKULLIN, M. N. LEGENKA, A. D.
DISTRIBUTION OF ELECTRON CONCENTRATION IN THE OUTER PORTION OF THE F2 REGION UNDER QUIET AND PERTURBED CONDITIONS
*GEOMAG. AERON., 9, NO. 4, 600-602, JULY 1969.
- 287 FATKULLIN, M. N. LEGENKA, A. D.
VERTICAL DISTRIBUTION OF THE STORM EFFECT IN THE TOPSIDE OF THE IONOSPHERE
*GEOMAG. AERON., 10, NO. 3, 341-347, MAY 1970.
- 288 FATKULLIN, M. N. LEGENKA, A. D.
AVERAGE DIURNAL AND SEASONAL VARIATIONS OF ELECTRON DENSITY IN THE TOPSIDE IONOSPHERE AT MIDDLE LATITUDES
*GEOMAG. AERON., 11, NO. 1, 122-124, JAN. 1971.
- 289 FATKULLIN, M. N. LEGENKA, A. D. ROMANENKO, A. V.
EFFECTS OF DISTURBANCES IN THE ELECTRON DENSITY OF THE TOPSIDE IONOSPHERE ON THE NIGHT SIDE OF THE EARTH
*GEOMAG. AERON., 11, NO. 5, 758-760, SEPT. 1971.
- 290 FATKULLIN, M. N. ZAYARNAYA, YE. S. MAMONOVA, L. F.
GLOBAL DISTRIBUTION OF ELECTRON DENSITY IN THE TOPSIDE IONOSPHERE DURING VARIOUS PHASES OF THE MAGNETIC STORM OF DECEMBER 17-21, 1962
*GEOMAG. AERON., 12, NO. 2, 201-205, MAR. 1972.
- 291 FATKULLIN, M. N. ZAIARNAIA, E. S. MAMONOVA, L. F.
LOW LATITUDE AND EQUATORIAL OUTER IONOSPHERE DURING THE MAGNETIC STORM OF 2-4 JANUARY 1964

- *GEOMAG. AERON., 13, NO. 2, 196-199, MAR. 1973.
- 292 FAYNOT, J.M.
OBSERVATION OF TRAVELLING DISTURBANCES IN THE LOWER AND UPPER IONOSPHERE
*C. R. ACAD. SC. PARIS, 258, GROUPE 10, NO. 23, 5692-5695, JUNE 1964.
- 293 FAYNOT, J.M.
CERTAIN TRAVELING DISTURBANCES OBSERVED IN THE LOWER AND TOPSIDE IONOSPHERE
*SPACE RES., 5, 229-240, 1965 (PROC. OF THE 5TH INT. SPACE SCI. SYMP., FLORENCE, ITALY, MAY 12-16, 1964).
- 294 FEJER, J.A. CALVERT, W.
RESONANCE EFFECTS OF ELECTROSTATIC OSCILLATIONS IN THE IONOSPHERE
*J. GEOPHYS. RES., 69, NO. 23, 5049-5062, DEC. 1964.
- 295 FEJER, J.A. SCHIFF, M.L.
PERIODICITIES IN THE AMPLITUDE OF IONOSPHERIC PLASMA RESONANCES
*J. GEOPHYS. RES., 74, 890-893, FEB. 1969.
- 296 FELDSTEIN, R. GRAFF, P.
DAYTIME AND NIGHTTIME ELECTRON TEMPERATURES FROM TOPSIDE RESONANCES
*J. GEOPHYS. RES., 77, 1896-1904, APR. 1972.
- 297 FELDSTEIN, R. GRAFF, P.H. HIGEL, B.
STUDY OF RESONANCE SPIKES GENERATED IN THE IONOSPHERE
*J. DE PHYSIQUE, 32, C5B, 186-188, OCT. 1971.
- 298 FELDSTEIN, YA. I.
POLAR AURORAS, POLAR SUBSTORMS, AND THEIR RELATIONSHIPS WITH THE DYNAMICS OF THE MAGNETOSPHERE
*REV. GEOPHYS., 7, 179-218, FEB.-MAY 1969.
- 299 FELDSTEIN, YA. I. STARKOV, G.V.
AURORAL OVAL AND THE BOUNDARY OF CLOSED FIELD LINES OF GEOMAGNETIC FIELD
*PLANET. SPACE SCI., 18, 501-508, APR. 1970.
- 300 FERGUSON, E.E. GREEN, R.G.
MINIMUM TELEMETRY RECEIVING SYSTEM FOR THE ALOUETTE TOPSIDE SOUNDER SATELLITE
*NBS, TECH. NOTE NO. 222, BOULDER, CO, OCT. 1964.
- 301 FERGUSON, E.E. GREEN, R.G.
SIMPLE RECEIVING AND DISPLAY SYSTEM FOR ALOUETTE 1 IONOGRAMS
*PROC. OF THE IEEE, 57, 945-947, JUNE 1969.
- 302 FINDLAY, J.A. BRACE, L.H.
CYLINDRICAL ELECTROSTATIC PROBES EMPLOYED ON ALOUETTE 2 AND EXPLORER 31 SATELLITES
*PROC. OF THE IEEE, 57, 1054-1056, JUNE 1969.
- 303 FITZENREITER, R.J. BLUMLE, L.J.
ANALYSIS OF TOPSIDE SOUNDER RECORDS
*J. GEOPHYS. RES., 69, NO. 3, 407-415, FEB. 1964.
- 304 FITZENREITER, R.J. GOLDBERG, R.A. KRISHNAMURTHY, B.V.
MAGNETIC DECLINATION AND SOLAR CONTROL OF THE TOPSIDE IONOSPHERE
*NASA-GSFC, TM-X-55763, X-615-67-21, GREENBELT, MD, FEB. 1967.
- 305 FLEURY, L.
THEORETICAL STUDIES OF THE UPPER IONOSPHERE USING SIMULTANEOUS DATA FROM ISIS SATELLITES AND INCOHERENT BACKSCATTER RADAR
*U. PARIS, FAC. SCI., PH.D. THESIS, PARIS, FRANCE, SEPT. 1971.
- 306 FLEURY, L. TAIEB, C.
SIMULTANEOUS MEASUREMENTS OF ELECTRONIC DENSITY USING TOPSIDE SOUNDINGS AND INCOHERENT SCATTER SOUNDINGS
*J. ATMOS. TERR. PHYS., 33, NO. 6, 909-918, JUNE 1971.
- 307 FLEURY, L. TAIEB, C.
RELATIVE ABUNDANCE OF O(PLUS) IONS BETWEEN 500 AND 2000 KM ALTITUDE AT MIDDLE LATITUDE
*ANN. DE GEOPHYS., 29, NO. 3, 399-407, JULY-SEPT. 1973.
- 308 FLORIDA, C.D.
ALOUETTE'S SUCCESSORS
*IN -- TOWARDS DEEPER SPACE PENETRATION, VOL. 2, 119-137, AMERICAN ASTRON. SOC., NEW YORK, NY, 1964.
- 309 FLORIDA, C.D.
ISIS SATELLITES
*DEF. RES. TELECOMMUN. ESTABL., REP. NO. 6705-EL, OTTAWA, CAN., MAR. 1967.
- 310 FLORIDA, C.D.
ISIS SERIES OF IONOSPHERIC SATELLITES
*IN -- INTERN. SYMP. ON SPACE TECHNOL. AND SCI., UNNUMBERED, 1073-1087, AGNE PUB., TOKYO, JAPAN, 1969.
- 311 FLORIDA, C.D.
DEVELOPMENT OF A SERIES OF IONOSPHERIC SATELLITES
*PROC. OF THE IEEE, 57, NO. 6, 867-875, JUNE 1969.
- 312 FOSTER, J.C. BURROWS, J.R.
ELECTRON FLUXES OVER THE POLAR CAP, INTENSE KEV FLUXES DURING POSTSTORM QUIETING
*J. GEOPHYS. RES., 81, NO. 34, 6016-6028, DEC. 1976.
- 313 FOSTER, J.C. BURROWS, J.R.
ELECTRON FLUXES OVER THE POLAR CAP, ELECTRON TRAPPING AND ENERGIZATION ON OPEN FIELD LINES
*J. GEOPHYS. RES., 82, NO. 32, 5165-5170, NOV. 1977.
- 314 FOSTER, J.C. PARK, C.S. BRACE, L.H. BURROWS, J.R. HOFFMAN, J.H. MAIER, E.J.
WHITTEKER, J.H.
PLASMAPAUSE SIGNATURES IN THE IONOSPHERE AND MAGNETOSPHERE
*J. GEOPHYS. RES., 83, NO. A3, 1175-1182, MAR. 1978.
- 315 FRANK, L.A.
MAGNETOSPHERIC AND AURORAL PLASMAS - A SHORT SURVEY OF PROGRESS, 1971 - 1975
*REV. GEOPHYS. SPACE PHYS., 13, NO. 3, 974-1041, JULY 1975.
- 316 FRANKLIN, C.A.
ALOUETTE EXPERIMENTAL EQUIPMENT FOR DETECTING RESONANCES AND VLF SIGNALS
*IN -- PLASMA WAVES IN SPACE AND IN THE LAB., 2, 3-23, J.O. THOMAS, AM. ELSEVIER PUBL. CO., NEW YORK, NY, 1970.
- 317 FRANKLIN, C.A. MACLEAN, M.A.
ALOUETTE 2 TOPSIDE IONOSPHERIC SOUNDER (J)
*DEF. RES. TELECOMMUN. ESTABL., REP. NO. 1189, OTTAWA, CAN., NOV. 1967.
- 318 FRANKLIN, C.A. MACLEAN, M.A.

DESIGN OF SWEEP-FREQUENCY TOPSIDE SOUNDERS
*PROC. OF THE IEEE, 57, NO. 6, 897-929, JUNE 1969.

- 319 FRANKLIN,C.A. BIBBY,R.J. STURROCK,R.F.
TELEMETRY AND COMMAND SYSTEMS FOR THE CANADIAN IONOSPHERIC SATELLITE
*IN -- PROC. OF THE INTERN. TELEMETRING CONF., 1, 457-470, 1963.
- 320 FRANKLIN,C.A. BIBBY,R.J. STURROCK,R.F. PAGE,D.F.
ELECTRONIC AND SYSTEM DESIGN OF THE CANADIAN IONOSPHERIC SATELLITE
*IEEE INTERN. CONVENTION RECORD, 11, NO. 5, 64-72, 1963.
- 321 FRANKLIN,C.A. MACLEAN,M.S. GRUNO,R.S. THREINEN,W.E.
ALOUETTE 2
*IN -- CAN. ELECTRON. CONF., TORONTO, CAN., OCT. 4-6, 1965, IEEE, PAPER NO. 65047, TORONTO, CAN., OCT.
1965.
- 322 FRANKLIN,C.A. BIBBY,R.J. HITCHCOCK,N.S.
DATA ACQUISITION AND PROCESSING SYSTEM FOR MASS PRODUCING TOPSIDE IONOGRAMS
*PROC. OF THE IEEE, 57, NO. 6, 929-944, JUNE 1969.
- 323 FREDRICKS,R.W.
PLASMA INSTABILITY AT $(N \bullet 1/2)F$ SUB C AND ITS RELATIONSHIP TO SOME SATELLITE OBSERVATIONS
*J. GEOPHYS. RES., 76, 5344-5348, AUG. 1971.
- 324 FRITZ,T.A.
PITCH ANGLE DISTRIBUTION OF GREATER THAN 40 KEV ELECTRONS
*IN -- MAGNETOS. PHYS., 105-115, B.M. MCCORMAC, D. REIDEL PUBL. CO., DORDRECHT, THE NETHERLANDS, 1974.
- 325 GENDRIN,R. VIGNERON,J.
ANALYSIS OF A FEW SONOGRAMS OBTAINED WITH THE AID OF SATELLITES ALOUETTE 1 AND INJUN 3
*C. R. ACAD. SC. PARIS, 260, GROUPE 10, 3129-3131, MARCH 1965.
- 326 GETMANTSEV,G.G. SALOMONOVICH,A.E. SLYSH,V.I.
EXTRA ATMOSPHERIC RADIO ASTRONOMICAL STUDIES
*AKADEM. NAUK SSSR, VESTNIK, 39, 55-60, APR. 1969.
- 327 GLADWIN,C.J.
F-LAYER MODEL OF THE IONOSPHERE FOR NORTH AMERICA
*COMMUN. RES. CENT., UNNUMBERED, OTTAWA, CANADA, AUG. 1980.
- 328 GLEDHILL,J.A. TORR,D.G.
IONOSPHERIC EFFECTS OF PRECIPITATED ELECTRONS IN THE SOUTH RADIATION ANOMALY
*SPACE RES., 6, 222-229, 1966 (PROC. OF THE 6TH INT. SPACE SCI. SYMP., MAR DEL PLATA, ARGENTINA, MAY
11-19, 1965).
- 329 GLEDHILL,J.A. TORR,D.G. TORR,M.R.
IONOSPHERIC DISTURBANCE AND ELECTRON PRECIPITATION FROM THE OUTER RADIATION BELT
*J. GEOPHYS. RES., 72, NO. 1, 209-214, JAN. 1967.
- 330 GOEL,M.K. RAO,B.C.N. CHANDRA,S. MAIER,E.J.
SATELLITE MEASUREMENTS OF ION COMPOSITION AND TEMPERATURES IN THE TOPSIDE IONOSPHERE DURING MEDIUM SOLAR
ACTIVITY
*J. ATMOS. TERR. PHYS., 38, NO. 4, 389-394, APR. 1976.
- 331 GOLDBERG,R.A.
REVIEW OF THE THEORIES CONCERNING THE EQUATORIAL F2 REGION IONOSPHERE
*PROC. OF THE IEEE, 57, NO. 6, 1119-1126, JUNE 1969.
- 332 GOLDBERG,R.A. KENDALL,P.C. SCHMERLING,E.R.
GEOMAGNETIC CONTROL OF THE ELECTRON DENSITY IN THE F REGION OF THE IONOSPHERE
*J. GEOPHYS. RES., 69, NO. 3, 417-427, FEB. 1964.
- 333 GONDHALEKAR,P.M.
BEHAVIOR OF THE TOPSIDE IONOSPHERE DURING MAGNETICALLY DISTURBED CONDITIONS
*J. ATMOS. TERR. PHYS., 35, 1293-1298, JULY 1973.
- 334 GONDHALEKAR,P.M. KING,J.W.
LATITUDINAL VARIATION OF THE ELECTRON CONCENTRATION IN THE TOPSIDE IONOSPHERE IN WINTER
*J. ATMOS. TERR. PHYS., 35, 1299-1308, JULY 1973.
- 335 GRAFF,P.
IONOSPHERE INFLUENCE OF THE PROTON GYROFREQUENCY UPON THE RESPONSE OF AN ANTENNA TO THE PLASMA FREQUENCY
*C.R. ACAD. SC. PARIS, SER. B, NO. 10, 618, SEPT. 1967.
- 336 GRAFF,P.
STUDY OF THE OSCILLATIONS STIMULATED AT THE UPPER HYBRID RESONANCE BY A PULSED DIPOLE ANTENNA IN A WEAKLY
INHOMOGENEOUS PLASMA
*J. PLASMA PHYS., 5, PT. 3, 427-439, JUNE 1971.
- 337 GRAY,G.G. JUREWICZ,L.S.
THERMAL DESIGN OF THE ISIS "A" SPACECRAFT
*CAN. AERONAUT. SPACE J., 12, 425-432, DEC. 1966.
- 338 GREBOWSKY,J.M. MAYNARD,N.C. TULUNAY,Y.K. LANZEROTTI,L.J.
COINCIDENT OBSERVATIONS OF IONOSPHERIC TROUGHS AND THE EQUATORIAL PLASMAPAUSE
*PLANET. SPACE SCI., 24, NO. 12, 1177-1185, DEC. 1976.
- 339 GREENER,J.G. GLEDHILL,J.A.
ELECTRON FLUXES OBSERVED NEAR SANAE, ANTARCTICA, BY THE SATELLITE ALOUETTE 1 DURING 1962-1963
*S. AFRICAN J. ANTARCTIC RES., NO. 2, 35-39, JUNE 1972.
- 340 GROSS,S.H.
BASIC LAWS OF IONOSPHERIC PROPAGATION FOR TOPSIDE SOUNDING
*IRE TRANS. ON ANTENNAS AND PROPAGATION, AP-9, NO. 6, 578-579, NOV. 1961.
- 341 GROSS,S.H.
VLF DUCT ASSOCIATED WITH THE LOWER-HYBRID-RESONANCE FREQUENCY IN A MULTI-ION UPPER IONOSPHERE
*J. GEOPHYS. RES., 75, NO. 22, 4235-4247, AUG. 1970.
- 342 GROSS,S.H. LAROCCA,N.
PHENOMENOLOGICAL STUDY OF LHR HISS
*J. GEOPHYS. RES., 77, NO. 7, 1146-1156, MAR. 1972.
- 343 GROSS,S.H. MULDREW,D.B.
UNIFORMLY SPACED FIELD-ALIGNED IONIZATION DUCTS
*J. GEOPHYS. RES., 89, NO. A10, 8986-8996, OCT. 1984.
- 344 GULYELMI,A.V.
CHARACTERISTICS OF THE DISPERSION OF PROTON WHISTLERS DETECTED BY 'INJUN-3' AND 'ALOUETTE-1'
*GEOMAG. AERON., 2, 274-275, MARCH 1967.

ORIGINAL PAGE IS
OF POOR QUALITY

- 345 GURNETT,D.A. SHAWHAN,S.D.
DETERMINATION OF HYDROGEN ION CONCENTRATION, ELECTRON DENSITY, AND PROTON GYROFREQUENCY FROM THE
DISPERSION OF PROTON WHISTLERS
*J. GEOPHYS. RES., 71, NO. 3, 741-754, FEB. 1966.
- 346 GURNETT,D.A. BRICE,N.M.
ION TEMPERATURE IN THE IONOSPHERE OBTAINED FROM CYCLOTRON DAMPING OF PROTON WHISTLERS
*J. GEOPHYS. RES., 71, 3639-3652, AUG. 1966.
- 347 HAGG,E.L.
PRELIMINARY STUDY OF THE ELECTRON DENSITY AT 1000 KILOMETERS
*CAN. J. PHYS., 41, 195-199, JAN. 1963.
- 348 HAGG,E.L.
REMOTE CYCLOTRON RESONANCE PHENOMENON OBSERVED BY THE ALOUETTE SATELLITE
*NATURE, 210, 927-929, MAY 1966.
- 349 HAGG,E.L.
ELECTRON DENSITIES OF 8-100 ELECTRONS CM⁻³ DEDUCED FROM ALOUETTE 2 HIGH-LATITUDE IONOGRAMS
*CAN. J. PHYS., 45, 27-36, JAN. 1967.
- 350 HAGG,E.L. MULDREW,D.B.
NOVEL SPIKE OBSERVED ON ALOUETTE 2 IONOGRAMS
*IN -- PLASMA WAVES IN SPACE AND IN THE LAB., 2, 69-75, J.O. THOMAS, AM. ELSEVIER PUBL. CO., NEW YORK, NY
1970.
- 351 HAGG,E.L. HEWENS,E.J. NELMS,G.L.
INTERPRETATION OF TOPSIDE SOUNDER IONOGRAMS
*PROC. OF THE IEEE, 57, 949-960, JUNE 1969.
- 352 HAJKOWICZ,L.A.
VHF PHASE DETECTION MAGNETIC FIELD ALIGNED IRREGULARITIES IN MID-LATITUDES
*J. ATMOS. TERR. PHYS., 30, NO. 11, 1685-1692, NOV. 1971.
- 353 HAJKOWICZ,L.A.
STUDIES OF IONOSPHERIC INHOMOGENEITIES USING PHASE INTERFEROMETRY OF SATELLITE BEACON TRANSMISSIONS AT
136.410 MHZ
*CAN. J. PHYS., 50, NO. 4, 336-344, FEB. 1972.
- 354 HAJKOWICZ,L.A.
DISTRIBUTION OF IONOSPHERIC IRREGULARITIES CAUSING SCINTILLATIONS IN SATELLITE BEACON TRANSMISSIONS
*NATURE PHYS. SCI., 238, 132-134, AUG. 1972.
- 355 HAJKOWICZ,L.A.
WAVELIKE STRUCTURE OF MAGNETIC FIELD-ALIGNED IRREGULARITIES DETECTED BY PHASE INTERFEROMETRY
*CAN. J. PHYS., 50, 2654-2661, NOV. 1972.
- 356 HAJKOWICZ,L.A.
TOPSIDE AND GROUND IONOSONDE OBSERVATIONS OF A MID-LATITUDE SCINTILLATION REGION
*J. ATMOS. TERR. PHYS., 44, NO. 2, 173-178, FEB. 1982.
- 357 HAKURA,Y.
MAPPING OF THE POLAR CAP IONOSPHERE BY SOLAR AND MAGNETOSPHERIC PARTICLES
*FRANKLIN INST. J., 290, 263-280, SEPT. 1970.
- 358 HAKURA,Y. NISHIZAKI,R. TAO,K.
ANALYSIS OF OBSERVATIONAL DATA OBTAINED BY ALOUETTE 2. 4. GALACTIC NOISE SPECTRUM AND SOLAR RADIO BURSTS
IN HECTO-DECAMETRIC WAVE REGION
*RADIO RES. LAB. J., 16, NO. 87-88, 215-226, NOV. 1969.
- 359 HAKURA,Y. NISHIZAKI,R. TAO,K. YAMASHITA,F.
OBSERVATION OF SOLAR RADIO BURSTS BY SATELLITE ALOUETTE 2 DURING THE PFP INTERVAL, MAY-JULY, 1969
*RADIO RES. LAB. J., 17, NO. 89, 21-32, JAN. 1970.
- 360 HALCROW,B.W.
F SUB 2 PEAK ELECTRON DENSITIES IN THE MAIN TROUGH REGION OF THE IONOSPHERE
*PENN. STATE U., IONOS. RES. LAB., PSU-IRL-IR-55, UNIVERSITY PARK, PA. MAY 1976.
- 361 HALCROW,B.W. NISBET,J.S.
MODEL OF F2 PEAK ELECTRON DENSITIES IN THE MAIN TROUGH REGION OF THE IONOSPHERE
*RADIO SCI., 12, NO.5, 815-820, SEPT.-OCT. 1977.
- 362 HALPERN,G. ZIMMER,F.C.
IONOSPHERIC EXPLORER XX COMMUNICATIONS SYSTEM - DESCRIPTION AND PERFORMANCE
*MICROWAVE J., 8, 27-33, NOV. 1965.
- 363 HAMELIN,M.
CONTRIBUTION TO THE STUDY OF ELECTROSTATIC AND ELECTROMAGNETIC WAVES IN THE NEIGHBORHOOD OF LOW HYBRID
FREQUENCY IN THE IONOSPHERIC PLASMA --FRENCH THESIS
*ORLEANS U., DOCTEUR ES-SCIENCES PHYSIQUES THESIS, ORLEANS, FRANCE, 1978.
- 364 HAMELIN,M. BEGHIN,C.
ELECTROMAGNETIC AND ELECTROSTATIC WAVES IN A MULTI-COMPONENT PLASMA NEAR THE LOWER HYBRID FREQUENCY
*J. PLASMA PHYS., 15, PT. 1, 115-131, FEB. 1976.
- 365 HANSON,W.B. SANATANI,S. BRACE,L.H. FINDLAY,J.A.
THERMAL STRUCTURE OF AN ALOUETTE 2 TOPSIDE PROFILE AS DEDUCED FROM ROCKET MEASUREMENTS
*J. GEOPHYS. RES., 74, 2229-2239, MAY 1969.
- 366 HARRISON,A.W. ANGER,C.D.
SPECTRAL ALBEDO CORRECTIONS TO ISIS 2 SATELLITE AURORAL PHOTOMETER DATA
*CAN. J. PHYS., 55, NOS. 7 AND 8, 663-670, APR. 1977.
- 367 HARRISON,A.W. ANGER,C.D.
EARTH ALBEDO EFFECTS IN SATELLITE AURORAL PHOTOMETRY
*CAN. J. PHYS., 55, NO. 10, 929-936, MAY 1977.
- 368 HARTZ,T.R.
STUDY OF INTERFERENCE ON THE ALOUETTE TOP-SIDE SOUNDER RECORDS
*DEF. RES. TELECOMMUN. ESTABL., REP. NO. 1123, OTTAWA, CAN., OCT. 1963.
- 369 HARTZ,T.R.
SPECTRUM OF THE GALACTIC RADIO EMISSION BETWEEN 1.5 AND 10 MC/S AS OBSERVED FROM A SATELLITE
*NATURE, 203, 173-175, JULY 1964.
- 370 HARTZ,T.R.
OBSERVATIONS OF THE GALACTIC RADIO EMISSION BETWEEN 1.5 AND 10MHZ FROM THE ALOUETTE SATELLITE
*ANN. D'ASTROPHYS., 27, 823-830, NOV.-DEC. 1964.
- 371 HARTZ,T.R.

- 372 HARTZ,T.R.
GENERAL PATTERN OF AURORAL PARTICLE PRECIPITATION AND ITS IMPLICATIONS FOR HIGH LATITUDE COMMUNICATION SYSTEMS
*IN -- IONOS. RADIO COMMUN., 9-32, PLENUM PRESS, NEW YORK, NY, 1968.
- 373 HARTZ,T.R.
TYPE 3 SOLAR RADIO NOISE BURSTS AT HECTOMETER WAVELENGTHS
*PLANET. SPACE SCI., 17, NO. 2, 267-287, FEB. 1969.
- 374 HARTZ,T.R.
RADIO NOISE LEVELS WITHIN AND ABOVE THE IONOSPHERE
*PROC. OF THE IEEE, 57, 1042-1050, JUNE 1969.
- 375 HARTZ,T.R.
LOW FREQUENCY NOISE EMISSIONS AND THEIR SIGNIFICANCE FOR ENERGETIC PARTICLE PROCESSES IN THE POLAR IONOSPHERE
*IN -- POLAR IONOS. AND MAGNETOS. PROCESSES, 151-160, GUNVAR SKOVLI, GORDON AND BREACH SCI. PUBL., INC., NEW YORK, 1970.
- 376 HARTZ,T.R.
PARTICLE PRECIPITATION PATTERNS
*IN -- RADIATING ATMOS., UNNUMBERED, 225-238, 1971.
- 377 HARTZ,T.R.
MORPHOLOGY OF RADIO-RADAR POLAR PROPAGATION EFFECTS
*IN -- RADAR PROPAGATION IN THE ARCTIC, AGARD-CP-97, 1-1 THRU 1-18, JON FRIHAGEN, AGARD, PARIS, FRANCE, 1972.
- 378 HARTZ,T.R. ROGER,R.S.
EFFECTIVE ANTENNA BEAM WIDTH FOR A SATELLITE-BORNE RADIO TELESCOPE
*CAN. J. PHYS., 42, 2146-2152, NOV. 1964.
- 379 HARTZ,T.R. BRICE,N.M.
GENERAL PATTERN OF AURORAL PARTICLE PRECIPITATION
*PLANET. SPACE SCI., 15, 301-329, FEB. 1967.
- 380 HARTZ,T.R. BARRINGTON,R.E.
NONLINEAR PLASMA EFFECTS IN THE ALOUETTE RECORDINGS
*PROC. OF THE IEEE, 57, 1108-1113, JUNE 1969.
- 381 HARTZ,T.R. PAGHIS,I.
SPACEBOUND
*CAN. GOV. PUBL. CENTRE, OTTAWA, CA, SEPT. 1982.
- 382 HARVEY,R.W.
EVIDENCE OF ELECTROSTATIC PROTON CYCLOTRON HARMONIC WAVES FROM ALOUETTE 2 SATELLITE DATA
*J. GEOPHYS. RES., 74, 3969-3978, AUG. 1969.
- 383 HASCHICK,A.D. GLEDHILL,J.A.
IONIZATION OF THE E REGION OF THE IONOSPHERE BY PRECIPITATED ELECTRONS
*S. AFRICAN J. ANTARCTIC RES., NO. 4, 16-22, JUNE 1974.
- 384 HAYAKAWA,M. TANAKA,Y.
PROPERTIES OF LOW-LATITUDE WHISTLER DUCTS INFERRED FROM A COMPARISON OF GROUND WHISTLER DISPERSION AND MAGNETOSPHERIC ELECTRON DENSITY PROFILE
*REPT. IONOS. SPACE RES. IN JAPAN, 27, NO. 4, 213-217, 1973.
- 385 HAYS,P.B. ANGER,C.D.
INFLUENCE OF GROUND SCATTERING ON SATELLITE AURORAL OBSERVATIONS
*APPL. OPT., 17, NO. 12, 1898-1904, JUNE 1978.
- 386 HEIKKILA,W.J.
SATELLITE OBSERVATIONS OF SOFT PARTICLE FLUXES IN THE AURORAL ZONE
*NATURE, 225, NO. 5230, 369-370, JAN. 1970.
- 387 HEIKKILA,W.J.
PHOTOELECTRON ESCAPE FLUX OBSERVATIONS AT MIDLATITUDES
*J. GEOPHYS. RES., 75, 4877-4879, SEPT. 1970.
- 388 HEIKKILA,W.J.
SOFT PARTICLE FLUXES NEAR THE EQUATOR
*J. GEOPHYS. RES., 76, 1076-1078, FEB. 1971.
- 389 HEIKKILA,W.J.
MORPHOLOGY OF AURORAL PARTICLE PRECIPITATION
*SPACE RES., 12, 2, 1343-1355, 1972. (PROC. OF THE 14TH COSPAR PLENARY MEETING, SEATTLE, WA, JUNE 21 - JULY 2, 1971. ED. S.A. BOWHILL, L.D. JAFFE, M.J. RYCROFT, AKAD.-VERLAG, BERLIN).
- 390 HEIKKILA,W.J.
PENETRATION OF PARTICLES INTO THE POLAR CAP AND AURORAL REGIONS
*IN -- CRITICAL PROB. OF MAGNETOS. PHYS., 67-82, IUCSTP SECRETARIAT, WASH., D.C.
- 391 HEIKKILA,W.J.
AURORA
*EOS, 54, NO. 8, 764-768, AUG. 1973.
- 392 HEIKKILA,W.J.
MAGNETOSPHERIC TOPOLOGY OF FIELDS AND CURRENTS
*IN -- MAGNETOSPHERIC CURRENTS, GEOPHYS. MONOGRAPH, VOL. 28, 208-222, AMER. GEOPHYS. UNION, 1983.
- 393 HEIKKILA,W.J. WINNINGHAM,J.D.
PENETRATION OF MAGNETOSHEATH PLASMA TO LOW ALTITUDES THROUGH THE DAYSIDE MAGNETOSPHERIC CUSPS
*J. GEOPHYS. RES., 76, 883-891, FEB. 1971.
- 394 HEIKKILA,W.J. SMITH,J.B. TARSTRUP,J. WINNINGHAM,J.D.
SOFT PARTICLE SPECTROMETER IN THE ISIS-I SATELLITE
*REV. SCIENTIFIC INSTRUM., 41, NO. 10, 1393-1402, OCT. 1970.
- 395 HEIKKILA,W.J. WINNINGHAM,J.D. EATHER,R.H. AKASOFU,S.I.
AURORAL EMISSIONS AND PARTICLE PRECIPITATION IN THE NOON SECTOR
*J. GEOPHYS. RES., 77, 4100-4115, AUG. 1972.
- 396 HERMAN,J.R.
SPREAD F AND IONOSPHERIC F-REGION IRREGULARITIES
*REV. GEOPHYS., 4, NO. 2, 255-299, MAY 1966.
- 397 HERZBERG,L.

ORIGINAL PAGE IS
OF POOR QUALITY

UNPREDICTED PERIOD IN THE ORBITAL MOTION OF THE ALOUETTE 1 ARTIFICIAL EARTH SATELLITE
*PLANET. SPACE SCI., 14, 451-454, JUNE 1966.

- 398 HERZBERG, L. NELMS, G. L.
IONOSPHERIC CONDITIONS FOLLOWING THE PROTON FLARE OF 7 JULY 1966 AS DEDUCED FROM TOPSIDE SOUNDINGS
*IN -- ANNALS OF THE IGSY - THE PROTON FLARE PROJECT (THE JULY 1966 EVENT), VOL. 3, PAPER 57, 426-436, A. C. STRICKLAND, MIT PRESS, CAMBRIDGE, MA, 1969.
- 399 HERZBERG, L. NELMS, G. L. DYSON, P. L.
TOPSIDE OBSERVATION OF ELECTRON DENSITY VARIATIONS (G-CONDITION) AT TIMES OF LOW MAGNETIC ACTIVITY
*CAN. J. PHYS., 47, NO. 23, 2683-2689, DEC. 1969.
- 400 HICE, J. D. FRANK, B.
OCCURRENCE PATTERNS OF TOPSIDE SPREAD F ON ALOUETTE IONOGRAMS
*J. GEOPHYS. RES., 71, NO. 15, 3653-3664, AUG. 1966.
- 401 HIRAO, K. MIYAZAKI, S.
RELATION BETWEEN SUNSPOT NUMBER AND CHARGED PARTICLE DENSITY IN THE UPPER IONOSPHERE
*J. GEOMAG. GEOELECTR., 19, 261-265, 1967.
- 402 HOFFMAN, J. H.
COMPOSITION MEASUREMENTS OF THE TOPSIDE IONOSPHERE
*SCIENCE, 155, 322-324, JAN. 1967.
- 403 HOFFMAN, J. H.
ION MASS SPECTROMETER ON EXPLORER 31 SATELLITE
*PROC. OF THE IEEE, 57, 1063-1067, JUNE 1969.
- 404 HOFFMAN, J. H.
STUDIES OF THE COMPOSITION OF THE IONOSPHERE WITH A MAGNETIC DEFLECTION MASS SPECTROMETER
*IN -- SPACE SYST. AND THERMAL TECH. FOR THE 70'S, AMER. SOC. OF MECH. ENG., PT. 1, 1970.
- 405 HOFFMAN, J. H.
MASS SPECTROMETER MEASUREMENTS OF IONOSPHERIC COMPOSITION
*U. OF TEXAS, UNNUMBERED, DALLAS, TX, JULY 1971.
- 406 HOFFMAN, J. H.
ISIS 2 ION COMPOSITION EXPERIMENT
*TEXAS U. AT DALLAS, NASA-CR-148685, RICHARDSON, TX, NOV. 1975.
- 407 HOFFMAN, J. H.
CONTINUATION OF DATA ANALYSIS FROM THE ION MASS SPECTROMETER ON THE ISIS-2 SPACECRAFT T1SP: SEMIANNUAL STATUS REPORT, SEP. 1980-FEB. 1981.
*TEXAS U. DALLAS, NASA-CR-164204, RICHARDSON, TX, MAY 1981.
- 408 HOFFMAN, J. H. DODSON, W. H.
LIGHT ION CONCENTRATIONS AND FLUXES IN THE POLAR REGIONS DURING MAGNETICALLY QUIET TIMES
*J. GEOPHYS. RES., 85, NO. 42, 626-632, FEB. 1980.
- 409 HOFFMAN, J. H. JOHNSON, C. Y. HOLMES, J. C. YOUNG, J. M.
DAYTIME MIDLATITUDE ION COMPOSITION MEASUREMENTS
*J. GEOPHYS. RES., 74, 6281-6290, DEC. 1969.
- 410 HOFFMAN, J. H. DODSON, W. H. LIPPINCOTT, C. R. HAMMACK, H. J.
INITIAL ION COMPOSITION RESULTS FROM THE ISIS 2 SATELLITE
*J. GEOPHYS. RES., 79, NO. 28, 4246-4251, OCT. 1974.
- 411 HOFFMAN, R. A.
PROPERTIES OF LOW ENERGY PARTICLE IMPACTS IN THE POLAR DOMAIN IN THE DAWN AND DUSK HOURS
*IN -- MAGNETOS.-IONOS. INTERACTIONS, 117-138, B.M. MCCORMAC, UNIVERSITETSFORLAGET, OSLO, NORWAY, 1972.
- 412 HOJO, A. NISHIZAKI, R.
REDUCTION OF TOPSIDE IONOGRAMS FOR FIELD-ALIGNED PROPAGATION PATHS
*NATURE PHYS. SCI., 233, NO. 41, 121-123, OCT. 1971.
- 413 HOJO, H. TAO, K.
ANALYSIS OF OBSERVATIONAL DATA OBTAINED BY ALOUETTE 2 - 1. - ON THE STRUCTURE OF THE UPPER IONOSPHERE DEDUCED FROM N(H) PROFILES
*RADIO RES. LAB. J., 16, NO. 87-88, 173-183, NOV. 1979.
- 414 HOLTET, J. EGELAND, A.
SIMULTANEOUS GROUND AND SATELLITE MEASUREMENTS OF THE ENHANCED ELECTROMAGNETIC BAND EMISSION BETWEEN 500 AND 1000 HZ
*IN -- ATMOS. EMISSIONS, 175-180, VAN NOSTRAND REINHOLD CO., NEW YORK, NY, 1969.
- 415 HOLTET, J. EGELAND, A. MAYNARD, N. C.
ROCKET GROUND AND SATELLITE MEASUREMENTS OF ELF EMISSIONS DURING A PCA
*IN -- RADIATING ATMOS., UNNUMBERED, 345-354, D. REIDEL PUB. CO., DORDRECHT, NETH., 1971.
- 416 HORITA, R. E.
PROTON CYCLOTRON FREQUENCY PHENOMENA IN THE TOPSIDE IONOSPHERE
*PLANET. SPACE SCI., 22, 793-799, MAY 1974.
- 417 HORITA, R. E.
E.L.F. HISS MODULATION AT HARMONICS OF THE HELIUM GYROFREQUENCY
*NATURE, 261, 398, JUNE 1976.
- 418 HORITA, R. E. WATANABE, T.
SOME REMARKS ON THE ORIGIN OF LOWER HYBRID RESONANCE NOISE IN THE IONOSPHERE
*SPACE RES., 9, 309-314, 1969. (PROC. OF THE 11TH COSPAR PLENARY MEETING, TOKYO, JAPAN, MAY 9-21, 1968).
- 419 HORITA, R. E. FRIESEN, L.
PROTON AND HELIUM GYROFREQUENCY PHENOMENA OBSERVED ON ISIS 2 VLF SPECTROGRAMS
*J. ATMOS. TERR. PHYS., 37, NO. 11, 1497-1500, NOV. 1975.
- 420 HORITA, R. E. JAMES, H. G.
SOURCE REGIONS DEDUCED FROM ATTENUATION BANDS IN VLF SAUCERS
*J. GEOPHYS. RES., 87, NO. 11, 9147-9153, NOV. 1982.
- 421 HORITA, R. E. SMITH, B. P. WATANABE, T. BARRINGTON, R. PALMER, F. H.
ELF EMISSIONS OBSERVED NEAR THE PLASMAPAUSE AND PLASMA SHEET
*J. ATMOS. TERR. PHYS., 37, 1263-1269, -SEPT. 1975.
- 422 HORITA, R. E. FRIESEN, L. CHAN, A. W. Y.
ION GYROFREQUENCY PHENOMENA OBSERVED ON WHISTLERS, AURORAL HISS AND ELF HISS
*J. ATMOS. TERR. PHYS., 38, NO. 6, 677-682, JUNE 1976.
- 423 HRUSKA, A.
STRUCTURE OF HIGH-LATITUDE IRREGULAR ELECTRON FLUXES AND ACCELERATION OF PARTICLES IN THE MAGNETOSPHERE
*J. GEOPHYS. RES., 78, NO. 31, 7509-7514, NOV. 1973.

- 424 HRUSKA,A. BURROWS,J.B. MCDIARMID,I.B.
HIGH LATITUDE LOW ENERGY ELECTRON FLUXES AND VARIATION OF THE MAGNETOSPHERIC STRUCTURE WITH THE DIRECTION
OF THE INTERPLANETARY MAGNETIC FIELD AND WITH THE GEOMAGNETIC ACTIVITY
*J. GEOPHYS. RES., 77, 2770-2779, JUNE 1972.
- 425 HRUSKA,A. MCDIARMID,I.B. BURROWS,J.R.
IONOSPHERIC STRUCTURE NEAR THE DAYSIDE BOUNDARY OF CLOSED FIELD LINES
*J. GEOPHYS. RES., 78, 2311-2314, MAY 1973.
- 426 HUANG,X. REINISCH,B.W.
AUTOMATIC CALCULATION OF ELECTRON DENSITY PROFILES FROM DIGITAL IONOGRAMS 2. TRUE HEIGHT INVERSION OF
TOPSIDE IONOGRAMS WITH THE PROFILE-FITTING METHOD
*RADIO SCI., 17, NO. 4, 837-844, AUG. 1982.
- 427 HUGHES,P.C. CHERCHAS,D.B.
INFLUENCE OF SOLAR RADIATION ON THE SPIN BEHAVIOUR OF SATELLITES WITH LONG FLEXIBLE ANTENNAE
*CAN. AERON. AND SPACE INST. TRANS., 2, 53-57, SEPT. 1969.
- 428 HUGHES,P.C. CHERCHAS,D.B.
SPIN DECAY OF EXPLORER 20
*J. SPACECR. ROCKETS, 7, NO. 1, 92-94, JAN. 1970.
- 429 HULTQVIST,B.
ON THE INTERACTION BETWEEN THE MAGNETOSPHERE AND THE IONOSPHERE
*IN -- SOLAR-TERR. PHYS. - 1970, 4, 176-198, REIDEL PUB. CO., DORDRECHT, NETH., 1972.
- 430 HULTQVIST,B. LISZKA,L.
HIGH LATITUDE IONOSPHERE ABOVE THE E-LAYER
*IN -- MAGNETOS.-IONOS. INTERACTIONS, 65-74, B.M. MCCORMAC, UNIVERSITETSFORLAGET, OSLO, NORWAY, 1972.
- 431 IIDA,T. SHIOMI,T.
LEAST SQUARES ESTIMATION OF TRANSMITTING POWER AND IONOSPHERIC ATTENUATION FOR 9.303 MHZ SOUNDER RADIO
WAVES FROM ISIS-II
*RADIO RES. LAB. J., 23, 31-46, MAR. 1976.
- 432 IIDA,T. MURATA,K. ISHIDA,T.
MEASUREMENT OF THE ATTENUATION OF 9.303 MHZ WAVES FROM ISIS-2 THROUGH THE IONOSPHERE
*RADIO RES. LAB. J., 20, NO. 102, 17-33, 1973.
- 433 ISMAIL,S. COGGER,L.L.
TEMPORAL VARIATIONS OF POLAR CAP OI 5577-A AIRGLOW
*PLANET. SPACE SCI., 30, NO. 9, 865-873, SEPT. 1982.
- 434 ISMAIL,S. WALLIS,D.D. COGGER,L.L.
CHARACTERISTICS OF POLAR CAP SUN-ALIGNED ARCS
*J. GEOPHYS. RES., 82, NO. 29, 4741-4749, OCT. 1977.
- 435 JACKSON,J.E.
NASA INVESTIGATION OF THE TOPSIDE IONOSPHERE
*IN -- ELECTRON DENS. DISTRIBUTION IN IONOS. AND EXOSPHERE, 325-347, NORTH-HOLLAND PUBL. CO., AMSTERDAM,
HOLLAND, 1964.
- 436 JACKSON,J.E.
ANALYSIS OF TOPSIDE IONOGRAMS
*NASA-GSFC, X-615-67-452, GREENBELT, MD., SEPT. 1967.
- 437 JACKSON,J.E.
REDUCTION OF TOPSIDE IONOGRAMS TO ELECTRON-DENSITY PROFILES
*PROC. OF THE IEEE, 57, 960-976, JUNE 1969.
- 438 JACKSON,J.E.
COMPARISONS BETWEEN TOPSIDE AND GROUND-BASED SOUNDINGS
*PROC. OF THE IEEE, 57, 976-985, JUNE 1969.
- 439 JACKSON,J.E.
P PRIME (F) TO N(H) INVERSION PROBLEM IN IONOSPHERIC SOUNDING
*IN -- MATHEMATICS OF PROFILE INVERSION, NASA-TM-X-62150, 4-2 THRU 4-14, L. COLIN, WASH., DC, AUG. 1972.
- 440 JACKSON,J.E. BOURDEAU,R.E.
NASA IONOSPHERE SATELLITE PROGRAM
*NASA-GSFC, X-615-62-108, GREENBELT, MD., JULY 1962.
- 441 JACKSON,J.E. BOURDEAU,R.E.
EXPLORING THE IONOSPHERE
*GRUMMAN HORIZONS, 1, NO. 4, 14-18, AUTUMN 1962.
- 442 JACKSON,J.E. WARREN,E.S.
OBJECTIVES, HISTORY, AND PRINCIPAL ACHIEVEMENTS OF THE TOPSIDE SOUNDER AND ISIS PROGRAMS
*PROC. OF THE IEEE, 57, 861-865, JUNE 1969.
- 443 JACKSON,J.E. KNECHT,R.W. RUSSELL,S.
FIRST RESULTS IN NASA TOPSIDE SOUNDER SATELLITE PROGRAM
*IN -- ADV. IN ASTRON. SCI., 11, 61-85, AMER. ASTRON. SOC., NEW YORK, NY, 1963.
- 444 JACKSON,J.E. SCHMERLING,E.R. WHITTEKER,J.H.
MINI REVIEW ON TOPSIDE SOUNDING
*IEEE TRANS. ON ANTENNAS AND PROPAG., AP-28, NO. 2, 284-288, MAR. 1980.
- 445 JAMES,H.G.
WHISTLER MODE HISS AT LOW AND MEDIUM FREQUENCIES IN THE DAYSIDE-CUSP IONOSPHERE
*J. GEOPHYS. RES., 78, NO. 22, 4578-4599, AUG. 1973.
- 446 JAMES,H.G.
SPIN MODULATION OF HIGH LATITUDE HISS MEASURED BY AN ELECTRIC DIPOLE
*RADIO SCI., 8, NO. 12, 1133-1147, DEC. 1973.
- 447 JAMES,H.G.
VLF SAUCERS
*J. GEOPHYS. RES., 81, NO. 4, 501-514, FEB. 1976.
- 448 JAMES,H.G.
WAVE PROPAGATION EXPERIMENTS AT MEDIUM FREQUENCIES BETWEEN TWO IONOSPHERIC SATELLITES, 1, GENERAL RESULTS
*RADIO SCI., 13, NO. 3, 531-542, MAY-JUNE 1978.
- 449 JAMES,H.G.
WAVE PROPAGATION EXPERIMENTS AT MEDIUM FREQUENCIES BETWEEN TWO IONOSPHERIC SATELLITES, 2, WHISTLER-MODE
PULSES
*RADIO SCI., 13, NO. 3, 543-558, MAY-JUNE 1978.
- 450 JAMES,H.G.
WAVE PROPAGATION EXPERIMENTS AT MEDIUM FREQUENCIES BETWEEN TWO IONOSPHERIC SATELLITES 3. Z MODE PULSES

ORIGINAL PAGE IS
OF POOR QUALITY

- *J. GEOPHYS. RES., 84, NO. A2, 499-506, FEB. 1979.
- 451 JAMES, H.G.
DIRECTION OF ARRIVAL MEASUREMENTS OF AURORAL KILOMETRIC RADIATION AND ASSOCIATED ELF DATA FROM ISIS 1
*J. GEOPHYS. RES., 85, NO. A7, 3367-3375, JULY 1980.
- 452 JAMES, H.G.
TESTS OF IMPEDANCE THEORIES FOR A TRANSMITTING DIPOLE IN AN IONOSPHERIC PLASMA
*IEEE TRANS. ON ANTENNAS AND PROPAG., AP-28, NO. 5, 623-630, SEPT. 1980.
- 453 JAMES, H.G.
SOUNDER-ACCELERATED PARTICLES OBSERVED ON ISIS
*J. GEOPHYS. RES., 88, NO. A5, 4027-4040, MAY 1983.
- 454 JAMES, H.G. HAGG, E.L. STRANGE, D.L.P.
NARROWBAND RADIO NOISE IN THE TOPSIDE IONOSPHERE
*IN -- CONF. ON NON-LINEAR EFFECTS IN ELECTROMAG. WAVE PROPAGATION, PRE-PRINT NO. 138, 20-1 - 20-17, AGARD, NORTH ATLANTIC TREATY ORGAN., UNDATED.
- 455 JAMES, H.G. DOWDEN, R.L. RIETVELD, M.T. STUBBE, P. KCPKA, H.
SIMULTANEOUS OBSERVATIONS OF ELF WAVES FROM AN ARTIFICIALLY MODULATED AURORAL ELECTROJET IN SPACE AND ON THE GROUND
*J. GEOPHYS. RES., 89, NO. A3, 1655-1666, MARCH 1984.
- 456 JELLY, D. BRICE, N.
CHANGES IN VAN ALLEN RADIATION ASSOCIATED WITH POLAR SUBSTORMS
*J. GEOPHYS. RES., 72, NO. 23, 5919-5931, DEC. 1967.
- 457 JELLY, D.H.
APPARENT POLEWARD MOTION OF ONSETS OF AURORAL ABSORPTION EVENTS
*CAN. J. PHYS., 46, 33-37, JAN. 1968.
- 458 JELLY, D.H.
SUBSTORM ASPECTS OF AURORAL ABSORPTION AND OTHER EFFECTS OF THE UPPER PART OF THE AURORAL PARTICLE SPECTRUM
*IN -- SUBSTORM EVENTS, ESRO-SP-38, 45-62, ESRO, PARIS, FRANCE, SEPT. 1969.
- 459 JELLY, D.H. PETRIE, L.E.
HIGH LATITUDE IONOSPHERE
*PROC. OF THE IEEE, 57, 1005-1012, JUNE 1969.
- 460 JELLY, D.H. MCDIARMID, I.B. BURROWS, J.R.
CORRELATION BETWEEN INTENSITIES OF AURORAL ABSORPTION AND PRECIPITATED ELECTRONS
*CAN. J. PHYS., 42, 2411-2418, DEC. 1964.
- 461 JESPERSEN, J.L.
TOPSIDE SPREAD-F AND SATELLITE RADIO SCINTILLATIONS
*IN -- PROPAGATION FACTORS IN SPACE COMMUN., 203-207, TECHNIVISION, MAIDENHEAD, ENGLAND, 1967.
- 462 JOHNSTON, T.W.
REVIEW OF PLASMA RESONANCES
*IN -- PLASMA WAVES IN SPACE AND IN THE LAB., 109-121, AM. ELSEVIER PUBL. CO., NEW YORK, NY, 1969.
- 463 JOHNSTON, T.W. NUTTALL, J.
CYCLOTRON HARMONIC SIGNALS RECEIVED BY THE ALOUETTE TOPSIDE SOUNDER
*J. GEOPHYS. RES., 69, NO. 11, 2305-2314, JUNE 1964.
- 464 JOHNSTONE, A.D. WINNINGHAM, J.D.
SATELLITE OBSERVATIONS OF SUPRATHERMAL ELECTRON BURSTS
*J. GEOPHYS. RES., 87, NO. A4, 2321-2329, APR. 1982.
- 465 JORGENSEN, T.S.
VLF AND LF EMISSIONS IN AURORAL REGIONS OF THE IONOSPHERE
*IN -- ATMOS. EMISSIONS, 165-174, VAN NOSTRAND REINHOLD CO., NEW YORK, NY, 1969.
- 466 JORGENSEN, T.S. BELL, F.T.
OBSERVATIONS OF NATURALLY OCCURRING VLF AND MAN-MADE HF PLASMA WAVES IN AURORAL REGIONS OF THE IONOSPHERE
*IN -- PLASMA WAVES IN SPACE AND IN THE LAB. 2, 377-387, J.O. THOMAS, AM. ELSEVIER PUBL. CO., NEW YORK, NY, 1970.
- 467 KAJIKAWA, M. KOSEKI, T. MATUURA, N. NISHIZAKI, R. ONDOH, T.
ANALYSIS OF THE TOPSIDE IONOSPHERIC DATA FROM ALOUETTE 2 OVER JAPAN, PART 1. ELECTRON DENSITY DISTRIBUTION IN THE TOPSIDE IONOSPHERE OVER JAPAN
*RADIO RES. LAB. J., 15, NO. 78, 59-68, MARCH 1968.
- 468 KAMIDE, Y. WINNINGHAM, J.D.
STATISTICAL STUDY OF THE 'INSTANTANEOUS' NIGHTSIDE AURORAL OVAL -- EQUATORWARD BOUNDARY OF ELECTRON PRECIPITATION AS OBSERVED BY THE ISIS 1 AND 2 SATELLITES
*J. GEOPHYS. RES., 82, NO. 35, 5573-5588, DEC. 1977.
- 469 KAMIDE, Y. BURCH, J.L. WINNINGHAM, J.D. AKASOFU, S.-I.
DEPENDENCE OF THE LATITUDE OF THE CLEFT ON THE INTERPLANETARY MAGNETIC FIELD AND SUBSTORM ACTIVITY
*J. GEOPHYS. RES., 81, NO. 4, 698-704, FEB. 1976.
- 470 KAMIDE, Y. PERREAULT, P.D. AKASOFU, S.-I. WINNINGHAM, J.D.
DEPENDENCE OF SUBSTORM OCCURRENCE PROBABILITY ON THE INTERPLANETARY MAGNETIC FIELD AND ON THE SIZE OF THE AURORAL OVAL
*J. GEOPHYS. RES., 82, NO. 35, 5521-5528, DEC. 1977.
- 471 KAMIDE, Y. MURPHREE, J.S. ANGER, C.D. BERKEY, F.T. POTEMRA, T.A.
NEARLY SIMULTANEOUS OBSERVATIONS OF FIELD-ALIGNED CURRENTS AND VISIBLE AURORAS BY THE TRIAD AND ISIS 2 SATELLITES
*J. GEOPHYS. RES., 84, NO. A8, 4425-4431, AUG. 1979.
- 472 KASHA, M.
IONOSPHERE AND ITS INTERACTION WITH SATELLITES
*GORDON AND BREACH, SCIENCE PUBLISHERS INC., NEW YORK, NEW YORK, 1969.
- 473 KATZ, A.H.
ELECTRON DENSITY VARIATIONS IN THE SOUTHERN HEMISPHERE TOPSIDE IONOSPHERE DURING A MAGNETIC STORM
*J. ATMOS. TERR. PHYS., 31, 463-468, MAR. 1969.
- 474 KATZ, A.H. ROURKE, G.F.
TOPSIDE ELECTRON DENSITY MORPHOLOGY DURING AN M-REGION STORM
*AVCO MISSILES, SPACE, AND ELECTRON. GROUP, MISSILE AND SPACE SYST. DIV., AVSSD-0021-67-CR, WILMING, MA, JAN. 1967.
- 475 KAYSER, S.E. MAIER, E.J. BRACE, L.H.
QUIET TIME PLASMA IRREGULARITIES AT 1400 KM IN THE CLEFT REGION
*J. GEOPHYS. RES., 83, NO. A6, 2533-2542, JUNE 1978.

- 476 KEROUB,I.H.
STRUCTURE OF THE LATITUDINAL TOTAL ELECTRON CONTENT /T.E.C./ GRADIENTS OVER MID-LATITUDE STATIONS
*ANN. DE GEOPHYS., 32, 227-242, JULY-SEPT. 1976.
- 477 KING,J.W.
INVESTIGATIONS OF THE UPPER IONOSPHERE DEDUCED FROM TOP-SIDE SOUNDER DATA
*NATURE, 197, NO. 4868, 639-641, FEB. 1963.
- 478 KING,J.W.
AIRGLOW OBSERVATIONS AND THE DECAY OF THE IONOSPHERIC EQUATORIAL ANOMALY
*J. ATMOS. TERR. PHYS., 30, 391-402, MAR. 1968.
- 479 KING,J.W.
REVIEW OF THE LARGE-SCALE STRUCTURE OF THE IONOSPHERIC F-LAYER
*IN -- ANNALS OF THE IQSY, 5, PAPER 6, 131-165, A.C. STRICKLAND, MIT PRESS, CAMBRIDGE, MA, 1969.
- 480 KING,J.W.
IQSY DATA REVIEW. IONOSPHERE 4 -- THE TOPSIDE SOUNDER SATELLITE DATA
*IN -- ANNALS OF THE IQSY, SURVEY OF IQSY OBS. AND BIBL., 6, PAPER NO. 9, 167-185, A. C. STRICKLAND, MIT PRESS, CAMBRIDGE, MA, 1969.
- 481 KING,J.W.
DETERMINATION OF FOF2 AND HMF2 FROM SATELLITE-BORNE PROBE DATA
*TELECOMMUN. J., 40, 364-368, JULY 1973.
- 482 KING,J.W. PREECE,D.M.
OBSERVATIONS OF PROTON GYRO-EFFECTS IN THE TOPSIDE IONOSPHERE
*J. ATMOS. TERR. PHYS., 29, 1387-1390, NOV. 1967.
- 483 KING,J.W. REED,K.C.
RELATIONSHIP BETWEEN 10 CM SOLAR FLUX AND ELECTRON CONCENTRATION IN THE TOPSIDE IONOSPHERE
*J. ATMOS. TERR. PHYS., 30, 431-437, MAR. 1968.
- 484 KING,J.W. ECCLES,D.
EFFECT OF A SOLAR ECLIPSE ON THE DEVELOPMENT OF THE IONOSPHERIC EQUATORIAL ANOMALY
*J. ATMOS. TERR. PHYS., 30, 1715-1718, SEPT. 1968.
- 485 KING,J.W. SMITH,P.A. ECCLES,D. HELM,H.
STRUCTURE OF THE UPPER IONOSPHERE AS OBSERVED BY THE TOPSIDE SOUNDER SATELLITE, ALOUETTE
*D.S.I.R. RADIO RES. STATION, RRS/I.M.94, BUCKS., ENGLAND, JULY 1963.
- 486 KING,J.W. ECCLES,D. SMITH,P.A. DANNAHY,P. LEGG,A.
FURTHER STUDIES OF THE TOPSIDE IONOSPHERE BASED ON THE TOPSIDE SOUNDER SATELLITE DATA
*D.S.I.R. RADIO RES. STATION, RRS/I.M.112, BUCKS, ENGLAND, DEC. 1963.
- 487 KING,J.W. SMITH,P.A. ECCLES,D.
TOPSIDE SOUNDER SATELLITE OBSERVATIONS WHICH INDICATE POSSIBLE INTERACTIONS BETWEEN ENERGETIC PARTICLES AND THE EARTH'S ATMOSPHERE
*SPACE RES., 5, 214-215, 1964 (PROC. OF THE 5TH INT. SPACE SCI. SYMP., FLORENCE, ITALY, MAY 12-16, 1964).
- 488 KING,J.W. LEGG,A.J. SMITH,P.A.
STUDIES OF THE COMPOSITION AND TEMPERATURE OF THE UPPER IONOSPHERE AS DEDUCED FROM ELECTRON DISTRIBUTIONS OBSERVED BY THE TOPSIDE SOUNDER SATELLITE
*SPACE RES., 5, 639-640, 1964 (PROC. OF THE 5TH INT. SPACE SCI. SYMP., FLORENCE, ITALY, MAY 12-16, 1964).
- 489 KING,J.W. SMITH,P.A. HELM,H. ECCLES,D. FOOKS,G.F.
STRUCTURE OF THE UPPER IONOSPHERE AS OBSERVED BY THE TOPSIDE SOUNDER SATELLITE
*SPACE RES., 4, 449-451, 1964 (PROC. OF THE 4TH INT. SPACE SCI. SYMP., WARSAW, POLAND, JUNE 4-10, 1963).
- 490 KING,J.W. SMITH,P.A. ECCLES,D. FOOKS,G.F. HELM,H.
PRELIMINARY INVESTIGATIONS OF THE STRUCTURE OF THE UPPER IONOSPHERE AS OBSERVED BY THE TOPSIDE SOUNDER SATELLITE, ALOUETTE
*PROC. OF THE ROY. SOC. OF LONDON, SERIES A, 281, 464-487, OCT. 1964.
- 491 KING,J.W. ECCLES,D. LEGG,A.J. SMITH,P.A. GALINDO,P.A.
EXPLANATION OF VARIOUS IONOSPHERIC AND ATMOSPHERIC PHENOMENA INCLUDING THE ANOMALOUS BEHAVIOR OF THE F-REGION
*RADIO RES. STATION, RRS/I.M. 191, DEC. 1964.
- 492 KING,J.W. SMITH,P.A. REED,K.C. SEABROOK,C.
TOPSIDE SOUNDER STUDIES OF CORPUSCULAR RADIATION EFFECTS ON THE IONOSPHERE DURING QUIET AND DISTURBED CONDITIONS
*J. ATMOS. TERR. PHYS., 29, 1327-1336, NOV. 1967.
- 493 KING,J.W. LEGG,A.J. REED,K.C.
OBSERVATIONS OF THE TOPSIDE IONOSPHERE DURING THREE SOLAR ECLIPSES
*J. ATMOS. TERR. PHYS., 29, 1365-1371, NOV. 1967.
- 494 KING,J.W. OLATUNJI, ECCLES,D. NEWMAN,W.S.
INTEGRATED ELECTRON CONTENT IN THE EQUATORIAL IONOSPHERE
*J. ATMOS. TERR. PHYS., 29, 1391-1396, NOV. 1967.
- 495 KING,J.W. REED,K.C. OLATUNJI,E.O. LEGG,A.J.
BEHAVIOR OF THE TOPSIDE IONOSPHERE DURING STORM CONDITIONS
*J. ATMOS. TERR. PHYS., 29, 1355-1363, NOV. 1967.
- 496 KING,J.W. LEGG,A.J. SMITH,P.A.
OBSERVATIONS OF SPREAD IONIZATION IN THE TOPSIDE OF THE IONOSPHERE
*J. ATMOS. TERR. PHYS., 29, 1373-1381, NOV. 1967.
- 497 KING,J.W. ECCLES,D. REED,K.C.
TIME OF THE SUNRISE EFFECT IN THE TOPSIDE IONOSPHERE IN SUMMER
*J. ATMOS. TERR. PHYS., 30, 423-430, MAR. 1968.
- 498 KING,J.W. *HAWKINS,G.L. RIX,H.G.
STUDIES OF RESONANCES AND OTHER PHENOMENA ON THE FIXED-FREQUENCY TOPSIDE SOUNDER RECORDS
*J. ATMOS. TERR. PHYS., 30, 621-626, APR. 1968.
- 499 KING,J.W. HAWKINS,G.L. SEABROOK,C.
SEASONAL BEHAVIOR OF THE TOPSIDE IONOSPHERE
*J. ATMOS. TERR. PHYS., 30, 1701-1706, SEPT. 1968.
- 500 KING,J.W. RIX,H.G. SEABROOK,C.
BEHAVIOR OF THE TOPSIDE IONOSPHERE AT MIDDLE LATITUDES AT NIGHT
*J. ATMOS. TERR. PHYS., 30, 1605-1613, SEPT. 1968.
- 501 KISABETH,J.L. ROSTOKER,G.
RELATIONSHIP OF NOISE IN THE FREQUENCY RANGE 100<F<500 KHZ TO AURORAL ARCS AND FIELD-ALIGNED CURRENT AND IMPLICATIONS REGARDING ACCELERATION OF AURORAL ELECTRONS
*J. GEOPHYS. RES., 84, NO. A3, 853-868, MAR. 1979.

ORIGINAL PAGE IS
OF POOR QUALITY

- 502 KIST,R. KLUMPAR,D.M.
STUDY OF THE CLEFT REGION USING SYNOPTIC IONOSPHERIC PLASMA DATA OBTAINED BY THE POLAR ORBITING SATELLITES AEROS-B AND ISIS-2
*SPACE RES., 20, 137-144, 1980 (PROC. OF THE OPEN MEET. OF THE WORK. GROUP ON PHYS. SCI. OF THE 22ND PLENARY MEET. OF COSPAR, BANGALORE, INDIA, MAY 29 - JUNE 9, 1979).
- 503 KIYAMOTO,Y. BENSON,R.F.
NONLINEAR LANDAU DAMPING IN THE IONOSPHERE
*J. GEOPHYS. RES., 84, NO. A8, 4165-4174, AUG. 1979.
- 504 KLUMPAR,D.M.
TRANSVERSELY ACCELERATED IONS - AN IONOSPHERIC SOURCE OF HOT MAGNETOSPHERIC IONS
*J. GEOPHYS. RES., 84, NO. A8, 4229-4237, AUG. 1979.
- 505 KLUMPAR,D.M.
RELATIONSHIPS BETWEEN AURORAL PARTICLE DISTRIBUTIONS AND MAGNETIC FIELD PERTURBATIONS ASSOCIATED WITH FIELD-ALIGNED CURRENTS
*J. GEOPHYS. RES., 84, NO. A11, 6524-6532, NOV. 1979.
- 506 KLUMPAR,D.M.
TRANSVERSELY ACCELERATED IONS IN AURORAL ARCS
*IN -- PHYS. OF AURORAL ARC FORMATION, PROC. OF THE CHAPMAN CONF. ON FORMATION OF AURORAL ARCS, FAIRBANKS, AK, JULY 21-25, 1980.
- 507 KLUMPAR,D.M.
ISIS OBSERVATIONS OF AURORAL PARTICLES AND LARGE-SCALE BIRKELAND CURRENTS
*IN -- EXPLORATION OF THE POLAR UPPER ATMOSPHERE, PROC. OF THE ADVANCED STUDY INST., LILLEHAMMER, NORWAY, MAY 5-16, 1980.
- 508 KLUMPAR,D.M.
COORDINATED IONOSPHERIC AND MAGNETOSPHERIC OBSERVATIONS FROM THE ISIS 2 SATELLITE BY THE ISIS 2 EXPERIMENTERS VOLUME 3 HIGH-LATITUDE CHARGED PARTICLE, MAGNETIC FIELD, AND IONOSPHERIC PLASMA OBSERVATIONS DURING NORTHERN SUMMER
*NSSDC, 80-05, GREENBELT, MD, NOV. 1980.
- 509 KLUMPAR,D.M. HEIKKILA,W.J.
ELECTRONS IN THE IONOSPHERIC SOURCE CONE: EVIDENCE FOR RUNAWAY ELECTRONS AS CARRIERS OF DOWNWARD BIRKELAND CURRENTS
*GEOPHYS. RES. LETT., 9, NO. 8, 873-876, AUG. 1982.
- 510 KLUMPAR,D.M. BURROWS,J.R. WILSON,M.D.
SIMULTANEOUS OBSERVATIONS OF FIELD-ALIGNED CURRENTS AND PARTICLE FLUXES IN THE POST-MIDNIGHT SECTOR
*GEOPHYS. RES. LETT., 3, NO. 7, 395-398, JULY 1976.
- 511 KNECHT,R.W. RUSSELL,S.
PULSED RADIO SOUNDING OF THE TOP-SIDE OF THE IONOSPHERE IN THE PRESENCE OF SPREAD F
*J. GEOPHYS. RES., 67, NO. 3, 1178-1182, MAR. 1962.
- 512 KNECHT,R.W. VAN ZANDT,T.E.
SOME EARLY RESULTS FROM THE IONOSPHERIC TOP-SIDE SOUNDER SATELLITE
*NATURE, 197, NO. 4868, 641-644, FEB. 1963.
- 513 KNECHT,R.W. VAN ZANDT,T.E. RUSSELL,S.
FIRST PULSED RADIO SOUNDING OF THE TOPSIDE IONOSPHERE
*J. GEOPHYS. RES., 66, NO. 9, 3078-3081, SEPT. 1961.
- 514 KNECHT,R.W. VANZANDT,T.E. WATTS,J.M.
NASA FIXED FREQUENCY TOPSIDE SOUNDER PROGRAM
*IN -- ELECTRON DENSITY PROFILES, VOL. 2, 246-260, PERGAMON PRESS, ELMSFORD, NY, 1962.
- 515 KNECHT,R.W. RISHBETH,H. VANZANDT,T.E.
ON THE CONSTITUTION OF THE TOP SIDE IONOSPHERE
*IN -- ELECTRON DENSITY DISTRIB. IN IONOS. AND EXOSPHERE, 348-350, NORTH-HOLLAND PUB., NEW YORK, NY, 1964.
- 516 KNUDSEN,W.C. BANKS,P.M. WINNINGHAM,J.D. KLUMPAR,D.M.
NUMERICAL MODEL OF THE CONVECTING F2 IONOSPHERE AT HIGH LATITUDES
*J. GEOPHYS. RES., 82, NO. 29, 4784-4792, OCT. 1977.
- 517 KOHNLEIN,W.
ELECTRON DENSITY MODELS OF THE IONOSPHERE
*REV. GEOPHYS. SPACE PHYS., 16, NO. 3, 341-354, AUG. 1978.
- 518 KOHNLEIN,W.
ELECTRON TEMPERATURE VARIATIONS DURING SOLAR-MAXIMUM CONDITIONS (200-3500 KM)
*PLANET. SPACE SCI., 29, 47-56, JAN. 1981.
- 519 KOHNLEIN,W.
ON THE DIURNAL AND SEASONAL VARIATIONS OF H+, HE+,N+, O+, AND NE AT 1400-KM ALTITUDE
*PLANET. SPACE SCI., 29, NO. 7, 775-782, JULY 1981.
- 520 KOLESAR,J.D.
SATELLITE STUDIES OF THE DISTRIBUTION OF IONIZATION ACROSS THE MAGNETIC EQUATOR
*PENN. STATE U., SCI. REPT. NO. 235, UNIVERSITY PARK, PA, FEB. 1965.
- 521 KOLOMIYTSYEV,O.P. PUSHKOVA,G.N. YUDOVICH,L.A.
VERTICAL ELECTRON DENSITY DISTRIBUTION AT THE GEOMAGNETIC POLE IN THE NORTHERN HEMISPHERE (FROM DATA OF TOPSIDE AND GROUND-BASED SOUNDINGS OF THE IONOSPHERE)
*GEOMAG. AERON., 12, 805-807, SEPT.-OCT. 1972.
- 522 KOONS,H.C.
PROTON PRECIPITATION BY A WHISTLER-MODE WAVE FROM A VLF TRANSMITTER
*GEOPHYS. RES. LETT., 2, NO. 7, 281-283, JULY 1975.
- 523 KOONS,H.C. EDGAR,B.C. DOWDEN,R.L. CARRINGTON,C.G. AMON,L.E.S.
MULTIPATH DOPPLER SHIFTS IN MAN-MADE VLF SIGNALS
*IN -- ELF-VLF RADIO WAVE PROPAGATION, 311-315, J. A. HOLTET, D. REIDEL PUBL. CO., DORDRECHT, THE NETHERLANDS, 1974.
- 524 KOWALIK,H.
S-27 ALOUETTE SATELLITE SYSTEM CONFIGURATION AND WIRING
*DEF. RES. TELECOMMUN. ESTABL., REP. NO. 1124, OTTAWA, CAN., SEPT. 1963.
- 525 KOWALIK,H.
S-27-4 ALOUETTE SATELLITE SYSTEM TEST AND CALIBRATION
*DEF. RES. TELECOMMUN. ESTABL., REP. NO. 1133, OTTAWA, CAN., MAY 1964.
- 526 KOWALIK,H.
SPIN AND ATTITUDE CONTROL SYSTEM FOR THE ISIS-1 AND ISIS-2 SATELLITES
*PROC. OF 3RD SYM. ON AUTOMATIC CONTROL, INTERN. FED. OF AUTO CONTROL, PAPER, NEW YORK, NY, 1970.
- 527 KRISHNAMURTHY,B.V.

- BEHAVIOR OF TOPSIDE AND BOTTOMSIDE SPREAD F AT EQUATORIAL LATITUDES
*J. GEOPHYS. RES., 71, NO. 19, 4527-4533, OCT. 1966.
- 528 KUTINSKAIA, M.A.
ELECTRON TEMPERATURE IN THE ALTITUDE INTERVAL FROM 500 TO 1000 KM AS DETERMINED FROM N(H) PROFILES OBTAINED ON THE BASIS OF THE 'ALOUETTE' SATELLITE DATA
*IN -- STUD. OF THE IONOS. (ISSUED. IONOS.), UNNUMBERED, 90-93, IZDATEL'STVO NAUKA, NOVOSIBIRSK, USSR, 1970.
- 529 LAKE, G.T.
SIGNAL PROCESSING FOR THE ALOUETTE SATELLITES (U)
*DEF. RES. TELECOMMUN. ESTABL., REP. NO. 1161, OTTAWA, CAN., MAY 1966.
- 530 LANDAUER, G.J.
OBSERVATIONS OF CYCLOTRON HARMONICS IN LABORATORY PLASMAS AND IN THE UPPER IONOSPHERE
*EUROPEAN SPACE RES. INST., ESRO-SN-86, FRASCATI, ITALY, OCT. 1967.
- 531 LAPOUILLE, A.
SOME EXPERIMENTAL RESULTS FROM THE AFRICAN EQUATORIAL TOPSIDE IONOSPHERE
*CNET, GRI/NTP/59, PARIS, FRANCE, JAN. 1970.
- 532 LASSEN, K. SHARBER, J.R. WINNINGHAM, J.D.
DEVELOPMENT OF AURORAL AND GEOMAGNETIC SUBSTORM ACTIVITY AFTER A SOUTHWARD TURNING OF THE INTERPLANETARY MAGNETIC FIELD FOLLOWING SEVERAL HOURS OF MAGNETIC CALM
*J. GEOPHYS. RES., 82, NO. 32, 5031-5050, NOV. 1977.
- 533 LAWRENCE, R.S. HALLENBECK, M.J.
METHOD FOR OBTAINING THE PARAMETERS OF ELECTRON DENSITY PROFILES FROM TOPSIDE IONOGRAMS
*NATL. BUR. OF STANDARDS, CENT. RADIO PROPAG. LAB., TECH. NOTE 315, BOULDER, CO, AUG. 1965.
- 534 LEE, T.B. CROSBY, D.F.
ELECTROSTATIC PROBES FOR ISIS-A SATELLITE
*U. OF MICH., COLL. OF ENG., 08210-1-F, ANN ARBOR, MI, SEPT. 1967.
- 535 LEGG, A.J. NEWMAN, W.S.
RECEPTION OF GROUND-BASED LORAN TRANSMISSIONS BY THE FIXED-FREQUENCY TOPSIDE SOUNDER SATELLITE
*J. ATMOS. TERR. PHYS., 29, 1383-1386, NOV. 1967.
- 536 LEGG, A.J. KING, J.W. PREECE, D.M.
DIURNAL VARIATIONS OF THE ELECTRON CONCENTRATION IN THE TOPSIDE IONOSPHERE AT LOW AND MIDDLE LATITUDES
*J. ATMOS. TERR. PHYS., 29, 1397-1401, NOV. 1967.
- 537 LEITINGER, R. HARTMANN, G.K. DAVIES, K.
ELECTRON CONTENT OF THE IONOSPHERE AND THE PLASMA SPHERE ON THE BASIS OF ATS 6 DATA, NYSS DATA, AND IONOGRAMS
*KLEINHEUBACHER BERICHT, 19, 483-490, 1976.
- 538 LIKHTER, I.A.I.
WHISTLERS AND THE OUTER IONOSPHERE OF THE EARTH
*IN -- IONOS. STUDIES, NO. 19, 72-89, MOSCOW, USSR, 1970.
- 539 LIN, W.C. MCDIARMID, I.B. BURROWS, J.R.
ELECTRON FLUXES AT 1000-KM ALTITUDE ASSOCIATED WITH AURORAL SUBSTORMS
*CAN. J. PHYS., 46, 80-83, JAN. 1968.
- 540 LISZKA, L.
HIGH LATITUDE ELECTRON CONTENT MEASUREMENTS
*IN -- REPT. PRES. AT THE SATELL. RES. SEM., OULU, FINLAND, JAN. 30-31, 1969.
- 541 LIU, V.C.
PARTICLE TRAPPING AND PLASMA OSCILLATIONS IN THE SATELLITE-DISTURBED IONOSPHERE
*SPACE RES., 9, 304-308, 1969. (PROC. OF 11TH COSPAR PLENARY MEET., TOKYO, JAPAN, MAY 9-21, 1968).
- 542 LOBB, R.J. TITHERIDGE, J.E.
EFFECTS OF TRAVELLING IONOSPHERIC DISTURBANCES ON IONOGRAMS
*J. ATMOS. TERR. PHYS., 39, NO. 2, 129-138, FEB. 1977.
- 543 LOCKWOOD, G.E.K.
PLASMA AND CYCLOTRON SPIKE PHENOMENA OBSERVED IN TOP-SIDE IONOGRAMS
*CAN. J. PHYS., 41, 190-194, JAN. 1963.
- 544 LOCKWOOD, G.E.K.
EXCITATION OF CYCLOTRON SPIKES IN THE IONOSPHERIC PLASMA
*CAN. J. PHYS., 43, 291-297, FEB. 1965.
- 545 LOCKWOOD, G.E.K.
COMPUTER AIDED SYSTEM FOR SCALING TOPSIDE IONOGRAMS
*PROC. OF THE IEEE, 57, 986-989, JUNE 1969.
- 546 LOCKWOOD, G.E.K.
MODIFIED ITERATION TECHNIQUE FOR USE IN COMPUTING ELECTRON DENSITY PROFILES FROM TOPSIDE IONOGRAMS
*RADIO SCI., 5, NO. 3, 575-577, MAR. 1970.
- 547 LOCKWOOD, G.E.K.
CALCULATION OF ELECTRON DENSITY PROFILES FROM TOPSIDE IONOGRAMS METHOD AND APPLICATIONS
*IN -- MATHEMATICS OF PROFILE INVERSION, NASA-TM-X-62150, 4-15 THRU 4-26, L. COLIN, WASH., DC, AUG. 1972.
- 548 LOCKWOOD, G.E.K. PETRIE, L.E.
LOW LATITUDE FIELD ALIGNED IONIZATION OBSERVED BY THE ALOUETTE TOPSIDE SOUNDER
*PLANET. SPACE SCI., 11, 327-330, MAR. 1963.
- 549 LOCKWOOD, G.E.K. NELMS, G.L.
TOPSIDE SOUNDER OBSERVATIONS OF THE EQUATORIAL ANOMALY IN THE 75 DEGREE W LONGITUDINAL ZONE
*J. ATMOS. TERR. PHYS., 26, 569-580, MAY 1964.
- 550 LOCKWOOD, M.
THERMAL ION FLOWS IN THE TOPSIDE AURORAL IONOSPHERE AND THE EFFECTS OF LOW-ALTITUDE, TRANSVERSE ACCELERATION
*PLANET. SPACE SCI., 30, NO. 6, 595-609, JUNE 1982.
- 551 LOCKWOOD, M.
FIELD-ALIGNED PLASMA FLOW IN THE QUIET, MID-LATITUDE IONOSPHERE DEDUCED FROM TOPSIDE SOUNDINGS
*J. ATMOS. TERR. PHYS., 45, NO. 1, 1-14, JAN. 1983.
- 552 LOCKWOOD, M. TITHERIDGE, J.E.
IONOSPHERIC ORIGIN OF MAGNETOSPHERIC O+ IONS
*GEOPHYS. RES. LETT., 8, NO. 4, 381-384, APR. 1981.
- 553 LOCKWOOD, M. TITHERIDGE, J.E.
DEPARTURES FROM DIFFUSIVE EQUILIBRIUM IN THE TOPSIDE F-LAYER FROM SATELLITE SOUNDINGS

ORIGINAL PAGE IS
OF POOR QUALITY

- *J. ATMOS. TERR. PHYS., 44, 425-440, MAY 1982.
- 554 LOFTUS,B.T. VANZANDT,T.E. CALVERT,W.
OBSERVATIONS OF CONJUGATE DUCTING BY THE FIXED-FREQUENCY TOPSIDE-SOUNDER SATELLITE
*ANN. DE GEOPHYS., 22, 530-537, OCT-DEC. 1966.
- 555 LUCAS,C. BRICE,N.
IRREGULARITIES IN PROTON DENSITY DEDUCED FROM CYCLOTRON DAMPING OF PROTON WHISTLERS
*J. GEOPHYS. RES., 76, 92-99, JAN. 1971.
- 556 LUI,A.T.Y. ANGER,C.D.
UNIFORM BELT OF DIFFUSE AURORAL EMISSION SEEN BY THE ISIS-2 SCANNING PHOTOMETER
*PLANET. SPACE SCI., 21, 799-809, MAY 1973.
- 557 LUI,A.T.Y. BURROWS,J.R.
ON THE LOCATION OF AURORAL ARCS NEAR SUBSTORM ONSETS
*J. GEOPHYS. RES., 83, NO. A7, 3342-3348, JULY 1978.
- 558 LUI,A.T.Y. PERREAULT,P. AKASOFU,S.I. ANGER,C.D.
DIFFUSE AURORA
*PLANET. SPACE SCI., 21, NO. 5, 857-861, MAY 1973.
- 559 LUI,A.T.Y. ANGER,C.D. VENKATESAN,D. SAWCHUK,W. AKASOFU,S.I.
TOPOLOGY OF THE AURORAL OVAL AS SEEN BY THE ISIS 2 SCANNING AURORAL PHOTOMETER
*J. GEOPHYS. RES., 80, NO. 13, 1795-1804, MAY 1975.
- 560 LUI,A.T.Y. ANGER,C.D. AKASOFU,S.I.
EQUATORWARD BOUNDARY OF THE DIFFUSE AURORA AND AURORAL SUBSTORMS AS SEEN BY THE ISIS 2 AURORAL SCANNING
PHOTOMETER
*J. GEOPHYS. RES., 80, NO. 25, 3603-3613, SEPT. 1975.
- 561 LUI,A.T.Y. VENKATESAN,D. ANGER,C.D. AKASOFU,S.I. HEIKKILA,W.J. WINNINGHAM,J.D.
BURROWS,J.R.
SIMULTANEOUS OBSERVATIONS OF PARTICLE PRECIPITATIONS AND AURORAL EMISSIONS BY THE ISIS 2 SATELLITE IN THE
19-24 MLT SECTOR
*J. GEOPHYS. RES., 82, NO. 16, 2210-2226, JUNE 1977.
- 562 LUND,D.S. HUNSUCKER,R.D.
EXCITATION OF STABLE AURORAL RED ARCS - SIMULTANEOUS HF RADAR, PHOTOMETER AND ALOUETTE 1 OBSERVATIONS
*J. ATMOS. TERR. PHYS., 33, NO. 8, 1177-1193, AUG. 1971.
- 563 LUND,D.S. HUNSUCKER,R.D. BATES,H.F. MURCRAY,W.B.
ELECTRON NUMBER DENSITIES IN AURORAL IRREGULARITIES, COMPARISON OF BACKSCATTER AND SATELLITE DATA
*J. GEOPHYS. RES., 72, 1053-1059, FEB. 1967.
- 564 LUNDQUIST,C.A.
SATELLITE ALTIMETRY AND ORBIT DETERMINATION
*SAO, SR-248, CAMBRIDGE, MA, AUG. 1967.
- 565 MACK,D.G.
CHANGES IN THE UPPER IONOSPHERE DURING SEVERE MAGNETIC STORMS
*PENN. STATE U., NASA-CR-98707, UNIVERSITY PARK, PA, SEPT. 1968.
- 566 MACKIE,G.H.C.
CONSTRUCTION TECHNIQUES AND INSPECTION PROCEDURES FOR THE S-27 ALOUETTE SATELLITE PAYLOAD
*DEF. RES. TELECOMMUN. ESTABL., REP. NO. 1119, OTTAWA, CAN., JULY 1963.
- 567 MACLEAN,M.A.
PERIOD MODULATED CARRIER TECHNIQUE FOR DATA RECORDING
*IEEE TRANS. ON AEROSPACE AND ELECTRON. SYSTEMS, SUPPL., AES-2, NO.6, 119-124, NOV. 1966.
- 568 MACLEAN,M.A. HITCHCOCK,N.S.
LOW POWER MAGNETIC MEMORY FOR SPACECRAFT COMMAND STORAGE
*IN -- CAN. ELECTRON. CONF., TORONTO, CAN., OCT. 4-6, 1965, IEEE, PAPER NO. 65046, TORONTO, CAN., OCT.
1965.
- 569 MAEDA,K.
VLF HISS FROM ELECTRONS IN THE EARTH'S MAGNETOSPHERE
*NASA-GSFC, TM X-66255, X-646-73-111, GREENBELT, MD, MAY 1973.
- 570 MAEDA,R.
RADIO AND SPACE DATA
*MIN. OF POSTS AND TELECOMM., RADIO RES. LAB., UNNUMBERED, TOKYO, JAPAN, MAR. 1975.
- 571 MAHAJAN,K.K. BRACE,L.H.
LATITUDINAL OBSERVATIONS OF THE THERMAL BALANCE IN THE NIGHTTIME PROTONOSPHERE
*J. GEOPHYS. RES., 74, 5099-5112, OCT. 1969.
- 572 MAHAJAN,K.K. PANDEY,V.K.
ESTIMATION OF H+ FLUXES IN THE POLAR REGIONS
*SPACE RES., 14, 347-352, 1974. (PROC. OF THE 14TH COSPAR PLENARY MEET., KONSTANZ, WEST GERMANY, MAY
23-JUNE 5, 1974.)
- 573 MAHAJAN,K.K. PANDEY,V.K.
ELECTRON TEMPERATURE AND CONCENTRATION IN THE PLASMASPHERE AT AN ALTITUDE OF 3000 KM FROM ISIS-1 LANGMUIR
PROBE MEASUREMENTS
*INDIAN J. RADIO SPACE PHYS., 7, 305-310, DEC. 1978.
- 574 MAHAJAN,K.K. PANDEY,V.K.
SOLAR ACTIVITY CHANGES IN ELECTRON TEMPERATURE AT 1000-KM ALTITUDE FROM LANGMUIR PROBE MEASUREMENTS ON
ISIS 1 AND EXPLORER 22 SATELLITES
*J. GEOPHYS. RES., 84, NO. A10, 5885-5889, OCT. 1979.
- 575 MAHER,L.J., JR.
LATITUDINAL VARIATION OF THE CHARGE EXCHANGE INDUCED ATOMIC HYDROGEN ESCAPE FLUX
*J. GEOPHYS. RES., 85, NO. A9, 4621-4630, SEPT. 1980.
- 576 MAIER,E.J.
SUPRATHERMAL ELECTRONS IN THE POLAR IONOSPHERE
*J. GEOPHYS. RES., 74, 2421-2424, MAY 1969.
- 577 MAIER,E.J.
EXPLORER 31 TOTAL CURRENT MONITOR EXPERIMENTS
*PROC. OF THE IEEE, 57, 1068-1071, JUNE 1969.
- 578 MAIER,E.J.
IONOSPHERE DURING A SUBAURORAL RED ARC
*IN -- SIGNIF. ACCOMP. IN SCI., NASA, SP-286, 46-51, WASH., D.C., 1972.
- 579 MAIER,E.J. RAO,B.C.N.

OBSERVATIONS OF THE SUPRATHERMAL ELECTRON FLUX AND THE ELECTRON TEMPERATURE AT HIGH LATITUDES
*J. GEOPHYS. RES., 75, 7168-7174, DEC. 1970.

- 580 MAIER, E.J. HOFFMAN, J.H.
OBSERVATION OF A TWO TEMPERATURE ION ENERGY DISTRIBUTION IN REGIONS OF POLAR WIND FLOW
*J. GEOPHYS. RES., 79, NO. 16, 2444-2447, JUNE 1974.
- 581 MAIER, E.J. CHANDRA, S. BRACE, L. HOFFMAN, J.H. WHITTEKER, J.H.
SAR ARC EVENT OBSERVED DURING THE DECEMBER 1971 MAGNETIC STORM
*J. GEOPHYS. RES., 80, NO. 34, 4591-4597, DEC. 1975.
- 582 MAIER, E.J. KAYSER, S.E. BURROWS, J.R. KLUMPAR, D.M.
SUPRATHERMAL ELECTRON CONTRIBUTIONS TO HIGH LATITUDE BIRKELAND CURRENTS
*J. GEOPHYS. RES., 85, NO. A5, 2003-2010, MAY 1980.
- 583 MAR, J.
EARTH SATELLITE DESIGN, MATERIALS AND ENVIRONMENTAL TESTING
*DEF. RES. TELECOMMUN. ESTABL., REP. NO. 1059, OTTAWA, CAN., APR. 1961.
- 584 MAR, J.
METEOROID IMPACT ON THE TOPSIDE SOUNDER SATELLITE
*CAN. AERONAUT. SPACE J., 8, NO. 9, 237-240, NOV. 1962.
- 585 MAR, J. VIGNERON, F.R.
PASSIVE SPIN PROPULSION OF LARGE FLEXIBLE SPHERICALLY SHAPED SATELLITES BY THE SOLAR RADIATION FIELD
*IN -- TRAJECTORIES OF ARTIFICIAL CELESTIAL BODIES, UNNUMBERED, 151-163, SPRINGER-VERLAG, NEW YORK, NY, 1966.
- 586 MAR, J. GARRETT, T.
MECHANICAL DESIGN AND DYNAMICS OF THE ALOUETTE SPACECRAFT
*PROC. OF THE IEEE, 57, 882-896, JUNE 1969.
- 587 MASON, K.H. TULL, E.H. FORSYTH, P.A.
ROCKET STUDIES OF ISOLATED IONOSPHERIC IRREGULARITIES
*CAN. J. PHYS., 45, 3065-3078, SEPT. 1967.
- 588 MATSUSHITA, S.
IONOSPHERIC F2 BEHAVIOR AT CONJUGATE PLACES IN LOW LATITUDES
*RADIO SCI., 3, NO. 7, 658-667, JULY 1978.
- 589 MATUURA, N. ONDOH, T.
STRUCTURE OF THE TOPSIDE IONOSPHERE OVER JAPAN
*SPACE RES., 9, 297-303, 1969 (PROC. OF THE 11TH COSPAR PLEN. MEET., TOKYO, JAPAN, MAY 9-21, 1968).
- 590 MATUURA, N. ONDOH, T.
STRUCTURE OF THE TOPSIDE IONOSPHERE DEDUCED FROM ALOUETTE DATA
*PROC. OF THE IEEE, 57, NO. 6, 1150-1153, JUNE 1969.
- 591 MATUURA, N. NISHIZAKI, R.
PROTON CYCLOTRON ECHOES IN THE TOPSIDE IONOSPHERE
*J. GEOPHYS. RES., 74, 5169-5172, OCT. 1969.
- 592 MATUURA, N. INUKI, H.
ANALYSIS OF OBSERVATIONAL DATA OBTAINED BY ALOUETTE 2. 2. STRUCTURE OF THE TOPSIDE IONOSPHERE DEDUCED FROM RESONANCE SPIKES ON THE TOPSIDE IONOGRAMS
*RADIO RES. LAB. J., 16, NO. 87-88, 185-206, NOV. 1969.
- 593 MATUURA, N. NISHIZAKI, R. NAGAYAMA, M.
ANALYSIS OF OBSERVATIONAL DATA OBTAINED BY ALOUETTE 2. 3. PROTON CYCLOTRON ECHOES IN THE TOPSIDE IONOGRAMS
*RADIO RES. LAB. J., 16, 207-213, NOV. 1969.
- 594 MATUURA, N. HOJO, H. NAKAMURA, Y. NISHIZAKI, R. NAGAYAMA, M.
SOLAR TERRESTRIAL DISTURBANCES OF AUGUST 1972
*RADIO RES. LAB. REV., 19, 331-335, JULY 1973.
- 595 MAYR, H.G. BRACE, L.H.
SIGNIFICANCE OF THE IONOSPHERE-PROTONOSPHERE COUPLING FOR THE INTERPRETATION OF TOPSIDE SOUNDER PROFILES
*J. GEOPHYS. RES., 75, NO. 13, 2608-2610, MAY 1970.
- 596 MCAFEE, J.R.
RAY TRAJECTORIES IN AN ANISOTROPIC PLASMA NEAR PLASMA RESONANCE
*J. GEOPHYS. RES., 73, 5577-5583, SEPT. 1968.
- 597 MCAFEE, J.R.
TOPSIDE RESONANCES AS OBLIQUE ECHOES
*J. GEOPHYS. RES., 74, NO. 3, 802-808, FEB. 1969.
- 598 MCAFEE, J.R.
TOPSIDE RAY TRAJECTORIES NEAR THE UPPER HYBRID RESONANCE
*J. GEOPHYS. RES., 74, 6403-6408, DEC. 1969.
- 599 MCAFEE, J.R.
INTERPRETATION OF TOPSIDE RESONANCES AS OBLIQUE ECHOES
*IN -- PLASMA WAVES IN SPACE AND IN THE LAB., 2, 123-128, J.O. THOMAS, AM. ELSEVIER PUBL. CO., NEW YORK, NY, 1970.
- 600 MCAFEE, J.R.
TOPSIDE PLASMA FREQUENCY RESONANCE BELOW THE CYCLOTRON FREQUENCY
*J. GEOPHYS. RES., 75, NO. 22, 4287-4290, AUG. 1970.
- 601 MCAFEE, J.R.
ELECTRON PLASMA RESONANCES IN THE TOPSIDE IONOSPHERE
*FUNDAM. COSMIC PHYS., 1, NO. 1-2, 71-117, 1974.
- 602 MCAFEE, J.R. THOMPSON, T.L. CALVERT, W. WARNOCK, J.M.
ROCKET OBSERVATION OF TOPSIDE RESONANCES
*J. GEOPHYS. RES., 77, NO. 28, 5542-5550, OCT. 1972.
- 603 MCCULLEY, L.
NUMERICAL METHODS FOR REDUCTION OF TOPSIDE IONOGRAMS
*IN -- MATHEMATICS OF PROFILE INVERSION, NASA-TM-X-62150, 4-27 THRU 4-36, L. COLIN, WASH., DC, AUG. 1972.
- 604 MCDIARMID, D.R. MCNAMARA, A.G.
RADIO AURORA IN THE DAYSIDE AURORAL OVAL SPATIAL RELATIONSHIP WITH FIELD-ALIGNED CURRENTS AND ENERGETIC PARTICLES
*J. GEOPHYS. RES., 83, NO. A7, 3226-3234, JULY 1978.
- 605 MCDIARMID, I.B. BURROWS, J.R.
HIGH LATITUDE BOUNDARY OF THE OUTER RADIATION ZONE AT 1000 KM

ORIGINAL PAGE IS
OF POOR QUALITY

- *CAN. J. PHYS., 42, 616-626, APR. 1964.
- 606 MCDIARMID, I.B. BURROWS, J.R.
DIURNAL INTENSITY VARIATIONS IN THE OUTER RADIATION ZONE AT 1000 KM
*CAN. J. PHYS., 42, 1135-1148, JUNE 1964.
- 607 MCDIARMID, I.B. BURROWS, J.R.
ON AN ELECTRON SOURCE FOR THE OUTER VAN ALLEN RADIATION ZONE
*CAN. J. PHYS., 43, 1161-1164, JUNE 1965.
- 608 MCDIARMID, I.B. BURROWS, J.R.
ELECTRON FLUXES AT 1000 KILOMETERS ASSOCIATED WITH THE TAIL OF THE MAGNETOSPHERE
*J. GEOPHYS. RES., 70, NO. 13, 3031-3043, JULY 1965.
- 609 MCDIARMID, I.B. BURROWS, J.R.
TEMPORAL VARIATIONS OF OUTER RADIATION ZONE ELECTRON INTENSITIES AT 1000 KM
*CAN. J. PHYS., 44, 1361-1379, JAN. 1966.
- 610 MCDIARMID, I.B. BURROWS, J.R.
LIFETIMES OF LOW-ENERGY ELECTRONS (\approx ABOUT 40 KEV) IN THE OUTER RADIATION ZONE AT MAGNETICALLY QUIET TIMES
*CAN. J. PHYS., 44, 669-673, MAR. 1966.
- 611 MCDIARMID, I.B. BURROWS, J.R.
DEPENDENCE OF THE POSITION OF THE OUTER RADIATION ZONE INTENSITY MAXIMA ON ELECTRON ENERGY AND MAGNETIC ACTIVITY
*CAN. J. PHYS., 45, 2873-2878, SEPT. 1967.
- 612 MCDIARMID, I.B. BURROWS, J.R.
LOCAL TIME ASYMMETRIES IN THE HIGH-LATITUDE BOUNDARY OF THE OUTER RADIATION ZONE FOR THE DIFFERENT ELECTRON ENERGIES
*CAN. J. PHYS., 46, 49-57, JAN. 1968.
- 613 MCDIARMID, I.B. WILSON, M.D.
DEPENDENCE OF THE HIGH LATITUDE ELECTRON (\approx GREATER THAN 35 KEV) BOUNDARY ON THE ORIENTATION OF THE GEOMAGNETIC AXIS
*J. GEOPHYS. RES., 73, NO. 23, 7237-7244, DEC. 1968.
- 614 MCDIARMID, I.B. BURROWS, J.R.
RELATION OF SOLAR PROTON LATITUDE PROFILES TO OUTER RADIATION ZONE ELECTRON MEASUREMENTS
*J. GEOPHYS. RES., 74, 6239-6246, DEC. 1969.
- 615 MCDIARMID, I.B. BURROWS, J.R.
LATITUDE PROFILES OF LOW-ENERGY SOLAR ELECTRONS
*J. GEOPHYS. RES., 75, 3910-3914, JULY 1970.
- 616 MCDIARMID, I.B. HRUSKA, A.
ANISOTROPY OF HIGH-LATITUDE ELECTRON FLUXES DURING SUBSTORMS AND STRUCTURE OF THE MAGNETOTAIL
*J. GEOPHYS. RES., 77, NO. 19, 3377-3383, JULY 1972.
- 617 MCDIARMID, I.B. BURROWS, J.R. BUDZINSKI, E.E. ROSE, D.C.
SATELLITE MEASUREMENTS IN THE 'STARFISH' ARTIFICIAL RADIATION ZONE
*CAN. J. PHYS., 41, 1332-1345, AUG. 1963.
- 618 MCDIARMID, I.B. BURROWS, J.R. BUDZINSKI, E.E. WILSON, M.D.
SOME AVERAGE PROPERTIES OF THE OUTER RADIATION ZONE AT 1000 KM
*CAN. J. PHYS., 41, 2064-2079, DEC. 1963.
- 619 MCDIARMID, I.B. BURROWS, J.R. ROSE, D.C. WILSON, M.D.
HIGH LATITUDE PARTICLE FLUX MEASUREMENTS FROM THE SATELLITE 1962 BETA ALPHA (ALOUETTE)
*SPACE RES., 4, 606-620, 1964. (PROC. OF THE 4TH INT. SPACE SCI. SYMP., WARSAW, POLAND, JUNE 3-12, 1963.)
- 620 MCDIARMID, I.B. BURROWS, J.R. WILSON, M.D.
MORPHOLOGY OF OUTER RADIATION ZONE ELECTRON ACCELERATION MECHANISMS
*J. GEOPHYS. RES., 74, 1749-1758, APR. 1969.
- 621 MCDIARMID, I.B. BURROWS, J.R. WILSON, M.D.
DAWN DUSK ASYMMETRIES IN THE OUTER RADIATION ZONE AT MAGNETICALLY QUIET TIMES
*J. GEOPHYS. RES., 74, 3554-3560, JULY 1969.
- 622 MCDIARMID, I.B. BURROWS, J.R. WILSON, M.D.
STRUCTURE OBSERVED IN SOLAR PARTICLE LATITUDE PROFILES AND ITS DEPENDENCE ON RIGIDITY
*J. GEOPHYS. RES., 76, 227-231, JAN. 1971.
- 623 MCDIARMID, I.B. BURROWS, J.R. WILSON, M.D.
SOLAR PARTICLES AND THE DAYSIDE LIMIT OF CLOSED FIELD LINES
*J. GEOPHYS. RES., 77, 1103-1108, MAR. 1972.
- 624 MCDIARMID, I.B. BURROWS, J.R. WILSON, M.D.
SOLAR PROTON FLUX ENHANCEMENTS AT AURORAL LATITUDES
*J. GEOPHYS. RES., 79, NO. 7, 1099-1103, MAR. 1974.
- 625 MCDIARMID, I.B. BURROWS, J.R. BUDZINSKI, E.E.
AVERAGE CHARACTERISTICS OF MAGNETOSPHERIC ELECTRONS (150 EV TO 200 KEV) AT 1400 KM
*J. GEOPHYS. RES., 80, NO. 1, 73-79, JAN. 1975.
- 626 MCDIARMID, I.B. BURROWS, J.R. BUDZINSKI, E.E.
PARTICLE PROPERTIES IN THE DAY SIDE CLEFT
*J. GEOPHYS. RES., 81, NO. 1, 221-226, JAN. 1976.
- 627 MCDIARMID, I.B. BUDZINSKI, E.E. BURROWS, J.R.
COMPARISON OF THE MEAD-FAIRFIELD MAGNETIC FIELD MODEL WITH PARTICLE MEASUREMENTS
*J. GEOPHYS. RES., 81, NO. 19, 3459-3461, JULY 1976.
- 628 MCDIARMID, I.B. BUDZINSKI, E.E. WILSON, M.D. BURROWS, J.R.
REVERSE POLARITY FIELD ALIGNED CURRENTS AT HIGH LATITUDES
*J. GEOPHYS. RES., 82, NO. 10, 1513-1518, APR. 1977.
- 629 MCDIARMID, I.B. BURROWS, J.R. WILSON, M.D.
COMPARISON OF MAGNETIC FIELD PERTURBATIONS AT HIGH LATITUDES WITH CHARGED PARTICLE AND IMF MEASUREMENTS
*J. GEOPHYS. RES., 83, NO. A2, 681-688, FEB. 1978.
- 630 MCDIARMID, I.B. BURROWS, J.R. WILSON, M.D.
MAGNETIC FIELD PERTURBATIONS IN THE DAYSIDE CLEFT AND THEIR RELATIONSHIP TO THE IMF
*J. GEOPHYS. RES., 83, NO. A12, 5753-5756, DEC. 1978.
- 631 MCDIARMID, I.B. BURROWS, J.R. WILSON, M.D.
LARGE SCALE MAGNETIC FIELD PERTURBATIONS AND PARTICLE MEASUREMENTS AT 1400 KM ON THE DAYSIDE
*J. GEOPHYS. RES., 84, NO. A4, 1431-1441, APR. 1979.

- 632 MCDIARMID, I.B. BURROWS, J.R. WILSON, M.D.
COMPARISON OF MAGNETIC FIELD PERTURBATIONS AND SOLAR ELECTRON PROFILES IN THE POLAR CAP
*J. GEOPHYS. RES., 85, NO. A2, 1163-1170, MAR. 1980.
- 633 MCEWEN, D.J. BARRINGTON, R.E.
SOME CHARACTERISTICS OF THE LOWER HYBRID RESONANCE NOISE BANDS OBSERVED BY THE ALOUETTE 1 SATELLITE
*CAN. J. PHYS., 45, 13-19, JAN. 1967.
- 634 MCEWEN, D.J. BARRINGTON, R.E.
ION COMPOSITION BELOW 3000 KM DERIVED FROM ION WHISTLER OBSERVATIONS
*SPACE RES., 8, 396-404, 1968. (PROC. OF THE 10TH COSPAR PLENARY MEETING, LONDON, ENGLAND, JULY 25-28, 1967).
- 635 MCINNES, B.A.
ESTIMATION OF ERRORS IN PROCESSING OF ALOUETTE 1 RECORDS
*STANFORD U., STANFORD ELECTRON. LAB., SU-SEL-68-065, STANFORD, CA, JULY 1968.
- 636 MCINNES, B.A.
VARIATIONS OF PLASMA SCALE HEIGHT IN THE UPPER IONOSPHERE DURING THE SUNRISE PERIOD
*J. GEOPHYS. RES., 73, NO. 17, 5603-5613, SEPT. 1968.
- 637 MENDILLO, M. CHACKO, C.C.
BASELEVEL IONOSPHERIC TROUGH
*J. GEOPHYS. RES., 82, NO. 32, 5129-5137, NOV. 1977.
- 638 MENDILLO, M. KLOBUCHAR, J.A. HAJEB-HOSSEINIEM, H.
IONOSPHERIC DISTURBANCES - EVIDENCE FOR THE CONTRACTION OF THE PLASMASPHERE DURING SEVERE GEOMAGNETIC STORMS
*PLANET. SPACE SCI., 22, 223-236, FEB. 1974.
- 639 MENDILLO, M. BUONSANTO, M.J. KLOBUCHAR, J.A.
DISTORTIONS OF THE WINTER NIGHTTIME IONOSPHERE AT L=4
*J. GEOPHYS. RES., 82, NO. 22, 3223-3232, AUG. 1977.
- 640 MILIC, P.L.
MIDDLE LATITUDE CHANGES IN TOPSIDE ELECTRON DENSITY THROUGH A MAGNETIC STORM
*STANFORD RES. INST., NASA-CR-63869, TECH. NOTE 1, MENLO PARK, CA, JUNE 1964.
- 641 MILIC, P.L. DAYHARSH, T.I. SMITH, N.
METHODS OF PRESENTATION OF TOPSIDE ELECTRON DENSITY PROFILES
*STANFORD RES. INST., PROJECT NO. 5023, MENLO PARK, CA, MAR. 1965.
- 642 MILLER, N.J.
SOME IMPLICATIONS OF SATELLITE SPIN EFFECTS IN CYLINDRICAL PROBE MEASUREMENTS
*J. GEOPHYS. RES., 77, 2851-2861, JUNE 1972.
- 643 MILLER, N.J.
DAY SIDE MID-LATITUDE PLASMA TROUGH
*J. GEOPHYS. RES., 79, 3795-3801, SEPT. 1974.
- 644 MILLER, N.J. GREBOWSKY, J.M.
SIMULTANEOUS IN SITU MAGNETOSPHERIC AND IONOSPHERIC DETECTION OF DETACHED PLASMAS
*GEOPHYS. RES. LETT., 4, NO. 9, 369-372, SEPT. 1977.
- 645 MIZUN, I.U. G. FOMAGINA, N.A.
BEHAVIOR OF THE HIGH-LATITUDE UPPER IONOSPHERE FROM SATELLITE SOUNDING DATA
*IONOSFERNYE ISSLEDOVANIYA, NO. 25, 67-72, 1978.
- 646 MOLOZZI, A.R.
INSTRUMENTATION OF THE IONOSPHERIC SOUNDER CONTAINED IN THE SATELLITE 1962 BETA ALPHA (ALOUETTE)
*SPACE RES., 4, 413-436, 1964. (PROC. OF THE 4TH INTERN. SPACE SCI. SYMP., WARSAW, POLAND, JUNE 4-10, 1963).
- 647 MOLOZZI, A.R. HITCHCOCK, N.S.
MICRO POWER DIGITAL CIRCUITS
*IN -- CAN. ELECTRON. CONF., TORONTO, CAN., OCT. 4-6, 1965, IEEE, PAPER NO. 65042, TORONTO, CAN., OCT. 1965.
- 648 MOLOZZI, A.R. RICHARDSON, J.R.
MEASURED IMPEDANCE OF A DIPOLE ANTENNA IN THE IONOSPHERE
*SPACE RES., 7, 1, 489-505, 1967. (PROC. OF THE 7TH INTERN. SPACE SCI. SYMP., VIENNA, AUSTRIA, MAY 10-18, 1966, R.L. SMITH-ROSE, NORTH-HOLLAND PUBL. CO., AMSTERDAM, NETHERLANDS).
- 649 MOLOZZI, A.R. FRANKLIN, C.A. TYAS, J.P.I.
COSMIC NOISE MEASUREMENTS FROM 1960 *ETA 1 AT 3.8 MC./S.
*NATURE, 190, NO. 4776, 616-617, MAY 1961.
- 650 MOLOZZI, A.R. FRANKLIN, C.A. SAUNDERS, J. ALMOND, J.
ELECTRICAL SYSTEM DESIGN OF THE ISIS-A SATELLITE
*IN -- CAN. ELECTRON. CONF., TORONTO, CAN., OCT. 4-6, 1965, IEEE, PAPER NO. 65037, TORONTO, CAN., OCT. 1965.
- 651 MOSHUPI, M.C. COGGER, L.L. WALLIS, D.D. MURPHREE, J.S. ANGER, C.D.
AURORAL PATCHES IN THE VICINITY OF THE PLASMAPAUSE
*GEOPHYS. RES. LETT., 4, NO. 1, 37-40, JAN. 1977.
- 652 MOSHUPI, M.C. ANGER, C.D. MURPHREE, J.S. WALLIS, D.D. BRACE, L.H.
CHARACTERISTICS OF TROUGH REGION AURORAL PATCHES AND DETACHED ARCS OBSERVED BY ISIS-2
*J. GEOPHYS. RES., 84, NO. A4, 1333-1346, APRIL 1979.
- 653 MOSS, S.J. HYMAN, E.
MINIMUM VARIANCE TECHNIQUE FOR THE ANALYSIS OF IONOSPHERIC DATA ACQUIRED IN SATELLITE RETARDING POTENTIAL ANALYZER EXPERIMENTS
*J. GEOPHYS. RES., 73, 4315-4323, JULY 1968.
- 654 MULDREW, D.B.
RELATIONSHIP OF F-LAYER CRITICAL FREQUENCIES TO THE INTENSITY OF THE OUTER VAN ALLEN BELT
*CAN. J. PHYS., 41, 199-202, JAN. 1963.
- 655 MULDREW, D.B.
RADIO PROPAGATION ALONG MAGNETIC FIELD-ALIGNED SHEETS OF IONIZATION OBSERVED BY THE ALOUETTE TOPSIDE SOUNDER
*J. GEOPHYS. RES., 68, NO. 19, 5355-5370, OCT. 1963.
- 656 MULDREW, D.B.
F LAYER IONIZATION TROUGHS DEDUCED FROM ALOUETTE DATA
*J. GEOPHYS. RES., 70, NO. 11, 2635-2650, JUNE 1965.
- 657 MULDREW, D.B.
DELAYED CYCLOTRON PULSE GENERATION IN THE TOPSIDE IONOSPHERE DEDUCED FROM ALOUETTE 1 DATA

ORIGINAL PAGE IS
OF POOR QUALITY

- *NATURE, 210, 471-473, APR. 1966.
- 658 MULDER, D.B.
 DELAYED GENERATION OF AN ELECTROMAGNETIC PULSE IN THE IONOSPHERE AND IN OTHER MAGNETO-PLASMAS
 *DEF. RES. TELECOMMUN. ESTABL., REP. NO. 1178, OTTAWA, CAN., 1967.
- 659 MULDER, D.B.
 DELAYED GENERATION OF AN ELECTROMAGNETIC PULSE IN THE TOPSIDE IONOSPHERE
 *J. GEOPHYS. RES., 72, NO. 15, 3777-3794, AUG. 1967.
- 660 MULDER, D.B.
 MEDIUM FREQUENCY CONJUGATE ECHOES OBSERVED ON TOPSIDE-SOUNDER DATA
 *CAN. J. PHYS., 45, 3935-3944, DEC. 1967.
- 661 MULDER, D.B.
 NONVERTICAL PROPAGATION AND DELAYED-ECHO GENERATION OBSERVED BY THE TOPSIDE SOUNDERS
 *PROC. OF THE IEEE, 57, 1097-1107, JUNE 1969.
- 662 MULDER, D.B.
 PRELIMINARY RESULTS OF ISIS A CONCERNING ELECTRON-DENSITY VARIATIONS, IONOSPHERIC RESONANCES AND CERENKOV RADIATION
 *SPACE RES., 10, 786-794, 1970. (PROC. OF 12TH COSPAR PLENARY MEETING, PRAGUE, CZECH., MAY 11-24, 1969.
- 663 MULDER, D.B.
 ELECTRON RESONANCES IN THE IONOSPHERE
 *IN -- PROGRESS IN RADIO SCI. 1966-1969, VOL. 1, 107-111, INTERN. UNION OF RADIO SCI., BRUSSELS, BELGIUM, 1970.
- 664 MULDER, D.B.
 ELECTROSTATIC RESONANCES ASSOCIATED WITH THE MAXIMUM FREQUENCIES OF CYCLOTRON-HARMONIC WAVES
 *J. GEOPHYS. RES., 77, NO. 10, 1794-1801, APR. 1972.
- 665 MULDER, D.B.
 ELECTRON RESONANCES OBSERVED WITH TOPSIDE SOUNDERS
 *RADIO SCI., 7, NO. 8-9, 779-789, AUG.-SEPT. 1972.
- 666 MULDER, D.B.
 FORMATION OF DUCTS AND SPREAD F AND THE INITIATION OF BURSTS BY FIELD ALIGNED CURRENTS
 *J. GEOPHYS. RES., 85, NO. A2, 613-625, FEB. 1980.
- 667 MULDER, D.B.
 CHARACTERISTICS OF IONOSPHERIC BUBBLES DETERMINED FROM ASPECT SENSITIVE SCATTER SPREAD F OBSERVED WITH ALOUETTE 1
 *J. GEOPHYS. RES., 85, NO. A5, 2115-2123, MAY 1980.
- 668 MULDER, D.B.
 ALOUETTE-ISIS RADIO WAVE STUDIES OF THE CLEFT, THE AURORAL ZONE, AND THE MAIN TROUGH AND OF THEIR ASSOCIATED IRREGULARITIES
 *RADIO SCI., 18, 1140-1150, DEC. 1983.
- 669 MULDER, D.B.
 OBSERVATIONS OF THE CUSP WITH TOPSIDE SOUNDERS
 *IN -- THE POLAR CUSP, 377-386, J.A. HOLTET, D. REIDEL PUBL. CO., 1985.
- 670 MULDER, D.B. HAGG, E.L.
 NOVEL IONOSPHERIC CYCLOTRON RESONANCE PHENOMENON OBSERVED ON ALOUETTE 1 DATA
 *CAN. J. PHYS., 44, 925-939, MAY 1966.
- 671 MULDER, D.B. HAGG, E.L.
 PROPERTIES OF HIGH-LATITUDE IONOSPHERIC DUCTS DEDUCED FROM ALOUETTE 2 TWO-HOP ECHOES
 *PROC. OF THE IEEE, 57, 1128-1134, JUNE 1969.
- 672 MULDER, D.B. HAGG, E.L.
 STIMULATION OF IONOSPHERIC-RESONANCE ECHOES BY THE ALOUETTE II SATELLITE
 *IN -- PLASMA WAVES IN SPACE AND IN THE LAB., 2, 55-68, J.O. THOMAS, AM. ELSEVIER PUBL. CO., NEW YORK, NY, 1970.
- 673 MULDER, D.B. ESTABROOKS, M.F.
 COMPUTATION OF DISPERSION CURVES FOR A HOT MAGNETOPLASMA WITH APPLICATION TO THE UPPER-HYBRID AND CYCLOTRON FREQUENCIES
 *RADIO SCI., 7, NO. 5, 579-586, MAY 1972.
- 674 MULDER, D.B. JAMES, H.G.
 IONOSPHERIC EFFECTS ON THE DOPPLER FREQUENCY FOR A SEARCH AND RESCUE SATELLITE
 *IN -- OPER. MODELLING OF THE ACROSP. PROPAG. ENVIRON., AGARD-CPP-238, 1978.
- 675 MULDER, D.B. JAMES, H.G.
 IONOSPHERIC EFFECTS ON THE DOPPLER FREQUENCY SHIFT IN SARSAT PROPAGATION
 *COMMUN. RES. CENT., REP. NO. 1313, OTTAWA, CAN., FEB. 1978.
- 676 MULDER, D.B. VICKREY, J.F.
 HIGH-LATITUDE F REGION IRREGULARITIES OBSERVED SIMULTANEOUSLY WITH ISIS 1 AND THE CHATANIKA RADAR
 *J. GEOPHYS. RES., 87, NO. A10, 8263-8272, OCT. 1982.
- 677 MULDER, D.B. LITWACK, M.D. TIMLECK, P.L.
 INTERPRETATION OF THE STATISTICS OF OCCURRENCE OF ALOUETTE 1 EARTH ECHOES
 *PLANET. SPACE SCI., 15, 611-618, APR. 1967.
- 678 MULDER, D.B. GLADWIN, J.C. JAMES, H.G.
 F-LAYER MODEL FOR NORTH AMERICA AND ITS APPLICATION TO THE SEARCH AND RESCUE SATELLITE PROGRAM
 *IN -- PROC. SYMP. COSPAR SATELLITE BEACON GROUP ON BEACON SATELL. MEASUREMENTS OF PLASMASPHERIC AND IONOSPHERIC PROPERTIES, FIRENZE, ITALY, 22-25 MAY 1978, 42-1 THROUGH 42-7, UNDATED.
- 679 MURPHREE, J.S.
 COORDINATED IONOSPHERIC AND MAGNETOSPHERIC OBSERVATIONS FROM THE ISIS 2 SATELLITE BY THE ISIS 2 EXPERIMENTERS VOLUME 1 OPTICAL AURORAL IMAGES AND RELATED DIRECT MEASUREMENTS
 *NSSDC, 80-03, GREENBELT, MD, JULY 1980.
- 680 MURPHREE, J.S. ANGER, C.D.
 INSTANTANEOUS AURORAL PARTICLE ENERGY DEPOSITION AS DETERMINED BY OPTICAL EMISSIONS
 *GEOPHYS. RES. LETT., 5, NO. 6, 551-554, JUNE 1978.
- 681 MURPHREE, J.S. ANGER, C.D.
 OBSERVATION OF THE INSTANTANEOUS OPTICAL AURORAL DISTRIBUTION
 *CAN. J. PHYS., 58, NO. 2, 214-223, FEB. 1980.
- 682 MURPHREE, J.S. ANGER, C.D.
 EMPIRICAL METHOD FOR DETERMINING ALBEDO CONTRIBUTION TO SATELLITE PHOTOMETER DATA
 *REMOTE SENSING ENVIRON., 9, NO. 3, 183-187, MAY 1980.

ORIGINAL PAGE IS
 OF POOR QUALITY

- 683 MURPHREE, J.S. COGGER, L.L.
OBSERVED CONVECTIONS BETWEEN APPARENT POLAR CAP FEATURES AND THE INSTANTANEOUS DIFFUSE AURORAL OVAL
*PLANET. SPACE SCI., 29, NO. 11, 1143-1149, NOV. 1981.
- 684 MURPHREE, J.S. ROBERTSON, I.W.H. ANGER, C.D. COGGER, L.L.
ROCKET OBSERVATIONS OF AURORAL ALBEDO OVER SNOW
*APPL. OPT., 17, NO. 12, 1849-1850, JUNE 1978.
- 685 MURPHREE, J.S. COGGER, L.L. ANGER, C.D. ISMAIL, S. SHEPHERD, G.G.
LARGE SCALE 6300A, 5577A, 3914A DAYSIDE AURORAL MORPHOLOGY
*GEOPHYS. RES. LETT., 7, NO. 4, 239-242, APRIL 1980.
- 686 MURPHREE, J.S. COGGER, L.L. ANGER, C.D.
CHARACTERISTICS OF THE INSTANTANEOUS AURORAL OVAL IN THE 1200-1800 MLT SECTOR
*J. GEOPHYS. RES., 86, NO. A9, 7657-7668, SEPT. 1981.
- 687 MURPHREE, J.S. ANGER, C.D. COGGER, L.L.
INSTANTANEOUS RELATIONSHIP BETWEEN POLAR CAP AND OVAL AURORAS AT TIMES OF NORTHWARD INTERPLANETARY
MAGNETIC FIELD
*CAN. J. PHYS., 60, 349-356, MAR. 1982.
- 688 MUZZIO, J.L.R. RAMINEZ PARDO, P. DE MENDONCA, F.
MEASUREMENTS OF THE EARTH'S TOTAL MAGNETIC FIELD AT HEIGHTS OF 1000 KM IN THE BRAZILIAN ANOMALY
*SPACE RES., 6, 217-221, 1966 (PROC. OF THE 6TH INT. SPACE SCI. SYMP., MAR DEL PLATA, ARGENTINA, MAY
11-19, 1965).
- 689 NAGY, A.F. WINNINGHAM, J.D. BANKS, P.M.
EFFECT OF CONJUGATE PHOTOELECTRON IMPACT IONIZATION ON THE PRE-DAWN IONOSPHERE
*J. ATMOS. TERR. PHYS., 35, NO. 12, 2289-2291, DEC. 1973.
- 690 NAKACHE, J.
COMPARATIVE STUDY OF RECEPTION ZONES ABOVE THE CONJUGATE AREAS OF EUROPE AND SOUTH AFRICA FOR SIGNALS
PRODUCED BY EUROPEAN LONG-WAVE TRANSMITTERS AND RECEIVED BY CANADIAN SATELLITES
*ANN. DE GEOPHYS., 36, 587-598, OCT.-DEC. 1980.
- 691 NAKAMURA, N. MATUURA, N. NISHIZAKI, R.
BRANCH ECHO TRACES ON TOPSIDE IONOGRAMS CAUSED BY GEOMAGNETIC FIELD-ALIGNED IRREGULARITIES IN ELECTRON
DENSITY
*RADIO RES. LAB. J., 21, NO. 107, 503-518, 1974.
- 692 NARASINGA RAO, B.C. SINGH, R.N. MAIER, E.J.
PHOTOELECTRON ESCAPE FLUXES OVER THE EQUATORIAL AND MIDLATITUDE REGIONS
*INDIAN J. RADIO SPACE PHYS., 1, 198, 1972.
- 693 NELMS, G.L.
SCALE HEIGHTS OF THE UPPER IONOSPHERE FROM TOP-SIDE SOUNDINGS
*CAN. J. PHYS., 41, 202-206, JAN. 1963.
- 694 NELMS, G.L.
IONOSPHERIC RESULTS FROM THE TOPSIDE SOUNDER SATELLITE ALOUETTE
*SPACE RES., 4, 437-448, 1964. (PROC. OF THE 4TH INTERN. SPACE SCI. SYMP., WARSAW, POLAND, JUNE 4-10,
1963).
- 695 NELMS, G.L.
SEASONAL AND DIURNAL VARIATIONS OF THE DISTRIBUTION OF ELECTRON DENSITY IN THE TOPSIDE OF THE IONOSPHERE
*IN -- ELECTRON DENSITY PROFILES IN IONOS. AND EXOS., 358-386, J. FRIHAGEN, NORTH-HOLLAND PUBL. CO.,
AMSTERDAM, THE NETHERLANDS, 1966.
- 696 NELMS, G.L. WARREN, E.S.
SOME IRREGULAR VARIATIONS OF THE ELECTRON DENSITY IN THE TOPSIDE OF THE IONOSPHERE
*SPACE RES., 5, 637-638, 1965 (PROC. 5TH INT. SPACE SCI. SYMP., FLORENCE, ITALY, MAY 12-16, 1964).
- 697 NELMS, G.L. LOCKWOOD, G.E.K.
EARLY RESULTS FROM THE TOPSIDE SOUNDER IN THE ALOUETTE 2 SATELLITE
*SPACE RES., 7, 604-623, 1967. (PROC. OF THE 7TH INTERN. SPACE SCI. SYMP., VIENNA, AUSTRIA, MAY 10-18,
1966).
- 698 NELMS, G.L. CHAPMAN, J.H.
HIGH LATITUDE IONOSPHERE - RESULTS FROM ALOUETTE/ISIS TOPSIDE SOUNDERS
*IN -- POLAR IONOSPHERE AND MAGNETOSPHERIC PROCESSES, 233-269, GORDON AND BREACH, SCI. PUBL., NEW YORK,
NY, 1970.
- 699 NELMS, G.L. BARRINGTON, R.E. BELROSE, J.S. HARTZ, T.R. MCDIARMID, I.B. BRACE, L.H.
ALOUETTE 2 SATELLITE
*CAN. J. PHYS., 44, NO. 7, JULY 1966.
- 700 NISBET, J.S. QUINN, T.P. WIDMAIER, J.
MEASUREMENTS OF ELECTRON DENSITY IN THE UPPER IONOSPHERE BY PROPAGATION MEASUREMENTS BETWEEN SECTIONS OF
A HIGH ALTITUDE ROCKET
*SPACE RES., 7, 417-425, 1967. (PROC. OF THE 7TH INT. SPACE SCI. SYMP., VIENNA, AUSTRIA, MAY 10-18, 1966).
- 701 NISHIDA, A.
AVERAGE STRUCTURE AND STORM-TIME CHANGE OF THE POLAR TOPSIDE IONOSPHERE AT SUNSPOT MINIMUM
*J. GEOPHYS. RES., 72, NO. 23, 6051-6061, DEC. 1967.
- 702 NISHIZAKI, R. NAGAYAMA, M.
ANALYSIS OF OBSERVATIONAL DATA OBTAINED BY ALOUETTE 2. 5. COMPARISON OF FOF2 FROM TWO OBSERVATIONAL
METHODS OF TOP-SIDE SOUNDING AND GROUND BASED SOUNDING
*RADIO RES. LAB. J., 16, NO. 87-88, 227-234, NOV. 1969.
- 703 NISHIZAKI, R. NAGAYAMA, M.
ANALYSIS OF OBSERVATIONAL DATA OBTAINED BY ALOUETTE 2. 5 - COMPARISON OF THE F2 CRITICAL FREQUENCIES FROM
TWO OBSERVATIONAL METHODS OF TOPSIDE SOUNDING AND GROUND BASED SOUNDING
*RADIO RES. LAB. REV., 15, 559-563, NOV. 1969.
- 704 NISHIZAKI, R. MATUURA, N.
CONJUGATE DUCTED ECHOES OBSERVED ON ALOUETTE 2 IONOGRAMS
*RADIO RES. LAB. J., 19, NO. 99, 53-67, 1972.
- 705 NORTON, R.B.
MIDDLE-LATITUDE F REGION DURING SOME SEVERE IONOSPHERIC STORMS
*PROC. OF THE IEEE, 57, 1147-1149, JUNE 1969.
- 706 NORTON, R.B. MAROVICH, E.
ALOUETTE OBSERVATIONS TAKEN DURING A MIDDLE-LATITUDE RED ARC
*PROC. OF THE IEEE, 57, 1158-1160, JUNE 1969.
- 707 NORTON, R.B. FINDLAY, J.A.
ELECTRON DENSITY AND TEMPERATURE IN THE VICINITY OF THE 29 SEPTEMBER 1967 MIDDLE LATITUDE RED ARC
*PLANET. SPACE SCI., 17, 1867-1877, NOV. 1969.

ORIGINAL PAGE IS
OF POOR QUALITY

- 708 NUTTALL,J.
THEORY OF COLLECTIVE SPIKES OBSERVED BY THE ALOUETTE TOP-SIDE SOUNDER
*RCA VICTOR CO., LTD., RESEARCH LABS., 7-801-29C, MONTREAL, CANADA, APR. 1964.
- 709 OBAYASHI,T.
WORLD WIDE ELECTRON DENSITY CHANGES AND ASSOCIATED THERMOSPHERIC WINDS DURING AN IONOSPHERIC STORM
*PLANET. SPACE SCI., 20, 511-520, APR. 1972.
- 710 ONDOH,T. NAGAYAMA,M. OUTSU,J.
DUCTED ECHOES ON TOPSIDE IONOGRAMS AND WHISTLERS AT MIDDLE LATITUDE
*RADIO RES. LAB. J., 15, NO. 78, 105-107, MARCH 1968.
- 711 ONDOH,T.
MORPHOLOGY OF DISTURBED TOPSIDE IONOSPHERE FOR 1962-1964
*RADIO RES. LAB. J., 14, 267-279, NOV. 1967.
- 712 ONDOH,T.
ELECTRON DENSITY PROFILES FOR QUIET AND DISTURBED TOPSIDE IONOSPHERE AT HIGH LATITUDES
*REPT. IONOS. SPACE RES. IN JAPAN, 24, NO. 3, 229-236, 1970.
- 713 ONDOH,T.
HYDROMAGNETIC INTERPRETATION OF HIGH LATITUDE SUDDEN IMPULSE
*RADIO RES. LAB. J., 18, NO. 95, 19-33, JAN. 1971.
- 714 ONDOH,T.
FIELD ALIGNED IRREGULARITIES IN WHISTLER DUCTS AS OBSERVED BY THE ISIS SATELLITES
*SPACE RES., 16, 555-559, 1976. (PROC. OF THE OPEN MEET. OF WORKING GROUPS ON PHYS. SCI., VARNA, BULGARIA, MAY 29 - JUNE 7, 1975).
- 715 ONDOH,T.
MAGNETOSPHERIC WHISTLER DUCTS OBSERVED BY ISIS SATELLITES
*RADIO RES. LAB. J., 23, 139-147, JULY 1976.
- 716 ONDOH,T. MURAKAMI,T.
MIDLATITUDE VLF EMISSIONS OBSERVED IN THE TOPSIDE IONOSPHERE
*REPT. IONOS. SPACE RES. IN JAPAN, 29, NO. 1-2, 23-30, 1975.
- 717 ONDOH,T. AIKYO,K. NAGAYAMA,M.
VLF AND ELF NOISE IN THE PLASMASPHERE
*RADIO RES. LAB. J., 19, NO. 99, 23-51, 1972.
- 718 ONDOH,T. NAGAYAMA,M. NISHIZAKI,R.
VLF EMISSIONS OBSERVED BY ISIS-2 DURING THE GEOMAGNETIC STORM OF AUGUST 9, 1972
*REPT. IONOS. SPACE RES. IN JAPAN, 26, NO. 4, 285-286, 1972.
- 719 ONDOH,T. TANAKA,Y. NISHIZAKI,R. NAGAYAMA,M.
VLF EMISSIONS AND WHISTLERS OBSERVED DURING GEOMAGNETIC STORMS
*RADIO RES. LAB. J., 21, NO. 106, 361-370, 1974.
- 720 ONDOH,T. NISHIZAKI,R. AIKYO,K.
PROTON GYRO-EMISSIONS STIMULATED BY MF PULSES FROM THE ISIS-2 TRANSMITTER
*J. ATMOS. TERR. PHYS., 37, NO. 4, 691-692, APR. 1975.
- 721 ONDOH,T. NAKAMURA,Y. WANTANABE,S. MURAKAMI,T.
NARROW-BAND 5 KHZ HISS OBSERVED IN THE VICINITY OF THE PLASMAPAUSE
*PLANET. SPACE SCI., 29, 65-72, JAN. 1981.
- 722 ONDOH,T. NAKAMURA,Y. WATANABE,S. AIKYO,K. MURAKAMI,T.
PLASMASPHERIC ELF HISS OBSERVED BY ISIS SATELLITES
*J. RADIO RES. LABS., 29, 159, 1982.
- 723 ONDOH,T. NAKAMURA,Y. WATANABE,S. AIKYO,K. MURAKAMI,T.
PLASMASPHERIC HISS OBSERVED IN THE TOPSIDE IONOSPHERE AT MID- AND LOW-LATITUDES
*PLANET. SPACE SCI., 31, 411-415, 417-422, APR. 1983.
- 724 OSBORNE,F.J.F. KASHA,M.A.
V X B INTERACTION OF A SATELLITE WITH ITS ENVIRONMENT
*CAN. J. PHYS., 45, 263-277, FEB. 1967.
- 725 OSBORNE,F.J.F. SMITH,F.H.C. BARRINGTON,R.E. MATHER,W.E.
PLASMA INDUCED INTERFERENCE IN SATELLITE VLF RECEIVERS
*CAN. J. PHYS., 45, 47-56, JAN. 1967.
- 726 OWREN,L.
POLAR EMISSIONS
*IN -- CONJUGATE POINT SYMP., IERTM-ITSA 72, 1, III-14-1 TO III-14-11, BOULDER, CO, JULY 1967.
- 727 OYA,H.
SEQUENCE OF DIFFUSE PLASMA RESONANCES OBSERVED ON ALOUETTE II IONOGRAMS
*J. GEOPHYS. RES., 75, 4279-4285, AUG. 1970.
- 728 OYA,H.
VERIFICATION OF THEORY ON WEAK TURBULENCE RELATING TO THE SEQUENCE OF DIFFUSE PLASMA RESONANCES IN SPACE
*PHYS. FLUIDS, 14, NO. 11, 2487-2499, NOV. 1971.
- 729 OYA,H.
GENERATION MECHANISM OF PROTON CYCLOTRON ECHOES DUE TO PULSED RADIO FREQUENCY WAVES IN SPACE PLASMA
*J. GEOPHYS. RES., 83, NO. A5, 1991-2008, MAY 1978.
- 730 OYA,H. BENSON,R.F.
NEW METHOD FOR IN-SITU ELECTRON TEMPERATURE DETERMINATIONS FROM PLASMA WAVE PHENOMENA
*J. GEOPHYS. RES., 77, 4272-4276, AUG. 1972.
- 731 PAGHIS,I.
IONOSPHERIC RESONANCE PHENOMENA AT VHF AND HF, AND THEIR EFFECTS ON SPACE TELECOMMUNICATIONS
*IN -- PROPAGATION FACTORS IN SPACE COMMUNICATIONS, 133159, W. T. BLACKLAND, AGARD, PARIS, FRANCE, 1967.
- 732 PAGHIS,I. FRANKLIN,C.A. MAR,J.
ALOUETTE 1 THE FIRST THREE YEARS IN ORBIT
*DEF. RES. TELECOMMUN. ESTABL., REP. NO. 1159, OTTAWA, CAN., MAR. 1967.
- 733 PALMER,F.H. BARRINGTON,R.E.
EXCITATION OF ION RESONANCES BY THE ISIS 2 HF TRANSMITTER
*J. GEOPHYS. RES., 78, NO. 34, 8167-8179, DEC. 1973.
- 734 PALMER,F.H. DOAN,J.W. FORSYTH,P.A.
IONOSPHERIC PROPAGATION EXPERIMENTS USING ROCKETS AND SATELLITES
*CAN. J. PHYS., 48, NO. 5, 554-561, MAR. 1970.
- 735 PANDEY,V.K. MAHAJAN,K.K.

ORIGINAL PAGE IS
OF POOR QUALITY

LATITUDINAL DISTRIBUTION OF ELECTRON CONCENTRATION FROM THE ALOUETTE II TOPSIDE SOUNDER
*INDIAN J. RADIO SPACE PHYS., 2, 134-138, JUNE 1973.

- 736 PANDEY, V.K. MAHAJAN, K.K.
LATITUDINAL VARIATION OF H⁺ FLOW VELOCITY FROM ALOUETTE-2 TOPSIDE SOUNDER PROFILES
*INDIAN J. RADIO SPACE PHYS., 4, 190-193, SEPT. 1975.
- 737 PARKER, L.W. WHIPPLE, E.C., JR.
THEORY OF SPACECRAFT SHEATH STRUCTURE, POTENTIAL, AND VELOCITY EFFECTS ON ION MEASUREMENTS BY TRAPS AND MASS SPECTROMETERS
*J. GEOPHYS. RES., 75, 4720-4733, SEPT. 1970.
- 738 PASRICHA, P.K. LAKSHMI, D.R. REDDY, B.M.
STUDIES ON POLAR WIND AND ITS DEPENDENCE ON PLASMA TEMPERATURE USING ALOUETTE-2 DATA
*INDIAN J. RADIO SPACE PHYS., 5, 16-19, MAR. 1976.
- 739 PAUL, A.K. WRIGHT, J.W.
ELECTRON DENSITY PROFILE ANALYSIS OF TOPSIDE SOUNDER IONOGRAMS
*J. GEOPHYS. RES., 69, NO. 7, 1431-1435, APR. 1964.
- 740 PETERSON, R.N. SHEPHERD, G.G.
GROUND BASED PHOTOMETRIC OBSERVATIONS OF THE MAGNETOSPHERIC DAYSIDE CLEFT
*GEOPHYS. RES. LETT., 1, NO. 6, 231-234, OCT. 1974.
- 741 PETERSON, R.N. KOEHLER, R.A. GOTSHALKS, G.J. PIEAU, J.F. SHEPHERD, G.G.
PHOTOMETRIC OBSERVATIONS OF THE DAYSIDE CLEFT EMISSIONS FROM CAMBRIDGE BAY, DECEMBER 1976
*PLANET. SPACE SCI., 28, NO. 2, 149-158, FEB. 1980.
- 742 PETIT, M.
TRANSIENT RESPONSES -- RESONANCE SPIKES OF TOPSIDE SOUNDERS
*RADIO SCI., 7, NO. 8-9, 791-793, AUG.-SEPT. 1972.
- 743 PETRIE, L.E.
TOPSIDE SPREAD ECHOES
*CAN. J. PHYS., 41, 194-195, JAN. 1963.
- 744 PETRIE, L.E.
PRELIMINARY ANALYSIS OF THE ALOUETTE IONOSPHERIC DATA
*ELECTRON. AND COMMUN., 11, NO. 3, 32-39, MAR. 1963.
- 745 PETRIE, L.E.
PRELIMINARY RESULTS ON MID AND HIGH LATITUDE TOPSIDE SPREAD F
*IN -- SPREAD F AND ITS EFFECTS ON RADIOWAVE PROPAG. AND COMMUN., 67-77, P. NEWMAN, TECHNIVISION, MAIDENHEAD, ENGL., 1966.
- 746 PETRIE, L.E. LOCKWOOD, G.E.K.
ON THE PREDICTION OF F-LAYER PENETRATION FREQUENCIES
*PROC. OF THE IEEE, 57, 1025-1028, JUNE 1959.
- 747 PETRIE, L.E. HAGG, E.L. WARREN, E.S.
INFLUENCE OF FOCUSING ON THE APPARENT REFLECTION COEFFICIENT OF THE F REGION
*J. GEOPHYS. RES., 70, 4347-4356, SEPT. 1965.
- 748 PHELPS, A.D.R. SAGALYN, R.C.
PLASMA DENSITY IRREGULARITIES IN THE HIGH LATITUDE TOP SIDE IONOSPHERE
*J. GEOPHYS. RES., 81, NO. 4, 515-523, FEB. 1976.
- 749 PHILLIPS, G.G. MAR, J. JACQUES, P.
PAYLOAD PACKAGE DESIGN - ALOUETTE SATELLITE
*DEF. RES. TELECOMMUN. ESTABL., REP. NO. 1116, OTTAWA, CAN., JUNE 1963.
- 750 PIGGOTT, W.R.
USE OF SATELLITE DATA FOR PREDICTION PURPOSES
*IN -- IONOSPHERIC FORECASTING, AGARD CP NO. 49, 19-21, 92 NEUILLY-SUR-SEINE, FRANCE, JAN. 1970.
- 751 PIGGOTT, W.R. RAWER, K.
U.R.S.I. HANDBOOK OF IONOGRAM INTERPRETATION AND REDUCTION
*WDC-A FOR SOLAR-TERR. PHYS., UAG 23, BOULDER, CO, NOV. 1972.
- 752 PIKE, C.P.
MODELING THE ARCTIC F-LAYER
*IN -- ARCTIC IONOS. MODELLING, AFCRL-72-0305, 29-45, AFCRL, BEDFORD, MA, MAY 1972.
- 753 PIKE, C.P.
ANALYTICAL MODEL OF THE MAIN F-LAYER TROUGH
*AFGL, TR-76-0098, HANSCOM AFB, MA, MAY 1976.
- 754 PIKE, C.P. WHALEN, J.A. BUCHAU, J.
TWELVE HOUR CASE STUDY OF AURORAL PHENOMENA IN THE MIDNIGHT SECTOR - F LAYER AND 5300-A MEASUREMENTS
*J. GEOPHYS. RES., 82, NO. 25, 3547-3556, SEPT. 1977.
- 755 POTEIRA, T.A. SAFLEKOS, N.A.
BIRKELAND CURRENTS AND THE INTERPLANETARY MAGNETIC FIELD
*IN -- MAGNETOSPHERIC BOUNDARY LAYERS, ESA-SP-148, 193-198, ESA, PARIS, FRANCE, AUG. 1979.
- 756 POTEIRA, T.A. IJIMA, T. SAFLEKOS, N.A.
LARGE SCALE CHARACTERISTICS OF BIRKELAND CURRENTS -- IONOSPHERIC CURRENTS DURING POLAR AND MAGNETOSPHERIC SUBSTORMS
*IN -- DYNAMICS OF THE MAGNETOSPHERE, 165-199, D. REIDEL PUBL. CO., DORDRECHT, THE NETHERLANDS, 1979.
- 757 POUND, T.R.
RESPONSE OF IONOSPHERIC ELECTRON DENSITY TO A CHANGE OF ELECTRON TEMPERATURE
*U. OF ILL., PH.D. THESIS, URBANA, IL, 1967.
- 758 POWER, C.F. RUSH, C.M.
IONIZATION MAXIMUM IN POLAR LATITUDES
*IN -- IONOS. RADIO COMMUN., 46-57, PLENUM PRESS, NEW YORK, NY, 1968.
- 759 PRABHAKARA RAO, M. JOGULU, C.
DIURNAL DEVELOPEMENT OF THE EQUATORIAL ANOMALY IN THE TOPSIDE IONOSPHERE
*INDIAN J. RADIO SPACE PHYS., 8, 310-317, OCT.-DEC. 1979.
- 760 PRINCE, J.C. KOWALIK, H. FUJAROS, R.
ELECTROMAGNETIC ATTITUDE CONTROL SYSTEM FOR ISIS-A SPACECRAFT
*IN -- CAN. ELECTRON. CONF., TORONTO, CAN., OCT. 4-6, 1965, IEEE, PAPER NO. 65039, TORONTO, CAN., OCT. 1965.
- 761 RAGHAVARAO, R. SIVARAMAN, M.R.
ENHANCEMENT OF THE EQUATORIAL ANOMALY IN THE TOPSIDE IONOSPHERE DURING MAGNETIC STORMS
*J. ATMOS. TERR. PHYS., 35, 2091-2095, NOV. 1973.

ORIGINAL PAGE IS
OF POOR QUALITY

- 762 RAGHAVARAO,R. SIVARAMAN,M.R.
IONISATION LEDGES IN THE EQUATORIAL IONOSPHERE
*NATURE, 249, 331-332, MAY 1974.
- 763 RAGHAVARAO,R. SIVARAMAN,M.R.
FORMATION OF IONISATION LEDGES IN THE EQUATORIAL TOPSIDE IONOSPHERE
*SPACE RES., 15, 385-391, 1975 (PROC. OF OPEN MEET. OF WORKING GROUPS ON PHYS. SCI. OF THE 17TH PLENARY MEET. OF COSPAR, SAO PAULO, BRAZIL, JUNE 17-JULY 1, 1974).
- 764 RAJARAM,G. OBAYASHI,T.
SOME FEATURES OF NIGHT TIME ELECTRON DENSITY AND TEMPERATURE IN THE 2,500 KM REGION OF THE EXOSPHERE
*J. GEOMAGN. GEOELECTR., 29, NO. 5, 455-469, SEPT. 1977.
- 765 RAJARAM,G. DAS,A.C.
FEATURES OF ELECTRON DENSITY AND TEMPERATURE IN THE 500-3500 KM REGION OF THE PLASMASPHERE. 1 DAWN AND DUSK SECTORS
*INDIAN ACAD. OF SCI., PROC., SECTION A, 86 A, 423-434, OCT. 1977.
- 766 RAMASASTRY,J.
OBLIQUE ECHOES FROM LARGE-SCALE HORIZONTAL GRADIENTS OBSERVED BY ALOUETTE-2 TOPSIDE SOUNDER
*NASA, TN D-5596, WASH., D.C., JAN. 1970.
- 767 RAMASASTRY,J.
CHARACTERISTICS OF MAGNETOSPHERIC DUCTS OBSERVED BY THE ALOUETTE-2 TOPSIDE SOUNDER
*J. GEOPHYS. RES., 76, NO. 22, 5352-5357, AUG. 1971.
- 768 RAMASASTRY,J. WALSH,E.J.
MAGNETOSPHERIC DUCTING PHENOMENON
*IN -- SYMP. ON THE APPL. OF ATMOS. STUDIES TO SAT. TRANS., 112-115, AFRL, BEDFORD, MA, 1969.
- 769 RAMASASTRY,J. WALSH,E.J.
MAGNETOSPHERIC DUCT PROPAGATION RESEARCH USING ALOUETTE-2 TOPSIDE-SOUNDER OBSERVATIONS
*NASA, TN D-5332, WASH., D.C., AUG. 1969.
- 770 RAMASASTRY,J. WALSH,E.J.
CONJUGATE ECHOES OBSERVED BY ALOUETTE 2 TOPSIDE SOUNDER AT THE LONGITUDES OF SINGAPORE
*J. GEOPHYS. RES., 74, NO. 24, 5665-5674, NOV. 1969.
- 771 RAMASASTRY,J. WALSH,E.J.
RAY TRACING DIGITAL COMPUTER PROGRAM FOR THE STUDY OF MAGNETOSPHERIC DUCT PROPAGATION
*NASA, SP-3055, WASH., DC, 1970.
- 772 RAMASASTRY,J. WALSH,E.J. HERMAN,J.R.
RESEARCH ON FIELD-ALIGNED PROPAGATION OF HF RADIO WAVES USING ALOUETTE-2 TOPSIDE SOUNDER DATA AND DIGITAL RAY-TRACING TECHNIQUES
*IN -- AGARD SCATTER PROPAGATION OF RADIO WAVES, PT. 2, AGARD, PARIS, FRANCE, AUG. 1968.
- 773 RAMASASTRY,J. WALSH,E.J. HERMAN,J.R.
CONJUGATE ECHOES IN ALOUETTE-2 TOPSIDE-SOUNDER DATA
*IEEE TRANS. ON ANTENNAS AND PROPAG., AP-16, 771-774, NOV. 1968.
- 774 RAO,B.C.N. DONLEY,J.L.
PHOTOELECTRON FLUX IN THE TOPSIDE IONOSPHERE MEASURED BY RETARDING POTENTIAL ANALYZERS
*J. GEOPHYS. RES., 74, 1715-1719, APR. 1969.
- 775 RAO,B.C.N. MAIER,E.J.R.
PHOTOELECTRON FLUX AND PROTONOSPHERIC HEATING DURING THE CONJUGATE POINT SUNRISE
*J. GEOPHYS. RES., 75, 816-822, FEB. 1970.
- 776 RAO,B.C.N. SINGH,R. MAIER,E.J.
OBSERVATIONS OF THE NIGHTTIME ELECTRON VOLT RANGE ELECTRON FLUXES IN THE EQUATORIAL REGION
*J. GEOPHYS. RES., 79, 305-306, JAN. 1974.
- 777 REINISCH,B.W. HUANG,X.
AUTOMATIC CALCULATION OF ELECTRON DENSITY PROFILES FROM DIGITAL IONOGRAMS 1. AUTOMATIC O AND X TRACE IDENTIFICATION FOR TOPSIDE IONOGRAMS
*RADIO SCI., 17, NO. 2, 421-434, APR. 1982.
- 778 RHODES,R.W.
ISIS A EXPERIMENT DATA PROCESSING AND DISPLAY CONSOLE
*NASA-GSFC, TM-X-63319, GREENBELT, MD, 1969.
- 779 RISHBETH,H. VAN ZANDT,T.E. NORTON,R.B.
DIFFUSIVE EQUILIBRIUM IN THE TOPSIDE EQUATORIAL IONOSPHERE
*ANN. DE GEOPHYS., 22, 538-548, OCT.-DEC. 1966.
- 780 ROBLE,R.G. HAYS,P.B. NAGY,A.F.
COMPARISON OF CALCULATED AND OBSERVED FEATURES OF A STABLE MIDLATITUDE RED ARC
*J. GEOPHYS. RES., 75, 4261-4265, AUG. 1970.
- 781 ROBLE,R.G. NORTON,R.B. FINDLAY,J.A. MAROVICH,E.
CALCULATED AND OBSERVED FEATURES OF STABLE AURORAL RED ARCS DURING THREE GEOMAGNETIC STORMS
*J. GEOPHYS. RES., 76, 7648-7662, NOV. 1971.
- 782 ROSE,D.C.
ALOUETTE SATELLITE RESULTS
*IN -- RADIATION TRAPPED IN THE EARTH'S MAGNETIC FIELD, 191-214, 1966.
- 783 ROSTOKER,G. HRON,M.
EASTWARD ELECTROJET IN THE DAWN SECTOR
*PLANET. SPACE SCI., 23, 1377-1389, OCT. 1975.
- 784 ROSTOKER,G. KISABETH,J.L.
RESEARCH INTO CORRELATION OF ISIS-2 TOPSIDE SOUNDER AND ENERGETIC PARTICLE DATA WITH GROUND-BASED MAGNETOMETER DATA TO DETERMINE THE CAUSES OF NET FIELD-ALIGNED CURRENT FLOW IN THE EARTH'S MAGNETOSPHERE
*U. OF ALBERTA, INST. OF EARTH AND PLANET. PHYS., UNNUMBERED, EDMONTON, ALBERTA, CAN., AUG. 1977.
- 785 ROSTOKER,G. SHARMA,R.P. HRON,M.P.
THERMAL PLASMA ENHANCEMENTS IN THE TOPSIDE IONOSPHERE AND THEIR RELATIONSHIP TO THE AURORAL ELECTROJETS
*PLANET. SPACE SCI., 24, NO. 11, 1081-1091, NOV. 1976.
- 786 ROSTOKER,G. WINNINGHAM,J.D. KAWASAKI,K. BURROWS,J.R. HUGHES,T.J.
ENERGETIC PARTICLE PRECIPITATION INTO THE HIGH LATITUDE IONOSPHERE AND THE AURORAL ELECTROJETS 2. EASTWARD ELECTROJET AND FIELD-ALIGNED CURRENT FLOW AT THE DUSK MERIDIAN
*J. GEOPHYS. RES., 84, NO. A5, 2006-2018, MAY 1979.
- 787 ROSTOKER,G. KAMIDE,Y. WINNINGHAM,J.D.
ENERGETIC PARTICLE PRECIPITATION INTO THE HIGH-LATITUDE IONOSPHERE AND THE AURORAL ELECTROJETS 3. CHARACTERISTICS OF ELECTRON PRECIPITATION INTO THE MORNING SECTOR AURORAL OVAL
*J. GEOPHYS. RES., 90, NO. A8, 7495-7504, AUG. 1985.

- 788 ROUX,D.
STUDY OF PERTURBATIONS IN THE TOPSIDE IONOSPHERE OVER ANTARCTICA USING DATA FROM THE ISIS 2 SATELLITE
*U. OF PARIS, PHD THESIS, PARIS, FRANCE, DEC. 1975.
- 789 ROUX,D.
PERTURBATION OF THE PROFILE OF THE ANTARCTIC UPPER IONOSPHERE DURING LOCAL SUMMER ASSOCIATED WITH THE
MAGNETOSPHERIC CLEFT
*C.R. ACAD. SC. PARIS, 285, 183-186, OCT. 1977.
- 790 RUSH,C.M. ZIEMBA,E.
ON THE USEFULNESS OF TOPSIDE HF NOISE MEASUREMENTS IN DETERMINING FOF2
*J. ATMOS. TERR. PHYS., 40, NO. 9, 1073-1079, SEPT. 1978.
- 791 RUSH,C.M. RUSH,S.V. LYONS,L.R. VENKATESWARAN,S.V.
EQUATORIAL ANOMALY DURING A PERIOD OF DECLINING SOLAR ACTIVITY
*RADIO SCI., 4, NO. 9, 829-841, SEPT. 1969.
- 792 RUSSELL,S. ZIMMER,F.C.
DEVELOPMENT OF THE FIXED-FREQUENCY TOPSIDE-SOUNDER SATELLITE
*PROC. OF THE IEEE, 57, 876-881, JUNE 1969.
- 793 RYCROFT,M.J. THOMAS,J.O.
MAGNETOSPHERIC PLASMAPAUSE AND ELECTRON DENSITY TROUGH AT ALOUETTE 1 ORBIT
*PLANET. SPACE SCI., 18, NO. 1, 65-80, JAN. 1970.
- 794 RYCROFT,M.J. BURNELL,S.J.
STATISTICAL ANALYSIS OF MOVEMENTS OF THE IONOSPHERIC TROUGH AND THE PLASMAPAUSE
*J. GEOPHYS. RES., 75, NO. 28, 5600-5604, OCT. 1970.
- 795 SAGALYN,R. BREDESEN,S. WILDMAN,P.
MAPPING OF HIGH LATITUDE IONOSPHERIC CHARACTERISTICS
*IN -- EMPIRICAL MODEL OF POLAR IONOS., AFCRL, TR-73-0331, 101-134, MAY 1973.
- 796 SAGALYN,R.C. SMIDDY,M. AHMED,M.
HIGH LATITUDE IRREGULARITIES IN THE TOP SIDE IONOSPHERE BASED ON ISIS 1 THERMAL ION PROBE DATA
*J. GEOPHYS. RES., 79, NO. 28, 4252-4261, OCT. 1974.
- 797 SAMIR,U.
POSSIBLE EXPLANATION OF AN ORDER OF MAGNITUDE DISCREPANCY IN ELECTRON-WAKE MEASUREMENTS
*J. GEOPHYS. RES., 75, 855-858, FEB. 1970.
- 798 SAMIR,U.
ABOUT THE INTERACTION BETWEEN A SATELLITE AND ITS ENVIRONMENTAL IONOSPHERIC PLASMA
*ISRAEL J. TECHNOL., 10, NO. 3, 179-188, 1972.
- 799 SAMIR,U.
CHARGED PARTICLE DISTRIBUTION IN THE NEAREST VICINITY OF IONOSPHERIC SATELLITES - COMPARISON OF THE MAIN
RESULTS FROM THE ARIEL 1, EXPLORER 31 AND GEMINI AGENDA 10 SPACECRAFT
*IN -- PHOTON AND PART. INTERACTIONS WITH SURFACES IN SPACE, 193-219, D. REIDEL PUBL. CO., DORDRECHT,
HOLLAND, 1973.
- 800 SAMIR,U. WRENN,G.L.
DEPENDENCE OF CHARGE AND POTENTIAL DISTRIBUTION AROUND A SPACECRAFT ON IONIC COMPOSITION
*PLANET. SPACE SCI., 17, 693-706, APR. 1969.
- 801 SAMIR,U. WRENN,G.L.
EXPERIMENTAL EVIDENCE OF AN ELECTRON TEMPERATURE ENHANCEMENT IN THE WAKE OF AN IONOSPHERIC SATELLITE
*PLANET. SPACE SCI., 20, 899-904, JUNE 1972.
- 802 SAMIR,U. JEW,H.
COMPARISON OF THEORY WITH EXPERIMENT FOR ELECTRON DENSITY DISTRIBUTION IN THE NEAR WAKE OF AN IONOSPHERIC
SATELLITE
*J. GEOPHYS. RES., 77, NO. 34, 6819-6827, DEC. 1972.
- 803 SAMIR,U. MAIER,E.J. TROY,B.E., JR.
ANGULAR DISTRIBUTION OF ION FLUX AROUND AN IONOSPHERIC SATELLITE
*J. ATMOS. TERR. PHYS., 35, 513-519, MAR. 1973.
- 804 SAMIR,U. FIRST,M. MAIER,E.J. TROY,B., JR.
COMPARISON OF THE GUREVICH ET AL. AND THE LIU-JEW WAKE MODELS FOR THE ION FLUX AROUND A SATELLITE
*J. ATMOS. TERR. PHYS., 37, 577-586, APR. 1975.
- 805 SASAKI,S. KANEKO,O. KAWASHIMA,N.
LABORATORY EXPERIMENT ON THE EXCITATION OF ELECTRON CYCLOTRON HARMONIC WAVES OBSERVED IN THE TOPSIDE RF
SOUNDER EXPERIMENT
*RADIO SCI., 13, NO. 4, 753-762, JULY-AUG. 1978.
- 806 SATO,T.
ELECTRON CONCENTRATION VARIATIONS IN THE TOPSIDE IONOSPHERE BETWEEN 60 DEGREES NORTH AND 60 DEGREES SOUTH
GEOMAGNETIC LATITUDE ASSOCIATED WITH GEOMAGNETIC DISTURBANCES
*J. GEOPHYS. RES., 73, NO. 19, 6225-6241, OCT. 1968.
- 807 SATO,T. COLIN,L.
MORPHOLOGY OF ELECTRON CONCENTRATION ENHANCEMENT AT A HEIGHT OF 1000 KILOMETERS AT POLAR LATITUDES
*J. GEOPHYS. RES., 74, NO. 9, 2193-2207, MAY 1969.
- 808 SATO,T. CHAN,K.L.
STORM TIME VARIATIONS OF THE ELECTRON CONCENTRATION IN THE POLAR TOPSIDE IONOSPHERE
*J. GEOPHYS. RES., 74, 2208-2216, MAY 1969.
- 809 SAZHIN,S.S.
VLF EMISSION IN THE EARTH'S MAGNETOSPHERE
*GEOMAG. ISSLED., 18, 24-53, 1976.
- 810 SCARF,F.L.
IN-ORBIT INTERFERENCE PROBLEMS
*IN -- JPL, CALIF. INST. OF TECHNOL., TECH. MEM. 33-402, 149-162, PASADENA, CA, 1968.
- 811 SCHMERLING,E.R.
ADVANCES IN IONOSPHERIC PHYSICS IN THE ROCKET AND SATELLITE ERA
*REV. GEOPHYS., 4, NO. 3, 329-362, AUG. 1966.
- 812 SCHMERLING,E.R.
IONOSPHERES AND RADIO PHYSICS
*IN -- SIGNIF. ACHIEV. IN SPACE SCI. 1966, NASA-SP-155, 177-201, WASH., D.C., 1967.
- 813 SCHMID,P.E. BENT,R.B. LLEWELLYN,S.K. NESTERCZUK,G. RANGASWAMY,S.
NASA-GSFC IONOSPHERIC CORRECTIONS TO SATELLITE TRACKING DATA
*NASA GSFC, TM-X-70608, X-591-73-281, GREENBELT, MD, DEC. 1973.

ORIGINAL PAGE IS
OF POOR QUALITY

- 814 SHARBER, J.R.
ACCELERATION AND PRECIPITATION OF NIGHTSIDE AURORAL PARTICLES
*TEXAS A+M U., PH.D. THESIS, COLLEGE STATION, TX, 1972.
- 815 SHARMA, R.P. MULDER, D.B.
LUNAR EFFECT IN THE OCCURRENCE OF CONJUGATE ECHOES ON TOPSIDE SOUNDER IONOGRAMS
*J. GEOPHYS. RES., 78, NO. 34, 8251-8260, DEC. 1973.
- 816 SHARMA, R.P. MULDER, D.B.
SEASONAL AND LONGITUDINAL VARIATIONS IN THE OCCURRENCE FREQUENCY OF MAGNETOSPHERIC IONIZATION DUCTS
*J. GEOPHYS. RES., 80, NO. 7, 977-984, MAR. 1975.
- 817 SHARMA, R.P. HEWENS, E.J.
STUDY OF THE EQUATORIAL ANOMALY AT AMERICAN LONGITUDES DURING SUNSPOT MINIMUM
*J. ATMOS. TERR. PHYS., 38, NO. 5, 475-484, MAY 1976.
- 818 SHAWHAN, S.D. GURNETT, D.A.
FRACTIONAL CONCENTRATION OF HYDROGEN IONS IN THE IONOSPHERE FROM VLF PROTON WHISTLER MEASUREMENT
*J. GEOPHYS. RES., 71, 47-59, JAN. 1966.
- 819 SHAWHAN, S.D. BLOCK, L.P. FALTHAMMAR, C.G.
CONJUGATE PHOTOELECTRON IMPACT IONIZATION
*J. ATMOS. TERR. PHYS., 32, 1885-1900, DEC. 1970.
- 820 SHEARMAN, E.D.R.
SUCCESS OF CANADA'S "TOPSIDE SOUNDER" SATELLITE
*NEW SCIENTIST, NO. 328, 456-458, FEB. 1963.
- 821 SHEPERTYCKI, T.H.
SIXTEEN CHANNEL SILICON INTEGRATED CIRCUIT ENCODER FOR THE ISIS-A SATELLITE PARTICLE COUNTING EXPERIMENT
*CAN. AEROSP. J., 12, NO. 10, 403-408, DEC. 1966.
- 822 SHEPERTYCKI, T.H.
INTEGRATED CIRCUIT CHECK OUT SYSTEM FOR A SATELLITE DATA ENCODER
*CAN. AERONAUT. SPACE J., 13, 457-459, DEC. 1967.
- 823 SHEPERTYCKI, T.H.
DEVELOPMENT OF AN INTEGRATED CIRCUIT DATA ENCODER FOR A PARTICLE COUNTING SATELLITE EXPERIMENT
*NATL. RES. COUNC. OF CAN., ERB-802, OTTAWA, CAN., JAN. 1969.
- 824 SHEPHERD, G.G.
GASEOUS ELECTRONICS IN THE UPPER ATMOSPHERE - SOME RECENT OBSERVATIONS OF THE ATOMIC OXYGEN 5577 AND 6300
ANGSTROM EMISSIONS
*IN -- GASEOUS ELECTRON., 71-85, ED. J.W. MCGOWAN AND P.K. JOHN, NORTH-HOLLAND PUBL. CO., AMSTERDAM, THE
NETHERLANDS, 1974.
- 825 SHEPHERD, G.G.
GLOBAL PATTERN OF 6300 ANGSTROM ATOMIC OXYGEN EMISSION AS SEEN FROM THE ISIS-2 SPACECRAFT
*IN -- ATMOSPHERES OF EARTH AND THE PLANETS, 283-288, ED. B.M. MCCORMAC, D. REIDEL PUBL. CO., DORDRECHT,
THE NETHERLANDS, 1975.
- 826 SHEPHERD, G.G.
AURORAL STRUCTURE AND DYNAMICS
*IN -- DYN. AND CHEM. COUPLING BETWEEN THE NEUTRAL AND IONIZED ATMOS., 275-290, B. GRANDAL AND J. A.
MOLTET, D. REIDEL PUBL. CO., DORDRECHT, THE NETHERLANDS, 1977.
- 827 SHEPHERD, G.G.
DAYSIDE CLEFT AURORA AND ITS IONOSPHERIC EFFECTS
*REV. GEOPHYS. SPACE PHYS., 17, NO. 8, 2017-2033, NOV. 1979.
- 828 SHEPHERD, G.G.
COORDINATED IONOSPHERIC AND MAGNETOSPHERIC OBSERVATIONS FROM THE ISIS 2 SATELLITE BY THE ISIS 2
EXPERIMENTERS VOLUME 2 AURORAL OPTICAL EMISSIONS, MAGNETIC FIELD PERTURBATIONS, AND PLASMA
CHARACTERISTICS, MEASURED SIMULTANEOUSLY ON THE SAME MAGNETIC FIELD LINE
*NSSDC, 80-09, GREENBELT, MD, DEC. 1980.
- 829 SHEPHERD, G.G. THIRKETTLE, F.W.
MAGNETOSPHERIC DAYSIDE CUSP - A TOPSIDE VIEW OF ITS E300-ANGSTROM ATOMIC OXYGEN EMISSION
*SCIENCE, 180, NO. 4087, 737-739, MAY 1973.
- 830 SHEPHERD, G.G. FANCOTT, T. MCNALLY, J. KERR, H.S.
ISIS 2 ATOMIC OXYGEN RED LINE PHOTOMETER
*CAN. AERONAUT. SPACE J., 329-330, DEC. 1972.
- 831 SHEPHERD, G.G. ANGER, C.D. BRACE, L.H. BURROWS, J.R. HEIKKILA, W.J. HOFFMAN, J.
MAIER, E.J. WHITTEKER, J.H.
OBSERVATION OF POLAR AURORA AND AIRGLOW FROM THE ISIS 2 SPACECRAFT
*PLANET. SPACE SCI., 21, 819-829, MAY 1973.
- 832 SHEPHERD, G.G. BRACE, L.H. WHITTEKER, J.H.
PREDAWN ENHANCEMENT OF 6300A EMISSION OBSERVED NEAR THE PLASMAPAUSE FROM THE ISIS 2 SPACECRAFT
*J. GEOPHYS. RES., 78, NO. 22, 4689-4695, AUG. 1973.
- 833 SHEPHERD, G.G. COGGER, L.L. BURROWS, J.R.
MID-LATITUDE AURORAS AND SAR ARCS OBSERVED FROM THE ISIS 2 SPACECRAFT DURING THE AUGUST 1972 GEOMAGNETIC
STORM
*J. GEOPHYS. RES., 81, NO. 25, 4597-4602, SEPT. 1976.
- 834 SHEPHERD, G.G. THIRKETTLE, F.W. ANGER, C.D.
TOPSIDE OPTICAL VIEW OF THE DAYSIDE CLEFT AURORA
*PLANET. SPACE SCI., 24, 937-944, OCT. 1976.
- 835 SHEPHERD, G.G. WHITTEKER, J.H. WINNINGHAM, J.D. HOFFMAN, J.H. MAIER, E.J. BRACE, L.H.
BURROWS, J.R. COGGER, L.L.
TOPSIDE MAGNETOSPHERIC CLEFT IONOSPHERE OBSERVED FROM THE ISIS 2 SPACECRAFT
*J. GEOPHYS. RES., 81, NO. 34, 6092-6102, DEC. 1976.
- 836 SHEPHERD, G.G. BRACE, L.H. BURROWS, J.R. HOFFMAN, J.H. JAMES, H.G. KLUMPAR, D.M.
NAGY, A.F. STATHOPOULOS, E. WHITTEKER, J.H.
UNUSUAL SAR ARC OBSERVED DURING RING CURRENT DEVELOPMENT, 4 AUGUST 1972
*PLANET. SPACE SCI., 28, NO. 1, 69-84, JAN. 1980.
- 837 SHEPHERD, G.G. WINNINGHAM, J.D. BUNN, F.E. THIRKETTLE, F.W.
EMPIRICAL DETERMINATION OF THE PRODUCTION EFFICIENCY FOR AURORAL 6300-A EMISSION BY ENERGETIC ELECTRONS
*J. GEOPHYS. RES., 85, NO. A2, 715-721, FEB. 1980.
- 838 SHEPHERD, M.M.
FIELD LINE PROJECTIONS OF 6300 A AURORAL EMISSIONS INTO THE OUTER ATMOSPHERE
*ROYAL INST. OF TECH., TRITA-EPP-79-11, STOCKHOLM, SWEDEN, JULY 1979.
- 839 SHEPHERD, M.M. SHEPHERD, G.G.

- 840 SHEPHERD, M.M. SHEPHERD, G.C.
PROJECTION OF AURORAL INTENSITY CONTOURS INTO THE MAGNETOSPHERE
*PLANET. SPACE SCI., 33, NO. 2, 183-189, FEB. 1985.
- 841 SHKAROFSKY, I.P.
HIGHER ORDER CYCLOTRON HARMONIC RESONANCES AND THEIR OBSERVATION IN THE LABORATORY AND IN THE IONOSPHERE
*J. GEOPHYS. RES., 73, NO. 15, 4859-4867, AUG. 1968.
- 842 SHKAROFSKY, I.P.
DETECTION OF THE HYBRID RESONANCE BY SATELLITE
*IN -- PLASMA WAVES IN SPACE AND IN THE LAB., 2, 159-167, J.O. THOMAS, AM. ELSEVIER PUBL. CO., NEW YORK, NY, 1970.
- 843 SHMOYS, J.
MULTIPATH EFFECTS IN TOPSIDE SOUNDING IN IONOSPHERIC DUCTS
*J. GEOPHYS. RES., 74, NO. 9, 2265-2270, MAY 1969.
- 844 SINGLETON, D.G.
MORPHOLOGY OF SPREAD-F OCCURRENCE OVER HALF A SUNSPOT CYCLE
*J. GEOPHYS. RES., 73, NO. 1, 295-308, JAN. 1968.
- 845 SLUTSKER, S.M.
ANALYSIS OF THE $N(z)$ PROFILE OF THE UPPER IONOSPHERE FROM DATA OF VERTICAL PROBING FROM THE EARTH'S SURFACE
*GEOMAG. AERON., 11, NO. 1, 157-159, JAN. 1971.
- 846 SMITH, J.B.
AMPLIFIER FOR ELECTRON MULTIPLIER PULSE COUNTING APPLICATIONS
*REV. SCIENTIFIC INSTRUM., 43, NO. 3, 488-492, MAR. 1972.
- 847 SMITH, P.A.
DETERMINATION OF VERTICAL DISTRIBUTIONS OF PLASMA TEMPERATURE AND COMPOSITION FROM SATELLITE MEASUREMENTS
*J. ATMOS. TERR. PHYS., 30, 1203-1209, JUNE 1968.
- 848 SMITH, P.A. KAISER, B.A.
ESTIMATES OF IONOSPHERIC COMPOSITION AND TEMPERATURE DERIVED FROM TOPSIDE SOUNDER ELECTRON SCALE HEIGHT DATA
*J. ATMOS. TERR. PHYS., 29, 1345-1353, NOV. 1967.
- 849 SMITH, P.A. KING, J.W.
CHANGES IN THE TOPSIDE IONOSPHERE DURING SOLAR ECLIPSES
*IN -- SOLAR ECLIPSES AND THE IONOSPHERE, UNNUMBERED, 285-298, M. ANASTASSIADES, PLENUM PRESS, NEW YORK, NY, 1969.
- 850 SMITH, R.L. BRICE, N.M. KATSUFRAKIS, J. GURNETT, D.A. BARRINGTON, R.E. SHAWHAN, S.D.
BELROSE, J.S.
ION GYROFREQUENCY PHENOMENON OBSERVED IN SATELLITES
*NATURE, 204, NO. 4955, 274-275, OCT. 1964.
- 851 SOBOLÉVA, T.M.
DIURNAL VARIATIONS IN ELECTRON DENSITY DISTRIBUTION OF THE QUIET IONOSPHERE AT MIDDLE LATITUDES
*GEOMAG. AERON., 13, NO. 5, 790-793, SEPT. 1973.
- 852 SOICHER, H.
SUNRISE EFFECTS ON THE LATITUDINAL VARIATIONS OF TOPSIDE IONOSPHERIC DENSITIES AND SCALE HEIGHTS
*NATURE PHYS. SCI., 239, NO. 93, 93-95, OCT. 1972.
- 853 SOICHER, H.
SHALLOW SOLAR ZENITH ANGLE CONTROL TO TOPSIDE IONOSPHERIC PARAMETERS
*NATURE PHYS. SCI., 240, 107-109, DEC. 1972.
- 854 SOICHER, H.
TOPSIDE IONOSPHERE AT MIDLATITUDES DURING LOCAL SUNRISE
*J. ATMOS. TERR. PHYS., 35, 657-668, APR. 1973.
- 855 SOMAYAJULU, Y.V.
RECENT PROGRESS IN THE STUDY OF IONOSPHERIC STORMS
*J. SCI. INDUS. RES., 30, 394-407, AUG. 1971.
- 856 SOMAYAJULU, Y.V. MACK, D.G.
CHANGES IN THE TOPSIDE IONOSPHERE IN THE LOW AND EQUATORIAL LATITUDE REGIONS DURING THE MODERATELY SEVERE MAGNETIC STORM EVENT OF JUNE 15-18, 1965
*PENN. STATE U., IONOS. RES. LAB., PSU-IRL-SCI-399, UNIVERSITY PARK, PA. SEPT. 1972.
- 857 SOUTHERN, R.W.
GROUND-BASED RECEIVER USES STEP-TUNING TO TRACK HF SIGNALS FROM ALOUETTE
*CAN. ELECTRON. ENG., 7, NO. 7, 34-37, JULY 1963.
- 858 SOUTHERN, R.W. BOULDING, J.D.R.
GROUND TRACK DATA ON THE 95 REPETITIVE ORBITS OF THE ALOUETTE SATELLITE
*DEF. RES. TELECOMMUN. ESTABL., REP. NO. 1126, OTTAWA, CAN., 1963.
- 859 STILES, G.S. HONES, E.W., JR. WINNINGHAM, J.D. LEPPING, R.P. DELANA, B.S.
IONOSONDE OBSERVATIONS OF THE NORTHERN MAGNETOSPHERIC CLEFT DURING DECEMBER 1974 AND JAN. 1975
*J. GEOPHYS. RES., 82, NO. 1, 67-73, JAN. 1977.
- 860 STURROCK, P.A.
DIPOLE RESONANCES IN A HOMOGENEOUS PLASMA IN A MAGNETIC FIELD
*PHYS. FLUIDS, 8, 88-96, JAN. 1965.
- 861 SYLVAIN, M. ROUX, D. BERTHELIER, A. GUERIN, C. MOZER, F.S.
SIMULTANEOUS OBSERVATIONS OF THE MOTION OF LARGE-SCALE ELECTRON DENSITY IRREGULARITIES AND OF IONOSPHERIC ELECTRIC FIELD NEAR THE POLAR BORDER OF THE SOUTHERN AURORAL ZONE
*SPACE RES., 15, 477-483, 1975 (PROC. OF THE 17TH COSPAR PLENARY MEETING, SAO PAULO, BRAZIL, JUNE 17-JULY 1, 1974).
- 862 TAIEB, C.
PRELIMINARY RESULTS OF COMPARISON BETWEEN THOMSON SCATTER AND TOPSIDE SOUNDER MEASUREMENTS
*PROC. OF THE IEEE, 57, 1161-1163, JUNE 1969.
- 863 TATARONIS, J.A. CRAWFORD, F.W.
ALOUETTE PLASMA RESONANCE PHENOMENA
*IN -- PLASMA WAVES IN SPACE AND IN THE LAB., 2, 91-109, J.O. THOMAS, AM. ELSEVIER PUBL. CO., NEW YORK, NY, 1970.
- 864 TAYLOR, G.N.
SIMULTANEOUS TOP-SIDE SOUNDER AND INCOHERENT SCATTER MEASUREMENTS IN THE IONOSPHERIC F-REGION
*IN -- RRE NEWSLETTER AND RESEARCH REV., NO. 9, 27/1-27/2, ROY. RADAR ESTABL., MALVERN, ENGLAND, 1970.

ORIGINAL PAGE IS
OF POOR QUALITY

- 865 TAYLOR,G.N. WRENN,G.L.
COMPARISONS OF SIMULTANEOUS SATELLITE AND GROUND-BASED MEASUREMENTS OF IONOSPHERIC PARAMETERS
*PLANET. SPACE SCI., 18, 1663-1666, NOV. 1970.
- 866 THOMAS,J.A.
CONJUGATE HF DUCTING
*IN -- CONJUGATE POINT SYMP., IERTM-ITS A 72, 2, III-18-1 TO III-18-7, BOULDER, CO, JULY 1967.
- 867 THOMAS,J.O.
CANADIAN SATELLITE - THE TOPSIDE SOUNDER ALOUETTE
*SCIENCE, 139, NO. 355, 229-232, JAN. 1963.
- 868 THOMAS,J.O. WESTOVER,D.
CALCULATION OF ELECTRON DENSITY PROFILES FROM TOPSIDE IONOGRAMS USING A DIGITAL COMPUTER
*STANFORD U., SEL 63-130, STANFORD, CA, AUG. 1963.
- 869 THOMAS,J.O. SADER,A.Y.
ALOUETTE TOPSIDE SOUNDINGS MONITORED AT STANFORD UNIVERSITY
*STANFORD U., RADIO SCI. LAB., ELECTRON LAB., TECH. REPT. NO. 6, SEL-64-007, STANFORD, CA, DEC. 1963.
- 870 THOMAS,J.O. SADER,A.Y.
ELECTRON DENSITY AT THE ALOUETTE ORBIT
*J. GEOPHYS. RES., 69, NO. 21, 4561-4581, NOV. 1964.
- 871 THOMAS,J.O. DUFOUR,S.W.
ELECTRON DENSITY IN THE WHISTLER MEDIUM
*NATURE, 206, NO. 4984, 567-571, MAY 1965.
- 872 THOMAS,J.O. ANDREWS,M.K.
TRANSPOLAR EXOSPHERIC PLASMA 1. PLASMASPHERE TERMINATION
*J. GEOPHYS. RES., 73, NO. 23, 7407-7417, DEC. 1968.
- 873 THOMAS,J.O. ANDREWS,M.K.
RESONANCES OBSERVED BY RADIO PULSE SOUNDERS AND THEIR APPLICATION TO MEASUREMENTS IN SPACE
*IN -- PLASMA WAVES IN SPACE AND IN THE LAB., 1, 3-39, AM. ELSEVIER PUBL. CO., NEW YORK, NY, 1969.
- 874 THOMAS,J.O. ANDREWS,M.K.
TRANSPOLAR EXOSPHERIC PLASMA, 3 - A UNIFIED PICTURE
*PLANET. SPACE SCI., 17, 433-446, MAR. 1969.
- 875 THOMAS,J.O. RYCROFT,M.J.
EXOSPHERIC PLASMA DURING THE INTERNATIONAL YEARS OF THE QUIET SUN
*PLANET. SPACE SCI., 18, NO. 1, 41-63, JAN. 1970.
- 876 THOMAS,J.O. LONG,A.R. WESTOVER,D.
CALCULATION OF ELECTRON DENSITY PROFILES FROM TOPSIDE SOUNDER RECORDS
*J. GEOPHYS. RES., 68, NO. 10, 3237-3242, MAY 1963.
- 877 THOMAS,J.O. BRIGGS,B.R. COLIN,L. RYCROFT,M.J. COVERT,M.
IONOSPHERE TOPSIDE SOUNDER STUDIES 1. REDUCTION OF ALOUETTE 1 IONOGRAMS TO ELECTRON DENSITY PROFILES
*NASA, TN-D-2882, WASH., DC, JULY 1965.
- 878 THOMAS,J.O. RYCROFT,M.J. COVERT,M. BRIGGS,B.R. COLIN,L.
IONOSPHERE TOPSIDE SOUNDER STUDIES 2. THE CALCULATION OF THE ELECTRON DENSITY AND THE MAGNETIC FIELD
PARAMETERS AT THE ALOUETTE 1 ORBIT
*NASA, TN D-2921, WASH., DC, JULY 1965.
- 879 THOMAS,J.O. RYCROFT,M.J. COLIN,L. CHAN,K.L.
TOPSIDE IONOSPHERE
*IN -- ELECTRON DENSITY PROFILES IN IONOS. AND EXOS., 298-357, J. FRIHAGEN, NORTH-HOLLAND PUBL. CO.,
AMSTERDAM, THE NETHERLANDS, 1966.
- 880 THOMAS,J.O. RYCROFT,M.J. COLIN,L. CHAN,K.L.
ANALYSIS OF ALOUETTE 1 TOPSIDE IONOGRAMS
*IN -- ELECTRON DENSITY PROFILES IN IONOS. AND EXOS., 299-321, J. FRIHAGEN, NORTH-HOLLAND PUBL. CO.,
AMSTERDAM, THE NETHERLANDS, 1966.
- 881 THOMPSON,R.J.
PL WHISTLERS
*PLANET. SPACE SCI., 25, NO. 11, 1037-1043, NOV. 1977.
- 882 THOMSON,R.J. DOWDEN,R.L.
SIMULTANEOUS GROUND AND SATELLITE RECEPTION OF WHISTLERS
*J. ATMOS. TERR. PHYS., 39, NO. 8, 869-877, 879-890, AUG. 1977.
- 883 THROSHICHEV,O.A.
ZONES OF THE CORPUSCULAR PRECIPITATIONS AND THE STRUCTURE OF THE MAGNETOSPHERE
*IN -- AURORAE, NO. 21, 26-47, NAUKA, MOSCOW, 1974.
- 884 TIMLECK,P.L. NELMS,G.L.
ELECTRON DENSITIES LESS THAN 100 ELECTRON CM-3 IN THE TOPSIDE IONOSPHERE
*PROC. OF THE IEEE, 57, 1164-1171, JUNE 1969.
- 885 TITHERIDGE,J.E.
PLASMA TEMPERATURES FROM ALOUETTE 1 ELECTRON DENSITY PROFILES
*PLANET. SPACE SCI., 24, 247-259, MAR. 1976.
- 886 TITHERIDGE,J.E.
ION TRANSITION HEIGHTS FROM TOPSIDE ELECTRON DENSITY PROFILES
*PLANET. SPACE SCI., 24, 229-245, MAR. 1976.
- 887 TITHERIDGE,J.E.
DIRECT ESTIMATES OF SCALE HEIGHT FROM TOPSIDE IONOGRAMS
*J. ATMOS. TERR. PHYS., 38, 623-626, JUNE 1976.
- 888 TITHERIDGE,J.E.
IONOSPHERIC HEATING BENEATH THE MAGNETOSPHERIC CLEFT
*J. GEOPHYS. RES., 81, NO. 19, 3221-3226, JULY 1976.
- 889 TITHERIDGE,J.E.
PLASMAPAUSE EFFECTS IN THE TOP SIDE IONOSPHERE
*J. GEOPHYS. RES., 81, NO. 19, 3227-3233, JULY 1976.
- 890 TITHERIDGE,J.E. LOBB,R.J.
LEAST SQUARES POLYNOMIAL ANALYSIS AND ITS APPLICATION TO TOPSIDE IONOGRAMS
*RADIO SCI., 12, 451-459, MAY-JUNE 1977.
- 891 TROY,B.E., JR. MAIER,E.J.
EFFECT OF GRID TRANSPARENCY AND FINITE COLLECTOR SIZE ON DETERMINING ION TEMPERATURE AND DENSITY BY THE
RETARDING POTENTIAL ANALYZER

ORIGINAL PAGE IS
OF POOR QUALITY

- *J. GEOPHYS. RES., 80, NO. 16, 2236-2240, JUNE 1975.
- 892 TROY, B. E., JR. MAIER, E. J. SAMIR, U.
ELECTRON TEMPERATURES IN THE WAKE OF AN IONOSPHERIC SATELLITE
*J. GEOPHYS. RES., 80, NO. 7, 993-997, MARCH 1975.
- 893 TYAS, J. P. I. FRANKLIN, C. A. MOLOZZI, A. R.
MEASUREMENT OF COSMIC NOISE AT LOW FREQUENCIES ABOVE THE IONOSPHERE
*NATURE, 184, 785-786, SEPT. 1959.
- 894 UNGSTRUP, E. KLUMPAR, D. M. HEIKKILA, W. J.
HEATING OF IONS TO SUPERTHERMAL ENERGIES IN THE TOPSIDE IONOSPHERE BY ELECTROSTATIC ION CYCLOTRON WAVES
*J. GEOPHYS. RES., 84, NO. A8, 4289-4296, AUG. 1979.
- 895 UNWIN, R. S.
EVENING DIFFUSE RADIO AURORA, FIELD-ALIGNED CURRENTS AND PARTICLE PRECIPITATION
*PLANET. SPACE SCI., 28, 847-857, AUG. 1980.
- 896 VANZANDT, T. E.
DETERMINATION OF THE DIP EQUATOR USING THE SATELLITE EXPLORER 20
*IN -- REPORT ON EQUATORIAL AERONOMY, 443-444, FERNANDO DE MENDONCA, CONSELHO NACIONAL DE PESQUISAS, BRASIL, 1965.
- 897 VANZANDT, T. E. LOFTUS, B. T. CALVERT, W.
EXPLORER 20 OBSERVATIONS OF CONJUGATE DUCTS
*IN -- REPORT ON EQUATORIAL AERONOMY, 325-327, FERNANDO DE MENDONCA, CONSELHO NACIONAL DE PESQUISAS, BRASIL, 1965.
- 898 VANZANDT, T. E. CLARK, W. L. WARNOCK, J. M.
MAGNETIC APEX COORDINATES - A MAGNETIC COORDINATE SYSTEM FOR THE IONOSPHERIC F2 LAYER
*J. GEOPHYS. RES., 77, NO. 13, 2406-2411, MAY 1972.
- 899 VASSEUR, G. FELDSTEIN, R.
CALCULATION OF ELECTRON DENSITY PROFILES FROM TOPSIDE AND GROUND BASED IONOSPHERIC SOUNDINGS
*CNET, GRI/NTP/28, ISSY-LES-MOULINEAUX, FRANCE, OCT. 1967.
- 900 VASSEUR, G. FELSTEIN, R.
CALCULATION OF IONIZATION PROFILES FROM TOPSIDE AND BOTTOMSIDE IONOSPHERIC SOUNDINGS
*ANN. DES TELECOMM., 23, 183-194, JULY-AUG. 1968.
- 901 VENKATARAMAN, P. BURROWS, J. R. MCDIARMID, I. B.
ON THE ANGULAR DISTRIBUTIONS OF ELECTRONS IN INVERTED V SUBSTRUCTURES
*J. GEOPHYS. RES., 80, NO. 1, 66-72, JAN. 1975.
- 902 VIGNERON, F. R.
EXPERIMENTS ON LATERAL VIBRATION OF ALOUETTE SOUNDER ANTENNAS (U)
*DEF. RES. TELECOMMUN. ESTABL., REP. NO. 1170, OTTAWA, CAN., NOV. 1966.
- 903 VIGNERON, F. R.
TRANSIENT TEMPERATURE AND THERMAL CURVATURE BEHAVIOR OF SOUNDER ANTENNAS ON ALOUETTE SATELLITES
*DEF. RES. TELECOMMUN. ESTABL., REP. NO. 1167, OTTAWA, CAN., NOV. 1966.
- 904 VIGNERON, F. R.
DYNAMICS OF SPIN-STABILIZED FLEXIBLE SATELLITES OF CROSSED-DIPOLE CONFIGURATION
*IN -- DYNAMICS OF SATELL., 207-215, SPRINGER-VERLAG, 1970.
- 905 VIGNERON, F. R.
STABILITY OF A FREELY SPINNING SATELLITE OF CROSSED-DIPOLE CONFIGURATION
*CAN. AERON. AND SPACE INST. TRANS., 3, NO. 1, 8-19, MAR. 1970.
- 906 VIGNERON, F. R.
DYNAMICS OF ALOUETTE AND ISIS SATELLITES
*ASTRONAUT. ACTA, 18, NO. 3, 201-213, JUNE 1973.
- 907 VIGNERON, F. R. GARRETT, T. W.
SOLAR INDUCED LATERAL VIBRATIONS OF ALOUETTE SOUNDER ANTENNAS DURING EXTENSION (U)
*DEF. RES. TELECOMMUN. ESTABL., REP. NO. 1169, OTTAWA, CAN., DEC. 1966.
- 908 VIGNERON, F. R. GARRETT, T. W.
SOLAR INDUCED DISTORTION ATMOSPHERIC DRAG COUPLING IN ALOUETTE SATELLITES (U)
*DEF. RES. TELECOMMUN. ESTABL., REP. NO. 1171, OTTAWA, CAN., FEB. 1967.
- 909 VIGNERON, F. R. KOWALIK, H.
ATTITUDE MOTION OF ISIS SATELLITES DURING OPERATION OF THE ELECTROMAGNETIC CONTROL SYSTEM
*CAN. AERON. AND SPACE INST. TRANS., 6, 16-25, MAR. 1973.
- 910 VIGNERON, F. R. HARRISON, D. BOWER, G.
SPIN RATE BEHAVIOR OF ISIS-1
*J. SPACECR. ROCKETS, 8, 1099-1101, OCT. 1971.
- 911 VIGNERON, F. R. HARRISON, D. YIP, F. BOWER, G. G.
PREDICTION OF ATTITUDE MOTION OF ISIS SATELLITES
*COMMUN. RES. CENT., REP. NO. 1226, OTTAWA, CAN., 1972.
- 912 VILA, P.
TOPSIDE SPREAD F AND FIELD ALIGNED STRUCTURE
*IN -- SPREAD F AND ITS EFFECT ON RADIO WAVE PROPAG. AND COMMUN., 79-87, P. NEWMAN, TECHNIVISION, MAIDENHEAD, ENGL., OCT. 1966.
- 913 VILA, P.
INTERTROPICAL F2 IONIZATION DURING JUNE AND JULY 1966
*RADIO SCI., 6, NO. 7, 689-697, JULY 1971.
- 914 VILA, P.
NEW DYNAMIC ASPECTS OF INTERTROPICAL F2 IONIZATION
*RADIO SCI., 6, 945-955, NOV. 1971.
- 915 VONDRAK, R. R. MURPHREE, J. S. ANGER, C. D. WALLIS, D. D.
IONOSPHERIC CHARACTERISTICS OF A DETACHED ARC IN THE EVENING-SECTOR TROUGH
*GEOPHYS. RES. LETT., 10, NO. 7, 561-564, JULY 1983.
- 916 WALKER, G. O. CHAN, C. S.
TOPSIDE VARIATIONS OF ION MASS ACROSS THE MAGNETIC EQUATOR DURING THE NORTHERN WINTER SOLSTICE BASED UPON A PLASMA TEMPERATURE MODEL APPLICABLE TO SUNSPOT MAXIMUM CONDITIONS
*J. ATMOS. TERR. PHYS., 38, NO. 7, 707-712, JULY 1976.
- 917 WALKER, G. O. CHAN, C. S.
DIURNAL VARIATION OF THE EQUATORIAL ANOMALY IN THE TOPSIDE IONOSPHERE AT SUNSPOT MAXIMUM
*J. ATMOS. TERR. PHYS., 38, NO. 7, 699-706, JULY 1976.
- 918 WALKER, J. K. DALY, P. W. PONGRATZ, M. B. STENBAEK-NIELSEN, H. C. WHITTEKER, J. H.

ORIGINAL PAGE IS
OF POOR QUALITY

- CLEFT CURRENTS DETERMINED FROM MAGNETIC AND ELECTRIC FIELDS
 *J. GEOPHYS. RES., 83, NO. A12, 5604-5616, DEC. 1978.
- 919 WALLIS,D.D. BUDZINSKI,E.E.
 EMPIRICAL MODELS OF HEIGHT INTEGRATED CONDUCTIVITIES
 *J. GEOPHYS. RES., 86, NO. A1, 125-137, JAN. 1981.
- 920 WALLIS,D.D. ANGER,C.D. ROSTOKER,G.
 SPATIAL RELATIONSHIP OF AURORAL ELECTROJETS AND VISIBLE AURORA IN THE EVENING SECTOR
 *J. GEOPHYS. RES., 81, NO. 16, 2857-2869, JUNE 1976.
- 921 WALLIS,D.D. BURROWS,J.R. MOSHUPI,M.C. ANGER,C.D. MURPHREE,J.S.
 OBSERVATIONS OF PARTICLES PRECIPITATING INTO DETACHED ARCS AND PATCHES EQUATORWARD OF THE AURORAL OVAL
 *J. GEOPHYS. RES., 84, NO. A4, 1347-1360, APR. 1979.
- 922 WARNOCK,J.M.
 SIDEBAND STRUCTURE OBSERVED BY TOPSIDE SOUNDERS
 *PROC. OF THE IEEE, 57, 1135-1139, JUNE 1969.
- 923 WARNOCK,J.M. MCAFEE,J.R. THOMPSON,T.L.
 ELECTRON TEMPERATURE FROM TOPSIDE PLASMA RESONANCE OBSERVATIONS
 *J. GEOPHYS. RES., 75, 7272-7275, DEC. 1970.
- 924 WARREN,E.
 PERTURBATION OF THE LOCAL ELECTRON DENSITY BY ALOUETTE SATELLITE
 *CAN. J. PHYS., 41, 188-189, JAN. 1963.
- 925 WARREN,E.S.
 SWEEP-FREQUENCY RADIO SOUNDINGS OF THE TOP SIDE OF THE IONOSPHERE
 *CAN. J. PHYS., 40, 1692, NOV. 1962.
- 926 WARREN,E.S.
 SOME PRELIMINARY RESULTS OF SOUNDING THE TOPSIDE OF THE IONOSPHERE BY RADIO
 *NATURE, 197, NO. 4868, 636-639, FEB. 1963.
- 927 WARREN,E.S.
 TOPSIDE IONOSPHERE DURING GEOMAGNETIC STORMS
 *PROC. OF THE IEEE, 57, 1029-1036, JUNE 1969.
- 928 WARREN,E.S. HAGG,E.L.
 OBSERVATION OF ELECTROSTATIC RESONANCES OF THE IONOSPHERIC PLASMA
 *NATURE, 220, NO. 5166, 466-468, NOV. 1968.
- 929 WARREN,H.R. MAR,J.
 STRUCTURAL AND THERMAL DESIGN OF THE TOPSIDE SOUNDER SATELLITE
 *CAN. AERONAUT. SPACE J., 8, 161-169, SEPT. 1962.
- 930 WATANABE,S. ONDOH,T.
 DEUTERON WHISTLER AND TRANS-EQUATORIAL PROPAGATION OF THE ION CYCLOTRON WHISTLER
 *PLANET. SPACE SCI., 24, NO. 4, 359-364, APR. 1976.
- 931 WATANABE,S. ONDOH,T.
 PROPAGATION OF TRANS EQUATORIAL DEUTERON WHISTLERS IN THE LOW LATITUDE TOPSIDE IONOSPHERE
 *J. ATMOS. TERR. PHYS., 42, NO. 5, 427-435, MAY 1980.
- 932 WATT,T.M.
 ION DISTRIBUTION AND TEMPERATURE IN THE TOPSIDE IONOSPHERE OBTAINED FROM THE ALOUETTE SATELLITE
 *J. GEOPHYS. RES., 70, NO. 23, 5849-5859, DEC. 1965.
- 933 WATT,T.M.
 CORRELATION OF PLASMA SCALE HEIGHT WITH KP IN THE TOPSIDE IONOSPHERE
 *J. GEOPHYS. RES., 71, NO. 13, 3131-3140, JULY 1966.
- 934 WATT,T.M.
 OBTAINING LOCAL VALUES OF PLASMA SCALE HEIGHT WITH THE ALOUETTE 1 TOPSIDE SOUNDER
 *J. GEOPHYS. RES., 72, NO. 16, 3843-3853, AUG. 1967.
- 935 WATT,T.M.
 VERTICAL INCIDENCE PULSE DISPERSION WITH APPLICATIONS TO THE ALOUETTE 1 TOPSIDE SOUNDER
 *J. GEOPHYS. RES., 74, NO. 11, 2972-2981, JUNE 1969.
- 936 WATT,T.M.
 TOPSIDE IONOSPHERE AT SUNRISE
 *J. GEOPHYS. RES., 76, NO. 13, 3095-3105, MAY 1971.
- 937 WATT,T.M.
 JOINT RADAR/SATELLITE EXPERIMENTS AT CHATANIKA, ALASKA
 *STANFORD RES. INST., AD779913, DNA-3305F, MENLO PARK, CA, DEC. 1973.
- 938 WEBBER,R.V. WARREN,E.S. SMITH-ROSE,R.L.
 ION SHEATH SURROUNDING A CHARGED SPHERICAL CONDUCTOR IN A PLASMA
 *SPACE RES., 6, 483-484, 1966. (PROC. OF THE 6TH INTERN. SPACE SCI. SYMP., MAR DEL PLATA, ARGENTINE, MAY 11-19, 1965).
- 939 WEBER,E.J. WHALEN,J.A. WAGNER,R.A. BUCHAU,J.
 TWELVE HOUR CASE STUDY OF AURORAL PHENOMENA IN THE MIDNIGHT SECTOR - ELECTROJET AND PRECIPITATING PARTICLE CHARACTERISTICS
 *J. GEOPHYS. RES., 82, NO. 25, 3557-3572, SEPT. 1977.
- 940 WELLS,A.
 MOTOR CANISTER DESIGNED FOR PROLONGED OPERATION IN SPACE
 *IN -- FIFTH AEROSPACE MECHANISMS SYMP., SP-282, 137-142, NASA, WASH., DC, 1971.
- 941 WHARTON,A. TAIEB,C. BAUER,P.
 EFFECTS OF CONJUGATE POINT SUNRISE IN THE TOPSIDE IONOSPHERE DEDUCED FROM ALOUETTE 1 RECORDS
 *J. ATMOS. TERR. PHYS., 33, 985-998, JULY 1971.
- 942 WHITTEKER,J.H.
 MAGNETOSPHERIC CLEFT - IONOSPHERIC EFFECTS
 *J. GEOPHYS. RES., 81, NO. 7, 1279-1288, MAR. 1976.
- 943 WHITTEKER,J.H.
 COMPARISON OF THE BEAT METHOD OF DETERMINING LOW ELECTRON DENSITIES FROM TOPSIDE IONOGRAMS WITH THE PLASMA-FREQUENCY RESONANCE METHOD
 *RADIO SCI., 13, NO. 6, 1047-1051, NOV.-DEC. 1978.
- 944 WHITTEKER,J.H. BRACE,L.H. BURROWS,J.R. HARTZ,T.R. HEIKKILA,W.J. SAGALYN,R.C. THOMAS,D.M.
 ISIS 1 OBSERVATIONS OF THE HIGH-LATITUDE IONOSPHERE DURING A GEOMAGNETIC STORM
 *J. GEOPHYS. RES., 77, NO. 31, 6121-6128, NOV. 1972.

- 945 WHITTEKER, J.H. BRACE, L.H. MAIER, E.J. BURROWS, J.R. JOHNSON, W.H. WINNINGHAM, J.D.
SNAPSHOT OF THE POLAR IONOSPHERE
*PLANET. SPACE SCI., 24, 25-32, JAN. 1976.
- 946 WHITTEKER, J.H. SHEPHERD, G.G. ANGER, C.D. BURROWS, J.R. WALLIS, D.D. KLUMPAR, D.M.
WALKER, J.K.
WINTER POLAR IONOSPHERE
*J. GEOPHYS. RES., 83, NO. A4, 1503-1518, APR. 1978.
- 947 WIENS, R.H. COGGER, L.L.
OBSERVATION OF WINTER ENHANCEMENT OF TWILIGHT 3914A BY ISIS 2
*J. GEOPHYS. RES., 80, NO. 31, 4351-4358, NOV. 1975.
- 948 WILDMAN, P.J.L.
STUDIES OF LOW ENERGY PLASMA MOTION - RESULTS AND A NEW TECHNIQUE
*AFGL, TR-76-0168, MASCOM AFB, MA, JUNE 1976.
- 949 WILDMAN, P.J.L. SAGALYN, R.C. AHMED, M.
STRUCTURE AND MORPHOLOGY OF THE MAIN PLASMA TROUGH IN THE TOPSIDE IONOSPHERE
*IN -- GEOPHYS. USE OF SATELL. BEACON OBS., 57-66, BOSTON U., BOSTON, MA, 1976.
- 950 WILLMORE, A.P.
ELECTRON AND ION TEMPERATURES IN THE IONOSPHERE
*SPACE SCI. REV., 11, NO. 5, 607-670, DEC. 1970.
- 951 WINNINGHAM, J.D.
PENETRATION OF MAGNETOSHEATH PLASMA TO LOW ALTITUDES THROUGH THE DAYSIDE MAGNETOSPHERIC CUSPS - A DISSERTATION
*TEXAS A+M U., PH.D. THESIS, COLLEGE STATION, TX, DEC. 1970.
- 952 WINNINGHAM, J.D.
CHARACTERISTICS OF MAGNETOSHEATH PLASMA OBSERVED AT LOW ALTITUDES IN THE DAYSIDE MAGNETOSPHERIC CUSPS
*IN -- EARTH'S MAGNETOS. PROCESSES, 68-80, D. REIDEL PUBL. CO., DORDRECHT, THE NETHERLANDS, 1972.
- 953 WINNINGHAM, J.D. HEIKKILA, W.J.
POLAR CAP AURORAL ELECTRON FLUXES OBSERVED WITH ISIS-1
*J. GEOPHYS. RES., 79, 949-957, MAR. 1974.
- 954 WINNINGHAM, J.D. HEIKKILA, W.J.
LOW ENERGY (10EV TO 10 KEV) EQUATORIAL PARTICLE FLUXES AND SOFT PARTICLE FLUXES NEAR THE EQUATOR
*IN -- PROC. OF WORKSHOP ON ELECTRON CONTAMINATION IN X-RAY ASTRON. EXPT., TM-X-70673, NASA-GSFC, GREENBELT, MD, MAY 1974.
- 955 WINNINGHAM, J.D. SHEPHERD, F.G.
AURORAL DATA ANALYSIS
*TEXAS U. AT DALLAS, AFGL-TR-79-0071, RICHARDSON, TX, MAR. 1979.
- 956 WINNINGHAM, J.D. AKASOFU, S.I. YASUHARA, F. HEIKKILA, W.J.
SIMULTANEOUS OBSERVATIONS OF AURORAS FROM THE SOUTH POLE STATION AND OF PRECIPITATING ELECTRONS BY ISIS 1
*J. GEOPHYS. RES., 78, NO. 28, 6579-6594, OCT. 1973.
- 957 WINNINGHAM, J.D. YASUHARA, F. AKASOFU, S.I. HEIKKILA, W.J.
LATITUDINAL MORPHOLOGY OF 10-EV TO 10-KEV ELECTRON FLUXES DURING MAGNETICALLY QUIET AND DISTURBED TIMES IN THE 2100-0300 MLT SECTOR
*J. GEOPHYS. RES., 80, NO. 22, 3148-3171, AUG. 1975.
- 958 WINNINGHAM, J.D. ANGER, C.D. SHEPHERD, G.G. WEBER, E.J. WAGNER, R.A.
CASE STUDY OF THE AURORA, HIGH LATITUDE IONOSPHERE, AND PARTICLE PRECIPITATION DURING NEAR STEADY-STATE CONDITIONS
*J. GEOPHYS. RES., 83, NO. A12, 5717-5731, DEC. 1978.
- 959 WINNINGHAM, J.D. KAWASAKI, K. ROSTOKER, G.
ENERGETIC PARTICLE PRECIPITATION INTO THE HIGH-LATITUDE IONOSPHERE AND THE AURORAL ELECTROJETS 1. DEFINITION OF ELECTROJET BOUNDARIES USING ENERGETIC ELECTRON SPECTRA AND GROUND-BASED MAGNETOMETER DATA
*J. GEOPHYS. RES., 84, NO. A5, 1993-2005, MAY 1979.
- 960 WRATT, D.S.
IONIZATION ENHANCEMENT IN THE MIDDLE LATITUDE D-REGION DUE TO PRECIPITATING HIGH ENERGY ELECTRONS
*J. ATMOS. TERR. PHYS., 38, NO. 5, 511-516, MAY 1976.
- 961 WRENN, G.L.
LANGMUIR PLATE AND SPHERICAL ION PROBE EXPERIMENTS ABOARD EXPLORER 31
*PROC. OF THE IEEE, 57, 1072-1077, JUNE 1969.
- 962 WRENN, G.L. SMITH, P.A.
RESULTS DERIVED FROM SIMULTANEOUS MEASUREMENTS USING THE LANGMUIR PLATE AND SPHERICAL ION PROBE ON EXPLORER 31 AND THE IONOSONDE ON ALOUETTE 2
*PROC. OF THE IEEE, 57, 1085-1089, JUNE 1969.
- 963 WRENN, G.L. SHEPHERD, G.G.
CONJUGATE POINT EFFECT OBSERVED FOR ELECTRON TEMPERATURES IN THE 1000-2500 KM HEIGHT RANGE
*J. ATMOS. TERR. PHYS., 31, 1383-1389, DEC. 1969.
- 964 WRENN, G.L. HEIKKILA, W.J.
PHOTOELECTRONS EMITTED FROM ISIS SPACECRAFT
*IN -- PHOTON AND PART. INTERACTIONS WITH SURFACES IN SPACE, 221-230, D. REIDEL PUBL. CO., DORDRECHT, THE NETHERLANDS, 1973.
- 965 WU, M.F.
TOPSIDE IONOSPHERE ELECTRON DENSITY CONCENTRATIONS - OBSERVATION AND THEORY
*MIT, DEPT. OF METEOROL., REPT. NO. 23, CAMBRIDGE, MA, OCT. 1969.
- 966 YASUHARA, F. AKASOFU, S.I. WINNINGHAM, J.D. HEIKKILA, W.J.
EQUATORWARD SHIFT OF THE CLEFT DURING MAGNETOSPHERIC SUBSTORMS AS OBSERVED BY ISIS-1
*J. GEOPHYS. RES., 78, NO. 31, 7286-7291, NOV. 1973.
- 967 ZEVAKINA, R.A.
IONOSPHERIC DISTURBANCES
*IN -- IONOSPHERE DISTURBANCES AND THEIR INFLUENCE ON RADIO COMM., NASA TT F-746, 1-33, APR. 1973.
- 968 ZHEKULIN, L.A. NAMAZOV, S.A. DOBRYAKOVA, F.F.
REFLECTION OF PULSE SIGNALS FROM AN INHOMOGENEOUS IONOSPHERE IN TOPSIDE SOUNDINGS
*GEOMAG. AERON., 6, 795-799, NOV. 1966.
- 969 ZURAN, J.
ANTENNA SYSTEM DESIGN OF THE ISIS-A SCIENTIFIC SATELLITE
*PROC. INSTITUTION OF ELEC. ENGIN., LONDON, 116, 923-932, JUNE 1969.

ORIGINAL PAGE IS
OF POOR QUALITY

**List of Contributors to the
Alouette-ISIS Program**

PRECEDING PAGE BLANK NOT FILMED

LIST OF CONTRIBUTORS TO THE ALOUETTE-ISIS PROGRAM

AUSTRALIA

Ionospheric Prediction Service

P. L. Dyson
C. G. McCue
J. Turner

National Research Council

S. Babey
E. E. Budzinski
J. R. Burrows
J. C. Foster
I. B. McDiarmid
D. C. Rose
P. Venkatranagan
D. D. Wallis
M. D. Wilson

CANADA

Communications Research Centre (DRTE)

R. E. Barrington
J. S. Belrose
R. J. Bibby
J. D. R. Boulding
R. K. Brown
W. S. Campbell
J. H. Chapman
F. Daniels
C. D. Florida
C. A. Franklin
T. Garrett
R.S. Gruno
E. L. Hagg
T. R. Hartz
L. Herzberg
E. D. Hewens
N. S. Hitchcock
H. G. James
D. H. Jelly
R. C. Langille
G. E. K. Lockwood
M. A. Maclean
J. Mar
J. S. Matsushita
A. R. Molozzi
D. B. Muldrew
G. L. Nelms
I. Paghis
F. H. Palmer
L. E. Petrie
H. R. Raine
R. P. Sharma
R. W. Southern
P. H. Timleck
E. S. Warren
J. H. Whitteker

Spar Aerospace Ltd.

(DeHaviland Aircraft Co.)

H. S. Kerr
H. R. Warren

Spar Aerospace Ltd.

(RCA Victor Company, Ltd.)

T. Fancott
J. McNally
F. J. F. Osborne
J. M. Stewart

University of Calgary

C. D. Anger
L. L. Cogger
R. Elphinstone
S. Ismail
R. Khaneja
A. T. Y. Lui
M. C. Moshupi
J. S. Murphree
W. Sawchuk
R. H. Wiens

University of Victoria

R. E. Horita

University of Western Ontario

P. A. Forsyth
G. F. Lyon
E. H. Tull

York University

F. E. Bunn
B. Gertner
D. Goel
C. F. Martin
G. G. Shepherd
E. Stathopoulos
F. W. Thirkettle

FRANCE

Centre National d'Etudes des
Telecommunications

J. Bitoun
F. DuCastel
J. M. Faynot
R. Feldstein
L. Fleury
P. Graff
B. Higel
M. Petit
M. Sylvain
C. Taieb
G. Vasseur
P. M. Vila

GERMANY

Institut fur Physikalische
Weltraumforschung

R. Kist

HONG KONG

University of Hong Kong

G. O. Walker

INDIA

Physical Research Laboratory

R. Raghava Rao

JAPAN

Radio Research Laboratory

Y. Hakura
H. Hojo
H. Inuki
N. Matuura
M. Nagayama
R. Nishizaki
Y. Ogata
T. Ondoh
H. Oya
K. Tao

NEW ZEALAND

Department of Scientific and
Industrial Research

M. K. Andrews
G. J. Burt
M. R. Deshpande
G. Keys
R. Lobb
F. A. McNeill
C. A. Roper
G. F. Stuart
J. E. Titheridge
R. S. Unwin

NORWAY

Auroral Observatory

O. Holt
B. Landmark

Royal Norwegian Council for
Scientific and Industrial
Research (NTNF)

K. Melby

UNITED KINGDOM

Appleton Laboratory (RSRS, RRS)

J. D. Burge
D. Eccles
J. W. King
G. W. Luscombe
P. A. Smith

Imperial College

J. O. Thomas

University College

R. L. F. Boyd
A. P. Willmore
G. L. Wrenn

U. K. Scientific Mission
Washington, D.C.

H. K. Bourne

UNITED STATES

Air Force Geophysics Laboratory
(AFGL)

R. S. Narcisi
C. Pikes
R. Sagalyn
M. Smiddy

Airborne Instruments Laboratory

S. H. Gross
S. Russell III
F. C. Zimmer

Applied Physics Laboratory

D. Bianco

Battelle Memorial Institute

L. L. Smith
H. Liemohm

NASA Ames Research Center

K. L. Chan
L. Colin
S. W. Dufour
D. S. Willoughby

NASA Goddard Space Flight Center

S. J. Bauer
R. F. Benson
R. E. Bourdeau
L. H. Brace
S. Chandra
J. F. Clark
J. L. Donley
L. L. Dubach
J. A. Findlay
R. J. Fitzenreiter
C. H. Freeman
W. H. Hoggard
R. A. Goldberg
E. J. Gregg
J. E. Jackson
E. J. R. Maier
N. J. Miller
E. D. Nelsen
G. W. Ousley
G. F. Pieper
B. C. Narasinga Rao
R. W. Rhodes
R. S. Sade
R. G. Sanford
J. F. South
N. W. Spencer
R. G. Stone
R. F. Theis
B. E. Troy
R. M. Tysdal

NASA Headquarters

S. Andrews
M. J. Acremanne
R. Barnes
F. W. Gaetano
D. R. Hallenbeck
J. L. Mitchell
J. R. Morrison
J. E. Naugle
A. G. Opp
E. R. Schmerling
W. E. Williams

NASA John F. Kennedy Space Center

J. Schwartz

National Oceanic and Atmospheric
Administration (ESSA-ITSA-CRPL)

W. Calvert
J. A. Fejer
E. E. Ferguson
G. B. Goe
R. G. Green
R. Knecht
E. Marovich
J. R. McAfee
L. Miller
R. B. Norton
E. R. Schiffmacher
T. E. Van Zandt
J. M. Warnock
E. C. Whipple

University of California - Los Angeles

J. D. Barry
P. J. Coleman, Jr.

University of Colorado - Boulder

L. M. Libby
W. F. Libby

University of Texas - Dallas
(SCAS)

E. L. Breig
W. H. Dodson
W. J. Heikkila
J. H. Hoffman
D. M. Klumpar
C. R. Lippincott
J. R. Sharber
J. B. Smith
J. D. Winningham

U.S. Army Signal Research and
Development Laboratory

P. R. Arendt
V. J. Rosati
H. Soicher

Appendix A - Definitions

APPENDIX A - DEFINITIONS

- NLA - No Longer Affiliated. Used in the spacecraft personnel section to indicate that the person had the specified affiliation at the time of his participation in the project, but is no longer there. Used in the investigation personnel section to indicate that the affiliation shown is the last known scientific affiliation and that the given person is no longer there.
- NSSDC ID - An identification code used in the NSSDC information system. In this system, each successfully launched spacecraft and experiment is assigned a code based on the launch sequence of the spacecraft. This code (e.g., 69-009A for the spacecraft ISIS 1) corresponds to the COSPAR international designation. The experiment codes are based on the spacecraft code. For example, the experiments carried aboard the spacecraft 69-009A are numbered 69-009A-01, 69-009A-02, etc. Similarly, data sets corresponding to experiment 69-009A-01 are coded 69-009A-01A, -01B, etc. Each prelaunch spacecraft and experiment is also assigned an NSSDC ID code based on the name of the spacecraft. For example, the approved NASA mission Solar Mesosphere Explorer was coded SME prior to launch. The experiments carried aboard this spacecraft were coded SME -01, SME -02, etc. Once it was launched, its prelaunch designation was changed to a postlaunch one: 81-100A.
- OI - Other Investigator.
- PI - Principal Investigator.
- PM - Project Manager. If a spacecraft has had several project managers, the initial and the latest project managers are both indicated in the spacecraft personnel section. For international programs there is usually a project manager in each of the two principal participating nations. The current or more recent PM is listed first.
- PS - Project Scientist. The above comment for project managers also applies to project scientists.

PRECEDING PAGE BLANK NOT FILMED

**Appendix B - List of Documents Available
From NSSDC and Request Forms**

RECORDING PAGE BLANK NOT FILMED

LIST OF DOCUMENTS AVAILABLE FROM NSSDC*
(April 1986)

NSSDC Order Number

Publication Title

DOCUMENTS DESCRIBING THE OPERATION OF NSSDC AND WDC-A-R&S

NSSDC/WDC-A-R&S 84-19 Guidelines for Submitting Data to the National
Space Science Data Center
NSSDC/WDC-A-R&S 86-02 NSSDC and WDC-A-R&S Document Availability and
Distribution Services

General Information

NSSDC/WDC-A-R&S 81-06 Lunar Maps Available from NSSDC
NSSDC/WDC-A-R&S 81-10 Report on Active and Planned Spacecraft and
Experiments (September 1981)
NSSDC/WDC-A-R&S 83-08 Report on Active and Planned Spacecraft and
Experiments (September 1983)
NSSDC/WDC-A-R&S 85-01 Report on Active and Planned Spacecraft and
Experiments (February 1985)
NSSDC/WDC-A-R&S 85-05 NSSDC Data Listing (July 1985)
NSSDC Newsletter (a quarterly publication)

DOCUMENTS DESCRIBING DATA MANAGEMENT SYSTEMS

The Pilot Climate Data System Brochure
The Pilot Climate Data System Catalog
Advancements in Land Resource Data Management:
Pilot Land Data System
Advancements in Land Science Management: Pilot
Land Data System
The Development of a Prototype Intelligent
Interface for NASA's Scientific Database Systems
GSFC X-931-82-14 Crustal Dynamics Data Information System User's
Guide

*This list contains documents which are available as hardcopy and which will be provided as hardcopy until the supply is depleted; then they will be provided on microfiche. Earlier editions of documents, such as *NSSDC Data Listing* and *Report on Active and Planned Spacecraft and Experiments*, which are not listed, are available on microfiche. The dagger symbol (†) following a listed document title signifies that the document is now provided on microfiche.

LIST OF DOCUMENTS AVAILABLE FROM NSSDC (CONTINUED)

DOCUMENTS DESCRIBING THE AVAILABILITY OF EXPERIMENT DATA

Astronomy

NSSDC 74-15c	Data Catalog of Satellite Experiments - Astronomy and Solar Physics [†]
NSSDC/WDC-A-R&S 78-05	Directory of Astronomical Data Files
NASA TM RP 1118	Catalog of Infrared Observations [†]
NSSDC/WDC-A-R&S 80-07	Astronomical Data Center Bulletin, Vol. 1, No. 1
NSSDC/WDC-A-R&S 81-09	Astronomical Data Center Bulletin, Vol. 1, No. 2
NSSDC/WDC-A-R&S 83-04	Astronomical Data Center Bulletin, Vol. 1, No. 3
NSSDC/WDC-A-R&S 82-01	Digest of Celestial X-Ray Missions and Experiments
NSSDC/WDC-A-R&S 84-13	Data Announcement Bulletin: Availability of Infrared Astronomical Satellite (IRAS) Data Sets from NSSDC

Ionospheric Physics

NSSDC 74-15a	Data Catalog of Satellite Experiments: Ionospheric Physics, Meteorology, and Planetary Atmospheres
NSSDC 75-07	Catalog of Ionospheric and Atmospheric Data
NSSDC/WDC-A-R&S 80-03	Coordinated Ionospheric and Magnetospheric Observations from the ISIS 2 Satellite by the ISIS 2 Experimenters, Vol. 1, Optical Auroral Images and Related Direct Measurements
NSSDC/WDC-A-R&S 80-05	Coordinated Ionospheric and Magnetospheric Observations from the ISIS 2 Satellite by the ISIS 2 Experimenters, Vol. 3, High-Latitude Charged Particle, Magnetic Field and Ionospheric Plasma Observations During Northern Summer
NSSDC/WDC-A-R&S 80-09	Coordinated Ionospheric and Magnetospheric Observations from the ISIS 2 Satellite by the ISIS 2 Experimenters, Vol. 2, Auroral Optical Emissions, Magnetic Field Perturbations, and Plasma Characteristics, Measured Simultaneously on the Same Magnetic Field Line
NSSDC/WDC-A-R&S 81-01	Coordinated Ionospheric and Magnetospheric Observations from the ISIS 2 Satellite by the ISIS 2 Experimenters, Vol. 4, A. Large Storms B. Airglow and Related Measurements C. VLF Observations

[†]This document, which is no longer available as hardcopy, is now provided on microfiche.

LIST OF DOCUMENTS AVAILABLE FROM NSSDC (CONTINUED)

DOCUMENTS DESCRIBING THE AVAILABILITY OF EXPERIMENT DATA (Continued)

Meteorology and Remote Sensing

The Nimbus 5 User's Guide
The Nimbus 5 Data Catalog, Vols. 1-12†
The Nimbus 6 User's Guide
The Nimbus 6 Data Catalog, Vols. 1-12†
The Nimbus 7 User's Guide
Nimbus 7 Flight Evaluation Reports 1-4†
The GOES/SMS User's Guide†
Heat Capacity Mapping Mission (HCMM) User's Guide
HCMM Information Packet (Data Catalog, Users Guide,
Day/Night Image Catalog, Documentation)
Magsat Information Packet
NSSDC 74-15a Data Catalog of Satellite Experiments - Ionospheric
Physics, Meteorology, and Planetary Atmospheres
NSSDC/WDC-A-R&S 82-25 Data Announcement Bulletin: Space Shuttle OSTA 1
Payload Data
NSSDC/WDC-A-R&S 84-09 OSTA 1 Experiments
Data Announcement Bulletin: The SIR-A Movie

Particles and Fields

NSSDC 75-02 Catalog of Particles and Fields Data 1958-1965
NSSDC 75-03 Catalog of Particles and Fields Data 1966-1973
NSSDC/WDC-A-R&S 77-04 Interplanetary Medium Data Book
NSSDC/WDC-A-R&S 77-04a Interplanetary Medium Data Book - Appendix
NSSDC/WDC-A-R&S 79-08 Interplanetary Medium Data Book, Supplement 1
NSSDC/WDC-A-R&S 83-01 Interplanetary Medium Data Book, Supplement 2
NSSDC/WDC-A-R&S 86-04 Interplanetary Medium Data Book, Supplement 3
NSSDC/WDC-A-R&S 82-28 Data Announcement Bulletin: Availability of IMP-J
(IMP 8) Interplanetary Field and Plasma Data
for the International Magnetospheric Study Period
(IMS)

Planetary Atmospheres

NSSDC 74-15a Data Catalog of Satellite Experiments - Ionospheric
Physics, Meteorology, and Planetary Atmospheres
NSSDC 75-07 Catalog of Ionospheric and Atmospheric Data

†This document, which is no longer available as hardcopy, is now provided on microfiche.

LIST OF DOCUMENTS AVAILABLE FROM NSSDC (CONTINUED)

DOCUMENTS DESCRIBING THE AVAILABILITY OF EXPERIMENT DATA (Continued)

Planetology

NSSDC 74-15d	Data Catalog of Satellite Experiments - Planetology [†]
NSSDC 69-05	Lunar Orbiter Photographic Data Package [†]
NSSDC 76-02	Status of Availability of Lunar Orbiter TV Pictures
NSSDC 70-06	Apollo 11 Lunar Photographic Data Package [†]
NSSDC 70-09	Apollo 12 Lunar Photographic Data Package [†]
NSSDC 70-18	Apollo 13 Lunar Photographic Data Package [†]
NSSDC 71-16	Apollo 14 Lunar Photographic Data Package [†]
NSSDC 72-07	Apollo 15 Lunar Photographic Data Package [†]
NSSDC 73-01	Apollo 16 Lunar Photographic Data Package [†]
NSSDC 74-08	Apollo 17 Lunar Photographic Data Package [†]
NSSDC/WDC-A-R&S 77-02	Catalog of Lunar Mission Data
NSSDC/WDC-A-R&S 78-03	Lunar Transient Phenomena Catalog [†]
NSSDC 71-09	Mariner 6 and 7 Photographic Data [†]
NSSDC 73-03	Mariner 9 Data Announcement Bulletin [†]
NSSDC 74-05	Mariner 9 Data Announcement Bulletin Supplement [†]
JPL TM 33-595-VL1	Mariner Mars 71 TV Picture Catalog, Vol. 1
JPL TM 33-585-VL2	Mariner Mars 71 TV Picture Catalog, Vol. 2
JPL TM 33-595	Mariner 9 TV Picture Microfiche Library Users Guide
JPL TM 33-628	Users Guide to Mariner 9 TV RDR
JPL TM 33-723	Guide to User of Mariner Images
NSSDC 75-18	Status of Availability of Mariner 10 TV Pictures [†]
NSSDC 76-01	Zond 8 Lunar Photography Data Announcement Bulletin [†]
NSSDC/WDC-A-R&S 78-01	Catalog of Viking Mission Data
NASA RP-1007	Viking Lander Imaging Investigations
NSSDC/WDC-A-R&S 80-11	Apollo Seismological Investigations Data User's Note

Solar Physics

NSSDC 74-15c	Data Catalog of Satellite Experiments - Astronomy and Solar Physics [†]
--------------	--

[†]This document, which is no longer available as hardcopy, is now provided on microfiche.

LIST OF DOCUMENTS AVAILABLE FROM NSSDC (CONTINUED)

REPORTS ON MODELS OF THE NEAR-EARTH ENVIRONMENT

GSFC X-601-72-487	A Model of the Starfish Flux in the Inner Radiation Zone [†]
JSR, 12, 2 Feb. '75	Energetic Solar Proton vs. Terrestrially Trapped Proton Fluxes for the Active Years 1977-1983 [†]
JSR, 11, 6 June '74	Solar Proton Fluences for 1977-1983 [†]
NASA SP-3024	Models of the Trapped Radiation Environment, Vol. VII: Long-Term Time Variations
NSSDC 72-06	The AE 4 Model of the Outer Radiation Zone Electron Environment
NSSDC 72-11	The Use of Inner Zone Electron Model AE [†]
NSSDC 72-12	ALLMAG, GDALMG, LINTRA: Computer Programs for Geomagnetic Field and Field-Line Calculations [†]
NSSDC 72-13	A Model Environment for Outer Zone Electrons [†]
NSSDC 72-14	Study of Mutual Consistency of IMP 4 Solar Proton Data
NSSDC 74-03	A Model of the Trapped Electron Population for Solar Minimum
NSSDC 75-11	SOLPRO: A Computer Code to Calculate Probabilistic Energetic Solar Proton Fluences [†]
NSSDC/WDC-A-R&S 76-04	AE 6: A Model Environment of Trapped Electrons for Solar Maximum
NSSDC/WDC-A-R&S 76-06	AP 8 Trapped Proton Environment for Solar Maximum and Solar Minimum
NSSDC/WDC-A-R&S 77-01	A Model of the Near-Earth Plasma Environment and Application to the ISEE-A and -B Orbit
NASA SP-3054	World Maps of Constant B, L, and Flux Constants [†]
NSSDC/WDC-A-R&S 79-01	SOFIP: A Short Orbital Flux Integration Program [†]
NSSDC/WDC-A-R&S 79-06	A Study of Inner Zone Electron Data and Their Comparison with Trapped Radiation Models
GSFC X-601-75-136	A Survey of Long-Term Interplanetary Magnetic Field Variations [†]
GSFC X-922-74-303	Computation of the IGRF I. Spherical Expansions [†]
GSFC X-645-72-301	Average Daily Variations in the Magnetic Field as Observed by ATS 5 [†]

[†]This document, which is no longer available as hardcopy, is now provided on microfiche.

LIST OF DOCUMENTS AVAILABLE FROM NSSDC (CONTINUED)

ROCKET AND SATELLITE INFORMATION AND DATA EXCHANGE DOCUMENTS

NSSDC/WDC-A-R&S 78-02	Launch Summary for 1973-77†
NSSDC/WDC-A-R&S 84-01	Launch Summary for 1978-1982
GSFC X-601-72-002	The National Space Science Data Center Guide to International Rocket Data†

IMS/SSC REPORTS AND OTHER ORBIT INFORMATION

IMS/SSC Report No. 9	IMS Directory of Spacecraft and Experiments Scientific Contacts - Final Update October 1980
GSFC X-692-70-64	Trajectories of Explorers 33, 34, and 35 July 1966- April 1969
GSFC X-692-73-291	Trajectories of Explorers 33, 35, 41, 43, and 47 May 1969 - December 1972
GSFC X-601-76-38	Trajectories of Explorers 43, 47, and 50 September 1972 - December 1975†
NSSDC/WDC-A-R&S 86-03	Trajectories of Pioneers 6-11, Helios A and B and Voyagers 1 and 2
Circular Letter Nr 7	CCOG Handbook for the IMS-GEOS (Period 1976-79)†
Circular Letter Nr 8	Supplement to the CCOG Handbook for the IMS-GEOS (Period 1976-79)

DATA ANALYSIS WORKSHOP CENTER (DAWOC)

NSSDC/WDC-A-R&S 79-02	An Evolutionary Approach to the Group Analysis of Global Geophysical Data
CDAW 1.0 Data Catalog	The IMS Events of December 1 1500h-December 2 2400h, 1977 and December 11 2100h-December 12 0730h, 1977
CDAW 2.1 Data Catalog	The IMS Events of July 28 1200h-July 29 2000h, 1977
CDAW 3.0 Data Catalog	ISEE 1 and ISEE 2 Bow Shock Crossings
CDAW 4.0 Data Catalog	ISEE 1 and ISEE 2 Magnetopause Crossings
CDAW 6.3 Data Catalog	An IMS Study: Energy Transfer in Near-Earth Space Associated with Substorms of March 22 and 31, 1979
CDAW 7.0 Data Catalog	The Response of the Magnetotail to Substorm Expansive Phase Activity

†This document, which is no longer available as hardcopy, is now provided on microfiche.

LIST OF DOCUMENTS AVAILABLE FROM NSSDC (CONTINUED)

MISCELLANEOUS

NSSDC/WDC-A-R&S 81-04	Modeling the Data Systems Role of the Scientist (for the NEEDS Command and Control Task) [†]
NSSDC 71-05	Handbook of Correlative Data [†]
NASA SP 7601	OGO Program Summary
NSSDC 71-21	IMP Series Report/Bibliography [†]

DATA CATALOG SERIES FOR SPACE SCIENCE AND APPLICATIONS FLIGHT MISSIONS

NSSDC/WDC-A-R&S 82-21	Descriptions of Planetary and Heliocentric Spacecraft and Investigations (Volume 1A)
NSSDC/WDC-A-R&S 82-22	Descriptions of Geostationary and High-Altitude Scientific Spacecraft and Investigations (Volume 2A)
NSSDC/WDC-A-R&S 83-03	Descriptions of Low- and Medium-Altitude Scientific Spacecraft and Investigations (Volume 3A)
NSSDC/WDC-A-R&S 85-03	Descriptions of Meteorological and Terrestrial Applications Spacecraft and Investigations (Volume 4A)
NSSDC/WDC-A-R&S 86-01	Descriptions of Data Sets from Low- and Medium-Altitude Scientific Spacecraft and Investigations (Volume 3B)

[†]This document, which is no longer available as hardcopy, is now provided on microfiche.