

Naval Oceanographic Office

Stennis Space Center
MS 39522-5001

Technical Report
TR 304
October 1991

2



AD-A245 860



TR 304

THE JOINT US/UK 1990 EPOCH WORLD MAGNETIC MODEL

JOHN M. QUINN
RACHEL J. COLEMAN
MICHAEL R. PECK
STEPHEN E. LAUBER

GEOPOTENTIAL DIVISION

DTIC
ELECTE
FEB 03 1992
S D D

Approved for public release;
distribution is unlimited

(NASA-CR-190424) THE JOINT US/UK 1990 EPOCH
WORLD MAGNETIC MODEL Technical Report, 1990
- 1995 (Naval Oceanographic Office) 216 p

N92-26406

Unclas
G3/46 0093829

Prepared under the authority of
Commander,
Naval Oceanography Command

92 1 30 053

FOREWORD

As it has in centuries past, the Earth's magnetic field still plays a vital role in global navigation. All navigational aids or attitude/heading reference systems (AHRS), regardless of their operating principles, must speak a common language. That common language is in terms of the Earth's magnetic declination. Consequently, magnetic-related navigational aids are integrated, in the form of computer hardware and software, into virtually every major weapons system of the Army, Air Force, Navy, and Marines. In order to maintain optimum performance, these systems must be periodically updated with regard to the Earth's magnetic field, which is a dynamic entity that changes slowly but erratically with time.

For well over a century, it has been the responsibility of the U.S. Naval Oceanographic Office to monitor the Earth's changing magnetic field and periodically report on these changes in the form of magnetic charts and mathematical models. For the past forty years, this task has involved an intensive data collection effort through the Project MAGNET program, which in April 1990 made the transition from primarily aeromagnetic surveying to satellite surveying with the launch of the Polar Orbiting Geomagnetic Survey (POGS) satellite. Follow-on satellite missions to secure data for future needs, well into the twenty-first century, are now being vigorously pursued.

This report is a comprehensive summary of the cooperative effort between the U.S. Naval Oceanographic Office and the British Geological Survey in producing the 1990 Epoch World Magnetic Model, WMM-90.



ROBERT Y. BELT
Captain, U.S. Navy
Commanding Officer

TABLE OF CONTENTS

Acknowledgements	ix
Section 1. The GEOMAG Algorithm and the 1990 Model	1
1.0 Introduction	1
1.1 The Mathematical Model	2
1.2 Coordinate Transformations	5
1.3 The Computer Algorithm	7
Section 2. The 1990 Epoch World Magnetic Model (Derivation)	15
2.0 Overview	15
2.1 Secular Variation Data Analysis	20
2.2 Main Field Data Analysis	45
2.3 Mathematical Details of Main Field Inverse Modeling	50
Section 3. Discussion	69
3.0 Modeling Results	69
3.1 Final Comments	73
References	195
Appendix	
FORTTRAN Listing of GEOMAG Subroutine with the WMM-90 Model Coefficients	197

LIST OF TABLES

Table 1	Arrangement of Main Field Coefficients in Array C_{nm}	8
Table 2	Arrangement of Secular Variation Coefficients in Array \dot{C}_{nm}	9
Table 3	WMM-90 Schmidt Normalized Gauss Coefficients	12
Table 4	Secular Variation Models	46
Table 5	WC-85 (Revised) Schmidt Normalized Gauss Coefficients	51
Table 6	RMS Errors Relative to IGRF/DGRF Models	56
Table 7	Number of Records	56
Table 8	Average Number of Records Per Cell	56
Table 9	Project MAGNET Flight Statistics Relative to IGRF/DGRF Models	57
Table 10	Dip Pole Positions	72
Table 11	WMM-90 Main Field and Annual Change Grid Values ..	75
	North Component (X) WMM-90	76
	East Component (Y) WMM-90	88
	Vertical Component (Z) WMM-90	100
	Horizontal Component (H) WMM-90	112
	Total Intensity (F) WMM-90	124
	Declination (D) WMM-90	136
	Inclination (I) WMM-90	148

LIST OF CHARTS

Chart	1. Project MAGNET Data Distribution	16
Chart	2. MAGSAT Data Distribution	17
Chart	3. DE-2 Data Distribution	18
Chart	4. Geomagnetic Observatory Distribution	19
Chart	5. North Magnetic Pole Movement	70
Chart	6. South Magnetic Pole Movement	71
Chart	7. Geomagnetic Coordinates	74

Main Field World Mercator Charts

Chart	8. Horizontal Intensity (H)	160
Chart	9. Vertical Component (Z)	161
Chart	10. Total Intensity (F)	162
Chart	11. Declination (D)	163
Chart	12. Inclination (I)	164

Secular Variation World Mercator Charts

Chart	13. Horizontal Intensity (\dot{H})	165
Chart	14. Vertical Component (\dot{Z})	166
Chart	15. Total Intensity (\dot{F})	167
Chart	16. Declination (\dot{D})	168
Chart	17. Inclination (\dot{I})	169

Main Field North Polar Stereographic Charts

Chart	18. Horizontal Intensity (H)	170
Chart	19. Vertical Component (Z)	171
Chart	20. Total Intensity (F)	172
Chart	21. Declination (D)	173
Chart	22. Inclination (I)	174
Chart	23. Grid Variation (GV)	175

Secular Variation North Polar Stereographic Charts

Chart	24. Horizontal Intensity (\dot{H})	176
Chart	25. Vertical Component (\dot{Z})	177
Chart	26. Total Intensity (\dot{F})	178
Chart	27. Declination (\dot{D})	179
Chart	28. Inclination (\dot{I})	180
Chart	29. Grid Variation (\dot{GV})	181

Main Field South Polar Stereographic Charts

Chart 30. Horizontal Intensity (H)	182
Chart 31. Vertical Component (Z)	183
Chart 32. Total Intensity (F)	184
Chart 33. Declination (D)	185
Chart 34. Inclination (I)	186
Chart 35. Grid Variation (GV)	187

Secular Variation South Polar Stereographic Charts

Chart 36. Horizontal Intensity (\dot{H})	188
Chart 37. Vertical Component (\dot{Z})	189
Chart 38. Total Intensity (\dot{F})	190
Chart 39. Declination (\dot{D})	191
Chart 40. Inclination (\dot{I})	192
Chart 41. Grid Variation (\dot{GV})	193

LIST OF FIGURES

Annual Magnetic Means at Selected Geomagnetic Observatories	
Figure 1a. North X Component at Honolulu (HON)	21
Figure 1b. East Y Component at Honolulu (HON)	22
Figure 1c. Vertical Z Component at Honolulu (HON)	23
Figure 1d. Declination D Component at Honolulu (HON)	24
Figure 1e. Inclination I Component at Honolulu (HON)	25
Figure 1f. Total Intensity F Component at Honolulu (HON) ...	26
Figure 2a. North X Component at Huancayo (HUA)	27
Figure 2b. East Y Component at Huancayo (HUA)	28
Figure 2c. Vertical Z Component at Huancayo (HUA)	29
Figure 2d. Declination D Component at Huancayo (HUA)	30
Figure 2e. Inclination I Component at Huancayo (HUA)	31
Figure 2f. Total Intensity F Component at Huancayo (HUA) ...	32
Figure 3a. North X Component at Pilar (PIL)	33
Figure 3b. East Y Component at Pilar (PIL)	34
Figure 3c. Vertical Z Component at Pilar (PIL)	35
Figure 3d. Declination D Component at Pilar (PIL)	36
Figure 3e. Inclination I Component at Pilar (PIL)	37
Figure 3f. Total Intensity F Component at Pilar (PIL)	38
Figure 4a. North X Component at Rude Skov (RSV)	39
Figure 4b. East Y Component at Rude Skov (RSV)	40
Figure 4c. Vertical Z Component at Rude Skov (RSV)	41
Figure 4d. Declination D Component at Rude Skov (RSV)	42
Figure 4e. Inclination I Component at Rude Skov (RSV)	43
Figure 4f. Total Intensity F Component at Rude Skov (RSV) ..	44

ACKNOWLEDGEMENTS

Overall coordination and production of the joint US/UK World Magnetic Model for the 1990 Epoch was the responsibility of Dr. David R. Barraclough of the British Geological Survey (BGS) and Mr. John M. Quinn of the U.S. Naval Oceanographic Office. Needless to say, however, these models could not be produced without the assistance of those many unnamed individuals around the world who collect magnetic field data on a day-to-day basis. Most particularly, we would like to acknowledge those who operate the geomagnetic observatories, the geophysicists, engineers, and technicians from the Naval Oceanographic Office who have collected and processed Project MAGNET data over the past ten years, and the military personnel from VXN-8 in Patuxent River, Maryland, who flew and maintained the Project MAGNET aircraft during this period. We also thank both the National Aeronautics and Space Administration and the U.S. Geological Survey for making the MAGSAT data available and M. Sugiura, J.R. Ridgeway, and Robert Langel for making the DE-2 data available. Finally, we appreciate the extraordinary abilities and dedication of our secretary, Nanette Williams, who was responsible for typing this manuscript and its many revisions.

SECTION 1. THE GEOMAG ALGORITHM AND THE 1990 MODEL

1.0 Introduction

The Earth's magnetic field, as measured by a magnetic sensor on or above the Earth's surface, is actually a composite of several magnetic fields generated by a variety of sources, which are superimposed on each other and which interact with each other. The most important of these geomagnetic sources are:

- a. the Earth's fluid outer core;
- b. the Earth's crust/upper mantle;
- c. the ionosphere; and
- d. the magnetosphere.

The magnetic variation algorithm (GEOMAG) is a Fortran subroutine which is based on a spherical harmonic expansion of the Earth's magnetic field, the coefficients of which comprise the World Magnetic Model (WMM). These coefficients are produced jointly by the U.S. Naval Oceanographic Office (NAVOCEANO)'s Geopotential Division and the British Geological Survey (BGS). The WMM is distributed by NAVOCEANO for the Defense Mapping Agency (DMA) in accordance with DMA Instructions 8000.1 and 8000.2. The WMMs are usually produced at 5-year intervals and are composed of two parts: a main field model, which describes the Earth's magnetic field at some base epoch, and a secular variation model, which accounts for the slow temporal variations in the main geomagnetic field from the base epoch to a maximum of 5 years beyond the base epoch. For example, the base epoch of the WMM-90 magnetic field model is 1990.0. This model is therefore considered valid between 1990.0 and 1995.0 and will subsequently be replaced at 1995.0 by the WMM-95 magnetic field model.

It is extremely important to recognize that the WMM series of geomagnetic models and the charts produced from these models characterize only that portion of the Earth's magnetic field which is generated by the Earth's fluid outer core. The portions of the geomagnetic field generated by the Earth's crust, mantle, ionosphere, and magnetosphere are not represented in these models. Consequently, a magnetic sensor such as a compass or magnetometer may observe spatial and temporal magnetic anomalies when referenced to the appropriate WMM. In particular, certain local, regional, and temporal magnetic declination anomalies can exceed 10 degrees. Anomalies of this magnitude are not common, but they do exist. Declination anomalies on the order of 3 or 4 degrees are not uncommon, but are of small spatial extent and relatively isolated. On land, spatial anomalies are produced by mountain ranges; ore deposits; ground which has been struck by lightning; geological faults; and cultural features such as trains, planes, tanks, railroad tracks, power lines, etc. In ocean areas, spatial anomalies are produced by continental margins, seamounts, oceanic ridges, trenches and fault zones, and ships and submarines. Temporal anomalies in either ocean or land areas can last from a few minutes to several days and are produced by ionospheric and magnetospheric processes which are driven by the solar wind.

Magnetic storms in particular can cause severe and persistent magnetic anomalies. Even in periods of quiet solar activity, significant spatial and temporal magnetic anomalies are found in the polar and equatorial regions of the Earth, where magnetic fields produced by ionospheric current systems, such as the auroral electrojets and the equatorial electrojet, are always present. Most of the possible sources of magnetic anomalies are comparatively isolated in either space or time. Therefore, from a global perspective, the root-mean-square (RMS), declination (DEC), and inclination (DIP) errors at sea level of the WMM are estimated to be less than 0.5 degrees in ocean areas and less than 1.0 degrees in land areas at the Earth's surface over the entire 5-year life of a particular model. Also, the RMS errors at sea level of the horizontal (H) and total intensity (F) components of the WMM over ocean and land areas are estimated to be less than 200 nanoteslas (nT) over the entire 5-year life of the models.

1.1 The Mathematical Model

The Earth's magnetic field has associated with it a geomagnetic potential $V(r, \theta, \phi, \tau)$, which can be expressed in spherical coordinates in terms of a spherical harmonic expansion of the following form:

$$V(r, \theta, \phi, \tau) = R_E \sum_{n=1}^N \left(\frac{R_E}{r} \right)^{n+1} \sum_{m=0}^n \{g_{nm}(\tau) \cos m\phi + h_{nm}(\tau) \sin m\phi\} P_n^m(\theta) \quad (1)$$

where the spherical coordinates (r, θ, ϕ) correspond to the radius from the center of the Earth, the colatitude (i.e., 90° - latitude), and the longitude. R_E is the mean radius of the Earth; $g_{nm}(\tau)$ and $h_{nm}(\tau)$ are referred to as the Gauss coefficients at time τ , where τ is the time in years (e.g., 1987.312). $P_n^m(\theta)$ represents a particular associated Legendre polynomial of degree n and order m . These polynomials are functions of the colatitude θ . The Gauss coefficients are slowly varying functions of time and are expressed in the form:

$$g_{nm}(\tau) = g_{nm}(T_{EPOCH}) + \dot{g}_{nm}(\tau - T_{EPOCH}) \quad (2a)$$

$$h_{nm}(\tau) = h_{nm}(T_{EPOCH}) + \dot{h}_{nm}(\tau - T_{EPOCH}) \quad (2b)$$

where T_{EPOCH} is the base epoch of the model, which for WMM-90 is 1990.0. Thus, $g_{nm}(T_{EPOCH})$ and $h_{nm}(T_{EPOCH})$ are the Gauss coefficients of the WMM at the model's base epoch, while \dot{g}_{nm} and \dot{h}_{nm} (pronounced g_{nm} dot and h_{nm} dot) are the annual rates of change of the Gauss coefficients. The Gauss coefficients $g_{nm}(T_{EPOCH})$ and $h_{nm}(T_{EPOCH})$ and their annual rates of change are spherical harmonic coefficients. The Gauss coefficients $g_{nm}(T_{EPOCH})$ and $h_{nm}(T_{EPOCH})$ characterize the Earth's main magnetic field at the base epoch of the model, T_{EPOCH} , while \dot{g}_{nm} and \dot{h}_{nm} characterize the

secular change of the Earth's main magnetic field during the 5-year life of the model. These coefficients, up to degree and order 12 for the main field and up to degree and order 8 for the secular variation of the main field, comprise the WMM. Currently, the secular variation model from degree 8 through degree 12 is padded with zeros.

The Earth's magnetic field $\vec{B}(r, \theta, \phi, \tau)$ is a vector quantity having three components which correspond to the projection of the magnetic field vector onto the three coordinate axes. Thus, $B_r(r, \theta, \phi, \tau)$ is that portion of the field pointing in the radial direction (i.e., perpendicular to the surface of the Earth), $B_\theta(r, \theta, \phi, \tau)$ is that portion of the field pointing locally due south, and $B_\phi(r, \theta, \phi, \tau)$ is that portion of the field pointing locally due east. The magnetic field vector can be computed from the geomagnetic potential by taking its gradient, thus:

$$\vec{B}(r, \theta, \phi, \tau) = -\vec{\nabla}V(r, \theta, \phi, \tau) \quad (3)$$

Consequently, the magnetic field components are related to the geomagnetic potential as follows:

$$B_r(r, \theta, \phi, \tau) = - \frac{\partial V(r, \theta, \phi, \tau)}{\partial r} \quad (4a)$$

$$B_\theta(r, \theta, \phi, \tau) = - \frac{1}{r} \frac{\partial V(r, \theta, \phi, \tau)}{\partial \theta} \quad (4b)$$

$$B_\phi(r, \theta, \phi, \tau) = - \frac{1}{r \sin \theta} \frac{\partial V(r, \theta, \phi, \tau)}{\partial \phi} \quad (4c)$$

which yield the following spherical harmonic expansions:

$$B_r(r, \theta, \phi, \tau) = \sum_{n=1}^N (n+1) \left(\frac{R_E}{r} \right)^{n+2} \sum_{m=0}^n \{g_{nm}(\tau) \cos m\phi + h_{nm}(\tau) \sin m\phi\} P_n^m(\theta) \quad (5a)$$

$$B_\theta(r, \theta, \phi, \tau) = - \sum_{n=1}^N \left(\frac{R_E}{r} \right)^{n+2} \sum_{m=0}^n \{g_{nm}(\tau) \cos m\phi + h_{nm}(\tau) \sin m\phi\} \frac{dP_n^m(\theta)}{d\theta} \quad (5b)$$

$$B_\phi(r, \theta, \phi, \tau) = \frac{1}{\sin \theta} \sum_{n=1}^N \left(\frac{R_E}{r} \right)^{n+2} \sum_{m=0}^n m \{g_{nm}(\tau) \sin m\phi - h_{nm}(\tau) \cos m\phi\} P_n^m(\theta) \quad (5c)$$

It must be noted that the Gauss coefficients $g_{nm}(\tau)$ and $h_{nm}(\tau)$, as well as the associated Legendre polynomials and their derivatives, are Schmidt normalized by an international agreement (circa 1930) of the International Union of Geodesy and Geophysics. This particular

normalization allows one to determine which terms of the spherical harmonic model are the most significant simply by a cursory inspection of the model coefficients. The Schmidt-normalized associated Legendre Polynomials $P_n^m(\theta)$ are related to the unnormalized associated Legendre Polynomials $P^{nm}(\theta)$ (note position of indices) by the following relation:

$$P_n^m(\theta) = S^{nm} P^{nm}(\theta) \quad (6)$$

The Schmidt normalization factors S^{nm} and the unnormalized associated Legendre Polynomials $P^{nm}(\theta)$ are computed via recurrence relationships as follows:

$$P^{00}(\theta) = 1 \quad (7a)$$

$$P^{nm}(\theta) = \sin\theta P^{n-1,m-1}(\theta) \quad m = n \neq 0 \quad (7b)$$

$$P^{nm}(\theta) = \cos\theta P^{n-1,m}(\theta) - \kappa^{nm} P^{n-2,m}(\theta) \quad m \neq n, n \geq 1 \quad (7c)$$

$$\frac{dP^{00}(\theta)}{d\theta} = 0 \quad (7d)$$

$$\frac{dP^{nm}(\theta)}{d\theta} = \sin\theta \frac{dP^{n-1,m-1}(\theta)}{d\theta} + \cos\theta P^{n-1,m-1}(\theta) \quad , m = n \neq 0 \quad (7e)$$

$$\frac{dP^{nm}(\theta)}{d\theta} = \cos\theta \frac{dP^{n-1,m}(\theta)}{d\theta} - \sin\theta P^{n-1,m}(\theta) - \kappa^{nm} \frac{dP^{n-2,m}(\theta)}{d\theta} \quad , m \neq n, n \geq 1 \quad (7f)$$

where:

$$\kappa^{nm} = \frac{(n-1)^2 - m^2}{(2n-1)(2n-3)} \quad (8)$$

and where it is understood that the undefined polynomials $P^{-1,0}(\theta)$ and $\frac{dP^{-1,0}}{d\theta}(\theta)$ are to be set equal to zero. Similarly,

$$S^{00} = 1 \quad (9a)$$

$$S^{n0} = \left(\frac{2n-1}{n} \right) S^{n-1,0} \quad , n > 0 \quad (9b)$$

$$S^{nm} = \sqrt{\frac{(n-m+1)J}{n+m}} S^{n,m-1}, \quad \begin{cases} J=2 & \text{for } m=1 \\ J=1 & \text{for } m>1 \end{cases} \quad (9c)$$

Also, computed via recursion relations are the longitudinally dependent functions $\cos(m\phi)$ and $\sin(m\phi)$, which are computed as follows:

$$\sin(m\phi) = 0 \quad , m=0 \quad (10a)$$

$$\cos(m\phi) = 1 \quad , m=0 \quad (10b)$$

$$\sin(m\phi) = \sin(\phi)\cos(m-1)\phi + \cos(\phi)\sin(m-1)\phi \quad , m > 0 \quad (10c)$$

$$\cos(m\phi) = \cos(\phi)\cos(m-1)\phi - \sin(\phi)\sin(m-1)\phi \quad , m > 0 \quad (10d)$$

1.2 Coordinate Transformations

GEOMAG is intended to compute various components of the geomagnetic field in a geodetic coordinate system that uses the WGS-84 ellipsoid as the reference ellipsoid. However, the mathematical analysis in the previous section is based on spherical coordinates. Consequently, some coordinate transformations are necessary. A three-step procedure is required.

a. Convert the geodetic latitude, longitude, and altitude (λ, ϕ, h) to spherical coordinates (r, θ, ϕ) .

b. Compute the magnetic field components $B_r(r, \theta, \phi, \tau)$, $B_\theta(r, \theta, \phi, \tau)$, and $B_\phi(r, \theta, \phi, \tau)$.

c. Rotate the magnetic field components from spherical coordinates to geodetic coordinates yielding the magnetic field components $B_x(\lambda, \phi, h, \tau)$, $B_y(\lambda, \phi, h, \tau)$, and $B_z(\lambda, \phi, h, \tau)$, which are the projections of the magnetic field vector $\vec{B}(\lambda, \phi, h, \tau)$ onto the X-north, Y-east, and Z-vertically down coordinates of a local rectangular coordinate system defined by the tangent plane to the ellipsoid which is concentric about the WGS-84 reference ellipsoid but which encompasses the point (λ, ϕ, h) .

The transformations in step a are as follows:

$$\cos\theta = \frac{\sin\lambda}{\sqrt{Q^2\cos^2\lambda + \sin^2\lambda}} \quad (11a)$$

$$\sin\theta = \sqrt{1 - \cos^2\theta} \quad (11b)$$

where, if a and b are respectively the semi-major and semi-minor axes of the WGS-84 ellipsoid:

$$Q = \frac{h\sqrt{a^2 - (a^2 - b^2)\sin^2\lambda} + a^2}{h\sqrt{a^2 - (a^2 - b^2)\sin^2\lambda} + b^2} \quad (12)$$

Furthermore:

$$r^2 = h^2 + 2h\sqrt{a^2(a^2 - b^2)\sin^2\lambda} + \frac{a^4 - (a^4 - b^4)\sin^2\lambda}{a^2 - (a^2 - b^2)\sin^2\lambda} \quad (13)$$

The transformation in step c depends on the rotation angle α through which the magnetic field vector must be rotated in going from spherical to geodetic coordinates. This rotation angle is defined by the following rotations:

$$\cos \alpha = \{h + \sqrt{a^2 \cos^2 \lambda + b^2 \sin^2 \lambda}\} / r \quad (14a)$$

$$\sin \alpha = (a^2 - b^2) \cos \lambda \sin \lambda / \{r \sqrt{a^2 \cos^2 \lambda + b^2 \sin^2 \lambda}\} \quad (14b)$$

$$\alpha = \lambda - \frac{\pi}{2} + \theta \quad (14c)$$

Consequently, the components of the magnetic field vector in geodetic coordinates may be computed as follows:

$$B_x(\lambda, \phi, h, \tau) = -\cos \alpha B_\theta(r, \theta, \phi, \tau) - \sin \alpha B_r(r, \theta, \phi, \tau) \quad (15a)$$

$$B_y(\lambda, \phi, h, \tau) = B_\phi(r, \theta, \phi, \tau) \quad (15b)$$

$$B_z(\lambda, \phi, h, \tau) = \sin \alpha B_\theta(r, \theta, \phi, \tau) - \cos \alpha B_r(r, \theta, \phi, \tau) \quad (15c)$$

From these rectangular components of the geomagnetic field, it is possible to construct all others. In particular, the following parameters may be computed:

$$B_H(\lambda, \phi, h, \tau) = \sqrt{B_x^2(\lambda, \phi, h, \tau) + B_y^2(\lambda, \phi, h, \tau)} \quad (\text{Horizontal Intensity}) \quad (16a)$$

$$B_F(\lambda, \phi, h, \tau) = \sqrt{B_H^2(\lambda, \phi, h, \tau) + B_z^2(\lambda, \phi, h, \tau)} \quad (\text{Total Intensity}) \quad (16b)$$

$$B_D(\lambda, \phi, h, \tau) = \tan^{-1} \left\{ \frac{B_y(\lambda, \phi, h, \tau)}{B_x(\lambda, \phi, h, \tau)} \right\} \quad (\text{Declination}) \quad (16c)$$

$$B_I(\lambda, \phi, h, \tau) = \tan^{-1} \left\{ \frac{B_Z(\lambda, \phi, h, \tau)}{B_H(\lambda, \phi, h, \tau)} \right\} \quad (\text{Inclination}) \quad (16d)$$

$$B_G(\lambda, \phi, h, \tau) = \begin{cases} B_D - \phi & \lambda \geq 0 \\ B_D + \phi & \lambda < 0 \end{cases} \quad (\text{Grid Variation}) \quad (16e)$$

1.3 The Computer Algorithm

The Gauss coefficients at the base epoch, T_{EPOCH} , are stored in array C so that the lower half of array C is occupied by the even harmonic Gauss coefficients $g_{nm}(T_{EPOCH})$, while the upper half of array C is occupied by the odd harmonic Gauss coefficients $h_{nm}(T_{EPOCH})$. Table 1 illustrates the details of the storage scheme, which is equivalent to the following mathematical assignments:

$$C_{nm} = \begin{cases} g_{nm} & , m \leq n \\ h_{m,n+1} & , m > n \end{cases} \quad (17)$$

which implies that:

$$g_{nm} = C_{nm} \quad , m \leq n \quad (18a)$$

$$h_{nm} = C_{m-1,n} \quad , m \leq n, m \neq 0 \quad (18b)$$

The annual rates of change of the Gauss coefficients are stored in array CD (which stands for \dot{C}) so that the lower half of array CD is occupied by the even harmonic coefficients \dot{g}_{nm} , while the upper half of the array is occupied by the odd harmonic coefficients \dot{h}_{nm} . Table 2 illustrates the details of the storage scheme for array CD . It is essentially the same as table 1 for array C and corresponds to the following mathematical assignments:

$$\dot{C}_{nm} = \begin{cases} \dot{g}_{nm} & , m \leq n \\ \dot{h}_{m,n+1} & , m > n \end{cases} \quad (19)$$

which implies that:

$$\dot{g}_{nm} = \dot{C}_{nm} \quad , m \leq n \quad (20a)$$

$$\dot{h}_{nm} = \dot{C}_{m-1,n} \quad , m \leq n, m \neq 0 \quad (20b)$$

TABLE 1. ARRANGEMENT OF MAIN FIELD COEFFICIENTS IN ARRAY C_{nm}

$n \backslash m$	0	1	2	3	4	5	6	7	8	9	10	11	12
0	g_{00}	h_{11}	h_{21}	h_{31}	h_{41}	h_{51}	h_{61}	h_{71}	h_{81}	h_{91}	$h_{10,1}$	$h_{11,1}$	$h_{12,1}$
1	g_{10}	g_{11}	h_{22}	h_{32}	h_{42}	h_{52}	h_{62}	h_{72}	h_{82}	h_{92}	$h_{10,2}$	$h_{11,2}$	$h_{12,2}$
2	g_{20}	g_{21}	g_{22}	h_{33}	h_{43}	h_{53}	h_{63}	h_{73}	h_{83}	h_{93}	$h_{10,3}$	$h_{11,3}$	$h_{12,3}$
3	g_{30}	g_{31}	g_{32}	g_{33}	h_{44}	h_{54}	h_{64}	h_{74}	h_{84}	h_{94}	$h_{10,4}$	$h_{11,4}$	$h_{12,4}$
4	g_{40}	g_{41}	g_{42}	g_{43}	g_{44}	h_{55}	h_{65}	h_{75}	h_{85}	h_{95}	$h_{10,5}$	$h_{11,5}$	$h_{12,5}$
5	g_{50}	g_{51}	g_{52}	g_{53}	g_{54}	g_{55}	h_{66}	h_{76}	h_{86}	h_{96}	$h_{10,6}$	$h_{11,6}$	$h_{12,6}$
6	g_{60}	g_{61}	g_{62}	g_{63}	g_{64}	g_{65}	g_{66}	h_{77}	h_{87}	h_{97}	$h_{10,7}$	$h_{11,7}$	$h_{12,7}$
7	g_{70}	g_{71}	g_{72}	g_{73}	g_{74}	g_{75}	g_{76}	g_{77}	h_{88}	h_{98}	$h_{10,8}$	$h_{11,8}$	$h_{12,8}$
8	g_{80}	g_{81}	g_{82}	g_{83}	g_{84}	g_{85}	g_{86}	g_{87}	g_{88}	h_{99}	$h_{10,9}$	$h_{11,9}$	$h_{12,9}$
9	g_{90}	g_{91}	g_{92}	g_{93}	g_{94}	g_{95}	g_{96}	g_{97}	g_{98}	g_{99}	$h_{10,10}$	$h_{11,10}$	$h_{12,10}$
10	$g_{10,0}$	$g_{10,1}$	$g_{10,2}$	$g_{10,3}$	$g_{10,4}$	$g_{10,5}$	$g_{10,6}$	$g_{10,7}$	$g_{10,8}$	$g_{10,9}$	$g_{10,10}$	$h_{11,11}$	$h_{12,11}$
11	$g_{11,0}$	$g_{11,1}$	$g_{11,2}$	$g_{11,3}$	$g_{11,4}$	$g_{11,5}$	$g_{11,6}$	$g_{11,7}$	$g_{11,8}$	$g_{11,9}$	$g_{11,10}$	$g_{11,11}$	$h_{12,12}$
12	$g_{12,0}$	$g_{12,1}$	$g_{12,2}$	$g_{12,3}$	$g_{12,4}$	$g_{12,5}$	$g_{12,6}$	$g_{12,7}$	$g_{12,8}$	$g_{12,9}$	$g_{12,10}$	$g_{12,11}$	$g_{12,12}$

TABLE 2. ARRANGEMENT OF SECULAR VARIATION COEFFICIENTS IN ARRAY \hat{C}_{nm}

n \ m	0	1	2	3	4	5	6	7	8	9	10	11	12
0	\dot{g}_{00}	\dot{h}_{11}	\dot{h}_{21}	\dot{h}_{31}	\dot{h}_{41}	\dot{h}_{51}	\dot{h}_{61}	\dot{h}_{71}	\dot{h}_{81}	\dot{h}_{91}	$\dot{h}_{10,1}$	$\dot{h}_{11,1}$	$\dot{h}_{12,1}$
1	\dot{g}_{10}	\dot{g}_{11}	\dot{h}_{22}	\dot{h}_{32}	\dot{h}_{42}	\dot{h}_{52}	\dot{h}_{62}	\dot{h}_{72}	\dot{h}_{82}	\dot{h}_{92}	$\dot{h}_{10,2}$	$\dot{h}_{11,2}$	$\dot{h}_{12,2}$
2	\dot{g}_{20}	\dot{g}_{21}	\dot{g}_{22}	\dot{h}_{33}	\dot{h}_{43}	\dot{h}_{53}	\dot{h}_{63}	\dot{h}_{73}	\dot{h}_{83}	\dot{h}_{93}	$\dot{h}_{10,3}$	$\dot{h}_{11,3}$	$\dot{h}_{12,3}$
3	\dot{g}_{30}	\dot{g}_{31}	\dot{g}_{32}	\dot{g}_{33}	\dot{h}_{44}	\dot{h}_{54}	\dot{h}_{64}	\dot{h}_{74}	\dot{h}_{84}	\dot{h}_{94}	$\dot{h}_{10,4}$	$\dot{h}_{11,4}$	$\dot{h}_{12,4}$
4	\dot{g}_{40}	\dot{g}_{41}	\dot{g}_{42}	\dot{g}_{43}	\dot{g}_{44}	\dot{h}_{55}	\dot{h}_{65}	\dot{h}_{75}	\dot{h}_{85}	\dot{h}_{95}	$\dot{h}_{10,5}$	$\dot{h}_{11,5}$	$\dot{h}_{12,5}$
5	\dot{g}_{50}	\dot{g}_{51}	\dot{g}_{52}	\dot{g}_{53}	\dot{g}_{54}	\dot{g}_{55}	\dot{h}_{66}	\dot{h}_{76}	\dot{h}_{86}	\dot{h}_{96}	$\dot{h}_{10,6}$	$\dot{h}_{11,6}$	$\dot{h}_{12,6}$
6	\dot{g}_{60}	\dot{g}_{61}	\dot{g}_{62}	\dot{g}_{63}	\dot{g}_{64}	\dot{g}_{65}	\dot{g}_{66}	\dot{h}_{77}	\dot{h}_{87}	\dot{h}_{97}	$\dot{h}_{10,7}$	$\dot{h}_{11,7}$	$\dot{h}_{12,7}$
7	\dot{g}_{70}	\dot{g}_{71}	\dot{g}_{72}	\dot{g}_{73}	\dot{g}_{74}	\dot{g}_{75}	\dot{g}_{76}	\dot{g}_{77}	\dot{h}_{88}	\dot{h}_{98}	$\dot{h}_{10,8}$	$\dot{h}_{11,8}$	$\dot{h}_{12,8}$
8	\dot{g}_{80}	\dot{g}_{81}	\dot{g}_{82}	\dot{g}_{83}	\dot{g}_{84}	\dot{g}_{85}	\dot{g}_{86}	\dot{g}_{87}	\dot{g}_{88}	\dot{h}_{99}	$\dot{h}_{10,9}$	$\dot{h}_{11,9}$	$\dot{h}_{12,9}$
9	\dot{g}_{90}	\dot{g}_{91}	\dot{g}_{92}	\dot{g}_{93}	\dot{g}_{94}	\dot{g}_{95}	\dot{g}_{96}	\dot{g}_{97}	\dot{g}_{98}	\dot{g}_{99}	$\dot{h}_{10,10}$	$\dot{h}_{11,10}$	$\dot{h}_{12,10}$
10	$\dot{g}_{10,0}$	$\dot{g}_{10,1}$	$\dot{g}_{10,2}$	$\dot{g}_{10,3}$	$\dot{g}_{10,4}$	$\dot{g}_{10,5}$	$\dot{g}_{10,6}$	$\dot{g}_{10,7}$	$\dot{g}_{10,8}$	$\dot{g}_{10,9}$	$\dot{g}_{10,10}$	$\dot{h}_{11,11}$	$\dot{h}_{12,11}$
11	$\dot{g}_{11,0}$	$\dot{g}_{11,1}$	$\dot{g}_{11,2}$	$\dot{g}_{11,3}$	$\dot{g}_{11,4}$	$\dot{g}_{11,5}$	$\dot{g}_{11,6}$	$\dot{g}_{11,7}$	$\dot{g}_{11,8}$	$\dot{g}_{11,9}$	$\dot{g}_{11,10}$	$\dot{g}_{11,11}$	$\dot{h}_{12,12}$
12	$\dot{g}_{12,0}$	$\dot{g}_{12,1}$	$\dot{g}_{12,2}$	$\dot{g}_{12,3}$	$\dot{g}_{12,4}$	$\dot{g}_{12,5}$	$\dot{g}_{12,6}$	$\dot{g}_{12,7}$	$\dot{g}_{12,8}$	$\dot{g}_{12,9}$	$\dot{g}_{12,10}$	$\dot{g}_{12,11}$	$\dot{g}_{12,12}$

The numerical values of the Gauss coefficients at the base epoch and their corresponding annual rates of change for the WMM-90 geomagnetic model are listed in table 3. These numerical values are inserted into arrays *C* and *CD* through data statements. The base epoch of the model is also assigned through a data statement. In order to update the GEOMAG algorithm to a new epoch geomagnetic model such as WMM-95, it is necessary to replace only the data statements with the new model coefficients and the new base epoch.

Important parameters in the GEOMAG routine and their mathematical correspondences are:

$A \sim a = 6378.137 \text{ km}$
 $B \sim b = 6356.7523142 \text{ km}$
 $RE \sim R_E = 6371.2 \text{ km}$
 $TIME \sim \tau$
 $EPOCH \sim T_{EPOCH}$
 $DT \sim \tau - T_{EPOCH}$
 $ALT \sim h$
 $SNORM(N,M) \sim S^{nm}$
 $K(N,M) \sim \kappa^{nm}$
 $GLAT \sim \lambda$
 $GLON \sim \phi$
 $SP(M) \sim \sin(m\phi)$
 $CP(M) \sim \cos(m\phi)$
 $ST \sim \sin(\theta)$
 $CT \sim \cos(\theta)$
 $CA \sim \cos(\alpha)$
 $SA \sim \sin(\alpha)$
 $BR \sim B_r$
 $BT \sim B_\theta$
 $BP \sim B_\phi$
 $BX \sim B_x$
 $BY \sim B_y$
 $BZ \sim B_z$
 $BH \sim B_H$
 $DEC \sim B_D$
 $DIP \sim B_I$
 $TI \sim B_{TI}$
 $MAXDEG \sim N$
 $MAXORD \sim M = N$
 $P(N,M) \sim P^{nm}$
 $DP(N,M) \sim \frac{dP^{nm}}{d\theta}$

$$\begin{aligned}
TC &\sim C + (\tau - T_{EPOCH}) \dot{C} \\
CD &\sim \dot{C} \\
Q2 &\sim Q^2
\end{aligned}$$

Note that R_E is not intended to be the mean radius of the WGS-84 ellipsoid. It is the mean radius of a modified IAU-66 ellipsoid.

The GEOMAG algorithm is organized into two modules, each with its own entry point. The first is an Initialization Module. Its purpose is to compute all constants such as the recursion relation factors for the associated Legendre polynomials κ^m , the Schmidt normalization factors S^m , and any other parameters that do not depend on position or time. The entry point for this module is GEOMAG (MAXDEG). The parameter MAXDEG determines the maximum degree and order of the magnetic model to be used in the computations. Normally, MAXDEG = 12, which is the maximum degree and order of the WMM series geomagnetic models. In order to reduce computation time, MAXDEG may be set to a number less than 12 (e.g., 8 or 10). However, the accuracy of the computed magnetic parameters is correspondingly reduced. MAXDEG must be set in the calling program. The second module is the Processing Module, which has the entry point

GEOMG1 (ALT, GLAT, GLON, TIME, DEC, DIP, TI, GV).

The purpose of this module is to compute the magnetic declination, inclination, total intensity, and grid variation of each geodetic position and time supplied to it. The units of the parameters in the argument list of the GEOMG1 entry point are as follows:

ALT ~ kilometers (e.g., 5.314)	(In)
GLAT ~ degrees (e.g., 33.716)	(In)
GLON ~ degrees (e.g., -163.315)	(In)
TIME ~ years (e.g., 1992.427)	(In)
DEC ~ degrees (e.g., -121.734)	(Out)
DIP ~ degrees (e.g., 48.387)	(Out)
TI ~ nanoteslas (e.g., 35781.7)	(Out)
GV ~ degrees (e.g., 51.768)	(Out)


The computed magnetic field parameters are referenced to the WGS-84 ellipsoid. The last parameter, GV, is the grid variation which is computed only in the polar regions (i.e., above + 55° latitude or below - 55° latitude). Outside of this region, a value of -999.0 is dummied in. It is referenced to grid north of a polar stereographic projection. The model is considered valid at altitudes ranging from sea level to 1000 km.

TABLE 3. WMM-90 SCHMIDT NORMALIZED GAUSS COEFFICIENTS (nT)

n	m	g_{nm}	h_{nm}	\dot{g}_{nm}	\dot{h}_{nm}
1	0	-29780.5	.0	16.0	.0
1	1	-1851.7	5407.2	9.3	-13.8
2	0	-2134.3	.0	-11.7	.0
2	1	3062.2	-2278.3	3.7	-12.8
2	2	1691.9	-384.3	1.8	-14.9
3	0	1312.9	.0	2.1	.0
3	1	-2244.7	-284.9	-7.6	3.1
3	2	1246.8	291.7	.0	.8
3	3	808.6	-352.4	-5.8	-11.3
4	0	933.5	.0	-.8	.0
4	1	784.9	249.4	1.0	3.3
4	2	323.5	-232.7	-7.4	3.7
4	3	-421.7	91.3	.8	2.8
4	4	139.2	-296.5	-6.4	.0
5	0	-208.3	.0	1.7	.0
5	1	352.2	40.8	.0	.0
5	2	246.5	148.7	.0	-2.1
5	3	-110.8	-154.6	-2.7	1.2
5	4	-162.3	-67.6	.0	1.2
5	5	-37.2	97.4	3.0	.6
6	0	59.0	.0	.8	.0
6	1	63.7	-14.7	.0	-.6
6	2	60.0	82.2	1.5	-.6
6	3	-181.3	70.0	.0	.0
6	4	.4	-56.2	.0	-2.3
6	5	15.4	-1.4	.0	.0
6	6	-96.0	24.6	.0	.0
7	0	76.1	.0	.5	.0
7	1	-62.1	-78.6	.0	.6
7	2	1.3	-26.7	-.9	.8
7	3	30.2	.1	1.5	.0
7	4	4.7	19.9	2.7	.0
7	5	7.9	17.9	-1.0	.0
7	6	10.1	-21.5	.0	.4
7	7	1.9	-6.8	.0	.0
8	0	22.9	.0	.0	.0
8	1	2.3	9.7	-1.1	.4
8	2	-1.2	-19.3	.0	-.8
8	3	-11.7	6.6	.0	.5
8	4	-17.5	-20.1	-2.1	.3
8	5	2.2	13.4	.0	.5
8	6	5.7	9.8	1.0	.0
8	7	3.0	-19.0	.0	-.7
8	8	-7.0	-9.1	.0	.0

TABLE 3. WMM-90 SCHMIDT NORMALIZED GAUSS COEFFICIENTS (con.)

n	m	g_{nm}	h_{nm}	\dot{g}_{nm}	\dot{h}_{nm}
9	0	3.6	.0	.0	.0
9	1	9.5	-21.9	.0	.0
9	2	-.9	14.3	.0	.0
9	3	-10.7	9.5	.0	.0
9	4	10.7	-6.7	.0	.0
9	5	-3.2	-6.4	.0	.0
9	6	-1.4	9.1	.0	.0
9	7	6.3	8.9	.0	.0
9	8	.8	-8.0	.0	.0
9	9	-5.5	2.1	.0	.0
10	0	-3.3	.0	.0	.0
10	1	-2.6	2.6	.0	.0
10	2	4.5	1.2	.0	.0
10	3	-5.6	2.6	.0	.0
10	4	-3.6	5.7	.0	.0
10	5	3.9	-4.0	.0	.0
10	6	3.2	-.4	.0	.0
10	7	1.7	-1.7	.0	.0
10	8	3.0	3.8	.0	.0
10	9	3.7	-.8	.0	.0
10	10	.7	-6.5	.0	.0
11	0	1.3	.0	.0	.0
11	1	-1.4	.0	.0	.0
11	2	-2.5	1.0	.0	.0
11	3	3.2	-1.6	.0	.0
11	4	.2	-2.2	.0	.0
11	5	-1.1	1.1	.0	.0
11	6	.3	-.7	.0	.0
11	7	-.3	-1.7	.0	.0
11	8	.9	-1.5	.0	.0
11	9	-1.1	-1.3	.0	.0
11	10	2.4	-1.1	.0	.0
11	11	3.0	.6	.0	.0
12	0	-1.3	.0	.0	.0
12	1	.1	.7	.0	.0
12	2	.5	.7	.0	.0
12	3	.7	1.3	.0	.0
12	4	.4	-1.5	.0	.0
12	5	-.2	.3	.0	.0
12	6	-1.1	.2	.0	.0
12	7	.9	-1.1	.0	.0
12	8	-.6	1.2	.0	.0
12	9	.8	-.2	.0	.0
12	10	.2	-1.3	.0	.0
12	11	.4	.6	.0	.0
12	12	.2	.6	.0	.0



SECTION 2. THE 1990 EPOCH WORLD MAGNETIC MODEL (DERIVATION)

2.0 Overview

There were four major data sets available for the 1990 model. These were: the MAGSAT satellite data collected during 1979 and 1980; the DE-2 satellite data collected from 1981 through 1983; Project MAGNET aeromagnetic data collected between 1980 and 1990; and geomagnetic observatory annual magnetic means data collected between 1980 and 1990. The global distribution of these data is illustrated in charts 1 through 4.

Four factors which affect the quality of the model produced and which influence the overall approach taken to produce the model are:

- a. The age of the data relative to the model epoch;
- b. The temporal coherence of the data;
- c. The spatial uniformity of the data; and
- d. The data density.

With respect to these factors, none of the four data sets are ideal. All four data sets, especially the satellite data sets, are dominated by older data. The Project MAGNET data, in addition, are neither temporally coherent nor spatially uniform. Furthermore, the observatory annual means data are sparse and suffer from severe spatial nonuniformity.

The modeling objective is to create two spherical harmonic models. One model characterizes the Earth's main (core-generated) magnetic field at the 1990.0 epoch. The other model characterizes the Earth's secular (slow temporal) magnetic variations of Earth core origin for five years beyond the 1990 epoch.

Given the objective and the available data, the following procedure was adopted:

- a. Use the observatory annual magnetic means to create two definitive secular variation models, the first covering the 5-year interval 1980 to 1985, and the second covering the 5-year interval 1985 to 1990. These are referred to as the 1982.5 and 1987.5 definitive secular variation models, respectively.

- b. Use the observatory annual magnetic means to create, by extrapolation, one predictive secular variation model covering the 5-year interval 1990 to 1995. It is referred to as the 1992.5 predictive secular variation model.

- c. Use the two definitive secular variation models to push the satellite and aircraft magnetic field observations forward or backward, as appropriate, to 1985.0.

PRECEDING PAGE BLANK NOT FILMED




CHART 1. PROJECT MAGNET DATA DISTRIBUTION (FROM SURVEYS PERFORMED DURING THE PERIOD 1980-1989)




CHART 2. MAGSAT DATA DISTRIBUTION

ORIGINAL PAGE IS
OF POOR QUALITY




CHART 3. DE-2 DATA DISTRIBUTION




CHART 4. GEOMAGNETIC OBSERVATORY DISTRIBUTION

d. Create a 1985.0 epoch main field model using the time-adjusted satellite and aircraft magnetic field observations via a weighted least-square inversion.

e. Use the 1987.5 definitive secular variation model to push the spherical harmonic coefficients of the 1985.0 epoch main field model forward to the 1990.0 epoch, thereby yielding the 1990.0 epoch main field model.

f. Combine the 1990 epoch main field model coefficients with the 1992.5 predictive secular variation model coefficients to form the 1990 World Magnetic Model, WMM-90.

A by-product of this procedure is a revised 1985.0 epoch World Chart Model which is obtained by combining the 1985.0 main field coefficients generated in step d with the 1987.5 definitive secular variation model coefficients generated in step a.

2.1 Secular Variation Data Analysis (British Responsibility)

The only data available for secular variation modeling are the observatory magnetic annual means, the first time derivative which provides information concerning the slow (greater than one year) rates of change of various components of the Earth's main magnetic field at various geographic locations (roughly 200) around the world. Because of the sparsity and spatial nonuniformity of this data, it is possible to generate only a degree and order 8 spherical harmonic model of the secular variation. Furthermore, the predictive model is necessarily based on extrapolations of each magnetic component at each observatory site. Examples of observatory annual means from a few selected sites such as Honolulu, Huancayo, Pilar, and Rude Skov, for the X-north, Y-east, and Z-vertically down components of the Earth's magnetic field, are given in figures (1a), (1b), (1c), (1d), (1e) and (1f) through (4a), (4b), (4c), (4d), (4e) and (4f). The discontinuities in the field components at Honolulu are due to repositioning of the observatory at two separate instances. In several instances, the rate of change of one or more field components at an observatory has reversed direction over time intervals as short as two or three years. The sudden, unpredictable nature of the Earth's field is well illustrated by these observatories. The first-order time derivative of these data contains magnetic field contributions from the Earth's core as well as from the ionosphere and magnetosphere. It is difficult to remove the external field effects from these data because much of it is related to the solar cycle and many observatories do not have a sufficiently long history for a detailed analysis. Consequently, some external field effects are not removed from these data at the expense of a somewhat larger uncertainty in the secular variation model coefficients.




FIGURE 1a. NORTH X COMPONENT AT HONOLULU (HON).




FIGURE 1b. EAST Y COMPONENT AT HONOLULU (HON).




FIGURE 1c. VERTICAL Z COMPONENT AT HONOLULU (HON).




FIGURE 1d. DECLINATION D COMPONENT AT HONOLULU (HON).




FIGURE 1e. INCLINATION I COMPONENT AT HONOLULU (HON).




FIGURE 1f. TOTAL INTENSITY F COMPONENT AT HONOLULU (HON).




FIGURE 2a. NORTH X COMPONENT AT HUANCAYO (HUA).




FIGURE 2b. EAST Y COMPONENT AT HUANCAYO (HUA).




FIGURE 2c. VERTICAL Z COMPONENT AT HUANCAYO (HUA).

OBSERVATORY ANNUAL MEANS

HUA
LAT= -12.045 LON= 284.660
ELE= 3313 FT




FIGURE 2d. DECLINATION D COMPONENT AT HUANCAYO (HUA).




FIGURE 2e. INCLINATION I COMPONENT AT HUANCAYO (HUA).




FIGURE 2f. TOTAL INTENSITY F COMPONENT AT HUANCAYO (HUA).




FIGURE 3a. NORTH X COMPONENT AT PILAR (PIL).

OBSERVATORY ANNUAL MEANS

PIL
LAT= -31.667 LON= 296.117
ELE= 336 FT




FIGURE 3b. EAST Y COMPONENT AT PILAR (PIL).




FIGURE 3c. VERTICAL Z COMPONENT AT PILAR (PIL).




FIGURE 3d. DECLINATION D COMPONENT AT PILAR (PIL).




FIGURE 3e. INCLINATION I COMPONENT AT PILAR (PIL).




FIGURE 3f. TOTAL INTENSITY F COMPONENT AT PILAR (PIL).




FIGURE 4a. NORTH X COMPONENT AT RUDE SKOV (RSV).




FIGURE 4b. EAST Y COMPONENT AT RUDE SKOV (RSV).




FIGURE 4c. VERTICAL Z COMPONENT AT RUDE SKOV (RSV).

OBSERVATORY ANNUAL MEANS

RSV
LAT= 55.843 LON= 12.457
ELE= 46 FT




FIGURE 4d. DECLINATION D COMPONENT AT RUDE SKOV (RSV).




FIGURE 4c. INCLINATION I COMPONENT AT RUDE SKOV (RSV).




FIGURE 4f. TOTAL INTENSITY F COMPONENT AT RUDE SKOV (RSV).

Three secular variation models are generated by performing a weighted, least-square fit of the degree and order 8 spherical harmonic model to the first-order time derivative of the observatory annual means. These models were supplied by the British Geological Survey and are given in table 4.

2.2 Main Field Data Analysis (United States Responsibility)

The observatory annual magnetic means were not used in the main field modeling because those data contain, in addition to small external field contributions, some rather large local and regional magnetic biases of crustal origin. A detailed survey at each observatory site would be necessary to remove these biases. Such surveys have rarely been performed due to the prohibitive cost, logistics, and international politics involved.

The MAGSAT data consisted of 30,473 vector magnetic field values selected from 401 of the first 804 orbits. To minimize solar influences, the K_p magnetic index was required to be equal to, or less than, 2 ($K_p \leq 2$). These orbits were individually edited by an interactive graphics process to delete field aligned current effects and spurious data. Also, the following corrections for magnetospheric effects due to the ring current, magnetopause currents, and magnetotail currents were applied:

$$B_x(r, \theta, \phi, \tau) = -q_1^0(\tau) \sin \theta + \{q_1^1(\tau) \cos \phi + s_1^1(\tau) \sin \phi\} \cos \theta \quad (21a)$$

$$B_y(r, \theta, \phi, \tau) = q_1^1(\tau) \sin \phi - s_1^1(\tau) \cos \phi \quad (21b)$$

$$B_z(r, \theta, \phi, \tau) = q_1^0(\tau) \cos \theta + \{q_1^1(\tau) \cos \phi + s_1^1(\tau) \sin \phi\} \sin \theta \quad (21c)$$

where the time-dependent coefficients are functions of the Disturbance Storm Time (Dst) index:

$$q_1^0(\tau) = 19.69 - 0.63Dst(\tau) \quad (22a)$$

$$q_1^1(\tau) = -0.38 - 0.06Dst(\tau) \quad (22b)$$

$$s_1^1(\tau) = -2.90 + 0.17Dst(\tau) \quad (22c)$$

These corrections are derived from the external magnetic field potential:

TABLE 4. SECULAR VARIATION MODELS (units: nanotesles/year)

		1982.5 Epoch		1987.5 Epoch		1992.5 Epoch	
n	m	\dot{g}_n^m	\dot{h}_n^m	\dot{g}_n^m	\dot{h}_n^m	\dot{g}_n^m	\dot{h}_n^m
1	0	22.601	0.000	18.745	0.000	16.013	0.000
1	1	10.491	-20.091	10.554	-17.836	9.259	-13.759
2	0	-14.454	0.000	-12.552	0.000	-11.703	0.000
2	1	3.389	-14.476	3.290	-15.523	3.715	-12.790
2	2	5.043	-20.686	0.656	-15.631	1.767	-14.865
3	0	2.839	0.000	3.644	0.000	2.115	0.000
3	1	-5.747	4.810	-6.918	4.285	-7.596	3.082
3	2	-1.857	3.013	0.000	1.498	0.000	0.844
3	3	-1.130	-10.049	-4.759	-10.351	-5.815	-11.342
4	0	0.000	0.000	0.000	0.000	-0.770	0.000
4	1	0.000	5.277	0.483	3.375	0.968	3.281
4	2	-6.929	1.770	-7.391	2.994	-7.414	3.680
4	3	0.000	4.323	0.510	3.812	0.775	2.799
4	4	-6.192	0.771	-5.343	0.000	-6.361	0.000
5	0	0.952	0.000	0.808	0.000	1.662	0.000
5	1	-0.577	0.000	-0.357	-0.593	0.000	0.000
5	2	-1.578	-0.402	-1.730	0.000	0.000	-2.096
5	3	-3.916	-0.501	-3.250	0.000	-2.699	1.226
5	4	0.000	0.000	0.000	1.712	0.000	1.193
5	5	1.018	0.532	2.001	0.464	3.001	0.650
6	0	0.962	0.000	1.296	0.000	0.751	0.000
6	1	0.000	-1.107	0.000	0.000	0.000	-0.583
6	2	1.678	-0.821	1.799	-1.277	1.451	-0.644
6	3	0.755	-0.428	0.834	0.000	0.000	0.000
6	4	0.000	-0.954	-0.667	-1.664	0.000	-2.266
6	5	0.000	0.349	0.000	0.000	0.000	0.000
6	6	1.437	0.456	0.663	1.381	0.000	0.000
7	0	0.376	0.000	0.670	0.000	0.505	0.000
7	1	-0.645	0.223	-0.483	0.978	0.000	0.599
7	2	0.457	0.321	0.000	0.000	-0.869	0.793
7	3	1.020	0.375	1.010	0.390	1.457	0.000
7	4	1.583	0.880	1.903	0.000	2.650	0.000
7	5	0.893	0.000	0.597	0.000	-1.020	0.000
7	6	0.387	0.467	0.000	0.000	0.000	0.417
7	7	0.000	0.825	0.543	0.000	0.000	0.000
8	0	0.651	0.000	0.237	0.000	0.000	0.000
8	1	0.000	0.459	-0.692	0.399	-1.089	0.427
8	2	-0.176	-0.332	-0.367	-0.195	0.000	-0.809
8	3	0.000	0.330	0.000	0.586	0.000	0.507
8	4	-0.842	-0.268	-1.292	0.519	-2.114	0.349
8	5	-0.222	0.428	0.000	0.528	0.000	0.499
8	6	0.000	-0.967	0.423	-0.742	0.978	0.000
8	7	-0.394	-0.994	0.000	-0.713	0.000	-0.684
8	8	-0.516	0.693	-0.562	0.0000	0.000	0.000

$$V_{ext}(r, \theta, \phi, \tau) = a \sum_{n=1}^{N_{ext}} \sum_{m=0}^n \left(\frac{r}{a}\right)^n \{q_n^m(\tau) \cos m\phi + s_n^m(\tau) \sin m\phi\} P_n^m(\cos \theta) \quad (23)$$

when $N_{ext}=1$, via the relations:

$$B_x = -B_\theta = \frac{1}{r} \frac{\partial V}{\partial \theta} \quad (24a)$$

$$B_y = +B_\phi = -\frac{1}{r \sin \theta} \frac{\partial V}{\partial \phi} \quad (24b)$$

$$B_z = -B_r = \frac{\partial V}{\partial r} \quad (24c)$$

A further correction takes into account the magnetic fields induced in the Earth by the external fields which, because of their time dependence and the generally low but finite conductivity of the crust and mantle, induce electric currents in the crust and mantle, which in turn generate secondary magnetic fields. These secondary fields are of internal origin and primarily affect the g_1^0 coefficients of the internal magnetic potential:

$$V_{int}(r, \theta, \phi, \tau) = a \sum_{n=1}^{N_{int}} \sum_{m=0}^n \left(\frac{a}{r}\right)^{n+1} \{g_n^m(\tau) \cos m\phi + h_n^m(\tau) \sin m\phi\} P_n^m(\cos \theta) \quad (25)$$

Taking derivatives as before with $n=1$ and $m=0$, the magnetic field corrections due to induction effects are:

$$B_x(r, \theta, \phi, \tau) = -\left(\frac{a}{r}\right)^3 g_{11}^0(\tau) \sin \theta \quad (26a)$$

$$B_y(r, \theta, \phi, \tau) = 0 \quad (26b)$$

$$B_z(r, \theta, \phi, \tau) = -2 \left(\frac{a}{r}\right)^3 g_{11}^0(\tau) \cos \theta \quad (26c)$$

where the induced part of the g_1^0 coefficient is given as:

$$g_{11}^0(\tau) = 0.27q_1^0(\tau) \quad (27)$$

The external and induced magnetic field corrections given above were subtracted from the MAGSAT observations. These corrections are based on previous analyses of MAGSAT data by Langel and Estes (1985) and by Quinn, Kerridge, and Barraclough (1986).

No attempts were made to remove magnetic influences due to ionospheric currents such as those generated by solar quiet (*SQ*) currents, auroral electrojet currents, and equatorial electrojet currents, which are located below the MAGSAT orbit altitudes. These influences, though generated external to the Earth's surface, are nevertheless part of $V_{int}(r, \theta, \phi, \tau)$ because their sources are internal to the point of observation. Consequently, separating core-generated fields from crustal and ionospherically generated fields measured by satellite magnetometers is difficult and is still a research matter. Fortunately, fields generated in the Earth's crust and ionosphere are significantly attenuated at satellite altitudes. Therefore, errors in the main field model coefficients due to contamination of the satellite data by these two sources are comparatively small.

MAGSAT was a joint National Aeronautics and Space Administration (NASA)/U.S. Geological Survey mission. These data were supplied by NASA in the form of investigator B tapes.

The DE-2 satellite data set consisted of 5,100 data points gleaned from the low-altitude end of a comparatively eccentric orbit. This data set contained only scalar total intensity measurements of the Earth's magnetic field. However, this data set exhibited a substantially higher rms error relative to the DGRF-80 model than the MAGSAT data. Consequently, for this and other reasons, the DE-2 data were not used in the final main field model determination. This data set originated with M. Sugiura of Japan (formerly of NASA). It was edited by J.R. Ridgeway of Science Applications Research Corporation and it was subsequently supplied to NAVOCEANO by Dr. Robert Langel of NASA.

The Project MAGNET aeromagnetic data consisted of 338 high-level flights ($\geq 15,000$ feet) of vector component measurements. These data are routinely processed by NAVOCEANO at a 2-second sample rate and sent to the National Geophysical Data Center (NGDC) in Boulder, Colorado. A weak low-pass filter with a cut-off wavelength of approximately 7 km is routinely applied to this high-level data. The cut-off wavelength will vary slightly, depending on the average speed of the aircraft, which depends on prevailing wind conditions at the time of flight. Typical flights last 10 to 12 hours and are flown at an average speed of 440 km/hr. They are generally flown at night in order to minimize solar-driven external field effects which contribute to the Daily Variation (*DV*) of the Earth's field. Project MAGNET flights are of long range in remote ocean areas, which precludes the monitoring of *DV*. Therefore, no explicit *DV* corrections are

made to the data. Also, the aircraft's vector magnetometer is calibrated at the NASA Coil Room Facility at the Goddard Space Flight Center in Maryland at least once a year.

The magnetic field observations returned from each Project MAGNET flight are routinely reduced in accordance with the following procedures:

a. Rotate vector measurements from magnetometer coordinates to instantaneous aircraft coordinates. This rotation involves only small misalignments relative to an imaginary coordinate system rigidly attached to the aircraft.

b. Compensate in aircraft coordinates for the perturbing magnetic effects associated with the presence of the aircraft by removing a field phenomenologically modeled as:

$$\vec{B}_C(\tau) = \vec{B}_{Perm} + \vec{\alpha} \vec{B}_M(\tau) + \vec{\beta} \frac{d\vec{B}_M(\tau)}{d\tau} \quad (28)$$

where the first term represents the permanent magnetic field generated by the remnant magnetization of the aircraft's metal parts, the second term represents the field induced in the aircraft's metal structure by the presence of the ambient field $\vec{B}_M(\tau)$, and the third term represents magnetic fields generated by eddy currents created on the aircraft's metal surfaces by the aircraft's motion through the Earth's spatially varying field. Here, $\vec{B}_M(\tau)$ is the magnetic field measured by the magnetometer after it has been rotated into aircraft coordinates as indicated in step a. The compensation model contains 21 coefficients, 3 in the vector \vec{B}_{Perm} , 9 in the 3x3 matrix $\vec{\alpha}$, and 9 in the 3x3 matrix $\vec{\beta}$.

c. Rotate the compensated field from instantaneous aircraft coordinates to geodetic coordinates, taking into account the misalignment of the inertial attitude device relative to the instantaneous aircraft coordinates.

d. Visually edit the data in each flight via interactive graphics techniques.

The compensation coefficients are determined by performing calibration flights at an altitude of 1,500 feet above a designated magnetic observatory. These flights consist of a set of yaw, pitch, and roll maneuvers performed along the four cardinal headings (north, south, east, and west). The coefficients are then determined by a least-squares procedure that minimizes the squared difference between

the observatory field (upward continued and rotated into instantaneous aircraft coordinates using the inertial attitude devices on the aircraft) and the field measured by the aircraft's magnetometer.

Using this minimization technique, the 21 compensation coefficients are determined simultaneously with 6 Euler angles (3 for the magnetometer misalignment mentioned in step a and 3 for the inertial attitude device misalignment mentioned in step c. The overall process is, therefore, nonlinear, requiring several iterations to converge. Note, however, that it is possible to determine only the relative misalignment between the magnetometer axes and the inertial system axes. Therefore, the three magnetometer bias angles are arbitrarily set to zero so that, in practice, only the three inertial system bias angles (Euler angles) are computed.

After compensation and editing, the aeromagnetic data were decimated to a 200-second sample interval (i.e., every hundredth point was selected), yielding 54,656 vector magnetic observations. The resulting Project MAGNET data set was finally converted from geodetic coordinates to spherical coordinates, using the coordinate transformations of the previous section.

For modeling, it is desirable to have all data sets pushed forward or backward to a common epoch. Consequently, the MAGSAT data set, which was originally in spherical coordinates, was pushed forward to 1985.0 via the 1982.5 secular variation model. The portion of the Project MAGNET data set collected prior to 1985.0 was pushed forward to 1985.0 via the 1982.5 secular variation model, while the portion of the Project MAGNET data set collected after 1985.0 was pushed backward to 1985.0 by the 1987.5 secular variation model. Subsequently, a revised 1985.0 epoch main field model was generated by performing a weighted least-squares fit of the degree and order 12 spherical harmonic model to the combined MAGSAT and Project MAGNET data sets. The resulting main field model, when combined with the 1987.5 secular variation model, is referred to as WC-85 (revised). These coefficients are listed in table 5. The 1990.0 main field model was produced by pushing the WC-85 (revised) main field spherical harmonic coefficients forward in time using the 1987.5 secular variation coefficients. The resulting 1990.0 epoch main field model was then combined with the 1992.5 secular variation model to form WMM-90, the coefficients of which are listed in table 3 of section 1.3.

2.3 Mathematical Details of Main Field Inverse Modeling

The modeling procedure used was a modification of that formulated by Cain et al. (1967). The objective was to minimize the chi-square (χ^2) function

$$\chi^2 = \chi_r^2 + \chi_o^2 + \chi_a^2 + \chi_f^2$$

(29)

TABLE 5. WC-85 (REVISED) SCHMIDT NORMALIZED GAUSS COEFFICIENTS

n	m	g_n^m (nT)	h_n^m (nT)	\dot{g}_n^m (nT/yr)	\dot{h}_n^m (nT/yr)
1	0	-29874.2	.0	18.7	.0
1	1	-1904.5	5496.4	10.6	-17.8
2	0	-2071.6	.0	-12.6	.0
2	1	3045.7	-2200.6	3.3	-15.5
2	2	1688.7	-306.1	.7	-15.6
3	0	1294.7	.0	3.6	.0
3	1	-2210.1	-306.4	-6.9	4.3
3	2	1246.8	284.2	.0	1.5
3	3	832.4	-300.7	-4.8	-10.4
4	0	933.5	.0	.0	.0
4	1	782.5	232.5	.5	3.4
4	2	360.5	-247.6	-7.4	3.0
4	3	-424.2	72.2	.5	3.8
4	4	166.0	-296.5	-5.3	.0
5	0	-212.3	.0	.8	.0
5	1	354.0	43.7	-.4	-.6
5	2	255.2	148.7	-1.7	.0
5	3	-94.6	-154.6	-3.3	.0
5	4	-162.3	-76.2	.0	1.7
5	5	-47.2	95.0	2.0	.5
6	0	52.5	.0	1.3	.0
6	1	63.7	-14.7	.0	.0
6	2	51.0	88.6	1.8	-1.3
6	3	-185.4	70.0	.8	.0
6	4	3.8	-47.8	-.7	-1.7
6	5	15.4	-1.4	.0	.0
6	6	-99.3	17.7	.7	1.4
7	0	72.8	.0	.7	.0
7	1	-59.7	-83.5	-.5	1.0
7	2	1.3	-26.7	.0	.0
7	3	25.1	-1.9	1.0	.4
7	4	-4.8	19.9	1.9	.0
7	5	4.9	17.9	.6	.0
7	6	10.1	-21.5	.0	.0
7	7	-.8	-6.8	.5	.0

TABLE 5. WC-85 (REVISED) SCHMIDT NORMALIZED GAUSS COEFFICIENTS (con.)

n	m	g_n^m (nT)	h_n^m (nT)	\dot{g}_n^m (nT/yr)	\dot{h}_n^m (nT/yr)
8	0	21.7	.0	.2	.0
8	1	5.8	7.7	-.7	.4
8	2	.6	-18.3	-.4	-.2
8	3	-11.7	3.7	.0	.6
8	4	-11.0	-22.7	-1.3	.5
8	5	2.2	10.8	.0	.5
8	6	3.6	13.5	.4	-.7
8	7	3.0	-15.4	.0	-.7
8	8	-4.2	-9.1	-.6	.0
9	0	3.6	.0	.0	.0
9	1	9.5	-21.9	.0	.0
9	2	-.9	14.3	.0	.0
9	3	-10.7	9.5	.0	.0
9	4	10.7	-6.7	.0	.0
9	5	-3.2	-6.4	.0	.0
9	6	-1.4	9.1	.0	.0
9	7	6.3	8.9	.0	.0
9	8	.8	-8.0	.0	.0
9	9	-5.5	2.1	.0	.0
10	0	-3.3	.0	.0	.0
10	1	-2.6	2.6	.0	.0
10	2	4.5	1.2	.0	.0
10	3	-5.6	2.6	.0	.0
10	4	-3.6	5.7	.0	.0
10	5	3.9	-4.0	.0	.0
10	6	3.2	-.4	.0	.0
10	7	1.7	-1.7	.0	.0
10	8	3.0	3.8	.0	.0
10	9	3.7	-.8	.0	.0
10	10	.7	-6.5	.0	.0

TABLE 5. WC-85 (REVISED) SCHMIDT NORMALIZED GAUSS COEFFICIENTS (con.)

n	m	g_n^m (nT)	h_n^m (nT)	\dot{g}_n^m (nT/yr)	\dot{h}_n^m (nT/yr)
11	0	1.3	.0	.0	.0
11	1	-1.4	.0	.0	.0
11	2	-2.5	1.0	.0	.0
11	3	3.2	-1.6	.0	.0
11	4	.2	-2.2	.0	.0
11	5	-1.1	1.1	.0	.0
11	6	.3	-.7	.0	.0
11	7	-.3	-1.7	.0	.0
11	8	.9	-1.5	.0	.0
11	9	-1.1	-1.3	.0	.0
11	10	2.4	-1.1	.0	.0
11	11	3.0	.6	.0	.0
12	0	-1.3	.0	.0	.0
12	1	.1	.7	.0	.0
12	2	.5	.7	.0	.0
12	3	.7	1.3	.0	.0
12	4	.4	-1.5	.0	.0
12	5	-.2	.3	.0	.0
12	6	-1.1	.2	.0	.0
12	7	.9	-1.1	.0	.0
12	8	-.6	1.2	.0	.0
12	9	.8	-.2	.0	.0
12	10	.2	-1.3	.0	.0
12	11	.4	.6	.0	.0
12	12	.2	.6	.0	.0

with respect to the 168 internal Gauss coefficients of a degree and order 12 spherical harmonic model, where:

$$\chi_r^2 = \sum_{i=1}^{I_r} w_{r_i} (B_{r_i} - b_{r_i})^2 \quad (30a)$$

$$\chi_\theta^2 = \sum_{i=1}^{I_\theta} w_{\theta_i} (B_{\theta_i} - b_{\theta_i})^2 \quad (30b)$$

$$\chi_\phi^2 = \sum_{i=1}^{I_\phi} w_{\phi_i} (B_{\phi_i} - b_{\phi_i})^2 \quad (30c)$$

$$\chi_F^2 = \sum_{i=1}^{I_F} w_{F_i} (B_{F_i} - b_{F_i})^2 \quad (30d)$$

where the upper case B's refer to the model values of their respective magnetic components, while the lower case b's refer to the observed (measured) values of their respective magnetic components. The subscript i refers to a particular data point, the total number I of which may differ for each magnetic component. Each data point is weighted by a weight factor, w , which depends on several factors:

a. Data type W_m

$$\text{MAGSAT} = 1$$

$$\text{Project MAGNET} = 1/4$$

Project MAGNET observatory airswing calibrations yield rms errors on the order of 35 nT, while MAGSAT rms differences from degree 12 spherical harmonic models yield rms values on the order of 9 nT. Consequently, the relative weight of the two data sets is taken to be $\cong \frac{9}{35} \cong \frac{1}{4}$. This factor characterizes the relative quality of the two data sets.

b. The relative number of data points per equal area ($5^\circ \times 5^\circ$ at the equator) cell; each cell was given equal weight. Therefore, data points corresponding to cells with more than the average number of points per cell, \bar{N} , received less weight and vice versa.

c. The relative rms error of data in a particular flight or orbit relative to the rms error, $\bar{\sigma}$, for all data of the corresponding data type (MAGSAT or Project MAGNET).

d. The relative rms error of data of a specified type in an equal area cell relative to all data of that type, $\bar{\sigma}$.

e. The age of the data relative to the model epoch 1985.0. Thus, data collected five years away from this epoch get a weight of approximately 1/3, while data collected at the model epoch get a weight of 1.

f. Distance of geomagnetic latitude, Θ , from the geomagnetic equator.

$$|\Theta_M| \leq 20^\circ \quad \left\{ \begin{array}{l} w_{\Theta mn} = 1 \text{ for } k=1,2,3(r,\theta,\phi) \\ w_{\Theta mn} = 0 \text{ for } k=4(F) \end{array} \right\} ; \quad n \equiv 1 \quad (31a)$$

$$|\Theta_M| > 20^\circ \quad \left\{ \begin{array}{l} w_{\Theta mn} = 0 \text{ for } k=1,2,3(r,\theta,\phi) \\ w_{\Theta mn} = 1 \text{ for } k=4(F) \end{array} \right\} ; \quad n \equiv 2 \quad (31b)$$

This weighting scheme then takes the following mathematical form:

$$W_{ijklmn} = W_m w_{\Theta mn} \left(\frac{\bar{N}_{km}}{N_{kmj}} \right) \left(\frac{\bar{\sigma}_{km}}{\sigma_{kmi}} \right) \left(\frac{\bar{\sigma}_{km}}{\sigma_{kmj}} \right) e^{-\left\{ \frac{\Delta\tau_i}{\tau} \right\}^2} \quad (32)$$

where the indices correspond to the following:

- ith* - data point
- jth* - equal area cell (1654 total)
- kth* - magnetic component (r, θ, ϕ, F)
- lth* - aircraft flight or satellite orbit
- mth* - data type (MAGSAT, Project MAGNET)
- nth* - geomagnetic latitude band ($n=1$ or $n=2$)

The decay constant τ was arbitrarily chosen to be 5 years, while:

$$\Delta\tau_i = \tau_i - T_{EPOCH} \quad (33)$$

where τ_i is the time of observation in years and T_{EPOCH} is 1985.0.

Table 6 gives the overall rms errors of a particular magnetic component for each of the three separate data sets relative to the DGRF/IGRF series of WMMs. Table 7 lists the number of data points associated with each magnetic component for each of the three data sets. Table 8 lists the average number of data points per 5'x5' equal area cell for each magnetic component for each data set. Rms statistics relative to the DGRF/IGRF series of models for the Project MAGNET data set are further broken down by Project ID and flight number in table 9. Due

TABLE 6. RMS ERRORS RELATIVE TO IGRF/DGRF MODELS

	$\bar{\sigma}_x$ rms (nT)	$\bar{\sigma}_y$ rms (nT)	$\bar{\sigma}_z$ rms (nT)	$\bar{\sigma}_F$ rms (nT)
MAGSAT	14.7	12.0	13.2	12.7
Project MAGNET	101.7	107.9	105.5	96.4
DE-2	---	---	---	122.4

TABLE 7. NUMBER OF RECORDS

	N_x	N_y	N_z	N_F
MAGSAT	30473	30473	30473	30473
Project MAGNET	54656	54656	54656	54656
DE-2	---	---	---	5100

TABLE 8. AVERAGE NUMBER OF RECORDS PER CELL

	\bar{N}_x	\bar{N}_y	\bar{N}_z	\bar{N}_F
MAGSAT	18.4	18.4	18.4	18.4
Project MAGNET	33.0	33.0	33.0	33.0
DE-2	---	---	---	3.1

TABLES 9. PROJECT MAGNET FLIGHT STATISTICS RELATIVE TO IGRF/DGRF
MODELS (RMS units: nT)

<u>PROJECT</u>	<u>FLIGHT</u>	<u>YEAR</u>	<u>JULIAN</u> <u>DAY</u>	<u>RMS</u> <u>X</u>	<u>RMS</u> <u>Y</u>	<u>RMS</u> <u>Z</u>	<u>RMS</u> <u>E</u>
A32-153	6005	1981	129	116.4	92.3	159.0	156.6
A32-153	6006	1981	133	141.4	98.4	106.1	104.6
A32-153	6007	1981	139	223.7	242.1	191.5	200.9
A32-153	6008	1981	143	88.5	121.4	138.6	137.5
A32-153	6009	1981	146	138.3	86.6	105.3	113.9
A32-153	6010	1981	149	132.5	135.3	151.6	151.5
A32-153	6011	1981	153	200.1	115.8	177.9	176.0
A32-153	6012	1981	155	107.8	233.3	107.0	106.8
A32-153	6013	1981	157	283.0	128.6	181.6	175.2
A32-153	6014	1981	159	146.4	166.2	110.6	111.3
A32-153	6015	1981	162	111.3	101.2	135.2	135.8
C32-252	1074	1982	62	60.1	51.9	49.2	73.2
C32-252	2007	1982	64	68.9	96.6	87.4	82.1
C32-252	2009	1982	67	79.4	76.6	85.1	74.0
C32-252	2011	1982	74	84.0	108.4	103.9	103.4
C32-252	2012	1982	77	95.1	74.4	65.7	94.5
C32-252	2013	1982	89	63.4	60.0	64.8	61.8
C32-252	2014	1982	96	80.5	70.8	79.8	76.8
C32-253	1077	1982	135	85.4	68.7	93.7	93.8
C32-253	1080	1982	149	86.0	121.8	58.9	66.3
C32-253	1081	1982	161	133.6	48.8	48.8	126.9
C32-253	1084	1982	171	63.0	54.8	99.1	91.1
C32-253	1085	1982	175	58.4	61.6	78.1	73.5
C32-253	1086	1982	177	164.8	103.3	162.0	185.9
C32-253	1087	1982	180	98.2	87.1	119.7	122.7
C32-253	1088	1982	182	122.5	134.2	160.7	154.8
C32-253	1091	1982	186	112.4	66.2	98.3	100.1
C32-254	4027	1982	231	86.4	91.4	64.1	70.2
C23-245	4028	1982	233	155.3	81.4	81.1	76.4
C32-254	4049	1982	236	120.9	87.9	89.2	78.1
C32-254	5022	1982	243	100.2	71.1	50.6	60.9
C32-254	5023	1982	246	87.9	74.2	67.2	60.8
C32-254	5026	1982	251	88.4	63.5	71.6	84.4
C32-254	5037	1982	260	81.1	79.5	60.3	83.0
C32-254	5030	1982	274	81.1	80.3	83.0	84.0
C32-254	5031	1982	277	131.6	46.9	90.3	81.1
C32-351	1097	1982	304	150.6	91.3	128.3	147.6
C32-351	3074	1982	305	109.4	126.3	63.6	101.4
C32-351	3075	1982	307	105.5	137.6	89.6	99.9
C32-351	4031	1982	309	103.6	57.3	79.9	96.1
C32-351	4032	1982	312	86.5	128.3	88.9	91.8
C32-351	4033	1982	314	94.9	101.6	97.9	100.0
C32-351	4034	1982	320	73.0	92.1	115.1	93.1
C32-351	4035	1982	322	59.1	144.1	64.6	66.8
C32-351	4036	1982	324	71.6	85.6	105.2	100.3
C32-351	5033	1982	327	208.2	191.1	118.5	124.3

TABLES 9. PROJECT MAGNET FLIGHT STATISTICS RELATIVE TO IGRF/DGRF
 MODELS (RMS units: nT)(con.)

<u>PROJECT</u>	<u>FLIGHT</u>	<u>YEAR</u>	<u>JULIAN</u> <u>DAY</u>	<u>RMS</u> <u>X</u>	<u>RMS</u> <u>Y</u>	<u>RMS</u> <u>Z</u>	<u>RMS</u> <u>E</u>
C32-351	4037	1982	332	64.3	75.7	69.8	69.5
C32-351	4038	1982	334	83.3	87.6	89.7	76.5
C32-351	4039	1982	337	72.9	91.8	90.8	84.5
C32-351	4040	1982	339	52.6	67.9	90.9	90.2
C32-351	4041	1982	341	146.6	104.0	81.2	135.6
C32-351	4042	1982	345	83.8	78.9	52.6	82.9
C32-351	4044	1982	350	63.0	83.2	86.0	73.5
C32-351	1098	1982	351	129.4	67.8	145.8	160.9
C32-352	1089	1983	27	64.4	65.0	81.3	78.5
C32-352	1090	1983	31	50.1	80.2	37.3	44.1
C32-352	1099	1983	34	75.6	75.2	101.3	87.3
C32-352	5045	1983	75	98.9	101.5	79.9	98.0
C32-352	5046	1983	78	89.6	80.5	81.6	80.3
C32-352	5047	1983	81	109.5	72.7	83.2	75.3
C32-352	5048	1983	84	212.6	106.5	145.5	130.5
C32-352	4045	1983	87	255.4	236.2	116.9	138.8
C32-352	4046	1983	91	39.4	76.6	56.8	45.1
C32-352	4048	1983	96	59.2	93.9	58.7	69.6
C32-352	1100	1983	99	31.8	35.3	71.1	64.3
C32-353	3076	1983	228	86.3	76.8	111.5	114.6
C32-353	3077	1983	130	64.1	191.7	94.8	76.7
C32-353	3080	1983	161	91.0	71.4	67.8	94.8
C32-353	3081	1983	166	124.0	61.9	115.2	136.6
C32-353	3082	1983	169	96.1	51.1	98.2	93.4
C32-353	3083	1983	171	59.7	121.5	76.2	67.0
C32-353	3084	1983	175	73.2	110.1	96.5	93.4
C32-353	3085	1983	179	91.6	100.1	103.9	114.5
C32-353	3086	1983	183	82.7	64.7	87.7	105.9
C32-353	3087	1983	186	44.8	100.9	64.8	58.9
C32-451	3088	1983	325	73.4	73.7	78.4	83.8
C32-451	3089	1983	327	92.5	66.1	60.9	96.1
C32-451	3090	1983	330	107.6	169.3	112.0	125.5
C32-451	5050	1983	144	93.4	81.6	138.8	134.3
C32-451	5051	1983	336	48.9	49.9	56.8	57.6
C32-451	4051	1983	340	174.0	133.1	103.2	114.6
C32-451	4052	1983	343	114.6	67.4	95.5	105.8
C32-451	4053	1983	346	109.1	130.4	109.4	107.4
C32-451	4054	1983	349	77.8	74.0	94.5	101.6
C32-352	4046	1983	91	39.4	76.6	56.8	45.1
C32-451	1103	1983	354	29.7	35.8	52.8	47.5
C32-452	1108	1984	35	103.7	86.2	110.9	54.4
C32-452	1106	1984	41	115.3	113.8	124.9	122.6
C32-452	5049	1984	45	105.9	58.8	156.2	63.5
C32-452	3091	1984	51	53.2	265.5	242.9	56.3
C32-452	5052	1984	64	120.5	194.8	111.9	97.0
C32-452	4050	1984	67	168.6	175.2	80.7	64.3
C32-452	4055	1984	73	146.1	91.9	174.5	101.3
C32-452	4057	1984	76	61.8	58.1	123.0	44.3
C32-452	4058	1984	78	86.2	68.6	127.7	55.3
C32-452	4059	1984	84	51.3	139.6	158.6	45.2
C32-452	4060	1984	88	28.8	138.5	98.0	38.3

TABLE 9. PROJECT MAGNET FLIGHT STATISTICS RELATIVE TO IGRF/DGRF
 MODELS (RMS units: nT) (con.)

<u>PROJECT</u>	<u>FLIGHT</u>	<u>YEAR</u>	<u>JULIAN</u> <u>DAY</u>	<u>RMS</u> <u>X</u>	<u>RMS</u> <u>Y</u>	<u>RMS</u> <u>Z</u>	<u>RMS</u> <u>E</u>
C32-452	4061	1984	91	76.2	62.7	93.1	90.9
C32-452	1107	1984	93	105.8	79.1	139.6	112.5
C32-453	1109	1984	137	97.5	86.3	116.8	115.4
C32-453	3092	1984	140	163.7	83.1	96.5	83.5
C32-453	3094	1984	157	80.1	99.9	119.2	86.9
C32-453	3095	1984	161	70.8	64.8	63.8	79.6
C32-453	3096	1984	164	71.5	153.6	121.6	68.7
C32-453	3097	1984	171	100.8	71.3	88.8	69.9
C32-453	3098	1984	168	138.9	149.5	115.5	81.9
C32-453	3099	1984	171	114.3	79.5	98.6	107.2
C32-453	3101	1984	176	61.4	72.5	75.3	76.2
C32-453	3100	1984	180	98.4	83.6	113.5	118.0
C32-453	3102	1984	183	78.8	69.8	101.2	101.8
C32-453	3103	1984	186	96.7	78.4	125.3	113.1
C32-453	3104	1984	190	68.7	84.4	79.0	88.2
C32-453	1110	1984	192	83.5	88.6	127.5	122.6
C32-454	1048	1984	215	135.4	111.5	165.6	165.2
C32-454	1075	1984	219	62.7	61.5	96.2	96.6
C32-454	1070	1984	221	59.2	74.2	96.3	95.8
C32-454	1121	1984	224	75.6	86.2	100.3	84.0
C32-454	1122	1984	227	69.4	71.7	88.2	70.5
C32-454	1123	1984	230	54.4	52.2	77.8	70.1
C32-454	1124	1984	237	59.7	62.5	100.3	106.8
C32-454	1117	1984	242	101.4	79.2	126.6	129.0
C32-454	1118	1984	246	44.2	78.5	66.4	57.9
C32-454	1119	1984	249	52.6	55.5	71.1	61.1
C32-454	1120	1984	252	57.9	41.8	83.9	66.1
C32-454	1111	1984	255	74.4	63.4	101.4	100.0
C32-454	1112	1984	258	93.6	91.6	113.1	111.5
C32-454	1114	1984	262	66.3	60.8	42.3	55.4
C32-454	1115	1984	272	34.8	37.4	57.2	52.3
C32-551	1126	1984	290	64.6	69.8	81.9	70.9
C32-551	2015	1984	292	117.5	134.4	44.2	141.8
C32-551	2016	1984	295	54.2	101.1	97.9	94.2
C32-551	7005	1984	298	174.7	91.3	114.3	112.2
C32-551	7006	1984	304	80.4	97.5	75.4	76.0
C32-551	7007	1984	307	218.4	186.7	96.3	96.8
C32-551	4065	1984	310	206.9	218.9	121.1	85.7
C32-551	4066	1984	313	101.5	103.3	81.6	79.7
C32-551	4067	1984	319	70.7	137.9	87.8	59.1
C32-551	4068	1984	321	198.6	160.0	107.2	86.6
C32-551	4069	1984	325	119.4	170.7	97.7	62.9
C32-551	4070	1984	329	76.6	232.9	79.9	63.3
C32-551	4071	1984	333	121.9	124.8	74.6	69.4
C32-551	4072	1984	337	91.2	109.8	104.4	93.2
C32-551	3105	1984	342	84.6	52.4	150.7	97.3
C32-551	1127	1984	345	45.9	48.7	95.5	87.6
C32-552	1125	1985	16	81.6	61.5	77.1	54.4
C32-552	1131	1985	19	87.2	105.9	85.2	54.0
C32-552	1132	1985	27	115.7	106.3	72.2	62.7
C32-552	1133	1985	30	88.6	260.8	138.9	124.5

TABLE 9. PROJECT MAGNET FLIGHT STATISTICS RELATIVE TO IGRF/DGRF
 MODELS (RMS units: nT) (con.)

<u>PROJECT</u>	<u>FLIGHT</u>	<u>YEAR</u>	<u>JULIAN DAY</u>	<u>RMS X</u>	<u>RMS Y</u>	<u>RMS Z</u>	<u>RMS E</u>
C32-552	2017	1985	33	58.0	136.3	49.0	65.1
C32-552	2029	1985	35	46.1	182.4	41.7	39.0
C32-552	2030	1985	37	68.9	198.5	59.2	78.5
C32-552	2031	1985	40	85.4	127.8	46.0	105.1
C32-552	2032	1985	43	62.6	137.2	104.0	111.7
C32-552	2033	1985	46	54.4	113.0	73.8	71.2
C32-552	2034	1985	49	35.3	110.4	48.6	40.4
C32-552	2022	1985	53	33.6	116.8	59.5	46.1
C32-552	2023A	1985	57	40.0	125.1	64.1	51.9
C32-552	2023	1985	61	75.3	127.6	89.7	85.4
C32-552	7009	1984	62	114.5	99.4	107.0	132.0
C32-552	7008	1985	66	73.0	103.3	75.8	73.0
C32-552	7010	1984	69	101.7	104.1	93.0	102.1
C32-552	7011	1985	71	51.4	123.0	65.5	68.5
C32-552	2036	1985	75	78.6	158.4	83.4	83.6
C32-552	1129	1985	80	209.1	201.6	127.2	51.3
C32-552	1130	1985	84	63.3	59.0	71.4	70.1
C32-553	1134	1985	114	135.9	130.2	96.9	75.0
C32-553	3106	1985	116	54.1	112.2	88.0	92.6
C32-553	3108	1985	120	57.3	112.8	74.9	72.2
C32-553	3109	1985	123	62.7	112.7	55.0	56.2
C32-553	3110	1985	126	59.2	99.9	59.2	56.4
C32-553	3107	1985	129	50.1	131.1	52.2	55.8
C32-553	3111	1985	136	101.9	63.2	157.6	72.9
C32-553	3112	1985	140	60.6	79.0	145.9	61.2
C32-553	3113	1985	144	93.0	67.1	82.7	89.7
C32-553	3114	1985	148	61.0	158.4	80.6	61.3
C32-553	3116	1985	154	81.2	75.5	120.8	61.2
C32-553	3117	1985	157	132.3	82.7	120.9	75.1
C32-553	3118	1985	160	129.8	89.1	145.6	106.9
C32-553	3119	1985	169	223.0	145.9	114.4	111.3
C32-553	3121	1985	171	232.4	111.7	127.1	132.9
C32-553	3122	1985	174	134.8	193.1	130.4	122.9
C32-554	1135	1985	196	105.3	123.5	137.1	131.2
C32-554	1137	1985	210	62.2	58.0	69.9	71.6
C32-554	1136	1985	202	60.8	89.1	85.9	85.3
C32-554	1138	1985	213	109.1	115.5	111.9	109.7
C32-554	1139	1985	217	68.0	78.5	85.3	86.3
C32-554	1140	1985	220	155.7	109.2	126.9	134.0
C32-554	6016	1985	230	151.3	158.4	165.6	174.5
C32-554	1144	1985	244	147.6	116.2	186.4	181.8
C32-554	1141	1985	249	96.4	83.0	91.3	92.6
C32-554	1142	1985	250	155.0	128.9	151.0	151.9
C32-554	6017	1985	252	182.3	94.8	136.2	117.9
C32-651	1143	1985	281	65.6	101.2	88.1	72.2
C32-651	4074	1985	285	32.3	148.1	83.1	36.0
C32-651	4075	1985	290	38.0	225.2	85.0	52.8
C32-651	3125	1985	301	72.0	236.2	95.8	70.4
C32-651	3126	1985	305	61.4	110.8	80.4	62.6
C32-651	5053	1985	314	77.3	178.2	105.1	98.0
C32-651	4077	1985	317	97.0	202.1	114.7	112.4

TABLE 9. PROJECT MAGNET FLIGHT STATISTICS RELATIVE TO IGRF/DGRF
MODELS (RMS units: nT) (con.)

<u>PROJECT</u>	<u>FLIGHT</u>	<u>YEAR</u>	<u>JULIAN</u> <u>DAY</u>	<u>RMS</u> <u>X</u>	<u>RMS</u> <u>Y</u>	<u>RMS</u> <u>Z</u>	<u>RMS</u> <u>E</u>
C32-651	5054	1985	321	83.8	129.6	166.1	145.2
C32-651	5055	1985	324	50.6	68.9	74.4	74.2
C32-651	4078	1985	327	78.6	133.7	68.8	68.6
C32-651	4079	1985	331	78.6	152.5	82.6	74.5
C32-651	4080	1985	334	151.6	247.3	182.1	166.7
C32-651	4081	1985	340	89.5	216.9	119.7	89.5
C32-651	4083	1985	343	78.5	96.0	136.6	143.6
C32-651	4084	1985	345	64.8	77.3	75.3	60.7
C32-652	1128	1986	27	52.7	53.2	47.8	53.1
C32-652	2019	1986	32	62.2	54.5	95.4	78.1
C32-652	5059A	1986	36	49.6	39.4	88.6	63.5
C32-652	5058	1986	40	104.6	42.9	137.4	67.5
C32-652	5057	1986	42	84.3	58.1	154.9	92.3
C32-652	5067	1986	47	55.3	61.7	122.5	102.3
C32-652	5068	1986	51	65.3	61.6	127.9	102.5
C32-652	5056	1986	53	99.4	52.0	128.4	86.7
C32-652	5059B	1986	65	63.7	58.7	116.9	61.4
C32-652	5059C	1986	71	54.5	56.6	70.1	64.3
C32-652	5059D	1986	77	44.2	42.8	58.7	41.9
C32-652	5060	1986	79	45.0	71.0	69.4	49.8
C32-652	5061	1986	81	37.0	72.0	94.0	35.8
C32-652	5062	1986	85	54.2	70.0	78.4	54.2
C32-652	5063	1986	88	100.8	74.4	150.5	139.5
C32-652	5065	1986	95	102.7	75.0	122.6	122.2
C32-652	4085	1986	98	57.0	70.3	103.1	95.9
C32-652	3123	1986	101	56.3	54.8	65.6	65.2
C32-652	3124	1986	104	51.9	99.5	82.4	82.6
C32-754	3147	1987	261	135.5	116.5	90.1	98.6
C32-751	3142	1986	297	75.0	72.6	71.5	74.4
C32-751	3130	1986	327	85.1	52.9	83.4	77.5
C32-751	3131	1986	329	107.6	51.1	81.1	103.2
C32-751	3132	1986	334	89.2	50.9	95.7	85.8
C32-751	3133	1986	337	77.2	55.6	71.5	71.6
C32-751	3140	1986	343	69.1	72.8	63.6	60.8
C32-751	3134	1986	345	55.3	58.7	66.1	53.7
C32-751	3141	1986	347	40.7	48.9	64.4	51.4
C32-751	3135	1986	350	66.6	123.2	143.7	52.2
C32-751	3136	1986	353	44.1	70.3	61.1	39.8
C32-751	3138	1986	354	53.4	51.6	55.9	63.5
C32-753	1154	1987	108	107.4	101.8	140.2	138.1
C32-753	6019	1987	147	100.2	125.5	130.4	128.4
C32-753	1164	1987	181	128.8	120.9	135.7	136.7
C32-753	1160	1987	154	90.1	74.1	117.5	98.5
C32-753	1161	1987	156	31.1	76.9	15.7	21.4
C32-754	1159	1987	203	69.9	52.8	71.6	63.2
C32-754	3143	1987	206	92.5	59.7	80.2	94.0
C32-754	3144	1987	212	74.6	52.2	78.7	79.4
C32-754	4098	1987	216	67.6	135.7	97.0	65.1
C32-754	3145A	1987	231	32.8	200.2	100.4	36.8
C32-552	1133	1985	30	88.6	260.8	138.9	124.5
C32-754	5069	1987	233	83.8	181.5	85.2	88.6

TABLE 9. PROJECT MAGNET FLIGHT STATISTICS RELATIVE TO IGRF/DGRF
 MODELS (RMS units: nT) (con.)

PROJECT	FLIGHT	YEAR	JULIAN DAY	RMS X	RMS Y	RMS Z	RMS E
C32-754	5071	1987	251	43.4	54.7	128.0	62.5
C32-754	3145	1987	245	63.3	109.9	78.5	59.7
C32-754	4100	1987	251	64.6	70.3	134.2	61.8
C32-754	3146	1987	246	116.9	81.8	114.4	90.3
C32-851	3148	1987	291	98.6	100.0	103.0	105.9
C32-851	3149	1987	295	61.9	104.6	96.1	80.9
C32-851	3150	1987	299	103.3	88.3	104.1	111.4
C32-851	3152	1987	306	130.9	97.7	116.4	108.3
C32-851	3154	1987	312	69.6	131.4	77.5	69.0
C32-851	3155	1987	316	76.5	60.7	68.1	74.5
C32-851	3156	1987	320	66.1	76.6	81.6	66.7
C32-851	3157	1987	325	81.5	159.6	112.9	88.9
C32-851	3158	1987	29	146.3	87.1	94.3	100.8
C32-851	3159	1987	32	93.8	78.8	110.4	55.5
C32-851	3160	1987	335	63.7	68.6	75.5	73.9
C32-851	3161	1987	348	78.8	45.3	78.0	60.5
C32-852	1167	1988	20	85.2	58.2	101.3	71.7
C32-852	4101	1988	24	42.1	32.6	84.9	33.3
C32-852	4102	1988	27	45.5	67.9	61.1	47.8
C32-852	4103	1988	30	51.7	59.1	68.3	44.3
C32-852	4104	1988	34	103.8	40.7	97.6	57.6
C32-852	4106	1988	39	78.9	70.3	80.6	77.7
C32-852	4107	1988	41	53.9	63.7	80.4	40.2
C32-852	4111	1988	43	84.9	66.2	65.7	70.2
C32-852	4108	1988	49	83.4	56.2	93.5	81.4
C32-852	3162	1988	50	71.9	54.9	82.7	74.2
C32-852	3163	1988	56	58.3	74.1	116.4	67.6
C32-852	3167	1988	59	78.4	131.6	105.8	71.4
C32-852	4110	1988	63	49.2	59.8	94.5	56.6
C32-852	4105	1988	62	71.8	72.3	67.4	63.2
C32-852	3164	1988	77	87.9	49.7	113.9	59.9
C32-952	1177	1989	77	118.1	98.2	139.4	147.2
C32-952	1178	1989	79	115.5	88.6	136.5	147.5
C32-952	1179	1989	81	111.8	79.2	119.8	133.8
C32-952	1180	1989	83	138.4	95.6	122.8	149.6
C32-553	3115	1985	151	122.6	142.2	113.2	88.0
C32-651	3123A	1985	292	53.2	162.1	88.3	63.0
C32-651	3124A	1985	294	56.3	188.8	86.5	64.0
C32-352	5044	1983	69	97.6	88.2	92.9	67.7
C32-853	4113	1988	153	80.3	89.1	114.8	87.9
C32-453	4063	1984	150	71.3	60.2	108.6	78.8
C32-453	4064	1984	152	55.7	53.8	87.6	58.4
C32-951	4122	1988	283	100.9	135.6	151.5	160.6
C32-951	4123	1988	291	96.6	67.8	106.5	92.8
C32-951	4124	1988	295	77.4	66.2	91.0	80.2
C32-951	4125	1988	295	130.2	82.5	75.5	122.6
C32-951	4126	1988	303	103.0	129.4	114.6	92.5
C32-951	4127	1988	310	57.1	77.4	82.7	73.5
C32-951	4120	1988	297	107.7	69.3	80.0	91.0
C32-951	4135	1988	345	71.1	39.9	79.4	48.7
C32-951	5084	1988	324	78.8	44.6	108.0	81.1

TABLE 9. PROJECT MAGNET FLIGHT STATISTICS RELATIVE TO IGRF/DGRF
 MODELS.(RMS units: nT) (con.)

<u>PROJECT</u>	<u>FLIGHT</u>	<u>YEAR</u>	<u>JULIAN</u> <u>DAY</u>	<u>RMS</u> <u>X</u>	<u>RMS</u> <u>Y</u>	<u>RMS</u> <u>Z</u>	<u>RMS</u> <u>E</u>
C32-253	1079	1982	145	59.4	53.4	80.5	75.1
C32-853	5073	1988	117	117.5	93.1	261.8	263.4
C32-853	5081	1988	119	73.9	154.1	190.2	182.8
C32-853	5082	1988	122	114.2	110.7	209.3	182.8
C32-853	1168	1988	105	45.9	99.5	66.4	58.6
C32-853	1169	1988	174	82.2	57.7	106.3	58.0
C32-853	5076B	1988	131	72.2	98.1	86.3	84.0
C32-853	5083	1988	124	133.5	60.2	257.0	189.4
C32-853	4114	1988	164	61.5	76.7	85.1	74.5
C32-853	4115	1988	168	108.9	96.5	99.6	87.3
C32-853	4116	1988	171	104.9	66.0	91.4	88.8
C32-951	1171	1988	277	74.8	55.5	79.4	78.2
C32-951	3177	1988	307	62.5	79.5	96.4	87.1
C32-951	4119	1988	281	70.3	71.7	75.5	63.4
C32-951	4121	1988	299	113.5	117.9	195.2	215.4
C32-951	4128	1988	314	73.2	103.4	85.3	84.8
C32-951	4129	1988	318	82.6	81.7	140.2	135.7
C32-951	4130	1988	321	121.6	97.9	107.2	112.2
C32-951	4131	1988	328	73.1	90.9	141.5	126.7
C32-951	4132	1988	331	52.1	89.6	140.1	109.6
C32-951	4133	1988	333	70.6	70.4	66.9	68.8
C32-954	1184	1989	207	104.5	194.1	101.5	109.3
C32-954	1186	1989	212	106.9	171.0	99.2	94.0
C32-954	1188	1989	218	149.6	111.6	94.7	83.0
C32-954	1189	1989	223	99.8	136.8	114.4	111.8
C32-954	1190	1989	228	218.5	160.4	166.2	118.5
C32-954	1196	1989	270	99.7	72.6	79.6	72.7
C32-954	1197	1989	229	173.3	112.3	129.4	86.6
C32-954	1198	1989	234	266.8	79.3	102.3	83.3
C32-954	1199	1989	244	108.4	72.5	66.0	68.9
C32-954	4139	1989	255	102.5	116.5	93.2	78.1
C32-954	1195	1989	267	52.4	119.1	104.3	89.4
C32-954	2057	1989	263	81.3	40.7	107.8	95.3
C32-954	2052	1989	247	103.0	83.9	161.4	173.7
C32-954	2055	1989	258	77.9	68.3	88.2	93.2
C32-954	2056	1989	261	55.2	83.2	173.0	131.6
C32-954	7012	1989	252	99.8	64.4	93.9	45.3

to the uniformity of satellite data, the orbit-by-orbit statistics for MAGSAT and DE-2 data were taken to be the same as for each entire data set for each magnetic component. Note that data occupying cells for which there were fewer than 10 points were discarded due to the presumed unreliability of their cell statistics.

Now, the double summation expression over degree n and order m for $B_r(r, \theta, \phi)$, $B_\theta(r, \theta, \phi)$ and $B_\phi(r, \theta, \phi)$ can be converted to single summation expressions over the coefficient number l which ranges from 1 to 168. Then, we may write:

$$B_r(r, \theta, \phi) = \sum_{l=1}^{168} C_l Q_{rl}(r, \theta, \phi) \quad (34a)$$

$$B_\theta(r, \theta, \phi) = \sum_{l=1}^{168} C_l Q_{\theta l}(r, \theta, \phi) \quad (34b)$$

$$B_\phi(r, \theta, \phi) = \sum_{l=1}^{168} C_l Q_{\phi l}(r, \theta, \phi) \quad (34c)$$

$$B_F(r, \theta, \phi) = \sum_{l=1}^{168} C_l Q_{Fl}(r, \theta, \phi) \quad (34d)$$

where the set of coefficients $\{C_l\}_{l=1}^{168}$ are the Gauss coefficients g_{nm} and h_{nm} arbitrarily arranged so that:

$$C_l = \left\{ \begin{array}{l} g_{nm}; \quad l(n, m) = n(n+1)/2 + m \\ h_{nm}; \quad l(n, m) = n(n-1)/2 + m + 90 \end{array} \right\} \quad (35)$$

This ordering then requires:

$$Q_{rl}(r, \theta, \phi) = \left\{ \begin{array}{l} (n+1) \left(\frac{R_E}{r} \right)^{n+2} \cos m \phi P_n^m(\theta) ; \quad l(n, m) = n(n+1)/2 + m \\ (n+1) \left(\frac{R_E}{r} \right)^{n+2} \sin m \phi P_n^m(\theta) ; \quad l(n, m) = n(n-1)/2 + m + 90 \end{array} \right\} \quad (36a)$$

$$Q_{\theta l}(r, \theta, \phi) = \left\{ \begin{array}{l} - \left(\frac{R_E}{r} \right)^{n+2} \cos m \phi \frac{dP_n^m(\theta)}{d\theta} ; \quad l(n, m) = n(n+1)/2 + m \\ - \left(\frac{R_E}{r} \right)^{n+2} \sin m \phi \frac{dP_n^m(\theta)}{d\theta} ; \quad l(n, m) = n(n-1)/2 + m + 90 \end{array} \right\} \quad (36b)$$

$$Q_{\theta l}(r, \theta, \phi) = \left\{ \begin{array}{l} m \left(\frac{R_E}{r} \right)^{n+2} \sin m \phi P_n^m(\theta) / \sin \theta \quad ; \quad l(n, m) = n(n+1)/2 + m \\ -m \left(\frac{R_E}{r} \right)^{n+2} \cos m \phi P_n^m(\theta) / \sin \theta \quad ; \quad l(n, m) = n(n-1)/2 + m + 90 \end{array} \right\} \quad (36c)$$

$$Q_{Fl} = \frac{1}{B_F(r, \theta, \phi)} \{ B_r(r, \theta, \phi) Q_{rl}(r, \theta, \phi) + B_\theta(r, \theta, \phi) Q_{\theta l}(r, \theta, \phi) + B_\phi(r, \theta, \phi) Q_{\phi l}(r, \theta, \phi) \} \quad (36d)$$

These expressions are the most useful forms in which the spherical harmonic equations for the magnetic field components can be cast for a least-squares problem.

Minimization of the chi-square function then requires that

$$\delta \chi^2 = \sum_{j=1}^{168} \frac{\partial \chi^2}{\partial C_j} \delta C_j \quad (37)$$

be a minimum, where the symbol δ means variation. This in turn requires:

$$\frac{\partial \chi^2}{\partial C_j} = 0 \quad j = 1, \dots, 168 \quad (38)$$

Therefore, we must have:

$$\frac{\partial \chi_r^2}{\partial C_j} + \frac{\partial \chi_\theta^2}{\partial C_j} + \frac{\partial \chi_\phi^2}{\partial C_j} + \frac{\partial \chi_F^2}{\partial C_j} = 0 \quad j = 1, \dots, 168 \quad (39)$$

which is a nonlinear system of 168 equations for the 168 unknown coefficient set $\{C_l\}_{l=1}^{168}$. This system of equations is nonlinear since χ^2 depends on B_F which depends nonlinearly on the coefficients through the expression:

$$B_F(r, \theta, \phi) = \sqrt{B_r^2(r, \theta, \phi) + B_\theta^2(r, \theta, \phi) + B_\phi^2(r, \theta, \phi)} \quad (40)$$

where, B_r , B_θ , and B_ϕ all depend linearly on the coefficients.

Consequently, after noting that:

$$\frac{\partial \chi_r^2}{\partial C_j} = \sum_{l=1}^{168} C_l \sum_{i=1}^{l_r} w_{ri} Q_{rl}(r_i, \theta_i, \phi_i) Q_{rl}(r_i, \theta_i, \phi_i) - \sum_{i=1}^{l_r} w_{ri} b_{ri} Q_{rl}(r_i, \theta_i, \phi_i) \quad (41a)$$

$$\frac{\partial \chi_{\theta}^2}{\partial C_j} = \sum_{l=1}^{168} C_l \sum_{i=1}^{l_0} w_{\alpha} Q_{\alpha}(r_i, \theta_i, \phi_i) Q_{\theta_j}(r_i, \theta_i, \phi_i) - \sum_{i=1}^{l_0} w_{\alpha} b_{\alpha} Q_{\theta_j}(r_i, \theta_i, \phi_i) \quad (41b)$$

$$\frac{\partial \chi_{\phi}^2}{\partial C_j} = \sum_{l=1}^{168} C_l \sum_{i=1}^{l_0} w_{\phi} Q_{\phi}(r_i, \theta_i, \phi_i) Q_{\theta_j}(r_i, \theta_i, \phi_i) - \sum_{i=1}^{l_0} w_{\phi} b_{\phi} Q_{\theta_j}(r_i, \theta_i, \phi_i) \quad (41c)$$

$$\frac{\partial \chi_F^2}{\partial C_j} = \sum_{l=1}^{168} C_l \sum_{i=1}^{l_F} w_{F_i} \{ Q_{r_l}(r_i, \theta_i, \phi_i) Q_{r_j}(r_i, \theta_i, \phi_i) + Q_{\alpha}(r_i, \theta_i, \phi_i) Q_{\theta_j}(r_i, \theta_i, \phi_i) + Q_{\phi}(r_i, \theta_i, \phi_i) Q_{\theta_j}(r_i, \theta_i, \phi_i) \} - \sum_{i=1}^{l_F} w_{F_i} b_{F_i} Q_{F_j} \quad (41a)$$

we have:

$$\sum_{l=1}^{168} C_l Q_{l_j} = \mathfrak{R}_j \quad j = 1, \dots, 168 \quad (42)$$

where:

$$Q_{l_j} = \sum_{i=1}^{l_r} w_{r_i} Q_{r_l}(r_i, \theta_i, \phi_i) Q_{r_j}(r_i, \theta_i, \phi_i) + \sum_{i=1}^{l_0} w_{\alpha} Q_{\alpha}(r_i, \theta_i, \phi_i) Q_{\theta_j}(r_i, \theta_i, \phi_i) + \sum_{i=1}^{l_0} w_{\phi} Q_{\phi}(r_i, \theta_i, \phi_i) Q_{\theta_j}(r_i, \theta_i, \phi_i) + \sum_{i=1}^{l_F} w_{F_i} \{ Q_{r_l}(r_i, \theta_i, \phi_i) Q_{r_j}(r_i, \theta_i, \phi_i) + Q_{\alpha}(r_i, \theta_i, \phi_i) Q_{\theta_j}(r_i, \theta_i, \phi_i) + Q_{\phi}(r_i, \theta_i, \phi_i) Q_{\theta_j}(r_i, \theta_i, \phi_i) \} \quad (43)$$

and

$$\mathfrak{R}_j = \sum_{i=1}^{l_r} w_{r_i} b_{r_i} Q_{r_j}(r_i, \theta_i, \phi_i) + \sum_{i=1}^{l_0} w_{\alpha} b_{\alpha} Q_{\theta_j}(r_i, \theta_i, \phi_i) + \sum_{i=1}^{l_0} w_{\phi} b_{\phi} Q_{\theta_j}(r_i, \theta_i, \phi_i) + \sum_{i=1}^{l_F} w_{F_i} b_{F_i} Q_{F_j}(r_i, \theta_i, \phi_i) \quad (44)$$

This system of 168 equations can be written in matrix form as:

$$CQ = \mathfrak{R} \quad (45)$$

which has the inverse:

$$C = Q^{-1}\mathfrak{R} \quad (46)$$

This is not the solution to the problem, however, since the right-hand side of this equation also depends on the unknown coefficients C_i . That is, each element, \mathfrak{R}_i , of the vector \mathfrak{R} depends on $Q_F(r, \theta, \phi)$, which depends on the unknown coefficients C_i in a very nonlinear way.

In order to solve this system of equations, we must iterate. If ρ is the iteration index, then we can let:

$$C_i^{(\rho)} = C_i^{(\rho-1)} + \delta C_i \quad (47)$$

Then, in matrix form, we choose the following iteration scheme:

$$C^{(\rho)} \equiv Q^{-1} \mathfrak{R}^{(\rho-1)} \quad \rho = 1, 2, \dots, \rho_{\max} \quad (48)$$

The maximum number of iterations ρ_{\max} is determined by requiring that:


$$\sum_{i=1}^{168} \delta C_i \leq 1 \text{ nanotesla at } \rho = \rho_{\max} \quad (49)$$

This condition must be tested after each iteration until it is satisfied.

The rate of convergence of the algorithm depends strongly on the amount of noise (i.e., crustal influences, etc.) in the data. Aeromagnetic data have a great deal of crustal noise in them. Filtering the data to remove short wavelength (≤ 700 km) features from the data can improve the convergence rate by an order of magnitude. However, it has been shown that one-dimensional filters along the survey track leave short wavelength biases in the cross-track direction which adversely affect the final model. Consequently, no filtering (except for a very short wavelength (≤ 7 km) low-pass filter) was done on the aeromagnetic data. The number of iterations required for the model was $\rho_{\max} = 14$.

In order to implement the algorithm it is necessary to have an initial guess solution $C^{(0)}$ that is as close as possible to the actual solution. The a priori model coefficients used were the existing WC-85 model coefficients (Quinn, Kerridge, and Barraclough, 1986).

Notice that in this iteration scheme, the Q matrix, which has (168 x 168) elements (as does its inverse Q^{-1}), needs to be computed only once since it does not depend on the coefficients C_i . Note, too, that Q is a symmetric matrix so that only half of the elements in Q actually need to be computed.




SECTION 3. DISCUSSION

3.0 Modeling Results

An indication of the erratic nature of the geomagnetic field is provided by the wandering of the North and South Geomagnetic Poles. The pole movements since 1945 are illustrated in charts 5 and 6 which are based on the International Geomagnetic Reference Field (IGRF) models, WC-85 (revised) and WMM-90. The pole movements illustrate a poorly understood phenomena known as the geomagnetic jerk which occurred around 1970. The South Magnetic Pole movement in particular illustrates a sudden change in direction at about that time. These jerks occur only a few times per century and are thought to be due to a sudden release of magnetic energy built up from the electromagnetic coupling between the top of the fluid core and the lower mantle, both of which have substantial electrical conductivities. The numerical pole positions at one-year intervals for both poles are listed in table 10.


It should be noted that roughly 90 percent of the Earth's magnetic field is contained in the degree 1 spherical harmonic coefficients: g_1^0 , g_1^1 , and h_1^1 . These three coefficients characterize the Earth's magnetic dipole field and form the basis of the geomagnetic coordinate system, which for the 1990 epoch is illustrated in chart 7. The axis of the geomagnetic coordinate system pierces the Earth's surface at the Earth's magnetic dipoles, which are different from the dip poles. The location of the dipole poles is determined when the horizontal (H) component of the dipole field, computed from just the degree $n=1$ coefficients, is equal to zero. The dip poles on the other hand are determined when the horizontal (H) component of the field is computed using all 168 coefficients of the full-degree $n=12$ model is equal to zero. For the WMM-90 model at 1990.0, the North magnetic dipole pole position is located at +79.35 degrees latitude and -71.10 degrees longitude, while the South magnetic dipole pole position is located at -79.35 degrees latitude and +108.86 degrees longitude. The displacement vector for the eccentric dipole for 1990.0 in the usual Earth-fixed spherical coordinate system (i.e., Z-axis is the rotation axis, X-axis points to the prime meridian and the Y-axis is orthogonal to the other two, thereby creating a right-handed system) is 512 km radially outward from the Earth's center, with a colatitude 21.12 degrees and a longitude of 145.70 degrees.

A grid of main field and annual change values of the Earth's magnetic field derived from WMM-90 are tabulated in table 11 for seven basic magnetic field components (X, Y, Z, H, F, D, I). Contours of five of these components (Z, H, F, D, I) for the main field are illustrated in charts 8 through 12. Contours of the annual change of these five components are illustrated in charts 13 through 17. These charts were plotted on a corrected Mercator projection.



1945-1984 DGRF MODELS
 1985-1989 WC-85 (REVISED)
 1990-1995 WMM-90

CHART 5. NORTH MAGNETIC POLE MOVEMENT



1945-1984 DGRF MODELS
 1985-1989 WC-85 (REVISED)
 1990-1995 WMM-90

CHART 6. SOUTH MAGNETIC POLE MOVEMENT

TABLE 10. DIP POLE POSITIONS


	Year	North Pole		South Pole	
		Latitude (degrees)	Longitude (degrees)	Latitude (degrees)	Longitude (degrees)
1	1945.000	73.90	-100.20	-68.15	144.42
2	1946.000	74.05	-100.35	-68.10	144.25
3	1947.000	74.20	-100.45	-68.05	144.08
4	1948.000	74.35	-100.60	-68.00	143.91
5	1949.000	74.50	-100.75	-67.94	143.71
6	1950.000	74.65	-100.85	-67.89	143.53
7	1951.000	74.75	-100.95	-67.75	143.12
8	1952.000	74.85	-101.10	-67.62	142.72
9	1953.000	74.95	-101.20	-67.48	142.31
10	1954.000	75.05	-101.25	-67.34	141.90
11	1955.000	75.20	-101.45	-67.20	141.50
12	1956.000	75.20	-101.35	-67.10	141.24
13	1957.000	75.25	-101.30	-67.00	140.99
14	1958.000	75.25	-101.20	-66.91	140.75
15	1959.000	75.30	-101.15	-66.81	140.50
16	1960.000	75.30	-101.05	-66.70	140.21
17	1961.000	75.35	-101.10	-66.63	140.08
18	1962.000	75.45	-101.15	-66.55	139.93
19	1963.000	75.50	-101.25	-66.48	139.79
20	1964.000	75.55	-101.25	-66.41	139.67
21	1965.000	75.60	-101.35	-66.33	139.51
22	1966.000	75.65	-101.25	-66.27	139.48
23	1967.000	75.70	-101.20	-66.21	139.44
24	1968.000	75.75	-101.10	-66.15	139.41
25	1969.000	75.80	-101.05	-66.09	139.38
26	1970.000	75.90	-101.00	-66.03	139.40
27	1971.000	75.95	-100.90	-65.96	139.40
28	1972.000	76.00	-100.80	-65.90	139.43
29	1973.000	76.05	-100.70	-65.84	139.46
30	1974.000	76.10	-100.60	-65.77	139.46
31	1975.000	76.15	-100.65	-65.74	139.51
32	1976.000	76.30	-100.85	-65.69	139.51
33	1977.000	76.40	-101.05	-65.63	139.49
34	1978.000	76.55	-101.25	-65.58	139.49
35	1979.000	76.55	-101.45	-65.52	139.46
36	1980.000	76.90	-101.70	-65.52	139.46
37	1981.000	77.00	-101.90	-65.43	139.35
38	1982.000	77.10	-102.10	-65.37	139.33
39	1983.000	77.20	-102.30	-65.31	139.32
40	1984.000	77.30	-102.55	-65.26	139.33
41	1985.000	77.60	-102.60	-65.20	139.31
42	1986.000	77.75	-102.80	-65.07	139.06
43	1987.000	77.85	-103.00	-65.02	139.00
44	1988.000	78.00	-103.25	-64.96	138.93
45	1989.000	78.10	-103.40	-64.91	138.87
46	1990.000	78.25	-103.70	-64.86	138.81
47	1991.000	78.35	-103.85	-64.80	138.74
48	1992.000	78.50	-104.15	-64.75	138.69
49	1993.000	78.60	-104.35	-64.69	139.61
50	1994.000	78.70	-104.55	-64.64	138.56
51	1995.000	78.85	-104.80	-64.58	138.48
				-64.53	138.43

Contours of these same five main field magnetic components plus grid variation in the north polar region are given in charts 18 through 23, while contours of their secular variations are given in charts 24 through 29. Similarly, for the south polar region, the main field contours are given in charts 30 through 35, while the corresponding secular variations are given in charts 36 through 41. These polar charts were plotted on a polar stereographic projection. Both the Mercator and polar stereographic charts were generated with respect to the 1984 World Geodetic System (WGS-84) ellipsoid.

3.1 Final Comments

The Polar Orbiting Geomagnetic Survey (POGS) satellite was launched in April of 1990, too late to be used in the 1990 epoch model. WMM-90, having been derived from data sets independent of POGS, will be a useful tool for evaluating POGS data and vice versa. Initial quantitative comparisons between WMM-90 and the POGS data indicate excellent agreement between the two. The POGS data will be used to fabricate the 1995 epoch model. Furthermore, if the satellite remains operational for its maximum expected lifetime of three years, it will for the first time be possible to generate a secular variation model to the same degree and order as the main field (i.e., $N=M=12$).

Looking toward the end of this century and beyond, efforts have been made to secure data for modeling purposes via the Defense Meteorological Satellite Program (DMSP) platform. Efforts are underway to secure scalar data from a boom-mounted POGS-type magnetometer on the S-15 DMSP satellite. This data will support the Epoch 2000 WMM. Further out, efforts are being made to secure full vector magnetic capability from DMSP Block 6 satellites that will operate during the first quarter of the next century.



U. S. NAVAL OCEANOGRAPHIC OFFICE

CHART 7. GEOMAGNETIC COORDINATES

TABLE 11. WMM-90 MAIN FIELD AND ANNUAL CHANGE GRID VALUES

NORTH COMPONENT (X) WMM-90

LAT	0	5	10	15	20	25	30	35	40	45	50	55	L - LONG
90	1834 -6.5	1921 -7.6	2014 -8.5	2076 -10.2	2124 -11.3	2159 -12.5	2172 -13.2	2171 -14.0	2153 -14.7	2120 -15.3	2070 -15.8	2004 -16.1	90
85	4451 -12.1	4558 -13.5	4614 -15.1	4627 -16.9	4594 -18.5	4521 -19.7	4408 -21.2	4255 -22.5	4078 -23.6	3893 -24.2	3711 -24.5	3584 -24.7	85
80	6723 -13.6	6857 -15.8	6919 -17.9	6924 -19.4	6858 -21.9	6718 -23.8	6537 -25.6	6306 -27.0	6027 -28.0	5712 -28.8	5368 -29.3	5003 -29.5	80
75	8799 -11.6	8934 -14.2	8999 -16.4	8998 -18.8	8929 -21.9	8793 -25.2	8600 -28.2	8351 -30.6	8051 -33.6	7708 -36.0	7329 -38.3	6924 -40.5	75
70	10798 -7.0	10818 -10.8	10809 -15.8	10788 -21.2	10721 -27.1	10608 -33.8	10459 -40.3	10274 -47.8	10057 -55.3	9808 -63.8	9508 -71.3	9153 -79.2	70
65	12840 -3.1	12940 -6.3	12984 -9.0	12978 -11.2	12928 -13.0	12838 -14.3	12710 -15.2	12548 -15.9	12351 -16.3	12122 -16.7	11862 -17.0	11576 -17.5	65
60	15039 -1.9	15098 -2.6	15112 -3.8	15089 -5.1	15038 -6.8	14963 -8.3	14874 -9.8	14768 -11.2	14647 -12.6	14510 -13.8	14353 -14.8	14198 -15.6	60
55	17413 5.4	17439 1.1	17422 -2.8	17378 -6.0	17319 -8.4	17253 -10.6	17185 -12.7	17126 -14.7	17070 -16.2	17018 -17.4	16972 -18.4	16929 -19.6	55
50	19953 9.7	19958 4.8	19923 -2.3	19865 -4.1	19801 -7.1	19724 -9.2	19693 -10.6	19666 -12.0	19652 -13.6	19666 -15.6	19708 -17.0	19777 -18.6	50
45	22809 12.3	22808 6.8	22809 1.1	22832 -2.2	22889 -5.8	22936 -8.3	22988 -10.8	23036 -12.9	23083 -15.1	23131 -17.4	23178 -19.0	23228 -20.8	45
40	25277 19.3	25321 13.1	25327 7.2	25317 1.7	25306 -4.2	25299 -8.3	25285 -12.3	25294 -16.9	25328 -21.6	25408 -26.0	25499 -30.2	25572 -34.2	40
35	27872 28.9	27978 17.7	28049 12.0	28103 6.9	28149 2.8	28189 -1.3	28222 -5.3	28252 -9.9	28299 -14.8	28385 -19.4	28519 -23.8	28780 -28.0	35
30	30823 38.2	30912 24.2	30959 16.5	30904 9.6	30829 3.8	30733 -1.3	31014 -6.8	31074 -11.7	31138 -16.6	31228 -21.2	31389 -25.3	31644 -29.0	30
25	32302 52.7	32391 23.0	32465 18.6	32475 14.7	32491 11.1	32523 7.8	32583 4.3	32683 1.1	32827 -2.4	32982 -6.0	33159 -9.6	33410 -13.0	25
20	33245 25.2	33639 21.5	33996 18.0	34321 14.7	34608 11.3	34946 7.8	35032 4.0	35177 0.0	35307 -4.3	35461 -8.6	35678 -12.7	35986 -16.2	20
15	33407 19.4	33901 16.6	34369 13.8	34776 10.6	35132 7.1	35437 3.7	35678 0.1	35861 -2.0	36076 -5.6	36302 -9.2	36549 -12.7	36873 -16.2	15
10	34447 10.6	35021 8.6	35566 6.1	36050 3.1	36484 -0.4	36840 -6.3	37119 -12.3	37412 -17.0	37695 -21.1	38026 -24.7	38428 -28.0	38914 -30.7	10
5	35994 -7.7	36906 -4.5	37338 -1.9	37338 -7.3	37009 -10.7	36537 -14.8	36008 -19.2	35423 -23.8	34789 -28.0	34119 -31.8	33427 -35.2	32748 -38.0	5
0	47469 -13.9	48049 -14.7	48627 -16.4	49164 -18.1	49641 -19.5	49971 -20.7	50287 -21.6	50584 -22.2	50853 -22.5	51093 -22.6	51303 -22.6	51484 -22.5	0

nT
(units: nT)

NORTH COMPONENT (X) WMM-90

L. LONG LAT	60	65	70	75	80	85	90	95	100	105	110	115	L. LONG LAT
90	1923 -16.3	1927 -16.5	1716 -16.4	1595 -16.3	1460 -16.0	1316 -15.8	1159 -15.5	994 -14.2	821 -13.2	643 -12.9	459 -12.0	273 -10.9	90
85	3128 -20.2	2868 -20.2	2611 -19.6	2362 -19.6	2128 -19.2	1913 -18.8	1721 -18.2	1558 -17.8	1418 -17.3	1310 -17.0	1236 -16.8	1181 -16.7	85
80	4628 -23.8	4252 -23.4	3897 -22.8	3547 -22.1	3211 -21.4	2890 -20.5	2599 -19.6	2374 -18.7	2178 -17.8	2030 -17.3	1852 -16.8	1654 -16.2	80
75	6501 -24.6	6076 -24.6	5661 -24.5	5270 -24.3	4918 -24.0	4619 -23.6	4386 -23.2	4231 -22.7	4160 -22.1	4180 -21.5	4291 -20.9	4489 -20.4	75
70	8538 -25.8	8335 -25.0	7939 -24.3	7558 -24.0	7216 -23.6	6928 -23.2	6712 -22.8	6583 -22.3	6547 -21.7	6519 -21.4	6599 -20.8	6785 -20.4	70
65	11270 -28.1	10951 -28.0	10638 -27.8	10326 -27.6	10018 -27.4	9817 -27.2	9649 -27.0	9502 -26.8	9379 -26.5	9280 -26.4	9209 -26.3	9156 -26.2	65
60	14009 -30.6	13829 -30.4	13628 -30.2	13443 -30.0	13278 -29.8	13150 -29.6	13053 -29.5	12987 -29.4	12950 -29.3	12928 -29.2	12923 -29.2	12930 -29.1	60
55	16889 -32.8	16859 -32.8	16818 -32.8	16778 -32.8	16758 -32.8	16753 -32.8	16768 -32.8	16799 -32.8	16859 -32.8	16951 -32.8	17082 -32.8	17258 -32.8	55
50	19670 -35.5	19981 -35.0	20301 -34.2	20625 -33.2	20957 -32.5	21292 -31.8	21629 -31.0	21967 -30.2	22305 -29.5	22643 -28.8	22980 -28.1	23316 -27.4	50
45	22932 -38.2	23173 -37.8	23418 -37.2	23668 -36.6	23926 -35.8	24209 -35.0	24521 -34.2	24869 -33.4	25258 -32.6	25693 -31.8	26178 -31.0	26708 -30.2	45
40	25919 -41.0	26378 -40.4	26859 -39.8	27359 -39.2	27880 -38.6	28428 -38.0	29005 -37.4	29618 -36.8	30272 -36.2	30968 -35.6	31705 -35.0	32482 -34.4	40
35	29110 -43.8	29515 -42.9	29969 -42.0	30461 -41.0	30988 -40.0	31559 -39.0	32174 -38.0	32832 -37.0	33532 -36.0	34274 -35.0	35058 -34.0	35882 -33.0	35
30	31999 -46.6	32440 -45.5	32939 -44.2	33459 -42.7	33966 -41.0	34418 -39.0	34785 -37.0	35038 -35.0	35158 -33.0	35143 -31.0	35004 -29.0	34762 -27.0	30
25	34504 -48.1	34967 -46.6	35489 -44.6	36036 -42.0	36561 -39.0	37030 -36.0	37401 -33.0	37642 -30.0	37730 -28.0	37660 -26.0	37445 -24.0	37105 -22.0	25
20	36392 -49.5	36881 -47.3	37425 -44.0	37985 -40.0	38523 -36.0	38994 -32.0	39359 -28.0	39582 -24.0	39642 -21.0	39532 -18.0	39267 -15.0	38865 -12.0	20
15	37439 -49.6	37976 -47.0	38557 -43.0	39165 -38.0	39699 -33.0	40179 -28.0	40544 -23.0	40760 -18.0	40810 -15.0	40689 -12.0	40410 -9.0	39993 -6.0	15
10	37476 -46.4	38095 -42.0	38742 -37.0	39382 -32.0	39978 -27.0	40489 -22.0	40879 -17.0	41119 -12.0	41193 -9.0	41101 -6.0	40859 -3.0	40474 0.0	10
5	36438 -42.6	37169 -37.0	37912 -32.0	38636 -27.0	39305 -22.0	39888 -17.0	40337 -12.0	40643 -9.0	40790 -6.0	40778 -3.0	40618 0.0	40324 0.0	5
0	34301 -38.2	35252 -32.0	36218 -26.0	37209 -20.0	38228 -14.0	39280 -8.0	39896 -3.0	39968 0.0	39834 0.0	39523 0.0	39123 0.0	38564 0.0	0

NORTH COMPONENT (X) WMM-90

E. LONG LAT	120	125	130	135	140	145	150	155	160	165	170	175	E. LONG LAT
90	86 -9.8	-106 -8.6	-295 -7.4	-481 -6.1	-664 -4.7	-843 -3.3	-1014 -1.9	-1177 -0.5	-1332 1.0	-1477 2.4	-1610 3.8	-1731 5.2	90
85	1155 -10.9	1152 -10.0	1169 -9.3	1194 -8.5	1228 -7.8	1263 -7.1	1298 -6.6	1321 -6.2	1331 -6.1	1321 -6.2	1298 -6.0	1233 -5.3	85
80	1670 -14.8	1653 -14.5	1679 -13.9	1716 -13.6	1763 -13.3	1818 -13.0	1892 -12.7	1985 -12.5	2093 -12.3	2223 -12.1	2376 -11.9	2552 -11.7	80
75	4767 -20.0	5113 -19.7	5511 -19.6	5942 -19.5	6385 -19.6	6819 -19.9	7223 -20.2	7576 -20.6	7860 -21.0	8061 -21.3	8168 -21.4	8172 -21.3	75
70	7468 -24.9	7933 -24.8	8459 -24.7	9023 -24.6	9598 -24.6	10155 -24.7	10667 -24.9	11110 -25.1	11462 -25.2	11705 -25.3	11827 -25.3	11821 -25.1	70
65	10681 -28.0	11204 -27.9	11791 -27.8	12411 -27.5	13039 -27.1	13639 -26.6	14181 -26.1	14640 -25.5	14993 -24.9	15223 -24.3	15324 -23.6	15285 -22.9	65
60	14243 -28.4	14757 -28.5	15328 -28.2	15923 -27.5	16517 -26.6	17072 -25.3	17560 -23.8	17956 -22.1	18263 -20.3	18407 -18.6	18443 -16.9	18350 -15.5	60
55	17968 -26.4	18409 -26.5	18891 -26.0	19387 -24.9	19862 -23.4	20293 -21.3	20658 -18.5	20912 -16.2	21073 -13.5	21112 -11.3	21058 -9.2	20881 -8.6	55
50	21691 -22.7	22006 -22.5	22340 -21.8	22671 -21.4	22971 -21.3	23244 -21.1	23381 -21.1	23457 -21.0	23439 -20.9	23323 -20.8	23121 -20.7	22847 -20.7	50
45	25288 -18.2	25436 -17.5	25591 -16.3	25704 -14.7	25783 -12.8	25799 -10.3	25739 -8.4	25595 -5.7	25369 -2.8	25070 0.3	24712 3.6	24315 6.6	45
40	28968 -14.8	29229 -14.2	29569 -13.6	29852 -12.6	29972 -11.2	29964 -8.4	29501 -5.0	28916 -1.6	28278 1.2	27619 3.7	26953 6.3	26316 9.9	40
35	31741 -9.5	31513 -8.6	31239 -7.1	30901 -5.2	30502 -3.8	30024 -2.3	29502 -0.7	28916 1.0	28278 2.5	27619 4.0	26953 5.5	26316 7.0	35
30	34435 -5.1	34036 -4.2	33568 -2.9	33029 -1.5	32419 0.3	31742 1.8	31011 3.4	30248 5.0	29451 6.6	28658 8.2	27848 9.8	27171 11.4	30
25	36661 -1.3	36128 0.2	35511 1.5	34813 2.8	34042 4.1	33211 5.4	32316 6.7	31446 8.0	30556 9.3	29687 10.6	28862 11.9	28139 13.2	25
20	38348 1.2	37732 2.5	37023 3.8	36239 5.1	35368 6.4	34458 7.7	33518 9.0	32578 10.3	31658 11.6	30781 12.9	29968 14.2	29242 15.5	20
15	39656 10.2	38814 13.1	38080 14.9	37266 15.2	36392 13.6	35482 10.2	34562 6.9	33655 3.6	32783 0.0	31962 -16.0	31213 -21.8	30555 -25.4	15
10	39973 14.5	39368 15.2	38675 15.3	37911 14.8	37101 13.3	36271 11.3	35444 8.1	34642 4.0	33879 -1.0	33169 -6.2	32527 -11.2	31963 -15.3	10
5	39912 16.9	39398 14.9	38803 12.9	38150 11.2	37464 10.6	36771 10.1	36091 9.7	35440 9.0	34826 7.5	34250 6.0	33745 4.8	33288 3.2	5
0	39284 16.5	38905 11.9	38450 8.1	37947 5.7	37421 5.1	36896 6.2	36386 8.5	35907 11.1	35450 13.3	35033 14.0	34650 12.9	34297 10.7	0
E. LONG LAT	120	125	130	135	140	145	150	155	160	165	170	175	E. LONG LAT

NORTH COMPONENT (X) WMM-90

LAT	180	185	190	195	200	205	210	215	220	225	230	235	L - LONG
90	-1839	-1953	-2013	-2073	-2123	-2153	-2173	-2170	-2153	-2129	-2078	-2004	90
85	1153	1047	915	761	589	400	203	57	-197	-387	-562	-715	85
80	4496	4349	4136	3863	3537	3166	2763	2338	1906	1478	1069	691	80
75	8071	7865	7560	7167	6686	6139	5543	4914	4270	3630	3013	2434	75
70	11685	11420	11034	10537	9943	9269	8534	7758	6962	6168	5397	4670	70
65	15109	14900	14365	13816	13168	12438	11643	10805	9944	9080	8235	7428	65
60	18132	17796	17349	16807	16169	15463	14699	13893	13061	12222	11390	10583	60
55	20613	20258	19825	19323	18762	18148	17491	16801	16085	15355	14619	13888	55
50	22314	22135	21724	21288	20830	20353	19854	19335	18795	18235	17657	17064	50
45	23899	23889	23401	22921	22479	22088	21673	21201	20780	20408	20098	19768	45
40	24913	24858	24408	23959	23517	23089	22673	22279	21910	21578	21282	20922	40
35	25734	25242	24862	24508	24163	23829	23503	23197	22918	22658	22419	22196	35
30	26542	26034	25669	25442	25247	25083	24939	24818	24723	24653	24608	24581	30
25	27402	26883	26539	26442	26381	26343	26319	26309	26308	26317	26333	26358	25
20	28319	27800	27457	27199	27008	26900	26862	26889	26909	26950	26970	26993	20
15	29007	28580	28276	28085	27990	27973	28015	28105	28233	28391	28569	28742	15
10	31497	31101	30801	30577	30417	30312	30255	30244	30273	30338	30429	30528	10
5	32886	32534	32329	32193	32110	32080	32074	32086	32103	32127	32160	32203	5
0	33964	33642	33423	33200	33078	33027	33024	33037	33050	33063	33074	33082	0

NORTH COMPONENT (X) WMM-90

E. LONG	240	245	250	255	260	265	270	275	280	285	290	295	E. LONG
LAT													LAT
90	-1923	-1827	-1718	-1593	-1468	-1334	-1158	-994	-823	-643	-459	-273	90
85	-841	-934	-989	-1004	-975	-900	-780	-616	-408	-163	123	437	85
80	356	1306	1406	1504	1509	1603	1605	1604	1601	1505	1406	1305	80
75	1002	1205	1405	1604	1800	1905	2002	2007	2009	2006	2004	1800	75
70	1911	1461	1004	821	652	593	547	500	469	440	428	424	70
65	4004	3417	2929	2549	2289	2159	2053	2009	2000	2000	2000	2000	65
60	6678	6004	5424	4954	4610	4404	4342	4323	4358	4423	4506	4604	60
55	9818	9109	8480	7898	7533	7282	7118	7049	7033	7051	7099	7158	55
50	13175	12494	11863	11304	10841	10496	10290	10236	10340	10598	10997	11514	50
45	16462	15863	15303	14739	14262	13877	13481	13481	13503	13679	14000	14442	45
40	19640	18969	18428	17998	17563	17124	16849	16858	16550	16480	16808	17278	40
35	21991	21667	21303	20914	20528	20148	19828	19588	19454	19447	19379	19332	35
30	24128	23954	23723	23439	23118	22782	22460	22203	21983	21884	21809	21807	30
25	25934	25891	25776	25587	25331	25028	24704	24393	24128	23942	23863	23912	25
20	27492	27542	27510	27386	27173	26884	26549	26199	25872	25603	25426	25369	20
15	28825	28921	28923	28832	28638	28345	27987	27596	27212	26909	26650	26450	15
10	29890	29982	29991	29897	29695	29393	29014	28590	28158	27755	27417	27177	10
5	30614	30660	30640	30532	30325	30021	29614	29192	28729	28281	27803	27567	5
0	30949	30821	30853	30730	30506	30184	29809	29329	28849	28369	27812	27328	0
	30905	30790	30821	30697	30473	30151	29776	29304	28817	28313	27814	27447	
	30804	30689	30720	30596	30372	30050	29675	29203	28716	28213	27714	27347	
E. LONG	240	245	250	255	260	265	270	275	280	285	290	295	E. LONG

NORTH COMPONENT (X) WMM-90

L. LONG	300	305	310	315	320	325	330	335	340	345	350	355	L. LONG
LAT													LAT
90	-84 9.28	106 8.6	595 7.4	481 6.1	664 4.7	843 3.3	1016 1.9	1177 2.5	1332 -1.0	1477 -2.2	1610 -3.8	1731 -5.2	90
85	122 2.21	1133 10.33	1828 16.1	1983 18.5	2559 23.0	2928 26.8	2973 27.3	3308 31.0	3608 33.0	3878 35.7	4102 38.0	4302 40.2	85
80	1694 17.6	3193 31.0	3718 35.8	3340 31.2	3268 29.9	4279 39.1	4363 39.7	5215 47.1	5628 51.4	5889 53.9	6193 56.9	6548 59.9	80
75	2910 29.2	3514 33.2	4140 38.1	4775 43.5	5400 49.0	6004 55.0	6573 60.7	7096 65.9	7566 70.6	7975 74.1	8319 77.5	8594 80.7	75
70	4578 45.6	5249 48.2	5941 55.0	6636 61.6	7314 67.4	7960 73.1	8559 78.7	9102 83.7	9591 88.2	9991 92.2	10329 95.7	10595 98.4	70
65	6735 67.4	7433 73.7	8152 79.0	8966 86.5	9556 91.2	10202 97.3	10792 102.9	11315 108.3	11767 113.6	12145 118.0	12447 121.7	12678 124.6	65
60	9302 93.0	9995 99.5	10708 103.0	11491 110.1	12079 115.2	12898 123.9	13254 127.5	13739 132.7	14148 137.4	14479 140.1	14739 142.8	14918 144.6	60
55	12120 121.2	12779 127.8	13460 134.6	14132 141.3	14768 147.7	15357 153.6	15869 158.7	16315 163.2	16684 166.8	16976 169.8	17191 171.9	17333 173.3	55
50	14993 149.9	15602 156.0	16243 162.4	16876 168.8	17468 174.7	18035 180.3	18527 185.3	18950 189.5	19300 193.0	19573 195.7	19771 197.7	19895 198.9	50
45	17240 172.4	18290 182.9	18887 188.9	19489 194.9	20075 200.8	20622 206.2	21116 211.2	21546 215.5	21908 219.1	22195 221.9	22404 224.0	22537 225.4	45
40	20224 202.2	20708 207.1	21252 212.5	21758 217.6	22411 224.1	23023 230.2	23583 235.8	24008 240.1	24418 244.2	24752 247.5	25005 250.1	25178 251.8	40
35	22356 223.6	22765 227.7	23272 232.7	23848 238.5	24463 244.6	25084 250.8	25685 256.9	26241 262.4	26733 267.3	27146 271.5	27471 274.7	27709 277.1	35
30	24410 244.1	24428 244.3	24887 248.9	25454 254.5	26101 261.0	26788 267.9	27478 274.8	28134 281.3	28727 287.3	29236 292.4	29651 296.5	29976 299.8	30
25	25443 254.4	25694 256.9	26093 260.9	26639 266.4	27202 272.0	28040 280.4	28806 288.1	29551 295.5	30236 302.4	30837 308.4	31343 313.4	31760 317.6	25
20	26472 264.7	26881 268.8	27402 274.0	27932 279.3	28589 285.9	29372 293.7	29855 298.6	30517 305.2	31069 310.7	31278 312.8	31303 313.0	31808 318.1	20
15	27068 270.7	27119 271.2	27328 273.3	27715 277.2	28255 282.6	28808 288.1	29823 298.2	30508 305.1	31053 310.5	31273 312.7	31329 313.3	32083 320.8	15
10	27342 273.4	27290 272.9	27368 273.7	27593 275.9	27951 279.5	28418 284.2	28955 289.6	29529 295.3	30113 301.1	30696 306.9	31278 312.8	31860 318.6	10
5	27448 274.5	27113 271.1	27023 270.2	27023 270.2	27130 271.3	27226 272.3	27322 273.2	27394 273.9	27408 274.1	27445 274.5	27456 274.6	27998 279.9	5
0	28929 289.3	26570 265.7	26270 262.7	26229 262.3	26248 262.5	26230 262.3	26263 262.6	26284 262.8	26298 263.0	26273 262.7	26258 262.6	26924 269.2	0
LAT													LAT
L. LONG	300	305	310	315	320	325	330	335	340	345	350	355	L. LONG

NORTH COMPONENT (X) WMM-90

LAT	0	5	10	15	20	25	30	35	40	45	50	55	L. LONG
0	27568	29049	29827	29196	28925	29079	29327	29384	29523	29693	29779	29557	0
-5	25829	25809	25808	25826	25807	25827	25808	25825	25805	25825	25818	25309	-5
-10	20479	20767	21027	21336	21606	22018	22297	23348	24124	25028	26096	27108	-10
-15	17199	17265	17393	17584	17858	18320	18778	19481	20239	21122	22048	22890	-15
-20	14441	14298	14249	14303	14496	14857	15409	16153	17068	18110	19225	20362	-20
-25	12343	12056	11898	11969	12025	12382	12946	13698	14600	15598	16636	17670	-25
-30	10859	10615	10418	10398	10258	10029	9611	9012	8209	7211	6072	4813	-30
-35	9285	8971	8613	8237	7861	7468	7068	6580	6028	5423	4768	4048	-35
-40	7616	7071	6508	5924	5327	4718	4099	3480	2850	2209	1568	913	-40
-45	5893	4816	3776	2869	2003	1282	6171	0	-330	-803	-1303	-1838	-45
-50	4098	2859	1633	4081	-1274	-3511	-5731	-7933	-10106	-12243	-14336	-16388	-50
-55	2253	1383	1111	1342	-1400	-3349	-5259	-7097	-8868	-10573	-12220	-13818	-55
-60	1591	1519	1494	1474	1433	14278	14261	13554	12842	12126	11408	10687	-60
-65	1012	1696	1617	1591	1542	1496	1442	1379	1315	1252	1188	1124	-65
-70	1780	1740	1695	1656	1589	1524	1451	1387	1323	1258	1193	1128	-70
-75	1817	1768	1712	1649	1578	1498	1407	1310	1221	1131	1040	968	-75
-80	1798	1721	1652	1582	1494	1402	1309	1221	1127	1037	946	854	-80
-85	1655	1594	1525	1455	1365	1268	1178	1087	995	903	810	717	-85
-90	1440	1373	1306	1229	1146	1059	970	879	786	693	600	507	-90

NORTH COMPONENT (X) WMM-90

E. LONG LAT	60	65	70	75	80	85	90	95	100	105	110	115	E. LONG LAT
0	34391 14.6	35252 14.0	36112 14.6	36941 14.3	37710 14.7	38388 14.9	38946 15.0	39765 15.2	39634 15.3	39751 15.5	39724 15.5	39564 15.2	0
-5	31540 12.5	32529 12.6	33503 12.5	34439 12.4	35316 12.6	36108 12.8	36795 12.8	37357 12.4	37783 12.1	38068 12.2	38210 12.3	38216 12.1	-5
-10	28303 9.0	29287 9.6	30259 9.9	31209 10.0	32128 10.2	33027 10.4	33908 10.5	34772 10.6	35629 10.7	35729 10.7	36118 10.8	36305 10.5	-10
-15	24718 10.8	25864 11.2	26957 11.5	27999 11.8	28999 12.1	29949 12.3	30839 12.5	31659 12.8	32392 13.0	33016 13.1	33514 13.2	33874 13.0	-15
-20	21484 12.2	22570 12.5	23613 12.6	24617 12.8	25585 12.9	26523 13.0	27431 13.1	28303 13.2	29121 13.3	29860 13.4	30493 13.4	30999 13.5	-20
-25	18672 13.6	19631 13.9	20547 14.0	21430 14.1	22289 14.2	23124 14.3	23936 14.4	24726 14.5	25494 14.6	26241 14.6	27178 14.6	27786 14.8	-25
-30	14508 14.9	15151 15.1	15804 15.2	16450 15.3	17097 15.4	17745 15.5	18394 15.5	19042 15.6	19690 15.6	20338 15.6	20985 15.5	21723 15.3	-30
-35	13361 15.1	13539 15.2	13699 15.2	13861 15.3	14028 15.3	14201 15.4	14371 15.4	14540 15.5	14710 15.5	14881 15.5	15053 15.6	15156 15.6	-35
-40	12143 15.3	12271 15.3	12403 15.3	12540 15.4	12681 15.4	12827 15.5	12978 15.5	13134 15.6	13295 15.6	13461 15.6	13632 15.6	13808 15.6	-40
-45	11336 15.6	11478 15.6	11624 15.6	11774 15.7	11928 15.7	12086 15.8	12248 15.8	12414 15.9	12584 15.9	12758 15.9	12936 15.9	13118 15.9	-45
-50	10743 15.9	10839 15.9	10939 15.9	11042 16.0	11148 16.0	11257 16.0	11369 16.1	11484 16.1	11601 16.1	11721 16.1	11844 16.1	11970 16.1	-50
-55	9979 16.1	10039 16.1	10102 16.1	10168 16.2	10237 16.2	10309 16.2	10384 16.2	10462 16.3	10543 16.3	10627 16.3	10714 16.3	10804 16.3	-55
-60	9146 16.4	9231 16.4	9319 16.4	9410 16.4	9503 16.4	9599 16.5	9697 16.5	9797 16.5	9899 16.5	9993 16.5	10090 16.5	10190 16.5	-60
-65	8258 16.8	8343 16.8	8431 16.8	8521 16.8	8613 16.8	8707 16.9	8803 16.9	8901 16.9	9001 16.9	9103 16.9	9207 16.9	9313 16.9	-65
-70	6915 17.0	7000 17.0	7088 17.0	7179 17.0	7272 17.1	7367 17.1	7464 17.1	7563 17.1	7664 17.1	7767 17.1	7872 17.1	7979 17.1	-70
-75	5309 17.5	5394 17.5	5482 17.5	5573 17.5	5666 17.5	5761 17.6	5858 17.6	5957 17.6	6058 17.6	6161 17.6	6266 17.6	6373 17.6	-75
-80	3849 18.0	3849 18.0	3849 18.0	3849 18.0	3849 18.0	3849 18.0	3849 18.0	3849 18.0	3849 18.0	3849 18.0	3849 18.0	3849 18.0	-80
-85	261 18.5	1803 18.5	341 18.5	1110 18.5	2318 18.5	3928 18.5	5568 18.5	7254 18.5	8986 18.5	10765 18.5	12591 18.5	14464 18.5	-85
-90	755 19.0	1803 19.0	341 19.0	1110 19.0	2318 19.0	3928 19.0	5568 19.0	7254 19.0	8986 19.0	10765 19.0	12591 19.0	14464 19.0	-90

NORTH COMPONENT (X) WMM-90

L. LONG	120	125	130	135	140	145	150	155	160	165	170	175	L. LONG
LAT													LAT
0	39294 16.5	34905 05.8	38450 8.1	37947 5.7	37421 5.1	36896 6.2	36380 8.5	35902 11.1	35459 13.5	35033 14.0	34650 12.9	34297 9.7	0
-5	39099 13.2	37980 05.2	37588 1.8	37251 1.2	36906 1.1	36592 6.2	36196 3.2	35871 9.1	35569 14.0	35282 7.4	34922 3.1	34607 3.8	-5
-10	38862 30.2	37813 11.1	37491 7.9	37161 10.1	36817 9.8	36483 18.2	36154 7.4	35825 5.2	35497 7.9	35182 9.2	34826 3.1	34523 3.3	-10
-15	38601 20.4	37516 15.8	37242 13.2	36913 13.1	36574 13.1	36246 16.2	35923 15.9	35602 15.2	35287 19.2	34982 17.9	34688 16.1	34409 20.2	-15
-20	38376 22.2	37222 18.1	36991 19.1	36662 18.1	36323 18.1	36001 19.2	35689 18.0	35382 21.2	35087 20.9	34802 20.2	34533 21.3	34287 17.1	-20
-25	38223 28.2	37042 23.2	36811 24.1	36482 23.1	36143 23.1	35821 24.2	35502 23.2	35191 26.2	34899 25.9	34627 25.2	34367 26.3	34127 22.1	-25
-30	38053 34.2	36852 28.2	36621 29.1	36292 28.1	35953 28.1	35631 29.2	35312 28.2	34999 31.2	34707 30.9	34432 30.2	34172 31.3	33927 27.1	-30
-35	37863 40.2	36652 34.2	36421 35.1	36092 34.1	35753 34.1	35431 35.2	35112 34.2	34801 37.2	34509 36.9	34232 36.2	33972 37.3	33727 33.1	-35
-40	37709 46.2	36452 40.2	36221 41.1	35892 40.1	35553 40.1	35231 41.2	34912 40.2	34601 43.2	34309 42.9	34032 42.2	33772 43.3	33527 39.1	-40
-45	37573 52.2	36252 46.2	36021 47.1	35692 46.1	35353 46.1	35031 47.2	34712 46.2	34401 49.2	34109 48.9	33832 48.2	33572 49.3	33327 45.1	-45
-50	37477 58.2	36052 52.2	35821 53.1	35492 52.1	35153 52.1	34831 53.2	34512 52.2	34201 55.2	33909 54.9	33632 54.2	33372 55.3	33127 51.1	-50
-55	37439 64.2	35852 58.2	35621 59.1	35292 58.1	34953 58.1	34631 59.2	34312 58.2	34001 61.2	33709 60.9	33432 60.2	33172 61.3	32927 57.1	-55
-60	37450 70.2	35652 64.2	35421 65.1	35092 64.1	34753 64.1	34431 65.2	34112 64.2	33801 67.2	33509 66.9	33232 66.2	32972 67.3	32727 63.1	-60
-65	37510 76.2	35452 70.2	35221 71.1	34892 70.1	34553 70.1	34231 71.2	33912 70.2	33601 73.2	33309 72.9	33032 72.2	32772 73.3	32527 69.1	-65
-70	37638 82.2	35252 76.2	35021 77.1	34692 76.1	34353 76.1	34031 77.2	33712 76.2	33401 79.2	33109 78.9	32832 78.2	32572 79.3	32327 75.1	-70
-75	37853 88.2	35052 82.2	34821 83.1	34492 82.1	34153 82.1	33831 83.2	33512 82.2	33201 85.2	32909 84.9	32632 84.2	32372 85.3	32127 81.1	-75
-80	38169 94.2	34852 88.2	34621 89.1	34292 88.1	33953 88.1	33631 89.2	33312 88.2	33001 91.2	32709 90.9	32432 90.2	32172 91.3	31927 87.1	-80
-85	38588 100.2	34652 94.2	34421 95.1	34092 94.1	33753 94.1	33431 95.2	33112 94.2	32801 97.2	32509 96.9	32232 96.2	31972 97.3	31727 93.1	-85
-90	39129 106.2	34452 100.2	34221 101.1	33892 100.1	33553 100.1	33231 101.2	32912 100.2	32601 103.2	32309 102.9	32032 102.2	31772 103.3	31527 99.1	-90
LAT													LAT
L. LONG	120	125	130	135	140	145	150	155	160	165	170	175	L. LONG

NORTH COMPONENT (X) WMM-90

L. LONG LAT	180	185	190	195	200	205	210	215	220	225	230	235	L. LONG LAT
0	31964 -4.7	3362 -14.2	3322 -18.5	3300 -24.1	3279 -30.3	3237 -35.2	3204 -40.0	3180 -44.2	3157 -48.3	3136 -52.2	3114 -56.3	3103 -60.7	0
-5	34509 -10.5	34310 -6.6	3387 -6.8	3351 -11.1	3319 -15.4	3272 -19.3	3228 -23.5	3203 -27.2	3181 -30.8	3161 -34.2	3142 -37.7	3128 -41.2	-5
-10	34350 -5.0	34102 -1.2	3378 -6.8	3345 -11.3	3305 -15.6	3264 -19.8	3222 -23.8	3199 -27.4	3178 -30.9	3158 -34.2	3139 -37.7	3126 -41.2	-10
-15	3480 -2.0	33294 -7.4	3303 -11.1	3273 -15.2	3237 -19.3	3198 -23.4	3159 -27.4	3139 -31.1	3121 -34.6	3104 -38.0	3089 -41.2	29615 -29.2	-15
-20	31963 -7.9	31860 -12.5	3169 -18.0	3146 -22.5	3119 -26.7	3087 -30.7	3055 -34.2	3023 -38.2	2989 -41.5	2955 -44.5	2917 -47.8	28795 -44.0	-20
-25	29935 -17.9	29935 -19.3	29874 -22.2	29763 -24.2	29605 -26.5	29416 -28.8	29208 -30.9	29005 -32.8	28799 -34.4	28595 -35.8	28379 -37.2	28122 -38.6	-25
-30	2752 -24.4	27697 -23.6	2737 -23.7	2712 -25.1	2672 -26.4	2627 -27.6	2579 -28.5	2529 -29.9	2478 -31.2	2425 -32.4	2370 -33.5	2314 -34.5	-30
-35	26948 -8.7	25182 -20.3	2538 -25.3	2554 -29.1	2569 -32.6	2574 -35.8	2570 -38.9	2558 -41.9	2537 -44.8	2517 -47.4	2498 -49.9	24799 -51.3	-35
-40	23305 -23.3	23553 -25.3	22825 -28.2	2212 -31.2	2182 -34.1	2152 -36.9	2122 -39.5	2092 -42.1	2062 -44.6	2032 -47.0	2002 -49.3	1972 -51.5	-40
-45	19843 -31.1	19795 -32.9	2025 -35.8	2062 -38.6	2102 -41.4	2142 -44.1	2182 -46.7	2222 -49.2	2262 -51.8	2302 -54.3	2342 -56.7	2382 -59.0	-45
-50	16218 -34.8	16861 -39.8	1737 -42.1	1786 -44.4	1836 -46.7	1886 -48.9	1936 -51.1	1986 -53.3	2036 -55.5	2086 -57.6	2136 -59.7	2186 -61.8	-50
-55	13026 -41.5	13651 -44.1	1427 -46.6	1488 -48.8	1548 -51.4	1608 -53.9	1667 -56.3	1725 -58.6	1783 -60.8	1841 -62.9	1898 -64.9	1955 -66.9	-55
-60	9376 -47.8	10078 -50.8	10718 -53.8	11376 -56.6	12060 -59.2	12760 -61.7	13480 -64.1	14170 -66.4	14850 -68.5	15550 -70.5	16250 -72.4	16950 -74.2	-60
-65	5327 -53.1	6077 -56.7	6814 -59.6	7537 -62.3	8246 -64.9	8934 -67.4	9602 -69.7	10250 -71.8	10888 -73.8	11516 -75.6	12134 -77.3	12742 -78.7	-65
-70	962 -57.8	1759 -61.2	2548 -63.8	3356 -66.1	4164 -68.2	4962 -70.1	5750 -71.8	6528 -73.3	7296 -74.6	8054 -75.8	8802 -76.9	9540 -77.8	-70
-75	3504 -60.2	3698 -62.8	3851 -65.1	3972 -67.2	4062 -69.0	4122 -70.6	4152 -72.0	4162 -73.2	4152 -74.2	4132 -75.0	4102 -75.7	4062 -76.2	-75
-80	2763 -62.7	2967 -65.8	3102 -68.0	3172 -69.9	3212 -71.5	3222 -72.8	3212 -73.8	3192 -74.6	3172 -75.2	3152 -75.6	3132 -75.9	3112 -76.1	-80
-85	11509 -60.5	10239 -62.2	9884 -63.9	9463 -65.0	8982 -65.8	8442 -66.4	7852 -66.7	7212 -66.8	6522 -66.8	5782 -66.6	5002 -66.2	4182 -65.6	-85
-90	14450 -54.0	13773 -57.2	13069 -59.8	12349 -61.9	11614 -63.6	10864 -64.9	10099 -65.8	9329 -66.4	8554 -66.6	7774 -66.5	6989 -66.2	6199 -65.6	-90

NORTH COMPONENT (X) WMM-90

L. LONG LAT	240	245	250	255	260	265	270	275	280	285	290	295	L. LONG LAT
0	30905	30790	30675	30560	30445	30330	30215	30100	29985	29870	29755	29640	0
-5	32828	32713	32598	32483	32368	32253	32138	32023	31908	31793	31678	31563	-5
-10	34751	34636	34521	34406	34291	34176	34061	33946	33831	33716	33601	33486	-10
-15	36674	36559	36444	36329	36214	36099	35984	35869	35754	35639	35524	35409	-15
-20	38597	38482	38367	38252	38137	38022	37907	37792	37677	37562	37447	37332	-20
-25	40520	40405	40290	40175	40060	39945	39830	39715	39600	39485	39370	39255	-25
-30	42443	42328	42213	42098	41983	41868	41753	41638	41523	41408	41293	41178	-30
-35	44366	44251	44136	44021	43906	43791	43676	43561	43446	43331	43216	43101	-35
-40	46289	46174	46059	45944	45829	45714	45599	45484	45369	45254	45139	45024	-40
-45	48212	48097	47982	47867	47752	47637	47522	47407	47292	47177	47062	46947	-45
-50	50135	50020	49905	49790	49675	49560	49445	49330	49215	49100	48985	48870	-50
-55	52058	51943	51828	51713	51598	51483	51368	51253	51138	51023	50908	50793	-55
-60	53981	53866	53751	53636	53521	53406	53291	53176	53061	52946	52831	52716	-60
-65	55904	55789	55674	55559	55444	55329	55214	55099	54984	54869	54754	54639	-65
-70	57827	57712	57597	57482	57367	57252	57137	57022	56907	56792	56677	56562	-70
-75	59750	59635	59520	59405	59290	59175	59060	58945	58830	58715	58600	58485	-75
-80	61673	61558	61443	61328	61213	61098	60983	60868	60753	60638	60523	60408	-80
-85	63596	63481	63366	63251	63136	63021	62906	62791	62676	62561	62446	62331	-85
-90	65519	65404	65289	65174	65059	64944	64829	64714	64600	64485	64370	64255	-90
LAT	240	245	250	255	260	265	270	275	280	285	290	295	L. LONG

NORTH COMPONENT (X) WMM-90

E. LONG	300	305	310	315	320	325	330	335	340	345	350	355	E. LONG
LAT													LAT
0	26929 -45.1	26570 -42.1	26270 -38.3	26029 -34.4	25848 -29.9	25730 -25.9	25684 -22.5	25723 -19.7	25858 -17.5	26103 -15.7	26461 -14.0	26924 -11.8	0
-5	26196 -52.3	25676 -52.3	25173 -51.1	24688 -49.9	24227 -46.6	23810 -43.7	23463 -40.8	23217 -38.0	23099 -35.3	23303 -30.7	23303 -30.7	23612 -29.2	-5
-10	25160 -56.9	24493 -59.6	23812 -61.0	23123 -61.1	22434 -60.7	21780 -59.2	21195 -57.5	20523 -55.8	20273 -54.1	20187 -50.0	20155 -47.4	20263 -45.1	-10
-15	23915 -60.3	23134 -65.0	22323 -68.3	21487 -71.8	20652 -70.2	19843 -68.3	19103 -65.6	18459 -63.0	17943 -60.6	17566 -58.2	17327 -63.5	17213 -60.6	-15
-20	22801 -63.4	21750 -69.2	20859 -74.2	19947 -78.0	19016 -80.7	18152 -82.3	17325 -83.1	16582 -82.9	15943 -81.6	15411 -80.1	14991 -77.4	14876 -76.9	-20
-25	21378 -67.1	20501 -73.4	19579 -76.9	18637 -83.3	17696 -86.8	16782 -89.4	15916 -91.4	15117 -91.7	14395 -91.4	13756 -89.9	13200 -87.2	12728 -85.0	-25
-30	20397 -70.9	19527 -77.2	18605 -82.3	17655 -89.5	16705 -90.6	15778 -92.4	14891 -95.1	14059 -95.9	13290 -95.6	12588 -94.0	11969 -92.6	11411 -91.1	-30
-35	19768 -73.8	18827 -80.2	18019 -84.7	17073 -88.7	16117 -91.7	15178 -93.8	14279 -94.8	13428 -94.2	12638 -93.8	11920 -91.2	11279 -88.7	10729 -86.1	-35
-40	19539 -74.8	18743 -80.3	17863 -84.6	16929 -87.8	15975 -89.8	15032 -90.6	14125 -90.2	13279 -88.9	12497 -86.1	11809 -82.3	11195 -77.3	10695 -71.1	-40
-45	19683 -76.3	18953 -82.8	18123 -86.8	17228 -89.1	16298 -90.9	15373 -91.7	14487 -90.8	13664 -88.6	12923 -85.4	12274 -81.7	11739 -77.3	11292 -72.8	-45
-50	20998 -78.3	19458 -84.8	18718 -88.8	17891 -92.2	17038 -94.8	16179 -96.8	15344 -97.4	14578 -96.6	13898 -94.8	13318 -91.0	12836 -87.2	12464 -83.6	-50
-55	20583 -80.3	20083 -86.8	19471 -90.2	18777 -92.7	18016 -94.8	17205 -96.8	16559 -97.6	15885 -96.6	15388 -93.8	14766 -90.4	14338 -87.2	14002 -83.6	-55
-60	20925 -78.1	20604 -81.5	20170 -83.6	19650 -85.9	19076 -87.4	18480 -89.1	17891 -89.7	17333 -87.9	16824 -85.9	16373 -83.8	15984 -81.7	15656 -79.2	-60
-65	20899 -78.9	20787 -82.8	20366 -84.2	20228 -85.3	19886 -86.8	19475 -86.8	19048 -85.5	18623 -82.1	18214 -79.1	17829 -75.9	17469 -72.7	17133 -69.4	-65
-70	20349 -82.9	20483 -86.3	20927 -89.7	20928 -90.8	20338 -92.2	20023 -93.6	19372 -94.4	18888 -94.8	18481 -94.1	18068 -92.6	17558 -90.1	17177 -87.7	-70
-75	19240 -86.6	19576 -87.2	19911 -86.1	19253 -82.3	20009 -76.7	19989 -75.2	19900 -73.3	19750 -71.0	19543 -68.4	19288 -65.8	18968 -63.2	18601 -60.6	-75
-80	17661 -86.8	16187 -86.9	14614 -86.8	12943 -86.3	19176 -86.0	19315 -85.3	19362 -84.4	19319 -83.4	19189 -81.2	18971 -78.9	18667 -76.1	18278 -73.4	-80
-85	15372 -87.2	16431 -83.7	16989 -80.0	17453 -76.3	17788 -72.8	18028 -69.3	18155 -65.8	18167 -62.3	18078 -58.8	17864 -56.4	17547 -53.9	17119 -51.4	-85
-90	13769 -87.1	14448 -84.0	15048 -80.6	15334 -77.1	15806 -73.1	16157 -69.6	16385 -66.1	16288 -62.6	16168 -59.1	15881 -56.5	15383 -53.9	14974 -51.4	-90
LAT													LAT
E. LONG	300	305	310	315	320	325	330	335	340	345	350	355	E. LONG

EAST COMPONENT (Y) WMM-90

E. LONG	0	5	10	15	20	25	30	35	40	45	50	55	E. LONG
LAT													LAT
90	-1158 -15.1	-094 14.5	-827 13.7	-643 12.0	-458 10.2	-273 10.8	-84 9.8	108 8.8	295 7.4	481 6.1	667 4.7	843 3.3	90
85	-1298 -18.1	-944 16.0	-584 15.4	-225 13.0	126 12.2	464 10.5	782 8.7	1076 6.8	1340 5.0	1570 3.2	1764 1.5	1919 -0.2	85
80	-1469 -19.9	-1023 21.7	-422 19.2	169 16.6	742 14.1	1286 11.5	1792 9.0	2250 6.7	2651 4.4	2986 2.6	3245 0.4	3422 -1.4	80
75	-1622 -24.0	-1061 23.8	-410 20.9	226 17.9	841 14.9	1425 12.1	1970 9.5	2468 7.2	2908 5.0	3281 3.1	3574 1.4	3778 -0.1	75
70	-1717 -26.6	-1057 25.9	-392 22.4	251 19.0	867 15.6	1450 12.5	1999 9.7	2499 7.3	2949 5.3	3337 3.6	3650 2.0	3875 0.2	70
65	-1738 -29.3	-1002 28.3	-345 24.3	278 20.3	863 16.3	1416 12.7	1930 9.5	2405 6.9	2835 4.8	3211 3.3	3522 2.3	3751 1.7	65
60	-1688 -19.1	-909 31.2	-267 26.7	323 22.3	863 17.4	1368 13.6	1823 10.1	2245 7.9	2629 5.4	2967 3.9	3248 2.1	3458 0.5	60
55	-1590 -15.3	-829 34.9	-174 30.6	379 24.6	870 18.0	1310 13.8	1709 10.9	2065 8.6	2385 6.6	2663 4.6	2887 2.6	3053 -0.6	55
50	-1472 -12.8	-738 38.2	-91 34.0	428 27.8	872 19.2	1258 14.8	1595 12.8	1890 10.0	2149 7.9	2343 5.3	2493 3.9	2588 2.6	50
45	-1349 -9.4	-645 42.0	53 38.3	464 34.2	858 18.8	1194 14.4	1488 11.1	1734 8.3	1918 6.1	2038 4.0	2108 2.8	2107 1.6	45
40	-1172 -6.6	-564 48.6	-79 42.6	394 35.0	779 26.6	1102 16.0	1374 10.1	1586 7.5	1723 5.3	1771 4.1	1738 3.0	1644 -3.9	40
35	-928 -14.9	-477 52.6	-191 46.3	273 38.3	647 29.3	970 20.2	1246 12.0	1449 8.3	1554 5.4	1540 4.0	1414 -3.1	1215 -2.1	35
30	-799 -17.7	-394 55.8	-394 49.2	168 40.6	451 11.8	792 22.8	1089 14.7	1308 8.7	1398 5.6	1331 3.1	1119 0.3	817 1.0	30
25	-603 -20.6	-326 61.3	-588 58.8	233 43.3	193 14.3	521 23.1	1808 16.0	2250 12.5	2738 17.3	3218 23.1	3738 27.3	430 4.3	25
20	-462 -24.6	-289 68.9	-873 58.3	267 45.3	117 11.7	308 28.8	2488 18.8	3088 23.8	3828 28.8	4518 33.8	5218 38.8	5918 43.8	20
15	-298 -29.8	-218 75.8	-1184 55.1	187 47.7	19.8 1.9	32.3 3.2	2523 18.2	3253 23.5	4023 29.2	4853 35.5	5723 41.8	6623 47.8	15
10	-184 -24.4	-164 81.4	-1814 51.1	104 49.4	1.4 0.1	1.4 0.1	2809 21.0	3529 26.3	4329 32.3	5189 38.3	6089 44.3	7029 49.3	10
5	-83 -10.3	-123 85.8	-2548 45.8	29 49.9	1.9 0.1	1.9 0.1	3809 29.9	4729 35.9	5689 41.9	6689 47.9	7729 53.9	8829 59.9	5
0	-413 -67.0	-338 63.8	-2630 53.2	196 49.6	1.6 0.1	1.6 0.1	4829 37.9	5829 43.9	6889 49.9	7989 55.9	9129 61.9	10329 67.9	0
LAT													LAT
E. LONG	0	5	10	15	20	25	30	35	40	45	50	55	E. LONG

EAST COMPONENT (Y) WMM-90

E. LONG LAT	60	65	70	75	80	85	90	95	100	105	110	115	E. LONG LAT
90	1919	1175	1136	1577	1918	1733	1839	1938	2017	-1978	-1125	-1258	90
85	2058	2103	2145	2349	2708	2858	1850	1837	-1719	-1678	-1438	-1308	85
80	2884	2906	2859	2738	2563	2333	2057	-1749	-1419	-1081	-750	-439	80
75	3510	3505	3405	3312	2931	2569	2139	1657	1141	613	95	-390	75
70	3881	3876	3759	3529	3178	2719	2169	1549	875	180	-503	-1747	70
65	3998	4005	3888	3639	3259	2768	2123	1403	618	-203	-1024	-1793	65
60	3884	3904	3798	3558	3170	2695	1988	1188	-363	-539	-1448	-2304	60
55	3583	3606	3512	3286	2920	2411	1763	991	122	-809	-1753	-2652	55
50	3147	3157	3067	2862	2530	2063	1461	733	-101	-1008	-1941	-2841	50
45	2628	2605	2509	2326	2036	1639	1103	659	-293	-1130	-2093	-2861	45
40	2078	2000	1889	1717	1673	1348	723	128	-164	-173	-1959	-2729	40
35	1519	1383	1241	1087	891	646	332	-64	-553	-1134	-1784	-2453	35
30	991	783	605	453	308	150	-40	-1365	-607	-1023	-1524	-2065	30
25	495	213	83	-158	-258	-329	-383	-468	-614	-853	-1193	-1596	25
20	17	-334	-583	-728	-790	-760	-692	-615	-581	-643	-820	-1083	20
15	-473	-882	-1157	-1290	-1290	-1177	-977	-739	-531	-420	-440	-564	15
10	-1018	-1669	-1758	-1869	-1910	-1898	-1763	-868	-493	-219	-1790	-2283	10
5	-1656	-2338	-2428	-2507	-2380	-2064	-1597	-1047	-512	-83	-178	-323	5
0	-2428	-2927	-3207	-3265	-3044	-2622	-2023	-1324	-635	-57	-352	-610	0

EAST COMPONENT (Y) WMM-90

L. LONG	120	125	130	135	140	145	150	155	160	165	170	175	E. LONG
LAT													LAT
90	-317.2	-317.1	-315.3	-312.3	-307.8	-300.4	-182.3	-182.5	-171.8	-159.3	-146.8	-131.6	90
85	-117.4	-116.3	-112.8	-109.8	-104.8	-101.3	-100.9	-112.8	-115.6	-120.6	-126.7	-119.3	85
80	1.60	-7.5	-8.8	-37.3	-42.9	-40.8	-32.8	-18.7	1.3	-8.8	-33.8	-8.2	80
75	-821	-117.6	-143.9	-159.9	-164.5	-157.8	-140.0	-111.8	-74.7	-101	1.98	73.1	75
70	-171.6	-7.1	-5.2	-27.9	-27.42	-26.17	-23.37	-2.1	-2.4	-7.35	-2.6	-6.2	70
65	-247.6	-30.3	-34.2	-39.3	-39.4	-34.5	-30.7	-25.3	-18.2	-10.2	-13.2	-6.2	65
60	-306.4	-4.7	-4.6	-4.1	-4.28	-4.0	-3.9	-2.97	-2.6	-1.37	-1.20	9.3	60
55	-345.6	-4.3	-5.3	-5.7	-6.54	-6.3	-37.3	-30.8	-27.0	-18.7	-8.7	11.38	55
50	-382.6	-42.2	-46.5	-49.4	-48.3	-43.8	-37.3	-31.6	-19.0	-12.3	-12.2	-11.2	50
45	-382.8	-43.1	-49.2	-52.4	-48.3	-40.4	-33.8	-25.8	-15.2	-11.3	-10.8	-11.7	45
40	-342.7	-38.2	-48.9	-48.8	-40.9	-35.8	-30.9	-18.3	-17.2	-16.9	-18.4	-32.6	40
35	-106.4	-5.8	-37.6	-37.2	-34.8	-32.9	-21.6	-15.1	-16.8	-18.2	18.3	28.1	35
30	-257.0	-11.9	-12.7	-30.6	-26.3	-20.3	-12.4	-10.8	-12.9	-15.6	25.94	34.07	30
25	-198.4	-14.1	-23.6	-21.8	-17.2	-10.8	-3.9	6.24	15.70	-10.6	33.28	40.16	25
20	-138.8	-16.2	-16.6	-12.3	-7.5	-5.9	3.6	15.76	24.66	33.1	40.42	48.00	20
15	-22.5	-21.8	-17.8	-10.9	-2.8	4.9	16.50	24.79	33.06	40.69	46.98	51.75	15
10	-24.3	-22.9	-17.9	-10.2	10.6	16.2	33.9	32.8	40.8	47.3	52.3	58.0	10
5	401	-21.8	-16.8	12.34	18.10	24.8	32.14	39.58	48.67	52.90	57.58	60.17	5
0	-79.8	-18.2	-13.3	19.2	24.18	30.7	35.6	46.8	58.8	63.5	63.5	63.2	0
LAT													LAT
E. LONG	120	125	130	135	140	145	150	155	160	165	170	175	E. LONG

EAST COMPONENT (Y) WMM-90

E. LONG LAT	180	185	190	195	200	205	210	215	220	225	230	235	E. LONG LAT
90	-1158	-994	-821	-643	-459	-273	-84	-104	-295	-681	-664	-843	90
85	-1096	-1154	-1199	-1229	-1239	-1207	-1123	-1065	-942	-783	-598	-367	85
80	-1039	-1133	-1204	-1325	-1443	-1572	-1651	-1756	-1628	-1136	-1611	-1923	80
75	-829	-1804	-2300	-2743	-3113	-3397	-3582	-3660	-3626	-3480	-3223	-2862	75
70	-1483	-2222	-2913	-3531	-4052	-4459	-4737	-4872	-4872	-4723	-4434	-4011	70
65	-1728	-2632	-3476	-4229	-4866	-5368	-5718	-5907	-5929	-5783	-5475	-5012	65
60	-1983	-2996	-3936	-4776	-5489	-6054	-6455	-6682	-6730	-6599	-6293	-5819	60
55	-2243	-3300	-4278	-5148	-5891	-6508	-6937	-7165	-7239	-7134	-6853	-6403	55
50	-2521	-3559	-4513	-5359	-6032	-6604	-7093	-7359	-7456	-7386	-7148	-6747	50
45	-2838	-3801	-4672	-5439	-6098	-6621	-7038	-7289	-7419	-7382	-7201	-6867	45
40	-3208	-4068	-4868	-5533	-6082	-6549	-6928	-7146	-7216	-7128	-6858	-6493	40
35	-3624	-4312	-4968	-5573	-6089	-6548	-6946	-7193	-7282	-7140	-6821	-6362	35
30	-4072	-4587	-5079	-5568	-6020	-6432	-6798	-7053	-7163	-6972	-6611	-6236	30
25	-4524	-4861	-5067	-5207	-5333	-5427	-5483	-5499	-5414	-5266	-5048	-4856	25
20	-4958	-4828	-4561	-4202	-3859	-3502	-3137	-2764	-2388	-2008	-1628	-1252	20
15	-5352	-4325	-3274	-2137	-938	2013	5032	8121	11173	14199	17204	20245	15
10	-5714	-3629	-1550	5427	2204	4933	8937	13600	17877	21969	26411	30710	10
5	-6021	-3908	-1829	3167	1154	2828	5976	9957	14936	20951	28458	38118	5
0	-6178	-4198	-2228	-3938	-5608	-7258	-8973	-10773	-12658	-14628	-16682	-18821	0

EAST COMPONENT (Y) WMM-90

E. LONG	240	245	250	255	260	265	270	275	280	285	290	295	E. LONG
LAT													LAT
90	-1014	-1177	-1332	-1477	-1610	-1731	-1839	-1933	-2012	-2076	-2124	-2156	90
85	-1174	-1337	-1492	-1637	-1770	-1891	-1999	-2093	-2172	-2236	-2284	-2316	85
80	-1328	-1491	-1646	-1791	-1924	-2045	-2153	-2257	-2350	-2432	-2504	-2566	80
75	-1476	-1639	-1794	-1939	-2072	-2193	-2301	-2405	-2508	-2600	-2682	-2754	75
70	-1618	-1781	-1936	-2081	-2214	-2335	-2443	-2547	-2650	-2752	-2844	-2926	70
65	-1754	-1917	-2072	-2217	-2350	-2471	-2579	-2683	-2786	-2888	-2980	-3062	65
60	-1884	-2047	-2202	-2347	-2480	-2601	-2709	-2813	-2916	-3018	-3110	-3192	60
55	-2008	-2171	-2326	-2471	-2604	-2725	-2833	-2937	-3040	-3142	-3234	-3316	55
50	-2126	-2289	-2444	-2589	-2722	-2843	-2951	-3055	-3158	-3260	-3352	-3434	50
45	-2238	-2401	-2556	-2701	-2834	-2955	-3063	-3167	-3270	-3372	-3464	-3546	45
40	-2344	-2507	-2662	-2807	-2940	-3061	-3169	-3273	-3376	-3478	-3570	-3652	40
35	-2444	-2607	-2762	-2907	-3040	-3161	-3269	-3373	-3476	-3578	-3670	-3752	35
30	-2538	-2701	-2856	-3001	-3134	-3255	-3363	-3467	-3570	-3672	-3764	-3846	30
25	-2626	-2789	-2944	-3089	-3222	-3343	-3451	-3555	-3658	-3760	-3852	-3934	25
20	-2708	-2871	-3026	-3171	-3304	-3425	-3533	-3637	-3740	-3842	-3934	-4016	20
15	-2784	-2947	-3102	-3247	-3380	-3501	-3609	-3713	-3816	-3918	-4010	-4092	15
10	-2854	-3017	-3172	-3317	-3450	-3571	-3679	-3783	-3886	-3988	-4080	-4162	10
5	-2918	-3081	-3236	-3381	-3514	-3635	-3743	-3847	-3950	-4052	-4144	-4226	5
0	-2976	-3139	-3294	-3439	-3572	-3693	-3801	-3905	-4008	-4110	-4202	-4284	0
LAT													LAT
E. LONG	240	245	250	255	260	265	270	275	280	285	290	295	E. LONG

EAST COMPONENT (Y) WMM-90

E. LONG LAT	300	305	310	315	320	325	330	335	340	345	350	355	E. LONG LAT
90	211- 212	071- 171	437- 438	431- 432	870- 871	400- 401	161- 162	291- 292	711- 712	561- 562	061- 062	911- 912	90
85	111- 112	521- 522	854- 855	554- 555	002- 003	902- 903	293- 294	303- 304	113- 114	403- 404	063- 064	913- 914	85
80	381- 382	281- 282	493- 494	193- 194	963- 964	563- 564	333- 334	603- 604	113- 114	403- 404	063- 064	913- 914	80
75	821- 822	082- 083	903- 904	713- 714	263- 264	963- 964	563- 564	333- 334	603- 604	113- 114	403- 404	913- 914	75
70	511- 512	382- 383	103- 104	463- 464	863- 864	463- 464	303- 304	673- 674	073- 074	363- 364	013- 014	863- 864	70
65	861- 862	192- 193	403- 404	163- 164	963- 964	563- 564	333- 334	603- 604	113- 114	403- 404	063- 064	913- 914	65
60	861- 862	192- 193	403- 404	163- 164	963- 964	563- 564	333- 334	603- 604	113- 114	403- 404	063- 064	913- 914	60
55	021- 022	701- 702	272- 273	102- 103	802- 803	402- 403	162- 163	962- 963	562- 563	332- 333	602- 603	112- 113	55
50	861- 862	192- 193	403- 404	163- 164	963- 964	563- 564	333- 334	603- 604	113- 114	403- 404	063- 064	913- 914	50
45	260- 261	701- 702	272- 273	102- 103	802- 803	402- 403	162- 163	962- 963	562- 563	332- 333	602- 603	112- 113	45
40	171- 172	492- 493	103- 104	463- 464	863- 864	463- 464	303- 304	673- 674	073- 074	363- 364	013- 014	863- 864	40
35	031- 032	701- 702	272- 273	102- 103	802- 803	402- 403	162- 163	962- 963	562- 563	332- 333	602- 603	112- 113	35
30	202- 203	701- 702	272- 273	102- 103	802- 803	402- 403	162- 163	962- 963	562- 563	332- 333	602- 603	112- 113	30
25	202- 203	701- 702	272- 273	102- 103	802- 803	402- 403	162- 163	962- 963	562- 563	332- 333	602- 603	112- 113	25
20	882- 883	283- 284	494- 495	194- 195	964- 965	564- 565	334- 335	604- 605	114- 115	404- 405	064- 065	914- 915	20
15	674- 675	384- 385	104- 105	464- 465	864- 865	464- 465	304- 305	674- 675	074- 075	364- 365	014- 015	864- 865	15
10	453- 454	284- 285	494- 495	194- 195	964- 965	564- 565	334- 335	604- 605	114- 115	404- 405	064- 065	914- 915	10
5	284- 285	384- 385	104- 105	464- 465	864- 865	464- 465	304- 305	674- 675	074- 075	364- 365	014- 015	864- 865	5
0	582- 583	282- 283	492- 493	192- 193	962- 963	562- 563	332- 333	602- 603	112- 113	402- 403	062- 063	912- 913	0

EAST COMPONENT (Y) WMM-90

E. LONG LAT	0	5	10	15	20	25	30	35	40	45	50	55	E. LONG LAT
0	-1.11	-3.38	-2.63	-2.93	-3.23	-3.53	-3.83	-4.13	-4.43	-4.73	-5.03	-5.33	0
-5	-1.67	-3.84	-2.61	-3.55	-4.27	-4.99	-5.71	-6.43	-7.15	-7.87	-8.59	-9.31	-5
-10	-2.08	-4.34	-2.82	-4.08	-5.14	-6.20	-7.26	-8.32	-9.38	-10.44	-11.50	-12.56	-10
-15	-2.37	-4.71	-3.20	-4.55	-5.90	-7.25	-8.60	-9.95	-11.30	-12.65	-14.00	-15.35	-15
-20	-2.59	-5.00	-3.50	-4.95	-6.40	-7.85	-9.30	-10.75	-12.20	-13.65	-15.10	-16.55	-20
-25	-2.78	-5.17	-3.68	-5.23	-6.68	-8.13	-9.58	-11.03	-12.48	-13.93	-15.38	-16.83	-25
-30	-2.95	-5.32	-3.85	-5.41	-6.86	-8.31	-9.76	-11.21	-12.66	-14.11	-15.56	-17.01	-30
-35	-3.07	-5.45	-3.98	-5.57	-7.02	-8.47	-9.92	-11.37	-12.82	-14.27	-15.72	-17.17	-35
-40	-3.16	-5.56	-4.09	-5.68	-7.14	-8.59	-10.04	-11.49	-12.94	-14.39	-15.84	-17.29	-40
-45	-3.23	-5.65	-4.19	-5.78	-7.25	-8.70	-10.15	-11.60	-13.05	-14.50	-15.95	-17.40	-45
-50	-3.28	-5.73	-4.28	-5.87	-7.35	-8.80	-10.25	-11.70	-13.15	-14.60	-16.05	-17.50	-50
-55	-3.31	-5.79	-4.36	-5.95	-7.44	-8.89	-10.34	-11.79	-13.24	-14.69	-16.14	-17.59	-55
-60	-3.33	-5.84	-4.44	-6.03	-7.52	-8.97	-10.42	-11.87	-13.32	-14.77	-16.22	-17.67	-60
-65	-3.34	-5.88	-4.51	-6.10	-7.60	-9.05	-10.50	-11.95	-13.40	-14.85	-16.29	-17.74	-65
-70	-3.35	-5.91	-4.58	-6.17	-7.67	-9.12	-10.57	-12.02	-13.47	-14.92	-16.36	-17.81	-70
-75	-3.35	-5.93	-4.64	-6.24	-7.74	-9.19	-10.64	-12.09	-13.54	-15.00	-16.43	-17.88	-75
-80	-3.35	-5.95	-4.70	-6.30	-7.80	-9.25	-10.70	-12.15	-13.60	-15.06	-16.49	-17.94	-80
-85	-3.35	-5.96	-4.75	-6.35	-7.85	-9.30	-10.75	-12.20	-13.65	-15.11	-16.54	-17.99	-85
-90	-3.35	-5.97	-4.80	-6.40	-7.90	-9.35	-10.80	-12.25	-13.70	-15.16	-16.59	-18.04	-90

EAST COMPONENT (Y) WMM-90

E. LONG LAT	60	65	70	75	80	85	90	95	100	105	110	115	E. LONG LAT
0	-2228	-2823	-3207	-3344	-3044	-2622	-2022	-1324	-634	-1120	-1324	-1814	0
-5	-1120	-1863	-4128	-4914	-1933	-3118	-2389	-1246	-808	-183	-1863	-1323	-5
-10	-4648	-4948	-3181	-5823	-4278	-4156	-3317	-2349	-1369	-493	-209	-633	-10
-15	-2701	-9123	-6373	-6265	-5855	-5156	-4218	-3132	-2019	-998	-144	533	-15
-20	-7044	-2501	-7662	-7508	-7043	-6281	-5267	-4089	-2855	-1693	-681	160	-20
-25	-3455	-8883	-9003	-8807	-8299	-7493	-6423	-5171	-3844	-2555	-1389	-389	-25
-30	-9869	-19252	-10348	-10113	-9275	-8138	-7038	-6343	-4944	-3548	-2243	-1867	-30
-35	-11198	-11570	-11631	-11382	-10827	-9980	-8770	-7353	-6111	-4635	-3207	-1878	-35
-40	-12423	-14779	-12830	-12576	-12022	-11181	-10080	-8764	-7302	-572	-4248	-2784	-40
-45	-13508	-13857	-13910	-13665	-13128	-12319	-11334	-9938	-8478	-6920	-5329	-3758	-45
-50	-14643	-14789	-14849	-14624	-14118	-13335	-12298	-11938	-9809	-8049	-6413	-4271	-50
-55	-15224	-15557	-15622	-15439	-14958	-14223	-13233	-12024	-10629	-9093	-7465	-5793	-55
-60	-15848	-16159	-16333	-16054	-15618	-14929	-14008	-12652	-11123	-10042	-8958	-6791	-60
-65	-16301	-16581	-16643	-16475	-16078	-15433	-14374	-13503	-12254	-10852	-9333	-7231	-65
-70	-16583	-16816	-16858	-16803	-16303	-15713	-14823	-13842	-12791	-11593	-10073	-8562	-70
-75	-16997	-16874	-16876	-16696	-16332	-15785	-15060	-14168	-13123	-11942	-10644	-9253	-75
-80	-16664	-16778	-16738	-16547	-16185	-15672	-15007	-14197	-13252	-12184	-11008	-9238	-80
-85	-16516	-16570	-16487	-16367	-15911	-15420	-14799	-14054	-13190	-12217	-11144	-9981	-85
-90	-16383	-16289	-16268	-15923	-15368	-14878	-14280	-13723	-12869	-12058	-11069	-9959	-90

EAST COMPONENT (Y) WMM-90

E. LONG	120	125	130	135	140	145	150	155	160	165	170	175	E. LONG
LAT													LAT
0	-799	-1021	-1254	-1824	2412	3077	3789	4480	5159	5737	6159	6376	0
-5	-20.0	-18.0	-17.0	-23.0	2863	3522	4210	4894	5539	6095	6494	6699	-5
-10	-1056	-1366	-1760	-2364	3176	3849	4520	5199	5833	6377	6775	6999	-10
-15	1153	1552	2018	2368	3376	4058	4752	5433	6068	6617	7033	7284	-15
-20	1090	1608	2136	2729	3487	4204	4923	5620	6268	6827	7263	7554	-20
-25	866	1503	2133	2792	3521	4298	5051	5774	6438	7015	7478	7806	-25
-30	566	1271	2018	2766	3527	4298	5051	5774	6438	7015	7478	7806	-30
-35	92	817	1802	2660	3507	4349	5194	5989	6703	7321	7833	8230	-35
-40	-664	649	1487	2478	3424	4334	5186	6028	6776	7429	7958	8385	-40
-45	-1519	122	1070	3198	3691	4260	4809	5327	5809	6263	6690	7091	-45
-50	-2249	-811	549	1808	3392	4088	4808	5437	6009	6528	6990	7395	-50
-55	-3156	-1597	-113	1285	3283	3779	4406	5019	5628	6193	6720	7201	-55
-60	-4118	-2472	-894	605	3009	3797	4608	5317	6040	6689	7259	7801	-60
-65	-5105	-3429	-1792	-228	1249	3023	3808	4519	5268	5928	6503	7058	-65
-70	-6082	-4423	-2783	-1190	335	3309	3309	4130	4946	5649	6249	6813	-70
-75	-6992	-5399	-3792	-2214	-689	793	3191	3502	4221	4851	5413	5938	-75
-80	-7791	-6283	-4749	-3211	-1692	-205	1835	2018	3135	3713	4233	4721	-80
-85	-8392	-6987	-5539	-4066	-2583	-1108	355	1785	3175	3939	4609	5198	-85
-90	-8796	-7566	-6179	-4944	-3571	-2171	-1253	1108	2532	3509	4286	4898	-90

EAST COMPONENT (Y) WMM-90

E. LONG	180	185	190	195	200	205	210	215	220	225	230	235	E. LONG
LAT													LAT
0	6376 -17.6	6198 -28.3	5928 -35.6	5636 -38.0	5409 -39.9	5258 -41.6	5177 -42.3	5125 -43.5	5069 -44.2	4998 -45.4	4926 -46.6	4867 -47.2	0
-5	6700 -11.0	6535 -18.7	6375 -27.4	6208 -30.0	6079 -32.4	5925 -36.2	5829 -37.9	5753 -39.1	5671 -40.7	5626 -41.9	5569 -42.8	5481 -43.7	-5
-10	7039 -11.0	6908 -19.8	6789 -29.8	6650 -35.0	6546 -39.6	6428 -44.8	6328 -49.8	6204 -54.4	6098 -59.0	6002 -63.2	5908 -66.8	5823 -70.2	-10
-15	7362 1.6	7306 7.3	7233 17.3	7148 28.8	7073 38.3	7017 48.3	6977 58.6	6906 68.8	6835 78.8	6785 88.5	6743 98.8	6706 108.8	-15
-20	7688 6.5	7687 14.6	7594 24.1	7457 34.0	7317 44.5	7197 54.3	7097 64.6	7006 74.8	6906 84.8	6825 94.8	6743 104.8	6697 114.8	-20
-25	7996 9.4	8061 10.0	8033 18.2	7949 27.1	7845 36.2	7745 45.8	7658 55.6	7574 65.4	7489 75.4	7388 85.1	7274 94.8	7159 104.8	-25
-30	8274 10.1	8398 10.0	8430 18.2	8397 27.1	8337 36.2	8258 45.8	8186 55.6	8125 65.4	8068 75.4	8010 85.1	7946 94.8	7875 104.8	-30
-35	8512 6.9	8687 9.1	8772 16.0	8789 24.1	8766 32.4	8726 41.6	8688 51.6	8663 61.6	8654 71.6	8656 81.6	8668 91.6	8662 101.6	-35
-40	8705 6.9	8925 4.6	9059 1.4	9128 -2.1	9155 -5.2	9165 -7.3	9178 -9.5	9209 -11.8	9264 -14.2	9341 -16.7	9429 -19.2	9513 -21.2	-40
-45	8849 4.7	9115 1.8	9303 -1.4	9430 -4.1	9521 -6.5	9597 -9.0	9680 -11.6	9784 -14.0	9917 -16.7	10075 -19.2	10245 -21.2	10408 -23.2	-45
-50	8944 3.0	9268 -2.4	9519 -6.7	9718 -11.0	9889 -15.5	10049 -19.8	10217 -24.1	10407 -28.4	10623 -32.3	10858 -36.1	11098 -39.8	11320 -43.0	-50
-55	8983 3.0	9385 -2.4	9723 -7.2	10016 -11.0	10283 -15.5	10540 -19.8	10804 -24.1	11082 -28.4	11375 -32.3	11676 -36.1	11966 -39.8	12222 -43.0	-55
-60	8961 4.1	9471 -1.1	9820 -7.8	10127 -11.6	10406 -16.0	10671 -19.7	10933 -24.1	11194 -28.4	11453 -32.3	11709 -36.1	11964 -39.8	12209 -43.0	-60
-65	8871 8.2	9516 6.6	10101 1.4	10638 -3.1	11143 -7.5	11618 -11.6	12073 -16.0	12507 -20.4	12919 -24.8	13308 -29.2	13684 -33.6	14049 -37.0	-65
-70	8708 8.6	9507 6.6	10246 1.4	10921 -3.1	11551 -7.5	12138 -11.6	12673 -16.0	13173 -20.4	13611 -24.8	14001 -29.2	14313 -33.6	14539 -37.0	-70
-75	8475 10.6	9429 10.0	10313 6.3	11130 1.9	11881 -2.1	12567 -6.5	13186 -11.0	13735 -15.7	14208 -19.8	14609 -24.1	14900 -28.4	15103 -32.3	-75
-80	8183 11.5	9270 11.0	10283 6.6	11225 2.1	12083 -2.8	12859 -7.2	13549 -11.6	14148 -16.0	14653 -20.4	15058 -24.8	15358 -29.2	15551 -33.6	-80
-85	7846 11.0	9032 9.9	10146 5.6	11176 1.2	12128 -3.2	12973 -7.6	13738 -12.0	14428 -16.4	14936 -20.8	15368 -25.2	15691 -29.6	15899 -33.0	-85
-90	7489 9.2	8723 10.2	9883 5.8	10981 1.4	11990 -3.2	12907 -7.6	13726 -12.0	14446 -16.4	15044 -20.8	15534 -25.2	15909 -29.6	16157 -33.0	-90
LAT													LAT
E. LONG	180	185	190	195	200	205	210	215	220	225	230	235	E. LONG

EAST COMPONENT (Y) WMM-90

E. LONG	240	245	250	255	260	265	270	275	280	285	290	295	E. LONG
LAT													LAT
0	5849 38.5	5861 29.1	5857 10.7	4766 -9.2	4502 -50.9	3988 -51.8	3175 -69.0	2054 -82.0	-863	-928	-8723	-7825	0
-5	5037 36.7	5029 26.7	5023 6.3	4955 -10.9	4741 -32.1	4225 -52.5	2569 -69.9	2508 -81.2	-1863	-402	-2115	-3847	-5
-10	5352 35.2	5311 23.7	5279 6.5	5208 -13.9	5019 -33.2	4626 -51.9	3958 -67.4	2977 -78.7	-1689	149	-1549	-3291	-10
-15	5802 29.4	5715 18.2	5658 6.0	5557 -12.9	5374 -33.1	5016 -49.8	4404 -63.7	3482 -73.8	-2252	756	-918	-2652	-15
-20	6361 22.6	6262 13.2	6153 0.0	6038 -13.2	5846 -31.0	5497 -45.7	4916 -58.0	4053 -69.3	-2868	1412	-7224	-1838	-20
-25	7028 17.0	6918 8.0	6802 -0.8	6675 -13.2	6462 -28.0	6103 -43.3	5532 -58.2	4886 -68.6	-3242	2833	-5221	-8162	-25
-30	7798 13.5	7678 4.8	7542 -8.2	7406 -21.6	7131 -36.8	6848 -49.8	6254 -61.9	5608 -70.5	-5281	3896	-3826	-5239	-30
-35	8959 14.8	8819 5.9	8638 -3.8	8485 -13.2	8228 -28.0	7863 -43.3	7063 -58.2	6053 -68.6	-2873	3702	-5158	-4723	-35
-40	10533 18.2	10396 20.0	10266 8.0	10109 -6.6	9922 -21.6	9586 -36.8	8871 -51.9	7933 -62.5	-3909	4547	-4425	-4220	-40
-45	11492 24.1	11343 27.0	11289 27.2	11228 22.4	11049 18.0	10808 13.0	10508 7.2	10259 2.4	-2828	3722	-3929	-3620	-45
-50	12414 24.5	12289 27.0	12289 27.2	12289 22.4	12078 18.0	11819 13.0	11559 7.2	11359 2.4	-1324	6314	-4862	-3367	-50
-55	13265 24.5	13143 27.0	13074 27.2	12974 22.4	12804 18.0	12559 13.0	12259 7.2	11959 2.4	8971	7215	5832	4403	-55
-60	14019 23.0	13904 24.5	13824 24.4	13724 22.4	13554 18.0	13309 13.0	13009 7.2	12709 2.4	-1308	-1928	-2321	-2722	-60
-65	14669 20.5	14609 20.5	14547 20.5	14484 18.0	14345 13.0	14112 11.0	13882 6.2	13652 2.4	9324	8975	7763	6509	-65
-70	15195 17.0	15171 16.9	15074 16.9	14950 13.0	14804 8.0	14628 6.2	14452 2.4	14276 2.4	10109	9725	8673	7503	-70
-75	15638 15.0	15593 15.0	15539 13.0	15450 11.0	15328 8.0	15182 6.2	15002 2.4	14799 2.4	11535	10538	9496	8396	-75
-80	15989 14.2	15908 13.0	15812 13.0	15684 11.0	15528 8.0	15382 6.2	15202 2.4	15022 2.4	12919	11383	10292	9158	-80
-85	16283 13.5	16283 13.5	16283 13.5	16283 13.5	16283 13.5	16283 13.5	16283 13.5	16283 13.5	12589	11695	10721	9669	-85
-90	16589 13.5	16589 13.5	16589 13.5	16589 13.5	16589 13.5	16589 13.5	16589 13.5	16589 13.5	12068	12068	11948	9959	-90
LAT													LAT
E. LONG	240	245	250	255	260	265	270	275	280	285	290	295	E. LONG

EAST COMPONENT (Y) WMM-90

E. LONG LAT	300	305	310	315	320	325	330	335	340	345	350	355	E. LONG LAT
0	-5930 -65.1	-7354 -49.2	-8513 -51.2	-9339 -63.2	-9763 -70.2	-9785 -71.0	-9532 -68.2	-8770 -62.2	-7899 -54.2	-6818 -44.2	-5922 -37.2	-4975 -28.2	0
-5	-5495 -68.2	-6962 -51.2	-8169 -54.2	-9021 -68.2	-9498 -74.2	-9584 -75.2	-9311 -68.2	-8751 -62.2	-7998 -54.2	-7148 -44.2	-6277 -37.2	-5436 -28.2	-5
-10	-6958 -85.2	-8442 -68.2	-9552 -75.2	-10391 -85.2	-10937 -90.2	-11177 -91.2	-10909 -85.2	-10248 -78.2	-9330 -68.2	-8227 -58.2	-7243 -50.2	-6277 -42.2	-10
-15	-4320 -61.2	-5805 -49.2	-7019 -54.2	-7902 -62.2	-8432 -68.2	-8624 -70.2	-8211 -62.2	-7495 -54.2	-6713 -46.2	-5852 -38.2	-5028 -30.2	-4253 -22.2	-15
-20	-3596 -57.2	-5078 -45.2	-6293 -51.2	-7188 -60.2	-7747 -66.2	-7990 -68.2	-7665 -60.2	-6935 -52.2	-6248 -44.2	-5633 -38.2	-5095 -32.2	-4624 -26.2	-20
-25	-2806 -51.2	-4286 -40.2	-5511 -47.2	-6427 -56.2	-7022 -62.2	-7318 -64.2	-6964 -56.2	-6220 -48.2	-5543 -40.2	-4996 -34.2	-4509 -28.2	-4082 -22.2	-25
-30	-1967 -46.2	-3447 -35.2	-4687 -42.2	-5633 -50.2	-6270 -56.2	-6628 -58.2	-6254 -50.2	-5455 -42.2	-4772 -34.2	-4272 -28.2	-3834 -22.2	-3448 -16.2	-30
-35	-1085 -41.2	-2561 -30.2	-3815 -37.2	-4793 -45.2	-5477 -51.2	-5884 -53.2	-5459 -45.2	-4706 -37.2	-4011 -29.2	-3499 -23.2	-3044 -17.2	-2644 -11.2	-35
-40	-3558 -43.2	-5017 -32.2	-6278 -40.2	-7384 -48.2	-8209 -54.2	-8805 -58.2	-8299 -50.2	-7399 -42.2	-6553 -34.2	-5823 -26.2	-5209 -18.2	-4702 -12.2	-40
-45	-8338 -48.2	-1201 -22.2	-1857 -30.2	-2488 -36.2	-3088 -42.2	-3608 -48.2	-3205 -40.2	-2408 -32.2	-1725 -24.2	-1178 -16.2	-751 -8.2	-4258 -12.2	-45
-50	-1885 -28.2	-491 -17.2	-751 -25.2	-1058 -33.2	-1433 -41.2	-1808 -48.2	-1395 -40.2	-808 -32.2	-415 -24.2	-172 -16.2	-68 -8.2	-4682 -12.2	-50
-55	-2088 -42.2	-1458 -28.2	-424 -19.2	-641 -27.2	-933 -35.2	-1261 -43.2	-819 -35.2	-329 -27.2	-168 -19.2	-71 -11.2	-31 -6.2	-2728 -12.2	-55
-60	4722 -14.2	2833 -9.2	1632 -2.2	545 5.2	1415 14.2	2257 22.2	1873 18.2	3907 39.2	3181 31.2	3724 37.2	4267 42.2	4834 48.2	-60
-65	5246 -8.2	4008 -5.2	2823 -2.2	1709 12.2	678 6.2	1704 17.2	1142 11.2	1954 19.2	2723 27.2	3470 34.2	4216 42.2	4980 49.2	-65
-70	6309 -3.2	5114 -1.2	3936 2.2	2797 20.2	1687 16.2	628 6.2	1388 13.2	1170 11.2	3326 33.2	3268 32.2	3204 32.2	3148 31.2	-70
-75	7255 2.2	6087 1.2	4906 2.2	3724 28.2	2547 25.2	1386 13.2	827 8.2	897 8.2	2020 20.2	3132 31.2	4238 42.2	5340 53.2	-75
-80	8021 7.2	6869 6.2	5662 5.2	4438 38.2	3195 31.2	1938 19.2	675 6.2	588 5.2	1848 18.2	3101 31.2	4344 43.2	5570 55.2	-80
-85	8542 12.2	7369 11.2	6137 10.2	4961 42.2	3552 35.2	2216 22.2	864 8.2	697 6.2	1858 18.2	3219 32.2	4548 45.2	5856 58.2	-85
-90	8794 17.2	7568 16.2	6379 15.2	4944 42.2	3574 35.2	2171 21.2	753 7.2	607 6.2	2082 20.2	3486 34.2	4809 48.2	6198 61.2	-90

VERTICAL COMPONENT (Z) WMM-90

LAT	0	5	10	15	20	25	30	35	40	45	50	55	E. LONG
90	56401 -21.4	56401 -21.4	56401 -21.4	56401 -21.4	56401 -21.4	56401 -21.4	56401 -21.4	56401 -21.4	56401 -21.4	56401 -21.4	56401 -21.4	56401 -21.4	90
85	55294 -12.5	55318 -12.5	55356 -12.7	55407 -12.9	55471 -13.1	55546 -13.5	55632 -13.9	55728 -14.4	55833 -14.9	55944 -15.5	56060 -16.2	56180 -16.9	85
80	53989 -2.2	54021 -2.0	54088 -2.1	54190 -2.3	54326 -2.7	54494 -3.3	54692 -4.0	54918 -4.9	55167 -5.9	55437 -7.1	55723 -8.3	56018 -9.7	80
75	52607 7.1	52631 7.5	52712 7.7	52852 7.6	53048 7.2	53299 6.5	53603 5.6	53956 4.5	54354 3.3	54790 1.9	55258 0.3	55750 -1.4	75
70	51182 13.8	51192 14.7	51278 15.1	51442 15.1	51680 14.7	51992 14.0	52375 13.1	52828 12.0	53345 10.7	53921 9.3	54549 7.8	55217 6.2	70
65	49661 17.8	49668 19.1	49764 19.8	49946 19.9	50212 19.6	50562 18.8	50994 17.9	51507 16.7	52100 15.4	52770 14.1	53508 12.9	54307 11.6	65
60	47930 19.5	47956 21.4	48078 22.5	48287 22.8	48581 22.5	48956 21.8	49414 20.6	49955 19.3	50581 17.8	51292 16.4	52086 15.1	52953 14.0	60
55	45863 18.3	45919 22.5	46090 24.2	46349 25.1	46678 25.8	47083 24.3	47557 22.8	48107 21.0	48726 19.6	49419 16.9	50189 15.1	51021 14.0	55
50	43273 18.7	43319 22.5	43558 25.8	43882 27.2	44278 27.8	44813 26.3	45319 24.8	45869 23.6	46487 22.0	47178 20.9	47946 19.6	48779 18.3	50
45	40096 16.2	40321 22.0	40650 26.6	41053 29.8	41507 31.3	41999 31.1	42528 29.2	43097 25.9	43713 21.7	44379 17.0	45093 12.4	45854 8.3	45
40	36222 11.6	36527 19.6	36938 26.3	37417 31.2	37933 34.0	38474 34.5	39039 32.6	39633 28.6	40257 23.3	40907 17.2	41574 11.1	42251 5.6	40
35	31570 4.6	31936 14.8	32410 23.7	32944 30.5	33503 34.6	34078 35.8	34675 34.0	35301 29.8	35952 23.9	36608 17.1	37246 10.2	37846 4.1	35
30	26988 4.8	26982 14.8	26982 23.7	27243 30.5	28113 34.6	28999 35.8	29318 34.0	29889 29.8	30674 23.9	31363 17.1	31997 10.2	32542 4.1	30
25	19782 18.2	20174 13.8	20668 13.7	21203 14.0	21552 14.0	22220 12.8	22952 12.0	23655 10.5	24404 10.0	25149 14.6	25803 17.1	26317 14.0	25
20	12813 5.3	13138 10.2	13574 10.2	14055 6.3	14553 7.6	15096 12.1	15726 14.5	16453 19.2	17268 15.8	18067 16.2	18757 17.1	19359 18.7	20
15	5453 -39.3	5661 -23.6	5990 -10.2	6373 -6.2	6793 -7.6	7288 12.1	7907 14.5	8672 19.4	9535 15.8	10389 16.2	11106 17.1	11592 18.7	15
10	-1853 -48.3	-1823 -38.3	-1864 -18.3	-1919 -14.3	-1911 -10.1	-963 -9.3	1158 11.5	1528 15.2	1823 18.2	2128 21.2	2433 24.3	2738 27.3	10
5	-8608 -54.9	-8816 -38.4	-8870 -23.8	-8807 -11.1	-8613 -9.9	-8243 -7.7	-7659 -14.8	-6873 -20.6	-5975 -25.5	-5121 -29.7	-4464 -33.4	-4112 -35.8	5
0	-13161 -148.3	-12836 -148.3	-12736 -148.3	-12727 -148.3	-12729 -148.3	-12728 -148.3	-12727 -148.3	-12728 -148.3	-12728 -148.3	-12728 -148.3	-12728 -148.3	-12728 -148.3	0

VERTICAL COMPONENT (Z) WMM-90

E. LONG	60	65	70	75	80	85	90	95	100	105	110	115	E. LONG
LAT													LAT
90	59401	59421	59401	59401	59401	59401	59401	59401	59401	59401	59401	59401	90
85	59302	59421	59543	59658	59769	59872	59967	57052	57127	57191	57248	57283	85
80	59320	59620	59914	57196	57259	57899	57910	58089	58233	58339	58407	58437	80
75	59355	59763	57262	57741	58186	58586	58930	59209	59415	59544	59593	59564	75
70	59913	59928	57328	58002	58635	59203	59882	60059	60212	60452	60653	60726	70
65	59150	59019	59890	57739	58534	59247	59842	60308	60607	60728	60661	60407	65
60	59879	59845	59825	59786	59694	59510	59194	59711	60028	60121	59975	59928	60
55	59263	59258	59068	59066	59012	58828	57596	59120	59316	59399	59263	57157	55
50	49672	50814	51883	52548	53660	54793	55990	57203	57778	58899	59990	59890	50
45	46657	47493	48349	49202	50020	50861	51783	52736	53699	54720	55766	56806	45
40	42934	43924	44329	45210	45679	46276	46780	47140	47307	47233	46979	46988	40
35	38405	38932	39441	39936	40410	40842	41204	41460	41568	41477	41134	40495	35
30	32991	33359	33678	33971	34244	34493	34704	34855	34916	34835	34553	34010	30
25	26677	26907	27052	27153	27235	27307	27356	27439	27469	27429	27247	26849	25
20	19551	19666	19661	19593	19504	19422	19370	19364	19398	19430	19380	19163	20
15	13826	13833	13926	13981	13944	13933	13929	13929	13931	13949	13949	13829	15
10	3809	3708	3723	3782	3752	3799	3779	3729	3725	3720	3738	3724	10
5	4086	4032	4129	4156	4184	4219	4202	4179	4111	4073	4061	4029	5
0	11438	11883	12512	13220	13911	14491	14871	14984	14812	14412	13897	13342	0
LAT													LAT
E. LONG	60	65	70	75	80	85	90	95	100	105	110	115	E. LONG

VERTICAL COMPONENT (Z) WMM-90

LAT	120	125	130	135	140	145	150	155	160	165	170	175	L. LONG
90	58401 -27.5	58401 -28.5	58401 -28.5	58401 -28.6	58401 -28.6	58401 -28.6	58401 -28.6	58401 -28.6	58401 -28.6	58401 -28.6	58401 -28.6	58401 -28.6	90
85	57313 -27.5	57334 -28.1	57344 -28.5	57344 -28.6	57338 -28.8	57329 -28.6	57309 -28.6	57279 -27.8	57248 -27.2	57219 -26.6	57188 -25.9	57157 -25.2	85
80	56432 -27.5	56395 -28.1	56328 -28.5	56238 -28.6	56128 -28.8	56007 -28.6	55879 -28.6	55751 -27.8	55627 -27.2	55513 -26.6	55412 -25.9	55328 -25.2	80
75	55462 -25.4	55293 -26.2	55067 -26.6	54798 -26.6	54498 -26.2	54183 -25.6	53866 -24.6	53563 -23.2	53285 -22.1	53045 -20.7	52849 -19.2	52706 -17.9	75
70	54074 -19.2	53716 -20.0	53263 -26.3	52745 -26.3	52182 -26.2	51609 -26.3	51047 -26.7	50498 -27.18	50051 -28.03	49663 -28.63	49363 -29.63	49163 -30.63	70
65	52977 -9.6	52391 -10.1	51877 -10.9	51428 -10.8	51019 -10.7	50683 -10.6	50410 -10.6	50243 -10.6	50176 -10.6	50176 -10.6	50176 -10.6	50176 -10.6	65
60	50972 -9	50155 -2	51174 -0	50080 -3	54929 -1.0	53778 -2.2	52682 -3.8	51691 -5.7	50944 -7.8	50176 -10.6	49202 -12.2	48441 -14.3	60
55	50968 -11.2	50433 -10.8	54725 -10.6	53378 -10.6	51973 -10.7	50584 -11.1	49178 -11.4	48112 -11.8	47134 -12.1	46376 -12.4	45859 -12.5	45593 -12.5	55
50	50965 -10.8	52779 -10.4	51380 -10.4	49844 -10.9	48256 -11.1	46703 -11.2	45261 -11.1	43996 -10.9	42954 -10.6	42167 -10.5	41652 -10.8	41414 -11.5	50
45	50013 -26.0	48733 -26.3	47229 -26.5	45587 -24.3	43904 -22.6	42278 -20.3	40793 -17.4	39514 -14.1	38490 -10.7	37747 -7.2	37295 -4.3	37131 -2.2	45
40	43183 -30.1	43884 -29.0	42361 -28.7	40706 -26.7	39028 -24.0	37429 -20.7	35998 -16.9	34800 -12.0	33880 -8.9	33258 -6.6	32938 -5.2	32905 -4.1	40
35	30544 -32.6	30307 -31.3	30853 -30.0	32283 -28.3	33210 -26.3	34241 -23.3	30962 -15.2	29937 -10.6	29293 -5.3	28778 -0.6	28656 -0.4	28811 -11.1	35
30	33179 -33.79	33078 -33.078	30779 -30.679	29384 -22.8	28013 -19.3	26769 -16.6	25733 -14.0	24962 -11.2	24487 -7.6	24322 -6.0	24553 -4.3	24843 -2.6	30
25	26193 -33.3	25293 -32.7	24418 -31.8	23077 -27.0	21988 -24.0	21048 -21.0	20324 -18.4	19874 -16.74	19713 -15.13	19850 -14.50	20266 -12.8	20907 -9.9	25
20	18723 -31.6	18069 -22.09	17370 -13.0	16436 -8.36	15688 -5.8	15096 -3.2	14735 -11.8	14631 -17.1	14808 -21.08	15262 -24.6	15965 -33.09	16852 -49.5	20
15	10928 -21.28	10339 -16.34	10069 -10.69	9537 -9.1	9136 -8.16	8917 -7.17	8915 -9.1	9161 -18.61	9662 -28.6	10413 -35.9	11376 -48.76	13883 -88.83	15
10	2956 -21.24	2834 -20.8	2629 -19	2445 -18.6	2379 -19.8	2493 -25.2	2819 -37.0	3370 -52.4	4158 -68.2	5258 -88.2	6328 -108.2	7602 -136.2	10
5	-1053 -13.53	-4333 -43.33	-5879 -58.79	-4782 -47.82	-4668 -46.68	-4176 -41.76	-3392 -33.92	-2807 -28.07	-2122 -21.22	-634 -6.34	697 6.97	3092 30.92	5
0	-12989 -5.0	-12669 -5.0	-12400 -13.0	-12088 -19.28	-11658 -20.8	-11072 -10.72	-10311 -8.0	-9371 -4.3	-8246 -18.1	-6958 -30.58	-5524 -40.24	-4053 -40.53	0

VERTICAL COMPONENT (Z) WMM-90

L. LONG LAT	180	185	190	195	200	205	210	215	220	225	230	ZSS	L. LONG LAT
90	56401 -21.2	56401 -21.2	56401 -21.2	56401 -21.2	56401 -21.2	56401 -21.2	56401 -21.2	56401 -21.2	56401 -21.2	56401 -21.2	56401 -21.2	56401 -21.2	90
85	57127 -26.0	57097 -25.8	57068 -25.5	57040 -25.2	57013 -24.9	56986 -24.6	56959 -24.3	56932 -24.0	56905 -23.7	56878 -23.4	56851 -23.0	56824 -22.7	85
80	57263 -27.2	57218 -27.0	57190 -26.8	57161 -26.5	57133 -26.2	57105 -25.9	57077 -25.6	57049 -25.3	57021 -25.0	56993 -24.7	56965 -24.4	56937 -24.1	80
75	56618 -16.6	56586 -16.4	56554 -16.2	56522 -16.0	56490 -15.8	56458 -15.6	56426 -15.4	56394 -15.2	56362 -15.0	56330 -14.8	56298 -14.6	56266 -14.4	75
70	55077 -9.7	55092 -9.4	55107 -9.1	55122 -8.8	55137 -8.5	55152 -8.2	55167 -7.9	55182 -7.6	55197 -7.3	55212 -7.0	55227 -6.7	55242 -6.4	70
65	52930 -2.3	52916 -2.1	52902 -1.9	52888 -1.7	52874 -1.5	52860 -1.3	52846 -1.1	52832 -0.9	52818 -0.7	52804 -0.5	52790 -0.3	52776 -0.1	65
60	49393 -17.5	49356 -17.2	49319 -16.9	49282 -16.6	49245 -16.3	49208 -16.0	49171 -15.7	49134 -15.4	49097 -15.1	49060 -14.8	49023 -14.5	48986 -14.2	60
55	45379 -17.5	45312 -17.2	45245 -16.9	45178 -16.6	45111 -16.3	45044 -16.0	44977 -15.7	44910 -15.4	44843 -15.1	44776 -14.8	44709 -14.5	44642 -14.2	55
50	41448 -14.8	41242 -14.5	41036 -14.2	40830 -13.9	40624 -13.6	40418 -13.3	40212 -13.0	40006 -12.7	39800 -12.4	39594 -12.1	39388 -11.8	39182 -11.5	50
45	37242 -12.3	37010 -12.0	36778 -11.7	36546 -11.4	36314 -11.1	36082 -10.8	35850 -10.5	35618 -10.2	35386 -9.9	35154 -9.6	34922 -9.3	34690 -9.0	45
40	33135 -9.2	32993 -9.0	32851 -8.8	32709 -8.6	32567 -8.4	32425 -8.2	32283 -8.0	32141 -7.8	32000 -7.6	31858 -7.4	31716 -7.2	31574 -7.0	40
35	29203 -14.0	29178 -13.8	29153 -13.6	29128 -13.4	29103 -13.2	29078 -13.0	29053 -12.8	29028 -12.6	29003 -12.4	28978 -12.2	28953 -12.0	28928 -11.8	35
30	25425 -14.0	25399 -13.8	25373 -13.6	25347 -13.4	25321 -13.2	25295 -13.0	25269 -12.8	25243 -12.6	25217 -12.4	25191 -12.2	25165 -12.0	25139 -11.8	30
25	21694 -4.0	21539 -3.8	21384 -3.6	21229 -3.4	21074 -3.2	20919 -3.0	20764 -2.8	20609 -2.6	20454 -2.4	20299 -2.2	20144 -2.0	19989 -1.8	25
20	17829 -11.7	17791 -11.5	17753 -11.3	17715 -11.1	17677 -10.9	17639 -10.7	17601 -10.5	17563 -10.3	17525 -10.1	17487 -9.9	17449 -9.7	17411 -9.5	20
15	13816 -28.2	13778 -28.0	13740 -27.8	13702 -27.6	13664 -27.4	13626 -27.2	13588 -27.0	13550 -26.8	13512 -26.6	13474 -26.4	13436 -26.2	13398 -26.0	15
10	9858 -40.4	9855 -40.2	9852 -40.0	9849 -39.8	9846 -39.6	9843 -39.4	9840 -39.2	9837 -39.0	9834 -38.8	9831 -38.6	9828 -38.4	9825 -38.2	10
5	3436 -44.5	3433 -44.3	3430 -44.1	3427 -43.9	3424 -43.7	3421 -43.5	3418 -43.3	3415 -43.1	3412 -42.9	3409 -42.7	3406 -42.5	3403 -42.3	5
0	-2644 -38.4	-2600 -38.1	-2556 -37.8	-2512 -37.5	-2468 -37.2	-2424 -36.9	-2380 -36.6	-2336 -36.3	-2292 -36.0	-2248 -35.7	-2204 -35.4	-2160 -35.1	0

VERTICAL COMPONENT (Z) WMM-90

LAT	240	245	250	255	260	265	270	275	280	285	290	295	LAT
90	56401 -21.4	56401 -21.4	56401 -21.4	56401 -21.4	56401 -21.4	56401 -21.4	56401 -21.4	56401 -21.4	56401 -21.4	56401 -21.4	56401 -21.4	56401 -21.4	90
85	56759 -22.2	56713 -21.6	56660 -21.0	56603 -20.4	56538 -19.8	56469 -19.2	56395 -18.6	56315 -18.0	56232 -17.4	56145 -16.8	56056 -16.2	55966 -15.6	85
80	57403 -21.0	57389 -20.4	57353 -19.8	57294 -19.2	57210 -18.6	57101 -18.0	56969 -17.4	56813 -16.8	56636 -16.2	56449 -15.6	56229 -15.0	56006 -14.4	80
75	58216 -20.3	58304 -19.7	58346 -19.1	58335 -18.5	58270 -17.9	58149 -17.3	57971 -16.7	57740 -16.1	57461 -15.5	57137 -14.9	56776 -14.3	56387 -13.7	75
70	58926 -20.6	59178 -19.9	59350 -19.2	59434 -18.6	59224 -18.0	58918 -17.4	58511 -16.8	58012 -16.2	57435 -15.6	56763 -15.0	56056 -14.4	55286 -13.8	70
65	59183 -20.2	59644 -19.5	59994 -18.8	60209 -18.2	60291 -17.6	60229 -17.0	60028 -16.4	59678 -15.8	59188 -15.2	58586 -14.6	57885 -14.0	57088 -13.4	65
60	59653 -19.8	59345 -19.1	58896 -18.4	60286 -17.8	60493 -17.2	60318 -16.6	60242 -16.0	59970 -15.4	59412 -14.8	58688 -14.2	57823 -13.6	56856 -13.0	60
55	57121 -19.7	58043 -19.0	58811 -18.3	59394 -17.6	59769 -17.0	59911 -16.4	59806 -15.8	59451 -15.2	58854 -14.6	58036 -14.0	57034 -13.4	55893 -12.8	55
50	54557 -19.0	54881 -18.3	54953 -17.6	54734 -17.0	54508 -16.4	54273 -15.8	53983 -15.2	53625 -14.6	53189 -14.0	52672 -13.4	52085 -12.8	51428 -12.2	50
45	51107 -17.7	52383 -18.4	53518 -19.1	54475 -19.8	55203 -20.4	55653 -21.0	55882 -21.6	55873 -22.2	55619 -22.8	55136 -23.4	54436 -24.0	53580 -24.6	45
40	47019 -16.9	48364 -17.6	49609 -18.3	50897 -19.0	52168 -19.7	53248 -20.4	54023 -21.0	54473 -21.6	54549 -22.2	54225 -22.8	53521 -23.4	52476 -24.0	40
35	42508 -16.7	43863 -17.4	45145 -18.1	46301 -18.8	47266 -19.4	47971 -20.1	48351 -20.7	48323 -21.3	47961 -21.9	47264 -22.6	45997 -23.2	44523 -23.8	35
30	37738 -16.2	39027 -16.9	40279 -17.6	41445 -18.3	42458 -19.0	43248 -19.7	43723 -20.3	43838 -20.9	43549 -21.5	42841 -22.2	41732 -22.8	40276 -23.4	30
25	32748 -15.8	33917 -16.5	35009 -17.2	36026 -17.9	36952 -18.6	37802 -19.2	38609 -19.9	38900 -20.5	38631 -21.1	38138 -21.7	37419 -22.4	35719 -23.0	25
20	27818 -15.3	28543 -16.0	29613 -16.7	30695 -17.4	31729 -18.1	32628 -18.8	33303 -19.4	33660 -20.0	33629 -20.6	33162 -21.2	32603 -21.8	31859 -22.4	20
15	22053 -14.5	22930 -15.2	23895 -15.9	24930 -16.6	25976 -17.3	26949 -18.0	27733 -18.6	28329 -19.2	28756 -19.8	28942 -20.4	28277 -21.0	26968 -21.5	15
10	16407 -14.0	17158 -14.7	18038 -15.4	18959 -16.1	20002 -16.8	21152 -17.5	22408 -18.2	23708 -18.9	24991 -19.5	26149 -20.2	26813 -20.8	26829 -21.4	10
5	10703 -13.5	11368 -14.2	12186 -14.9	13161 -15.6	14252 -16.3	15369 -17.0	16390 -17.7	17282 -18.4	17625 -19.0	17636 -19.6	17156 -20.2	16168 -20.8	5
0	5073 -13.0	5702 -13.7	6485 -14.4	7440 -15.1	8539 -15.8	9703 -16.5	10913 -17.2	12208 -17.9	12323 -18.5	12484 -19.1	12147 -19.7	11285 -20.3	0

VERTICAL COMPONENT (Z) WMM-90

E. LONG LAT	300	305	310	315	320	325	330	335	340	345	350	355	E. LONG LAT
90	59401	59401	59401	59401	59401	59401	59401	59401	59401	59401	59401	59401	90
85	55879	55788	55702	55621	55548	55472	55398	55326	55251	55180	55108	55033	85
80	52775	52542	52310	52082	51858	51637	51418	51203	50991	50782	50576	50373	80
75	50977	50558	50137	49724	49311	48903	48500	48102	47709	47321	46938	46560	75
70	50242	5010	54977	54358	53768	53219	52722	52285	51856	51443	51046	50664	70
65	50577	50229	50125	50144	50262	50483	50802	51309	51940	52708	49925	49248	65
60	55813	54744	53683	52667	51708	50843	50082	49432	48898	48488	48188	48005	60
55	56659	53393	52142	50952	49856	48878	48031	47323	46756	46330	46041	45882	55
50	52732	51293	49878	48545	47332	46268	45363	44623	44046	43626	43363	43249	50
45	50051	48466	46909	45450	44138	43003	42053	41287	40693	40297	40003	40003	45
40	46708	45002	43316	41759	40327	39112	38106	37304	36701	36294	36083	36064	40
35	42831	41022	39227	37527	35988	34663	33561	32682	32021	31581	31363	31366	35
30	38557	36684	34770	32923	31226	29734	28471	27448	26669	26143	25878	25868	30
25	34018	32089	30068	28056	26151	24421	22917	21669	20698	20027	19668	19394	25
20	30289	28339	26316	24224	22069	19843	17628	15485	14259	13383	12866	12492	20
15	24455	22500	20486	18416	16297	14155	11903	9633	7618	6008	5793	5665	15
10	19273	17223	15143	13017	10873	8756	6608	4488	2451	1031	1132	1654	10
5	14098	13272	10961	7859	5068	2368	1572	1436	1279	1001	643	278	5
0	9904	8041	5259	3151	353	2482	1591	7636	9221	11409	12718	13673	0
LAT	300	305	310	315	320	325	330	335	340	345	350	355	E. LONG LAT

VERTICAL COMPONENT (Z) WMM-90

E. LONG LAT	0	5	10	15	20	25	30	35	40	45	50	55	E. LONG LAT
0	-14393	-14393	-15378	-17911	-62351	-62351	-7271	-6181	-2291	-2091	-2291	-2291	0
-5	-18823	-19551	-20090	-21502	-51140	-51140	-69761	-69761	-35881	-32271	-35881	-35881	-5
-10	-5555	-22827	-22827	-68632	-69142	-68632	-30922	-30922	-8745	-24022	-22827	-22827	-10
-15	-1875	-22827	-22827	-68632	-69142	-68632	-30922	-30922	-67692	-22827	-22827	-22827	-15
-20	-2071	-22827	-22827	-68632	-69142	-68632	-30922	-30922	-219	-6582	-22827	-22827	-20
-25	-2471	-22827	-22827	-68632	-69142	-68632	-30922	-30922	-2692	-50822	-22827	-22827	-25
-30	-2471	-22827	-22827	-68632	-69142	-68632	-30922	-30922	-2222	-22827	-22827	-22827	-30
-35	-24032	-24032	-24032	-52982	-69682	-69682	-25292	-25292	-2222	-22827	-22827	-22827	-35
-40	-24032	-24032	-24032	-52982	-69682	-69682	-25292	-25292	-2222	-22827	-22827	-22827	-40
-45	-24032	-24032	-24032	-52982	-69682	-69682	-25292	-25292	-2222	-22827	-22827	-22827	-45
-50	-24032	-24032	-24032	-52982	-69682	-69682	-25292	-25292	-2222	-22827	-22827	-22827	-50
-55	-24032	-24032	-24032	-52982	-69682	-69682	-25292	-25292	-2222	-22827	-22827	-22827	-55
-60	-24032	-24032	-24032	-52982	-69682	-69682	-25292	-25292	-2222	-22827	-22827	-22827	-60
-65	-24032	-24032	-24032	-52982	-69682	-69682	-25292	-25292	-2222	-22827	-22827	-22827	-65
-70	-24032	-24032	-24032	-52982	-69682	-69682	-25292	-25292	-2222	-22827	-22827	-22827	-70
-75	-24032	-24032	-24032	-52982	-69682	-69682	-25292	-25292	-2222	-22827	-22827	-22827	-75
-80	-24032	-24032	-24032	-52982	-69682	-69682	-25292	-25292	-2222	-22827	-22827	-22827	-80
-85	-24032	-24032	-24032	-52982	-69682	-69682	-25292	-25292	-2222	-22827	-22827	-22827	-85
-90	-24032	-24032	-24032	-52982	-69682	-69682	-25292	-25292	-2222	-22827	-22827	-22827	-90

VERTICAL COMPONENT (Z) WMM-90

E. LONG	60	65	70	75	80	85	90	95	100	105	110	115	L. LONG
LAT													LAT
0	-11418 41.3	-11883 39.9	-12512 38.6	-13229 37.3	-13911 36.0	-14591 34.7	-14871 33.4	-14986 32.1	-14813 30.8	-14412 29.5	-13807 28.2	-13392 26.9	0
-5	-17875 32.7	-18585 32.2	-19476 31.6	-20439 30.9	-21353 30.2	-22336 29.5	-22675 28.8	-22899 28.1	-22772 27.4	-22378 26.7	-21824 26.0	-21242 25.3	-5
-10	-23153 28.2	-24153 27.7	-25107 27.0	-26024 26.3	-26884 25.6	-27684 24.9	-28408 24.2	-30091 23.5	-31115 22.8	-29813 22.1	-29103 21.4	-28179 20.7	-10
-15	-27209 24.7	-28629 24.2	-30113 23.5	-31611 22.8	-33169 22.1	-34719 21.4	-35774 20.7	-36448 20.0	-36898 19.3	-36368 18.6	-34802 17.9	-33278 17.2	-15
-20	-30147 21.2	-31970 20.7	-33926 20.0	-35903 19.3	-37895 18.6	-39888 17.9	-40872 17.2	-41855 16.5	-42400 15.8	-42538 15.1	-42365 14.4	-42001 13.7	-20
-25	-33822 17.7	-35427 17.2	-37280 16.5	-39058 15.8	-40875 15.1	-42628 14.4	-43328 13.7	-43955 13.0	-44525 12.3	-43859 11.6	-43258 10.9	-42591 10.2	-25
-30	-37339 14.2	-39365 13.7	-41680 13.0	-43880 12.3	-45958 11.6	-47980 10.9	-49027 10.2	-49864 9.5	-50521 8.8	-51821 8.1	-52119 7.4	-52199 6.7	-30
-35	-40886 10.7	-42739 10.2	-44956 9.5	-47376 8.8	-49809 8.1	-52338 7.4	-54820 6.7	-57294 6.0	-59803 5.3	-62349 4.6	-64919 3.9	-67526 3.2	-35
-40	-44178 7.2	-46447 6.7	-49080 6.0	-51987 5.3	-55070 4.6	-58338 3.9	-61760 3.2	-65338 2.5	-69065 1.8	-72949 1.1	-76988 0.4	-81182 -0.3	-40
-45	-47447 3.7	-50323 3.2	-53778 2.5	-57330 1.8	-61133 1.1	-65199 0.4	-69520 -0.3	-74095 -1.0	-78923 -1.7	-83905 -2.4	-89049 -3.1	-94357 -3.8	-45
-50	-50853 0.2	-54394 -0.3	-58505 -1.0	-63287 -1.7	-68350 -2.4	-73703 -3.1	-79346 -3.8	-85279 -4.5	-91502 -5.2	-98025 -5.9	-104847 -6.6	-111969 -7.3	-50
-55	-54047 -3.2	-58104 -3.7	-62924 -4.4	-68511 -5.1	-74873 -5.8	-81920 -6.5	-89653 -7.2	-98075 -7.9	-107197 -8.6	-117019 -9.3	-127641 -10.0	-139063 -10.7	-55
-60	-57148 0.7	-62148 0.2	-67927 -0.4	-74491 -1.1	-81844 -1.8	-89991 -2.5	-98920 -3.2	-108639 -3.9	-119157 -4.6	-130475 -5.3	-142693 -6.0	-155811 -6.7	-60
-65	-59058 0.2	-65073 -0.3	-71608 -1.0	-78824 -1.7	-86721 -2.4	-95300 -3.1	-104569 -3.8	-114617 -4.5	-125445 -5.2	-137063 -5.9	-149571 -6.6	-162969 -7.3	-65
-70	-60112 4.7	-67258 4.2	-74559 3.5	-82008 2.8	-89705 2.1	-97649 1.4	-105838 0.7	-114271 0.0	-122947 -0.7	-131865 -1.4	-141023 -2.1	-150421 -2.8	-70
-75	-64288 1.2	-72288 0.7	-80793 0.0	-89704 -0.7	-98921 -1.4	-108443 -2.1	-118270 -2.8	-128403 -3.5	-138841 -4.2	-149584 -4.9	-160632 -5.6	-171985 -6.3	-75
-80	-58473 0.7	-67283 0.2	-76112 -0.5	-85059 -1.2	-94126 -1.9	-103303 -2.6	-112590 -3.3	-121987 -4.0	-131494 -4.7	-141211 -5.4	-151138 -6.1	-161175 -6.8	-80
-85	-52485 0.2	-62089 -0.3	-71885 -1.0	-81872 -1.7	-92049 -2.4	-102416 -3.1	-112973 -3.8	-123720 -4.5	-134657 -5.2	-145784 -5.9	-157101 -6.6	-168608 -7.3	-85
-90	-54094 0.7	-64094 0.2	-74094 -0.5	-84094 -1.2	-94094 -1.9	-104094 -2.6	-114094 -3.3	-124094 -4.0	-134094 -4.7	-144094 -5.4	-154094 -6.1	-164094 -6.8	-90
LAT													LAT
E. LONG	60	65	70	75	80	85	90	95	100	105	110	115	L. LONG

VERTICAL COMPONENT (Z) WMM-90

E. LONG	120	125	130	135	140	145	150	155	160	165	170	175	L. LONG
LAT													LAT
0	-12980	-12860	-12450	-12080	-11650	-11072	-10311	-9377	-8261	-6950	-5524	-4023	0
-5	-20719	-20222	-19855	-19392	-18826	-18118	-17252	-16229	-15033	-13681	-12207	-10692	-5
-10	-29149	-27630	-27221	-26381	-25940	-25173	-24262	-23200	-21978	-20605	-19112	-17576	-10
-15	-38155	-36808	-34074	-33496	-32829	-32015	-31117	-30064	-28819	-27446	-25952	-24408	-15
-20	-47549	-46022	-40546	-39973	-39308	-38521	-37597	-36526	-35341	-33941	-32493	-30918	-20
-25	-57281	-55884	-49499	-48859	-48159	-47459	-46527	-45458	-44266	-42988	-41639	-39907	-25
-30	-67278	-65902	-58616	-57955	-57255	-56555	-55603	-54532	-53360	-52070	-50770	-49278	-30
-35	-78559	-76995	-68875	-68165	-67455	-66745	-65733	-64622	-63410	-62090	-60770	-59278	-35
-40	-91000	-89248	-80355	-79595	-78835	-78075	-76993	-75822	-74550	-73170	-71790	-70278	-40
-45	-104732	-102855	-92988	-92170	-91352	-90534	-89253	-87972	-86600	-85120	-83640	-82078	-45
-50	-120820	-118820	-108050	-107170	-106290	-105410	-104070	-102730	-101390	-99810	-98230	-96578	-50
-55	-139260	-137260	-125650	-124770	-123890	-123010	-121370	-120030	-118690	-116910	-115130	-113350	-55
-60	-159950	-157950	-145650	-144770	-143890	-143010	-141070	-139730	-138390	-136410	-134630	-132850	-60
-65	-183800	-181800	-168850	-167970	-167090	-166210	-163970	-162630	-161290	-159110	-157330	-155550	-65
-70	-210900	-208900	-195350	-194470	-193590	-192710	-189970	-188630	-187290	-184910	-183130	-181350	-70
-75	-241200	-239200	-224350	-223470	-222590	-221710	-218570	-217230	-215890	-213110	-211330	-209550	-75
-80	-274700	-272700	-256350	-255470	-254590	-253710	-249970	-248630	-247290	-244110	-242330	-240550	-80
-85	-312400	-310400	-292350	-291470	-290590	-289710	-285570	-284230	-282890	-279110	-277330	-275550	-85
-90	-354300	-352300	-332350	-331470	-330590	-329710	-324970	-323630	-322290	-318110	-316330	-314550	-90
LAT													LAT
E. LONG	120	125	130	135	140	145	150	155	160	165	170	175	E. LONG

VERTICAL COMPONENT (Z) WMM-90

E. LONG LAT	180	185	190	195	200	205	210	215	220	225	230	235	E. LONG LAT
0	-264.7 19.7	-140.0 9.7	-58.0 12.1	61.6 -6.9	104.0 -28.2	-13.7 1.1	-30.3 -2.7	-35.6 -2.2	-38.7 -2.1	-37.3 -2.1	-40.4 -2.2	45.4 10.7	0
-5	-283.4 28.3	-79.2 9.2	-68.0 10.0	-59.6 -7.9	-20.8 -2.8	-53.8 -3.1	-48.7 -3.2	-37.6 -2.7	-26.4 -2.2	-30.5 -2.1	-14.8 3.3	28.2 -2.2	-5
-10	-140.7 14.0	-14.6 1.1	-20.0 0.0	-12.4 -1.1	-11.4 -1.1	-10.7 -1.0	-9.2 -1.2	-9.1 -1.1	-8.3 -1.0	-7.6 -1.1	-6.9 -1.1	-6.2 -1.1	-10
-15	-228.7 22.8	-7.2 0.2	-20.0 0.0	-16.2 -1.2	-17.5 -1.1	-16.8 -1.1	-15.8 -1.2	-14.2 -1.0	-13.7 -1.0	-13.0 -1.1	-12.1 -1.1	-11.3 -1.1	-15
-20	-291.7 29.1	-27.8 0.8	-26.2 0.2	-27.2 -1.2	-28.2 -1.1	-27.9 -1.1	-26.1 -1.0	-25.7 -1.0	-24.1 -1.0	-23.5 -1.1	-22.7 -1.1	-22.2 -1.1	-20
-25	-353.8 35.3	-33.8 0.8	-32.7 0.7	-31.0 -1.0	-32.2 -1.1	-31.6 -1.1	-29.8 -1.0	-28.5 -1.0	-26.5 -1.0	-25.2 -1.0	-23.2 -1.0	-22.4 -1.1	-25
-30	-407.9 40.7	-40.9 0.9	-39.2 0.8	-37.3 -0.7	-38.4 -0.8	-37.8 -0.8	-36.0 -0.7	-34.6 -0.7	-32.5 -0.7	-31.2 -0.7	-29.2 -0.7	-28.6 -0.7	-30
-35	-455.8 45.5	-45.8 0.8	-44.2 0.8	-42.3 -0.7	-43.6 -0.8	-43.0 -0.8	-41.2 -0.7	-39.8 -0.7	-37.7 -0.7	-36.4 -0.7	-34.4 -0.7	-33.9 -0.7	-35
-40	-497.6 49.7	-49.6 0.9	-48.0 0.8	-46.1 -0.6	-47.4 -0.8	-46.8 -0.8	-45.0 -0.7	-43.6 -0.7	-41.5 -0.7	-40.2 -0.7	-38.2 -0.7	-37.7 -0.7	-40
-45	-538.3 53.8	-53.7 0.7	-52.1 0.7	-50.2 -0.6	-51.5 -0.8	-50.9 -0.8	-49.1 -0.7	-47.7 -0.7	-45.6 -0.7	-44.3 -0.7	-42.3 -0.7	-41.8 -0.7	-45
-50	-568.3 56.8	-56.7 0.7	-55.1 0.7	-53.2 -0.6	-54.5 -0.8	-53.9 -0.8	-52.1 -0.7	-50.7 -0.7	-48.6 -0.7	-47.3 -0.7	-45.3 -0.7	-44.8 -0.7	-50
-55	-597.5 59.7	-59.6 0.9	-58.0 0.8	-56.1 -0.6	-57.4 -0.8	-56.8 -0.8	-55.0 -0.7	-53.6 -0.7	-51.5 -0.7	-50.2 -0.7	-48.2 -0.7	-47.7 -0.7	-55
-60	-620.3 62.0	-61.9 0.7	-60.3 0.7	-58.4 -0.6	-59.7 -0.8	-59.1 -0.8	-57.3 -0.7	-55.9 -0.7	-53.8 -0.7	-52.5 -0.7	-50.5 -0.7	-49.9 -0.7	-60
-65	-637.7 63.7	-63.6 0.6	-62.0 0.6	-60.1 -0.5	-61.4 -0.7	-60.8 -0.7	-59.0 -0.6	-57.6 -0.6	-55.5 -0.6	-54.2 -0.6	-52.2 -0.6	-51.6 -0.6	-65
-70	-650.3 65.0	-64.9 0.6	-63.3 0.6	-61.4 -0.5	-62.7 -0.7	-62.1 -0.7	-60.3 -0.6	-58.9 -0.6	-56.8 -0.6	-55.5 -0.6	-53.5 -0.6	-52.9 -0.6	-70
-75	-657.8 65.7	-65.6 0.6	-64.0 0.6	-62.1 -0.5	-63.4 -0.7	-62.8 -0.7	-61.0 -0.6	-59.6 -0.6	-57.5 -0.6	-56.2 -0.6	-54.2 -0.6	-53.6 -0.6	-75
-80	-657.2 65.7	-65.5 0.5	-63.9 0.5	-62.0 -0.5	-63.3 -0.7	-62.7 -0.7	-60.9 -0.6	-59.5 -0.6	-57.4 -0.6	-56.1 -0.6	-54.1 -0.6	-53.5 -0.6	-80
-85	-581.8 58.1	-58.0 0.6	-56.4 0.5	-54.5 -0.4	-55.8 -0.6	-55.2 -0.6	-53.4 -0.5	-52.0 -0.5	-50.0 -0.5	-48.7 -0.5	-46.7 -0.5	-46.1 -0.5	-85
-90	-540.6 54.0	-53.9 0.6	-52.3 0.5	-50.4 -0.4	-51.7 -0.6	-51.1 -0.6	-49.3 -0.5	-47.9 -0.5	-45.8 -0.5	-44.5 -0.5	-42.5 -0.5	-41.9 -0.5	-90

VERTICAL COMPONENT (Z) WMM-90

L. LONG	240	245	250	255	260	265	270	275	280	285	290	295	L. LONG
LAT	0	5	10	15	20	25	30	35	40	45	50	55	60
	9573	9752	9931	10110	10289	10468	10647	10826	11005	11184	11363	11542	0
	9752	9931	10110	10289	10468	10647	10826	11005	11184	11363	11542	11721	5
	9931	10110	10289	10468	10647	10826	11005	11184	11363	11542	11721	11900	10
	10110	10289	10468	10647	10826	11005	11184	11363	11542	11721	11900	12079	15
	10289	10468	10647	10826	11005	11184	11363	11542	11721	11900	12079	12258	20
	10468	10647	10826	11005	11184	11363	11542	11721	11900	12079	12258	12437	25
	10647	10826	11005	11184	11363	11542	11721	11900	12079	12258	12437	12616	30
	10826	11005	11184	11363	11542	11721	11900	12079	12258	12437	12616	12795	35
	11005	11184	11363	11542	11721	11900	12079	12258	12437	12616	12795	12974	40
	11184	11363	11542	11721	11900	12079	12258	12437	12616	12795	12974	13153	45
	11363	11542	11721	11900	12079	12258	12437	12616	12795	12974	13153	13332	50
	11542	11721	11900	12079	12258	12437	12616	12795	12974	13153	13332	13511	55
	11721	11900	12079	12258	12437	12616	12795	12974	13153	13332	13511	13690	60
	11900	12079	12258	12437	12616	12795	12974	13153	13332	13511	13690	13869	65
	12079	12258	12437	12616	12795	12974	13153	13332	13511	13690	13869	14048	70
	12258	12437	12616	12795	12974	13153	13332	13511	13690	13869	14048	14227	75
	12437	12616	12795	12974	13153	13332	13511	13690	13869	14048	14227	14406	80
	12616	12795	12974	13153	13332	13511	13690	13869	14048	14227	14406	14585	85
	12795	12974	13153	13332	13511	13690	13869	14048	14227	14406	14585	14764	90
LAT	0	5	10	15	20	25	30	35	40	45	50	55	L. LONG

VERTICAL COMPONENT (Z) WMM-90

E. LONG LAT	300	305	310	315	320	325	330	335	340	345	350	355	E. LONG LAT
0	-0905	-8061	-5759	-3153	-1690	-2482	-5151	-7638	-8923	-11418	-12718	-13673	0
-5	-5301	-3547	-1365	-1331	-1611	-6532	-8453	-11522	-13292	-15328	-16756	-17900	-5
-10	-8038	-4279	-1325	-4279	-7238	-9826	-12829	-16428	-19388	-21809	-23814	-25829	-10
-15	-2842	-4219	-1145	-8020	-10331	-12404	-14529	-16641	-18290	-19883	-21326	-22294	-15
-20	-9892	-7359	-6588	-10301	-12491	-14391	-16298	-17974	-19559	-21003	-22327	-23328	-20
-25	-9877	-8957	-1199	-12891	-14332	-15959	-17556	-19087	-20458	-21641	-22338	-23052	-25
-30	-11503	-12199	-13109	-14331	-15881	-17220	-18587	-19884	-21062	-22052	-22787	-23289	-30
-35	-13829	-14233	-14982	-15981	-17221	-18351	-19451	-20502	-21448	-22269	-22967	-23555	-35
-40	-16090	-16279	-16779	-17523	-18414	-19356	-20227	-21106	-21883	-22445	-22948	-23352	-40
-45	-18573	-18532	-18788	-19329	-19888	-20378	-20832	-21278	-21625	-21873	-22022	-22181	-45
-50	-21479	-21225	-2229	-21433	-21770	-22174	-22589	-22975	-23309	-23588	-23820	-24022	-50
-55	-25237	-24490	-25542	-26322	-26574	-26808	-26955	-27062	-27138	-27192	-27244	-27295	-55
-60	-29962	-28391	-27935	-27655	-27489	-27405	-27377	-27342	-27292	-27228	-27151	-27078	-60
-65	-35434	-32738	-32179	-31941	-31449	-31152	-30925	-30854	-30789	-30728	-30669	-30618	-65
-70	-38113	-33398	-32828	-32274	-31849	-31502	-31232	-31032	-30880	-30738	-30608	-30498	-70
-75	-42780	-38694	-38033	-37890	-37698	-37508	-37381	-37298	-37242	-37188	-37139	-37092	-75
-80	-46974	-44882	-44833	-44637	-44529	-44498	-44458	-44422	-44386	-44352	-44320	-44293	-80
-85	-50268	-48502	-48353	-48136	-48044	-47968	-47910	-47866	-47825	-47787	-47752	-47720	-85
-90	-54094	-54094	-54094	-54094	-54094	-54094	-54094	-54094	-54094	-54094	-54094	-54094	-90
E. LONG LAT	300	305	310	315	320	325	330	335	340	345	350	355	E. LONG LAT

HORIZONTAL COMPONENT (H) WMM-90

E. LONG	0	5	10	15	20	25	30	35	40	45	50	55	E. LONG								
LAT	90	85	80	75	70	65	60	55	50	45	40	35	30	25	20	15	10	5	0	LAT	
90	2174 -13.6	2174 -13.6	2174 -13.6	2174 -13.6	2174 -13.6	2174 -13.6	2174 -13.6	2174 -13.6	2174 -13.6	2174 -13.6	2174 -13.6	2174 -13.6	2174 -13.6	2174 -13.6	2174 -13.6	2174 -13.6	2174 -13.6	2174 -13.6	2174 -13.6	90	
85	4636 -16.7	4652 -17.0	4651 -17.3	4632 -17.5	4597 -18.2	4549 -18.9	4475 -18.1	4369 -18.2	4287 -18.3	4170 -18.8	4037 -18.4	3891 -18.4	3891 -18.4	3891 -18.4	3891 -18.4	3891 -18.4	3891 -18.4	3891 -18.4	3891 -18.4	85	
80	6891 -19.7	6925 -18.3	6932 -18.8	6912 -19.2	6864 -19.8	6790 -20.2	6687 -20.6	6555 -20.9	6393 -21.2	6202 -21.5	5991 -21.7	5731 -21.9	5731 -21.9	5731 -21.9	5731 -21.9	5731 -21.9	5731 -21.9	5731 -21.9	5731 -21.9	80	
75	8948 -15.7	8993 -16.5	9009 -17.3	8997 -18.0	8957 -18.6	8886 -19.3	8786 -19.9	8648 -20.6	8477 -21.0	8268 -21.5	8015 -22.1	7742 -22.6	7742 -22.6	7742 -22.6	7742 -22.6	7742 -22.6	7742 -22.6	7742 -22.6	7742 -22.6	75	
70	10927 -11.7	10970 -12.7	10989 -13.8	10982 -14.6	10952 -15.2	10900 -16.0	10820 -17.2	10709 -17.6	10565 -18.3	10382 -19.0	10156 -19.6	9863 -20.4	9863 -20.4	9863 -20.4	9863 -20.4	9863 -20.4	9863 -20.4	9863 -20.4	9863 -20.4	70	
65	12852 -8.5	12883 -9.3	12909 -10.1	12908 -10.8	12956 -11.6	12988 -12.4	12969 -13.2	12909 -14.0	12809 -14.8	12573 -15.6	12298 -16.4	11982 -17.2	11982 -17.2	11982 -17.2	11982 -17.2	11982 -17.2	11982 -17.2	11982 -17.2	11982 -17.2	65	
60	15131 -5.2	15131 -6.0	15116 -6.8	15092 -7.6	15063 -8.4	15022 -9.2	14999 -10.0	14963 -10.8	14919 -11.5	14861 -12.3	14783 -13.1	14677 -13.9	14677 -13.9	14677 -13.9	14677 -13.9	14677 -13.9	14677 -13.9	14677 -13.9	14677 -13.9	60	
55	17486 -2.2	17462 -3.0	17424 -3.8	17381 -4.6	17349 -5.4	17307 -6.2	17267 -7.0	17227 -7.8	17271 -8.6	17275 -9.4	17280 -10.2	17379 -11.0	17379 -11.0	17379 -11.0	17379 -11.0	17379 -11.0	17379 -11.0	17379 -11.0	17379 -11.0	55	
50	20007 1.8	19972 2.6	19922 3.4	19869 4.2	19823 5.0	19782 5.8	19767 6.6	19770 7.4	19799 8.2	19948 9.0	19919 9.8	20018 10.6	20018 10.6	20018 10.6	20018 10.6	20018 10.6	20018 10.6	20018 10.6	20018 10.6	50	
45	22643 11.7	22619 12.5	22580 13.3	22536 14.1	22497 14.9	22471 15.7	22462 16.5	22476 17.3	22515 18.1	22591 18.9	22710 19.7	22875 20.5	22875 20.5	22875 20.5	22875 20.5	22875 20.5	22875 20.5	22875 20.5	22875 20.5	45	
40	25333 21.3	25329 22.1	25327 22.9	25321 23.7	25319 24.5	25318 25.3	25329 26.1	25353 26.9	25401 27.7	25468 28.5	25632 29.3	25943 30.1	25943 30.1	25943 30.1	25943 30.1	25943 30.1	25943 30.1	25943 30.1	25943 30.1	40	
35	27906 21.3	27986 22.1	28049 22.9	28106 23.7	28160 24.5	28211 25.3	28255 26.1	28298 26.9	28352 27.7	28441 28.5	28592 29.3	28827 30.1	28827 30.1	28827 30.1	28827 30.1	28827 30.1	28827 30.1	28827 30.1	28827 30.1	35	
30	30259 32.3	30423 33.1	30570 33.9	30707 34.7	30836 35.5	30948 36.3	31039 37.1	31108 37.9	31176 38.7	31269 39.5	31423 40.3	31667 41.1	31667 41.1	31667 41.1	31667 41.1	31667 41.1	31667 41.1	31667 41.1	31667 41.1	30	
25	3248 42.3	32409 43.1	32408 43.9	32428 44.7	32488 45.5	32603 46.3	32690 47.1	32759 47.9	32822 48.7	32902 49.5	33078 50.3	33376 51.1	33376 51.1	33376 51.1	33376 51.1	33376 51.1	33376 51.1	33376 51.1	33376 51.1	25	
20	33308 53.1	33493 53.9	33663 54.7	33789 55.5	33908 56.3	34050 57.1	34199 57.9	34268 58.7	34328 59.5	34408 60.3	34579 61.1	34882 61.9	34882 61.9	34882 61.9	34882 61.9	34882 61.9	34882 61.9	34882 61.9	34882 61.9	20	
15	33498 64.1	33673 64.9	33827 65.7	33969 66.5	34098 67.3	34208 68.1	34299 68.9	34377 69.7	34441 70.5	34499 71.3	34579 72.1	34782 72.9	34782 72.9	34782 72.9	34782 72.9	34782 72.9	34782 72.9	34782 72.9	34782 72.9	15	
10	32583 75.1	32693 75.9	32789 76.7	32873 77.5	32948 78.3	33011 79.1	33068 79.9	33119 80.7	33176 81.5	33226 82.3	33279 83.1	33432 83.9	33432 83.9	33432 83.9	33432 83.9	33432 83.9	33432 83.9	33432 83.9	33432 83.9	10	
5	30599 86.1	30728 86.9	30868 87.7	30927 88.5	31011 89.3	31079 90.1	31141 90.9	31199 91.7	31266 92.5	31326 93.3	31388 94.1	31553 94.9	31553 94.9	31553 94.9	31553 94.9	31553 94.9	31553 94.9	31553 94.9	31553 94.9	5	
0	27722 97.1	28247 97.9	28748 98.7	29230 99.5	29691 100.3	30080 101.1	30488 101.9	30934 102.7	31453 103.5	31968 104.3	32488 105.1	33001 105.9	33001 105.9	33001 105.9	33001 105.9	33001 105.9	33001 105.9	33001 105.9	33001 105.9	0	
LAT																					LAT
E. LONG	0	5	10	15	20	25	30	35	40	45	50	55	E. LONG								

nT
(units: nT)

HORIZONTAL COMPONENT (H) WMM-90

LAT	60	65	70	75	80	85	90	95	100	105	110	115	L. LONG
90	-3376	-3376	-3376	-3376	-3376	-3376	-3376	-3376	-3376	-3376	-3376	-3376	90
85	-1931	-3560	-3379	-3190	-2996	-2798	-2603	-2407	-2222	-2048	-1896	-1756	85
80	-3453	-5149	-4822	-4527	-4272	-4017	-3762	-3517	-3289	-3088	-2905	-2741	80
75	-7388	-1013	-606	-242	5725	5285	4845	4405	4314	4225	4292	4508	75
70	-9513	-9132	-822	838	782	7442	7074	6706	6503	6329	6206	6128	70
65	11881	11611	11211	10901	10561	10191	9881	9635	9506	9488	9562	10601	65
60	4558	4331	4111	3891	3691	3491	3291	3091	3302	3523	3743	3988	60
55	12921	12321	11721	11211	10811	10411	10011	9611	9202	8793	8384	7975	55
50	81102	72302	63502	54702	45902	37102	28302	19502	10702	21902	33102	44302	50
45	5802	7132	8462	9792	11122	12452	13782	15112	16442	17772	19102	20432	45
40	12192	5692	2292	1192	552	-772	-2162	-3592	-5022	-6452	-7882	-9312	40
35	89102	79562	69862	59962	49962	39962	29962	19962	10962	20962	30962	40962	35
30	32015	32435	32855	33275	33695	34115	34535	34955	35375	35795	36215	36635	30
25	80595	80845	81095	81345	81595	81845	82095	82345	82595	82845	83095	83345	25
20	3682	3683	3684	3685	3686	3687	3688	3689	3690	3691	3692	3693	20
15	3768	3782	3796	3810	3824	3838	3852	3866	3880	3894	3908	3922	15
10	37600	37715	37830	37945	38060	38175	38290	38405	38520	38635	38750	38865	10
5	36976	37232	37488	37744	37999	38255	38511	38767	39023	39279	39535	39791	5
0	34478	35174	35870	36566	37262	37958	38654	39350	40046	40742	41438	42134	0

HORIZONTAL COMPONENT (H) WMM-90

E. LONG	120	125	130	135	140	145	150	155	160	165	170	175	E. LONG
LAT	90	85	80	75	70	65	60	55	50	45	40	35	LAT
90	-337.6	-337.6	-337.6	-337.6	-337.6	-337.6	-337.6	-337.6	-337.6	-337.6	-337.6	-337.6	90
85	-160.3	-136.8	-121.3	-109.8	-98.3	-86.8	-75.3	-63.8	-52.3	-40.8	-29.3	-17.8	85
80	-48.5	-28.0	-13.5	1.0	15.5	30.0	44.5	59.0	73.5	88.0	102.5	117.0	80
75	82.0	52.5	17.0	1.5	-13.0	-27.5	-42.0	-56.5	-71.0	-85.5	-100.0	-114.5	75
70	118.4	82.2	46.0	9.8	-7.8	-23.8	-39.8	-55.8	-71.8	-87.8	-103.8	-119.8	70
65	133.0	99.6	66.2	32.8	-1.2	-37.2	-53.2	-69.2	-85.2	-101.2	-117.2	-133.2	65
60	137.4	106.9	74.1	41.5	9.9	-21.1	-37.1	-53.1	-69.1	-85.1	-101.1	-117.1	60
55	209.1	182.2	155.3	128.4	101.5	74.6	47.7	20.8	-6.2	-22.2	-38.2	-54.2	55
50	228.9	204.0	179.1	154.2	129.3	104.4	79.5	54.6	29.7	4.8	-11.2	-27.2	50
45	247.6	224.7	201.8	178.9	156.6	134.0	111.4	88.8	66.2	43.6	21.0	-1.2	45
40	255.8	234.9	213.0	192.1	171.3	149.7	127.1	104.5	81.9	59.3	36.7	13.1	40
35	264.5	247.2	228.3	208.4	188.6	167.7	145.9	123.3	100.7	77.9	54.1	30.3	35
30	273.8	260.5	245.6	233.9	214.2	196.4	176.6	156.8	136.9	117.1	97.3	77.5	30
25	284.0	275.8	264.1	254.4	237.7	223.0	206.2	189.4	171.6	152.8	134.0	115.2	25
20	294.9	292.6	282.9	274.2	260.5	248.8	235.1	221.4	206.7	193.0	179.3	165.6	20
15	309.8	309.5	301.8	294.1	282.4	272.7	263.0	253.3	243.6	233.9	224.2	214.5	15
10	324.7	324.4	317.7	311.0	301.3	293.6	286.9	280.2	273.5	266.8	260.1	253.4	10
5	338.2	338.1	332.4	326.7	318.0	311.3	304.6	297.9	291.2	284.5	277.8	271.1	5
0	348.5	348.4	343.7	338.0	330.3	323.6	316.9	310.2	303.5	296.8	290.1	283.4	0
LAT	90	85	80	75	70	65	60	55	50	45	40	35	LAT
E. LONG	120	125	130	135	140	145	150	155	160	165	170	175	E. LONG

HORIZONTAL COMPONENT (H) WMM-90

LAT	180	185	190	195	200	205	210	215	220	225	230	235	L - LONG
90	2174	2174	2174	2174	2174	2174	2174	2174	2174	2174	2174	2174	LAT
85	1591	1558	1501	1491	1491	1491	1491	1491	1491	1491	1491	1491	L - LONG
80	1463	1479	1474	1474	1474	1474	1474	1474	1474	1474	1474	1474	LAT
75	1132	1070	1063	1063	1063	1063	1063	1063	1063	1063	1063	1063	L - LONG
70	5251	5281	5281	5281	5281	5281	5281	5281	5281	5281	5281	5281	LAT
65	8032	8032	8032	8032	8032	8032	8032	8032	8032	8032	8032	8032	L - LONG
60	1981	1981	1981	1981	1981	1981	1981	1981	1981	1981	1981	1981	LAT
55	8202	8250	8250	8250	8250	8250	8250	8250	8250	8250	8250	8250	L - LONG
50	2242	2242	2242	2242	2242	2242	2242	2242	2242	2242	2242	2242	LAT
45	2962	3379	3552	3552	3552	3552	3552	3552	3552	3552	3552	3552	L - LONG
40	5112	5112	5112	5112	5112	5112	5112	5112	5112	5112	5112	5112	LAT
35	2598	2598	2598	2598	2598	2598	2598	2598	2598	2598	2598	2598	L - LONG
30	2853	2853	2853	2853	2853	2853	2853	2853	2853	2853	2853	2853	LAT
25	3632	3632	3632	3632	3632	3632	3632	3632	3632	3632	3632	3632	L - LONG
20	2862	2862	2862	2862	2862	2862	2862	2862	2862	2862	2862	2862	LAT
15	3080	3080	3080	3080	3080	3080	3080	3080	3080	3080	3080	3080	L - LONG
10	3202	3202	3202	3202	3202	3202	3202	3202	3202	3202	3202	3202	LAT
5	3348	3348	3348	3348	3348	3348	3348	3348	3348	3348	3348	3348	L - LONG
0	3452	3452	3452	3452	3452	3452	3452	3452	3452	3452	3452	3452	LAT

HORIZONTAL COMPONENT (H) WMM-90

E. LONG	240	245	250	255	260	265	270	275	280	285	290	295	E. LONG
LAT													LAT
90	-13.6	-13.6	-13.6	-13.6	-13.6	-13.6	-13.6	-13.6	-13.6	-13.6	-13.6	-13.6	90
85	848	949	1094	1272	1471	1684	1904	2128	2355	2578	2796	3008	85
80	-1320	-864	-430	-13.6	704	1180	1666	2147	2619	3076	3515	3933	80
75	3073	2362	1664	1011	661	1016	1388	2370	3068	3747	4394	5003	75
70	5295	4225	3582	3116	2251	2318	2379	2231	2019	1721	1420	1122	70
65	7999	7035	6116	5297	4491	3697	4516	4972	5276	6498	7358	8207	65
60	11102	10128	9276	8323	7654	7254	7189	7466	8026	8723	9414	10168	60
55	14389	13461	12869	11703	10826	10313	10113	10433	10951	11672	12632	13857	55
50	17584	16126	15252	15158	14468	13813	13213	13597	13860	14361	15025	15771	50
45	20652	19808	19114	18411	17753	17208	16846	16720	16850	17217	17764	18412	45
40	22900	22435	21901	21323	20744	20224	19830	19422	19635	19879	20294	20846	40
35	24923	24641	24373	24031	23348	22878	22470	22198	22107	22217	22513	22955	35
30	26616	26097	25572	25058	25566	25135	24724	24397	24211	24200	24379	24698	30
25	28073	28065	27960	27738	27402	27006	26588	26199	25928	25798	25868	26063	25
20	29328	29381	29338	29171	28878	28484	28039	27598	27218	27012	26951	27062	20
15	30318	30392	30379	30226	29949	29553	29084	28599	28168	27853	27697	27516	15
10	31001	31041	31005	30868	30598	30218	29731	29215	28730	28344	28104	28038	10
5	31312	31291	31220	31073	30825	30458	29990	29464	28944	28499	28146	28028	5
0	31283	31178	31054	30898	30663	30327	29885	29366	28826	28328	27934	27687	0
LAT													LAT
E. LONG	240	245	250	255	260	265	270	275	280	285	290	295	E. LONG

HORIZONTAL COMPONENT(H) WMM-90

E. LONG LAT	300	305	310	315	320	325	330	335	340	345	350	355	E. LONG LAT
90	-2174	-2174	-2174	-2174	-2174	-2174	-2174	-2174	-2174	-2174	-2174	-2174	90
85	-3413	-3406	-3590	-3769	-3918	-4069	-4223	-4379	-4534	-4688	-4854	-5033	85
80	-4288	-4697	-5039	-5353	-5638	-5894	-6123	-6325	-6499	-6653	-6795	-6926	80
75	-5572	-6095	-6570	-6998	-7379	-7713	-8008	-8251	-8460	-8633	-8769	-8873	75
70	-7090	-7755	-8313	-8779	-9169	-9498	-9769	-10011	-10223	-10408	-10569	-10707	70
65	-8869	-9718	-10358	-10813	-11185	-11479	-11703	-11859	-12029	-12212	-12398	-12587	65
60	-11290	-12041	-12753	-13290	-13741	-14111	-14412	-14649	-14824	-14947	-15019	-15059	60
55	-13859	-14600	-15253	-15807	-16276	-16660	-16969	-17211	-17396	-17526	-17601	-17631	55
50	-16228	-17233	-18051	-18709	-19201	-19531	-19799	-20011	-20169	-20273	-20331	-20353	50
45	-19207	-19777	-20280	-20726	-21111	-21431	-21689	-21881	-22011	-22081	-22111	-22131	45
40	-21659	-22072	-22448	-22773	-23046	-23266	-23431	-23551	-23621	-23651	-23671	-23681	40
35	-24377	-24582	-24687	-24703	-24631	-24481	-24251	-23951	-23581	-23151	-22671	-22151	35
30	-27377	-27372	-27209	-26907	-26461	-25881	-25261	-24601	-23911	-23191	-22451	-21691	30
25	-30617	-30672	-30592	-30397	-30061	-29581	-29051	-28481	-27881	-27251	-26591	-25911	25
20	-34150	-34228	-34229	-34164	-33961	-33621	-33141	-32611	-32041	-31431	-30791	-30131	20
15	-37899	-38229	-38470	-38614	-38658	-38605	-38451	-38201	-37851	-37411	-36881	-36261	15
10	-41682	-42379	-42922	-43317	-43559	-43654	-43601	-43401	-43051	-42561	-42031	-41461	10
5	-45031	-45963	-46729	-47323	-47743	-48001	-48107	-48061	-47871	-47541	-47071	-46571	5
0	-47574	-47568	-47414	-47151	-46789	-46321	-45751	-45081	-44311	-43451	-42501	-41461	0
E. LONG LAT	300	305	310	315	320	325	330	335	340	345	350	355	E. LONG LAT

HORIZONTAL COMPONENT (H) WMM-90

E. LONG LAT	0	5	10	15	20	25	30	35	40	45	50	55	E. LONG LAT
0	23323	28227	28744	28230	29273	30088	30588	30934	31353	31868	32384	32800	0
-5	24669	24803	25283	23276	23356	29353	29863	23227	23780	28778	29280	30676	-5
-10	21952	21217	21601	21638	21913	23273	22756	23382	24170	25118	26208	27194	-10
-15	17299	17872	17833	17887	18508	18362	18869	19573	20508	21586	22818	24107	-15
-20	15404	15071	14834	15229	14803	15896	15813	16439	17438	18669	19973	21329	-20
-25	13420	12881	13416	13440	12927	12862	13399	14264	15361	16633	17974	19293	-25
-30	12075	11592	12092	11224	11237	11624	12221	13224	14368	15631	16911	18108	-30
-35	11381	10889	10758	10738	10963	11451	12192	13168	14282	15472	16678	17634	-35
-40	11392	11191	11077	11137	11481	12053	12834	13780	14823	15878	16837	17644	-40
-45	11982	11860	11908	12138	12556	13154	13905	14764	15653	16524	17303	17900	-45
-50	13152	13182	13281	13532	13955	14508	15163	15829	16500	17272	17837	18256	-50
-55	14863	14707	14848	15108	15469	15918	16424	16892	17387	17859	18327	18562	-55
-60	16317	16339	16448	16637	16898	17207	17552	17903	18233	18509	18702	18783	-60
-65	17723	17723	17823	17823	18071	18262	18429	18605	18759	18904	18903	18851	-65
-70	18822	18782	18782	18803	18843	18892	18939	18974	18983	18953	18868	18714	-70
-75	19282	19224	19176	19135	19098	19053	19003	18952	18882	18816	18736	18633	-75
-80	19042	18980	18914	18857	18797	18743	18685	18633	18581	18525	18464	18396	-80
-85	18903	18801	17843	17879	17808	17715	17621	17516	17401	17273	17139	16998	-85
-90	16302	16302	16302	16302	16302	16302	16302	16302	16302	16302	16302	16302	-90

HORIZONTAL COMPONENT (H) WMM-90

E. LONG LAT	60	65	70	75	80	85	90	95	100	105	110	115	E. LONG LAT
0	34476 14.0	35374 8.3	36254 20.3	37083 20.3	37832 24.0	38472 27.9	38999 30.0	39387 30.6	39632	39753	39729	39568 20.9	0
-5	31718 13.6	32757 21.7	33755 28.2	34684 32.9	35523 36.0	36269 39.6	36885 42.5	37398 45.5	37794 48.2	38068 50.4	38212 52.2	38223 52.8	-5
-10	28559 16.0	29302	30082	30780	31408	31966	32454	32882	33250	33558	33806	33992	-10
-15	25384	25998	26694	27372	28032	28674	29298	29904	30492	31062	31614	32148	-15
-20	22608	23284	23922	24522	25084	25608	26094	26542	26952	27324	27658	27954	-20
-25	20498	21162	21792	22388	22950	23478	23972	24432	24858	25250	25608	25932	-25
-30	19162	19802	20408	20980	21518	22022	22492	22928	23330	23698	24032	24332	-30
-35	18452	19062	19632	20162	20652	21102	21512	21882	22212	22502	22752	22962	-35
-40	18262	18822	19342	19822	20262	20662	21022	21342	21622	21862	22062	22222	-40
-45	18302	18822	19302	19742	20142	20502	20822	21102	21342	21542	21702	21822	-45
-50	18462	18922	19342	19722	20062	20362	20622	20842	21022	21162	21262	21322	-50
-55	18632	19022	19362	19662	19922	20142	20322	20462	20562	20622	20642	20622	-55
-60	18722	19022	19262	19462	19622	19742	19822	19862	19862	19822	19742	19622	-60
-65	18692	18922	19062	19162	19222	19242	19222	19162	19062	18922	18742	18522	-65
-70	18482	18622	18722	18782	18802	18782	18722	18622	18482	18302	18082	17822	-70
-75	18072	18122	18142	18122	18062	17962	17822	17642	17422	17162	16862	16522	-75
-80	17490	17522	17522	17482	17402	17282	17122	16922	16682	16402	16082	15722	-80
-85	16835	16822	16782	16702	16582	16422	16222	15982	15702	15382	15022	14622	-85
-90	16302	16222	16102	15942	15742	15502	15222	14902	14542	14142	13702	13222	-90

HORIZONTAL COMPONENT (H) WMM-90

E. LONG LAT	120	125	130	135	140	145	150	155	160	165	170	175	E. LONG LAT
0	39297 16.1	38918 11.4	38474 7.0	37991 5.4	37499 5.2	37026 6.9	36582 10.0	36182 13.5	35824 15.9	35509 16.2	35193 13.7	34884 8.5	0
-5	38113 8.0	37905 6.5	37629 1.3	37329 -1.2	37006 -8.0	36709 -7.9	36469 5.5	36203 11.1	35924 16.2	35619 15.3	35228 19.2	34807 15.3	-5
-10	36381 8.0	36347 9.9	36243 -4.8	36104 -8.2	35957 -8.8	35820 -6.4	35701 -1.4	35605 4.9	35529 11.2	35460 15.7	35378 17.1	35253 14.7	-10
-15	34119 2.4	34253 3.6	34309 -9.2	34322 -12.8	34319 -14.0	34317 -12.7	34324 -9.1	34344 -3.9	34377 1.7	34411 6.2	34424 8.4	34389 7.3	-15
-20	31386 -2.7	31665 -6.6	31861 0.1	32005 2.8	32123 -16.1	32233 -16.5	32345 -15.1	32466 -12.0	32595 -9.0	32728 -5.8	32829 -3.7	32888 -1.7	-20
-25	28272 2.8	28678 0.8	28881 1.8	29235 2.6	29458 5.5	29668 8.6	29872 11.4	30086 14.9	30307 17.7	30524 20.2	30729 22.9	30889 25.4	-25
-30	24803 -8.0	25372 9.2	25778 16.7	26197 25.2	26433 31.1	26733 37.5	27039 44.4	27350 51.8	27667 59.8	27986 68.5	28302 77.8	28554 87.4	-30
-35	23374 4.6	23864 16.4	24322 32.3	24749 47.9	25153 63.5	25561 79.1	25970 94.8	26386 110.5	26816 126.2	27235 141.9	27645 157.5	28025 172.9	-35
-40	17763 -11.2	18212 -8.2	18698 -5.2	19190 -1.9	19695 1.9	20211 6.9	20746 12.8	21306 19.6	21833 26.2	22374 32.6	22899 38.8	23395 44.8	-40
-45	14152 -14.2	14476 -11.6	14823 -8.2	15191 -4.1	15592 1.8	16008 5.7	16470 10.6	16970 15.5	17507 20.3	18082 24.9	18697 29.5	19352 34.1	-45
-50	10655 -18.2	10711 -16.1	11035 -11.3	11350 -7.2	11653 -3.1	11935 0.9	12206 4.8	12473 8.7	12725 12.6	12962 16.5	13185 20.4	13394 24.3	-50
-55	7868 -24.2	7772 -22.7	7830 -18.3	7859 -13.9	7875 -9.5	7878 -5.1	7869 -0.7	7848 3.7	7815 8.2	7770 12.7	7715 17.2	7650 21.7	-55
-60	5755 -30.1	4843 -26.5	3858 -20.5	3314 -13.1	2573 -5.3	1829 1.5	1083 7.8	435 14.1	-237 20.4	-573 26.7	-1069 32.9	-1820 39.2	-60
-65	9244 -32.9	4204 -22.5	2826 -15.6	1668 -8.2	839 -1.3	182 5.6	363 12.1	632 18.6	925 25.1	1349 31.6	1829 38.1	2349 44.6	-65
-70	8079 28.6	6862 30.2	5720 33.0	4728 36.2	3828 39.0	3028 41.8	2328 44.6	1728 47.4	1228 50.2	828 53.0	428 55.8	28 58.6	-70
-75	19376 5.5	3522 32.2	8878 35.8	8243 39.4	7733 43.0	7300 46.6	6959 50.2	6707 53.8	6559 57.4	6507 61.0	6559 64.6	6707 68.2	-75
-80	13553 15.0	13129 16.1	13224 17.2	13277 18.3	13314 19.4	13349 20.5	13384 21.6	13409 22.7	13434 23.8	13459 24.9	13484 26.0	13509 27.1	-80
-85	14318 2.8	14269 3.9	14220 5.0	14171 6.1	14122 7.2	14073 8.3	14024 9.4	13975 10.5	13926 11.6	13877 12.7	13828 13.8	13779 14.9	-85
-90	16302 15.2	16302 15.2	16302 15.2	16302 15.2	16302 15.2	16302 15.2	16302 15.2	16302 15.2	16302 15.2	16302 15.2	16302 15.2	16302 15.2	-90

HORIZONTAL COMPONENT (H) WMM-90

E. LONG LAT	180	185	190	195	200	205	210	215	220	225	230	235	E. LONG LAT
0	34557 1.4	34208 -6.6	33844 -14.2	33477 -20.7	33123 -25.2	32793 -29.7	32489 -33.2	32218 -35.8	31978 -37.4	31758 -38.9	31574 -39.9	31413 -42.4	0
-5	35145 8.1	34828 -1.3	34463 -11.7	34066 -20.7	33658 -28.2	33251 -34.0	32863 -38.3	32488 -41.3	32133 -43.9	31796 -45.9	31492 -47.4	31207 -49.7	-5
-10	35852 30.2	34796 3	34354 -14.6	33903 -24.8	33457 -33.7	33025 -41.5	32603 -48.3	32208 -53.8	31844 -57.4	31509 -60.9	31213 -63.5	30953 -65.3	-10
-15	36280 62.3	34084 -7.9	33604 -14.6	33158 -24.8	32723 -33.7	32299 -41.7	31891 -48.7	31508 -53.8	31144 -57.4	30809 -60.9	30518 -62.8	30262 -64.1	-15
-20	32873 28.8	32774 12.1	32588 -8.4	32333 -23.3	32031 -36.5	31707 -49.3	31378 -60.3	31053 -69.3	30742 -76.2	30456 -81.2	30205 -85.1	30002 -87.2	-20
-25	30285 52.5	31083 10.1	30803 -26.8	30378 -38.8	29958 -48.4	29548 -56.2	29152 -62.6	28774 -67.8	28416 -71.8	28082 -74.6	27776 -76.2	27502 -76.8	-25
-30	27082 82.5	28914 16.1	28609 -26.6	28013 -38.1	27428 -48.1	26862 -56.2	26318 -62.6	25798 -67.8	25304 -71.8	24838 -74.6	24402 -76.2	24000 -76.8	-30
-35	26360 112.2	26638 59.5	26212 -24.5	25618 -36.1	25042 -46.2	24488 -54.2	23958 -60.6	23454 -65.2	22978 -69.2	22532 -71.8	22118 -73.4	21738 -74.2	-35
-40	22812 142.2	25442 85.2	24912 -24.8	24328 -36.2	23772 -46.2	23248 -54.2	22758 -60.6	22302 -65.2	21882 -69.2	21498 -71.8	21152 -73.4	20842 -74.2	-40
-45	21271 172.1	21793 129.3	22312 99.5	22923 72.3	23528 43.1	24132 12.3	24742 -18.2	25362 -48.2	26002 -78.2	26672 -108.2	27382 -138.2	28132 -168.2	-45
-50	18604 202.1	19338 169.1	19815 148.5	20334 129.2	20892 112.2	21498 97.1	22152 82.1	22862 67.1	23632 52.1	24472 37.1	25382 22.1	26362 7.1	-50
-55	15823 232.3	16569 199.5	17249 172.9	17972 153.5	18742 141.1	19572 134.2	20462 126.2	21412 118.2	22432 110.2	23532 102.2	24712 94.2	25972 86.2	-55
-60	12870 262.1	13824 238.1	14619 218.1	15365 203.1	16069 190.2	16742 178.2	17397 167.2	18032 157.2	18652 147.2	19262 137.2	19862 127.2	20452 117.2	-60
-65	10348 292.1	11291 269.1	12186 248.8	13032 230.1	13858 213.1	14672 197.1	15482 182.1	16292 167.1	17102 152.1	17912 137.1	18722 122.1	19532 107.1	-65
-70	8291 322.1	9072 297.1	10354 278.5	11172 261.1	11981 246.1	12798 232.1	13622 219.1	14462 207.1	15312 196.1	16182 186.1	17072 177.1	17982 169.1	-70
-75	9171 352.1	9807 276.6	10478 257.1	11172 241.1	11881 226.1	12598 212.1	13332 200.1	14092 189.1	14872 179.1	15682 170.1	16522 162.1	17392 155.1	-75
-80	11221 382.1	11597 297.1	11959 259.2	12313 243.1	12678 228.1	13052 214.1	13432 201.1	13822 189.1	14222 178.1	14632 168.1	15052 158.1	15482 148.1	-80
-85	13220 412.1	14321 332.1	14163 281.3	14319 261.3	14492 242.3	14682 224.3	14892 207.3	15122 192.3	15372 178.3	15642 165.3	15932 153.3	16242 142.3	-85
-90	16302 442.1	16302 362.1	16302 312.1	16302 262.1	16302 212.1	16302 162.1	16302 112.1	16302 62.1	16302 12.1	16302 -38.1	16302 -88.1	16302 -138.1	-90

HORIZONTAL COMPONENT (H) WMM-90

LAT	240	245	250	255	260	265	270	275	280	285	290	295	L. LONG
0	332.3	331.1	330.5	329.8	329.0	328.2	327.4	326.6	325.8	325.0	324.2	323.4	0
-5	308.5	307.5	306.5	305.5	304.5	303.5	302.5	301.5	300.5	299.5	298.5	297.5	-5
-10	284.7	283.8	282.8	281.8	280.8	279.8	278.8	277.8	276.8	275.8	274.8	273.8	-10
-15	260.9	259.9	258.9	257.9	256.9	255.9	254.9	253.9	252.9	251.9	250.9	249.9	-15
-20	237.1	236.1	235.1	234.1	233.1	232.1	231.1	230.1	229.1	228.1	227.1	226.1	-20
-25	213.3	212.3	211.3	210.3	209.3	208.3	207.3	206.3	205.3	204.3	203.3	202.3	-25
-30	189.5	188.5	187.5	186.5	185.5	184.5	183.5	182.5	181.5	180.5	179.5	178.5	-30
-35	165.7	164.7	163.7	162.7	161.7	160.7	159.7	158.7	157.7	156.7	155.7	154.7	-35
-40	141.9	140.9	139.9	138.9	137.9	136.9	135.9	134.9	133.9	132.9	131.9	130.9	-40
-45	118.1	117.1	116.1	115.1	114.1	113.1	112.1	111.1	110.1	109.1	108.1	107.1	-45
-50	94.3	93.3	92.3	91.3	90.3	89.3	88.3	87.3	86.3	85.3	84.3	83.3	-50
-55	70.5	69.5	68.5	67.5	66.5	65.5	64.5	63.5	62.5	61.5	60.5	59.5	-55
-60	46.7	45.7	44.7	43.7	42.7	41.7	40.7	39.7	38.7	37.7	36.7	35.7	-60
-65	22.9	21.9	20.9	19.9	18.9	17.9	16.9	15.9	14.9	13.9	12.9	11.9	-65
-70	-1.9	-2.9	-3.9	-4.9	-5.9	-6.9	-7.9	-8.9	-9.9	-10.9	-11.9	-12.9	-70
-75	-27.1	-28.1	-29.1	-30.1	-31.1	-32.1	-33.1	-34.1	-35.1	-36.1	-37.1	-38.1	-75
-80	-53.3	-54.3	-55.3	-56.3	-57.3	-58.3	-59.3	-60.3	-61.3	-62.3	-63.3	-64.3	-80
-85	-79.5	-80.5	-81.5	-82.5	-83.5	-84.5	-85.5	-86.5	-87.5	-88.5	-89.5	-90.5	-85
-90	-105.7	-106.7	-107.7	-108.7	-109.7	-110.7	-111.7	-112.7	-113.7	-114.7	-115.7	-116.7	-90
LAT	240	245	250	255	260	265	270	275	280	285	290	295	L. LONG

HORIZONTAL COMPONENT (H) WMM-90

L. LONG LAT	300	305	310	315	320	325	330	335	340	345	350	355	L. LONG LAT
0	27574 -30.0	27568 -27.4	27614 -26.4	27651 -25.6	27629 -25.3	27528 -25.2	27363 -25.2	27176 -25.1	27037 -25.1	26904 -25.0	26719 -24.9	26480 -24.8	0
-5	26766 -37.4	26603 -36.9	26463 -38.0	26284 -40.4	26022 -43.7	25699 -47.9	25243 -52.9	24812 -59.4	24445 -69.2	24206 -79.5	24113 -86.7	24229 -91.5	-5
-10	25944 -43.2	25329 -44.9	24913 -47.3	24644 -51.4	24386 -56.0	23934 -62.4	23228 -70.8	22408 -80.0	21461 -90.1	20441 -100.2	19248 -110.3	17868 -120.4	-10
-15	24303 -51.0	23851 -51.8	23399 -55.1	22894 -60.3	22307 -66.3	21638 -73.8	20917 -81.5	20195 -90.2	19330 -98.9	18368 -107.6	17326 -116.3	16209 -125.0	-15
-20	22885 -59.6	22335 -61.3	21788 -63.8	21204 -67.9	20551 -73.5	19932 -79.8	19298 -86.8	18599 -94.7	17865 -103.2	17000 -111.1	16058 -118.4	15023 -125.7	-20
-25	21891 -68.1	20846 -71.6	20169 -75.9	19714 -80.8	19038 -86.8	18308 -93.5	17537 -100.8	16723 -108.6	15946 -117.1	15159 -125.8	14359 -134.6	13507 -142.5	-25
-30	20991 -77.6	19829 -81.9	18969 -86.9	18538 -92.6	17974 -98.9	17313 -105.6	16561 -112.8	15829 -120.4	15029 -128.4	14188 -136.1	13308 -143.8	12493 -151.0	-30
-35	19798 -87.1	19100 -91.8	18418 -96.9	17733 -102.4	17023 -108.2	16279 -114.3	15507 -120.7	14723 -127.5	13929 -134.7	13112 -141.8	12274 -149.2	11408 -156.9	-35
-40	18749 -96.6	18013 -101.3	17269 -106.3	16569 -111.9	15823 -117.3	15048 -123.3	14253 -129.7	13449 -136.4	12627 -143.2	11792 -150.0	10944 -156.4	10084 -163.1	-40
-45	17700 -106.1	16969 -110.6	16217 -115.7	15494 -121.4	14769 -127.6	14038 -134.1	13301 -140.8	12559 -147.9	11812 -155.1	11062 -162.4	10308 -169.1	9550 -176.0	-45
-50	20178 -115.6	19462 -120.2	18727 -125.2	17981 -130.8	17233 -136.4	16489 -142.1	15753 -148.0	15029 -154.2	14320 -160.0	13623 -166.6	12948 -173.6	12294 -181.4	-50
-55	20797 -125.1	20159 -129.8	19579 -134.6	18958 -139.5	18295 -144.2	17599 -148.9	16881 -153.6	16153 -158.6	15428 -163.4	14709 -168.2	14004 -173.0	13313 -177.6	-55
-60	21327 -134.6	20798 -139.3	20226 -143.9	19618 -148.4	18975 -153.1	18308 -157.6	17629 -162.1	16939 -166.6	16240 -171.1	15534 -175.6	14823 -180.1	14118 -184.6	-60
-65	21848 -144.1	21379 -148.7	20759 -153.2	20099 -157.7	19409 -162.2	18699 -166.7	17979 -171.2	17251 -175.7	16519 -180.2	15786 -184.7	15054 -189.2	14324 -193.7	-65
-70	21305 -153.6	21093 -158.1	20848 -162.6	20583 -167.1	20309 -171.6	20037 -176.1	19779 -180.6	19538 -185.1	19324 -189.6	19143 -194.1	18999 -198.6	18893 -203.1	-70
-75	20563 -163.1	20309 -167.6	20009 -172.1	19671 -176.6	19306 -181.1	18927 -185.6	18544 -190.1	18159 -194.6	17779 -199.1	17404 -203.6	17034 -208.1	16670 -212.6	-75
-80	19397 -172.6	19153 -177.1	18859 -181.6	18526 -186.1	18169 -190.6	17799 -195.1	17427 -200.1	17054 -204.6	16681 -209.1	16308 -213.6	15934 -218.1	15590 -222.6	-80
-85	17940 -182.1	18008 -186.6	18063 -191.1	18107 -195.6	18139 -200.1	18161 -204.6	18172 -209.1	18174 -213.6	18167 -218.1	18151 -222.6	18126 -227.1	18093 -231.6	-85
-90	16302 -191.6	16302 -196.1	16302 -200.6	16302 -205.1	16302 -209.6	16302 -214.1	16302 -218.6	16302 -223.1	16302 -227.6	16302 -232.1	16302 -236.6	16302 -241.1	-90
L. LONG LAT	300	305	310	315	320	325	330	335	340	345	350	355	L. LONG LAT

TOTAL INTENSITY (F) WMM-90

E. LONG	0	5	10	15	20	25	30	35	40	45	50	55	E. LONG
LAT													LAT
90	56443 -21.9	56443 -21.9	56443 -21.9	56443 -21.9	56443 -21.9	56443 -21.9	56443 -21.9	56443 -21.9	56443 -21.9	56443 -21.9	56443 -21.9	56443 -21.9	90
85	55488 -13.9	55513 -13.9	55551 -14.1	55600 -14.3	55661 -14.5	55732 -14.9	55813 -15.3	55901 -15.8	55997 -16.3	56099 -16.8	56206 -17.4	56315 -18.1	85
80	54428 -4.4	54462 -4.2	54531 -4.5	54629 -4.7	54758 -5.2	54915 -5.8	55099 -6.5	55308 -7.3	55537 -8.3	55783 -9.4	56043 -10.6	56311 -11.9	80
75	53363 4.3	53393 4.6	53476 4.7	53612 4.4	53799 4.0	54035 3.2	54318 2.3	54645 1.2	55011 0.0	55410 -1.4	55836 -2.9	56282 -4.4	75
70	52335 11.0	52354 11.7	52443 11.9	52603 12.1	52828 12.8	53122 13.2	53481 13.8	53902 14.2	54381 14.9	54912 15.6	55486 16.1	56095 16.6	70
65	51322 17.9	51337 18.1	51431 18.3	51603 18.5	51857 18.8	52189 19.2	52592 19.8	53072 20.2	53623 20.9	54243 21.5	54928 22.2	55668 22.7	65
60	50261 19.2	50287 19.7	50398 19.8	50591 19.3	50863 18.8	51212 18.2	51640 17.6	52142 17.0	52732 16.3	53402 15.6	54142 14.7	54949 13.5	60
55	49067 19.2	49127 20.8	49273 21.5	49498 21.8	49795 20.9	50162 19.7	50600 18.2	51114 17.4	51706 16.7	52380 15.1	53134 14.2	53962 12.6	55
50	47673 19.8	47789 22.0	47990 23.2	48262 23.5	48595 23.0	48986 21.7	49434 19.9	49945 17.6	50526 15.1	51183 12.7	51915 10.5	52722 8.2	50
45	46047 19.2	46233 22.8	46501 24.0	46832 25.8	47212 25.3	47632 24.2	48095 22.6	48602 20.5	49152 18.1	49748 15.0	50489 11.6	51243 8.8	45
40	44190 19.2	44449 22.9	44787 25.7	45179 27.4	45605 27.7	46057 26.6	46536 24.2	47048 20.5	47601 16.1	48198 11.3	48841 6.6	49528 2.5	40
35	42336 15.1	42463 22.1	42863 25.7	43304 28.0	43766 28.8	44240 27.8	44729 25.1	45243 21.0	45786 15.8	46358 10.1	46952 4.2	47572 -1.2	35
30	39952 15.1	40335 20.0	40778 24.0	41250 26.8	41728 27.8	42207 26.8	42698 25.9	43203 19.3	43735 13.9	44285 7.9	44846 1.9	45408 -3.5	30
25	37751 12.4	38178 16.9	38640 20.5	39121 22.9	39595 23.6	40061 22.5	40530 19.6	41017 15.3	41527 10.0	42054 4.3	42584 -1.3	43109 -6.2	25
20	35687 9.9	36136 13.2	36613 15.7	37088 19.1	37544 17.1	37979 15.5	38408 12.8	38852 8.5	39321 3.8	39813 -0.3	40317 -4.8	40818 -8.8	20
15	33939 8.2	34412 9.6	34895 10.2	35359 9.9	35888 8.8	36489 8.9	36951 8.1	37329 7.5	37769 -4.2	38246 -10.1	38747 -11.7	39247 -11.7	15
10	32635 6.5	33144 6.4	33642 6.5	34102 6.2	34505 5.0	34848 -4.8	35142 -8.2	35382 -11.2	35569 -14.2	35718 -17.1	35828 -19.8	35899 -21.1	10
5	31787 5.0	32352 5.5	32885 6.3	33355 6.2	33778 5.1	34051 -1.2	34276 -4.6	34449 -7.5	34568 -10.8	34633 -13.6	34648 -16.4	34699 -18.9	5
0	31266 3.6	31909 4.9	32491 6.1	32981 6.0	33387 5.1	33789 -1.8	34109 -5.1	34380 -8.4	34546 -11.7	34639 -15.0	34679 -18.3	34664 -21.6	0
LAT													LAT
E. LONG	0	5	10	15	20	25	30	35	40	45	50	55	E. LONG

nT
(units: nT)

TOTAL INTENSITY (F) WMM-90

E. LONG LAT	60	65	70	75	80	85	90	95	100	105	110	115	E. LONG LAT
90	56443 -21.9	56443 -21.9	56443 -21.9	56443 -21.9	56443 -21.9	56443 -21.9	56443 -21.9	56443 -21.9	56443 -21.9	56443 -21.9	56443 -21.9	56443 -21.9	90
85	56646 -18.8	56536 -19.5	56644 -20.2	56748 -20.9	56848 -21.6	56941 -22.3	57026 -23.0	57103 -23.6	57172 -24.2	57228 -24.8	57273 -25.3	57311 -25.8	85
80	56583 -13.2	56854 -14.6	57118 -16.0	57371 -17.4	57607 -18.8	57823 -20.2	58011 -21.7	58172 -23.1	58302 -24.5	58399 -25.5	58463 -26.5	58494 -27.4	80
75	56738 -6.1	57194 -7.9	57643 -9.7	58070 -11.6	58467 -13.5	58824 -15.5	59132 -17.4	59383 -19.4	59572 -21.2	59694 -22.9	59748 -24.4	59735 -25.8	75
70	56725 1.0	57363 -0.7	57994 -2.5	58599 -4.4	59163 -6.2	59667 -8.1	60207 -10.0	60788 -11.9	61408 -13.8	62071 -15.7	62768 -17.6	63498 -19.5	70
65	56631 8.0	57319 -0.3	58006 -2.1	58663 -4.0	59287 -5.9	60023 -7.8	60804 -9.7	61678 -11.6	62611 -13.5	63602 -15.4	64651 -17.3	65758 -19.2	65
60	55806 9.6	56696 9.3	57590 9.1	58464 8.9	59287 8.8	60023 8.5	60649 8.3	61128 8.1	61438 7.9	61561 7.7	61585 7.5	61519 7.3	60
55	54851 9.8	55781 9.3	56727 9.1	57659 8.9	58540 8.8	59334 8.5	60004 8.3	60513 8.1	60839 7.9	60930 7.7	60798 7.5	60430 7.3	55
50	53591 7.5	54507 8.0	55443 8.5	56375 9.0	57269 9.5	58062 10.0	58834 10.5	59543 11.0	59949 11.5	59912 12.0	59426 12.5	58978 13.0	50
45	52054 3.7	52909 4.2	53788 4.7	54665 5.2	55503 5.7	56263 6.2	56907 6.7	57377 7.2	57648 7.7	57680 8.2	57448 8.7	56949 9.2	45
40	50258 -0.8	51019 -2.9	51805 -5.0	52590 -7.1	53344 -9.2	54029 -11.3	54602 -13.4	55023 -15.5	55259 -17.6	55249 -19.7	54981 -21.8	54438 -23.9	40
35	48215 -4.8	48875 -7.5	49551 -10.2	50226 -12.9	50877 -15.6	51467 -18.3	51959 -21.0	52313 -23.7	52491 -26.4	52455 -29.1	52172 -31.8	51622 -34.5	35
30	45971 -10.9	46538 -10.8	47112 -10.7	47686 -10.6	48232 -10.5	48728 -10.4	49136 -10.3	49423 -10.2	49554 -10.1	49493 -10.0	49209 -9.9	48676 -9.8	30
25	43617 -10.0	44321 -10.0	45024 -10.0	45719 -10.0	46399 -10.0	47011 -10.0	47550 -10.0	48018 -10.0	48414 -10.0	48734 -10.0	48978 -10.0	49146 -10.0	25
20	41312 -11.3	42028 -11.3	42748 -11.3	43478 -11.3	44218 -11.3	44968 -11.3	45728 -11.3	46498 -11.3	47278 -11.3	48058 -11.3	48838 -11.3	49618 -11.3	20
15	39264 -12.6	39787 -12.6	40308 -12.6	40814 -12.6	41314 -12.6	41808 -12.6	42288 -12.6	42754 -12.6	43208 -12.6	43650 -12.6	44080 -12.6	44498 -12.6	15
10	37983 -13.2	38303 -13.2	38914 -13.2	39547 -13.2	40110 -13.2	40704 -13.2	41328 -13.2	41982 -13.2	42666 -13.2	43380 -13.2	44124 -13.2	44908 -13.2	10
5	36704 -13.7	37482 -13.7	38287 -13.7	39074 -13.7	39799 -13.7	40518 -13.7	41283 -13.7	42094 -13.7	42951 -13.7	43854 -13.7	44804 -13.7	45801 -13.7	5
0	36324 -12.1	37316 -12.1	38352 -12.1	39369 -12.1	40389 -12.1	41411 -12.1	42445 -12.1	43491 -12.1	44548 -12.1	45616 -12.1	46696 -12.1	47788 -12.1	0

TOTAL INTENSITY (F) WMM-90

E. LONG LAT	120	125	130	135	140	145	150	155	160	165	170	175	E. LONG LAT
90	5844.8	5844.8	5844.8	5844.8	5844.8	5844.8	5844.8	5844.8	5844.8	5844.8	5844.8	5844.8	90
85	5733.8	5735.3	5736.8	5736.0	5735.1	5734.3	5732.1	5729.8	5727.1	5724.2	5721.8	5718.5	85
80	5849.2	5846.4	5840.9	5833.4	5834.0	5833.4	5802.3	5780.5	5780.9	5769.8	5759.9	5756.5	80
75	5865.8	5852.6	5834.1	5811.9	5806.9	5800.6	5833.8	5807.0	5782.7	5763.4	5743.4	5729.6	75
70	6021.0	6022.8	5991.7	5949.6	5933.0	5855.4	5808.9	5763.2	5722.4	5688.2	5661.2	5642.4	70
65	6027.1	6051.5	5994.8	5929.9	5850.0	5788.3	5718.3	5653.0	5585.2	5547.3	5511.4	5488.2	65
60	6025.5	6011.0	5933.5	5862.6	5751.8	5656.7	5564.9	5479.7	5405.8	5345.4	5301.6	5274.4	60
55	5983.0	5903.9	5807.9	5698.5	5593.3	5497.8	5403.8	5284.8	5167.3	5096.9	5060.9	5036.9	55
50	5827.5	5734.3	5622.3	5497.3	5365.4	5235.5	5107.9	4984.1	4896.9	4849.6	4764.0	4711.9	50
45	5430.9	5133.2	5390.9	5254.6	5117.9	4969.6	4835.3	4714.7	4612.3	4531.8	4474.3	4442.8	45
40	5361.8	5254.6	5126.9	4985.6	4837.7	4691.8	4556.9	4432.8	4330.2	4250.2	4194.6	4164.0	40
35	5080.8	4922.9	4845.7	4705.2	4559.2	4415.7	4281.9	4163.5	4065.1	3989.6	3938.9	3912.2	35
30	4788.8	4686.3	4564.8	4431.0	4292.8	4152.3	4031.7	3923.4	3830.7	3762.5	3718.1	3697.2	30
25	4510.1	4415.9	4304.9	4192.3	4086.3	3933.4	3819.8	3720.6	3639.7	3579.9	3542.5	3526.9	25
20	4269.6	4186.6	4088.0	3980.6	3899.6	3761.8	3662.9	3576.9	3503.8	3451.4	3419.2	3406.6	20
15	4094.8	4022.3	3938.7	3846.8	3752.6	3659.5	3573.3	3496.9	3433.6	3386.1	3355.3	3340.3	15
10	4008.1	3947.0	3876.4	3799.7	3719.3	3639.8	3564.5	3496.0	3437.1	3389.9	3352.0	3329.9	10
5	4023.8	3970.8	3911.9	3846.8	3785.5	3729.0	3671.2	3627.9	3585.6	3542.3	3499.2	3489.8	5
0	4138.1	4029.4	4042.3	3986.7	3927.0	3864.4	3800.7	3737.6	3676.1	3617.3	3562.4	3511.9	0

TOTAL INTENSITY (F) WMM-90

E. LONG LAT	180	185	190	195	200	205	210	215	220	225	230	235	E. LONG LAT
90	56443 -21.5	56443 -21.5	56443 -21.5	56443 -21.5	56443 -21.5	56443 -21.5	56443 -21.5	56443 -21.5	56443 -21.5	56443 -21.5	56443 -21.5	56443 -21.5	90
85	57149 -26.0	57118 -25.8	57088 -25.8	57058 -25.5	57029 -25.2	57000 -25.0	56973 -24.7	56947 -24.4	56921 -24.1	56896 -23.8	56872 -23.5	56849 -23.2	85
80	57449 -31.0	57399 -30.8	57349 -30.6	57300 -30.4	57253 -30.2	57208 -30.0	57164 -29.8	57121 -29.5	57079 -29.3	57038 -29.0	56998 -28.8	56959 -28.5	80
75	57204 -19.0	57158 -18.8	57114 -18.6	57071 -18.4	57029 -18.2	56988 -18.0	56948 -17.8	56909 -17.5	56871 -17.3	56834 -17.0	56798 -16.8	56763 -16.5	75
70	56329 -9.0	56308 -8.8	56288 -8.6	56268 -8.4	56249 -8.2	56231 -8.0	56214 -7.8	56198 -7.5	56183 -7.3	56168 -7.0	56154 -6.8	56141 -6.5	70
65	54783 -1.0	54818 -0.8	54854 -0.6	54891 -0.4	54929 -0.2	54968 -0.0	55008 -0.2	55049 -0.4	55091 -0.6	55134 -0.8	55178 -1.0	55223 -1.2	65
60	52854 -9.0	52800 -8.8	52747 -8.6	52695 -8.4	52644 -8.2	52594 -8.0	52545 -7.8	52497 -7.5	52450 -7.3	52404 -7.0	52359 -6.8	52315 -6.5	60
55	50974 -12.0	50920 -11.8	50867 -11.6	50815 -11.4	50764 -11.2	50714 -11.0	50665 -10.8	50617 -10.5	50570 -10.3	50524 -10.0	50479 -9.8	50435 -9.5	55
50	47239 -12.0	47185 -11.8	47132 -11.6	47080 -11.4	47029 -11.2	46979 -11.0	46930 -10.8	46882 -10.5	46835 -10.3	46789 -10.0	46744 -9.8	46700 -9.5	50
45	44341 -5.0	44306 -4.8	44272 -4.6	44239 -4.4	44207 -4.2	44176 -4.0	44146 -3.8	44117 -3.5	44089 -3.3	44062 -3.0	44036 -2.8	44011 -2.5	45
40	41579 -2.0	41540 -1.8	41502 -1.6	41465 -1.4	41429 -1.2	41394 -1.0	41360 -0.8	41327 -0.5	41295 -0.3	41264 -0.0	41234 -0.2	41205 -0.4	40
35	39091 -14.0	39047 -13.8	39004 -13.6	38962 -13.4	38921 -13.2	38881 -13.0	38842 -12.8	38804 -12.5	38767 -12.3	38731 -12.0	38696 -11.8	38662 -11.5	35
30	36980 -21.0	36947 -20.8	36915 -20.6	36884 -20.4	36854 -20.2	36825 -20.0	36797 -19.8	36770 -19.5	36744 -19.3	36719 -19.0	36695 -18.8	36672 -18.5	30
25	35306 -22.0	35274 -21.8	35243 -21.6	35213 -21.4	35184 -21.2	35156 -21.0	35129 -20.8	35103 -20.5	35078 -20.3	35054 -20.0	35031 -19.8	35009 -19.5	25
20	34098 -16.0	34067 -15.8	34037 -15.6	34008 -15.4	33980 -15.2	33953 -15.0	33927 -14.8	33902 -14.5	33878 -14.3	33855 -14.0	33833 -13.8	33812 -13.5	20
15	33383 -16.0	33353 -15.8	33324 -15.6	33296 -15.4	33269 -15.2	33243 -15.0	33218 -14.8	33194 -14.5	33171 -14.3	33149 -14.0	33128 -13.8	33108 -13.5	15
10	33205 -16.0	33176 -15.8	33148 -15.6	33121 -15.4	33095 -15.2	33070 -15.0	33046 -14.8	33023 -14.5	33001 -14.3	32980 -14.0	32960 -13.8	32941 -13.5	10
5	33614 -5.0	33589 -4.8	33565 -4.6	33542 -4.4	33520 -4.2	33499 -4.0	33479 -3.8	33460 -3.5	33442 -3.3	33425 -3.0	33409 -2.8	33394 -2.5	5
0	34658 -1.0	34637 -0.8	34617 -0.6	34598 -0.4	34580 -0.2	34563 -0.0	34547 -0.2	34532 -0.4	34518 -0.6	34505 -0.8	34493 -1.0	34482 -1.2	0

TOTAL INTENSITY (F) WMM-90

E. LONG LAT	240	245	250	255	260	265	270	275	280	285	290	295	E. LONG LAT
90	56443 -21.6	56443 -21.6	56443 -21.6	56443 -21.6	56443 -21.6	56443 -21.6	56443 -21.6	56443 -21.6	56443 -21.6	56443 -21.6	56443 -21.6	56443 -21.6	90
85	56765 -22.5	56720 -22.5	56670 -21.8	56616 -21.4	56557 -21.0	56490 -20.6	56427 -20.2	56356 -19.7	56283 -19.3	56204 -18.8	56126 -18.3	56047 -17.8	85
80	57420 -21.7	57396 -21.5	57353 -21.3	57294 -21.0	57216 -20.6	57114 -20.1	56993 -19.6	56853 -18.9	56696 -18.2	56524 -17.4	56338 -16.5	56144 -15.5	80
75	58297 -20.8	58352 -21.3	58369 -21.6	58344 -21.8	58274 -21.8	58152 -21.6	57995 -21.2	57789 -20.6	57543 -19.8	57260 -18.7	56946 -17.5	56608 -16.1	75
70	59163 -21.2	59363 -22.5	59458 -22.8	59502 -23.0	59569 -23.4	59657 -23.4	59767 -23.5	59901 -23.8	59964 -24.0	59964 -23.0	59709 -21.6	59216 -16.1	70
65	59721 -23.8	60057 -26.2	60301 -28.4	60442 -29.6	60507 -30.2	60569 -30.9	60619 -31.2	60658 -31.5	60688 -31.8	60708 -32.0	60708 -32.0	60688 -31.8	65
60	59694 -28.9	60207 -32.0	60594 -34.9	60858 -36.4	60980 -37.2	60999 -37.5	60959 -37.2	60868 -36.8	60738 -36.2	60578 -35.4	60332 -34.2	60047 -33.0	60
55	59905 -34.6	59586 -38.8	60158 -41.8	60536 -43.6	60772 -44.5	60826 -44.8	60689 -44.5	60359 -44.2	59844 -44.8	59159 -44.2	58332 -44.2	57395 -43.1	55
50	57321 -40.9	58153 -45.3	58854 -48.8	59399 -50.5	59761 -51.1	59918 -51.2	59853 -51.2	59558 -51.4	59039 -51.9	58314 -52.4	57219 -52.2	56379 -52.2	50
45	55050 -46.3	56001 -50.4	56879 -54.6	57502 -56.2	57987 -56.6	58253 -56.6	58273 -56.7	58033 -56.8	57543 -57.3	56807 -58.0	55868 -61.1	54770 -61.3	45
40	52296 -49.8	53315 -53.3	54229 -56.3	54928 -60.0	55583 -60.4	55943 -60.5	56048 -61.0	55876 -62.4	55426 -64.6	54711 -67.2	53693 -69.3	52603 -70.3	40
35	49276 -50.1	50310 -56.7	51256 -60.0	52074 -61.5	52719 -62.1	53146 -62.6	53317 -63.8	53208 -66.2	52818 -69.8	52339 -73.3	51771 -77.1	50992 -80.9	35
30	46181 -50.1	47171 -55.8	48092 -60.8	48904 -66.4	49561 -68.2	50016 -69.8	50229 -70.3	50179 -70.8	49827 -73.5	49203 -78.9	48326 -83.6	47245 -86.4	30
25	43132 -45.3	44028 -48.4	44869 -50.2	45628 -51.5	46249 -52.6	46698 -53.1	46924 -53.3	46809 -53.3	46509 -53.7	46049 -54.2	45448 -54.8	44717 -55.6	25
20	40211 -40.3	40963 -48.4	41685 -50.2	42345 -51.5	42903 -52.6	43313 -53.1	43533 -53.3	43527 -53.3	43276 -53.7	42776 -54.3	42048 -55.0	41117 -55.6	20
15	37491 -35.7	38076 -38.0	38646 -40.6	39189 -43.0	39642 -44.5	39896 -44.8	40169 -45.0	40169 -45.0	39869 -45.4	39524 -45.8	38876 -46.4	38048 -47.0	15
10	35072 -30.3	35668 -32.6	36271 -34.7	36862 -36.2	37403 -37.8	37889 -38.8	37923 -39.2	37908 -39.2	37401 -39.7	36940 -40.3	36226 -41.0	35408 -41.6	10
5	33097 -25.3	33891 -28.0	34619 -30.1	35345 -32.5	35969 -34.6	36419 -35.6	36768 -36.1	36908 -36.1	36408 -36.6	35889 -37.1	35298 -37.6	34658 -38.1	5
0	31692 -20.4	32689 -23.8	33723 -26.8	34779 -30.1	35810 -33.3	36841 -36.1	37781 -38.1	38628 -40.1	39389 -42.1	40057 -44.1	40664 -46.1	41211 -48.1	0
LAT	240	245	250	255	260	265	270	275	280	285	290	295	LAT
E. LONG	240	245	250	255	260	265	270	275	280	285	290	295	E. LONG

TOTAL INTENSITY (F) WMM-90

E. LONG LAT	300	305	310	315	320	325	330	335	340	345	350	355	L. LONG LAT
90	56443 -21.0	56443 -21.0	56443 -21.0	56443 -21.0	56443 -21.0	56443 -21.0	56443 -21.0	56443 -21.0	56443 -21.0	56443 -21.0	56443 -21.0	56443 -21.0	90
85	55968 -17.0	55892 -16.0	55818 -15.0	55748 -14.0	55685 -13.0	55629 -12.0	55578 -11.0	55535 -10.0	55503 -9.0	55487 -8.0	55476 -7.0	55474 -6.0	85
80	55943 -14.0	55740 -13.0	55549 -12.0	55345 -11.0	55159 -10.0	54988 -9.0	54836 -8.0	54709 -7.0	54599 -6.0	54506 -5.0	54459 -4.0	54423 -3.0	80
75	56254 -12.0	55891 -11.0	55527 -10.0	55171 -9.0	54839 -8.0	54532 -7.0	54222 -6.0	53967 -5.0	53753 -4.0	53582 -3.0	53459 -2.0	53385 -1.0	75
70	56987 -10.0	56549 -9.0	56107 -8.0	55669 -7.0	55240 -6.0	54829 -5.0	54435 -4.0	54057 -3.0	53702 -2.0	53377 -1.0	53082 0.0	52809 1.0	70
65	56997 -8.0	56569 -7.0	56148 -6.0	55746 -5.0	55362 -4.0	55005 -3.0	54675 -2.0	54371 -1.0	54092 0.0	53838 1.0	53607 2.0	53393 3.0	65
60	56944 -6.0	56523 -5.0	56115 -4.0	55728 -3.0	55362 -2.0	55026 -1.0	54719 0.0	54441 1.0	54192 2.0	53971 3.0	53778 4.0	53612 5.0	60
55	56389 -4.0	55953 -3.0	55528 -2.0	55114 -1.0	54721 0.0	54358 1.0	54024 2.0	53718 3.0	53440 4.0	53191 5.0	52961 6.0	52758 7.0	55
50	55863 -2.0	55431 -1.0	54999 0.0	54577 1.0	54175 2.0	53802 3.0	53458 4.0	53143 5.0	52857 6.0	52600 7.0	52371 8.0	52168 9.0	50
45	55576 -1.0	55146 0.0	54716 1.0	54295 2.0	53893 3.0	53520 4.0	53176 5.0	52861 6.0	52575 7.0	52318 8.0	52090 9.0	51881 10.0	45
40	55101 -0.0	54674 -1.0	54248 -2.0	53822 -3.0	53416 -4.0	53029 -5.0	52661 -6.0	52312 -7.0	51982 -8.0	51680 -9.0	51407 -10.0	51154 -11.0	40
35	48847 -78.2	47557 -74.6	46306 -67.9	45163 -58.3	44170 -48.2	43376 -37.6	42752 -26.2	42301 -14.8	41997 -7.6	41834 -1.1	41806 6.5	41919 12.3	35
30	46029 -86.2	44763 -82.5	43532 -73.2	42417 -63.5	41470 -53.9	40717 -41.8	40156 -30.2	39771 -19.9	39549 -10.8	39449 -3.1	39492 3.6	39664 9.6	30
25	43064 -82.4	41858 -78.8	40723 -67.3	39618 -57.2	38623 -48.2	38028 -39.2	37533 -31.1	37224 -23.2	37079 -16.2	37058 -9.2	37174 -2.2	37409 4.8	25
20	40057 -85.7	38939 -82.3	37848 -74.7	36961 -63.6	36243 -56.4	35625 -46.5	35115 -33.4	34792 -22.0	34731 -12.6	34807 -5.1	35001 1.9	35300 5.8	20
15	37109 -81.0	36098 -77.8	35123 -67.2	34248 -57.4	33428 -48.8	32708 -41.8	32112 -36.2	31613 -31.1	31219 -26.0	30984 -21.4	30859 -16.9	30808 -12.4	15
10	34274 -80.4	33406 -77.4	32568 -69.5	31831 -61.9	31268 -55.0	30894 -47.4	30743 -41.0	30786 -34.9	30984 -28.3	31296 -21.4	31691 -16.5	32144 -11.6	10
5	31658 -81.8	30925 -78.6	30245 -70.5	29689 -63.9	29247 -58.1	28910 -52.2	28728 -46.2	28742 -40.2	28698 -34.8	28796 -29.6	28965 -20.9	29317 -15.7	5
0	29299 -70.5	28717 -66.7	28208 -60.3	27830 -55.6	27632 -51.2	27640 -46.2	27850 -42.9	28229 -38.9	28732 -32.9	29315 -25.1	29947 -18.1	30604 -10.7	0
LAT													LAT
E. LONG	300	305	310	315	320	325	330	335	340	345	350	355	F. LONG

TOTAL INTENSITY (F) WMM-90

E. LONG	0	5	10	15	20	25	30	35	40	45	50	55	E. LONG
LAT													LAT
0	31266	31009	32497	32881	32247	33880	33709	33799	33946	34232	34779	34647	0
-5	30871	31582	32816	32728	33064	33440	33304	33336	33462	33795	34402	34292	-5
-10	30418	31164	31809	32301	32607	32737	32659	32782	32960	33612	34270	34120	-10
-15	29808	30522	31122	31556	31802	31888	31802	31991	32307	32979	34055	33498	-15
-20	29032	29642	30176	30468	30642	30768	30761	30889	31226	32481	33879	33652	-20
-25	28156	28609	28956	29176	29290	29370	29543	29966	30779	32057	33289	33871	-25
-30	27296	27578	27788	27924	28022	28187	28323	28610	30322	31906	33919	34259	-30
-35	26593	26753	26881	26901	27120	27281	28022	28992	30372	31907	33405	34628	-35
-40	25522	26361	26482	26676	26882	27092	27400	29466	31040	33002	35208	37839	-40
-45	26507	26629	26826	27136	27613	28316	29312	30639	32312	34311	36585	39066	-45
-50	27557	27734	28021	28459	29089	29926	31039	33422	34996	36036	38204	40549	-50
-55	28211	28732	29092	29612	30313	31216	32343	34703	36294	38109	40892	42542	-55
-60	28222	28576	28960	29494	30293	31370	32839	35389	38839	40543	43819	45118	-60
-65	25832	26078	26647	28347	30582	33372	36812	40507	41658	43930	45239	46250	-65
-70	28526	28948	29359	29789	29333	2996	2777	23675	44866	45802	47019	48312	-70
-75	44082	46252	44516	44856	45284	45799	46393	47083	47846	48682	49587	50549	-75
-80	48608	48517	48721	48869	48761	49614	50028	50481	50988	51541	52133	52760	-80
-85	28212	28118	28124	28099	28059	28026	28022	28022	28022	28022	28022	28022	-85
-90	28212	28118	28124	28099	28059	28026	28022	28022	28022	28022	28022	28022	-90
LAT													LAT
E. LONG	0	5	10	15	20	25	30	35	40	45	50	55	E. LONG

TOTAL INTENSITY (F) WMM-90

E. LONG LAT	60	65	70	75	80	85	90	95	100	105	110	115	E. LONG LAT
0	36324	37316	38352	39369	40309	41118	41738	42143	42316	42283	42086	41773	0
-5	36408	37662	38971	40256	41449	42483	43296	43847	44124	44158	44003	43729	-5
-10	36758	38310	39916	41491	42958	44243	45281	46018	46442	46584	46509	46294	-10
-15	37209	39078	40881	42646	44591	46140	47419	48323	48984	49279	49324	49200	-15
-20	37683	39847	42039	44174	46180	47981	49503	50691	51516	52000	52203	52203	-20
-25	38189	40916	43047	45111	47448	49864	51913	53827	55372	56571	57959	59108	-25
-30	38793	41619	43825	46055	48554	51256	53996	56716	59278	60883	62568	64380	-30
-35	39352	42283	44493	46830	49378	52063	54844	57628	60449	63306	66199	69126	-35
-40	40118	43168	45341	47668	50179	52869	55729	58766	61803	64938	68172	71497	-40
-45	40779	43853	46035	48355	50801	53421	56192	59107	62175	65397	68772	72292	-45
-50	41017	44154	46382	48754	51253	53921	56722	59657	62727	65949	69323	72849	-50
-55	41505	44839	47202	49654	52233	54963	57814	60794	63915	67177	70578	74119	-55
-60	42121	44992	47478	50017	52606	55356	58241	61261	64426	67737	71184	74767	-60
-65	42853	45816	48342	50929	53577	56386	59341	62441	65684	69071	72592	76247	-65
-70	43678	46793	49353	51971	54649	57486	60478	63623	66924	70371	73962	77697	-70
-75	44559	47766	50377	53041	55756	58621	61641	64814	68141	71617	75242	78917	-75
-80	45416	48693	51341	54041	56781	59661	62681	65841	69141	72581	76161	79881	-80
-85	46118	49445	52116	54811	57541	60411	63421	66571	69861	73291	76841	80511	-85
-90	46897	50297	52917	55617	58317	61217	64241	67401	70701	74131	77691	81381	-90

TOTAL INTENSITY (F) WMM-90

E. LONG LAT	120	125	130	135	140	145	150	155	160	165	170	175	E. LONG LAT
0	41381 13.0	40929	40423	39967	39270	38644	38007	37376	36761	36173	35624	35119	0
-5	43381 12.1	42985 9.8	42549 8.1	42052 6.2	41529 4.5	40937 2.9	40319 1.5	39675 0.0	39018	38333	37655	36986	-5
-10	45909 10.0	45656 8.2	45271 6.4	44834 4.6	44338 2.8	43780	43165	42497	41777	41012	40211	39391	-10
-15	48978 8.8	48690 7.0	48354 5.2	47958 3.4	47492 1.6	46950	46379	45651	44858	44016	43114	42172	-15
-20	52071 6.5	51853 4.7	51567 2.9	51207	50764	50228	49596	48868	48059	47146	46170	45139	-20
-25	55093 4.2	54955 2.4	54723 0.6	54395	53871	53259	52591	51838	51183	50337	49312	48127	-25
-30	57908 1.9	57806	57699	57498	57208	56839	56396	55893	55328	54702	54015	53267	-30
-35	60420 -0.4	60482	60378	60126	59738	59192	58536	57768	56967	56121	55242	54343	-35
-40	62578 -1.8	62559	62326	62223	62033	61839	61639	61209	60807	60334	59873	59329	-40
-45	64308 -3.0	64596	64663	64528	64211	63732	63119	62291	61525	60607	59632	58629	-45
-50	65344 -4.0	65944	66109	66061	65828	65414	64861	64186	63419	62572	61678	60750	-50
-55	66205 -4.2	66702	66971	67030	66998	66599	66156	65593	64936	64206	63425	62610	-55
-60	69239 -4.2	69809	69776	69359	68807	68188	68089	68475	68968	69389	69754	69978	-60
-65	63939	69656	69690	69275	68701	68067	68251	68707	69322	69963	70520	71033	-65
-70	63579	69283	69369	68916	68268	68558	69267	69983	70713	71471	72169	72803	-70
-75	62884	68623	68802	68343	67618	68007	68816	69645	70489	71359	72158	72973	-75
-80	60983	68393	68351	68057	67324	68298	69265	69921	70750	71620	72536	73453	-80
-85	58854	59078	59278	59456	59604	59727	59824	59893	59936	59962	59936	59897	-85
-90	56497	56497	56497	56497	56497	56497	56497	56497	56497	56497	56497	56497	-90

TOTAL INTENSITY (F) WMM-90

E. LONG LAT	180	185	190	195	200	205	210	215	220	225	230	235	E. LONG LAT
0	3495.8	3423.7	3364.9	2348.9	3313.9	3282.9	3255.5	3231.2	3202.2	3195.9	3183.8	3174.0	0
-5	3633.8	3571.9	3513.1	3457.6	3405.1	3355.6	3309.0	3265.2	3224.2	3186.8	3151.8	3115.4	-5
-10	3897.2	3777.1	3700.1	3626.5	3556.5	3489.4	3424.6	3362.5	3302.1	3244.4	3190.0	3140.1	-10
-15	4121.3	4026.0	3933.7	3844.9	3758.3	3675.8	3595.7	3517.5	3440.9	3366.4	3294.8	3227.1	-15
-20	4407.9	4301.3	4196.3	4094.9	3996.2	3901.9	3809.8	3719.9	3630.8	3543.5	3457.9	3374.8	-20
-25	4700.6	4587.3	4474.3	4364.5	4257.9	4154.7	4054.0	3957.0	3863.3	3773.8	3687.4	3571.6	-25
-30	4987.3	4870.9	4755.8	4643.6	4530.8	4423.9	4320.2	4218.5	4117.4	4015.8	3911.8	3805.8	-30
-35	5260.7	5145.4	5030.6	4917.3	4807.2	4700.1	4586.7	4474.8	4361.3	4286.5	4177.9	4061.9	-35
-40	5518.9	5407.1	5296.5	5187.3	5081.6	4978.9	4876.2	4775.2	4672.9	4565.8	4452.2	4330.4	-40
-45	5759.6	5644.1	5531.8	5424.9	5320.9	5220.6	5122.9	5026.1	4931.9	4833.7	4727.2	4600.8	-45
-50	5980.4	5853.2	5729.9	5609.8	5493.9	5381.3	5271.4	5163.5	5056.1	4949.8	4894.1	4865.8	-50
-55	6177.5	6031.1	6008.2	5853.2	5817.9	5751.1	5668.8	5568.3	5468.9	5361.6	5245.1	5118.7	-55
-60	6327.3	6164.9	6190.8	6115.9	6037.2	5956.6	5872.8	5782.9	5686.7	5583.2	5481.8	5350.1	-60
-65	6441.3	6181.8	6319.1	6253.7	6184.9	6110.8	6032.9	5959.4	5860.1	5763.9	5660.4	5549.6	-65
-70	6469.8	6322.9	6372.9	6317.2	6258.5	6195.3	6126.6	6052.9	5973.7	5889.0	5798.9	5702.7	-70
-75	6403.9	6371.2	6333.8	6291.7	6245.1	6193.9	6138.3	6078.9	6013.7	5944.9	5872.0	5795.2	-75
-80	6260.0	6319.9	6311.9	6267.6	6213.8	6159.5	6095.6	6021.5	5947.9	5872.4	5791.3	5717.4	-80
-85	5983.1	5974.0	5962.5	5948.9	5932.6	5914.9	5893.7	5871.4	5847.5	5821.9	5794.9	5766.8	-85
-90	5649.7	5649.7	5649.7	5649.7	5649.7	5649.7	5649.7	5649.7	5649.7	5649.7	5649.7	5649.7	-90
E. LONG LAT	180	185	190	195	200	205	210	215	220	225	230	235	E. LONG LAT

TOTAL INTENSITY (F) WMM-90

E. LONG	240	245	250	255	260	265	270	275	280	285	290	295	E. LONG
LAT													LAT
0	31892	31988	31928	31779	31839	31941	31793	31928	31849	31950	31860	29898	0
-5	30864	30768	30604	30469	30333	30163	29963	29846	29279	29823	29318	27893	-5
-10	30953	30557	30209	29963	29529	29146	28726	28248	27725	27173	26621	26106	-10
-15	31638	31049	30490	29941	29378	28778	28133	27448	26744	26054	25417	24876	-15
-20	32242	32164	31609	30831	29837	28901	28126	27220	26329	25469	24629	23723	-20
-25	32756	32795	32824	31931	30803	29368	28026	27296	26312	25398	24524	23843	-25
-30	32853	32829	32650	31632	30294	28890	27570	26529	25884	25280	24827	24446	-30
-35	32603	32119	31778	30665	29309	27449	26096	25419	24723	24324	23928	23626	-35
-40	31994	31592	31105	30546	29933	29289	28657	28058	27556	27163	26776	26422	-40
-45	32637	32159	31585	30926	29823	28508	27397	26338	25574	24949	24403	23926	-45
-50	32263	31760	31167	30491	29772	29039	28326	27626	27111	26685	26220	25744	-50
-55	32811	32340	31784	31064	30204	29337	28492	27604	26805	26134	25478	24828	-55
-60	32301	31819	31267	30564	29633	28793	27983	27192	26429	25752	25059	24393	-60
-65	32318	31878	31283	30556	29609	28754	27924	27131	26369	25723	25033	24367	-65
-70	32018	31664	31076	30368	29432	28509	27697	26884	26117	25425	24776	24166	-70
-75	32156	31728	31167	30468	29528	28624	27821	27019	26228	25525	24876	24266	-75
-80	32618	32239	31678	30949	29946	29043	28240	27438	26644	25930	25219	24509	-80
-85	32373	32025	31468	30748	29745	28833	28021	27219	26421	25633	24859	24093	-85
-90	32497	32147	31597	30877	29874	28967	28157	27347	26547	25747	24947	24147	-90
LAT													LAT
E. LONG	240	245	250	255	260	265	270	275	280	285	290	295	E. LONG

TOTAL INTENSITY (F) WMM-90

E. LONG LAT	300	305	310	315	320	325	330	335	340	345	350	355	E. LONG LAT
0 0	29299 -70.5	28617	28208	27830	27632	27640	27850	28229	28732	29315	29947	30604	0 0
-5 -5	27828 -78.2	26839 -53.7	26499 -45.1	26308	24909	26485	26848	27357	27868	28651	29379	30124	-5 -5
-10 -10	25668 -46.8	23338	23352	23321	23273	23592	24066	24859	27321	28053	28827	29628	-10 -10
-15 -15	24468 -48.8	24223	24151	24258	24529	24941	25462	26030	26757	27485	28248	29035	-15 -15
-20 -20	23311 -53.2	23508	23518	23703	24048	24509	25058	25659	26289	26952	27658	28354	-20 -20
-25 -25	23392 -53.2	23723	23729	23868	24188	24287	24828	25368	25931	26501	27073	27652	-25 -25
-30 -30	23529 -53.2	23281	23282	23468	23839	24278	24792	25326	25889	26432	26951	27464	-30 -30
-35 -35	24150 -50.2	23829	23762	23871	24143	24496	24876	25243	25583	25891	26169	26394	-35 -35
-40 -40	25312 -50.2	24872	24720	24672	24811	25029	25275	25512	25718	25890	26039	26149	-40 -40
-45 -45	27071 -65.2	26816	26869	26903	26972	26953	26904	26813	26623	26326	26172	25938	-45 -45
-50 -50	29471 -73.5	28797	28309	28272	27977	27637	27558	27504	27463	27436	27431	27464	-50 -50
-55 -55	32473 -79.2	31716	31109	30637	30275	29896	28422	29607	29477	29391	29357	29391	-55 -55
-60 -60	35967 -83.2	35169	34494	33929	33462	33077	32764	32515	32327	32205	32155	32190	-60 -60
-65 -65	39776 -84.6	38987	38294	37692	37178	36742	36381	36091	35975	35933	35972	35924	-65 -65
-70 -70	43664 -88.2	42337	41388	40307	39201	38268	37403	36615	35892	35249	34663	34118	-70 -70
-75 -75	47603 -92.2	46293	44738	43243	41839	40918	40598	40341	40148	40023	39969	39920	-75 -75
-80 -80	50821 -95.6	50380	49769	49611	49287	49006	48771	48583	48452	48352	48319	48336	-80 -80
-85 -85	53845 -94.2	53614	53403	53211	53042	52897	52776	52680	52611	52570	52557	52571	-85 -85
-90 -90	56497 -90.7	56497	56497	56497	56497	56497	56497	56497	56497	56497	56497	56497	-90 -90
LAT	300	305	310	315	320	325	330	335	340	345	350	355	LAT
E. LONG	300	305	310	315	320	325	330	335	340	345	350	355	E. LONG

TOTAL INTENSITY (F) WMM-90

E. LONG	0	5	10	15	20	25	30	35	40	45	50	55	L. LONG
LAT													LAT
90	-12.2	-14.2	-22.2	-14.2	-12.2	-17.2	-12.2	14.2	17.2	12.2	14.2	22.2	90
85	-16.4	-18.2	-9.2	-2.2	8.2	8.2	18.2	14.2	19.2	22.2	25.2	28.2	85
80	-12.2	-8.2	-3.2	7.2	4.2	8.2	12.2	15.2	19.2	22.2	26.2	29.2	80
75	-10.4	-6.2	-7.2	8.2	6.2	8.2	11.2	12.2	18.2	21.2	23.2	26.2	75
70	-9.2	-5.2	-2.2	3.2	5.2	7.2	10.2	13.2	16.2	18.2	20.2	22.2	70
65	-7.2	-4.2	-3.2	3.2	4.2	6.2	8.2	11.2	12.2	15.2	17.2	18.2	65
60	-6.4	-3.2	-3.2	4.2	3.2	5.2	7.2	9.2	11.2	12.2	13.2	14.2	60
55	-5.2	-2.2	5.2	4.2	3.2	4.2	6.2	7.2	8.2	9.2	10.2	11.2	55
50	-6.2	-2.2	5.2	4.2	3.2	3.2	5.2	6.2	6.2	7.2	8.2	8.2	50
45	-3.2	-1.2	5.2	4.2	3.2	3.2	4.2	4.2	5.2	5.2	6.2	6.2	45
40	-2.2	-1.2	5.2	4.2	3.2	3.2	4.2	4.2	4.2	4.2	4.2	4.2	40
35	-2.2	-1.2	5.2	4.2	3.2	3.2	4.2	4.2	4.2	4.2	4.2	4.2	35
30	-2.2	-1.2	5.2	4.2	3.2	3.2	4.2	4.2	4.2	4.2	4.2	4.2	30
25	-2.2	-1.2	5.2	4.2	3.2	3.2	4.2	4.2	4.2	4.2	4.2	4.2	25
20	-2.2	-1.2	5.2	4.2	3.2	3.2	4.2	4.2	4.2	4.2	4.2	4.2	20
15	-4.2	-2.2	-3.2	4.2	3.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	15
10	-3.2	-2.2	-3.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	10
5	-4.2	-2.2	-3.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	5
0	-8.2	-4.2	-5.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	0
LAT													LAT
E. LONG	0	5	10	15	20	25	30	35	40	45	50	55	E. LONG

TOTAL INTENSITY (F) WMM-90

E. LONG	60	65	70	75	80	85	90	95	100	105	110	115	E. LONG
LAT													LAT
90	27:8	32:8	37:8	42:8	47:8	52:8	57:8	62:8	67:8	72:8	77:8	82:8	90
85	13:8	36:3	39:4	42:2	46:7	48:8	48:8	49:7	50:3	50:2	49:4	47:5	85
80	11:9	34:3	36:3	37:2	38:4	38:2	36:9	34:2	29:3	24:8	17:0	9:8	80
75	26:4	30:0	31:0	31:4	30:8	29:4	26:9	21:4	15:3	8:3	1:3	-5:0	75
70	24:8	24:9	25:3	25:9	23:6	21:4	17:9	13:3	7:6	-4:1	-5:1	-9:2	70
65	19:8	20:8	20:1	19:6	18:9	15:6	12:4	8:3	-3:5	-3:2	-3:8	-9:8	65
60	15:5	15:8	15:6	14:8	13:4	11:6	8:8	5:1	1:8	-2:3	-6:1	-9:5	60
55	12:8	12:1	11:8	11:0	9:9	8:2	6:0	3:4	:3	-2:2	-5:8	-8:6	55
50	9:9	9:0	8:7	8:8	7:1	5:8	4:3	2:9	-:8	-2:2	-5:1	-7:6	50
45	6:5	6:4	6:1	5:6	4:9	3:8	2:6	1:2	-7:1	-2:6	-4:6	-6:5	45
40	4:6	4:2	4:0	3:6	3:3	2:4	1:6	1:5	-9:2	-2:3	-3:9	-5:4	40
35	3:0	2:2	2:4	2:0	1:3	1:5	1:5	1:2	-1:9	-2:7	-3:2	-4:4	35
30	1:8	1:4	1:1	1:8	1:3	1:2	1:2	1:2	-1:8	-1:2	-2:5	-3:4	30
25	:8	:5	:8	1:2	1:2	1:3	1:2	:7	-:8	-1:3	-1:8	-3:8	25
20	:9	-:5	-:8	-1:1	-1:1	-1:9	-1:9	-:8	-:8	-:8	-1:6	-1:4	20
15	-:7	-1:3	-1:8	-1:8	-1:8	-1:8	-1:8	-1:9	-:7	-:6	-1:8	-1:8	15
10	-1:6	-2:2	-2:6	-2:2	-2:6	-2:3	-1:8	-1:2	-:4	-:3	-1:3	-1:9	10
5	-2:6	-3:3	-3:7	-3:7	-3:5	-3:9	-2:3	-1:5	-:3	-1:9	-1:3	-1:9	5
0	-4:9	-4:7	-5:1	-5:9	-4:9	-3:9	-3:9	-1:9	-:9	-:9	-1:3	-1:7	0
LAT													LAT
E. LONG	60	65	70	75	80	85	90	95	100	105	110	115	E. LONG

DECLINATION (D) WMM-90

E. LONG LAT	120	125	130	135	140	145	150	155	160	165	170	175	E. LONG LAT
90	92:8	92:8	92:8	92:8	92:8	92:8	92:8	92:8	92:8	92:8	92:8	92:8	90
85	43:5	43:9	39:6	36:9	34:6	33:9	32:8	31:9	30:6	29:5	28:6	27:9	85
80	-11:5	-11:7	-11:1	-10:4	-9:8	-8:1	-7:6	-6:5	-5:6	-5:3	-4:7	-4:3	80
75	-9:8	-12:9	-14:6	-15:8	-15:4	-14:9	-13:9	-12:4	-11:6	-10:8	-9:4	-8:2	75
70	-12:9	-15:4	-16:9	-16:7	-15:9	-14:5	-13:4	-12:4	-11:6	-10:8	-9:3	-8:5	70
65	-13:8	-13:7	-13:2	-12:7	-12:6	-11:2	-10:8	-9:8	-8:9	-7:9	-7:8	-6:9	65
60	-12:1	-14:0	-15:0	-15:2	-14:6	-13:6	-12:5	-11:5	-10:5	-9:5	-8:4	-7:9	60
55	-10:9	-12:8	-13:6	-13:0	-12:6	-11:6	-10:4	-9:2	-8:5	-7:8	-6:7	-5:3	55
50	-9:0	-11:9	-11:8	-12:7	-11:9	-10:8	-9:8	-8:9	-7:9	-6:8	-5:8	-4:9	50
45	-8:2	-9:0	-10:3	-10:5	-10:6	-9:6	-8:5	-7:5	-6:4	-5:4	-4:3	-3:2	45
40	-6:6	-7:9	-8:2	-8:7	-8:6	-7:6	-6:9	-5:9	-4:8	-3:8	-2:7	-1:6	40
35	-5:7	-6:6	-6:9	-6:8	-6:4	-5:5	-4:8	-3:8	-2:8	-1:8	-1:0	0:1	35
30	-4:0	-4:9	-4:3	-4:3	-4:7	-4:7	-4:3	-3:7	-3:3	-2:8	-2:0	-1:3	30
25	-3:1	-3:5	-3:4	-3:5	-3:8	-3:8	-3:4	-2:8	-2:0	-1:4	-1:5	-0:0	25
20	-2:9	-2:7	-2:3	-2:9	-2:3	-1:3	-1:2	2:0	4:3	6:2	7:6	8:8	20
15	-1:0	-1:8	-1:8	-1:0	-1:9	1:4	2:0	4:2	5:8	7:3	8:6	9:5	15
10	-2:7	-2:0	-1:6	-:8	1:9	2:9	4:0	5:4	6:6	8:0	9:7	9:9	10
5	-2:6	-1:8	-1:3	1:8	2:8	3:9	5:3	6:6	7:8	8:8	9:3	10:6	5
0	-1:8	-1:7	-1:9	2:9	3:7	4:8	5:8	7:1	8:3	9:3	10:1	10:7	0

Deg.
(units : min/yr)

DECLINATION (D) WMM-90

E. LONG LAT	180	185	190	195	200	205	210	215	220	225	230	235	E. LONG LAT
90	147:8 14:8	152:8 14:8	157:8 14:8	162:8 14:8	167:8 14:8	172:8 14:8	177:8 14:8	182:8 14:8	187:8 14:8	192:8 14:8	197:8 14:8	202:8 14:8	207:8 14:8
85	43:5 -16:2	47:8 -16:2	51:2 -16:2	54:8 -16:2	58:5 -16:2	62:2 -16:2	65:8 -16:2	69:5 -16:2	73:2 -16:2	76:8 -16:2	80:5 -16:2	84:2 -16:2	88:8 -16:2
80	15:3 -1:1	18:3 -1:1	21:3 -1:1	24:3 -1:1	27:3 -1:1	30:3 -1:1	33:3 -1:1	36:3 -1:1	39:3 -1:1	42:3 -1:1	45:3 -1:1	48:3 -1:1	51:3 -1:1
75	8:0 -7:3	12:8 -7:3	16:8 -7:3	20:8 -7:3	24:8 -7:3	28:8 -7:3	32:8 -7:3	36:8 -7:3	40:8 -7:3	44:8 -7:3	48:8 -7:3	52:8 -7:3	56:8 -7:3
70	7:3 -7:3	11:8 -7:3	15:8 -7:3	19:8 -7:3	23:8 -7:3	27:8 -7:3	31:8 -7:3	35:8 -7:3	39:8 -7:3	43:8 -7:3	47:8 -7:3	51:8 -7:3	55:8 -7:3
65	9:4 -7:4	10:1 -7:4	11:3 -7:4	12:3 -7:4	13:3 -7:4	14:3 -7:4	15:3 -7:4	16:3 -7:4	17:3 -7:4	18:3 -7:4	19:3 -7:4	20:3 -7:4	21:3 -7:4
60	8:2 -6:2	9:8 -6:2	10:3 -6:2	11:3 -6:2	12:3 -6:2	13:3 -6:2	14:3 -6:2	15:3 -6:2	16:3 -6:2	17:3 -6:2	18:3 -6:2	19:3 -6:2	20:3 -6:2
55	9:2 -6:4	9:3 -6:4	10:3 -6:4	11:3 -6:4	12:3 -6:4	13:3 -6:4	14:3 -6:4	15:3 -6:4	16:3 -6:4	17:3 -6:4	18:3 -6:4	19:3 -6:4	20:3 -6:4
50	6:4 -6:4	8:1 -6:4	9:3 -6:4	10:3 -6:4	11:3 -6:4	12:3 -6:4	13:3 -6:4	14:3 -6:4	15:3 -6:4	16:3 -6:4	17:3 -6:4	18:3 -6:4	19:3 -6:4
45	6:8 -7:3	8:2 -7:3	9:4 -7:3	10:3 -7:3	11:3 -7:3	12:3 -7:3	13:3 -7:3	14:3 -7:3	15:3 -7:3	16:3 -7:3	17:3 -7:3	18:3 -7:3	19:3 -7:3
40	7:3 -8:6	8:4 -8:6	9:1 -8:6	10:2 -8:6	11:3 -8:6	12:3 -8:6	13:3 -8:6	14:3 -8:6	15:3 -8:6	16:3 -8:6	17:3 -8:6	18:3 -8:6	19:3 -8:6
35	8:6 -8:8	9:3 -8:8	10:2 -8:8	11:2 -8:8	12:3 -8:8	13:3 -8:8	14:3 -8:8	15:3 -8:8	16:3 -8:8	17:3 -8:8	18:3 -8:8	19:3 -8:8	20:3 -8:8
30	8:7 -9:3	9:2 -9:3	10:2 -9:3	11:2 -9:3	12:3 -9:3	13:3 -9:3	14:3 -9:3	15:3 -9:3	16:3 -9:3	17:3 -9:3	18:3 -9:3	19:3 -9:3	20:3 -9:3
25	9:3 -9:8	10:3 -9:8	11:3 -9:8	12:3 -9:8	13:3 -9:8	14:3 -9:8	15:3 -9:8	16:3 -9:8	17:3 -9:8	18:3 -9:8	19:3 -9:8	20:3 -9:8	21:3 -9:8
20	9:8 -10:1	10:8 -10:1	11:8 -10:1	12:8 -10:1	13:8 -10:1	14:8 -10:1	15:8 -10:1	16:8 -10:1	17:8 -10:1	18:8 -10:1	19:8 -10:1	20:8 -10:1	21:8 -10:1
15	10:1 -10:3	10:3 -10:3	10:8 -10:3	11:8 -10:3	12:8 -10:3	13:8 -10:3	14:8 -10:3	15:8 -10:3	16:8 -10:3	17:8 -10:3	18:8 -10:3	19:8 -10:3	20:8 -10:3
10	10:3 -10:5	10:5 -10:5	10:8 -10:5	11:3 -10:5	12:3 -10:5	13:3 -10:5	14:3 -10:5	15:3 -10:5	16:3 -10:5	17:3 -10:5	18:3 -10:5	19:3 -10:5	20:3 -10:5
5	10:5 -10:7	10:7 -10:7	10:8 -10:7	11:3 -10:7	12:3 -10:7	13:3 -10:7	14:3 -10:7	15:3 -10:7	16:3 -10:7	17:3 -10:7	18:3 -10:7	19:3 -10:7	20:3 -10:7
0	10:8 -11:8	10:8 -11:8	10:8 -11:8	11:3 -11:8	12:3 -11:8	13:3 -11:8	14:3 -11:8	15:3 -11:8	16:3 -11:8	17:3 -11:8	18:3 -11:8	19:3 -11:8	20:3 -11:8

DECLINATION (D) WMM-90

E. LONG LAT	240	245	250	255	260	265	270	275	280	285	290	295	E. LONG LAT
90	-152.8 14.8	-147.8 14.8	-142.8 14.8	-137.8 14.8	-132.8 14.8	-127.8 14.8	-122.8 14.8	-117.8 14.8	-112.8 14.8	-107.8 14.8	-102.8 14.8	-97.8 14.8	90
85	125.6	-198.4	-132.3	-131.1	-131.3	-123.0	-134.8	-194.8	-199.9	-93.6	-87.5	-81.6	85
80	74.6	82.1	109.2	-143.5	-121.5	-107.9	-99.6	-93.0	-97.3	-81.9	-76.8	-71.8	80
75	-31.5	51.9	48.9	35.7	-36.2	-54.0	-43.5	-38.5	-38.0	-65.0	-62.3	-62.0	75
70	-40.9	39.4	-33.3	-34.8	-29.8	-13.8	-12.3	-15.9	-20.6	-52.8	-52.9	-51.7	70
65	-32.4	-31.4	-37.9	-30.3	-18.8	-16.3	-14.9	-23.8	-36.8	-32.6	-41.8	-42.1	65
60	-27.9	-41.8	-22.4	-12.4	-10.8	-8.2	-8.1	-17.0	-24.3	-29.4	-32.6	-34.2	60
55	28.8	21.9	18.9	15.9	9.7	2.3	-5.9	-11.8	-17.3	-23.9	-26.0	-28.1	55
50	20.8	19.0	16.5	13.6	9.2	-5.3	-3.9	-7.5	-13.0	-17.9	-21.2	-23.9	50
45	18.2	16.8	14.8	12.2	8.8	4.7	-5.1	-8.6	-10.0	-12.8	-17.9	-20.2	45
40	16.2	15.0	13.4	11.2	8.4	4.0	-1.0	-3.6	-7.8	-11.9	-15.3	-17.9	40
35	14.5	13.2	12.2	10.5	8.2	4.3	1.7	-6.2	-6.4	-9.9	-13.2	-16.0	35
30	13.0	12.3	11.2	9.7	7.8	3.3	3.3	-8.1	-7.7	-9.6	-13.7	-15.5	30
25	11.2	11.1	10.3	9.2	7.5	2.4	2.8	-7.2	-8.9	-6.9	-19.4	-13.2	25
20	10.5	10.2	9.5	8.7	7.4	5.3	3.4	-8.0	-9.5	-6.2	-8.3	-12.8	20
15	9.7	9.4	9.1	8.5	7.5	6.0	6.0	1.4	-9.7	-6.8	-9.4	-11.3	15
10	9.8	9.9	9.8	8.6	7.3	6.4	6.8	2.1	-10.9	-10.9	-10.5	-10.5	10
5	8.8	8.9	8.9	8.6	8.0	6.9	3.1	6.1	-10.4	-11.9	-10.9	-9.7	5
0	8.9	9.0	9.0	8.9	8.6	7.8	4.3	6.9	-10.2	-11.3	-11.4	-9.0	0

DECLINATION (D) WMM-90

E. LONG LAT	300	305	310	315	320	325	330	335	340	345	350	355	E. LONG LAT
90	-92.2 14.8	-87.2 14.8	-82.2 14.8	-77.2 14.8	-72.2 14.8	-67.2 14.8	-62.2 14.8	-57.2 14.8	-52.2 14.8	-47.2 14.8	-42.2 14.8	-37.2 14.8	90
85	-76.0 16.8	-70.5 15.8	-65.2 15.0	-60.0 14.2	-54.8 13.8	-49.8 13.0	-44.8 12.5	-39.9 11.6	-35.4 11.0	-30.9 10.4	-25.4 9.9	-20.9 9.5	85
80	-67.0 18.0	-62.2 17.7	-57.6 16.1	-52.8 15.4	-48.1 14.5	-43.5 13.6	-38.9 12.8	-34.4 11.6	-29.9 11.0	-25.4 10.4	-20.9 9.9	-16.4 9.5	80
75	-58.5 18.5	-54.8 17.2	-50.9 16.1	-47.0 15.4	-43.0 14.5	-38.9 13.6	-34.8 12.8	-30.7 11.6	-26.6 11.0	-22.5 10.4	-18.4 9.9	-14.3 9.5	75
70	-49.8 19.8	-47.2 18.1	-44.6 16.6	-41.8 15.4	-38.8 14.5	-35.8 13.6	-32.8 12.8	-29.8 11.6	-26.8 11.0	-23.8 10.4	-20.8 9.9	-17.8 9.5	70
65	-41.2 21.2	-40.2 19.5	-38.1 17.1	-35.9 15.4	-33.5 14.5	-31.0 13.6	-28.5 12.8	-26.0 11.6	-23.5 11.0	-21.0 10.4	-18.5 9.9	-16.0 9.5	65
60	-34.5 23.5	-33.5 21.8	-32.8 19.1	-30.2 16.6	-28.0 14.5	-25.8 13.6	-23.6 12.8	-21.4 11.6	-19.2 11.0	-17.0 10.4	-14.8 9.9	-12.6 9.5	60
55	-29.0 26.0	-28.0 24.3	-26.9 21.6	-24.9 18.4	-22.8 16.1	-20.8 14.5	-18.8 12.8	-16.8 11.6	-14.8 11.0	-12.8 10.4	-10.8 9.9	-8.8 9.5	55
50	-24.0 29.0	-23.0 27.3	-21.9 24.6	-20.0 21.4	-18.0 18.1	-16.0 16.1	-14.0 14.5	-12.0 12.8	-10.0 11.6	-8.0 11.0	-6.0 10.4	-4.0 9.9	50
45	-19.0 32.0	-18.0 30.3	-16.9 27.6	-15.0 24.4	-13.0 21.1	-11.0 18.1	-9.0 16.1	-7.0 14.5	-5.0 12.8	-3.0 11.6	-1.0 11.0	1.0 10.4	45
40	-14.0 35.0	-13.0 33.3	-11.9 30.6	-10.0 27.4	-8.0 24.1	-6.0 21.1	-4.0 18.1	-2.0 16.1	0.0 14.5	2.0 12.8	4.0 11.6	6.0 11.0	40
35	-9.0 38.0	-8.0 36.3	-6.9 33.6	-5.0 30.4	-3.0 27.1	-1.0 24.1	1.0 21.1	3.0 18.1	5.0 16.1	7.0 14.5	9.0 12.8	11.0 11.6	35
30	-4.0 41.0	-3.0 39.3	-1.9 36.6	0.0 33.4	2.0 30.1	4.0 27.1	6.0 24.1	8.0 21.1	10.0 18.1	12.0 16.1	14.0 14.5	16.0 12.8	30
25	1.0 44.0	0.0 42.3	1.0 39.6	3.0 36.4	5.0 33.1	7.0 30.1	9.0 27.1	11.0 24.1	13.0 21.1	15.0 18.1	17.0 16.1	19.0 14.5	25
20	6.0 47.0	5.0 45.3	3.0 42.6	6.0 39.4	8.0 36.1	10.0 33.1	12.0 30.1	14.0 27.1	16.0 24.1	18.0 21.1	20.0 18.1	22.0 16.1	20
15	11.0 50.0	10.0 48.3	7.0 45.6	10.0 42.4	12.0 39.1	14.0 36.1	16.0 33.1	18.0 30.1	20.0 27.1	22.0 24.1	24.0 21.1	26.0 18.1	15
10	16.0 53.0	15.0 51.3	12.0 48.6	15.0 45.4	17.0 42.1	19.0 39.1	21.0 36.1	23.0 33.1	25.0 30.1	27.0 27.1	29.0 24.1	31.0 21.1	10
5	21.0 56.0	20.0 54.3	17.0 51.6	20.0 48.4	22.0 45.1	24.0 42.1	26.0 39.1	28.0 36.1	30.0 33.1	32.0 30.1	34.0 27.1	36.0 24.1	5
0	26.0 59.0	25.0 57.3	22.0 54.6	25.0 51.4	27.0 48.1	29.0 45.1	31.0 42.1	33.0 39.1	35.0 36.1	37.0 33.1	39.0 30.1	41.0 27.1	0
LAT													LAT
E. LONG	300	305	310	315	320	325	330	335	340	345	350	355	E. LONG

DECLINATION (D) WMM-90

E. LONG LAT	0	5	10	15	20	25	30	35	40	45	50	55	E. LONG LAT
0	-8:0	-6:8	-5:9	-5:1	-5:2	-7:4	-5:4	-2:3	-1:2	-0:8	-1:9	-3:1	0
-5	-10:9	-8:9	-7:4	-5:4	-3:9	-3:5	-3:4	-3:2	-1:5	-2:4	-3:7	-5:0	-5
-10	-13:8	-11:8	-8:7	-7:7	-5:8	-5:2	-3:5	-3:6	-3:9	-4:0	-6:8	-7:8	-10
-15	-17:1	-15:0	-12:8	-10:5	-7:3	-6:7	-5:8	-5:9	-7:0	-8:6	-10:3	-11:2	-15
-20	-20:6	-18:6	-16:3	-13:8	-11:7	-10:2	-9:1	-10:2	-11:8	-13:8	-15:7	-17:2	-20
-25	-23:1	-21:8	-19:8	-17:5	-15:8	-14:1	-14:8	-16:3	-18:8	-20:3	-22:3	-23:7	-25
-30	-26:9	-24:3	-23:4	-21:9	-20:2	-18:9	-20:8	-22:4	-24:0	-27:2	-29:1	-30:4	-30
-35	-29:7	-27:2	-26:2	-24:7	-23:7	-21:5	-26:5	-28:4	-30:8	-33:1	-35:8	-36:8	-35
-40	-32:8	-30:8	-29:0	-27:5	-26:4	-24:0	-30:2	-32:7	-35:7	-38:0	-40:2	-41:9	-40
-45	-35:5	-33:0	-32:2	-30:5	-28:8	-26:9	-32:9	-35:2	-38:7	-41:9	-43:8	-46:8	-45
-50	-38:2	-35:7	-35:0	-33:2	-31:3	-29:1	-34:8	-37:9	-41:0	-44:0	-46:8	-49:8	-50
-55	-41:0	-38:9	-38:7	-36:7	-34:8	-33:8	-36:7	-39:9	-42:8	-46:0	-48:2	-51:1	-55
-60	-44:1	-41:9	-41:7	-39:7	-37:5	-35:8	-37:1	-40:8	-44:3	-47:8	-50:9	-54:4	-60
-65	-47:8	-45:8	-45:4	-43:4	-41:4	-39:9	-38:8	-42:1	-46:8	-49:9	-53:4	-57:0	-65
-70	-51:8	-49:8	-49:1	-47:1	-45:1	-43:2	-40:8	-43:8	-47:8	-51:7	-55:7	-59:8	-70
-75	-55:8	-53:8	-53:0	-51:0	-49:3	-47:8	-45:3	-48:2	-52:3	-56:8	-60:8	-65:1	-75
-80	-59:8	-57:8	-57:8	-55:8	-54:1	-52:9	-50:4	-53:7	-57:8	-61:2	-65:1	-69:7	-80
-85	-63:3	-61:3	-61:0	-59:6	-58:6	-56:6	-54:2	-57:6	-61:8	-65:0	-69:1	-73:9	-85
-90	-67:3	-65:3	-65:3	-63:3	-62:3	-60:3	-57:3	-60:3	-64:3	-68:3	-72:3	-76:3	-90

DECLINATION (D) WMM-90

E. LONG LAT	60	65	70	75	80	85	90	95	100	105	110	115	E. LONG LAT
0	-6.3	-4.7	-5.1	-5.0	-4.6	-3.9	-3.0	-1.9	-2.9	-2.9	-1.3	-1.9	0
-5	-6.1	-6.8	-7.0	-6.8	-6.2	-5.2	-4.0	-2.7	-1.4	-2.3	-1.0	-1.1	-5
-10	-9.0	-9.6	-9.7	-9.3	-8.4	-7.3	-5.6	-3.9	1.2	-2.8	-2.4	-2.6	-10
-15	-13.0	-13.6	-13.3	-12.6	-11.3	-9.8	-7.8	-5.6	-3.6	-1.7	-2.3	1.1	-15
-20	-18.1	-18.6	-18.0	-17.0	-15.6	-13.3	-10.2	-8.2	-5.1	-3.0	-1.8	2.3	-20
-25	-24.4	-25.3	-23.7	-22.3	-20.6	-17.8	-13.0	-11.1	-8.2	-5.3	-2.9	1.8	-25
-30	-31.0	-30.9	-30.1	-29.6	-29.6	-28.7	-29.3	-16.5	-12.6	-9.9	-5.4	-2.2	-30
-35	-37.6	-37.4	-36.7	-35.3	-33.3	-30.4	-26.8	-22.8	-18.0	-13.6	-9.0	-5.1	-35
-40	-42.9	-43.3	-43.0	-43.0	-42.2	-38.0	-34.6	-30.3	-25.3	-19.8	-14.5	-9.2	-40
-45	-47.6	-48.6	-49.0	-48.2	-47.9	-46.8	-43.6	-39.6	-34.6	-28.8	-22.3	-15.6	-45
-50	-51.5	-53.2	-54.4	-55.1	-55.1	-54.5	-52.0	-50.3	-46.3	-40.9	-34.0	-25.9	-50
-55	-54.8	-57.5	-59.1	-60.8	-62.0	-62.9	-62.6	-61.8	-59.0	-56.4	-51.0	-43.7	-55
-60	-57.9	-60.9	-63.6	-66.3	-68.6	-70.6	-73.1	-73.5	-73.8	-73.6	-72.3	-69.9	-60
-65	-60.7	-64.3	-67.6	-71.1	-74.8	-78.6	-80.7	-82.7	-86.7	-89.0	-92.6	-95.3	-65
-70	-63.8	-67.9	-71.9	-76.0	-80.1	-84.3	-88.2	-92.8	-97.4	-102.2	-107.2	-113.2	-70
-75	-65.5	-71.0	-76.1	-81.1	-85.7	-90.6	-95.3	-100.7	-106.0	-111.7	-118.0	-124.3	-75
-80	-72.3	-77.1	-81.9	-86.9	-91.9	-97.1	-102.4	-107.8	-113.5	-119.3	-125.3	-131.6	-80
-85	-78.8	-83.8	-88.8	-93.8	-98.9	-104.3	-109.6	-115.0	-120.6	-126.0	-131.9	-137.2	-85
-90	-87.3	-92.3	-97.3	-102.3	-107.3	-112.3	-117.3	-122.3	-127.3	-132.3	-137.3	-142.3	-90

DECLINATION (D) WMM-90

E. LONG LAT	120	125	130	135	140	145	150	155	160	165	170	175	E. LONG LAT
0	-1:8	-1:5	-2:9	2:8	3:7	4:8	5:9	7:1	8:8	9:3	10:1	10:5	0
-5	-1:8	-2:1	-3:7	3:5	4:0	5:5	6:6	7:8	8:3	9:8	10:2	10:9	-5
-10	1:7	2:5	3:2	4:1	5:1	6:2	7:3	8:6	9:4	10:4	11:0	11:5	-10
-15	1:8	2:7	3:6	4:6	5:6	6:8	8:9	9:1	10:2	11:1	11:8	12:2	-15
-20	1:6	2:7	3:8	5:9	6:2	7:5	8:8	10:9	11:1	12:0	12:8	13:3	-20
-25	1:9	2:6	4:8	5:8	6:8	8:3	9:7	11:1	12:2	13:3	14:1	14:8	-25
-30	1:7	2:1	4:9	5:8	7:9	9:3	11:9	12:5	13:8	14:9	15:6	16:3	-30
-35	-1:3	1:2	3:8	6:2	8:3	10:6	12:5	14:2	15:7	16:9	17:8	18:4	-35
-40	-4:8	1:3	3:3	4:6	8:0	12:7	14:5	16:5	18:1	19:5	20:3	21:0	-40
-45	-9:3	-3:8	1:9	6:7	10:7	14:2	17:9	19:5	21:2	22:6	23:8	24:5	-45
-50	-12:8	-8:6	1:8	6:6	12:8	16:9	20:5	23:3	25:6	26:9	27:9	28:4	-50
-55	-12:9	-20:1	-7:3	5:9	14:9	21:0	26:8	29:4	31:7	33:2	34:1	34:5	-55
-60	-16:7	-29:2	-24:9	-3:2	17:4	28:9	37:9	40:8	42:8	43:8	46:9	48:9	-60
-65	-21:8	-19:0	-14:2	-18:2	38:8	76:2	38:9	83:8	98:9	145:6	142:5	140:4	-65
-70	-12:0	-12:8	-13:8	-12:0	-17:0	167:5	145:0	126:6	112:6	102:5	94:7	88:9	-70
-75	-13:3	-13:8	-14:7	-12:1	-16:5	-178:4	170:9	158:6	147:6	137:3	129:0	118:8	-75
-80	-14:8	-14:8	-15:1	-15:9	-16:5	-174:3	179:1	170:5	162:9	155:9	142:5	140:4	-80
-85	-14:3	-14:8	-15:4	-16:9	-16:9	-172:6	-178:0	175:4	169:4	163:4	157:4	151:5	-85
-90	-14:7	-15:2	-15:7	-16:2	-16:7	-172:3	-177:3	177:7	172:7	167:7	162:3	157:5	-90

DECLINATION (D) WMM-90

E. LONG LAT	180	185	190	195	200	205	210	215	220	225	230	235	E. LONG LAT
0	10:8	10:8	10:7	10:7	10:6	10:5	10:5	10:4	10:4	10:3	10:3	10:2	0
-5	11:0	10:9	10:5	10:2	9:9	9:7	9:7	9:6	9:5	9:5	9:4	9:4	-5
-10	11:8	11:4	11:1	10:9	10:7	10:6	10:5	10:5	10:4	10:4	10:3	10:2	-10
-15	12:4	12:4	12:2	12:0	11:8	11:7	11:5	11:5	11:4	11:4	11:3	11:3	-15
-20	13:5	13:6	13:5	13:3	13:3	13:1	13:1	13:0	13:0	13:0	13:0	13:0	-20
-25	15:0	15:1	15:0	15:0	14:8	14:8	14:7	14:6	14:6	14:5	14:5	14:4	-25
-30	16:7	16:8	16:8	16:8	16:7	16:6	16:5	16:5	16:4	16:4	16:4	16:4	-30
-35	18:8	19:0	19:0	19:0	18:9	18:7	18:6	18:6	18:6	18:6	18:5	18:5	-35
-40	21:4	21:6	21:6	21:5	21:5	21:4	21:4	21:3	21:3	21:3	21:3	21:3	-40
-45	24:8	24:7	24:7	24:6	24:6	24:5	24:5	24:4	24:4	24:4	24:3	24:3	-45
-50	28:7	28:8	28:7	28:6	28:6	28:5	28:5	28:4	28:4	28:4	28:3	28:3	-50
-55	34:6	34:5	34:5	34:4	33:9	33:7	33:6	33:6	33:7	33:9	34:0	34:0	-55
-60	43:7	43:7	42:7	42:7	41:8	41:6	41:7	40:8	40:9	40:7	40:0	39:8	-60
-65	59:9	57:6	56:8	54:7	53:5	52:4	51:4	50:5	49:5	48:6	47:8	46:8	-65
-70	83:7	79:6	78:4	76:9	75:0	67:8	68:8	68:1	68:8	58:8	56:7	54:5	-70
-75	112:5	106:8	108:8	95:8	90:8	88:0	81:9	78:2	74:6	71:1	67:9	64:4	-75
-80	133:5	126:8	120:7	114:7	109:1	103:7	98:6	91:7	88:9	84:4	80:0	75:6	-80
-85	145:7	139:9	134:3	128:7	123:2	117:8	112:4	107:2	102:1	97:1	92:1	87:2	-85
-90	152:7	147:5	142:7	137:7	132:7	127:7	122:7	117:7	112:7	107:7	102:7	97:7	-90

DECLINATION (D) WMM-90

E. LONG LAT	240	245	250	255	260	265	270	275	280	285	290	295	E. LONG LAT
0	8:9	9:0	9:0	8:9	-8:6	-7:6	-9:3	-6:9	-10:3	-11:3	-11:3	-10:9	0
-5	9:4	9:8	9:8	9:4	-8:0	-8:3	-9:9	-6:9	-10:3	-11:9	-11:3	-10:8	-5
-10	10:1	10:2	10:3	10:1	-8:8	-8:9	-7:8	-6:1	-10:3	-11:0	-11:2	-10:6	-10
-15	11:8	11:2	11:8	11:3	10:8	10:2	9:1	7:9	-9:9	-10:6	-10:6	-10:1	-15
-20	12:6	11:6	12:5	12:5	13:8	13:5	10:4	8:9	-6:3	-10:0	-10:2	-10:2	-20
-25	14:4	14:8	14:3	14:3	15:3	14:6	12:3	10:8	-8:3	-9:3	-9:3	-8:8	-25
-30	16:5	16:6	16:6	16:6	16:7	15:8	14:7	13:0	10:1	-7:9	-8:6	-8:9	-30
-35	19:2	19:7	19:3	19:3	19:3	18:3	17:4	15:4	13:8	-8:2	-7:9	-7:8	-35
-40	23:1	23:3	22:4	22:0	21:9	21:1	19:8	17:8	15:3	12:1	8:3	6:9	-40
-45	25:5	25:6	25:6	25:6	25:8	25:2	22:3	20:2	17:6	14:4	10:2	6:7	-45
-50	29:5	29:5	29:3	28:7	27:8	26:5	24:7	22:5	19:8	16:6	13:1	8:3	-50
-55	33:9	33:6	32:9	32:0	30:3	29:1	27:1	24:7	21:8	18:8	15:5	11:9	-55
-60	39:0	38:8	37:0	35:9	33:9	31:8	29:8	27:0	24:1	21:0	17:8	14:3	-60
-65	44:9	43:4	42:3	39:7	37:8	35:9	33:0	29:7	26:8	23:7	20:3	17:1	-65
-70	52:2	49:6	47:6	45:2	42:1	39:2	36:9	33:2	30:1	26:9	23:6	20:5	-70
-75	63:9	57:8	54:8	52:2	47:9	44:1	41:2	37:5	34:8	30:9	27:3	24:1	-75
-80	73:6	67:3	63:3	59:7	52:6	51:4	47:4	43:6	39:6	35:8	31:0	28:2	-80
-85	84:6	77:6	73:4	68:4	61:8	59:2	54:7	50:3	45:8	41:8	37:1	32:8	-85
-90	92:7	87:7	82:7	77:7	72:3	67:7	62:7	57:7	52:7	47:7	42:7	37:7	-90
E. LONG LAT	240	245	250	255	260	265	270	275	280	285	290	295	E. LONG LAT

DECLINATION (D) WMM-90

E. LONG LAT	300	305	310	315	320	325	330	335	340	345	350	355	E. LONG LAT
0	-12:4	-15:5	-15:0	-19:0	-20:7	-20:8	-20:2	-18:8	-17:0	-17:8	-17:6	-18:1	0
-5	-11:8	-15:2	-16:0	-20:1	-21:4	-21:2	-21:2	-20:7	-18:1	-17:6	-17:1	-17:0	-5
-10	-11:1	-14:2	-17:2	-20:3	-21:9	-21:5	-23:0	-23:4	-21:3	-19:7	-17:6	-15:3	-10
-15	-10:3	-16:1	-17:8	-20:2	-22:2	-22:2	-24:0	-23:8	-23:3	-22:2	-20:7	-18:0	-15
-20	-9:0	-13:1	-16:8	-19:8	-22:1	-22:2	-24:7	-25:2	-24:8	-24:2	-23:3	-22:0	-20
-25	-7:6	-11:0	-15:7	-18:6	-22:5	-22:2	-24:2	-25:2	-25:1	-25:6	-25:2	-25:3	-25
-30	-6:8	-10:0	-14:1	-17:1	-20:8	-20:2	-24:2	-25:2	-25:8	-26:1	-26:0	-25:6	-30
-35	-5:4	-9:2	-12:0	-15:7	-18:1	-21:2	-25:2	-24:2	-23:2	-23:6	-23:2	-23:7	-35
-40	-4:5	-8:3	-10:9	-13:2	-16:8	-16:1	-20:2	-20:2	-22:2	-23:9	-24:3	-24:6	-40
-45	-3:7	-7:4	-9:8	-12:2	-15:1	-15:3	-19:2	-19:0	-20:2	-21:2	-22:0	-22:8	-45
-50	-3:4	-6:8	-8:3	-10:9	-13:1	-13:1	-17:4	-17:4	-19:2	-19:2	-19:6	-20:3	-50
-55	-2:9	-6:2	-7:7	-10:2	-12:2	-12:2	-16:6	-16:5	-17:3	-17:5	-18:2	-18:7	-55
-60	-2:8	-5:9	-7:2	-9:6	-11:2	-11:2	-15:2	-15:2	-16:1	-16:2	-16:5	-17:2	-60
-65	-2:1	-5:2	-6:8	-8:5	-10:2	-10:2	-14:2	-14:0	-15:2	-15:8	-16:2	-16:7	-65
-70	-1:9	-4:8	-6:2	-7:8	-9:8	-9:8	-13:2	-13:2	-14:2	-14:8	-15:2	-15:8	-70
-75	-1:1	-4:1	-5:8	-7:1	-9:1	-9:1	-12:2	-12:2	-13:2	-13:8	-14:2	-14:8	-75
-80	-1:0	-3:2	-4:8	-6:2	-8:2	-8:2	-11:2	-11:2	-12:2	-12:8	-13:2	-13:8	-80
-85	-1:0	-2:8	-4:2	-5:8	-7:2	-7:2	-10:2	-10:2	-11:2	-11:8	-12:2	-12:8	-85
-90	-1:0	-2:2	-3:8	-5:2	-6:8	-6:8	-9:2	-9:2	-10:2	-10:8	-11:2	-11:8	-90
LAT	300	305	310	315	320	325	330	335	340	345	350	355	LAT
E. LONG	300	305	310	315	320	325	330	335	340	345	350	355	E. LONG

INCLINATION (I) WMM-90

E. LONG LAT	0	5	10	15	20	25	30	35	40	45	50	55	E. LONG LAT
90	87.8 -0.8	87.8 -0.8	87.8 -0.8	87.8 -0.8	87.8 -0.8	87.8 -0.8	87.8 -0.8	87.8 -0.8	87.8 -0.8	87.8 -0.8	87.8 -0.8	87.8 -0.8	90
85	85.2 -1.0	85.2 -1.0	85.2 -1.0	85.3 -1.0	85.3 -1.0	85.3 -1.0	85.4 -1.0	85.5 -1.0	85.6 -1.0	85.7 -1.1	85.9 -1.1	86.0 -1.0	85
80	82.7 -1.1	82.7 -1.1	82.7 -1.2	82.7 -1.2	82.8 -1.2	82.9 -1.2	83.0 -1.2	83.2 -1.3	83.4 -1.3	83.6 -1.3	83.9 -1.3	84.2 -1.3	80
75	80.3 -1.1	80.3 -1.1	80.3 -1.2	80.3 -1.2	80.4 -1.3	80.5 -1.3	80.7 -1.3	80.9 -1.3	81.1 -1.3	81.4 -1.3	81.7 -1.3	82.1 -1.4	75
70	77.9 -1.0	77.9 -1.0	77.9 -1.1	77.9 -1.1	78.0 -1.2	78.2 -1.2	78.3 -1.2	78.5 -1.3	78.8 -1.3	79.1 -1.3	79.5 -1.3	79.9 -1.3	70
65	75.4 -1.0	75.4 -1.0	75.4 -1.0	75.4 -1.0	75.5 -1.1	75.7 -1.1	75.8 -1.1	76.1 -1.1	76.3 -1.1	76.6 -1.1	76.9 -1.1	77.3 -1.1	65
60	72.5 -1.0	72.5 -1.0	72.5 -1.0	72.6 -1.0	72.8 -1.0	72.9 -1.1	73.1 -1.1	73.3 -1.1	73.6 -1.0	73.8 -1.0	74.2 -1.0	74.5 -0.9	60
55	69.1 -0.9	69.2 -0.9	69.3 -0.8	69.4 -0.8	69.6 -0.8	69.8 -0.8	70.0 -0.8	70.2 -0.7	70.5 -0.7	70.7 -0.6	71.0 -0.6	71.3 -0.5	55
50	65.2 -0.9	65.3 -0.8	65.5 -0.8	65.7 -0.8	65.9 -0.8	66.2 -0.8	66.5 -0.8	66.7 -0.7	66.9 -0.7	67.2 -0.6	67.5 -0.6	67.7 -0.6	50
45	60.5 -0.8	60.7 -0.7	60.8 -0.7	61.1 -0.7	61.5 -0.6	61.9 -0.6	62.3 -0.5	62.5 -0.5	62.7 -0.5	63.0 -0.4	63.3 -0.4	63.5 -0.4	45
40	55.1 -0.6	55.3 -0.6	55.6 -0.5	55.9 -0.5	56.3 -0.5	56.7 -0.4	57.0 -0.4	57.4 -0.4	57.7 -0.3	58.0 -0.3	58.3 -0.3	58.5 -0.3	40
35	48.5 -0.5	48.8 -0.4	49.1 -0.4	49.5 -0.4	50.0 -0.3	50.4 -0.3	50.8 -0.3	51.3 -0.2	51.7 -0.2	52.2 -0.2	52.5 -0.2	52.7 -0.2	35
30	44.9 -0.4	45.0 -0.4	45.3 -0.3	45.8 -0.3	46.3 -0.2	46.7 -0.2	47.1 -0.2	47.5 -0.1	47.9 -0.1	48.3 -0.1	48.6 -0.1	48.8 -0.1	30
25	41.6 -0.3	41.8 -0.3	42.1 -0.2	42.5 -0.2	43.0 -0.1	43.4 -0.1	43.8 -0.1	44.2 -0.1	44.6 -0.1	45.0 -0.1	45.3 -0.1	45.5 -0.1	25
20	38.0 -0.2	38.3 -0.2	38.7 -0.1	39.1 -0.1	39.6 -0.1	40.0 -0.1	40.4 -0.1	40.8 -0.1	41.2 -0.1	41.6 -0.1	41.9 -0.1	42.1 -0.1	20
15	34.5 -0.1	34.9 -0.1	35.3 -0.1	35.7 -0.1	36.2 -0.1	36.6 -0.1	37.0 -0.1	37.4 -0.1	37.8 -0.1	38.2 -0.1	38.5 -0.1	38.7 -0.1	15
10	31.0 -0.1	31.5 -0.1	32.0 -0.1	32.4 -0.1	32.9 -0.1	33.3 -0.1	33.7 -0.1	34.1 -0.1	34.5 -0.1	34.9 -0.1	35.2 -0.1	35.4 -0.1	10
5	27.5 -0.1	28.0 -0.1	28.5 -0.1	29.0 -0.1	29.4 -0.1	29.8 -0.1	30.2 -0.1	30.6 -0.1	31.0 -0.1	31.4 -0.1	31.7 -0.1	31.9 -0.1	5
0	24.0 -0.1	24.5 -0.1	25.0 -0.1	25.5 -0.1	26.0 -0.1	26.4 -0.1	26.8 -0.1	27.2 -0.1	27.6 -0.1	28.0 -0.1	28.3 -0.1	28.5 -0.1	0

INCLINATION (I) WMM-90

E. LONG LAT	60	65	70	75	80	85	90	95	100	105	110	115	E. LONG LAT
90	87:8	87:8	87:8	87:8	87:8	87:8	87:8	87:8	87:8	87:8	87:8	87:8	90
85	86:4 1:0	86:4 1:0	86:6 1:0	86:8 1:0	87:0 1:0	87:2 1:0	87:4 1:0	87:6 1:0	87:8 1:0	87:9 1:0	88:1 1:0	88:2 1:0	85
80	84:5 1:3	84:8 1:3	85:3 1:4	85:5 1:4	85:8 1:4	86:3 1:4	86:6 1:4	86:9 1:4	87:2 1:4	87:4 1:4	87:5 1:4	87:6 1:4	80
75	82:5 1:4	83:0 1:4	83:4 1:4	83:9 1:4	84:4 1:4	84:8 1:4	85:3 1:4	85:6 1:4	85:8 1:3	85:9 1:2	85:9 1:1	85:7 1:0	75
70	80:3 1:3	80:8 1:3	81:2 1:3	81:7 1:3	82:2 1:3	82:8 1:3	83:2 1:3	83:6 1:3	83:8 1:3	83:7 1:3	83:6 1:3	83:5 1:3	70
65	77:8 1:3	78:2 1:3	79:2 1:3	79:7 1:3	79:8 1:3	80:3 1:3	80:6 1:3	80:8 1:3	81:0 1:3	80:8 1:2	80:7 1:2	80:5 1:2	65
60	74:9 1:6	75:3 1:6	75:8 1:6	76:0 1:6	76:7 1:6	77:2 1:6	77:5 1:6	77:6 1:6	77:7 1:6	77:8 1:6	77:5 1:5	76:8 1:5	60
55	71:7 1:6	72:0 1:6	72:6 1:6	72:8 1:6	73:1 1:6	73:6 1:6	73:7 1:6	73:9 1:2	73:9 1:3	73:7 1:4	73:6 1:5	72:9 1:6	55
50	68:0 1:2	68:2 1:2	68:3 1:2	68:8 1:2	69:0 1:2	69:3 1:2	69:6 1:2	69:8 1:0	69:5 1:2	69:4 1:2	69:0 1:3	68:8 1:6	50
45	63:7 1:2	63:8 1:2	64:0 1:2	64:3 1:2	64:3 1:2	64:5 1:2	64:6 1:2	64:8 1:0	64:8 1:2	64:4 1:4	64:1 1:6	63:7 1:7	45
40	58:7 1:3	58:8 1:3	58:8 1:3	58:9 1:3	58:9 1:3	58:9 1:6	59:0 1:6	59:0 1:1	58:9 1:4	58:8 1:6	58:5 1:7	58:0 1:8	40
35	52:8 1:4	52:8 1:3	52:7 1:3	52:7 1:4	52:6 1:6	52:5 1:8	52:5 1:2	52:4 1:5	52:4 1:7	52:3 1:9	52:0 1:0	51:7 1:0	35
30	45:9 1:6	45:8 1:6	45:6 1:7	45:6 1:8	45:2 1:1	45:1 1:1	44:9 1:2	44:8 1:3	44:8 1:5	44:7 1:4	44:6 1:4	44:3 1:2	30
25	37:7 1:1	37:6 1:1	37:3 1:3	37:0 1:0	36:7 1:6	36:4 1:1	36:2 1:3	36:2 1:6	36:0 1:0	36:0 1:0	36:0 1:0	35:8 1:5	25
20	28:8 1:2	28:8 1:1	27:7 1:0	27:3 1:3	26:8 1:6	26:6 1:6	26:5 1:3	26:4 1:6	26:1 1:1	26:8 1:6	26:3 1:3	26:2 1:6	20
15	17:5 1:3	17:5 1:3	16:9 1:0	16:7 1:0	15:8 1:3	15:7 1:3	15:0 1:0	14:9 1:0	14:9 1:0	14:8 1:0	14:6 1:0	14:5 1:0	15
10	5:8 1:9	5:6 1:9	5:2 1:2	5:2 1:6	4:8 1:3	4:6 1:3	4:4 1:0	4:0 1:0	4:3 1:3	4:2 1:6	4:2 1:6	4:1 1:8	10
5	4:4 1:9	4:6 1:9	4:1 1:1	4:1 1:6	4:0 1:0	4:2 1:2	4:3 1:3	4:2 1:6	4:3 1:3	4:3 1:6	4:3 1:6	4:2 1:8	5
0	18:4 1:7	18:6 1:7	19:0 1:7	19:6 1:7	20:2 1:7	20:6 1:6	20:9 1:6	20:8 1:6	20:5 1:6	19:9 1:2	19:3 1:6	18:7 1:8	0

INCLINATION (I) WMM-90

E. LONG LAT	120	125	130	135	140	145	150	155	160	165	170	175	L. LONG LAT
90	87:8	87:8	87:8	87:8	87:8	87:8	87:8	87:8	87:8	87:8	87:8	87:8	90
85	88:6	88:6	88:6	88:6	88:6	88:6	88:6	88:6	88:6	88:6	88:6	88:6	85
80	87:6	87:6	87:6	86:7	86:5	86:2	86:0	85:9	85:6	85:5	85:4	85:4	80
75	85:3	84:9	84:5	84:0	83:6	83:1	82:8	82:6	82:0	82:0	81:8	81:8	75
70	82:7	82:3	81:5	81:1	80:3	79:2	79:2	78:2	78:4	78:1	77:9	77:5	70
65	78:9	78:8	78:3	77:9	76:9	75:8	75:3	74:8	74:2	74:0	73:8	73:5	65
60	76:3	75:3	74:5	73:6	73:2	71:8	71:2	70:9	70:3	69:8	69:6	69:3	60
55	73:8	71:8	70:8	69:5	68:6	67:2	66:9	66:3	65:8	65:5	65:3	65:4	55
50	67:8	67:0	66:0	65:1	64:1	63:3	62:6	61:8	61:3	61:0	61:0	61:1	50
45	62:9	62:1	61:2	60:3	59:2	58:2	57:1	56:8	56:8	56:5	56:5	56:3	45
40	57:8	56:6	55:7	54:7	53:8	52:9	52:2	51:7	51:5	51:2	51:2	52:2	40
35	51:8	50:9	49:3	48:6	47:2	46:9	46:0	46:0	45:9	46:2	46:1	47:4	35
30	43:8	43:2	42:4	41:5	40:7	40:0	39:7	39:1	39:2	40:3	41:1	42:2	30
25	35:3	34:3	34:1	33:5	32:8	32:4	32:0	32:3	32:1	33:7	34:9	36:6	25
20	29:0	28:6	28:4	27:9	27:9	27:2	27:0	26:5	26:5	26:2	26:8	28:3	20
15	23:0	22:3	22:0	21:6	21:2	20:7	20:4	19:8	19:0	17:3	16:8	21:8	15
10	17:7	17:1	16:3	15:9	15:0	14:1	13:8	13:1	12:7	12:1	11:9	13:2	10
5	12:3	12:1	11:6	11:1	10:9	10:0	9:7	9:1	8:7	8:7	8:7	9:3	5
0	-15:3	-15:0	-14:9	-14:6	-14:6	-14:6	-15:2	-14:5	-13:8	-12:0	-11:9	-10:6	0

INCLINATION (I) WMM-90

E. LONG	180	185	190	195	200	205	210	215	220	225	230	235	E. LONG
LAT													LAT
90	87.8	87.8	87.8	87.8	87.8	87.8	87.8	87.8	87.8	87.8	87.8	87.8	90
85	88.4	88.4	88.5	88.6	88.6	88.7	88.8	88.9	89.0	89.1	89.2	89.2	85
80	85.4	85.4	85.5	85.7	85.9	86.1	86.4	86.7	87.0	87.4	87.8	88.2	80
75	81.8	81.9	82.1	82.3	82.6	83.0	83.4	83.8	84.0	85.0	85.6	86.3	75
70	77.8	78.3	78.3	78.7	79.2	79.6	80.3	80.9	81.6	82.3	83.8	84.0	70
65	73.8	74.3	74.5	74.8	75.4	76.0	76.8	77.6	78.4	79.6	80.3	81.2	65
60	69.3	70.0	70.3	70.9	71.5	72.3	73.1	74.0	75.0	76.1	77.1	78.2	60
55	65.5	65.8	66.3	66.9	67.6	68.5	69.4	70.4	71.4	72.5	73.6	74.7	55
50	61.3	61.8	62.3	63.0	63.8	64.6	65.6	66.6	67.7	68.8	69.9	71.0	50
45	57.1	57.5	58.3	59.1	59.9	60.8	61.7	62.7	63.8	64.9	66.0	67.1	45
40	52.8	53.6	54.4	55.2	56.1	57.0	57.9	58.8	59.8	60.8	61.9	62.9	40
35	48.3	49.3	50.3	51.2	52.1	53.0	53.8	54.7	55.6	56.6	57.6	58.6	35
30	43.4	44.7	45.8	46.9	47.8	48.6	49.4	50.2	51.1	51.9	52.9	53.8	30
25	37.8	39.6	40.8	41.8	42.8	43.6	44.3	45.1	45.9	46.7	47.6	48.5	25
20	31.5	33.8	34.8	36.0	36.9	37.7	38.4	39.1	39.8	40.6	41.6	42.6	20
15	24.8	26.8	27.6	28.9	29.8	30.6	31.3	32.0	32.8	33.5	34.3	35.1	15
10	15.5	17.4	18.3	20.3	21.3	23.3	23.9	25.8	26.6	25.4	26.2	27.0	10
5	4.8	8.0	9.7	11.0	12.1	12.9	13.7	14.6	15.4	16.3	17.1	17.9	5
0	-4.9	-2.3	-1.3	-1.7	-2.7	-2.7	-3.6	-4.6	-5.6	-6.5	-7.3	-8.2	0
LAT													LAT
E. LONG	180	185	190	195	200	205	210	215	220	225	230	235	E. LONG

INCLINATION (I) WMM-90

E. LONG LAT	240	245	250	255	260	265	270	275	280	285	290	295	E. LONG LAT
90	87.8	87.8	87.8	87.8	87.8	87.8	87.8	87.8	87.8	87.8	87.8	87.8	90
85	89.1	89.0	88.9	88.7	88.6	88.5	88.3	88.2	88.0	87.9	87.7	87.6	85
80	88.7	89.1	89.6	89.7	89.3	88.9	88.3	87.8	87.4	86.9	86.4	86.0	80
75	87.0	87.3	88.4	89.0	89.4	89.2	88.9	88.6	86.9	86.2	85.6	84.9	75
70	84.9	85.7	86.5	87.8	87.8	87.9	87.5	86.9	86.1	85.2	84.4	83.6	70
65	82.3	83.3	84.6	85.0	85.6	85.8	85.7	85.3	84.5	83.7	82.9	81.8	65
60	79.3	80.3	81.6	82.1	82.8	83.6	83.3	82.9	82.4	81.5	80.6	79.6	60
55	75.9	76.8	78.0	78.9	79.6	80.8	80.3	80.0	79.6	78.8	77.9	76.9	55
50	72.1	73.6	74.3	75.2	76.0	76.9	76.8	76.8	76.4	75.2	74.8	73.9	50
45	68.2	69.3	70.3	71.1	72.3	72.8	73.8	73.3	73.0	73.5	71.5	70.3	45
40	64.8	65.8	66.8	67.8	68.9	68.8	69.3	69.4	69.3	68.7	67.8	66.7	40
35	59.6	60.7	61.7	62.8	63.7	64.5	65.1	65.3	65.3	64.8	63.8	62.7	35
30	54.8	55.8	56.9	57.9	58.8	59.8	60.5	60.8	60.9	60.5	59.7	58.5	30
25	49.6	50.6	51.5	52.6	53.6	54.7	55.5	56.0	56.3	55.9	55.8	54.9	25
20	43.3	44.5	45.3	46.5	47.7	48.9	49.9	50.7	51.0	50.8	50.1	48.8	20
15	36.0	37.0	38.2	39.5	40.9	42.4	43.8	44.9	45.0	43.3	44.6	43.2	15
10	27.9	28.8	30.3	31.7	33.3	35.0	36.4	37.8	38.7	38.8	38.0	37.0	10
5	18.9	20.8	21.3	23.0	24.8	26.8	28.8	30.2	31.1	31.2	31.3	30.9	5
0	9.8	19.4	18.8	18.8	18.8	18.7	18.8	21.8	21.3	23.8	23.3	26.3	0

INCLINATION (I) WMM-90

E. LONG LAT	300	305	310	315	320	325	330	335	340	345	350	355	E. LONG LAT
90	87.8	87.8	87.8	87.8	87.8	87.8	87.8	87.8	87.8	87.8	87.8	87.8	90
85	86.7	86.5	86.3	86.1	86.0	85.8	85.7	85.6	85.6	85.4	85.3	85.2	85
80	85.6	85.2	84.8	84.4	84.1	83.8	83.6	83.4	83.2	83.0	82.8	82.6	80
75	84.3	83.7	83.2	82.7	82.3	81.9	81.5	81.2	80.9	80.7	80.6	80.4	75
70	82.9	82.5	81.9	81.4	80.9	79.7	79.3	78.9	78.6	78.4	78.3	78.2	70
65	80.9	80.1	79.3	78.6	77.9	77.3	76.8	76.4	76.1	75.9	75.6	75.5	65
60	78.6	77.6	76.7	75.9	75.1	74.5	73.8	73.5	73.1	72.9	72.6	72.5	60
55	75.8	74.7	73.7	72.8	71.9	71.2	70.6	70.1	69.7	69.4	69.2	69.1	55
50	73.8	71.9	70.3	69.3	68.3	67.5	66.8	66.2	65.8	65.6	65.5	65.3	50
45	69.1	67.8	66.5	65.3	64.2	63.3	62.4	61.7	61.3	60.9	60.6	60.5	45
40	65.3	63.8	62.4	61.0	59.6	58.5	57.4	56.6	55.9	55.4	55.1	55.0	40
35	61.3	59.6	57.9	56.2	54.7	53.2	51.7	50.0	49.7	49.0	48.8	48.5	35
30	56.9	54.9	53.0	50.9	48.9	48.0	47.2	46.6	46.1	45.9	45.9	45.7	30
25	52.8	50.1	47.7	45.7	43.8	43.0	42.5	42.1	41.8	41.6	41.5	41.4	25
20	47.9	44.9	42.3	39.7	37.6	36.7	36.4	36.2	36.1	36.0	35.9	35.8	20
15	43.2	39.6	36.2	33.5	31.4	30.5	30.3	30.2	30.1	30.0	29.9	29.8	15
10	38.9	34.8	31.3	28.7	26.9	26.0	25.9	25.8	25.7	25.6	25.5	25.4	10
5	34.7	29.4	25.2	22.3	19.9	19.0	18.6	18.5	18.4	18.3	18.2	18.1	5
0	29.8	22.7	17.4	13.3	10.9	10.6	10.6	10.6	10.6	10.6	10.6	10.6	0
E. LONG LAT	300	305	310	315	320	325	330	335	340	345	350	355	E. LONG LAT

INCLINATION (I) WMM-90

E. LONG	0	5	10	15	20	25	30	35	40	45	50	55	E. LONG
LAT	0	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	LAT
0	-27.8	-27.5	-27.5	-27.5	-27.5	-27.5	-27.5	-27.5	-27.5	-27.5	-27.5	-27.5	55
-5	-27.8	-38.8	-38.8	-38.8	-38.8	-37.6	-36.4	-34.9	-33.0	-31.8	-30.6	-29.3	50
-10	-27.8	-48.8	-47.7	-46.8	-45.8	-44.7	-43.6	-42.5	-41.5	-40.4	-39.3	-38.2	45
-15	-27.8	-58.8	-57.5	-56.5	-55.5	-54.5	-53.7	-52.8	-52.0	-51.1	-50.2	-49.3	40
-20	-27.8	-68.8	-67.5	-66.5	-65.5	-64.5	-63.7	-62.8	-62.0	-61.1	-60.2	-59.3	35
-25	-27.8	-78.8	-77.5	-76.5	-75.5	-74.5	-73.7	-72.8	-72.0	-71.1	-70.2	-69.3	30
-30	-27.8	-88.8	-87.5	-86.5	-85.5	-84.5	-83.7	-82.8	-82.0	-81.1	-80.2	-79.3	25
-35	-27.8	-98.8	-97.5	-96.5	-95.5	-94.5	-93.7	-92.8	-92.0	-91.1	-90.2	-89.3	20
-40	-27.8	-108.8	-107.5	-106.5	-105.5	-104.5	-103.7	-102.8	-102.0	-101.1	-100.2	-99.3	15
-45	-27.8	-118.8	-117.5	-116.5	-115.5	-114.5	-113.7	-112.8	-112.0	-111.1	-110.2	-109.3	10
-50	-27.8	-128.8	-127.5	-126.5	-125.5	-124.5	-123.7	-122.8	-122.0	-121.1	-120.2	-119.3	5
-55	-27.8	-138.8	-137.5	-136.5	-135.5	-134.5	-133.7	-132.8	-132.0	-131.1	-130.2	-129.3	0
-60	-27.8	-148.8	-147.5	-146.5	-145.5	-144.5	-143.7	-142.8	-142.0	-141.1	-140.2	-139.3	LAT
-65	-27.8	-158.8	-157.5	-156.5	-155.5	-154.5	-153.7	-152.8	-152.0	-151.1	-150.2	-149.3	E. LONG
-70	-27.8	-168.8	-167.5	-166.5	-165.5	-164.5	-163.7	-162.8	-162.0	-161.1	-160.2	-159.3	0
-75	-27.8	-178.8	-177.5	-176.5	-175.5	-174.5	-173.7	-172.8	-172.0	-171.1	-170.2	-169.3	5
-80	-27.8	-188.8	-187.5	-186.5	-185.5	-184.5	-183.7	-182.8	-182.0	-181.1	-180.2	-179.3	10
-85	-27.8	-198.8	-197.5	-196.5	-195.5	-194.5	-193.7	-192.8	-192.0	-191.1	-190.2	-189.3	15
-90	-27.8	-208.8	-207.5	-206.5	-205.5	-204.5	-203.7	-202.8	-202.0	-201.1	-200.2	-199.3	20
													25
													30
													35
													40
													45
													50
													55

INCLINATION (I) WMM-90

E. LONG LAT	60	65	70	75	80	85	90	95	100	105	110	115	E. LONG LAT
0	-18.4	-18.4	-19.0	-19.6	-20.2	-20.8	-20.9	-20.8	-20.5	-19.9	-19.3	-18.7	0
-5	-29.8	-29.6	-30.3	-30.5	-31.0	-31.4	-31.6	-31.5	-31.2	-30.6	-29.9	-29.1	-5
-10	-39.0	-39.2	-39.6	-39.6	-40.2	-40.6	-41.0	-40.8	-40.5	-39.8	-39.0	-38.3	-10
-15	-47.0	-47.2	-47.4	-47.4	-48.0	-48.4	-48.9	-48.9	-48.7	-47.9	-47.2	-46.5	-15
-20	-53.1	-53.4	-53.5	-53.4	-54.0	-54.4	-54.5	-54.7	-54.5	-54.0	-54.2	-53.6	-20
-25	-57.1	-57.5	-57.6	-57.5	-58.0	-58.4	-58.5	-58.7	-58.5	-58.0	-58.3	-57.7	-25
-30	-60.4	-60.9	-61.0	-60.9	-61.4	-61.8	-61.9	-62.0	-61.8	-61.3	-61.6	-61.0	-30
-35	-63.2	-63.7	-63.7	-63.6	-64.0	-64.4	-64.5	-64.6	-64.4	-63.9	-64.2	-63.6	-35
-40	-65.8	-66.3	-66.3	-66.2	-66.6	-67.0	-67.0	-67.1	-66.9	-66.4	-66.7	-66.1	-40
-45	-68.0	-68.5	-68.5	-68.4	-68.8	-69.2	-69.2	-69.3	-69.1	-68.6	-68.9	-68.3	-45
-50	-69.8	-70.3	-70.3	-70.2	-70.6	-71.0	-71.0	-71.1	-70.9	-70.4	-70.7	-70.1	-50
-55	-71.0	-71.5	-71.5	-71.4	-71.8	-72.2	-72.2	-72.3	-72.1	-71.6	-71.9	-71.3	-55
-60	-72.0	-72.5	-72.5	-72.4	-72.8	-73.2	-73.2	-73.3	-73.1	-72.6	-72.9	-72.3	-60
-65	-72.8	-73.3	-73.3	-73.2	-73.6	-74.0	-74.0	-74.1	-73.9	-73.4	-73.7	-73.1	-65
-70	-73.4	-73.9	-73.9	-73.8	-74.2	-74.6	-74.6	-74.7	-74.5	-74.0	-74.3	-73.7	-70
-75	-73.8	-74.3	-74.3	-74.2	-74.6	-75.0	-75.0	-75.1	-74.9	-74.4	-74.7	-74.1	-75
-80	-74.0	-74.5	-74.5	-74.4	-74.8	-75.2	-75.2	-75.3	-75.1	-74.6	-74.9	-74.3	-80
-85	-74.2	-74.7	-74.7	-74.6	-75.0	-75.4	-75.4	-75.5	-75.3	-74.8	-75.1	-74.5	-85
-90	-74.3	-74.8	-74.8	-74.7	-75.1	-75.5	-75.5	-75.6	-75.4	-74.9	-75.2	-74.6	-90
LAT													LAT
E. LONG	60	65	70	75	80	85	90	95	100	105	110	115	E. LONG

INCLINATION (I) WMM-90

E. LONG	120	125	130	135	140	145	150	155	160	165	170	175	E. LONG
LAT													LAT
0	-18.3	-18.0	-17.0	-17.5	-17.3	-16.6	-15.7	-14.5	-13.0	-11.2	-8.9	-6.6	0
-5	-28.2	-28.1	-27.0	-27.5	-27.0	-26.3	-25.3	-24.1	-22.7	-20.0	-18.2	-16.0	-5
-10	-37.7	-37.2	-36.8	-36.4	-35.8	-35.1	-34.0	-33.5	-31.7	-30.2	-28.4	-26.5	-10
-15	-45.8	-45.3	-44.8	-44.0	-43.7	-43.0	-42.2	-41.2	-40.0	-38.6	-37.0	-35.4	-15
-20	-52.9	-52.4	-51.8	-51.7	-50.7	-50.1	-49.3	-48.4	-47.3	-46.0	-44.7	-43.3	-20
-25	-59.1	-58.6	-58.0	-57.2	-56.3	-55.3	-55.0	-54.7	-53.2	-51.8	-51.1	-50.0	-25
-30	-64.5	-64.0	-63.5	-62.8	-62.4	-61.7	-61.0	-60.2	-59.3	-58.2	-57.1	-56.0	-30
-35	-69.3	-68.8	-68.3	-67.8	-67.2	-66.5	-65.8	-65.0	-64.1	-63.2	-62.1	-61.0	-35
-40	-73.5	-73.1	-72.7	-72.2	-71.5	-70.9	-70.2	-69.3	-68.4	-67.5	-66.5	-65.4	-40
-45	-77.3	-77.1	-76.7	-76.2	-75.5	-74.8	-74.0	-73.2	-72.2	-71.3	-70.3	-69.3	-45
-50	-81.0	-80.7	-80.4	-79.9	-79.3	-78.5	-77.7	-76.7	-75.8	-74.8	-73.8	-72.8	-50
-55	-83.4	-83.3	-83.0	-82.5	-82.0	-81.2	-80.5	-80.1	-79.1	-78.2	-77.2	-76.2	-55
-60	-85.0	-84.8	-84.5	-84.0	-83.4	-82.5	-81.8	-81.4	-80.3	-79.4	-78.4	-77.4	-60
-65	-84.6	-84.1	-83.5	-82.9	-82.0	-81.4	-80.7	-80.2	-79.1	-78.2	-77.2	-76.2	-65
-70	-82.8	-82.8	-82.0	-81.5	-80.5	-80.2	-79.7	-79.2	-78.1	-77.2	-76.2	-75.2	-70
-75	-80.5	-80.3	-80.0	-79.5	-78.7	-78.2	-77.6	-77.1	-76.0	-75.1	-74.1	-73.1	-75
-80	-78.1	-78.0	-77.3	-76.4	-75.8	-75.3	-74.7	-74.2	-73.1	-72.2	-71.2	-70.2	-80
-85	-75.7	-75.5	-75.0	-74.3	-73.5	-73.0	-72.4	-71.9	-70.8	-70.0	-69.0	-68.0	-85
-90	-73.2	-73.2	-73.2	-72.2	-71.3	-70.3	-69.3	-68.3	-67.3	-66.3	-65.3	-64.3	-90
LAT													LAT
E. LONG	120	125	130	135	140	145	150	155	160	165	170	175	E. LONG

INCLINATION (I) WMM-90


E. LONG LAT	180	185	190	195	200	205	210	215	220	225	230	235	E. LONG LAT
0	-3:9	-2:3	1:6	-7	1:8	2:7	3:6	4:6	5:5	6:4	7:3	8:2	0
-5	-14:8	-13:0	-11:3	-9:8	-8:3	-7:7	-6:8	-5:7	-4:7	-3:3	-2:1	-1:7	-5
-10	-24:6	-22:9	-21:4	-20:1	-18:9	-17:8	-16:8	-15:4	-14:3	-13:6	-12:5	-11:1	-10
-15	-33:7	-32:2	-30:7	-29:5	-28:4	-27:3	-26:2	-25:1	-24:0	-22:8	-21:7	-20:6	-15
-20	-41:8	-40:4	-39:3	-37:9	-36:7	-35:7	-34:6	-33:5	-32:3	-31:2	-30:1	-28:0	-20
-25	-48:8	-47:5	-46:3	-45:1	-44:0	-42:9	-41:9	-40:8	-39:7	-38:6	-37:5	-36:5	-25
-30	-54:8	-53:6	-52:4	-51:3	-50:3	-49:2	-48:2	-47:2	-46:1	-45:1	-44:0	-43:9	-30
-35	-59:8	-58:8	-57:7	-56:7	-55:7	-54:7	-53:7	-52:7	-51:8	-50:8	-49:8	-48:8	-35
-40	-64:4	-63:3	-62:3	-61:3	-60:3	-59:3	-58:3	-57:6	-56:7	-55:7	-54:7	-53:7	-40
-45	-68:3	-67:1	-66:1	-65:1	-64:1	-63:6	-62:7	-61:9	-61:9	-60:9	-59:9	-58:9	-45
-50	-71:9	-70:9	-70:9	-69:1	-68:3	-67:6	-66:8	-65:6	-64:7	-63:8	-62:8	-61:6	-50
-55	-75:2	-74:2	-73:3	-72:6	-71:6	-70:7	-69:8	-68:9	-68:0	-67:0	-65:9	-64:7	-55
-60	-78:1	-77:3	-76:3	-75:4	-74:6	-73:7	-72:8	-71:8	-70:8	-69:8	-68:8	-67:4	-60
-65	-80:9	-79:9	-78:9	-78:0	-77:1	-76:1	-75:8	-74:8	-73:8	-72:7	-71:9	-69:8	-65
-70	-82:3	-81:3	-80:5	-79:6	-78:7	-77:8	-76:8	-75:9	-74:9	-73:9	-72:8	-71:7	-70
-75	-81:8	-81:1	-80:5	-79:8	-79:9	-78:3	-77:5	-76:7	-75:8	-75:9	-74:1	-73:3	-75
-80	-79:6	-79:3	-78:9	-78:4	-78:0	-77:5	-76:9	-76:4	-75:8	-75:2	-74:6	-74:0	-80
-85	-76:5	-76:4	-76:3	-76:1	-75:9	-75:6	-75:3	-75:1	-74:9	-74:6	-74:3	-74:0	-85
-90	-73:2	-73:2	-73:3	-73:3	-73:3	-73:2	-73:2	-73:2	-73:2	-73:2	-73:2	-73:2	-90

INCLINATION (I) WMM-90

E. LONG LAT	240	245	250	255	260	265	270	275	280	285	290	295	E. LONG LAT
0	9:8	19:4	18:8	18:2	18:8	17:8	18:8	21:8	21:1	23:8	23:3	26:2	0
-5	5:8	8:3	10:9	10:7	10:8	8:3	14:5	12:5	14:8	15:0	15:8	18:3	-5
-10	-10:4	-8:8	-7:8	-6:1	-6:1	-8:8	7:8	8:8	4:8	5:7	5:8	-9:2	-10
-15	-19:5	-18:8	-17:8	-18:5	-18:8	-11:8	-9:2	-6:9	-3:9	-2:8	-3:6	-6:0	-15
-20	-27:8	-26:8	-25:8	-24:8	-28:3	-29:5	-18:3	-16:0	-14:2	-13:0	-15:6	-12:8	-20
-25	-35:3	-34:3	-33:8	-31:8	-30:3	-28:3	-29:8	-24:8	-22:3	-21:8	-20:8	-21:3	-25
-30	-42:0	-40:8	-38:8	-38:3	-36:9	-35:8	-33:6	-31:5	-29:8	-28:8	-27:9	-28:2	-30
-35	-47:7	-46:8	-45:8	-44:0	-42:3	-40:7	-39:1	-37:6	-35:8	-34:5	-33:8	-34:0	-35
-40	-52:6	-51:9	-50:2	-48:7	-47:2	-45:5	-43:8	-42:3	-40:7	-39:8	-38:8	-38:1	-40
-45	-56:8	-55:8	-54:3	-52:7	-51:8	-49:8	-47:8	-46:0	-44:2	-43:7	-42:9	-42:8	-45
-50	-60:4	-59:8	-57:9	-56:1	-54:8	-52:8	-51:3	-49:8	-48:5	-47:5	-46:8	-46:6	-50
-55	-63:4	-62:1	-60:8	-59:1	-57:9	-56:8	-54:5	-53:8	-52:3	-51:9	-50:5	-50:0	-55
-60	-66:8	-64:8	-63:6	-62:8	-60:8	-59:8	-57:1	-56:7	-55:8	-54:8	-54:0	-53:8	-60
-65	-68:8	-67:8	-66:9	-65:8	-63:8	-62:3	-61:8	-60:2	-59:8	-58:5	-57:8	-57:3	-65
-70	-70:7	-69:6	-68:5	-67:4	-66:3	-65:0	-63:9	-63:8	-62:8	-62:1	-61:6	-61:1	-70
-75	-72:3	-71:8	-70:8	-69:6	-68:8	-68:0	-67:0	-66:0	-65:0	-64:8	-64:0	-64:8	-75
-80	-73:6	-72:8	-72:1	-71:6	-71:1	-70:5	-69:9	-69:4	-69:4	-68:6	-68:3	-67:9	-80
-85	-73:7	-73:5	-73:3	-72:8	-72:5	-72:3	-71:8	-71:6	-71:3	-71:1	-70:9	-70:7	-85
-90	-73:8	-73:3	-73:2	-72:3	-72:8	-72:3	-71:3	-71:2	-71:2	-71:2	-71:2	-71:2	-90

INCLINATION (I) WMM-90

E. LONG LAT	300	305	310	315	320	325	330	335	340	345	350	355	E. LONG LAT
0	-12:8	-15:8	-18:8	-20:8	-21:0	-20:9	-19:8	-18:7	-18:8	-18:8	-25:1	-26:9	0
-5	-12:6	-7:6	-3:0	-2:6	-0:3	-1:3	-2:3	-2:9	-2:3	-2:3	-11:8	-8:7	-5
-10	-12:7	-1:9	-8:9	-2:3	-1:1	-2:0	-2:0	-1:8	-1:8	-1:7	-12:6	-10:5	-10
-15	-12:7	-19:9	-14:7	-19:3	-26:9	-28:8	-19:8	-18:2	-18:8	-18:6	-18:8	-21:7	-15
-20	-12:8	-18:2	-26:8	-18:8	-18:3	-18:9	-18:4	-14:3	-18:1	-17:7	-18:8	-19:3	-20
-25	-12:8	-18:4	-28:8	-18:8	-19:8	-17:2	-18:8	-17:7	-18:2	-14:8	-17:4	-18:6	-25
-30	-28:6	-11:8	-14:8	-17:8	-15:2	-15:3	-15:7	-14:8	-15:9	-12:9	-11:8	-10:9	-30
-35	-38:8	-18:7	-19:7	-12:9	-13:2	-13:4	-11:0	-14:3	-11:9	-10:7	-10:5	-13:7	-35
-40	-38:8	-18:8	-12:8	-15:2	-17:8	-18:7	-18:3	-15:8	-18:0	-19:0	-18:8	-17:2	-40
-45	-42:3	-19:2	-15:9	-17:8	-18:0	-18:2	-14:4	-16:5	-18:6	-19:0	-18:3	-17:4	-45
-50	-46:8	-12:0	-18:8	-19:8	-15:5	-13:4	-12:1	-16:7	-18:1	-18:3	-18:3	-17:0	-50
-55	-50:2	-12:9	-12:8	-12:8	-13:3	-12:7	-12:7	-16:8	-17:8	-18:1	-18:2	-17:4	-55
-60	-53:6	-13:7	-14:8	-14:6	-15:2	-15:9	-16:7	-17:9	-19:0	-19:6	-19:0	-18:4	-60
-65	-57:8	-17:1	-17:2	-17:4	-17:8	-18:0	-18:4	-19:7	-20:3	-20:9	-19:8	-19:0	-65
-70	-60:8	-19:8	-19:2	-19:4	-19:3	-19:5	-19:7	-20:9	-21:0	-21:8	-21:2	-21:6	-70
-75	-64:3	-14:8	-14:7	-14:8	-14:8	-14:9	-14:5	-15:2	-15:8	-16:7	-16:8	-16:9	-75
-80	-67:6	-12:1	-12:1	-12:1	-12:1	-12:2	-12:6	-13:8	-14:6	-15:6	-15:6	-15:7	-80
-85	-70:5	-19:4	-19:3	-19:1	-19:0	-19:3	-19:9	-20:8	-20:8	-21:4	-20:6	-20:9	-85
-90	-73:8	-22:2	-22:2	-22:2	-22:2	-22:2	-22:2	-23:2	-23:2	-24:2	-23:2	-23:2	-90
LAT													LAT
E. LONG	300	305	310	315	320	325	330	335	340	345	350	355	E. LONG




U.S. NAVAL OCEANOGRAPHIC OFFICE

1990.0 at surface of WGS-84 reference ellipsoid.

CHART 8. HORIZONTAL INTENSITY (H)

(nT)


(WMM-90)



U.S. NAVAL OCEANOGRAPHIC OFFICE

CHART 9. VERTICAL COMPONENT (Z)


1990.0 at surface of WGS-84 reference ellipsoid.



U.S. NAVAL OCEANOGRAPHIC OFFICE

CHART 10. TOTAL INTENSITY (F)


1990.0 at surface of WGS-84 reference ellipsoid.



1990.0 of surface of WGS-84 reference ellipsoid

U.S. NAVAL OCEANOGRAPHIC OFFICE


CHART 11. DECLINATION (D)



1990.0 of surface of WGS-84 reference ellipsoid

U.S. NAVAL OCEANOGRAPHIC OFFICE

CHART 12. INCLINATION (I)




(ni/yr)

(WMM-90)

1990.0 of surface of WGS-84 reference ellipsoid.

U.S. NAVAL OCEANOGRAPHIC OFFICE

CHART 13. HORIZONTAL INTENSITY (H)




1990.0 at surface of WGS-84 reference ellipsoid.

CHART 14, VERTICAL COMPONENT (Z)

(WMM 90)

(WMM 90)



1990.0 at surface of WGS-84 reference ellipsoid.

U.S. NAVAL OCEANOGRAPHIC OFFICE

CHART 15. TOTAL INTENSITY (F)





CHART 16. DECLINATION (D)




1990.0 at surface of WGS-84 reference ellipsoid.

U.S. NAVAL OCEANOGRAPHIC OFFICE

CHART 17. INCLINATION (I)

(m)



(WMM-90)


U.S. NAVAL OCEANOGRAPHIC OFFICE

1990.0 of surface of WGS-84 reference ellipsoid.

CHART 18. HORIZONTAL INTENSITY (H)

(WMM-90)

(m)




1990.0 at surface of WGS-84 reference ellipsoid.

U.S. NAVAL OCEANOGRAPHIC OFFICE

CHART 19. VERTICAL COMPONENT (Z)

(nl)



(WMM-90)


U. S. NAVAL OCEANOGRAPHIC OFFICE

1990.0 at surface of WGS-84 reference ellipsoid.

CHART 20. TOTAL INTENSITY (F)

(degrees)

(WMM-90)




U.S. NAVAL OCEANOGRAPHIC OFFICE

1990.0 at surface of WGS-84 reference ellipsoid.

CHART 21. DECLINATION (D)

(degrees)




(WMM-90)

U. S. NAVAL OCEANOGRAPHIC OFFICE

1990.0 at surface of WGS-84 reference ellipsoid.

CHART 22. INCLINATION (I)

(degrees)



(WMM-90)


U.S. NAVAL OCEANOGRAPHIC OFFICE

1990.0 at surface of WGS-84 reference ellipsoid.

CHART 23. GRID VARIATION (GV)

(nT/yr)

(WMM-90)




U.S. NAVAL OCEANOGRAPHIC OFFICE

1990.0 at surface of WGS-84 reference ellipsoid.

CHART 24. HORIZONTAL INTENSITY (II)

(nT/yr)



(WMM-90)


1990.0 at surface of WGS-84 reference ellipsoid.

U.S. NAVAL OCEANOGRAPHIC OFFICE

CHART 25. VERTICAL COMPONENT (Z)

(m/yr)

(WMM-90)




1990.0 at surface of WGS-84 reference ellipsoid

U.S. NAVAL OCEANOGRAPHIC OFFICE

(minutes/yr)

(WMM-90)




1990 0 of surface of WGS-84 reference ellipsoid

U.S. NAVAL OCEANOGRAPHIC OFFICE

CHART 27. DECLINATION (D)

(minutes/yr)

(WMM-90)




1990.0 at surface of WGS-84 reference ellipsoid

U.S. NAVAL OCEANOGRAPHIC OFFICE

CHART 28. INCLINATION (I)

(minutes/yr)

(WMM-90)




U.S. NAVAL OCEANOGRAPHIC OFFICE

1990.0 at surface of WGS-84 reference ellipsoid.

CHART 29. GRID VARIATION (GV)

(nt)



(WMM-90)


U.S. NAVAL OCEANOGRAPHIC OFFICE

1990.0 at surface of WGS-84 reference ellipsoid.

CHART 30. HORIZONTAL INTENSITY (H)

(m)

(WMM-90)




1990 0 of surface of WGS - 84 reference ellipsoid.

U.S. NAVAL OCEANOGRAPHIC OFFICE

CHART 31. VERTICAL COMPONENT (Z)

(nt)

(WMM-90)




U.S. NAVAL OCEANOGRAPHIC OFFICE

1990.0 at surface of WGS-84 reference ellipsoid

CHART 32 TOTAL INTENSITY (F)

(degrees)

(WMM-90)




1990 0 at surface of WGS-84 reference ellipsoid.

U.S. NAVAL OCEANOGRAPHIC OFFICE

CHART 33. DECLINATION (D)

(degrees)

(WMM-90)




U.S. NAVAL OCEANOGRAPHIC OFFICE

1990.0 at surface of WGS-84 reference ellipsoid.

CHART 34. INCLINATION (I)

(degrees)

(WMM-90)




U.S. NAVAL OCEANOGRAPHIC OFFICE

1990.0 of surface of WGS-84 reference ellipsoid

CHART 35. GRID VARIATION (GV)

(m/yr)



(WMM-90)


U.S. NAVAL OCEANOGRAPHIC OFFICE

1990.0 at surface of WGS-84 reference ellipsoid.

CHART 36 HORIZONTAL INTENSITY (H)

(nT/yr)

(WMM-90)




U.S. NAVAL OROGRAPHIC OFFICE

1990 0 at surface of WGS 84 reference ellipsoid

CHART 37. VERTICAL COMPONENT (Z)

(n/yr)



(WMM-90)


U.S. NAVAL OCEANOGRAPHIC OFFICE

1990.0 at surface of WGS-84 reference ellipsoid

CHART 38. TOTAL INTENSITY (F)

(minutes/yr)

(WMM-90)




U.S. NAVAL OCEANOGRAPHIC OFFICE

1990.0 at surface of WGS-84 reference ellipsoid

CHART 39. DECLINATION (D)

(minutes/yr)

(WMM-90)




1990 U. of surface of WGS-84 reference ellipsoid.

U. S. NAVAL OCEANOGRAPHIC OFFICE

CHART 40. INCLINATION (I)

(minutes/yr)

(WMM-90)



U.S. NAVAL OCEANOGRAPHIC OFFICE

1990.0 at surface of WGS-84 reference ellipsoid

CHART 41. GRID VARIATION (GV)







REFERENCES

- Cain, Joseph C., et al.; A Proposed Model for the International Geomagnetic Reference Field 1965, Journal of Geomagnetism and Geoelectricity, Vol. 19, No. 4, pp. 335-355, 1967. (see appendix)
- Department of Defense World Geodetic System 1984, Technical Report TR 8350.2, Defense Mapping Agency, 1987.
- Langel, Robert A.; The Main Field in Geomagnetism, Vol. 1, Chapter 4, edited by J.A. Jacobs, Academic Press, New York, pp. 249-512, 1987.
- Langel, Robert A. and R. H. Estes; The near-Earth magnetic field at 1980 determined from MAGSAT data, J. Geophys. Res. 90, pp. 2495-2509, 1985.
- Quinn, John M., David J. Kerridge, and David R. Baraclough; World Magnetic Charts for 1985 - spherical harmonic models of the geomagnetic field and its secular variation, Geophys. J.R. Astr. Soc. Vol. 87, pp. 1143-1157, 1986.
- Zmuda, Alfred J.; World Magnetic Survey 1957-1969, International Association of Geomagnetism and Aeronomy (IAGA) Bulletin #28, pp. 186-188, 1971.

APPENDIX

FORTRAN LISTING OF SUBROUTINE GEOMAG
WITH
THE WMM-90 MODEL COEFFICIENTS

PRECEDING PAGE BLANK NOT FILMED



SUBROUTINE GEOMAG (GEOMAGNETIC FIELD COMPUTATION)

WMM-90 is a proposed Defense Mapping Agency (DMA) standard product.
For information on the use and applicability of this product contact:

DIRECTOR
DEFENSE MAPPING AGENCY/HEADQUARTERS
ATTN: CODE PR
8613 LEE HIGHWAY
FAIRFAX, VA 22031-2137

GEOMAG PROGRAMMED BY:

JOHN M. QUINN 7/19/90
GEOPOTENTIAL DIVISION, CODE GGM
U.S. NAVAL OCEANOGRAPHIC OFFICE (NA VOCEANO)
STENNIS SPACE CENTER (SSC), MS 39522-5001
PHONE: COM: (601) 688-4252
AV: 485-4252
FAX: (601) 688-5701

PURPOSE: THIS ROUTINE COMPUTES THE DECLINATION (DEC),
INCLINATION (DIP), TOTAL INTENSITY (TI), AND
GRID VARIATION (GV - POLAR REGIONS USING A POLAR
STEREOGRAPHIC PROJECTION ONLY) OF THE
EARTH'S MAGNETIC FIELD IN GEODETIC COORDINATES
FROM THE COEFFICIENTS OF THE CURRENT OFFICIAL
DEPARTMENT OF DEFENSE (DOD) SPHERICAL HARMONIC WORLD
MAGNETIC MODEL (WMM-90). THE WMM SERIES OF MODELS IS
UPDATED EVERY 5 YEARS ON 1 JANUARY OF THOSE YEARS
WHICH ARE DIVISIBLE BY 5 (I.E., 1980, 1985, 1990, ETC.)
BY THE U.S. NAVAL OCEANOGRAPHIC OFFICE IN COOPERATION
WITH THE BRITISH GEOLOGICAL SURVEY (BGS) AND
IS BASED ON GEOMAGNETIC SURVEY MEASUREMENTS FROM
AIRCRAFT, SATELLITE, AND GEOMAGNETIC OBSERVATORIES.

C IF THE REQUIRED DECLINATION ACCURACY IS MORE
C STRINGENT THAN THE WMM SERIES OF MODELS PROVIDE,
C THE USER IS ADVISED TO REQUEST SPECIAL (REGIONAL OR
C LOCAL) SURVEYS BE PERFORMED AND MODELS PREPARED BY
C NAVOCEANO, WHICH OPERATES THE PROJECT MAGNET
C AIRCRAFT AND THE POLAR ORBITING GEOMAGNETIC SURVEY
C (POGS) SATELLITE. REQUESTS OF THIS NATURE SHOULD
C BE MADE THROUGH DMA AT THE ADDRESS ABOVE.
C

C *****

C USAGE: THIS ROUTINE IS BROKEN UP INTO TWO PARTS:
C

- C A) AN INITIALIZATION MODULE, WHICH IS CALLED ONLY
C ONCE AT THE BEGINNING OF THE MAIN (CALLING)
C PROGRAM
- C B) A PROCESSING MODULE, WHICH COMPUTES THE MAGNETIC
C FIELD PARAMETERS FOR EACH SPECIFIED GEODETIC
C POSITION (ALTITUDE, LATITUDE, LONGITUDE) AND TIME

C INITIALIZATION IS MADE VIA A SINGLE CALL TO THE MAIN
C ENTRY POINT (GEOMAG), WHILE SUBSEQUENT PROCESSING
C CALLS ARE MADE THROUGH THE SECOND ENTRY POINT (GEOMG1).
C ONE CALL TO THE PROCESSING MODULE IS REQUIRED FOR EACH
C POSITION AND TIME.

C THE VARIABLE MAXDEG IN THE INITIALIZATION CALL IS THE
C MAXIMUM DEGREE TO WHICH THE SPHERICAL HARMONIC MODEL
C IS TO BE COMPUTED. IT MUST BE SPECIFIED BY THE USER
C IN THE CALLING ROUTINE. NORMALLY IT IS 12 BUT IT MAY
C BE SET LESS THAN 12 TO INCREASE COMPUTATIONAL SPEED AT
C THE EXPENSE OF REDUCED ACCURACY.

C THE PC VERSION OF THIS SUBROUTINE MUST BE COMPILED
C WITH A FORTRAN 77 COMPATIBLE COMPILER SUCH AS THE
C MICROSOFT OPTIMIZING FORTRAN COMPILER VERSION 4.1
C OR LATER.

C *****

C REFERENCES:
C

C JOHN M. QUINN, DAVID J. KERRIDGE, AND DAVID R. BARRACLOUGH,
C WORLD MAGNETIC CHARTS FOR 1985 - SPHERICAL HARMONIC
C MODELS OF THE GEOMAGNETIC FIELD AND ITS SECULAR
C VARIATION, GEOPHYS. J. R. ASTR. SOC. (1986) Vol. 87,
C PP. 1143-1157
C


```

C      DIP      - GEOMAGNETIC INCLINATION (DEG.)              (OUTPUT)
C              DOWN=POSITIVE ANGLES
C              UP=NEGATIVE ANGLES
C      TI        - GEOMAGNETIC TOTAL INTENSITY (NT)           (OUTPUT)
C      GV        - GEOMAGNETIC GRID VARIATION (DEG.)         (OUTPUT)
C              REFERENCED TO GRID NORTH
C              GRID NORTH REFERENCED TO 0 MERIDIAN
C              OF A POLAR STEREOGRAPHIC PROJECTION
C              (ARCTIC/ANTARCTIC ONLY)
C      MAXDEG    - MAXIMUM DEGREE OF SPHERICAL HARMONIC MODEL (INPUT)
C      MOXORD    - MAXIMUM ORDER OF SPHERICAL HARMONIC MODEL

```

```

C *****

```

```

C      NOTE: THIS VERSION OF GEOMAG USES THE WMM-90 GEOMAGNETIC
C      MODEL REFERENCED TO THE WGS-84 GRAVITY MODEL ELLIPSOID

```

```

C *****

```

```

C *****

```

```

C      INITIALIZATION MODULE

```

```

C *****

```

```

C      SUBROUTINE GEOMAG(MAXDEG)

```

```

C      DIMENSION C(0:12,0:12),CD(0:12,0:12),TC(0:12,0:12)
C      DIMENSION P(0:12,0:12),DP(0:12,0:12),SNORM(0:12,0:12)
C      DIMENSION SP(0:12),CP(0:12),FN(0:12),FM(0:12),PP(0:12)
C      REAL K(0:12,0:12)
C      EQUIVALENCE (SNORM,P)

```

```

C      DATA EPOCH/1990.0/

```

```

C
C
C

```


C
C
C

INITIALIZE CONSTANTS

```
IF (MAXDEG .GT. 12) MAXDEG=12
MAXORD=MAXDEG
PI=3.14159265359
DTR=PI/180.0
SP(0)=0.
CP(0)=1.
P(0,0)=1.
PP(0)=1.
DP(0,0)=0.
A=6378.137
B=6356.7523142
RE=6371.2
A2=A**2
B2=B**2
C2=A2-B2
A4=A2**2
B4=B2**2
C4=A4-B4
```

C
C
C
C

CONVERT SCHMIDT NORMALIZED GAUSS COEFFICIENTS TO UNNORMALIZED

```
SNORM(0,0)=1.
DO 20 N=1,MAXORD
SNORM(N,0)=SNORM(N-1,0)*FLOAT(2*N-1)/FLOAT(N)
J=2
DO 10 M=0,N
K(N,M)=FLOAT((N-1)**2-M**2)/FLOAT((2*N-1)*(2*N-3))
IF (M .GT. 0) THEN
FLNMJ=FLOAT((N-M+1)*J)/FLOAT(N+M)
SNORM(N,M)=SNORM(N,M-1)*SQRT(FLNMJ)
J=1
C(M-1,N)=SNORM(N,M)*C(M-1,N)
CD(M-1,N)=SNORM(N,M)*CD(M-1,N)
ENDIF
C(N,M)=SNORM(N,M)*C(N,M)
CD(N,M)=SNORM(N,M)*CD(N,M)
10 CONTINUE
FN(N)=FLOAT(N+1)
FM(N)=FLOAT(N)
20 CONTINUE
K(1,1)=0.
```

C
C

```
OTIME=-1000.
OALT=-1000.
OLAT=-1000.
OLON=-1000.
```



```

Q1=ALT*Q
Q2=((Q1+A2)/(Q1+B2))**2
CT=SRLAT/SQRT(Q2*CRLAT2+SRLAT2)
ST=SQRT(1.0-CT**2)
R2=ALT**2+2.0*Q1+(A4-C4*SRLAT2)/Q**2
R=SQRT(R2)
D=SQRT(A2*CRLAT2+B2*SRLAT2)
CA=(ALT+D)/R
SA=C2*CRLAT*SRLAT/(R*D)
ENDIF

C
C
IF (GLON .NE. OLON) THEN
DO 40 M=2,MAXORD
SP(M)=SP(1)*CP(M-1)+CP(1)*SP(M-1)
CP(M)=CP(1)*CP(M-1)-SP(1)*SP(M-1)
40 CONTINUE
ENDIF

C
C
AOR=RE/R
AR=AOR**2

C
C
BR=0.
BT=0.
BP=0.
BPP=0.

C
C
DO 70 N=1,MAXORD
AR=AR*AOR
DO 60 M=0,N

C
COMPUTE UNNORMALIZED ASSOCIATED LEGENDRE POLYNOMIALS
AND DERIVATIVES VIA RECURSION RELATIONS

C
IF (ALT .NE. OALT .OR. GLAT .NE. OLAT) THEN
IF (N .EQ. M) THEN
P(N,M)=ST*P(N-1,M-1)
DP(N,M)=ST*DP(N-1,M-1)+CT*P(N-1,M-1)
GO TO 50
ENDIF
IF (N .EQ. 1 .AND. M .EQ. 0) THEN
P(N,M)=CT*P(N-1,M)
DP(N,M)=CT*DP(N-1,M)-ST*P(N-1,M)
GO TO 50
ENDIF
IF (N .GT. 1 .AND. N .NE. M) THEN
IF (M .GT. N-2) P(N-2,M)=0.0
IF (M .GT. N-2) DP(N-2,M)=0.0

```

```

P(N,M)=CT*P(N-1,M)-K(N,M)*P(N-2,M)
DP(N,M)=CT*DP(N-1,M)-ST*P(N-1,M)-K(N,M)*DP(N-2,M)
ENDIF
ENDIF
50 CONTINUE
C
C   TIME ADJUST THE GAUSS COEFFICIENTS
C
IF (TIME .NE. OTIME) THEN
TC(N,M)=C(N,M)+DT*CD(N,M)
IF (M .NE. 0) THEN
TC(M-1,N)=C(M-1,N)+DT*CD(M-1,N)
ENDIF
ENDIF
C
C   ACCUMULATE TERMS OF THE SPHERICAL HARMONIC EXPANSIONS
C
PAR=AR*P(N,M)
IF (M .EQ. 0) THEN
TEMP1=TC(N,M)*CP(M)
TEMP2=TC(N,M)*SP(M)
ELSE
TEMP1=TC(N,M)*CP(M)+TC(M-1,N)*SP(M)
TEMP2=TC(N,M)*SP(M)-TC(M-1,N)*CP(M)
ENDIF
BT=BT-AR*TEMP1*DP(N,M)
BP=BP+FM(M)*TEMP2*PAR
BR=BR+FN(N)*TEMP1*PAR
C
C   SPECIAL CASE: NORTH/SOUTH GEOGRAPHIC POLES
C
IF (ST .EQ. 0.0 .AND. M .EQ. 1) THEN
IF (N .EQ. 1) THEN
PP(N)=PP(N-1)
ELSE
PP(N)=CT*PP(N-1)-K(N,M)*PP(N-2)
ENDIF
PARP=AR*PP(N)
BPP=BPP+FM(M)*TEMP2*PARP
ENDIF
C
C
60 CONTINUE
70 CONTINUE
C
C
IF (ST .EQ. 0.0) THEN
BP=BPP
ELSE
BP=BP/ST
ENDIF

```

```

C
    ROTATE MAGNETIC VECTOR COMPONENTS FROM SPHERICAL TO
    GEODETIC COORDINATES
C
    BX=-BT*CA-BR*SA
    BY=BP
    BZ=BT*SA-BR*CA
C
    COMPUTE DECLINATION (DEC), INCLINATION (DIP), AND
    TOTAL INTENSITY (TI)
C
    BH=SQRT(BX**2+BY**2)
    TI=SQRT(BH**2+BZ**2)
    DEC=ATAN2(BY,BX)/DTR
    DIP=ATAN2(BZ,BH)/DTR
C
    COMPUTE MAGNETIC GRID VARIATION IF THE CURRENT
    GEODETIC POSITION IS IN THE ARCTIC OR ANTARCTIC
    (I.E. GLAT > +55 DEGREES OR GLAT < -55 DEGREES)
C
    OTHERWISE, SET MAGNETIC GRID VARIATION TO -999.0
C
    GV=-999.0
    IF (ABS(GLAT) .GE. 55.) THEN
    IF (GLAT .GT. 0. .AND. GLON .GE. 0.) GV=DEC-GLON
    IF (GLAT .GT. 0. .AND. GLON .LT. 0.) GV=DEC+ABS(GLON)
    IF (GLAT .LT. 0. .AND. GLON .GE. 0.) GV=DEC+GLON
    IF (GLAT .LT. 0. .AND. GLON .LT. 0.) GV=DEC-ABS(GLON)
    IF (GV .GT. +180.) GV=GV-360.
    IF (GV .LT. -180.) GV=GV+360.
    ENDIF
C
    OTIME=TIME
    OALT=ALT
    OLAT=GLAT
    OLON=GLON
C
    RETURN
C
    END

```




DISTRIBUTION LIST


CGFMFLANT (NSAP Advisor)	1
CGFMFPAC (NSAP Advisor)	1
CGMCDEC (NSAP Advisor)	1
CINCLANTFLT (N37C, NSAP Advisor)	2
CINCPACFLT (02M, J37, NSAP Advisor)	3
CINCUSNAVEUR (NSAP Advisor)	1
COMAREASWFORSIXTHFLT (CTF 66)	1
COMINEWARCOM (NSAP Advisor)	1
COMNAVAIRLANT (NSAP Advisor)	1
COMNAVAIRPAC (NSAP Advisor)	1
COMNAVSEASYSKOM (Codes 56Z22, Library Documentation Branch SEA 09B31)	2
COMNAVSURFLANT (NSAP Advisor)	1
COMNAVSURFPAC (NSAP Advisor)	1
COMOPTEVFOR	1
COMPACMISTESTCEN (Codes 1018, 3250, 4024, 5021)	4
COMSEABASEDASWINGSLANT (NAVOCEANO Flt. Rep.)	1
COMSECONDLFT (NSAP Advisor)	1
COMSEVENTHFLT (NSAP Advisor)	1
COMSIXTHFLT (NSAP Advisor)	1
COMSUBDEVRON TWELVE (20B)	1
COMSUBLANT (NSAP Advisor)	1
COMSUBPAC (NSAP Advisor)	1
ALL COMSURFWARDEVGRU	8
COMTHIRDFLT (NSAP Advisor)	1
ALL DPT NAVSCI	6
FASOTRAGRULANT (Det Brunswick, Cecil Field, Jacksonville)	3
FASOTRAGRUPAC (Det Agana, Barbers Point, Cubi Point, Moffett Field, North Island)	5
FCTCLANT (Code 213)	1
FLEASWTRACENLANT	1
FLEASWTRACENPAC	1
FLEBALMISUBTRACEN	1
FLEMINEWARTRACEN	1
FLENUMOCEANCEN	1
NAVAIRCEVCEN (Code 8131)	1
NAVAIRTESTCEN (Technical Information Dept.)	1
NAVAVIONICCEN (Technical Library)	1
NAVCOASTSYSCEN (Technical Information Center - Code 6120)	1
NAVEASTOCEANCEN	1
NAVELEXCEN (Technical Library - Code AL)	1
ALL NAVELEXDET	2
NAVOCEANCOMCEN	2
ALL NAVOCEANCOMDET	47
NAVOCEANO (Maury Oceanographic Library)	100
NAVOCEANSYSCEN (Technical Library - Code 447)	1
NAVPGSCOL	1
NAVPHIBASE	1
NAVPOLAROCEANCEN	1
NAVSHIPWPNSYSSENGSTA (Code 5125)	1

NAVSWC (Technical Library - Code E23)	1
NAVTACSUPPACT (Technical Library)	1
NAVWARCOL (Technical Library)	1
NAVWESTOCEANCEN	1
NAVWPNSUPPCEN (Code 016)	1
NISC (Technical Library - Code 63)	7
NOARL (Codes 245, 302, 352, 370, 372, 550)	1
NRL (Technical Library - Code 2620)	1
NUSC (Technical Library - Code 02152)	1
OPTEVFOR (Technical Library)	1
SUBASE	1
SWFPAC (Technical Library - Code SPB161)	1
SWOSCOLCOM (Technical Library)	1
USNA (Nimitz Library)	1
WPNSTA (Technical Library)	1
ARMY	1
Avionics R&D Act.	1
Eng Topo Lab	1
ESEIA	1
USAATCA-ASO	1
36 Medical DET	1
AIR FORCE	1
AFGWC	1
Ogden AFLC	1
(SPECIAL) (AFLC)	1
CPUSS	1
HQSD	1
USAF Academy (Technical Library)	1
9th SRW/IND	1
31st Test and Evaluation Squadron	1
366th Tectical Fighter Wing	1
403 Rescue and Weather Reconnaissance Wing/DOX	1
815 Weather Reconnaissance Wing/DOT	1
4029th Strategic Reconnaissance Training Squadron	1
6514th Test Squadron	1
DCA (Technical Library)	1
Defense Information School	1
DMACSC	1
DMAHTC (Technical Library)	5
DMAIAGS	1
DNA (Technical Library)	2
DTIC	1
National Defense University	1
Analysis Technology	1
AVCO Systems Vision	1
BGS	1
Boeing Aerospace Company	1
Boeing Commercial Airplane Company	1
Boeing Military Airplane Company	1
Canadian Pacific Airlines	1
Center for Naval Analyses (Technical Library)	1

Center for Potential Field Studies, CSM	1
College Observatory	1
Control Systems Technology Center	1
Danish Meteorological Institute	1
Defense Communications Agency	1
Digital Cartographic Systems	1
Eastern Airlines	1
EG&G/Geometrics	1
ESL	1
General Dynamics	2
General Electric Co.	1
Geophysical Services, Inc.	2
Geosource Marine	1
Goddard Space Flight Center	1
Hughes Aircraft	2
Institute Nazionale Di Geofisica	1
Intergraph Corporation	1
KLM-Royal Dutch Airlines	1
LDGO	1
LITEF	1
Litton	1
Lockheed Corporation	1
Maritime Safety Agency	1
McDonnell Douglas Corporation	1
McDonnell Douglas Helicopter Corp.	1
NOAA/NDBC	1
NOAA/NGDC	3
NOAA/NOS (Codes N/CG22X2, N/CG21X4)	2
Northrop Corporation	1
Shell Offshore, Inc.	1
Singer/Link	1
SIO	1
Systems & Applied Sciences Corp.	1
Systems Control Technology	1
Technical Studies & Analytical Corp.	1
TWR Corporation	1
USGS Denver	3
USGS Fredericksburg	1
USGS Menlo Park	1
WHOI	1



SECURITY CLASSIFICATION OF THIS PAGE



REPORT DOCUMENTATION PAGE

1. CLASSIFICATION UNCLASSIFIED		15 RESTRICTIVE MARKINGS None	
2. CLASSIFICATION AUTHORITY		3. DISTRIBUTION / AVAILABILITY OF REPORT Approved for public release; distribution unlimited.	
2b. DECLASSIFICATION / DOWNGRADING SCHEDULE		5. MONITORING ORGANIZATION REPORT NUMBER(S)	
4. PERFORMING ORGANIZATION REPORT NUMBER(S) TR 304		7a. NAME OF MONITORING ORGANIZATION Commander, Naval Oceanography Command	
6a. NAME OF PERFORMING ORGANIZATION Naval Oceanographic Office	6b. OFFICE SYMBOL (if applicable)	7b. ADDRESS (City, State, and ZIP Code) Stennis Space Center, MS 39529-5000	
6c. ADDRESS (City, State, and ZIP Code) Stennis Space Center, MS 39522-5001		9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER	
8a. NAME OF FUNDING / SPONSORING ORGANIZATION Naval Oceanographic Office	8b. OFFICE SYMBOL (if applicable)	10. SOURCE OF FUNDING NUMBERS	
8c. ADDRESS (City, State, and ZIP Code) Stennis Space Center, MS 39522-5001		PROGRAM ELEMENT NO	TASK NO
11. TITLE (Include Security Classification) The Joint US/UK 1990 Epoch World Magnetic Model		PROJECT NO	WORK UNIT ACCESSION NO
12. PERSONAL AUTHOR(S) Quinn, John M.; Coleman, Rachel J.; Peck, Michael R.; Lauber, Stephen E.		15. PAGE COUNT 217	
13a. TYPE OF REPORT Technical	13b. TIME COVERED FROM 1990 TO 1995	14. DATE OF REPORT (Year, Month, Day) 1991 October	
16. SUPPLEMENTARY NOTATION			
17. COSATI CODES		18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)	
FIELD	GROUP	Geomagnetic; World Magnetic Model; WMM-90; GEOMAG: MAGVAR: DE-2; MAGSAT: POGS: Project MAGNET; 1990 Epoch; Spherical Harmonic	
19. ABSTRACT (Continue on reverse if necessary and identify by block number) A detailed summary of the data used, analyses performed, modeling techniques employed, and results obtained in the course of the 1990 Epoch World Magnetic Modeling effort are given. Also, use and limitations of the GEOMAG algorithm are presented. Charts and tables related to the 1990 World Magnetic Model (WMM-90) for the Earth's main field and secular variation in Mercator and polar stereographic projections are presented along with useful tables of several magnetic field components and their secular variation on a 5-degree worldwide grid.			
20. DISTRIBUTION / AVAILABILITY OF ABSTRACT <input checked="" type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT <input type="checkbox"/> DTIC USERS		21. ABSTRACT SECURITY CLASSIFICATION Unclassified	
22a. NAME OF RESPONSIBLE INDIVIDUAL John S. Breyer		22b. TELEPHONE (Include Area Code) (601) 689-8448	22c. OFFICE SYMBOL N62306