NASA Technical Memorandum 104568

Biophysical, Morphological, Canopy Optical Property, and Productivity Data From the Superior National Forest

F.G. Hall NASA Goddard Space Flight Center Greenbelt, Maryland

K.F. Huemmrich Hughes STX Corporation Lanham, Maryland

D.E. Strebel VERSAR, Inc. Columbia, Maryland

S.J. Goetz and J.E. Nickeson Hughes STX Corporation Lanham, Maryland

K.D. Woods University of California, Santa Barbara Santa Barbara, California

NVZV

National Aeronautics and Space Administration

Goddard Space Flight Center Greenbelt, Maryland 20771

1992

.

Acknowledgements

This experiment was conceived in 1982 by Daniel B. Botkin, University of California Santa Barbara (UCSB), and Robert B. MacDonald, Johnson Space Center (JSC) in Houston, Texas. A group of scientists at UCSB and JSC, including the Principal Investigators and Drs. Forrest Hall, Gautam Badhwar, Jack Estes, Alan Fieveson, Mark Wilson, Keith Henderson, Jack Paris, David Pitts and David Thompson, developed and submitted a proposal entitled "Habitability of the Earth: Assessing Key Vegetation Characteristics" to NASA Headquarters, Land Processes Branch, on November 1, 1982. The objective of the proposal was "... to investigate the use of satellite remote sensing to estimate leaf area index, biomass and net primary productivity...". The proposal was funded and two field seasons were conducted in the summers of 1983 and 1984 over a test site near Ely, Minnesota.

Dr. Kerry Woods, then at UCSB (now at Bennington College), along with Daniel Botkin, Robert MacDonald, Forrest Hall, and David Pitts, designed a detailed ground-data collection scheme and, along with Laurie Schmidt and a field crew of approximately 12, acquired the ground data throughout the summers of 1983 and 1984. A NASA Bell Jet-Ranger helicopter, piloted by Mr. Jim Adamson (now a Shuttle astronaut) and Mr. Steve Feaster of Johnson Space Center acquired spectral data over approximately 60-30 meter-diameter sites. The NASA C-130, managed by NASA Ames Research Center acquired Thematic Mapper Simulator spectral image data and color infrared photography. The U.S. Forest Service also supported the experiment by providing access, detailed maps of the area, and laboratory space and support in Ely.

As the second year of data collection was nearing completion, the satellite remote sensing program was eliminated at JSC. As a consequence, Dr. Forrest Hall moved to the Goddard Space Flight Center (GSFC) and, supported by Dr. Donald Strebel now of VERSAR Inc., transported the dataset to the GSFC. NASA Headquarters continued support for the transfer and analysis of the data.

Badhwar et al. (1986, 1986a), Pitts et al.(1988), and Shen et al. (1985) at JSC have published analysis results on the relationship of spectral data to biophysical parameters. Botkin et al. (1984), and Woods et al. (1991) have published analysis results on the biometry and ecology of the study. Hall et al. (1987, 1991) have published results on the use of satellite data to study the large-scale successional dynamics of the boreal forest.

Mr. K. Huemmrich of ST Systems Corp. organized the biophysical and leaf optical data, and wrote and edited this document. He worked with Mr. S. Goetz, and Ms. J. Nickeson of ST Systems Corp., who organized the helicopter, aircraft, and satellite data and wrote chapters 6, 7 and 8 documenting these data. Parts of chapter 3 were taken from the work of K. Woods (Woods et al. 1991). Ms. A. Montoro and Mr. E. Russell assisted by entering and formatting datasets.



iii

PRECEDING PAGE BLANK NOT FILMED

-.

Contents

Chapter 1 - Introduction	1 - 1
Chapter 2 - Ecological Setting	2 - 1 2 - 2
Table 2.1SNF Plant SpeciesTable 2.2SNF Study Site Locations	2 - 5
Chapter 3 - Biophysical Data	3 - 1
Figures 3.1 and 3.2 Phenology Plots	3 - 5
Table 3.1 Canopy Species	3 - 6
Table 3.2 Subcanopy Species	3 - 8
Table 3.3 Understory Composition	3 - 9
Table 3.4 Cover by Stratum and Plot for Aspen Sites	3 - 14
Table 3.5 Statistics for Sacrificed Aspen Trees	3 - 15
Table 3.6 Statistics for Sacrificed Spruce Trees	3 - 16
Table 3.7 Aspen Biophysical Parameters	3 - 17
Table 3.8 Spruce Biophysical Parameters	3 - 18
Table 3.9 Aspen Canopy Phenology	3 - 19
Table 3.10 Subcanopy Phenology	3 - 20
Chapter 4 - Climate	4 - 1
Table 4.1 Monthly Climatological Data	4 - 2
Chapter 5 - Leaf Optical Properties	5 - 1
Table 5.1 Optical Properties Data Availability	5 - 6
Table 5.2 TMS Band Averages	5 - 7
Table 5.3 Figure Captions	5 - 15
Figures 5.1 to 5.41 Spectral Properties Plots	5 - 19
Chapter 6 - Helicopter MMR Data	6 - 1
Figures 6.1 to 6.5 MMR Reflectance Plots	6 - 3
Table 6.1 Helicopter MMR Data Availability 1983	6-6
Table 6.2 Helicopter MMR Data Availability 1984	6-9
Table 6.3 1983 Helicopter MMR Data	6 - 10
Table 6.4 1984 Helicopter MMR Data	6 - 19
Chapter 7 - Thematic Mapper Simulator Data	7 - 1
Table 7.1 Thematic Mapper Simulater Data	7 - 3
Chapter 8 - Satellite Data Availability	8 - 1
Table 8.1 Satellite Image Data Acquired for the SNF	8 - 2
Table 8.2 Comments on Satellite Image Data	8 - 3
Superior Natural Forest Related Publications	9 - 1
Appendix 1 SNF Data Disk Documentation	A - 1

ν

MER I J INTENTIONALLA HLANG

1.0 Introduction

During the summers of 1983 and 1984, NASA conducted an intensive experiment in a portion of the Superior National Forest (SNF) near Ely, Minnesota. The purpose of this experiment was to investigate the ability of remote sensing to provide estimates of biophysical properties of ecosystems, such as leaf area index (LAI), biomass and net primary productivity (NPP). The SNF is mostly covered by boreal forest. Boreal forests were chosen for this experiment because of their relative taxonomic simplicity, their great extent and their potential sensitivity to climatic change. Satellite, aircraft, helicopter and ground observations were obtained for the study area. These data comprise a unique dataset for the investigation of the relationships between the radiometric and biophysical properties of vegetated canopies. This is perhaps the most complete dataset of its type ever collected over a forested region. This report contains a compilation of data collected in this experiment.

Detailed vegetation data were collected on the ground for about 100 sampled sites. These sites represent a range of stand density and age for spruce and aspen and also include jackpine and mixed stands. At each site, five circular subplots of 16 meters in diameter were sampled within a large plot of 60-meters in diameter. Within the subplots, all woody stems over 2 meters tall were tallied by species, diameter and height. Within each subplot, coverage by vegetation was determined for the canopy, subcanopy and understory. Thirty each of black spruce and aspen trees from outside of the plots were sacrificed, and dimensional analysis relations developed between diameter at breast height, biomass and leaf area index. Also, above-ground net primary productivity was estimated for each test site. For the aspen sites, bark area and understory leaf area indexes were found. During the spring, measurements of understory leaf extension and canopy coverage were made on several days to describe the phenology of an aspen stand.

Measurements of the optical properties of canopy components were made for wavelengths between 0.35 and 2.1 micrometers. Reflectance and transmittance properties of leaves and needles of eight major overstory tree species and three understory shrubs were measured. Multiple measurements of aspen and spruce allow an investigation of the variability of optical properties within a species. Also, reflectance measurements were made for the bark of several tree species, sphagnum moss and leaf litter.

Above-canopy reflectance was observed by a helicopter-mounted Barnes Modular Multiband Radiometer (MMR). The helicopter MMR data have a spatial resolution of approximately 32 meters. In 1983, 10 days of data were collected between May and October, with a total of 105 sites observed. In 1984, 8 days of data were collected between May and September, with a total of 29 sites observed. Several sites have multiple observations, to allow studies of seasonal variation. Thematic Mapper Simulator (TMS) data were collected from the NASA C-130 flying over the SNF. The flights were in a "criss-cross" pattern to allow observation of the same location with multiple sun and view angles. The TMS scans out to 50 degrees off nadir; in flights at 5000 feet above ground level, a nadir pixel covers 3.81 meters along the scan. Three days of TMS data are presented; these data have been geometrically corrected, registered, atmospherically corrected and calibrated to determine surface reflectance.

A key goal of the experiment was to use the aircraft measurements to scale up to satellite observations for the remote sensing of biophysical parameters. Landsat and SPOT data were collected and examined. A listing of scenes that were aquired and comments on their quality are provided.

The data collected in the SNF are reported here to provide the research community with access to this valuable dataset.

2.0 Ecological Setting

The experiment took place in the Superior National Forest (SNF) in northeastern Minnesota, north of the town of Ely. The study area was centered at approximately 48 degrees North latitude and 92 degrees West longitude. The SNF is primarily boreal forest. Boreal forests were chosen for this study because of their relative taxonomic simplicity, great extent, and potential sensitivity to climatic change. Boreal forests cover approximately 9 million km² with eight species dominating in North America. The SNF is located near the southern edge of the North American boreal forest. This area may be particularly sensitive to climate change.

While several dozen tree species occur in the SNF, a few species dominate the landscape. Early successional stands on uplands are dominated by aspens (Populus tremuloides and P. grandidentata) or jack pines (Pinus banksiana). Jack pine, an evergreen conifer, generally dominates sites with shallow, dry soils, while the broadleaf deciduous aspens occur on mesic sites. Later in the succession, upland stands tend towards dominance by conifers: spruce (Picea mariana and P. glauca) and balsam fir (Abies balsamea). White and red pine (P. strobus and P. resinosa) are frequent and locally dominant, but constitute a small proportion of the total landscape cover. Extensive acidic peatlands often support sparse to dense stands of black spruce (P. mariana), mixed with open stands of tamarack (Larix laricina). Unforested areas occur on uplands in early succession or on rocky outcrops and in peatlands of perennially high water tables or extremely low nutrient availability.

Table 2.1 contains a list of the plant species encountered in the SNF with their scientific names and abbreviations used in this report.

Study sites were chosen in areas where the cover type was uniform. The sites in which biophysical measurements were made were, as much as possible, pure stands of aspen or spruce. The dominant species in each stand constituted over 80 percent, and usually over 95 percent, of the total tree density and basal area. Aspen stands were selected to be evenly distributed over the full range of age and stem density for stands that were essentially pure aspen, of nearly complete canopy closure, and greater than 2 meters in height. Spruce stands ranged from very sparse stands on wet, nutrient-poor bog sites to dense, closed stands on more productive peatlands. The sites were sampled to represent a variety of stand densities and leaf area indexes. Also, the sites needed to be accessible by investigators. Table 2.2 provides a list of the site locations and descriptions.

Table 2.1 - SNF Plant Species

This table contains the abbreviation, common and scientific names of plant species found in the SNF. The abbreviations are used to identify species in Tables 3.1, 3.2 and 3.3.

Abbr ABBA ACRU ACSP ACTA ALCR ALRU AMEL ANGL ANGL ANQU ARNU ASCA ASMA ATFE	Common Name Fir, Balsam Maple, Red Maple, Mountain Baneberry Alder, Green Alder, Speckled Juneberry Bog Rosemary Wood Anemone Wild Sarsaparilla Wild Ginger Big-leaved Aster Lady Fern	Scientific Name Abies balsamea Acer rubrum Acer spicatum Actaea spp. Alnus crispa Alnus rubra Amelanchier spp. Andromeda glaucophylla Anemone quinquefolia Aralia nudicaulis Asarum canadense Aster macrophyllus Athyrium felix-femina
BEPA	Birch, Paper	Betula papyrifera
BLIT BLWT	Brown Litter Bellwort	
CHCA CLBO	Leatherleaf Blue-bead Lily	Chamaedaphne calyculata Clintonia borealis
COAM	Hazelnut, American	Corylus americana
COCA	Bunchberry	Cornus canadensis
COCO	Hazelnut, Beaked	Corylus cornuta
COGR	Gold-thread	Coptis groenlandica
COMP	Composites	(Unidentified)
COST	Red-osier Dogwood	Cornus stolonifera
DILO	Bush Honeysuckle	Diervilla lonicera
DRYO	Shield Fern	Dryopteris spp.
EQUI	Horsetail	Equisetum spp.
ERIO	Cotton Grass	Eriophorum spp.
FRVE	Wood Strawberry	Fragaria vesea
FUNG	Fungi	0
GACI	Bedstraw (Wide Leaves)	Galium circaezans
GAHI	Creeping Snowberry	Gaultheria hispidula
GAPR	WinterGreen	Gaultheria procumbens
GATR	Bedstraw (Narrow Leaves)	Galium triflorum

Abbr	<u>Common Name</u>	<u>Scientific Name</u>
GLIT	Green Litter	
GORE	Rattlesnake Plantain	Goodyera repens
GRAS	Grasses (Unidentified)	
IMBI	Touch-me-not/Jewelweed	Impatiens biflora
КАРО	Bog Laurel	Kalmia polifolia
LALA	Tamarack (Larch)	Larix laricina
LAOC	Yellow Vetchling	Lathyrus ochrobucus
LAVE	Veiny (Purple) Vetch	Lathyrus venosus
LEGR	Labrador Tea	Ledum groenlandicum
LIBO	Twinflower	Linnaea borealis
LICH	Lichens	
LOCA	Honeysuckle	Lonicera canadensis
LYAN	Running Club Moss	Lycopodium annotinum
LYCL	Hairy Club Moss	Lycopodium claratum
LYCO	Ground Cedar	Lycopodium complanatum
LYOB	Ground Pine	Lycopodium obscurum
MACA	Canadian Mayflower	Maianthemum canadense
MINT	Mint (Unidentified)	
MOSS	Mosses (Non-Sphagnum)	
OSCI	Cinnamon Fern	Osmunda cinnamomea
OSCL	Interrupted Fern	Osmunda claytoniana
PEPA	Early Sweet Coltsfoot	Pestasites palmata
PIBA	Pine, Jack	Pinus banksiana
PIGL	Spruce, White	Picea glauca
PIMA	Spruce, Black	Picea mariana
PIRE	Pine, Red	Pinus resinosa
PIST	Pine, White	Pinus strobus
POBA	Balsam Poplar	Populus balsamifera
POGR	Aspen, Big-Tooth	Populus gradidentata
POPE	May-Apple (Mandrake)	Podophyllum pletatum
POPU	Solomon Seal	Polygonatum pubescens
POTR	Aspen, Trembling	Populus tremuloides
POVU	Polypody Fern	Polypodium vulgare
PRPE	Cherry, Pin	Prunus pennsylvanica
PRVE	Cherry, Choke	Prunus virginiana
PTAQ	Bracken Fern	Pteridium aquilinum
PYEL	Shinleaf	Pyrola elliptica
	Junical	i jiola chipuca
QUBO		
	Oak, Northern Red	Quercus borealis
QUPA	Oak, Northern Red Oak, Pin	Quercus borealis Quercus palustris

<u>Abbr</u> RIBE ROCK ROSA RUBU	<u>Common Name</u> Gooseberry/Currant Rocks Roses Brier	<u>Scientific Name</u> Ribes spp. Rosa spp. Rubus spp.
SALX SAMA SAPU SEDG SMTR SOAM SOLI SPHA STRO	Willows Black Snakeroot Pitcher Plant Sedges (Unidentified) Bog False Solomon Seal Mountain Ash Goldenrod Sphagnum Moss Twisted Stalk	Salix spp. Sanicula marilandica Sarracenia purpurea Smilacina trifoliata Sorbus americana Solidago spp. Sphagnum spp. Streptopus roseus
TRBO TRCE VAAN VAMA VAOX VIOL VIRE VITR VTCH	Starflower Noffing Trillium Lowbush Blueberry Large Cranberry Small Cranberry Violet Arrowood Highbush Cranberry Vetch	Streptopus roseus Trientalis borealis Trillium cernuum Vaccinium angustifolium Vaccinium macrocarpon Vaccinium oxycoccus Viola spp. Viburnum recognitum Viburnum trilobum

Table 2.2 - SNF Study Site Locations

This table contains the locations of the study sites in the SNF experiment. The first column is the identification number assigned to the site. The location is given in north latitude and west longitude in the form degrees, minutes, seconds. The elevation is in feet above sea level. Tree height is an estimate of the average canopy height in feet.

<u>Site</u>	Latitude	<u>Longitude</u>	Elev.	Tree Ht	Description
1	48 6 46	92 20 28	1380	80	high-density red pine
2	48 8 7	92 18 21	1360	50	dense, mature black spruce
3	48 7 55	92 15 15	1380	80	medium-density mature aspen
4	48 8 30	92 12 1	1440		medium-density red pine
5	48 6 15	92 9 9	1460		
6	4884	92 15 7	1380		
8	48 6 13	92 4 4	1370	60	medium-density jack pine over black spruce
10	4867	92 3 50	1370	70	mature jack pine over mixed species
12	48 4 42	91 57 36	1430	20	sparse, low black spruce
13	48 4 40	91 57 16	1480		medium-density red pine
14	48 8 10	92 18 24	1360	60	dense, mature black spruce
15	48 8 14	92 18 27	1360	60	dense, mature black spruce
16	48 7 55	92 15 3	1380	60	mediumdensity mature aspen
17					
18	48 4 45	91 57 36	1430	25	sparse, low black spruce
19	48 4 49	91 57 36	1430	25	sparse, low black spruce
20	48 6 18	92 2 34	1420	45	medium-density aspen, mixed
21	48 5 59	92 0 59	1440	65	medium-to high-density aspen
22	48 5 56	92 0 59	1440	50	high-density aspen
23	48 8 15	92 17 15	1360		water site, Lake Jeanette
24	48 8 15	9280	1380		water site, Meander Lake
25	48 5 0	92 0 0	1410		water site, Big Lake
26	48 4 30	91 56 45	1460		water site, Ed Shave Lake
27			1370		water site
28			1390		water site
30	48 4 22	92 7 45	1420		medium-density red pine
36	47 59 33	91 54 35	1500		medium-density aspen, mixed
37	48 6 52	92 9 30	1410	• •	medium-density aspen
38	48 7 21	92 9 54	1440	30	low-to medium-density black spruce
39	47 59 52	91 55 13	1440	20	low-to medium-density black spruce
40	40.0.05		1400	(0	high densites black approx
41	48 0 25	91 55 46	1400	60	high-density black spruce
42	48 0 25	91 55 42	1400	60 60	medium-density black spruce
43	48 1 17	91 55 8	1440	60 40	medium-density black spruce
4 5	48 0 40	91 50 18	1360	40 40	medium-density black spruce
46	48 0 40	91 50 13	1360	40 25	medium-density black spruce medium-density black spruce
47	48 1 1	91 53 2	1500	35 50	
48	48 1 2	91 53 29	1520	50 25	medium-density black spruce
49 50	48 1 5	91 53 26 01 53 45	1500	35	medium-density black spruce
50	48 0 50 47 50 57	91 53 45	1480 1440	35 25	low-density black spruce low-density black spruce
51	47 59 57 48 0 0	91 55 21 01 55 10	1440	23 60	low-density black spruce
52 52		91 55 19 91 55 3	1440	00	medium-density red pine
53 54	48 014 48 019	91 55 3 91 55 3	1450 1450	35	low-density black spruce
54 55	48 0 19	91 55 5 91 55 19	1450	40	medium-density black spruce
55	40 0 15	71 JJ 17		J.	menumentally black sprace
			2 - 5		

<u>Site</u>	<u>Latitude</u>	<u>Longitude</u>	Elev.	Tree Ht	Description
56	48 2 18	91 55 23	1430		medium-density black spruce
57	48 7 44	92 18 15	1360		high-density black spruce
58	48 7 60	92 19 18	1360	40	low-density tamarack and black spruce
59	48 7 54	92 19 14	1360	45	low-density black spruce
60	48 7 40	92 15 5	1360		low-density black spruce
61	48 7 50	92 2 38	1400		low-density, young jack pine
62	48 4 56	91 57 52	1430	35	low-density black spruce
63	48 5 3	91 57 35			low-density black spruce
64	48 5 50	91 58 26	1430	35	small growth, low-density black spruce
65	48 6 15	92 1 34	1430	35	medium-density red pine
66	48 6 18	92 1 44	1450	35	medium-density red pine
67	48 6 12	92 1 34	1430	30	medium-density red pine
68	4869	92 1 20	1425	45	high-density black spruce
69	48 6 41	92 8 50	1430	20	high-density, young aspen
70	48 6 37	92 8 48		20	high-density, young aspen
71	48 6 24	92 8 53	1450	25	high-density, young aspen
72	48 10 7	92 29 59	1300	80	high-density, large aspen
73	48 10 11	92 30 5	1250	80	high-density, large aspen
74	48 10 3	92 30 15	1325	80	high-density, large aspen
75	48 9 53	92 30 21	1300	80	medium-density, large aspen
76	48 9 55	92 30 8	1250	60	medium-density aspen
77	48 9 9	92 26 17	1320	80	high-density, large aspen
78	48 9 7	92 26 24	1280	80	high-density aspen
79	47 58 23	91 46 7	1400	85	medium-density, large aspen, some birch
80	47 58 20	91 46 7	1400	80	medium-density aspen, birch
81	47 58 43	91 48 50	1400	85 85	high-density, large aspen
82 82	47 58 39	91 48 53 01 48 56	1410	85 85	high-density, large aspen
83 84	47 58 36	91 48 56	1410	85	high-density, large aspen
84 85	48 6 51	92 7 35	1500	15	high-density, small aspen
85 84	48 6 52 47 59 1	92 738 91537	1510	65 15	medium-density, medium size aspen
86 87	47 39 1 48 7 42	92 7 26	1520 1380	15 20	low-density aspen low-density aspen
88	48 6 11	92 9 9	1360		low-density, young aspen
89	48 7 5	92 9 9 92 9 19	1450	23 20	low-density aspen, with maple, oak, birch
90	48 9 28	92 9 19 92 22 10	1380	20 80	medium-density aspen
90 91	48 9 8	92 22 10 92 21 55	1380	80	high-density aspen
92	48 9 33	92 26 46	1260	85	high-density aspen
93	48 9 35	92 26 43	1285	90	high density aspen
94	48 0 41	91 50 45	1400	15	low-density, young aspen
95	48 0 22	91 50 52	1395	15	low-density aspen
96	47 58 15	91 46 0	1400	80	medium-density aspen
97	47 58 20	91 45 57	1410	80	medium-density aspen, open understory
98	48 0 23	91 50 59	1390	70	medium-density aspen
99	48 0 45	91 50 26	1440	20	low-density, young aspen, dense understory
100	48 0 10	91 49 60	1360		high-density black spruce
101	48 0 34	91 50 7	1380		high-density black spruce
102	48 6 9	92 1 14	1430	50	high-density black spruce
103	48 5 51	91 58 28	1450	45	low-density black spruce
104	48 5 56	91 58 28	1440	30	low-density black spruce
105	48 4 38	92 4 17	1375	50	high-density black spruce
106	48 0 54	91 53 34	1520	60	high-density jack pine and aspen mix
107	48 0 50	91 53 37	1520	60	high-density jack pine and aspen mix
108	48 0 22	91 52 58	1530	60	high-density jack pine and aspen mix
			2 - 6		

<u>Site</u>	<u>Latitude</u>	<u>Longitude</u>	<u>Elev.</u>	Tree H	t Description
109		U	1520	60	high-density jack pine and aspen mix
110			1500	60	high-density jack pine and aspen mix
111	48 0 57	91 52 49	1500	60	high-density jack pine and aspen mix
112	48 0 56	91 52 3 5	1500	60	high-density jack pine and aspen mix
113	48 0 59	91 52 13	1440	60	high-density jack pine and aspen mix
114	48 0 59	91 52 15	1460	60	high-density jack pine and aspen mix
115	48 0 50	91 52 16	1440	60	high-density jack pine and aspen mix
116	47 44 50	91 58 12	1480	60	high-density jack pine
117	47 42 57	91 59 23	1460	60	high-density jack pine
118	47 42 58	91 59 25	1460	60	high-density jack pine
119	47 40 49	91 50 28	1530	60	high-density jack pine
120	47 40 45	91 50 24	1530	60	high-density jack pine
121	47 40 47	91 50 20	1530	60	high-density jack pine
122	47 40 49	91 50 25	1530	60	high-density jack pine
123	47 40 44	91 50 28	1540	60	high-density jack pine
124	47 39 27	91 47 41	1640	15	low-density jack pine
125	47 39 45	91 47 32	1610	15	low-density jack pine

•

•

;

•

.

.

~1

3.0 Biophysical Data

3.1 Introduction

The purpose of the SNF study was to improve our understanding of the relationship between remotely sensed observations and important biophysical parameters in the boreal forest. A key element of the experiment was the development of methodologies to measure forest stand characteristics to determine values of importance to both remote sensing and ecology. Parameters studied were biomass, leaf area index, above-ground net primary productivity, bark area index and ground coverage by vegetation. Thirtytwo quaking aspen and thirty-one black spruce sites were studied.

3.2 Site Measurements

Sites were chosen in uniform stands of aspen or spruce. The dominant species in each site constituted over 80 percent, and usually over 95 percent, of the total tree density and basal area. Aspen stands were chosen to represent the full range of age and stem density of essentially pure aspen, of nearly complete canopy closure, and of greater than 2 meters in height. Spruce stands ranged from very sparse stands on bog sites to dense, closed stands on more productive peatlands.

In each stand a uniform site 60 meters in diameter was laid out. Within this site, five circular plots, 16 meters in diameter, were positioned. One plot was at the center of the site and four were tangent to the center plot, one each in the cardinal directions. In very dense stands, plot radii were decreased so that stem count for the five plots remained around 200 stems. Use of multiple plots within each site allowed estimation of the importance of spatial variation in stand parameters.

Within each plot, all woody stems greater than 2 meters in height were recorded by species and relevant dimensions were measured. Diameter breast height (dbh) was measured directly. Height of the tree and height of the first live branch were determined by triangulation. The difference between these two heights was used as the depth of crown. The distances between trees and observer were such that no angle exceeded 65 degrees. Most plots were level, small slopes were ignored in calculating heights. Similar measurements were made for shrubs between 1 and 2 meters tall in the aspen sites. Table 3.1 has the species counts of the trees over 2 meters, and Table 3.2 has the species counts for the subcanopy trees between 1 and 2 meters tall.

For each plot, a 2-meter-diameter subplot was defined at the center of each plot. Within this subplot, the percent of ground coverage by plants under 1 meter in height was determined by species. These data, averaged for the five plots in each site, are presented in Table 3.3. Also, in each plot for the aspen sites, a visual estimation of the percent coverages of the canopy, subcanopy and understory vegetation was made. Table 3.4 contains the site averages of these coverage estimates.

3.3 Sacrificed Trees

Dimension analysis of sampled trees was used to develop equations linking the convenience measurements taken at each site and the biophysical characteristics of interest (for example, LAI or biomass). To develop these relations, 32 aspen and 31 spruce trees were sacrificed. The trees were randomly sampled, with stratification by diameter, from stands similar and near to the study sites.

Fifteen mountain maple and fifteen beaked hazelnut trees were also sampled and leaf areas were determined. These data were used to determine understory leaf area.

For each sampled tree, diameter at breast height, height to first live branch and total height were measured before and after felling. Measurements of all branches included: height of attachment on bole, diameter, length to first secondary branch and total length. Crowns were vertically stratified into three equal sections and six branches were randomly sampled from each stratum. For each sampled branch, all leaves and wood were weighted green and the current year's woody growth was measured. A sample of 200 leaves from each stratum had leaf area measured with a Licor leaf area meter and were dried and weighed. Subsamples from each sampled branch were dried and weighed.

Removal of green spruce needles from branches proved impractical, so needle-bearing parts of sampled branches were cut off, separated between current year and older classes, and dried. A sample of 21 needles each from the new and older growth were randomly selected from each canopy stratum. The sampled needles were photographed and green and dry weights were measured. Projected area was determined from the digitized photographs.

Boles were sectioned and weighed green. Four sections, 5 to 20 centimeters long were cut from: the base of the bole; halfway between the base and first live branch; just below the first live branch; and halfway between the first live branch and the tree top. Each section was measured, then dried and weighed.

3.4 Parameter Estimation from Sampled Trees

For each of the sacrificed trees, the total above-ground biomass was estimated as the sum of the branch and bole biomass. Branch biomass was estimated by finding the dry-to-green weight ratios for leaves, twigs and wood and using the ratios to convert the green-to-dry weights for the sampled branches. A regression of branch biomass on branch dimensions was done independently for each tree and used to determine biomass for the unsampled branches. Total branch biomass was the sum of the estimated biomass of the sampled and unsampled branches. Bole biomass was estimated by finding the dry-to-green weight ratios for each section, converting the green weights and summing. Total biomass is the sum of the branch and bole biomass.

Methods for estimating leaf area were parallel to those for estimating branch biomass. Leaf weights for unsampled branches were estimated using tree-specific, linear regressions on branch dimensions fit with data from sampled branches. For spruce, separate regressions were done for current-year and older needles. Measured and estimated foliage weights were summed within strata and, for spruce, age class. The foliage weights were converted to leaf areas using ratios determined from sampled leaves, then totaled for trees. The sacrificed tree statistics for aspen and spruce are in Tables 3.5 and 3.6.

Bark area in aspen was determined using similar techniques to those for leaf area. Sampled branches were divided into segments, each segment was assumed to be a cylinder and the surface area was calculated. Total branch surface area was the sum of the surface areas of the segments. A regression was developed to determine branch area for the unsampled branches. The sum of the estimated branch areas for the sampled and unsampled branches is the total bark area.

Net primary productivity was estimated from the average radial growth over 5 years measured from the segments cut from the boles and the terminal growth measured as the height increase of the tree. Allometric equations were used to find the height and radial increment as a function of crown height and diameter at breast height. Spruce used an additional parameter of stem density. The models were used to back project 5 years and determine biomass at that time. The change in biomass over that time was used to determine the productivity.

Measurements of the sacrificed trees were used to develop relationships between the biophysical parameters (biomass, leaf area index, bark area index and net primary productivity) and the measurements made at each site (diameter at breast height, tree height, crown depth and stem density). These relationships were then used to estimate biophysical characteristics for the aspen and spruce study sites as shown in Tables 3.7 and 3.8, respectively.

3.5 Stand Characteristics

Aspen is an early successional, shade intolerant species. Aspen stands are essentially even aged, and stand age appears to be the most significant difference among sites in determining stand density, average diameter, and biomass density. Biomass density was highest in stands of older, larger trees and decreased in younger stands with smaller, denser stems. Since all aspen stands had closed canopies, the inverse relationship between biomass density and stem density suggests a series of stands in various stages of self thinning. Aspen trees do not survive suppression, so that bole diameters tend to be relatively uniform and age-determined and biomass increases with age and diameter while density declines. LAI, however, remains relatively constant once a full canopy is established with aspen's shade intolerance generally preventing development of LAI greater than two to three. Biomass density and projected LAI were much more variable for spruce than for aspen. Spruce LAI and biomass density have a tight, nearly linear relationship. Stand attributes are often determined by site characteristics. Wet, ombrotrophic sites support open, low-biomass, mixed-age stands. Spruce stands with LAI below about two and biomass densities below about 5 kg/m² appear to be limited by site characteristics such as nutrient poverty and wetness. Stand quality improves with site richness until canopy closure brings on self thinning. Closed canopies attain maximum LAI at around four, higher than aspen, perhaps because spruce is more shade tolerant (it is often observed growing beneath closed aspen stands in the study area). However, differences between maximum LAI for aspen and spruce also may be related to differences in the leaf distribution within the canopy.

3.6 Phenology

Deciduous vegetation undergoes dramatic changes over the seasonal cycle. The varying amount of green foliage in the canopy effects the transpiration and productivity of the forest. Measurements of changes in the canopy and subcanopy green foliage amount over the spring of 1984 have been made. From above the subcanopy, photographs of the aspen canopy were taken, pointing vertically up. The photographs were taken at two locations in sites 16 and 93 on several different days. Foliage coverage was determined by overlaying grids with 200 points onto the photos of the canopy. The number of points obscured by vegetation were counted. These counts were adjusted for the area of the branches, which had been determined by photos taken before leaf out. The number of foliage points were then scaled between zero, for no leaves, to one, for maximum coverage. These values are presented in Table 3.9.

Subcanopy leaf extension was measured for beaked hazelnut and mountain maple, the two most common understory shrubs. For selected branches on trees in sites 16 and 93, the length and width of all leaves were measured on several days. These measurements were used to calculate a total leaf area which was scaled between 0 and 1 as with the aspen. These data are in Table 3.10.

These measurements of leaf out show that the subcanopy leaf expansion lags behind that of the canopy (see Figures 3.1 and 3.2). Subcanopy leaf expansion only begins in earnest after the canopy has reached nearly full coverage.




Figure 3.1 Relative canopy coverage of aspen overstory and relative leaf extension of understory trees, mountain maple and beaked hazelnut, during the spring of 1984 at site 16.




Figure 3.2 Relative canopy coverage of aspen overstory and relative leaf extension of understory trees, mountain maple and beaked hazelnut, during the spring of 1984 at site 93.

Table 3.1 - Canopy Species

This table provides a count of the number of trees over 2 meters broken down by species. The first column contains the site numbers, the other columns are the population of each species of tree at each site. The site locations are given in Table 2.2 and the species codes used for the column headings are described in Table 2.1.

,

Total 12 221 22 221 23 221 23 221 23 221 23 222 23 233 23 233 23 233 23 233 23 233 23 233 23 233 23 233 23 233 23 24 24 25 25 26 26 27 26 28 27 29 23 23 23 23 23 23 23 24 26 25 26 26 26 27 27 28 28 29 27 20 27 213 27 26 28 <t< th=""><th>215 335 335 335 335 335 335 212 212 212 212 212</th></t<>	215 335 335 335 335 335 335 212 212 212 212 212
00000000000000000000000000000000000000	
0 0 0 0 0 0	000000000000000000000000000000000000000
XI H Hooooooooooooooooooooooooooo ∼	••••••
POTR 0 67 67 88 81 98 98 98 98 98 98 98 98 11 10 90 11 10 90 11 10 90 11 10 90 11 10 90 11 10 90 10 10 10 10 10 10 10 10 10 10 10 10 10	173 89 271 295 150 171 171 132 146 132 131
N Noococcoccccccccccccccccccccccccccccc	0000040000
	0000000000
No 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0000000000
N N N N N N N N N N N N N N N N N N N	0000000000
$\begin{array}{c} \frac{PIMA}{221} \\ 221 \\ 2221 \\ 2221 \\ 2223 \\ 2232 \\ 2233 \\ 2333 \\ 23$	••••••
00000000000000000000000000000000000000	
LALA 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
B P A O v 0 v 0 0 0 0 4 0 0 0 0 0 0 0 0 0 0 0 0	2 ~ 4 2 2 2 2 2 0 0
00000000000000000000000000000000000000	moocccccc
ALRU 000000000000000000000000000000000000	00000000000
VI VI VI VI VI VI VI VI VI VI VI VI VI V	00000000000
ACS 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
ACRU 0 118 0 0 0 15 13 13 13 13 15 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	7 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
ABB BB A A A A A A A A A A A A A A A A	11 40 13 0 8 10 9 1 1 6 0 1 8 0 8 1 9 0 1 1 6 0 1 8 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9
<u>80</u> 23223688555555555566449388555556685555555555555555555555555555	5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5

<u>Total</u>	401	320	221	129	86	460	576	224	229	280	320	137
<u>SALX</u>	0	1	0	0	0	-	7	0	0	0	0	0
QUBO	0	ŝ	-	0	0	0	0	0	0	0	0	0
PRPE	0	0					0			0	0	0
POTR	306	154	112	103	62	445	539	119	144	209	259	0
POGR	0	24	0	0	0	9	0	0	0	7	19	0
		0					0				0	0
PIST	0	0	0	0	0	0	0	0	0	e	0	0
PIRE	0		0	0	0	0	0	0	0	0	0	0
PIMA	0	0	0	0	0	0	0	0	ŝ	0	0	
PIGL	0	0		1	0	0	0	0	2	ςΩ	0	0
PIBA	0	0		0	0	0	0	-	0	9	0	122
LALA	0	0	0	0	0	0	0	0	0	0	0	0
BEPA	19	ጽ	4	4	ഹ	ß	29	49	57	4 8	28	-
AMEL	0	0	0	0	0	0	0	0	0	0	0	0
ALRU	0	0	0	0	0	0	0	0	0	0	0	0
ALCR	0	0	0	0	0	0	0	0	0	0	0	0
ACSP	0	0	0	0	0	0	0	0	0	0	0	0
ACRU	5	62	3	œ	4	Ś	1	31	0	0	14	0
ABBA		0	e		10	0	0	24	23	6	0	13
Site	88	68	8	23	93	94	95	8	67	98	66	117

Table 3.2 - Subcanopy Species

This table provides a count of the number of trees between 1 and 2 meters tall, broken down by species. The first column contains the site numbers, the other columns are the population of each tree at each site. The site locations are given in Table 2.2 and the species codes used for the column headings are described in Table 2.1.

<u>Site</u>	ABBA	ACRU	ACCR	AIDII		BEDA	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	COCT	1001	DOTT			
3			ACSP 6	ALRU 3	AMEL 3	BEPA 0	<u>COCO</u> 13	COST	LOCA 0	POTR	PRPE	OTHER	<u>Total</u>
16	ŏ	13	45	6	0	0	88	0	0	2	0	0	27
20	Ő	7	1	Ő	0	0	62	0	0	6	0	0	154 76
21	ŏ	. 6	Ō	1	2	Ő	32	Ő	0	5	0	4	50
36	5	Ō	Ō	ō	ō	õ	0	Ū Ū	ŏ	11	Ő	0	16
69	Ō	3	Ō	Õ	Õ	Õ	35	0 0	Ö	0	9	0	47
71	Ō	4	Ō	Ō	2	Õ	9	ŏ	õ	2	14	0	31
72	0	0	6	0	2	Ō	31	Õ	13	ō	0	Õ	52
73	1	0	33	0	0	0	42	Ō	0	Ō	ŏ	Õ	76
74	0	0	18	1	0	0	35	2	Ő	2	Ō	Õ	58
75	1	0	51	0	4	0	61	0	0	ō	Õ	Õ	117
77	0	0	44	0	0	0	37	0	1	0	Ō	Õ	82
79	0	10	46	0	5	0	5	0	0	29	0	0	95
80	0	0	1	0	0	0	37	1	0	28	0	0	67
81	0	0	5 9	0	7	0	32	30	0	20	0	0	148
82	0	2	45	0	0	0	2	1	0	21	0	0	71
83	0	0	54	0	2	0	45	0	0	21	0	0	122
84	0	7	9	0	0	0	24	0	0	36	0	0	76
85	0	1	11	0	0	3	58	4	0	4	0	0	81
86	0	2	20	12	0	0	39	0	0	32	0	2	107
87	0	0	6	0	0	0	188	0	0	0	0	0	194
88	0	9	7	0	0	3	14	0	0	1	0	0	34
89	0	4	12	0	0	4	31	0	0	2	0	0	53
90	1	6	1	6	0	0	142	0	0	3	0	4	163
92	1	1	3	0	5	0	143	0	0	2	0	4	159
93	2	1	23	0	8	0	143	0	0	0	0	0	177
94	0	4	0	0	0	0	200	0	0	85	2	0	291
95	0	0	0	8	0	3	24	0	0	43	0	0	78
96	0	2	0	0	0	0	3	0	0	3	0	0	8
97 08	0	0	0	0	0	0	3	0	0	0	0	2	5
98 99	4 0	0	0	0	6	1	25	0	0	5	0	1	42
77	U	0	0	57	0	1	305	0	0	34	1	2	400

Table 3.3 - Understory Composition

This table provides a measurement of the percent ground coverage provided by each species. The percentages are the average of five 2-meter-diameter subsamples in each site. Each column is a study site with a row for each species. Species codes are described in Table 2.1, site locations are listed in Table 2.2.

	2	3_	12	14	15	16	18	19	20		36	38	39	41	42	43	45	47
ABBA	0	0	0	0	0	0	0	0	3	2	6	0	0	0	1	0	0	0
ACRU	0	2	0	0	0	10	0	0	1	5	6	0	0	0	0	0	0	0
ACSP	0	2	0	0	0	17	0	0	1	1	0	0	0	0	0	0	0	0
ALRU	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
AMEL	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0
ANGL	0	0	4	0	0	0	3	1	0	0	0	0	0	0	0	0	0	0
ANQU	0	1	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0
ARNU	0	7	0	0	0	2	0	0	0	10	0	0	0	0	0	0	0	0
ASMA	0	18	0	0	0	14	0	0	8	26	38	0	0	0	0	0	0	0
ASCA	0	3	0	0	0	6	0	0	0	1	0	0	0	0	0	0	0	0
ATFE	0	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BEPA	Ó	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BLIT	14	6	1	14	7	14	7	5	5	16	25	10	3	17	14	13	25	8
CHCA	5	0	9	1	8	0	12	28	0	0	0	12	0	0	1	3	4	8
CLBO	Ō	1	Ó	Ō	Ō	3	0	0	3	2	6	2	0	0	0	0	0	0
COCA	Õ	Ō	Ō	Õ	Ō	Ō	Ō	0	10	6	7	0	1	0	4	0	0	0
coco	Õ	1	Ő	õ	Õ	6	Ō	0	8	5	3	0	0	0	0	0	0	0
COGR	ŏ	Ō	ŏ	Ő	õ	Õ	Õ	Õ	3	1	Ō	Ō	0	0	0	0	0	0
COMP	ŏ	5	ŏ	ŏ	ŏ	Õ	Õ	Õ	Õ	Ō	Ō	Ō	0	0	0	0	0	0
COST	ŏ	4	Ő	õ	ŏ	Õ	Õ	ŏ	Õ	Õ	Ō	Ō	0	0	0	0	0	0
DILO	ŏ	3	Ő	ŏ	ŏ	1	Õ	Õ	Õ	1	1	Ō	Ó	0	0	0	0	0
EQUI	ŏ	2	Ő	ŏ	ŏ	1	ŏ	ŏ	õ	Ō	Ō	Ō	0	Ō	0	0	0	0
ERIO	õ	ō	3	ŏ	ŏ	Ō	11	10	õ	õ	Õ	Ō	0	Ō	0	0	0	0
FRVE	õ	5	ŏ	ŏ	ŏ	3	0	Õ	Õ	Õ	Õ	Ō	0	0	0	0	0	0
FUNG	1	1	4	ŏ	4	1	1	õ	Õ	Õ	Õ	1	0	0	0	0	0	3
GACI	Ô	Ô	Ō	ŏ	Ō	1	Ō	Õ	Ō	Ō	0	Ō	0	0	0	0	0	0
GAHI	28	õ	2	7	13	Ō	õ	ŏ	Õ	Õ	Ō	2	4	6	8	5	3	4
GAPR	0	õ	ō	, 0	0	Õ	Õ	ŏ	Õ	2	Ō	ō	0	0	0	0	0	0
GATR	ŏ	4	Ő	ŏ	ŏ	2	ŏ	ŏ	õ	0	3	Ō	0	Ō	0	0	0	0
GLIT	2	1	õ	Ő	ŏ	2	ŏ	Ő	Õ	Õ	Õ	3	1	3	8	2	5	3
GRAS	5	5	12	2	4	2	4	1	4	1	5	8	5	3	Õ	Ō	0	1
IMBI	0	1	0	ō	Ō	3	Ō	Ô	Ō	Ô	õ	Õ	Ō	Ō	Ō	Ō	0	0
KAPO	õ	Ō	3	1	ŏ	Ő	2	5	Ő	õ	õ	1	1	Ō	Ō	Ō	1	1
LALA	Ő	õ	Ő	Ō	ŏ	Ő	2	3	õ	õ	ŏ	Ō	Ō	Õ	Ō	0	0	0
LACC	Ő	ŏ	ŏ	ŏ	ŏ	ŏ	ō	õ	õ	ĩ	ı 1	Õ	Ō	Ō	Ō	Ō	0	0
LEGR	33	Ő	5	14	27	ŏ	6	6	Ő	Ô	Ô	24	24	6	15	28	7	9
LIBO	0	ŏ	Ő	0	0	ŏ	ŏ	ŏ	ŏ	3	ı 1	0	0	Ō	0	0	Ó	0
LICH	ŏ	Ő	ŏ	ŏ	ŏ	ŏ	2	3	ŏ	õ	Ō	Õ	Ō	Õ	2	2	3	2
LICH	Ő	ŏ	ŏ	ŏ	ŏ	õ	ō	Ő	ŏ	ĩ	ŏ	Õ	Õ	Ō	ō	ō	0	0
LYAN	Ő	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	Ő	Ô	1	6	5	Õ	Ō	Ō	Ō	8
LYCL	Ő	ŏ	ŏ	Ő	Ő	ŏ	ŏ	ŏ	ŏ	ŏ	ò	ŏ	Õ	Õ	Õ	Ō	Ō	Ō
LYCO	Ő	ŏ	Ő	ŏ	ŏ	ŏ	ŏ	Ő	ŏ	1	11	õ	Õ	ŏ	Õ	Ō	Ō	Ō
LYOB	Ő	0	Ő	ŏ	Ő	1	õ	Ő	6	11	Ő	ŏ	1	1	1	Õ	Õ	Ō
MACA	Ő	2	Ő	Ö	Ő	Ō	ŏ	ŏ	Ő	4	4	õ	Ō	0	Ō	Ō	Ō	Ō
MACA	0	1	0	0	0	0	0	Ő	Ő	0	0	ŏ	Ő	Ő	ŏ	ŏ	Õ	ŏ
MOSS	3	2	0	72	30	3	3	0	14	5	3	10	34	4	36	34	8	5
OSCI	3 0	0	0	0	30 0	5	0	0	0	0	0	0	0	0	0	0	Ő	Ő
OSCL	0	0	0	0	0	5 0	0	0	0	2	0	0	0	0	Ő	Ö	Ő	õ
		2	0	0	0	1	0	0	0	0	0	Ő	0	0	0	Ő	Ő	Ő
PEPA	0	2	U	U	U	1	U	U	U	U	U	U	U	U	U	U	U	U

Table 3.3 cont. - Sites 2 through 47

	<u>2</u>	3	1 2	14	15	16	18	19	20	21	36	38	39	41	42	43	AE	477
PIMA	1	0	3	2	3	0	13	15	0	<u>- 21</u> 0	<u></u> 0	2	9 6	<u>41</u> 1	<u>42</u> 4	<u>43</u> 2	<u>45</u> 0	<u>47</u> 2
PIST	1	Ō	Ō	ō	Õ	Ő	0	0	ŏ	õ	ŏ	õ	0	0	0	0	0	0
POTR	Õ	1	Õ	Õ	Õ	Ő	Ő	ŏ	1	2	ŏ	Ő	0	0	0	0	0	0
POPU	Ō	0	Ō	õ	Õ	Õ	Õ	ŏ	Ô	ō	ŏ	0	1	0	0	0	0	0
ρτας	0	2	Ō	Õ	Õ	1	õ	Ő	14	18	6	Ő	Ō	Ő	Ő	0	0	0
RIBE	0	2	0	0	Ō	1	Õ	Õ	0	0	Ő	Ő	Ő	ŏ	Ő	0	0	0
ROSA	0	1	0	0	0	0	Ō	0	Ō	1	Õ	õ	ŏ	0	ŏ	õ	Ő	0
ROCK	0	0	0	0	0	0	0	Ō	17	2	10	Ő	ŏ	ŏ	ŏ	ŏ	ŏ	0
RUBU	0	6	0	0	0	1	0	0	0	3	1	Ŏ	Õ	Ő	Ő	Ő	Ő	Ő
SALX	1	0	0	0	0	0	0	0	0	1	0	0	Ō	Ō	Õ	Ő	Õ	õ
SAMA	0	4	0	0	0	1	0	0	0	0	0	0	0	0	0	Ō	Ō	Õ
SAPU	0	1	3	0	0	0	2	2	0	0	0	0	0	0	0	0	0	0
SEDG	0	0	1	0	0	0	0	0	6	0	3	0	0	0	5	0	10	32
SMTR	14	0	14	13	12	0	0	0	0	0	0	6	9	5	6	6	4	20
SOLI	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
SPHA	68	0	60	16	68	0	62	62	0	0	0	82	60	72	34	32	55	64
STRO	0	1	0	0	0	4	0	0	0	0	3	0	0	0	0	0	0	0
TRBO	0	2	0	0	0	1	0	0	1	4	4	0	0	0	1	0	0	0
TRCE	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
VAAN VAMA	4	0 0	0	5	5	0	0	0	3	10	0	4	5	5	9	5	5	5
VAMA VAOX	0 6	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
VIOL	0	0	4 0	1 0	3 0	0 1	5	5	0	0	0	1	4	0	2	1	2	5
VICE	0	1	0	0	0	0	0 0	0 0	0 0	0	3	0	0	0	0	0	0	0
VITR	0	1	0	0	Ő	0	0	0	0	0 0	0 0	0 0	0 0	0 0	0 0	0	0	0
, I I I	0	1	v	v	v	U	U	0	U	U	U	U	U	0	U	0	0	0
	<u>48</u>	49	50		52	54	55	56	57	62	63	64	68	69	71	72	73	74
ABBA ACRU	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1
ACKU	0 0	0 0	1 0	0	0	0	0	0	0	0	0	0	0	1	2	2	4	2
ACTA	0	0	0	0 0	0 0	0 0	0 0	0 0	0	0	0	0	0	0	0	3	4	4
ALRU	1	2	0	0	0	0	0	0	0 0	0 0	0 0	0	0	0	0	1	2	0
AMEL	ō	ō	õ	0	0	0	0	0	0	0	0	0 0	0 0	0	0	0	0	0
ANGL	õ	Ő	0	1	1	Ő	0	2	0	0	2	5	0	0	· 0 0	2 0	0 0	0 0
ANQU	õ	õ	õ	ò	Ô	Ő	õ	0	0	Ő	0	0	0	0	0	0	2	0
ARNU	Õ	Ő	õ	Õ	Õ	õ	ŏ	0 0	Õ	Ő	Ő	Ő	Ő	1	4	5	6	7
ASMA	0	Ō	0	Õ	Õ	õ	Õ	õ	õ	õ	õ	0	0	11	16	14	21	4
ASCA	0	0	0	0	0	Ō	Õ	Õ	õ	õ	Ő	õ	ŏ	0	0	1	0	0
ATFE	0	0	0	0	0	0	0	0	0	0	Ō	õ	õ	Õ	õ	1	1	1
BEPA	0	0	0	0	0	2	0	0	0	0	0	0	0	Ō	Õ	Ō	Ō	ō
BLIT	1 2	5	18	3	3	16	30	13	5	1	8	0	8	15	20	32	34	24
CHCA	0	0	0	17	9	10	2	5	20	20	12	24	5	0	0	0	0	0
CLBO	0	0	0	0	0	0	0	0	0	0	0	0	0	4	5	3	2	2
COCA	0	1	2	0	0	0	0	0	0	0	0	0	0	17	5	4	3	4
COCO	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	2	2	5
COGR	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0
COMP	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	2	1
COST DILO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1
EQUI	0 0	0 0	0 0	0	0	0	0	0	0	0	0	0	0	0	2	3	1	2
EQUI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	2	1
FRVE	0	0	0	8 0	0 0	0 0	0 0	0	0	0	24	0	0	0	0	0	0	0
FUNG	3	0	0	0	1	0	0	0 4	0	0 0	0	0	0	1	0	2	4	1
GAHI	1	2	3	0	4	3	6	4 3	3 4	0	0 0	0 0	2 5	0 1	0 0	0	0	0
~~~~	•	-	0	U	7	0	0	5	<b>'1</b>	U	U	U	5	1	U	0	0	0

# Table 3.3 cont. - Sites 48 through 74

	48	49	50	51	52	54	55	56	57	62	63	64	68	69	71	72	73	<u>74</u>
GAPR	<u></u>	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
GATR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	4	1
GLIT	4	0	0	0	1	4	0	0	0	0	0	0	0	0	0	0	0	0
GRAS	10	5	2	1	17	5	0	0	0	17	6	0	1	2	2	1	4	5
KAPO	0	0	0	5	0	0	0	2	2	1	8	4	2	0	0	0	0	0
LALA	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LEGR	6	1	11	34	36	22	4	34	17	7	12	6	4	0	0	0	0	0
LICH	1	1	0	0	1	0	1	2	0	0	1	1	0	0	1	0	0	0
LOCA	0	0	0	0	0	0	0	0	0	0	0	0	0	3	1 0	2 0	1 0	0 0
LYCL	0	7	0	0	0	0	1	0	0	0	0	0	0	0	-	0	0	0
LYCO	0	0	1	0	0	0	0	0	0	0	0	0	0	0 3	0 2	5	4	3
LYOB	7	0	0	0	0	0	0	0	0	0	0	0	0 0	0	0	1		4
MAAP	0	0	0	0	0	0	0	0	0	0	0	0	0	3	2	4	4	3
MACA	0	0	0	0	0	0	0	0	0	0 12	0	0 6	9	5	5	4	5	2
MOSS	13	6	38	2	5	0	18	6	4		1 0	0	0	0	0	0	2	Ō
OSCI	0	0	0	0	0	0	0	0	0	0 0	0	0	0	Ő	Ő	1	ō	5
OSCL	0	0	0	0	0	0	0	0	0 0	0	0	0	0	1	õ	0	ŏ	Ő
PIBA	0	0	0	0	0	0	0	0 6	3	4	8	7	1	Ô	õ	ŏ	Ő	ŏ
PIMA	1	0	0	6	1	1 0	4 0	6 1	0	4 0	0	ó	Ō	õ	õ	õ	õ	ŏ
PIST	0	0	0 0	0 0	0 0	0	0	0	0	0	Ő	Ő	õ	õ	õ	Ő	1	1
POTR	0 0	0 0	0	0	4	5	Ő	0	0	õ	ŏ	õ	Ő	ŏ	Õ	Õ	Ō	Ō
POPU PRPE	0	0	0	0	0	0	Ő	0 0	õ	Ő	ŏ	Õ	Õ	1	1	Ō	0	0
PRVE	0	0	0	0	0	ŏ	Ő	õ	Ő	õ	Õ	Õ	Õ	Ō	0	0	1	0
PTAO	0	0	0	õ	ŏ	1	ŏ	Õ	ŏ	Õ	Ő	0	0	2	4	0	1	3
QUBO	0	0	0	õ	ŏ	ò	ŏ	õ	Õ	0	Ō	Ō	0	1	0	0	0	0
RIBE	Ő	0	Ő	õ	Ő	Ő	õ	Õ	Ō	0	0	0	0	0	0	3	0	0
ROSA	Ő	Ő	Ő	Õ	Õ	Õ	Õ	0	0	0	0	0	0	0	0	0	1	1
ROCK	õ	Õ	Õ	õ	Õ	0	0	0	0	0	0	0	0	5	5	0	0	0
RUBU	ŏ	Õ	Õ	0	0	0	0	0	0	0	0	0	0	0	3	4	2	4
SAPU	Õ	Ō	Õ	0	0	0	0	2	2	3	1	7	0	0	0	0	0	1
SEDG	2	14	6	0	1	0	2	5	14	6	0	34	10	0	2	0	0	0
SMTR	10	5	4	2	0	7	6	2	0	0	0	0	1	0	0	0	0	0
SPHA	64	48	38	74	86	62	38	68	72	66	56	56	62	1	1	0	0	0
STRO	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	5	4	4
TRBO	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	5	4	4
VAAN	0	2	0	0	0	4	5	2	0	0	0	0	0	7	3	0	1	1
VAMA	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0 0
VAOX	0	1	1	3	2	2	2	4	4	4	3	4	5	0	0	0	0 3	3
VIOL	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	3	3	3
	75	77	79	80	81	82	<u>83</u>	84	_ 85	86		88	89	90	92	93	94	<u>95</u>
ABBA	3	1	3	0	2	0	1	0	0	0	0	0	0	1	1	1	0	0
ACRU	5	2	3	2	3	1	4	5	4	0	0	2	1	5	1	2	1	0
ACSP	7	4	9	2	8	1 <b>2</b>	3	1	2	0	0	1	1	0	2	4	0	0
ACTA	0	0	0	0	2	1	0	0	0	0	0	0	0	0	0	0	0	0
AMEL	1	0	2	0	2	0	0	0	0	0	0	0	0	0	1	1	0	0
ANQU	0	1	1	1	1	0	0	0	0	0	0	0	0	0	0	1	0	0
ARNU	4	4	14	7	6	8	6	8	0	0	0	4	0	0	5	3	6	2
ASMA	14	2	14	18	31	48	22	23	30	10	7	12	3	13	10	12	36	26 0
ASCA	0	0	2	3	0	0	0	0	0	0	0	0	0	0	0 0	1 6	0 0	0
ATFE	1	5	2	10	0	0	0	0	0	0	0	1	0	0	0	0	0	0
BEPA	0	0	0	0	0	0	0	0	0	0	0	0	0 24	1 24	32	26	10	16
BLIT	20	46	14	6	32	18	24	22	24	22	30	42	24	24	32	20	10	10

#### Table 3.3 cont. - Sites 75 through 95

	<u>75</u>	77	79	80	81	82	83	84	85	86	87	88	89	90	92	93	94	<u>95</u>
CLBO	2	5	3	1	0	1	0	0	1	0	2	4	4	2	6	4	1	0
COCA	4	4	8	0	0	2	0	1	2	6	0	4	8	4	4	3	4	3
COCO	2	0	1	1	0	0	2	1	0	2	3	3	1	3	7	6	5	9
COGR	2	3	1	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0
COMP	1	0	3	5	1	0	0	1	1	0	0	1	0	0	0	2	4	1
COST	0	0	2	4	3	0	0	0	0	0	0	0	0	0	0	0	0	1
DILO	2	0	8	3	2	3	3	0	1	1	1	1	2	Ó	1	1	1	1
DRYO	1	2	2	0	0	0	0	0	0	0	0	Ō	ō	Ō	Ō	Ō	Ō	ō
EQUI	0	0	0	2	0	0	0	0	0	0	0	0	Ó	Ō	Ō	Ō	Ō	Ō
FRVE	4	0	5	5	1	3	1	0	0	0	0	Ō	Ō	1	Ō	Ō	1	2
FUNG	0	0	0	1	Ō	0	Ō	1	1	1	3	3	1	2	Õ	1	ō	ō
GACI	0	0	1	Ō	Ō	Ō	Ō	Ō	Ō	ō	Ō	Õ	Ō	ō	ŏ	ō	ŏ	ŏ
GAPR	Ó	0	Õ	Ō	Ō	Ō	Ō	Õ	Ő	Õ	õ	õ	ĩ	ŏ	ŏ	Ő	õ	ŏ
GATR	2	2	4	4	3	4	4	Õ	Õ	ŏ	õ	ŏ	Ō	ŏ	ŏ	4	1	2
GLIT	ō	6	1	1	Õ	Ō	ō	õ	ŏ	ŏ	ŏ	ŏ	Õ	ŏ	ŏ	0	Ō	ō
GRAS	6	2	3	5	4	5	5	1	4	5	3	2	1	5	5	4	4	7
IMBI	Ō	ō	Õ	1	Ō	Õ	Õ	ò	ō	õ	õ	ō	Ō	Ő	õ	0	0	ó
LAOC	Ō	Õ	Õ	Ō	Õ	õ	Õ	ŏ	ŏ	ŏ	Ő	õ	õ	õ	ŏ	Ő	ŏ	3
LAVE	õ	Õ	Ō	Õ	1	6	ž	ŏ	ŏ	ŏ	Ő	ŏ	ŏ	Ő	ŏ	Ő	Ő	Ő
LEGR	Õ	Õ	Õ	Õ	ō	ŏ	õ	Ő	õ	Ő	Ő	ŏ	Ő	ŏ	Ő	Ő	1	1
LIBO	Ō	0	Ō	Õ	1	Õ	Õ	ŏ	õ	2	Õ	ŏ	ŏ	ŏ	Õ	õ	Ō	Ō
LICH	õ	Õ	Õ	Õ	Ō	Õ	õ	1	Õ	ō	1	ŏ	Ő	ŏ	Ő	Ő	Ő	ŏ
LOCA	Ō	1	4	Õ	õ	2	ŏ	Ō	õ	Ő	Ō	ŏ	ŏ	Ő	Ő	ŏ	Ő	õ
LYAN	Õ	5	0	Õ	Õ	ō	Õ	Õ	Õ	Õ	õ	ŏ	ŏ	Ő	3	1	ŏ	Ő
LYCL	Ō	1	Ō	Õ	Ō	Õ	Õ	Õ	Õ	Õ	ŏ	õ	ŏ	õ	õ	Ô	ŏ	1
LYOB	õ	2	2	Õ	Õ	Õ	õ	3	4	4	3	6	6	6	8	6	5	Ô
MAAP	Õ	1	ō	Ō	Õ	Õ	õ	Õ	ō	Ō	õ	ŏ	õ	õ	ŏ	1	õ	1
MACA	5	3	3	2	4	3	3	2	Ő	õ	ŏ	2	ŏ	ŏ	4	4	Ő	1
MINT	Ō	Õ	Ō	1	Ō	Õ	Õ	ō	õ	õ	Õ	ō	õ	ŏ	Ō	0	õ	1
MOSS	6	7	7	2	5	6	6	4	11	4	5	4	17	6	3	1	ŏ	2
OSCI	Õ	0	O	5	Ō	Õ	õ	Ō	0	Ō	õ	ō	0	ŏ	õ	Ō	õ	ō
OSCL	1	1	1	0	Ō	Ō	Ō	Ō	Ō	Ō	Ō	Õ	Õ	Õ	2	Õ	1	ŏ
PEPA	0	0	1	2	0	0	Ō	Ō	Ō	Ō	ō	Ō	Ō	Ō	1	Õ	Ō	ŏ
PIBA	0	0	0	0	0	0	0	0	0	1	Ō	1	Ō	Ō	Ō	Õ	Ō	Ŏ
PIRE	0	0	0	0	0	0	0	0	0	Ō	Ō	Ō	Ō	0	Ō	Ō	Ō	1
POTR	0	1	2	1	5	1	3	4	0	0	0	0	0	Ō	3	1	1	1
PTAQ	0	0	7	2	0	1	2	20	7	4	0	0	Ō	Ō	1	3	4	3
PYEL	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Ō
QUBO	0	2	0	0	0	0	0	0	1	0	0	0	0	4	0	0	0	Ō
RIBE	0	0	2	2	1	0	0	0	0	0	0	0	0	0	Ō	Ō	Ō	Ō
ROSA	0	0	0	1	3	1	0	1	0	0	0	0	0	0	1	Ō	3	Õ
ROCK	1	2	0	0	4	1	2	3	7	18	1	3	8	1	0	0	0	Ō
RUBU	5	3	7	6	0	4	5	0	0	4	1	2	1	1	1	3	3	8
SAMA	0	0	0	4	0	0	0	0	0	0	0	0	Õ	0	0	1	Õ	Ő
SAPU	0	0	0	1	0	0	0	0	0	0	0	0	0	Ō	Ō	Ō	Õ	Ō
SEDG	1	1	1	0	0	0	1	1	0	0	0	1	0	1	0	0	0	Ō
SPHA	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
STRO	4	3	5	1	2	3	4	1	0	0	0	1	0	0	5	5	1	Õ
TRBO	5	4	5	2	0	2	1	3	4	0	2	3	0	2	4	4	Ō	1
VAAN	1	0	2	0	0	0	0	3	5	5	0	2	3	2	Ō	2	Ō	6
VIOL	5	4	3	0	1	3	0	3	0	0	0	1	1	0	2	2	1	1
VIRE	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	Ō	ō
VITR	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
VTCH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2

Table 3.3 cont.

	96	97	98	<del>99</del>	100	101	102	103	105
ABBA	5	4	5	0	0	0	0	0	0
ACRU	6	3	0	0	0	0	0	0	0
ACSP	1	0	0	0	0	0	0	0	0
AMEL	Ō	Ō	1	0	0	0	0	0	0
ANGL	Ő	Ō	Ō	0	0	0	0	5	1
ARNU	2	2	Ō	0	0	0	0	0	0
ASMA	17	36	38	20	0	0	0	0	0
BLIT	31	11	14	42	17	35	8	2	9
CHCA	Ő	0	0	0	0	0	4	15	0
CLBO	1	2	Ō	0	0	0	0	0	0
COCA	8	4	Ō	4	0	0	0	0	0
COCO	ĩ	1	3	3	0	0	0	0	0
COGR	1	2	Ō	Õ	0	0	0	0	0
COMP	2	ī	1	Ō	Ō	Ó	0	0	0
DILO	2	8	1	1	Ō	0	0	0	0
EQUI	1	ŏ	Ō	Ō	Ō	Ō	Ó	0	0
FRVE	4	4	1	1	Ō	Ō	Ō	0	0
FUNG	Ō	Ō	ò	ō	5	2	3	3	5
GACI	Ő	1	ŏ	Ő	Õ	ō	Ō	0	0
GAHI	0	Ō	õ	ŏ	2	1	4	1	3
GATR	2	1	1	Õ	ō	ō	Ō	Ō	0
GRAS	4	3	3	5	Ő	Ō	6	0	2
KAPO	0	ŏ	õ	ŏ	Ő	Õ	1	5	0
LAOC	ŏ	ŏ	2	Ő	Õ	Ō	Ō	Ó	0
LAVE	0	1	ō	ŏ	ŏ	Õ	Ō	0	0
LEGR	Ő	Ō	ŏ	ŏ	ŏ	Õ	8	10	6
LIBO	ŏ	ŏ	1	ŏ	ŏ	Ŏ	Ō	0	0
LICH	0	ŏ	Ô	ŏ	ŏ	Õ	Ō	1	0
LOCA	Ő	Ő	1	Ő	ŏ	Ō	Ō	Ō	0
LYAN	2	õ	9	1	ŏ	Õ	Ō	Ő	0
LYCL	ō	ŏ	1	ō	Ō	Ō	0	0	0
LYCO	0	Ő	ō	1	Õ	Õ	Ō	Ō	0
LYOB	3	3	6	1	Õ	Ő	Ō	0	0
MACA	6	5	3	Ô	ŏ	Õ	Ő	Õ	Ō
MOSS	3	2	3	4	10	10	10	9	16
PIMA	0	0	õ	Ō	0	0	3	8	3
POTR	1	ŏ	3	Ő	õ	Õ	Ō	0	0
PTAQ	6	18	7	9	Õ	Ő	Ō	0	0
ROSA	1	0	2	1	ŏ	Õ	Ō	Ō	0
RUBU	4	3	2	5	Õ	Ō	Ő	0	0
SAPU	0	õ	ō	õ	Õ	Ō	Ō	4	0
SEDG	1	2	Ö	1	20	1	6	26	11
SMTR	0	0	ŏ	Ô	2	Ō	2	1	3
SPHA	Ő	ŏ	ŏ	õ	60	36	50	60	70
STRO	1	2	1	1	0	0	0	0	0
TRBO	5	2	2	Ō	ŏ	Ő	Ő	Ŏ	Ō
VAAN	2	1	2	5	1	ŏ	Ő	Ō	Ō
VAAN	0	Ô	Õ	Ő	1	2	4	5	5
VIOL	1	2	1	Ő	ō	ō	0	Ō	Ō
VIOL	1	2	1	v	v	5		5	-

.

.

#### Table 3.4 - Cover by Stratum and Plot for Aspen Sites

Average percent coverage and standard deviation from the five subplots at each aspen site. Site is the site identification number, Canopy is coverage of trees over 2 meters tall, Subcanopy is the percent coverage of trees and shrubs between 1 and 2 meters tall, Understory is coverage of plants under 1 meter, and Dead Canopy is the amount of coverage by dead limbs or trees.

	Can	ору	Subca	nopy	Under	rstory	Dead (	Canopy
<u>Site</u>	<u>Avg</u>	Std	Avg	<u>Std</u>	Avg	<u>Std</u>	Avg	<u>Std</u>
2		05.0	<i></i>	15.0	< <b>-</b> 0	• • •		
3	56.7	25.2	66.7	15.3	65.0	39.7	3.3	2.9
16	58.0	8.4	60.0	23.5	38.0	11.0	4.0	2.2
20	62.0	11.0	36.0	21.9	64.0	16.7	5.0	0.0
21	44.0	11.4	44.0	20.7	70.0	15.8	2.0	2.7
36	46.0	5.5	15.0	7.1	76.0	20.7	7.0	7.6
69	68.0	4.5	7.0	2.7	70.0	7.1	4.0	2.2
71	68.0	8.4	11.0	11.4	68.0	14.8	5.0	0.0
72	6 <b>0</b> .0	14.1	20.0	0.0	50.0	0.0	5.0	0.0
73	66.0	5.5	34.0	15.2	66.0	21.9	5.0	0.0
74	60.0	7.1	20.0	17.3	64.0	11.4	5.0	0.0
75	66.0	5.5	34.0	16.7	68.0	8.4	5.0	0.0
77	56.0	5.5	32.0	25.9	52.0	13.0	5.0	0.0
79	72.0	4.5	26.0	8.9	82.0	11.0	2.0	2.7
80	70.0	7.1	16.0	8.9	80.0	10.0	4.0	2.2
81	66.0	8.9	54.0	23.0	48.0	20.5	5.0	0.0
82	62.0	4.5	24.0	13.4	68.0	4.5	5.0	0.0
83	62.0	4.5	27.0	14.8	70.0	14.1	5.0	0.0
84	70.0	7.1	13.0	11.5	60.0	15.8	1.0	2.2
85	62.0	8.4	17.0	14.0	48.0	16.4	16.0	24.6
86	50.0	18.7	24.0	13.4	56.0	13.4	0.0	0.0
87	56.0	15.2	34.0	20.7	38.0	13.0	12.0	10.4
88	66.0	11.4	14.0	10.8	54.0	8.9	6.0	4.2
89	60.0	14.1	28.0	8.4	36.0	5.5	5.0	0.0
90	50.0	7.1	48.0	17.9	38.0	8.4	5.0	0.0
92	56.0	8.9	37.0	27.3	52.0	19.2	6.0	2.2
93	58.0	4.5	74.0	8.9	66.0	8.9	5.0	0.0
94	50.0	0.0	68.0	19.2	74.0	20.7	0.0	0.0
95	52.0	8.4	17.0	<b>24</b> .1	80.0	18.7	2.0	2.7
96	70.0	7.1	3.0	2.7	64.0	13.4	5.0	0.0
97	62.0	8.4	4.0	4.2	83.0	14.0	4.0	2.2
98	56.0	5.5	18.0	16.0	88.0	7.6	5.0	0.0
99	50.0	18.7	66.0	8.9	46.0	8.9	3.0	2.7

#### Table 3.5 - Statistics for Sacrificed Aspen Trees

. . . . .

Values from aspen trees cut near to the study sites. Dbh is diameter breast height in centimeters; height is total height of tree in meters; doc is the depth of the crown, i.e., the height from the first leaf-bearing branches to the top of the tree in meters; leaf area is the total area of the leaves on the tree calculated from sampled branches with the standard error in square centimeters; and the tree biomass is calculated from sampled branches, with the standard error in grams.

dbh (cm)	<u>height (m)</u>	doc (m)	<u>leaf area (cm</u> 2)	<u>SE (la)</u>	<u>biomass (g)</u>	<u>SE (bm)</u>
0.9	2.20	1.78	1280.16	0.00	112.58	2.10
1.2	2.80	1.77	1766.12	165.46	168.70	24.25
1.4	3.43	2.14	3677.92	290.14	256.28	8.83
1.8	3.78	2.62	9708.01	1685.75	598.47	70.36
2.0	4.60	2.40	9043.15	814.04	567.40	19.03
2.2	3.10	1.80	11658.80	1771.70	606.54	16.69
3.4	5.70	4.43	20256.21	853.54	1909.26	37.94
3.4	5.35	4.05	32123.67	3891.72	1936.82	59.93
3.5	5.35	4.15	14072.01	818.25	1532.02	29.73
7.3	9.20	4.90	102891.09	19216.20	14346.30	621.48
9.1	9.40	4.42	83769.87	9591.30	11250.38	313.15
10.5	11.50	5.30	148084.39	11454.91	29413.23	966.04
13.0	16.10	5.05	109339.86	12714.04	54486.61	1178.68
13.7	15.90	4.65	108924.04	8857.67	60834.46	1118.45
15.1	16.70	6.95	91855.49	4814.76	67338.04	1262.27
15.4	17.40	7.10	138091.91	8771.01	80391.10	1515.08
15.8	15.60	5.40	193240.13	8073.15	71016.01	1280.61
17.3	15.50	8.40	218524.41	6802.89	73012.54	1162.92
19.4	23.00	10.30	312907.63	10882.57	171922.24	2513.05
19.5	19.35	7.40	175246.08	10190.74	107218.69	1803.00
21.5	23.10	5.75	182521.34	19549.84	177285.82	2196.16
22.5	22.50	7.25	500455.06	41004.35	238477.34	3218.93
22.6	18.10	7.40	287153.53	11609.84	191767.73	2248.49
22.8	22.40	6.60	422196.53	23861.99	233177.57	2992.33
23.0	22.50	8.70	382654.50	12988.99	237964.00	3036.38
25.1	23.80	8.85	273654.69	23332.50	274651.80	3343.34
25.2	22.50	8.80	241456.02	49253.56	270825.85	3766.19
27.8	23.50	16.25	745781.00	73361.20	448440.07	6264.33
30.2	23.50	10.05	743229.75	71937.20	437031.91	5502.92
32.1	23.80	8.90	531668.81	71937.81	456140.40	4753.74
32.4	23.50	12.80	1017735.38	91915.13	533887.77	5360.41
35.4	22.50	11.50	1228601.50	112045.76	559046.90	5050.19

#### Table 3.6 - Statistics for Sacrificed Spruce Trees

Values from spruce trees cut near to the study sites. Dbh is diameter breast height in centimeters; height is total height of tree in meters; doc is the depth of the crown, i.e., the height from the first leaf-bearing branches to the top of the tree in meters; leaf area is the total area of the leaves on the tree calculated from sampled branches with the standard error in square centimeters; and the tree biomass is calculated from sampled branches with the standard error in grams.

<u>dbh (cm)</u>	<u>height (m)</u>	<u>doc (m)</u>	<u>leaf area (cm²)</u>	<u>SE (la)</u>	<u>biomass (g)</u>	<u>SE (bm)</u>
2.9	2.90	1.66	8303.50	1307.83	957.73	59.84
4.1	3.70	3.60	28230.51	5520.61	3541.01	230.67
4.1	4.37	4.24	42984.57	18818.73	5251.89	445.79
4.4	4.20	2.61	19539.94	2915.01	3286.88	152.28
4.9	5.60	2.15	13361.46	2415.06	3720.22	320.19
5.1	4.15	1.90	18259.08	1675.77	4389.37	105.35
5.5	8.55	5.00	37405.26	<b>4111.27</b>	6242.02	260.35
5.7	6.00	3.10	46803.37	2895.23	6177.99	376.14
6.9	6.90	5.12	46080.43	6772.37	8869.33	233.97
8.2	9.35	3.55	34179.43	5821.31	14609.92	377.44
9.1	10.56	4.82	57286.88	7504.30	16967.75	622.87
9.2	11.70	3.40	50016.85	6077.54	19912.67	411.31
11.0	12.86	5.11	115016.66	12092.50	35581.93	581.85
11.0	10.90	7.50	115095.30	18986.75	31188.50	716.32
11.5	12.60	7.55	160659.06	15806.49	43375.69	942.15
12.1	11.00	4.00	93923.11	14070.42	32544.85	876.03
12.7	14.70	7.70	77944.05	17154.32	45656.59	1637.72
14.1	11.94	9.38	165289.27	27741.48	53860.68	2846.02
14.3	13.90	7.80	335712.03	29299.56	60976.55	1218.13
14.4	13.10	7.50	119594.65	21101.48	52109.21	1331.45
15.6	14.40	8.00	66331.88	6845.71	59780.82	917.52
15.6	13.10	8.15	115336.13	22047.93	62144.07	1152.50
16.4	11.80	8.50	438570.81	73382.71	70466.63	1878.40
18.1	19.90	8.65	214715.11	36310.12	133180.07	2484.47
18.9	18.80	8.43	241654.33	34868.48	128709.13	2019.30
19.0	14.15	12.43	450936.09	69085.73	114136.00	2979.51
19.6	14.70	10.47	298449.13	45453.35	114821.05	3087.88
20.2	14.60	12.40	243767.86	27349.37	128890.17	3164.18
20.8	15.30	7.27	146029.06	24910.89	104981.92	2439.91
22.8	17.50	10.10	239635.28	37735.02	137075.67	2088.36
23.0	19.95	12.49	492978.78	60853.75	204608.74	6718.30

Table 3.7 - Aspen Biophysical Parameters

Area is the site area in square meters, Avg DBH and SD DBH are the average and standard deviation of the tree diameter at breast height in cm, Stems per m² standard deviation in  $kg/m^2$ , NPP is the net primary production in  $kg/m^2/year$ , LAI and SD LAI are the one-sided leaf area index and its standard deviation, BAI and SD BAI are the boles and branches. Sub LAI is the This table contains data on the biophysical characteristics of the aspen sites. The Site column contains the site number, NT is the number of trees on the site, is the number of trees per square meter on the site, Basal Fraction is the ratio of bole area to surface area, BMI and SD BMI are the biomass index and its subcanopy leaf area index.

Sub	IAI	0.201	1.080	0.500	1.393	0.193	0.264	0.210	0.315	0.655	0.417	1.324	0.987	0.936	0.550	1.218	0.645	1.026	2.378	0.578	0.799	3.055	0.297	0.571	1.180	1.169	1.818	1.990	0.599	,	•	•	١
SD	1 V H	0.353	0.278	0.466	0.336	0.221	0.141	0.474	0.281	0.218	0.289	0.350	0.285	0.285	0.057	0.174	0.091	0.356	0.185	0.313	0.086	0.276	1.402	0.167	0.133	0.237	0.237	0.043	0.118	0.098	0.091	0.536	0.049
	RAT	1.286	1.498	1.144	1.096	1.020	0.568	0.914	2.026	1.920	2.136	1.992	2.098	2.066	1.412	1.752	1.726	1.562	0.510	1.956	0.268	0.668	1.884	0.690	1.886	2.062	1.618	0.218	0.262	1.782	1.936	1.912	0.174
SD		0.253	0.235	0.436	0.789	0.236	0.436	0.391	0.345	0.236	0.273	0.326	0.281	0.307	0.254	0.241	0.269	0.317	0.465	0.336	0.324	0.466	0.568	0.611	0.279	0.265	0.259	0.243	0.455	0.285	0.384	0.406	0.205
	1 1 1	<u>LAI</u> 2.524	2.427	2.464	3.118	2.056	2.793	2.849	3.039	3.233	3.265	2.935	3.523	3.971	2.473	2.965	2.708	2.742	2.757	2.847	1.607	2.626	3.390	2.465	3.195	3.086	2.562	1.652	2.070	3.044	3.322	3.050	1.294
		0.563	0.667	0.736	0.590	0.538	0.855	0.786	0.922	0.812	0.947	0.882	0.853	0.881	0.624	0.702	0.711	0.682	0.529	0.985	0.308	0.999	1.199	0.887	0.864	0.825	0.686	0.213	0.258	0.860	0.896	0.811	0.190
SD		<u>1.388</u>	1.034	1.698	1.842	086.0	0.438	0.270	0.933	0.886	1.173	1.090	1.000	1.110	1.025	0.722	1.087	1.415	0.211	1.052	0.162	0.618	0.663	0.686	0.871	0.894	1.256	0.109	0.226	0.767	0.953	2.349	0.109
		<u>13.705</u>	13.433	10.340	11.122	8.106	2.697	2.250	18.164	20.210	21.881	17.648	22.159	20.543	11.804	17.820	16.171	15.674	1.279	15.657	0.812	3.128	3.860	2.299	18.350	20.941	16.888	0.726	0.959	16.887	18.785	19.455	0.622
Racal		<u>Fraction</u> 0.00239	0.00272	0.00222	0.00195	0.00161	0.00112	0.00109	0.00367	0.00354	0.00382	0.00348	0.00377	0.00361	0.00232	0.00310	0.00303	0.00283	0.00087	0.00356	0.00048	0.00117	0.00148	0.00096	0.00341	0.00368	0.00296	0.00044	0.00052	0.00319	0.00347	0.00346	0.00035
Stems	ь Г	<u>m</u> ≤ 0.09450	0.09947	0.22978	0.14324	0.23475	1.50004	1.98148	0.16612	0.10643	0.14125	0.16015	0.10445	0.28151	0.36705	0.14423	0.20093	0.17408	3.10593	0.22879	1.57068	1.04665	1.61335	1.39027	0.18502	0.10743	0.08555	1.82232	2.26398	0.17209	0.16612	0.26062	1.26926
L o		<u>08H</u> 956	8.87	7.16	8.48	6.85	1 40	1.19	4.83	7.19	7.34	4 83	6 29	9.26	7.54	10.05	9.28	10.27	0.73	6.78	0.69	1.58	1.64	1.38	8.67	6.25	7.85	0.61	0.67	7.79	5.65	10.17	0.71
~~~~	A V 8	<u>DBH</u> 15 23	16.47	848	10 11	636	0.00 77 C	2.36	16.07	19.31	17.05	15.97	20.51	881	4 89	13.18	10.32	10.11	1.74	12.35	1 85	3.42	3.00	2.63	12.63	19.92	19.48	1.64	1.58	13.27	15.31	8 13	1.74
		<u>Area</u>	1005	1005	1005	1005	251	1 1 2		1005	1005	1005	1005	1005	1005	1005	1005	1005	202	1005	197	185	925	14	1005	1005	1005	251	251	1005	1005	1005	251
		LN S	2 1	231	144	E X	35	408	241	101	147	12	101	383	300	145	ŝ	175	644	230	ŝ	194	370	200	; <u>%</u>	8 8	3 8	8 8	549	55	167	267	319
		Site	ر م		3 5	51	8 9	65	; 2	15	24		55	2	2 8	8 æ	5 8	3 %	3 2	5	3 8	3 2	6 8	38	66	2 S	4 S	20	5	8	S 2	; 8	2 6 6

<u>Table 3.8 - Spruce Biophysical Parameters</u>

This table contains data on the biophysical characteristics of the spruce sites. The Site column contains the site number, NT is the number of trees on the site, Area is the site area in square meters, Avg DBH and SD DBH are the average and standard deviation of the tree diameter at breast height in cm, Stems per m^2 is the number of trees per square meter on the site, Basal Fraction is the ratio of bole area to surface area, BMI and SD BMI are the sindex and its standard deviation in kg/m^2 , NPP and SD NPP are the net primary production and its standard deviation in $kg/m^2/year$, LAI and SD LAI are the leaf area index and its standard deviation in $kg/m^2/year$, LAI and SD LAI are the leaf area

Ĺ	י זי	0.340	0.181	0.427	0.383	0.254	0.242	0.644	0.455	0.313	0.283	0.476	0.761	0.757	0 795	1 114	1 109	0.454	0.588	0.625	0.785	0.329	0.495	0.211	0.290	0.186	1 047	0.931	1 6 80	1 228	0.222	0.761
	1 4 1	2.884 2.884	0.484	3.266	2.692	0.739	0.692	2.691	1.319	2.842	2.279	2.791	3.085	1.996	2.700	3.736	3.730	1.685	3.034	2.444	3.091	1.834	2.595	0.592	0.842	0.521	3.475	4.001	5 473	3.670	0 709	4.260
Ľ		0.0412	0.0123	0.0351	0.0546	0.0061	0.0141	0.0281	0.0381	0.0301	0.0311	0.0457	0.1002	0.0464	0.1327	0.0510	0.1144	0.0361	0.0520	0.0618	0.0560	0.0304	0.0395	0.0177	0.0142	0.0229	0.0350	0.0634	0.0592	0.0431	0.0281	0.0666
	NPD	0.3248	0.0394	0.4323	0.3476	0.0632	0.0582	0.2951	0.1176	0.3492	0.2584	0.3303	0.3575	0.1799	0.4044	0.4097	0.4324	0.1739	0.3747	0.2665	0.3603	0.2152	0.3191	0.0505	0.0706	0.0488	0.3822	0.5375	0.5718	0.3456	0.0663	0.5378
ĉ	BMI	0.830	0.127	0.587	0.675	0.192	0.200	0.600	0.421	0.517	0.455	0.716	1.253	0.465	1.665	0.821	1.746	0.501	0.574	0.869	0.818	0.345	0.539	0.175	0.232	0.209	0.515	1.046	0.871	0.736	0.283	0.892
	BMI	12.378	0.678	13.643	10.680	1.093	1.032	6.790	2.373	11.135	7.314	8.696	8.446	3.527	9.149	10.088	10.363	3.620	10.036	5.565	8.578	5.280	8.293	0.894	1.274	0.877	8.719	15.046	13.500	7.246	1.349	15.136
Basal	Fraction	0.00317	0.00032	0.00372	0.00288	0.00046	0.00041	0.00240	0.00097	0.00308	0.00218	0.00268	0.00278	0.00156	0.00285	0.00360	0.00369	0.00131	0.00318	0.00193	0.00287	0.00168	0.00262	0.00039	0.00051	0.00035	0.00325	0.00455	0.00487	0.00292	0.00050	0.00447
Stems	, m2	0.17507	0.16413	0.24669	0.22381	0.26062	0.25564	0.46951	00//5.0	0.18303	598c2.0	0.36305	0.53387	0.58249	0.33953	0.71152	0.67641	0.37799	0.35588	0.55165	0.52942	0.25569	0.31502	0.19596	0.31930	0.14821	0.66002	0.45473	1.07430	0.91716	0.19994	0.45933
SD	DBH	4.43	2.11	4.13	50.5 70.5	90.7	1.98	5. 5 5 5	00.7	5./3 2./3	0.0 0	V/.4	0.0 0 0 0 0	2.50	3.19	3.18	3.41	3.04	3.91	3.46	3.44	4.29	98.5 1 - 6	21.2 27.2	2.16	90.7	7.83	2.66	2.37	2.34	2.88	3.77
Avg	DBH	14.52	4.54	13.22	17.71	4.24	c0.4	ςς./ Πιη	0.10	13.49	0.00	0. <u>4</u>	07.1	67.0	20.7	7.38	7.61	26.0	9.92	5.7 2	ۍ ع	80.8 61.8	70.4	70.4	47.5 100 1	20.0 2	04.7	10.98	7.22	5.92	4.86	10.48
	Area	1005	1001	1001			1005				501	707		7	Po s	427	47/	500 1000	805 805	/41	22	866	1005			cm1	47	407 1	151	371	1005	496
	NT	176	100	2 1 7 7 7 7 7	32	202	j į	7/ 1	101	5	207	54	307		* 2	40%	607		341 190	6 1	170	C#7	707 707	5	170	÷ Ş	707	710	0/7	340	200	228
	<u>Site</u>	9	17	i ř	j č	2 p	71 20	8 8	5 5	t 5	15	ç Ç	₽ Ę	11	ç ç	44 7	8 I	ភូរ	70	ਤੋਂ ਪਿ	3 2	6 5 5	5 9	70	83	5 9	85	35	101	102	501	c01

Table 3.9 - Aspen Canopy Phenology

This table contains measurements of the green leaf coverage during the spring of 1984 for two aspen sites. The canopy was photographed from below at two locations at each site on several days during the spring. Coverage was determined from the photographs and scaled such that 0 is no leaves and 1 is the maximum leaf coverage.

Site is the site number, Day is the day of the year the photos were taken, View is the position of the camera at the site, Cover is the scaled coverage, and GDD is the number of growing degree days (difference between daily average temperature and 40 degrees Farenheit, when positive, summed for the year to that day).

<u>Site</u>	<u>Day</u>	<u>View</u>	<u>Cover</u>	<u>GDD</u>
16	136	1	0.304	188
16	136	2	0.090	188
16	139	1	0.554	231
16	139	2	0.382	231
16	145	1	0.739	300
16	145	2	0.809	300
16	148	1	0.891	306
16	148	2	0.843	306
16	152	1	0.967	376
16	152	2	0.888	376
16	161	1	1.000	554
16	161	2	1.000	554
93	137	1	0.000	208
93	137	2	0.000	208
93	139	1	0.123	231
93	139	2	0.068	231
93	146	1	0.189	302
93	146	2	0.205	302
93	149	1	0.557	308
93	149	2	0.466	308
93	155	1	0.962	436
93	155	2	0.966	436
93	161	1	1.000	554
93	161	2	1.000	554

Table 3.10 - Subcanopy Phenology

This table contains data on leaf expansion for the two major understory species in the SNF, mountain maple and beaked hazel. The size of all the leaves on selected twigs was determined for several days in the spring of 1984. A relative area was determined, by scaling the leaf areas between 0 for no leaves to 1 for maximum leaf extension.

Site is the study site number, Day is the day of the year, Rel Area is the relative leaf extension, and GDD is the number of growing degree days (difference between daily average temperature and 40 degrees Farenheit, when positive, summed for the year to that day).

<u>Site</u>	<u>Day</u>	<u>Rel Area</u>	GDD
16	132	0.008	153
16	135	0.010	177
16	138	0.011	223
16	142	0.039	272
16	144	0.122	299
16	147	0.167	306
16	151	0.238	355
16	155	0.742	436
16	160	0.923	544
16	164	1.000	606
93	138	0.015	223
93	145	0.046	300
93	148	0.152	306
93	153	0.381	394
93	157	0.799	486
93	160	0.910	544
93	164	1.000	606
elnut			

Mountain Maple

Beaked Hazelnut

<u>Site</u>	<u>Day</u>	<u>Rel Area</u>	<u>GDD</u>
16	132	0.008	153
16	135	0.014	177
16	138	0.042	223
16	142	0.086	272
16	144	0.259	299
16	147	0.330	306
16	151	0.539	355
16	155	0.777	436
16	160	0.950	544
16	164	1.000	606

Beaked Hazelnut (cont.)

Site	Day	<u>Rel Area</u>	<u>GDD</u>
93	132	0.009	153
93	136	0.020	188
93	138	0.079	223
93	145	0.160	300
93	148	0.186	306
93	153	0.393	394
93	157	0.860	486
93	160	0.964	544
93	164	1.000	606

·

4.0 Climate

Northern Minnesota has a humid continental climate with cold winters, cool summers, and precipitation scattered throughout the year. Continental climates characteristically have a great range in temperatures between the winter and summer. The average temperature is below freezing for 5 months of the year and extreme cold is frequent in the winter. The coldest temperature recorded for this region is -59 degrees F (-51° C). In the summer, hot periods occur with temperatures in the 90s. Although the summers are generally mild, midsummer frosts may also occur. Most of the precipitation falls during the 5 months from May to September. Often the precipitation during this time of year comes as thunderstorms. These storms may be quite powerful, producing strong winds called downbursts, which may be very destructive. In 1976, a downburst storm in the SNF destroyed forests in an area one fourth of a mile wide and 10 miles long. In the winter, almost all of the precipitation which falls comes as snow. Most of the snowfall occurs in the early months of the winter before the freezing of the lakes shuts off the major source of moisture to the atmosphere.

Table 4.1 - Monthly Climatological Data

The climatological data presented in the following table was collected by the National Weather Service in International Falls, Minnesota. International Falls is about 80 miles from the SNF, but the weather data is representative of the area. Total solar insolation measurements were made at Fall Lake Dam in Winton, Minn. by Prof. Donald Baker of the Department of Soil Science at the University of Minnesota, St. Paul. Insolation values were measured using a Yellow Springs solar cell calibrated against an Eppley Pyranometer. The data presented here are monthly summary values. The temperature columns contain the monthly averages of the daily minimum (Min), maximum (Max), and average (Avg) temperatures. All temperatures are in Fahrenheit degrees. The precipitation column contains the water equivalent of the total monthly precipitation in inches. The insolation column contains the monthly average of the daily values in Langleys. There are gaps in the insolation data (but not in the Weather Service data) and the Days column contains the number of days of insolation data available in each month.

	Tem	peratur	e (°F)			
<u>Date</u>	Min	Max	<u>Avg</u>	<u>Precip (in)</u>	Insolation	<u>Days</u>
JAN 76	-12.1	12.7	-0.3	0.99	121.7	31
FEB 76	3.0	26.1	14.6	0.46	207.5	29
MAR 76	7.3	30.9	19.3	1.82	280.1	31
APR 76	31.1	54.5	43.1	1.02	438.3	30
MAY 76	37.2	69.8	53.4	0.12	582.7	31
JUN 76	52.0	76.7	64.8	7.01	529.5	30
JUL 76	52.5	77.5	66.0	5.70	548.8	31
AUG 76	50.9	76.8	65.1	1.85	466.1	28
SEP 76	39.2	67.6	54.7	1.19	337.1	30
OCT 76	26.2	44.5	35.6	0.84	187.6	31
NOV 76	7.7	24.2	16.1	0.19	130.1	30
DEC 76	-14.4	8.0	-3.1	0.59	109.9	30
TANT	15 (4.1	5.0	0.44	400.4	
JAN 77	-15.6	4.1	-5.8	0.66	132.4	31
FEB 77	3.3	22.0	12.8	1.01	210.4	28
MAR 77	19.5	39.7	29.9	1.89	289.7	31
APR 77	30.0	55.6	43.1	1.01	424.5	30
MAY 77	47.3	73.7	61.2	5.81	483.0	31
JUN 77	50.9	72.5	62.1	4.20	468.5	30
JUL 77	54.5	78.7	66.9	2.16	462.9	31
AUG 77	45.0	69.0	57.1	3.01	399.7	31
SEP 77	44.0	61.0	52.8	6.81	240.1	10
OCT 77	32.6	53.9	43.5	0.80		
NOV 77	14.0	31.1	22.8	3.49	105.5	23
DEC 77	-4.8	11.8	3.5	0.98	86.3	31

Table 4.1 cont.

	Temp	perature	e (°F)			
<u>Date</u>	<u>Min</u>	<u>Max</u>	<u>Avg</u>	<u>Precip (in)</u>	<u>Insolation</u>	<u>Days</u>
JAN 78	-13.1	6.2	-3.4	0.78	149.2	31
FEB 78	-9.2	14.4	2.7	0.27	244.3	28
MAR 78	6.3	30.6	18.7	0.41	362.1	31
APR 78	26.6	47.4	37.3	1.12	429.4	30
MAY 78	42.2	68.7	55.7	3.86	460.0	31
JUN 78	46.7	72.4	59.9	2.89	483.2	30
JUL 78	53.2	73.8	63.8	6.29	423.5	31
AUG 78	52.5	73.3	63.2	2.96	413.9	31
SEP 78	46.2	65.8	56.2	3.62		
OCT 78	33.7	53.7	43.7	0.39	225.5	24
NOV 78	10.8	30.2	20.7	1.60	130.7	18
DEC 78	-10.8	12.2	0.7	0.93		
TANI 70	-19.0	2.0	-8.6	0.58	139.0	12
JAN 79	-19.0 -11.1	2.0 10.0	-0.6	1.03	188.8	15
FEB 79	-11.1	29.2	-0.0 19.8	1.66	249.3	31
MAR 79	24.5	43.5	34.2	2.70	352.6	25
APR 79	24.3 36.2	45.5 55.8	46.1	1.73	407.4	31
MAY 79	30.2 47.6	55.8 71.0		4.06	467.0	30
JUN 79 JUL 79	47.8 54.4	78.4	67.4	1.08	481.2	27
AUG 79	48.2	72.0	60.4	1.68	398.3	31
	40.2	64.6	53.7	2.12	296.8	30
SEP 79 OCT 79	28.2	46.1	37.3	1.55	159.9	24
NOV 79	28.2 15.9	30.9	23.7	3.08	112.8	16
DEC 79	4.6	24.7	14.9	0.42		
DEC 79	4.0	24.7	14.7	0.12		
JAN 80	-8.8	12.9	2.1	0.92		•••
FEB 80	-2.1	18.2	8.2	0.55	184.7	28
MAR 80	3.5	30.0	17.0	0.90	341.6	31
APR 80	30.9	57.6	44.5	0.45	421.5	30
MAY 80	44.3	73.2	58.9	0.83	464.3	31
JUN 80	50.3	74.3	62.6	1.70	521.3	30
JUL 80	55.0	82.0	69.0	2.23	461.7	31
AUG 80	54.3	75.5	65.2	4.03	345.0	31
SEP 80	42.8	62.7	53.0	4.08	274.1	30
OCT 80	30.2	47.5	38.7	1.81	196.3	31
NOV 80	18.2	33.9	26.3	1.62	92.1	30
DEC 80	-5.5	14.5	4.6	0.56	78.9	30

Table 4.1 cont.

	Tem	peratu	re (°F)			
<u>Date</u>	<u>Min</u>	Max	Avg	<u>Precip (in)</u>	Insolation	<u>Days</u>
JAN 81	-5.1	17.5	6.4	0.26	159.6	25
FEB 81	5.1	23.8	14.6	0.22	177.1	28
MAR 81	19.1	38.1	28.9	1.18	309.2	31
APR 81	29.9	51.9	41.1	1.49	361.5	30
MAY 81	40.6	66.0	53.6	2.47	475.3	31
JUN 81	50.6	72.4	61.7	3.71	409.7	30
JUL 81	55.7	81.5	68.8	2.33	490.5	31
AUG 81	56.9	78.7	68.1	2.03	384.1	31
SEP 81	43.4	64.6	54.3	4.12	306.7	30
OCT 81	31.5	48.6	40.4	2.86	168.9	31
NOV 81	27.0	42.8	35.2	0.67	113.7	30
DEC 81	3.0	18.0	10.6	0.76	77.9	31
						01
JAN 82	-22.8	1.8	-10.6	1.24	127.5	31
FEB 82	-3.8	16.8	6.2	0.51	208.6	28
MAR 82	10.5	30.4	20.6	1.85	270.4	31
APR 82	24.8	50.3	37.8	0.56	446.2	30
MAY 82	43.6	66.6	55.4	3.58	381.6	5
JUN 82	45.6	69.3	57.7	2.69	469.9	15
JUL 82	56.0	78.5	67.6	3.05	417.9	31
AUG 82	48.6	72.7	60.9	2.74	367.2	31
SEP 82	42.7	63.0	53.5	4.00	266.4	30
OCT 82	36.8	52.2	44.8	2.76	151.5	31
NOV 82	16.4	29.5	21.7	1.45	110.5	30
DEC 82	6.2	23.6	15.1	0.28	72.2	31
JAN 83	2.6	19.8	11.3	0.36	93.8	31
FEB 83	7.7	25.4	16.7	0.98	125.1	28
MAR 83	20.7	34.9	28.1	0.72	265.9	31
APR 83	27.6	48.8	38.4	0.62	384.4	30
MAY 83	36.4	61.9	49.2	1.21	488.2	31
JUN 83	50.3	73.5	62.1	5.02	457.9	30
JUL 83	58.7	80.5	69.9	2.98	453.4	31
AUG 83	56.6	80.5	68.8	3.66	404.2	25
SEP 83	45.6	64.6	55.3	4.23	269.9	30
OCT 83	33.3	50.1	41.9	2.58	170.5	31
NOV 83	22.7	32.6	27.8	1.95	83.4	30
DEC 83	-13.5	4.9	-4.3	0.66	98.0	26

Table 4.1 cont.

	Tem	peratur	e (°F)			
<u>Date</u>	Min	<u>Max</u>	Avg	<u>Precip (in)</u>	<u>Insolation</u>	<u>Days</u>
JAN 84	-9.7	11.2	0.6	0.29	128.8	31
FEB 84	12.2	29.2	21.0	0.76	184.8	29
MAR 84	6.7	28.3	17.6	0.22	329.7	31
APR 84	31.7	56.3	44.3	0.89	409.8	30
MAY 84	36.0	60.9	49.2	1.77	394.8	25
JUN 84	50.8	72.2	61.8	6.50	417.2	30
JUL 84	53.0	77.2	65.4	2.14	480.6	31
AUG 84	55.6	79.7	67.9	1.30	399.4	31
SEP 84	38.2	59.7	49.2	1.14	262.1	30
OCT 84	36.9	52.2	44.8	4.11	145.3	31
NOV 84	17.3	33.8	25.8	0.91	112.9	30
DEC 84	-6.8	13.5	3.5	1.27	87.7	30
JAN 85	-10.9	10.8	0.0	0.38	113.1	31
FEB 85	-5.9	15.2	4.8	0.70	203.4	28
MAR 85	16.9	36.4	26.9	0.72	316.8	31
APR 85	30.8	52.8	42.2	3.17	377.3	30
MAY 85	42.4	66.1	54.5	6.31	548.2	3
JUN 85	43.7	64.7	54.5	6.51		
JUL 85	51.7	75.6	64.0	1.21	586.0	9
AUG 85	49.9	70.3	60.4	3.33	425.2	31
SEP 85	42.2	61.6	52.1	3.76	334.9	30
OCT 85	31.9	52.1	42.1	2.12	260.9	31
NOV 85	6.7	25.3	16.2	1.53	126.7	30
DEC 85	-8.9	8.5	-0.2	0.55	91.8	31
JAN 86	-2.2	17.5	7.8	0.61	150.4	31
FEB 86	-0.1	18.8	9.6	0.95	192.2	28
MAR 86	16.5	38.7	27.8	0.26	351.9	25
APR 86	32.7	53.7	43.5	3.33	443.9	30
MAY 86	43.2	68.7	56.4	0.50	559.4	31
JUN 86	47.9	72.9	60.7	3.67	625.3	30
JUL 86	55.9	77.4	67.0	2.59	498.0	31
AUG 86	48.8	73.5	61.4	1.52	472.9	31
SEP 86	43.0	61.9	52.8	2.42	304.8	30
OCT 86	31.6	51.2	41.7	0.64	197.5	31
NOV 86	11.3	28.5	20.1	1.27	154.3	30
DEC 86	6.1	25.6	16.1	0.35	129.5	31

5.0 Leaf Optical Properties

5.1 Introduction

Knowledge of the optical properties of the components of the forest canopy is important to the understanding of how plants interact with their environment and how this information may be used to determine vegetation characteristics using remote sensing.

During the summers of 1983 and 1984, samples of the major components of the boreal forest canopy (needles, leaves, branches, moss, litter) were collected in the Superior National Forest (SNF) of Minnesota and sent to the Johnson Space Center (JSC). At JSC, the spectral reflectance and transmittance characteristics of the samples were determined for wavelengths between .35 and 2.1 μ m using the Cary-14 radiometer. This report presents plots of these data as well as averages to the Thematic Mapper Simulator (TMS) bands.

There were two main thrusts to the SNF optical properties study. The first was to collect the optical properties of many of the components of the boreal forest canopy. The reflectance and transmittance properties of the leaves and needles of eight major overstory tree species and three understory shrubs were measured. Also, reflectance measurements were made for the bark of several tree species, sphagnum moss and leaf litter. The second goal of the study was to investigate the variability of optical properties within a species. Measurements of reflectance and transmittance of quaking aspen leaves and black spruce needles were made at three levels in the canopy and for three stand densities. The results of these studies allow a comparison of the optical properties of a variety of different species and a measure of the variability within species. These data provide basic information necessary to model canopy reflectance patterns.

5.2 Methodology

The vegetation samples were collected in the SNF and placed in zip-lock plastic bags. These bags were packed in cardboard boxes and sent to JSC by priority mail. Samples were collected from late August through September in 1983. In 1984, samples were collected on May 23, June 25 and August 14 and mailed the same day. It took between 3 and 6 days for the samples to reach JSC.

The handling of the samples at JSC evolved over time. In 1983 and early 1984, the samples were stored in plastic bags and refrigerated at JSC. Later, due to problems with too much wetness on the leaves, the branches were not refrigerated and their ends were put in water to keep the leaves alive.

The optical properties were measured using the Cary-14 system at JSC. The Cary-14 has a wavelength range between 0.35 and 2.1 μ m. The sampling interval varies between 0.002 and 0.01 micrometer, depending on the rate of change between the values in each

sample interval. Each measurement samples at approximately 250 different wavelengths.

Optical-property measurements were made for both the tops and bottoms of leaves. When leaf top or bottom is referred to in these observations it indicates the side of the leaf which is illuminated by the Cary-14. For observing broad leaves, a sample of the leaf without holes or visible defects was used; however, for needle leaves, either a collection of individual needles was aligned in the instrument holder or a section of twig with needles attached was used. Each of the spectra reported represents a single measurement of an individual leaf, needle, or bark sample.

The optical properties measured by the Cary-14 are displayed in Figures 5.1 through 5.41. An inventory of the data is presented in tabular form in Table 5.1. In Figures 5.19 through 5.23 and 5.32 through 5.35, averages and standard deviations of sets of data are plotted. Since the Cary-14 does not sample in exactly the same wavelengths in each measurement, the data were resampled using a one-dimensional, quasi-cubic hermite interpolation before averaging. Table 5.2 lists the Cary-14 reflectance and transmittance values averaged to Thematic Mapper Simulator wavelength bands.

5.3 Results

Three species of broad leafed deciduous trees were sampled: paper birch (Betula papyrifera), red maple (Acer rubum) and quaking aspen (Populus tremuloides). Figures 5.1 through 5.4 show the optical properties of the birch and maple. These plots are representative of the spectral pattern of green leaves. In the visible region (0.4 to 0.7 μ m), most of the radiation is absorbed by the leaf and little is reflected or transmitted. Reflectance and transmittance minima occur at approximately 0.45 and 0.65 μ m due to chlorophyll absorption. The near-infrared region (0.7 to 1.3 μ m) is characterized by very high reflectance and transmittance and low absorptance. The internal structure of the leaf determines the optical properties in this region. The middle infrared (1.3 to 3.0 μ m) is dominated by strong water-absorption bands at approximately 1.4 and 1.9 μ m. Reflectance and transmittance in the mid-infrared is related to the amount of water in the leaf.

All the birch and maple leaves were collected on the same day and received the same treatment. The leaf-top reflectance and transmittance are very close for all four samples in all wavelengths measured. However, there is a great deal of variation in the leaf-bottom transmittance. The differences in leaf optical properties for these four samples do not seem to be related to the differences in species or canopy height.

Quaking aspen leaves were sampled for three canopy heights and three stand densities. Aspen optical properties are plotted in Figures 5.5 through 5.23. A striking feature in these graphs is the differences between the optical properties of healthy and diseased leaves. For example, in Figure 5.5 the diseased leaf (line 7) has a much lower reflectance in both the near-and mid-infrared regions. This effect occurs even when the leaf appears green. In Figure 5.10, the leaf sample used for line 4 is described as being "most uniform in color and clean," but, once more, in the near and mid-infrared, the reflectance is much lower than for the healthy leaves. The diseased leaves also have a much higher transmittance in all wavelength bands.

The leaf-top reflectance for aspen (Figures 5.5, 5.10, 5.15 and 5.19) show that in the visible region, the high-density stand has a lower reflectance. In the infrared regions, the reflectances do not distinguish between stand density or crown height. The mid-infrared wavelengths show the most separability between the different samples. The variability between different aspen leaves is greater than the variability between the birch and maple samples. The leaf-top reflectances of the birch and maple match up well with aspen from the high-density stand in the visible. However, aspen has a much higher reflectance in the near infrared. In the mid-infrared, the birch and maple reflectances fall within the range of the aspen, but the aspen tends to have a slightly higher reflectance.

The aspen leaf-bottom reflectances (Figures 5.6, 5.11, 5.16 and 5.20) tend to be higher than the leaf-top reflectances in all wavelengths. In the visible, this is readily seen in the light color of the aspen leaf bottoms. The aspen leaf-bottom reflectances do not show any pattern based on canopy height or stand density. The leaf-bottom reflectance is similar between aspen, birch and maple in the visible, but in the infrared the aspen has the higher leaf-bottom reflectance.

Aspen leaf transmittance (Figures 5.7, 5.8, 5.12, 5.13, 5.17, 5.18, 5.21 and 5.22) is slightly greater in the infrared for high density stands versus low-density stands. The maple and birch leaf transmittances tend to be greater in all wavelengths than the aspen transmittances.

Bark reflectance for aspen (Figures 5.9, 5.14 and 5.23) varies greatly in all wavelengths. There are two spectral reflectance patterns for the bark. The first pattern has a steep jump in reflectance at 0.7 μ m and high near-infrared reflectance values. The second bark reflectance pattern does not have the jump at 0.7 μ m and increases monotonically through the visible and near infrared. Both bark types have similar patterns in the mid-infrared. The first type of bark tends to be found in the upper crown of the aspen. The second type of bark is found low in the aspen canopy, suggesting that it is older bark.

Five species of needle-leafed trees were sampled in this study: jack pine (Pinus banksiana), red pine (Pinus resinosa), larch (Larix laricina), balsam fir (Abies balsamea) and black spruce (Picea glauca). Figure 5.24 shows the needle-top reflectance for the larch, fir, jack and red pines. While the reflectance pattern is similar to broad leaves, the reflectance of the needles is much more variable in all wavelengths. The variability in needle reflectance is not just a function of species since jack pine has both high and low reflectance values. In the visible region, the red pine and larch reflectances are similar to broad-leaf reflectance, but fir and the low value for jack pine are much less. In the near-infrared plateau, there are two depressions occurring around 1.0 and 1.2 μ m. These depressions are also present in broad leaves but are less pronounced. Broad-leaf reflectance in the near infrared falls in the middle of the range of needle near-infrared

reflectances. In the mid-infrared region, broad-leaf reflectance is much higher than that of needles. The needle-bottom reflectance (Figure 5.25) has similar characteristics to the needle-top reflectance. In the visible region, fir has a greater bottom reflectance than top reflectance.

Needle transmittance (Figure 5.26) is much lower in all wavelengths than that of broad leaves.

While the reflectance of the bark of needle-leafed trees (Figure 5.27) shows a great deal of variability, the pattern of the reflectance is the same as that of aspen bark from the lower canopy. The needle-leaved tree bark does not show a jump at the visible near-infrared boundary as does some of the aspen bark.

Several samples of black spruce needles were measured to look at the variability of optical properties within a conifer species. In Figure 5.28, spruce needle-top reflectance is plotted. Spruce needle-top reflectance falls mid-range with other needle reflectances. Within spruce, needles from high-density stands have the highest reflectance in near and mid-infrared. Needles from a middle-density stand have lower reflectance in the near and mid-infrared, with reflectances of needles from a low-density stand being lowest in the near infrared and about the same as the mid-density needles in the midinfrared. Spruce-needle reflectance data taken in 1983 were of a combination of both the tops and bottoms of the needles (Figures 5.30 and 5.34). The results are comparable with the 1984 data in the near and mid-infrared, however the 1983 visible reflectances are much higher than the 1984 data. This is not due to the effects of needle-bottom reflectance in 1983 samples since the 1984 needle-bottom reflectances (Figures 5.29 and 5.33) in the visible are not much different than those of the needle tops, and are much lower than the 1983 visible reflectances. Spruce-needle reflectance (Figure 5.32) in comparison with aspen leaf reflectance (Figure 5.19) is a little lower in the visible, much lower in the near infrared, and greatly lower in the mid-infrared.

Spruce-needle transmittance (Figures 5.31 and 5.35) is slightly higher than other needle transmittance in the visible and near-infrared regions. In comparison with aspen leaf transmittance (Figure 5.21), they are nearly equal in the visible, spruce is slightly lower in the near infrared, and much lower in the mid-infrared.

Three species of understory shrubs were sampled: beaked hazel (Corylus cornuta), labrador tea (Ledum groenlandicum) and leatherleaf (Chamaedaphne calyculata) (Figures 5.36 through 5.39). Only leaf-top reflectance was determined for labrador tea and leatherleaf. The labrador tea and leatherleaf have very high reflectances in the near infrared compared to other leaves or needles sampled. The hazel has much lower reflectance in the near infrared. The water absorption bands at 1.4 and 1.9 μ m are not very deep for the hazel.

Sphagnum moss (Sphagnum spp.) reflectance (Figure 5.40) is extremely variable in all bands. The difference between samples may be caused by differences in location, moisture or type of sphagnum. Background reflectance can have a significant effect on

the total canopy reflectance. If sphagnum is the background, the reflectance may vary with place and time. This variable background can be an important complication in the understanding of reflectance images of the boreal forest regions. In contrast to the sphagnum reflectance is the reflectance of aspen leaf litter (Figure 5.41). The leaf litter reflectance is much different than that of the sphagnum and appears to be more like the needle-leafed tree bark (Figure 5.27).

Table 5.1 - Optical Properties Data Availability

This table provides an inventory of the Cary-14 spectrometer measurements of the optical properties of canopy components. The numbers refer to the number of samples measured, where each measurement is a single scan by the Cary-14. The values in the N/A column for the Reflectance and Transmittance refer to measurements of entire shoots.

<u>Species</u>	Plant <u>Part</u>	I <u>Top</u>	Reflectance <u>Bottom</u>		Tr <u>Top</u>	ansmittan <u>Bottom</u>	ce <u>N/A</u>
Jack Pine (Pinus banksiana)	Needle Bark	2 1	1		1		
Red Pine (Pinus resinosa)	Needle Bark	1			1		
Larch (Larix laricina)	Needle Bark	2 1	2				
Balsam Fir (Abies balsamea)	Needle Bark	1 1	1				
Black Spruce (Picea glauca)	Needle Bark	5 2	5	5			4
Red Maple (Acer rubum)	Leaf Bark	2	2		2	2	
Paper Birch (Betula papyrifera)	Leaf Bark	2	2		2	2	
Quaking Aspen (Populus tremuloides)	Leaf Bark	17 10	17		17	17	
Beaked Hazel (Corylus cornuta)	Leaf Bark	1	1		1	1	
Labrador Tea (Ledum groenlandicum)	Leaf Bark	1					
Leatherleaf (Chamaedaphne calyculata)	Leaf Bark	1					
Sphagnum Moss (Sphagnum spp)		4					
Leaf Litter		1					

Table 5.2 - TM Band Averages

This table lists the Cary-14 reflectance and transmittance values averaged to Thematic Mapper Simulator wavelength bands. The Thematic Mapper Simulator bands are:

TM 1	0.45 - 0.52 μm
TM 2	0.52 - 0.60 µm
TM 3	0.63 - 0.69 µm
TM 4	0.76 - 0.90 µm
TM 5	1.00 - 1.30 μm
TM 6	1.55 - 1.75 μm
TM 7	2.08 - 2.35 µm

A weighted average is calculated based on the width of the sampling interval for the Cary-14 measurements in each TMS band.

The file name is the unique name given to each sample measured. The Fig column refers to the figure number in this report with the plot of the Cary-14 data. The Line column gives the line type in the figure. The line types and numbers are displayed on each plot.

Jack Pine (Pinus banksiana)

<u>File</u> Needle Refle	<u>Fig.</u> ctance/To	<u>Line</u> op:	<u>TM 1</u>	<u>TM 2</u>	<u>TM 3</u>	<u>TM 4</u>	<u>TM 5</u>	<u>TM 6</u>	<u>TM 7</u>
PB0N2T1R PBLR	5.24 5.24	2 3	3.261 6.201	6.231 12.710	3.830 6.237	37.215 54.317	33.575 49.179	12.418 23.199	1.817 7.830
Needle Refle	ctance/B	ottom:							
PB0N2B1R	5.25	2	3.191	6.071	3.231	34.890	31.508	11.904	1.542
Needle Tran	smittance	e:							
PBLT	5.26	1	0.416	1.956	0.581	33.547	30.364	10.354	0.806
Bark Reflect	ance:								
PB0B201R	5.27	2	6.774	7.985	8.863	14.106	33.267	40.477	27.730
Red Pine (Pi	inus resin	iosa)							
<u>File</u> Needle Refl	<u>Fig.</u> ectance:	<u>Line</u>	<u>TM 1</u>	<u>TM 2</u>	<u>TM 3</u>	<u>TM 4</u>	<u>TM 5</u>	<u>TM 6</u>	<u>TM 7</u>
PRLR	5.24	6	6.189	11.258	6.025	49.165	45.819	24.076	9.174

Red Pine (Pinus resinosa) cont.

<u>File</u> Needle Trai	<u>Fig.</u> nsmittance	<u>Line</u> e:	<u>TM 1</u>	<u>TM 2</u>	<u>TM 3</u>	<u>TM 4</u>	<u>TM 5</u>	<u>TM 6</u>	<u>TM 7</u>
PRLT	5.26	2	1.451	4.902	1.523	36.916	34.441	14.639	3.245
Larch (Larix	laricina)								
<u>File</u> Needle Refle	<u>Fig.</u> ectance/Te		<u>TM 1</u>	<u>TM 2</u>	<u>TM 3</u>	<u>TM 4</u>	<u>TM 5</u>	<u>TM 6</u>	<u>TM 7</u>
LLON2T1R LLON7T1R	5.24 5.24	4 5	5.841 4.497	12.712 12.139	6.478 5.711	48.436 53.489	46.656 51.759	23.054 24.722	3.597 6.789
Needle Refle	ectance/B	ottom:							
LL0N2B1R LL0N7B1R	5.25 5.25	3 4	6.418 6.171	13.850 12.815	9.090 8.231	48.913 42.973	48.979 42.162	26.742 23.388	9.573 7.635
Bark Reflecta	ance:								
LL0B201R	5.27	3	8.753	10.275	12.029	18.185	32.206	45.939	22.064
Balsam Fir (A	Abies bals	amea)			·				
<u>File</u> Needle Refle	<u>Fig.</u> ctance/To		<u>TM 1</u>	<u>TM 2</u>	<u>TM 3</u>	<u>TM 4</u>	<u>TM 5</u>	<u>TM_6</u>	<u>TM 7</u>
AB0N2T1R	5.24	1	2.636	5.526	3.537	29.542	29.545	14.661	5.038
Needle Refle	ctance/Bo	ottom:							
AB0N2B1R	5.25	1	9.758	16.270	8.973	53.960	51.091	25.496	10.067
Bark Reflecta	ince:								
AB0B201R	5.27	1	18.815	21.984	24.135	34.443	42.720	33.693	18.179

•

Black Spruce (Picea glauca)

<u>File</u>	Fig.	<u>Line</u>	<u>TM 1</u>	<u>TM 2</u>	<u>TM 3</u>	<u>TM 4</u>	<u>TM 5</u>	<u>TM 6</u>	<u>TM 7</u>	
Needle Refle	ctance/To	p:								
PM3N2T1R	5.28	1	4.248	9.433	4.307	50.277	47.278	19.773	6.062	
PM2N2T1R	5.28	2	4.411	9.267	4.806	40.813	38.529	15.887	4.010	
PM1N2T1R	5.28	3	4.429	9.044	4.144	37.707	35.588	15.862	4.737	
PM0N7T1R	5.28	4	5.137	11.312	5.602	, 45.205	38.574	12.928	1.347	
PM6N7T1R	5.28	5	4.417	8.463	4.290	38.930	36.316	14.818	3.514	
Needle Reflectance/Bottom:										
PM3N2B1R	5.29	1	4.708	8.642	4.614	42.400	39.919	18.027	4.607	
PM2N2B1R	5.29	2	5.143	10.212	5.410	40.585	37.482	16.625	5.362	
PM1N2B1R	5.29	3	5.051	9.259	5.179	35.166	33.418	15.752	5.961	
PM0N7B1R	5.29	4	8.208	15.885	10.946	52.556	43.850	17.227	2.910	
PM6N7B1R	5.29	5	4.294	8.182	5.342	34.705	36.008	17.259	6.543	
Needle Refle	ctance (19	83):								
S60H01R	5.30	1	11.907	20.376	11.859	53.258	48.137	22.995	8.285	
S60H02R	5.30	2	13.288	20.848	12.678	50.085	44.803	20.115	7.420	
S60H03R	5.30	3	7.499	12.840	8.284	40.393	37.999	18.210	6.924	
SY2R	5.30	4	6.702	12.421	7.508	44.566	40.602	19.296	8.027	
SYYR	5.30	5	8.284	15.906	8.811	45.943	42.093	20.875	8.153	
Needle Tran	smittance	(1983)	:							
S60H01T	5.31	1	2.835	8.409	3.767	39.514	37.835	17.428	4.871	
S60H02T	5.31	2	0.630	4.793	1.477	35.871	34.129	12.364	1.994	
SY2T	5.31	3	2.272	4.825	2.444	39.123	38.014	15.689	2.014	
SYYT	5.31	4	1.076	5.372	1.591	40.391	38.172	14.677	2.078	
Bark Reflect	ance:									
PM0B201R	5.27	4	2.571	3.038	3.744	9.428	24.091	20.944	5.704	
Ded Maple (- -						
Red Maple (Acer rubu									
<u>File</u> Leaf Reflecta	<u>Fig.</u> ince/Top:	<u>Line</u>	<u>TM 1</u>	<u>TM 2</u>	<u>TM 3</u>	<u>TM 4</u>	<u>TM 5</u>	<u>TM 6</u>	<u>TM 7</u>	
AR0L3T1R	5.1	3	5.065	10.526	5.240	45.877	44.065	30.479	11.234	
AROLSTIR AROL3T2R	5.1	4	4.902	9.980	4.941	43.194	41.663	32.143	12.507	

Red Maple (Acer rubum) cont.

.

<u>File</u> Leaf Reflecta	<u>Fig.</u> ance/Bot	<u>Line</u> tom:	<u>TM 1</u>	<u>TM 2</u>	<u>TM 3</u>	<u>TM 4</u>	<u>TM 5</u>	<u>TM 6</u>	<u>TM 7</u>		
AROL3B1R AROL3B2R	5.2 5.2	3 4	18.105 13.010	24.817 19.677	17.170 12.437	44.201 39.091	43.466 37.504	31.703 29.823	14.862 12.551		
Leaf Transm	ittance/	Гор:									
AR0L3T1T AR0L3T2T	5.3 5.3	3 4	1.965 3.641	11.072 14.068	2.976 4.620	44.660 48.453	46.654 49.356	38.835 45.262	19.600 16.978		
Leaf Transm	Leaf Transmittance/Bottom:										
AROL3B1T AROL3B2T	5.4 5.4	3 4	1.556 4.328	7.752 15.339	2.123 5.306	34.481 51.469	36.248 53.185	29.149 49.676	12.075 29.916		
Paper Birch (Betula p	apyrifer	 a)								
<u>File</u> Leaf Reflecta	<u>Fig.</u> nce/Top:	<u>Line</u>	<u>TM 1</u>	<u>TM 2</u>	<u>TM 3</u>	<u>TM 4</u>	<u>TM 5</u>	<u>TM 6</u>	<u>TM 7</u>		
BPOL3T1R BPOL3T2R	5.1 5.1	1 2	5.698 5.036	11.945 10.802	5.526 4.939	44.065 43.751	42.892 42.322	32.234 32.768	15.287 15.537		
Leaf Reflecta	nce/Bott	om:									
BPOL3B1R BPOL3B2R	5.2 5.2	1 2	11.976 10.833	19.835 17.416	13.014 10.135	38.042 37.106	37.694 36.519	29.428 29.534	14.430 15.528		
Leaf Transmi	ttance/T	op:									
BPOL3T1T BPOL3T2T	5.3 5.3	1 2	4.603 4.180	16.026 15.826	6.311 5.344	46.241 50.251	47.886 50.987	41.519 43.720	18.895 23.663		
Leaf Transmi	ttance/B	ottom:									
BPOL3B1T BPOL3B2T	5.4 5.4	1 2	4.481 4.940	15.937 17.912	6.042 6.341	48.297 54.888	49.809 55.588	43.198 49.488	14.323 31.447		

Quaking Aspen (Populus tremuloides)

<u>File</u>	<u>Fig.</u>	<u>Line</u>	<u>TM 1</u>	<u>TM 2</u>	<u>TM 3</u>	<u>TM 4</u>	<u>TM 5</u>	<u>TM 6</u>	<u>TM 7</u>
Leaf Reflectar	nce/Top	:							
A25H29RF	5.5	1	6.286	11.048	6.628	46.087	44.808	32.821	16.418
A26H21RF	5.5	2	6.626	11.321	7.425	50.530	49.552	35.794	18. 491
A25M11RF	5.5	3	6.740	10.625	6.706	50.905	48.220	33.521	15.653
A26M11RF	5.5	4	6.117	9.699	6.870	50.762	48.392	34.765	16.447
A25L01RF	5.5	5	7.199	11.630	7.572	52.586	50.049	35.325	18.650
A26L01RF	5.5	6	7.384	11.607	7.451	52.068	49.925	36.866	19.107
PT3L2T1R	5.5	7	4.682	9.687	5.430	34.898	37.204	25.443	8.187
A27H21RF	5.10	1	7.774	13.218	7.861	52.664	49.637	34.669	15.785
A27M19RF	5.10	2	7.142	11.557	6.982	48.907	46.066	31.351	14.177
A27L01RF	5.10	3	6.723	10.468	7.119	52.056	49.194	33.069	14.544
PT2L2T1R	5.10	4	5.920	16.397	6.731	40.667	37.789	25.318	8.916
AXXH21RF	5.15	1	5.697	10.167	6.433	52.569	50.130	34.881	16.238
AXXM19RF	5.15	2	7.345	10.628	7.350	45.557	52.027	38.874	20.528
AXXL01RF	5.15	3	7.185	14.658	7.652	50.274	48.838	36.350	18.848
PT1L2T1R	5.15	4	5.790	15.112	6.080	36.246	33.319	22.306	8.616
PT1L3T1R	5.15	5	5.416	11.072	4.700	51.850	49.305	31.874	9.766
PT1L3T2R	5.15	6	7.391	13.098	6.948	51.826	50.402	38.561	18.028
Leaf Reflecta	nce/Bot	tom:							
						10.100		04 415	01.0(1
A25H29RB	5.6	1	13.065	21.033	14.371	49.432	47.594	36.615	21.961 22.873
A26H21RB	5.6	2	12.209	19.212	13.101	53.250	50.967	38.358	
A25M11RB	5.6	3	12.621	19.810	13.200	51.435	48.445	35.759	20.035
A26M11RB	5.6	4	11.752	18.817	12.589	51.623	49.000	37.069	20.753 22.273
A25L01RB	5.6	5	12.851	20.194	12.922	53.351	50.427	37.747	22.273
A26L01RB	5.6	6	11.731	19.211	12.567	53.115	50.681	38.983	
PT3L2B1R	5.6	7	8.793	15.232	10.083	35.258	36.472	26.835	6.623
A27H21RB	5.11	1	13.841	23.272	15.126	54.215	51.292	38.205	21.493
A27M19RB	5.11	2	12.723	20.796	12.771	50.322	47.157	34.769	19.481
A27L01RB	5.11	3	13.639	22.536	14.776	52.789	49.731	36.609	20.624
PT2L2B1R	5.11	4	12.206	22.486	12.993	39.849	37.615	26.032	9.974
AXXH21RB	5.16	1	15.445	22.128	15.586	52.702	49.749	36.684	21.009
AXXM19RB	5.16	2	12.780	16.490	14.272	46.593	51.832	40.139	23.586
AXXL01RB	5.16	3	14.690	24.913	15.818	51.698	49.343	37.785	21.829
PT1L2B1R	5.16	4	8.666	17.639	9.382	33.788	32.604	22.825	11.263
PT1L3B1R	5.16	5	14.154	24.093	13.889	51.052	47.107	33.342	15.696
PT1L3B2R	5.16	6	12.363	20.792	12.134	50.091	47.482	38.427	19.638

Quaking Aspen (Populus tremuloides)

<u>File</u> Leaf Transr	<u>Fig.</u> nittance,	<u>Line</u> /Top:	<u>TM 1</u>	<u>TM 2</u>	<u>TM 3</u>	<u>TM 4</u>	<u>TM 5</u>	<u>TM 6</u>	<u>TM 7</u>
A25H29TF	5.7	1	2.408	7.910	4.155	43.467	46.150	20 121	
A26H21TF	5.7	2	1.475	4.916	2.808	43.407	40.150	39.131 36.259	25.560
A25M11TF	5.7	3	1.977	7.014	3.039	41.232	45.716	36.747	22.073
A26M11TF	5.7	4	1.679	6.140	2.868	46.152	40.023	40.024	20.452 24.415
A25L01TF	5.7	5	1.756	5.785	3.127	40.152	44.107	40.024 35.721	
A26L01TF	5.7	6	1.712	5.302	2.765	40.383	43.008	36.339	20.019
PT3L2T1T	5.7	7	3.690	14.945	7.960	45.549	43.008 53.544	36.339 46.854	22.341 29.613
A27H21TF	5.12	1	2.053	8.196	3.791	47.764	43.470	40.854 35.750	29.613
A27M19TF	5.12	2	2.751	9.488	4.740	47.151	48.051	39.272	22.140 23.178
A27L01TF	5.12	3	1.526	6.185	3.189	41.046	40.031	33.446	
PT2L2T1T	5.12	4	9.036	27.819	13.240	54.989	55.142	47.803	19.033
AXXH21TF	5.17	1	1.402	4.405	2.261	39.264	40.675	47.803 32.204	15.873 17.723
AXXM19TF		2	0.764	1.877	1.841	26.546	38.363	32.204	20.100
AXXL01TF	5.17	3	2.787	9.853	4.523	39.572	41.515	34.369	20.100 19.971
PT1L2T1T	5.17	4	9.109	28.886	14.053	59.972 54.971	58.744	52.361	19.971 34.680
PT1L3T1T	5.17	5	1.589	7.270	2.738	41.284	42.481	31.634	7.153
PT1L3T2T	5.17	6	1.777	6.635	2.591	40.231	41.544	37.129	19.402
Leaf Transm	nittance/	Bottom:							
A25H29TB	5.8	1	2.118	7.480	4.112	43.016	46.553	40.279	26.810
A26H21TB	5.8	2	1.580	6.704	3.031	46.368	40.333	37.903	20.532
A25M11TB	5.8	3	2.079	6.269	3.398	44.772	45.885	37.903	20.332
A26M11TB	5.8	4	1.573	5.426	2.660	44.821	46.243	39.359	21.039 25.159
A25L01TB	5.8	5	1.433	4.949	2.665	42.880	44.614	37.187	23.159
A26L01TB	5.8	6	1.594	5.445	2.972	43.132	46.087	37.834	22.224
A27H21TB	5.13	1	2.003	7.704	3.898	42.813	43.679	36.065	23.005
A27M19TB	5.13	2	2.420	8.363	4.343	46.232	47.712	39.830	23.003 24.094
A27L01TB	5.13	3	1.511	5.662	2.802	40.290	41.741	34.137	19.435
PT2L2B1T	5.13	4	8.680	27.590	12.075	56.943	57.613	48.410	15.542
AXXH21TB	5.18	1	1.480	4.760	2.785	41.611	43.161	33.169	17.479
AXXM19TB	5.18	2	0.926	2.515	2.014	26.733	37.334	31.944	19.958
AXXL01TB	5.18	3	2.711	9.881	4.378	42.189	43.975	36.798	21.875
PT1L2B1T	5.18	4	9.271	30.111	14.499	57.417	59.522	51.976	26.441
PT1L3B1T	5.18	5	1.532	6.527	2.265	39.082	39.450	29.472	10.807
PT1L3B2T	5.18	6	1.863	6.911	2.535	39.794	41.765	37.070	20.683
								51.070	20.000

<u>File</u> Bark Reflecta	<u>Fig.</u> nce:	<u>Line</u>	<u>TM 1</u>	<u>TM 2</u>	<u>TM 3</u>	<u>TM 4</u>	<u>TM 5</u>	<u>TM 6</u>	<u>TM 7</u>
A25HB1RF A26HB1RF A25MB1RF A25MB1RF A25LB1RF A25LB1RF A26LB1RF A27HB1RF A27HB1RF A27LB1RF PT0B200R	5.9 5.9 5.9 5.9 5.9 5.9 5.9 5.14 5.14 5.14 5.14	1 2 3 4 5 6 1 2 3 4	16.203 25.821 16.136 16.975 18.073 21.154 12.422 14.346 13.710 7.065	21.441 32.494 19.960 22.435 19.878 24.083 17.312 17.549 17.930 9.503	21.738 36.779 19.534 24.790 22.479 27.413 18.337 19.611 18.975 10.426	71.859 71.587 62.522 67.643 31.104 39.297 62.955 26.897 56.822 29.684	66.736 66.835 58.079 64.433 38.871 52.271 59.913 48.769 55.245 41.565	37.195 41.696 35.439 39.141 43.223 48.308 30.887 32.898 33.141 24.356	21.683 28.893 23.267 25.323 37.276 36.854 18.303 20.681 20.449 4.835
Beaked Haze	l (Corylus	cornu	 1ta)						
<u>File</u> Leaf Reflecta	<u>Fig.</u> nce/Top:	<u>Line</u>	<u>TM 1</u>	<u>TM 2</u>	<u>TM 3</u>	<u>TM 4</u>	<u>TM 5</u>	<u>TM 6</u>	<u>TM 7</u>
CC0L3T1R	5.36	1	5.032	10.189	5.046	43.927	42.907	36.844	24.451
Leaf Reflecta	nce/Botto	m:							
CC0L3B1R	5.37	1	12.259	16.695	11.223	36.818	35.989	30.609	16.675
Leaf Transm	Leaf Transmittance/Top:								
CC0L3T1T	5.38	1	2.905	11.394	3.991	43.216	46.199	43.754	31.136
Leaf Transmittance/Bottom:									
CC0L3B1T	5.39	1	3.359	10.560	3.951	40.782	43.871	40.115	31.177
Labrador Tea (Ledum groenlandicum)									
<u>File</u> Leaf Reflecta	<u>Fig.</u> ince/Top:	<u>Line</u>	<u>TM 1</u>	<u>TM 2</u>	<u>TM 3</u>	<u>TM 4</u>	<u>TM 5</u>	<u>TM 6</u>	<u>TM 7</u>
LG0L7T1R	5.36	2	5.835	15.080	6.289	63.527	64.294	41.256	18.050

Quaking Aspen (Populus tremuloides) cont.

Leatherleaf (Chamaedaphne calyculata)

<u>File</u> Leaf Reflecta	<u>Fig.</u> ince/Top:	<u>Line</u>	<u>TM 1</u>	<u>TM 2</u>	<u>TM 3</u>	<u>TM 4</u>	<u>TM 5</u>	<u>TM 6</u>	<u>TM 7</u>
CH0L7T1R	5.36	3	5.760	13.149	6.325	66.766	63.900	38.129	12.713
Sphagnum M	Moss (Sph	agnum	spp)						
<u>File</u> Plant Reflect	<u>Fig.</u> ance/Top	<u>Line</u>	<u>TM 1</u>	<u>TM 2</u>	<u>TM 3</u>	<u>TM 4</u>	<u>TM 5</u>	<u>TM 6</u>	<u>TM 7</u>
SM00201R SM607T1R SM707T1R SM807T1R	5.40 5.40 5.40 5.40	1 2 3 4	6.172 15.608 4.806 5.266	11.838 29.521 11.209 11.393	14.263 24.383 7.445 12.794	27.062 61.302 32.156 48.649	29.836 65.386 26.639 49.280	12.181 51.722 6.244 22.533	1.579 17.664 0.835 4.016
Leaf Litter									- -
<u>File</u> Reflectance/	<u>Fig.</u> Top:	<u>Line</u>	<u>TM 1</u>	<u>TM 2</u>	<u>TM 3</u>	<u>TM 4</u>	<u>TM 5</u>	<u>TM 6</u>	<u>TM 7</u>
BL00201R	5.41	1	6.078	8.687	13.104	23.040	33.820	35.820	9.864

Table 5.3 - Figure Captions

Figures 5.1 through 5.4: Broad-leaf trees

<u>Line</u>	Description
1	Paper birch leaf from lower canopy, collected June 1984
2	Paper birch leaf from upper canopy, collected June 1984
3	Red maple leaf from lower canopy, collected June 1984
4	Red maple leaf from upper canopy, collected June 1984

Figures 5.5 through 5.8: Aspen leaves from high-density stand

<u>Line</u>	Description
1	Leaf from upper canopy of tree 25, collected 1983
2	Leaf from upper canopy of tree 26, collected 1983
3	Leaf from middle canopy of tree 25, collected 1983
4	Leaf from middle canopy of tree 26, collected 1983
5	Leaf from lower canopy of tree 25, collected 1983
6	Leaf from lower canopy of tree 26, collected 1983
7	Leaf described as "very mottled and probably diseased," collected May 1984
	·

Figure 5.9: Aspen bark reflectance from high-density stand

<u>Line</u>	Description
1	Bark from upper canopy of tree 25, collected 1983
2	Bark from upper canopy of tree 26, collected 1983
3	Bark from middle canopy of tree 25, collected 1983
4	Bark from middle canopy of tree 26, collected 1983
5	Bark from lower canopy of tree 25, collected 1983
6.	Bark from lower canopy of tree 26, collected 1983

Figures 5.10 through 5.13: Aspen leaves from middle-density stand

<u>Line</u>	Description
-	
1	Leaf from upper canopy of tree 27, collected 1983
2	Leaf from middle canopy of tree 27, collected 1983
3	Leaf from lower canopy of tree 27, collected 1983
4	Leaf described as "most uniform in color and clean" of m

4 Leaf described as "most uniform in color and clean" of mottled leaves sent, collected May 1984 Figure 5.14: Aspen bark reflectance from middle-density stand

<u>Line</u>	Description
1	Bark from upper canopy of tree 27, collected 1983
2	Bark from middle canopy of tree 27, collected 1983
3	Bark from lower canopy of tree 27, collected 1983
4	Bark collected May 1984, stand density or canopy height unknown
	-

Figures 5.15 through 5.18: Aspen leaves from low-density stand

Line	Description
	Debenption

- 1 Leaf from upper canopy of tree XX, collected 1983
- 2 Leaf from middle canopy of tree XX, collected 1983
- 3 Leaf from lower canopy of tree XX, collected 1983
- 4 Leaf with dark spots, collected May 1984
- 5 Leaf from lower canopy, collected June 1984
- 6 Leaf from lower canopy, collected June 1984
- Figure 5.19: Average and plus-and-minus one standard deviation aspen leaf-top reflectance from all stand densities and canopy heights, not including diseased leaves, 14 samples used
- Figure 5.20: Average and plus-and-minus one standard deviation aspen leaf-bottom reflectance from all stand densities and canopy heights, not including diseased leaves, 14 samples used
- Figure 5.21: Average and plus-and-minus one standard deviation aspen leaf-top transmittance from all stand densities and canopy heights, not including diseased leaves, 14 samples used
- Figure 5.22: Average and plus-and-minus one standard deviation aspen leaf-bottom transmittance from all stand densities and canopy heights, not including diseased leaves, 14 samples used
- Figure 5.23: Average and plus-and-minus one standard deviation aspen bark reflectance from all stand densities and canopy heights, 10 samples used

Figure 5.24: Needle leaf-top reflectance

Line Description

- 1 Balsam fir, collected May 1984
- 2 Jack pine, collected May 1984
- 3 Jack pine, mixed tops and bottoms of needles, collected 1983
- 4 Larch, collected May 1984
- 5 Larch, collected August 1984

Figure 5.24 cont.

Line	Description
6	Red pine, mixed tops and bottoms of needles, collected 1983

Figure 5.25: Needle leaf-bottom reflectance

Line	Description
1	Balsam fir, collected May 1984

- 2 Jack pine, collected May 1984
- 3 Larch, collected May 1984
- 4 Larch, collected August 1984

Figure 5.26: Needle leaf transmittance

Line Description

- 1 Jack pine, mixed tops and bottoms of needles, collected 1983
- 2 Red pine, mixed tops and bottoms of needles, collected 1983

Figure 5.27: Needle-leafed tree bark reflectance

Line	Description
	Deberrption

- 1 Balsam fir, bark air dried, includes some white patches, collected May 1984
- 2 Jack pine, bark damp, measurement taken on driest piece, collected May 1984
- 3 Larch, collected May 1984
- 4 Spruce, collected August 1984

Figures 5.28 and 5.29: Spruce needle reflectance

LineDescription1Needles from high-density stand, collected May 19842Needles from middle-density stand, collected May 19843Needles from low-density stand, collected May 19844Collected August 19845Collected August 1984	-density stand, collected May 1984 nsity stand, collected May 1984 4
--	--

Figure 5.30: Spruce needle reflectance, mixed tops and bottoms of needles, collected 1983

Line <u>Description</u>

- 1 Needles from tree 60
- 2 Needles from tree 60
- 3 Needles from tree 60
- 4 Needles without tree identifier

Figure 5.30 cont.

- Line Description
 - 5 Needles without tree identifier

Figure 5.31: Spruce needle transmittance, mixed tops and bottoms of needles, collected 1983

- Line Description
 - 1 Needles from tree 60
 - 2 Needles from tree 60
 - 3 Needles without tree identifier
 - 4 Needles without tree identifier
- Figure 5.32: Average and plus-and-minus one standard deviation spruce needle-top reflectance from 1984 data, five samples used
- Figure 5.33: Average and plus-and-minus one standard deviation spruce needlebottom reflectance from 1984 data, five samples used
- Figure 5.34: Average and plus-and-minus one standard deviation spruce needle reflectance, mixed tops and bottoms of needles, from 1983 data, five samples used
- Figure 5.35: Average and plus-and-minus one standard deviation spruce needle transmittance, mixed tops and bottoms of needles, from 1983 data, four samples used

Figures 5.36 through 5.39: Shrub leaves

<u>Line</u>	Description	
-		

- 1 Beaked hazel, collected June 1984
- 2 Labrador tea, collected August 1984
- 3 Leatherleaf, collected August 1984

Figure 5.40: Sphagnum moss reflectance

Line	Description

- 1 Collected May 1984
- 2 Dry sphagnum moss, collected August 1984
- 3 Collected August 1984
- 4 Sphagnum moss from hummock, collected August 1984

Figure 41: Aspen leaf-litter reflectance




Figure 5.1 See Table 5.3 for description of line numbers.




Figure 5.2 See Table 5.3 for description of line numbers.




Figure 5.3 See Table 5.3 for description of line numbers.




Figure 5.4 See Table 5.3 for description of line numbers.




Figure 5.5 See Table 5.3 for description of line numbers.




Figure 5.6 See Table 5.3 for description of line numbers.

. جن




Figure 5.7 See Table 5.3 for description of line numbers.




Figure 5.8 See Table 5.3 for description of line numbers.




Figure 5.9 See Table 5.3 for description of line numbers.




Figure 5.10 See Table 5.3 for description of line numbers.




Figure 5.11 See Table 5.3 for description of line numbers.




Figure 5.12 See Table 5.3 for description of line numbers.




Figure 5.13 See Table 5.3 for description of line numbers.




Figure 5.14 See Table 5.3 for description of line numbers.




Figure 5.15 See Table 5.3 for description of line numbers.




Figure 5.16 See Table 5.3 for description of line numbers.




Figure 5.17 See Table 5.3 for description of line numbers.




Figure 5.18 See Table 5.3 for description of line numbers.




Figure 5.19 See Table 5.3 for plot description.




Figure 5.20 See Table 5.3 for plot description.




Figure 5.21 See Table 5.3 for plot description.




Figure 5.22 See Table 5.3 for plot description.




Figure 5.23 See Table 5.3 for plot description.




Figure 5.24 See Table 5.3 for description of line numbers.




Figure 5.25 See Table 5.3 for description of line numbers.




Figure 5.26 See Table 5.3 for description of line numbers.




Figure 5.27 See Table 5.3 for description of line numbers.




Figure 5.28 See Table 5.3 for description of line numbers.




Figure 5.29 See Table 5.3 for description of line numbers.




Figure 5.30 See Table 5.3 for description of line numbers.




Figure 5.31 See Table 5.3 for description of line numbers.




Figure 5.32 See Table 5.3 for plot description.




Figure 5.33 See Table 5.3 for plot description.




Figure 5.34 See Table 5.3 for plot description.




Figure 5.35 See Table 5.3 for plot description.




Figure 5.36 See Table 5.3 for description of line numbers.




Figure 5.37 See Table 5.3 for description of line numbers.




Figure 5.38 See Table 5.3 for description of line numbers.




Figure 5.39 See Table 5.3 for description of line numbers.




Figure 5.40 See Table 5.3 for description of line numbers.

5-58 (-2




Figure 5.41 See Table 5.3 for description of line numbers.

6.0 Helicopter MMR Data

6.1 Introduction

A major aspect of the ground data collection effort in the SNF during the summers of 1983 and 1984 was the acquisition of helicopter canopy reflectance measurements. Canopy measurements were made at numerous sites with a helicopter-mounted Barnes Modular Multiband radiometer (MMR). The MMR measures on the same wavelength bands as the Thematic Mapper Simulator (see Table 5.2). MMR data were collected on ten dates in 1983 and eight dates in 1984. An additional Barnes radiometer was used to make simultaneous reference panel measurements. The canopy reflectance was derived from the canopy and reference panel measurements. All canopy and reference panel measurements were made under clear sky conditions. A majority of the helicopter measurements were taken at nadir view, although some off-nadir view angle measurements were taken primarily over black spruce and aspen sites. The acquisition dates in 1983 were: May 5 and 16, June 9, July 12 and 13, August 12 and 14, and October 6, 26 and 27. The 1984 acquisition dates were: May 18 and 28, June 3, August 2, 3 and 16, and September 16 and 23.

6.2 Methodology

Reference panel measurements were used to convert voltages measured by the canopy instrument to reflectance factors. The reference panel was a surface painted with barium sulfate. The reflectance factor is the ratio of radiant flux of the canopy measurement to that of the reference or calibration panel under the same illumination and viewing conditions. Another component to be considered is atmospheric scatter, especially for aircraft measurements taken at higher altitudes. The amount of atmospheric scattering can be determined by using reflectance measurements of water targets. Assuming the reflectance of water is zero, reflectance measured at these targets is a measure of the amount of atmospheric scatter. Reflectance measurements over water targets are included for all acquisitions in 1983. However, no water target measurements were taken during the 1984 field campaign.

During the 1983 field campaign, the helicopter measurements were usually taken at an altitude of 122 meters (400 feet), with a few observations at 61 and 91.5 meters (200 and 300 feet). At an altitude of 122 meters and a radiometer field of view of 15 degrees, the canopy area being sensed is approximately 32 meters (105 feet) in diameter. In 1984, most measurements were taken at an altitude of 183 meters (600 feet). To measure the same canopy area at this altitude, the field of view was reduced to 10 degrees, although on two dates this was reduced further to 6 degrees. At 183 meters, the reduction of the field of view from 10 to 6 degrees reduces the canopy area being sensed from 32 to 19.2 meters (105 to 63 feet) in diameter.

6.3 Results

There are approximately 317 observations made over 105 different sites in 1983 and about 160 observations made over 29 sites in 1984. Tables 6.1 and 6.2 are a summary of the sites observed and the dates of observation for the 1983 and 1984 datasets, respectively. Each set of reflectance values for a site is actually the mean of observations taken over a given time interval and generally averaged between 16 and 20 separate measurements.

The summarized MMR data listed in Tables 6.3 and 6.4 includes: site number, number of observations averaged, code for altitude of instrument above the canopy (in hundreds of feet), the time (GMT) at which observations begin, the time at which observations end (each a six-digit number: the first two correspond to hours, the second and third two correspond to minutes and seconds, respectively), solar zenith angle, solar azimuth angle, and reflectance for each of the bands with standard deviations. Values of -1.0 signify missing data. All measurements were taken at nadir, except where otherwise indicated.

Figures 6.1 through 6.3 are reflectance plots for a sample set of black spruce and aspen sites. The black spruce sites, 14 and 15, are located within the same bog, and the aspen sites, 3 and 16, are located only about 80 meters apart. These sample plots were produced to note the differences in MMR band reflectance for aspen and black spruce at the beginning, middle, and end of the growing season. These plots show the consistency of the spectral reflectance of the spruce sites in comparison with the seasonal changes in the aspen. Another comparison between aspen and spruce sites may be seen in Figure 6.4, where values for the Normalized Difference Vegetation Index (NDVI) are plotted throughout 1983 for an aspen site (site 16) and a spruce site (site 14). NDVI is the difference between the reflectance in MMR bands four and three divided by their sum, and is related to the amount of green foliage present in the canopy. Figure 6.4 shows the aspen stand "greening up" in the spring and becoming senescent in the autumn, while NDVI in the evergreen spruce stand does not show a seasonal variation.

In 1984, MMR data were collected using off-nadir view angles to measure the bidirectional reflectance characteristics of the forests. Figure 6.5 shows the reflectances for three different view angles for a spruce and aspen site. In the backward scattering direction (view azimuth=0) both the spruce and aspen stands have higher reflectances in all channels because more of the illuminated foliage is seen. There is little difference between the nadir (view zenith=0) and forward scattering (view azimuth=180) views within each stand.




Figure 6.1 Spectral reflectance in each MMR band collected from the helicopter for two spruce and two aspen sites on May 15, 1983.




Figure 6.2 Spectral reflectance in each MMR band collected from the helicopter for two spruce and two aspen sites on July 12, 1983.




Figure 6.3 Spectral reflectance in each MMR band collected from the helicopter for two spruce and two aspen sites on October 6, 1983.




Figure 6.4 Normalized Difference Vegetation Index (NDVI) from helicopter MMR throughout 1983.




Figure 6.5 Spectral reflectance in each MMR band at three different view and zenith angles collected from the helicopter for spruce and aspen sites on September 16, 1984.

Table 6.1 - Helicopter MMR Availability 1983

Number of observations aquired for each site and date. Each row is for a given site and each column is a seperate date given by month and day.

<u>Site</u>	Acquisi <u>05/15</u>	tion Date 05/16	es 1983 <u>06/09</u>	<u>07/12</u>	<u>07/13</u>	<u>08/12</u>	<u>08/14</u>	<u>10/06</u>	<u>10/26</u>	<u>10/27</u>	<u>12/03</u>
1	1	00110	1	<u>0, j 16</u>	<u>V:1 iv</u>	1	00/14	10/00	10/ 40	10/6/	12/05
2	1		1	1		1	1	1		1	1
3	3		1	1		1	1	1	1		1
4	1		1							1	
5	1										
6	1		1								
8	1		1							1	
10 12	1 1		1		1	1	-	1	1	1	
12	1		1 1		1	1 1	1	1	1		1
14	1	2	1	1		1	1	1		1	1
15	3	4	1	1		1	1	1		1	1
16	1		1	1		1	1	2	1	2	2
17	1		1				-	_	-	-	-
18	1		1		1	1	1	1	1		
19	1	3	1		1	1	1	1	1		
20	1		1		1					1	
21	1	•	1		1	1	1	1	1	_	
22	1	2	1	1	1	1	1	-		1	
23 24	1 1		1 1	1 1	1	1	1	1		1	1
24 25	1	1	1	1	1	1	1	1	1		
26	1	1	L		1	1	1	1	1		
28	-				1	1	1				
38					1						
39					1						
40							1				
41					1	1	1			1	
42					1		1			1	
43			1		1	1	1			-	
45 46					1	2	1			1	
40 47					1 1	1 1	-				
48					1	1					
49					1	1					
50					1	1					
51					1	1	1			1	
52					1						1
53							1				
54					1	1					
55					1	1	•				
55 56 57					1 1	4	3				
57					1	1					

Site	Acquisit <u>05/15</u>	ion Date 05/16	es 1983 <u>06/09</u>	<u>07/12</u>	<u>07/13</u>	<u>08/12</u>	08/14	<u>10/06</u>	<u>10/26</u>	<u>10/27</u>	<u>12/03</u>
58 59							1 1				
60					1	1	_				
61 62					1	1	1				
62 63					1	1					
64					1	1					
65						1	1			1	
66 67						1 1	1 1			1 1	
68					1	1	1	1	1	•	
69				1		1	1	1	1		
70 71				1 1		1	1	1	1		
72				L	1	1	1	1	1	1	1
73				1		2		1		1	1
74					1	1					
75 76					1 1	1 1					
77				1	1	1					
78					1	1				_	
79 80					1	1	1			1 1	
80 81					1 1	1	1			1	
82					1						
83					1	1					
84 85					1 1	2	1 1			1 1	
85 86					1		1			1	
87					1						
88					1					1	
89 90					1 1	1				1 1	
90 91					1	1		1		1	
92					1 1	1		1 1		1	
93 04					1	1					
94 95						1 1					
96						1					1
97						1				1	
98 99			1			1					
99 100			1			1 1					
101						1					
102							1	2	1	2	
103 104						1 1 1	1 1				
104 105						1	1		1		
106								1 1	1		
107								1	1		

		tion Date	es 1983								
<u>Site</u>	<u>05/15</u>	<u>05/16</u>	<u>06/09</u>	<u>07/12</u>	<u>07/13</u>	<u>08/12</u>	<u>08/14</u>	<u>10/06</u>	<u>10/26</u>	<u>10/27</u>	<u>12/03</u>
108								1	1		
111								1	1		
112								1	1		
113									1		
114									1		
115									1		
116										1	
117										1	
118										1	
119										1	
120			*							1	
121										1	
122										1	
124										1	
125										1	
999										1	

<u> Table 6.2 - Helicopter MMR Availability 1984</u>

Number of observations acquired for each site and date. Each row is for a given site and each column is a separate date given by month and day.

Acc	quisitic	on Dates	1984					_
Site	<u>05/18</u>	<u>05/28</u>	<u>06/03</u>	<u>08/02</u>	<u>08/03</u>	<u>08/16</u>	<u>09/16</u>	<u>09/23</u>
2	1	1	1		3	2	4	1
3	1	1	1	1	3	2	3	
10						_	1	1
12	1	1	1	2	3	2 2 2	2	1
14	1		1		3	2	3	1
16	1	1	1	1	3	2	3	-
18	1						1	1
19	1		1				1	1
21	1						1	1
39								1
42			1					1 1 1
48			1		-	4	•	1
52	1	1	1	2	2	1	2 3	1
61							3 1	1
70	1	1	1				1	
73	1	1	1	1			1	
75	1	1	1	1			1	
84			1					
87		1	1	1	2	2	3	
88	1	1	1	1	3	2 2	3	
89	_		1	1	3 3 3	2	3 4	
92	1	1	1 1		2	1	3	
93	1	1	1		5	1	3	1
102							0	1
119								1
121								1
122								1
124								1
125	I							2

- CC
÷
- P
\simeq
2
2
·. 1
- 51
- 04
a
ଘ
•
-
-
m
òó
3
-
<u> </u>
63
9
,
D
3
r 1

Reflectance data collected from the helicopter-mounted MMR in 1983. Each table has data collected from a single day. Site is the average percent reflectance measured by the MMR. Std 1 through 7 are the standard deviations of the reflectance measurements. site location; Obs. is the number of observations averaged; Hgt. is the altitude of the helicopter in hundreds of feet; start and end times are in GMT in the form HHMMSS; Sol Zen and Sol Az are the solar zenith and azimuth angles; Rfl 1 through 7 are the Unless otherwise noted, all observations are nadir views. Reflectances of -1.00 are missing values.

May 15, 1983

	~																												
	Std 7	0.31	0.14	0.11	0.07	0.10	0.07	0.01	0.45	0.43	0.10	0.57	0.54	0.18		14.0	0.45	0.01	0.01	0.15	0.42	0.07	0.17	0.03	0.36	0.25			0.13
	<u>Rn 7</u>	3.91	3.02	3.16	2.96	2.81	2.69	0.03	13.30	10.99	13.38	13.03	3.57	15.63	01.01		10.67	0.01	0.01	3.01	5.79	6.32	5.62	0.04	12.54	10 01			4. 44 2.37
	Std 6	0.25	0.27	0.18	0.12	0.16	0.16	0.02	0.65	0.57	0.15	0.77	0.83	0.30	0.50		0.46 0.25	0.01	0.01	0.22	0.62	0.11	0.28	0.04	0.64	0.46	22	00.1	0.33
	<u>Rf16</u>	8.94	7.04	/.28	7.15	6.72	6.52	0.07	22.17	18.71	22.62	21.64	8.88	25.11	24 60		0.40	0.03	0.03	7.78	11.50	12.77	12.04	0.08	20.57	9.05	6 67	0.0 72 0	5.86
	Std 5	0.49	0.32	0.24	0.14	0.16	0:30	0.02	0.68	0.33	0.34	0.52	0.77	0.36	0 24		20.0	70.0	0.03	0.48	0.82	0.16	0.34]	0.04	0.61 2	0.28 1			0.10
	<u>Rfi 5</u>	18.37	13.56	13.04	14.09	13.29	12.96	0.16	24.45	21.21	25.38	24.00	19.20	25.08	75 87	20.00	10.77	0.10	0.11	15.83	19.39	20.81	19.94	0.20	21.07	21.43	19 49	25.51	11.28
	Std 4																											•	•••
	<u>Rn 4</u>																		_	-		-	_	-	-	-	-		
	Std 3																												
	Rfl 3																									_	_	-	-
	Std 2																					-	-	-	-		-	• •	
	Rfl2																										-	_	
	Std1																					-	-	-				•••	•
																				_		-	_	_	-	Ξ.	-	-	-
4		000	000	000			0.0	0.00	0.00	0.00	0.0	0.00	0.0	0.00	0.00	00.0	0.00		8.0	00.0	0.0	0.0	0.00	0.00	0.00	0.00	0.0	0.00	0.00
	201 AZ	222.50	223.31	225.00	225.00		00.022	00.722	229.00	230.00	231.00	231.44	233.25	235.00	237.00	238.00	239.00	250.00	3E1 7E	C/.1C7		200.00	224.00	254.33	00.552	255.00	256.00	257.00	257.00
1	35 00	35.50	36.00	36.00	36.00	27.00		37.UU	38.00	38.00	00.65	00.65	40.00	40.00	41.00	42.00	42.00	49 NN		20.00	21.00	0.10	00.10	22.00	00.2C	52.00	53.00	54.00	54.00
i	193740	408	610	002	159	202		040 040		1	2	114	010	205	<u>3</u> 25	22	120	47		22	202	2 5	25	55	010	65	32	50	51
л Г		194	194	195	S.	, j					N R		20102	707	202	203	203	2110	212	2120	1 2 2		110	1017	₩	2141	2145	2149	2150
L TS	<u>31 11me</u> 193624	194212	194528	194918	195122	105738	105511		200611	110007		201110	/16102	671707	202747	203115	203416	211923	212355	212005	213247	212428	007-017	71-0010	41-10-17	<11412	214505	214902	215026
1-1		1	F -1	7	ო	•	• -	- ~	ი -	- r	1 -	* -	- ,	- ,		1	1	1	· -	•	•					- ,	-	* 4	1
	-1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -					16	2 7	2 1		01 71			<u>e</u> >	<u>e</u> :	9	16	16	12	5	5	10	10	<u>1</u> c	<u>1</u> c	4 c	<u>y</u> (2	2	2
	비니	2	4	5 S	5 5	در	-, , (, u	5 U	- - -	2 6		, , , ,	 	<u> </u>	. –	,- T	~ ~	· ~			. .			- + -		-	-	~
May C	1		ij.	1	Ĥ	-	· `	1	-	•					-	_,	5	5	1	-	31	1 1	1 6	18	1 5	7 8	7	5.	ω

			121
Hat. St.Time End. Time Sol.D	Std 7 0.20 0.23 0.54 0.54 0.54 0.54 0.54 0.54 0.54 0.54 0.54 0.54 0.54 0.54 0.55 0.50 0.50		0,400
Her. STITULE End. Time Sold	RA 7 3.37 5.60 5.07 0.02 6.71 6.71	Rfl 7 3.91 3.91 3.91 3.91 3.91 3.91 3.91 3.91 3.91 3.92 3.91 3.91 3.92 3.93 9.93	
Het F. Har End Time Sol $224,0$ 0.00 256 0.17 217 0.13 $124,0$ $135,0$ $134,0$ $135,0$ $134,0$ $135,0$ $134,0$ $135,0$ $134,0$ $135,0$ $134,0$		Std 6 0.18 0.18 0.20 0.21 0.22 0.23 0.24 0.25 0.26 0.27 0.28 0.29 0.25 0.24 0.25 0.23 0.23 0.23 0.23 0.23 0.25 0.25 0.25 0.25 0.25 0.25	<u>Std 6</u> 0.18 0.33
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	Rf16 7.55 3.78 0.05 3.78 3.79 3.79 3.79 3.43	Rfi6 8.77 8.77 8.77 8.84 8.84 0.25 11.13 11.13 11.13 8.07 8.07 8.07 11.46 11.16 11.46 11.16 11.16 11.16 11.16 11.16 11.17 11.16 11.16 11.17 11.16 11.17 11.1	<u>Rf16</u> 14.34 12.11
b Hzt. STIME Sol Zem Sol Zem<		Std 5 0.32 0.32 0.28 0.70 0.70 0.70 0.70 0.71 0.72 0.72 0.72 0.72 0.72 0.72 0.72 0.72 0.72 0.72 0.72 0.72 0.72 0.72 0.73 0.73 0.73 0.73 0.73	Std 5 0.31 0.66
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		Rf1 5 15.81 15.81 15.81 15.81 15.81 15.81 15.81 15.81 15.81 15.82 15.82 15.82 15.82 15.82 25.85 0.35 25.14 25.15 25.55 25.55 25.55 25.55 25.55 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.100 26.103 16.75 16.60	<u>RA 5</u> 33.61 25.67
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Std 4 0.53 0.73 0.73 0.14 0.14 0.14	$\begin{array}{c} \frac{\text{Std}}{4} \\ 0.30 \\ 0.22 \\ 0.29 \\ 0.29 \\ 0.29 \\ 0.21 \\ 0.29 \\ 0.21 \\ 0.21 \\ 0.22 \\ 0$	Std 4 0.38 0.77
\mathbf{F} Hgt. St. Time End Time Sol Z210 Sol A2 R11 Std1 Std2 R13 Std2 R13 <td< td=""><td>Rfl 4 [2.42] [3.74] [4.20] 0.23 [16.51] [6.51]</td><td>Rfl 4 20.38 20.38 13.41 13.41 13.41 13.41 13.41 13.41 13.41 13.41 13.41 13.41 13.41 13.41 13.45 25.55 27.55 27.55 27.55 27.55 27.55 27.55 27.55 27.55 27.55 27.55 27.55 27.55 27.55 27.55 11.2.75 11.7.75 11.7.75 11.7.75 11.7.75 11.7.98 11.6.63 11.7.98 11.5.98 11.5.98 11.5.98</td><td><u>Rfi 4</u> 35.12 25.94</td></td<>	Rfl 4 [2.42] [3.74] [4.20] 0.23 [16.51] [6.51]	Rfl 4 20.38 20.38 13.41 13.41 13.41 13.41 13.41 13.41 13.41 13.41 13.41 13.41 13.41 13.41 13.45 25.55 27.55 27.55 27.55 27.55 27.55 27.55 27.55 27.55 27.55 27.55 27.55 27.55 27.55 27.55 11.2.75 11.7.75 11.7.75 11.7.75 11.7.75 11.7.98 11.6.63 11.7.98 11.5.98 11.5.98 11.5.98	<u>Rfi 4</u> 35.12 25.94
\mathbf{F} Hgt St. Time End Time Sol 2 Sol 2 Sol 2 St. 2	2.11 2.11 2.11 2.11 2.11 2.11 2.11 2.11	$\begin{array}{c} \frac{\text{Std}}{\text{0.09}} 3\\ 0.09\\ 0.07\\ 0.06\\ 0.05\\ 0.02\\ 0$	<u>Std 3</u> 0.03 0.04
b. Hgt. St. Time End Time Sol Zam Sol Az Rh1 Std1 Rf12 Sdd2		Rfil 3 2.71 2.71 2.71 2.252 2.71 2.252 2.71 2.252 2.72 2.252 2.73 2.252 2.746 2.252 2.252 2.252 2.252 2.252 2.252 2.252 2.252 2.252 2.252 2.252 2.252 2.252 2.252 2.252 2.252 2.252 2.252 2.252 2.252 2.252 2.252 2.252 2.253 2.252 2.253 2.252 2.253 2.253 2.253 2.253 2.253 2.253 2.253 2.253 2.253 2.253 2.253 2.253 2.253 2.253 2.253 2.253 2.253 2.253 2.253 2.253 2.254 <	<u>Rfl 3</u> 1.40 1.41
b. Hgt. St Time End Time Sol Az Sh 1 St 1 <thst 1<="" th=""> St 1</thst>		Std 2 0.06 0.09 0.112 0.112 0.112 0.036 0.112 0.012 0.013 0.023 0.013 0.023 0.013 0.026 0.013 0.026 0.013 0.027	<u>Std 2</u> 0.05 0.06
b. Hgt. St. Time End Time Sol Zen Sol Az Rfl.1 Std.1			<u>Rf12</u> 2.29 2.18
a. Hgt. St Time End Time Sol Azimo Rfl 1 3 194707 194707 194707 194707 194707 4 194932 195356 36.00 224.00 0.00 0 3 202501 20747 41.00 238.00 224.00 0.00 0 4 202501 202747 41.00 238.00 238.00 0.00 0		Std1 0.05 0.05 0.05 0.05 0.019 0.05 0.00 0.05 0.00 0.05 0.00 0.05 0.55 0.55 0.55 0.55 0.55 0.55 0.55 0.55 0.55 0.55 0.55 0.55	<u>Std1</u> 0.02 0.05
\mathbf{Hgt} St Time End Time Sol \mathbf{Az} Sol \mathbf{Az} Sol \mathbf{Az} 3 194707 194707 194704 36.00 224.00 224.00 226.00 224.00 236.00 225.44 0 0 237.00 0 237.00 240.19 240.19		_	<u>RA 1</u> 2.00 1.79
Hgt. St Time End Time Sol Zen 3 194707 194748 36.00 3 194707 194748 36.00 4 194932 195356 36.00 3 2022012 202747 41.00 4 202501 207735 42.09 5 4 203948 20100 4 203948 203735 42.00 5 4 192593 203904 42.19 6 4 203948 204122 42.19 6 4 192555 192648 30.00 6 4 1925142 199593 30.00 6 4 1925142 195593 34.00 6 4 201658 201138 35.00 6 4 201658 201138 35.00 6 4 201658 201138 35.00 6 4 201568 201658 36.00 6 4 201558 204159 51.00 6 4 </td <td></td> <td>ol Az 111.00 225.00 225.00 225.00 225.00 225.00 2265.00 265.00</td> <td><u>Sol Az</u> 101.00 103.00</td>		ol Az 111.00 225.00 225.00 225.00 225.00 225.00 2265.00 265.00	<u>Sol Az</u> 101.00 103.00
Hgt. St Time End Time Solution 3 194707 194707 194748 3 194707 194707 194748 4 194707 194707 194748 5 3 202255 202747 6 4 202501 202747 7 4 203948 20747 8 4 190837 190951 8 4 190837 190951 8 4 192555 192648 9 199837 190837 190951 8 4 192555 192648 9 4 192555 192648 6 4 192555 192648 6 4 201056 203113 6 4 201613 201356 6 4 201152 203759 6 4 2011565 201138 6 4 201613 2025014 6 4 203560 205049 6 4 203154			<u>ol Zen</u> 50.00 49.00
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$			
$ \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \end{array} \end{array} \end{array} \\ \begin{array}{c} \end{array} \end{array} \end{array} \\ \begin{array}{c} \end{array} \end{array} \end{array} \\ \begin{array}{c} \end{array} \end{array} \\ \begin{array}{c} \end{array} \end{array} \\ \begin{array}{c} \end{array} \end{array} \\ \begin{array}{c} \end{array} \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \end{array} \\ \begin{array}{c} \end{array} \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \\ \end{array} \\ \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \\ \end{array} \\ \end{array} \\ \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \\ \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \\ \end{array} \\ \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \\ \end{array} \\ \end{array} \\ \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \\ \begin{array}{c} \end{array} \\ \end{array} $	End J 1947 1953 2022 2022 2037 2037 2039 2039		
	<u>St Time</u> 194707 194932 202201 202501 202912 203923 203948	St Time 190837 192555 1925555 192555 192814 195142 195142 195142 200212 200212 200212 201613 201613 201613 201613 201554 201613 201613 2204950 2204950 2204950 2204950 2204950 220140 <td< td=""><td><u>St Tim</u> 143647 144432</td></td<>	<u>St Tim</u> 143647 144432
) 20ままれみみみみみなみなみなみなみなみなみなみ T	<u>Hgt.</u> 4 4
$ \begin{array}{c} \text{May 16, 19} \\ \underline{Site \ C} \\ 14 \\ 14 \\ 14 \\ 19 \\ 19 \\ 11 \\ 10 \\ 11 \\ 11 \\ 10 \\ 11 \\ 11$		20 20 21 21 21 21 20 21 20 21 21 21 21 21 21 20 20 20 20 20 20 20 20 20 20 20 20 20	983 16 16
	May 16, 19 <u>Site</u> 5 14 14 22 22 25 19 19	June 9, 198 <u>Site</u> 1 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2	July 12, 1 <u>Site</u> 73 77

Std Z 0.08 0.12 0.14 0.14 0.11 0.11 0.12 0.11 0.12	Std 7 0.10 0.124 0.03 0.14 0.124 0.114 0.127 0.00 0.127 0.00 0.127 0.111 0.118 0.127 0.00 0.127 0.111 0.118 0.118 0.118 0.118 0.118 0.118 0.118 0.118 0.111 0.127 0.111 0.127 0.111 0.127 0.111 0.127 0.111 0.127 0.111 0.127 0.111 0.127 0.111 0.127 0.111 0.1120).19).19).33).50
RH 7 2.206 2.26 3.35 5.36 0.03 5.29 5.36 5.19 5.19	Rfl 7 1.65 4.14 1.65 0.000 1.150 0.000 1.150 1.111 1.150 1.111 1.111 1.111 1.111 1.111 1.111 1.111 1.111 1.111 1.111 1.111 1.111 1.111 1.111	0000
Std 6 0.13 0.25 0.25 0.25 0.25 0.27 0.27 0.28 0.28 0.28 0.13	$\begin{array}{c} \frac{5td\ 6}{0.20}\\ 0.20\ 0.24\ 0.20\ 0.24\ 0.20\ 0.24\ 0.12\ 0.13\ 0.12\ 0.13\ 0.28\ 0.23\ $	0.26 0.30 0.61 0.79
Rf16 5.87 6.26 6.54 0.01 13.15 13.15 13.15 13.15 13.15 17.16 17.14 17.14	Rfl6 6.13 7.13 7.13 7.11	7.28 8.46 17.50 19.57
Std 5 0.28 0.28 0.00 0.03 0.03 0.03 0.03 0.03 0.03 0.0	Std 5 0.29 0.21 0.25 0.26 0.17 0.17 0.26 0.17 0.17 0.26 0.15 0.16 0.17 0.17 0.18 0.19 0.10 0.12 0.13 0.14 0.15 0.15	
Rfl 5 13.22 13.22 0.05 28.82 28.82 28.82 28.82 33.19 33.19 33.16	Rfl 2 3 8 1	14.65 18.31 35.94 38.81
Std 4 0.23 0.34 0.34 0.37 0.37 0.37 0.37 0.34 0.35 0.36 0.37 0.37 0.37 0.37 0.37 0.37 0.37 0.37 0.37 0.37 0.37 0.37 0.37 0.37 0.37 0.37	$\begin{array}{c} \frac{5td}{4} \\ 0.27 \\ 0.27 \\ 0.28 \\ 0.29 \\ 0.29 \\ 0.29 \\ 0.29 \\ 0.28 \\ 0.28 \\ 0.28 \\ 0.27 \\ 0.28 \\ 0.27 \\ 0.28 \\ 0.29 \\ 0.28 \\ 0.29 \\ 0.20$	0.30 0.37 0.63 0.63
Rfl 4 11.67 12.44 12.72 31.96 31.96 31.97 31.96 31.95 31.96 9.17	$\begin{array}{c} \underline{Rh}_{4} \\ \underline{Rh}_{4} \\ \underline{Rh}_{4} \\ \underline{25.00} \\ \underline{25.00} \\ \underline{25.00} \\ \underline{25.00} \\ \underline{23.35.15} \\ \underline{28.86} \\ \underline{33.515} \\ $	14.04 18.76 36.45 38.65
Std 3 O.05 0.03 0.04 0.03 0.03 0.03 0.03 0.03 0.03 0.03 0.03	$\begin{array}{c} \frac{\text{Std}}{3}\\ 0.06\\ 0.02\\ 0.0$	0.10 0.10 0.09 0.15
Rfl 3 1.46 1.65 0.57 1.35 0.35 0.35 1.78 1.78	$\begin{array}{c} \frac{R1}{1.57}\\ 1.57\\ 2.15\\ 2.15\\ 2.03\\ 2.03\\ 2.26$	2.13 2.67 2.32 2.38
Std 2 Std 2 0.07 0.09 0.09 0.06 0.09 0.09 0.05 0.05 0.05 0.05 0.03 0.03	$\begin{array}{c} \frac{\text{Std}}{\text{0.07}} \\ 0.07 \\ 0.07 \\ 0.07 \\ 0.06 \\ 0.014 \\ 0.016 \\ 0.06 \\ 0.010 \\ 0.000 \\$	0.13 0.13 0.24
Rf12 2.31 2.53 2.59 0.58 0.58 0.58 0.58 3.16 3.16 3.45	$\begin{array}{c} \frac{Rf12}{2} \\ 2.564 \\ 2.554 \\ 2.551 \\ 2.551 \\ 2.254 \\ 2.251 \\ 2.254 \\ 2.251 \\ 2.254 \\ 2.$	3.25 4.16 3.69 3.92
Std1 0.05 0.03 0.04 0.03 0.03 0.03 0.03	Std1 0.05 0.04 0.07 0.03 0.03 0.03 0.03 0.03 0.03 0.03	0.0 90.0 0.0
Rfl 1 1.55 1.69 1.71 1.87 1.95 1.95 0.55 2.22 2.48	Rfi 1 1.73 2.65 2.15 2.15 2.16 2.173 2.16 2.173 2.18 2.12 2.13 2.14 2.15 2.15 2.15 2.15 2.15 2.15 2.15 2.15 2.15 2.15 2.15 2.15 2.15 2.15 2.15 2.15	2.72 2.67 2.67 2.71
Sol Az 104.00 105.00 105.00 105.00 109.00 111.00 111.00 113.00	Sol Az Sol Az 92.00 92.00 93.00 93.00 93.00 94.00 94.00 94.00 95.00 95.00 96.00 96.00 97.00 97.00 98.00 97.00 98.00 97.00 98.00 97.00 111.00 101.50 111.00 1114.00 1115.00 1115.00 1115.00 1116.50	120.00 147.00 149.31
Sol Zen 48.00 47.00 45.00 45.00 45.00 42.00 42.00 42.00 42.00 42.00 42.00	Sol Zen 58.00 58.00 55.00 50 50 50 50 50 50 50 50 50 50 50 50 5	39.00 29.00 29.00
End Time 145146 145435 145902 150552 15018 150552 151044 151615 152050 152235 152235	and Time 134847 135149 135349 135532 140556 140556 140557 141557 141523 141734 141917 141917 141917 141917 141917 141917 141917 141917 141917 151938 151938 155136 155156 155557 155156 155556 1555556 155556 155556 155556 155556 155556 155556 155556 1555	155126 170731 171314
d) <u>St Time</u>] 145111 145358 145825 145825 15002 151002 151002 152156 152156 152710	St Time J St Time 134812 134812 134812 1355116 1355116 135547 135547 135547 135556 140542 140512 141656 141656 141200 142200 142543 141656 142543 141200 142543 151736 151736 151736 151905 151905 152149 152322 1530445 15303	55050 70656 71234
152 157 157 157 157 157 157 157 157 157 157		155 170 171
983 (continu 16 <u>Hgt.</u> 16 4 16 4 16 4 16 4 16 4 16 4 16 4 16 4	86 00 5 5 5 5 5 5 5 5 5 5 5 5 5	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
July 12, 1983 (continued) 2 16 4 14 2 16 4 14 14 16 4 14 15 16 4 15 23 16 4 15 3 16 4 15 3 16 4 15 24 16 4 15 69 16 4 15 70 16 4 15 71 16 4 15		1 4 9 90 00 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
uly 22112 2776 22112 2011 2011 2011 2011 2011 2011 20	الم 2 & & & & & & & & & & & & & & & & & & &	7488 888

Std 7	0.22	0.55	0.14	0.11	0.18	0.18	0.06	0.89	0.41	0.11	0.18	0.23	0.23	0.39	0.15	0.27	0.09	0.10	1.43	0.13	0.06	0.19	1.07	0.08	0.62		Std 7	0.12	0.07	60.0	0.14	0.11	0.07	0.25	10.0	000	0.09
Rfi 7	5.35	4.68	5.57	2.85	4.91	3.19	3.04	2.37	3.25	2.97	3.56	8.67	7.45	8.90	5.02	5.08	4.42	4.47	4.33	4.31	3.89	3.87	3.48	4.96	0.83		<u>Rfi 7</u>	1.72	3.54	3.46	1.67	1.85	2.05	-0.94 194	3.27	20.5 10 c	4.26
Std 6	0.37	0.95	0.33	0.20	0.27	0.38	0.13	0.45	0.92	0.26	1.03	0.40	0.47	0.66	0.25	0.53	0.18	0.21	0.29	0.23	0.23	0.36	0.49	0.15	1.23		Std 6	0.35	0.22	0.26	0.34	0.22	0.15	47.0 .:	0.19	72.0	0.29
Rfig	13.19	10.99	16.98	8.01	10.52	8.23	7.88	7.29	9.02	7.77	9.88	18.58	16.46	19.48	15.51	16.33	14.25	13.89	14.00	13.79	13.41	12.83	12.30	15.71	1.33		<u>Rf16</u>	4.97	13.57	11.68 2 22	5.00	5.35	5.86	-0.94	12.01	16.80	15.10
	0.54																										Std 5	0.72	0.55	0.48	0.64	0.34	0.22	0.25	1.90	0.51	0.62
RAS	24.33	20.06	32.99	16.50	17.40	15.95	15.44	14.10	18.44	14.98	18.62	30.61	26.92	31.20	30.60	33.29	29.19	27.32	27.06	27.18	28.41	26.51	25.22	30.47	1.14		<u>RA 5</u>	11.36	32.51	24.75	11.24	11.99	12.86	-0.04	01./2	35.05	33.95
Std 4	0.64	0.92	0.81	0.57	0.41	0.67	0.54	0.88	0.95	0.31	0.61	0.38	0.39	0.39	0.77	0.56	0.89	0.61	0.50	0.42	0.59	0.64	0.75	0.57	0.72		Std 4	0.66	0.72	0.50	0.73	0.36	0.24	0.02	1.53	00.0	0.04 0.94
80 A	22.87	18.38	33.52	17.00	15.43	16.11	15.50	15.24	18.21	14.03	17.50	26.84	22.37	25.33	31.11	34.74	30.94	28.55	27.96	28.55	31.45	29.35	27.93	32.46	1.34		<u>Rfi 4</u>	11.02	35.63	25.30	10.81	11.65	12.30	0.34	29.12	30.20	36.72
543	0.17	0.29	0.08	0.09	0.11	0.11	0.09	0.17	1.07	0.74	0.05	0.15	0.74	0.29	0.09	0.49	0.10	0.09	0.75	0.05	0.06	0.07	0.12	0.07	0.75		Std 3	60.0	0.03	0.05	0.11	0.09	0.04	0.02	0.06		0.04
2 H 3	<u>3.21</u>	3.05	1.98	2.34	2.77	2.34	2.18	2.16	1.77	1.85	2.27	6.33	4.90	5.67	1.97	1.94	1.82	1.78	1.79	1.71	1.64	1.54	1.69	1.76	1.74		<u>Rfi 3</u>	1.28	1.62	1.59	1.31	1.47	1.57	0.87	1.49	1 06	1.90
C P45	0.23	0.34	0.12	0.13	0.11	0.14	0.13	1.06	0.24	0.97	0.08	0.13	0.15	0.20	1.01	0.13	0.11	60.0	0.11	0.09	0.06	0.07	0.16	0.06	0.76		Std 2	0.13	0.05	60.0	0.17	0.11	0.06	0.02	0.10		0.06 0.06
613 12	4.76	4.39	3.37	3.71	3.84	3.52	3.28	3.04	3.37	2.74	3.43	6.76	5.71	6.19	2.88	3.33	2.87	2.70	2.94	2.67	2.57	2.41	2.72	2.85	1.79		<u>Rf12</u>	2.01	2.51	2.38	2.01	2.22	2.35	0.91	2.16	2.17 2.13	3.12 3.12
541	0.14	0.22	0.08	0.09	0.83	0.10	0.08	0.16	0.79	0.06	0.77	0.10	0.10	1.24	0.06	0.09	0.07	0.06	0.07	0.75	0.06	0.05	0.10	0.79	0.70		Std1	0.07	0.04	0.06	0.11	0.07	0.05	0.02	0.08	000 000	cn.u 0.05
1 D.0	2.94	2.84	2.36	2.37	2.19	2.32	2.16	2.23	2.01	2.06	1.97	4.18	3.60	3.77	2.21	2.45	2.15	2.10	2.22	1.90	2.09	1.93	2.05	1.94	1.62		<u>Rfi 1</u>	1.38	2.18	1.90	1.43	1.57	1.63	0.72	1.90	14.1	2.34 2.37
Col A3	153.00	154.75	159.00	197.56	199.00	200.00	201.00	202.00	203.25	205.00	207.00	209.00	210.00	211.50	214.75	217.00	222.00	224.00	225.00	227.00	228.00	229.00	230.00	231.00	233.69		Sol Az	100.00	104.00	108.00	109.70	112.00	112.50	113.00	114.83	117.00	118.00
Col 7an	28.00	28.00	27.00	27.00	27.00	27.00	27.00	28.00	28.00	28.00	28.00	29.00	29.00	29.00	30.00	30.00	32.00	32.00	33.00	33.00	34.00	34.00	34.00	35.00	36.00		<u>Sol Zen</u>	61.00	57.94	55.00	53.65	52.00	51.50	51.00	50.04		49.00 48.00
and Time	172106	172427	173442	184821	185110	185326	185439	185835	190108	190447	190755	191203	191439	191817	192527	193057	194353	194808	195210	195545	195953	200257	200652	200936	201623		End Time	140334	142201	143838	145210	145811	150020	150210	151007	102101	151512
d) 64 Time 1			173408	184746	85036	185249	85406	185800	190035	190411	190721	191129	191402	191742	192450	193023	194312	194734	195133	195511	195916	200202	200535	200855	201549		St Time	140241	142126	143801	144611	145735	145942	50135	50757	/7110	52020
nued)		172	173	184	185	185	185	185	190	<u>1</u>	19	191	191	191	192	19	19,	19,	195	199	19	20	20	50	50			14	14	14	14	14	14	15	13	η Ω	12
3 (conti	16 4	16 4	64	64	64	5 4	6 4	64	64	64	6 4	6 4	6 4	6 4	6 4	6 4	15 4	15 4	15 4	16 4	16 4	20 4	19 4	15 4	16 4	1983	Obs. Hgt.	16 4	16 4	15 4	23 4	16 4	16 4	16 4	54	• •	16 16
	빗		1 1	0 1	7 1	9 1	8 1	5 1	4 1	43 1	56 1	62 1	3	64 1	20 1	87 1	90 1	78 1	92 1	93 1	5	4	2	76 1	ຄ	August 12, 198:	Site O	56]		78	2	14		ន	ი <u>·</u>	<u>ہ</u> ز	69
July 1	<u>5</u> 3	57	91	50	47	49	48	Ŋ	S	4	ഗ	9	9	9	5	æ	6	~	9	9	2	~	~	~	(1	Aug	201	,	. `	. ~		-		. 4	•		

	2																																							
	Std	0.11	0.22	0.00	0.10	0.20	17.0	0.07	0.20	0.08	0.13	0.41	0.39	0.22	0.10	0.08	0.07	0.15	0.21	0.14	0.07	0.15	0.08	0.09	0.09	0.27	0.12	0.15	0.15	0.24	0.15	0.24	0.19	0.53	0.14	0.49	0.23	0.03	0.13	0.56
	RA 7	2.18	5.3	8.7	7.7.7	8.9	0.43	6. 6. 1	2.55	2.30	4.20	4.82	4.87	6.02	2.85	2.64	4.36	4.71	4.14	4.31	0.27	4.73	2.43	2.85	2.51	2.97	2.35	2.43	2.55	3.81	4.07	7.10	8.82	8.27	5.51	6.67	5.28	2.28	2.91	3.45
•	Std 6	0.23	0.31	77.0	0.16		<u></u>	01.0	0.46	12.0	0.27	0./4	0.67	0.38	27.0 27.0	0.16	67.0 27.0	0.59	0.48	0.48	60.0	0.25	0.17	0.20	0.23	0.68	0.30	0.34	0.32	0.57	0.31	0.45	0.32	0.90	0.38	1.01	0.57	0.13	0.35	1.17
	<u>Rf16</u>	6.21	15.58 001	5.	///	14.60	10.1	10.4	5.5	6.49	r 0.69	10.01	97.0	c/.e]			4.03	4.54 77 77	3.7	4.22	0.35	9.71	6.99	7.54	6.92	8.41	7.27	10.7	6.75 0.25	6	1.44	5.95 000	9.03	8.31	3.19	5.55	5.90	6.37	8.86	9.90
	Std 5																																							
	<u>RA 5</u>																																						_	
	Std 4																																							
	Rfl 4																																	-	-			-	-	
	Std 3																																							
	RA 3 5																																							
	Std 2 R																																							
	Rfl2 St																															-	-							-
																																-								
	1 Std1																																							
	RA 1																																				• ·			
	<u>Sol Az</u> 119.55	120.00	121.00	122.00	124.00	125.00	125.00	127.00	128.00	130.00	147.00	147.00	148.00	151.00	152.29	156.60	157.25	159.00	159.65	160.06	163 75	165.00	167.00	167.00	170.00	170.63	171.00	173 75	174.88	177.00	178.00	179.00	182 00	182 00	201 44		204.00	200.17	3.02	707.607
	<u>Sol Zen</u> 47.00	47.00	47.00	46.00	45.00	45.00	44.00	43.00	43.00	42.00	37.00	37.00	36.00	36.00	35.57	35.00	35.00	34.00	34.00	34.00	34.00	34.00	13.00	300	200 2000	3 00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	8.0	3 S	38	3.5	3.5	2.0
	End Time 152824	153053	153347	153852	154454	154655	15495	15561	15574	16043	16553	16565	16585	17062	17102	17201	17220	17251	17273	17290	17362	17400	17434	17450	17505-	17522	17544	17593(18023	18071	180950	181223	181743	181954	19041	100031	101601	191856	107353	174004
(Denu	<u>St Time</u> 152733	53016	153253	53816	54415	54615	54913	55524	55709	60345	65441	65613	65817	70545	70753	71629	72132	72432	72642	72824	73551	73930	74310	74430	75016	75146	75359	75851	80157	30634	30912	31150	31704	31917	01333	0630	01526	191820	22150	2017
CONTRA	4 1 2 1 2 1 2 1			4 1	4 1	4	4 1	4 1	4 1	4 1	4 1	4 1	4 1	4	4 1	4 1	4 1	4 1	4 1	4 1	4	4 1.	4 1.	4 1:	1.	4 1.	4 1.	4 1.	4 18	4 18	4 12	4 18	15	1 15	1	1 :	1	 	11	:
221	50 20 20 20 20 20 20 20 20 20 20 20 20 20	16	20	15	16	16	16	20	16	20	20	12	16	16	5 8	8	16	16	ຊ	16	16	16	16	12	[9	16	16	, 16	16	16	16	10	9	9	9	22	ت ي ر	ر مر د	2	ł
dinse 14,	<u>Site Obs. Hgt.</u> 68 20 4	21	52		12	18	61	41		51								96											56 1							2	10	. r	, C	י א
nr.	. –		•	-			-		·	_,					ч.		~	5	-	• •	4	40	4	4	U)	U)	น)	4	u)	-	9	9	9	10	10	2	10	1 9) vá)

August 12, 1983 (continued)

<u>/</u> >	2011 2011 2011 2011 2011 2018 2018 2018
$\begin{array}{c} \frac{\text{Std}\ 7}{0.27}\\ 0.27\\ 0.26\\ 0.11\\ 0.12\\ 0.12\\ 0.12\\ 0.12\\ 0.12\\ 0.28\\ 0.28\\ 0.28\\ 0.28\\ 0.28\\ 0.28\\ 0.12\\ 0.12\\ 0.28\\ 0.2$	
Rf1 2.59 3.381 3.259 3.259 3.259 3.259 3.259 3.259 3.259 3.250 3.256 3.251 5.16 3.255 3.266 3.256 4.51 3.266 4.551 3.266 4.551 3.266 4.551 2.126 3.266 2.127 3.266 3.266 4.551 2.126 5.166 3.266 5.166 3.266 5.166 3.266 5.166 5.167 5.167 5.176 5.167 5.176 5.167 5.176 5.167 5.176 5.167 5.177 5.176 5.176 5.176 5.177 5.176 5.177 5.176 5.177 5.176 5.177 5.176 5.177 5.176 5.177	RA 7 1.94 3.88 3.88 4.59 5.15 5.15 1.99 2.49 2.49 2.47 2.47 2.73 2.73
Std 6 0.12 0.13 0.14 0.15 0.13 0.13 0.13 0.13	Std 6 0.33 0.34 0.14 0.18 0.18 0.18 0.18 0.34 0.59 0.18
Rfl6 7.91 7.91 7.91 7.91 7.91 7.91 7.91 7.91 7.91 7.91 7.92 9.43 9.43 9.43 9.43 9.43 9.43 9.43 9.43 9.43 9.43 9.43 9.43 9.43 9.43 9.43 9.43 9.43 9.59 5.93 5.94	Rfl6 5.24 9.77 9.77 11.82 0.00 5.84 5.84 5.84 5.78 5.78 5.78 5.78 5.78 5.78 5.78 5.78
$\begin{array}{c} \frac{\text{Std}5}{\text{0.17}}\\ 0.17\\ 0.22\\ 0.55\\ 0.53\\ 0.53\\ 0.55\\ 0$	Std 5 0.56 0.56 0.56 0.56 0.56 0.56 0.56 0.57 0.53 0.71 0.73 0.73 0.74 0.75 0.716 0.716 0.733 0.733 0.74 0.75 0.75 0.75 0.75
$\begin{array}{r} R.1.5\\ 18.19\\ 22.9.02\\ 22.9.02\\ 22.9.02\\ 22.9.02\\ 22.02\\ 2$	Rfl 5 11.56 11.56 11.56 19.58 23.75 0.03 33.59 13.27 15.30 15.30 15.30 15.30 15.30 13.27 14.48 14.48 13.59 13.59
$\begin{array}{c} \frac{Std}{4} \\ 0.17 \\ 0.17 \\ 0.28 \\ 0.54 \\ 0.54 \\ 0.52 \\ 0.52 \\ 0.52 \\ 0.52 \\ 0.52 \\ 0.52 \\ 0.52 \\ 0.52 \\ 0.52 \\ 0.52 \\ 0.55$	Std 4 4 0.58 0.58 0.36 0.36 0.71 0.37 0.73 0.37 0.73 0.37 0.73 0.36 0.35 0.36 0.35 0.36 0.36 0.36
Rd 23.0.04 22.0.04 22.0.04 23.0.04 23.0.04 23.0.04 23.0.04 23.0.05 23.0.04 23.0.05 23.0.05 23.0.05 23.0.05 23.0.05 23.00 23.0.05 23.00 23.007 23.00 23.007 23.00 23.007 23.00 23.007 23.00 23.007 23.00 23.007 23.00	Rfl 4 11.72 19.11 19.11 23.30 0.16 33.86 13.71 18.00 22.32 20.99 22.32 13.61 13.61 13.61
Std 3 0.18 0.02 0.018 0.06 0.016 0.06 0.0114 0.06 0.012 0.016 0.012 0.016 0.012 0.018 0.012 0.018 0.012 0.018 0.013 0.019	Std 3 Std 3 0.11 0.05 0.06 0.07 0.06 0.06 0.06 0.06 0.07 0.06 0.07 0.06 0.06 0.06
$\begin{array}{c} RA1 \\ RA1 \\ 1.57 \\ 1.57 \\ 1.57 \\ 1.57 \\ 1.58 \\ 1.55 \\ 1.72 \\ 1.56 \\ 1.78$	Rfl 3 1.45 2.65 3.42 0.44 2.13 1.69 1.50 1.50 1.50 1.50 1.54 1.64
$\begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} $	Std 2 0.15 0.15 0.06 0.08 0.08 0.08 0.09 0.08 0.010 0.08 0.02 0.08 0.03 0.08 0.06 0.08 0.07 0.08 0.08 0.08 0.09 0.08
Rfl2 2.19 2.233 2.19 2.253 3.10 3.10 2.10 2.110 2.110 2.110 2.110 2.110 2.110 2.110 2.110 2.110	Rf12 2.22 3.53 3.53 3.14 2.57 2.57 2.57 2.57 2.57
Std1 0.02 0.06 0.06 0.06 0.06 0.06 0.06 0.07 0.08 0.09 0.09 0.09 0.09 0.09 0.09 0.09 0.09 0.09 0.09 0.09 0.09 0.09 0.013 0.013 0.014 0.014	Std1 0.09 0.05 0.05 0.05 0.03 0.03 0.03 0.03 0.03
Rf1 1.52 2.06 2.06 2.07 2.08 1.93 1.19 2.233 2.116 1.19 2.233 2.233 2.233 2.233 2.233 2.233 2.233	Rfl 1 1.54 2.36 2.80 0.61 1.85 1.85 1.72 1.72 1.72
215.00 215.00 215.00 215.00 215.00 219.37 221.00 223.00 2247.40 2247.40 2247.40 2247.40 2251.00 2251.00 2251.00 2251.00	Sol Az 109.44 111.13 111.00 113.00 115.00 115.00 117.00 10
Sol Zen 33,00 35,00 35,00 35,00 35,00 54,00 54,00 54,00 54,00 54,00 51,40 51,000 51,00 51,0000 51,000 51,000 51,0000000000	<u>Sol Zen</u> 54.00 53.00 52.08 50.00 50.00 50.00 48.69 48.69
End Time 192540 19319 194534 194554 194554 195640 195640 195821 200553 201025 201025 201025 201254 202343 201254 202343 201255 201555 201555 201555 201555 201555 201555 201555 201555 201555 201555 201555 2	End Time 144414 145302 145603 145603 145603 145603 15027 151027 151321 151321 151321 151710 1523311 152654
ued) <u>St Time</u> <u>192503</u> <u>192503</u> <u>194566</u> <u>194566</u> <u>194556</u> <u>194556</u> <u>1945565</u> <u>195735</u> <u>200509</u> <u>200509</u> <u>200509</u> <u>200509</u> <u>200509</u> <u>200509</u> <u>200509</u> <u>200509</u> <u>2015119</u> <u>203729</u> <u>203729</u> <u>203753</u> <u>203753</u> <u>203753</u> <u>203753</u> <u>203753</u> <u>203753</u> <u>203753</u> <u>203753</u> <u>203753</u> <u>203753</u> <u>203753</u> <u>203753</u> <u>203753</u> <u>203753</u> <u>203753</u> <u>203753</u> <u>203753</u> <u>203753</u> <u>203753</u> <u>203753</u> <u>203753</u> <u>203753</u> <u>203753</u> <u>203753</u> <u>2037548</u> <u>2037548</u> <u>2037548</u> <u>20375548</u> <u>20375548</u> <u>20375548</u> <u>20375548</u> <u>20375548</u> <u>20375548</u> <u>20375548</u> <u>20375548</u> <u>20375548</u> <u>20375548</u> <u>20375548</u> <u>20375548</u> <u>20375548</u> <u>20375548</u> <u>20375548</u> <u>20375548</u> <u>20375548</u> <u>20375548</u> <u>20375548</u> <u>20375548</u> <u>20375548</u> <u>20375548</u> <u>20375548</u> <u>20375548</u> <u>20375548</u> <u>20375548</u> <u>20375548</u> <u>20375548</u> <u>20375548</u> <u>20375548</u> <u>20375548</u> <u>20375548</u> <u>20375548</u> <u>20375548</u> <u>20375548</u> <u>20375548</u> <u>20375548</u> <u>203755488</u> <u>20375548</u> <u>203755488</u> <u>203755488888888888888888888888888888888888</u>	St Time 144339 145226 145529 145529 145717 150620 151240 151240 151238 151238 151240 151238 15228 15228
199 199 199 199 199 199 199 199 199 199	
8 3	88 89 19 19 19 19 19 19 19 19 19 19 19 19 19
20 20 20 20 20 20 20 20 20 20 20 20 20 2	$\begin{array}{r} [14, 198] \\ \hline 0000 \\ 16 \\ 16 \\ 16 \\ 16 \\ 16 \\ 16 \\ 16$
August 12, 1983 (continued)SiteObs.Hgt.St.Ti67164192567164192573164194674164194675204194676194194676194194677164195693164195593164200591164200553164200556164200557164200558164200557164200558164200557164200560164200561164200593164201657164201660164201794164212795164213796164213797164213798204213693164213794164213795164213796164213797164213798204213799164213799164	August 14, 1983 Site Obs. 56 16 104 16 103 16 25 16 25 16 22 20 102 16 67 16 66 16 56 16 56 16 16 16 16 103 16 103 16 103 16 16 16 16 16 104 16 16 16 16 16 16 16 16 16 16

$\begin{array}{c} \frac{\text{Std}}{\text{Std}} \\ 0.06 \\ 0.17 \\ 0.126 \\ 0.126 \\ 0.13 \\ 0.126 \\ 0.12 \\ 0.13 \\ 0.13 \\ 0.12 \\ $	$\begin{array}{c} \frac{\text{Std}\ 7}{0.08}\\ 0.08\\ 0.25\\ 0.21\\ 0.23\\ 0.25\\ 0.14\\ 0.12\\ 0.18\\ 0.12\\ 0.18\\ 0.19\\ 0.19\\ 0.19\\ 0.19\\ 0.09\\ 0.10\\ 0.1$
Rfl Z 1.71 1.71 1.71 2.56 2.55 2.00 2.00 2.00 2.12 2.09 3.33 3.25 3.42 3.25	Rfl 7 3.58 3.58 3.58 3.58 3.58 5.19 5.19 3.64 3.64 3.64 3.65 3.65 3.64 3.65 3.65 3.64 3.65 3.65 3.65 3.65 3.65 3.65
Std 6 0.13 0.52 0.52 0.52 0.53 0.52 0.55 0.52 0.52 0.55 0.52 0.55 0.52 0.55 0.52 0.52	Std 6 0.24 0.73 0.73 0.73 0.73 0.73 0.73 0.73 0.74 0.75 0.74 0.75 0.74 0.75 0.75 0.74 0.75 0.75 0.75 0.77 0.77 0.77 0.77 0.77 0.77 0.78 0.79 0.70 0.71 0.77 0.78 0.79 0.77
Rfl6 5.18 5.18 5.18 9.62 13.55 13.55 13.55 13.55 14.58 8.39 8.34 8.35 8.34 8.35 8.36	Rf16 10.46 11.65 13.86 15.47 4.71 4.71 14.09 0.09 9.22 9.63 7.17 7.17 7.17 7.17 9.41 9.41
$\begin{array}{r} \frac{544}{10} \frac{5}{10} \frac{5}{10} \frac{5}{10} \frac{5}{10} \frac{5}{10} \frac{100}{10} 1$	Std 5 0.29 0.29 0.29 0.28 0.28 0.28 0.28 0.28 0.28 0.29 0.28 0.28 0.28 0.28 0.28 0.28 0.28 0.28 0.28 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48
Rfl 5 39.59 39.59 39.59 39.59 39.59 39.59 31.70 35.59 35.56 35.56 35.57 35.56 35.57 35.58 35.59 35.59 35.59 35.59 35.59 35.59 35.59 35.59 35.59 35.59 </td <td>Rf1 5 20.49 23.17 17.09 25.62 10.65 10.53 10.53 10.53 17.00 17.40 11.25 13.82 14.27 13.82 14.27 17.25</td>	Rf1 5 20.49 23.17 17.09 25.62 10.65 10.53 10.53 10.53 17.00 17.40 11.25 13.82 14.27 13.82 14.27 17.25
Std 4 0.22 0.46 0.46 0.46 0.49 0.49 0.49 0.49 0.49 0.49 0.49 0.49 0.49 0.49 0.49 0.49 0.49 0.49 0.49 0.49 0.49 0.37 0.49 0.37 0.49 0.37 0.37 0.37 0.37 0.37 0.37 0.37	Std 4 0.42 0.42 1.36 0.75 0.76 0.76 0.76 0.76 0.76 0.76 0.76 0.76 0.79 0.79 0.79 0.79 0.79 0.79 0.79 0.79 0.79 0.79 0.74 0.74 0.75 0.75
Rfl 4 12.42 39.89 32.28 32.28 32.28 32.28 32.28 32.28 33.27 33.27 33.27 33.27 33.27 33.27 33.28 33.27 </td <td>Rfl 4 20.23 22.92 11.44 11.44 11.75 21.75 21.75 21.75 21.75 21.75 21.75 21.75 21.75 21.75 21.75 21.75 21.75 21.75 21.75 21.75 21.75 22.40 0.23 10.77 110.77 113.65 113.65 113.13 113.13</td>	Rfl 4 20.23 22.92 11.44 11.44 11.75 21.75 21.75 21.75 21.75 21.75 21.75 21.75 21.75 21.75 21.75 21.75 21.75 21.75 21.75 21.75 21.75 22.40 0.23 10.77 110.77 113.65 113.65 113.13 113.13
Std 3 0.05 0.06 0.07 0.07 0.016 0.016 0.016 0.016 0.016 0.016 0.016 0.016 0.011 0.016 0.011 0.011 0.011 0.011 0.011 0.011 0.012 0.013 0.014 0.012 0.012	Std 3 Std 3 0.15 0.15 0.26 0.26 0.05 0.06 0.06 0.05 0.07 0.07 0.07 0.07 0.07 0.07 0.07 0.07
Rfl 3 11.54 2.17 2.17 11.54 11.88 11.88 11.88 11.88 11.88 11.88 11.88 11.97 11.97 22.07 22.01 11.13	Rfl 3 4.25 3.44 4.81 7.07 7.07 7.07 7.47 5.53 5.53 0.48 3.16 3.68 3.67 2.299
Std 2 0.08 0.11 0.11 0.11 0.11 0.11 0.11 0.11 0.11 0.11 0.11 0.11 0.11 0.11 0.11 0.11 0.11 0.11 0.11 0.12 0.12 0.12 0.12 0.12 0.12 0.12 0.12 0.12 0.12 0.12 0.12 0.12 0.12 0.10 0.10	Std 2 0.16 0.33 0.34 0.33 0.46 0.06 0.06 0.018 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010
$\begin{array}{r} \frac{Rf12}{2} \\ 2.33 \\ 2.55 \\ 3.27 \\ 3.33 \\ 3.27 \\ 3.33 \\ 3.27 \\ 3.33 \\ 3.27 \\ 3.33 \\ 3.27 \\ 3.27 \\ 3.33 \\ 3.27 \\ 3.2$	Rf12 4.63 4.63 4.63 5.82 5.39 5.15 5.33 5.15 5.15 5.15 5.15 5.15 5.15 5.15 5.15 5.15 5.16 3.16 3.16 3.16 2.59 3.16 2.59 3.16 2.59 3.16
$\begin{array}{r} \frac{\text{Std1}}{\text{0.05}}\\ 0.05\\ 0.06\\ 0.01\\ 0.01\\ 0.01\\ 0.05\\ 0.05\\ 0.05\\ 0.05\\ 0.05\\ 0.00\\ 0.01\\ 0.01\\ 0.00\\ 0.03\\ 0.07\\ 0.03\\ 0.07\\ 0.03\\ 0.07\\ 0.03\\ 0.$	Std1 0.06 0.12 0.12 0.12 0.12 0.12 0.13 0.14 0.15 0.16 0.17 0.18 0.19 0.11 0.12 0.05 0.06 0.07 0.07 0.07 0.13 0.14 0.15 0.15 0.15
Rf1 1 1.72 2.57 2.16 2.23 2.09 2.23 2.00 2.12 2.01 0.89 0.89	Rfi 1 2.30 2.31 2.39 3.14 1.46 1.46 2.79 2.39 2.14 1.46 1.46 2.79 2.79 2.14 1.46 2.15 2.16 2.17 1.46 1.52 1.52 1.54
Sol Az 120.00 121.00 122.00 122.00 122.00 122.00 122.00 132.00 133.00 145.00 166.00 169.25 170.25	Sol Az 129.00 130.00 131.20 133.00 134.00 135.00 135.00 135.00 138.50 147.50 14
Sol Zen 48.00 47.00 47.00 47.00 33.00 30.000 30.000 30.000 30.000 30.00000000	Sol Zen 66.00 65.94 65.00 65.00 64.00 62.00 62.00 61.00 61.00 61.00 61.00 61.00 58.00 58.00
End Time 152829 152829 153543 153543 153543 155719 160213 160853 161046 161242 161242 161242 161242 163332 164337 164337 164337 164337 164337 164337 175010 175205	End Time 145311 145900 150511 151004 151004 151636 152051 152051 152051 152051 153819 153819 154659 154659 154659 154659 154659 154659 160801
ued) <u>St Time</u> <u>152754</u> <u>152754</u> <u>152754</u> <u>1552754</u> <u>1553228</u> <u>1553228</u> <u>155411</u> <u>162806</u> <u>162851</u> <u>161233</u> <u>162851</u> <u>16123355</u> <u>164903</u> <u>164717</u> <u>164903</u> <u>175127</u> <u>175127</u>	St Time 145221 145221 145821 150422 150422 15557 151557 151557 151557 1523340 1523340 153346 153746 153746 153746 153746 153746 153746 153740 150241 160711
August 14, 1983 (continued) <u>Site Obs. Hgt. St Ti</u> 84 16 4 1527 85 16 4 1539 80 20 4 1539 80 20 4 1539 80 20 4 1539 80 20 4 1539 81 16 4 1600 12 16 4 1600 13 16 4 1600 13 16 4 1600 14 1600 15 16 4 1600 16 16 16 16 16 1600 16 16 16 16 16 16 16 16 16 16 16 16 16 1	
$\begin{array}{c} \begin{array}{c} 1.10 \\ 1.10$	
August 14, 1983 42 16, 1983 84 16 85 16 85 16 86 16 13 16 13 16 14 16 15 16 16 16 17 20 16 16 17 20 16 16 17 20 16 16 17 20 16 20 20 20 20 20 21 20 20 20	51116 11 18 19 19 19 19 19 19 19 19 19 19 19 19 19
A Out of a manual of the state	

0.20 0.14 0.14 0.14 0.12 0.12 0.12 0.12 0.12 0.20 0.20	$\begin{array}{c} \frac{5id}{2} \\ 2.25 \\ 0.12 \\ 0.12 \\ 0.12 \\ 0.12 \\ 0.03 \\ 0.13 \\ 0.07 \\ 0.11 \\ 0.07 \\ 0.17 \\ 0.17 \\ 0.07$	Std 7 0.08 0.25
Rfl 7 Star Star <t< td=""><td>RA Z S</td><td><u>Rfl 7</u> 1.18 4.78</td></t<>	RA Z S	<u>Rfl 7</u> 1.18 4.78
Std 6 R 0.98 3 0.98 3 0.28 5 0.73 8 0.73 8 0.24 1 0.23 1 0.17 1 0.17 1 0.17 1 0.17 1 0.17 1 0.17 1	5:44 6 0.42 0.48 0.21 0.24 0.21 0.038 0.012 0.012 0.013 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.024 0.023 0.025 0.023 0.024 0.023	<u>Std 6</u> 0.21 0.44
Rf16 S 11.23 0 11.23 0 11.23 0 12.57 0 13.70 0 5.18 0 5.18 0 0.06 0 0.14.78 0 5.18 0 6.06 0	Rf16 1.64 0 1.64 0 1.64 0 1.64 0 1.64 0 1.64 0 1.64 0 1.64 0 1.64 0 1.65 0 0.00 0 0 0.00 0.00 0 0.00 0 0 0.14 0 0 0 0 0 0 0 0.10 1.14 0	<u>Rfl6</u> 3.91 8.37
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Std 5 11 0.51 1 0.76 1 0.76 1 0.37 1 0.37 1 0.37 1 0.37 1 0.37 1 0.37 1 0.36 1 0.36 1 0.36 1 0.36 1 0.36 1 0.36 1 0.36 1 0.37 1 0.37 1 0.38 1 0.36 1 0.36 1 0.37 1 0.38 1 0.36 1 0.36 1	<u>Std 5</u> 0.54 0.56
Rf1 5 S 19.31 1 15.35 1 15.35 1 15.35 1 27.98 0 15.31 0 15.31 0 15.31 0 15.31 0 15.31 0 16.72 1 10.86 0 11.37 0 11.37 0 11.37 0 11.37 0 11.37 0 11.37 0 11.37 0 11.37 0 12.55 0	Rf1.5 19.18 19.18 19.18 19.18 19.59 11.00 11.00 11.00 11.00 11.05 <th< td=""><td><u>Rfl 5</u> 10.19 11.48</td></th<>	<u>Rfl 5</u> 10.19 11.48
Std 4 Fd 4 Fd 4 Fd 4 <t< td=""><td>Std 4 0.37 0.65 0.18 0.13 0.20 0.02 0.31 0.02 0.33 0.02 0.33 0.02 0.33 0.02 0.33 0.02 0.33 0.02 0.33 0.02 0.33 0.02 0.33 0.02 0.34 0.02 0.33 0.13 0.44 0.21 0.21 0.21</td><td>Std 4 0.57 0.47</td></t<>	Std 4 0.37 0.65 0.18 0.13 0.20 0.02 0.31 0.02 0.33 0.02 0.33 0.02 0.33 0.02 0.33 0.02 0.33 0.02 0.33 0.02 0.33 0.02 0.33 0.02 0.34 0.02 0.33 0.13 0.44 0.21 0.21 0.21	Std 4 0.57 0.47
$\begin{array}{c c} Rf1 & 4 \\ \hline 19.08 & 2 \\ 12.50 & 12.50 \\ 11.48 & 0 \\ 11.48 & 0 \\ 10.77 & 0 \\ 10.77 & 0 \\ 10.77 & 0 \\ 12.09$	Rf1 4 11.18 9.93 9.94 9.95 11.38 11.37 10.76 11.23 11.465 11.79	Rfl 4 11.41 8.16
Std 3 L 0.11 2.1 0.12 1.1 0.11 2.1 0.11 2.1 0.11 2.1 0.11 2.1 0.11 2.1 0.11 2.1 0.11 2.1 0.11 2.1 0.11 2.1 0.11 2.1 0.03 0.03 0.14 0.14	Std 3 0.14 0.20 0.11 0.02 0.11 0.02 0.11 0.01 0.01 0.01 0.02 0.03 0.04 0.05 0.05 0.05 0.05 0.05 0.05 0.05 0.05 0.12 0.12 0.12 0.12 0.12 0.12 0.12 0.12 0.12 0.12 0.12	Std 3 0.09 0.14
Rfl 3 5 2.70 0 4.04 0 6.88 0 6.88 0 1.44 0 1.44 0 1.45 0 1.44 0 1.45 0 1.45 0	$\begin{array}{r} Rf1 \\ 4.44 \\ 4.26 \\ 5.42 \\ 5.22 \\ 1.50 \\ 3.38 \\ 3.34 \\ 2.21 \\ 1.53 \\ 3.34 \\ 1.53 \\ 3.34 \\ 1.53 \\ 1.5$	<u>Rfi 3</u> 1.43 3.41
Std 2 0.42 0.142 0.136 0.113 0.119 0.008 0.018 0.008 0.019 0.019 0.019 0.013 0.019 0.013 0.019 0.013 0.011 0.013 0.013 0.014	Std 2 0.10 0.15 0.16 0.16 0.03 0.04 0.05 0.05 0.06 0.07 0.08 0.09 0.011 0.02 0.03 0.012 0.012 0.012 0.012 0.012 0.012 0.111 0.12 0.12 0.12 0.12	<u>Std 2</u> 0.10 0.12
Rf12 S 3.42 3.42 6.84 9 3.77 9 3.77 10 2.16 1.03 5.12 2.08 2.49 2.49	Rf12 3.75 3.75 3.75 3.75 3.74 3.75 3.74 3.75 2.13 3.76 0.50 1.93 1.93 2.72 2.32 2.72 2.32 2.72 2.32 2.72 2.32 2.72 2.32 2.74 2.72 2.72 2.32 2.74 2.72	<u>Rf12</u> 2.08 3.01
Std1 0.21 0.12 0.12 0.13 0.14 0.03 0.04 0.05 0.05 0.05	Std1 0.07 0.08 0.09 0.013 0.013 0.13 0.13 0.14 0.15	<u>Std1</u> 0.07 0.09
Rfl 1 2.09 2.296 1.44 1.48 0.75 2.68 0.75 2.68	RA 1 3.00 3.37 3.37 3.37 3.37 3.38 3.37 3.38 1.47 1.47 1.47 1.47 1.47 1.38 1.32 1.38 1.32 1.50 1.50	<u>Rfl 1</u> 1.44 2.52
Sol AZ 148.20 154.00 155.70 155.70 160.00 162.00 163.50 165.80 168.00	Sol Az 141.00 142.00 145.00 145.00 146.00 147.00 147.00 149.00 150.00 152.00 155.00 15	<u>Sol Az</u> 128.60 130.00
Sol Zen 55.00 54.00 54.00 54.00 54.00 54.00 54.00 54.00 54.00	Sol Zen 68.00 68.00 67.75 67.00 65.00 65.00 65.00 64.00 64.00 64.00 63.00 63.00 63.00 63.00 63.00 63.00 63.00 64.00 64.00 65.000 65.000 65.000 65.0000000000	Sol Zen 75.00 75.00
End Time 161109 161109 163222 163231 165241 16534 170025 170148 170148 171831 171831	End Time 152540 152540 152554 153506 153506 154759 155115 15515 15515 15515 15515 15515 161134 161421 161134 161209 16209 16209 163132 163536 164520	End Time 142833 143327
113] 113] 113] 110]	St Time St Time 152503 152503 152814 153843 153865 153865 155326 155326 155326 155326 155326 155326 160036 161345 161345 161621 161345 161345 162233 163055 163454 164332	<u>St Time</u> 142741 143253
H (Continue) 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	む 89944444444444444444444444444444444444	83 Hgt. 4
$\begin{array}{c} \begin{array}{c} & & & \\ & & & \\ \hline & & & \\ & & & & \\ & & & \\ & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & $	26, 198 <u>Obs.</u> 16 16 16 16 16 16 16 16 16 16	r 27, 19 <u>e Obs.</u> 20 16
$\begin{array}{c c} October 6, 1983 (continued)\\ \underline{Site} \ \underline{Obs}, \ \underline{Hgt}, \ \underline{St} \ \overline{I108} \\ 108 & 20 & 4 & 1610 \\ 72 & 16 & 4 & 1631 \\ 73 & 20 & 4 & 1635 \\ 93 & 16 & 4 & 1635 \\ 92 & 16 & 4 & 1657 \\ 14 & 16 & 4 & 1657 \\ 15 & 16 & 4 & 1657 \\ 15 & 16 & 4 & 1701 \\ 23 & 16 & 4 & 1701 \\ 102 & 20 & 4 & 1705 \\ 102 & 20 & 20 & 20 \\ 102 & 20 & 20 & 20 \\ 102 & 20 & 20 & 20 \\ 102 & 20 & 20 & 20 \\ 102 $	October 26, 1983 Site Obs. 1 16 16 3 16 69 16 69 16 68 16 68 16 68 16 12 16 13 20 13 20 13 20 16 16 112 16 113 16 111 16 113 16 113 16 111 16 113 16 116 16 117 16 118 20 118 20 118 20 118 20 118 20 118 16 118 16 119 16 110 16 116 16 116 16 116 16 116 16 116 16 116 16 117 16 118 16 118 16 118 16 116	October 27, 1983 <u>Site Obs.</u> 1 102 20 20 16

1	<u>5ta /</u> 0.05	0.04	0.04	0.02	0.22	0.13	0.14	0.17	091	0.08	717	0.08	0.05	210	270	146			17.0	9C.U		#1.0		201	80.0	200	60.0	11.0	.04	.06	.07).20	0.26	.17	.14	1.23	.14	.03	60.	.12	.27
	1.10																																		_	_	_		-	_	-
2 173	0.12	0.11	0.11	0.01	0:30	0.18	0.13	0.27	1.35	0.11	0 22	0.17	013	0.34	0.70	180	5.0	10.0	÷	0.0 910	0.17	0.15	013	010	0.19	0.12	0.17	0.26	0.07	0.21	0.27	0.43 1	0.52	0.33	0.35	0.38	0.35	0.14	0.23	0.35	0.47 1
717 D	3.65	3.71	3.88	0.01	10.63	9.15	8.19	17.16	10.93	14.55	12.96	4.69	3.83	6.28	20.05	16.44	5 47	13.40	11 45	12.78	10.87	6.60	5 6 7 7	6.71	5.85	6.21	5.74	5.71	6.17	6.95	5.95	25.24	6.58	15.37	9.49	7.43	5.22	7.10	6.47	7.58	20.77
u t	0.15	0.21	0.19	0.01	0.20	0.16	0.21	0.24	1.94	0.22	0.19	0.28	0.27	0.49	0.82	0.89	0.69		0.00	0.0	1150	0.77	0.14	0.19	0.38	0.15	0.29	0.61	0.17	0.47	0.59	0.31	0.67	0.30	0.43	0.30	0.58	0.52	0.43	0.71	0.44
2 9 Q	8.79	8.96	9.58	0.03	10.65	8.47	9.24	19.74	14.33	17.83	15.27	10.90	9.31	12.12	20.84	20.62	13 34	18.07	15.61	17.76	15.83	17.33	10.23	12.04	11.69	12.46	11.69	11.63	11.70	17.38	14.87	20.01	15.46	15.89	15.15	12.98	10.94	15.14	15.14	15.82	22.87
54 V	0.18	0.23	0.19	0.02	0.14	0.17	0.27	0.17	1.32	0.39	0.10	0.36	0.32	0.37	0.49	0.51	0.75	0.30	0.50	0.17	0.30	0.36	0.24	0.28	0.43	0.21	0.33	0.77	0.21	0.72	0.70	0.20	0.66	0.17	0.30	0.29	0.57	0.88	0.65	0.79	0.31
RA 4	9.14	9.53	10.04	0.26	7.77	5.92	7.43	13.87	9.79	12.58	10.16	10.88	9.82	11.26	11.76	15.19	14.40	13 71	11 60	12.85	12.54	11.17	9.48	11.08	11.17	12.04	11.44	11.26	11.10	19.15	16.65	12.85	17.52	9.78	12.78	11.90	11.13	15.71	16.59	16.27	12.66
c py	0.03	0.02	0.04	0.02	0.09	0.11	0.10	0.08	0.56	0.11	0.06	0.05	0.06	0.09	0.24	0.26	0.08	0.12	0 40	0.08	0.08	0.04	0.05	0.03	0.06	0.04	0.06	0.08	0.03	0.07	0.04	0.10	0.17	0.10	0.06	0.11	0.12	0.04	0.08	0.11	0.18
Rfi 3	1.16	1.19	1.23	0.56	3.60	2.91	2.80	6.12	3.63	5.38	4.50	1.36	1.17	1.85	5.74	6.85	1.63	5.06	4.05	4.76	3.78	1.63	1.26	1.62	1.43	1.51	1.36	1.35	1.44	1.62	1.37	5.74	1.72	4.44	2.33	1.87	1.52	1.83	1.69	1.97	5.78
Std 2	0.04	0.04	0.05	0.00	0.06	0.08	0.08	0.08	0.50	0.10	0.06	0.07	0.07	0.11	0.14	0.15	0.09	0.10	0.31	0.08	0.05	0.06	0.05	0.02	0.07	0.04	0.06	0.14	0.03	60.0	90.0 0.0	0.07	0.15	0.08	0.05	0.07	0.14	0.08	60.0	0.13	0.12
Rf12	1.70	1.74	1.80	0.64	3.20	2.56	2.55	4.91	3.04	4.28	3.46	1.90	1.69	2.26	4.14	5.30	2.31	4.27	3.65	3.93	3.43	1.85	1.51	1.90	1.71	1.84	1.73	1.68	1.74	2.26	ςγ. Ι	4.45	2.35	3.55	2.48	2.14	2.15	2.10	2.09	2.27	4.42
Std1	0.03	0.04	0.03	0.03	0.06	0.07	0.07	0.07	0.38	0.07	0.05	0.06	0.05	0.06	0.0	0.11	0.07	0.06	0.26	0.05	0.04	0.05	0.03	0.02	0.04	0.03	0.04	0.06	0.02	0.06	0.04	c	0.12	0.U/	0.04	0.06	0.10	0.05	0.07	0.07	0.10
Rfi 1	1.22	1.26	1.27	0.69	2.63	2.15	2.12	3.73	2.44	3.40	2.72	1.32	1.24	1.53	3.24	4.01	1.61	3.26	2.92	3.09	2.79	1.25	1.02	1.24	1.12	1.17	1.13	1.09	1.14	1.42	47.1 7 C	40°0	1.64	16.7	1.64	1.46	1.48	1.49	1.44 	1.58	3.50
Sol Az	132.00	133.00	133.00	133.00	135.00	136.00	136.00	137.00	138.00	140.00	141.00	145.00	145.00	146.00	147.00	148.00	149.00	150.00	151.00	152.00	152.00	158.00	159.00	159.00	161.00	161.75	162.00	162.25	163.00	104.00		101.00	107.01	104.00	185.00	185.69	187.00	187.00	188.00	188.00	189.00
Sol Zen	73.00	73.00	73.00	/3.00	00.77	71.50	1.00	00.17	00.07	69.00	69.00	67.00	67.00	67.00	66.00	66.00	66.00	65.00	65.00	65.00	65.00	63.00	63.00	63.00	62.25	62.00	62.00	62.00	62.00	07.20	07.70 71 00	01.00	01.10	01.00	61.00	61.00	61.00	61.00	61.00	61.00	61.00
End Time	144530	144727	144908	101441	142/C41	120023	150100	120048	62161	151925	152147	153954	154201	154554	154958	155155	155549	160141	160415	160658	160841	163141	163445	163604	164231	164432	164627	164812	145410	165277	175555	1 20030	100457	100001	101120	101130	181454	181636 1 81 636	181905	182038	007701
nued) St Time	14450	144648	144833	145036	45045	40204		7001	22010	51836	52113	53858	54124	54515	54924	155114	5510	160102	160328	160631	160805	163114	63401	163529	164149	164358	[64540	104/30	145010		75510		80410	ODE1		0001	81412 01550	81019	101011	100201	6712
3 (continu <u>Hgt.</u> <u>St</u>	• • •	4	4		**	* •				4 15	4 15	4 15	4 51 12	4 15	4 1	4 15	4 15	4 16	4 16	4 16	16	1 16	16	10	19 19	; <u>19</u>	9; -	9; + -	4 IQ	14	112	18	18					<u>9</u> 0	<u>0</u>		j j
7, 1983 (<u>Obs.</u> <u>H</u>		<u>e</u> ;	<u>9</u> ;	1 1	14	14		3 8	70	2	16	, 16 ,	9	16	<u>9</u>	16	16	16	16	12	16	12	; 16	16	16	16	8	0	14	10	16	16	- v	21		0	- 10 - 10	2 C	37	01 14	01
October 27, 1983 (continued) <u>Site Obs. Hgt. St Tin</u>	6	4 ″ i	υ Γ	38	2,6	S 5	1 5	C / 000	666 00	₹ 8	ч.	42	41	51	2	8 : 8	1	79	8	67	96	116	118	117	123	611	120	75	121	124	16	P.	• 88	8 5	01 0	0 6	701	24	3 4	8 C	1

Table 6.4 - 1984 Helicopter MMR Data

deviations of the reflectance measurements. Unless otherwise noted, all observations are nadir views. Reflectances equal to -1.00 angle. Site is the site location; Obs is the number of observations averaged; Hgt is the altitude of the helicopter in hundreds of feet; start and end times are in GMT in the form HHMMSS; Sol Zen and Sol Ăz are the solar zenith and azimuth angles; Rfl 1 Reflectance data collected from the helicopter-mounted MMR in 1984. Each table has data collected from a single day or view through 7 are the average percent reflectance measured by the MMR in bands 1 through 7. Std 1 through 7 are the standard are missing values.

10 1001 Ma

	~ .																			~						
	Std 7	0.22	0.36	0.23	1.13	0.15	0.27	0.96	0.42	0.53	1.30	0.28	0.23	0.26	0.28	0.31	0.27		ċ	<u>Std</u>	0.36	0.17	0.28	0.41	0.17	0.27
	<u>RA 7</u>	8.11	7.18	12.16	10.45	3.30	3.58	10.11	9.41	13.38	13.44	3.31	12.14	6.66	6.57	5.34	3.29			KH /	2.95	5.68	6.67	6.50	6.53	5.23
	<u>Std 6</u>	0.33	0.84	0.30	1.48	0.30	0.49	1.22	0.64	0.63	1.45	0.49	0.34	0.53	0.50	0.60	0.50		•	Std 6	0.76	0.21	0.33	0.62	0.24	0.48
	<u>Rf16</u>	17.75	15.50	19.08	18.17	7.97	8.41	19.42	18.23	24.99	23.30	8.28	22.32	14.10	13.70	11.64	7.95			<u>Kf16</u>	7.12	12.25	18.08	17.08	18.09	13.75
	<u>std 5</u>	64.	60.1		.80).51	0.72	0.72	0.66	0.44	0.61	0.64	0.28	0.64	0.52	0.94	0.63			Std 5	1.38	0.22	0.33	0.48	0.20	0.57
	0,4	<u> </u>	•	<u> </u>	Ŭ	-	-	24.48 (-	_	_		-		_	_			1	KH 5	[5.29	24.43	34.16	31.07	34.94	26.36
			•••	•		• •	•	0.49 2	•••	•••	• •	•	• •								•	0.21	• •	• •	• •	• •
	• *	<u> </u>	•	<u> </u>	-	-	-	_	-	-		_	-						`	a 16	0	0	<u> </u>			
	RA	23.0	19.0	11.7	15.4	12.2	12.4	18.65	17.8	21.3	16.6	14.2	18.2	18.7	19.9	18.3	12.9				•	17.30	• •	•••	• •	
	Std 3	0.10	0.12	0.09	0.47	0.11	0.15	0.50	0.26	0.31	0.53	0.17	0.11	0.15	0.16	0.35	0.14			Std	0.17	0.05	0.07	0.14	0.10	0.10
	<u>Rfi 3</u>	3.70	3.32	4.60	4.52	2.16	2.32	4.61	4.17	6.46	5.82	2.53	5.39	4.86	5.23	4.32	2.41		1 1 1	<u>RA 3</u>	1.98	3.72	2.47	2.52	2.57	2.22
	Std 2	0.10	0.15	0.14	0.31	0.14	0.21	0.28	0.22	0.14	0.22	0.21	0.04	0.14	0.15	0.34	0.14		•	Std 2	0.18	0.04	0.03	0.10	0.11	0.11
	<u>Rf12</u>	4.71	4.16	4.12	4.69	2.77	2.86	4.75	4.45	6.06	5.33	3.32	5.20	4.77	5.16	4.35	3.01		1	<u>Rf12</u>	2.35	3.86	3.77	3.93	3.76	3.09
	<u>Std1</u>	0.06	0.08	0.07	0.23	60.0	0.14	0.29	0.18	0.18	0.29	0.14	0.08	0.10	0.10	0.20	0.09			<u>Std1</u>	0.13	0.05	0.03	0.09	0.05	0.07
		Ŭ	-	Ŭ	-	Ū	-	-	-		-	_	-		_		1.93			<u>Rf1 1</u>	1.52	2.56	2.10	2.11	2.32	1.99
) - 2 -4	2	2	c.)	e)	-	-	65		4			.,				•••					• •	• •			
	Sol A	123.	124.(125.8	126.	128.	129.:	131.	131.	134.	134.	137.	138.	140.	140.	141.	143.42			<u>Sol</u>	104.	102.	105.	106.	108.	108.92
	Sol Zen	37.00	37.00	36.00	36.00	35.00	34.00	34.00	34.00	33.00	33.00	32.00	32.00	31.00	31.00	31.00	31.00			Sol Zen	47.67	46.00	44.00	44.00	43.00	42.00
	Time	153	4 35	919	221	835	125	521	735	532	750	336	548	057	143	229	170911			Time	924	738	842	307	816	152330
	St Time	161133	161415	161859	162201	162815	163105	163501	163715	164512	164730	165317	165528	170038	170124	170210	170851			St Time	144510	145718	150823	151247	151756	152310
	Hgt.	9	9	9	9	9	9	9	9	9	9	9	9	6	9	9	9			<u>Hgt.</u>	9	9	9	9	9	9
8 4	Sps.	11	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	100	ť,	<u>0</u> 8	36	12	12	12	12	12
May 18, 15	Site (75	73	<u>9</u> 3	92	14	7	რ	16	2	88	102	21	19	18	12	52 12 6	11 9C	May 20, 1	Site	52	12	70	88	87	16 12 6

<u>5td 7</u> 0.46 0.08 0.03 0.11	$\begin{array}{c} \frac{54d}{2} \\ 0.13 \\ 0.15 \\ 0.16 \\ 0.18 \\ 0.16 \\ 0.18 \\ 0.16 \\ 0.23 \\ 0.23 \\ 0.23 \\ 0.23 \\ 0.23 \\ 0.23 \\ 0.23 \\ 0.23 \\ 0.23 \\ 0.23 \\ 0.23 \\ 0.23 \\ 0.23 \\ 0.23 \\ 0.23 \\ 0.23 \\ 0.22 \\ 0.23$	84 7 0.15 0.15 0.14 0.14 0.06 0.13 0.09 0.13 0.09 0.13
RA 7 5.86 7.50 6.21 5.34 5.33	Rfl 7 4.40 4.40 5.26 3.40 5.27 3.40 6.93 3.50 5.77 5.73 5.77 5.73 5.77 5.73 5.73 3.50 5.75 5.73 5.70 5.74 5.73 5.75 5.74 5.75 5.75 5.75 5.75 5.75	RA 7 1.52 5.04 5.04 4.56 3.59 4.21 3.94 5.30
Std 6 0.73 0.73 0.14 0.14 0.21 0.21 0.21 0.21	Std 6 0.37 0.44	Std 6 0.45 0.49 0.49 0.96 0.19 0.19 0.25 0.25 0.25
Rf16 15.28 7.20 16.26 15.87 14.92 15.95	Rfl6 14.93 14.08 15.27 15.27 8.31 8.31 8.31 8.31 8.31 8.31 15.27 14.08 15.27 15.27 14.68 15.31 15.31 15.31 9.09 9.76 9.26	Rf16 5.26 5.26 13.75 14.16 18.93 118.93 115.48 115.48 115.64
<u>Std 5</u> 0.79 0.33 0.33 0.39 0.40	Std 5 0.44 0.55 0.40 0.42 0.42 0.42 0.43 0.92 0.93 0.92 0.93 0.92 0.93 0.94 0.92 0.93 0.93 0.94 0.92 0.93 0.93 0.94 0.92 0.93 0.94 0.95 0.92 0.93 0.93 0.94 0.95 0.95 0.96 0.97 0.98 0.98	<u>Std 5</u> 0.80 0.78 0.78 0.46 0.37 0.35 0.35 0.35
Rf1 5 28.70 14.28 24.38 24.38 28.07 29.08 33.17	Rfl 5 232.62 28.60 14.96 15.39 33.62 28.62 28.63 15.39 29.84 29.84 29.85 21.53 21.53 22.53 33.56 22.53 33.56 22.53 33.56 23.57 33.56 33.57 33.57 33.57	Rfl 5 12.50 31.09 31.77 31.77 31.77 33.63 33.73 33.23
<u>Std 4</u> 1.13 0.25 0.33 0.31 0.28	Std 4 0.55 0.55 0.54 0.54 0.54 0.54 0.58 0.73 0.73 0.73 0.73 0.73 0.73	Std 4 0.69 0.21 0.56 1.77 1.10 0.40 0.51 0.56 0.56 0.56 0.56 0.56 0.56 0.56 0.56 0.56 0.56 0.56 0.56 0.56 0.56 0.56 0.56 0.56 0.56
Rfl 4 23.68 10.16 17.42 22.67 24.30 29.17	Rfl 4 29,26 28,27 28,27 28,27 28,27 28,27 28,27 28,27 28,27 28,27 28,27 28,27 28,27 28,27 28,27 28,27 28,27 28,29 28,29 28,29 28,29 28,29 28,29 28,29 28,29 28,29 28,29 28,29 28,29 28,29 28,29 28,29 28,29 28,29 28,29 28,20 28,20 28,20 28,20 29,26 214,26 214,26 214,26 214,26 214,26 214,26	Rfl.4 111.88 24.98 30.80 31.95 29.06 22.03 22.03 22.04 22.05 22.05 22.05 22.05 22.05 22.05 22.05 22.05 22.05 22.05 22.05 22.05 23.05 23.05 23.05 23.05 23.05
Std <u>3</u> 0.15 0.04 0.05 0.03 0.03	Std 3 0.06 0.06 0.14 0.13 0.13 0.13 0.13 0.13 0.13 0.13 0.13	Std 3 0.00 0.00 0.00 0.00 0.00 0.00 0.00
Rf1 3 2.27 2.66 2.19 2.08 1.96	Rfi 3 1.73 1.77 1.77 1.77 2.15 2.15 2.15 2.15 2.15 2.15 2.15 2.15 2.15 2.15 2.15 2.15 2.15 2.15 2.15 2.25	RA 3 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.0
Std 2 0.14 0.04 0.06 0.06	Std 2 0.09 0.10 0.17 0.13 0.13 0.13 0.14 0.15 0.15 0.15 0.15 0.15 0.17 0.15	Std 2 0.14 0.14 0.14 0.10 0.12 0.16 0.16 0.05 0.06 0.16 0.16 0.05 0.05
Rf12 3.16 3.80 3.41 3.25 3.25	Rf12 2.95 2.95 3.26 3.27 3.27 3.27 3.27 3.27 3.27 3.27 3.27 3.27 3.28 3.29 3.27 3.27 3.28 3.29 3.29 3.29 3.29 3.29	Rf12 2.112 2.12 2.19 2.19 2.19 2.45 2.45 5.03
Std1 0.06 0.04 0.01 0.03	Std1 0.06 0.06 0.07 0.08 0.07 0.07 0.07 0.01 0.01 0.01 0.02 0.02 0.03 0.03 0.04 0.03 0.05 0.04 0.06 0.05	<u>Std1</u> 0.10 0.07 0.07 0.05 0.05 0.06 0.06
RA 1 2.03 1.44 1.97 1.97	Rfi 1 2.13 2.13 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.2	RA 1 1.07 1.70 1.72 1.88 1.88 1.88 1.88 1.88 1.88 1.88 1.8
<u>Sol Az</u> 112.88 110.67 113.33 113.58 114.17 114.17	Sol Az 111.42 111.42 113.17 115.83 115.33 136.04 136.25 136.25 136.05	Sol Az 101.50 102.42 105.00 105.83 105.83 105.83 134.00 134.00 134.00 134.75 152.75
<u>Sol Zen</u> 41.00 39.00 38.00	Sol Zen 39.00 39.00 37.00 34.50 34.50 31.00 31.00 29.00 29.00 29.00 29.00	Sol Zen 52.00 52.00 52.00 52.00 52.00 49.00 33.00 32.00 32.00 32.00 32.00
End Time 152832 153257 154505 154505 154855 155108	End Time 154024 154024 154258 15445 15445 155559 155713 160157 16030 161226 164026 164026 164208 164947 165843 1662843 170250	End Time 144236 144748 14522 145759 150524 150524 150524 151945 171945 17727
ued) <u>St Time</u> 152739 153237 15446 15446 154835 155048	St Time 154004 154026 154266 154526 1555540 1555540 1555540 1555540 1555540 1555540 1555540 1555540 1555540 160137 160137 160126 160127 164148 164725 165323 165323 170230	St Time 144216 144728 145502 145502 145739 15504 15504 155104 165314 171925 172624
Contin Hgt. 6 6 6 6	田 日 日 日 日 日 日 日 日 日 日 日 日 日	<u>Н</u> Фоббобобобо Н
1984 (24 12 12 12 12 12 12 12 12 12 12 12	88 00 00 00 00 00 00 00 00 00 00 00 00 0	28122222222222222222222222222222222222
May 28, 1984 (continued) <u>Site Obs. Hgt. 54</u> 2 12 6 152 93 12 6 154 92 12 6 154 75 12 6 154 73 12 6 154 73 12 6 154	June 3, 1984 <u>Site</u> O 73 73 73 73 73 73 73 73 73 73 73 73 73	August 2, 198 <u>Site Obs</u> 52 12 52 12 52 12 88 12 88 12 88 12 88 12 3 12 73 12 73 12 75 12 75 12 75 12 75 12 75 12 72 72 72 72 72 72 72 72 72 72 72 72 72

	N1	
$\begin{array}{r} \frac{5 \text{td}}{2} \frac{7}{2} \\ 0.65 \\ 0.19 \\ 0.21 \\$	Std 7 0.11 0.17 0.33 0.34 0.33 0.34 0.32 1.12 1.12 2.40 2.40	Std 7 0.00 0.00
RAI Z CO CO <thco< th=""> CO CO CO<!--</td--><td>RA 7 8.73 6.97 6.93 7.82 7.82 7.82 7.82 7.82 7.82 7.82 7.82</td><td>RA 7 -1.00 -1.00 -1.00</td></thco<>	RA 7 8.73 6.97 6.93 7.82 7.82 7.82 7.82 7.82 7.82 7.82 7.82	RA 7 -1.00 -1.00 -1.00
Std 6 0.30 5.44 6 0.30 0.31 0.31 0.32 0.32 0.32 0.32 0.32 0.33 0	Std 6 Std 6 0.24 0.24 1.45 0.24 0.54 0.54 0.54 0.54 0.73 0.73 1.30 1.30 1.19 0.60 0.60 0.60	Std 6 0.00 0.00
Rfl6 2.95 2.95 2.95 2.95 9.55 9.55 9.45 5.17 2.91 2.95 9.55 9.45 5.17 112.12 12.37 5.39 5.39 5.39 5.39 5.39 5.39 5.39	Rf16 26.00 26.00 16.07 16.23 28.32 28.32 28.32 28.32 28.32 28.32 28.32 28.32 28.32 28.32 28.32 11.66	Rf16 -1.00 -1.00 -1.00
Std 5 0.78 0.78 0.50 0.50 0.114 0.114 0.115 0.116 0.116 0.1173 0.116 0.116 0.1173 0.116 0.1173 0.116 0.1173 0.118 0.118 0.118 0.118 0.118 0.118 0.118 0.118 0.118	<u>Std 5</u> 0.53 0.76 0.74 1.17 1.17 1.23 1.23 2.20 0.95 9.26	<mark>Std 5</mark> 0.91 1.32 0.78
Rf1 5 9.44 9.44 9.44 9.44 19.67 23.13 24.72 25.13 25.61 26.93 27.25 28.66 22.23 22.23 22.23 22.23 22.23 22.23 22.23 22.23 23.33 22.23 23.33 22.23 22.23 23.33 22.57 23.33 22.57 23.33 22.57 23.33 22.57 23.56 23.57 23.57 23.56 24.60 25.57 25.57 25.57 25.57 25.57 25.57 25.57 25.57 25.57 25.57	Rfl 5 49.57 49.57 49.57 30.75 30.75 56.85 55.26 55.26 30.14 34.34	Rf1 5 9.26 19.74 18.01
5:64 4 0.72 0.43 0.43 0.43 0.11.18 0.49 0.49 0.49 0.11.18 0.21 0.128 0.22 0.23 0.21 0.23 0.23 0.23 0.23 0.25 0.33	Std 4 0.99 0.99 1.1.24 1.1.24 1.1.46 2.008 2.2.00 0.95 9.21 9.21	<u>Std 4</u> 0.56 1.13 1.13
Rf1 4 10.89 10.89 220.96 20.96 330.63 20.5.01 330.19 225.01 25.40 225.40 27.58 27.56	Rfl 4 56.20 56.20 56.21 31.31 31.31 31.33 55.34 55.34 62.75 58.65 35.70 35.70	RA 4 10.87 17.92 19.97
80.00 80.000 80.0000 80.00000 80.00000 80.00000 80.00000 80.00000 80.00000 80.00000 80.00000000 80.0000000000	Std 3 0.00 0.00 0.00 0.00 0.00 0.00 0.00	Std 3 0.00 0.00
Rf1 3 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.0	RA 3 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.0	Rfi 3 -1.00 -1.00
Std 2 0.10 0.12 0.12 0.12 0.12 0.12 0.13 0.14 0.15 0.16 0.11 0.11 0.11 0.11 0.11 0.11 0.11 0.11 0.11 0.11 0.11 0.11 0.11 0.11 0.11	Std Std Z 0.07 0.07 0.07 0.28 0.28 0.28 0.28 0.22 0.22 0.28 0.28 0.23 0.28 0.28 0.23 0.28 0.28 0.23 0.28 0.23 0.23 11.15 0.31 1.65	Std 2 0.00 0.00 0.00
Rf12 3.37 3.37 1.54 1.134 1.132 2.25	Rf12 6.72 5.19 7.01 7.01 7.07 7.07 7.07 7.07 3.91 3.91	Rf12 -1.00 -1.00
Std1 0.08 0.11 0.11 0.11 0.11 0.12 0.12 0.12 0.12 0.12 0.12 0.12 0.12 0.12 0.12 0.13 0.14 0.15 0.16 0.17 0.18 0.11 0.12 0.12 0.13 0.14	Std1 0.10 0.15 0.15 0.15 0.15 0.23 0.23 0.23 0.23 0.23 0.23 1.13	<u>Std1</u> 0.07 0.10 0.13
RAI 1 0.62 0.62 1.37 1.36 1.47 1.49 1.71 1.47 1.71 1.22 1.71 1.71 1.33 1.52 1.52 2.52 1.13 1.13 1.165 1.165	Rfl 1 4.67 3.64 4.92 5.36 5.55 5.35 2.55 5.55 2.55 5.55	RA 1 0.57 1.45 0.87
Sol Az 82.08 83.83 84.67 85.00 85.50 85.50 85.33 87.17 87.17 85.33 87.17 87.17 105.83 105.83 105.83 105.58 105.58 105.58 105.58 105.58 105.58 105.58 105.58 105.58 105.58 105.58 110.75 111.08 111.08	Sol Az 90.50 90.50 93.63 93.33 95.67 101.58 101.58 102.50 117.79	<u>Sol Az</u> 246.50 247.50 248.50
Sol Zen 72.00 72.00 72.00 71.00 72.00 72.00 72.00 72.00 69.00 65.00	legrees Sol Zen 63.00 63.00 62.00 60.05 53.00 53.00 53.00 53.00 54.00 54.00	Sol Zen 65.00 66.00 67.00
End Time 124421 124421 125921 130700 130700 131657 131657 131657 131657 131657 151329 151329 151955 151329 151955 152346 152337 153304 153504	Number of the second	End Time 224329 225042 225822
St Time I 124401 124958 124958 1324958 130149 130641 131417 130658 131417 131637 132058 132659 132054 131637 132054 132659 151742 151012 151936 151309 152326 153258 153444 153326	s, view az St Time 133813 133907 13445 13544 135445 135445 135544 140121 140121 140612 14357 144641 144641 154143	<u>St Time</u> 224309 225023 225802
н В Ц	На 1684 664 Собобобобо Собобобо Собобобо Собобобо Собобобо СОбобо СОбобо СОбобо СОбобо СОбобо СОбобо СОбобо СОбобо СОбобо СОбобо СОбобо СОбобо СОбобо СОбо СО	6 6 6
4	24 12 12 12 12 12 12 12 12 12 12 12 12 12	
August 3, 1984 52 52 12 12 12 12 12 12 12 13 13 12 12 12 12 12 12 12 12 12 12 12 12 12	View Zen Site 93 93 93 14 14 16 88 88 88 93 93	August 16, 1984 <u>Site Obs.</u> 52 12 12 12 89 12

<u>Std 7</u> 0.00 0.00 0.00	Std Z 0.07 0.07 0.10 0.12 0.12 0.12 0.34 0.34 0.31 0.25 0.25 0.25	Std 7 0.07 0.07 0.11 0.17 0.17 0.17 0.17 0.18 0.16 0.18 0.18	<mark>Std 7</mark> 0.23 0.57
Rf1 7 -1.00 -1.00 -1.00 -1.00	Rfl 7 3.50 4.85 4.85 4.85 4.85 7.10 7.10	Rfl 7 3.91 2.04 4.85 4.23 5.67 2.38 5.67 2.35 2.35 2.35	<u>Rfl 7</u> 10.37 12.51 8.17
5td 6 0.00 0.00 0.00 0.00	Std 6 0.24 1.81 1.81 0.33 0.33 0.53 0.53 0.53	Std 6 0.13 0.21 0.23 0.24 0.33 0.46 0.33 0.32 0.32 0.32 0.32 0.32	Std 6 0.29 0.44
Rf16 -1.00 -1.00 -1.00 -1.00	Rfl6 11.77 15.71 15.71 15.72 5.98 5.98 15.02 15.02 15.03 15.04 15.05 15.05 15.05 15.05 16.74 16.74 16.74 16.74 16.74 16.64 16.64 16.64	Rf16 12.57 14.04 5.66 6.09 13.25 13.25 13.77 7.95 6.35 6.33	<u>Rf16</u> 18.43 22.50 17.23
<u>Std 5</u> 0.69 1.87 1.78 0.33	<u>Std 5</u> 0.75 0.45 0.45 2.46 2.10 0.79 3.46 1.13	Std 5 0.17 0.39 0.85 0.45 0.64 0.64 0.64 0.64 0.64 0.64 0.62 0.24 2.28	<u>Std 5</u> 0.30 1.07
Rf1 5 34.04 24.36 7.97 7.97	Rfl 5 28.52 28.52 34.57 112.04 13.62 33.44 36.38 31.14 31.14 31.32 13.22 13.22	Rfl 5 22.61 22.61 22.61 11.54 11.154 15.00 15.00 15.00 15.00 11.16 11.16	<u>Rfi 5</u> 28.09 32.96 29.80
<u>Std 4</u> 0.69 1.89 0.16	Std 4 0.94 0.35 3.73 3.04 0.35 3.04 0.95 0.95 0.95 0.95	Std 4 0.17 0.17 0.17 0.16 0.96 0.96 0.93 0.065 0.081 0.061 0.031<	<u>Std 4</u> 0.37 1.16 2.29
Rfl 4 35.85 24.30 28.49 111.33 11.37	Rfl 4 30.72 36.90 35.46 35.46 31.93 31.93	Rfl 4 25.97 25.97 25.63 10.78 11.99 26.77 24.29 11.99 16.15 26.40 13.77 13.77 12.14 12.14	<u>Rf1 4</u> 29.37 31.79 34.30
<u>Std 3</u> 0.00 0.00 0.00	2000 000 000 000 000 000 000 000 000 00	Std 3 0.12 0.03 0.03 0.03 0.03 0.03 0.03 0.03 0.03 0.03 0.04 0.05 0.05 0.06 0.06 0.06	<u>Std 3</u> 0.14 0.59
Rf1 3 -1.00 -1.00 -1.00 -1.00	Rf1 3 	Rfl 3 2.54 2.54 1.99 3.16 2.80 2.80 2.80 2.80 1.97	<u>Rf1 3</u> 7.50 8.19 7.23
<u>Std 2</u> 0.00 0.00 0.00	Std 2 0.07 0.05 0.05 0.12 0.12 0.13 0.13 0.17	Std 2 0.09 0.08 0.08 0.09 0.12 0.11 0.11 0.11 0.11 0.12 0.13 0.14 0.04 0.05	<u>Std 2</u> 0.14 0.17 0.66
Rf12 -1.00 -1.00 -1.00 -1.00	Rf12 3.53 3.53 3.53 1.66 1.82 3.78 3.78 3.78 3.78 3.78 3.78 3.78 1.87 1.87 1.87	Rf12 2.83 3.34 2.283 3.35 2.22 2.58 3.35 2.58 3.65 2.58 3.65 2.58 2.58 2.57 2.58 3.65 2.57 2.57	<u>Rf12</u> 8.99 8.74 9.15
Std1 0.08 0.15 0.15 0.27 0.59	Std1 0.04 0.06 0.08 0.08 0.18 0.11 0.11 0.12	<u>Std1</u> 0.05 0.07 0.09 0.01 0.05 0.05 0.05 0.05	<u>Std1</u> 0.10 0.21 0.50
Rf1 1 1.83 1.08 1.14 0.24 -0.16	Rfl 1 1.83 2.56 1.18 1.18 2.35 3.05 2.25 2.25 1.16 1.16 1.16 1.16	Rf1 1 1.87 1.44 1.50 2.15 2.15 2.15 2.24 1.85 3.00 1.65	<u>RA 1</u> 6.20 5.66 6.35
<u>Sol Az</u> 249.50 250.50 259.75 259.75 252.42	Sol AZ 231.83 247.79 247.79 240.58 240.58 241.58 241.58 241.58 241.58 241.58 241.58	Sol Az 138.92 140.75 142.50 143.42 144.33 144.33 147.92 151.25 147.92 151.50 153.33 160.54	<u>Sol Az</u> 104.92 105.75 107.50
<u>Sol Zen</u> 68.00 69.00 70.00 70.00	legrees Sol Zen 54.00 54.00 60.00 60.00 61.00 61.00 61.00 64.00 64.00	Sol Zen 50.00 50.00 50.00 49.00 49.00 49.00 49.00 47.00 47.00 47.00	tegrees <u>Sol Zen</u> 71.00 70.00 69.00
End Time 230121 230642 230912 231432 231628	Zimuth 0 c End Time 213431 213431 221333 221122 221122 221522 221522 22152249 2223099 223529	End Time 162525 162525 163136 163136 164115 164556 164727 165242 165747 170218 170218 170747 171230	zimuth 0 c End Time 134447 135349 140036
nued) <u>St Time</u> 230102 230622 230853 231220 231608	August 16, 1984 View zenith 50 degrees, view azimuth 0 degrees Site Obs. 93 12 6 213411 213431 54.00 92 24 6 213529 220333 56.00 92 24 6 213529 220333 56.00 92 24 6 213529 220333 56.00 93 12 6 21102 221013 59.00 93 12 6 221102 221122 60.00 16 12 6 221532 221532 60.00 16 12 6 221532 221552 60.00 88 12 6 222204 2222249 61.00 88 12 6 222230 2233009 63.00 12 12 6 222549 21.00 53.00 52 12 6 222549 23.00 63.00 52 12 6 222549 23.00 63.00 52 12 6	St Time 162505 163116 163116 163116 164055 164055 164537 164707 165728 170158 170158 170158 170158 170158	September 16, 1984 View zenith 50 degrees, view azimuth 0 degrees Site Obs. Hgt. St Time End Time Sol Zei 52 12 6 134428 134447 71.00 12 12 6 135329 135349 70.00 102 12 6 140016 140036 69.00
4 (conti Hgt. 6 6 6 6 6	ل مورو مورو مورو مورو Hattar بالعدية بالعدة بالعدة بالعدية بالعدة بالعدية بالعدة بالعدية بالع بالما بالعام بالما بالعام بالما ما ما بالما ما ما ما ما ما ما ما ما ما ما ما ما م	<u>Н</u> 88 600000000000000000	1984) degree 1 <u>Hgt.</u> 6 6
16, 198 0 <u>5</u> 12 12 12 12 12 12	16, 1984 11, 508 12, 12, 12, 12, 12, 12, 12, 12, 12, 12,	24 12 12 24 12 12 24 15 12 24 15 12 24 15 12 24 15 12 12 12 12 12 12 12 12 12 12 12 12 12	oer 16, mith 50 12 12 12 12
August 16, 1984 (continued) <u>Site Obs. Hgt. St Ti</u> 88 12 6 2301 3 12 6 2306 16 12 6 2308 14 24 6 2312 2 12 6 2315	August 16, 1984 View zenith 500 <u>Site Obs.</u> 92 24 14 24 2 12 3 12 88 12 12 12 88 12 52 12 52 12 52 12	September 16, 1984 Site Obs. Hg 93 12 6 93 12 6 92 12 6 14 12 6 14 12 6 16 12 6 89 12 6 88 12 6 88 12 6 102 12 6 102 12 6 88 12 6 102 12 6 52 24 6	September 16, 1984 View zenith 50 deg <u>Site Obs. Hgt</u> 52 12 6 12 12 6 102 12 6

<u>8td 7</u> 0.25 0.95	; <u>1</u> ; ;	53. 53	.42	.94 1	8 6	2 4	.12	12.	.04	.18	40. 40	00.		1	otd / .36	1.27	.04	0.29	1.23	11.0	60.0	.45	1.54	5.24	0.08	0.18	0.12	0.06).27	0.06	11.0	F .0.0
Rf1 7 S 9.00 0 2 91 0			0	<u> </u>			Ŭ	-	<u> </u>			-		t 0	2.39	5.19 (1.73 (6.06 6.06	7.62 (4.17 (4.41	2.19	4.76 (7.88	4.42	5.61	4.38	1.40	1.69	4.77	4.72 2 28	07.7
<u>5td 6 H</u> 0.47 9 1.26 13		-				-									5td 6	0.55	0.07	0.44	0.43	0.49	0.62	0.83	0.71	6.96 2 2 6	0.16	0.38	0.40	0.84	0.59	0.17	0.22	C7.0
Rf16 5 22.83 (5	64.7	17.10	15.88 (17.50	30.32 77 02	12.98 (13.97 (15.43	5.98	15.11	10.54	11.20			<u>Ktl6</u> 6.19	12.07	4.98	14.96	19.48	11.81	14.15 7.00	00.7	6.70	11.65	13.07	16.16	13.47	5.64	4.82	14.13	13.59 20 0	07.0
<u>Std 5</u> 2.14 7 53	S	1.98 1.98	1.13	2.53	1.33	1.75	5.84	2.13	0.14	0.64	0.13	U.3Z			<u>5td 5</u> 1.34	0.92	0.13	3.94	0.94	1.28	0.36 22	1.91	0.84	6.79	0.31	0.61	3.71	2.53	2.57	3.02	2.95 2.45	10.7
<u>Rf1 5</u> 43.03	46.38	50.32 33.08	44.31	47.10	51.16 47 58	25.38	28.15	29.57	12.58	26.28	10.00	18.82			<u>Ktl 5</u> 12.76	21.22	11.69	36.58	37.93	27.07	28.30	24.83	12.40	17.16	25.67	30.76	33.29	17.42	16.55	39.33	28.71	NC.C2
Std 4 0.86 0.79	1.65	0.39 1.06	1.11	2.19	1.61 1.81	1.08	1.01	1.68	0.21	0.69	51.0 51.0	0.41			<u>Std 4</u> 1.34	1.17	0.17	0.73	0.86	1.73	0.28	0.81	0.32	2.17	0.36	0.72	0.33	0.10	0.85	0.80	0.59	0.40
<u>Rfi 4</u> 48.47 50 73	49.97	52.02 35.07	26.81	30.05	56.35 51 32	28.86 28.86	29.05	30.44	14.37	29.44	18.41	18.79			<u>Kfl 4</u> 13.91	21.35	14.39	31.35	41.76	28.29	29.43	19.87	13.37	13.63	28.49	34.26	31.39	10.28	10.03	30.59	29.16	40°17
Std 3 0.21	0.21	0.30 0.50	0.28	0.69	0.57	0.15	0.02	0.37	0.02	0.08	0.04	0.03		•	Std 3 0.18	0.16	0.05	0.14	0.18	0.06	0.04	0.23	0.56	3.24	0.07	0.09	0.08	0.02	0.06	0.04	0.05	cn.n
<u>Rfi 3</u> 6.65 8.58	5.47	6.86 5.32	5.61	6.55	6.95 6.95	0.00 2.78	2.52	2.88	2.49	3.18	3.26	3.31			<u>RH 3</u> 2.79	3.93	2.40	3.51	4.36	2.69	2.67	2.17	5.55	6.08	2.18	2.65	2.69	2.04	2.13	2.74	2.82	14.7
Std 2 0.21	0.26	0.33 0.43	0.31	0.77	0.54	0.31	0.05	0.46	0.03	0.15	0.U5	0.03			Std 2 0.22	0	0	<u> </u>	<u> </u>	-	<u> </u>	-	-	•••	_	-	_	-	_	_	-	
<u>Rf12</u> 9.26	6.91 6.91	8.53 7.11	6.98	8.06	9.49 e E 2	3.84 19	3.64	4.11	2.57	4.18	3.82	3.84			<u>8.70</u> 3.70	-			-	-												
Std1 0.12	0.18	0.22 0.33	0.23	0.58	0.41	0.19	0.03	0.36	0.04	0.09	0.04	0.03			<u>Std1</u> 0.25	0.11	0.09	0.14	0.11	0.07	0.05	0.23	0.37	2.26	0.07	0.08	0.07	0.05	0.11	0.02	0.06	cn.u
RA 1 5.61	5.17	6.22 4.26	5.16	6.00	6.32 E 6 E	2.64	2.41	2.70	1.80	2.73	2.55	2.56		 	<u>Rfl 1</u> 2.17	2.82	2.09	3.22	3.91	2.70	2.72	1.88	3.97	4.59	2.26	2.63	2.60	1.46	1.53	2.68	2.67	۲۷.I
<u>Sol Az</u> 109.17	111.75	113.50 114.33	116.08	116.08	118.67	217.50	218.50	226.71	228.08	229.08	230.08	227.10			<u>Sol Az</u> 104.92	106.67	107.50	110.08	112.96	112.58	113.50	117.63	117.00	116.92	119.50	120.42	217.50	220.67	221.33	222.33	222.33	C7.677
egrees Sol Zen 67.00	65.00	64.00 63.00	62.00	62.00	60.00	58.00	59.00	59.00	64.33	65.00	66.00	66.00	-	degrees	<u>Sol Zen</u> 71.00	69.75	69.00	67.00	66.00	64.00	64.00	63.00	62.00	61.00	59.00	59.00	58.00	60.00	60.00	61.00	61.00	61.00
September 16, 1984 (continued) View zenith 50 degrees, view azimuth 0 degrees <u>Site Obs. Hgt. St Time End Time Sol Ze</u> 88 12 6 141126 141146 67.00 80 22 5 141200 141772 56.00	141/22	143401 143816	144735	144844	145929	15005442	205831	210113	213805	214116	214519	214619		View zenith 50 degrees, view azimuth 180 degrees	<u>End Time</u> 134744	135603	140259	141347	142031	143122	143556	144116	145048	145149	150648	150803	205216	210703	210829	211239	211411	211639
ontinued) s, view azi <u>St Time</u> E 141126		143342 143756				205422				214057	214500	214603		s, view az	<u>St Time</u> 1 134724	135544	140239	141327	141930	143103	143536	144020	145028	145129	150628	150744	205156	210644	210809	211219	211351	211620
984 (cor degrees <u>Hgt.</u> 5 6 1	6 1	- 1 9 9		6 1		- ~ • ~		. , 9	., 9	9	· •	9	984	degree	<u>Hgt.</u> 6	9	9	9	9	9	9	9	6	6	6	9	v	9	9	9	9	9
r 16, 19 ith 50 c 12 <u>12</u>	12 8	12 17	12	12	51 51	1 2	12	24	12	12	12	10	x 16, 1	ith 50	12 12	12	12	12	24	12	12	24	12	12	12	12	12	12	12	12	12	17
September 16, 1984 (continued) View zenith 50 degrees, view a <u>Site Obs. Hgt.</u> St Time 88 12 6 141126	09 16	3 61	5	14	92	55 25	3 3 3	92	102	21	19	18	September 16, 1984	View zen	Site 57	12	102	88	89	16	ю.	61	14	7	93	92	73	14	2	33	16	61

5 <u>td 7</u> 0.26 0.50 0.19	Std 7 0.09 0.12 0.12 0.12 0.11 0.12 0.12 0.12 0.12	0.10
RA 7 5.18 05.18 05.36 05.36 05.36 05.38 05	RAI 7 5 11.34 0 11.34 0 2.75 0 3.51 0 3.51 0 3.51 0 2.17 0	
<u>Std 6</u> <u>R</u> 0.43 6. 1.01 6. 0.50 3. 0.50 3.	R R	
Rf16 16.49 19.11 20.60 8.86	Rfl6 5.84 6.93 6.93 8.95 8.95 8.95 8.95 8.27 8.27 8.27 8.27 8.27 8.27 8.27 8.27	
Std 5 0.40 0.74 1.37	Std 5 0.12 0.29 0.24 0.24 0.29 0.29 0.29 0.29 0.29 0.29 0.29 0.29	0.43 0.29 0.29
<u>Rfi 5</u> 30.08 33.30 37.84 18.87	Rf1 5 10.47 10.47 10.47 11.103 11.103 11.103 9.71 11.74 9.71 11.78 9.71 11.78	12.70 12.70 13.17 13.65
<u>Std 4</u> 0.65 0.83 0.83	Std 4 0.13 0.28 0.21 0.28 0.21 0.23 0.24 0.25 0.25 0.27 0.28 0.29 0.29 0.27 0.28 0.29 0.29 0.29	0.45 0.39 0.26
Rfl 4 31.66 35.30 37.01 15.95	Rfl 4 10.90 11.20 11.20 11.20 12.87 12.87 12.35	13.51 13.65 14.04
Std 3 0.21 0.07 0.05	Std 3 0.10 0.08 0.07 0.07 0.07 0.07 0.07 0.06 0.07 0.06	0.06 0.08 0.07
Rfl 3 3.64 3.45 4.03 2.55	Rf1 3 2.11 2.11 3.97 3.10 2.23 3.10 2.23 3.10 2.23 2.93 3.10 2.72 2.04 1.78 2.10 2.72 2.04 2.04 2.04 2.04 2.04 2.04 2.04 2.0	2.14 2.36 2.46
Std 2 0.19 0.50 0.11	Std 2 0.06 0.07 0.12 0.13 0.11 0.12 0.12 0.12 0.12 0.12	0.09
Rf12 4.94 5.14 6.17 2.68	Rf12 1.96 3.98 3.27 3.27 2.29 2.29 2.29 2.29 2.29 2.29 2.29 2	2.37 2.55 2.62
<u>Std1</u> 0.12 0.24 0.10	Std1 0.05 0.06 0.07 0.07 0.03 0.03 0.03	0.04 0.05 0.05
RA 1 3.04 3.55 1.95	RA 1 1.10 1.13 1.13 2.34 1.23 1.23 1.23 1.23 1.23 1.23 1.23 1.23	1.35 1.44 1.53
<mark>Sol Az</mark> 224.25 225.25 225.25 227.17	Sol Az 110.33 111.25 111.25 111.25 111.25 115.50 116.00 116.00 115.17 118.92 1123.28 112.328 112.328 122.83	127.58 127.58 130.79 131.75
) degrees <u>Sol Zen</u> 62.00 63.00 64.00	Sol Zen 70.00 69.50 64.000 64.000 64.000 64.000 64.0000000000	57.00 57.00 57.00
zimuth 180 End Time 212151 212438 212624 213448	Cind Time 140406 140406 141200 142548 143102 143712 143409 143712 144819 145305 152507 152507	52/45 53145 53330 53515
8 4 8 2 5 5 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		
ontinued) ees, view az <u>St Time</u> 212132 212418 212604 213428	St Time 140346 140338 141140 142051 142051 142051 143350 143350 143350 14420 14420 14420 145133 152447	153125 153125 153231 153426
1984 (co 1 degre- 6 6 6 6	H821 1984 1984	مەمە
er 16, 1 115 50 12 12 12 12 12 12	0 0 0 0 0 0 0 0 0 0 0 0 0 0	5 5 7 7
September 16, 1984 (continued) View zenith 50 degrees, view azimuth 180 degrees Site Obs. Hgt. St Time End Time Sol Zen 89 12 6 212132 212151 62.00 70 12 6 212418 212438 63.00 88 12 6 212604 212624 63.00 10 12 6 213428 213448 64.00	September 23, 1984 <u>Site Obs</u> , <u>Hg</u> 14 24 6 10 12 6 10 12 6 10 12 6 19 12 6 19 33 6 19 33 6 19 33 6 12 48 6 12 12 6 12 12 6 13 12 12 6 13 12 12 12 13 12 12 12 13 12 12	127 121 119

7.0 Thematic Mapper Simulator Data

7.1 Introduction

The NS001 Thematic Mapper Simulator (TMS) was flown on the NASA C-130 aircraft over the SNF study area. The TMS was a scanning radiometer with eight wavelength bands (see Table 5.2). Band 8 was a thermal band and not processed in this study. The C-130 flew a "crisscross" pattern over the SNF, which provided a variety of sun and view angles. The TMS data were processed to provide reflectance values of study sites. These data are useful in the analysis of the bidirectional reflectance function of forest canopies. TMS data were collected and processed for three days: July 13 and August 6, 1983; and June 28, 1984.

7.2 Data Processing

Several processing steps were required to turn raw TMS data into physically meaningful numbers for the test sites.

The TMS scanner sweeps through view angles of plus or minus 50 degrees. This introduces both geometric distortions and varying atmospheric path lengths across the scan line. At extreme scan angles, a pixel covers an area on the ground several times larger than at nadir. At the nominal 1524 meter (5,000-foot) altitude flown, a nadir pixel covers 3.81 meters along the scan, expanding to 9.22 meters at 50 degrees off nadir. To compensate for this distortion, the data were linearly resampled to a constant pixel size, the same size as the nadir pixel. The scan-angle-corrected images from different flight lines were then registered to a common image. The registration algorithm used control points to remove distortions locally rather than globally, and was effective in correcting for perturbations introduced by variations in aircraft motion. Sites were located in the imagery using photographs, descriptions of site locations, first hand knowledge and maps. Digital count values for areas four by four pixels, approximately 16 by 16 meters, were extracted from each flight line. Using the calibration data provided for each scan line, these values were converted to radiance values by subtracting the low blackbody radiance count and multiplying by the radiance calibration factor.

The TMS radiance values were converted to reflectances using values for insolation, atmospheric transmittance, and path-scattered radiance for the appropriate solar and view angles. No measurement of these values was made, so the LOWTRAN6 atmosphere model was used to generate them. Scattering contributions calculated from the path between the canopy and the sensor were subtracted from the sensor-detected radiances and divided by the incident flux to generate reflectance factors.

7.3 Results

Corrected canopy reflectance values for 3 days are presented in Table 7.1. The sun and view angles are referenced to the same coordinate system centered on the observation point. Standard spherical polar coordinates, with zero-degree azimuth due north, are given. Note that the sensor and the Sun are in line when they have the same coordinates, i.e. the sensor looks at its shadow. Errors in the determination of these angles are possible due to the lack of precise aircraft position. The sensor zenith angles were determined from the sensor scan angle and should be accurate to within a degree. The sensor azimuth angles were determined from plotting the center points of a nadir view camera on an air photo of the area and connecting them to determine the aircraft heading. Because of the errors in this method, view azimuth accuracy is probably no more than 2 to 3 degrees. Solar zenith and azimuth were determined computationally from the time at the beginning of each flight line and should be within a degree. Sites referred to as 0 and 999 in the tables are observations of water. **Table 7.1 - Thematic Mapper Simulator Data**

Canopy reflectance values were determined for 3 days from TMS. The NASA C130 flew several flight lines over the SNF to collect data at several view and solar angles for each site. The view and solar angles are in the same coordinate system with zero-degree azimuth being due north. Reflectance values were determined for sets of four-by-four pixels at each site and are reported as average precent reflectance and standard deviation for each TMS band. Sites 0 and 99 are water sites.

<u>Std 7</u> - 0.27 0.26 0.26 0.43 0.76	- 0.21 0.61 0.43 0.43	- 0.25 0.59 0.46 0.66	- 0.28 0.52 0.33 0.79 0.79
Rf17 - 0.25 0.59 1.97 1.83 4.24	- 0.50 2.47 0.54 1.91 3.76	- 0.40 2.59 1.35 2.05 3.86	- 0.33 2.94 1.09 3.35 1.82
<u>Std 6</u> 0.45 0.29 0.73 0.42 0.55	0.56 0.26 0.67 0.61 0.64 0.51	0.37 0.18 0.78 0.58 0.86 1.14	0.71 0.32 0.81 0.68 1.14 0.81
Rf16 4.57 4.34 8.21 5.03 6.95 10.26	4.46 4.63 8.50 7.29 9.74	4.63 4.27 8.81 5.28 7.35 10.51	4.18 4.37 8.78 6.13 9.17 6.42
<u>Std 5</u> 1.70 1.82 1.33 1.54 2.36	1.69 1.06 1.14 2.06 2.52 1.02	1.47 0.74 1.38 1.44 2.65 2.77	1.87 0.51 2.06 1.89 2.87 2.87 2.00
<u>Rf15</u> 16.95 16.61 18.40 22.81 22.81	16.44 15.61 25.79 17.35 23.62 29.46	17.77 16.19 26.93 19.32 24.48 28.99	14.82 14.60 25.62 20.11 25.81 21.34
<u>5td 4</u> 1.74 1.13 1.15 1.15 2.40	1.70 1.14 0.96 1.76 2.20 0.87	1.49 0.69 1.11 2.23 2.63	1.67 0.59 1.62 1.55 2.32 1.88
Rfl 4 14.34 13.77 13.77 13.77 15.04 18.14 18.14 23.42 23.42 23.42	13.72 12.29 20.76 13.85 18.60 24.30	15.12 13.12 21.69 15.58 19.59 22.83	12.02 11.30 19.71 15.76 19.49 16.78
<u>Std 3</u> 0.28 0.39 0.31 0.31 0.40	0.37 0.17 0.45 0.45 0.47 0.34	0.32 0.19 0.45 0.30 0.51 0.52	0.28 0.16 0.29 0.37 0.67 0.43
Rfl3 2.31 1.33 4.70 2.68 3.70 5.48	2.33 1.44 4.84 2.48 3.84 5.83	2.44 1.44 5.00 3.93 5.82	1.99 1.16 4.69 3.07 4.75 3.23
<u>Std 2</u> 0.36 0.68 0.41 0.35 0.35	0.46 0.32 0.35 0.51 0.70 0.30	0.46 0.20 0.58 0.78 0.78 0.86	0.57 0.26 0.56 0.60 0.93 0.56
Rf12 4.47 3.00 7.82 6.17 8.42	4.37 2.90 8.01 4.53 6.32 8.92	4.70 2.94 8.33 4.85 6.57 8.86	3.88 2.62 7.61 5.15 7.43 7.43 5.31
<u>Std 1</u> 0.26 0.36 0.21 0.21 0.33	0.22 0.10 0.21 0.23 0.36 0.14	0.19 0.21 0.33 0.14 0.31 0.43	0.31 0.13 0.19 0.27 0.46 0.24
Rfl1 3.97 2.54 6.33 3.91 4.71 6.01	3.92 2.46 6.39 3.80 4.71 6.40	4.08 2.32 6.57 3.94 4.72 6.43	3.38 1.94 5.92 5.54 3.69
View <u>Az</u> 90.00 88.00 50.00 50.00 233.00 233.00 320.00	90.00 88.00 50.00 268.00 233.00 320.00	90.00 88.00 50.00 233.00 320.00	90.00 88.00 50.00 233.00 320.00
<u>jiew Zen</u> 3.00 33.70 20.86 17.71 19.57 23.29	1.14 33.14 22.28 17.71 19.29 25.57	1.43 32.57 23.28 18.14 19.00 29.43	7.29 38.00 16.29 9.71 3.00
<u>Sol Az</u> 94.33 97.10 99.97 102.75 110.37	94.33 97.10 99.97 102.75 110.37 110.37	94.33 97.10 99.97 102.75 1105.41 110.37	94.33 97.10 99.97 102.74 105.41 110.37
<u>Sol Zen</u> 56.16 53.84 51.53 49.40 47.46 41.13	56.16 53.84 51.53 49.40 47.46 44.13	56.16 53.84 51.53 49.41 47.46 44.13	56.16 53.84 51.53 49.40 47.46 44.13
1983 1983 1 2 5 5 6	- 1 C C 4 L V	- 1 C C 4 L O	- 0 ° 4 ° 0 °
July 13, 1983 Site Fight 2 1 2 2 2 3 2 3 2 4 2 5 5 5 6	41 44 44 44 44 44 44 44	51 51 51 51 51 51 51 51 51	57 57 57 57

<u>Std 7</u> - 0.61 0.59 0.52 0.52	- 0.49 0.50 0.51 0.51 0.57	- 1.02 0.30 0.36 0.29 0.24	Std Z Std Z O.23 O.23 O.17 O.17 O.14 O.15 O.15 O.22 O.23 O.24 O.24 O.25 O.25 O.25 O.26 <	0.19 0.61 0.47 0.37 0.34 0.34 0.43
Rf1Z - 11.30 4.31 6.23 8.06	- 2.34 11.10 5.53 6.25 7.31	- 3.00 -1.30 -1.30 -1.30 -1.50	Rf1Z -0.96 -1.17 -0.92 -0.79 -0.79 -0.58	2.47 2.47 3.62 3.47 2.46 3.54 3.54
Std 6 0.91 1.26 0.41 1.09 1.12	1.10 0.99 0.92 0.75 0.75	0.29 0.92 0.21 0.17 0.15	Std 6 0.16 0.14 0.12 0.14 0.12 0.16 0.17 0.17 0.16	0.52 1.30 1.04 1.15 0.54 0.54 0.99
Rf16 16.79 9.10 22.87 11.27 14.93 18.16	16.23 8.45 21.24 12.87 13.12 14.84	0.24 3.74 0.25 0.28 0.28 0.28	Rfl 6 0.22 0.22 0.40 0.40 0.11 0.11 0.13 0.13 0.13 0.13	11.69 15.77 14.93 14.29 13.61 13.61 13.21
<u>Std 5</u> 3.07 1.49 2.52 2.52 2.52 2.71	3.20 3.14 1.02 2.61 2.28 2.28	0.10 1.15 0.09 0.11 0.11	Std 5 0.27 0.22 0.22 0.22 0.22 0.24	2.13 4.66 3.26 3.58 2.37 2.65 3.09
Rf15 39.38 51.43 31.57 38.98 46.09	37.17 25.28 45.02 34.32 32.10 37.23	0.73 5.36 0.70 0.69 0.63	Rf15 0.46 0.28 0.50 0.41 0.41 0.44 0.44	45.44 52.31 49.15 48.30 47.33 44.14
<u>Std 4</u> 2.08 1.20 2.10 2.10 1.62	2.59 2.54 1.01 2.07 1.64 1.80	0.00 0.99 0.17 0.13 0.13 0.13	Std 4 0.00 0.16 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	1.99 4.34 3.33 3.20 2.51 2.51 2.73
Rfl <u>4</u> 30.26 39.26 33.26 23.50 35.56	27.65 18.85 33.40 25.06 222.98 28.39	0.14 4.25 0.17 0.24 0.09 0.28	Rfl 4 0.52 0.32 0.32 0.46 0.14 0.36 0.29	39.99 42.05 39.73 39.61 38.48 33.79 39.20
Std 3 0.41 0.39 0.26 0.42 0.25 0.36	0.61 0.34 0.63 0.43 0.59 0.55	0.10 1.24 0.14 0.12 0.12 0.16 0.00	Std 3 0.00 0.15 0.09 0.13 0.13 0.03	0.17 0.59 0.33 0.35 0.23 0.23 0.23
Rf1 <u>3</u> 7.62 3.31 4.13 5.72 7.04	8.23 3.54 3.54 5.62 6.24 8.23	1.02 6.13 1.26 1.40 1.12	Rf13 1.27 1.24 1.43 1.43 1.35 1.04 1.39 1.39	2.54 3.34 3.27 3.33 3.33 3.06 2.83 3.14
Std 2 0.60 0.32 0.36 0.36	0.81 0.44 0.33 0.62 0.70 0.59	0.29 1.25 0.18 0.14 0.13 0.13	Std 2 0.14 0.13 0.13 0.11 0.12 0.12 0.12 0.12	0.33 0.78 0.49 0.45 0.32 0.32
Rf12 5.73 5.73 6.80 6.80 8.87 8.87	11.85 5.78 16.68 8.29 9.18 9.18	1.71 6.70 1.83 1.93 1.93 1.59	Rf12 1.76 1.87 1.87 1.87 1.87 1.84 2.03	4.56 5.74 5.45 5.31 5.31 4.59 5.14
Std 1 0.33 0.23 0.19 0.14 0.33	0.41 0.19 0.33 0.27 0.36 0.27	0.17 0.78 0.11 0.13 0.13 0.10 0.09	Std 1 0.08 0.08 0.13 0.07 0.10 0.10 0.15 0.15 0.10 0.10	0.15 0.53 0.23 0.26 0.19 0.17 0.17
Rf11 9.73 4.52 13.52 5.03 7.26 8.06	9.69 4.34 113.56 5.73 7.38 8.19	2.73 6.83 2.78 2.66 2.33 1.80	Rfl1 2.58 3.01 2.48 2.48 2.43 2.43 2.55 2.55 2.55 2.55	3.46 4.59 4.11 3.92 3.81 3.81 3.59 4.11
<u>View Az</u> 270.00 268.00 268.00 230.00 330.00 320.00	270.00 268.00 268.00 230.00 233.00 320.00	90.00 88.00 50.00 233.00 320.00	View Az 313.50 313.00 270.00 36.00 40.50 40.50 266.50 266.50	313.50 90.00 216.00 40.50 266.50
View Zen 34.57 2.29 48.00 18.71 45.57 39.00	31.00 4.29 46.00 45.43 33.29	12.00 40.57 11.43 17.43 19.29 8.57	View Zen 44.89 1.25 1.69 7.03 46.52 33.57 33.57 17.40	37.88 11.56 0.93 5.08 39.41 33.37 18.08
Sol Az 94.31 97.08 99.96 102.73 110.35	94.31 97.08 99.96 102.73 105.40 110.35	94.33 97.10 99.97 102.75 1105.41 110.37	Sol Az 113.47 118.80 135.18 135.18 135.18 135.18 126.96 121.50	113.47 113.80 135.18 139.66 144.41 121.50
July 13, 1983 (continued) Eite Fight Sol Zen 58 1 56.17 58 2 53.85 58 3 51.54 58 5 47.47 58 5 47.47 58 5 47.47 58 6 44.14	56.17 53.85 51.54 49.41 47.47 44.14	56.16 53.84 51.53 49.40 47.46 44.13	<u>Sol Zen</u> 48.96 45.82 38.50 37.03 35.70 41.76 44.38	48.96 45.82 38.50 37.03 35.70 41.76 44.38
. 1983 (α <u>Fight</u> 1 2 3 3 6 6	- 0 0 4 0 9	с с с с с с с с с с с с с с с с с с с	6, 1983 1 1 2 5 5 7 6 7 7	Cl (Cl (Cl (Cl (Cl (Cl (Cl (Cl (Cl (Cl
July 13, 58 5	\$\$ \$\$ \$\$ \$ \$ \$	888888	August 6, 1983 Site Fight 0 1 0 2 0 4 0 5 0 5 0 6 0 7	******

			N4050500	0050
Std Z 0.19 0.42 0.40 0.51 0.26 0.27 0.26	0.40 0.31 0.38 0.38 0.38 0.24 0.50	0.16 0.27 0.28 0.28 0.28 0.25	2 Std 7 0.84 0.90 0.65 0.65 0.65 0.65	0.90
Rfl 7 2.21 3.54 3.54 3.14 2.83 2.14 2.84	2.93 3.91 3.50 3.42 2.92 2.92 3.47	2.14 3.11 3.26 2.84 2.20 2.20	Rf17 2.60 3.90 3.02 2.79 2.79 2.60	2.09 4.43 2.85 3.13
Std 6 0.48 0.95 0.95 0.50 0.50	0.50 0.57 0.48 0.73 0.51 1.61 0.88	0.37 0.46 0.51 0.47 0.49 0.54	<u>Std 6</u> 1.74 1.81 1.81 1.81 1.81 1.81 1.81 1.35 1.35	2.43 1.83 1.51 0.98
Rf16 10.41 13.96 12.89 13.20 11.63 11.63 11.48	12.14 15.26 15.47 14.53 13.90 13.13 13.32	9.77 13.33 13.86 12.84 12.84 10.92 12.38	Rfl6 11.20 15.89 12.73 12.09 10.44 10.03	9.63 13.95 10.02 10.41
<u>Std 5</u> 2.41 1.56 2.27 2.27 3.00	1.92 2.31 1.35 2.07 1.71 5.27 2.69	1.20 2.08 1.86 1.62 2.34 1.84	<u>Std 5</u> 5.97 6.40 5.20 6.07 6.31	11.65 7.84 6.52 3.45
Rf15 50.66 44.26 44.26 40.39 43.99	47.42 52.93 51.04 48.20 48.54 47.34	41.71 49.98 48.75 46.34 46.34 42.54 47.04	Rf15 52.92 65.60 53.01 45.03 39.22 39.22	43.27 56.43 44.36 41.86
2.84 2.50 1.51 2.84 2.84 2.84 2.84	2.46 2.37 1.27 1.82 1.44 4.91 2.55	1.10 1.93 4.52 1.54 2.19 2.19	Std 4 5.92 5.92 5.92 8.04 4.81 6.20 5.21 6.33	10.57 7.58 5.95 2.69
Rf14 37.35 37.97 39.31 37.04 34.66 36.96	41.03 43.66 41.78 39.37 40.02 39.08 39.08	37.32 42.17 40.93 38.88 38.88 - 36.46 39.67	Rf14 45.24 55.30 42.26 36.02 36.69 32.11 35.77	34.34 46.76 35.41 34.03
Std 3 0.17 0.21 0.21 0.20 0.15 0.16 0.16 0.18	0.13 0.22 0.11 0.17 0.14 0.43 0.28	0.17 0.19 0.17 0.12 0.12 0.15	<u>Std 3</u> 0.41 0.59 0.58 0.49 0.38 0.38	0.82 0.57 0.56 0.24
Rf13 3.45 3.45 3.07 3.13 2.81 2.57 2.81	2.16 3.21 3.12 2.71 2.86 2.65 2.75	1.92 3.08 3.37 2.74 2.47 2.87	Rfl3 1.71 3.37 2.61 2.65 2.69 2.45 2.00	1.74 3.87 2.24 2.80
Std 2 0.29 0.23 0.23 0.24 0.24 0.35 0.35	0.23 0.23 0.16 0.25 0.25 0.25 0.35	0.17 0.21 0.17 0.17 0.17 - 0.20 0.19	Std 2 Std 2 0.53 0.53 0.61 0.86 0.58 0.58 0.58 0.58 0.59 0.43	1.30 0.84 0.76 0.38
Rf12 5.91 5.25 5.28 4.41 4.41	4.16 5.63 5.29 4.97 4.72	3.55 5.15 5.38 4.51 4.09 4.09	Rf12 3.53 6.04 4.75 4.75 3.68 4.10 3.55	3.46 5.94 3.86 4.48
<u>Std 1</u> 0.14 0.19 0.15 0.15 0.15 0.15	0.22 0.14 0.12 0.12 0.23 0.34 0.19	0.11 0.11 0.12 0.12 0.12 - 0.08	Std 1 0.44 0.27 0.31 0.36 0.31 0.31 0.31 0.31	0.75 0.32 0.40 0.26
Rf11 2.98 3.79 3.57 3.24 3.63	2.91 4.36 3.37 3.37 3.41 3.41	2.96 4.20 4.13 3.45 3.27 3.92	Rf11 2.49 4.60 3.36 3.35 3.36 3.36 2.52 3.44 2.45 2.45	2.49 4.90 3.30 3.54
View Az 313.50 133.00 90.00 216.00 40.50 266.50 266.50	313.50 90.00 36.00 40.50 262.50 266.50	313.50 90.00 36.00 40.50 262.50 86.50	<u>View Az</u> 328.00 144.00 90.00 89.00 48.00 14.00	328.00 144.00 90.00 89.00
View Zen 33.64 18.01 6.49 4.97 39.54 29.96 13.66	34.87 16.49 12.43 6.54 46.34 24.41 5.77	37.96 11.72 14.37 15.54 50.81 21.62 11.58	View Zen 0.99 9.63 39.88 19.22 27.14 2.93	1.18 11.22 11.24 38.57
Sol AZ 113.47 118.80 135.18 139.66 1144.41 126.95 121.50	113.47 113.47 135.18 139.66 144.41 126.96 121.64	113.47 118.80 136.18 139.66 144.41 126.95 121.50	Sol Az 110.16 108.20 112.45 114.84 117.90 122.68 128.23	110.16 108.20 112.45 114.84
August 6, 1983 (continued) 3ite Fight Sol Zen 73 1 48.96 73 2 45.82 73 3 38.50 73 4 37.03 73 5 35.70 73 5 35.70 73 5 35.70	48.96 45.82 38.50 37.03 35.70 41.76 44.38	48.96 45.82 38.50 37.03 37.03 41.76 44.38	Sol Zen 42.39 43.65 39.65 37.97 33.36 33.36	42.39 43.65 41.00 39.62
(6, 1983 (<u>Fight</u> 2 3 4 6 6 7	- この 4 ら 9 ト	1234567	lune 28, 1984 <u>Site Fight</u> 3 2 3 2 3 3 3 5 3 5 5 5 3 7	F 0 6 4
August <u>Site</u> 73 73 73 73 73 73	44 44 44 44 44 4 4 4	75 75 75 75 75 75	June 2 Site 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	

t	<u>5td 7</u> 0.72	0.53	0.50	1 22	3	1.42	0.46	550		2.5	0.41	0.46	!	0.45	0.85			0.00	0.44	0.59	0.63
	<u>Kti 7</u> 2.43	2.82	2.84	1 88	3	4.30	1.97	4 87	5.5	40.4	2.88	2.51		2.02	3.11	1 87	0.1	0.00	1.78	3.00	2.38
à	<u>5td 6</u> 1.15	1.09	1.44	1 73		4.4/	0.99	0.95	1 43		0.71	0.90		0.96	1.39	0.84	1 24	#0.T	0.86	1.18	1.22
	<u>K11</u> 0 8.93	10.05	10.77	659		10.00	6.15	10.12	677		6./4	7.36		6. .0	8.30	5	12.0	F / 1	5.81	8.43	7.74
10 17 10	4.68	5.21	6.28	4 97	000	0.00	3.18	4.95	4 53		40.1	4.03		1.89	4.60	2.99	117	/1.2	2.60	3.15	3.27
2170	<u>38.74</u>	42.79	44.29	23.53	35 50	50.00	23.48	28.80	74.94		20.02	25.41	00.00	20.02	32.69	23.36	35.03		24.09	31.90	29.34
1 843	<u>210 4</u> 4.33	5.09	5.74	3.77	с С		2.89	3.99	3.53		3.1	3.72		70.1	3.87	2.51	3.26		1.98	2.43	2.52
r 17 d	30.22	36.06	35.39	17.12	5C 2C		11.11	20.83	18.55	10	00.01	18.80	C F F C	71.12	24.83	17.10	25.61		17.11	23.89	21.30
5 273	0.49	0.31	0.71	0.81	1 36		0.58	0.33	0.91	770	07.0	0.35	17.0	14.0	0.55	0.28	0.56		0.30	0.49	0.52
D f13	2.02	2.30	2.36	2.46	5 36		7.8U	5.45	3.11	2 53	70.0	2.92	204	F-10-7	3.06	1.80	3.64		1.94	3.24	2.46
643	<u>214</u> ≰ 0.44	0.54	0.75	1.11	1 48		V./U	0.65	0.98	0 54	۲ 2	0.61	0.43	04.0	0.80	0.50	0.72	tu c	4C.U	0.67	0.64
617	3.24	4.06	3.74	4.17	8 40		4.7/	7.88	5.28	ባ በ	CF. C	4.75	2 J1	1 7.0	4.97	3.04	5.91	01 C	01.0	5.04	3.99
Std 1	0.32	0.20	0.39	0.57	0.48	100	C7.0	0.22	0.23	0 7 R	01.0	0.20	10.01	14.0	0.33	0.19	0.20	70.0	17.0	0.21	0.21
Rfl1	2.43	3.12	2.59	2.46	5.13		0.40	5.37	3.25	4 01		2.69	151		7.71	1.76	2.96	1 12		2.76	1.88
View Az	233.00	48.00	14.00	328.00	144.00	000020	00.014	89.00	233.00	48 00	00.01	14.00	328.00		144.00	270.00	89.00	233.00	00.007	48.00	14.00
View Zen	21.36	25.65	1.22	10.90	0.66	13 10		37.03	14.64	29.82		13.70	13.81		3.24	26.84	21.61	30.76		17.61	3.36
Sol Az	117.90	122.68	128.23	110.16	108.20	112 45		114.84	117.90	122.68		67.071	110.16	00 00 1	100.20	112.45	114.84	117 QU		122.68	128.23
Pane 28, 1984 (continued) Site Fight SolZen	37.97	79.05	33.36	42.39	43.65	41 M		39.62	37.97	35.67	20.00	00.00	42.39	5	40.00	41.00	39.62	37 97		/9.00	33.36
3, 1984 (a Fight	ى س	e i	2	1	2	"	. •	ታ	S	9	r		1	ſ	4	m	4	ır.		01	
Fine 26 Site	 	v (r ī	ю	e	"	» с	n i	ŝ	m	c	n	¢,	ç	יר	ب	ო	Ċ		n (T.

,

8.0 Satellite Data Availability

The purpose of the SNF study was to develop the techniques to make the link from biophysical measurements made on the ground to aircraft radiometric measurements and then to scale up to satellite observations. Therefore, satellite image data were acquired for the Superior National Forest study site. These data were selected from all the scenes available from Landsat 1 through 5 and SPOT platforms. Image data substantially contaminated by cloud cover or of poor radiometric quality were not acquired. Of the Landsat scenes, only one Thematic Mapper (TM) scene was acquired; the remainder are Multispectral Scanner (MSS) images. Table 8.1 contains a listing of the scenes which passed inspection and were acquired and archived by Goddard Space Flight Center. Some of the acquired image data have cloud cover in portions of the scene or other problems with the data. These problems and other comments about the images are summarized in Table 8.2.

TABLE 8.1 Satellite Image Data Acquired for the SNF Study Area

This table contains a listing of the satellite image data acquired for the SNF study area in Minnesota. The first column is the date of the satellite overpass; Plat is the platform with Landsat abbreviated LS; Inst is the instrument the data were collected with, MSS is the Multi-Spectral Scanner, TM is the Thematic Mapper and HRV1 and 2 are High-Resolution Visible sensors on SPOT; Sol Zen for solar zenith angle (degrees); Sol Az for solar azimuth angle (degrees); View Zen for view zenith angle (degrees); View Az for view azimuth angle (degrees); Pixels for the number of pixels in a record; Recs for number of image records (or lines); GMT for Greenwich Mean Time when the image was collected.

Date	<u>Plat</u>	Inst	<u>Sol Zen</u>	<u>Sol Az</u>	<u>View Zen</u>	<u>View Az</u>	<u>Pixels</u>	<u>Recs</u>	GMT
03-JUL-73	LS-1	MSS	32	132	0	0	3264	2983	1628
23-JUN-75	LS-1	MSS	35	125	0	0	3264	2983	1609
21-MAY-76	LS-2	MSS	36	131	0	0	3264	2983	1614
05-JUL-76	LS-1	MSS	40	117	0	0	3264	2983	1544
01-AUG-76	LS-2	MSS	39	130	0	0	3264	2983	1612
06-SEP-76	LS-2	MSS	49	139	0	0	3264	2983	1611
24-SEP-76	LS-2	MSS	54	144	0	Ō	3264	2983	1610
21-JUN-77	LS-2	MSS	36	122	0	0	3264	2983	1559
11-JUN-79	LS-2	MSS	35	127	0	Õ	3264	2983	1612
05-JUN-82	LS-3	MSS	34	133	0	Ő	3264	2983	1628
01-MAY-83	LS-4	MSS	38	141	Ō	Õ	3264	2983	1628
18-JUN-83	LS-4	MSS	32	133	0	Õ	3264	2983	1628
25-APR-84	LS-5	ТМ	40	139	0	Õ	6967	5965	1628
28-JUN-84	LS-5	MSS	32	129	0	Õ	3264	2983	1628
21-AUG-86	LS-5	MSS	43	136	0	Õ	3264	2983	
22-JAN-87	SPOT	HRV2	69	165	2.3	103.4	3000	3000	1628
25-APR-87	SPOT	HRV2	36	164	17.2	105.3	3000	3000	1719
05-MAY-87	SPOT	HRV2	33	168	27.6	105.5	3000	3000	1730
31-MAY-87	SPOT	HRV2	27	165	26.2	106.6	3000	3000	1738
28-JUL-87	SPOT	HRV1	31	155	7.3	100.0	3000		1738
08-AUG-87	LS-5	MSS	40	134	0	0	3264	3000	1723
13-AUG-87	SPOT	HRV1	35	155	3.6	102.6	3000	2983	1628 s
14-SEP-87	SPOT	HRV1	46	157	24.1	102.8		3000	1715
24-SEP-87	SPOT	HRV1	50	162	13.8	100.0	3000	3000	1700
04-OCT-87	SPOT	HRV2	53	167	3.3		3000	3000	1708
23-JUL-90	LS-4	MSS	36	131		102.7	3000	3000	1715
31-JUL-90	LS-5	MSS	38	130	0	0	3264	2983	1628
16-AUG-90	LS-5	MSS	42	130	0 0	0	3264	2983	1628
		14100	74	134	U	0	3264	2983	1628

Table 8.2 Comments on Satellite Image Data Acquired for the SNF Study Area

This table contains brief descriptions of the quality of the satellite image data described in Table 8.1.

Date	Comments
03-JUL-73	Band 1 and 2 data striped, scattered cumulus in SNF.
23-JUN-75	Band 1 and 2 data striped, SNF clear of cloud cover.
21-MAY-76	Band 1 and 2 data striped, SNF clear of cloud cover.
05-JUL-76	Band 1 and 2 data striped, few cumulus.
01-AUG-76	Band 1 and 2 data striped, few cumulus.
06-SEP-76	Band 1 and 2 data striped, SNF clear of cloud cover.
24-SEP-76	Band 1 and 2 data striped, SNF clear of cloud cover.
21-JUN-77	Band 1 and 2 data striped, SNF clear, SNF cut off to East of Big Lake.
11-JUN-79	Band 1 and 2 data striped, SNF at bottom of scene.
05-JUN-82	Line start error North and West of Ely, SNF cut off to East of Big Moose Lake.
01-MAY-83	SNF clear of cloud cover.
18-JUN-83	SNF clear of cloud cover, image used as reference for GSFC work.
25-APR-84	SNF clear of cloud cover.
28-JUN-84	SNF clear of cloud cover, possible calibration problems.
22-JAN-87	Snow covered, SNF has some cirrus.
25-APR-87	Heavy cirrus cloud cover in northern SNF.
05-MAY-87	Cirrus cloud cover in Western portion of SNF.
31-MAY-87	Heavy cumulus cloud cover throughout SNF.
28-JUL-87	SNF clear of cloud cover.
08-AUG-87	SNF clear of cloud cover.
13-AUG-87	Few scattered cumulus.
14-SEP-87	SNF clear of cloud cover.
24-SEP-87	SNF clear of cloud cover.
04-OCT-87	Some cirrus cloud cover in Eastern SNF.
23-JUL-90	Band 1 and 2 data striped, some cumulus outside SNF.
31-JUL-90	Band 1 and 2 data striped, SNF clear of cloud cover.
16-AUG-90	Band 1 and 2 data striped, some cirrus cloud cover in SNF.

9.0 Superior National Forest Related Publications

Ahlgren, C. E. (1960), Some effects of fire on reproduction and growth of vegetation in northeastern Minnesota, *Ecology* 41 (3): 431-445.

Alban, D. H., D. A.Perala and B. E. Schlaegel (1978), Biomass and nutrient distribution in aspen, pine, and spruce stands on the same soil type in Minnesota, *Can J For Res* 8: 290-299.

Badhwar, G. D., R. B. Macdonald, F. G. Hall and J. G. Carnes (1986), Spectral characterization of biophysical characteristics in a Boreal Forest: Relationship between Thematic Mapper band reflectance and leaf area index for aspen, *IEEE Trans Geosci Rem Sens* GE-24 (3): 322-326.

Badhwar, G. D., R. B. Macdonald and N. C. Menhta (1986a), Satellite-derived leafarea-index maps as input to global carbon cycle models - a hierarchical approach, *Int. J. Remote Sensing* 7 (2): 265-281.

Baker, W. L. (1989), Landscape ecology and nature reserve design in the Boundary Waters Canoe Area, Minnesota, *Ecology* 70 (1): 23-35.

Botkin, D. B., J. E. Estes, R. M. MacDonald and M. V. Wilson (1984), Studying the Earth's vegetation from space, *BioScience* 34 (8): 508-514.

Botkin, D. B. and K. D. Woods (1985), developing a conceptual framework for remote sensing studies of ecological patterns, *Bull. Ecol. Soc. Am.* 66: 144-145.

Grigal, D. F. and H. F. Arneman (1970), Quantitative relationships among vegetation and soil classifications from northeastern Minnesota, Can. J. Bot. 48: 555-566.

Grigal, D. F. and L. F. Ohmann (1975), Classification, description, and dynamics of upland plant communities within a Minnesota wilderness area, *Ecol. Mono.* 45: 389-407.

Hall, F. G., D. E. Strebel, S. J. Goetz, K. D. Woods and D. B. Botkin (1987), Landscape pattern and successional dynamics in the boreal forest, In: *International Geoscience and Remote Sensing Symposium (IGARSS 87)*, pp. 473-482, Ann Arbor, Michigan.

Hall, F. G., D. E. Strebel and P. J. Sellers (1988), Linking knowledge among spatial and temporal scales: Vegetation, atmosphere, climate and remote sensing, *Landscape Ecology* 2 (1): 3-22.

Hall, F. G., D. E. Strebel, J. E. Nickeson and S. J. Goetz (1988), Satellite tracking of growth and disturbance in Boreal Forest stands, In: *Proceedings of the Third Annual Landscape Ecology Symposium*, Albuquerque, New Mexico.

Hall, F. G., D. E. Strebel, S. J. Goetz and J. E. Nickeson (1989), Landscape scale forest phenology using remote sensing, In: *Proceedings of the Fourth Annual Landscape Ecology Symposium*, Fort Collins, Colorado.

Hall, F. G., D. B. Botkin, D. E. Strebel, K. D. Woods and S. J. Goetz (1991), Large scale patterns of forest succession as determined by remote sensing, *Ecology* 72 (2): 628-640.

Hall, F. G., D. E. Strebel, J. E. Nickeson and S. J. Goetz (1991), Radiometric rectification: Toward a common radiometric response among multi-date, multi-sensor images, *Rem Sens Environ*. 35: 11-27.

Hall, F. G., S. J. Goetz and J. E. Nickeson (1992), Seasonal and interannual variability in photosynthetic activity in the boreal forest of northeast Minnesota: a remote sensing based model, In: *Proceedings of the Seventh Annual Landscape Ecology Symposium*, Corvallis, Oregon.

Hall, F. G., D. E. Strebel, J. E. Nickeson and S. J. Goetz (in preparation), Boreal forest seasonal dynamics derived from satellite remote sensing.

Hall, F. G., K. F. Huemmrich, S. J. Goetz, J. E. Nickeson and D. E. Strebel (in preparation), Remote sensing and canopy modeling of phenological development in a boreal forest.

Hall, F. G., S. J. Goetz, J. E. Nickeson and K. F. Huemmrich (in preparation), Interannual variability of photosynthetic activity in a boreal forest.

Heinselman, M. L. (1973), Fire in the virgin forests of the Boundary Waters Canoe Area, Minnesota, Quaternary Res 3: 329-382.

Heinselman, M. L. (1981), Fire and succession in the conifer forests of northern North America, Forest succession: Concepts and applications, Springer-Verlag.

Nordin, J. O. and D. F. Grigal (1976), Vegetation, site, and fire relationships within the area of the Little Sioux Fire, northeastern Minnesota, *Can J For Res* 6: 78-85.

Ohmann, L. F. and D. F. Grigal (1979), Early revegetation and nutrient dynamics following the 1971 Little Sioux forest fire in northeastern Minnesota, *For. Sci. Monograph* 21.

Ohmann, L. F. and D. F. Grigal (1985), Biomass distribution of unmanaged upland forests in Minnesota, Forest Ecology and Management 13: 205-222.

Ohmann, L. F. and R. R. Ream (1971), Wilderness ecology: virgin plant communities of the Boundary Waters Canoe Area, USDA Forest Service Res. Paper NC-63.

Perala, D. A. and D. H. Alban (1982), Biomass, nutrient distribution and litterfall in Populus, Pinus and Picea stands on two different soils in Minnesota, *Plant Soil* 64: 177-192.

Pitts, D. E., G. D. Badhwar and A. H. Feiveson (1988), Comparison of measured Cband scattering coefficients with model predictions as a function of leaf area index and biomass, In: International Geoscience and Remote Sensing Symposium 1988 (IGARSS 88), , pp 1271-1275, Edinburgh, Scotland.

Sando, R. W. and D. A. Haines (1972), Fire weather and behavior of the Little Sioux Fire, North Cent. For. Exp. Stn., Research Paper NC-76.

Shen, S. S., G. D. Badhwar, and J. G. Carnes (1985), Separability of boreal forest species in the Lake Jennette area, Minnesota, *Photog. Eng. and Rem. Sens.* 51 (11): 1775-1783.

Strebel, D. E., S. J. Goetz and F. G. Hall (1987), Atmospheric correction of NS-001 images and extraction of multiple angle reflectance data sets, In: 21st Internation Symposium on Remote Sensing of Environment, pp. 939-948, Ann Arbor, Michigan.

Swain, A. M. (1973), A history of fire and vegetation in northeastern Minnesota as recorded in lake sediments, *Quat Res* 3: 383-396.

Swain, A. M. (1980), Landscape patterns and forest history in the Boundary Waters Canoe Area, Minnesota: a pollen study for Hug Lake, *Ecology* 61: 747-754.

Woods, K. D. and D. B. Botkin (1984), Direct measurement by remote sensing of biomass and leaf area in natural forest stands, *Bull. Ecol. Soc. Am.* 65: 61.

Woods, K. D., D. B. Botkin and A. H. Fieveson (1985), Dimension analysis: new developments in models and statistical treatment, Bull. Ecol. Soc. Am. 66: 297.

Woods, K. D., A. H. Fieveson and D. B. Botkin (1991), Statistical error analysis for biomass density and leaf area index estimation, *Can J For Res* 21:974-989.

Appendix 1 - SNF Data Disk Documentation

In order for the SNF data to be useful to investigators, a floppy disk has been created that contains the data presented in this document. This disk can be ordered from the Pilot Land Data System (PLDS) at Goddard Space Flight Center by contacting:

PLDS User Support Office NASA/Goddard Space Flight Center Greenbelt, MD 20771

Phone: (301) 286-9761 E-mail: pldsuso@pldsg3.gsfc.nasa.gov

All data tables in this document are on the disk. Tables that have been left out are ones which provide inventory information. Data tables are stored as ASCII files with the columns of the data separated by tabs. Each file begins with a description of the data. The files are named for the table number as they appear in this document.

There are two subdirectories on the disk. They contain additional data which was not included in the text document. The directory WEATHER contains daily weather data from International Falls; a full description of the data is in the file WEATHER.TXT. The directory SPECTRA contains leaf and bark spectral reflectance and transmittance data.

Disk contents:

README.TXT - Appendix 1, SNF data disk description
TABLE2.1 - SNF plant species names and abbreviations
TABLE2.2 - SNF study site locations and description
TABLE3.1 - Canopy species
TABLE3.2 - Subcanopy species
TABLE3.3 - Understory composition
TABLE3.4 - Cover by stratum and plot for aspen sites
TABLE3.5 - Statistics for sacrificed aspen trees
TABLE3.6 - Statistics for sacrificed spruce trees
TABLE3.7 - Aspen biophysical parameters
TABLE3.8 - Spruce biophysical parameters
TABLE3.9 - Aspen canopy phenology
TABLE3.10 - Subcanopy phenology
TABLE4.1 - Monthly climatological data
TABLE5.2 - TMS band averages of leaf and bark optical properties
TABLE6.3 - Helicopter MMR data, both 1983 and 1984
TABLE7.1 - Thematic Mapper Simulator data
TABLE8.1 - Satellite image data acquired for the SNF
• -

SPECTRA.DIR - This directory contains in numerical form the spectral reflectance and transmittance data displayed graphically in Section 5. The file SPECTRA.TXT provides a description of the contents of each file. Files in SPECTRA:

A25H29RB.DAT	A25H29RF.DAT	A25H29TB.DAT	A25H29TF.DAT
A25HB1RF.DAT	A25L01RB.DAT	A25L01RF.DAT	A25L01TB.DAT
A25L01TF.DAT	A25LB1RF.DAT	A25M11RB.DAT	A25M11RF.DAT
A25M11TB.DAT	A25M11TF.DAT	A25MB1RF.DAT	A26H21RB.DAT
A26H21RF.DAT	A26H21TB.DAT	A26H21TF.DAT	A26HB1RF.DAT
A26L01RB.DAT	A26L01RF.DAT	A26L01TB.DAT	A26L01TF.DAT
A26LB1RF.DAT	A26M11RB.DAT	A26M11RF.DAT	A26M11TB.DAT
A26M11TF.DAT	A26MB1RF.DAT	A27H21RB.DAT	A27H21RF.DAT
A27H21TB.DAT	A27H21TF.DAT	A27HB1RF.DAT	A27L01RB.DAT
A27L01RF.DAT	A27L01TB.DAT	A27L01TF.DAT	A27LB1RF.DAT
A27M19RB.DAT	A27M19RF.DAT	A27M19TB.DAT	A27M19TF.DAT
A27MB1RF.DAT	AB0B201R.DAT	AB0N2B1R.DAT	AB0N2T1R.DAT
AR0L3B1R.DAT	AR0L3B1T.DAT	AR0L3B2R.DAT	AR0L3B2T.DAT
AR0L3T1R.DAT	AR0L3T1T.DAT	AR0L3T2R.DAT	AR0L3T2T.DAT
AXXH21RB.DAT	AXXH21RF.DAT	AXXH21TB.DAT	AXXH21TF.DAT
AXXL01RB.DAT	AXXL01RF.DAT	AXXL01TB.DAT	AXXL01TF.DAT
AXXM19RB.DAT	AXXM19RF.DAT	AXXM19TB.DAT	AXXM19TF.DAT
BL00201R.DAT	BP0L3B1R.DAT	BP0L3B1T.DAT	BP0L3B2R.DAT
BP0L3B2T.DAT	BP0L3T1R.DAT	BP0L3T1T.DAT	BP0L3T2R.DAT
BP0L3T2T.DAT	CC0L3B1R.DAT	CC0L3B1T.DAT	CC0L3T1R.DAT
CC0L3T1T.DAT	CH0L7T1R.DAT	FH0B201R.DAT	LG0L7T1R.DAT
LL0B201R.DAT	LL0N2B1R.DAT	LL0N2T1R.DAT	LL0N7B1R.DAT
LL0N7T1R.DAT	PB0N2B1R.DAT	PB0N2T1R.DAT	PBLR.DAT
PBLT.DAT	PM0B201R.DAT	PM0N7B1R.DAT	PM0N7T1R.DAT
PM1N2B1R.DAT	PM1N2T1R.DAT	PM2N2B1R.DAT	PM2N2T1R.DAT
PM3N2B1R.DAT	PM3N2T1R.DAT	PM6N7B1R.DAT	PM6N7T1R.DAT
PRLR.DAT	PRLT.DAT	PT0B200R.DAT	PT1L2B1R.DAT
PT1L2B1T.DAT	PT1L2T1R.DAT	PT1L2T1T.DAT	PT1L3B1R.DAT
PT1L3B1T.DAT	PT1L3B2R.DAT	PT1L3B2T.DAT	PT1L3T1R.DAT
PT1L3T1T.DAT	PT1L3T2R.DAT	PT1L3T2T.DAT	PT2L2B1R.DAT
PT2L2B1T.DAT	PT2L2T1R.DAT	PT2L2T1T.DAT	PT3L2B1R.DAT
PT3L2B1T.DAT	PT3L2T1R.DAT	PT3L2T1T.DAT	S60H01R.DAT
S60H01T.DAT	S60H02R.DAT	S60H02T.DAT	S60H03R.DAT
SM00201R.DAT	SM607T1R.DAT	SM707T1R.DAT	SM807T1R.DAT
SPECTRA.TXT	SY2R.DAT	SY2T.DAT	SYYR.DAT
SYYT.DAT			

WEATHER.DIR - This directory contains daily weather data from International Falls, MN for the years 1976 through 1986. The file WEATHER.TXT provides a description of the data files. Files in WEATHER:

3

MET76.DAT	MET77.DAT	MET78.DAT	MET79.DAT
MET80.TXT	MET81.DAT	MET82.DAT	MET83.DAT
MET84.DAT	MET85.DAT	MET86.DAT	WEATHER.TXT

BEPORT DOC	UMENTATION F	AGE	Form Approved OMB No. 0704-0188
Public reporting burden for this collection of informati	on is estimated to average 1 hour per r	esponse, including the time for revie	wing instructions, searching existing data sources, gathering inden estimate or any other aspect of this collection of persions and Benords, 1215, Jefferson Davis Highway, Suite
and maintaining the data needed, and completing an nformation, including suggestions for reducing this b 1204, Arlington, VA 22202-4302, and to the Office of			
204, Arlington, VA 22202-4302, and to the Office of 1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE	3. REPORT TYPE	AND DATES COVERED
	July 1992	Technical Men	
 TITLE AND SUBTITLE Biophysical, Morphological, Ca Data From the Superior Nationa 		d Productivity	5. FUNDING NUMBERS Code 923
F.G. Hall, K.F. Huemmrich, D.I J.E. Nickeson and K.D. Woods	E. Strebel, S.J. Goetz,		
. PERFORMING ORGANIZATION NA	ME(S) AND ADDRESS(ES)		8. PERFORMING ORGANIZATION REPORT NUMBER
NASA Goddard Space Flight Co Greenbelt, Maryland 20771	enter		92B00092
9. SPONSORING/MONITORING AGE		SS(ES)	10. SPONSORING/MONITORING AGENCY REPORT NUMBER
National Aeronautics and Space Washington, D.C. 20546-0001	Administration		TM-104568
F.G. Hall: NASA-GSFC, Green	RSAR Inc. Columbia M	D: and K.D. Woods: Ur	Nickeson: Hughes STX Corporation, niversity of California at Santa Barbara, rdered from the Pilot Land Data System.
Lanham MD: DE Strebel: VE	RSAR, Inc., Columbia, M includes description of flo	D: and K.D. Woods: Ur	niversity of California at Santa Barbara,
 F.G. Hall: NASA-GSFC, Green Lanham, MD; D.E. Strebel: VE Santa Barbara, CA. Document 2a. DISTRIBUTION/AVAILABILITY S Unclassified - Unlimited Subject Category 43 13. ABSTRACT (Maximum 200 words, This report describes the results sota, during the summers of 198 provide measurements of bioph canopy coverage, overstory and of stand density and age for asp tance data are reported for the n 	RSAR, Inc., Columbia, M includes description of flo STATEMENT of a NASA field experime 3 and 1984. The purpose ysical parameters in the bu understory species compu- en and spruce. Leaf, need paior boreal forest species	D; and K.D. Woods: Un ppy disk which can be o ent conducted in the Sup of the experiment was oreal forests. Leaf area osition data are reported le, and bark high-resolu . Canopy bidirectional	rdered from the Pilot Land Data System.
 F.G. Hall: NASA-GSFC, Green Lanham, MD; D.E. Strebel: VE Santa Barbara, CA. Document 2a. DISTRIBUTION/AVAILABILITY S Unclassified - Unlimited Subject Category 43 3. ABSTRACT (Maximum 200 words, This report describes the results sota, during the summers of 198 provide measurements of bioph canopy coverage, overstory and of stand density and age for asp tance data are reported for the n from a helicopter-mounted Barn 	RSAR, Inc., Columbia, M includes description of flo STATEMENT of a NASA field experime 3 and 1984. The purpose ysical parameters in the bu understory species compu- en and spruce. Leaf, need paior boreal forest species	D; and K.D. Woods: Un ppy disk which can be o ent conducted in the Sup of the experiment was oreal forests. Leaf area osition data are reported le, and bark high-resolu . Canopy bidirectional	Inversity of California at Santa Barbara, rdered from the Pilot Land Data System. 12b. DISTRIBUTION CODE perior National Forest near Ely, Minne-to examine the use of remote sensing to index, biomass, net primary productivity, for about 60 sites, representing a range tion spectral reflectance and transmit-reflectance measurements are provided
 F.G. Hall: NASA-GSFC, Green Lanham, MD; D.E. Strebel: VE Santa Barbara, CA. Document 2a. DISTRIBUTION/AVAILABILITY S Unclassified - Unlimited Subject Category 43 3. ABSTRACT (Maximum 200 words, This report describes the results sota, during the summers of 198 provide measurements of bioph canopy coverage, overstory and of stand density and age for aspt tance data are reported for the n from a helicopter-mounted Bart the NASA C-130 aircraft. 	RSAR, Inc., Columbia, M includes description of flo STATEMENT of a NASA field experime 3 and 1984. The purpose ysical parameters in the bu understory species compu- en and spruce. Leaf, need paior boreal forest species	D; and K.D. Woods: Un ppy disk which can be o ent conducted in the Sup of the experiment was oreal forests. Leaf area osition data are reported le, and bark high-resolu . Canopy bidirectional	perior National Forest near Ely, Minne- to examine the use of remote sensing to index, biomass, net primary productivity, for about 60 sites, representing a range tion spectral reflectance and transmit- reflectance measurements are provided he Thematic Mapper Simulator (TMS) on
 F.G. Hall: NASA-GSFC, Green Lanham, MD; D.E. Strebel: VE Santa Barbara, CA. Document 2a. DISTRIBUTION/AVAILABILITY SUnclassified - Unlimited Subject Category 43 3. ABSTRACT (Maximum 200 words, This report describes the results sota, during the summers of 198 provide measurements of bioph canopy coverage, overstory and of stand density and age for aspt tance data are reported for the n from a helicopter-mounted Bart the NASA C-130 aircraft. 	RSAR, Inc., Columbia, M includes description of flo includes description of flo includ	D; and K.D. Woods: Un ppy disk which can be o ent conducted in the Sup of the experiment was to oreal forests. Leaf area osition data are reported le, and bark high-resolu . Canopy bidirectional n diometer (MMR) and the Boreal Forest,	Inversity of California at Santa Barbara, rdered from the Pilot Land Data System. 12b. DISTRIBUTION CODE perior National Forest near Ely, Minne- to examine the use of remote sensing to index, biomass, net primary productivity, for about 60 sites, representing a range tion spectral reflectance and transmit- reflectance measurements are provided he Thematic Mapper Simulator (TMS) on ORIGINAL OF POOR QUALI
 F.G. Hall: NASA-GSFC, Green Lanham, MD; D.E. Strebel: VE Santa Barbara, CA. Document 1 2a. DISTRIBUTION/AVAILABILITY SUnclassified - Unlimited Subject Category 43 3. ABSTRACT (Maximum 200 words) This report describes the results sota, during the summers of 198 provide measurements of bioph canopy coverage, overstory and of stand density and age for asp tance data are reported for the n from a helicopter-mounted Barr the NASA C-130 aircraft. 14. SUBJECT TERMS Leaf Area Index, Leaf Reflectar Bidirectional Reflectance, Canop 	RSAR, Inc., Columbia, M includes description of flo includes description of flo includ	D; and K.D. Woods: Un ppy disk which can be o ent conducted in the Suj of the experiment was to oreal forests. Leaf area osition data are reported le, and bark high-resolu . Canopy bidirectional n diometer (MMR) and the Boreal Forest, PP	Inversity of California at Santa Barbara, rdered from the Pilot Land Data System. 12b. DISTRIBUTION CODE perior National Forest near Ely, Minne-to examine the use of remote sensing to index, biomass, net primary productivity, for about 60 sites, representing a range ntion spectral reflectance and transmit-reflectance measurements are provided the Thematic Mapper Simulator (TMS) on OR/G/NAL PAGE 0F POOR QUALI 15. NUMBER OF PAGES 137 16. PRICE CODE
 F.G. Hall: NASA-GSFC, Green Lanham, MD; D.E. Strebel: VE Santa Barbara, CA. Document 1 2a. DISTRIBUTION/AVAILABILITY SUBJECT Category 43 3. ABSTRACT (Maximum 200 words, This report describes the results sota, during the summers of 198 provide measurements of bioph canopy coverage, overstory and of stand density and age for asp tance data are reported for the n from a helicopter-mounted Barr the NASA C-130 aircraft. 14. SUBJECT TERMS Leaf Area Index, Leaf Reflectar 	RSAR, Inc., Columbia, M includes description of flo includes description of flo includ	D; and K.D. Woods: Un ppy disk which can be o ent conducted in the Sup of the experiment was to oreal forests. Leaf area osition data are reported lle, and bark high-resolu . Canopy bidirectional n diometer (MMR) and the diometer (MMR) and the Boreal Forest, PP	Inversity of California at Santa Barbara, rdered from the Pilot Land Data System. 12b. DISTRIBUTION CODE perior National Forest near Ely, Minne-to examine the use of remote sensing to index, biomass, net primary productivity, for about 60 sites, representing a range tion spectral reflectance and transmit-reflectance measurements are provided the Thematic Mapper Simulator (TMS) on ORIGINAL PAGE 0F POOR QUALI 15. NUMBER OF PAGES 137 16. PRICE CODE

 .

National Aeronautics and Space Administration

Washington, D.C. 20546

Official Business Penalty for Private Use, \$300 Postage and Fees Paid National Aeronautics and Space Administration NASA-451



NASA

POSTMASTER

If Undeliverable (Section 158 Postal Manual) Do Not Return