



Documentation and Archiving of the Space Shuttle Wind Tunnel Test Data Base

Volume 2: User's Guide to the Archived Data Base

Paul O. Romere
*Lyndon B. Johnson Space Center
Houston, Texas*

Steve Wesley Brown
*Lockheed Engineering and Sciences Co.
Houston, Texas*

January 1995

This publication is available from the NASA Center for AeroSpace Information, 800 Elkridge
Landing Road, Linthicum Heights, MD 21090-2934, (301) 621-0390.

ERRATA

NASA Technical Memorandum 104806 Vol. 2

Documentation and Archiving of the Space Shuttle Wind Tunnel Test Data Base

Volume 2: User's Guide to the Archived Data Base

January 1995

Page 63 was omitted from volume 2 of NASA TM 104806. Please insert the attached page into your copy of the document. Page 16 was also omitted, but it was an intentionally blank page.

VOLUME 2

CONTENTS

	PAGE
ABSTRACT	v
NOMENCLATURE	vii
INTRODUCTION	1
HISTORY OF DATAMAN	2
DATA BASE DESCRIPTION AND USAGE	3
ACCESSING THE ARCHIVED DIGITAL DATA TAPE	6
DESCRIPTION OF THE ARCHIVED ASCII FORMATTED	
AERO DATA SETS	8
REFERENCES	15
TABLES	
Table 1. Phase A/B Space Shuttle Vehicle Wind Tunnel Testing DATAMAN Digital Data Base Files Listing.	17
Table 2. Phase C/D Space Shuttle Vehicle Wind Tunnel Testing DATAMAN Digital Data Base Files Listing.	24
Table 3. Sample of Data Set/Run Number Collation Summary.	44
Table 4. Space Shuttle Wind Tunnel Test Program Data Report Documentation for Phase A/B.	45
Table 5. Space Shuttle Wind Tunnel Test Program Data Report	81
Table 6. Sample of a Force Data Set.	167
Table 7. Sample of a Pressure Data Set.	169

ABSTRACT

The decision to design and develop a new Space Transportation System such that the vehicle would fly as both a spacecraft and an aircraft necessitated an extensive wind tunnel test program and the cooperation of all the major wind tunnels in the United States. The result was the largest such program ever undertaken by this country with approximately 100,000 hours of Space Shuttle wind tunnel testing conducted for aerodynamics, heat transfer, and structural dynamics.

In most past programs, wind tunnel test results have often been lost or inadequately documented for future use. The results of the Space Shuttle wind tunnel testing were converted into a Chrysler DATAMAN format to facilitate its use by the analysts. This resulted in a very cost effective method of collecting the wind tunnel test results, from many test facilities utilized, into one centralized location. Chrysler also documented each wind tunnel test as a DATAMAN report.

This report addresses the requirement to identify and provide a final documentation of the Space Shuttle wind tunnel program and to archive the available electronic digital data base, as compiled by the Chrysler DATAMAN system. Both the DATAMAN wind tunnel test reports and the associated wind tunnel test digital data base have been permanently archived at the NASA Johnson Space Center. The digital data base has also been distributed to NASA's Ames Research Center, Langley Research Center, and Marshall Space Flight Center, and to Rockwell International, the Space Shuttle prime contractor, to facilitate access to the data base by the analysts.

The Space Shuttle wind tunnel test data base was archived using UNIX based work stations and was saved in an ASCII format on an 8 mm cartridge tape. To facilitate the use of the digital data base tape, a user's manual has been developed and is presented as Volume 2 of this report. Example commands for accessing the tape and the format descriptions for the data files are presented.

NOMENCLATURE

Acronyms

A	Aerodynamic - test type designator or Ames Research Center - test responsibility designator
AADS	Ascent Air Data System
ABPS	Air Breathing Propulsion System
ADDB	Aerodynamic Design Data Book
AEDC	Arnold Engineering Development Center
AFFTC	Air Force Flight Test Center
AFRSI	Advanced Fibrous Reusable Surface Insulation
ALT	Approach and Landing Test
ARC	NASA Ames Research Center
ATP	Authority To Proceed
A.T.P.	Authority To Proceed
C	Carrier - test configuration designator
CA	Axial force coefficient
CAL	Cornell Aeronautical Laboratory
CAM	Carrier Aircraft Modification
CANCEL	Denotes test or publication was canceled.
CASI	Center for Aerospace Information
CBL	Rolling moment coefficient
CDR	Critical Design Review
CFHT	Continuous Flow Hypersonic Tunnel
CLM	Pitching moment coefficient
CN	Normal force coefficient
CP	Pressure coefficient
CR	Contractor Report
CY	Side force coefficient
CYN	Yawing moment coefficient
DATAMAN	Data Management System (Chrysler Corporation)
DFI	Development Flight Instrumentation
DFRC	Dryden Flight Research Center
DOD	Department of Defense
ET	External Tank
F	Marshall Space Flight Center - test responsibility designator or Force file designator
FCS	Flight Control System
FRSI	Felt Reusable Surface Insulation (blanket)
GAC	Grumman Aerospace Corporation
GD	General Dynamics
GD/C	General Dynamics/Convair

GDC	General Dynamics/Convair
GN&C	Guidance, Navigation, and Control
H	Heating - test type designator
h/href	Heat transfer coefficient for one-foot radius sphere
H/O	Heat transfer coefficient ratio
HCR	Hydrogen/Oxygen
HRSI	High Cross Range
HSWT	High (temperature) Reusable Surface Insulation
HWT	Hypersonic Supersonic Wind Tunnel
I	Hypersonic Wind Tunnel
ILRV	Integrated Vehicle - test configuration designator
IV	Integrated Launch Reentry Vehicle
JPL	Integrated Vehicle
JSC	Jet Propulsion Laboratory
L	NASA Johnson Space Center
LaRC	Langley Research Center - test responsibility designator
L/D	NASA Langley Research Center
LCR	Lift-to-drag ratio
L.E.	Low Cross Range
LeRC	Leading Edge
LMSC	Lewis Research Center
LOX	Lockheed Missiles and Space Corporation
LRSI	Liquid Oxygen
LTV	Low (temperature) Reusable Surface Insulation
M	Ling-Temco-Vought Corporation
MAC	Mach or
M.A.C.	Manned Spacecraft Center - test responsibility designator
MCDAC	McDonnell Aircraft Company
MCR	Mean Aerodynamic Chord
MDAC	McDonnell Douglas Aircraft Company
MDC	Master Change Record
MMC	McDonnell Douglas Astronautics Company
MSC	McDonnell Douglas Company
MSFC	Martin Marietta Corporation
NA	Manned Spacecraft Center
NAAL	Marshall Space Flight Center
NAR	Not Applicable
NARC	North American Aerodynamic Laboratory
NASA	North American Rockwell
NR	North American Rockwell Corporation
NR/GD	National Aeronautics and Space Administration
NRLAD	North American Rockwell
NSRDC	North American Rockwell/General Dynamics
	North American Rockwell Corp., Los Angeles Division
	Naval Ship Research and Development Center

NSWC	Naval Surface Weapons Center
O	Orbiter - test configuration designation
O/ET	Orbiter/External Tank mated configuration
OFT	Orbital Flight Test
OML	Outer Mold Line
OMS	Orbital Maneuvering Subsystem
OTS	Orbiter, Tank , Solid rocket booster
OV	Orbital Vehicle
P	Pressure file designator
PDR	Preliminary Design Review
PRR	Preliminary Requirements Review (management milestone)
PWT	Propulsion Wind Tunnel
RCS	Reaction Control System
RI	Rockwell International
RSI	Reusable Surface Insulation
RT	Reference Trajectory
RTLS	Return To Launch Site (abort)
S	Solid rocket booster - test configuration designator or Structural - test type designator
SCA	Shuttle Carrier Aircraft
SRB	Solid Rocket Booster
SRM	Solid Rocket Motor
SRR	Systems Requirements Review
SS	Space Shuttle
SSME	Space Shuttle Main Engine
SSV	Space Shuttle Vehicle
STS	Space Transportation System
SWT	Supersonic Wind Tunnel
T	External Tank - test configuration designator
TAM	Texas A&M
TBC	The Boeing Company
T.E.	Trailing Edge
TM-X	NASA Technical Memorandum
TN D-	NASA Technical Note
TPS	Thermal Protection System
TPT	Transonic Pressure Tunnel
TWT	Transonic Wind Tunnel
UNPUB	Unpublished
UPWT	Unitary Plan Wind Tunnel
USAF	United States Air Force
UW	University of Washington
UWAL	University of Washington Aeronautical Laboratory
V/STOL	Vertical/Short Take Off and Landing
VKF	Von Karman Facility
VSD	Vought Space Division

X	Orbiter longitudinal axis body coordinate
Y	Orbiter lateral axis body coordinate
Z	Orbiter vertical axis body coordinate

SYMBOLS

cm	Centimeters
DIA	Diameter
ft	Feet, foot
g	Grams
GRADS	The hundredth of a right angle in the centesimal system
IN	Inches
K	Signifies unit of 1,000
LB	Pounds
m	Meters
mm	Millimeters

SUPERSCRIPTS

o	Degrees
2	Square

INTRODUCTION

This report addresses the need to provide a final documentation of the Space Shuttle wind tunnel test program and archive the available electronic digital data base. This report provides the final record of all applicable aerothermodynamic data collected, processed, or summarized during Phases A/B and Phases C/D of the Space Shuttle program. Reference 1 is a summary report of the Phase A/B testing and documentation. Reference 2 summarizes the Phase C/D testing and documentation up to November 1984. This report incorporates the material in references 1 and 2 and documents the testing and DATAMAN publications up through May 1994. Most important, this report identifies the available digital data base for all phases of the Space Shuttle wind tunnel program.

A traditional phased approach was used in the programmatic design evolution of the Space Shuttle configuration. The concept evaluation phase (Phase A) contractual studies were conducted in 1969. The concept definition phase (Phase B) extended over approximately two years, beginning in mid 1970. The research and development phase (Phase C) and the production and flight test phase (Phase D) began in August 1972, with the selection of Rockwell International as prime contractor and their being given the Authority To Proceed (ATP). The development of the Space Shuttle required an extensive wind tunnel test program and the cooperation of all the major wind tunnels in the United States. The Space Shuttle effort was the largest such program ever undertaken by this country. Approximately 100,000 total hours of wind tunnel testing was conducted for aerodynamics, heat transfer, and structural dynamics. The program was approximately four times the tunnel occupancy hours of the extensive Saturn V wind tunnel program. The Space Shuttle wind tunnel testing was directed by the NASA centers and was coordinated with NASA management at the Johnson Space Center.

In most past programs, wind tunnel test results have often been lost or inadequately documented for future use. The authors feel that the extensive Space Shuttle wind tunnel test program should be considered as a national resource. It is with that thought in mind that the entire Space Shuttle wind tunnel test data base has been archived (Reference 3) in both Chrysler DATAMAN and NASA reports and as a digital data base. This archiving has been accomplished with the goal of making the data base available and easily accessible. Often, advanced launch and entry vehicle studies focus on many of the configuration approaches considered during the original Space Shuttle studies. Availability of wind tunnel data for configurations similar to those being evaluated can prove to be highly valuable to the preliminary design engineer.

HISTORY OF DATAMAN

Simply collecting the wind tunnel data base was a major undertaking. The fruits of this undertaking would have been meaningless unless the results of those tests could be presented to the aerodynamic analyst in a digestible form. The Space Shuttle Program management turned to the computer to facilitate this process. Chrysler Corporation's Space Division devised and operated a system of computer programs called DATAMAN (Reference 4) to document and present test results to the aerodynamic analyst in a variety of plotted forms. The analyst could have at his disposal the data in the desired form allowing an efficient analysis to be performed. Chrysler received data tapes from the various facilities, transformed the various tapes to a common format, and used the computer program system to correlate, document, and produce data upon request to the aerodynamic analysts.

Chrysler initiated the DATAMAN project in early 1970 and continued through both the Phase B and Phase C/D test programs. Extensive management procedures were devised to effectively identify and track the large volumes of data generated by a number of contractors on a variety of configurations. The DATAMAN program provided a means of conveying the required descriptive information relative to the configurations and the associated test data.

The Chrysler DATAMAN system was a very cost effective method of collecting the Space Shuttle wind tunnel data from the various test facilities into one centralized location. Putting the wind tunnel data into a common format was a key benefit of the DATAMAN program and made it convenient and useful to the various NASA and contractor users of the data. Chrysler's achievements in providing wind tunnel data analysis documentation were essential to the orderly design and development of the Space Shuttle flight configurations. These achievements were recognized by the Johnson Space Center in the award of a Certificate of Appreciation.

The Chrysler DATAMAN contract with NASA JSC was terminated at the end of May 1993 due to funding considerations. The final months of the contract were devoted to transferring the massive amounts of digital wind tunnel data and documentation to the Johnson Space Center for permanent archiving.

DATA BASE DESCRIPTION AND USAGE

A four digit report identifier was assigned as initial test inputs were made to the DATAMAN system to track and report activities on individual tests. For the Phase A/B test program, these identifiers were DMS-DR-1001 through DMS-DR-1278. Thus, approximately 278 sets of test results were processed, documented, and databased for Phase A/B. For the Phase C/D test program, these identifiers were DMS-DR-2001 through DMS-DR-2550. Approximately 550 sets of test results were processed, documented, and databased for Phase C/D.

The assignment of identifiers was sequential and they are, therefore, chronological throughout the various phases of the configuration management. Many other identifiers are associated with individual tests such as configuration type, NASA series numbers, test facility designations and contractors involved.

Most tests were documented in a DATAMAN test data report, and test data were archived in a standard DATAMAN format. The fundamental unit of the archived Space Shuttle wind tunnel data base is the data set. The individual wind tunnel tests are composed of multiple data sets. A data set is the collection of identifying information and the set of aerodynamic coefficients and related independent variables. The set of data related to the data set is, in wind tunnel terms, the collection of runs pertaining to a given configuration or set of model conditions. The run series is aggregated into one whole, identified as such and treated as a unit in the archived Space Shuttle wind tunnel digital data base.

The principal components of a data set are the identifying information, termed header block, and the aggregated data for the run series, the data block. The header block is composed of the following constituents:

- a file identifier
- a description of the data set
- the names of the independent and dependent variables contained in the data set

The data block contains:

- aerodynamic data coefficients
- corresponding independent variables (Mach, angle of attack)
- derived data

A data set can be in the form of static pressure (or thermocouple data) or force balance (six-degree of freedom) data. These are designated as pressure or force aerodynamic data sets. The designation of these data sets and their contents is primarily according to form rather than content. The actual contents of a data set are immaterial as long as the data are systematic variables of a set of independent variables or dimensions of the data set matrix. The typical independent variables (matrix dimensions) for a force data set are Mach and angle of attack. The typical dependent variables (matrix elements) for a force data set are CA, CN, CLM, CY, CYN, and CBL. The typical independent variables for a pressure data set are Mach, angle of

attack, X, Y, and Z. The typical pressure data set dependent variable is CP, whereas, h/href is utilized for thermocouple data.

The Space Shuttle Vehicle wind tunnel testing DATAMAN data base listings for Phases A/B and C/D are shown in Tables 1 and 2. The first column of the tables contains a Chrysler DATAMAN assigned report number for each of the wind tunnel tests. The second column contains the contractor report number (or other NASA report number) assigned by NASA to the DATAMAN report publication. Some of the Phase A/B tests did not have a NASA contractor report number assigned. This column may also contain CANCEL if the test or publication was canceled. If the test results were not published by Chrysler DATAMAN, the column will have the entry UNPUB. Also indicated in this column are the volume numbers for a publication, when applicable. Some of the tests conducted at the Langley Research Center, while assigned a Chrysler DATAMAN report number, were published by the Langley Research Center as Technical Memorandums (TM-X) or Technical Notes (TN D-) reports, as indicated in column 2. The third column contains the NASA series number assigned to each test. The NASA series test code system for the Phase A/B test program was developed by the Marshall Space Flight Center. A list of test objectives was developed and assigned a number with prefaces of "S" for stability tests, "H" for heating tests, and "P" for pressure tests. Each wind tunnel test was assigned one or more objective numbers, depending upon the objectives accomplished by a particular test.

A test coding system was developed by the Johnson Space Center for the Phase C/D test program management and coordination. Each test was given an alpha/numeric identification code. The test coding system was designed such that for Rockwell tests, the first of the two alpha characters indicated whether the tests were for the Orbiter (O), Integrated Vehicle (I), carrier aircraft (C), external tank (T), or solid rocket booster (S) configuration. The second alpha character represented the area of discipline to be evaluated: aerodynamics (A), heating (H), or structures (S). The numerical characters represented the chronological order of the tests. It should be noted that the airloads and the ascent phase separation aerodynamics are listed under "A". Structures tests are predominately structural dynamics tests. The heating test program included some pressure distribution testing that was done simultaneously (at the identical test conditions) with the heating tests to ensure data analysis compatibility.

For those support tests conducted by the various NASA centers, the first alpha character was changed from the above description and was used in identifying the center as LaRC (L), MSFC (F), ARC (A), and JSC (M). The remainder of the identification code was the same as previously explained.

The fourth column of Tables 1 and 2 contains the facility and name of the wind tunnel where the test was conducted. The fifth column contains the wind tunnel test number as assigned by the facility. Shown in the sixth column is the archive file name assigned by Chrysler DATAMAN. If the archive file name begins with the letter "F", the data available is force data. The letter "P", denotes pressure data. The seventh column contains a two character test code assigned to the test data by Chrysler DATAMAN. This two character code is unique for

each test and is embedded in the second and third position of each data set name in the digital data base.

The eighth and last column of the two tables contains the number of data sets in the archived file. For some tests the number of data sets includes special calculations or interpolations created by the Chrysler DATAMAN group for plotting purposes or at the request of the NASA or contractor users. The user of the archived data base should refer to the collation sheets for each test to know which data sets are documented in the published DATAMAN reports and are the correct raw data sets delivered by the test facility.

The Space Shuttle wind tunnel digital data base has been archived such that specific wind tunnel test files can be requested from the Aerospace Branch of the Aerosciences and Flight Mechanics Division at the Johnson Space Center. This information is also available from the Aerothermodynamics Branch of the Gas Dynamics Division at the Langley Research Center, the Experimental Fluid Dynamics Branch of the Fluid Dynamics Division at the Marshall Space Flight Center, the Applied Aerodynamics Branch of the Aerodynamics Division at the Ames Research Center, and from the Space Shuttle prime contractor, the Aerodynamics Department of the Space Division at Rockwell International at Downey, California. To further assist the user in determining which data may best suit his needs, each of these data repositories possesses a complete set of the DATAMAN collation sheets, or run schedules, for each the individual wind tunnel tests. An example of a data set/run number collation sheet is presented in Table 3. Once the user has determined which set or sets of wind tunnel data is needed, the request for a copy of that data should be made to one of the data repositories.

Tables 4 and 5 present the lists of the publication titles for all Chrysler DATAMAN reports for Phase A/B and Phase C/D, respectively, of the Space Shuttle wind tunnel tests. These documents are available through the Center for AeroSpace Information (CASI). The telephone number for CASI is (301) 621-0390.

ACCESSING THE ARCHIVED DIGITAL DATA TAPE

The Space Shuttle wind tunnel data base was archived using UNIX based work stations. The wind tunnel data was saved in an ASCII format on an 8 millimeter (mm) cartridge tape. The data was saved on the 8 mm tape using the UNIX command "tar" for the various segments of the data base. The first tar contains the Phase A/B force test data files. The second tar contains the Phase A/B pressure data files. The third tar contains the Phase C/D force data files. The fourth tar contains the Phase C/D pressure data files. The fifth tar contains an informational file, specifically, this User's Guide text and Tables 1 and 2.

The data was written on the tape and can be accessed by the commands which follow. Note that the user of the tape must use the correct equivalent commands for their particular UNIX based machine. These commands were for an Iris UNIX based machine with an 8 mm tape drive. The commands are:

1. Using mt to position and status the tape

```
mt -t /dev/8mmnrv rewind
mt -t /dev/8mmnrv status
mt -t /dev/8mmnrv fsf 2 (positions the tape at the beginning of the third tar)
```

2. Using tar to write files

```
tar cvf /dev/8mmnrv file1 file2 file3
```

where file1 file2 file3 denote archive file names from Table 1 and Table 2.

3. Table of contents of tar file

```
tar tvf /dev/8mmnrv
```

4. Using tar to read files

```
tar xvf /dev/8mmnrv file1 file2 file3
```

where file1 file2 file3 denote archive file names from Table 1 and Table 2.

The user should note that the alphabetic characters of the file names on the 8 mm digital data tape are in lower case.

5. Using mt to unload the tape

```
mt -t /dev/8mmnrv unload
```

Using these commands, the data on the tape is an uncompressed, variable block. The actual files for each tar were stored on the computer storage device in a directory and the actual write command was as follows:

```
tar cvf /dev/8mmnr v *
```

This command saved the entire directory into the tar without having to type each individual file.

The entire tar or directory may be reloaded onto the computer storage device after using the positioning command by the following read command:

```
tar xvf /dev/8mmnr v
```

This command enables the user to load the entire tar onto a storage device without having to type the names of every file in the tar. The user may specify one or more files by name if they do not wish to load the entire tar.

DESCRIPTION OF THE ARCHIVED ASCII FORMATTED AERO DATA SETS

Each of the wind tunnel test data files on the 8 mm tape is divided into groups (aero data sets) which are identified by a data set type and a data set name. There are two types of aero data sets, force data sets and pressure data sets.

Each data set is written in two sections. The first section consists of a series of logical records containing the aero data set header information. The first record contains the data set type identifier, the data set name, description data and certain data quantities that are needed to read the remaining records. The remaining header data is grouped according to alpha data, integer data and decimal data. Records 2 and 3 contain the alpha and integer data, respectively. The header decimal data is written in record 4 for a force data set and records 4, 5, and 6 for a pressure data set. The second section, a series of logical records, consists of a variable number of decimal data records containing the values of the dependent variables. Samples of a force and a pressure data set are presented in Table 6 and Table 7, respectively.

Each of the wind tunnel test data files on the 8 mm tape contains one or more aero data sets stacked consecutively but without regard to order of data set name. The data was originally written in the DATAMAN system by the Chrysler Corporation at the NASA Michoud Facility using FORTRAN language programs on UNIVAC computers with a binary data output. The data was converted to ASCII before being transmitted electronically to the Johnson Space Center. The following read and format statements were used in the original FORTRAN language programs and appropriate adjustments will have to be made for the user's computer system and language used.

ASCII Aero Force Data Set Format

The aero force data set can be read using the following read and format statements.

Record 1

```
READ (5, 100) FDSET, IDENT, DDATE(1), DDATE(2), (CNFNAM(I), I = 1, 8),  
ITYPE, MODE, NMN, MAXNAA, NDV, NPAR, NDM
```

Record 2

```
READ (5, 101) (IDPVAR(I), I = 1, 2), (NDPAR(I), I = 1, NDV),  
(NAMPAR(I), I = 1, NPAR), (CONFIG(I), I = 1, 3),  
(REF(I,2), I = 1, 7), (NAMDM(I), I = 1, 20)
```


Record 3

READ (5, 102) ((IRUNNO(I,J), I=1, NMN), J=1, 2), (NAX(M), M=1, NMN)

Record 4

READ (5, 103) ANGLIN, ANGMAX, (XMLIM(I), I=1, 2),
(APLIM(I), I=1, 2), ((DLIMIT(I,J), I=1, NDV), J=1, 2)
(PARVAL(I), I=1, NPAR), (REF(I,1), I=1, 7),
(XMACH(M,I), I=1, MAXNAA), M=1, NMN),
((ALPHA(I,M), I=1, MAXNAA), M=1, NMN),
(RNL(M), M=1, NMN), ((DM(M,I), M=1, NMN), I=1, 20)

Record 5 (dependent variable data records)

DO 10 K = 1, NDV
10 READ (5, 103) ((D(I,M,K), I=1, MAXNAA), M=1, NMN),
(GD(M,K), M=1, NMN)

Formats

100 FORMAT (12A6, 7I6)

101 FORMAT (22A6)

102 FORMAT (22I6)

103 FORMAT (8E15.8)

ASCII Aero Pressure Data Set Format

The aero pressure data set can be read using the following read and format statements.

Record 1

READ (5, 200) PDSET, IDENT, DDATE(1), DDATE(2),
(CNFNAM(I), I=1,8), ITYPE, NMN, MAXNAA, NUMTAP,
NPAR, NXDIM, NSEC

Record 2

```
READ (5, 201) NAMDEP, (IDPVAR(I), I = 1, 2),  
      (NAMPAR(I), I = 1, NPAR), (CONFIG(I), I = 1, 3),  
      (REF(I, 2), I = 1, 7), (NAMCON(I), I = 1, 4),  
      (NAMDIM(I), I = 1, 3), ((NAMSEC(I,J), I = 1, 3),  
      J = 1, 10)
```

Record 3

```
READ (5, 202) ((IRUNNO(M,I), M = 1, NMN), I = 1, 2),  
      (NAAAX(M), M = 1, NMN), (IX(I), I = 1, NXDIM)
```

Record 4

```
READ (5, 203) ANGIM, ANGMAX, ((DLIMIT(I,J), J = 1, 2), I = 1, 6),  
      (PARVAL(I), I = 1, NPAR), (REF(I,1), I = 1, 7),  
      ((XMACH(M,I), I = 1, MAXNAA), M = 1, NMN),  
      ((ALPHA(I,M), I = 1, MAXNAA), M = 1, NMN),  
      ((TSTCON(M,I), M = 1, NMN), I = 1, 4),  
      (XDIM(I), I = 1, NXDIM), (SECLIM(I), I = 1, 11)
```

Record 5

```
READ (5, 203) (YDIM(I), I = 1, NUMTAP)
```

Record 6

```
READ (5, 203) (ZDIM(I), I = 1, NUMTAP)
```

Record 7 (dependent variable data records)

```
DO 20 M = 1, NMN  
  NAA = NAAAX(M)  
  DO 20 I = 1, NAA  
20  READ (5, 203) (CP(I), I = 1, NUMTAP)
```

Formats

```
200 FORMAT (12A6, 7I6)
```

```
201 FORMAT (22A6)
```

```
202 FORMAT (22I6)
```

```
203 FORMAT (8E15.8)
```

Note that in the following description of the variable names, data type is designated by A = alphanumeric, F = floating point numbers, and I = integer numbers.

Variable Name	Data Type	Description
ALPHA	F	Values of the second independent variable, NMN*MAXNAA words.
ANGMIN	F	The lower range used in the gradient computations.
ANGMAX	F	The upper range used in the gradient computations.
APLIM	F	The lower and upper limit for the second independent variable, 2 words.
CNFNAM	A	Data set configuration name, 8 words
CONFIG	A	Configuration codes: booster first word, orbiter second word and launch third word, as applicable.
CP	F	Discrete dependent variable data, NUMTAP words.
D	F	Discrete dependent variable data NMN*MAXNAA words.
DDATE	A	Data set creation date, 2 words.
DLIMIT	F	For aero force data set: The lower and upper limits for the dependent variable data, 2*NDV words.
For pressure data set: The lower and upper limits of the first independent variable, the second independent variable, the tap position data (X, Y, and Z dimensions), and the dependent variable respectively.		
DM	F	Univariate dependent variable data, 20*NMN words.
FDSET	A	This word contains the characters *FDSET which is the force data set identifier.
GD	F	Gradient dependent variable data NMN words.
IDENT	A	Six character label used to reference the data set.
IDPVAR	A	Names of the independent variables, 2 words.

IRUNNO	I	Run and rerun numbers associated with each value of the first independent variable, 2*NMN words.
ITYPE	I	Data set type, (1 = raw data) and (2 = nominalized data).
IX	I	Array of indices that associates YDIM and ZDIM with XDIM, i.e., IX(N) - IX(N-1) is the number of YDIM and ZDIM values associated with the value XDIM(N).
MAXNAA	I	For force data set: Maximum number of values for the second independent variable for the data set (≤ 50) (largest value in the NAA array).
		For pressure data set: Maximum number of values for the second independent variable for the data set (≤ 20) (largest value in the NAA array).
MODE	I	Data set mode, (1 = pitch angle varies) and (2 = yaw angle varies).
NAA	I	Number of values of the second independent variable associated with each value of the first independent variable, NMN words.
NAMCON	A	Names of the wind tunnel test conditions, 4 words.
NAMDEP	A	Name of the dependent variable.
NAMDIM	A	Names of the dimension variables (position of pressure tapes), 3 words.
NAMDM	A	Names of the univariate dependent variables, 20 words.
NAMPAR	A	Names of parameter values in the data set, NPAR words.
NAMSEC	A	Names of each section, 3 words per section, 30 words.
NDM	I	Number of univariate dependent variables (≤ 20).
NDPVAR	A	Names of the dependent variables, NDV words.
NDV	I	Number of dependent variables in the data set (≤ 10).
NMN	I	Number of values for the first independent variable (≤ 20).
NPAR	I	Number of parameter values in the data set (≤ 10).
NSEC	I	Number of configuration sections (≤ 10).

NUMTAP	I	Number of tap (positions) at which the dependent variable was measured (≤ 2500).
NXDIM	I	Number of values for the first dimension variable (X position of pressure taps) (≤ 250).
PARVAL	F	Parameter values, NPAR words.
PDSET	A	This word contains the characters *PDSET which is the pressure data set identifier.
REF	F, A	Reference data values and units, 14 words. These values represent REFS, REFL, REFB, XMRP, YMRP, ZMRP, and SCALE.
REFB	F, A	Reference span.
REFL	F, A	Reference length.
REFS	F, A	Reference area.
RNL	F	Reynolds numbers, NMN words.
SCALE	F, A	Model scale.
SECLIM	F	The upper and lower limit that defines each section, 11 words.
TSTCON	F	Values of the wind tunnel test conditions, 4*NMN words.
XDIM	F	Values of the first dimension variable (X position of pressure taps), NXDIM words.
XMACH	F	Values of the first independent variable, NMN*MAXNAA words.
XMRP	F, A	X position of the moment reference point.
XMLIM	F	The lower and upper limit for the first independent variable, 2 words.
YDIM	F	Values of the second dimension variable (Y position of pressure taps), * NUMTAP words.
YMRP	F, A	Y position of the moment reference point.
ZDIM	F	Values of the third dimension variable (Z position of pressure taps), NUMTAP words.

ZMRP

F, A Z position of the moment reference point.

REFERENCES

1. Glynn, J. L.; and Poucher, D. E.: Space Shuttle Phase B Wind Tunnel Test Database, Summary Report. NASA Contractor Report 4121, March 1988.
2. Whitnah, A. M.; and Hillje, E. R.: Space Shuttle Wind Tunnel Testing Program Summary. NASA Reference Publication 1125, November 1984.
3. Romere, Paul O.; and Brown, Steve Wesley: Documentation and Archiving of the Space Shuttle Wind Tunnel Test Data Base, Volume 1: Background and Description. NASA Technical Memorandum 104806, Vol. 1; January 1995.
4. Kemp, N. D.: Compiling the Space Shuttle Wind Tunnel Data Base: An Exercise in Technical and Managerial Innovations. NASA CP-2283, Part 2, March 1983.

TABLE 1. PHASE A/B SPACE SHUTTLE VEHICLE WIND TUNNEL TESTING
DATAMAN DIGITAL DATA BASE FILES LISTING

DMS-DR NO.	NASA CR- NO.	NASA SERIES	FACILITY	WIND TUNNEL	NO.	ARCHIVE FILE NAME	TEST CODE	NO. OF D/S
1001	103,150	S-1002 S-1801	MSFC 14-IN	TRISONIC	451	F1001001	19	107
1002	TM-X62035	S-0005	ARC 3.5-FT	HYPERSONIC	078	F1002002	A6	148
1003	103,152	S-1802	MSFC 14-IN	TRISONIC	453	F1003003	17	18
1004		S-0011	LARC 20-IN	HYPERSONIC	6315	F1004004	L1	58
		S-0014						
1005	103,153	S-1809	GAC 8X10-FT	SUBSONIC	280	F1005005	C3	30
1006	103,151	S-1808	AEDC C /	HYPERSONIC	055	F1006006	T4	70
1007	103,154	S-0016	MAC LOW SPEED		223	F1007007	C1	149
1008	103,155	S-0006	TAM 7X10-FT	SUBSONIC	S-VI	F1008008	G1	26
1009		S-1206	LARC 22-IN	HELIUM	7341/ 7343	F1009009	L2	14
1010	103,156	S-0201	NRLAD LOW SPEED		629	F1010010	C4	108
1011		S-0009	ARC 6X6-FT	SUPERSONIC	465	F1011011	A7	42
1012		S-0036	ARC 11-FT	TRANSONIC	481	F1012012	A5	36
1013		S-1207	LARC LOW-TURBULENCE	PRES	050	F1013013	L3	9
1014	103,157	S-1807	MAC LOW SPEED		132	F1014014	C2	17
1015		S-1201	LARC LOW-TURBULENCE	PRES	047	F1015015	L6	29
1016		H-1201	LARC CONTINUOUS-FLOW	HYP	050	NO DIGITIZED DATA	INPUT	
1017		S-1204	LARC UNITARY PLAN		886	F1017016	L4	80
1018		S-1205	LARC LOW-TURBULENCE	PRES	049	F1018017	L7	64
1019		S-1203	LARC UNITARY PLAN		913	F1019018	L5	34
1020		H-0202	LARC CONTINUOUS FLOW	HYP	052	NO DIGITIZED DATA	INPUT	
1021	TM-X62066	S-1806	LARC LOW-TURBULENCE	PRES	484	F1021019	A3	44
1022		S-1208	LARC 7X10-FT	SUBSONIC	905	F1022020	L8	30
1023		S-1202	LARC 20-IN	HYPERSONIC	6329	F1023021	LA	28
1024		H-0204	LARC MACH 8	VAR DEN	123- 126 180- 188	NO DIGITIZED DATA	INPUT	
1025	103,158	S-0203	GDC 4-FT	HIGH SPEED	291	F1025022	C6	72
1026		S-0204	ARC 6X6-FT	SUPERSONIC	503	F1026023	AE	52
1027	119,962	S-0209	MSFC 14-IN	TRISONIC	468	F1027024	21	254
1028	TM-X62039	S-0405 S-0406	ARC 6X6-FT	SUPERSONIC	514	F1028025	A9	98
1029	103,159	S-0205	GDC 18-IN	HYPERSONIC	247	F1029026	C9	39
1030	119,963	S-0202	GDC 8X12-FT	SUBSONIC	579	F1030027	C7	134
1031	TM-X62065	S-1805	ARC 3.5-FT	HYPERSONIC	088	F1031028	A4	38
1032		H-0205	LARC MACH 8	VAR-DEN HYP	137- 146/ 189- 205	NO DIGITIZED DATA	INPUT	
1033	103,164	S-0024	TAM 7X10-FT	SUBSONIC	XXIV	F1033029	G4	25
1034	103,160	S-0232	NRLAD LOW SPEED		632	F1034030	CG	90
1035	103,161	S-0404	MAC LOW SPEED		1351	F1035031	CC	69
1036		V1 H-0401 V2 H-0402 H-0403	LARC MACH 8	VAR-DEN HYP LARC CONTINUOUS FLOW HYP	HT	NO DIGITIZED DATA	INPUT	
1037	103,193	S-0201	NRLAD LOW SPEED		630	F1037032	C5	58
1038	TM-X62069	S-0065	ARC 6X6-FT	SUPERSONIC	486	F1038033	AA	227
1039	103,162	S-0228	GDC 8X12-FT	SUBSONIC	580	F1039034	C8	108
1040	103,163	S-0407	MAC LOW SPEED		235	F1040035	CB	42
1041	103,194	S-0429	MAC LOW SPEED		240	F1041036	CF	36
1042		S-0041	ARC 6X6-FT	SUPERSONIC	488	F1042037	AN	3

TABLE 1. PHASE A/B SPACE SHUTTLE VEHICLE WIND TUNNEL TESTING
DATAMAN DIGITAL DATA BASE FILES LISTING (CONTINUED)

DMS-DR NO.	NASA CR- NO.	NASA SERIES	FACILITY	WIND TUNNEL	NO.	ARCHIVE FILE NAME	TEST CODE	NO. OF D/S
1043	103,085	S-0235	MSFC 14-IN TRISONIC		471	F1043038	23	76
1044	103,195	S-1044	MSFC 14-IN TRISONIC		470	F1044039	24	18
1045		S-1210	LARC LOW-TURBULENCE PRES	50-2		F1045040	LF	48
1046		S-1401	ARC 6X6-FT SUPERSONIC		522	F1046041	AQ	14
1047		S-1209	LARC CONTINUOUS-FLOW HYP	054		F1047042	LB	10
1048		S-1213	LARC 20-IN HYPERSONIC	6355/ 6329		F1048043	LA	6
1049		S-0208	LARC LOW-TURBULENCE PRES	052		F1049044	L9	46
1050	TM-X62070	S-0206	ARC 6X6-FT SUPERSONIC		505	F1050045	AG	14
1051	103,196	S-0217	MSFC 14-IN TRISONIC		466	F1051046	22	76
1052	103,197	S-0207	GDC 4-FT HIGH SPEED		304	F1052047	CA	99
1053	103,196	S-1803	GAC 7X10-FT SUBSONIC		279	F1053048	CL	22
1054	103,199	S-0410	MAC LOW SPEED		239	F1054049	CE	208
		S-0411						
1055	103,200	S-1006	MSFC 14-IN TRISONIC		476	F1055050	25	9
1056		H-0201	LARC CONTINUOUS-FLOW HYP	1-58		NO DIGITIZED DATA	INPUT	
		H-0203	LARC VAR-DENSITY HYPER					
1057	119,853	S-0018	TAM 7X10-FT SUBSONIC		S-18/ S-35	F1057051	G3	158
		S-0035						
1058	119,854	S-0028	LTV HIGH SPEED		S-28	F1058052	CH	80
1059		S-1214	LARC 22-IN HELIUM		7369	F1059053	LH	56
1060	119,855	S-0008	TAM 7X10-FT SUBSONIC		S-8	F1060054	G6	163
1061		S-1211	LARC CONTINUOUS FLOW HYP	054		F1061055	LC	10
1062	119,856	S-0038	TAM 7X10-FT SUBSONIC		S-37	F1062056	G7	62
1063	TM-X62072	S-0042	ARC 6X6-FT SUPERSONIC		524	F1063057	A0	90
1064		S-0244	LARC LOW-TURBULENCE PRES	545		F1064058	LD	18
1065		S-0414	ARC 6X6-FT SUPERSONIC		508	F1065059	AB	132
1066	TM-X62037	S-0412	ARC 6X6-FT SUPERSONIC		504	F1066060	AD	86
1067	119,857	S-0423	MAC LOW SPEED		248	F1067061	CP	82
1068		S-1402	LARC UNITARY PLAN		9143	F1068062	LL	12
1069		S-1212	LARC UNITARY PLAN		922	F1069063	LI	118
1070		H-0214	LARC MACH 8 VARIABLE DEN	001		NO DIGITIZED DATA	INPUT	
1071		S-0415	ARC 3.5-FT HYPERSONIC	111/ 113		F1071064	AM/AU	92
		S-0434						
1072		S-0413	ARC 3.5-FT HYPERSONIC		104	F1072065	AJ	104
1073	119,858	S-0039	TAM 7X10-FT SUBSONIC		S-39	F1073066	G2	86
1074	119,859	S-0430	MAC LOW SPEED		138	F1074067	CN	59
1075	V1	S-0219	ARC 14-IN TRISONIC		511	F1075068	AH	52
	V2							
1076	119,860	S-0240	MSFC 14-IN TRISONIC		478	F1076069	27	173
		S-0241						
1077	119,861	S-0419	MAC LOW SPEED		249	F1077070	C0	96
		S-0426						
1078	TM-X62044	S-0204	ARC 6X6-FT SUPERSONIC		503/ 513	F1078071	AE/AF	56
		S-0218			1021	F1079072	U1	46
1079	R-01	S-0602	UW 8X12-FT SUBSONIC		112	F1080073	AL	126
1080	TM-X62038	S-0416	ARC 3.5-FT HYPERSONIC		289	F1081074	CQ	43
1081	119,862	S-0603	GAC 7X10-FT SUBSONIC		513/ 503	F1082075	AF/AE	158
1082	TM-X62045	S-0204	ARC 6X6-FT SUPERSONIC		503			
		S-0218			527	F1083076	AT	34
1083	TM-X64042	S-0426	ARC 6X6-FT SUPERSONIC		063	F1084077	LQ	74
1084		S-0224	LARC CONTINUOUS-FLOW HYP		542	F1085078	AV	20
1085	TM-X62073	S-0801	ARC 6X6-FT SUPERSONIC					

TABLE 1. PHASE A/B SPACE SHUTTLE VEHICLE WIND TUNNEL TESTING
DATAMAN DIGITAL DATA BASE FILES LISTING (CONTINUED)

DMS-DR NO.	NASA CR- NO.	NASA SERIES	FACILITY	WIND TUNNEL	NO.	ARCHIVE FILE NAME	TEST CODE	NO. OF D/S
1086		S-1217	LARC 22-IN HELIUM	7377		F1086079	LZ	20
1087		S-0238	LARC LOW-TURBULENCE PRES	059		F1087080	LS	68
1088		S-1215	LARC 22-IN HELIUM	7376		F1088081	LTV	22
1089		S-1401	ARC 6X6-FT SUPERSONIC	9143		DIGITIZED DATA	NOT AVAILABLE	
		S-1402						
1090	119,965	S-0408	MAC LOW SPEED	237		F1090082	CD	231
1091	119,966	S-1034	MSFC 14-IN TRISONIC	485		F1091083	30	19
1092	119,967	S-1019	AEDC 16-FT TWT	TC135		F1092084	RT	6
1093		S-0231	LARC CONTINUOUS-FLOW HYP	064		F1093085	LG	88
1094	TM-X62108	S-0428	LARC 3.5-FT HYPERSONIC	125		F1094086	AX	56
1095		S-0224	LARC 20-IN HYPERSONIC	6366		F1095087	LU	34
1096		S-0227	LARC UNITARY PLAN	951		F1096088	LP	44
1097		S-1216	LARC 8-FT TRANSONIC PRES	574		F1097089	M0	20
1098		H-0209	LARC UNITARY PLAN	945		NO DIGITIZED DATA	INPUT	
1099	TM-X62059	S-0433	ARC 6X6-FT SUPERSONIC	557		F1099090	AY	24
1100		S-0220	LARC LOW-TURBULENCE PRES	055		F1100091	LE	35
1101		S-1219	LARC UNITARY PLAN	944/962		F1101092	M7	34
1102	119,992	S-0213	MSFC 14-IN TRISONIC	481		F1102093	28	106
1103		S-0802	LARC UNITARY PLAN	955		F1103094	M2	52
1104	V1	S-0212	ARC 3.5-FT HYPERSONI	109A/109B		F1104095	AK	91
	V2							
1105		S-0225	LARC 8-FT TRANSONIC PRES	573		F1105096	L0	54
1106		S-0221	LARC LOW-TURBULENCE PRES	057		F1106097	LN	27
1107		S-1218	LARC LOW-TURBULENCE PRES	058		F1107098	M1	24
1108	119,973V1	S-1023	AEDC A / SUPERSONIC	1163		F1108099	T8	882
	119,972V2							
	119,971V3							
	119,968V4							
	119,969V5							
	119,970V6							
	119,985V7							
1109	119,974	S-0237	GDC 8X12-FT SUBSONIC	587		F1109100	CM	109
1110	119,975	S-0247	GDC 8X12-FT SUBSONIC	587		F1110101	CV	90
1111	TM-X62115	S-0612	ARC 6X6-FT SUPERSONIC	550		F1111102	BD	20
1112	TM-X62060	S-0608	ARC 6X6-FT SUPERSONIC	547		F1112103	BB	21
1113		S-1222	LARC CONTINUOUS-FLOW HYP	062		F1113104	M9	54
1114	119,976	S-1018	MSFC 14-IN TRISONIC	477		F1114105	26	4
1115	119,986	S-0030	LTV HIGH SPEED	S-30		F1115106	CU	104
1116	TM-X62049	S-0431	ARC 6X6-FT SUPERSONIC	510		F1116107	AR	76
1117	V1	S-0424	LARC UNITARY PLAN	963		F1117108	LR	154
	V2							
	V3							
1118	V1	S-0431	ARC 6X6-FT SUPERSONIC	512		F1118109	AC	144
	V2							
1119	119,977	S-0236	MSFC 14-IN TRISONIC	489		F1119110	31	29
1120	119,976	S-0436	MAC LOW SPEED	258		F1120111	CZ	180
1121	R-01	S-0239	ARC 6X6-FT SUPERSONIC	526		F1121112	AS	34
1122		S-0606	ARC 6X6-FT SUPERSONIC	546		F1122113	AW	26
1123		S-1220	LARC CONTINUOUS-FLOW HYP	061		F1123114	LT	180
1124	119,979	S-0215	NRLAD LOW SPEED	633		F1124115	CJ	108
1125	119,993	P-1403	AEDC 16-FT TRANSONIC	250		DIGITIZED DATA	NOT AVAILABLE	

TABLE 1. PHASE A/B SPACE SHUTTLE VEHICLE WIND TUNNEL TESTING
DATAMAN DIGITAL DATA BASE FILES LISTING (CONTINUED)

DMS-DR NO.	NASA CR- NO.	NASA SERIES	FACILITY	WIND TUNNEL	NO.	ARCHIVE FILE NAME	TEST CODE	NO. OF D/S
1126	119,980	S-0246	MSFC 14-IN TRISONIC		484	F1126116	29	44
1127		S-0229	ARC 6X6-FT SUPERSONIC		548	F1127117	AZ	55
1128	120,079	S-0631	TBC 4-FT SUPERSONIC		558	F1128118	DC	33
1129	V1	P-0203	ARC 6X6-FT SUPERSONIC		509	P1129001	AX	130
	V2							
	V3							
1130	119,994V1	S-0242	MSFC 14-IN TRISONIC		490	F1130119	32	140
	V2							
	V3							
	V4							
1131	TM-X62078	H-0207	ARC 3.5-FT HYPERSONIC		106		DIGITIZED DATA	NOT AVAIL
1132	CANCEL	P-0201	ARC 3.5-FT HYPERSONIC		099		DIGITIZED DATA	NOT AVAIL
1133	CANCEL	P-0202	ARC 3.5-FT HYPERSONIC		100		DIGITIZED DATA	NOT AVAIL
1134	TM-X62077	H-0206	ARC 3.5-FT HYPERSONIC		105		DIGITIZED DATA	NOT AVAIL
1135	CANCEL	H-0208	ARC 3.5-FT HYPERSONIC		107		DIGITIZED DATA	NOT AVAIL
1136	TM-X62062	S-1601	ARC 6X6-FT SUPERSONIC		561	F1136120	BC	5
1137	TM-X62061	S-0611	ARC 6X6-FT SUPERSONIC		551	F1137121	BC	30
1138		H-0406	LARC MACH 8 VAR-DEN HYP	4-27			NO DIGITIZED DATA	INPUT
1139	119,995V1	S-1009	NSRDC 7X10-FT TRANSONIC	3110		F1139122	N2	574
	119,996V2							
	119,997V3							
	119,998V4							
1140	119,961	S-1035	MSFC 14-IN TRISONIC		491	F1140123	33	22
1141	TM-X62118	S-0229	ARC 6X6-FT SUPERSONIC		563	F1141124	BA	38
1142	119,982	S-0610	GAC 7X10-FT SUBSONIC		290	F1142125	CW	66
1143		H-0801	LARC MACH 8 VAR-DEN HYP	4/5- 4/9			NO DIGITIZED DATA	INPUT
1144		S-0245	LARC UNITARY PLAN	951B		F1144126	MD	30
1145		H-0213	LARC MACH 8 VAR-DEN HYP				NO DIGITIZED DATA	INPUT
1146		H-0602	LARC CONTINUOUS-FLOW HYP	066			NO DIGITIZED DATA	INPUT
1147		S-1223	LARC V/STOL TRANSITION	007		F1147127	ME	98
1148	119,983	S-0616	MSFC 14-IN TRISONIC	492		F1148128	34	118
1149		S-1224	LARC LOW-TURBULENCE PRES	062		F1149129	MF	32
1150		S-0230	LARC LOW TURBULENCE PRES	064			DIGITIZED DATA	NOT AVAIL
1151		S-1221	LARC CONTINUOUS-FLOW HYP	068/ 071		F1151130	MC	32
1152	119,999	S-0223	MSFC 14-IN TRISONIC		493	F1152131	35	26
1153	120,000	S-1026	MSFC 14-IN TRISONIC	494		F1153132	36	46
1154	119,984	H-0601	GAC 36-IN HYPERSONIC	017			NO DIGITIZED DATA	INPUT
1155	119,987	S-0248	MSFC 14-IN TRISONIC	495		F1155133	37	84
1156		S-0226	LARC CONTINUOUS-FLOW HYP	070		F1156134	MB	78
1157		S-1225	LARC LOW-TURBULENCE PRES	063		F1157135	MG	21
1158	120,002	S-0605	GAC 36-IN HYPERSONIC	020		F1158136	CX	70
1159	119,988	S-0604	GAC 36-IN HYPERSONIC	019		F1159137	CT	48
1160	120,003	S-0617	MSFC 14-IN TRISONIC	496			DIGITIZED DATA	NOT AVAIL
1161	119,989	S-0607	GAC 26-IN TRANSONIC	035		F1161138	CR	16
1162	120,004	S-0249	MSFC 14-IN TRISONIC	497		F1162139	39	25
1163	119,990	S-0609	GAC 15-IN SUPERSONIC	022		F1163140	CS	33
1164	120,005	S-1010	NSRDC 7X10-FT TRANSONIC	3210		F1164141	N3	207
1165		H-0211	LARC MACH 8 VAR-DEN HYP	RLM			DIGITIZED DATA	NOT AVAIL
1166	119,991	S-1040	MSFC 14-IN TRISONIC	501		F1166142	43	12
1167	120,006	S-0615	GAC 7X10-FT SUBSONIC	292			DIGITIZED DATA	NOT AVAIL

TABLE 1. PHASE A/B SPACE SHUTTLE VEHICLE WIND TUNNEL TESTING
DATAMAN DIGITAL DATA BASE FILES LISTING (CONTINUED)

DMS-DR NO.	NASA CR- NO.	NASA SERIES	FACILITY	WIND TUNNEL	NO.	ARCHIVE FILE NAME	TEST CODE	NO. OF D/S
1168		S-1228	LARC LOW-TURBULENCE	PRES 065		F1168143	M5	60
1169		S-0803	LARC LOW-TURBULENCE	PRES 069		F1169144	MI	84
1170	120,007	H-0404	CAL 96-IN HYPER SHOCK	MDAC		NO DIGITIZED DATA		INPUT
1171		S-0437	LARC 8-FT TRANSONIC	PRES 438		F1171145	MJ	84
1172		S-1229	LARC LOW-TURBULENCE	PRES 071		F1172146	ML	18
1173		S-1227	LARC UNITARY PLAN	942		F1173147	MK	10
1174	120,008V1	P-1002	AEDC A / SUPERSONIC	1163		P1174002	T8	891
	120,061V2							
	120,062V3							
	120,063V4							
	120,064V5							
	120,065V6							
1175		S-1226	LARC 4X4-FT SUPERSONIC	432		F1175148	LY	30
1176		S-1237	LARC 22-IN HELIUM	7386/ 7390		DIGITIZED DATA		NOT AVAIL
1177	120,009V1	H-1009	AEDC B / HYPERSONIC	1162-1		NO DIGITIZED DATA		INPUT
	119,987V2	H-1029		1162-2				
	120,029V3	H-1022		1162-3				
1178		H-0603	LARC CONTINUOUS-FLOW	HYP 069		NO DIGITIZED DATA		INPUT
1179	TM-X62058	H-0206	ARC 3.5-FT HYPERSONIC	105		NO DIGITIZED DATA		INPUT
1180	TM-X62057	H-0207	ARC 3.5-FT HYPERSONIC	106		NO DIGITIZED DATA		INPUT
1181	120,010	S-1042	MSFC 14-IN TRISONIC	504		F1181149	46	16
1182	120,011	S-1044	MSFC 14-IN TRISONIC	505		F1182150	47	26
1183	120,012	S-0618	MSFC 14-IN TRISONIC	506		F1183151	48	74
1184	120,013	S-1236	MSFC 14-IN TRISONIC	507		F1184152	49	39
1185	120,014	S-0050	MSFC 14-IN TRISONIC	509		F1185153	51	26
1186	120,015	S-0065	MSFC 14-IN TRISONIC	510		F1186154	52	54
1187	120,016	S-1043	MSFC 14-IN TRISONIC	502		F1187155	44	20
1188	120,017	S-1041	MSFC 14-IN TRISONIC	503		F1188156	45	23
1189		S-1230	LARC LOW-TURBULENCE	PRES 075		F1189157	MN(L)	52
1190		S-1238	LARC 22-IN HELIUM	7377- 7379/ 7380- 7390		F1190158	MU	16
1191	120,018	S-0619	TBC TRANSONIC			F1191159	D2	46
1192	120,019	S-1036	NSRDC 7X10-FT TRANSONIC	1265		DIGITIZED DATA		NOT AVAIL
1193		S-1239	LARC LOW-TURBULENCE	PRES 073		F1193160	MV	30
1194		S-1231	LARC CONTINUOUS-FLOW	HYP 076		F1194161	MQ	44
1195		S-1232	LARC 8-FT TRANSONIC	PRES 604		F1195162	MN(T)	26
1196		S-1233	LARC UNITARY PLAN	964		F1196163	MN(U)	30
1197		S-1240	LARC UNITARY PLAN	962		F1197164	MW	98
1198		S-1242	LARC CONT-FLOW HYPERSONIC	074		F1198165	MY	50
1199		S-1241	LARC 4X4-FT SUPERSONIC	430		F1199166	MX	117
1200		S-1243	LARC 8-FT TRANSONIC	PRES 605		F1200167	MZ	36
1201	120,020	S-1026	MSFC 14-IN TRISONIC	498		F1201168	41	81
1202	TM-X62112	S-0054	ARC 6X6-FT SUPERSONIC	505		F1202169	BE	65
1203	R-01	S-1234	LARC 20-IN HYPERSONIC	6392		F1203170	MR	18
1204	120,022	S-0250	MSFC 14-IN TRISONIC	512		F1204171	50	41
1205	120,023	S-0008	TAM 7X10-FT SUBSONIC	S-8		F1205172	G9	180
1206	120,024V1	H-1008	AEDC A / SUPERSONIC	F00		NO DIGITIZED DATA		INPUT
1207	120,025V1	H-1009	AEDC B / HYPERSONIC	1162-4		NO DIGITIZED DATA		INPUT
	120,043V2	H-1014		1162-12				
1208	120,026	S-1046	MSFC 14-IN TRISONIC	518		F1208173	54	70

TABLE 1. PHASE A/B SPACE SHUTTLE VEHICLE WIND TUNNEL TESTING
DATAMAN DIGITAL DATA BASE FILES LISTING (CONTINUED)

DMS-DR NO.	NASA CR- NO.	NASA SERIES	FACILITY	WIND TUNNEL	NO.	ARCHIVE FILE NAME	TEST CODE	NO. OF D/S
1209	120,027	S-0621	MSFC 14-IN TRISONIC		513	F1209174	53	85
1210	120,028	S-0251	MSFC 14-IN TRISONIC		514	F1210175	58	76
1211		S-1235	LARC 22-IN HELIUM		7379	F1211176	MS	9
1212	120,030	S-1037	CAL 8-FT TRANSONIC		063	F1212177	U9	132
1213	120,031	S-0440	MSFC 14-IN TRISONIC		517	F1213178	56	42
1214		S-0627	LARC 20-IN HYPERSONIC		6397	F1214179	04	22
1215		S-0051	LARC LOW-TURBULENCE PRES		085	F1215180	01	86
1216		S-1233	LARC UNITARY PLAN		964/ 969	F1216181	M0	14
1217	CANCEL		MSC		S-52	NO DIGITIZED DATA		INPUT
1218		S-1244	LARC 22-IN HELIUM		7398	F1218182	06	28
1219		S-0056	LARC CONTINUOUS-FLOW HYP		080	F1219183	05	45
1220		S-0628	LARC 20-IN HYPERSONIC		6398	F1220184	02	18
1221	120,033	S-0055	JPL 20-IN SUPERSONIC		681	F1221185	GB	130
1222	120,034V1	P-1001	AEDC 16-FT TWT		174/ 1154	P1222003	TC	113
1223	120,035	S-0252	GDC 8X12-FT SUBSONIC		603	F1223186	D6	96
1224	120,036V1	H-1030	AEDC F / HYPERSONIC		1162-F0	NO DIGITIZED DATA		INPUT
1225	120,037V1	P-1006	AEDC B / HYPERSONIC		1162-7	NO DIGITIZED DATA		INPUT
	120,046V2	P-1007						
	120,047V3	P-1008						
1226	120,038	S-1047	MSFC 14-IN TRISONIC		521	F1226187	55	33
1227	120,039	S-0625	MSFC 14-IN TRISONIC		523	F1227188	57	36
1228	120,069	S-0622	TBC TRANSONIC		553	F1228189	D4	48
		S-0623	TBC 4-FT SUPERSONIC					
1229		S-1245	LARC LOW-TURBULENCE PRES		072	F1229190	07	43
1230	120,083V1	S-0222	MDAC 4-FT TRISONIC		222	F1230191	D7	1051
	120,084V2	S-0441						
	120,085V3							
	120,086V4							
	120,087V5							
1231	120,048V1	H-1028	AEDC B / HYPERSONIC		1162	NO DIGITIZED DATA		INPUT
1232		S-1246	LARC UNITARY PLAN		968/ 077	F1232192	09	22
1233		S-1247	LARC LOW-TURBULENCE PRES		087	F1233193	0A	12
1234		H-0605	LARC MACH 8 VAR-DEN HYP		546	NO DIGITIZED DATA		INPUT
1235		S-1249	LARC UNITARY PLAN		970	F1235194	0C	20
1236		H-0216	LARC MACH 6 HIGH RN		489	NO DIGITIZED DATA		INPUT
1237		S-1248	LARC UNITARY PLAN		966	F1237195	0B	26
1238		H-1032	LARC 20-IN HYPERSONIC		6386/ 6387	DIGITIZED DATA NOT AVAIL		
1239		S-1250	LARC LOW-TURBULENCE PRES		086/ 088	DIGITIZED DATA NOT AVAIL		
1240	120,040	S-1049	MSFC 14-IN TRISONIC		524	F1240196	59	45
1241	120,041	S-0076	MSFC 14-IN TRISONIC		531	F1241197	60	44
1242	120,042	S-1048	MSFC 14-IN TRISONIC		526	F1242198	61	112
1243	120,050	S-0067	MSFC 14-IN TRISONIC		528	F1243199	62	60
1244		H-0217	LARC 20-IN HYPERSONIC		1-20	NO DIGITIZED DATA		INPUT
1245	120,051	S-1052	MSFC 14-IN TRISONIC		529	F1245200	63	15
1246	CANCEL	H-0218	LARC CONTINUOUS-FLOW HYP		083	NO DIGITIZED DATA		INPUT
1247	120,052	S-1053	MSFC 14-IN TRISONIC		533	REDESIGNATED TO PHASE C		
1248	CANCEL		TAM		B1215	NO DIGITIZED DATA		INPUT
1249	120,053	S-1054	MSFC 14-IN TRISONIC		534	F1249201	65	24

TABLE 1. PHASE A/B SPACE SHUTTLE VEHICLE WIND TUNNEL TESTING
DATAMAN DIGITAL DATA BASE FILES LISTING (CONCLUDED)

DMS-DR NO.	NASA CR- NO.	NASA SERIES	FACILITY	WIND TUNNEL	NO.	ARCHIVE FILE NAME	TEST CODE	NO. OF D/S
1250		S-0066	ARC 11-FT TRANSONIC		628	F1250202	BF	34
1251	120,055	S-1058	MSFC 14-IN TRISONIC		538	F1251203	66	26
1252	TM-X62114	H-1601	ARC 3.5-FT HYPERSONIC		131	NO DIGITIZED DATA	INPUT	
1253	120,056	S-1059	MSFC 14-IN TRISONIC		541	F1253204	68	56
1254	120,057	S-1060	MSFC 14-IN TRISONIC		542	F1254205	69	98
1255	120,058	P-1009	MSFC 14-IN TRISONIC		543	DIGITIZED DATA	NOT AVAIL	
1256	120,059	S-1055	MSFC 14-IN TRISONIC		544	F1256206	71	88
1257			MSFC 14-IN TRISONIC		545	TEST REDESIGNATED TO PHASE C		
1258		S-1251	LARC UNITARY PLAN		979	F1258207	0F	62
1259	120,066	P-1010	MSFC 14-IN TRISONIC		540	P1259004	67	48
1260		H-1033	LARC MACH 8 VAR-DEN HYP		078	DIGITIZED DATA	NOT AVAIL	
1261		H-0606	LARC MACH 8 VAR-DEN HYP		R08	NO DIGITIZED DATA	INPUT	
1262	120,067V1 120,068V2	H-1011 H-1013 H-1017	AEDC B / HYPERSONIC		1162-9	NO DIGITIZED DATA	INPUT	
1263		H-1034	LARC UNITARY PLAN		967	P1263005	0L	21
1264	120,049V1 120,071V2	H-1010 H-1015 H-1028	AEDC B / HYPERSONIC		1162-11	NO DIGITIZED DATA	INPUT	
1265		S-1254	LARC UNITARY PLAN		981	F1265208	0H	21
1266	120,072	H-0019	AEDC B / HYPERSONIC		288	NO DIGITIZED DATA	INPUT	
1267		S-0079	ARC 11-FT TRANSONIC		629	F1267209	BG	120
		S-0080	9X7-FT SUPERSONIC					
1268		S-1252	LARC LOW-TURBULENCE PRES		103	F1268210	OM	27
1269	CANCEL	S-1255	LARC CONT-FLOW HYP		084	DIGITIZED DATA	NOT AVAIL	
1270	V1 V2	S-1253	LARC 22-IN HELIUM		405	F1270211	ON	22
1271			MSFC 14TWT		552	NO DIGITIZED DATA	INPUT	
1272	120,074	S-1055	MSFC 14-IN TRISONIC		544X	F1272212	71	62
1273	120,075	P-1011	MSFC 14-IN TRISONIC		550	DIGITIZED DATA	NOT AVAIL	
1274	120,076	S-1062	MSFC 14-IN TRISONIC		551	F1274213	74	4
1275	120,073	S-0629	TBC TRANSONIC		557	F1275214	D8	104
		S-0630	TBC 4-FT SUPERSONIC					
1276	120,078	S-0629	TBC TRANSONIC		557	F1276215	D9	16
		S-0630	TBC 4-FT SUPERSONIC					
1277		S-1256	LARC CONTINUOUS-FLOW HYP		085	DIGITIZED DATA	NOT AVAIL	
1278		H-1035	LARC MACH 8 VAR-DEN HYP		1035	NO DIGITIZED DATA	INPUT	

**TABLE 2. PHASE C/D SPACE SHUTTLE VEHICLE WIND TUNNEL TESTING
DATAMAN DIGITAL DATA BASE FILES LISTING**

DMS-DR NO.	NASA CR- NO.	NASA SERIES	FACILITY	WIND TUNNEL	NO.	ARCHIVE FILE NAME	TEST CODE	NO. OF D/S
2001	128,750	MA5	LARC UNITARY PLAN		1002	F2001001	OQ	43
2002	128,752	LA1	LARC 8-FT TRANSONIC		626	F2002002	OU	41
2003	128,754	MA2	LARC 22-IN HELIUM		409	F2003003	OS	64
2004	120,082	MA1	LTV 15X20-FT LOW SPEED		407	F2004004	DD	12
2005	120,070	OA1	MSFC 14-IN TRANSONIC		555	F2005005	76	198
2006	120,088	IA1A	MSFC 14-IN TRANSONIC		556	F2006006	77	197
2007	128,760	OA4	ARC 3.5-FT HYPERSONIC		147	F2007007	BI	226
2008	128,751	MA4	LARC 31-IN CONT-FLOW HYP		089	F2008008	OT	32
2009	128,761	OA3	ARC 6X6-FT SUPERSONIC		650	F2009009	BH	228
2010	120,060	IA1B	MSFC 14-IN TRANSONIC		545	F2010010	72	323
2011	120,089	MA9F	MSFC 14-IN TRANSONIC		558	F2011011	78	420
2012	120,090	SA1F	MSFC 14-IN TRANSONIC		554	F2012012	79	333
2013	128,762	IA2	ARC 9X7-FT SUPERSONIC		616	F2013013	BJ	123
2014	128,753	OA7	LARC UNITARY PLAN		1007	F2014014	OV	129
2015	120,091V1	IA4	LTV 4X4-FT SUPERSONIC		458	F2015015	DE	60
	120,091V2							
2016	120,092	OA2	RI 7X11-FT LOW SPEED		689	F2016016	DF	470
2017	123,851	OA5	RI 7X11-FT LOW SPEED		690	F2017017	DG	257
2018	128,755	IA3	RI 7X11-FT LOW SPEED		693	F2018018	DH	134
2019	128,756	OA6	RI 7X11-FT LOW SPEED		694	F2019019	DI	102
2020	128,757	OA9	RI 7X11-FT LOW SPEED		696	DIGITAL DATA NOT	DATA	AVAIL
2021	128,758V1	OA45	RI 7X11-FT LOW SPEED		699	F2021020	DL	73
	128,758V2					P2021001	DL	30
2022	128,759	OA10	RI 7X11-FT LOW SPEED		698	F2022021	DK	713
2023	128,763	LA2	LARC 22-IN HELIUM		411	F2023022	OY	17
2024	128,766	IA7	ARC 11-FT TRANSONIC		686	F2024023	BL	54
						P2024002	BL	112
2025	128,767	SA3F	MSFC 14-IN TRANSONIC		565	F2025024	80	371
2026	128,778	IA31F	MSFC 14-IN TRANSONIC		566	F2026025	81	90
2027	141,807V1	IA32FB	MSFC 14-IN TRANSONIC		567	P2027003	82	52
	141,808V2					NO FORCE DATA		
2028	134,434V1	IA31FB	MSFC 14-IN TRANSONIC		570	F2028026	83	816
	134,436V2							
2029	128,765	OA47	MSFC 14-IN TRANSONIC		568	F2029027	84	384
2030	128,768	OA14	RI 7X11-FT LOW SPEED		700	F2030028	DM	733
						F2030029	DM	438
2031	128,769	LA3	LARC 31-IN CONT-FLOW HYP		085	F2031030	OZ	53
2032	128,794V1	IA9A/	ARC 11-FT TRANSONIC		707	F2032031	BM	220
	128,794V2	IA9B/	ARC 8X7-FT SUPERSONIC			F2032032	BN	110
	128,794V3	IA9C	ARC 9X7-FT SUPERSONIC			F2032033	BP	96
	128,794V4	OA12A/				F2032034	BQ	46
	128,794V5	OA12C				P2032004	BM	44
	128,794V6					P2032005	BM	616
	128,794V7					P2032006	BN	330
	128,794V8					P2032007	BO	420
	128,794V9					P2032008	BP	528
	128,794V10					P2032009	BQ	253
	128,794V11							
	128,794V12							
	128,794V13							
	128,794V14							
	128,794V15							
	128,794V16							
	128,794V17							
	128,794V18							

**TABLE 2. PHASE C/D SPACE SHUTTLE VEHICLE WIND TUNNEL TESTING
DATAMAN DIGITAL DATA BASE FILES LISTING (CONTINUED)**

DMS-DR NO.	NASA CR- NO.	NASA SERIES	FACILITY	WIND TUNNEL	NO.	ARCHIVE FILE NAME	TEST CODE	NO. OF D/S
2033	128,772	LA4C	LARC UNITARY PLAN		995/ 1014	DIGITAL DATA	NOT AVAIL	
2034	128,764	LA22	LARC 22-IN HELIUM		405	DIGITAL DATA	NOT AVAIL	
2035	134,077	OH2A/B	ARC 3.5 FT HYPERSONIC		158	NO DIGITIZED DATA	INPUT	
2036	128,775	LA5	LARC 22-IN HYPERSONIC		413	F2036035	P2/OY	291
2037	134,405	OA84	LTV 4X4-FT HYPERSONIC		488	F2037036	FO	252
2038	128,793	OA16	RI 7X11-FT LOW SPEED		701	F2038037	DN	363
2039	134,071	IA6A	MSFC 14-IN TRANSONIC		571	F2039038	85	235
2040	128,773	LA6	LARC 8-FT TRANSONIC		643	F2040039	P4	114
2041	128,781	LA7A	LARC 8-FT TRANSONIC		644	F2041040	P5	44
2042	134,087	IA52	MSFC 14-IN TRANSONIC		584	NO DIGITIZED DATA	INPUT	
2043	128,770	LA16	LARC MACH 8 VARIABLE DEN		624	NO DIGITIZED DATA	INPUT	
2044	128,786	OA11A	ARC 3.5-FT HYPERSONIC		157	F2044041	BS	116
2045	128,779	OA18	RI 7X11-FT LOW SPEED		704	F2045042	DO	483
2046	128,776	LA17	LARC 8-FT TRANSONIC		648	F2046043	PC	117
2047	134,086	LA31	LARC 31-IN CONT-FLOW HYP		098	NO DIGITIZED DATA	INPUT	
2048	134,104	IA12B	ARC 9X7-FT SUPERSONIC		710	F2048044	BV	187
						F2048010	BV	106
2049	128,771	OH40	LARC MACH 8 VARIABLE DEN		3619/ 3670	NO DIGITIZED DATA	INPUT	
2050	127,790	OA43	ARC 6X6-FT SUPERSONIC		706	F2050045	BT	220
2051	128,774	SA5F	MSFC 14-IN TRANSONIC		572	F2051046	86	26
2052	128,791	LA10	LARC UNITARY PLAN		1015	F2052047	P8	187
2053	128,792V1 V2	OA21B	RI 7X11-FT LOW SPEED		705	F2053048	DP	675
						F2053049	DP	99
2054	128,796	LA8A/B	LARC UNITARY PLAN		1023/ 1034	F2054050	P6	64
2055	128,780V1 128,780V2 128,780V3	OA48	MSFC 14-IN TRANSONIC		574	F2055051	87	214
2056	128,782	LA9	LARC LOW TURBULANCE PRES		130/ 135	F2056052	P7	89
2057	134,411	OA44	LARC UNITARY PLAN		1035	F2057053	PN	357
2058	134,079	OA17	LARC LOW TURBULANCE PRES		138	F2058054	PP	42
2059	128,798	OA11B	ARC 3.5-FT HYPERSONIC		160	F2059055	BX	491
2060	134,091	OA58	ARC 3.5-FT HYPERSONIC		163	F2060056	BY	319
2061	128,789	OA68	RI 7-FT TRISONIC		276	F2061057	DR	125
2062	134,117V1 134,118V2 141,801V3	IA13	AEDC A/ SUPERSONIC		323	F2062058	TJ	598
2063	128,788	IA37/ IA48	MSFC 14-IN TRANSONIC		579/ 580	F2063059	88/ 89	68
2064	141,814V1 141,816V2	IA36	CALSPAN 8-FT TRANSONIC		053	F2064060 P2064	UF UF	184 116
2065	141,518V1 141,519V2 141,520V3	IA12C	ARC 8X7-FT SUPERSONIC		710	F2065061 F2065012	BZ BZ	420 212
2066	128,783	LA11	LARC 31-IN CONT-FLOW HYP		096	F2066062	PD	74
2067	128,777	OS2	LARC 26-IN TRANSONIC		544	NO DIGITIZED DATA	INPUT	
2068	128,797	OA71A	RI 7X11-FT LOW SPEED		708	F2068063	DS	147
2069	134,074	MA7	LARC UNITARY PLAN		1031	F2069064	PM	439
2070	128,787	LA23	LARC LOW TURBULANCE PRES		141	F2070065	PU	67
2071	128,799	OA23	ARC 3.5-FT HYPERSONIC		168	F2071066	B6	316
2072	134,072	IA31FC	MSFC 14-IN TRANSONIC		573	F2072067	90	30
2073	134,070	OA70	LARC UNITARY PLAN		1043	F2073068	PV	36

**TABLE 2. PHASE C/D SPACE SHUTTLE VEHICLE WIND TUNNEL TESTING
DATAMAN DIGITAL DATA BASE FILES LISTING (CONTINUED)**

DMS-DR NO.	NASA CR- NO.	NASA SERIES	FACILITY	WIND TUNNEL	NO.	ARCHIVE FILE NAME	TEST CODE	NO. OF D/S
2074	134,414	OA57A	RI 7X11-FT LOW SPEED		709	F2074069	DT	248
2075	128,784	OH41	LARC MACH 8 VARIABLE DEN		3778/ 3855	NO DIGITIZED DATA	DATA	INPUT
2076	128,785	OH41A	LARC MACH 8 VARIABLE DEN		4060/ 4079	NO DIGITIZED DATA	DATA	INPUT
2077	134,095V1 134,099V2	IA29/ OA63	ARC 6X6-FT SUPERSONIC		630	P2077014	EC/EB	44
	134,100V3					NO FORCE DATA		
2078	128,795	IA10	ARC 3.5-FT HYPERSONIC		169	F2078070	B7	58
2079	134,083	LA15	LARC 20-IN HYPERSONIC		6441	F2079071	PH	19
2080	134,416V1	OA57B	RI 7X11-FT LOW SPEED		713	F2080072	DV	350
	134,417V2					P2028015	DV	280
2081	141,580V1	OA69	RI 7X11-FT LOW SPEED		711	F2081073	DQ	14
	141,581V2					P2081016	DQ	141
2082	128,800	OA73	ARC 3.5-FT HYPERSONIC		167	F2082074	B5	52
2083	134,081	OA20A	LARC UNITARY PLAN		1057	F2083075	Q2	18
2084	134,443V1	IA14A	ARC 11-FT TRANSONIC		716	F2084076	B1	131
	134,444V2					P2084018	B1	148
	143,445V3					P2084019	B1	156
	143,446V4					P2084020	B1	156
	143,447V5					P2084021	B1	130
	143,448V6							
	143,449V7							
	143,450V8							
	143,501V9							
	143,502V10							
	143,503V11							
2085	167,344	OH10/ IH2	ARC 3.5-FT HYPERSONIC		171	P2085022	B9/EA	408
						NO FORCE DATA		
2086	134,078	OA71C	RI 7X11-FT LOW SPEED		712	F2086077	DU	320
2087	134,116	SA10F	MSFC 14-IN TRANSONIC		578	F2087078	91	191
2088	134,105	SA2FA/B	LARC 8-FT TRANSONIC PRES		655/ 662	F2088079	PS	234
2089	134,082	OA25	LARC 8-FT TRANSONIC PRES		661	F2089080	Q1	190
2090	134,080	LA8C	LARC UNITARY PLAN		1040	F2090081	P6	127
2091	141,512	LA7B	LARC 8-FT TRANSONIC		657/ 660	F2091082	P5	75
2092	TM-X71968	OA72	LARC 22-IN HELIUM		425	F2092083	PT	126
2093	134,090	IA37B	MSFC 14-IN TRANSONIC		585	F2092084	93	25
2094	134,073	OS1	LARC 26-IN TRANSONIC BD		545	NO DIGITIZED DATA	DATA	INPUT
2095	134,404	OA49	MSFC 14-IN TRANSONIC		581	F2095085	92	891
2096	134,101	OH13	LARC MACH 8 VARIABLE DEN		644	F2096023	PO	12
2097	134,102	OA62A	RI 7X11-FT LOW SPEED		715	F2097086	DW	619
2098	134,096	IH15	ARC 3.5-FT HYPERSONIC		172	F2098024	B8	165
						NO FORCE DATA		
2099	134,419V1	OH4B	AEDC B / HYPERSONIC		352	P2099025	TK	870
	134,438V2					NO FORCE DATA		
	134,439V3							
2100	134,075	OH3A/B	AEDC B / HYPERSONIC		289	NO DIGITIZED DATA	DATA	INPUT
2101	134,076	OH42A/ OH42B/ OH42C	LARC MACH 8 VARIABLE DEN		4080/ 4105/ 4130/ 4193/ 4270/ 4295	NO DIGITIZED DATA	DATA	INPUT

**TABLE 2. PHASE C/D SPACE SHUTTLE VEHICLE WIND TUNNEL TESTING
DATAMAN DIGITAL DATA BASE FILES LISTING (CONTINUED)**

DMS-DR NO.	NASA CR- NO.	NASA SERIES	FACILITY	WIND TUNNEL	NO.	ARCHIVE FILE NAME	TEST CODE	NO. OF D/S
2102	134,089	IA15	ARC 3.5-FT HYPERSONIC		175	F2102087	EG	53
2103	134,094	IA62F	MSFC 14-IN TRANSONIC		589	F2103088	94	12
2104	134,112V1	OA62B	RI 7X11-FT LOW SPEED		717	F2104089	DZ	394
	134,113V2							
2105	144,594	IH17	LARC MACH 8 VARIABLE DEN		646/ 647	P2105026	PR	192
2106	TM-X72630	LA14A/ LA14B	LARC UNITARY PLAN		1046/ 1049	P2105027 F2106090	PR PG	192 12
2107	TM-X72631	LA20	LARC 8-FT TRANSONIC PRES		653	F2107091	PK	15
2108	134,084	IA35/ OA64	LARC UNITARY PLAN		1063	F2108028	Q4/Q5	14
2109	141,527	OH45	LARC 20-IN FREON		121- 137	NO FORCE DATA NO FORCE DATA	QS	20
2110	144,589	IH18	LARC 20-IN FREON		118	P2110030	QM	56
2111	134,435	SA26F	MSFC 14-IN TRANSONIC		590/ 595	F2111092	95	129
2112	134,401	IA57	AEDC A / SUPERSONIC		422	F2112093	TL	170
2113	134,111	OA85	LARC 31-IN CONT-FLOW HYP		101	F2113094	QI	128
2114	134,098	OA86	RI 7X11-FT LOW SPEED		716	F2114095	DX	642
2115	134,085	OA87	ARC 3.5 FT HYPERSONIC		176	F2115096	EF	196
2116	134,888	OA91	RI 7-FT TRISONIC		278	F2116097	DY	35
2117	147,617	OH14	LARC MACH 8 VARIABLE DEN		648	F2117031	QL	32
2118	134,108	IA41	LARC 8-FT TRANSONIC PRES		667	F2118098	Q8/Q6	246
2119	134,109	IA42A/ IA42B	LARC UNITARY PLAN		1056/ 1073	F2119099	Q6/ Q8	163
2120	134,426	OA106	LARC 8-FT TRANSONIC PRES		668	F2120100	QZ	35
2121	CANCEL	LA38A	LARC 8-FT TRANSONIC PRES		669	F2121101	QX	40
2122	134,424	IA69	RI 7-FT TRISONIC		280	F2122032	F3	31
2123	141,504	IA53	MSFC 14-IN TRANSONIC		588	FORCE DATA NOT AVAIL F2123102	96	108
2124	134,093	IA16/ OA26	ARC 3.5-FT HYPERSONIC		180	F2123033	96	36
2125	134,409	OA88	LARC 22-IN HELIUM		7422	F2124034	EM	36
2126	CANCEL	LA25	LARC 31-IN CONT-FLOW HYP		100	NO FORCE DATA F2125103	QC	49
2127	TM-X71954	LA35	LARC 31-IN CONT-FLOW HYP		102	F2126104	PX	192
2128	134,114V1	OA53A	ARC 11-FT TRANSONIC		747	DIGITAL DATA NOT AVAIL F2128105	EJ	174
	134,115V2							
2129	141,522V1	IA14B	ARC 9X7-FT SUPERSONIC		716	F2129106	B3	36
	141,523V2					P2129035	B3	151
2130	141,529	OA22A	ARC 11-FT TRANSONIC		716	P2129036	B3	116
2131	141,530	OA22B	ARC 9X7-FT SUPERSONIC		716	F2130107	B2	20
						P2130037	B2	108
2132	141,535	LA42	AEDC B / HYPERSONIC		48A	P2130038	B2	234
2133	134,110	IA58	LARC 31-IN CONT-FLOW HYP		107	F2131108	B4	36
2134	134,429	OA77/ OA78	AEDC C / HYPERSONIC		474	P2131039	B4	126
						P2131040	B4	252
2135	CANCEL	LA13	LARC 31-IN CONT-FLOW HYP		099	F2132109	TP	10
2136	141,514V1	IH3	ARC 3.5-FT HYPERSONIC		178	F2132109	QK	33
	141,515V2					F2133110	TN	429
	141,516V3					F2134111		
	141,517V4							

**TABLE 2. PHASE C/D SPACE SHUTTLE VEHICLE WIND TUNNEL TESTING
DATAMAN DIGITAL DATA BASE FILES LISTING (CONTINUED)**

DMS-DR NO.	NASA CR-NO.	NASA SERIES	FACILITY	WIND TUNNEL	NO.	ARCHIVE FILE NAME	TEST CODE	NO. OF D/S
2137	134,103V1 134,106V2	IA60/ OA105	LARC 31-IN CONT-FLOW HYP		108/ 109	F2137112 F2137113	H1 H2/QI	234 441
2138	144,608V1 144,609V2 144,610V3 144,611V4	IH4	LARC UNITARY PLAN		1059	P2138042	Q3	152
2139	134,407	OA118	RI 7X11-FT LOW SPEED		724	F2139114	F6	262
2140	134,408	OA37	RI 7X11-FT LOW SPEED		719	F2140115	F2	826
2141	141,538	OH11	AEDC F / HYPERSONIC		354	DIGITAL DATA	NOT AVAIL	
2142	134,402	FA4	MSFC 14-IN TRANSONIC		587	F2142116	97	211
2143	144,587	IA61A	AEDC A / SUPERSONIC		422	F2143117	TQ/TL	691
2144	134,427	IA68	RI 7-FT TRISONIC		281	F2144118	F4	40
						P2144043	F4	52
2145	134,420	TA1F	MSFC 14-IN TRANSONIC		583	F2145119	99	228
2146	134,092	IS4	LARC 26-IN TRANSONIC BD		547	NO DIGITIZED DATA	INPUT	
2147	134,097	OA20C	LARC UNITARY PLAN		1057	F2147120	Q2	89
2148	134,440V1 134,441V2	IH20	ARC 3.5-FT HYPERSONIC		185	P2148044	EN	826
2149	141,805	OA90	LARC 31-IN CONT-FLOW HYP		110	F2149121	QJ	119
2150	141,511	SA25F	LARC UNITARY PLAN		1087	F2150122	H9	8
2151	141,815	OH6	ARC 3.5-FT HYPERSONIC		183	DIGITAL DATA	NOT AVAIL	
2152	134,423	OA81	AEDC F / HYPERSONIC		489	F2152123	TO	32
2153	151,377	IH1	LARC UNITARY PLAN		1071	P2153045	Q7	164
						NO FORCE DATA		
2154	134,437	OH4A	AEDC B / HYPERSONIC		352	NO DIGITIZED DATA	INPUT	
2155	134,406	OA110	RI 7X11-FT LOW SPEED		721	F2155124	F5	276
2156	141,797V1 141,798V2 141,799V3 141,822	IA17A	AEDC B / HYPERSONIC		422	F2156125	TR	737
2157		IH19	LARC HYPERSONIC NITROGEN		028	P2157046	QE	40
						NO FORCE DATA		
2158	147,640	IS6A	MSFC 14-IN TRANSONIC		582	NO DIGITIZED DATA	INPUT	
2159	134,410V1 134,412V2	OA59	ARC 6X6-FT SUPERSONIC		709	F2159126	ER	359
2160	134,413	IA18	ARC 3.5-FT HYPERSONIC		191	F2160127	ES	113
2161	134,422	SA6F	LERC 10X10-FT SUPERSONIC		035	F2161128	GE	298
2162	134,430	OA36	ARC 3.5-FT HYPERSONIC		187	F2162129	EP	190
2163	134,403	OA20B	LARC UNITARY PLAN		1097	F2163130	Q2	137
2164	141,828V1 141,829V2 141,830V3 141,823V1 141,824V2 141,825V3 141,826V4 141,827V5 141,534	OH12/ IH21	CALSPAN HYPERSONIC SHOCK		100	P2164047	UG	318
						NO FORCE DATA		
2165		TA2F	MSFC 14-IN TRANSONIC		596	F2165131 P2165048	1A 1A	447 250
2166		IH16	LARC UNITARY PLAN		1041	P2166049	PQ	111
						NO FORCE DATA		
2167	141,550	OA98	ARC 3.5-FT HYPERSONIC		190	F2167132	EQ	441
2168	TM-X71945	LA32	LARC 31-IN CONT-FLOW HYP		097	NO DIGITIZED DATA	INPUT	

**TABLE 2. PHASE C/D SPACE SHUTTLE VEHICLE WIND TUNNEL TESTING
DATAMAN DIGITAL DATA BASE FILES LISTING (CONTINUED)**

DMS-DR NO.	NASA CR- NO.	NASA SERIES	FACILITY	WIND TUNNEL	NO.	ARCHIVE FILE NAME	TEST CODE	NO. OF D/S
2169	141,836V1 141,837V2 141,838V3 141,839V4 141,840V5 141,841V6 141,842V7	IA81A	ARC 11-FT	TRANSONIC	019	F2169133 P2169050	ET ET	972 234
2170	141,543V1 141,544V2 141,545V3	IA19A	ARC 11-FT	TRANSONIC	014	F2170134 P2170052 P2170053 P2170054 P2170055 P2171056 NO FORCE DATA	EU EU EU EU EU EZ	453 360 300 684 408 1065
2171	144,584V1 144,585V2 144,586V3	OH38	ARC 3.5-FT	HYPERSONIC	198			
2172	144,415	OA99	LARC 60-FT	VACUUM SPHERE	3289	NO DIGITIZED DATA	INPUT	
2173	134,107	IA8	ARC 14-FT	TRANSONIC	711	NO DIGITIZED DATA	INPUT	
2174	141,811V1 141,812V2 141,813V3 134,432V2 134,433V3	IA33	MSFC 14-IN	TRANSONIC	594	F2174135	1C	266
2175		IA70	RI 7-FT	TRISONIC	282	F2175136	F7	135
2176	TM-X72661 VOL. IV	LA40	LARC 22-IN	HELIUM	426	P2175057 F2176137	F7 H3	158 23
2177	141,510	OA83	ARC 3.5-FT	HYPERSONIC	194	P2177058	EW	240
2178	134,119	OA53B	ARC 9X7-FT	SUPERSONIC	747	F2178138	EK	150
2179	151,378	OS8A	ARC 11-FT	TRANSONIC	010	F2179139	EX	96
2180	147,615V1 147,616V2	OH28	ARC 3.5-FT	HYPERSONIC	195	P2179059 P2180060 NO FORCE DATA	EX EV	34 323
2181	134,425	TA9F	ARC 3.5-FT	HYPERSONIC	196	F2181140	EY	80
2182	151,062	LA49	LARC UNITARY	PLAN	1101	F2182141	HJ	184
2183	TM-X72661 VOL. II	LA51	LARC 8-FT	TRANSONIC PRES	684	F2183142	HV	56
2184	151,061	LA48	LARC 8-FT	TRANSONIC PRES	680	F2184143	HI	133
2185	134,120	OA53C	ARC 8X7-FT	SUPERSONIC	747	F2185144	EL	159
2186	134,428	OA116	LARC 8-FT	TRANSONIC PRES	686	F2186145	HU	521
2187	134,421	OA119A	RI 7X11-FT	LOW SPEED	726	F2187146	F8	110
2188	UNPUB	LA39	LARC UNITARY	PLAN	1075	F2188147	QY	27
2189	141,506	IA110	ARC 9X7-FT	SUPERSONIC	052	F2189148	E1/F7	354
2190	141,537	OA108	MSFC 14-IN	TRANSONIC	599	F2190149	1D	231
2191	TM-X72661 VOL. I	LA47	LARC 31-IN	CONT-FLOW HYP	104	F2191150	HH	128
2192	141,541V1 141,542V2	IA87	AEDC A /	SUPERSONIC	60A	F2192151	TU	625
2193	151,380	OH26	ARC 3.5-FT	HYPERSONIC	199	DIGITAL DATA NOT AVAIL		
2194	141,817V1 141,818V2 141,819V3 141,820V4 141,821V5 134,442	IA81B	ARC 9X7-FT	SUPERSONIC	019	F2194152 P2194061 P2194062	ET ET ET	910 162 162
2195		OA82	LARC 31-IN	CONT-FLOW HYP	113	F2195153	HL	442

**TABLE 2. PHASE C/D SPACE SHUTTLE VEHICLE WIND TUNNEL TESTING
DATAMAN DIGITAL DATA BASE FILES LISTING (CONTINUED)**

DMS-DR NO.	NASA CR- NO.	NASA SERIES	FACILITY	WIND TUNNEL	NO.	ARCHIVE FILE NAME	TEST CODE	NO. OF D/S
2196	141,531	OA79	AEDC B / HYPERSONIC		71A	F2196154	TW	395
2197	134,418	FH10	AEDC F / HYPERSONIC		291	NO DIGITIZED DATA	DATA INPUT	
2198	141,534	OA115	AEDC A / SUPERSONIC		71A	F2198155	TV	543
2199	TM-X3315	LA43A/ LA43B	LARC UNITARY PLAN		1074/ 1093	DIGITAL DATA NOT AVAIL		
2200	TM-X3336	LA44	LARC 8-FT TRANSONIC PRES		677	DIGITAL DATA NOT AVAIL		
2201	160,854	CA3	UNIV. OF WASH. LOW SPEED		1136	F2201156	GL	486
2202	141,526	OA123	RI 7X11-FT LOW SPEED		731	F2202157	FA	111
2203	141,524	OA119B	RI 7X11-FT LOW SPEED		730	F2203158	F9	677
2204	141,525	IA43	LARC 8-FT TRANSONIC PRES		693	F2204159	HC	261
2205	141,532	OA109	LARC 22-IN HELIUM		431	F2205160	HE	98
2206	141,528	IA4A	LARC UNITARY PLAN		1119	F2206161	H8	270
2207	147,608	SA29F	CALSPAN 32-IN LUDWIG		033	F2208063	1E	23
						NO FORCE DATA		
2208	144,590V1	TA3F	MSFC 14-IN TRANSONIC		609	F2208064	1G	144
	144,591V2					NO FORCE DATA		
2209	141,536	OA124	RI 7X11-FT LOW SPEED		736	F2209162	FB	116
2210	151,372	IH27	ARC 3.5-FT HYPERSONIC		200	F2210066	E3	444
						NO FORCE DATA		
2211	141,800V1	CA5	THE BOEING CO. TRANSONIC		1431	F2211163	GM	710
	141,803V2							
	141,804V3							
2212	147,632V1	IA80	ARC 11-FT TRANSONIC		023	F2212164	E4	1440
	147,633V2					F2212165	E4	1687
	144,634V3					P2213067	E4	1107
	147,635V4					P2212068	E4	990
						P2212069	E4	1259
2213	UNPUB	LA53A/ LA53B/ LA54	LARC CF4 LARC 22-IN HELIUM LARC 20-IN HYPERSONIC	220-237 306 456		F2213166	HS	3
		OA89	LARC HYPERSONIC NITROGEN	30/31		F2213167	H0	16
2214	141,513	LA58	LTV 4X4-FT SUPERSONIC		512	F2214168	QD	5
2215	144,592	SH12F	LARC UNITARY PLAN		1115	F2215169	HY	18
2216	141,802	CA20	THE BOEING CO. TRANSONIC		1431	F2216070	HA	138
2217	141,844V1					F2217170	GN	10
	141,845V2							454
	141,846V3							
2218	151,367V1	TH1F	AEDC F / HYPERSONIC		25A	P2218071	TY	33
						P2218072	TY	33
						NO FORCE DATA		
2219	144,597V1	IA82C	ARC 8X7-FT SUPERSONIC		044	F2219171	E5	920
	144,598V2					P2219073	E5	622
						P2219074	E5	568
						P2219075	E5	568
2220	TM-X72661	LA52	LARC 20-IN HYPERSONIC		6458	P2219076	E5	503
	VOL. VIII					F2220172	HN	114
2221	141,548	OA143	RI 7X11-FT LOW SPEED		737	P2221077	FC	478
						NO FORCE DATA		
2222	147,626V1	OH49B	AEDC B / HYPERSONIC		57A	NO FORCE DATA		
	147,627V2							
2223	141,549	SA8F	MSFC 14-IN TRANSONIC		604	F2223173	1H	95
2224	147,650	LA56	LARC 8-FT TRANSONIC PRES		699	F2224174	HW	97
						F2224078	HW	8
2225	141,505	OH4C	AEDC B / HYPERSONIC		352	NO DIGITIZED DATA	DATA INPUT	
2226	141,507	IA61B	AEDC A / SUPERSONIC		21AA	NO DIGITIZED DATA	DATA INPUT	

**TABLE 2. PHASE C/D SPACE SHUTTLE VEHICLE WIND TUNNEL TESTING
DATAMAN DIGITAL DATA BASE FILES LISTING (CONTINUED)**

DMS-DR NO.	NASA CR- NO.	NASA SERIES	FACILITY	WIND TUNNEL	NO.	ARCHIVE FILE NAME	TEST CODE	NO. OF D/S
2227	141,806	IA71	MSFC 14-IN TRANSONIC		610	F2227175	1K	264
2228	TM-X72661 VOL. IX	LA46A/B	LARC UNITARY PLAN		1092/ 1117	F2228176	HG	36
2229	141,508	OA102	LARC 8-FT TRANSONIC PRES		687	NO DIGITIZED DATA		INPUT
2230	141,509	IA17B	AEDC B / HYPERSONIC		422	NO DIGITIZED DATA		INPUT
2231	144,601V1 144,602V2	IA82B	ARC 9X7-FT SUPERSONIC		044	F2231177	E5/E6	1794
						F2231178	E5/E6	1329
						F2231179	E5/E6	1145
						F2231180	E5/E6	1013
						F2231079	E6	738
						F2231080	E6	702
						F2231081	E6	702
						F2231082	E6	984
2232	141,521	OA131	MSFC 14-IN TRANSONIC		607	NO DIGITIZED DATA		INPUT
2233	151,068	LA59	LARC 8-FT TRANSONIC PRES		703	F2233181	HZ	31
2234	141,547	OA113	CALSPAN HYPERSONIC SHOCK		220	F2234182	UH	84
2235	141,810	SA30F	MSFC 14-IN TRANSONIC		611	F2235183	1J	186
2236	141,835	CA11	UNIV. OF WASH. LOW SPEED		1146	F2236184	GO	140
2237	UNPUB	OA155	LARC V/STOL		114	F2237185	J7	444
						F2237083	J7	222
						F2237084	J7	310
2238	141,847	OA93	CALSPAN HYPERSONIC SHOCK		120	F2238186	UI	21
2239	UNPUB	LA38B	LARC 8-FT TRANSONIC PRES		676	F2239187	QX	26
2240	151,054	IH41A	AEDC A / SUPERSONIC		A4A	F2240085	V7	133
						NO FORCE DATA		
2241	160,490V1 160,491V2 160,492V3 160,493V4	OH39	AEDC B / HYPERSONIC		74A	NO FORCE DATA		
2242	141,831V1	IA111	AEDC A / SUPERSONIC		A3A	F2242188	V8	1027
2243	144,588V2	CA23A	ARC 14-FT TRANSONIC		080	F2243189	E9	1513
2244	144,583	SA28F	MSFC 14-IN TRANSONIC		603	F2244190	1I	177
	151,082					F2244086	1I	345
					094	F2245191	E7	611
2245	147,618V1 147,619V2	OA161A/ OA161B/ OA161C	ARC 11-FT TRANSONIC ARC 9X7-FT SUPERSONIC ARC 8X7-FT SUPERSONIC		086	F2246192	NC	92
	144,600	LA65	ARC 12		28A	F2247193	VA	28
2246	141,834	OA160	AEDC F / HYPERSONIC		211	F2248087	NB	101
2247	144,599	IH48	ARC 3.5-FT HYPERSONIC		131	DIGITAL DATA NOT AVAIL		
2248	151,775	IH33	CALSPAN HYPERSONIC SHOCK		182	NO DIGITIZED DATA		INPUT
2249	141,539	OH43	ARC 3.5-FT HYPERSONIC		353	NO DIGITIZED DATA		INPUT
2250	141,540	OH9	AEDC B / HYPERSONIC		83A	NO DIGITIZED DATA		INPUT
2251	141,546	OH25A	AEDC B / HYPERSONIC		622	F2253194	1N	814
2252	141,833	IA125	MSFC 14-IN TRANSONIC		073	F2254195	E8	1021
2253	144,619V1	OA148	ARC 11-FT TRANSONIC			P2254088	E8	255
2254	144,620V2 144,621V3 144,622V4 144,623V5 144,624V6 144,625V7 144,626V8 144,627V9 144,628V10					P2254089	E8	425
						P2254090	E8	255
						P2254091	E8	425

**TABLE 2. PHASE C/D SPACE SHUTTLE VEHICLE WIND TUNNEL TESTING
DATAMAN DIGITAL DATA BASE FILES LISTING (CONTINUED)**

DMS-DR NO.	NASA CR- NO.	NASA SERIES	FACILITY	WIND TUNNEL	NO.	ARCHIVE FILE NAME	TEST CODE	NO. OF D/S
	144,601V11 144,602V12 144,603V13							
2255	TM-X62444	AA3B	ARC 9X7-FT SUPERSONIC		608	NO DIGITIZED DATA	INPUT	
2256	UNPUB	LA68	LARC 22-IN HELIUM		439	F2256196	J8	46
2257	151,369	LA69	LARC 8-FT TRANSONIC PRES		714	F2257197	J9	22
2258	151,045V1	IA72	ARC 11-FT TRANSONIC		072	F2258198	NE	1224
	151,046V2 151,047V3 151,048V4 151,049V5 151,050V6 151,051V7 151,052V8 151,053V9					P2258092	NE	680
2259	CANCEL							
2260	UNPUB	LA60A/ LA60B/ LA60C	LARC 8-FT TRANSONIC PRES LARC 8-FT TRANSONIC PRES		704 715/ 716	DIGITAL DATA NOT AVAIL F2260199	J1/ KB	104
2261	167,364V1 167,365V2	OA100	ARC 40X80-FT SUBSONIC		462	F2261200 F2261201	NA	2167 173
2262	147,630V1 147,631V2	CA6	THE BOEING CO. TRANSONIC		1472	F2262202	GP	282
2263	144,596	OH74	AEDC B / HYPERSONIC		B8A	P2263093	VB	10
2264	141,843	LA62	ARC 8-FT TRANSONIC		717	NO FORCE DATA F2264203	J3	755
2265	141,832	OA159	ARC 12-FT PRESSURE		078	F2265204	NG	180
2266	144,607	LA67	LTV 4X4-FT SUPERSONIC		552	F2266205	FD	450
2267	147,604V1 147,605V2 147,606V3 147,607V4	MA22	LARC 31-IN CON-FLOW HYP.		118	F2267206 F2267207	JA JA	2077 720
2268	151,396V1 151,397V2 151,398V3 151,399V4 151,400V5	CA9/ CA9P	THE BOEING CO. TRANSONIC		1477	F2268208 P2268094 P2268095 P2268096 P2268097	GQ GQ GQ GQ	689 540 390 790 694
2269	147,624	LA70	CALSPAN 8-FT TRANSONIC		103	F2269209	UK	434
2270	144,579	LA63A	LARC UNITARY PLAN		1118	F2270210	J4	87
2271	151,044	LA71A/ LA71B	LARC UNITARY PLAN		1147/ 1132	F2271211	JC/ JR	38
2272	151,077V1 151,078V2	IA114	AEDC B / HYPERSONIC		C4A	F2272212	VC	650
2273	144,612V1 144,613V2 144,614V3 144,615V4 144,616V5	CA26	LTV 4X4-FT SUPERSONIC		559	F2273213 F2273214	FE FE	452 787
2274	144,593	FA14	MSFC 14-IN TRANSONIC		600	F2274215	1L	91
2275	144,603V1 144,604V2	CA23B	ARC 14-FT		120	F2275216	NH	735
2276	151,055	FH13	AEDC A / SUPERSONIC		E1A	P2276098 P2276099	VD VD	181 24
2277	144,579	SA13F	MSFC 14-IN HYPERSONIC		034	NO FORCE DATA F2277217	1F	255
2278	CANCEL	LA61	LARC LOW TURBULANCE PRES		219	DIGITAL DATA NOT AVAIL		

**TABLE 2. PHASE C/D SPACE SHUTTLE VEHICLE WIND TUNNEL TESTING
DATAMAN DIGITAL DATA BASE FILES LISTING (CONTINUED)**

DMS-DR NO.	NASA CR- NO.	NASA SERIES	FACILITY	WIND TUNNEL	NO.	ARCHIVE FILE NAME	TEST CODE	NO. OF D/S
2279	144,606	LA63B	LARC UNITARY PLAN		1151	F2279218	J4	190
2280	144,582	LA28	LTV 4X4-FT SUPERSONIC		498	NO DIGITIZED DATA		INPUT
2281	147,621	LA66	ARC 12-FT PRESSURE		135	F2281219	NJ	18
2282	151,407	IH34	LERC 10X10-FT SUPERSONIC		038	DIGITAL DATA NOT AVAILABLE		
2283	147,649	MA14	LTV 15X20-FT LOW SPEED		422	F2283220	FH	71
2284	151,035V1	IS2A	ARC 11-FT TRANSONIC		113	F2284221	NK	1203
	151,036V2	IS2B	ARC 9X7-FT SUPERSONIC					
2285	144,595	OH50A	AEDC B / HYPERSONIC		21BA	NO DIGITIZED DATA		INPUT
2286	147,625	OA220	ARC 14-FT TRANSONIC		150	F2286222	NL	168
						P2286100	NL	17
2287	167,699	OS13	ARC 9X7-FT SUPERSONIC		166	P2287101	NN	284
						NO FORCE DATA		
2288	151,384	OH64	LERC SPACE POWER FACIL.		OH64	DATA IS BAD		
2289	147,611V1	OA163A	RI 7X11-FT LOW SPEED		751	F2289223	FF	155
	147,612V2					P2289102	FF	355
	147,613V3							
	147,614V4							
2290	147,641V1	CA8	LARC VSTOL		129	F2290224	JF	1611
	147,642V2					F2290225	JF	942
2291	UNPUB	LA79	NSWC 8-FT		1275	F2290226	JF	969
2292	TM-X72661	LA36B	LARC LOW TURBULANCE PRES		214	F2291227	JM	45
	VOL. VII					F2292228	JS	42
2293	151,381	IA40	AEDC A / SUPERSONIC		K1A	F2293229	VQ	618
2294	160,822V1	OA172	RI 7X11-FT LOW SPEED		752	F2294230	FG	448
	160,823V2					P2294103	FG	60
						P2294104	FG	179
2295	151,069V1	IH41B	AEDC A / SUPERSONIC		A4A	P2295105	VF	224
	151,070V2					P2295106	VF	388
	151,071V3					NO FORCE DATA		
	151,072V4							
	151,073V5							
2296	147,609V1	LA81	LARC LOW TURBULANCE PRES		229	P2296107	JP	45
	147,610V2					NO FORCE DATA		
2297	147,628	LA45A/ LA45B	LARC UNITARY PLAN		1145	F2297231	HB/ JX	124
2298	151,409	LA73A/B	LARC LOW TURBULANCE PRES		227/ 238	F2298232	JE/ K6	30
2299	TM-X3497	LA80	LARC 7X10-FT		999	F2299233	JN	19
2300	147,629	LA61B	LARC LOW TURBULANCE PRES		228	F2300234	JT	274
2301	144,605	OH54A	AEDC B / HYPERSONIC		82A	NO DIGITIZED DATA		INPUT
2302	167,340V1	OA174	ARC 40X80-FT SUBSONIC		479	F2302235	NO	1425
	167,341V2					P23022108	NO/NP1167	
2303	144,618	OH75	AEDC B / HYPERSONIC		E3A	NO DIGITIZED DATA		INPUT
2304	160,846	OA173	ARC 12-FT PRESSURE		180	F2304236	NS	76
						P2304109	NS	29
2305	151,059V1	LA76	LTV 4X4-FT SUPERSONIC		573	F2305237	FI	1027
	151,060V2							
2306	167,354V1	IA135A/	ARC 11-FT TRANSONIC		144	F2306238	NQ	1096
	167,355V2	IA135B/	ARC 9X7-FT SUPERSONIC		144	F2306239	NQ	509
	167,356V3	IA135C	ARC 8X7-FT SUPERSONIC		144	F2306110	NQ	306
						F2306111	NQ	136
						P2306112	NQ	340
						P2306113	NQ	136

TABLE 2. PHASE C/D SPACE SHUTTLE VEHICLE WIND TUNNEL TESTING
DATAMAN DIGITATL DATA BASE FILES LISTING (CONTINUED)

DMS-DR NO.	NASA CR- NO.	NASA SERIES	FACILITY	WIND TUNNEL	NO.	ARCHIVE FILE NAME	TEST CODE	NO. OF D/S
2307	160,840V1	CA14A	THE BOEING CO.	TRANSONIC	1496/ 1497	F2307240	GR	904
2308	160,841V2	IH5	CALSPAN 32-IN	LUDWIG	I81	NO DIGITIZED DATA	INPUT	
2309	147,636	LA72	LARC 8-FT	TRANSONIC PRES	740	F2309241	JD	24
2310	147,644	SA14FB	MSFC 14-IN	TRANSONIC	640	F2310242	1P	234
2311	151,083V1	LA78/	LARC CF4		267-268/ 272-273	P2311114	JL/	3
	151,084V2	LA87/ LA88	LARC 22-IN	HELIUM	446		J5/ JV	
	147,620		LARC 20-IN	HYPERSONIC	6468	NO FORCE DATA		
2312	151,075V1	IH47	AEDC A /	SUPERSONIC	J3A	P2312115	VI	241
2313	151,076V2	FH14	ARC 3.5-FT	HYPERSONIC	215	P2313116	NT	115
	151,041V1					NO FORCE DATA		
	151,042V2							
2314	151,043V3	OA176	RI 7X11-FT	LOW SPEED	754	F2314243	FJ	113
	151,406					P2314117	FJ	79
2315	147,623	IA141	RI 7-FT	TRISONIC	297	F2315244	FK	144
2316	147,622	IA137	ARC 14-FT		143	F2316245	NY	20
						P2316118	NY	7
2317	151,787	OH53A	ARC 3.5-FT	HYPERSONIC	216	P2317119	NV	177
						P2317120	NV	531
						NO FORCE DATA		
2318	147,646V1	LA75	LARC UNITARY	PLAN	1173	F2318246	JH	279
2319	147,647V2	IH43	CALSPAN	HYPERSONIC SHOCK	189	P2319121	UM	147
	151,771					NO FORCE DATA		
2320	151,390V1	OA169	AEDC B /	HYPERSONIC	D8A	F2320247	VJ	1042
	151,391V2							
	151,392V3							
2321	151,410V1	OH69	AEDC B /	HYPERSONIC	E9A	DIGITAL DATA NOT AVAIL		
	151,411V2							
2322	160,847	OA228	RI 7X11-FT	LOW SPEED	757	F2322248	FL	246
2323	151,039	IA94A	LARC UNITARY	PLAN	1152	F2323249	JK	1599
2324	151,040	IA94B	LARC UNITARY	PLAN	1177	F2323249	JW	1599
2325	147,645	SA14FA	MSFC 14-IN	TRANSONIC	620	F2325250	10	26
2326	151,037V1	IA93	LARC 8-FT	TRANSONIC PRES	749	F2323249	JJ	1599
	151,038V2							
2327	151,079V1	IA22	AEDC B /	HYPERSONIC	D9A	F2327251	VK	744
	151,080V2							
	151,981V3							
2328	TN D-8233	LA34	LARC 31-IN	CONT-FLOW HYP	105	NO DIGITIZED DATA	INPUT	
2329	160,837	OA224	LARC 16-FT	TRANSONIC	312	F2329252	JU	151
2330	147,637	OH52	AEDC B /	HYPERSONIC	524	NO DIGITIZED DATA	INPUT	
2331	160,838V1	SA11FA	ARC 11-FT	TRANSONIC	074	F2331253	NW/	284
	160,839V2	SA11FB	ARC 9X7-FT	SUPERSONIC		NX/		
		SA11FC	ARC 8X7-FT	SUPERSONIC				
						P2331122	NW	98
						P2331123	NX	146
						P2331124	NU	108
						P2331125	NW	164
						P2331126	NX	150
						P2331127	NU	294
2332	151,373	CA13	ARC 14-FT	TRANSONIC	121	F2332254	NZ	276

TABLE 2. PHASE C/D SPACE SHUTTLE VEHICLE WIND TUNNEL TESTING
DATAMAN DIGITAL DATA BASE FILES LISTING (CONTINUED)

DMS-DR NO.	NASA CR- NO.	NASA SERIES	FACILITY	WIND TUNNEL	NO.	ARCHIVE FILE NAME	TEST CODE	NO. OF D/S
2333	151,374V1 151,375V2 151,376V3	OA175	ARC 11-FT	TRANSONIC	187	F2333255	2A	1344
2334	147,648	SA16F	AEDC 4-FT	TRANSONIC	E3A	P2333128	2A	119
2335	151,783	IA140A/ IA140B	MSFC 14-IN	TRANONIC	641/ 646	F2334256 F2335257	VP 1Q	12 471
2336	167,375	LA145	LARC UNITARY	PLAN	1345/ 1390	IA140B NOT AVAILABLE F2336258	7H	68
2337	151,786	OA236	RI 7X11-FT	LOW SPEED	759	F2337259	FM	153
2338	147,639	CS3	UNIV. OF WASH.	LOW SPEED	1170	NO DIGITIZED DATA	DATA	INPUT
2339	UNPUB	OS32	ARC 2X2-FT	TRANSONIC	167	P2339129	2C	172
2340	160,501V1 160,502V2	OH98	AEDC B /	HYPERSONIC	J7A	NO FORCE DATA P2340130	VS	462
2341	147,638	CS4/5	THE BOEING CO.	TRANSONIC	1490/ 1493	NO FORCE DATA NO DIGITIZED DATA	DATA	INPUT
2342	151,074	OH54B	AEDC B /	HYPERSONIC	82A	F2342260	VM	52
2343	160,849	LA85	LARC 22-IN	HELIUM	445	P2343131	JY	45
2344	151,788V1 151,789V2	LA77	ARC 11-FT	TRANSONIC	200	NO FORCE DATA F2344261	2B	510
2345	78195	SA21F	MSFC 14-IN	TRANSONIC	645	F2345262	1R	128
2346	151,385V1 151,386V2	IA142	AEDC A /	SUPERSONIC	K1A	F2346263 F2346264	VT VT	1423 1632
2347	151,387V3 160,482	CA15A	UNIV. OF WASH.	LOW SPEED	1173	F2347265	GS	388
2348	160,483	CA15B	UNIV. OF WASH.	LOW SPEED	1178	F2347266	GS	310
2349	151,379	CA17	UNIV. OF WASH.	LOW SPEED	1184	F2348267	GT	562
2350	151,065	OH46	LARC MACH 8	VARIABLE DEN	4502/ 4601	F2349268	GW	280
2351	160,853	OA238	RI 7X11-FT	LOW SPEED	764	NO DIGITIZED DATA F2351269	DATA FN	INPUT 131
2352	151,383	LA91	LARC 8-FT	TRANSONIC PRES	758	F2351270 F2351271	FN FN	131 318
2353	160,827	LA89	ARC 11-FT	TRANSONIC	213	F2352272	J6	465
2354	151,401V1 151,402V2	IA143	AEDC A /	SUPERSONIC	P8A	F2352273 F2353274	2E VX	597 1308
2355	151,403V3 151,404V4	OH49A	AEDC B /	HYPERSONIC	525	F2354275 F2354276	VX VX	1308 1310
2356	151,064	OH60	AEDC B /	HYPERSONIC	B7A	NO DIGITIZED DATA F2354277	DATA VX	INPUT 1304
2357	167,655	IH68	ARC 3.5-FT	HYPERSONIC	222	NO DIGITIZED DATA P2357132	DATA 2D	INPUT 123
2358	151,067	OH50B	AEDC B /	HYPERSONIC	58A	NO FORCE DATA NO DIGITIZED DATA	DATA DATA	INPUT INPUT
2359	151,405	OH66	CALSPAN	HYPERSONIC SHOCK	131	NO DIGITIZED DATA F2359278	UO VO	14 14
2360	160,521V1 160,522V2	OA221B/ OA221C	ARC 8X7-FT	SUPERSONIC	119	F2360279	2I	782
			ARC 9X7-FT	SUPERSONIC		F2360280	2I	564
						F2360281	2I	35
						F2360282	2I	428
						F2360283	2I	35
2361	151,370V1 151,371V2	OA163B	RI 7X11-FT	LOW SPEED	768	F2361284 F2361134	FP FP	53 235

**TABLE 2. PHASE C/D SPACE SHUTTLE VEHICLE WIND TUNNEL TESTING
DATAMAN DIGITAL DATA BASE FILES LISTING (CONTINUED)**

DMS-DR NO.	NASA CR- NO.	NASA SERIES	FACILITY	WIND TUNNEL	NO.	ARCHIVE FILE NAME	TEST CODE	NO. OF D/S
2362	UNPUB	LA92	LARC 8-FT TRANSONIC	PRES	764	F2362285	K1	134
2363	151,057	OS7	LARC 16-FT TRANSONIC	DYN	246	NO DIGITIZED DATA		INPUT
2364	160,527V1 160,528V2 160,529V3	OA145B	ARC 9X7-FT SUPERSONIC		118	F2364286 F2364135	2G 2G	891 1255
2365	151,056	OS6	LARC 16-FT TRANSONIC	DYN	246	NO DIGITIZED DATA		INPUT
2366	151,063	OH25B	AEDC B / HYPERSONIC		83A	NO DIGITIZED DATA		INPUT
2367	151,773	OH57A/ OH57B	AEDC B / HYPERSONIC		K3A	P2367136	4A	240
2368	151,058	OH51	LARC 31-IN CONT-FLOW HYP		112	NO DIGITIZED DATA		INPUT
2369	167,345	SA31F	MSFC 32-IN LUDWIEG(HI RN)		039	DIGITAL DATA NOT AVAIL		
2370	151,790V1 151,791V2 151,792V3	OA149B/ OA149C	ARC 8X7-FT SUPERSONIC ARC 9X7-FT SUPERSONIC		115	F2370287 P2370137 P2370138 P2370139	2K 2K 2K 2K	369 228 198 24
2371	151,408	OH78	JSC VAC. CHAMBER A		56-A	NO DIGITIZED DATA		INPUT
2372	160,843	IH72	AEDC A / SUPERSONIC		R2A	P2372140	VZ	471
2373	160,821	LA99	LARC 8-FT TRANSONIC	PRES	769	NO FORCE DATA		
2374	167,372	LA82/ LA103	CALSPAN 8-FT TRANSONIC		111/ 113	F2373288 F2374289 F2374290 P2374141	K9 UN UP UP	330 172 100 44
2375	160,530	OA237	ARC 40X80-FT SUBSONIC		500	F2375291 F2375292	2M 2M	174 183
2376	151,779V1 151,780V2 151,781V3	OA149A	ARC 11-FT TRANSONIC		115	F2370287 P2376142 P2376143 P2376144	2K 2K 2K 2K	369 510 150 300
2377	167,342V1 167,343V2 160,820	IA144 IA191	ARC 11-FT TRANSONIC ARC 11-FT TRANSONIC		228 412	F2377293 F2378294 P2378145	2N AA AA	1090 20 319
2379	UNPUB	LA106	LARC 8-FT TRANSONIC	PRESS	776	F2379295	KC	193
2380	151,802V1 151,803V2 151,804V3 151,805V4 151,806V5 151,807V6	OA145A	ARC 11-FT TRANSONIC		118	F2380296 P2380146 P2380147	2F 2F 2F	1084 928 886
2381	CANCEL	LA107	ARC 12-FT PRESSURE		780	DIGITAL DATA NOT AVAIL		
2382	151,382	OH8/ IA109 LA93	MSFC IMPULSE BASE FLOW LARC 31-IN CONT-FLOW HYP AEDC B / HYPERSONIC		027 130 TOA	NO DIGITIZED DATA P2383148 NO FORCE DATA F2384297		INPUT 102 561
2384	151,412V1 151,413V2 151,366	IA148 OH15	ARC 3.5-FT HYPERSONIC		173	NO DIGITIZED DATA		INPUT
2385	151,368	OH44	ARC 3.5-FT HYPERSONIC		177	NO DIGITIZED DATA		INPUT
2386	CANCEL	LA104	LARC LOW TURBULENCE PRES		246	DIGITAL DATA NOT AVAIL		
2387	167,676	OH84A	AEDC B / HYPERSONIC		R4A	DIGITAL DATA NOT AVAIL		
2388	160,810V1 160,811V2 160,812V3	OA145C	ARC 8X7-FT SUPERSONIC		118	F2389298 P2389149	2H 2H	742 1253
2390	160,481	LA101	LARC UNITARY PLAN		1194	F2390299	KD	284
2391	167,346	IA244	LARC 8-FT TRANSONIC	PRES	779	F2391300	KE	518

**TABLE 2. PHASE C/D SPACE SHUTTLE VEHICLE WIND TUNNEL TESTING
DATAMAN DIGITAL DATA BASE FILES LISTING (CONTINUED)**

DMS-DR NO.	NASA CR- NO.	NASA SERIES	FACILITY	WIND TUNNEL	NO.	ARCHIVE FILE NAME	TEST CODE	NO. OF D/S
2392	151,389	OA250	RI 7X11-FT LOW SPEED		775	F2392301	FQ	23
2393	167,679V1	IH51A	ARC 3.5-FT HYPERSONIC		228	P2393150	20	122
	167,680V2					P2393151	20	598
	167,681V3					NO FORCE DATA		
	167,682V4							
2394	UNPUB	LA109	LTV HYPERSONIC		611	F2394302	FR	50
2395	151,394	LA111	LARC 8-FT TRANSONIC PRES		786	F2395303	KJ	60
2396	151,393	LA110	LARC UNITARY PLAN		1212	F2396304	KI	62
2397	167,347	LA113	LARC 8-FT TRANSONIC PRES		787	F2397305	KH	30
2398	160,850V1	IA105A	AEDC 16-FT TRANSONIC		470	F2398306	4B	548
	160,851V2					F2398307	4F/9U	872
	160,852V3					F2398152	4B	478
						F2398153	4B	1096
						P2398154	4B	479
						P2398155	4B	770
						P2399156	4F	770
						P2399157	4F	480
						P2399158	4F	199
2399	151,388	LA114	LARC UNITARY PLAN		1217	F2399308	KK	64
2400	160,518	OA234	LERC 10X10-FT SUPERSONIC		042	F2400309	GY/QQ	389
2401	151,395	IS1A/ IS1B/ IS1C/ OS3	ARC 8X7-FT SUPERSONIC		705	NO DIGITIZED DATA INPUT		
2402	151,763	OA223	RI 7X11-FT LOW SPEED		776	F2402310	FO	13
2403	160,515V1	IA156A	AEDC 16-FT TRANSONIC		470	F2403311	8N	1573
	160,516V2					F2403312	4C	1219
	160,517V3					F2403313	4C	1064
						P2403159	4C	864
2404	160,510V1	IA119	ARC 11-FT TRANSONIC		275	F2404314	2R	1760
	160,511V2					P2404160	2R	2110
	160,512V3					P2404161	2R	1688
	160,513V4					P2404162	2R	1688
						P2404163	2R	1688
						P2404164	2R	1688
						P2404165	2R	1688
2405	151,756V1	OA101	ARC 12-FT PRESSURE		218	F2405315	2Q/ WL	1568
	151,757V2					P2405166	2Q	620
	151,758V3					P2405167	2Q	582
	151,759V4							
	151,760V5							
	151,761V6							
2406	167,348	IA181	MSFC 14-IN TRANSONIC		649	F2406316	1U	107
						F2406317	1U	160
2407	167,374	IH73	ARC 3.5-FT HYPERSONIC		233	F2407168	2V	404
2408	160,498V1	IA156B	ARC 9X7-FT SUPERSONIC		272	F2408318	2T	352
	160,499V2					P2408169	2T	264
	160,500V3							
2409	160,842	LA115	LARC 8-FT TRANSONIC PRES		803	F2409319	KL	74
2410	151,777	OH56	AEDC B / HYPERSONIC		R3A	P2410170	4G	68
						NO FORCE DATA		
2411	UNPUB	LA116	LARC 8-FT TRANSONIC PRES		804	F2411320	KM	4
2412	167,386V1	IH90	LARC 8-FT TRANSONIC PRES		234	P2412171	2W	217
	167,387V2		ARC 3.5-FT HYPERSONIC			P2412172	2W	150
						P2412173	2W	400

**TABLE 2. PHASE C/D SPACE SHUTTLE VEHICLE WIND TUNNEL TESTING
DATAMAN DIGITAL DATA BASE FILES LISTING (CONTINUED)**

DMS-DR NO.	NASA CR- NO.	NASA SERIES	FACILITY	WIND TUNNEL	NO.	ARCHIVE FILE NAME	TEST CODE	NO. OF D/S
2413	160,858V1 160,859V2	IA105B	ARC 9X7-FT	SUPERSONIC	242	F2413321 P2413174 P2413175 F2414322	2U 2U 2U VR	97 308 308 378
2414	160,484V1 160,485V2	OA232	AEDC 16-FT	TRANSONIC	431			
2415	151,784V1 151,785V2	OA208/ OA209	AEDC B / AEDC A /	HYPERSONIC SUPERSONIC	P5A	F2415323 F2415324 F2415325 F2415326 F2416327 F2417176 P2417177	4I 4I 4J 4J 6C 2X 2X	976 832 640 640 278 76 70
2416	160,824	IA603	MSFC 14-IN	TRANSONIC	668			
2417	151,770	OH58	ARC 3.5-FT	HYPERSONIC	235			
2418	151,414	IH100	ARC 3.5-FT	HYPERSONIC	227	NO FORCE DATA		
2419	151,762	OA270B/ OA270C	LARC 16-FT	TRANSONIC	325	NO DIGITIZED DATA F2419328	KO/ KP	INPUT 160
2420	167,385	OH103A	AEDC B /	HYPERSONIC	V2C	P2420178 NO FORCE DATA	4H DATA	229
2421	160,495V1 160,496V2	OA251B/ OA251C	ARC 9X7-FT ARC 8X7-FT	SUPERSONIC SUPERSONIC	282	F2421329 F2421330 F2421331 F2421332 F2422333 P2422179	2Z 2Z 3B 3B 3B 4K	796 105 205 680 173 186
2422	151,767	FH15	AEDC A /	SUPERSONIC	020			
2423	151,768	FH16	ARC 3.5-FT	HYPERSONIC	237	P2423180 NO FORCE DATA	3A DATA	57
2424	160,506V1 160,507V2 160,508V3	OA126A/ OA126B/ OA126C	ARC 11-FT ARC 9X7-FT ARC 8X7-FT	TRANSONIC SUPERSONIC SUPERSONIC	289	F2424334 F2424335	2Y 3H	1797 378
2425	UNPUB	LA117	LARC 8-FT	TRANSONIC PRES	813	F2425336	KQ	54
2426	TP1186	LA124	LARC UNITARY PLAN		1207	NO DIGITIZED DATA	INPUT	
2427	167,675	OH103B	AEDC D /	HYPERSONIC	V2C	P2427181 NO FORCE DATA	4M DATA	60
2428	160,523V1 160,524V2 160,525V3 160,526V4	IH11	LERC 10X10-FT	SUPERSONIC	045	P2428182 P2428183 NO FORCE DATA	GI GI DATA	498 18
2429	167,353	IH51B	ARC 3.5-FT	HYPERSONIC	239	P2429184 NO FORCE DATA	3C DATA	290
2430	160,817V1 160,818V2 160,819V3	OA270A	LARC 16-FT	TRANSONIC	326	F2430337 P2430185	KN KN	350 350
2431	151,793V1 151,794V2 151,795V3 151,796V4 151,797V5 151,798V6 151,799V7 151,800V8	IH85	AEDC A /	SUPERSONIC	W5	P2431186 P2431187 P2431188 P2431189 NO FORCE DATA	4L 4L 4L 4L DATA	553 828 608 237
2432	160,845	LA125	LARC UNITARY PLAN		1243	F2432338	KS	152
2433	151,764	OA171	NSWC HYPERSONIC LAB (9)		1310	F2433339	GJ	119
2434	151,782	OA129	AEDC 16-FT	TRANSONIC	507	F2434340	4N	602
2435	151,415	IH39	LERC 10X10-FT	SUPERSONIC	041	NO DIGITIZED DATA	INPUT	

**TABLE 2. PHASE C/D SPACE SHUTTLE VEHICLE WIND TUNNEL TESTING
DATAMAN DIGITAL DATA BASE FILES LISTING (CONTINUED)**

DMS-DR NO.	NASA CR- NO.	NASA SERIES	FACILITY	WIND TUNNEL	NO.	ARCHIVE FILE NAME	TEST CODE	NO. OF D/S
2436	TM-X72661 VOL. VI	LA126				NO DIGITIZED DATA	INPUT	
2437	151,766	FA25	MSFC 14-IN TRANSONIC		652	F2437341	1X	295
2438	160,855V1 160,856V2 160,857V3	IA138	ARC 9X7-FT SUPERSONIC		246	F2438342 F2438343 F2438190 F2439344	3D 3D 3D 4P	348 181 1044 176
2439	167,673	IA182	AEDC 16-FT TRANSONIC		517			
2440	151,765	IH83	LERC 10X10-FT SUPERSONIC		044	NO DIGITIZED DATA	INPUT	
2441	UNPUB	LA127	LARC TRANSONIC PRESSURE		255	F2441345	KU	34
2442	UNPUB	LA128	LTV HYPERSONIC		646	DATA NOT AVAILABLE		
2443	151,769	OH79	JSC VAC. CHAMBER A		A-78	NO DIGITIZED DATA	INPUT	
2444	160,488V1 160,480V2 167,652V1 167,653V2	IA183	AEDC 16-FT TRANSONIC		519	F2444346 F2444347 F2445348 F2445191	4Q 4Q 3G 3G	662 380 63 378
2445		OA146	ARC 8X7-FT SUPERSONIC		318			
2446	UNPUB	LA122	LARC UNITARY PLAN		1270	F2446349	KX	21
2447	UNPUB	OS52	ARC 11-FT TRANSONIC		436	F2447350 F2447192 F2448193 F2448194	AB AB 3F 3I	110 50 521 444
2448	160,519V1 160,520V2 160,497	IH51C	ARC 3.5-FT HYPERSONIC		241	F2449351 F2449352 F2449353 F2449354 F2449355 F2449356	4R 4R 4R 4R 4R 4R	21 471 14 1284 1385 865
2449		IA132	AEDC 16-FT TRANSONIC		505			
2450	151,774	OS4A/ OS4B/ OS12	ARC 2X2-FT TRANSONIC		041/ 154/ 116	NO DIGITIZED DATA	INPUT	
2451	151,772	OH90A/ MA29	AEDC B / HYPERSONIC		P4A/ K7A	NO DIGITIZED DATA	INPUT	
2452	167,383	IH99	ARC 3.5-FT HYPERSONIC		230	P2452195	2P	212
2453	151,776	IH75	CALSPAN 32-IN LUDWIG			NO FORCE DATA		
2454	TM-X72661 VOL. III	LA57	LARC 31-IN CONT-FLOW HYP		100 114	NO DIGITIZED DATA NO DIGITIZED DATA	INPUT INPUT	
2455	151,778	OH102A	AEDC B / HYPERSONIC		065	NO DIGITIZED DATA	INPUT	
2456	160,486V1 160,487V2	IA184	ARC 9X7-FT SUPERSONIC		347	F2456357 P2456196 P2456197 F2457358 F2457359 F2458198 F2458199	3K 3K 3K KV KV 3L 3M	264 324 240 216 862 223 346
2457	160,813	IA180	LARC UNITARY PLAN		1267	NO FORCE DATA		
2458	167,668	OS36/41 OS37	ARC 11-FT TRANSONIC		369			
2459	167,685V1 167,686V2	OA310A OA310B OA310C	AMES 11-FT TRANSONIC		587 D046 D074	P2459200 P2459201 P2459202	A2 A5 A4	1497 193 661
2460	CANCEL	FA27	LEWIS 10-FT SUPERSONIC		655	P2460360	1Y	24
2461	167,677	IH51D	MSFC 14-IN TRANSONIC		244	F2461203 P2461204	3N 3N	60 657
2462	167,370V1 167,371V2 167,672	IA131B/ IA131C OS41/ OS42/ OS45	ARC 9X7-FT SUPERSONIC		283	F2462361 F2462362 P2463205 P2463206	3E 3J 3O 3S	441 288 657 2292

**TABLE 2. PHASE C/D SPACE SHUTTLE VEHICLE WIND TUNNEL TESTING
DATAMAN DIGITAL DATA BASE FILES LISTING (CONTINUED)**

DMS-DR NO.	NASA CR- NO.	NASA SERIES	FACILITY	WIND TUNNEL	NO.	ARCHIVE FILE NAME	TEST CODE	NO. OF D/S
2464	160,828V1 160,829V2 160,830V3 160,831V4 160,832V5 160,833V6 167,674	OH84B/ OH105/ IH102 OH102 OH102 OH102 OH102	AEDC B / AEDC B / AEDC A / AEDC A / AEDC A / AEDC A / AEDC A /	HYPERSONIC HYPERSONIC HYPERSONIC HYPERSONIC HYPERSONIC HYPERSONIC HYPERSONIC	B67	P2464207 P2464208 P2464209	4V 4U 4W	477 2379 1374
2465	160,833V6 167,674	OS55/ OS57	ARC 9X7-FT	SUPERSONIC	464	P2465210	AJ	36
2466	167,663V1 167,664V2 160,834 167,352	OA257 IH103 OH84C/ OH105B	LARC 20-INC	HYPERSONIC	6559	F2466363	7E	864
2467	160,834	IH103	ARC 3.5-FT	HYPERSONIC	245	P2467211	3P	461
2468	167,352	OH84C/ OH105B	ARC 3.5-FT	HYPERSONIC	246/ 247	P2468212 P2468213	3Q 3R	220 438
2469	167,367	OS301A	ARC 11-FT	TRANSONIC	503	NO DIGITIZED DATA	DATA INPUT	
2470	167,658	OS31A	ARC 11-FT	TRANSONIC	145	NO DIGITIZED DATA	DATA INPUT	
2471	160,514	LA132	LARC 16-FT	TRANSONIC	341	P2471214	KW	74
2472	160,494	OH400	AEDC B /	HYPERSONIC	065	NO FORCE DATA F2472364	4X	22
2473	167,388V1 167,389V2 160,826 160,509	OA252 FA28 LA140	ARC 2X2-FT	TRANSONIC	382	F2472215 F2473365 F2473216 F2474366	4X 3T 3T 1Z	74 108 246 38
2474	160,826	FA28	MSFC 14-IN	TRANSONIC	656	F2475367	KY	4
2475	160,509	LA140	LARC 16-FT	TRANSONIC	342	P2475217	KY	8
2476	167,690V1 167,691V2	IA190A/ IA190B	ARC 11-FT ARC 9X7-FT	TRANSONIC SUPERSONIC	411	F2476368 F2476369 F2476370 F2476371 F2476372 F2476373 F2476374 F2476375 F2476218 F2476219 F2477376	3U 3U 3U 3V 3V 3V 3V MP 3U 3V KZ	128 378 216 96 96 324 144 461 545 408 271
2477	160,825	LA141A/ LA141B	LARC 20-IN	HYPERSONIC	6546			
2478	160,503V1 160,504V2 160,505V3	LA131	LARC UNITARY PLAN		1299	F2478377	7A	1968
2479	UNPUB	IA600	MSFC 14-IN	TRANSONIC	658	F2479378 DATA BAD FOR IA600	6A	28
2480	167,657	IH104	ARC 11-FT	TRANSONIC	250	P2480220	3W	288
2481	167,377	IA602	MSFC 14-IN	TRANSONIC	665	F2481379	6B	515
2482	160,814V1 160,815V2 160,816V3 167,357V1 167,358V2	OA400 OA400 OA400 OS49 UNPUB	ARC 11-FT ARC 11-FT ARC 11-FT AEDC 16-FT LTV 4X4-FT	TRANSONIC TRANSONIC TRANSONIC TRANSONIC SUPERSONIC	427	F2482380 P2482221 P2482222 NO DIGITIZED DATA	3X 3X 3X DATA INPUT	383 814 542
2483	167,357V1 167,358V2	OS49	AEDC 16-FT	TRANSONIC	556	NO DIGITIZED DATA	DATA INPUT	
2484	UNPUB	LA144	LTV 4X4-FT	SUPERSONIC	742	F2484381 F2484382 F2484383	FS FS FS	446 796 35

**TABLE 2. PHASE C/D SPACE SHUTTLE VEHICLE WIND TUNNEL TESTING
DATAMAN DIGITAL DATA BASE FILES LISTING (CONTINUED)**

DMS-DR NO.	NASA CR- NO.	NASA SERIES	FACILITY	WIND TUNNEL	NO.	ARCHIVE FILE NAME	TEST CODE	NO. OF D/S
2485	167,361	OS50/ OS50A	ARC 11-FT TRANSONIC DATA NOT AVAILABLE		425/ 465	F2485384 F2485385 F2485386 P2485223 P2485224 P2485225 P2486226 P2486227 P2486228 F2487387 F2487388 F2487389 F2487229 P2488230 NO DIGITIZED DATA P2490231	AC AC AC AC AC AC 4Y 4Y 4Y AD AF AI AM AE 4Z	12 56 36 15 24 70 256 771 678 32 28 28 129 223 INPUT 822
2486	167,368V1 167,369V2	OA253	AEDC 16-FT TRANSONIC		572			
2487	167,362	OS51A/ OS51B/ OS51C/ OS43	ARC 11-FT TRANSONIC		380/ 436	F2487387 F2487388 F2487389 F2487229 P2488230 NO DIGITIZED DATA P2490231	AD AF AI AM AE 4Z	32 28 28 129 223 INPUT 822
2488	160,835	OS300	ARC 2X2-FT TRANSONIC		458	P2488230	AE	223
2489	167,366	OS56	AEDC 16-FT TRANSONIC		608	NO DIGITIZED DATA	INPUT	INPUT
2490	167,349V1 167,350V2 167,351V3	OH109 OH111	AEDC B / HYPERSONIC		G9	P2490231	4Z	822
2491	167,659V1 167,660V2 167,661V3 167,662V4	OA258	AEDC B / HYPERSONIC		HO	F2491390	T1	1426
2492	167,359	OH107	AEDC B / HYPERSONIC		017	P2492232	T2	138
2493	167,665V1 167,666V2	OA259	AEDC B / HYPERSONIC		014	F2493391	T3	270
2494	167,360	OH108	ARC 3.5-FT HYPERSONIC		254	P2494233	AH	96
2495	160,844	OH110	ARC 3.5-FT HYPERSONIC		253	P2495234	AG	68
2496	167,380V1 167,381V2 167,382V3	OH111	AEDC B / HYPERSONIC		1C	P2496235	T6	857
2497	UNPUB	MA34	AEDC 16-FT TRANSONIC		594	F2497392	T4	320
2498	167,656	OA255/ OA256 -	LARC UNITARY PLAN NO DIGITIZED DATA INPUT		1358 1311 1319	F2498393 F2498394 F2498395	7B 7B 7B	244 556 161
2499	160,836	OA164	ARC 40X80-FT SUBSONIC		473	NO DIGITIZED DATA	INPUT	INPUT
2500	160,848	OS301	ARC 22-IN TWT		467	NO DIGITIZED DATA	INPUT	INPUT
2501	167,373	OS304A	ARC 11-FT TRANSONIC		501	NO DIGITIZED DATA	INPUT	INPUT
2502	167,378	OS304B	ARC 9X7-FT SUPERSONIC		501	NO DIGITIZED DATA	INPUT	INPUT
2503	167,363	OS53A/ OS53B	LARC 8-FT TRANSONIC PRES		905 906/ 907/ 909	NO DIGITIZED DATA NO DIGITIZED DATA NO DIGITIZED DATA NO DIGITIZED DATA	INPUT INPUT INPUT INPUT	INPUT INPUT INPUT INPUT
2504	167,379	OS302B	ARC 9X7-FT SUPERSONIC		503	NO DIGITIZED DATA	INPUT	INPUT
2505	167,376	OS46A-G	AEDC PWT 16-FT TRANSONIC		551	NO DIGITIZED DATA	INPUT	INPUT
2506	167,384	OS60/ OS61/ OS62/ OS63	ARC 11-FT TRANSONIC/ ARC 9X7-FT SUPERSONIC		500 507 531	NO DIGITIZED DATA NO DIGITIZED DATA NO DIGITIZED DATA	INPUT INPUT INPUT	INPUT INPUT INPUT
2507	167,683	MA33A/ MA33B	ARC 11-FT TRANSONIC/ ARC 9X7-FT SUPERSONIC		510	F2507396	AU	288
2508	167,650	OS306A/ OS306B	ARC 11-FT TRANSONIC/ ARC 9X7-FT SUPERSONIC		548	NO DIGITIZED DATA	INPUT	INPUT
2509	167,654	OA307A/ OA307B	ARC 11-FT TRANSONIC ARC 9X7-FT SUPERSONIC		549	NO DIGITIZED DATA	INPUT	INPUT

**TABLE 2. PHASE C/D SPACE SHUTTLE VEHICLE WIND TUNNEL TESTING
DATAMAN DIGITAL DATA BASE FILES LISTING (CONTINUED)**

DMS-DR NO.	NASA CR- NO.	NASA SERIES	FACILITY	WIND TUNNEL	NO.	ARCHIVE FILE NAME	TEST CODE	NO. OF D/S
2510	167,651	OS309A	ARC 11-FT	TRANSONIC	548	NO DIGITIZED DATA	INPUT	
2511	167,669V1	IA300	ARC 11-FT	TRANSONIC	561	F2511397	AZ	1574
	167,670V2					F2511398	AZ	1170
	167,671V3					F2511399	AZ	1086
						P2511236	AZ	808
						P2511237	AZ	808
						P2511238	AZ	808
						P2511239	AZ	808
						P2511240	AZ	808
						P2511241	AZ	426
						P2511242	AZ	805
						P2511243	AZ	808
						P2511244	AZ	808
						P2411245	AZ	808
						P2411246	AZ	808
2512	167,667	OA308A	ARC 22-IN	TRANSONIC	542	NO DIGITIZED DATA	INPUT	
2513	167,678	OS313	AEDC 16-FT	TRANSONIC	645	NO DIGITIZED DATA	INPUT	
2514	167,687	FA301	MSFC 14-IN	TRANSONIC	692	F2514400	A6	140
2515	167,684	OS305	ARC 11-FT	TRANSONIC	562/	NO DIGITIZED DATA	INPUT	
					563/			
					564/			
					565			
2516	167,688	OS311	ARC 11-FT	TRANSONIC	562/	NO DIGITIZED DATA	INPUT	
					563/			
					564/			
					565			
2517	167,689	OS314A/ OS314B/ OS314C	ARC 9X7-FT	SUPERSONIC	582	NO DIGITIZED DATA	INPUT	
2518	UNPUB	IA301	MSFC 14-IN	TRANSONIC	695	F2518401	D1	430
2519	167,692	OA309	RI LOW SPEED		838	NO DIGITIZED DATA	INPUT	
2520	167,693	IH97A/ IH97B/ IH97C	AEDC A / AEDC C /	SUPERSONIC HYPERSONIC	VA1X VC2E	NO DIGITIZED DATA	INPUT	
2521	167,694	OS310	ARC 22-IN	TRANSONIC	560	NO DIGITIZED DATA	INPUT	
2522	UNPUB	OS315	AEDC C /	HYPERSONIC	VC3E	NO DIGITIZED DATA	INPUT	
2523	UNPUB	LA301	LARC 16-FT	TRANSONIC	390	F2523402	D6	614
2524	167,695	IH42	ARC 3.5-FT	HYPERSONIC	218	P2523247	D6	420
2525	UNPUB	LA302	LARC UNITARY PLAN		1504	NO DIGITIZED DATA	INPUT	
2526	UNPUB	OA350	LARC UNITARY PLAN		1415	P2525248	D8	429
2527	UNPUB	LA150	LARC UNITARY PLAN		1407	P2525249	D8	228
2528	UNPUB	LA151	LARC UNITARY PLAN		1490	F2526403	D9	506
2529	UNPUB	LA152	CALSPAN		014	F2527404	C1	169
2530	UNPUB	OA352	AEDC B /	HYPERSONIC	027	F2527404	C2	169
2531	UNPUB	MA300	TEXAS A&M	LSWT	8426	F2529405	C3	196
2532	UNPUB	MA301	TEXAS A&M	LSWT	8522	F2530406	C4	372
2533	UNPUB	OA356	TEXAS A&M	LSWT	8702	F2531407	C5	49
2534	UNPUB	OA357	TEXAS A&M	LSWT	8710	F2532408	C6	96
2535	UNPUB	OA358	TEXAS A&M	LSWT	8711	F2533409	C7	20
2536	UNPUB	IA304	MSFC 14-IN	TRANSONIC	705	F2534410	C8	416
2537	UNPUB	OA353A	ARC 11-FT	TRANSONIC	076	F2535411	C9	103
2538	UNPUB	OA353B	ARC 9X7-FT	SUPERSONIC	076	F2536412	CA	764
2539	UNPUB	OA353C	ARC 8X7-FT	SUPERSONIC	076	F2537413	CB	480
						F2538414	CC	364
						F2539415	CD	160

TABLE 2. PHASE C/D SPACE SHUTTLE VEHICLE WIND TUNNEL TESTING
DATAMAN DIGITAL DATA BASE FILES LISTING (CONCLUDED)

DMS-DR NO.	NASA CR- NO.	NASA SERIES	FACILITY	WIND TUNNEL	NO.	ARCHIVE FILE NAME	TEST CODE	NO. OF D/S
2540	UNPUB	LA306	LTV HSWT - 1ST ENTRY - 2ND ENTRY		1003	P2540416 P2540417	CE CF	406 96
2541	167,698	OA362	TEXAS A&M LSWT			NO DIGITIZED DATA INPUT		
2542	UNPUB	LA305	CALSPAN		123	DIGITAL DATA NOT AVAIL		
2543	UNPUB	IA302A/ IA302B	AEDC B / HYPERSONIC		B38	DIGITAL DATA NOT AVAIL		
2544	UNPUB	IA308A	AEDC 16-FT TRANSONIC		757	P2544250 P2544251 P2544252 P2544253 P2544254	CK CK CK CK CK	300 250 250 280 280
2545	UNPUB	IA308B	LEWIS 10X10-FT SUPERSON		A088	DIGITAL DATA NOT AVAIL		
2546	UNPUB	OA355	JSC VACUUM CHAMBER A			DIGITAL DATA NOT AVAIL		
2547	167,696V1 167,697V2	IA310	AEDC 16-FT TRANSONIC		783	P2547418 P2547419	CM CM	142 426
2548	UNPUB	FA302	MSFC 14-IN TRANSONIC		726	P2548420	CN	126
2549	185,696V1 185,697V2	IA613A	AEDC 16-FT TRANSONIC		829	P2549421 P2549255 P2549256 P2549257 P2549258 P2549259	CO CO CO CO CO CO	930 768 576 576 576 765
2550	UNPUB	IA613B	ARC 9X7-FT SUPERSONIC		159	P2550422 P2550260 P2550261	CP CP CP	252 294 252

Table 3. Sample of Data Set/Run Number Collation Summary

TEST : 0A129 PWT TF-507										DATE : 8/8/78 REV.																
DATA SET/RUN NUMBER COLLATION SUMMARY																										
DATA SET IDENTIFIER		CONFIGURATION		SCHD.		PARAMETERS/VALUES		NO. OF RUNS		MACH NUMBERS (OR ALTERNATE INDEPENDENT VARIABLE)																
R4N001		FLEX TAIL		A	0	25	0	300	0		43	73	81	114	125											
02								500			35	46	59	88	105	117										
03								700				62	96	110	122											
04								750				50														
05								300					82													
06								500					89	118												
07								700					97	123												
08								300					76	111												
09								500					85	102	115											
10								500	-90				56	91	106	120										
11								700					60	92	109											
12								300					42	71	80	112	124									
13								500					44	57	86	103	116									
14								500					45													
15								700					74	94	107	121										
R4N073								750						93												
R4N016								750																		

TYPE OF DATA
α OR β

A) -20° → 120° Δ = 20°
B) -50° → -90° (-5, -3, -2, -1, 0, 1, 2, 3, 5, 7, 9)

COEFFICIENT SCHEDULES

IDVAR (1) IDVAR (2) NDV

TEST RUN NUMBERS

TYPE OF DATA
 A) $-20 \rightarrow 120$ $\Delta = 20$
 B) $-50 \rightarrow 90$ $\Delta = 20$
 COEFFICIENT SCHEDULES
 IDVAR (1) IDVAR (2) NDV
 SCHEDULES
 (6, 5, 7, 9)

**TABLE 4. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE A/B**

DMS DR#	BOOSTER CONFIG. I.D.	ORBITER CONFIG. I.D.	VOL. NUM.	REPORT TITLE
1001	DELTA WING		1	MSFC BOOSTER (B-005) LOW SPEED STATIC STABILITY AND LANDING INVESTIGATION, HIGH SPEED GRIT STUDY
1002		STRAIGHT WING	1	MSC ORBITER S-3 (12.5K ORBITER) INVESTIGATION OF HYPERSONIC AERODYNAMIC CHARACTERISTICS
1003		DELTA WING	1	MMC PHASE A SPACE SHUTTLE MODIFIED ORBITER -- INVESTIGATION OF STABILITY CHARACTERISTICS AND CONTROL EFFECTIVENESS
1004		STRAIGHT WING	1	NASAMSC ORBITER (AUG. 1969 REVISED BASELINE) LONGITUDINAL, DIRECTIONAL, AND LATERAL STABILITY AND CONTROL CHARACTERISTICS
1005		DELTA BODY	1	GAC 111 A CONFIGURATION EARTH ORBITING SHUTTLE -- EVALUATION OF LOW SPEED AERODYNAMIC CHARACTERISTICS
1006	UNIQUE CONFIGS.		1	AEDC VON KARMEN TUNNEL C TEST VT0055 SAMSO-GD/CONVAIR T-16 HYPERSONIC STATIC STABILITY AND CONTROL EFFECTIVENESS INVESTIGATION
1007		STRAIGHT WING	1	MSC ORBITER (S-5) (AUGUST 1969 CONFIGURATION) LONGITUDINAL AND LATERAL STABILITY INVESTIGATION
1008		STRAIGHT WING	1	INVESTIGATION OF LONGITUDINAL, LATERAL AND DIRECTIONAL STABILITY CHARACTERISTICS FOR MODEL S-5, NASAMSC ORBITER SHUTTLE
1009		DELTA WING	1	LONGITUDINAL STATIC STABILITY CHARACTERISTICS OF MARTIN MARIETTA CORPORATION MODIFIED ORBITER TEST 7341-7343
1010		STRAIGHT WING	1	ILRV STRAIGHT WING ORBITER (MODEL 130C) LONGITUDINAL AND LATERAL STATIC STABILITY CHARACTERISTICS DURING CONFIGURATION BUILD-UP - HORIZONTAL TAIL CONTROL EFFECTIVENESS

**TABLE 4. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE A/B
(CONTINUED)**

DMS DR#	BOOSTER CONFIG. I.D.	ORBITER CONFIG. I.D.	VOL. NUM.	REPORT TITLE
1011		STRAIGHT WING	1	LONGITUDINAL AND LATERAL STATIC STABILITY CHARACTERISTICS AND ELEVATOR EFFECTIVENESS FOR MSC ORBITER S-3
1012		STRAIGHT WING	1	MSC SPACE SHUTTLE ORBITER (MOD. MAY 1969 CONFIGURATION) -- EFFECTS OF REYNOLDS NUMBER, BODY CORNER RADIUS, AND MACH NUMBER ON AERODYNAMIC CHARACTERISTICS
1013		DELTA WING	1	INVESTIGATION OF SUBSONIC AERODYNAMIC CHARACTERISTICS OF MODIFIED SEPTEMBER 1969 BASELINE MARTIN ORBITER CONFIGURATION FR5-2A
1014	DELTA WING		1	MCDAC DELTA WING BOOSTER -- DETERMINATION OF LOW SPEED DIRECTIONAL STABILITY CHARACTERISTICS
1015	UNIQUE CONFIGS.		1	TWIN BODY BOOSTER - TEST NO. 47 -- INVESTIGATION OF SUBSONIC LONGITUDINAL STABILITY AND PERFORMANCE CHARACTERISTICS
1016	DELTA WING	STRAIGHT WING	1	INTERFERENCE FLOW FIELD HEAT TRANSFER CHARACTERISTICS OF THE COMBINED DELTA WING BOOSTER AND MSC ORBITER
1017	UNIQUE CONFIGS.		1	SUPERSONIC AERODYNAMIC AND STATIC STABILITY CHARACTERISTICS OF THE TWIN BODY BOOSTER
1018		UNIQUE CONFIGS.	1	LARC VARIABLE DIHEDRAL ORBITER -- INVESTIGATION OF SUBSONIC STABILITY, CONTROL, AND PERFORMANCE CHARACTERISTICS
1019	UNIQUE CONFIGS.		1	TWIN BODY BOOSTER INVESTIGATION OF SUPERSONIC AERODYNAMIC AND STATIC STABILITY CHARACTERISTICS

**TABLE 4. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE A/B
(CONTINUED)**

DMS DR#	BOOSTER CONFIG. I.D.	ORBITER CONFIG. I.D.	VOL. NUM.	REPORT TITLE
1020	STRAIGHT WING		1	CONVAIR STRAIGHT-WING (B-8B) AND DELTA-WING (B-9J) BOOSTERS -- AERODYNAMIC HEAT TRANSFER TO THE SPACE SHUTTLE BOOSTER SURFACES AT HYPERSONIC SPEEDS
1021		DELTA WING	1	LONGITUDINAL AND LATERAL DIRECTIONAL CHARACTERISTICS AND CONTROL EFFECTIVENESS OF THE NARC 129 SSV ORBITER (DELTA WING, HIGH CROSS RANGE)
1022		DELTA WING	1	MODIFIED MARTIN ORBITER FR. 5-2A -- INVESTIGATION OF SUBSONIC STABILITY. CONTROL AND PERFORMANCE CHARACTERISTICS
1023		DELTA WING	1	LONGITUDINAL AND DIRECTIONAL STATIC STABILITY CHARACTERISTICS OF MARTIN MARJETTA CORPORATION MODIFIED ORBITER (1/170 SCALE)
1024	STRAIGHT WING		1	CONVAIR STRAIGHT-WING (B-8B) AND DELTA-WING (B-9J) BOOSTERS -- AERODYNAMIC HEAT TRANSFER TO THE SPACE SHUTTLE BOOSTER SURFACES AT HYPERSONIC SPEEDS
1025	STRAIGHT WING		1	LONGITUDINAL AERODYNAMIC CHARACTERISTICS OF THE GD/CONVAIR B8B BOOSTER
1026		STRAIGHT WING	1	AERODYNAMIC CHARACTERISTICS OF SPACE SHUTTLE VEHICLES - NORTH AMERICAN ROCKWELL ORBITERS (M = 0.6 TO 2.0)
1027		STRAIGHT WING	1	STATIC STABILITY AND CONTROL INVESTIGATION FOR THE NORTH AMERICAN ROCKWELL DELTA WING (134B) AND STRAIGHT WING (130G) SPACE SHUTTLE ORBITERS
1028		DELTA WING	1	AERODYNAMIC CHARACTERISTICS OF MCDONNELL DOUGLAS LOW AND HIGH CROSS-RANGE ORBITERS AT MACH NUMBERS FROM 0.6 TO 2.0

**TABLE 4. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE A/B
(CONTINUED)**

DMS DR#	BOOSTER CONFIG. I.D.	ORBITER CONFIG. I.D.	VOL. NUM.	REPORT TITLE
1029	STRAIGHT WING		1	LONGITUDINAL AND LATERAL AERODYNAMIC CHARACTERISTICS OF THE CONVAIR B8B SPACE SHUTTLE BOOSTER WITH MODIFICATIONS
1030	STRAIGHT WING		1	GENERAL DYNAMICS/CONVAIR SPACE SHUTTLE BOOSTER -- INVESTIGATION OF SUBSONIC STABILITY AND CONTROL EFFECTIVENESS
1031		DELTA WING	1	HYPERSONIC AERODYNAMIC PERFORMANCE AND STABILITY AND CONTROL CHARACTERISTICS OF THE NAR HIGH CROSS-RANGE ORBITER
1032	STRAIGHT WING		1	CONVAIR STRAIGHT WING (B-8B) AND DELTA WING (B-9J) BOOSTERS WITH NAR STRAIGHT WING AND DELTA WING ORBITERS -- INTERFERENCE HEAT TRANSFER TO SPACE SHUTTLE VEHICLE SURFACES IN CLOSE PROXIMITY AT HYPERSONIC VELOCITY
1032	STRAIGHT WING	STRAIGHT WING	1	CONVAIR STRAIGHT WING (B-8B) AND DELTA WING (B-9J) BOOSTERS WITH NAR STRAIGHT WING AND DELTA WING ORBITERS -- INTERFERENCE HEAT TRANSFER TO SPACE SHUTTLE VEHICLE SURFACES IN CLOSE PROXIMITY AT HYPERSONIC VELOCITY
1033	STRAIGHT WING		1	INVESTIGATION OF STATIC AERODYNAMIC CHARACTERISTICS OF THE MSC 251 BOOSTER
1034		STRAIGHT WING	1	EFFECT OF NACELLE POSITION, REPAIRED FUSELAGE, AND ELEVATOR EFFECTIVENESS AT MACH NUMBER 0.26 FOR THE NORTH AMERICAN ROCKWELL STRAIGHT WING ORBITER (0.00761 SCALE)
1035	CANARD		1	LOW SPEED AERODYNAMIC CHARACTERISTICS OF THE MCDONNELL DOUGLAS SPACE SHUTTLE BOOSTER

**TABLE 4. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE A/B
(CONTINUED)**

DMS DR#	BOOSTER CONFIG. I.D.	ORBITER CONFIG. I.D.	VOL. NUM.	REPORT TITLE
1036	CANARD	DELTA WING	1	THERMAL MAPPING INVESTIGATION MDAC/MMC PHASE B SPACE SHUTTLE VEHICLES
1036	CANARD	DELTA WING	2	THERMAL MAPPING INVESTIGATION MDAC/MMC PHASE B SPACE SHUTTLE VEHICLES -- CONTOUR TRACINGS
1037		DELTA WING	1	INVESTIGATION OF SUBSONIC AERODYNAMIC CHARACTERISTICS OF THE NAR 134B DELTA WING ORBITER
1038	STRAIGHT WING	STRAIGHT WING	1	AERODYNAMIC CHARACTERISTICS OF THE MSC/MDAC SPACE SHUTTLE LAUNCH CONFIGURATION - ORBITER/BOOSTER INTERFERENCE EFFECTS (M = 0.6 TO 2.0)
1039	DELTA WING		1	GENERAL DYNAMICS/CONVAIR SPACE SHUTTLE BOOSTER -- EFFECTS OF CRUISE ENGINE NACELLE ARRANGEMENT AND TAIL SIZE ON STATIC STABILITY AND CONTROL EFFECTIVENESS
1040		DELTA WING	1	LONGITUDINAL AND LATERAL STABILITY CHARACTERISTICS OF THE MDC STS HIGH CROSS RANGE ORBITER (O2)
1041		DELTA WING	1	INVESTIGATION OF LOW SPEED AERODYNAMIC CHARACTERISTICS OF A HIGH CROSS RANGE MDC STS ORBITER
1042	STRAIGHT WING	STRAIGHT WING	1	STATIC AERODYNAMIC CHARACTERISTICS OF THE MSC-PROPOSED LAUNCH VEHICLE
1043		STRAIGHT WING	1	STATIC STABILITY AND CONTROL INVESTIGATION FOR THE NORTH AMERICAN ROCKWELL DELTA WING (134B) AND STRAIGHT WING (130G) SPACE SHUTTLE ORBITERS
1044	UNIQUE CONFIGS.	STRAIGHT WING	1	S-IC BOOSTER/GRUMMAN C4 ORBITER DETERMINATION OF DOWNWASH ON 900 SQ. FT., 30 DEGREE ORIENTED S-IC FINS AND OPTIMUM ORBITER BODY AND AERODYNAMIC SURFACE INCIDENCE ANGLES

**TABLE 4. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE A/B
(CONTINUED)**

DMS DR#	BOOSTER CONFIG. I.D.	ORBITER CONFIG. I.D.	VOL. NUM.	REPORT TITLE
1045		DELTA WING	1	MODIFIED MARTIN ORBITER FR5-2A -- INVESTIGATION OF CONFIGURATION CHANGES ON THE SUBSONIC AERODYNAMIC CHARACTERISTICS
1046	UNIQUE CONFIGS.		1	STATIC AERODYNAMIC CHARACTERISTICS OF THE CHRYSLER CORPORATION SPACE DIVISION SERV 1 ASCENT AND REENTRY VEHICLE AT MACH NUMBERS OF 0.4 TO 2.0
1047	DELTA WING	STRAIGHT WING	1	LONGITUDINAL CHARACTERISTICS OF THE NASA-MSC ORBITER IN CLOSE PROXIMITY TO BOOSTER
1048		DELTA WING	1	LONGITUDINAL AND DIRECTIONAL STATIC STABILITY CHARACTERISTICS OF MARTIN MARIETTA CORPORATION MODIFIED ORBITER (1/170 SCALE)
1049		STRAIGHT WING	1	REYNOLDS NUMBER EFFECTS ON THE LOW-SPEED AERODYNAMIC CHARACTERISTICS OF THE NR STRAIGHT- WING ORBITER
1050	STRAIGHT WING	DELTA WING	1	AERODYNAMIC CHARACTERISTICS OF THE NAR/GD SPACE SHUTTLE LAUNCH CONFIGURATION ORBITER/BOOSTER INTERFERENCE EFFECTS (M = 0.6 TO 2.0)
1051	STRAIGHT WING	STRAIGHT WING	1	STATIC STABILITY AND CONTROL INVESTIGATION OF THE NAR-GD/C STRAIGHT WING BOOSTER (B-8H MODIFIED) WITH THE STRAIGHT WING ORBITER (130G) OR DELTA WING ORBITER (134B)
1052	DELTA WING	STRAIGHT WING	1	AERODYNAMIC FORCES AND MOMENT ON ORBITER AND BOOSTER DURING SPACE SHUTTLE ABORT SEPARATION
1053		DELTA WING	1	INVESTIGATION OF THE AERODYNAMIC CHARACTERISTICS OF THE GAC 518 EARTH ORBITING SHUTTLE. CONFIGURATION 11F, AT MACH NUMBER = 0.17

**TABLE 4. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE A/B
(CONTINUED)**

DMS DR#	BOOSTER CONFIG. I.D.	ORBITER CONFIG. I.D.	VOL. NUM.	REPORT TITLE
1054	CANARD		1	SUBSONIC AERODYNAMIC CHARACTERISTICS OF MDAC/MMC SPACE SHUTTLE BOOSTER CONFIGURATION AT MACH NUMBER = 0.26
1055	UNIQUE CONFIGS.	DELTA WING	1	DETERMINATION OF STATIC LONGITUDINAL AND LATERAL DIRECTIONAL STABILITY CHARACTERISTICS OF THE NR/GD DELTA WING ORBITER/SATURN V S-IC BOOSTER
1056		STRAIGHT WING	1	INVESTIGATION OF CONFIGURATION EFFECTS ON ENTRY HEAT TRANSFER DISTRIBUTIONS AND DEFINITION OF INTERFERENCE HEATING AREAS ON SPACE SHUTTLE ORBITER CONFIGURATIONS
1057		STRAIGHT WING	1	INVESTIGATION OF LATERAL AND LONGITUDINAL STATIC STABILITY CHARACTERISTICS OF THE MSC ORBITERS S-1 AND S-5 AT MACH NUMBERS = 0.25
1058	STRAIGHT WING	STRAIGHT WING	1	EFFECTS OF ORBITER/BOOSTER PROXIMITY INTERFERENCE ON THE AERODYNAMIC CHARACTERISTICS OF THE 0.0088105-SCALE MSC LAUNCH CONFIGURATION, MSC TEST SERIES S-XXVIII
1059		DELTA WING	1	MODIFIED MARTIN-MARIETTA DELTA WING ORBITER AERODYNAMIC CHARACTERISTICS WITHOUT WING TIP FINS AND EFFECT OF ELEVON HINGE-LINE SWEEP ON ROLL-YAW COUPLING
1060		STRAIGHT WING	1	AERODYNAMIC CHARACTERISTICS OF THE NASA-MSC S-4 ORBITER IN CRUISE AND LANDING
1061	DELTA WING	STRAIGHT WING	1	LONGITUDINAL CHARACTERISTICS OF THE MDAC CLIPPED-DELTA BOOSTER (PHASE A) IN CLOSE PROXIMITY TO ORBITER
1062		STRAIGHT WING	1	MODEL S-5 NASA/MSC ORBITER SHUTTLE INVESTIGATION OF THE EFFECTS OF VERTICAL TAIL AND GEOMETRY ON DIRECTIONAL STABILITY

**TABLE 4. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE A/B
(CONTINUED)**

DMS DR#	BOOSTER CONFIG. I.D.	ORBITER CONFIG. I.D.	VOL. NUM.	REPORT TITLE
1063	STRAIGHT WING	STRAIGHT WING	1	DETERMINATION OF DRAG, STABILITY AND CONTROL CHARACTERISTICS FOR THE MSC LAUNCH CONFIGURATION (STRAIGHT WING)
1064		STRAIGHT WING	1	DETERMINATION OF STABILITY AND CONTROL CHARACTERISTICS OF THE NAR STRAIGHT WING ORBITER (M = 0.4 TO 1.2)
1065	CANARD	DELTA WING	1	AERODYNAMIC CHARACTERISTICS OF THE MDAC SPACE SHUTTLE BOOSTERS AND ORBITERS IN LAUNCH CONFIGURATIONS (M = 0.6 TO 2.0)
1065	CANARD	DELTA WING	2	AERODYNAMIC CHARACTERISTICS OF THE MDAC SPACE SHUTTLE BOOSTERS AND ORBITERS IN LAUNCH CONFIGURATIONS (M = 0.6 TO 2.0)
1066	CANARD		1	AERODYNAMIC CHARACTERISTICS AND CONTROL EFFECTIVENESS OF THE MDAC- MMC SSV CONFIGURATION-14 BOOSTER (SINGLE BODY, CANARD) M = 0.6 TO 2.0
1067		DELTA WING	1	LONGITUDINAL AND LATERAL DIRECTIONAL STABILITY CHARACTERISTICS OF THE MDAC HIGH CROSS RANGE DELTA WING ORBITER
1068	UNIQUE CONFIGS.		1	STATIC AERODYNAMIC CHARACTERISTICS OF THE CHRYSLER CORPORATION SPACE DIVISION SERV ASCENT AND REENTRY VEHICLE AT MACH NUMBERS OF 2.6 TO 4.6
1069		STRAIGHT WING	1	STABILITY AND CONTROL INVESTIGATION OF NAR STRAIGHT WING ORBITER (M = 1.5 AND 2.0)
1070	DELTA WING		1	DEFINITION OF REGIONS OF HIGH HEAT TRANSFER AND DETERMINATION OF LOCAL HEAT TRANSFER COEFFICIENTS ON THE DELTA WING BOOSTER WITH CANARDS (B-15B)

**TABLE 4. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE A/B
(CONTINUED)**

DMS DR#	BOOSTER CONFIG. I.D.	ORBITER CONFIG. I.D.	VOL. NUM.	REPORT TITLE
1071		DELTA WING	1	AERODYNAMIC CHARACTERISTICS OF THE MCDONNELL-DOUGLAS DELTA-WING ORBITER SPACE SHUTTLE VEHICLE
1072		STRAIGHT WING	1	STATIC AERODYNAMIC CHARACTERISTICS OF MDAC STRAIGHT-WING AND DELTA- WING SPACE SHUTTLE ORBITERS AT MACH NO. 7.4
1073		STRAIGHT WING	1	EFFECTS OF HORIZONTAL TAIL GEOMETRY AND POSITION ON LONGITUDINAL STABILITY OF MODEL NASAMSC 0.01875 SCALE ORBITER SHUTTLE
1074		DELTA WING	1	DETERMINATION OF SUBSONIC AERODYNAMIC CHARACTERISTICS FOR MCDONNELL-DOUGLAS GENERIC HIGH CROSS RANGE SHUTTLE ORBITER
1075	STRAIGHT WING	STRAIGHT WING	1	AERODYNAMIC CHARACTERISTICS OF SPACE SHUTTLE CONFIGURATIONS CONSISTING OF A STRAIGHT WING BOOSTER WITH VEE TAIL AND ORBITERS WITH STRAIGHT AND DELTA WINGS -- ISOLATED BOOSTER
1075	STRAIGHT WING	STRAIGHT WING	2	AERODYNAMIC CHARACTERISTICS OF SPACE SHUTTLE CONFIGURATIONS CONSISTING OF STRAIGHT WING BOOSTER WITH VEE TAIL AND ORBITERS WITH STRAIGHT AND DELTA WINGS -- COMPOSITE CONFIGURATIONS
1076		STRAIGHT WING	1	STATIC STABILITY AND CONTROL INVESTIGATION OF THE NAR DELTA WING (134D) AND STRAIGHT WING (130G) SPACE SHUTTLE ORBITERS
1077	CANARD		1	MDAC/MMC SPACE SHUTTLE BOOSTER DETERMINATION OF STABILITY AND CONTROL CHARACTERISTICS AND POWER EFFECTS AT SUBSONIC SPEED (M = 0.0 AND 0.26)

**TABLE 4. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE A/B
(CONTINUED)**

DMS DR#	BOOSTER CONFIG. I.D.	ORBITER CONFIG. I.D.	VOL. NUM.	REPORT TITLE
1078		DELTA WING	1	AERODYNAMIC CHARACTERISTICS OF THE NORTH AMERICAN ROCKWELL DELTA-WING ORBITER AT MACH NUMBERS FROM 0.25 TO 2.0
1079	STRAIGHT WING		1	STATIC AERODYNAMIC CHARACTERISTICS OF THE BOEING SPACE SHUTTLE BOOSTER CONFIGURATION AT MACH 0.10 TO 0.29
1080	CANARD		1	HYPERSONIC AERODYNAMIC CHARACTERISTICS AND CONTROL EFFECTIVENESS OF THE MDAC-MMC SSV CONFIGURATION - 14 BOOSTER (SINGLE BODY, CANARD) M = 7.4
1081		DELTA WING	1	SUBSONIC AERODYNAMIC CHARACTERISTICS OF THE GAC ORBITER
1082		STRAIGHT WING	1	AERODYNAMIC CHARACTERISTICS OF THE NORTH AMERICAN ROCKWELL STRAIGHT WING ORBITER AT MACH NUMBERS FROM 0.25 TO 2.0
1083		DELTA WING	1	AERODYNAMIC CHARACTERISTICS OF MCDONNELL - DOUGLAS DELTA WING ORBITER AT MACH NUMBERS FROM 0.6 TO 2.0
1084		DELTA WING	1	HYPERSONIC LONGITUDINAL AND LATERAL STABILITY AND CONTROL CHARACTERISTICS OF THE NR HIGH CROSS RANGE DELTA WING ORBITER
1085	UNIQUE CONFIGS.	DELTA BODY	1	STATIC AERODYNAMIC CHARACTERISTICS OF THE LMSC STAGE-AND-ONE-HALF SPACE SHUTTLE CONFIGURATION (M = .60 TO 2.0)
1086		DELTA WING	1	STATIC LONGITUDINAL LATERAL AND DIRECTIONAL CHARACTERISTICS OF THE MDAC BASELINE ORBITER AT HYPERSONIC SPEEDS

**TABLE 4. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE A/B
(CONTINUED)**

DMS DR#	BOOSTER CONFIG. I.D.	ORBITER CONFIG. I.D.	VOL. NUM.	REPORT TITLE
1087	DELTA WING		1	AERODYNAMIC CHARACTERISTICS OF THE GENERAL DYNAMICS / CONVAIR SPACE SHUTTLE BOOSTER B-15B-L IN LANDING. CRUISE AND TRANSITION CONFIGURATIONS
1088		DELTA WING	1	AERODYNAMIC CHARACTERISTICS OF THE NR DELTA WING ORBITER (M = 20.3)
1089	UNIQUE CONFIGS.		1	STATIC AERODYNAMIC CHARACTERISTICS OF THE CHRYSLER CORPORATION SPACE DIVISION REVISED BASELINE SERV ASCENT AND REENTRY VEHICLE AT MACH NUMBERS OF 0.4 TO 4.64
1090		STRAIGHT WING	1	SUBSONIC LONGITUDINAL AND LATERAL- DIRECTIONAL STABILITY INVESTIGATION OF THE MDAC LCR ORBITER UNPOWERED AND POWERED
1091	UNIQUE CONFIGS.	DELTA WING	1	STUDY TO DEVELOP A SOLUTION FOR CONFIGURATION INSTABILITY FOR THE 0.003366 SCALE S-1C/NR HCR ORBITER
1092		DELTA WING	1	DETERMINATION OF STATIC AERODYNAMIC CHARACTERISTICS FOR THE NORTH AMERICAN ROCKWELL DELTA WING ORBITER AT MACH NUMBERS OF 0.4 TO 1.3
1093	DELTA WING		1	STATIC AERODYNAMIC STABILITY AND CONTROL CHARACTERISTICS OF THE GD/CONVAIR DELTA WING BOOSTER AT NOMINAL MACH NUMBER = 10.0
1094		DELTA WING	1	AERODYNAMIC FORCE CHARACTERISTICS AND OIL FLOW STUDIES OF A DELTA WINGED SPACE SHUTTLE ORBITER
1095		DELTA WING	1	HYPERSONIC STABILITY AND CONTROL INVESTIGATION AND EVALUATION OF SPLIT ELEVON CONCEPT FOR YAW CONTROL FOR THE 0.00763 SCALE NR DELTA WING ORBITER, HCR 134D/161B

**TABLE 4. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE A/B
(CONTINUED)**

DMS DR#	BOOSTER CONFIG. I.D.	ORBITER CONFIG. I.D.	VOL. NUM.	REPORT TITLE
1096		DELTA WING	1	SUPERSONIC STABILITY AND CONTROL CHARACTERISTICS OF THE NR DELTA WING ORBITER - 134D/161B
1097		DELTA WING	1	TRANSONIC LONGITUDINAL AND LATERAL AERODYNAMIC CHARACTERISTICS OF THE NR DELTA WING ORBITER 134D
1098	DELTA WING	STRAIGHT WING	1	HEAT TRANSFER RESULTS ON SPACE SHUTTLE PHASE B LAUNCH CONFIGURATION AT MACH NUMBERS OF 2.5 AND 3.7
1099	CANARD	UNIQUE CONFIGS.	1	AERODYNAMIC CHARACTERISTICS AND INTERFERENCE EFFECTS ON THE MDAC COMPLETE ASCENT CONFIGURATION, UPPER STAGE/PAYLOADS, AND BOOSTER
1100	STRAIGHT WING		1	LOW SPEED LONGITUDINAL AND LATERAL AERODYNAMIC CHARACTERISTICS OF THE GD/C B-8H-L BOOSTER
1101		DELTA WING	1	SUPERSONIC AERODYNAMIC STABILITY, CONTROL, AND PERFORMANCE OF A MODIFIED NR-134D ORBITER CONFIGURATION
1102	DELTA WING		1	LONGITUDINAL AND LATERAL AERODYNAMIC CHARACTERISTICS OF THE 0.0035-SCALE GD/C AEROSPACE BOOSTER (B-15B-1)
1104		DELTA WING	1	STABILITY AND CONTROL CHARACTERISTICS FOR NR DELTA WING ORBITER AT HYPERSONIC VELOCITY
1104		DELTA WING	2	STABILITY AND CONTROL CHARACTERISTICS FOR NR STRAIGHT WING ORBITER AT HYPERSONIC VELOCITY
1105		DELTA WING	1	LONGITUDINAL, LATERAL-DIRECTIONAL STABILITY, AND CONTROL CHARACTERISTICS OF THE NR DELTA WING ORBITER OVER MACH NUMBER RANGE OF 0.6 TO 1.2

**TABLE 4. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE A/B
(CONTINUED)**

DMS DR#	BOOSTER CONFIG. I.D.	ORBITER CONFIG. I.D.	VOL. NUM.	REPORT TITLE
1103		DELTA BODY	1	SUPERSONIC AERODYNAMIC CHARACTERISTICS OF THE 0.01-SCALE LMSC DELTA LIFTING BODY ORBITER
1106		DELTA WING	1	REYNOLDS NUMBER EFFECTS ON LONGITUDINAL AND LATERAL DIRECTIONAL STABILITY AND CONTROL OF THE NR DELTA WING ORBITER, 134D/161B
1107		DELTA WING	1	SUBSONIC LONGITUDINAL AND LATERAL AERODYNAMIC CHARACTERISTICS OF THE NR DELTA WING ORBITER 134D
1108	CANARD	DELTA WING	1	INVESTIGATION OF THE MCDONNELL- DOUGLAS ORBITER AND BOOSTER SHUTTLE MODELS PROXIMITY AT MACH NUMBERS 2.0 TO 6.0 -- MACH NUMBER 5 BOOSTER PROXIMITY DATA
1108	CANARD	DELTA WING	2	INVESTIGATION OF THE MCDONNELL- DOUGLAS ORBITER AND BOOSTER SHUTTLE MODELS IN PROXIMITY AT MACH NUMBERS 2.0 TO 6.0 -- MACH NUMBER 5 ORBITER PROXIMITY DATA
1108	CANARD	DELTA WING	3	INVESTIGATION OF THE MCDONNELL- DOUGLAS ORBITER AND BOOSTER SHUTTLE MODELS PROXIMITY AT MACH NUMBERS 2.0 TO 6.0 -- MACH NUMBER 3 BOOSTER PROXIMITY DATA
1108	CANARD	DELTA WING	4	INVESTIGATION OF THE MCDONNELL- DOUGLAS ORBITER AND BOOSTER SHUTTLE MODELS PROXIMITY AT MACH NUMBERS 2.0 TO 6.0 -- MACH NUMBER 3 ORBITER PROXIMITY DATA
1108	CANARD	DELTA WING	5	INVESTIGATION OF THE MCDONNELL- DOUGLAS ORBITER AND BOOSTER SHUTTLE MODELS PROXIMITY AT MACH NUMBERS 2.0 TO 6.0 -- MACH NUMBER 2 BOOSTER PROXIMITY DATA

**TABLE 4. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE A/B
(CONTINUED)**

DMS DR#	BOOSTER CONFIG. I.D.	ORBITER CONFIG. I.D.	VOL. NUM.	REPORT TITLE
1108	CANARD	DELTA WING	6	INVESTIGATION OF THE MCDONNELL- DOUGLAS ORBITER AND BOOSTER SHUTTLE MODELS PROXIMITY AT MACH NUMBERS 2.0 TO 6.0 -- MACH NUMBER 2 ORBITER PROXIMITY DATA
1108	CANARD	DELTA WING	7	INVESTIGATION OF THE MCDONNELL- DOUGLAS ORBITER AND BOOSTER SHUTTLE MODELS PROXIMITY AT MACH NUMBERS 2.0 TO 6.0 -- PROXIMITY DATA AT MACH 4 AND 6, INTERFERENCE FREE AND LAUNCH VEHICLE DATA
1109	DELTA WING		1	AERODYNAMIC CHARACTERISTICS OF GD B-15B BOOSTER DURING CRUISE AND LANDING M = 0.2
1110	DELTA WING		1	LOW SPEED CRUISE. TAKEOFF AND LANDING AERODYNAMIC CHARACTERISTICS, INCLUDING ENGINE EXHAUST EFFECTS OF THE GD/C B-15B BOOSTER
1111	STRAIGHT WING		1	AERODYNAMIC CHARACTERISTICS OF A SPACE SHUTTLE BOOSTER WITH STRAIGHT WING AND HORIZONTAL TAIL (M = 0.26 TO 2.0)
1112		UNIQUE CONFIGS.	1	AERODYNAMIC CHARACTERISTICS OF TWO DELTA WING SPACE SHUTTLE ORBITERS WITH AND WITHOUT EXTERNAL HYDROGEN TANKS (M = 0.3 TO 2.0)
1113		DELTA WING	1	STATIC LONGITUDINAL AND LATERAL- DIRECTIONAL CHARACTERISTICS OF THE NR 134-D DELTA WING ORBITER M = 10.4)
1114		DELTA WING	1	AERODYNAMIC CHARACTERISTICS OF THE NR DELTA WING ORBITER M = 0.6 - 1.3
1115	STRAIGHT WING	STRAIGHT WING	1	EFFECT OF ORBITER/BOOSTER PROXIMITY INTERFERENCES ON THE AERODYNAMIC CHARACTERISTICS OF THE LAUNCH CONFIGURATION DURING SEPARATION OR ABORT MANEUVERS M = 0.6 - 1.38

**TABLE 4. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE A/B
(CONTINUED)**

DMS DR#	BOOSTER CONFIG. I.D.	ORBITER CONFIG. I.D.	VOL. NUM.	REPORT TITLE
1116	CANARD		1	TRANSONIC/SUPERSONIC AERODYNAMIC CHARACTERISTICS AND CONTROL EFFECTIVENESS OF THE PROPOSED HIGH- WING SINGLE-BODY CANARD SSV BOOSTER VEHICLE M = 0.6 TO 2.0
1117	CANARD	DELTA WING	1	SUPERSONIC AERODYNAMIC CHARACTERISTICS OF THE MDAC/MMC SBC BOOSTER, DELTA WING ORBITER, AND ASCENT CONFIGURATIONS
1117	CANARD	DELTA WING	2	SUPERSONIC AERODYNAMIC CHARACTERISTICS OF THE MDAC/MMC SBC BOOSTER, DELTA WING ORBITER, AND ASCENT CONFIGURATIONS
1117	CANARD	DELTA WING	3	SUPERSONIC AERODYNAMIC CHARACTERISTICS OF THE MDAC/MMC SBC BOOSTER, DELTA WING ORBITER, AND ASCENT CONFIGURATIONS
1118	CANARD	DELTA WING	1	AERODYNAMIC CHARACTERISTICS OF A SPACE SHUTTLE LAUNCH CONFIGURATION CONSISTING OF A DELTA-WING ORBITER AND A BOOSTER WITH CANARD. AFT SWEEP WING, AND TIP FINS (M = 0.6 TO 2.0)
1118	CANARD	DELTA WING	2	AERODYNAMIC CHARACTERISTICS OF A SPACE SHUTTLE LAUNCH CONFIGURATION CONSISTING OF A DELTA-WING ORBITER AND A BOOSTER WITH CANARD, AFT SWEEP WING, AND TIP FINS (M = 0.6 TO 2.0)
1119	DELTA WING	UNIQUE CONFIGS.	1	STATIC AERODYNAMIC AND CONTROL INVESTIGATION OF AN EXPENDABLE SECOND STAGE WITH PAYLOAD AND WITH DELTA WING BOOSTER (B-15B-1).
1120	CANARD		1	STATIC LONGITUDINAL, DIRECTIONAL AND LATERAL CHARACTERISTICS AND CONTROL SURFACE EFFECTIVENESS OF THE MDAC-STS CANARD BOOSTER
1121	DELTA WING		1	AERODYNAMIC CHARACTERISTICS OF A SPACE SHUTTLE BOOSTER WITH DELTA WING AND CANARD AT MACH NUMBERS OF 0.6 TO 2.0 (MARCH 1971 TESTS)

**TABLE 4. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE A/B
(CONTINUED)**

DMS DR#	BOOSTER CONFIG. I.D.	ORBITER CONFIG. I.D.	VOL. NUM.	REPORT TITLE
1122	STRAIGHT WING	UNIQUE CONFIGS.	1	AERODYNAMIC CHARACTERISTICS OF A DELTA-WING ORBITER AND STRAIGHT-WING BOOSTER SPACE SHUTTLE LAUNCH VEHICLE FOR MACH NUMBERS FROM 0.25 TO 2.0
1123		DELTA WING	1	STATIC STABILITY AND CONTROL CHARACTERISTICS OF THREE ELEVON CONFIGURATIONS, YAW CONTROL FLAP AND WING-MOUNTED DORSAL FINS OF A SPACE SHUTTLE PARAMETRIC DELTA WING ORBITER (M = 10.4)
1124		DELTA WING	1	LOW SPEED STABILITY AND CONTROL CHARACTERISTICS OF THE NORTH AMERICAN ROCKWELL DELTA WING ORBITER -134D AND -134C CONFIGURATIONS
1125	UNIQUE CONFIGS.		1	STATIC PRESSURE DISTRIBUTION ON CHRYSLER CORPORATION SPACE DIVISION SERV BOOSTER CONFIGURATION
1126		DELTA WING	1	STATIC STABILITY AND CONTROL CHARACTERISTICS OF THE NR DELTA WING (134D) SPACE SHUTTLE ORBITER M = 0.6 - 5.0
1127	DELTA WING	DELTA WING	1	AERODYNAMIC CHARACTERISTICS OF A SPACE SHUTTLE LAUNCH CONFIGURATION CONSISTING OF A DELTA WING ORBITER AND A DELTA WING BOOSTER (M = 0.6 TO 2.0)
1128	CYLINDRICAL		1	AERODYNAMIC CHARACTERISTICS IN NOSE-FIRST, NOZZLE-FIRST, AND TUMBLING RE-ENTRY MODES AND EFFECTIVENESS OF SEVERAL DRAG DEVICES FOR THE BOEING 0.0144-SCALE PARALLEL-BURN SOLID ROCKET MOTOR, MODEL 979-185

**TABLE 4. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE A/B
(CONTINUED)**

DMS DR#	BOOSTER CONFIG. I.D.	ORBITER CONFIG. I.D.	VOL. NUM.	REPORT TITLE
1129	STRAIGHT WING	DELTA WING	1	PRESSURE TESTS OF MODELS OF A STRAIGHT-WING ORBITER, DELTA-WING ORBITER, AND A STRAIGHT-WING BOOSTER (MACH NUMBER 0.6 TO 2.2) -- STRAIGHT-WING BOOSTER
1129	STRAIGHT WING	DELTA WING	2	PRESSURE TESTS OF MODELS OF A STRAIGHT-WING ORBITER, DELTA-WING ORBITER, AND A STRAIGHT-WING BOOSTER (MACH NUMBER 0.6 TO 2.2) -- DELTA-WING ORBITER
1129	STRAIGHT WING	DELTA WING	3	PRESSURE TESTS OF MODELS OF A STRAIGHT-WING ORBITER, DELTA-WING ORBITER, AND A STRAIGHT-WING BOOSTER (MACH NUMBER 0.6 TO 2.2) -- STRAIGHT-WING ORBITER
1130	DELTA WING	DELTA WING	1	STATIC STABILITY AND CONTROL INVESTIGATION OF NR/GD DELTA WING BOOSTER (B-20) AND DELTA WING ORBITER (134D) -- DELTA WING BOOSTER
1130	DELTA WING	DELTA WING	2	STATIC STABILITY AND CONTROL INVESTIGATION OF NR/GD DELTA WING BOOSTER (B-20) AND DELTA WING ORBITER (134D) -- LAUNCH CONFIGURATION PIGGYBACK BASELINE
1130	DELTA WING	DELTA WING	3	STATIC STABILITY AND CONTROL INVESTIGATION OF NR/GD DELTA WING BOOSTER (B-20) AND DELTA WING ORBITER (134D) -- LAUNCH CONFIGURATIONS PIGGYBACK, BELLY TO BELLY AND INCIDENCE VARIATIONS
1130	DELTA WING	DELTA WING	4	STATIC STABILITY AND CONTROL INVESTIGATION OF NR/GD DELTA WING BOOSTER (B-20) AND DELTA WING ORBITER (134D) -- LAUNCH CONFIGURATIONS COMPONENT DATA BOOSTER, ORBITER BUILD-UP
1131		STRAIGHT WING	1	AERODYNAMIC HEATING OF A SPACE SHUTTLE STRAIGHT-WING ORBITER
1132	TASK CANCELLED			** DOCUMENT WAS NOT PUBLISHED **

**TABLE 4. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE A/B
(CONTINUED)**

DMS DR#	BOOSTER CONFIG. I.D.	ORBITER CONFIG. I.D.	VOL. NUM.	REPORT TITLE
1133	TASK CANCELLED			** DOCUMENT WAS NOT PUBLISHED **
1134	STRAIGHT WING		1	AERODYNAMIC HEATING OF A SPACE SHUTTLE STRAIGHT WING BOOSTER
1135	TASK CANCELLED			** DOCUMENT WAS NOT PUBLISHED **
1136	STRAIGHT WING	UNIQUE CONFIGS.	1	FORCES, MOMENTS AND PRESSURES ON VARIOUS EXTERNAL LIQUID HYDROGEN TANKS MOUNTED ON A BOOSTER/ORBITER MATED LAUNCH CONFIGURATION
1137	STRAIGHT WING	UNIQUE CONFIGS.	1	AERODYNAMIC CHARACTERISTICS OF A SPACE SHUTTLE LAUNCH CONFIGURATION CONSISTING OF A DELTA WING ORBITER WITH EXTERNAL HYDROGEN TANKS AND A STRAIGHT WING BOOSTER (M = 0.6 TO 2.0)
1138	CANARD		1	THERMAL MAPPING INVESTIGATION OF A 0.0035 SCALE MDC/MMC PHASE B BOOSTER CONFIGURATION WITH VENTRAL TIP FINS
1139	CANARD		1	STABILITY AND CONTROL EFFECTIVENESS OF THE MDAC PARAMETRIC DELTA CANARD BOOSTER AT MACH 0.38 -- CANARD PARAMETRIC VARIATIONS
1139	CANARD		2	STABILITY AND CONTROL EFFECTIVENESS OF THE MDAC PARAMETRIC DELTA CANARD BOOSTER AT MACH 0.36 -- WING PARAMETRIC VARIATIONS - SIZE AND LOCATION
1139	CANARD		3	STABILITY AND CONTROL EFFECTIVENESS OF THE MDAC PARAMETRIC DELTA CANARD BOOSTER AT MACH 0.36 -- WING PARAMETRIC VARIATIONS - INCIDENCE AND DIHEDRAL
1139	CANARD		4	STABILITY AND CONTROL EFFECTIVENESS OF THE MDAC PARAMETRIC DELTA CANARD BOOSTER AT MACH 0.36 -- SURFACE EFFECTIVENESS, MODEL BUILDUP, AND DIRECTIONAL STABILITY AT HIGH ANGLES OF ATTACK

**TABLE 4. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE A/B
(CONTINUED)**

DMS DR#	BOOSTER CONFIG. I.D.	ORBITER CONFIG. I.D.	VOL. NUM.	REPORT TITLE
1140	UNIQUE CONFIGS.	UNIQUE CONFIGS.	1	EFFECT OF ORBITER INCIDENCE ANGLE ON THE AERODYNAMIC CHARACTERISTICS OF THE BOEING S-IC BOOSTER/GAC G-11 ORBITER LAUNCH CONFIGURATION (M = 0.6 - 4.96)
1141	DELTA WING		1	AERODYNAMIC CHARACTERISTICS OF A SPACE SHUTTLE BOOSTER WITH A DELTA WING AND CANARD (M = 0.6 TO 2.0)
1142		DELTA WING	1	BASIC AERODYNAMIC CHARACTERISTICS FOR THREE GAC REUSABLE ORBITAL SPACE-PLANE CONFIGURATIONS, ROS-NB1, ROS-NB2, AND ROS-WB1 AT O 17 MACH NUMBER
1143	UNIQUE CONFIGS.	DELTA BODY	1	HEAT TRANSFER TESTS OF THE LMSC DELTA-BODY ORBITER AND STAGE-AND- ONE-HALF ASCENT CONFIGURATION
1144		DELTA WING	1	SUPERSONIC STABILITY AND CONTROL CHARACTERISTICS OF A NR DELTA WING ORBITER - PART II M = 2.5 - 4.6
1145	DELTA WING	DELTA WING	1	HEAT TRANSFER TEST TO DETERMINE THERMAL PROTECTION SYSTEM DESIGN REQUIREMENTS FOR BOOSTERS B-9U, B- 15B-2, AND BOOSTER/ORBITER B-9U/161C
1146		DELTA WING	1	HEAT TRANSFER TEST TO DETERMINE INTERFERENCE HEATING ON THE GRUMMAN DELTA-WING ORBITER (ROS- NB2) AND TANK SURFACES AT MACH 10.0
1147		DELTA BODY	1	STATIC STABILITY, CONTROL, AND PERFORMANCE OF LOCKHEED DELTA BODY ORBITER AT 0.205 MACH NUMBER
1148	CANARD	DELTA WING	1	AERODYNAMIC STABILITY AND CONTROL CHARACTERISTICS OF A TBC SPACE SHUTTLE BOOSTER AND GAC ORBITER M = 0.6 - 4.96

**TABLE 4. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE A/B
(CONTINUED)**

DMS DR#	BOOSTER CONFIG. I.D.	ORBITER CONFIG. I.D.	VOL. NUM.	REPORT TITLE
1149		DELTA WING	1	LONGITUDINAL AND LATERAL- DIRECTIONAL AERODYNAMIC CHARACTERISTICS OF THE LARC MODEL, MDAC DELTA WING ORBITER
1150	DELTA WING		1	AERODYNAMIC CHARACTERISTICS OF THE GD/C B-9U BOOSTER IN LANDING AND CRUISE CONFIGURATIONS
1151		DELTA WING	1	HYPERSONIC AERODYNAMIC CHARACTERISTICS OF THE MCDONNELL- DOUGLAS 050B DELTA WING ORBITER (M = 10.23)
1152	DELTA WING		1	VERIFICATION OF BOOSTER TRANSITION CHARACTERISTICS FOR TRANSONIC AND SUPERSONIC MACH NUMBERS (M = 0.6-5.0)
1153		DELTA WING	1	STATIC AERODYNAMIC CHARACTERISTICS AND CONTROL EFFECTIVENESS FOR MCDONNELL-DOUGLAS ORBITER CONFIGURATION FOR MACH NUMBER RANGE OF 0.4 TO 5.0
1154		DELTA WING	1	AERODYNAMIC HEATING OF THE GRUMMAN SPACE SHUTTLE ORBITERS (ROS-NB1 AND ROS-WBL) AT MACH NUMBER 8.0
1155	DELTA WING		1	EFFECT OF CONFIGURATION CHANGES ON THE DIRECTIONAL CHARACTERISTICS OF A GD/C BOOSTER MACH NO. 1.2 - 4.96
1156	DELTA WING		1	AERODYNAMIC STABILITY AND CONTROL CHARACTERISTICS OF A GD/C B-9U DELTA WING BOOSTER M = 10.2
1157		DELTA BODY	1	STABILITY CONTROL AND PERFORMANCE CHARACTERISTICS OF THE LMSC DELTA BODY ORBITER AT SUBSONIC SPEEDS
1158	STRAIGHT WING		1	STATIC STABILITY CHARACTERISTICS AND CONTROL SURFACE EFFECTIVENESS OF THE BOEING .00435 SCALE MODEL SPACE SHUTTLE BOOSTER H-32

**TABLE 4. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE A/B
(CONTINUED)**

DMS DR#	BOOSTER CONFIG. I.D.	ORBITER CONFIG. I.D.	VOL. NUM.	REPORT TITLE
1159		DELTA WING	1	BASIC HYPERSONIC FORCE DATA FOR GRUMMAN DELTA WING ORBITER CONFIGURATIONS ROS-NB1 AND ROS-WB1
1160	CANARD		1	INVESTIGATION OF THE AERODYNAMIC STABILITY AND CONTROL CHARACTERISTICS OF THE TBC SHUTTLE BOOSTER AR-11981-3
1161		DELTA WING	1	STATIC AERODYNAMIC CHARACTERISTICS FOR THE GAC ROS-NB1 AND ROS-WB1 ORBITER CONFIGURATIONS AT TRANSONIC MACH NUMBERS (M = 0.7 - 1.16)
1162	DELTA WING	UNIQUE CONFIGS.	1	A STATIC STABILITY AND CONTROL INVESTIGATION OF THE NR-GD/C DELTA WING BOOSTER (B-15B-1) AND A REUSABLE NUCLEAR STAGE (RNS) M = 0.6 - 4.96
1163		DELTA WING	1	BASIC SUPERSONIC FORCE DATA FOR GRUMMAN DELTA WING ORBITER CONFIGURATION ROS-NB1
1164	CANARD		1	EFFECTS OF CRUISE ENGINE LOCATION AND POWER ON INTERFERENCE FOR A MSFC PARAMETRIC BOOSTER (M = 0.40 TO 1.13)
1165		DELTA WING	1	HEAT TRANSFER VERIFICATION ON NORTH AMERICAN ROCKWELL DELTA WING ORBITER (SSV-161B)
1166	CANARD	UNIQUE CONFIGS.	1	DETERMINATION OF THE STATIC STABILITY CHARACTERISTICS OF THE 0.00285-SCALE MDAC PARALLEL BURN LAUNCH CONFIGURATION
1167		DELTA WING	1	BASIC SUBSONIC STATIC AERODYNAMIC CHARACTERISTICS FOR GRUMMAN H-33 ORBITER CONFIGURATION (M = 0.17)
1168		DELTA WING	1	SUBSONIC PERFORMANCE, STATIC STABILITY, AND CONTROL EFFECTIVENESS OF A PARAMETRIC DELTA WING ORBITER

**TABLE 4. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE A/B
(CONTINUED)**

DMS DR#	BOOSTER CONFIG. I.D.	ORBITER CONFIG. I.D.	VOL. NUM.	REPORT TITLE
1169		DELTA BODY	1	LMSC DELTA BODY ORBITER STALL CHARACTERISTICS AS INFLUENCED BY FIN AND BODY GEOMETRY VARIATIONS
1170	CANARD	DELTA WING	1	AERODYNAMIC HEATING TESTS OF THE MDAC DELTA WING ORBITER AND CANARD BOOSTER
1171		DELTA WING	1	STATIC LONGITUDINAL AND LATERAL- DIRECTIONAL AERODYNAMIC CHARACTERISTICS OF THE MDAC DELTA WING ORBITER WITH FLARED RUDDER AND RL-10 ENGINE FAIRING
1172		DELTA WING	1	DETERMINATION OF LOW SPEED LONGITUDINAL AND LATERAL- DIRECTIONAL AERODYNAMIC CHARACTERISTICS OF THE 0.007-SCALE MDAC DELTA WING ORBITER WITH AND WITHOUT ENGINE FAIRING
1173		DELTA WING	1	DETERMINATION OF TRIM CHARACTERISTICS AND AILERON CONTROL AT SUPERSONIC SPEEDS FOR THE MDAC 050-B ORBITER
1174	CANARD	DELTA WING	1	SPACE SHUTTLE ABORT SEPARATION PRESSURE INVESTIGATION -- BOOSTER DATA AT MACH 5
1174	CANARD	DELTA WING	2	SPACE SHUTTLE ABORT SEPARATION PRESSURE INVESTIGATION -- ORBITER DATA AT MACH 5
1174	CANARD	DELTA WING	3	SPACE SHUTTLE ABORT SEPARATION PRESSURE INVESTIGATION -- BOOSTER DATA AT MACH 3
1174	CANARD	DELTA WING	4	SPACE SHUTTLE ABORT SEPARATION PRESSURE INVESTIGATION -- ORBITER DATA AT MACH 3
1174	CANARD	DELTA WING	5	SPACE SHUTTLE ABORT SEPARATION PRESSURE INVESTIGATION -- BOOSTER DATA AT MACH 2

**TABLE 4. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE A/B
(CONTINUED)**

DMS DR#	BOOSTER CONFIG. I.D.	ORBITER CONFIG. I.D.	VOL. NUM.	REPORT TITLE
1174	CANARD	DELTA WING	6	SPACE SHUTTLE ABORT SEPARATION PRESSURE INVESTIGATION -- ORBITER DATA AT MACH 2
1175		DELTA WING	1	SUPERSONIC AERODYNAMIC CHARACTERISTICS OF THE MCDONNELL- DOUGLAS 050B DELTA WING ORBITER
1176		DELTA WING	1	STATIC LONGITUDINAL AND LATERAL- DIRECTIONAL CHARACTERISTICS FOR NR 134D AND 134D/161B DELTA WING ORBITERS (M = 20.3)
1177	DELTA WING	DELTA WING	1	HEAT TRANSFER RATE MEASUREMENTS ON CONVAIR BOOSTER (B-15B-2) AND NORTH AMERICAN ROCKWELL ORBITER (161B) AT NOMINAL MACH NUMBER OF 8
1177	DELTA WING	DELTA WING	2	HEAT TRANSFER RATE MEASUREMENTS ON CONVAIR BOOSTER (B-15B-2) AT NOMINAL MACH NUMBER OF 8
1177	DELTA WING	DELTA WING	3	HEAT TRANSFER RATE MEASUREMENTS ON NORTH AMERICAN ROCKWELL ORBITER (161B) AT NOMINAL MACH NUMBER OF 8
1178	CYLINDRICAL	UNIQUE CONFIGS.	1	DETERMINATION OF REENTRY HEAT TRANSFER TO ORBITER SURFACES AND INTERFERENCE HEATING DURING LAMINAR PORTION OF LAUNCH, BOOST, AND HIGH-ALTITUDE ABORT REENTRY FOR THE GAC H-3T DELTA-WING ORBITER WITH EXTERNAL TANKS AND BOEING 1202 BOOSTER
1179	DELTA WING		1	AERODYNAMIC HEATING OF A SPACE SHUTTLE DELTA-WING BOOSTER AT M = 7.4
1180		DELTA WING	1	AERODYNAMIC HEATING OF A SPACE SHUTTLE DELTA-WING ORBITER AT M = 7.4
1181	CYLINDRICAL	UNIQUE CONFIGS.	1	AERODYNAMIC CHARACTERISTICS OF THE GRUMMAN H-33 ORBITER MATED TO A THREE SEGMENT SOLID PROPELLANT BOOSTER

**TABLE 4. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE A/B
(CONTINUED)**

DMS DR#	BOOSTER CONFIG. I.D.	ORBITER CONFIG. I.D.	VOL. NUM.	REPORT TITLE
1182	UNIQUE CONFIGS.	UNIQUE CONFIGS.	1	AERODYNAMIC CHARACTERISTICS OF SEVERAL LAUNCH CONFIGURATIONS UTILIZING THE TITAN 111 L BOOSTER AND MMC DTO-7 ORBITER
1182		UNIQUE CONFIGS.	1	AERODYNAMIC CHARACTERISTICS OF SEVERAL LAUNCH CONFIGURATIONS UTILIZING THE TITAN III L BOOSTER AND MMC DTO-7 ORBITER
1183	DELTA WING	DELTA WING	1	AERODYNAMIC STABILITY AND CONTROL CHARACTERISTICS OF A 0.0036-SCALE BOEING RS-1C/MSC-040A ORBITER AT MACH NUMBERS 0.6 TO 5.0
1184		DELTA WING	1	STATIC AERODYNAMIC CHARACTERISTICS AND CONTROL EFFECTIVENESS OF THE H- 33 ORBITER AT MACH NUMBERS FROM 0.6 TO 4.96
1185	CYLINDRICAL	DELTA WING	1	AERODYNAMIC CHARACTERISTICS OF THE NORTH AMERICAN ROCKWELL SPACE SHUTTLE DELTA-WING ORBITER (110C) ALONE AND WITH BELLY-MOUNTED EXTERNAL OXYGEN/HYDROGEN TANKS (M = 0.6 TO 5.0)
1186		DELTA WING	1	AERODYNAMIC STABILITY AND CONTROL CHARACTERISTICS OF THE NAS/MSC.006 SCALE 040-A DELTA WING ORBITER
1187	UNIQUE CONFIGS.	UNIQUE CONFIGS.	1	STATIC AERODYNAMIC CHARACTERISTICS OF THE S-IC BOOSTER/GAC H-33 ORBITER LAUNCH VEHICLE CONFIGURATION
1188	UNIQUE CONFIGS.	UNIQUE CONFIGS.	1	AERODYNAMIC CHARACTERISTICS OF THE TITAN T 111 L (1207-4)/GAC H-33 LAUNCH CONFIGURATION
1189		DELTA WING	1	LOW SPEED AERODYNAMIC CHARACTERISTICS OF A GAC H-33 ORBITER
1190	CANARD	DELTA WING	1	HYPERSONIC STATIC LONGITUDINAL AERODYNAMIC CHARACTERISTICS OF PHASE B ASCENT CONFIGURATIONS

**TABLE 4. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE A/B
(CONTINUED)**

DMS DR#	BOOSTER CONFIG. I.D.	ORBITER CONFIG. I.D.	VOL. NUM.	REPORT TITLE
1191	STRAIGHT WING		1	VERIFICATION OF TRANSONIC REENTRY CORRIDOR AT HIGH ANGLES OF ATTACK AND DETERMINATION OF TRANSITION AERODYNAMIC CHARACTERISTICS AND SUBSONIC AERODYNAMIC CHARACTERISTICS AT LOW ANGLES OF ATTACK FOR THE BOEING H-32 BOOSTER
1192	CANARD		1	DIRECTIONAL AND LATERAL STABILITY AND INTERFERENCE EFFECTS OF CRUISE ENGINE LOCATION ON A 0.015 SCALE SHUTTLE BOOSTER
1193	UNIQUE CONFIGS.		1	SUBSONIC STABILITY AND PERFORMANCE OF A LOW FINENESS RATIO BOOSTER (M = 0.25)
1194		DELTA WING	1	HYPERSONIC AERODYNAMIC CHARACTERISTICS WITH CONTROL EFFECTIVENESS OF A GAC H-33 ORBITER M = 10.2
1195		DELTA WING	1	TRANSONIC AERODYNAMIC CHARACTERISTICS OF A GAC H-33 ORBITER M = 0.6 TO 1.2
1196		DELTA WING	1	SUPERSONIC AERODYNAMIC CHARACTERISTICS OF A GAC H-33 ORBITER M = 1.6 TO 2.16
1197	UNIQUE CONFIGS.	DELTA WING	1	SUPERSONIC AERODYNAMIC CHARACTERISTICS OF A LOW FINENESS RATIO BOOSTER WITH DELTA WING ORBITER LAUNCH CONFIGURATION (M = 1.5 TO 2.16)
1198	UNIQUE CONFIGS.	DELTA WING	1	AERODYNAMIC CHARACTERISTICS OF A LOW-FINENESS-RATIO BOOSTER AND ASCENT CONFIGURATION AT HYPERSONIC SPEED M = 10.23
1199		DELTA WING	1	STATIC STABILITY AND CONTROL CHARACTERISTICS OF TWO ELEVON CONFIGURATIONS. A YAW CONTROL FLAP AND WING-MOUNTED DORSAL FINS OF A SPACE SHUTTLE PARAMETRIC DELTA WING ORBITER (M = 2.01)

**TABLE 4. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE A/B
(CONTINUED)**

DMS DR#	BOOSTER CONFIG. I.D.	ORBITER CONFIG. I.D.	VOL. NUM.	REPORT TITLE
1200	UNIQUE CONFIGS.	DELTA WING	1	TRANSONIC AERODYNAMIC CHARACTERISTICS OF A LOW FINENESS RATIO BOOSTER AND DELTA WING ORBITER LAUNCH CONFIGURATION (M = 0.4 TO 1.2)
1201		DELTA WING	1	STATIC AERODYNAMIC CHARACTERISTICS AND CONTROL EFFECTIVENESS OF TWO DELTA WING ORBITER CONFIGURATIONS (M = 0.6 TO 1.96)
1202		DELTA WING	1	AERODYNAMIC STABILITY AND CONTROL CHARACTERISTICS OF THE MSC 040-A ORBITER WITH VARIATIONS OF BODY, WING, VERTICAL TAIL AND CANOPY (M = 0.6 TO 2.0)
1203		DELTA WING	1	HYPERSONIC AERODYNAMIC CHARACTERISTICS WITH CONTROL EFFECTIVENESS OF A GAC H-33 ORBITER M = 6.0
1204	CYLINDRICAL	DELTA WING	1	DETERMINATION OF LONGITUDINAL AND LATERAL-DIRECTIONAL AERODYNAMIC CHARACTERISTICS OF THE B19B PRESSURE-FED BOOSTER AND THE B19B BOOSTER/040A ORBITER LAUNCH CONFIGURATION
1205		STRAIGHT WING	1	AN INVESTIGATION OF THE LANDING CHARACTERISTICS OF THE NASA-MSC AUGUST 1969 BASELINE ORBITER CONFIGURATION IN GROUND EFFECT
1206		DELTA WING	1	HEAT TRANSFER INVESTIGATION OF THE MCDONNELL-DOUGLAS DELTA WING ORBITER AT A NOMINAL MACH NUMBER OF 10.5
1207	CANARD	DELTA WING	1	HEAT TRANSFER RATE DISTRIBUTIONS ON MCDONNELL-DOUGLAS DELTA WING ORBITER DETERMINED BY PHASE-CHANGE PAINT TECHNIQUE FOR NOMINAL MACH NUMBER OF 8

**TABLE 4. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE A/B
(CONTINUED)**

DMS DR#	BOOSTER CONFIG. I.D.	ORBITER CONFIG. I.D.	VOL. NUM.	REPORT TITLE
1207	CANARD	DELTA WING	2	HEAT TRANSFER RATE DISTRIBUTIONS ON MCDONNELL-DOUGLAS BOOSTER DETERMINED BY PHASE-CHANGE TECHNIQUE FOR NOMINAL MACH NUMBER OF 8
1208	CYLINDRICAL		1	AERODYNAMIC CHARACTERISTICS OF THE MSFC PRESSURE-FED BOOSTERS AT HIGH ANGLES OF ATTACK ($M = 0.6$ TO 5.0)
1209	DELTA WING		1	FOREBODY AND VERTICAL STABILIZER EFFECTS ON DIRECTIONAL STABILITY OF A REUSABLE LOX/RP (061) BOOSTER AR 12161-2
1210	CYLINDRICAL	DELTA WING	1	HIGH ANGLE OF ATTACK TRANSITION AND LOW ANGLE OF ATTACK LAUNCH PHASE AERODYNAMIC STABILITY AND CONTROL OF GD/C B-18E-2, B-18E-3 DELTA WING BOOSTER, AND LAUNCH CONFIGURATION OF MSC-040A ORBITER AND TWIN PRESSURE FED BOOSTERS
1211		DELTA WING	1	STATIC AERODYNAMIC CHARACTERISTICS AND OIL FLOW AND ELECTRON BEAM ILLUMINATION RESULTS OF 0.005854 AND 0.003366-SCALE MODELS OF THE GRUMMAN AIRCRAFT CORPORATION SPACE SHUTTLE ORBITER (H-33) AT A MACH NUMBER OF 20.3
1212	CANARD		1	EXPERIMENTAL INVESTIGATIONS FOR CASE DRAG REDUCTION ON A 0.015 SCALE MODEL MSFC PROPOSED SPACE SHUTTLE BOOSTER AT MACH NUMBERS FROM 0.40 TO 1.10
1213	DELTA WING	DELTA WING	1	AERODYNAMIC CHARACTERISTICS OF 0.003367 SCALE MODELS OF THE MMC RETRO-GLIDE BOOSTER ALONE AND MATED WITH THE MSC 040-A ORBITER
1214	CYLINDRICAL		1	HYPERSONIC PERFORMANCE AND STABILITY OF TBC PROPOSED SPACE SHUTTLE PRESSURE-FED BOOSTER AT HIGH ANGLES OF ATTACK

**TABLE 4. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE A/B
(CONTINUED)**

DMS DR#	BOOSTER CONFIG. I.D.	ORBITER CONFIG. I.D.	VOL. NUM.	REPORT TITLE
1215		DELTA WING	1	AERODYNAMIC CHARACTERISTICS OF A 19 PERCENT SCALE MODEL MSC 040A SPACE SHUTTLE ORBITER AT VARIOUS REYNOLDS NUMBERS (M = 0.25)
1216		DELTA WING	1	SUPERSONIC AERODYNAMIC CHARACTERISTICS OF A GAC H-33 ORBITER (M = 2.30 TO 4.63)
1217	TASK CANCELLED			** DOCUMENT WAS NOT PUBLISHED **
1218		DELTA WING	1	NOSE SHAPE AND CANOPY EFFECTS ON THE STATIC AERODYNAMIC CHARACTERISTICS OF THE 040A SHUTTLE ORBITER AT M = 20.3
1219		DELTA WING	1	HYPERSONIC AERODYNAMIC CHARACTERISTICS OF A 0.0075 SCALE MODEL MSC-040A SPACE SHUTTLE ORBITER (M = 10.3)
1220	DELTA WING		1	HYPERSONIC HIGH ANGLE-OF-ATTACK AERODYNAMIC CHARACTERISTICS AND BODY GEOMETRY AND FLYBACK ENGINE LOCATION EFFECTS OF THE 0.0035 SCALE FLYABLE LOX/RP BOOSTER VEHICLE
1221		DELTA WING	1	SUPERSONIC AERODYNAMIC CHARACTERISTICS OF THE MSC 040A ORBITER (M = 2.0 TO 4.0)
1222	CANARD	DELTA WING	1	PRESSURE INVESTIGATION OF A SPACE SHUTTLE LAUNCH CONFIGURATION CONSISTING OF A DELTA-WING ORBITER AND A SWEPT-WING BOOSTER WITH CANARD AND TIP FINS (M = 0.6 TO 1.3)
1222	CANARD	DELTA WING	2	PRESSURE INVESTIGATION OF A SPACE SHUTTLE LAUNCH CONFIGURATION CONSISTING OF A DELTA-WING ORBITER AND A SWEPT-WING BOOSTER WITH CANARD AND TIP FINS (M = 0.6 TO 1.3)
1223	DELTA WING		1	LOW SPEED AERODYNAMIC CHARACTERISTICS OF THE GD/C B-18E3 BOOSTER

**TABLE 4. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE A/B
(CONTINUED)**

DMS DR#	BOOSTER CONFIG. I.D.	ORBITER CONFIG. I.D.	VOL. NUM.	REPORT TITLE
1224		DELTA BODY	1	HEAT TRANSFER INVESTIGATION OF TWO LANGLEY RESEARCH CENTER DELTA WING CONFIGURATIONS AT A MACH NUMBER OF 10.5
1224		DELTA BODY	2	HEAT TRANSFER INVESTIGATION OF LANGLEY RESEARCH CENTER TRANSITION MODELS AT A MACH NUMBER OF 8
1225	CANARD	DELTA WING	1	SURFACE PRESSURE AND INVISCID FLOW FIELD PROPERTIES OF THE MCDONNELL- DOUGLAS DELTA-WING ORBITER FOR NOMINAL MACH NUMBER OF 8
1225	CANARD	DELTA WING	2	SURFACE PRESSURE AND INVISCID FLOW FIELD PROPERTIES OF THE NORTH AMERICAN ROCKWELL DELTA-WING ORBITER FOR NOMINAL MACH NUMBER OF 8
1225	CANARD	DELTA WING	3	SURFACE PRESSURE AND INVISCID FLOW FIELD PROPERTIES OF THE MCDONNELL- DOUGLAS BOOSTER AT NOMINAL MACH NUMBER OF 8
1226	CYLINDRICAL		1	AERODYNAMIC STABILITY AND DRAG CHARACTERISTICS OF THE MSFC PRESSURE FED BOOSTER CONFIGURATIONS AT MACH NUMBERS FROM 0.9 TO 5.0
1227	CYLINDRICAL	DELTA WING	1	AERODYNAMIC CHARACTERISTICS OF A COMPOSITE BOOSTER/040A ORBITER LAUNCH CONFIGURATION WITH FIN AND BOOSTER BODY CONFIGURATION EFFECT CONTRIBUTION
1228	CYLINDRICAL		1	RE-ENTRY STABILITY AND PERFORMANCE CHARACTERISTICS IN THE TRANSONIC AND SUPERSONIC FLIGHT REGIMES OF THE BOEING BALLISTIC RECOVERABLE BOOSTER

**TABLE 4. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE A/B
(CONTINUED)**

DMS DR#	BOOSTER CONFIG. I.D.	ORBITER CONFIG. I.D.	VOL. NUM.	REPORT TITLE
1229		DELTA WING	1	STATIC STABILITY AND CONTROL EFFECTIVENESS OF A LARC SPACE SHUTTLE ORBITER MODEL WITH A PLANE AND A TWISTED AND CAMBERED WING AT MACH NUMBER 0.25
1230	CYLINDRICAL	DELTA WING	1	AERODYNAMIC CHARACTERISTICS OF VARIOUS MDAC SPACE SHUTTLE ASCENT CONFIGURATIONS WITH PARALLEL BURN PRESSURE FED AND SRM BOOSTERS -- VOLUME I - ASCENT CONFIGURATION WITH HO CENTERLINE TANKS T1 AND T2
1230	CYLINDRICAL	DELTA WING	2	AERODYNAMIC CHARACTERISTICS OF VARIOUS MDAC SPACE SHUTTLE ASCENT CONFIGURATIONS WITH PARALLEL BURN PRESSURE FED AND SRM BOOSTERS -- VOLUME II - ASCENT CONFIGURATION WITH HO CENTERLINE TANK T3
1230	CYLINDRICAL	DELTA WING	3	AERODYNAMIC CHARACTERISTICS OF VARIOUS MDAC SPACE SHUTTLE ASCENT CONFIGURATIONS WITH PARALLEL BURN PRESSURE FED AND SRM BOOSTERS -- VOLUME III - ASCENT CONFIGURATION WITH HO CENTERLINE TANK T4
1230	CYLINDRICAL	DELTA WING	4	AERODYNAMIC CHARACTERISTICS OF VARIOUS MDAC SPACE SHUTTLE ASCENT CONFIGURATIONS WITH PARALLEL BURN PRESSURE FED AND SRM BOOSTERS -- VOLUME IV - ASCENT CONFIGURATION PLUME STUDIES AND CONFIGURATION BUILDUP
1230	CYLINDRICAL	DELTA WING	5	AERODYNAMIC CHARACTERISTICS OF VARIOUS MDAC SPACE SHUTTLE ASCENT CONFIGURATIONS WITH PARALLEL BURN PRESSURE FED AND SRM BOOSTERS -- VOLUME V - ORBITER ALONE, TANKS ALONE, AND BOOSTER ALONE

**TABLE 4. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE A/B
(CONTINUED)**

DMS DR#	BOOSTER CONFIG. I.D.	ORBITER CONFIG. I.D.	VOL. NUM.	REPORT TITLE
1231		DELTA WING	1	HEAT TRANSFER RATE DISTRIBUTIONS ON NORTH AMERICAN ROCKWELL DELTA WING ORBITER DETERMINED BY PHASE CHANGE PAINT TECHNIQUES AT A MACH NUMBER OF 8
1232		DELTA WING	1	INVESTIGATION OF PROPULSION PACKAGES FOR THE NASA/LARC PARAMETRIC DELTA WING ORBITER
1233		DELTA WING	1	AN INVESTIGATION OF THE SUBSONIC STABILITY AND CONTROL CHARACTERISTICS OF A "STRETCHED" PAYLOAD TYPE DELTA WING ORBITER
1234	CYLINDRICAL	DELTA WING	1	HEAT TRANSFER STUDY OF THE GRUMMAN H-33/HO ORBITER
1235		DELTA WING	1	STABILITY AND CONTROL CHARACTERISTICS OF ORBITER WITH TWISTED AND CAMBERED WING AT SUPERSONIC SPEEDS
1236	CYLINDRICAL		1	AERODYNAMIC HEATING ON SPACE SHUTTLE BOOSTER NOSE-FUSELAGE CONFIGURATIONS AT M = 6
1237	DELTA WING	DELTA WING	1	STATIC AERODYNAMIC CHARACTERISTICS OF STAGE ARRANGEMENTS AT SUPERSONIC SPEEDS FOR A SPACE SHUTTLE (.0056 SCALE MODEL)
1238	CANARD	DELTA WING	1	ASCENT SHOCK IMPINGEMENT HEATING ON A MDAC SHUTTLE CONFIGURATION, M = 6.0
1239		DELTA WING	1	EFFECT OF ROUGHNESS ON AERODYNAMIC CHARACTERISTICS OF GRUMMAN H-33 ORBITER AT M = 0.25
1240	CYLINDRICAL		1	AERODYNAMIC STATIC STABILITY CHARACTERISTICS, FIN EFFECTIVENESS. AND FIN LOCATION OF THE MSFC 33-FOOT PRESSURE FED BOOSTER AT HIGH ANGLES OF ATTACK

**TABLE 4. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE A/B
(CONTINUED)**

DMS DR#	BOOSTER CONFIG. I.D.	ORBITER CONFIG. I.D.	VOL. NUM.	REPORT TITLE
1241	CYLINDRICAL	DELTA WING	1	ABORT STAGING CHARACTERISTICS OF AN EXTERNAL OXYGEN TANK SEPARATING FROM THE SPACE SHUTTLE 040-A ORBITER (.006 SCALE MODEL) AT MACH NUMBERS OF 0.6, 2.0 AND 4.0
1242	CYLINDRICAL		1	AERODYNAMIC CHARACTERISTICS OF CONE-CYLINDER-FLARE-FIN CONFIGURATIONS AT MACH NUMBERS OF 1.96, 2.74, AND 4.96 AND ANGLES OF ATTACK FROM 60 TO 90 DEGREES
1243		DELTA WING	1	STATIC AERODYNAMIC CHARACTERISTICS OF THE MSC-040A SPACE SHUTTLE ORBITER WITH WEDGE CENTERLINE VERTICAL AND TWIN VERTICAL TAILS AT MACH NUMBERS FROM 0.6 TO 4.96
1244	DELTA WING		1	AERODYNAMIC HEATING DATA ON THE SPACE SHUTTLE B-18E3 BOOSTER CONFIGURATION AT M = 6
1245	CYLINDRICAL		1	AERODYNAMIC STATIC STABILITY CHARACTERISTICS OF THE MSFC 33-FOOT PUMP FED BOOSTER AT HIGH ANGLES OF ATTACK
1246	TASK CANCELLED			** DOCUMENT WAS NOT PUBLISHED **
1247	TASK CANCELLED			** DOCUMENT WAS NOT PUBLISHED **
1248	TASK CANCELLED			** DOCUMENT WAS NOT PUBLISHED **
1249	CYLINDRICAL	DELTA WING	1	AERODYNAMIC STABILITY AND DRAG CHARACTERISTICS OF A PARALLEL BURN/SRM ASCENT CONFIGURATION AT MACH NUMBERS FROM 0.6 TO 4.96
1250		DELTA WING	1	EFFECTS OF REYNOLDS NUMBER ON AERODYNAMIC STABILITY AND CONTROL CHARACTERISTICS OF THE MANNED SPACECRAFT CENTER CLASS 040 SPACE SHUTTLE ORBITER AT MACH NUMBERS OF 0.6 TO 1.2

**TABLE 4. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE A/B
(CONTINUED)**

DMS DR#	BOOSTER CONFIG. I.D.	ORBITER CONFIG. I.D.	VOL. NUM.	REPORT TITLE
1251	CYLINDRICAL	DELTA WING	1	AERODYNAMIC STABILITY AND DRAG CHARACTERISTICS OF A PARALLEL BURN/SRM ASCENT CONFIGURATION (M = 0.6 TO 4.96)
1252		DELTA WING	1	AERODYNAMIC HEATING DISTRIBUTIONS ON A SPACE SHUTTLE DELTA-WING ORBITER
1253	CYLINDRICAL		1	AERODYNAMIC CHARACTERISTICS OF A 156-INCH SOLID ROCKET MOTOR AT ANGLES OF ATTACK FROM -10 DEG. TO 190 DEG.
1254		DELTA WING	1	AERODYNAMIC CHARACTERISTICS OF A DOUBLE DELTA WING SPACE SHUTTLE ORBITER (M = 0.6 - 5.0)
1255	CYLINDRICAL	DELTA WING	1	AN INVESTIGATION OF THE LOAD DISTRIBUTION OVER THE SRB AND EXTERNAL TANK OF A 0.004 SCALE MODEL OF THE 049 SPACE SHUTTLE LAUNCH CONFIGURATION
1256	CYLINDRICAL	DELTA WING	1	STATIC STABILITY AND CONTROL EFFECTIVENESS OF A PARAMETRIC LAUNCH VEHICLE
1257				** REDESIGNATED TO PHASE C **
1258		DELTA WING	1	EFFECTIVENESS OF WING-UPPER-SURFACE FLAP AT SUPERSONIC SPEEDS ON 040A DELTA-WING ORBITER
1259	CYLINDRICAL	DELTA WING	1	PRELIMINARY PRESSURE DISTRIBUTIONS ON THE 049 ORBITER. ORBITER IN PRESENCE OF H/O TANK AND ORBITER IN LAUNCH CONFIGURATION
1260	CANARD	DELTA WING	1	ASCENT SHOCK IMPINGEMENT HEATING ON A MDAC SHUTTLE CONFIGURATION, M = 10

**TABLE 4. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE A/B
(CONTINUED)**

DMS DR#	BOOSTER CONFIG. I.D.	ORBITER CONFIG. I.D.	VOL. NUM.	REPORT TITLE
1261	CYLINDRICAL	DELTA WING	1	AN EVALUATION OF ORBITER INDUCED INTERFERENCE HEATING ON THE BOOSTER, ORBITER TANK, AND INTERSTAGE FAIRINGS FOR BOTH LOW AND HIGH-ALPHA RE-ENTRY
1262	CANARD	DELTA WING	1	HEAT TRANSFER TESTS OF THE MCDONNELL-DOUGLAS DELTA WING ORBITER MATED WITH -17A BOOSTER AT MACH NUMBER 8
1262	CANARD	DELTA WING	2	HEAT TRANSFER TESTS OF THE MCDONNELL-DOUGLAS DELTA WING ORBITER AND THE -17A BOOSTER (NOT MATED) AT MACH NUMBER 8
1263	CANARD	DELTA WING	1	ASCENT SHOCK IMPINGEMENT HEATING ON A MDAC SHUTTLE CONFIGURATION, M = 2.3 AND 3.7
1264	DELTA WING	DELTA WING	1	ASCENT HEAT TRANSFER RATE DISTRIBUTION ON THE NR DELTA WING ORBITER AND THE GD/C BOOSTER AT MACH NUMBER OF 8 (MATED)
1264	DELTA WING	DELTA WING	2	ASCENT HEAT TRANSFER RATE DISTRIBUTION ON THE NR DELTA WING ORBITER AND THE GD/C BOOSTER AT MACH NUMBER OF 8 (NOT MATED)
1265	CYLINDRICAL	DELTA WING	1	AERODYNAMIC CHARACTERISTICS OF A SPACE SHUTTLE 040A ORBITER-TANK-SRM COMBINATION AT MACH NUMBERS FROM 2.3 TO 4.62
1266		DELTA WING	1	HEAT TRANSFER DISTRIBUTIONS ON THE LMSC 040C AND 040A-L4 DELTA WING ORBITERS (M = 8)
1267	CYLINDRICAL	DELTA WING	1	AERODYNAMIC CHARACTERISTICS OF AN 040A SPACE SHUTTLE LAUNCH CONFIGURATION WITH SIMULATED ROCKET PLUMES AT MACH NUMBERS FROM 0.8 TO 2.2

**TABLE 4. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE A/B
(CONTINUED)**

DMS DR#	BOOSTER CONFIG. I.D.	ORBITER CONFIG. I.D.	VOL. NUM.	REPORT TITLE
1268		DELTA WING	1	STATIC LONGITUDINAL AND LATERAL- DIRECTIONAL STABILITY CHARACTERISTICS OF A 0.01675 SCALE MODEL DOUBLE DELTA WING SPACE SHUTTLE ORBITER AT A MACH NUMBER OF 0.25
1269	TASK CANCELLED			** DOCUMENT WAS NOT PUBLISHED **
1270		DELTA WING	1	STATIC AERODYNAMIC CHARACTERISTICS AND CONTROL EFFECTIVENESS OF A DOUBLE DELTA WING ORBITER CONFIGURATION AT M = 20.3
1270		DELTA WING	2	STATIC AERODYNAMIC CHARACTERISTICS AND CONTROL EFFECTIVENESS OF A DOUBLE DELTA WING ORBITER CONFIGURATION AT M = 20.3 -- FLOW STUDIES
1271	TASK CANCELLED			** DOCUMENT WAS NOT PUBLISHED **
1272	CYLINDRICAL	DELTA WING	1	PERFORMANCE, STATIC STABILITY AND CONTROL EFFECTIVENESS OF A PARAMETRIC SPACE SHUTTLE LAUNCH VEHICLE BOOSTER
1273	CYLINDRICAL	DELTA WING	1	STATIC SURFACE PRESSURES OF THE 0.004 SCALE 049 ORBITER IN THE LAUNCH CONFIGURATION
1274		DELTA WING	1	STATIC STABILITY AND CONTROL EFFECTIVENESS OF THE 040A DELTA WING ORBITER (M = 0.6 TO 4.96)
1275	CYLINDRICAL		1	STABILITY AND CONTROL EFFECTIVENESS AT HIGH AND LOW ANGLES OF ATTACK AND EFFECTS OF VARIATIONS IN ENGINE SHROUD, FIN, AND DRAG PETAL CONFIGURATIONS FOR THE BOEING 0.008899-SCALE PRESSURE-FED BALLISTIC RECOVERABLE BOOSTER, MODEL 979-160

**TABLE 4. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE A/B
(CONCLUDED)**

DMS DR#	BOOSTER CONFIG. I.D.	ORBITER CONFIG. I.D.	VOL. NUM.	REPORT TITLE
1276	CYLINDRICAL		1	RE-ENTRY STABILITY IN NOSE-FORWARD AND BASE SHIELD-FORWARD ORIENTATIONS AND THE EFFECTIVENESS OF DRAG DEVICES FOR THE BOEING 0.006944-SCALE BALLISTIC RECOVERABLE BOOSTER. MODEL 979-071
1277		DELTA WING	1	STATIC LONGITUDINAL AND LATERAL- DIRECTIONAL STABILITY CHARACTERISTICS OF A 0.0075 SCALE MODEL DOUBLE DELTA-WING SPACE SHUTTLE ORBITER AT MACH NUMBER OF 10.33
1278	CYLINDRICAL	DELTA WING	1	SHOCK IMPINGEMENT HEATING ON THE MSC 040A-2/156-INCH SRM SPACE SHUTTLE LAUNCH CONFIGURATION, M = 8.0

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2001	128,750	MA5	AERODYNAMIC STABILITY AND CONTROL CHARACTERISTICS OF A 0.0125 SCALE MODEL NR ATP ORBITER AT MACH NUMBERS FROM 1.9 TO 4.63
2002	128,752	LA1	RESULTS OF TRANSONIC TESTS IN THE NASA/LARC 8 FOOT PRESSURE TUNNEL ON A 0.015 SCALE MODEL NR-PRR SPACE SHUTTLE ORBITER
2003	128,754	MA2	HYPERSONIC AERODYNAMIC CHARACTERISTICS OF NR-ATP ORBITER, ORBITER WITH EXTERNAL TANK AND ASCENT CONFIGURATION
2004	120,082	MA1	LONGITUDINAL AERODYNAMIC CHARACTERISTICS OF LOW ASPECT RATIO WING CONFIGURATIONS IN GROUND EFFECT FOR A MOVING AND STATIONARY GROUND SURFACE
2005	120,070	OA1	AERODYNAMIC STABILITY CONTROL EFFECTIVENESS AND DRAG CHARACTERISTICS OF A SHUTTLE ORBITER CONFIGURATION AT MACH NUMBERS FROM 0.6 TO 4.96
2006	120,088	IA1A	AERODYNAMIC STATIC STABILITY AND CONTROL EFFECTIVENESS OF A PARAMETRIC SHUTTLE LAUNCH CONFIGURATION
2007	128,760	OA4	RESULTS OF INVESTIGATIONS ON A 0.015 SCALE MODEL NORTH AMERICAN ROCKWELL SPACE SHUTTLE ORBITER IN THE NASA/ARC 3.5 FOOT HYPERSONIC WIND TUNNEL
2008	128,751	MA4	STATIC STABILITY AND PERFORMANCE CHARACTERISTICS OF THE A.T.P. ORBITER AT M=10.3
2009	128,761	OA3	AERODYNAMIC CHARACTERISTICS OF THE ROCKWELL INTERNATIONAL ORBITER OA3 AT MACH NUMBERS FROM 0.6 TO 2.0
2010	120,060	IA1B	DETERMINATION OF THE AERODYNAMIC INTERFERENCE BETWEEN THE SPACE SHUTTLE ORBITER, EXTERNAL TANK, AND SOLID ROCKET BOOSTER ON A 0.004 SCALE ASCENT CONFIGURATION
2011	120,089	MA9F	SPACE SHUTTLE (ATP CONFIGURATION) ABORT STAGING INVESTIGATION
2012	120,090	SA1F	AERODYNAMIC CHARACTERISTICS OF A 162-INCH DIAMETER SOLID ROCKET BOOSTER WITH AND WITHOUT STRAKES

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2013	128,762	IA2	EFFECT OF GASEOUS AND SOLID SIMULATED JET PLUMES ON AN 040A SPACE SHUTTLE LAUNCH CONFIGURATION AT MACH NUMBERS FROM 1.6 TO 2.2
2014	128,753	OA7	RESULTS OF SUPERSONIC TESTS IN THE LARC UNITARY PLAN WIND TUNNEL ON A .015 SCALE MODEL NR-PRR SPACE SHUTTLE ORBITER
2015	120,091 V-01	IA4	AERODYNAMIC RESULTS OF SEPARATION TESTS IN THE VOUGHT AERONAUTICS 4X4FT HSWT ON A .0075 SCALE ROCKWELL INTERNATIONAL-ATP SHUTTLE INTEGRATED VEHICLE
2015	120,091 V-02	IA4	AERODYNAMIC RESULTS OF SEPARATION TESTS ON THE VOUGHT AERONAUTICS 4FT X 4FT HSWT ON A .0075 SCALE ROCKWELL INTERNATIONAL-ATP SHUTTLE INTEGRATED VEHICLE
2016	120,092	OA2	RESULTS OF INVESTIGATIONS ON A 0.0405 SCALE MODEL ATP VERSION OF THE NR-SSV ORBITER IN THE NORTH AMERICAN AERONAUTICAL LABORATORY LOW SPEED WIND TUNNEL
2017	123,851	OA5	RESULTS OF INVESTIGATIONS ON A 0.0405 SCALE MODEL PRR VERSION OF THE NR-SSV ORBITER IN THE NORTH AMERICAN AERONAUTICAL LABORATORY LOW SPEED WIND TUNNEL
2018	128,755	IA3	CROSS WIND LOADS INVESTIGATION OF A .01925 SCALE MODEL OF THE ATP-SSV LAUNCH CONFIGURATION
2019	128,756	OA6	LOW SPEED LONGITUDINAL AND LATERAL STABILITY CHARACTERISTICS OF A PRR SHUTTLE ORBITER CONFIGURATION
2020	128,757	OA9	LOW SPEED INVESTIGATION OF THE PRR PLANFORM WING BOTH IN AND OUT OF GROUND EFFECT
2021	128,758 V-01	OA45	PRESSURE LOADS AND AERODYNAMIC FORCE INFORMATION FOR THE -89A SPACE SHUTTLE ORBITER CONFIGURATION
2021	128,758 V-02	OA45	PRESSURE LOADS AND AERODYNAMIC FORCE INFORMATION FOR THE -89A SPACE SHUTTLE ORBITER CONFIGURATION

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2022	128,759	OA10	AERODYNAMIC CHARACTERISTICS OF THE ROCKWELL INTERNATIONAL -89B SPACE SHUTTLE ORBITER CONFIGURATION
2023	128,763	LA2	STATIC AERODYNAMIC CHARACTERISTICS AND OIL FLOW AND ELECTRON BEAM RESULTS OF A 0.005 SCALE MODEL LANGLEY CONCEPT SPACE SHUTTLE ORBITER(L0-100) AT A MACH NUMBER OF 20.3
2024	128,766	IA7	WIND TUNNEL TEST OF THE 0.019 (040A) JET PLUME SPACE SHUTTLE INTEGRATED VEHICLE IN THE ARC 11-FOOT UNITARY WIND TUNNEL
2025	128,767	SA3F	AERODYNAMIC CHARACTERISTICS OF A 142-INCH DIAMETER SOLID ROCKET BOOSTER WITH AND WITHOUT STRAKES
2026	128,778	IA31F	AERODYNAMIC INVESTIGATIONS ON A 0.004 SCALE MODEL MCR 0074 BASELINE SPACE SHUTTLE LAUNCH VEHICLE AT MACH NO. BETWEEN 0.6 AND 4.96
2027	141,807 V-01	IA32FB	AN INVESTIGATION IN THE NASA MSFC 14-INCH TRISONIC WIND TUNNEL TO DETERMINE THE PRESSURE DISTRIBUTION OVER THE COMPONENTS OF A 0.004 SCALE VERSION OF THE ROCKWELL MCR 0074 BASELINE SHUTTLE ASCENT CONFIGURATION (IA32FB)
2027	141,808 V-02	IA32FB	AN INVESTIGATION IN THE NASA MSFC 14-INCH TRISONIC WIND TUNNEL TO DETERMINE THE PRESSURE DISTRIBUTION OVER THE COMPONENTS OF A 0.004 SCALE VERSION OF THE ROCKWELL MCR 0074 BASELINE SHUTTLE ASCENT CONFIGURATION (IA32F)
2027	141,809 V-03	IA32FB	AN INVESTIGATION IN THE NASA MSFC 14-INCH TRISONIC WIND TUNNEL TO DETERMINE THE PRESSURE DISTRIBUTION OVER THE COMPONENTS OF A 0.004 SCALE VERSION OF THE ROCKWELL MCR 0074 BASELINE SHUTTLE ASCENT CONFIGURATION (IA32F)
2028	134,434 V-01	IA31FB	TRIPLE BALANCE TEST OF THE PRR BASELINE SPACE SHUTTLE CONFIGURATION (TWT 570)
2028	134,436 V-02	IA31FB	TRIPLE BALANCE TEST OF THE PRR BASELINE SPACE SHUTTLE CONFIGURATION (TWT 570)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2029	128,765	OA47	RESULTS OF A STATIC STABILITY AND CONTROL EFFECTIVENESS INVESTIGATION OF A 0.004 SCALE 2A ORBITER IN THE MARSHALL SPACE FLIGHT CENTER TRISONIC WIND TUNNEL (MACH=0.6 -4.96)
2030	128,768	OA14	AERODYNAMIC CHARACTERISTICS OF VARIOUS AFT-END CONFIGURATIONS OF THE ROCKWELL INTERNATIONAL - 89B SPACE SHUTTLE ORBITER
2031	128,769	LA3	HYPERSONIC PERFORMANCE. STABILITY AND CONTROL CHARACTERISTICS OF A 0.010 SCALE MODEL OF A LANGLEY CONCEPT SPACE SHUTTLE ORBITER
2032	128,794 V-01	IA9A,B,C/ OA12A,C	RESULTS OF TESTS OA12 AND IA9 IN THE AMES RESEARCH CENTER UNITARY PLAN WIND TUNNELS ON AN 0.030-SCALE MODEL OF THE SPACE SHUTTLE VEHICLE 2A TO DETERMINE AERODYNAMIC LOADS
2032	128,794 V-02	IA9A,B,C/ OA12A,C	RESULTS OF TESTS OA12 AND IA9 IN THE AMES RESEARCH CENTER UNITARY PLAN WIND TUNNELS ON AN 0.030-SCALE MODEL OF THE SPACE SHUTTLE VEHICLE 2A TO DETERMINE AERODYNAMIC LOADS
2032	128,794 V-03	IA9A,B,C/ OA12A,C	RESULTS OF TESTS OA12 AND IA9 IN THE AMES RESEARCH CENTER UNITARY PLAN WIND TUNNELS ON AN 0.030-SCALE MODEL OF THE SPACE SHUTTLE VEHICLE 2A TO DETERMINE AERODYNAMIC LOADS
2032	128,794 V-04	IA9A,B,C/ OA12A,C	RESULTS OF TESTS OA12 AND IA9 IN THE AMES RESEARCH CENTER UNITARY PLAN WIND TUNNELS ON AN 0.030-SCALE MODEL OF THE SPACE SHUTTLE VEHICLE 2A TO DETERMINE AERODYNAMIC LOADS
2032	128,794 V-05	IA9A,B,C/ OA12A,C	RESULTS OF TESTS OA12 AND IA9 IN THE AMES RESEARCH CENTER UNITARY PLAN WIND TUNNELS ON AN 0.030-SCALE MODEL OF THE SPACE SHUTTLE VEHICLE 2A TO DETERMINE AERODYNAMIC LOADS
2032	128,794 V-06	IA9A,B,C/ OA12A,C	RESULTS OF TESTS OA12 AND IA9 IN THE AMES RESEARCH CENTER UNITARY PLAN WIND TUNNELS ON AN 0.030-SCALE MODEL OF THE SPACE SHUTTLE VEHICLE 2A TO DETERMINE AERODYNAMIC LOADS

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2032	128,794 V-07	IA9A,B,C/ OA12A,C	RESULTS OF TESTS OA12 AND IA9 IN THE AMES RESEARCH CENTER UNITARY PLAN WIND TUNNELS ON AN 0.030- SCALE MODEL OF THE SPACE SHUTTLE VEHICLE 2A TO DETERMINE AERODYNAMIC LOADS
2032	128,794 V-08	IA9A,B,C/ OA12A,C	RESULTS OF TESTS OA12 AND IA9 IN THE AMES RESEARCH CENTER UNITARY PLAN WIND TUNNELS ON AN 0.030-SCALE MODEL OF THE SPACE SHUTTLE VEHICLE 2A TO DETERMINE AERODYNAMIC LOADS
2032	128,794 V-09	IA9A,B,C/ OA12A,C	RESULTS OF TESTS OA12 AND IA9 IN THE AMES RESEARCH CENTER UNITARY PLAN WIND TUNNELS ON AN 0.030-SCALE MODEL OF THE SPACE SHUTTLE VEHICLE 2A TO DETERMINE AERODYNAMIC LOADS
2032	128,794 V-10	IA9A,B,C/ OA12A,C	RESULTS OF TESTS OA12 AND IA9 IN THE AMES RESEARCH CENTER UNITARY PLAN WIND TUNNELS ON AN 0.030-SCALE MODEL OF THE SPACE SHUTTLE VEHICLE 2A TO DETERMINE AERODYNAMIC LOADS
2032	128,794 V-11	IA9A,B,C/ OA12A,C	RESULTS OF TESTS OA12 AND IA9 IN THE AMES RESEARCH CENTER UNITARY PLAN WIND TUNNELS ON AN 0.030-SCALE MODEL OF THE SPACE SHUTTLE VEHICLE 2A TO DETERMINE AERODYNAMIC LOADS
2032	128,794 V-12	IA9A,B,C/ OA12A,C	RESULTS OF TESTS OA12 AND IA9 IN THE AMES RESEARCH CENTER UNITARY PLAN WIND TUNNELS ON AN 0.030-SCALE MODEL OF THE SPACE SHUTTLE VEHICLE 2A TO DETERMINE AERODYNAMIC LOADS
2032	128,794 V-13	IA9A,B,C/ OA12A,C	RESULTS OF TESTS OA12 AND IA9 IN THE AMES RESEARCH CENTER UNITARY PLAN WIND TUNNELS ON AN 0.030-SCALE MODEL OF THE SPACE SHUTTLE VEHICLE 2A TO DETERMINE AERODYNAMIC LOADS
2032	128,794 V-14	IA9A,B,C/ OA12A,C	RESULTS OF TESTS OA12 AND IA9 IN THE AMES RESEARCH CENTER UNITARY PLAN WIND TUNNELS ON AN 0.030-SCALE MODEL OF THE SPACE SHUTTLE VEHICLE 2A TO DETERMINE AERODYNAMIC LOADS
2032	128,794 V-15	IA9A,B,C/ OA12A,C	RESULTS OF TESTS OA12 AND IA9 IN THE AMES RESEARCH CENTER UNITARY PLAN WIND TUNNELS ON AN 0.030-SCALE MODEL OF THE SPACE SHUTTLE VEHICLE 2A TO DETERMINE AERODYNAMIC LOADS

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2032	128,794 V-16	IA9A,B,C/ OA12A,C	RESULTS OF TESTS OA12 AND IA9 IN THE AMES RESEARCH CENTER UNITARY PLAN WIND TUNNELS ON AN 0.030-SCALE MODEL OF THE SPACE SHUTTLE VEHICLE 2A TO DETERMINE AERODYNAMIC LOADS
2032	128,794 V-17	IA9A,B,C/ OA12A,C	RESULTS OF TESTS OA12 AND IA9 IN THE AMES RESEARCH CENTER UNITARY PLAN WIND TUNNELS ON AN 0.030-SCALE MODEL OF THE SPACE SHUTTLE VEHICLE 2A TO DETERMINE AERODYNAMIC LOADS
2032	128,794 V-18	IA9A,B,C/ OA12A,C	RESULTS OF TESTS OA12 AND IA9 IN THE AMES RESEARCH CENTER UNITARY PLAN WIND TUNNELS ON AN 0.030-SCALE MODEL OF THE SPACE SHUTTLE VEHICLE 2A TO DETERMINE AERODYNAMIC LOADS
2033	128,772	LA4	SUPERSONIC STABILITY AND CONTROL CHARACTERISTICS OF A LANGLEY CONCEPT SPACE SHUTTLE ORBITER AT MACH 1.5 TO 4.63
2034	128,764	LA22	AERODYNAMIC AND FLOW VISUALIZATION STUDIES ON A SPACE SHUTTLE CONCEPT WITH A DOUBLE DELTA WING ORBITER AT A MACH NUMBER OF 20.3
2035	134,077	OH2A/OH2B	THERMAL PROTECTION SYSTEM GAP HEATING RATES OF THE ROCKWELL INTERNATIONAL FLAT PLATE HEAT TRANSFER MODEL
2036	128,776	LA5	AERODYNAMIC AND FLOW-VISUALIZATION STUDIES ASSOCIATED WITH VARIATIONS IN THE GEOMETRY OF THE FORWARD PORTION OF IRREGULAR PLANFORM WINGS AT A MACH NUMBER OF 20.3
2037	134,405	OA84	RESULTS OF INVESTIGATIONS ON A 0.015-SCALE 140A/B CONFIGURATION SPACE SHUTTLE VEHICLE ORBITER MODEL (49-0) IN THE LTV 4 BY 4-FOOT HIGH SPEED WIND TUNNEL
2038	128,793	OA16	RESULTS OF LOW SPEED WIND TUNNEL TESTS ON A .0405 SCALE MODEL ROCKWELL SPACE SHUTTLE ORBITER BOTH TESTED IN FREE AIR AND IN THE PRESENCE OF A GROUND PLANE

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2039	134,071	1A6A	RESULTS OF WIND TUNNEL TESTS AT MACH 5 ON THE .004 SCALE MODEL 2A CONFIGURATION SPACE SHUTTLE TO DETERMINE PROXIMITY EFFECTS AND ORBITER CONTROL EFFECTIVENESS DURING ORBITER/EXTERNAL TANK ABORT SEPARATION
2040	128,773	1A6	SURFACE ROUGHNESS EFFECTS ON THE TRANSONIC AERODYNAMICS OF THE ROCKWELL INTERNATIONAL 089B-139 ORBITER
2041	128,781	1A7A	TRANSONIC AERODYNAMIC CHARACTERISTICS ASSOCIATED WITH VARIATIONS IN THE GEOMETRY OF THE FORWARD PORTION OF IRREGULAR PLANFORM WINGS
2042	134,087	1A52	RESULTS OF FLOW VISUALIZATION STUDIES IN THE NASA/MSFC 14 X 14 INCH TRANSONIC WIND TUNNEL ON A 0.004 SCALE MODEL (34-0) SPACE SHUTTLE ORBITER AND INTEGRATED VEHICLE
2043	128,770	1A16	HEAT TRANSFER DATA TO CAVITIES BETWEEN SIMULATED RSI TILES AT MACH 8
2044	128,786	0A11A	RESULTS OF INVESTIGATIONS ON A 0.015-SCALE MODEL 2A CONFIGURATION OF THE ROCKWELL INTERNATIONAL SPACE SHUTTLE ORBITER IN THE NASA/AMES RESEARCH CENTER 3.5 FOOT HYPERSONIC WIND TUNNEL
2045	128,779	0A18	RESULTS OF INVESTIGATIONS (0A1B) OF A 0.0405 SCALE MODEL OF THE 2A AND 3 SPACE SHUTTLE ORBITER CONFIGURATIONS IN THE NORTH AMERICAN AERONAUTICAL LABORATORY LOW SPEED WIND TUNNEL AT M = 0.26 AND 0.16
2046	128,776	1A17	AERODYNAMIC STABILITY AND CONTROL CHARACTERISTICS OF A LANGLEY CONCEPT SPACE SHUTTLE ORBITER (L0-100) AT MACH NUMBERS OF 0.35 TO 1.2
2047	134,086	1A31	EFFECT OF WALL TO TOTAL TEMPERATURE RATIO VARIATION ON HEAT TRANSFER

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2048	134,104	1A12B	WIND TUNNEL TEST OF THE 0.019 (2A CONFIGURATION) JET PLUME SPACE SHUTTLE INTEGRATED VEHICLE IN THE ARC 9- BY 7-FOOT UNITARY WIND TUNNEL
2049	128,771	OH40	AERODYNAMIC HEATING OF A SPACE SHUTTLE DOUBLE DELTA WING ORBITER AT MACH NUMBER 8.0
2050	128,790	OA43	WIND TUNNEL TEST OF THE 0.15-SCALE ROCKWELL INTERNATIONAL SPACE SHUTTLE VEHICLE ORBITER IN THE AMES 6- BY 6-FOOT SUPERSONIC WIND TUNNEL
2051	128,774	SA5F	AERODYNAMIC CHARACTERISTICS OF A 142-INCH DIAMETER SOLID ROCKET BOOSTER (CONFIGURATIONS 89B AND 139)
2052	128,791	LA10	SUPERSONIC AERODYNAMIC CHARACTERISTICS ASSOCIATED WITH VARIATIONS IN THE GEOMETRY OF THE FORWARD PORTION OF IRREGULAR PLANFORM WINGS
2053	128,792 V-01	OA21B	EXPERIMENTAL INVESTIGATIONS OF AN 0.0405 SCALE SPACE SHUTTLE CONFIGURATION 3 ORBITER TO DETERMINE SUBSONIC STABILITY CHARACTERISTICS (OA21)
2053	128,792 V-02	OA21B	EXPERIMENTAL INVESTIGATIONS OF AN 0.0405 SCALE SPACE SHUTTLE CONFIGURATION 3 ORBITER TO DETERMINE SUBSONIC STABILITY CHARACTERISTICS (OA21)
2054	128,796	LA8A/LA8B	SURFACE ROUGHNESS EFFECTS ON THE SUPERSONIC AERODYNAMICS OF THE ROCKWELL INTERNATIONAL 089B-139 ORBITER
2055	128,780 V-01	OA48	STATIC STABILITY AND CONTROL EFFECTIVENESS OF MODELS 12-0 AND 34-0 OF THE VEHICLE 3 CONFIGURATIONS
2055	128,780 V-02	OA48	STATIC STABILITY AND CONTROL EFFECTIVENESS OF MODELS 12-0 AND 34-0 OF THE VEHICLE 3 CONFIGURATIONS
2055	128,780 V-03	OA48	STATIC STABILITY AND CONTROL EFFECTIVENESS OF MODELS 12-0 AND 34-0 OF THE VEHICLE 3 CONFIGURATIONS
2056	128,782	LA9	SURFACE ROUGHNESS EFFECTS ON THE SUBSONIC AERODYNAMICS OF THE ROCKWELL INTERNATIONAL 089B-139 ORBITER

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2057	134,411	OA44	RESULTS OF AN EXPERIMENTAL AERODYNAMIC INVESTIGATION TO OBTAIN STATIC STABILITY AND CONTROL CHARACTERISTICS OF THE SSV CONFIGURATIONS 2A (VL70-000089B) MODEL 1 AND 3 (VL70- 000139B) MODEL 2 ORBITERS AT MACH NUMBERS OF 2.5, 3.9, AND 4.6 IN THE-NASA LARC 4X4-FOOT UPWT (OA44)
2058	134,079	OA17	RESULTS OF THE 0.015 SCALE SPACE SHUTTLE VEHICLE ORBITER TEST (OA17) IN THE NASA LOW TURBULENCE PRESSURE TUNNEL
2059	128,798	OA11B	INVESTIGATIONS OF THE SPACE SHUTTLE ORBITER 2A CONFIGURATION 0.015-SCALE MODEL IN THE NASA AMES RESEARCH CENTER 3.5-FOOT HYPERSONIC WIND TUNNEL AT MACH NUMBERS 5, 7 AND 10
2060	134,091	OA58	RESULTS OF AN AERODYNAMIC FORCE AND MOMENT INVESTIGATION OF AN 0.015-SCALE CONFIGURATION 3 SPACE SHUTTLE ORBITER IN THE NASA/ARC 3.5-FOOT HYPERSONIC WIND TUNNEL (OA58)
2061	128,789	OA68	SUBSONIC, TRANSONIC, AND SUPERSONIC STABILITY AND CONTROL CHARACTERISTICS OF THE -147B SPACE SHUTTLE ORBITER
2062	134,117 V-01	IA13	AERODYNAMIC RESULTS OF A SEPARATION EFFECTS TEST CONDUCTED IN THE AEDC 40X 40 INCH TUNNEL A FACILITY ON THE ROCKWELL INTERNATIONAL LAUNCH CONFIGURATION 3 INTEGRATED VEHICLE
2062	134,118 V-02	IA13	AERODYNAMIC RESULTS OF A SEPARATION EFFECTS TEST CONDUCTED IN THE AEDC 40X 40 INCH TUNNEL A FACILITY ON THE ROCKWELL INTERNATIONAL LAUNCH CONFIGURATION 3 INTEGRATED VEHICLE
2062	141,801 V-03	IA13	AERODYNAMIC RESULTS OF A SEPARATION EFFECTS TEST CONDUCTED IN THE AEDC 40X 40 INCH TUNNEL A FACILITY ON THE ROCKWELL INTERNATIONAL LAUNCH CONFIGURATION 3 INTEGRATED VEHICLE
2063	128,788	IA37/1A48	RESULTS OF TESTS IN THE MSFC 14X14 INCH TRISONIC WIND TUNNEL ON A 0.004 SCALE MODEL OF THE ROCKWELL INTERNATIONAL SPACE SHUTTLE VEHICLE 3, (INTEGRATED CONFIGURATION)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2064	141,814 V-01	IA36	WIND TUNNEL TEST OF THE 0.019 SCALE SPACE SHUTTLE INTEGRATED VEHICLE(MODEL 14-0TS) IN THE CALSPAN 8-FOOT TRANSONIC WIND TUNNEL (IA36)
2064	141,816 V-02	IA36	WING TUNNEL TEST OF THE 0.019 SCALE SPACE SHUTTLE INTEGRATED VEHICLE(MODEL 14-0TS) IN THE CALSPAN 8-FOOT TRANSONIC WIND TUNNEL (IA36)
2065	141,518 V-01	IA12C	WIND TUNNEL TESTS OF AN 0.019-SCALE SPACE SHUTTLE INTEGRATED VEHICLE IN THE NASA AMES 8 X 7-FOOT UNITARY WIND TUNNEL(IA12C)
2065	141,519 V-02	IA12C	WIND TUNNEL TESTS OF AN 0.019-SCALE SPACE SHUTTLE INTEGRATED VEHICLE IN THE NASA AMES 8 X 7-FOOT UNITARY WIND TUNNEL(IA12C)
2065	141,520 V-03	IA12C	WIND TUNNEL TESTS OF AN 0.019-SCALE SPACE SHUTTLE INTEGRATED VEHICLE IN THE NASA AMES 8 X 7-FOOT UNITARY WIND TUNNEL(IA12C)
2066	128,783	LA11	HYPERSONIC PERFORMANCE, STABILITY AND CONTROL CHARACTERISTICS OF A 0.0075 SCALE MODEL ROCKWELL INTERNATIONAL 089-139 ORBITER CONFIGURATION
2067	128,777	OS2	FLUTTER TESTS (052) OF THE SHUTTLE ORBITER FIN/RUDDER MODEL 24-0
2068	128,797	OA71A	EFFECTS OF THE AIR BREATHING PROPULSION SYSTEM ON SPACE SHUTTLE ORBITER SUBSONIC STABILITY AND CONTROL CHARACTERISTICS (OA71A)
2069	134,074	MA7	EFFECTS OF REACTION CONTROL SYSTEM JET-FLOW FIELD INTERACTIONS ON A 0.015 SCALE MODEL SPACE SHUTTLE ORBITER AERODYNAMIC CHARACTERISTICS
2070	128,787	LA23	EFFECT OF GASEOUS AND SOLID SIMULATED JET PLUMES ON AN 040A SPACE SHUTTLE LAUNCH CONFIGURATION AT MACH NUMBERS FROM 1.6 TO 2.2
2071	128,799	OA73	RESULTS OF TESTS OF 0.010- AND 0.015 SCALE MODELS OF SPACE SHUTTLE ORBITER CONFIGURATIONS 3 AND 3A IN THE AMES RESEARCH CENTER 3 5-FOOT HYPERSONIC WIND TUNNEL (OA23)
2072	134,072	IA31FC	MISALIGNMENT STUDIES ON SPACE SHUTTLE INTEGRATED VEHICLE

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2073	134,070	OA70	EFFECTS OF REACTION CONTROL SYSTEM JET SIMULATION ON THE STABILITY AND CONTROL CHARACTERISTICS OF A 0.015 SCALE SPACE SHUTTLE MODEL TESTED IN THE LANGLEY RESEARCH CENTER UNITARY PLAN WIND TUNNEL
2074	134,414	OA57A	EFFECTS OF THE AIR BREATHING ENGINE PLUMES ON SSV ORBITER SUBSONIC WING PRESSURE DISTRIBUTIONS
2075	128,784	OH41	INVESTIGATION OF CONFIGURATION EFFECTS ON ENTRY HEATING DISTRIBUTIONS AT MACH = 8.0 (OH41)
2076	128, 785	OH41A	INVESTIGATION OF CONFIGURATION EFFECTS ON ENTRY HEATING DISTRIBUTIONS AT MACH = 8.0 (OH41A)
2077	134,095 V-01	IA29/OA63	RESULTS OF TESTS OA63 AND IA29 ON AN 0.015-SCALE MODEL OF THE SPACE SHUTTLE CONFIGURATION 140 A/B IN THE NASA/ARC 6- BY 6-FOOT TRANSONIC WIND TUNNEL
2077	134,099 V-02	IA29/OA63	RESULTS OF TESTS OA63 AND IA29 ON AN 0.015 SCALE MODEL OF THE SPACE SHUTTLE CONFIGURATION 140 A/B IN THE NASA/ARC 6- BY 6-FOOT TRANSONIC WIND TUNNEL
2077	134,100 V-03	IA29/OA63	RESULTS OF TESTS OA63 AND IA29 ON AN 0.015 SCALE MODEL OF THE SPACE SHUTTLE CONFIGURATION 140 A/B IN THE NASA/ARC 6- BY 6-FOOT TRANSONIC WIND TUNNEL
2078	128,795	IA10	WIND TUNNEL TEST OF THE 0.010-SCALE SPACE SHUTTLE INTEGRATED VEHICLE IN THE NASA-AMES 3.5-FOOT HYPERSONIC WIND TUNNEL (IA10)
2079	134,083	LA15	EFFECTS OF SURFACE ROUGHNESS ON THE AERODYNAMIC CHARACTERISTICS OF THE MODIFIED 089 B SHUTTLE ORBITER AT MACH 6 (LA15)
2080	134,416 V-01	OA57B	EFFECTS OF AIR BREATHING ENGINE PLUMES ON SSV ORBITER SUBSONIC WING PRESSURE DISTRIBUTION
2080	134,417 V-02	OA57B	EFFECTS OF AIR BREATHING ENGINE PLUMES ON SSV ORBITER SUBSONIC WING PRESSURE DISTRIBUTION
2081	141, 580 V-01	OA69	LANDING PRESSURE LOADS OF THE -140 A/B SPACE SHUTTLE ORBITER DETERMINED IN THE NRLAD LOW SPEED WIND TUNNEL (OA69)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2081	141,581	V-02 OA69	LANDING PRESSURE LOADS OF THE -140 A/B SPACE SHUTTLE ORBITER DETER- MINED IN THE NRLAD LOW SPEED WIND TUNNEL (OA69)
2082	128,800	OA73	EFFECTS OF REACTION CONTROL SYSTEM JET SIMULATION ON THE STABILITY AND CONTROL CHARACTERISTICS OF A 0.015-SCALE SPACE SHUTTLE ORBITER MODEL IN THE AMES RESEARCH CENTER 3.5-FOOT HYPERSONIC WIND TUNNEL
2083	134,081	OA20A	RESULTS OF INVESTIGATIONS (OA20) ON A 0.015-SCALE 140 A/B CONFIGURATION SPACE SHUTTLE VEHICLE ORBITER MODEL IN THE NASA/LANGLEY RESEARCH CENTER UNITARY PLAN WIND TUNNEL
2084	134,443	V-01 IA14A	AIRLOADS INVESTIGATIONS OF AN 0.030-SCALE MODEL OF THE SPACE SHUTTLE VEHICLE 140A/B LAUNCH CONFIGURATION (MODEL 47-OTS) IN THE ARC 11-FOOT UNITARY PLAN WIND TUNNELOR MACH RANGE 0.6 TO 1.4 (IA14A)
2084	134,444	V-02 IA14A	AIRLOADS INVESTIGATIONS OF AN 0.030-SCALE MODEL OF THE SPACE SHUTTLE VEHICLE 140A/B LAUNCH CONFIGURATION (MODEL 47-OTS) IN THE ARC 11-FOOT UNITARY PLAN WIND TUNNELOR MACH RANGE 0.6 TO 1.4 (IA14A)
2084	143,445	V-03 IA14A	AIRLOADS INVESTIGATIONS OF AN 0.030-SCALE MODEL OF THE SPACE SHUTTLE VEHICLE 140A/B LAUNCH CONFIGURATION (MODEL 47-OTS) IN THE ARC 11-FOOT UNITARY PLAN WIND TUNNEL FOR MACH RANGE 0.6 TO 1.4 (IA14A)
2084	143,446	V-04 IA14A	AIRLOADS INVESTIGATIONS OF AN 0.030-SCALE MODEL OF THE SPACE SHUTTLE VEHICLE 140A/B LAUNCH CONFIGURATION (MODEL 47-OTS) IN THE ARC 11-FOOT UNITARY PLAN WIND TUNNEL FOR MACH RANGE 0.6 TO 1.4 (IA14A)
2084	143,447	V-05 IA14A	AIRLOADS INVESTIGATIONS OF AN 0.030-SCALE MODEL OF THE SPACE SHUTTLE VEHICLE 140A/B LAUNCH CONFIGURATION (MODEL 47-OTS) IN THE ARC 11-FOOT UNITARY PLAN WIND TUNNEL FOR MACH RANGE 0.6 TO 1.4 (IA14A)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2084	143,448 V-06	IA14A	AIRLOADS INVESTIGATIONS OF AN 0.030-SCALE MODEL OF THE SPACE SHUTTLE VEHICLE 140A/B LAUNCH CONFIGURATION (MODEL 47-OTS) IN THE ARC 11-FOOT UNITARY PLAN WIND TUNNEL FOR MACH RANGE 0.6 TO 1.4 (IA14A)
2084	143,449 V-07	IA14A	AIRLOADS INVESTIGATIONS OF AN 0.030-SCALE MODEL OF THE SPACE SHUTTLE VEHICLE 140A/B LAUNCH CONFIGURATION (MODEL 47-OTS) IN THE ARC 11-FOOT UNITARY PLAN WIND TUNNEL FOR MACH RANGE 0.6 TO 1.4 (IA14A)
2084	143,449 V-08	IA14A	AIRLOADS INVESTIGATIONS OF AN 0.030-SCALE MODEL OF THE SPACE SHUTTLE VEHICLE 140A/B LAUNCH CONFIGURATION (MODEL 47-OTS) IN THE ARC 11-FOOT UNITARY PLAN WIND TUNNEL FOR MACH RANGE 0.6 TO 1.4 (IA14A)
2084	141,501 V-09	IA14A	AIRLOADS INVESTIGATIONS OF AN 0.030-SCALE MODEL OF THE SPACE SHUTTLE VEHICLE 140A/B LAUNCH CONFIGURATION (MODEL 47-OTS) IN THE ARC 11-FOOT UNITARY PLAN WIND TUNNEL FOR MACH RANGE 0.6 TO 1.4 (IA14A)
2084	141,502 V-10	IA14A	AIRLOADS INVESTIGATIONS OF AN 0.030-SCALE MODEL OF THE SPACE SHUTTLE VEHICLE 140A/B LAUNCH CONFIGURATION (MODEL 47-OTS) IN THE ARC 11-FOOT UNITARY PLAN WIND TUNNEL FOR MACH RANGE 0.6 TO 1.4 (IA14A)
2084	141,503 V-11	IA14A	AIRLOADS INVESTIGATIONS OF AN 0.030-SCALE MODEL OF THE SPACE SHUTTLE VEHICLE 140A/B LAUNCH CONFIGURATION (MODEL 47-OTS) IN THE ARC 11-FOOT UNITARY PLAN WIND TUNNEL FOR MACH RANGE 0.6 TO 1.4 (IA14A)
2085	167,344	OH10/IH2	REPORT OF PRESSURE DISTRIBUTION TESTS OF THE 0.010- SCALE SPACE SHUTTLE VEHICLE MODEL (26-OTS) IN THE NASA/ARC 3.5-FOOT HYPERSONIC WIND TUNNEL (TESTS OH10 AND IH2)
2086	134,078	OA71C	EFFECTS OF THE SIX ENGINE AIR BREATHING PROPULSION SYSTEM ON SPACE SHUTTLE ORBITER SUBSONIC STABILITY AND CONTROL CHARACTERISTICS

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2087	134,116	SA10F	EFFECT OF ENGINE SHROUD CONFIGURATION ON THE STATIC AERODYNAMIC CHARACTERISTICS OF A 0.00563 SCALE 142-INCH DIAMETER SOLID ROCKET BOOSTER
2088	134,105	SA2FA/SA2FB	AERODYNAMIC CHARACTERISTICS OF A 142-INCH DIAMETER SOLID ROCKET BOOSTER (CONFIGURATION 139)
2089	134,082	OA25	RESULTS OF INVESTIGATIONS ON AN 0.015-SCALE CONFIGURATION 140A/B SPACE SHUTTLE ORBITER MODEL (49-0) IN THE NASA/LANGLEY RESEARCH CENTER 8-FOOT TRANSONIC PRESSURE TUNNEL (OA25)
2090	134,080	LA8C	SUPERSONIC PERFORMANCE, STABILITY AND CONTROL CHARACTERISTICS OF A 0.01875 SCALE MODEL ROCKWELL INTERNATIONAL 089B-139B ORBITER CONFIGURATION (LA8C)
2091	141,512	LA7B	SUBSONIC AND TRANSONIC AERODYNAMIC CHARACTERISTICS ASSOCIATED WITH VARIATIONS IN THE GEOMETRY OF THE FORWARD PORTION OF IRREGULAR PLANFORM WINGS ON A .01875 SCALE LO-100 LANGLEY CONCEPT SPACE SHUTTLE ORBITER IN THE LANGLEY 8-FOOT TPT (LA7B)
2092	TM-X71968	OA72	HYPERSONIC STABILITY AND CONTROL CHARACTERISTICS OF A 0.004 SCALE MODEL (34-0) ROCKWELL INTERNATIONAL SPACE SHUTTLE ORBITER VEHICLE 3 CONFIGURATION (OA-72)
2093	134,090	IA37B	EFFECT OF EXTERNAL TANK NOSE SHAPE ON THE ROCKWELL INTERNATIONAL SPACE SHUTTLE
2094	134,073	OS1	FLUTTER TESTS (OS1) OF THE 0.02-SCALE ORBITER WING ELEVON SEMI-SPAN MODEL 23-0
2095	134,404	OA49	AN INVESTIGATION OF THE STABILITY AND CONTROL CHARACTERISTICS OF THE VEHICLE 4 CONFIGURATION
2096	134,101	OH13	HEAT TRANSFER TESTS OF AN 0.006-SCALE THIN SKIN SPACE SHUTTLE THERMOCOUPLE MODEL (41-0) IN THE LANGLEY RESEARCH CENTER VARIABLE DENSITY TUNNEL AT M=8

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2097	134,102	OA62A	CONTINUED INVESTIGATIONS IN THE NAAL LOW SPEED WIND TUNNEL INTO THE EFFECTS OF THE AIR BREATHING PROPULSION SYSTEM ON ORBITER SUBSONIC STABILITY AND CONTROL CHARACTERISTICS (OA62A)
2098	134,096	IH15	HEAT TRANSFER TESTS OF A 0.006-SCALE THIN-SKIN SPACE SHUTTLE MODEL (41-OTS) IN THE AMES 3.5-FOOT HWT AT M=5.3
2099	134,419 V-01	OH4B	DATA REPORT FOR TESTS ON THE HEAT TRANSFER EFFECTS OF THE 0.0175-SCALE ROCKWELL INTERNATIONAL SPACE SHUTTLE VEHICLE MODEL 22-0T IN THE AEDC 50-INCH B WIND TUNNEL
2099	134,438 V-02	OH4B	DATA REPORT FOR TESTS ON THE HEAT TRANSFER EFFECTS OF THE 0.0175-SCALE ROCKWELL INTERNATIONAL SPACE SHUTTLE VEHICLE MODEL 22-0T IN THE AEDC 50-INCH B WIND TUNNEL
2099	134,439 V-03	OH4B	DATA REPORT FOR TESTS ON THE HEAT TRANSFER EFFECTS OF THE 0.0175-SCALE ROCKWELL INTERNATIONAL SPACE SHUTTLE VEHICLE MODEL 22-0T IN THE AEDC 50-INCH B WIND TUNNEL
2100	134,075	OH3A/OH3B	PHASE CHANGE PAINT TESTS ON ROCKWELL ORBITER/TANK AND ORBITER ALONE CONFIGURATIONS
2101	134,076	OH42A/B/C	HEAT TRANSFER PHASE CHANGE PAINT TEST (OH-42) OF A ROCKWELL INTERNATIONAL SSV ORBITER IN THE NASA/LRC MACH 8 VARIABLE DENSITY WIND TUNNEL
2102	134,089	IA15	RESULTS OF INVESTIGATIONS ON A 0.010-SCALE MODEL OF THE CONFIGURATION 3 SPACE SHUTTLE ORBITER AND EXTERNAL TANK IN THE NASA/AMES RESEARCH CENTER 3.5-FOOT HYPERSONIC WIND TUNNEL (IA15)
2103	134,094	IA62F	WIND TUNNEL TEST RESULTS OF FAIRINGS ON A 0.004 SCALE MODEL ROCKWELL SPACE SHUTTLE INTEGRATED VEHICLE AERODYNAMIC CHARACTERISTICS AT MACH NUMBERS FROM 0.6 TO 4.96 (IA62F)
2104	134,112 V-01	OA62B	INVESTIGATION OF SPACE SHUTTLE ORBITER SUBSONIC STABILITY AND CONTROL CHARACTERISTICS IN THE NAAL LOW SPEED WIND TUNNEL (OA62B)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2104	134,113 V-02	OA62B	INVESTIGATION OF SPACE SHUTTLE ORBITER SUBSONIC STABILITY AND CONTROL CHARACTERISTICS IN THE NAAL LOW SPEED WIND TUNNEL (OA62B)
2105	144,594	IH17	TRANSITION HEATING RATES OBTAINED ON A MATED AND ISOLATED 0.006 SCALE MODEL (41-0T) SPACE SHUTTLE ORBITER AND EXTERNAL TANK IN THE NASA/LARC VARIABLE DENSITY HYPERSONIC TUNNEL
2106	TM-X72630	LA14A/B	SUPERSONIC DYNAMIC STABILITY DERIVATIVES OF A MODIFIED 089B SHUTTLE ORBITER
2107	TM-X72631	LA20	SUBSONIC AND TRANSONIC DYNAMIC STABILITY DERIVATIVES OF A MODIFIED 089B SHUTTLE ORBITER
2108	134,084	IA35/OA64	RESULTS OF TESTS (OA64 AND IA35) OF AN 0.015-SCALE MODEL (36-0TS) OF THE SPACE SHUTTLE CONFIGURATION 140A/B IN THE NASA/LARC UNITARY PLAN WIND TUNNEL
2109	141,527	OH45	ENTRY HEAT TRANSFER TESTS OF THE 0.006-SCALE SPACE SHUTTLE (-147B) ORBITER MODEL (50-0) IN THE LANGLEY RESEARCH CENTER FREON TUNNEL AT MACH 6 (OH45)
2110	144,589	IH18	HEAT TRANSFER TESTS OF AN 0.006-SCALE THIN-SKIN SPACE SHUTTLE THERMOCOUPLE MODEL (41-0T) IN THE LANGLEY RESEARCH CENTER FREON TUNNEL AT M = 6 (IH18)
2111	134,435	SA26F	REENTRY AERODYNAMIC CHARACTERISTICS OF A SPACE SHUTTLE SOLID ROCKET BOOSTER MODEL 449 TESTED IN MSFC 14 X 14 INCH TWT
2112	134,401	IA57	AERODYNAMIC RESULTS OF WIND TUNNEL SEPARATION TESTS ON A 0.01-SCALE MODEL (32-0TS) SPACE SHUTTLE INTEGRATED VEHICLE (IA57)
2113	134,111	DA85	EFFECTS OF REACTION CONTROL SYSTEM JET FLOW FIELD INTERACTIONS ON THE AERODYNAMIC CHARACTERISTICS OF A 0.010 SCALE SPACE SHUTTLE ORBITER MODEL IN THE LANGLEY RESEARCH CENTER 31-INCH CFHT
2114	134,098	OA86	AERODYNAMIC INVESTIGATIONS INTO VARIOUS LOW SPEED L/D IMPROVEMENT DEVICES ON THE 140A/B SPACE SHUTTLE ORBITER CONFIGURATION IN THE RI NAAL WIND TUNNEL (OA86)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2115	134,085	OA87	RESULTS OF INVESTIGATIONS ON A 0.015-SCALE MODEL (49-0) OF THE SPACE SHUTTLE ORBITER IN THE NASA/AMES 3.5-FOOT HYPERSONIC WIND TUNNEL (OA87)
2116	134,888	OA91	EFFECT OF THE SIX ENGINE AIR BREATHING PROPULSION SYSTEM ON SPACE SHUTTLE ORBITER SUBSONIC AND TRANSONIC STABILITY AND CONTROL CHARACTERISTICS (OA91)
2117	147,617	OH14	TRANSITION HEATING RATES DETERMINED ON A 0.006 SCALE SPACE SHUTTLE ORBITER MODEL (NO. 50-0) IN THE NASA/LARC MACH 8 VARIABLE DENSITY WIND TUNNEL TEST (OH14)
2118	134,108	IA41	RESULTS OF TRANSONIC WIND TUNNEL TESTS ON AN 0.015 SCALE SPACE SHUTTLE MATED VEHICLE MODEL (67-OTS) IN THE LARC 8-FOOT TPT (IA41)
2119	134,109	IA42A/IA428	SUPERSONIC TESTS OF AN 0.015-SCALE SPACE SHUTTLE MATED VEHICLE MODEL (67-OTS) IN THE LARC UPWT TO OBTAIN AERODYNAMIC FORCE DATA
2120	134,426	OA106	WIND TUNNEL TESTS OF AN 0.015-SCALE CONFIGURATION 140A/B SPACE SHUTTLE ORBITER MODEL (67-0) IN THE NASA/LRC 8-FOOT TPT TO OBTAIN TRANSONIC AERODYNAMIC FORCE DATA (OA106)
2121	TASK CANCELLED	LA38A	** DOCUMENT WAS NOT PUBLISHED **
2122	134,424	IA69	INVESTIGATION OF SPACE SHUTTLE LAUNCH VEHICLE EXTERNAL TANK NOSE CONFIGURATION EFFECTS (MODEL 67-OTS) IN THE ROCKWELL INTERNATIONAL 7-BY 7-FOOT TRISONIC WIND TUNNEL (IA69)
2123	141,504	IA53	RESULTS FROM INVESTIGATIONS IN THE NASA/MSFC TWT ON A 0.004 SCALE MODEL SPACE SHUTTLE LAUNCH VEHICLE (MODEL 13P-OTS) TO DETERMINE GAS SUPPLY STRUT EFFECT ON MODEL PRESSURE ENVIRONMENT (IA53)
2124	134,093	IA16/OA26	RESULTS OF TESTS OA26 AND IA16 IN THE NASA/ARC 3.5-FOOT HYPERSONIC WIND TUNNEL ON A 0.015 SCALE MODEL (36-OTS) OF THE SPACE CONFIGURATION 140A/B TO OBTAIN PRESSURES FOR VENTING ANALYSIS

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2125	134,409	OA88	HYPersonic STABILITY AND CONTROL CHARACTERISTICS AND REYNOLDS NUMBER EFFECTS OF THE ROCKWELL SSV 140 A/B ORBITER CONFIGURATION
2126	TASK CANCELLED	LA25	** DOCUMENT WAS NOT PUBLISHED **
2127	TM-X71954	LA35	REYNOLDS NUMBER EFFECTS AT MACH NUMBER 10.3 ON AERODYNAMIC CHARACTERISTICS OF .01 SCALE 139-B ORBITER
2128	134,114 V-01	OA53A	INVESTIGATIONS ON AN 0.030-SCALE SPACE SHUTTLE VEHICLE CONFIGURATION 140A/B ORBITER MODEL IN THE AMES RESEARCH CENTER 11 BY 11-FOOT SUPERSONIC WIND TUNNEL (OA53A)
2128	134,115 V-02	OA53A	INVESTIGATIONS ON AN 0.030-SCALE SPACE SHUTTLE VEHICLE CONFIGURATION 140A/B ORBITER MODEL IN THE AMES RESEARCH CENTER 11-BY 11-FOOT SUPERSONIC WIND TUNNEL (OA53A)
2129	141,522 V-01	IA14B	AIRLOADS INVESTIGATION OF AN 0.030-SCALE MODEL OF THE SPACE SHUTTLE VEHICLE 140A/B LAUNCH CONFIGURATION (MODEL 47-0TS) IN THE ARC 9- BY 7-FOOT UNITARY PLAN WIND TUNNEL FOR MACH 1.55 AND 2.2 (IA14B)
2129	141,523 V-02	IA14B	AIRLOADS INVESTIGATION OF AN 0.030-SCALE MODEL OF THE SPACE SHUTTLE VEHICLE 140A/B LAUNCH CONFIGURATION (MODEL 47-0TS) IN THE ARC 9- BY 7-FOOT UNITARY PLAN WIND TUNNEL FOR MACH 1.55 AND 2.2 (IA14B)
2130	141,529	OA22A	AIRLOADS INVESTIGATION OF AN 0.030-SCALE MODEL OF THE SPACE SHUTTLE VEHICLE 140A/B ORBITER CONFIGURATION (MODEL 47-0) IN THE ARC 11-FOOT UNITARY PLAN WIND TUNNEL FOR MACH 0.6 AND 0.9 (OA22A)
2131	141,530	OA22B	AIRLOADS INVESTIGATION OF AN 0.030-SCALE MODEL OF THE SPACE SHUTTLE 140A/B ORBITER CONFIGURATION (MODEL 47-0) IN THE ARC 9- BY 7-FOOT UNITARY PLAN WIND TUNNEL FOR MACH 1.55 AND 2.2 (OA22B)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2132	141,535	LA42	RESULTS OF DYNAMIC STABILITY TESTS CONDUCTED ON A .012 SCALE MODIFIED 089 B SHUTTLE ORBITER IN THE 2AEDC-VKF TUNNEL B AT A MACH NUMBER OF 8.0 (LA42)
2133	134,110	IA58	RESULTS OF TESTS IN THE NASALARC 31-INCH CFHT ON AN 0.010-SCALE MODEL (32-0T) OF THE SPACE SHUTTLE CONFIGURATION 3 TO OBTAIN HYPERSONIC AERODYNAMIC CHARACTERISTICS FOR SECOND STAGE OPERATION DURING NOMINAL BOOST AND THE ABORT RTLS MODE
2134 R-01	134,429	OA77/OA78	RESULTS OF INVESTIGATIONS (OA77 AND OA78) ON AN 0.015-SCALE 140A/B CONFIGURATION SPACE SHUTTLE VEHICLE ORBITER MODEL 49-0 IN THE AEDC VKF B AND C WIND TUNNELS
2135	TASK CANCELLED	LA13	** DOCUMENT WAS NOT PUBLISHED **
2136	141,514 V-01	IH3	RESULTS OF HEAT TRANSFER TESTS OF AN 0.0175-SCALE SPACE SHUTTLE VEHICLE MODEL 22 OTS IN THE NASA- AMES 3.5-FOOT HYPERSONIC WIND TUNNEL (IH3)
2136	141,515 V-02	IH3	RESULTS OF HEAT TRANSFER TESTS OF AN 0.0175-SCALE SPACE SHUTTLE VEHICLE MODEL 22 OTS IN THE NASA- AMES 3.5-FOOT HYPERSONIC WIND TUNNEL (IH3)
2136	141,516 V-03	IH3	RESULTS OF HEAT TRANSFER TESTS OF AN 0.0175-SCALE SPACE SHUTTLE VEHICLE MODEL 22 OTS IN THE NASA- AMES 3.5-FOOT HYPERSONIC WIND TUNNEL (IH3)
2136	141,517 V-04	IH3	RESULTS OF HEAT TRANSFER TESTS OF AN 0.0175-SCALE SPACE SHUTTLE VEHICLE MODEL 22 OTS IN THE NASA- AMES 3.5-FOOT HYPERSONIC WIND TUNNEL (IH3)
2137 R-01	134,103 V-01	IA60	RESULTS OF TESTS IN THE NASALARC 31-INCH CFHT ON A 0.01-SCALE MODEL (32-0T) OF THE SPACE SHUTTLE CONFIGURATION 3 TO DETERMINE THE RCS JET FLOWFIELD INTERACTION EFFECTS ON AERODYNAMIC CHARACTERISTICS(IA60/OA105) VOLUME 1 OF 2
2137	134,106 V-02	OA105	RESULTS OF TESTS IN THE NASALARC 31-INCH CFHT ON A 0.01-SCALE MODEL (32-0T) OF THE SPACE SHUTTLE CONFIGURATION 3 TO DETERMINE THE RCS JET FLOWFIELD INTERACTION EFFECTS ON AERODYNAMIC CHARACTERISTICS(IA60/OA105) VOLUME 2 OF 2

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2138	144,608 V-01	IH4	AEROHEATING(PRESSURE) CHARACTERISTICS OF A 0.010- SCALE VERSION OF THE VEHICLE 3 SPACE SHUTTLE CONFIGURATION(26-0TS) IN THE LANGLEY RESEARCH CENTER 4-FOOT WIND TUNNEL(IH4)
2138	144,609 V-02	IH4	AEROHEATING(PRESSURE) CHARACTERISTICS OF A 0.010- SCALE VERSION OF THE VEHICLE 3 SPACE SHUTTLE CONFIGURATION(26-0TS) IN THE LANGLEY RESEARCH CENTER 4-FOOT WIND TUNNEL(IH4)
2138	144,610 V-03	IH4	AEROHEATING(PRESSURE) CHARACTERISTICS OF A 0.010- SCALE VERSION OF THE VEHICLE 3 SPACE SHUTTLE CONFIGURATION(26-0TS) IN THE LANGLEY RESEARCH CENTER 4-FOOT WIND TUNNEL(IH4)
2138	144,611 V-04	IH4	AEROHEATING(PRESSURE) CHARACTERISTICS OF A 0.010- SCALE VERSION OF THE VEHICLE 3 SPACE SHUTTLE CONFIGURATION(26-0TS) IN THE LANGLEY RESEARCH CENTER 4-FOOT WIND TUNNEL(IH4)
2139	134,407	OA118	EFFECT OF ELEVEN GAP CONFIGURATIONS ON THE LONGITUDINAL AND LATERAL/DIRECTIONAL STABILITY AND CONTROL EFFECTIVENESS OF THE 43-0 SPACE SHUTTLE ORBITER (IA60/OA105)
2140	134,408	OA37	INVESTIGATION OF SPACE SHUTTLE ORBITER SUBSONIC STABILITY AND CONTROL CHARACTERISTICS AND DETERMINATION OF CONTROL SURFACE HINGE MOMENTS IN THE ROCKWELL INTERNATIONAL LOW SPEED WIND TUNNEL (OA37)
2141	141,53A	OH11	RESULTS OF TESTS OF A ROCKWELL INTERNATIONAL SPACE SHUTTLE ORBITER (-139 CONFIGURATION) 0.0175- SCALE MODEL (N0.29-0) IN THE AEDC TUNNEL.F TO DETERMINE HYPersonic HEATING EFFECTS (OH11)
2142	134,402	FA4	DETERMINATION OF AERODYNAMIC STABILITY AND DRAG OF THE TITAN SRM DURING ENTRY
2143	144,587	IA61A	AERODYNAMIC RESULTS OF WIND TUNNEL TESTS ON AN 0.010-SCALE MODEL (32-0TS) SPACE SHUTTLE INTEGRATED VEHICLE IN THE AEDC VKF 40-INCH SUPERSONIC WIND TUNNEL

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2144	134,427	IA68	AN INVESTIGATION OF THE SUPPORT INTERFERENCE EFFECTS OF THE SSV MODEL 13P-OTS IN THE TRANSONIC AND SUPERSONIC FLOW REGIMES
2145	134,420	TAIF	AN INVESTIGATION TO DETERMINE THE STATIC STABILITY DURING RE-ENTRY OF THE 0.003-SCALE MCR 0200 BASELINE SPACE SHUTTLE EXTERNAL TANK MODEL
2146	134,092	IS4	FLUTTER TESTS (IS4) OF THE 0.0125-SCALE SHUTTLE REFLECTION PLANE MODEL 30-OTS IN THE LANGLEY RESEARCH CENTER 26-INCH TRANSONIC BLOWDOWN TUNNEL TEST NO. 547
2147	134,097	OA20C	RESULTS OF INVESTIGATIONS (OA20C) ON AN 0.015-SCALE CONFIGURATION 140A/B SPACE SHUTTLE VEHICLE ORBITER MODEL (49-0) IN THE NASA/LANGLEY RESEARCH CENTER UNITARY PLAN WIND TUNNEL
2148	134,440 V-01	IH20	HYPERSONIC AEROHEATING TEST OF SPACE SHUTTLE VEHICLE CONFIGURATION 3 (MODEL 22-OTS) IN THE NASA- AMES 3.5-FOOT HYPERSONIC WIND TUNNEL (IH-20)
2148	134,441 V-02	IH20	HYPERSONIC AEROHEATING TEST OF SPACE SHUTTLE VEHICLE CONFIGURATION 3 (MODEL 22-OTS) IN THE NASA- AMES 3.5-FOOT HYPERSONIC WIND TUNNEL (IH-20)
2149	141,805	OA90	RESULTS OF INVESTIGATIONS ON A 0.010-SCALE 140A/B CONFIGURATION SPACE SHUTTLE VEHICLE ORBITER MODEL 72-0 IN THE NASA/LANGLEY RESEARCH CENTER CONTINUOUS FLOW HYPERSONIC TUNNEL (OA90)
2150	141,511	SA25F	AN INVESTIGATION OF HIGH MACH NUMBER STATIC STABILITY CHARACTERISTICS FOR A LARGE SCALE SOLID ROCKET BOOSTER
2151	141,815	OH6	RESULTS OF AERODYNAMIC HEAT TRANSFER TESTS OF A 0.0175-SCALE MODEL OF THE ROCKWELL INTERNATIONAL SPACE SHUTTLE ORBITER 139 (MODEL NUMBER 22-0) IN THE NASA/AMES 3.5-FOOT HYPERSONIC WIND TUNNEL (TEST OH6)
2152 R-01	134,423	OA81	RESULTS OF AN INVESTIGATION OF HYPERSONIC VISCOUS INTERACTION EFFECTS ON AN 0.01 SCALE SPACE SHUTTLE ORBITER S1-0 MODEL IN THE AEDC-VKF HYPER VELOCITY WIND TUNNEL

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2153	151,377	IH1	INVESTIGATION OF THE HEAT TRANSFER EFFECTS ON THE 22-OTS 0.0175- SCALE THIN SKIN THERMOCOUPLE MODEL (VEHICLE 3 CONFIGURATION)
2154	134,437	OH4A	HEAT TRANSFER TESTS OF A 0.0175-SCALE SPACE SHUTTLE ORBITER MODEL (29-0) TO DETERMINE THE EFFECT OF SURFACE TEMPERATURE ON BOUNDARY LAYER TRANSITION AT MACH 8.0 IN THE AEDC VKF TUNNEL B (TEST OH4A)
2155	134,406	OA110	STABILITY AND CONTROL CHARACTERISTICS FOR THE INNER MOLD LINE CONFIGURATION OF SPACE SHUTTLE ORBITER(OA110)
2156	141,797 V-01	IA17A	RESULTS OF AN EXTERNAL TANK SEPARATION TEST IN THE AEDC/VKF TUNNEL BON AN 0.010 SCALE REPLICA OF THE SPACE SHUTTLE VEHICLE (MODEL 52-0T)IA17A
2156	141,798 V-02	IA17A	RESULTS OF AN EXTERNAL TANK SEPARATING TEST IN THE AEDC/VKF TUNNEL BON AN 0.010 SCALE REPLICA OF THE SPACE SHUTTLE VEHICLE (MODEL 52-0T)IA17A
2156	141,799 V-03	IA17A	RESULTS OF AN EXTERNAL TANK SEPARATION TEST IN THE AEDC/VKF TUNNEL BON AN 0.010 SCALE REPLICA OF THE SPACE SHUTTLE VEHICLE (MODEL 52-0T)IA17A
2157	141,822	IH19	HEAT TRANSFER TESTS OF AN 0.006-SCALE THIN SKIN SPACE SHUTTLE MODEL (50-0, 41-T) IN THE LANGLEY RESEARCH CENTER NITROGEN TUNNEL AT MACH 19
2158	147,640	IS6A	FLOW VISUALIZATION TESTS OF A 0.004-SCALE SPACE SHUTTLE VEHICLE 2A MODEL (NO. 13-0TS) IN THE MSFC 14- INCH TRISONIC WIND TUNNEL
2159	134,410 V-01	OA59	AERODYNAMIC RESULTS OF SUPPORT SYSTEM EFFECTS TESTS CONDUCTED IN NASA/ARC 6-BY 6-FOOT SUPERSONIC WIND TUNNEL USING A 0.015-SCALE MODEL OF THE CONFIGURATION 140A/B SSV ORBITER (OA59)
2159	134,412 V-02	OA59	AERODYNAMIC RESULTS OF SUPPORT SYSTEM EFFECTS TESTS CONDUCTED IN NASA/ARC 6-BY-6 FOOT SUPERSONIC WIND TUNNEL USING A 0.015 -SCALE MODEL OF THE CONFIGURATION 140A/B SSV ORBITER (OA59)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2160	134,413	IA18	WIND TUNNEL TESTS OF THE 0.010-SCALE SPACE SHUTTLE INTEGRATED VEHICLE IN THE NASA/AMES 3.5 FOOT HYPERSONIC WIND TUNNEL (IA18)
2161	134,422	SA6F	AERODYNAMIC CHARACTERISTICS OF MSFC MODEL 454 OF THE 142 INCH SOLID ROCKET BOOSTER TESTED IN THE LERC 10-FOOT SWT AT MACH NUMBERS OF 2.0 AND 2.7 (SA6F)
2162	134,430	OA36	RESULTS OF INVESTIGATIONS ON AN 0.015-SCALE 140A/B CONFIGURATION OF THE ROCKWELL INTERNATIONAL SPACE SHUTTLE ORBITER IN THE NASA/AMES RESEARCH CENTER 3.5-FOOT HYPERSONIC WIND TUNNEL (OA36)
2163	134,403	OA20B	AERODYNAMIC RESULTS OF A SUPPORT SYSTEM INTERFERENCE EFFECTS TEST CONDUCTED AT NASA/LARC UPWT USING AN 0.015-SCALE MODEL OF THE CONFIGURATION 140A/B SSV ORBITER (OA20B)
2164	141,828 V-01	OH12/1H21	HEAT TRANSFER TESTS ON A 0.01-SCALE ROCKWELL CONFIGURATION 3 SPACE SHUTTLE ORBITER AND TANK (37-0T) IN THE CALSPAN 48-INCH HYPERSONIC SHOCK- TUNNEL (OH12/1H21)
2164	141,829 V-02	OH12/1H21	HEAT TRANSFER TESTS ON A 0.01-SCALE ROCKWELL CONFIGURATION 3 SPACE SHUTTLE ORBITER AND TANK (37-0T) IN THE CALSPAN 48-INCH HYPERSONIC SHOCK TUNNEL (OH12/1H21)
2164	141,830 V-03	OH12/1H21	HEAT TRANSFER TESTS ON A 0.01-SCALE ROCKWELL CONFIGURATION 3 SPACE SHUTTLE ORBITER AND TANK (37-0T) IN THE CALSPAN 48-INCH HYPERSONIC SHOCK TUNNEL (OH12/1H21)
2165	141,823 V-01	TA2F	RESULTS OF AN INVESTIGATION OF AN 0.003-SCALE SPACE SHUTTLE EXTERNAL TANK (MSFC MODEL 460) IN THE NASA/MSFC 14 X 14-INCH TRISONIC WIND TUNNEL TO DETERMINE STATIC PRESSURE DISTRIBUTIONS DURING REENTRY (TA2F)
2165	141,824 V-02	TA2F	RESULTS OF AN INVESTIGATION OF AN 0.003-SCALE SPACE SHUTTLE EXTERNAL TANK (MSFC MODEL 460) IN THE NASA/MSFC 14 X 14-INCH TRISONIC WIND TUNNEL TO DETERMINE STATIC PRESSURE DISTRIBUTIONS DURING REENTRY (TA2F)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2165	141,825 V-03	TA2F	RESULTS OF AN INVESTIGATION OF AN 0.003-SCALE SPACE SHUTTLE EXTERNAL TANK (MSFC MODEL 460) IN THE NASA/MSFC 14 X 14-INCH TRISONIC WIND TUNNEL TO DETERMINE STATIC PRESSURE DISTRIBUTIONS DURING REENTRY (TA2F)
2165	141,826 V-04	TA2F	RESULTS OF AN INVESTIGATION OF AN 0.003-SCALE SPACE SHUTTLE EXTERNAL TANK (MSFC MODEL 460) IN THE NASA/MSFC 14 X 14-INCH TRISONIC WIND TUNNEL TO DETERMINE STATIC PRESSURE DISTRIBUTIONS DURING REENTRY (TA2F)
2165	141,827 V-05	TA2F	RESULTS OF AN INVESTIGATION OF AN 0.003-SCALE SPACE SHUTTLE EXTERNAL TANK (MSFC MODEL 460) IN THE NASA/MSFC 14 X 14-INCH TRISONIC WIND TUNNEL TO DETERMINE STATIC PRESSURE DISTRIBUTIONS DURING REENTRY (TA2F)
2166	141,534	IH16	HEAT TRANSFER TESTS OF AN 0.006 SCALE THIN-SKIN SPACE SHUTTLE THERMOCOUPLE MODEL (41-OTS) IN THE LANGLEY RESEARCH CENTER UNITARY PLAN WIND TUNNEL AT M=3.7 (IH16)
2167	141,550	OA98	RESULTS OF AN INVESTIGATION ON AN 0.015-SCALE MODEL(49-0) OF THE ROCKWELL INTERNATIONAL SPACE SHUTTLE ORBITER IN THE NASA AMES RESEARCH CENTER 3.5-FOOT HYPERSONIC WIND TUNNEL (OA98)
2168	TM-X71945	LA32	HEAT TRANSFER TO SURFACE AND GAPS OF RS/TILE ARRAYS IN TURBULENT FLOW AT MACH 10.3
2169	141,836 V-01	IA81A	RESULTS OF A PRESSURE LOADS INVESTIGATION ON A 0.030-SCALE MODEL (47-OTS) OF THE INTEGRATED SPACE SHUTTLE VEHICLE CONFIGURATION 5 IN THE NASA AMES RESEARCH CENTER 11 X 11 FOOT LEG OF THE UNITARY PLAN WIND TUNNEL (IA81A) VOLUME 1 OF 7
2169	141,837 V-02	IA81A	RESULTS OF A PRESSURE LOADS INVESTIGATION ON A 0.030-SCALE MODEL (47-OTS) OF THE INTEGRATED SPACE SHUTTLE VEHICLE CONFIGURATION 5 IN THE NASA AMES RESEARCH CENTER 11 X 11 FOOT LEG OF THE UNITARY PLAN WIND TUNNEL (IA81A) VOLUME 2 OF 7

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2169	141,838 V-03	IA81A	RESULTS OF A PRESSURE LOADS INVESTIGATION ON A 0.030-SCALE MODEL (47-OTS) OF THE INTEGRATED SPACE SHUTTLE VEHICLE CONFIGURATION 5 IN THE NASA AMES RESEARCH CENTER 11 X 11 FOOT LEG OF THE UNITARY PLAN WIND TUNNEL (IA81A) VOLUME 3 OF 7
2169	141,839 V-04	IA81A	RESULTS OF A PRESSURE LOADS INVESTIGATION ON A 0.030-SCALE MODEL (47-OTS) OF THE INTEGRATED SPACE SHUTTLE VEHICLE CONFIGURATION 5 IN THE NASA AMES RESEARCH CENTER 11 X 11 FOOT LEG OF THE UNITARY PLAN WIND TUNNEL (IA81A) VOLUME 4 OF 7
2169	141,840 V-05	IA81A	RESULTS OF A PRESSURE LOADS INVESTIGATION ON A 0.030-SCALE MODEL (47-OTS) OF THE INTEGRATED SPACE SHUTTLE VEHICLE CONFIGURATION 5 IN THE NASA AMES RESEARCH CENTER 11 X 11 FOOT LEG OF THE UNITARY PLAN WIND TUNNEL (IA81A) VOLUME 5 OF 7
2169	141,841 V-06	IA81A	RESULTS OF A PRESSURE LOADS INVESTIGATION ON A 0.030-SCALE MODEL (47-OTS) OF THE INTEGRATED SPACE SHUTTLE VEHICLE CONFIGURATION 5 IN THE NASA AMES RESEARCH CENTER 11 X 11 FOOT LEG OF THE UNITARY PLAN WIND TUNNEL (IA81A) VOLUME 6 OF 7
2169	141,842 V-07	IA81A	RESULTS OF A PRESSURE LOADS INVESTIGATION ON A 0.030-SCALE MODEL (47-OTS) OF THE INTEGRATED SPACE SHUTTLE VEHICLE CONFIGURATION 5 IN THE NASA AMES RESEARCH CENTER 11 X 11 FOOT LEG OF THE UNITARY PLAN WIND TUNNEL (IA81A) VOLUME 7 OF 7
2170	141,543 V-01	IA19	RESULTS OF A JET PLUME EFFECTS TEST ON THE ROCKWELL INTERNATIONAL INTEGRATED SPACE SHUTTLE VEHICLE USING A VEHICLE 5 CONFIGURATION 0.02-SCALE MODEL (88-OTS) IN THE 11 X 11 FOOT LEG OF THE NASA/AMES RESEARCH CENTER UNITARY PLAN WIND TUNNEL (IA19)
2170	141,544 V-02	IA19	RESULTS OF A JET PLUME EFFECTS TEST ON THE ROCKWELL INTERNATIONAL INTEGRATED SPACE SHUTTLE VEHICLE USING A VEHICLE 5 CONFIGURATION 0.02-SCALE MODEL (88-OTS) IN THE 11 X 11 FOOT LEG OF THE NASA/AMES RESEARCH CENTER UNITARY PLAN WIND TUNNEL (IA19)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2170	141,545 V-03	IA19	RESULTS OF A JET PLUME EFFECTS TEST ON THE ROCKWELL INTERNATIONAL INTEGRATED SPACE SHUTTLE VEHICLE USING A VEHICLE 5 CDNFURATION 0.02-SCALE MODEL (88'OTS) IN THE 11 X 11 FOOT LEG OF THE NASA/AMES RESEARCH CENTER UNITARY PLAN WIND TUNNEL (IA19)
2171	144,584 V-01	OH38	RESULTS OF PRESSURE DISTRIBUTION TESTS OF A 0.010- SCALE SPACE SHUTTLE ORBITER MODEL (61-0) IN THE NASA/ARC 3.5-FOOT HYPERSONIC WIND TUNNEL (OH38)
2171	144,585 V-02	OH38	RESULTS OF PRESSURE DISTRIBUTION TESTS OF A 0.010- SCALE SPACE SHUTTLE ORBITER MODEL (61-0) IN THE NASA/ARC 3.5-FOOT HYPERSONIC WIND TUNNEL (OH38)
2171	144,586 V-03	OH38	RESULTS OF PRESSURE DISTRIBUTION TESTS OF A 0.010- SCALE SPACE SHUTTLE ORBITER MODEL (61-0) IN THE NASA/ARC 3.5-FOOT HYPERSONIC WIND TUNNEL (OH38)
2172	134,415	OA99	RESULTS OF REACTION CONTROL SYSTEM ON-ORBIT JET USING AN 0.0175-SCALE CONFURATION 3 SPACE SHUTTLE ORBITER MODEL (21-0) IN THE LARC 60-FOOT VACUUM SPHERE
2173	134,107	IA8	AERODYNAMIC RESULTS OF AN ABORT SEPARATION EFFECTS TEST (IA8) CONDUCTED IN THE NASA/LARC 14- FOOT TRANSONIC WIND TUNNEL ON A MODEL (6-OTS) OF THE ROCKWELL INTERNATIONAL LAUNCH CONFURATION INTEGRATED VEHICLE
2174	141,811 V-01	IA33	AN INVESTIGATION IN THE MSFC 14-INCH TWT TO DETERMINE THE STATIC STABILITY CHARACTERISTICS OF THE 0.004-SCALE MODEL (74-OTS) SPACE SHUTTLE VEHICLE 5 CONFURATION (IA33)
2174	141,812 V-02	IA33	AN INVESTIGATION IN THE MSFC 14-INCH TWT TO DETERMINE THE STATIC STABILITY CHARACTERISTICS OF THE 0.004-SCALE MODEL (74-OTS) SPACE SHUTTLE VEHICLE 5 CONFURATION (IA33)
2174	141,813 V-03	IA33	AN INVESTIGATION IN THE MSFC 14-INCH TWT TO DETERMINE THE STATIC STABILITY CHARACTERISTICS OF THE 0.004-SCALE MODEL (74-OTS) SPACE SHUTTLE VEHICLE 5 CONFURATION (IA33)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2175	134,431 V-01	IA70	SUBSONIC AND TRANSONIC HINGE MOMENT AND WING BENDING/TORSION CHARACTERISTICS FOR THE -140A/B INTEGRATED SPACE SHUTTLE VEHICLE (IA70) VOLUME 1 OF 3
2175	134,432 V-02	IA70	SUBSONIC AND TRANSONIC HINGE MOMENT AND WING BENDING/TORSION CHARACTERISTICS FOR THE -140A/B INTEGRATED SPACE SHUTTLE VEHICLE (IA70) VOLUME 2 OF 3
2175	134,433 V-03	IA70	SUBSONIC AND TRANSONIC HINGE MOMENT AND WING BENDING/TORSION CHARACTERISTICS FOR THE -140A/B INTEGRATED SPACE SHUTTLE VEHICLE (IA70) VOLUME 3 OF 3
2176	TM-X72661 VOL. IV	LA40	SPACE SHUTTLE ORBITER TRIMMED CENTER OF GRAVITY EXTENSION STUDY VOLUME IV - EFFECTS OF CONFIGURATION MOOIFICATIONS ON THE AERODYNAMICS OF THE 139B ORBITER AT MACH 20.3
2177	141,510	OA83	RESULTS OF INVESTIGATIONS ON AN 0.015-SCALE CONFIGURATION 140A/B SPACE SHUTTLE VEHICLE ORBITER REACTION CONTROL SYSTEM PLUME-IMPINGEMENT MODEL 36-0 IN THE NASA/AMES RESEARCH CENTER 3.5- FOOT HYPERSONIC WIND TUNNEL (OA83)
2178	134,119	OA53B	INVESTIGATIONS ON AN 0.030-SCALE SPACE SHUTTLE VEHICLE CONFIGURATION 140A/B ORBITER MODEL IN THE AMES RESEARCH CENTER 9- BY 7-FOOT SUPERSONIC WIND TUNNEL (OA53B)
2179	151,378	OS8A/B	RESULTS OF AN INVESTIGATION OF THE ACOUSTIC AND VIBRATIONAL ENVIRONMENT OF A FULL SCALE SPACE SHUTTLE ORBITER STRUCTURAL TEST PANEL WITH SIMULATED TPS IN THE AMES UNITARY PLAN WIND TUNNEL (MODEL 81-0, TEST OS8A AND B)
2180	147,615 V-01	IH28	HEAT TRANSFER TEST OF AN 0.006-SCALE THIN-SKIN THERMOCOUPLE SPACE SHUTTLE MODEL (50-0, 41T) IN THE NASA-AMES RESEARCH CENTER 3.5-FOOT HYPERSONIC WIND TUNNEL AT MACH 5.3 (IH-28)
2180	147,616 V-02	IH28	HEAT TRANSFER TEST OF AN 0.006-SCALE THIN-SKIN THERMOCOUPLE SPACE SHUTTLE MODEL (50-0, 41T) IN THE NASA-AMES RESEARCH CENTER 3.5-FOOT HYPERSONIC WIND TUNNEL AT MACH 5.3 (IH-28)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2181	134,425	TA9F	A HYPERSONIC FORCE AND MOMENT TEST OF A 0.006 SCALE MODEL OF THE 330.2 INCH DIAMETER EXTERNAL TANK IN THE AMES RESEARCH CENTER 3.5 FT. HYPERSONIC WIND TUNNEL (TA9F)
2182	151,062	LA49	SUPERSONIC CONTROL EFFECTIVENESS FOR FULL AND PARTIAL SPAN ELEVON CONFIGURATIONS ON A 0.0165 SCALE MODEL SPACE SHUTTLE ORBITER TESTED IN THE LARC UNITARY PLAN WIND TUNNEL
2183	TM-X72661 VOL. II	LA51	SPACE SHUTTLE ORBITER TRIMMED CENTER-OF-GRAVITY EXTENSION STUDY; VOLUME II-EFFECTS OF CONFIGURATION MODIFICATIONS ON THE AERODYNAMIC CHARACTERISTICS OF THE 140A/B ORBITER AT TRANSONIC SPEEDS
2184	151,061	LA48	TRANSONIC CONTROL EFFECTIVENESS FOR FULL AND PARTIAL SPAN ELEVON CONFIGURATIONS ON A 0.0165 SCALE MODEL SPACE SHUTTLE ORBITER TESTED IN THE LARC 8-FOOT TRANSONIC PRESSURE TUNNEL
2185	134,120	OA53C	INVESTIGATIONS ON AN 0.030-SCALE SPACE SHUTTLE VEHICLE CONFIGURATION 140A/B ORBITER MODEL IN THE AMES RESEARCH CENTER UNITARY PLAN 8-BY 7-FOOT SUPERSONIC WIND TUNNEL
2186	134,428	OA116	RESULTS OF DIFFERENTIAL ELEVON/AILERON DEFLECTION FOR LATERAL CONTROL OPTIMIZATION AND ELEVON HINGE MOMENT INVESTIGATIONS ON AN 0.015-SCALE MODEL (49-0) OF THE SPACE SHUTTLE ORBITER IN THE NASA/LANGLEY RESEARCH CENTER 8-FOOT TRANSONIC PRESSURE TUNNEL
2187	134,421	OA119A	EFFECTS OF WING/ELEVON GAP SEALING FLAPPER DOORS ON ORBITER ELEVON EFFECTIVENESS (OA119A)
2188	UNPUB	LA39	** DOCUMENT WAS NOT PUBLISHED **
2189	141,506	IA110	RESULTS OF INVESTIGATION IA110 ON A 0.015-SCALE INTEGRATED CONFIGURATION OF THE SPACE SHUTTLE VEHICLE IN THE ARC 9X7 SUPERSONIC WIND TUNNEL USING MODELS 67-TS AND 49-0

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2190	141,537	OA108	INVESTIGATION IN THE MSFC TWT TO VERIFY THE STATIC STABILITY AND CONTROL EFFECTIVENESS OF THE 0.004-SCALE MODEL (74-0) OF THE SHUTTLE 5 ORBITER (OA-108)
2191	TM-X72661 VOL. I	LA47	SPACE SHUTTLE ORBITER TRIMMED CENTER OF GRAVITY EXTENSION STUDY VOLUME I-EFFECTS OF CONFIGURATIONS ON THE AERODYNAMIC CHARACTERISTICS OF THE 140 A/B ORBITER AT MACH 10.3
2192	141,541 V-01	IA87	AERODYNAMIC RESULTS OF A SEPARATION EFFECTS TEST (IA87) ON A 0.01-SCALE MODEL (52-0TS) OF THE INTEGRATED SSV IN THE AEDC/VKF 40-BY-40 INCH SUPERSONIC WIND TUNNEL A
2192	141,542 V-02	IA87	AERODYNAMIC RESULTS OF A SEPARATION EFFECTS TEST (IA87) ON A 0.01-SCALE MODEL (52-0TS) OF THE INTEGRATED SSV IN THE AEDC/VKF 40-BY-40 INCH SUPERSONIC WIND TUNNEL A
2193	151,380	OH26	RESULTS OF HEAT TRANSFER TEST OF A 0.0175-SCALE SPACE SHUTTLE ORBITER 140B MODEL (MODIFIED 22-0) IN THE NASA-AMES RESEARCH CENTER 3.5-FOOT HYPERSONIC WIND TUNNEL
2194	141,817 V-01	IA81B	RESULTS OF A PRESSURE LOADS INVESTIGATION ON A 0.030-SCALE MODEL (47-0TS) OF THE INTEGRATED SPACE SHUTTLE VEHICLE CONFIGURATION 5 IN THE NASA AMES RESEARCH CENTER 9 X 7 FOOT LEG OF THE UNITARY PLAN WIND TUNNEL (IA81B) VOLUME 1 OF 5
2194	141,818 V-02	IA81B	RESULTS OF A PRESSURE LOADS INVESTIGATION ON A 0.030-SCALE MODEL (47-0TS) OF THE INTEGRATED SPACE SHUTTLE VEHICLE CONFIGURATION 5 IN THE NASA AMES RESEARCH CENTER 9 X 7 FOOT LEG OF THE UNITARY PLAN WIND TUNNEL (IA81B) VOLUME 2 OF 5
2194	141,819 V-03	IA81B	RESULTS OF A PRESSURE LOADS INVESTIGATION ON A 0.030-SCALE MODEL (47-0TS) OF THE INTEGRATED SPACE SHUTTLE VEHICLE CONFIGURATION 5 IN THE NASA AMES RESEARCH CENTER 9 X 7 FOOT LEG OF THE UNITARY PLAN WIND TUNNEL (IA81B) VOLUME 3 OF 5

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2194	141,820 V-04	1A81B	RESULTS OF A PRESSURE LOADS INVESTIGATION ON A 0.030-SCALE MODEL (47-0TS) OF THE INTEGRATED SPACE SHUTTLE VEHICLE CONFIGURATION 5 IN THE NASA AMES RESEARCH CENTER 9 X 7 FOOT LEG OF THE UNITARY PLAN WIND TUNNEL (1A81B) VOLUME 4 OF 5
2194	141,821 V-05	1A81B	RESULTS OF A PRESSURE LOADS INVESTIGATION ON A 0.030-SCALE MODEL (47-0TS) OF THE INTEGRATED SPACE SHUTTLE VEHICLE CONFIGURATION 5 IN THE NASA AMES RESEARCH CENTER 9 X 7 FOOT LEG OF THE UNITARY PLAN WIND TUNNEL (1A81B) VOLUME 5 OF 5
2195	134,442	0A82	RESULTS OF TEST 0A82 IN THE NASA/LRC 31-INCH CFHT ON AN 0.010-SCALE MODEL(32-0) OF THE SPACE SHUTTLE CONFIGURATION 3 TO DETERMINE RCS JET FLOW FIELD INTERACTION AND TO INVESTIGATE RT REAL GAS EFFECTS
2196	141,531	0A79	RESULTS OF INVESTIGATIONS OF AN 0.015 SCALE SPACE SHUTTLE VEHICLE 140A/B CONFIGURATION WITH MODIFIED OMS PODS AND ELEVONS IN THE AEDC VKF TUNNEL B (0A79)
2197	134,418	FH10	PRESSURE AND HEAT-FLUX RESULTS FROM THE SPACE SHUTTLE/EXTERNAL FUEL TANK INTERACTION TEST AT MACH NUMBERS 16 AND 19 (FH10)
2198	141,534	0A115	DIFFERENTIAL ELEVEN EFFECTIVENESS LATERAL CONTROL OPTIMIZATION AND ELEVEN HINGE MOMENT INVESTIGATION ON A 0.015-SCALE SPACE SHUTTLE ORBITER MODEL (140 A/B/C MODIFIED) IN THE AEDC VKF WIND TUNNEL A (0A115)
2199	TM-X3315	LA43A/B	SUPERSONIC DYNAMIC-STABILITY DERIVATIVES OF THE SPACE SHUTTLE LAUNCH VEHICLE
2200	TM-X3336	LA44	SUBSONIC AND TRANSONIC DYNAMIC-STABILITY CHARACTERISTICS OF THE SPACE SHUTTLE LAUNCH VEHICLE
2201	160,854	CA3	MATED CARRIER AERODYNAMIC CHARACTERISTICS INVESTIGATION FOR 0.04-SCALE MODEL BOEING 747 CARRIER (MODEL TE 1065)/SS ORBITER (MODEL 43-0) AND 747 CARRIER/ET (MODEL 1284-72) COMBINATIONS IN THE U. OF WASH. AERONAUTICAL LABORATORY (UWAL) F.K.KIRSTEN WIND TUNNEL (CA3)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2202	141,526	OA123	SPACE SHUTTLE VEHICLE FERRY CONFIGURATION AFTERBODY FAIRING EFFECTS ON 140A/B ORBITER AERODYNAMIC CHARACTERISTICS USING AN .0405-SCALE MODEL ORBITER (43-0) IN THE ROCKWELL INTERNATIONAL 7.75 X 11 FT LOW SPEED WIND TUNNEL (OA123)
2203	141,524	OA119B	RESULTS OF AN INVESTIGATION OF ELEVEN HINGE MOMENTS AND DUAL PANEL ELEVEN EFFECTIVENESS USING AN .0405-SCALE MODEL (16-0) OF THE CONFIGURATION 140C SPACE SHUTTLE ORBITER IN THE ROCKWELL INTERNATIONAL NAAL LOW SPEED WIND TUNNEL (OA119B)
2204	141,525	IA43	RESULTS OF TRANSONIC WIND TUNNEL TESTS ON AN 0.010- SCALE SPACE SHUTTLE MATED VEHICLE MODEL 72-0TS IN THE LARC 8-FOOT TPT (IA43)
2205	141,532	OA109	RESULTS OF A 0.004-SCALE 140C MODIFIED CONFIGURATION SPACE SHUTTLE VEHICLE ORBITER MODEL (74-0) IN THE NASA/LANGLEY RESEARCH CENTER HYPERSONIC HELIUM TUNNEL (OA109)
2206	141,528	IA44	RESULTS OF INVESTIGATIONS ON AN 0.010-SCALE 140A/B CONFIGURATION (MODEL 720TS) OF THE ROCKWELL INTERNATIONAL SPACE SHUTTLE ORBITER IN THE NASA/LANGLEY RESEARCH CENTER UNITARY PLAN WIND TUNNEL (IA44)
2207	147,608	SA29F	AN INVESTIGATION TO DETERMINE THE PRESSURE DISTRIBUTION ON THE 0.0137 SCALE SOLID ROCKET BOOSTER FOREBODY (MSFC MODEL 467) AT HIGH ANGLES OF ATTACK AT OR NEAR 90 DEGREES AND HIGH REYNOLDS NUMBERS IN THE MSFC HIGH REYNOLDS NUMBER WIND TUNNEL
2208	144,590 V-01	TA3F	AN INVESTIGATION OF THE 0.0091 SCALE EXTERNAL TANK OGIVE NOSE (MSFC MODEL 470) IN THE MSFC 14 INCH TWT TO DETERMINE THE PRESSURE DISTRIBUTION AROUND THE EXTERNAL TANK NOSE
2208	144,591 V-02	TA3F	AN INVESTIGATION OF THE 0.0091 SCALE EXTERNAL TANK OGIVE NOSE (MSFC MODEL 470) IN THE MSFC 14 INCH TWT TO DETERMINE THE PRESSURE DISTRIBUTION AROUND THE EXTERNAL TANK NOSE

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2209	141,536	OA124	RESULTS OF A SPACE SHUTTLE VEHICLE FERRY CONFIGURATION AFTERBODY FAIRING OPTIMIZATION STUDY USING A 140A/B 0.0405-SCALE MODEL ORBITER (43-0) IN THE ROCKWELL INTERNATIONAL 7.75 X 11.0 FT LOW SPEED WIND TUNNEL (OA124)
2210	151,372	IH27	CONNECTIVE HEAT-TRANSFER TEST RESULTS FOR A GAP, CYLINDRICAL-PROTUBERANCE, AND SHOCK-IMPINGEMENT FLAT-PLATE MODEL IN THE NASA-AMES 3.5-FOOT HYPERSONIC WIND TUNNEL (TEST IH27, MODEL 15-0 VIII)
2211	141,800 V-01	CA5	RESULTS OF A 0.03-SCALE AERODYNAMIC CHARACTERISTICS INVESTIGATION OF A BOEING 747 CARRIER(MODEL ND. AX 1319 1-1) MATED WITH A SPACE SHUTTLE ORBITER (MODEL 45-0) CONDUCTED IN THE BOEING TRANSONIC WIND TUNNEL (CA5)
2211	141,803 V-02	CA5	RESULTS OF A 0.03-SCALE AERODYNAMIC CHARACTERISTICS INVESTIGATION OF LE ORBITER (MODEL 45-0) CONDUCTED IN THE BOEING TRANSONIC WIND TUNNEL (CA5)
2211	141,804 V-03	CA5	RESULTS OF A 0.03-SCALE AERODYNAMIC CHARACTERISTICS INVESTIGATION OF A BOEING 747 CARRIER(MODEL NO. AX-1319 1-1) MATED WITH A SPACE SHUTTLE ORBITER (MODEL 45-0) CONDUCTED IN THE BOEING TRANSONIC WIND TUNNEL (CA5)
2212	147,632 V-01	IA80	INVESTIGATIONS OF THE 0.020-SCALE 88-OTS INTEGRATED SPACE SHUTTLE VEHICLE JET-PLUME MODEL IN THE NASA/AMES RESEARCH CENTER 11X11-FOOT UNITARY PLAN WIND TUNNEL (IA80)
2212	147,633 V-02	IA80	INVESTIGATIONS OF THE 0.020-SCALE 88-OTS INTEGRATED SPACE SHUTTLE VEHICLE JET-PLUME MODEL IN THE NASA/AMES RESEARCH CENTER 11X11-FOOT UNITARY PLAN WIND TUNNEL (IA80)
2212	147,634 V-03	IA80	INVESTIGATIONS OF THE 0.020-SCALE 88-OTS INTEGRATED SPACE SHUTTLE VEHICLE JET-PLUME MODEL IN THE NASA/AMES RESEARCH CENTER 11X11-FOOT UNITARY PLAN WIND TUNNEL (IA80)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2212	147,635 V-04	1A80	INVESTIGATIONS OF THE 0.020-SCALE 88-0TS INTEGRATED SPACE SHUTTLE VEHICLE JET-PLUME MODEL IN THE NASA/AMES RESEARCH CENTER 11X11-FOOT UNITARY PLAN WIND TUNNEL (1A80)
2213	UNPUB	LA53/LA54	** DOCUMENT WAS NOT PUBLISHED **
2214	141,513	OA89	RESULTS OF INVESTIGATIONS ON AN 0.004-SCALE 140C MODIFIED CONFIGURATION SPACE SHUTTLE VEHICLE ORBITER MODEL (74-0) IN THE NASA/LANGLEY RESEARCH CENTER HYPersonic NITROGEN TUNNEL (OA89)
2215	144,592	LA58	UPPER WING SURFACE BOUNDARY LAYER MEASUREMENTS AND STATIC AERODYNAMIC DATA OBTAINED ON AN 0.015-SCALE MODEL OF THE SSV ORBITER CONFIGURATION 140A/B IN THE LTV HSWT AT A MACH NUMBER OF 4.6 (LA58)
2216	141,802	SH12F	RESULTS OF AEROTHERMODYNAMIC HEATING TEST ON A 0.013 SCALE MODEL SOLID ROCKET BOOSTER IN THE NASA/LARC UNITARY PLAN WIND TUNNEL (SH12F)
2217	141,844 V-01	CA20	AERODYNAMIC RESULTS OF A SEPARATION TEST(CA20) CONDUCTED AT THE BOEING TRANSONIC WIND TUNNEL USING 0.030-SCALE MODELS OF THE CONFIGURATION 140A/B (MODIFIED) SSV ORBITER (MODEL NO. 45-0) AND THE BOEING 747 CARRIER (MODEL NO. AX 1319 I-1)
2217	141,845 V-02	CA20	AERODYNAMIC RESULTS OF A SEPARATION TEST(CA20) CONDUCTED AT THE BOEING TRANSONIC WIND TUNNEL USING 0.030-SCALE MODELS OF THE CONFIGURATION 140A/B (MODIFIED) SSV ORBITER (MODEL NO. 45-0) AND THE BOEING 747 CARRIER (MODEL NO. AX 1319 I-1)
2217	141,846 V-03	CA20	AERODYNAMIC RESULTS OF A SEPARATION TEST(CA20) CONDUCTED AT THE BOEING TRANSONIC WIND TUNNEL USING 0.030-SCALE MODELS OF THE CONFIGURATION 140A/B (MODIFIED) SSV ORBITER (MODEL NO. 45-0) AND THE BOEING 747 CARRIER (MODEL NO. AX 1319 I-1)
2218	151,367	TH1F	PRESSURE AND HEAT TRANSFER TESTS RESULTS ON THE SPACE SHUTTLE 0.015-SCALE EXTERNAL TANK AT MACH 16 IN AEDC TUNNEL F

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2219	144,597 V-01	IA82C	RESULTS OF AN INVESTIGATION OF JET PLUME EFFECTS ON AN 0.010-SCALE MODEL (75-OTS) OF THE SPACE SHUTTLE INTEGRATED VEHICLE IN THE 8- BY 7-FOOT LEG OF THE NASA/AMES UNITARY WIND TUNNEL (IA82C)
2219	144,598 V-02	IA82C	RESULTS OF AN INVESTIGATION OF JET PLUME EFFECTS ON AN 0.010-SCALE MODEL (75-OTS) OF THE SPACE SHUTTLE INTEGRATED VEHICLE IN THE 8- BY 7-FOOT LEG OF THE NASA/AMES UNITARY WIND TUNNEL (IA82C)
2220	TM-X72661 VOL. VIII	LA52	SPACE SHUTTLE ORBITER TRIMMED CENTER-OF-GRAVITY EXTENSION STUDY: VOLUME VIII - EFFECT OF CONFIGURATION MODIFICATIONS ON THE AERODYNAMIC CHARACTERISTICS OF THE 140 A/B ORBITER AT A MACH NUMBER OF 5.97.
2221	141,548	OA143	INVESTIGATION OF SPACE SHUTTLE VEHICLE 140C CONFIGURATION ORBITER (MODEL 16-0) WHEEL WELL PRESSURE LOADS IN THE ROCKWELL INTERNATIONAL 7.75 X 11 FOOT WIND TUNNEL (OA143)
2222	147,626 V-01	OH49B	RESULTS FROM A CONVECTIVE HEAT-TRANSFER-RATE DISTRIBUTION TEST ON A 0.0175 SCALE MODEL(22-0) OF THE ROCKWELL INTERNATIONAL VEHICLE 4 SPACE SHUTTLE CONFIGURATION IN THE AEDC-VKF TUNNEL B(OH49B)
2222	147,627 V-02	OH49B	RESULTS FROM A CONVECTIVE HEAT-TRANSFER-RATE DISTRIBUTION TEST ON A 0.0175 SCALE MODEL(22-0) OF THE ROCKWELL INTERNATIONAL VEHICLE 4 SPACE SHUTTLE CONFIGURATION IN THE AEDC-VKF TUNNEL B(OH49B)
2223	141,549	SA8F	REENTRY STATIC STABILITY CHARACTERISTICS OF A .005479 SCALE MODEL 146-INCH SOLID ROCKET BOOSTER TESTED IN THE NASA/MSFC 14X14 INCH TW7
2224	147,650	LA56	RESULTS OF A DRAG REDUCTION INVESTIGATION ON AN 0.010-SCALE MODEL OF THE SPACE SHUTTLE VEHICLE 72-OTS LAUNCH CONFIGURATION TESTED IN THE LARC 8-FOOT TRANSONIC PRESSURE TUNNEL FOR THE MACH RANGE OF 0.35 TO 1.20 (LA56)
2225	141,505	OH4C	PHASE CHANGE PAINT TESTS TO INVESTIGATE EFFECTS OF TPS TILES ON HEATING RATES OF THE ROCKWELL SPACE SHUTTLE ORBITER (TEST OH4C, MODEL 21-0)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2226	141,507	IA61B	RESULTS OF FLOW VISUALIZATION TESTS OF 0.010-SCALE SPACE SHUTTLE MODELS 32-OTS AND 52-0 IN THE AEDC VKF TUNNEL A (IA61B)
2227	141,806	IA71	RESULTS OF EXPERIMENTAL TESTS IN THE MSFC 14X14 INCH TRISONIC TUNNEL ON A 0.004 SCALE MODEL SPACE SHUTTLE INTEGRATED VEHICLE 5 (MODEL 77-0, 74-TS) TO RELIEVE WING LOADS DURING ASCENT (IA71)
2228	TM-X72661 VOL. IX	LA46A	SPACE SHUTTLE ORBITER TRIMMED CENTER-OF-GRAVITY EXTENSION STUDY VOLUME IX - EFFECTS OF CONFIGURATION MODIFICATIONS ON THE AERODYNAMIC CHARACTERISTICS OF THE 140A/B ORBITER AT MACH NUMBERS OF 2.5, 3.95 AND 4.6
2228	TM-X72661 VOL. V	LA46B	SPACE SHUTTLE ORBITER TRIMMED CENTER-OF-GRAVITY EXTENSION STUDY VOLUME V - EFFECTS OF CONFIGURATION MODIFICATIONS ON THE AERODYNAMIC CHARACTERISTICS OF THE 140A/B ORBITER AT MACH NUMBERS OF 2.5, 3.95 AND 4.6
2229	141,508	OA102	RESULTS OF FLOW-VISUALIZATION INVESTIGATIONS ON A 0.015-SCALE MODIFIED CONFIGURATION 140A/B SPACE SHUTTLE VEHICLE ORBITER (MODEL 36-0) IN THE LANGLEY RESEARCH CENTER
2230	141,509	IA17B	RESULTS OF OIL FLOW VISUALIZATIONS TESTS OF AN 0.010-SCALE MODEL (52-0T) OF THE SPACE SHUTTLE ORBITER-TANK MATED AND ORBITER CONFIGURATIONS IN THE AEDC VKF TUNNEL B (IA17B)
2231	144,601 V-01	IA82B	RESULTS OF AN INVESTIGATION OF JET PLUME EFFECTS ON AN 0.010-SCALE MODEL (75-0TS) OF THE SPACE SHUTTLE INTEGRATED VEHICLE IN THE 9- BY 7-FOOT LEG OF THE NASA/AMES UNITARY WIND TUNNEL (IA82C)
2231	144,602 V-02	IA82B	RESULTS OF AN INVESTIGATION OF JET PLUME EFFECTS ON AN 0.010-SCALE MODEL (75-0TS) OF THE SPACE SHUTTLE INTEGRATED VEHICLE IN THE 9- BY 7-FOOT LEG OF THE NASA/AMES UNITARY WIND TUNNEL (IA82C)
2232	141,521	OA131	RESULTS OF INVESTIGATIONS ON THE 0.004-SCALE MODEL 74-0 OF THE CONFIGURATION 4 (MODIFIED) SPACE SHUTTLE VEHICLE ORBITER IN THE NASA/MSFC 14-BY-14-INCH TRISONIC WIND TUNNEL (OA131)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2233	151,068	LA59	RESULTS OF A DRAG REDUCTION INVESTIGATION ON AN 0.010-SCALE MODEL OF THE SPACE SHUTTLE VEHICLE 72- OTS LAUNCH CONFIGURATION TESTED IN THE LARC 8-FOOT TRANSONIC PRESSURE TUNNEL FOR THE MACH RANGE OF 0.30 TO 1.20
2234	141,547	OA113	WIND TUNNEL TEST OA113 OF THE 0.010-SCALE SPACE SHUTTLE ORBITER MODEL 51-0 IN THE CALSPAN HYPERSONIC SHOCK TUNNEL (48-INCH LEG)
2235	141,810	SA30F	REENTRY AERODYNAMIC FORCES AND MOMENTS ON THE ENGINE NOZZLE OF THE 146-INCH SOLID ROCKET BOOSTER MODEL 473 IN MSFC 14 X 14 INCH TRISONIC WIND TUNNEL (SA30F)
2236	141,835	CA11	MATED AERODYNAMIC CHARACTERISTICS INVESTIGATION FOR 0.04-SCALE MODEL BOEING 747 CAM/EXTERNAL TANK (MODEL AX1784 E-5) COMBINATION IN THE UNIVERSITY OF WASHINGTON AERONAUTICAL LABORATORY F.K. KIRSTEN WIND TUNNEL (CA11)
2237	UNPUB	OA155	** DOCUMENT WAS NOT PUBLISHED **
2238	141,847	OA93	RESULTS OF WIND TUNNEL RCS INTERACTION TESTS ON A 0.010-SCALE SPACE SHUTTLE ORBITER MODEL (51-0) IN THE CALSPAN CORPORATION 48-INCH HYPERSONIC SHOCK TUNNEL
2239	UNPUB	LA38B	** DOCUMENT WAS NOT PUBLISHED **
2240	151,054	IH41A	RESULTS OF AN INVESTIGATION OF THE SPACE SHUTTLE INTEGRATED VEHICLE AERODYNAMIC HEATING CHARACTERISTICS OBTAINED USING THE 0.0175-SCALE MODEL 60-0TS IN THE AEDC TUNNEL A DURING TESTS IH41 AND IH41A
2241	160,490 V-01	OH39	AN INVESTIGATION OF ENTRY HEATING ON THE 0.0175 SCALE SPACE SHUTTLE ORBITER (MODEL 60-0) IN THE AEDC VKI TUNNEL B
2241	160,491 V-02	OH39	AN INVESTIGATION OF ENTRY HEATING ON THE 0.0175 SCALE SPACE SHUTTLE ORBITER (MODEL 60-0) IN THE AEDC VKI TUNNEL B

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2241	160,492 V-03	OH39	AN INVESTIGATION OF ENTRY HEATING ON THE 0.0175 SCALE SPACE SHUTTLE ORBITER (MODEL 60-0) IN THE AEDC VKF TUNNEL B
2241	160,493 V-04	OH39	AN INVESTIGATION OF ENTRY HEATING ON THE 0.0175 SCALE SPACE SHUTTLE ORBITER (MODEL 60-0) IN THE AEDC VKF TUNNEL B
2242	141,831 V-01	IA111	AERODYNAMIC RESULTS OF A SEPARATION EFFECTS TEST ON A 0.010-SCALE MODEL (52-OTS) OF THE INTEGRATED SSV IN THE AEDC/VKF 40-BY-40 INCH SUPERSONIC WIND TUNNEL A (IA111)
2242	144,588 V-02	IA111	AERODYNAMIC RESULTS OF A SEPARATION EFFECTS TEST ON A 0.010-SCALE MODEL (52-OTS) OF THE INTEGRATED SSV IN THE AEDC/VKF 40-BY-40 INCH SUPERSONIC WIND TUNNEL A (IA111)
2243	144,583	CA23A	RESULTS OF AN AERODYNAMIC INVESTIGATION OF A SPACE SHUTTLE ORBITER/747 CARRIER VEHICLE CONFIGURATION TO ESTABLISH A FREE-STREAM DATA BASE FOR ALT SEPARATION INVESTIGATIONS UTILIZING A 0.0125-SCALE MODEL (48-/OAX1318I-1) IN THE ARC 14-FOOT WIND TUNNEL (CA23A)
2244	151,082	SA28F	AN INVESTIGATION TO DETERMINE THE STATIC PRESSURE DISTRIBUTION OF THE 0.00548 SCALE SPACE SHUTTLE SOLID ROCKET BOOSTER (MSFC MODEL NUMBER 468) DURING REENTRY IN THE NASA/MSFC 14 INCH TRISONIC WIND TUNNEL
2245	147,618 V-01	OA161A/B/C	RESULTS OF AN INVESTIGATION TO DETERMINE LOCAL FLOW CHARACTERISTICS AT THE AIR DATA PROBE LOCATIONS USING AN 0.030-SCALE MODEL (45-0) OF THE SPACE SHUTTLE VEHICLE ORBITER CONFIGURATION 140A/B (MODIFIED) IN THE NASA AMES RESEARCH CENTER UNITARY PLAN WIND TUNNEL
2245	147,619 V 02	OA161A/B/C	RESULTS OF AN INVESTIGATION TO DETERMINE LOCAL FLOW CHARACTERISTICS AT THE AIR DATA PROBE LOCATIONS USING AN 0.030-SCALE MODEL (45-0) OF THE SPACE SHUTTLE VEHICLE ORBITER CONFIGURATION 140A/B (MODIFIED) IN THE NASA AMES RESEARCH CENTER UNITARY PLAN WIND TUNNEL

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2246	144,600	LA65	LOW SUBSONIC AERODYNAMIC CHARACTERISTICS OF FIVE IRREGULAR PLANFORM WINGS WITH SYSTEMATICALLY VARYING WING FILLET GEOMETRY TESTED IN THE NASA/AMES 12-FOOT PRESSURE TUNNEL (LA65)
2247	141,834	OA160	RESULTS OF AN INVESTIGATION OF HYPERSONIC VISCOUS INTERACTION EFFECTS OF THE SPACE SHUTTLE ORBITER USING A 0.01/SCALE MODEL (51 01 IN THE AEDC VKI TUNNEL F
2248	144,599	IH48	RESULTS OF HEAT TRANSFER TESTS OF A 0.0175-SCALE SPACE SHUTTLE VEHICLE 5 MODEL (60-OTS) IN THE NASA- AMES RESEARCH CENTER 3.5-FOOT HYPERSONIC WIND TUNNEL (TEST IH48)
2249	151,775	IH33	RESULTS OF SPACE SHUTTLE HEAT TRANSFER TESTS USING A 0.01-SCALE MODEL (37-0T) IN THE CALSPAN HYPERSONIC SHOCK TUNNEL (TEST IH33)
2250	141,539	OH43	RESULTS OF CONVECTIVE HEATING TESTS OF A LONGITUDINAL GAP ON THE ROCKWELL FLAT PLATE MODEL (15-0. INSERT VII) IN THE NASA/AMES 3.5 FOOT HYPERSONIC WIND TUNNEL (TEST OH43)
2251	141,540	OH9	RESULTS OF TESTS ON A ROCKWELL INTERNATIONAL SPACE SHUTTLE ORBITER (-139 CONFIGURATION) 0.0175- SCALE MODEL (NO.29-0) IN AEDC TUNNEL B TO DETERMINE BOUNDARY LAYER CHARACTERISTICS
2252	141,546	OH25A	HEAT TRANSFER PHASE CHANGE PAINT TESTS OF 0.0175- SCALE MODELS (NOS. 21-0 AND 46-0) OF THE ROCKWELL INTERNATIONAL SPACE SHUTTLE ORBITER IN THE AEDC TUNNEL B HYPERSONIC WIND TUNNEL (TEST OH25A)
2253	144,833	IA125	AN INVESTIGATION IN THE MSFC TNT TO DETERMINE SPOILER EFFECTS ON WING LOADS AND ELEVON HINGE MOMENTS UTILIZING 0.004-SCALE MODELS (77-0 AND 74-0TS) OF THE SHUTTLE VEHICLE 5 CONFIGURATION
2254	144,619 V-01	OA148/OA148P	TERMINAL AREA ENERGY MANAGEMENT REGIME INVESTIGATIONS UTILIZING AN 0.030-SCALE MODEL (47-0) OF THE SPACE SHUTTLE VEHICLE ORBITER CONFIGURATION 140A/B/C/R IN THE AMES RESEARCH CENTER 11 x 11 FOOT TRANSONIC WIND TUNNEL (OA148)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2254	144,620 V-02	OA148/OA148P	TERMINAL AREA ENERGY MANAGEMENT REGIME INVESTIGATIONS UTILIZING AN 0.030-SCALE MODEL (47-0) OF THE SPACE SHUTTLE VEHICLE ORBITER CONFIGURATION 140A/B/C/R IN THE AMES RESEARCH CENTER 11 x 11 FOOT TRANSONIC WIND TUNNEL (OA148)
2254	144,621 V-03	OA148/OA148P	TERMINAL AREA ENERGY MANAGEMENT REGIME INVESTIGATIONS UTILIZING AN 0.030-SCALE MODEL (47-0) OF THE SPACE SHUTTLE VEHICLE ORBITER CONFIGURATION 140A/B/C/R IN THE AMES RESEARCH CENTER 11 x 11 FOOT TRANSONIC WIND TUNNEL (OA148)
2254	144,622 V-04	OA148/OA148P	TERMINAL AREA ENERGY MANAGEMENT REGIME INVESTIGATIONS UTILIZING AN 0.030-SCALE MODEL (47-0) OF THE SPACE SHUTTLE VEHICLE ORBITER CONFIGURATION 140A/B/C/R IN THE AMES RESEARCH CENTER 11 x 11 FOOT TRANSONIC WIND TUNNEL (OA148)
2254	144,623 V-05	OA148/OA148P	TERMINAL AREA ENERGY MANAGEMENT REGIME INVESTIGATIONS UTILIZING AN 0.030-SCALE MODEL (47-0) OF THE SPACE SHUTTLE VEHICLE ORBITER CONFIGURATION 140A/B/C/R IN THE AMES RESEARCH CENTER 11 x 11 FOOT TRANSONIC WIND TUNNEL (OA148)
2254	144,624 V-06	OA148/OA148P	TERMINAL AREA ENERGY MANAGEMENT REGIME INVESTIGATIONS UTILIZING AN 0.030-SCALE MODEL (47-0) OF THE SPACE SHUTTLE VEHICLE ORBITER CONFIGURATION 140A/B/C/R IN THE AMES RESEARCH CENTER 11 x 11 FOOT TRANSONIC WIND TUNNEL (OA148)
2254	144,625 V-07	OA148/OA148P	TERMINAL AREA ENERGY MANAGEMENT REGIME INVESTIGATIONS UTILIZING AN 0.030-SCALE MODEL (47-0) OF THE SPACE SHUTTLE VEHICLE ORBITER CONFIGURATION 140A/B/C/R IN THE AMES RESEARCH CENTER 11 X 11 FOOT TRANSONIC WIND TUNNEL (OA148)
2254	144,626 V-08	OA148/OA148P	TERMINAL AREA ENERGY MANAGEMENT REGIME INVESTIGATIONS UTILIZING AN 0.030-SCALE MODEL (47-0) OF THE SPACE SHUTTLE VEHICLE ORBITER CONFIGURATION 140A/B/C/R IN THE AMES RESEARCH CENTER 11 X 11 FOOT TRANSONIC WIND TUNNEL (OA148)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2254	144,627 V-09	OA148/OA148P	TERMINAL AREA ENERGY MANAGEMENT REGIME INVESTIGATIONS UTILIZING AN 0.030-SCALE MODEL (47-0) OF THE SPACE SHUTTLE VEHICLE ORBITER CONFIGURATION 140A/B/C/R IN THE AMES RESEARCH CENTER 11 X 11 FOOT TRANSONIC WIND TUNNEL (OA148)
2254	144,628 V-10	OA148/OA148P	TERMINAL AREA ENERGY MANAGEMENT REGIME INVESTIGATIONS UTILIZING AN 0.030-SCALE MODEL (47-0) OF THE SPACE SHUTTLE VEHICLE ORBITER CONFIGURATION 140A/B/C/R IN THE AMES RESEARCH CENTER 11 X 11 FOOT TRANSONIC WIND TUNNEL (OA148)
2254	147,601 V-11	OA148/OA148P	TERMINAL AREA ENERGY MANAGEMENT REGIME INVESTIGATIONS UTILIZING AN 0.030-SCALE MODEL (47-0) OF THE SPACE SHUTTLE VEHICLE ORBITER CONFIGURATION 140A/B/C/R IN THE AMES RESEARCH CENTER 11 X 11 FOOT TRANSONIC WIND TUNNEL (OA148)
2254	147,602 V-12	OA148/OA148P	TERMINAL AREA ENERGY MANAGEMENT REGIME INVESTIGATIONS UTILIZING AN 0.030-SCALE MODEL (47-0) OF THE SPACE SHUTTLE VEHICLE ORBITER CONFIGURATION 140A/B/C/R IN THE AMES RESEARCH CENTER 11 X 11 FOOT TRANSONIC WIND TUNNEL (OA148)
2254	147,603 V-13	OA148/OA148P	TERMINAL AREA ENERGY MANAGEMENT REGIME INVESTIGATIONS UTILIZING AN 0.030-SCALE MODEL (47-0) OF THE SPACE SHUTTLE VEHICLE ORBITER CONFIGURATION 140A/B/C/R IN THE AMES RESEARCH CENTER 11 X 11 FOOT TRANSONIC WIND TUNNEL (OA148)
2255	T-X62,444		SHADOWGRAPHS OF AIR FLOW OVER PROSPECTIVE SPACE SHUTTLE CONFIGURATIONS AT MACH NUMBERS FROM 0.8 TO 1.4
2256	UNPUB	LA68	** DOCUMENT WAS NOT PUBLISHED **
2257	151,369	LA69	RESULTS OF A DRAG REDUCTION INVESTIGATION ON AN 0.010-SCALE MODEL OF THE SPACE SHUTTLE VEHICLE (72-0TS) LAUNCH CONFIGURATION TESTED IN THE LARC 8-FOOT TRANSONIC PRESSURE TUNNEL FOR THE MACH RANGE OF 0.35 TO 1.20
2258	151,045 V-01	IA72	INVESTIGATIONS ON A 0.020-SCALE JET PLUME MODEL (88-0TS) OF THE ROCKWELL INTERNATIONAL INTEGRATED SSV CONFIGURATION 14DC (MODIFIED) IN THE 11-FOOT TRANSONIC WIND TUNNEL

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2258	151,046 V-02	IA72	INVESTIGATIONS ON A 0.020-SCALE BET PLUME MODEL (88-0TS) OF THE ROCKWELL INTERNATIONAL INTEGRATED SSV CONFIGURATION 14DC (MODIFIED) IN THE 11-FOOT TRANSONIC WIND TUNNEL
2258	151,047 V-03	IA72	INVESTIGATIONS ON A 0.020-SCALE JET PLUME MODEL (88-0TS) OF THE ROCKWELL INTERNATIONAL INTEGRATED SSV CONFIGURATION 14DC (MODIFIED) IN THE 11-FOOT TRANSONIC WIND TUNNEL
2258	151,048 V-04	IA72	INVESTIGATIONS ON A 0.020-SCALE JET PLUME MODEL (88-0TS) OF THE ROCKWELL INTERNATIONAL INTEGRATED SSV CONFIGURATION 14DC (MODIFIED) IN THE 11-FOOT TRANSONIC WIND TUNNEL
2258	151,049 V-05	IA72	INVESTIGATIONS ON A 0.020-SCALE JET PLUME MODEL (88-0TS) OF THE ROCKWELL INTERNATIONAL INTEGRATED SSV CONFIGURATION 14DC (MODIFIED) IN THE 11-FOOT TRANSONIC WIND TUNNEL
2258	151,050 V-06	IA72	INVESTIGATIONS ON A 0.020-SCALE JET PLUME MODEL (88-0TS) OF THE ROCKWELL INTERNATIONAL INTEGRATED SSV CONFIGURATION 14DC (MODIFIED) IN THE 11-FOOT TRANSONIC WIND TUNNEL
2258	151,051 V-07	IA72	INVESTIGATIONS ON A 0.020-SCALE JET PLUME MODEL (88-0TS) OF THE ROCKWELL INTERNATIONAL INTEGRATED SSV CONFIGURATION 14DC (MODIFIED) IN THE 11-FOOT TRANSONIC WIND TUNNEL
2258	151,052 V-08	IA72	INVESTIGATIONS ON A 0.020-SCALE JET PLUME MODEL (88-0TS) OF THE ROCKWELL INTERNATIONAL INTEGRATED SSV CONFIGURATION 14DC (MODIFIED) IN THE 11-FOOT TRANSONIC WIND TUNNEL
2258	151,053 V-09	IA72	INVESTIGATIONS ON A 0.020-SCALE JET PLUME MODEL (88-0TS) OF THE ROCKWELL INTERNATIONAL INTEGRATED SSV CONFIGURATION 14DC (MODIFIED) IN THE 11-FOOT TRANSONIC WIND TUNNEL
2259	TASK CANCELLED	LA60A	** DOCUMENT WAS NOT PUBLISHED **
2260	UNPUB	LA60B/C	** DOCUMENT WAS NOT PUBLISHED **

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2261	167,364 V-01	OA100	RESULTS OF TESTS USING A 0.36-SCALE MODEL(76-0) OF THE SPACE SHUTTLE VEHICLE ORBITER IN THE NASA/AMES RESEARCH CENTER 40 BY 80-FOOT SUBSONIC WIND TUNNEL (OA100)
2261	167,365 V-02	OA100	RESULTS OF TESTS USING A 0.36-SCALE MODEL(76-0) OF THE SPACE SHUTTLE VEHICLE ORBITER IN THE NASA/AMES RESEARCH CENTER 40 BY 80-FOOT SUBSONIC WIND TUNNEL (OA100)
2262	147,630 V-01	CA6	RESULTS OF A CARRIER AIRCRAFT VERIFICATION TEST IN THE BOEING 8 X 12 FOOT TRANSONIC TUNNEL USING A 0.03-SCALE 747 CAM/ORBITER MODEL 45-0
2262	147,631 V-02	CA6	RESULTS OF A CARRIER AIRCRAFT VERIFICATION TEST IN THE BOEING 8 X 1 2 FOOT TRANSONIC TUNNEL USING A 0.03-SCALE 747 CAM/ORBITER MODEL 45-0
2263	144,596	OH74	RESULTS OF HEAT TRANSFER TESTS ON A 0.0175-SCALE SPACE SHUTTLE ORBITER MODEL (56-0) IN THE AEDC VKF 'B' HYPersonic WIND TUNNEL (OH74)
2264	141,843	LA62	TRANSONIC STABILITY AND CONTROL CHARACTERISTICS OF A 0.015-SCALE (REMOTELY CONTROLLED ELEVEN) MODEL 49-0 OF THE SPACE SHUTTLE ORBITER TESTED IN THE NASA/LARC 8-FOOT TPT (LA62)
2265	141,832	OA159	RESULTS OF TESTS USING A 0.030-SCALE MODEL (45-0) OF THE SPACE SHUTTLE VEHICLE ORBITER IN THE NASA/ARC 12-FOOT PRESSURE TUNNEL (OA159)
2266	144,607	LA67	TRANSONIC-SUPERSONIC HIGH REYNOLDS NUMBER STABILITY AND CONTROL CHARACTERISTICS OF A 0.015- SCALE (REMOTELY CONTROLLED ELEVEN) MODEL 44-0 OF THE SPACE SHUTTLE ORBITER TESTED IN THE VSD HIGH SPEED WIND TUNNEL
2267	147,604 V-01	MA22	RESULTS OF TEST MA22 IN THE NASA/LARC 31-INCH CFHT ON AN 0.010-SCALE MODEL (32-0) OF THE SPACE SHUTTLE CONFIGURATION 3 TO DETERMINE RCS JET FLOW FIELD INTERACTION AND TO INVESTIGATE RT REAL GAS EFFECTS
2267	147,605 V-02	MA22	RESULTS OF TEST MA22 IN THE NASA/LARC 31-INCH CFHT ON AN 0.010-SCALE MODEL (32-0) OF THE SPACE SHUTTLE CONFIGURATION 3 TO DETERMINE RCS JET FLOW FIELD INTERACTION AND TO INVESTIGATE RT REAL GAS EFFECTS

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2267	147,606 V-03	MA22	RESULTS OF TEST MA22 IN THE NASA/LARC 31-INCH CFHT ON AN 0.010-SCALE MODEL (32-0) OF THE SPACE SHUTTLE CONFIGURATION 3 TO DETERMINE RCS JET FLOW FIELD INTERACTION AND TO INVESTIGATE RT REAL GAS EFFECTS
2267	147,607 V-04	MA22	RESULTS OF TEST MA22 IN THE NASA/LARC 31-INCH CFHT ON AN 0.010-SCALE MODEL (32-0) OF THE SPACE SHUTTLE CONFIGURATION 3 TO DETERMINE RCS JET FLOW FIELD INTERACTION AND TO INVESTIGATE RT REAL GAS EFFECTS
2268	151,396 V-01	CA9/CA9P	RESULTS OF AN INVESTIGATION OF AERODYNAMIC FORCES, MOMENTS, AND PRESSURES ON 0.03-SCALE MODELS OF THE MATED SPACE SHUTTLE ORBITER AND CARRIER AIRCRAFT (MODEL NUMBERS AX1319P-1 AND 47-0) IN THE BOEING TRANSONIC WIND TUNNEL (CA9)
2268	151,397 V-02	CA9/CA9P	RESULTS OF AN INVESTIGATION OF AERODYNAMIC FORCES, MOMENTS, AND PRESSURES ON 0.03-SCALE MODELS OF THE MATED SPACE SHUTTLE ORBITER AND CARRIER AIRCRAFT (MODEL NUMBERS AX1319P-1 AND 47-0) IN THE BOEING TRANSONIC WIND TUNNEL (CA9)
2268	151,398 V-08	CA9/CA9P	RESULTS OF AN INVESTIGATION OF AERODYNAMIC FORCES, MOMENTS, AND PRESSURES ON 0.03-SCALE MODELS OF THE MATED SPACE SHUTTLE ORBITER AND CARRIER AIRCRAFT (MODEL NUMBERS AX1319P-1 AND 47-0) IN THE BOEING TRANSONIC WIND TUNNEL (CA9)
2268	151,399 V-04	CA9/CA9P	RESULTS OF AN INVESTIGATION OF AERODYNAMIC FORCES, MOMENTS, AND PRESSURES ON 0.03-SCALE MODELS OF THE MATED SPACE SHUTTLE ORBITER AND CARRIER AIRCRAFT (MODEL NUMBERS AX1319P-1 AND 47-0) IN THE BOEING TRANSONIC WIND TUNNEL (CA9)
2268	151,400 V-05	CA9/CA9P	RESULTS OF AN INVESTIGATION OF AERODYNAMIC FORCES, MOMENTS, AND PRESSURES ON 0.03-SCALE MODELS OF THE MATED SPACE SHUTTLE ORBITER AND CARRIER AIRCRAFT (MODEL NUMBERS AX1319P-1 AND 47-0) IN THE BOEING TRANSONIC WIND TUNNEL (CA9)
2269	147,624	LA70	TRANSONIC HIGH REYNOLDS NUMBER STABILITY AND CONTROL CHARACTERISTICS OF A 0.015-SCALE REMOTELY CONTROLLED ELEVON MODEL (44-0) OF THE SPACE SHUTTLE ORBITER TESTED IN THE CALSPAN 8-FOOT TWT

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2270	144,579	LA63A	LOW SUPERSONIC STABILITY AND CONTROL CHARACTERISTICS OF A 0.015-SCALE REMOTELY CONTROLLED ELEVEN MODEL (49-0) OF THE SPACE SHUTTLE ORBITER (LA63A)
2271	151,044	LA71A/B	SUPERSONIC STABILITY AND CONTROL CHARACTERISTICS OF A 0.015 SCALE MODEL 69-0 OF THE SPACE SHUTTLE ORBITER WITH FOREBODY RSI MODIFICATIONS IN THE NASA/LARC 4-FOOT UPWT (LEGS 1 AND 2)
2272	151,077 V-01	IA114	RESULTS OF AN INVESTIGATION OF EXTERNAL TANK SEPARATION EFFECTS USING AN 0.010-SCALE MODEL (52-OT) SPACE SHUTTLE VEHICLE IN THE ARNOLD ENGINEERING DEVELOPMENT CENTER VON KARMAN FACILITY TUNNEL B
2272	151,078 V-02	IA114	RESULTS OF AN INVESTIGATION OF EXTERNAL TANK SEPARATION EFFECTS USING AN 0.010-SCALE MODEL (52-OT) SPACE SHUTTLE VEHICLE IN THE ARNOLD ENGINEERING DEVELOPMENT CENTER VON KARMAN FACILITY TUNNEL B
2273	144,612 V-01	CA26	RESULTS OF AN AERODYNAMIC INVESTIGATION OF A SPACE SHUTTLE ORBITER/747 CARRIER FLIGHT TEST CONFIGURATION TO DETERMINE SEPARATION CHARACTERISTICS UTILIZING 0.0125-SCALE MODELS (48-0/AX13181-1) IN THE LTV 4X4-FOOT HIGH SPEED WIND TUNNEL (CA26)
2273	144,613 V-02	CA26	RESULTS OF AN AERODYNAMIC INVESTIGATION OF A SPACE SHUTTLE ORBITER/747 CARRIER FLIGHT TEST CONFIGURATION TO DETERMINE SEPARATION CHARACTERISTICS UTILIZING 0.0125-SCALE MODELS (48-0/AX13181-1) IN THE LTV 4X4-FOOT HIGH SPEED WIND TUNNEL (CA26)
2273	144,614 V-03	CA26	RESULTS OF AN AERODYNAMIC INVESTIGATION OF A SPACE SHUTTLE ORBITER/747 CARRIER FLIGHT TEST CONFIGURATION TO DETERMINE SEPARATION CHARACTERISTICS UTILIZING 0.0125-SCALE MODELS (48-D/AX13181-1) IN THE LTV 4X4-FOOT HIGH SPEED WIND TUNNEL (CA26)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2273	144,615 V-04	CA26	RESULTS OF AN AERODYNAMIC INVESTIGATION OF A SPACE SHUTTLE ORBITER/747 CARRIER FLIGHT TEST CONFIGURATION TO DETERMINE SEPARATION CHARACTERISTICS UTILIZING 0.0125-SCALE MODELS (48-0/AX13181-1) IN THE LTV 4X4-FOOT HIGH SPEED WIND TUNNEL (CA26)
2273	144,616 V-05	CA26	RESULTS OF AN AERODYNAMIC INVESTIGATION OF A SPACE SHUTTLE ORBITER/747 CARRIER FLIGHT TEST CONFIGURATION TO DETERMINE SEPARATION CHARACTERISTICS UTILIZING 0.0125-SCALE MODELS (48-0/AX13181-1) IN THE LTV 4X4-FOOT HIGH SPEED WIND TUNNEL (CA26)
2274	144,593	FA14	FA14 AN INVESTIGATION OF DRAG REDUCTION FAIRINGS ON THE SPACE SHUTTLE VEHICLE 5 CONFIGURATION (MODEL 74-0TS) IN THE MSFC 14-INCH TRISONIC WIND TUNNEL
2275	144,603 V-01	CA23B	RESULTS OF AN EXPERIMENTAL INVESTIGATION TO DETERMINE SEPARATION CHARACTERISTICS FOR THE ORBITER/747 USING A 0.0125-SCALE MODEL (48-0 AX13181-1 747) IN THE AMES RESEARCH CENTER 14-FOOT WIND TUNNEL (CA23B)
2275	144,604 V-02	CA23B	RESULTS OF AN EXPERIMENTAL INVESTIGATION TO DETERMINE SEPARATION CHARACTERISTICS FOR THE ORBITER/747 USING A 0.0125-SCALE MODEL (48-0 AX13181-1 747) IN THE AMES RESEARCH CENTER 14-FOOT WIND TUNNEL (CA23B)
2276	151,055	FH13	HEAT TRANSFER AND SURFACE PRESSURE DATA OBTAINED ON A .0429 SCALE MODEL SSV EXTERNAL TANK NOSE SECTION AT MACH NUMBERS FROM 2.5 TO 5.5 (FH13)
2277	144,579	SA13F	FORCE TEST OF A 0.88 PERCENT SCALE 142-INCH DIAMETER, SOLID ROCKET BOOSTER (MSFC MODEL NUMBER 461) IN THE NASA/MSFC HIGH REYNOLDS NUMBER WIND TUNNEL
2278	TASK CANCELLED	LA61	** DOCUMENT WAS NOT PUBLISHED **

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2279	144,606	LA63B	HIGH SUPERSONIC STABILITY AND CONTROL CHARACTERISTICS OF A 0.015-SCALE (REMOTELY CONTROLLED ELEVON) MODEL 49-0 OF THE SPACE SHUTTLE ORBITER TESTED IN THE NASA/LARC 4-FOOT UPWT (LEG 2)
2280	144,582	LA28	HEAT-FLUX GAGE MEASUREMENTS ON A FLAT PLATE AT A MACH NUMBER OF 4.6 IN THE VSD HIGH SPEED WIND TUNNEL A FEASIBILITY TEST (LA28)
2281	147,621	LA66	SUBSONIC STABILITY AND CONTROL CHARACTERISTICS OF A 0.015-SCALE (REMOTELY CONTROLLED ELEVON) MODEL 44-0 OF THE SPACE SHUTTLE ORBITER TESTED IN THE NASA/ARC 12-FOOT PRESSURE TUNNEL (LA66)
2282	151,407	IH34	BASE PRESSURE AND HEAT TRANSFER TESTS OF THE 0.0225- SCALE SPACE SHUTTLE PLUME SIMULATION MODEL 19-OTS IN THE NASA-LEWIS 10X10 FOOT SWT
2283	147,649	MA14	A LOW SPEED WIND TUNNEL TEST OF A 0.050 SCALE MODEL OF SHUTTLE ORBITER (MODEL 089B) TO INVESTIGATE THE LONGITUDINAL AND LATERAL DIRECTIONAL EFFECTS OF CANARD AND TAIL CONFIGURATIONAL MODIFICATIONS IN THE LTV LSWT
2284	151,035 V-01	IS2A/B	AERODYNAMIC NOISE OF THE 0.035-SCALE INTEGRATED SPACE SHUTTLE VEHICLE MODEL (84-0TS) IN THE NASA- AMES RESEARCH CENTER UNITARY PLAN WIND TUNNELS (IS2A/B)
2284	151,036 V-02	IS2A/B	AERODYNAMIC NOISE OF THE 0.035-SCALE INTEGRATED SPACE SHUTTLE VEHICLE MODEL (84-0TS) IN THE NASA- AMES RESEARCH CENTER UNITARY PLAN WIND TUNNELS (IS2A/B)
2285	144,595	OH50A	RESULTS OF TESTS USING THE PHASE CHANGE PAINT TECHNIQUE ON 0.04 SCALE 50 PERCENT FOREBODY MODELS (82-0) OF THE ROCKWELL SPACE SHUTTLE ORBITER
2286	147,625	OA220	RESULTS OF AN AIR PROBE INVESTIGATION UTILIZING AN 0.10 SCALE ORBITER (MODEL 57-0) FOREBODY IN THE AMES RESEARCH CENTER 14 FOOT WIND TUNNEL (OA220)
2287	167,699	OS13	RESULTS OF A FRSI MATERIAL TEST UNDER SPACE SHUTTLE ASCENT CONDITIONS IN THE AMES RESEARCH CENTER 9 X 7 FOOT SUPERSONIC WIND TUNNEL.

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2288	151,384	OH64	RESULTS OF BASE HEATING INVESTIGATIONS ON A 0.04 SCALE SPACE SHUTTLE ORBITER BASE (MODEL 25-0) IN THE NASA/LARC SPACE POWER FACILITY
2289	147,611 V-01	OA163	RESULTS OF A LANDING LOADS TEST USING A 0.0405-SCALE MODEL (16-0) OF THE SPACE SHUTTLE ORBITER IN THE ROCKWELL INTERNATIONAL NAAL WIND TUNNEL (OA163)
2289	147,612 V-02	OA163	RESULTS OF A LANDING LOADS TEST USING A 0.0405-SCALE MODEL (16-0) OF THE SPACE SHUTTLE ORBITER IN THE ROCKWELL INTERNATIONAL NAAL WIND TUNNEL (OA163)
2289	147,613 V-03	OA163	RESULTS OF A LANDING LOADS TEST USING A 0.0405-SCALE MODEL (16-0) OF THE SPACE SHUTTLE ORBITER IN THE ROCKWELL INTERNATIONAL NAAL WIND TUNNEL (OA163)
2289	147,614 V-04	OA163	RESULTS OF A LANDING LOADS TEST USING A 0.0405-SCALE MODEL (16-0) OF THE SPACE SHUTTLE ORBITER IN THE ROCKWELL INTERNATIONAL NAAL WIND TUNNEL (OA163)
2290	147,641 V-01	CA8	MATED AERODYNAMIC CHARACTERISTICS INVESTIGATION FOR THE 0.04 SCALE 747 CAM AND THE 0.0405 SCALE SPACE SHUTTLE ORBITER IN THE NASA LANGLEY V/STOL TRANSITION RESEARCH WIND TUNNEL
2290	147,642 V-02	CA8	MATED AERODYNAMIC CHARACTERISTICS INVESTIGATION FOR THE 0.04 SCALE 747 CAM AND THE 0.0405 SCALE SPACE SHUTTLE ORBITER IN THE NASA LANGLEY V/STOL TRANSITION RESEARCH WIND TUNNEL
2290	147,643 V-03	CA8	MATED AERODYNAMIC CHARACTERISTICS INVESTIGATION FOR THE 0.04 SCALE 747 CAM AND THE 0.0405 SCALE SPACE SHUTTLE ORBITER IN THE NASA LANGLEY V/STOL TRANSITION RESEARCH WIND TUNNEL
2291	UNPUB	LA79	** DOCUMENT WAS NOT PUBLISHED **
2292	TM-X72661 VOL. VII	LA36B	SPACE SHUTTLE TRIMMED CENTER-OF-GRAVITY EXTENSION STUDY: VOLUME VII - EFFECTS OF CONFIGURATION MODIFICATIONS ON THE SUBSONIC AERODYNAMIC CHARACTERISTICS OF THE 140A/B ORBITER AT HIGH REYNOLDS NUMBERS
2293	151,381	IA40	RESULTS OF TESTS USING A 0.010-SCALE SSV MODEL 75-OTS IN THE AEDC VKF TUNNEL A

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2294	160,822 V-01	OA172	RESULTS OF TESTS OF A SPACE SHUTTLE ORBITER FERRY CONFIGURATION USING A 140A/B 0.0405-SCALE MODEL (43-0) IN THE ROCKWELL INTERNATIONAL 7.75 X 11 FOOT LOW SPEED WIND TUNNEL (OA172)
2294	160,823 V-02	OA172	RESULTS OF TESTS OF A SPACE SHUTTLE ORBITER FERRY CONFIGURATION USING A 140A/B 0.0405-SCALE MODEL (43-0) IN THE ROCKWELL INTERNATIONAL 7.75 X 11 FOOT LOW SPEED WIND TUNNEL (OA172)
2295	151,069 V-01	IH41B	RESULTS OF AN INVESTIGATION OF THE SPACE SHUTTLE INTEGRATED VEHICLE AERODYNAMIC HEATING CHARACTERISTICS OBTAINED USING THE 0.0175-SCALE MODEL 60-OTS IN AEDC TUNNEL A DURING TESTS IH41B
2295	151,070 V-02	IH41B	RESULTS OF AN INVESTIGATION OF THE SPACE SHUTTLE INTEGRATED VEHICLE AERODYNAMIC HEATING CHARACTERISTICS OBTAINED USING THE 0.0175-SCALE MODEL 60-OTS IN AEDC TUNNEL A DURING TESTS IH41B
2295	151,071 V-03	IH41B	RESULTS OF AN INVESTIGATION OF THE SPACE SHUTTLE INTEGRATED VEHICLE AERODYNAMIC HEATING CHARACTERISTICS OBTAINED USING THE 0.0175-SCALE MODEL 60-OTS IN AEDC TUNNEL A DURING TESTS IH41B
2295	151,072 V-04	IH41B	RESULTS OF AN INVESTIGATION OF THE SPACE SHUTTLE INTEGRATED VEHICLE AERODYNAMIC HEATING CHARACTERISTICS OBTAINED USING THE 0.0175-SCALE MODEL 60-OTS IN AEDC TUNNEL A DURING TESTS IH41B
2295	151,073 V-05	IH41B	RESULTS OF AN INVESTIGATION OF THE SPACE SHUTTLE INTEGRATED VEHICLE AERODYNAMIC HEATING CHARACTERISTICS OBTAINED USING THE 0.0175-SCALE MODEL 60-OTS IN AEDC TUNNEL A DURING TESTS IH41B
2296	147,609 V-01	LA81	SHUTTLE MODEL TAILCONE PRESSURE DISTRIBUTION AT LOW SUBSONIC SPEEDS OF A 0.03614-SCALE MODEL IN THE NASA/LARC LOW TURBULENCE PRESSURE TUNNEL (LA81)
2296	147,610 V-02	LA81	SHUTTLE MODEL TAILCONE PRESSURE DISTRIBUTION AT LOW SUBSONIC SPEEDS OF A 0.03614-SCALE MODEL IN THE NASA/LARC LOW TURBULENCE PRESSURE TUNNEL (LA81)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2297	147,628	LA45A/B	HIGH SUPERSONIC AERODYNAMIC CHARACTERISTICS OF FIVE IRREGULAR PLANFORM WINGS WITH SYSTEMATICALLY VARYING WING FILLET GEOMETRY TESTED IN THE NASA/LARC 4-FOOT UPWT (LEG 2) (LA45A/B)
2298	151,409	LA73A/LA73B	LOW SPEED STABILITY AND CONTROL CHARACTERISTICS OF A 0.015 SCALE MODEL 69-0 OF THE SPACE SHUTTLE ORBITER WITH FOREBODY RSI MODIFICATIONS IN THE NASA/LARC LOW TURBULENCE PRESSURE TUNNEL (LA73A/B)
2299	TM-X3497	LA80	DYNAMIC STABILITY CHARACTERISTICS OF THE COMBINATION SPACE SHUTTLE ORBITER AND FERRY COMBINATION
2300	147,629	LA61B	LOW-SUBSONIC STABILITY AND CONTROL CHARACTERISTICS OF A 0.015-SCALE REMOTELY CONTROLLED ELEVON MODEL (44-0) OF THE SPACE SHUTTLE ORBITER IN THE LANGLEY RESEARCH CENTER LOW TURBULENCE PRESSURE TUNNEL
2301	144,605	OH54A	RESULTS OF PHASE CHANGE PAINT HEAT TRANSFER TESTS UTILIZING 0.040 SCALE 50 PERCENT FOREBODY MODELS (NO. 82-0) OF THE ROCKWELL INTERNATIONAL SPACE SHUTTLE ORBITER IN AEDC VKF HYPersonic TUNNEL B
2302	167,340 V-01	OA174	RESULTS OF TESTS USING A 0.36-SCALE MODEL(76-0) OF THE SPACE SHUTTLE ORBITER VEHICLE 101 IN THE NASA/AMES RESEARCH CENTER'S 40 X 80 SUBSONIC WIND TUNNEL (OA174)
2302	167,341 V-02	OA174	RESULTS OF TESTS USING A 0.36-SCALE MODEL(76-0) OF THE SPACE SHUTTLE ORBITER VEHICLE 101 IN THE NASA/AMES RESEARCH CENTER'S 40 X 80 SUBSONIC WIND TUNNEL (OA174)
2303	144,618	OH75	RESULTS OF PHASE CHANGE PAINT TESTS OF 0.040 SCALE 50 PERCENT FOREBODY MODELS (82-0) OF THE SPACE SHUTTLE ORBITER IN THE AEDC VKF 'B' HYPersonic WIND TUNNEL
2304	160,846	OA173	RESULTS OF TESTS TO EVALUATE ARC 40X80-FOOT TUNNEL SUPPORT STRUT TARES ON THE SPACE SHUTTLE VEHICLE WITH TAIL CONE USING A 0.03-SCALE MODEL (45-0) IN THE NASA/ARC 12-FOOT PRESSURE WIND TUNNEL (OA173)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2305	151,059 V-01	LA76	HIGH REYNOLDS NUMBER TRANSONIC STABILITY AND CONTROL CHARACTERISTICS OF A 0.015 SCALE (REMOTELY CONTROLLED ELEVEN) MODEL 44-0 OF THE SPACE SHUTTLE ORBITER TESTED IN THE VSD HIGH SPEED TUNNEL (LA76)
2305	151,060 V-02	LA76	HIGH REYNOLDS NUMBER TRANSONIC STABILITY AND CONTROL CHARACTERISTICS OF A 0.015 SCALE (REMOTELY CONTROLLED ELEVEN) MODEL 44-0 OF THE SPACE SHUTTLE ORBITER TESTED IN THE VSD HIGH SPEED TUNNEL (LA76)
2306	167,354 V-01	IA135A/B/C	RESULTS OF TESTS ON THE SPACE SHUTTLE LAUNCH CONFIGURATION USING THE 0.03 SCALE MODEL 47-0TS IN THE NASA/AMES UNITARY PLAN WIND TUNNEL (IA135A/B/C)
2306	167,355 V-02	IA135A/B/C	RESULTS OF TESTS ON THE SPACE SHUTTLE LAUNCH CONFIGURATION USING THE 0.03 SCALE MODEL 47-0TS IN THE NASA/AMES UNITARY PLAN WIND TUNNEL (IA135A/B/C)
2306	167,356 V-03	IA135A/B/C	RESULTS OF TESTS ON THE SPACE SHUTTLE LAUNCH CONFIGURATION USING THE 0.03 SCALE MODEL 47-0TS IN THE NASA/AMES UNITARY PLAN WIND TUNNEL (IA135A/B/C)
2307	160,840 V-01	CA14A	RESULTS OF EXPERIMENTAL AERODYNAMIC INVESTIGATION ON A 0.03 SCALE MODEL BOEING 747 CAM WITH SPACE SHUTTLE ORBITER IN THE BOEING 8 X 12 FOOT TRANSONIC WIND TUNNEL (CA14A)
2307	160,841 V-02	CA14A	RESULTS OF EXPERIMENTAL AERODYNAMIC INVESTIGATION ON A 0.03 SCALE MODEL BOEING 747 CAM WITH SPACE SHUTTLE ORBITER IN THE BOEING 8 X 12 FOOT TRANSONIC WIND TUNNEL (CA14A)
2308	147,636	IH5	AN EXPERIMENTAL DETERMINATION IN THE CALSPAN LUDWIG TUBE OF THE BASE ENVIRONMENT OF THE INTEGRATED SPACE SHUTTLE VEHICLE AT SIMULATED MACH 4.5 FLIGHT CONDITIONS (TEST IH5 OF MODEL 19-0TS)
2309	147,644	LA72	TRANSONIC STABILITY AND CONTROL CHARACTERISTICS OF A 0.015 SCALE MODEL 69-0 OF THE SPACE SHUTTLE ORBITER WITH FOREBODY RSI MODIFICATION IN THE NASA/LARC 8-FOOT TPT (LA72)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2310	151,083 V-01	SA14FB	REENTRY STATIC STABILITY CHARACTERISTICS OF A 0.00548 SCALE MODEL OF A RIGHT HAND 146-INCH DIAMETER SOLID ROCKET BOOSTER (MSFC MODEL 486) REENTRY CONFIGURATION AS DETERMINED FROM TESTS IN THE NASA/MSFC 14-INCH TRISONIC WIND TUNNEL
2310	151,084 V-02	SA14FB	REENTRY STATIC STABILITY CHARACTERISTICS OF A 0.00548 SCALE MODEL OF A RIGHT HAND 146-INCH DIAMETER SOLID ROCKET BOOSTER (MSFC MODEL 486) REENTRY CONFIGURATION AS DETERMINED FROM TESTS IN THE NASA/MSFC 14-INCH TRISONIC WIND TUNNEL
2311	147,620	LA78/87/88	RESULTS FROM INVESTIGATIONS IN THREE NASA/LARC HYPERSONIC WIND TUNNELS ON A 0.004-SCALE MODEL SPACE SHUTTLE ORBITER (MODEL 13P-O) TO DETERMINE REAL GAS EFFECTS (LA78, LA87, LA88)
2312	151,075 V-01	IH47	RESULTS OF AN INVESTIGATION OF THE SPACE SHUTTLE SOLID ROCKET BOOSTER AERODYNAMIC HEATING CHARACTERISTICS OBTAINED USING THE 0.0175-SCALE MODEL 60-OTS IN AEDC TUNNEL A DURING TESTS IH47
2312	151,076 V-02	IH47	RESULTS OF AN INVESTIGATION OF THE SPACE SHUTTLE SOLID ROCKET BOOSTER AERODYNAMIC HEATING CHARACTERISTICS OBTAINED USING THE 0.0175-SCALE MODEL 60-OTS IN AEDC TUNNEL A DURING TESTS IH47
2313	151,041 V-01	FH14	RESULTS OF WIND TUNNEL TESTS TO DETERMINE HEAT TRANSFER RATES ON A 0.0275 SCALE SPACE SHUTTLE EXTERNAL TANK WITH A 10 DEG/40 DEG DOUBLE CONE- OGIVE NOSE IN THE NASA/ARC 3.5 HYPERSONIC TUNNEL
2313	151,042 V-02	FH14	RESULTS OF WIND TUNNEL TESTS TO DETERMINE HEAT TRANSFER RATES ON A 0.0275 SCALE SPACE SHUTTLE EXTERNAL TANK WITH A 10 DEG/40 DEG DOUBLE CONE- OGIVE NOSE IN THE NASA/ARC 3.5 HYPERSONIC TUNNEL
2313	151,043 V-03	FH14	RESULTS OF WIND TUNNEL TESTS TO DETERMINE HEAT TRANSFER RATES ON A 0.0275 SCALE SPACE SHUTTLE EXTERNAL TANK WITH A 10 DEG/40 DEG DOUBLE CONE- OGIVE NOSE IN THE NASA/ARC 3.5 HYPERSONIC TUNNEL
2314	151,406	OA176	INVESTIGATION OF SUPPORT SYSTEM EFFECTS ON ORBITER LOW SPEED AERODYNAMIC CHARACTERISTICS USING 0.0405-SCALE MODEL 43-0 IN THE NAAL LOW SPEED WIND TUNNEL

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2315	147,623	1A141	RESULTS OF AN INVESTIGATION OF REYNOLDS NUMBER EFFECTS ON INTEGRATED VEHICLE ELEVON HINGE MOMENTS AND WING PANEL LOADS OBTAINED WITH 0.010-SCALE MODEL 72-OTS IN THE ROCKWELL TRISONIC WIND TUNNEL
2316	147,622	1A137	RESULTS OF TEST 1A137 IN THE NASA/ARC 14 FOOT TRANSONIC WIND TUNNEL OF THE 0.07 SCALE EXTERNAL TANK FOREBODY (MODEL 68-T) TO DETERMINE AUXILIARY AERODYNAMIC DATA SYSTEM FEASIBILITY
2317	151,787	OH53A	RESULTS OF TESTS TO DETERMINE REACTION CONTROL SYSTEM (RCS) NOZZLE EFFECTS ON THE ORBITER FOREBODY ASCENT AERODYNAMIC HEATING RATES USING A 0.04-SCALE MODEL (83-0) IN THE AMES RESEARCH CENTER 3.5 FOOT HYPERSONIC WIND TUNNEL (OH53A)
2318	147,646 V-01	LA75	HIGH SUPERSONIC STABILITY AND CONTROL CHARACTERISTICS OF A 0.015-SCALE (REMOTELY CONTROLLED ELEVON) MODEL 44-0 SPACE SHUTTLE ORBITER TESTED IN THE NASA/LARC 4-FOOT UPWT (LEG 2) (LA75)
2318	147,647 V-02	LA75	HIGH SUPERSONIC STABILITY AND CONTROL CHARACTERISTICS OF A 0.015-SCALE (REMOTELY CONTROLLED ELEVON) MODEL 44-0 SPACE SHUTTLE ORBITER TESTED IN THE NASA/LARC 4-FOOT UPWT (LEG 2) (LA75)
2319	151,771	IH43	HEAT TRANSFER AND PRESSURE TESTS ON A 0.01-SCALE SPACE SHUTTLE MODEL (59-OT) IN THE CALSPAN HYPERVELOCITY SHOCK TUNNELS (IH43)
2320	151,390 V-01	OA169	RESULTS OF TESTS USING A 0.0125-SCALE MODEL (70-OT) OF THE SPACE SHUTTLE VEHICLE ORBITER IN THE AEDC VKF TUNNEL B (OA169)
2320	151,391 V-02	OA169	RESULTS OF TESTS USING A 0.0125-SCALE MODEL (70-OT) OF THE SPACE SHUTTLE VEHICLE ORBITER IN THE AEDC VKF TUNNEL B (OA169)
2320	151,392 V-03	OA169	RESULTS OF TESTS USING A 0.0125-SCALE MODEL (70-OT) OF THE SPACE SHUTTLE VEHICLE ORBITER IN THE AEDC VKF TUNNEL B (OA169)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2321	151,410 V-01	OH69	RESULTS OF TEST OH69 OBTAINED IN THE AEDC VKF HYPERSONIC TUNNEL B USING THE INFRARED SCANNING METHOD TO OBTAIN HEAT TRANSFER DATA ON THE 0.040 SCALE MODEL 82-0 OF THE SPACE SHUTTLE FOREBODY
2321	151,411 V-02	OH69	RESULTS OF TEST OH69 OBTAINED IN THE AEDC VKF HYPERSONIC TUNNEL B USING THE INFRARED SCANNING METHOD TO OBTAIN HEAT TRANSFER DATA ON THE 0.040 SCALE MODEL 82-0 OF THE SPACE SHUTTLE FOREBODY
2322	160,847	OA228	RESULTS OF TEST OA228 USING THE SSV VEHICLE 102 0.10 SCALE FOREBODY MODEL NO. 57-0 IN THE NAAL LOW SPEED WIND TUNNEL
2323	151,039	1A94A	RESULTS OF INVESTIGATIONS CONDUCTED IN THE LARC 4-FOOT UNITARY PLAN WIND TUNNEL LEG NO. 1 USING THE 0.010-SCALE 72-0TS MODEL OF THE SPACE SHUTTLE INTEGRATED VEHICLE
2324	151,040	1A94B	RESULTS OF INVESTIGATIONS CONDUCTED IN THE LARC 4-FOOT UNITARY PLAN WIND TUNNEL LEG NO. 2 USING THE 0.010-SCALE 72-0TS MODEL OF THE SPACE SHUTTLE INTEGRATED VEHICLE
2325	147,645	SA14FA	AERODYNAMIC CHARACTERISTICS OF A 0.00563 SCALE 142- INCH DIAMETER SOLID ROCKET BOOSTER (MSFC MODEL 449 AND 480) WITH SIDE MOUNTED STINGS IN THE NASA/MSFC 14 INCH TRISONIC WIND TUNNEL
2326	151,037 V-01	1A93	RESULTS OF INVESTIGATIONS CONDUCTED IN THE LARC 8-FOOT TRANSONIC PRESSURE TUNNEL USING THE 0.010- SCALE 72-0TS MODEL OF THE SPACE SHUTTLE INTEGRATED VEHICLE
2326	151,038 V-02	1A93	RESULTS OF INVESTIGATIONS CONDUCTED IN THE LARC 8-FOOT TRANSONIC PRESSURE TUNNEL USING THE 0.010- SCALE 72-0TS MODEL OF THE SPACE SHUTTLE INTEGRATED VEHICLE
2327	151,079 V-01	1A22	RESULTS OF TESTS USING 0.0125-SCALE MODEL (70-0T) OF THE SPACE SHUTTLE VEHICLE ORBITER IN THE AEDC VKF TUNNEL B
2327	151,080 V-02	1A22	RESULTS OF TESTS USING 0.0125-SCALE MODEL (70-0T) OF THE SPACE SHUTTLE VEHICLE ORBITER IN THE AEDC VKF TUNNEL B

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2327	151,081 V-03	1A22	RESULTS OF TESTS USING 0.0125-SCALE MODEL (70-OT) OF THE SPACE SHUTTLE VEHICLE ORBITER IN THE AEDC VKF TUNNEL B
2328	TN D-8233	LA34	EFFECT OF A SURFACE-TO-GAP TEMPERATURE DISCONTINUITY ON THE HEAT TRANSFER TO REUSABLE SURFACE INSULATION TILE GAPS
2329	160,837	OA224	CALIBRATION RESULTS OF THE BASELINE AIR DATA PROBES AT THE LANGLEY 16-FOOT TRANSONIC WIND TUNNEL USING A 0.10 SCALE ORBITER FOREBODY MODEL 102 LINES (OA224)
2330	147,637	OH52	RESULTS OF A FLOW FIELD SURVEY CONDUCTED USING THE 0.0175 SCALE ORBITER MODEL 29-0 IN THE AEDC VKF TUNNEL B DURING TEST OH52
2331	160,838 V-01	SA11F	STATIC STABILITY AND PRESSURE DATA FROM WIND TUNNEL TESTS OF A .028-SCALE (MSFC MODEL 483) SPACE SHUTTLE SRB AT REENTRY ATTITUDES IN THE NASA/ARC UNITARY PLAN WIND TUNNELS (SA11F)
2331	160,839 V-02	SA11F	STATIC STABILITY AND PRESSURE DATA FROM WIND TUNNEL TESTS OF A .028-SCALE (MSFC MODEL 483) SPACE SHUTTLE SRB AT REENTRY ATTITUDES IN THE NASA/ARC UNITARY PLAN WIND TUNNELS (SA11F)
2332	151,373	CA13	RESULTS OF AERODYNAMIC FORCE AND MOMENT TESTS OF 0.03-SCALE MODELS (AX13191-3 AND 45-0) OF THE SPACE SHUTTLE ORBITER AND CARRIER IN THE NASA/ARC 14-FOOT TRANSONIC WIND TUNNEL (CA13)
2333	151,374 V-01	OA175	WIND TUNNEL TEST OA175 OF THE 0.030-SCALE SSV ORBITER MODEL (47-0) IN THE 11 X 11-FOOT LEG OF THE NASA/ARC UNITARY PLAN WIND TUNNEL (OA175)
2333	151,375 V-02	OA175	WIND TUNNEL TEST OA175 OF THE 0.030-SCALE SSV ORBITER MODEL (47-0) IN THE 11 X 11-FOOT LEG OF THE NASA/ARC UNITARY PLAN WIND TUNNEL (OA175)
2333	151,376 V-03	OA175	WIND TUNNEL TEST OA175 OF THE 0.030-SCALE SSV ORBITER MODEL (47-0) IN THE 11 X 11-FOOT LEG OF THE NASA/ARC UNITARY PLAN WIND TUNNEL (OA175)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2334	147,648	SA16F	AN INVESTIGATION OF THE AERODYNAMIC CHARACTERISTICS OF A 0.00548 SCALE MODEL (MODEL NO. 486) OF THE SPACE SHUTTLE 146-INCH DIAMETER SOLID ROCKET BOOSTER AT ANGLES OF ATTACK FROM 113 TO 180 DEGREES IN THE AEDC PWT 4-FOOT TRANSONIC WIND TUNNEL
2335	151,783	IA140A/B	RESULTS OF EXPERIMENTAL INVESTIGATIONS IN THE MSFC TWT TO DETERMINE EFFECTS OF A MULTIPLE STING SUPPORT SYSTEM ON THE MATED VEHICLE AERODYNAMICS UTILIZING A 0.004 SCALE (74-0TS, 77-0) SHUTTLE VEHICLE 5 (IA140 A/B)
2336	167,375	LA145	INVESTIGATION OF THE HIGH ANGLE OF ATTACK AERODYNAMICS OF A SPACE SHUTTLE ORBITER(LARC.0098 SCALE MODEL) IN THE LARC UPWT AT MACH NUMBERS FROM 1.5 TO 4.5 (LA145)
2337	151,786	OA236	A VERIFICATION STUDY OF THREE AMES RESEARCH CENTER PITOT-STATIC PROBES IN THE ROCKWELL INTERNATIONAL NAAL LOW SPEED WIND TUNNEL
2338	147,639	CS3	RESULTS OF THE LOW SPEED AEROELASTIC BUFFET TEST WITH A 0.046-SCALE MODEL (747-AX1322D-3/ORBITER 8-0) OF THE 747 CAM/ORBITER IN THE UNIVERSITY OF WASHINGTON WIND TUNNEL
2339	UNPUB	OS32	** DOCUMENT WAS NOT PUBLISHED **
2340	160,501 V-01	OH98	RESULTS OF TESTS ON A 0.0175-SCALE MODEL (60-0) OF THE SPACE SHUTTLE ORBITER TO DETERMINE RE-ENTRY MODE CONVECTIVE HEAT TRANSFER RATES ON THE UPPER WING SURFACE AND SSME NOZZLES IN THE AEDC VKF 'B' HYPERSONIC WIND TUNNEL (OH98)
2340	160,502 V-02	OH98	RESULTS OF TESTS ON A 0.0175-SCALE MODEL (60-0) OF THE SPACE SHUTTLE ORBITER TO DETERMINE RE-ENTRY MODE CONVECTIVE HEAT TRANSFER RATES ON THE UPPER WING SURFACE AND SSME NOZZLES IN THE AEDC VKF 'B' HYPERSONIC WIND TUNNEL (OH98)
2341	147,638	CS4/5	RESULTS OF TESTS CS4 AND CS5 TO INVESTIGATE DYNAMIC LOADS AND PRESSURES ON 0.03-SCALE MODELS (AX1319-3/4 AND 45-0) OF MATED 747 CAM AND SPACE SHUTTLE ORBITER IN THE BOEING TRANSONIC WIND TUNNEL

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2342	151,074	OH54B	RESULTS OF PHASE CHANGE PAINT HEAT TRANSFER TEST UTILIZING 0.040 SCALE 50 PERCENT FOREBODY MODELS (NO. 82-0) OF THE ROCKWELL INTERNATIONAL SPACE SHUTTLE ORBITER IN THE AEDC VKF HYPersonic TUNNEL B
2343	160,849	LA85	PITOT PRESSURE SURVEYS ON THE LEEWARD SURFACE OF A 0.0045-SCALE MODEL ATP SHUTTLE ORBITER AT 30 DEGREES ANGLE OF ATTACK AND MACH 20 IN THE LARC 22 INCH HELIUM TUNNEL (LA85)
2344	151,788 V-01	LA77	TRANSONIC STABILITY AND CONTROL CHARACTERISTICS OF A 0.015-SCALE (REMOTELY CONTROLLED ELEVON) MODEL 44-0 OF THE SPACE SHUTTLE ORBITER TESTED IN THE NASA/ARC 11-FOOT TRANSONIC WIND TUNNEL (LA77)
2344	151,789 V-02	LA77	TRANSONIC STABILITY AND CONTROL CHARACTERISTICS OF A 0.015-SCALE (REMOTELY CONTROLLED ELEVON) MODEL 44-0 OF THE SPACE SHUTTLE ORBITER TESTED IN THE NASA/ARC 11-FOOT TRANSONIC WIND TUNNEL (LA77)
2345	78195	SA21F	AERODYNAMIC ROLL CHARACTERISTICS OF A 0.00548 SCALE 146-INCH SOLID ROCKET BOOSTER REENTRY CONFIGURATION (MSFC MODEL NUMBER 486) OVER A PORTION OF THE REENTRY FLIGHT REGIME IN THE NASA/MSFC 14-INCH TRISONIC WIND TUNNEL
2346	151,385 V-01	IA142	RESULTS OF SRB SEPARATION TESTS USING THE 0.010- SCALE SSV MODEL 75-0TS IN THE AEDC VKF TUNNEL A
2346	151,386 V-02	IA142	RESULTS OF SRB SEPARATION TESTS USING THE 0.010- SCALE SSV MODEL 75-0TS IN THE AEDC VKF TUNNEL A
2346	151,387 V-03	IA142	RESULTS OF SRB SEPARATION TESTS USING THE 0.010- SCALE SSV MODEL 75-0TS IN THE AEDC VKF TUNNEL A
2347	160,482 V-01	CA15A	MATED AERODYNAMIC CHARACTERISTICS INVESTIGATION FOR 0.04-SCALE MODEL BOEING 747 CAM/ORBITER (MODEL AX1284 E-6) COMBINATION IN THE UNIVERSITY OF WASHINGTON AERONAUTICAL LABORATORY F. K. KIRSTEN WIND TUNNEL (CA15A)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2348	160,483 V-01	CA15B	MATED AERODYNAMIC CHARACTERISTICS INVESTIGATION FOR 0.04-SCALE MODEL BOEING 747 CAM/ORBITER (MODEL AX1284 E-7) COMBINATION IN THE UNIVERSITY OF WASHINGTON AERONAUTICAL LABORATORY F. K. KIRSTEN WIND TUNNEL (CA15B)
2349	151,379	CA17	RESULTS OF TEST CA17 CONDUCTED IN THE UWAL LOW SPEED WIND TUNNEL USING THE MATED 0.04-SCALE 747 MODEL AX1284 AND 0.0405 SPACE SHUTTLE ORBITER MODEL 43-0
2350	151,065	OH46	RESULTS OF PHASE CHANGE PAINT THERMAL MAPPING TEST OH46 USING THE 0.006-SCALE MODEL 90-0 IN THE NASA LARC VARIABLE DENSITY TUNNEL
2351	160,853	OA23B	RESULTS OF TEST OA23B USING THE SSV VEHICLE 102 0.10-SCALE FOREBODY MODEL NO. 99-0 IN THE NAAL LOW SPEED WIND TUNNEL TO INVESTIGATE AIR DATA SYSTEM CHARACTERISTICS
2352	151,383	LA91	A STUDY OF TRANSONIC BETA HYSTERESIS OF AN 0.015 SCALE MODEL 44-0 (SPACE SHUTTLE ORBITER TESTED IN THE NASA/LARC 8-FOOT TRANSONIC) PRESSURE TUNNEL (LA91)
2353	160,827	LA89	SUBSONIC STABILITY AND CONTROL CHARACTERISTICS OF A 0.030-SCALE SPACE SHUTTLE ORBITER WITH TAILCONE (MODEL 201) TESTED IN THE NASA/ARC 11-FOOT TRANSONIC WIND TUNNEL (LA89)
2354	151,401 V-01	IA143	RESULTS OF SRB SEPARATION TESTS USING THE 0.010 SCALE SSV MODEL 75-0TS IN THE AEDC VKF TUNNEL A (IA143)
2354	151,402 V-02	IA143	RESULTS OF SRB SEPARATION TESTS USING THE 0.010 SCALE SSV MODEL 75-0TS IN THE AEDC VKF TUNNEL A (IA143)
2354	151,403 V-03	IA143	RESULTS OF SRB SEPARATION TESTS USING THE 0.010 SCALE SSV MODEL 75-0TS IN THE AEDC VKF TUNNEL A (IA143)
2354	151,404 V-04	IA143	RESULTS OF SRB SEPARATION TESTS USING THE 0.010 SCALE SSV MODEL 75-0TS IN THE AEDC VKF TUNNEL A (IA143)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2355	151,066	OH49A	RESULTS OF TEST OH49A OF THE 0.0175-SCALE SPACE SHUTTLE ORBITER MODEL 22-0 CONDUCTED IN THE AEDC VKF TUNNEL B TO DETERMINE AERO HEATING CHARACTERISTICS
2356	151,064	OH60	AERODYNAMIC HEATING RESULTS OBTAINED DURING TEST OH60 CONDUCTED IN THE AEDC VKF TUNNEL B USING THE 0.040-SCALE MODEL 83-0 OF THE SPACE SHUTTLE ORBITER FORWARD FIFTY PERCENT FUSELAGE
2357	167,655	IH68	RESULTS OF ASCENT AERODYNAMIC HEATING TESTS ON THE SPACE SHUTTLE ASCENT VEHICLE, AT MACH 5.3 AND 7.4 IN THE NASA/AMES 3.5-FOOT HWT, USING THE 0.0175-SCALE MODEL 60 OTS (IH68)
2358	151,067	OH50B	AERODYNAMIC HEATING RESULTS OBTAINED DURING TEST OH50B CONDUCTED IN THE AEDC VKF TUNNEL R USING THE 0.040-SCALE 83-0 OF THE SPACE SHUTTLE ORBITER FORWARD FIFTY PERCENT FUSELAGE
2359	151,405	OH66	RESULTS OF HEAT TRANSFER TESTING OF AN 0.025-SCALE MODEL (66 0) OF THE SPACE SHUTTLE ORBITER CONFIGURATION 140B IN THE CALSPAN HYPersonic SHOCK TUNNEL (OH66)
2360	160,521 V-01	OA221B/C	CALIBRATION TESTS OF THE SPACE SHUTTLE ORBITER PRIMARY AND ALTERNATE AIR DATA SYSTEMS USING A 0.10-SCALE ORBITER FOREBODY MODEL (99-0) IN THE NASA AMES RESEARCH CENTER 9 X 7 AND 8 X 7-FOOT LEGS OF THE UNITARY PLAN WIND TUNNEL (OA221B AND C)
2360	160,522 V-02	OA221B/C	CALIBRATION TESTS OF THE SPACE SHUTTLE ORBITER PRIMARY AND ALTERNATE AIR DATA SYSTEMS USING A 0.10-SCALE ORBITER FOREBODY MODEL (99-0) IN THE NASA AMES RESEARCH CENTER 9 X 7 AND 8 X 7-FOOT LEGS OF THE UNITARY PLAN WIND TUNNEL (OA221B AND C)
2361	151,370 V-01	OA163B	RESULTS OF A LANDING GEAR LOADS TEST USING A 0.0405-SCALE MODEL (16-0) OF THE SPACE SHUTTLE ORBITER IN THE ROCKWELL INTERNATIONAL NAAL WIND TUNNEL (OA163B)
2361	151,371 V-02	OA163B	RESULTS OF A LANDING GEAR LOADS TEST USING A 0.0405-SCALE MODEL (16-0) OF THE SPACE SHUTTLE ORBITER IN THE ROCKWELL INTERNATIONAL NAAL WIND TUNNEL (OA163B)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2362	UNPUB	LA92	** DOCUMENT WAS NOT PUBLISHED **
2363	151,057	OS7	RESULTS OF FLUTTER TEST OS7 OBTAINED USING THE 0.14- SCALE SPACE SHUTTLE ORBITER FIN/RUDDER MODEL NUMBER 55-0 IN THE NASA LARC 16-FOOT TRANSONIC DYNAMICS WIND TUNNEL
2364	160,527 V-01	OA145B	RESULTS OF AN INVESTIGATION TO VERIFY SHUTTLE ORBITER VEHICLE 102 AERO CHARACTERISTICS UTILIZING AN .05-SCALE HI-FIDELITY REMOTE CONTROL MODEL (39-0) IN THE AMES RESEARCH CENTER UNITARY WIND TUNNEL(OA145B)
2364	160,528 V-02	OA145B	RESULTS OF AN INVESTIGATION TO VERIFY SHUTTLE ORBITER VEHICLE 102 AERO CHARACTERISTICS UTILIZING AN .05-SCALE HI-FIDELITY REMOTE CONTROL MODEL (39-0) IN THE AMES RESEARCH CENTER UNITARY WIND TUNNEL(OA145B)
2364	160,529 V-03	OA145B	RESULTS OF AN INVESTIGATION TO VERIFY SHUTTLE ORBITER VEHICLE 102 AERO CHARACTERISTICS UTILIZING AN .05-SCALE HI-FIDELITY REMOTE CONTROL MODEL (39-0) IN THE AMES RESEARCH CENTER UNITARY WIND TUNNEL(OA145B)
2365	151,056	OS6	RESULTS OF FLUTTER TEST OS6 OBTAINED USING THE 0.14-SCALE WING/ELEVON MODEL (54-0) IN THE NASA LARC 16-FOOT TRANSONIC DYNAMICS WIND TUNNEL
2366	151,063	OH25B	HEAT TRANSFER PHASE CHANGE PAINT TESTS OF 0.0175-SCALE MODEL (NO. 56-0) OF THE ROCKWELL INTERNATIONAL SPACE SHUTTLE ORBITER IN THE AEDC TUNNEL B HYPERSONIC WIND TUNNEL
2367	151,773	OH57A/B	RESULTS OF A HIGH ANGLE-OF-ATTACK AERO HEATING PRESSURE TEST ON A 0.0175-SCALE MODEL (92-0) OF THE OV-102 CONFIGURATION SPACE SHUTTLE ORBITER IN THE AEDC VKI TUNNEL B (OH57A/B)
2368	151,058	OH51	RESULTS OF PHASE CHANGE HEAT TRANSFER TEST OH51 USING 0.006-SCALE SPACE SHUTTLE ORBITER MODELS 46-0 AND 90-0 AND PARTIAL WING 0.0175-SCALE MODEL 64-0 IN THE LARC 31-INCH CFHT

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2369	167,345	SA31F	AN AERODYNAMIC STATIC STABILITY WIND TUNNEL TEST OF A 0.00856 SCALE MODEL OF THE SPACE SHUTTLE 146 INCH DIAMETER SOLID ROCKET BOOSTER REENTRY CONFIGURATION (MSFC MODEL 487) IN THE NASA/MSFC HIGH REYNOLDS NUMBER WIND TUNNEL
2370	151,790 V-01	OA149B/C	RESULTS OF TEST USING A 0.030-SCALE PRESSURE LOADS SPACE SHUTTLE ORBITER MODEL (47-0) IN THE NASA/ARC UNITARY PLAN WIND TUNNEL
2370	151,791 V-02	OA149B/C	RESULTS OF TEST USING A 0.030-SCALE PRESSURE LOADS SPACE SHUTTLE ORBITER MODEL (47-0) IN THE NASA/ARC UNITARY PLAN WIND TUNNEL
2370	151,792 V-03	OA149B/C	RESULTS OF TEST USING A 0.030-SCALE PRESSURE LOADS SPACE SHUTTLE ORBITER MODEL (47-0) IN THE NASA/ARC UNITARY PLAN WIND TUNNEL
2371	151,408	OH78	RESULTS OF BASE HEATING TESTS ON A 0.04 SCALE SPACE SHUTTLE ORBITER BASE (MODEL 65-0) IN THE NASA/JSC THERMAL VACUUM CHAMBER A
2372	160,843	IH72	RESULTS OF HEAT TRANSFER TESTS OF A 0.0175-SCALE SPACE SHUTTLE INTEGRATED VEHICLE MODEL 60-0TS IN THE AEDC-VKF TUNNEL A (IH72)
2373	160,821	LA99	EFFECT OF TAILCONE CUT-OFF AND STING CONFIGURATION ON THE AERODYNAMIC CHARACTERISTICS OF A 0.030 SCALE REMOTELY CONTROLLED ELEVON, BODYFLAP AND RUDDER) MODEL 201-0 ALT ORBITER TESTED IN THE NASA/LARC 8-FOOT TPT (LA99)
2374	167,372	LA82/LA103	INVESTIGATIONS IN THE CALSPAN 8-FOOT TRANSONIC WIND TUNNEL TO DETERMINE STING-TARE EFFECTS ON A MODIFIED 0.0165-SCALE SPACE SHUTTLE ORBITER MODEL WITH A TAILCONE (LA82/LA103)
2375	160,530	OA237	RESULTS OF AIR DATA SYSTEM CALIBRATION TEST USING THE 0.10-SCALE SPACE SHUTTLE ORBITER VEHICLE 102 FOREBODY MODEL 99-0 IN THE NASA 40 X 80-FOOT SUBSONIC WIND TUNNEL (OA237)
2376	151,779 V-01	OA149A	RESULTS OF TEST USING A 0.030-SCALE PRESSURE LOADS SPACE SHUTTLE ORBITER MODEL (47-0) IN THE NASA/ARC UNITARY PLAN WIND TUNNEL

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2376	151,780 V-02	OA149A	RESULTS OF TEST USING A 0.030-SCALE PRESSURE LOADS SPACE SHUTTLE ORBITER MODEL (47-0) IN THE NASA/ARC UNITARY PLAN WIND TUNNEL
2376	151,781 V-03	OA149A	RESULTS OF TEST USING A 0.030-SCALE PRESSURE LOADS SPACE SHUTTLE ORBITER MODEL (47-0) IN THE NASA/ARC UNITARY PLAN WIND TUNNEL
2377	167,342 V-01	IA144	RESULTS OF TESTS OF THE 0.010 SCALE SPACE SHUTTLE INTEGRATED VEHICLE IN THE NASA/AMES RESEARCH CENTER 11X11 FOOT TRANSONIC WIND TUNNEL, MODEL 72- OTS TEST IA44
2377	167,343 V-02	IA44	RESULTS OF TESTS OF THE 0.010 SCALE SPACE SHUTTLE INTEGRATED VEHICLE IN THE NASA/AMES RESEARCH CENTER 11X11 FOOT TRANSONIC WIND TUNNEL, MODEL 72- OTS TEST IA44
2378	160,820	IA191	RESULTS OF AN INVESTIGATION OF STATIC AND DYNAMIC PRESSURE DISTRIBUTIONS ON EXTERNAL TANK PROTUBERANCES IN THE 11-FOOT LEG OF THE NASA/ARC UNITARY PLAN WIND TUNNEL (IA191
2379	UNPUB	LA106	** DOCUMENT WAS NOT PUBLISHED **
2380	151,801 V-01	OA145A	RESULTS OF AN INVESTIGATION TO VERIFY SHUTTLE ORBITER VEHICLE 102 AERO CHARACTERISTICS UTILIZING AN .05-SCALE HI-FIDELITY REMOTE CONTROL MODEL (39-0) IN THE AMES RESEARCH CENTER UNITARY WIND TUNNEL (OA145A)
2380	151,802 V-02	OA145A	RESULTS OF AN INVESTIGATION TO VERIFY SHUTTLE ORBITER VEHICLE 102 AERO CHARACTERISTICS UTILIZING AN .05-SCALE HI-FIDELITY REMOTE CONTROL MODEL (39-0) IN THE AMES RESEARCH CENTER UNITARY WIND TUNNEL (OA145A)
2380	151,803 V-03	OA145A	RESULTS OF AN INVESTIGATION TO VERIFY SHUTTLE ORBITER VEHICLE 102 AERO CHARACTERISTICS UTILIZING AN .05-SCALE HI-FIDELITY REMOTE CONTROL MODEL (39-0) IN THE AMES RESEARCH CENTER UNITARY WIND TUNNEL (OA145A)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2380	151,804 V-04	OA145A	RESULTS OF AN INVESTIGATION TO VERIFY SHUTTLE ORBITER VEHICLE 102 AERO CHARACTERISTICS UTILIZING AN .05-SCALE HI-FIDELITY REMOTE CONTROL MODEL (39-0) IN THE AMES RESEARCH CENTER UNITARY WIND TUNNEL (OA145A)
2380	151,805 V-05	OA145A	RESULTS OF AN INVESTIGATION TO VERIFY SHUTTLE ORBITER VEHICLE 102 AERO CHARACTERISTICS UTILIZING AN .05-SCALE HI-FIDELITY REMOTE CONTROL MODEL (39-0) IN THE AMES RESEARCH CENTER UNITARY WIND TUNNEL (OA145A)
2380	151,806 V-06	OA145A	RESULTS OF AN INVESTIGATION TO VERIFY SHUTTLE ORBITER VEHICLE 102 AERO CHARACTERISTICS UTILIZING AN .05-SCALE HI-FIDELITY REMOTE CONTROL MODEL (39-0) IN THE AMES RESEARCH CENTER UNITARY WIND TUNNEL (OA145A)
2381	TASK CANCELLED	LA107	** DOCUMENT WAS NOT PUBLISHED **
2382	151,382	OH8/IA109	RESULTS OF EXPERIMENTAL TESTS IN THE NASAMSFC IMPULSE BASE FLOW FACILITY ON A SPACE SHUTTLE .04 SCALE ORBITER (MODEL 25-0) TO DETERMINE SECOND STAGE ASCENT BASE HEATING RATES AND PRESSURE DISTRIBUTION
2383	UNPUB	LA39	** DOCUMENT WAS NOT PUBLISHED **
2384	151,412 V-01	IA148	RESULTS OF RCS JET PLUME INTERACTION TESTS USING A 0.0125-SCALE MODEL (70-0T) OF THE SPACE SHUTTLE VEHICLE ORBITER IN THE AEDC VKF TUNNEL 'B' (IA148)
2384	151,413 V-02	IA148	RESULTS OF RCS JET PLUME INTERACTION TESTS USING A 0.0125-SCALE MODEL (70-0T) OF THE SPACE SHUTTLE VEHICLE ORBITER IN THE AEDC VKF TUNNEL 'B' IA148)
2385	151,366	OH15	RESULTS OF TESTS ON A 0.111-SCALE SPACE SHUTTLE VEHICLE SIMULATED ELEVON/WING GAP HEAT TRANSFER MODEL (53-0) IN THE AMES RESEARCH CENTER 3.5-FOOT HWT
2386	151,368	OH44	RESULTS OF TESTS ON A 0.111-SCALE SPACE SHUTTLE VEHICLE SIMULATED ELEVON/ELEVON GAP HEAT TRANSFER MODEL (53-0) IN THE AMES RESEARCH CENTER 3.5-FOOT HYPERSONIC WIND TUNNEL

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2387	TASK CANCELLED	LA104	** DOCUMENT WAS NOT PUBLISHED **
2388	167,676	OH84A	RESULTS OF WIND TUNNEL TESTS OF THIN-SKIN THERMOCOUPLE MODELS 83-0 (0.04-SCALE) AND 60-0 (0.0175-SCALE) OF THE SPACE SHUTTLE ORBITER IN THE AEDC VKF HYPERSONIC WIND TUNNEL B (OH84A)
2389	160,810 V-01	OA145C	RESULTS OF AN INVESTIGATION TO VERIFY SHUTTLE ORBITER VEHICLE 102 AERO CHARACTERISTICS UTILIZING AN .05-SCALE HI-FIDELITY REMOTE CONTROL MODEL (39-0) IN THE AMES RESEARCH CENTER UNITARY WIND TUNNEL (OA145C)
2389	160,811 V-02	OA145C	RESULTS OF AN INVESTIGATION TO VERIFY SHUTTLE ORBITER VEHICLE 102 AERO CHARACTERISTICS UTILIZING AN .05-SCALE HI-FIDELITY REMOTE CONTROL MODEL (39-0) IN THE AMES RESEARCH CENTER UNITARY WIND TUNNEL (OA145C)
2389	160,812 V-03	OA145C	RESULTS OF AN INVESTIGATION TO VERIFY SHUTTLE ORBITER VEHICLE 102 AERO CHARACTERISTICS UTILIZING AN .05-SCALE HI-FIDELITY REMOTE CONTROL MODEL (39-0) IN THE AMES RESEARCH CENTER UNITARY WIND TUNNEL (OA145C)
2390	160,481	LA101	LOW SUPERSONIC STABILITY AND CONTROL CHARACTERISTICS OF A 0.0015-SCALE (REMOTELY CONTROLLED ELEVON) MODEL 44-0 SPACE SHUTTLE ORBITER TESTED IN THE NASA/LARC 4 FOOT UPWT (LEG 1) (LA101)
2391	167,346	IA244	RESULTS OF TESTS OF THE 0.10 SCALE SPACE SHUTTLE INTEGRATED VEHICLE IN THE LANGLEY RESEARCH CENTER B-FOOT TRANSONIC PRESSURE TUNNEL, MODEL 72-0TS TEST IA244
2392	151,389	OA250	GROUND PROXIMITY TESTS OF THE 0.03-SCALE MODEL (45-0) SPACE SHUTTLE ORBITER IN THE ROCKWELL INTERNATIONAL NAAL LOW SPEED WIND TUNNEL

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2393	167,679 V-01	IH51A	RESULTS OF SSV INTERFERENCE HEATING TESTS ON A 0.04-SCALE THIN-SKIN THERMOCOUPLE MODEL (58-0T) UTILIZING A SIMULATED EXTERNAL TANK 8 ORBITER FOREBODY IN THE NASA/ARC 3.5-FOOT HYPERSONIC WIND TUNNEL (IH51A)
2393	167,680 V-02	IH51A	RESULTS OF SSV INTERFERENCE HEATING TESTS ON A 0.04-SCALE THIN-SKIN THERMOCOUPLE MODEL (58-0T) UTILIZING A SIMULATED EXTERNAL TANK & ORBITER FOREBODY IN THE NASA/ARC 3.5-FOOT HYPERSONIC WIND TUNNEL (IH51A)
2393	167,681 V-03	IH51A	RESULTS OF SSV INTERFERENCE HEATING TESTS ON A 0.04-SCALE THIN-SKIN THERMOCOUPLE MODEL (58-0T) UTILIZING A SIMULATED EXTERNAL TANK & ORBITER FOREBODY IN THE NASA/ARC 3.5-FOOT HYPERSONIC WIND TUNNEL (IH51A)
2393	167,682 V-04	IH51A	RESULTS OF SSV INTERFERENCE HEATING TESTS ON A 0.04-SCALE THIN-SKIN THERMOCOUPLE MODEL (58-0T) UTILIZING A SIMULATED EXTERNAL TANK & ORBITER FOREBODY IN THE NASA/ARC 3.5-FOOT HYPERSONIC WIND TUNNEL (IH51A)
2394	UNPUB	LA109	** DOCUMENT WAS NOT PUBLISHED **
2395	151,394	LA111	EFFECT OF SILTS POD ON THE TRANSONIC AERODYNAMIC CHARACTERISTICS OF A 0.015-SCALE SHUTTLE ORBITER MODEL (44-0) TESTED IN THE NASA/LARC 8-FOOT TPT
2396	151,393	LA110	EFFECT OF SILTS POD ON THE LOW SUPERSONIC AERODYNAMIC CHARACTERISTICS OF A 0.015-SCALE SHUTTLE ORBITER MODEL (44-0) TESTED IN THE NASA/LARC 4-FOOT UPWT (LEG 1)
2397	167,347	LA113	RESULTS OF WIND TUNNEL TESTS ON A 0.010 SCALE MODEL (72-0TS) ROCKWELL SPACE SHUTTLE VEHICLE IN THE LARC 8-FOOT TRANSONIC PRESSURE TUNNEL (LA113)
2398	160,850 V-01	IA105A	RESULTS OF TESTS USING A 0.03 SCALE MODEL (47-0TS) OF THE SPACE SHUTTLE INTEGRATED VEHICLE IN THE AEDC 16 FOOT TRANSONIC PROPULSION WIND TUNNEL (IA105A)
2398	160,851 V-02	IA105A	RESULTS OF TESTS USING A 0.03 SCALE MODEL (47-0TS) OF THE SPACE SHUTTLE INTEGRATED VEHICLE IN THE AEDC 16 FOOT TRANSONIC PROPULSION WIND TUNNEL (IA105A)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2398	160,852 V-03	IA105A	RESULTS OF TESTS USING A 0.03 SCALE MODEL (47-OTS) OF THE SPACE SHUTTLE INTEGRATED VEHICLE IN THE AEDC 16 FOOT TRANSONIC PROPULSION WIND TUNNEL (IA105A)
2399	151,388	IA114	EFFECT OF SILTS POD ON THE HIGH SUPERSONIC AERODYNAMIC CHARACTERISTICS OF A 0.015-SCALE SHUTTLE ORBITER MODEL (44-0) TESTED IN THE NASA/LARC 4-FOOT UPWT (LEG 2)
2400	160,518	OA234	RESULTS OF SSV ORBITER AIR DATA SYSTEM CALIBRATION TEST USING THE 0.10-SCALE ORBITER FOREBODY MODEL 99-0 IN THE NASA/LEWIS 10 X 10-FOOT SUPERSONIC WIND TUNNEL (OA234)
2401	151,395	IS1A/B/C/OS3	AERONoise TEST RESULTS USING A 0.040-SCALE SPACE SHUTTLE VEHICLE CONFIGURATION 2A MODEL (11-OTS) IN THE AMES RESEARCH CENTER UNITARY PLAN WIND TUNNELS
2402	151,763	OA223	SYSTEM CHECKOUT OF THE 0.05-SCALE SPACE SHUTTLE VEHICLE ORBITER 102 MODEL (39-0) IN THE NAAL LOW SPEED WIND TUNNEL(OA223)
2403	160,515 V-01	IA156A	RESULTS OF TESTS USING A 0.02-SCALE MODEL (89-OTS) OF THE SPACE SHUTTLE INTEGRATED VEHICLE IN THE AEDC 16-FOOT TRANSONIC PROPULSION WIND TUNNEL (IA156A)
2403	160,516 V-02	IA156A	RESULTS OF TESTS USING A 0.02-SCALE MODEL (89-OTS) OF THE SPACE SHUTTLE INTEGRATED VEHICLE IN THE AEDC 16-FOOT TRANSONIC PROPULSION WIND TUNNEL (IA156A)
2403	160,517 V-03	IA156A	RESULTS OF TESTS USING A 0.02-SCALE MODEL (89-OTS) OF THE SPACE SHUTTLE INTEGRATED VEHICLE IN THE AEDC 16-FOOT TRANSONIC PROPULSION WIND TUNNEL (IA156A)
2404	160,510 V-01	IA119	RESULTS OF TESTS USING A 0.020-SCALE MODEL (88-OTS) OF THE SPACE SHUTTLE INTEGRATED VEHICLE JET PLUME IN THE NASA/ARC UPWT 11 X 11-FOOT LEG (TEST IA119)
2404	160,511 V-02	IA119	RESULTS OF TESTS USING A 0.020-SCALE MODEL (88-OTS) OF THE SPACE SHUTTLE INTEGRATED VEHICLE JET PLUME IN THE NASA/ARC UPWT 11 X 11-FOOT LEG (TEST IA119)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2404	160,512 V-03	IA119	RESULTS OF TESTS USING A 0.020-SCALE MODEL (88-OTS) OF THE SPACE SHUTTLE INTEGRATED VEHICLE JET PLUME IN THE NASA/ARC UPWT 11 X 11-FOOT LEG (TEST IA119)
2404	160,513 V-04	IA119	RESULTS OF TESTS USING A 0.020-SCALE MODEL (88-OTS) OF THE SPACE SHUTTLE INTEGRATED VEHICLE JET PLUME IN THE NASA/ARC UPWT 11 X 11-FOOT LEG (TEST IA119)
2405	151,756 V-01	OA101	RESULTS OF A LOW SPEED APPROACH AND LANDING EXPERIMENTAL INVESTIGATION OF A 0.050-SCALE SPACE SHUTTLE ORBITER MODEL (39-0) IN THE NASA/AMES RESEARCH CENTER'S 12-FOOT PRESSURE WIND TUNNEL (OA101)
2405	151,757 V-02	OA101	RESULTS OF A LOW SPEED APPROACH AND LANDING EXPERIMENTAL INVESTIGATION OF A 0.050-SCALE SPACE SHUTTLE ORBITER MODEL (39-0) IN THE NASA/AMES RESEARCH CENTER'S 12-FOOT PRESSURE WIND TUNNEL (OA101)
2405	151,758 V-08	OA101	RESULTS OF A LOW SPEED APPROACH AND LANDING EXPERIMENTAL INVESTIGATION OF A 0.050-SCALE SPACE SHUTTLE ORBITER MODEL (39-0) IN THE NASA/AMES RESEARCH CENTER'S 12-FOOT PRESSURE WIND TUNNEL (OA101)
2405	151,759 V-04	OA101	RESULTS OF A LOW SPEED APPROACH AND LANDING EXPERIMENTAL INVESTIGATION OF A 0.050-SCALE SPACE SHUTTLE ORBITER MODEL (39-0) IN THE NASA/AMES RESEARCH CENTER'S 12-FOOT PRESSURE WIND TUNNEL (OA101)
2405	151,760 V-05	OA101	RESULTS OF A LOW SPEED APPROACH AND LANDING EXPERIMENTAL INVESTIGATION OF A 0.050-SCALE SPACE SHUTTLE ORBITER MODEL (39-0) IN THE NASA/AMES RESEARCH CENTER'S 12-FOOT PRESSURE WIND TUNNEL (OA101)
2405	151,761 V-06	OA101	RESULTS OF A LOW SPEED APPROACH AND LANDING EXPERIMENTAL INVESTIGATION- OF A 0.050-SCALE SPACE SHUTTLE ORBITER MODEL (39-0) IN THE NASA/AMES RESEARCH CENTER'S 12-FOOT PRESSURE WIND TUNNEL (OA101)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2406	157,348	IA181	RESULTS OF AN EXPERIMENTAL INVESTIGATION IN THE NASA/MSFC 14-INCH TRISONIC WIND TUNNEL ON A 0.004-SCALE MODEL (74-OTS) SSLV TO DETERMINE INFLUENCE OF ORBITER AND SRB'S ON THE EXTERNAL TANK NOSE PRESSURE DISTRIBUTION (IA181)
2407	167,374	IH73	RESULTS OF M=3 HEAT TRANSFER TESTS ON THE SECOND STAGE SPACE SHUTTLE CONFIGURATION AT RTL5 ABORT MISSION PROFILE CONDITIONS USING THE 0.006 SCALE MODEL 50-0 & 41-T IN THE NASA/ARC 3.5-FOOT HWT (IH73)
2408	160,498 V-01	IA156B	RESULTS OF TESTS USING A 0.02-SCALE MODEL (89-OTS) OF THE SPACE SHUTTLE INTEGRATED VEHICLE IN THE NASA/AMES RESEARCH CENTER 9X7 FOOT SUPERSONIC WIND TUNNEL (IA156B)
2408	160,499 V-02	IA156B	RESULTS OF TESTS USING A 0.02-SCALE MODEL (89-OTS) OF THE SPACE SHUTTLE INTEGRATED VEHICLE IN THE NASA/AMES RESEARCH CENTER 9X7 FOOT SUPERSONIC WIND TUNNEL (IA156B)
2408	160,500 V-03	IA156B	RESULTS OF TESTS USING A 0.02-SCALE MODEL (89-OTS) OF THE SPACE SHUTTLE INTEGRATED VEHICLE IN THE NASA/AMES RESEARCH CENTER 9X7 FOOT SUPERSONIC WIND TUNNEL (IA156B)
2409	160,842	IA115	ADDITIONAL TRANSONIC STABILITY AND CONTROL CHARACTERISTICS OF A 0.015 SCALE (REMOTELY CONTROLLED ELEVON) MODEL 44-0 SPACE SHUTTLE ORBITER TESTED IN THE NASA/LARC 8-FOOT TPT (LA115)
2410	151,777	OH56	RESULTS OF THE NASA/RI ORBITER WING TIP HEATING TEST WITH THE 0.08-SCALE ORBITER WING MODEL (91-0) IN THE AEDC VKF B HYPERSONIC WIND TUNNEL (OH56)
2411	UNPUB	LA116	** DOCUMENT WAS NOT PUBLISHED **
2412	167,386 V-01	IH90	RESULTS OF HEAT TRANSFER TESTS ON THE SPACE SHUTTLE INTEGRATED VEHICLE, UNDER ASCENT CONDITIONS. USING THE 0.0175-SCALE 60-OTS MODEL IN THE NASA/ARC 3.5-FOOT HWT (IH-90)
2412	167,387 V-02	IH90	RESULTS OF HEAT TRANSFER TESTS ON THE SPACE SHUTTLE INTEGRATED VEHICLE, UNDER ASCENT CONDITIONS. USING THE 0.0175-SCALE 60-OTS MODEL IN THE NASA/ARC 3.5-FOOT HWT (IH-90)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2413	160,858 V-01	IA105A	RESULTS OF TESTS USING A 0.03 SCALE MODEL (47-0TS) OF THE SPACE SHUTTLE INTEGRATED VEHICLE IN THE NASA/ARC 9X7 FOOT SUPERSONIC WIND TUNNEL (IA105B)
2413	160,859 V-02	IA105B	RESULTS OF TESTS USING A 0.03 SCALE MODEL (47-0TS) OF THE SPACE SHUTTLE INTEGRATED VEHICLE IN THE NASA/ARC 9X7 FOOT SUPERSONIC WIND TUNNEL (IA105B)
2414	160,484 V-01	OA232	CALIBRATION TESTS OF THE SPACE SHUTTLE AIR DATA SYSTEM USING A V.10-SCALE ORBITER FOREBODY MODEL (99-0) IN THE AEDC 16T PROPULSION WIND TUNNEL (OA232)
2414	160,485 V-02	OA232	CALIBRATION TESTS OF THE SPACE SHUTTLE AIR DATA SYSTEM USING A 0.10-SCALE ORBITER FOREBODY MODEL (99-0) IN THE AEDC 16T PROPULSION WIND TUNNEL (OA232)
2415	151,784 V-01	OA208/209	RESULTS OF TESTS USING A 0.02-SCALE MODEL (105-0) OF THE SPACE SHUTTLE VEHICLE ORBITER IN THE ARNOLD ENGINEERING DEVELOPMENT CENTER VON KARMAN FACILITY SUPERSONIC TUNNEL A (OA209) AND HYPERSONIC TUNNEL B (OA208/209)
2415	151,785 V-02	OA208/209	RESULTS OF TESTS USING A 0.02-SCALE MODEL (105-0) OF THE SPACE SHUTTLE VEHICLE ORBITER IN THE ARNOLD ENGINEERING DEVELOPMENT CENTER VON KARMAN FACILITY SUPERSONIC TUNNEL A (OA209) AND HYPERSONIC TUNNEL B (OA208/209)
2416	160,824	IA603	RESULTS OF TESTS IN THE NASA/MSFC 14-INCH TRISONIC WIND TUNNEL ON A 0.004 SCALE MODEL (74-0TS) THRUST AUGMENTED SPACE SHUTTLE INTEGRATED VEHICLE (IA603)
2417	151,770	OH58	RESULTS OF AEROTHERMODYNAMIC HEAT TRANSFER TESTS ON A 0.03-SCALE MODEL (93-0) SIMULATING THE ELEVON/ELEVON GAP AND ELEVON/FUSELAGE INTERFACE REGIONS OF THE SS ORBITER IN THE ARC 3.5HWT.
2418	151,414	IH100	RESULTS OF TESTS OF A DEVELOPMENT FLIGHT INSTRUMENTATION GAS TEMPERATURE PROBE IN THE AMES RESEARCH CENTER 3.5 FT. HYPERSONIC WIND TUNNEL (IH100)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2419	151,762	OA270B/C	RESULTS OF AN INVESTIGATION TO VERIFY SHUTTLE ORBITER AERO-CHARACTERISTICS AND EXAMINE TRANSONIC BLOCKAGE AND SHOCK REFLECTION EFFECTS UTILIZING 0.02-SCALE HI-FIDELITY MODELS 104-0 AND 105-0 IN THE LANGLEY RESEARCH CENTER 16-FT. TRANSONIC WIND TUNNEL OA270B/C
2420	167,385	OH103A	RESULTS OF TESTS ON A 0.04-SCALE SPACE SHUTTLE ORBITER FOREBODY MODEL (83-0) IN THE AEDC VKF HYPERSONIC WIND TUNNEL B TO OBTAIN AERODYNAMIC HEATING DISTRIBUTION ON LOWER FUSELAGE AND RCS NOZZLE AREAS (OH103A)
2421	160,495 V-01	OA251B/C	CALIBRATION TESTS OF THE SPACE SHUTTLE ORBITER AIR DATA SYSTEM USING A 0.10-SCALE ORBITER FOREBODY MODEL (99.0) IN THE NASA AMES RESEARCH CENTER 9 X 7 AND 8 X 7-FOOT LEGS OF THE UNITARY PLAN WIND TUNNEL (OA251B AND C)
2421	160,496 V-02	OA251B/C	CALIBRATION TESTS OF THE SPACE SHUTTLE ORBITER AIR DATA SYSTEM USING A 0.10-SCALE ORBITER FOREBODY MODEL (99.0) IN THE NASA AMES RESEARCH CENTER 9 X 7 AND 8 X 7-FOOT LEGS OF THE UNITARY PLAN WIND TUNNEL (OA251B AND C)
2422	151,767	FH15	RESULTS OF THIN SKIN THERMOCOUPLE TESTS CONDUCTED IN THE AEDC VKF TUNNEL A TO DETERMINE HEAT TRANSFER RATES ON A 0.0275 SCALE SSV ET FOREBODY (FH15)
2423	151,768	FH16	RESULTS OF THIN SKIN THERMOCOUPLE TESTS CONDUCTED IN THE NASA/ARC 3.5 FT. HYPERSONIC WIND TUNNEL TO DETERMINE HEAT TRANSFER RATES ON A .0275 SCALE SSV ET FOREBODY (FH16)
2424	160,506 V-01	OA126A/B/C	RESULTS OF TESTS ON THE EFFECTS OF AEROELASTICITY OF THE SPACE SHUTTLE ORBITER VERTICAL TAIL USING A 0.03-SCALE MODEL (47-0) IN THE NASA AMES UNITARY WIND TUNNELS (OA126A/B)
2424	160,507 V-02	OA126A/B/C	RESULTS OF TESTS ON THE EFFECTS OF AEROELASTICITY OF THE SPACE SHUTTLE ORBITER VERTICAL TAIL USING A 0.03-SCALE MODEL (47-0) IN THE NASA AMES UNITARY WIND TUNNELS (OA126A/B)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2424	160,508 V-03	OA126A/B/C	RESULTS OF TESTS ON THE EFFECTS OF AEROELASTICITY OF THE SPACE SHUTTLE ORBITER VERTICAL TAIL USING A 0.03-SCALE MODEL (47-0) IN THE NASA AMES UNITARY WIND TUNNELS (OA126A/B/C)
2425	UNPUB	LA117	** DOCUMENT WAS NOT PUBLISHED **
2426	TP1186	LA124	A WIND TUNNEL STUDY OF THE APPLICABILITY OF FAR- FIELD SONIC-BOOM THEORY TO THE SPACE SHUTTLE ORBITER
2427	167,675	OH103B	RESULTS OF TESTS OF A 0.0175-SCALE THIN-SKIN THERMOCOUPLE WIND TUNNEL MODEL (60-0) OF THE SPACE SHUTTLE ORBITER TO DETERMINE EFFECTS OF SURFACE ROUGHNESS IN THE AEDC VKF HYPERSONIC WIND TUNNEL B (OH103B)
2428	160,523 V-01	IH11	WIND TUNNEL TESTS OF THE 0.035-SCALE INTEGRATED SPACE SHUTTLE VEHICLE 84-OTS IN THE NASA/LEWIS 10 X 10-FOOT SUPERSONIC WIND TUNNEL (IH11)
2428	160,524 V-02	IH11	WIND TUNNEL TESTS OF THE 0.035-SCALE INTEGRATED SPACE SHUTTLE VEHICLE 84-OTS IN THE NASA/LEWIS 10 X 10-FOOT SUPERSONIC WIND TUNNEL (IH11)
2428	160,525 V-03	IH11	WIND TUNNEL TESTS OF THE 0.035-SCALE INTEGRATED SPACE SHUTTLE VEHICLE 84-OTS IN THE NASA/LEWIS 10 X 10-FOOT SUPERSONIC WIND TUNNEL (IH11)
2428	160,526 V-04	IH11	WIND TUNNEL TESTS OF THE 0.035-SCALE INTEGRATED SPACE SHUTTLE VEHICLE 84-OTS IN THE NASA/LEWIS 10 X 10-FOOT SUPERSONIC WIND TUNNEL (IH11)
2429	167,353	IH51B	THIN SKIN HEAT TRANSFER TESTS OF A SIMULATED SPACE SHUTTLE 0.04 SCALE SOLID ROCKET BOOSTER/JET MODEL (58-Ts) IN THE NASA/ARC 3.5 FOOT HYPERSONIC WIND TUNNEL (IH51B)
2430	160,817 V-01	OA270A	RESULTS OF AN INVESTIGATION TO VERIFY SHUTTLE ORBITER AERO-CHARACTERISTICS AND EXAMINE TRANSONIC BLOCKAGE AND SHOCK REFLECTION EFFECTS UTILIZING AN .05-SCALE HI-FIDELITY REMOTE CONTROL MODEL(39-0) IN THE LANGLEY RESEARCH CENTER 16-FT. TRANSONIC WIND TUNNEL OA270A

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2430	160,818 V-02	OA270A	RESULTS OF AN INVESTIGATION TO VERIFY SHUTTLE ORBITER AERO-CHARACTERISTICS AND EXAMINE TRANSONIC BLOCKAGE AND SHOCK REFLECTION EFFECTS UTILIZING AN .05-SCALE HI-FIDELITY REMOTE CONTROL MODEL(39-0) IN THE LANGLEY RESEARCH CENTER 16-FT. TRANSONIC WIND TUNNEL OA270A
2430	160,819 V-03	OA270A	RESULTS OF AN INVESTIGATION TO VERIFY SHUTTLE ORBITER AERO-CHARACTERISTICS AND EXAMINE TRANSONIC BLOCKAGE AND SHOCK REFLECTION EFFECTS UTILIZING AN .05-SCALE HI-FIDELITY REMOTE CONTROL MODEL(39-0) IN THE LANGLEY RESEARCH CENTER 16-FT. TRANSONIC WIND TUNNEL OA270A
2431	151,793 V-01	IH85	TEST RESULTS FROM THE NASA/ROCKWELL INTERNATIONAL SPACE SHUTTLE INTEGRATED VEHICLE TEST USING A 0.0175-SCALE MODEL (60-0TS) CONDUCTED IN THE AEDC-VKF TUNNEL A (IH85)
2431	151,794 V-02	IH85	TEST RESULTS FROM THE NASA/ROCKWELL INTERNATIONAL SPACE SHUTTLE INTEGRATED VEHICLE TEST USING A 0.0175-SCALE MODEL (60-0TS) CONDUCTED IN THE AEDC-VKF TUNNEL A (IH85)
2431	151,795 V-03	IH85	TEST RESULTS FROM THE NASA/ROCKWELL INTERNATIONAL SPACE SHUTTLE INTEGRATED VEHICLE TEST USING A 0.0175-SCALE MODEL (60-0TS) CONDUCTED IN THE AEDC-VKF TUNNEL A (IH85)
2431	151,796 V-04	IH85	TEST RESULTS FROM THE NASA/ROCKWELL INTERNATIONAL SPACE SHUTTLE INTEGRATED VEHICLE TEST USING A 0.0175-SCALE MODEL (60-0TS) CONDUCTED IN THE AEDC-VKF TUNNEL A (IH85)
2431	151,797 V-05	IH85	TEST RESULTS FROM THE NASA/ROCKWELL INTERNATIONAL SPACE SHUTTLE INTEGRATED VEHICLE TEST USING A 0.0175-SCALE MODEL (60-0TS) CONDUCTED IN THE AEDC-VKF TUNNEL A (IH85)
2431	151,798 V-06	IH85	TEST RESULTS FROM THE NASA/ROCKWELL INTERNATIONAL SPACE SHUTTLE INTEGRATED VEHICLE TEST USING A 0.0175-SCALE MODEL (60-0TS) CONDUCTED IN THE AEDC-VKF TUNNEL A (IH85)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2431	151,799 V-07	IH85	TEST RESULTS FROM THE NASA/ROCKWELL INTERNATIONAL SPACE SHUTTLE INTEGRATED VEHICLE TEST USING A 0.0175-SCALE MODEL (60-0TS) CONDUCTED IN THE AEDC-VKF TUNNEL A (IH85)
2431	151,800 V-08	IH85	TEST RESULTS FROM THE NASA/ROCKWELL INTERNATIONAL SPACE SHUTTLE INTEGRATED VEHICLE TEST USING A 0.0175-SCALE MODEL (60-0TS) CONDUCTED IN THE AEDC-VKF TUNNEL A (IH85)
2432	160,845	LA125	INVESTIGATION OF LONGITUDINAL AND LATERAL- DIRECTIONAL AERODYNAMIC CHARACTERISTICS FOR A 2 PERCENT (MODEL 105-0) SPACE SHUTTLE ORBITER (VEHICLE 102) IN THE LARC UPWT AT MACH NUMBERS FROM 2.5 TO 4.5 (LA125)
2433	151,764	OA171	RESULTS OF TESTS USING A 0.020-SCALE MODEL (105-0) OF THE SPACE SHUTTLE VEHICLE ORBITER IN THE NAVAL SURFACE WEAPONS CENTER HYPERVELOCITY TUNNEL 9 (OA171)
2434	151,782	OA129	RESULTS OF TESTS ON THE EFFECTS OF AEROELASTICITY OF THE SPACE SHUTTLE ORBITER VERTICAL TAIL USING A 0.03-SCALE MODEL (47-0) IN THE AEDC-16T PROPULSION WIND TUNNEL (OA129)
2435	151,415	IH39	BASE PRESSURE AND HEAT TRANSFER TESTS OF THE 0.0225- SCALE SPACE SHUTTLE PLUME SIMULATION MODEL (19-0TS) IN THE NASA-LEWIS RESEARCH CENTER 10X10- FOOT SUPERSONIC WIND TUNNEL (TEST IH39)
2436	TM-X72661 V-06 LA126		SPACE SHUTTLE ORBITER TRIMMED CENTER OF GRAVITY EXTENSION STUDY VOLUME VI--SYSTEM DESIGN STUDIES
2437	151,766	FA25	RESULTS OF TRANSONIC TESTS IN THE NASAMSFC 14-INCH TRISONIC WIND TUNNEL ON A 0.004 SCALE MODEL (74-0TS) SPACE SHUTTLE LAUNCH VEHICLE (FA25)
2438	160,855 V-01	IA138	RESULTS OF AN EXPERIMENTAL INVESTIGATION TO DETERMINE ORBITER AND SOLID ROCKET BOOSTER JET PLUME INDUCED EFFECTS UTILIZING A 0.01-SCALE INTEGRATED VEHICLE SPACE SHUTTLE MODEL (75-0TS) IN THE NASA/ARC 9X7 FOOT LEG OF THE UNITARY PLAN WIND TUNNEL

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2438	160,856 V-02	IA138	RESULTS OF AN EXPERIMENTAL INVESTIGATION TO DETERMINE ORBITER AND SOLID ROCKET BOOSTER JET PLUME INDUCED EFFECTS UTILIZING A 0.01-SCALE INTEGRATED VEHICLE SPACE SHUTTLE MODEL (75-OTS) IN THE NASA/ARC 9X7 FOOT LEG OF THE UNITARY PLAN WIND TUNNEL
2438	160,857 V-03	IA138	RESULTS OF AN EXPERIMENTAL INVESTIGATION TO DETERMINE ORBITER AND SOLID ROCKET BOOSTER JET PLUME INDUCED EFFECTS UTILIZING A 0.01-SCALE INTEGRATED VEHICLE SPACE SHUTTLE MODEL (75-OTS) IN THE NASA/ARC 9X7 FOOT LEG OF THE UNITARY PLAN WIND TUNNEL
2439	167,673	IA182	RESULTS OF TESTS USING A 0.03-SCALE MODEL (47-OTS) OF THE SPACE SHUTTLE INTEGRATED VEHICLE IN THE AEDC 16-FOOT TRANSONIC PROPULSION WIND TUNNEL (IA182)
2440	151,765	IH83	BASE PRESSURE AND HEAT TRANSFER TESTS OF THE 0.0225- SCALE SPACE SHUTTLE PLUME SIMULATION MODEL (19-OTS) IN YAWED FLIGHT CONDITIONS IN THE NASA- LEWIS 10X10-FOOT SUPERSONIC WIND TUNNEL
2441	UNPUB	LA127	** DOCUMENT WAS NOT PUBLISHED **
2442	UNPUB	LA128	** DOCUMENT WAS NOT PUBLISHED **
2443	151,769	OH79	PRESSURE AND HEAT TRANSFER TESTS OF THE 0.040-SCALE SPACE SHUTTLE ORBITER BASE HEATING MODEL (65-0) IN THE JSC THERMAL VACUUM CHAMBER A.
2444	160,488 V-01	IA183	RESULTS OF TESTS USING A 0.02-SCALE MODEL (89-OTS) OF THE SPACE SHUTTLE INTEGRATED VEHICLE IN THE AEDC 16-FOOT TRANSONIC PROPULSION WIND TUNNEL (IA183)
2444	160,489 V-02	IA183	RESULTS OF TESTS USING A 0.02-SCALE MODEL (89-OTS) OF THE SPACE SHUTTLE INTEGRATED VEHICLE IN THE AEDC 16-FOOT TRANSONIC PROPULSION WIND TUNNEL (IA183)
2445	167,652 V-01	OA146	RESULTS OF A WIND TUNNEL PRESSURE LOADS TEST OF THE 0.03-SCALE SPACE SHUTTLE ORBITER (MODEL 47-0) IN THE 8X7-FOOT LEG OF THE NASA/ARC UNITARY PLAN WIND TUNNEL (OA146)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2445	167,653 V-02	OA146	RESULTS OF A WIND TUNNEL PRESSURE LOADS TEST OF THE 0.03-SCALE SPACE SHUTTLE ORBITER (MODEL 47-0) IN THE 8X7-FOOT LEG OF THE NASA/ARC UNITARY PLAN WIND TUNNEL (OA146)
2446	UNPUB	LA122	** DOCUMENT WAS NOT PUBLISHED **
2447	UNPUB	OS52	** DOCUMENT WAS NOT PUBLISHED **
2448	160,519 V-01	IH51C	SPACE SHUTTLE THIN SKIN HEAT TRANSFER TESTS OF SIMULATED LARGE SCALE PROTUBERANCES AND HALF SCALE TILE ON FLAT PLATE MODEL 58-0TS IN THE NASA AMES RESEARCH CENTER 3.5-FT HYPERSONIC WIND TUNNEL (IH51C)
2448	160,520 V-02	IH51C	SPACE SHUTTLE THIN SKIN HEAT TRANSFER TESTS OF SIMULATED LARGE SCALE PROTUBERANCES AND HALF SCALE TILE ON FLAT PLATE MODEL 58-0TS IN THE NASA AMES RESEARCH CENTER 3.5-FT HYPERSONIC WIND TUNNEL (IH51C)
2449	160,497	IA132	RESULTS OF SHUTTLE TRANSPORTATION SYSTEM ASCENT AIR DATA SYSTEM CALIBRATION TEST USING THE 0.07- SCALE EXTERNAL TANK FOREBODY MODEL (68-T) IN THE AEDC PWT 13 FOOT TRANSONIC WIND TUNNEL (IA132)
2450	151,774	OS4A/B/ OS12	EXPERIMENTAL RESULTS OF TESTS TO DETERMINE THE EFFECTS OF ORBITER THERMAL PROTECTION SUBSYSTEM (TPS) TILES ON PANEL FLUTTER CONDUCTED IN THE ARC 2X2 TWT.
2451	151,772	OH90A/MA29	RESULTS OF BOUNDARY LAYER TRANSITION TESTS OF THE 0.025-SCALE RIGHT-HAND WING AND TRUNCATED AFT FUSELAGE MODEL (94-0) IN THE AEDC HWTB.
2452	167,383	IH99	RESULTS OF HEAT TRANSFER TESTS ON THE SPACE SHUTTLE FORWARD SRB SECTION AT ASCENT CONDITIONS USING THE 0.10-SCALE MODEL 98-5 IN THE NASA/AMES 3.5- FOOT HWT (IH99)
2453	151,776	IH75	BASE PRESSURE AND HEAT TRANSFER TESTS OF THE 0.0225- SCALE SPACE SHUTTLE PLUME SIMULATION MODEL (19-0TS) IN THE NASA/CALSPAN LUDWIEG TUBE WIND TUNNEL

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2454	TM-X72661 V-03	LA57	IMPACT OF RETROFITS FOR CENTER-OF-GRAVITY EXTENSION ON ORBITER THERMAL PROTECTION SYSTEM
2455	151,778	OH102A	RESULTS OF FLOW ANGULARITY TESTS ON A 0.0175-SCALE SPACE SHUTTLE ORBITER MODEL (56-0) ON THE AEDC VKF B HYPersonic WIND TUNNEL (OH102A)
2456	160,486 V-01	IA184	RESULTS OF TESTS USING A 0.03-SCALE MODEL (47-OTS) OF THE SPACE SHUTTLE INTEGRATED VEHICLE IN THE NASA/AMES RESEARCH CENTER 9X7 FOOT SUPERSONIC WIND TUNNEL (IA184)
2456	160,487 V-02	IA184	RESULTS OF TESTS USING A 0.03-SCALE MODEL (47-OTS) OF THE SPACE SHUTTLE INTEGRATED VEHICLE IN THE NASA/AMES RESEARCH CENTER 9X7 FOOT SUPERSONIC WIND TUNNEL (IA184)
2457	160,813	IA180	RESULTS OF SHUTTLE TRANSPORTATION SYSTEM ASCENT AIR DATA SYSTEM HIGH SUPERSONIC CALIBRATION TEST USING THE 0.07-SCALE EXTERNAL OXYGEN HYDROGEN TANK FOREBODY MODEL (68-T) IN THE UNITARY PLAN HIGH SPEED LEG OF THE LARC 4X4 WIND TUNNEL (IA180)
2458	167,668	OS36/37	SPACE SHUTTLE HRSI TILE TESTS OS36 AND OS37 IN THE NASA/AMES RESEARCH CENTER 11X11-FOOT AND 9X7-FOOT WIND TUNNELS USING TEST FIXTURES 96-0 AND 81-0 (OS36/37)
2459	167,685 V-01	OA310A/B/C	RESULTS OF THE AFRSI DETAILED-ENVIRONMENT TEST OF THE 0.035-SCALE SSV PRESSURE LOADS MODEL 84-0 IN THE AMES 11 X 11 FT. TWT AND THE LEWIS 8 X 6 FT. AND 10 X 10 FT. SWT.
2459	167,686 V-02	OA310A/B/C	RESULTS OF THE AFRSI DETAILED-ENVIRONMENT TEST OF THE 0.035-SCALE SSV PRESSURE LOADS MODEL 84-0 IN THE AMES 11 X 11 FT. TWT AND THE LEWIS 8 X 6 FT. AND 10 X 10 FT. SWT.
2460	UNPUB	FA27	** DOCUMENT WAS NOT PUBLISHED **
2461	167,677	IH51D	SPACE SHUTTLE TESTS OF TURBULENT BOUNDARY LAYER HEATING EFFECTS ON HALF-SCALE TILE SIMULATION USING MODEL 58-0 IN THE NASA/ARC 3.5-FOOT HYPersonic WIND TUNNEL (IH51D)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2462	167,370 V-01	IA131B/C	RESULTS OF SUPERSONIC ASCENT AIR DATA SYSTEM CALIBRATION TESTSIA131B/C USING THE 0.07-SCALE EXTERNAL TANK FOREBODY MODEL 68-T IN THE ARC 9X7 AND 8X7 LEGS OF THE AMES UNITARY PLAN WIND TUNNEL
2462	167,371 V-02	IA131B/C	RESULTS OF SUPERSONIC ASCENT AIR DATA SYSTEM CALIBRATION TESTSIA131B/C USING THE 0.07-SCALE EXTERNAL TANK FOREBODY MODEL 68-T IN THE ARC 9X7 AND 8X7 LEGS OF THE AMES UNITARY PLAN WIND TUNNEL
2463	167,672	OS41/OS42/ OS45	SPACE SHUTTLE LRSI TPS TILE TESTS 0541,0542 AND 0545 IN THE NASA/AMES RESEARCH CENTER 11X11-FOOT WIND TUNNEL USING MODEL 107-0 (0541,0542 AND 0545)
2464	160,828 V-01	OH84B	RESULTS OF HEAT TRANSFER TEST IN THE ARNOLD ENGINEERING DEVELOPMENT CENTER-VON KARMAN FACILITY TUNNELS A AND B UTILIZING SPACE SHUTTLE ORBITER THIN SKIN THERMOCOUPLE MODELS 56-0, 60-0, AND 83-0 TESTS: OH84B, OH105, IH-102
2464	160,829 V-02	OH84B	RESULTS OF HEAT TRANSFER TEST IN THE ARNOLD ENGINEERING DEVELOPMENT CENTER-VON KARMAN FACILITY TUNNELS A AND B UTILIZING SPACE SHUTTLE ORBITER THIN SKIN THERMOCOUPLE MODELS 56-0, 60-0, AND 83-0 TESTS: OH84B, OH105, IH-102
2464	160,830 V-03	OH84B	RESULTS OF HEAT TRANSFER TEST IN THE ARNOLD ENGINEERING DEVELOPMENT CENTER-VON KARMAN FACILITY TUNNELS A AND B UTILIZING SPACE SHUTTLE ORBITER THIN SKIN THERMOCOUPLE MODELS 56-0, 60-0, AND 83-0 TESTS: OH84B, OH105, IH-102
2464	160,831 V-04	OH84B	RESULTS OF HEAT TRANSFER TEST IN THE ARNOLD ENGINEERING DEVELOPMENT CENTER-VON KARMAN FACILITY TUNNELS A AND B UTILIZING SPACE SHUTTLE ORBITER THIN SKIN THERMOCOUPLE MODELS 56-0, 60-0, AND 83-0 TESTS: OH84B, OH105, IH-102
2464	160,832 V-05	OH105	RESULTS OF HEAT TRANSFER TEST IN THE ARNOLD ENGINEERING DEVELOPMENT CENTER-VON KARMAN FACILITY TUNNELS A AND B UTILIZING SPACE SHUTTLE ORBITER THIN SKIN THERMOCOUPLE MODELS 56-0, 60-0, AND 83-0 TESTS: OH84B, OH105, IH-102

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2464	160,833 V-06	IH102	RESULTS OF HEAT TRANSFER TEST IN THE ARNOLD ENGINEERING DEVELOPMENT CENTER-VON KARMAN FACILITY TUNNELS A AND B UTILIZING SPACE SHUTTLE ORBITER THIN SKIN THERMOCOUPLE MODELS 56-0, 60-0, AND 83-0 TESTS: OH84B, OH105, IH-102
2465	167,674	OS55/57	AERODYNAMIC VENTING CHARACTERISTICS TESTS OF FULL-SCALE SPACE SHUTTLE MODEL 81-0 HRSI TPS TILES UNDER A SIMULATED LAUNCH ENVIRONMENT IN THE NAS A/ARC 9X7-FOOT WIND TUNNEL (OS55/57)
2466	167,663 V-01	OA257	RESULTS OF INVESTIGATIONS OF THE 0.010-SCALE OV-102 CONFIGURATION SPACE SHUTTLE VEHICLE ORBITER MODEL 72-0 IN THE NASA/LANGLEY RESEARCH CENTER 20- INCH MACH 6 TUNNEL (OA257)
2466	167,664 V-02	OA257	RESULTS OF INVESTIGATIONS OF THE 0.010-SCALE OV-102 CONFIGURATION SPACE SHUTTLE VEHICLE ORBITER MODEL 72-0 IN THE NASA/LANGLEY RESEARCH CENTER 20- INCH MACH 6 TUNNEL (OA257)
2467	160,834	IH103	RESULTS OF AEROTHERMODYNAMIC HEAT TRANSFER TESTS ON 0.0175-SCALE MODELS 60-0T AND 56-0/60T CONDUCTED IN THE NASA/AMES RESEARCH CENTER 3.5- FOOT HYPersonic WIND TUNNEL (IH103)
2468	167,352	OH105B/OH84C	RESULTS OF A HEAT TRANSFER TEST SERIES IN THE NASA/ARC 3.5 FOOT HYPersonic WIND TUNNEL UTILIZING SPACE SHUTTLE ORBITER THIN-SKIN THERMOCOUPLE MODELS 60-0 AND 83-0 (TESTS OH84C AND OH105B)
2469	167,367	OS302A	SPACE SHUTTLE AFRSI LARGE-SCALE DEVELOPMENT TEST USING MODEL 117-0 SPECIMENS AND MODEL 96-0 TEST FIXTURE IN THE AMES RESEARCH CENTER 11X11-FOOT TRANSONIC WIND TUNNEL (OS302A)
2470	167,658	OS31A	SPACE SHUTTLE LRSI THIN TILE TEST IN THE NASA/AMES RESEARCH CENTER 11X11-FOOT UNITARY PLAN WIND TUNNEL USING TEST FIXTURE 96-0 (OS31A)
2471	160,514	LA132	RESULTS OF TESTS ON A .02 SCALE SPACE SHUTTLE LAUNCH VEHICLE MODEL (89-0TS) IN THE LARC 16-FT TRANSONIC WIND TUNNEL TO DETERMINE PRESSURE DISTRIBUTION ALONG THE EXTERNAL TANK LOX CABLE TRAY (LA132)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2472	160,494	OH400	RESULTS OF AN ORBITER SILTS POD HEAT TRANSFER AND FLOW FIELD TEST USING A 0.0175-SCALE SPACE SHUTTLE ORBITER(92-0) IN THE AEDC VKF HYPERSONIC WIND TUNNEL B (OH400)
2473	167,388 V-01	OA252	AERODYNAMIC LOADS TEST OF 0.66-SCALE SPACE SHUTTLE ORBITER TILE ARRAY MODEL (106-0) IN THE NASA/ARC 2-FOOT TRANSONIC WIND TUNNEL (OA252)
2473	167,389 V-02	OA252	AERODYNAMIC LOADS TEST OF 0.66-SCALE SPACE SHUTTLE ORBITER TILE ARRAY MODEL (106-0) IN THE NASA/ARC 2-FOOT TRANSONIC WIND TUNNEL (OA252)
2474	160,826	FA28	RESULTS OF TESTS ON A 0.004 SCALE SPACE SHUTTLE LAUNCH CONFIGURATION (MODEL 74-OTS) IN THE NASA/MSFC 14-INCH TRISONIC WIND TUNNEL (FA28)
2475	160,509	LA140	PRESSURE DISTRIBUTION AND INTEGRATED LOADS AT FOUR STATIONS ON THE SPACE SHUTTLE TANK LOX FEEDLINE (LA140)
2476	167,690 V-01	IA190A,B	RESULTS OF EXPERIMENTAL INVESTIGATIONS TO DETERMINE EXTERNAL TANK PROTUBERANCE LOADS USING A 0.03-SCALE MODEL OF THE SPACE SHUTTLE LAUNCH CONFIGURATION (MODEL 47-OTS) IN THE NASA/ARC UNITARY PLAN WIND TUNNEL.
2476	167,691 V-02	IA190A,B	RESULTS OF EXPERIMENTAL INVESTIGATIONS TO DETERMINE EXTERNAL TANK PROTUBERANCE LOADS USING A 0.03-SCALE MODEL OF THE SPACE SHUTTLE LAUNCH CONFIGURATION (MODEL 47-OTS) IN THE NASA/ARC UNITARY PLAN WIND TUNNEL.
2477	160,825	LA141A/B	RESULTS OF INVESTIGATIONS ON AN 0.004-SCALE 140C MODIFIED CONFIGURATION SPACE SHUTTLE VEHICLE ORBITER MODEL (74-0) IN THE NASA/LANGLEY RESEARCH CENTER 20-INCH MACH 6 TUNNEL (LA141)
2478	160,503 V-01	LA131	HIGH SUPERSONIC RUDDER EFFECTIVENESS AND EFFECT OF SILTS POD ON A 0.20-SCALE (REMOTELY DRIVEN CONTROL SURFACE) MODEL 106-0 SPACE SHUTTLE ORBITER TESTED IN THE NASA/LARC 4-FOOT UNITARY PLAN WIND TUNNEL (LA131)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2478	160,504 V-02	LA131	HIGH SUPERSONIC RUDDER EFFECTIVENESS AND EFFECT OF SILTS POD ON A 0.20-SCALE (REMOTELY DRIVEN CONTROL SURFACE) MODEL 106-0 SPACE SHUTTLE ORBITER TESTED IN THE NASA/LARC 4-FOOT UNITARY PLAN WIND TUNNEL (LA131)
2478	160,505 V-03	LA131	HIGH SUPERSONIC RUDDER EFFECTIVENESS AND EFFECT OF SILTS POD ON A 0.20-SCALE (REMOTELY DRIVEN CONTROL SURFACE) MODEL 106-0 SPACE SHUTTLE ORBITER TESTED IN THE NASA/LARC 4-FOOT UNITARY PLAN WIND TUNNEL (LA131)
2479	UNPUB	IA600	** DOCUMENT WAS NOT PUBLISHED **
2480	167,657	IH104	RESULTS OF HEAT TRANSFER TESTS ON THE SPACE SHUTTLE SECOND STAGE ASCENT VEHICLE AT FREESTREAM MACH = 5.3 AND 7.3 IN THE NASA/ARC 3.5- FOOT HWT USING THE 0.0175-SCALE MODEL 60-0T(IH104)
2481	167,377	IA602	RESULTS OF TESTS IN THE NASA/MSFC 14-INCH TRISONIC WIND TUNNEL ON A 0.004-SCALE MODEL (74-0TS) THRUST AUGMENTED SPACE SHUTTLE INTEGRATED VEHICLE (IA602)
2482	160,814 V-01	OA400	RESULTS OF TESTS FOR FORCE, MOMENT, PRESSURE AND AEROELASTIC DATA USING THE 0.030 SCALE PRESSURE LOADS SPACE SHUTTLE ORBITER MODEL (47-0) IN THE NASA/ARC 11 FOOT UNITARY PLAN WIND TUNNEL, (OA400)
2482	160,815 V-02	OA400	RESULTS OF TESTS FOR FORCE, MOMENT, PRESSURE AND AEROELASTIC DATA USING THE 0.030 SCALE PRESSURE LOADS SPACE SHUTTLE ORBITER MODEL (47-0) IN THE NASA/ARC 11 FOOT UNITARY PLAN WIND TUNNEL, (OA400)
2482	160,816 V-03	OA400	RESULTS OF TESTS FOR FORCE, MOMENT, PRESSURE AND AEROELASTIC DATA USING THE 0.030 SCALE PRESSURE LOADS SPACE SHUTTLE ORBITER MODEL (47-0) IN THE NASA/ARC 11 FOOT UNITARY PLAN WIND TUNNEL, (OA400)
2483	167,357 V-01	OS49	RESULTS OF A TEST OF THE FULL-SCALE NASA ORBITER VERTICAL TAIL (MODEL 111-0) IN THE AEDC 16-FOOT PROPULSION WIND TUNNEL (OS-49)
2483	167,358 V-02	OS49	RESULTS OF A TEST OF THE FULL-SCALE NASA ORBITER VERTICAL TAIL (MODEL 111-0) IN THE AEDC 16 FOOT PROPULSION WIND TUNNEL (OS-49)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2484	UNPUB	LA144	** DOCUMENT WAS NOT PUBLISHED **
2485	167,361	OS50/OS50A	RESULTS OF VENT PORT TPS LOADS TESTS IN THE AMES RESEARCH CENTER (ARC) 11X11-FOOT WIND TUNNEL USING MODEL 113-0 (OS50/OS50A)
2486	167,368 V-01	OA253	RESULTS OF WIND TUNNEL TEST OA253 IN THE AEDC 16-T PROPULSION WIND TUNNEL USING A 0.035-SCALE SS LAUNCH VEHICLE MODEL 84-OTS & ENTRY VEHICLE MODEL 84-0
2486	167,369 V-02	OA253	RESULTS OF WIND TUNNEL TEST OA253 IN THE AEDC 16-T PROPULSION WIND TUNNEL USING A 0.035-SCALE SS LAUNCH VEHICLE MODEL 84-OTS & ENTRY VEHICLE MODEL 84-0
2487	167,362	OS43/OS51/ OS51B/OS51C	RESULTS OF AMES GAP FILLER TESTS USING TEST FIXTURE 96-0 IN THE NASA/AMES 11X11-FOOT TUNNEL (OS43/OS51/OS51B/OS51C)
2488	160,835	OS300	PRELIMINARY SCREENING TESTS OF THE SPACE SHUTTLE AFRSI MATERIAL USING MODEL 115-0 IN THE NASA/AMES RESEARCH CENTER 2X2 FOOT TRANSONIC WIND TUNNEL (OS300)
2489	167,366	OS56	RESULTS OF A WIND TUNNEL TEST ON THE SPACE SHUTTLE UMBILICAL PURGE CURTAIN IN THE AEDC 16-T PROPULSION WIND TUNNEL (PWT), USING MODEL 108-0 (OS56)
2490	167,349 V-01	OH109	TEST RESULTS FROM THE NASA/ROCKWELL INTERNATIONAL SPACE SHUTTLE 0.0175-SCALE ORBITER MODELS 56-0/60-0 AND 0.04-SCALE ORBITER FOREBODY MODEL 83-0 CONDUCTED IN THE AEDC/VKF-B 50-INCH HYPERSONIC WIND TUNNEL (TESTS OH109 & OH109B)
2490	167,350 V-02	OH109	TEST RESULTS FROM THE NASA/ROCKWELL INTERNATIONAL SPACE SHUTTLE 0.0175-SCALE ORBITER MODELS 56-0/60-0 AND 0.04-SCALE ORBITER FOREBODY MODEL 83-0 CONDUCTED IN THE AEDC/VKF-B 50-INCH HYPERSONIC WIND TUNNEL (TESTS OH109 & OH109B)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2490	167,351 V-03	OH109	TEST RESULTS FROM THE NASA/ROCKWELL INTERNATIONAL SPACE SHUTTLE 0.0175-SCALE ORBITER MODELS 56-0/60-0 AND 0.04-SCALE ORBITER FOREBODY MODEL 83-0 CONDUCTED IN THE AEDC/VKF-B 50-INCH HYPERSONIC WIND TUNNEL (TESTS OH109 & OH109B)
2491	167,659 V-01	OA258	RESULTS OF INVESTIGATIONS ON THE 0.020-SCALE OV-102 CONFIGURATION SPACE SHUTTLE VEHICLE ORBITER MODEL 106-0 IN THE USAF/AEDC VKF TUNNEL B (OA258)
2491	167,660 V-02	OA258	RESULTS OF INVESTIGATIONS ON THE 0.020-SCALE OV-102 CONFIGURATION SPACE SHUTTLE VEHICLE ORBITER MODEL 106-0 IN THE USAF/AEDC VKF TUNNEL B (OA258)
2491	167,661 V-03	OA258	RESULTS OF INVESTIGATIONS ON THE 0.020-SCALE OV-102 CONFIGURATION SPACE SHUTTLE VEHICLE ORBITER MODEL 106-0 IN THE USAF/AEDC VKF TUNNEL B (OA258)
2491	167,662 V-04	OA258	RESULTS OF INVESTIGATIONS ON THE 0.020-SCALE OV-102 CONFIGURATION SPACE SHUTTLE VEHICLE ORBITER MODEL 106-0 IN THE USAF/AEDC VKF TUNNEL B (OA258)
2492	167,359	OH107	RESULTS OF THE SSV ELEVON GAP HEATING TESTS USING THE 0.025-SCALE SPACE SHUTTLE ORBITER MODEL (94-0) IN THE AEDC/VKF HYPERSONIC WIND TUNNEL B (OH107)
2493	167,665 V-01	OA259	RESULTS OF INVESTIGATIONS OF THE 0.010-SCALE OV-102 CONFIGURATION SPACE SHUTTLE VEHICLE ORBITER MODEL 72-0 IN THE NASA/AEDC VKF TUNNEL B (OA259)
2493	167,666 V-02	OA259	RESULTS OF INVESTIGATIONS OF THE 0.010-SCALE OV-102 CONFIGURATION SPACE SHUTTLE VEHICLE ORBITER MODEL 72-0 IN THE NASA/AEDC VKF TUNNEL B
2494	167,360	OH108	AERODYNAMIC HEATING TESTS OF A 0.10-SCALE SS ORBITER ELEVON/ELEVON GAP MODEL 93-0 IN THE NASA/ARC 3.5 FOOT HYPERSONIC WIND TUNNEL (OH108)
2495	160,844	OH110	TEST RESULTS FROM THE NASA/ROCKWELL INTERNATIONAL SPACE SHUTTLE 0.0175-SCALE ORBITER MODELS 56-0/60-0 AND THE 0.04-SCALE ORBITER FOREBODY MODEL 83-0 CONDUCTED IN THE NASA/ARC 3.5-FOOT HYPERSONIC WIND TUNNEL (TEST OH110)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2496	167,380 V-01	OH111	RESULTS OF THE TRANSATLANTIC ABORT MANEUVER TEST(OH111) USING THE 0.0175-SCALE 56-0 AND 60-0. AND THE 0.04-SCALE 83-0 THIN SKIN THERMOCOUPLE MODELS IN THE AEDC VKF TUNNEL B HYPERSONIC WIND TUNNEL(OH111)
2496	167,381 V-02	OH111	RESULTS OF THE TRANSATLANTIC ABORT MANEUVER TEST(OH111) USING THE 0.0175-SCALE 56-0 AND 60-0. AND THE 0.04-SCALE 83 0 THIN SKIN THERMOCOUPLE MODELS IN THE AEDC VKF TUNNEL B HYPERSONIC WIND TUNNEL(OH111)
2496	167,382 V-03	OH111	RESULTS OF THE TRANSATLANTIC ABORT MANEUVER TEST(OH111) USING THE 0.0175-SCALE 56-0 AND 60-0. AND THE 0.04-SCALE 83-0 THIN SKIN THERMOCOUPLE MODELS IN THE AEDC VKF TUNNEL B HYPERSONIC WIND TUNNEL(OH111)
2497	UNPUB	MA34	** DOCUMENT WAS NOT PUBLISHED **
2498	167,656	OA255/OA256	RESULTS OF SPACE SHUTTLE ORBITER (MODEL 70-0) LATE ENTRY RCS YAW JET EFFECTS TESTS IN THE NASA/LARC UPWT AND 16-FT. WIND TUNNELS (OA255/OA256)
2499	160,836	OA164	RESULTS OF TESTS USING A 0.36-SCALE MODEL (76-0) OF THE SSV ORBITER 101 IN THE NASA/AMES RESEARCH CENTER 40X80-FOOT SUBSONIC WIND TUNNEL(OA164)
2500	160,848	OS301	PHASE 11 SCREENING TEST OF AFRSI MATERIAL USING MODEL 115-0 IN THE AMES RESEARCH CENTER 2X2-FOOT TRANSONIC WIND TUNNEL (05301)
2501	167,373	OS304A	SPACE SHUTTLE AFRSI OMS PODS/JOINTS DEVELOPMENT TEST USING MODEL 116-0 SPECIMENS 8 MODEL 96-0 TEST FIXTURE IN THE AMES RESEARCH CENTER 11X11-FOOT TRANSONIC WIND TUNNEL (OS304A)
2502	167,378	OS304B	SPACE SHUTTLE AFRSI DMS PODS/JOINTS DEVELOPMENT TEST USING MODEL 116-0 SPECIMENS AND MODEL 81-0 TEST FIXTURE IN THE AMES RESEARCH CENTER 9X7-FOOT SUPERSONIC WIND TUNNEL (OS304B)
2503	167,363	OS53A,B	RESULTS OF COMBINED LOADS ORBITER TEST (CLOT) IN THE NASA/LARC 8-FOOT TPT USING THREE CONFIGURATION 20 TPS FLOW TEST PANELS (OS53A/B)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2504	167,379	OS302B	SPACE SHUTTLE AFRSI LARGE-SCALE DEVELOPMENT TEST USING MODEL 117-0 SPECIMENS AND MODEL 81-0 TEST FIXTURE IN THE AMES RESEARCH CENTER 9X7-FOOT SUPERSONIC WIND TUNNEL (OS302B)
2505	167,376	OS46A-G	RESULTS OF ASCENT AERODYNAMIC LOADING TESTS OF THE SS THERMAL PROTECTION SYSTEM (TPS) IN & AROUND THE ORBITER/ET UMBILICAL DOOR & CAVITY USING MODELS 108-0 & 1090 IN THE AEDC 16-T PROPULSION WIND TUNNEL (OS46A-G)
2506	167,384	OS60/1/2/3	GAP FILLER REUSE TESTS OF FULL-SCALE SPACE SHUTTLE ORBITER TILE ARRAY MODELS IN THE NASA/ARC 9X7-FOOT AND 11-FOOT UNITARY PLAN WIND TUNNEL (OS60 , OS61B, OS62, OS62A, AND OS63)
2507	167,683	MA33A/B	RESULTS OF INVESTIGATIONS OF THE SPACE SHUTTLE ORBITER ONE-QUARTER-HERTZ OSCILLATION ANOMALY IN THE NASA/AMES RESEARCH CENTER 11X11-FOOT AND 9X7- FOOT WIND TUNNELS USING 0.02-SCALE MODEL 106-0 (MA33A/B)
2508	167,650	OS306A/B	SPACE SHUTTLE AFRSI DESIGN CRITERIA DEVELOPMENT TESTS IN THE NASA/AMES RESEARCH CENTER 11X11-FOOT AND 9X7-FOOT WIND TUNNELS USING MODEL 23-0 (OS306A/B)
2509	167,654	OA307A/B	SPACE SHUTTLE FRS1-12 TPS TILE VENTING TEST IN THE NASA/AMES RESEARCH CENTER 11X11-FOOT AND 9X7-FOOT WIND TUNNELS (OA37A/B)
2510	167,651	OS309A	SPACE SHUTTLE AFRSI FULL-SCALE CREDIBILITY TEST IN THE NASA/AMES RESEARCH CENTER 11X11-FOOT WIND TUNNEL USING MODEL 124-0 INSTALLED IN THE 96-0 TEST FIXTURE (OS309A)
2511	167,669 V-01	IA300	RESULTS OF COLD PLUME TESTS OF THE 0.010-SCALE MODEL (75-0TS) IN THE NASA/AMES RESEARCH CENTER 11X11-FOOT WIND TUNNEL (IA300)
2511	167,670 V-02	IA300	RESULTS OF COLD PLUME TESTS OF THE 0.010-SCALE MODEL (75-0TS) IN THE NASA/AMES RESEARCH CENTER 11X11-FOOT WIND TUNNEL (IA300)

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2511	167,671 V-03	IA300	RESULTS OF COLD PLUME TESTS OF THE 0.010-SCALE MODEL (75-OTS) IN THE NASA/AMES RESEARCH CENTER 11X11-FOOT WIND TUNNEL (IA300)
2512	167,667	OA308	BOUNDARY LAYER TESTS OF THE SPACE SHUTTLE AFRSI MATERIAL IN THE NASA/AMES RESEARCH CENTER 2X2- FOOT TRANSONIC WIND TUNNEL (OA308)
2513	167,678	OS313	SPACE SHUTTLE AFRSI GAP FIX TEST OS313 IN THE AEDC/USAF 16T TRANSONIC PROPULSION WIND TUNNEL USING MODEL 129-0 INSTALLED IN THE MODEL 96-0 TEST FIXTURE
2514	167,687	FA301	RESULTS OF THE ORBITER WING AND ELEVON LOAD ALLEVATION TEST IN THE NASA/MSFC 14-INCH TRISONIC WIND TUNNEL ON A 0.004-SCALE MODEL (74-OTS) SPACE SHUTTLE INTEGRATED VEHICLE.
2515	167,684	OS305-1/5	POST-TEST DATA REPORT FOR THE SPACE SHUTTLE FULL- SCALE AFRSI SEQUENCE OF ENVIRONMENTS TEST (OS305-1 TO 5) IN THE NASA/AMES RESEARCH CENTER 11X11 FOOT WIND TUNNEL
2516	167,688	OS311	SPACE SHUTTLE AFRSI FULL-SCALE APPLICATION DESIGN ISSUES TEST OS311 IN THE AMES RESEARCH CENTER (ARC) 11 X 11-FT. WIND TUNNEL USING MODEL 127-0 INSTALLED IN THE 96-0 TEST FIXTURE
2517	167,689	OS314A/B/C	SPACE SHUTTLE AFRSI OMS POD ENVIRONMENT TEST USING MODEL 81-0 TEST FIXTURE IN THE AMES RESEARCH CENTER 9 X 7-FOOT SUPERSONIC WIND TUNNEL
2518	UNPUB	IA301	** DOCUMENT WAS NOT PUBLISHED **
2519	167,692	OA309	RESULTS OF TESTS OF ADVANCED FLEXIBLE REUSABLE SURFACE INSULATION VORTEX AND FLOW ENVIRONMENTS IN THE NORTH AMERICAN AERODYNAMICS LABORATORY LOWSPEED WIND TUNNEL USING 0.0405-SCALE SPACE SHUTTLE ORBITER MODEL 16-0
2520	167,693	IH97A/B/C	RESULTS OF AEROHEATING DFI AND ET DESIGN-DATA TEST ON A 0.0175-SCALE MODEL 60-OTS CONDUCTED IN THE VON KARMAN GAS DYNAMICS FACILITY (VKF) 40-INCH SUPERSONIC AND THE 50-INCH HYPERSONIC WIND TUNNELS A & C

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONTINUED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2521	167,694	OS310	RESULTS OF THE AFRSI REWATERPROOFING SYSTEMS SCREENING TEST IN THE NASA/AMES RESEARCH CENTER (ARC) 2 X 2-FOOT TRANSONIC WIND TUNNEL
2522	UNPUB	OS315	** DOCUMENT WAS NOT PUBLISHED **
2523	UNPUB	LA301	** DOCUMENT WAS NOT PUBLISHED **
2524	167,695	IH-42	RESULTS OF A M = 5.3 HEAT TRANSFER TEST OF THE INTEGRATED VEHICLE USING PHASE-CHANGE PAINT TECHNIQUES ON THE 0.0175-SCALE MODEL 56-OTS IN THE NASA/AMES RESEARCH CENTER 3.5-FOOT HYPERSONIC WIND TUNNEL
2525	UNPUB	LA302	** DOCUMENT WAS NOT PUBLISHED **
2526	UNPUB	OA350	** DOCUMENT WAS NOT PUBLISHED **
2527	UNPUB	LA150	** DOCUMENT WAS NOT PUBLISHED **
2528	UNPUB	LA151	** DOCUMENT WAS NOT PUBLISHED **
2529	UNPUB	LA152	** DOCUMENT WAS NOT PUBLISHED **
2530	UNPUB	OA352	** DOCUMENT WAS NOT PUBLISHED **
2531	UNPUB	MA300	** DOCUMENT WAS NOT PUBLISHED **
2532	UNPUB	MA301	** DOCUMENT WAS NOT PUBLISHED **
2533	UNPUB	OA356	** DOCUMENT WAS NOT PUBLISHED **
2534	UNPUB	OA357	** DOCUMENT WAS NOT PUBLISHED **
2535	UNPUB	OA358	** DOCUMENT WAS NOT PUBLISHED **
2536	UNPUB	IA304	** DOCUMENT WAS NOT PUBLISHED **
2537	UNPUB	OA353A	** DOCUMENT WAS NOT PUBLISHED **
2538	UNPUB	OA353B	** DOCUMENT WAS NOT PUBLISHED **
2539	UNPUB	OA353C	** DOCUMENT WAS NOT PUBLISHED **
2540	UNPUB	LA306	** DOCUMENT WAS NOT PUBLISHED **

**TABLE 5. SPACE SHUTTLE WIND TUNNEL TEST PROGRAM
DATA REPORT DOCUMENTATION FOR PHASE C/D
(CONCLUDED)**

DMS-DR REPORT NUMBER	NASA CR NUMBER	NASA SERIES NUMBER	SPACE SHUTTLE VEHICLE WIND TUNNEL TEST DATA REPORT TITLE
2541	167,698	OA362	SPACE SHUTTLE ORBITER CREW HATCH JETTISON TEST USING A 0.0405-SCALE MODEL (16-0) IN THE TEXAS A&M LOW SPEED WIND TUNNEL
2542	UNPUB	LA305	** DOCUMENT WAS NOT PUBLISHED **
2543	UNPUB	IA302A,B	** DOCUMENT WAS NOT PUBLISHED **
2544	UNPUB	IA308A	** DOCUMENT WAS NOT PUBLISHED **
2545	UNPUB	IA308B	** DOCUMENT WAS NOT PUBLISHED **
2546	UNPUB	OA355	** DOCUMENT WAS NOT PUBLISHED **
2547	167,696 V-01	IA310	RESULTS OF THE SPACE SHUTTLE VEHICLE ASCENT AIR DATA SYSTEM PROBE CALIBRATION TEST USING A 0.07- SCALE EXTERNAL TANK FOREBODY MODEL (68T) IN THE AEDC 16-FOOT TRANSONIC WIND TUNNEL
2547	167,697 V-02	IA310	RESULTS OF THE SPACE SHUTTLE VEHICLE ASCENT AIR DATA SYSTEM PROBE CALIBRATION TEST USING A 0.07- SCALE EXTERNAL TANK FOREBODY MODEL (68T) IN THE AEDC 16-FOOT TRANSONIC WIND TUNNEL
2548	UNPUB	FA302	** DOCUMENT WAS NOT PUBLISHED **
2549	185,697 V-01	IA613A	RESULTS OF WIND TUNNEL TESTS OF AN ASRM CONFIGURED 0.03-SCALE SPACE SHUTTLE INTEGRATED VEHICLE MODEL (47-OTS) IN THE AEDC 16-FOOT TRANSONIC WIND TUNNEL
2549	185,697 V-02	IA613A	RESULTS OF WIND TUNNEL TESTS OF AN ASRM CONFIGURED 0.03-SCALE SPACE SHUTTLE INTEGRATED VEHICLE MODEL (47-OTS) IN THE AEDC 16-FOOT TRANSONIC WIND TUNNEL
2550	UNPUB	IA613B	** DOCUMENT WAS NOT PUBLISHED **

TABLE 6. SAMPLE OF A FORCE DATA SET

[illegible][illegible]

TABLE 6. SAMPLE OF A FORCE DATA SET (Concluded).

[illegible]

TABLE 7. SAMPLE OF A PRESSURE DATA SET

*PDSFTRB0124 MAY 73	AMES 97-707 IAG O2A + S3 + T9 ORBITER FUSelage	SO.FT.INCHESINCHESINCHESINCHESSCALE	1
			25
			5
			156
			9
			2
			1

CP MACH ALPHA T BETA ORB IN CRUDE RELEVON RUDFLR
X/TB PHI R ORBITER FUSELAGE

X/LB PHI R ORBITER FUSELAGE

96 97 98 99

[illegible]

TABLE 7. SAMPLE OF A PRESSURE DATA SET (Continued)

[illegible]

TABLE 7. SAMPLE OF A PRESSURE DATA SET (Continued)

-43000000-01	-83000000-01	-93000000-01	-37000000-01	-49000000-01	-18000000-01	-17000000-01	-24000000-01	11000000-01	26000000-01
-28000000-01	-23000000-01	-33000000-01	-23000000-01	-23000000-01	-18000000-01	17000000-01	17000000-01	32000000-01	10800000+00
-20000000-02	80000000-01	11000000+00	27000000+00	44900000+00	35400000+00	37700000+00	30100000+00	53800000+00	25300000+00
-18900000+00	61000000-01	21000000-01	44000000-01	74000000-01	41300000+00	48700000+00	13900000-01	58000000-01	17300000+00
-18600000+00	10000000-01	30000000-02	20000000-02	13900000-01	62000000-01	88000000-01	20000000-02	58000000-01	76000000-01
-24200000+00	-52000000-01	-52000000-01	-61000000-01	-13900000-01	-90000000-01	-17300000-01	-90000000-02	-58000000-01	
-15200000+00	-16000000-01	-10000000+00	-13300000+00	-10050000+01	10450000+01	14570000+01	48200000+00	48200000+00	
-55000000-01	-16000000-01	-10000000+00	-10000000+00	-13300000+00	10450000+01	14570000+01	48200000+00	48200000+00	
-51200000+00	48700000+00	44800000+00	44600000+00	46800000+00	40900000+00	14200000+00	13600000+00	91000000-01	
-84000000-01	-38000000-01	-14000000-01	-40000000-02	57000000-01	11200000+00	19600000+00	13600000+00	13600000+00	
-11900000+00	-11000000-01	60000000-01	63000000-01	77000000-01	16000000+00	24700000+00	28900000+00	28900000+00	
-78000000-01	73000000-01	93000000-01	17700000+00	21000000+00	22800000+00	46100000+00	79100000+00	79100000+00	
99000000+00	11160000+01	84900000+00	12500000+00	11900000+00	11300000+00	14900000+00	26200000+00	26200000+00	
33200000+00	42300000+00	65200000+00	56200000+00	56300000+00	79100000+00	18400000+00	10000000+00	10000000+00	
00000000	-30000000-02	82000000-01	59000000-01	11000000-01	90000000-02	13800000+00	33100000+00	13600000+00	
-27800000+00	-54000000-01	-40000000-01	-17700000+00	-21100000+00	-22500000+00	-16400000+00	-90000000-01	-90000000-01	
-21500000+00	65000000-01	33000000-01	25000000+00	22000000+00	19000000+00	00000000	82000000-01	71000000-01	
-39000000-01	10000000-02	54000000-01	52000000-01	91000000-01	13400000+00	67000000-01	79000000-01	79000000-01	
-66000000-01	-64000000-01	-74000000-01	-30000000-01	-65000000-01	-39000000-01	-70000000-02	70000000-02	70000000-02	
-55000000-02	10000000-02	-60000000-01	-45000000-01	-32000000-01	-30000000-02	15000000-01	10000000+00	10000000+00	
-34000000-01	57000000-01	89000000+00	25600000+00	60110000+00	34100000+00	27100000+00	27100000+00	27100000+00	
-16700000+00	23000000-01	90000000-02	27000000-01	61000000-01	38200000+00	44400000+00	47100000+00	47100000+00	
-16500000+00	19000000-01	-20000000-01	-20000000-01	-14400000+00	-78000000-01	10300000+00	22300000+00	22300000+00	
-21600000+00	-54000000-01	-73000000-01	-10300000+00	-96000000-01	-13000000-01	64000000-01	14200000+00	14200000+00	
-13400000-01	-84000000-01	-89000000-01	-89000000-01	-56000000-01	-15000000-01	37000000-01	37000000-01	37000000-01	
30000000-02	-21000000-01	10540000+01	98300000+00	95000000+00	48400000+00	49400000+00	49400000+00	49400000+00	
14290000+01	14290000+01	10540000+01	98300000+00	95000000+00	48400000+00	49400000+00	49400000+00	49400000+00	
51300000+00	47800000+00	43000000+00	40700000+00	17900000-01	67000000-01	14700000+00	14100000+00	14100000+00	
-52500000-01	-12000000-01	-12000000-01	67000000-01	19500000+00	12100000+00	20500000+00	24400000+00	24400000+00	
-12500000+00	-10000000-02	70000000-01	16100000+00	19500000+00	19000000+00	41700000+00	75300000+00	75300000+00	
84000000-01	78000000-01	83600000+01	87000000-01	96000000-01	74000000-01	97000000-01	23400000+00	23400000+00	
94900000+01	10860000+01	83600000+01	11200000+00	53100000+00	75000000+00	18900000+00	30000000-01	30000000-01	
31800000+00	41600000+00	63200000+00	53700000+00	53100000+00	75000000+00	18900000+00	30000000-01	30000000-01	
-39000000-01	-17000000-01	70000000-01	52000000-01	90000000-02	70000000-02	15300000+00	34300000+00	34300000+00	
-29500000+00	-95000000-01	-95000000-01	-186000000+00	-22100000+00	-23700000+00	-18500000+00	-14700000+00	-14700000+00	
-23800000+00	-10400000+00	-34000000-01	-26300000+00	-23400000+00	-15700000+00	-10500000+00	-12400000+00	-12400000+00	
-65000000-01	46000000-01	99000000-01	11100000+00	14300000+00	15700000+00	10500000+00	91000000-01	91000000-01	
-93000000-01	-42000000-01	-21000000-01	-20000000-02	-10000000-01	-47000000-01	-92000000-01	10600000+00	10600000+00	
-74000000-01	-42000000-01	-61000000-01	-84000000-01	-43000000-01	-16000000-01	-24000000-01	-45000000-02	-45000000-02	
-90000000-02	-14000000-01	-14000000-01	-84000000-01	-64000000-01	-20000000-02	-20000000-02	-45000000-01	-45000000-01	
-66000000-01	36000000-01	71000000-01	23800000+00	54100000+00	27600000+00	30300000+00	24000000+00	24000000+00	
-13100000+00	-30000000-02	-33000000-01	18000000-01	45000000-01	35500000+00	38900000+00	41600000+00	41600000+00	
-16300000+00	-42000000-01	-42000000-01	-42000000-01	-15100000+00	-96000000-01	-66000000-01	18900000+00	18900000+00	
-31500000+00	-75000000-01	-91000000-01	-12100000+00	-11300000+00	-11300000+00	39000000-01	11200000+00	11200000+00	

TABLE 7. SAMPLE OF A PRESSURE DATA SET (Continued)

-.12100000+00	-.95000000-01	-.10000000+00	-.10900000+00	-.70000000-01	-.17000000-01	-.19000000-01	-.11100000+00
.10000000-02	-.21000000-01	-.13990000+01	.10840000+01	-.77000000-01	-.11800000+00	.54200000+00	.54200000+00
.13990000+01	.13990000+01	.47400000+00	.41500000+00	.37000000+00	.30800000+00	.52800000+00	.52800000+00
.51800000+00	.47400000+00	.13990000+01	.10840000+01	.77000000-01	.30800000+00	.52800000+00	.52800000+00
.70000000-01	-.11000000-01	-.18000000-01	-.50000000-02	-.50000000-01	.31000000-01	.10100000+00	.15600000+00
.15000000+00	-.11000000-01	.61000000-01	.53000000-01	.54000000-01	.10500000+00	.15900000+00	.18800000+00
.10000000+00	.81000000-01	.81000000-01	.14300000+00	.17100000+00	.18100000+00	.33400000+00	.69700000+00
.88600000+00	.10400000+01	.81300000+00	.89000000-01	.84000000-01	.53000000-01	.55000000-01	.19600000+00
.30100000+00	.39200000+00	.60200000+00	.50900000+00	.49600000+00	.71100000+00	.19500000+00	.44000000-01
.54000000-01	-.32000000-01	.54000000-01	.42000000-01	.50000000-02	.21000000-01	.16900000+00	.35500000+00
-.30700000+00	-.12300000+00	-.10900000+00	-.19600000+00	-.23000000+00	-.24600000+00	-.21200000+00	-.17000000+00
-.26300000+00	-.15900000+00	-.20000000-02	-.27200000+00	-.24700000+00	-.23100000+00	.00000000	-.15200000+00
-.89000000-01	.19000000-01	-.10900000+00	-.12000000+00	-.16800000+00	-.17900000+00	.12800000+00	-.11700000+00
-.12400000+00	-.10300000+00	-.56000000-01	-.32000000-01	-.74000000-01	-.40000000-01	-.19000000-01	-.19000000-01
-.95000000-01	-.29000000-01	-.19000000-01	-.46000000-01	-.24100000+00	.27300000+00	.21300000+00	.10000000-02
-.95000000-01	.14000000-01	.63000000-01	.23600000+00	.46600000+00	.27300000+00	.21300000+00	.10000000-02
-.58000000-01	-.31000000-01	-.48000000-01	.13000000-01	.38000000-01	.32800000+00	.33100000+00	.35300000+00
-.14100000+00	-.56000000-01	-.58000000-01	-.59000000-01	-.15200000+00	-.11000000-01	.36000000-01	.16000000+00
-.32700000+00	-.92000000-01	-.10300000+00	-.13700000+00	-.12300000+00	-.42000000-01	.22000000-01	.87000000-01
-.11000000+00	-.11500000+00	-.11900000+00	-.11900000+00	-.94000000-01	-.21000000-01	-.20000000-02	-.12800000+00
-.96000000-01	-.72000000-01	.13800000+01	.11650000+01	.34200000+00	.25900000+00	.58300000+00	.58300000+00
.53900000+00	.47800000+00	.40700000+00	.40700000+00	.33300000+00	.25900000+00	.14400000+00	.87000000-01
-.50000000-01	.30000000-02	.24000000-01	.30000000-01	-.10000000-01	-.50000000-02	.62000000-01	-.18800000+00
-.18400000+00	-.23000000-01	.51000000-01	.47000000-01	.45000000-01	.12100000+00	.12400000+00	.64400000+00
.16300000+00	.99000000-01	.75000000-01	.12100000+00	.13800000+00	.15600000+00	.24900000+00	.64400000+00
.82700000+00	.99800000+00	.78900000+00	.74000000-01	.66000000-01	.37000000-01	.31000000-01	.15200000+00
.28100000+00	.35800000+00	.57900000+00	.48600000+00	.46500000+00	.67600000+00	.20500000+00	.61000000-01
.71000000-01	.37000000-01	.37000000-01	.32000000-02	-.33000000-01	-.18100000+00	-.36400000+00	-.19800000+00
.32800000+00	-.14600000+00	-.11800000+00	-.20600000+00	-.23800000+00	-.25400000+00	-.19800000+00	-.19800000+00
-.28000000+00	-.17800000+00	-.11000000-01	-.27600000+00	-.26100000+00	-.25100000+00	.00000000	-.17700000+00
-.11400000+00	.11400000+00	.82000000-01	-.12700000+00	-.14300000+00	-.93000000-01	-.14700000+00	-.12300000+00
-.13600000+00	.20000000-01	-.33000000-01	-.49000000-01	-.52000000-01	-.87000000-01	-.49000000-01	-.31000000-01
-.11300000+00	-.25000000-01	-.26000000-01	-.11700000+00	-.73000000-01	-.50000000-02	-.19000000-01	.22000000-01
-.12900000+00	.90000000-02	.60000000-01	.26600000+00	.41200000+00	.20900000+00	.23700000+00	.19700000+00
-.17000000-01	-.53000000-01	-.54000000-01	.10000000-02	.49000000-01	.30100000+00	.28300000+00	.30500000+00
-.12000000+00	-.71000000-01	-.84000000-01	-.83000000-01	-.16100000+00	-.13200000+00	.70000000-02	.12700000+00
-.32400000+00	-.10700000+00	-.12400000+00	-.15600000+00	-.13900000+00	-.59000000-01	.10000000-02	.58000000-01
-.89000000-01	-.13200000+00	-.14500000+00	-.75000000-01	-.10700000+00	-.29000000-01	-.22000000-01	-.14200000+00
-.58000000-01	-.74000000-01	-.55000000-01	-.91600000+00	.77500000+00	.51100000+00	.55400000+00	.62500000+00
.60400000+00	.48100000+00	.38800000+00	.30900000+00	.28700000+00	.20600000+00	.17800000+00	-.11900000+00
-.13420000+01	.13420000+01	.12410000+01	.91600000+00	.77500000+00	.51100000+00	.55400000+00	.62500000+00
-.18400000+00	-.44000000-01	-.48000000-01	.48000000-01	.12000000-01	.66000000-01	.72000000-01	.10300000+00

TABLE 7. SAMPLE OF A PRESSURE DATA SET (Continued)

.21200000+00	.16400000+00	.67000000-01	.11100000+00	.11700000+00	.12900000+00	.31400000+00	.59900000+00
.69300000+00	.81900000+00	.56400000+00	.74000000-01	.42000000-01	.10000000-02	.17000000-01	.12600000+00
.25600000+00	.26800000+00	.56400000+00	.46400000+00	.43200000+00	.64300000+00	.20900000+00	.86000000-01
.93000000-01	.90000000-01	.15000000-01	.20000000-01	.30000000-02	.43000000-01	.20400000+00	.38200000+00
.34700000+00	.14200000+00	.95000000+00	.21900000+00	.25100000+00	.26700000+00	.22200000+00	.19000000+00
.29700000+00	.15200000+00	.15200000+00	.24400000+00	.27400000+00	.26800000+00	.00000000	.15800000+00
.13000000+00	.94000000-01	.40000000-01	.12600000+00	.18100000+00	.19600000+00	.17000000+00	.11900000+00
.15900000+00	.38000000-01	.39000000-01	.66000000-01	.75000000-01	.78000000-01	.99000000-01	.11900000+00
.12500000+00	.50000000-02	.70000000-02	.15200000+00	.13000000+00	.10000000+00	.60000000-01	.35000000-01
.31000000-01	.27000000-01	.12600000+00	.81000000-01	.48000000-01	.18000000-01	.22000000-01	.43000000-01
.17000000+00	.22000000-01	.72000000-01	.19200000+00	.42300000+00	.19100000+00	.21800000+00	.18500000+00
.18000000-01	.78000000-01	.53000000-01	.40000000-01	.26800000+00	.24200000+00	.29500000+00	.29500000+00
.10400000+00	.87000000-01	.10500000+00	.10800000+00	.15400000+00	.15500000+00	.16000000-01	.95000000-01
.32100000+00	.12300000+00	.15600000+00	.17600000+00	.15400000+00	.72000000-01	.18000000-01	.37000000-01
.66000000-01	.15100000+00	.15600000+00	.17100000+00	.12800000+00	.44000000-01	.32000000-01	.15700000+00
.74000000+00	.11600000+00	.50000000-01	.74000000-01	.70900000+00	.49100000+00	.53900000+00	.61500000+00
.15100000+00	.12100000+00	.99400000+00	.94000000+00	.23800000+00	.14900000+00	.18100000+00	.13400000+00
.84000000-01	.27000000-01	.14000000-01	.60000000-01	.75000000-01	.22000000-01	.17100000-01	.57000000-01
.16500000+00	.46000000-01	.38000000-01	.50000000-02	.21000000-01	.40000000-01	.51000000-01	.58100000+00
.15500000+00	.10200000+00	.77000000-01	.89000000-01	.92000000-01	.11400000+00	.15300000+00	.47000000-01
.69500000+00	.95700000+00	.74500000+00	.68000000-01	.60000000-02	.58000000-01	.40000000-02	.47000000-01
.24100000+00	.31100000+00	.52300000+00	.43000000+00	.38700000+00	.59100000+00	.22400000+00	.91000000-01
.69000000-01	.60000000-01	.12000000-01	.50000000-02	.20000000-02	.70000000-01	.22400000+00	.39200000+00
.36300000+00	.13300000+00	.10900000+00	.19200000+00	.26500000+00	.27500000+00	.29300000+00	.23500000+00
.31100000+00	.16800000+00	.88000000-01	.25600000+00	.25600000+00	.28300000+00	.00000000	.21000000+00
.17400000+00	.57000000-01	.65000000-01	.79000000-01	.95000000-01	.95000000-01	.10400000+00	.11200000+00
.12500000+00	.26000000-01	.44000000-01	.20100000+00	.13100000+00	.10200000+00	.68000000-01	.34000000-01
.30000000-01	.27000000-01	.15200000+00	.10200000+00	.43000000-01	.44000000-01	.80000000-02	.45000000-01
.19800000+00	.10000000-01	.74000000-01	.34100000+00	.31200000+00	.18800000+00	.19100000+00	.16600000+00
.82000000-01	.10500000+00	.70000000-01	.26000000-01	.53000000-01	.21400000+00	.18800000+00	.24700000+00
.10400000+00	.12100000+00	.10100000+00	.10300000+00	.15100000+00	.15100000+00	.22000000-01	.71000000-01
.32200000+00	.13800000+00	.17500000+00	.18800000+00	.16800000+00	.28000000-01	.60000000-01	.11000000-01
.54000000-01	.74000000-01	.12300000+00	.43000000-01	.70000000-01	.70200000+00	.51100000+00	.60900000+00
.15050000+00	.15050000+00	.11940000+00	.10180000+00	.17100000+00	.78000000-01	.10600000+00	.15800000+00
.60500000+00	.54200000+00	.42100000+00	.24800000+00	.17100000+00	.78000000-01	.10600000+00	.15500000+00
.10400000+00	.28000000-01	.14000000-01	.55000000-01	.75000000-01	.11700000+00	.75000000-01	.31000000-01
.15800000+00	.58000000-01	.38000000-01	.12000000-01	.00000000	.12000000-01	.19000000-01	.31000000-01
.16300000+00	.79000000-01	.90000000-02	.70000000-01	.76000000-01	.92000000-01	.12600000+00	.53700000+00
.64100000+00	.95300000+00	.75400000+00	.50000000-01	.48000000-01	.65000000-01	.31000000-01	.25000000-01
.20300000+00	.30400000+00	.50000000+00	.40500000+00	.35300000+00	.54500000+00	.23900000+00	.72000000-01
.83000000-01	.94000000-01	.42000000-01	.10000000-02	.13000000-01	.92000000-01	.24100000+00	.40400000+00
.37500000+00	.14700000+00	.13100000+00	.20200000+00	.26300000+00	.28500000+00	.31100000+00	.22500000+00
.32800000+00	.19100000+00	.90000000-02	.26300000+00	.27400000+00	.28700000+00	.00000000	.22500000+00

TABLE 7. SAMPLE OF A PRESSURE DATA SET (Continued)

[illegible]

TABLE 7. SAMPLE OF A PRESSURE DATA SET (Continued)

15200000+00	16700000+00	12700000+00	57000000-01	10900000+00	13500000+00	18500000+00	10000000-01
27200000+00	13700000+00	11700000+00	16600000+00	76000000-01	10500000+00	17600000+00	20600000+00
26100000+00	22500000+00	23300000+00	25200000+00	25100000+00	24400000+00	19800000+00	39000000+00
46100000+00	92900000+00	85600000+00	17400000+00	15100000+00	10800000+00	17900000+00	22000000+00
32100000+00	41600000+00	68500000+00	65300000+00	66100000+00	88000000+00	33600000-01	15600000+00
14500000+00	12600000+00	41000000-01	34000000-01	51000000-01	71000000-01	98000000-01	10500000+00
17100000+00	41000000-01	90000000-02	90000000-02	10100000+00	79000000-01	00000000	30000000-01
13300000+00	30000000-02	82000000-01	76000000-01	89000000-01	90000000-01	43000000-01	19000000-01
59000000-01	23000000-01	50000000-02	31000000-01	58000000-01	57000000-01	44000000-01	39000000-01
47000000-01	67000000-01	28000000-01	31000000-01	24000000-01	17000000-01	18000000+00	28000000-01
70000000-01	28000000-01	71000000-01	19000000+00	41600000+00	17800000+00	18000000+00	15000000-01
59000000-01	25000000-01	90000000-02	42000000-01	11900000+00	32100000+00	28700000+00	33500000+00
91000000-01	41000000-01	20000000-01	20000000-01	64000000-01	64000000-01	40000000-02	16900000+00
17200000+00	83000000-01	64000000-01	74000000-01	72000000-01	34000000-01	62000000-01	13100000+00
10600000+00	39000000-01	75000000-01	99000000-01	95900000+00	64200000+00	61500000+00	59900000+00
13950000+01	13950000+01	10060000+01	97300000+00	95900000+00	36700000+00	16200000+00	17700000+00
55500000+00	45600000+00	44000000+00	43300000+00	86000000-01	10300000+00	14500000+00	20000000-02
17800000+00	12100000+00	15600000+00	11100000+00	76000000-01	85000000-01	14200000+00	16700000+00
30300000+00	24600000+00	22900000+00	21200000+00	22000000+00	18900000+00	37100000+00	37100000+00
41700000+00	84100000+00	79800000+00	18500000+00	15800000+00	10800000+00	15600000+00	18900000+00
27300000+00	43000000+00	64800000+00	61400000+00	61100000+00	82400000+00	31000000-01	14500000+00
13900000+00	54000000-01	99000000-01	15200000+00	16100000+00	10800000+00	56000000-01	19000000+00
18400000-01	26000000-01	24000000-01	49000000-01	62000000-01	84000000-01	11400000+00	19000000+00
14700000+00	19000000-01	25000000-01	10700000+00	10700000+00	10100000+00	00000000	51000000-01
54000000-01	10400000+00	86000000-01	92000000-01	10500000+00	11400000+00	65000000-01	36000000-01
25000000-01	80000000-02	60000000-02	41000000-01	65000000-01	76000000-01	62000000-01	57000000-01
63000000+01	11000000+01	42000000-01	50000000-01	71000000-01	38000000-01	22000000-01	30000000-01
39000000-01	56000000-01	93000000-01	68000000-01	38000000-01	29000000-01	20000000-01	12000000-01
89000000-01	14000000-01	54000000-01	17600000+00	33300000+00	16100000+00	16900000+00	29000000-01
38000000-01	24000000-01	24000000-01	25000000-01	19100000+00	23500000+00	27200000+00	15200000+00
58000000-01	57000000-01	37000000-01	34000000-01	63000000-01	64000000-01	10000000-01	15200000+00
15200000+00	81000000-01	79000000-01	86000000-01	81000000-01	45000000-01	39000000-01	10300000+00
85000000-01	31000000-01	65000000-01	94000000-01	10600000+00	12000000-01	40000000-01	38000000-01
51000000-01	13580000+01	10390000+01	95200000+00	89700000+00	66600000+00	65400000+00	62800000+00
57200000+00	51200000+00	44700000+00	40500000+00	39100000+00	31900000+00	17800000+00	19900000+00
19700000+00	21600000+00	15200000+00	44000000-01	60000000-01	70000000-01	10800000-01	22000000-01
10100000+00	10100000+00	14900000+00	10500000+00	76000000-01	66000000-01	10700000+00	12700000+00
27500000+00	25100000+00	21500000+00	18600000+00	19100000+00	19600000+00	17800000+00	35200000+00
37800000+00	76300000+00	73800000+00	24000000+00	20700000+00	11000000+00	13100000+00	16200000+00
24200000+00	39600000+00	60800000+00	57300000+00	56500000+00	66000000+00	26000000-01	10500000+00
36000000-01	74000000-01	12900000+00	12900000+00	14200000+00	86000000-01	64000000-01	20000000+00

-.132000000+00	-.420000000-01	.710000000-01	.230000000+00	.196000000+00	.850000000-01	.108000000+00	.400000000-01
.330000000-01	-.104000000+00	-.150000000-01	.410000000-01	.730000000-01	.178000000+00	.890000000-01	.149000000+00
.270000000-01	-.770000000-01	-.440000000-01	-.440000000-01	-.620000000-01	-.810000000-01	.110000000-01	.750000000-01
-.125000000+00	-.113000000+00	-.860000000-01	-.101000000+00	-.940000000-01	-.630000000-01	.700000000-02	.390000000-01
-.540000000-01	-.122000000+00	-.120000000+00	-.124000000+00	-.101000000+00	-.240000000-01	-.400000000-02	-.680000000-01
.600000000-01	.300000000-01	-.280000000-01	-.690000000-01				

TABLE 7. SAMPLE OF A PRESSURE DATA SET (Concluded)

NASA TM 104806 (Vol. 2) Distribution

1	L. S. Nicholson / EA	1	G. McSwain / EG2
1	E. N. McHenry / EA6	1	J. Wagenknecht / EG2
1	C. Teixeira / EA6	1	T. Woeste / EG2
1	E. A. Robertson / EA6	1	M. M. Hammerschmidt/EG
1	F. C. Littleton / EA42	1	G. A. Zupp, Jr., Ph.D / ES
30	Paul O. Romere / EG3	1	J. J. Barneburg / ES2
1	R. E. Meyerson / EG3	1	G. J. Miller / ES2
1	S. G. Labbe / EG3	1	R. J. Maraia / ES3
1	R. L. Barton / EG3	1	R. G. Brown / ES3
1	H. A. Pope / EG3	1	W. C. Schneider, Ph.D / ES5
1	D. B. Kanipe / EG3	1	P. C. Glynn / FA2
1	S. M. Derry / EG3	1	L. G. Williams / MA3
1	F. W. Martin / EG3	1	L. D. Austin / MS
1	C. H. Campbell / EG3	1	D. S. Whitehead / MS4
1	J. M. Caram / EG3	1	R. O. Wallace / MS4
1	D. L. Eichblatt / EG3	1	Sue McDonald / PS2
1	S. M. Fitzgerald / EG3	1	Ernest Hillje / ZC01
1	R. J. Gomez / EG3	1	Ed Alexander / ZC01
1	M. C. Jansen / EG3	1	R. Pelley / ZC01
1	S. L. Johnson / EG3	1	O. Carvajal / ZC01
1	G. J. Lebeau / EG3		
1	C. P. Li / EG3		
1	R. A. Machin / EG3		
1	R. M. Ondler / EG5		
1	C. D. Scott / EG3		
1	P. C. Stuart / EG3		
1	M. C. Vantino / EG5		
1	F. C. Weihmiller / EG3		
1	F. Lumpkin / EG3		
1	E. A. Gary / EG3		
1	J. Greathouse / EG3		
1	J. Park / EG3		
1	T. Truong / EG3		
1	C. J. Cerimele / EG5		
1	L. E. Bryant / EG5		
1	Library / EG		
1	A. J. Bordano / EG		
1	D. C. Brown / EG1		

87 Copies (Page 1)

—

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.			
1. AGENCY USE ONLY (Leave Blank)	2. REPORT DATE Jan/95	3. REPORT TYPE AND DATES COVERED Technical Memorandum 1969 - 1994	
4. TITLE AND SUBTITLE Documentation and the Archiving of the Space Shuttle Wind Tunnel Test Data Base - Volume 2: User's Guide for the Archived Space Shuttle Wind Tunnel Test Data Base		5. FUNDING NUMBERS	
6. AUTHOR(S) Paul O. Romere; Steve Wesley Brown*			
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Lyndon B. Johnson Space Center Navigation, Control, and Aeronautics Division Houston, Texas 77058		8. PERFORMING ORGANIZATION REPORT NUMBERS S-786	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) National Aeronautics and Space Administration Washington, DC 20546-0001		10. SPONSORING/MONITORING AGENCY REPORT NUMBER TM-104806	
11. SUPPLEMENTARY NOTES *Lockheed Engineering & Sciences Company Houston, Texas			
12a. DISTRIBUTION/AVAILABILITY STATEMENT Unclassified/Unlimited Available from the NASA Center for Aerospace Information (CASI) 800 Elkridge Landing Road Linthicum Heights, MD 21090-2934 (301) 621-0390 Subject Category: 18		12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) Development of the Space Shuttle necessitated an extensive wind tunnel test program, with the cooperation of all the major wind tunnels in the United States. The result was approximately 100,000 hours of Space Shuttle wind tunnel testing conducted for aerodynamics, heat transfer, and structural dynamics. The test results were converted into Chrysler DATAMAN computer program format to facilitate use by analysts, a very cost effective method of collecting the wind tunnel test results from many test facilities into one centralized location. This report provides final documentation of the Space Shuttle wind tunnel program. The two-volume set covers the evolution of Space Shuttle aerodynamic configurations and gives wind tunnel test data, titles of wind tunnel data reports, sample data sets, and instructions for accessing the digital data base.			
14. SUBJECT TERMS Space Shuttles, Wind Tunnel Tests, Aerodynamic Characteristics, Heat Transfer, Dynamic Structural Analysis, Aerothermodynamics		15. NUMBER OF PAGES 188	
		16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT Unlimited

