

# Remote Sensing Time Series Product Tool

Authors: Don Prados,<sup>1</sup> Robert E. Ryan,<sup>2</sup> Kenton W. Ross<sup>2</sup>

<sup>1</sup> Computer Sciences Corporation, Stennis Space Center, MS 39529  
<sup>2</sup> Science Systems and Applications, Inc., Stennis Space Center, MS 39529  
 POC: Donald.L.Prados@nasa.gov

## Introduction


The TSPT (Time Series Product Tool) software was custom-designed for NASA to rapidly create and display single-band and band-combination time series, such as NDVI (Normalized Difference Vegetation Index) images, for wide-area crop surveillance and other time-critical applications. The TSPT, developed in MATLAB®, allows users to create and display various MODIS (Moderate Resolution Imaging Spectroradiometer) or simulated VIIRS (Visible/Infrared Imager/Radiometer Suite) products as single images, as time series plots at a selected location, or as temporally processed image videos.

MODIS is ideal for monitoring large crop areas because of its high temporal revisit rate (twice daily), its near global coverage, and its relatively small ground sample distance (250 m). Because MODIS imagery is acquired daily, rapid changes in vegetative health can potentially be detected. With the TSPT, noise removal and temporal processing techniques allow users to create low-noise, daily time series plots and image videos. MODIS metadata is used to find and optionally to remove bad, cloudy, and suspect data. The TSPT features the important capability of fusing data from the MODIS instruments onboard the Aqua and Terra satellites, which nearly doubles the effective temporal resolution.

The TSPT GUI (graphical user interface) provides an interactive environment for crafting “what-if” scenarios by enabling a user to repeat product generation using different settings and thresholds. The TSPT Application Programming Interface provides more fine-tuned control of product generation, allowing experienced programmers to bypass the GUI to create more user-specific output products, such as comparison time plots or images.

This type of time series analysis tool for remotely sensed imagery could be the basis of a large-area vegetation surveillance system. The TSPT has been used to generate NDVI time series to monitor crop phenology in California and Argentina and to monitor forest health in an area of southeast Mississippi following Hurricane Katrina.

## TSPT Data Flow




## Typical MODIS Input Datasets

- MOD02 Planetary Reflectance (Swath)
- MOD03 Sensor Zenith Angle
- MOD09 Surface Reflectance (Tile)
- MOD09 Metadata including Cloud Information
- MODMGGAD Sensor Zenith Angle

## Ideal NDVI


- Calculate NDVI from red and NIR (near-infrared) reflectances (*input can be planetary reflectance or surface reflectance*).
- Eliminate pixels acquired at high sensor zenith angle ( $\theta_v$ ).
- Eliminate bad, clouded, or otherwise suspect pixels.



## Fused Aqua and Terra


For each pixel, use  $\theta_v$ , cloud data, and other metadata to choose between Aqua and Terra

- PER PIXEL: If Aqua is chosen, use Aqua NDVI,  $\theta_v$ , and cloud data
- PER PIXEL: If Terra is chosen, use Terra NDVI,  $\theta_v$ , and cloud data




## Temporally Processed NDVI


- Input can be from Aqua, Terra, or Fused Aqua & Terra NDVI. Similarly, for simulated VIIRS, the input could be VIIRS 1030, VIIRS 1330, or Fused 1030 & 1330 VIIRS.
- Processing is performed in time dimension only.
- Although handled internally as 3-D arrays, the processed outputs are 2-D raster grids (one for each day).



## Sheely Farm (2003)




Color-coded Sheely Farm Crop Map



Fused and temporally processed NDVI from MOD02 (Planetary Reflectance), MOD03 (includes  $\theta_v$ ), and MOD35 (Cloud Mask). Planted cotton and pima fields stand out from other Sheely Farm crop fields (8-14-2003).

## Fused Daily NDVI vs. MOD13 16-Day NDVI





Fused and temporally processed NDVI using MOD09 and MODMGGAD, with MOD13 16-day Aqua and Terra NDVIs shown for comparison.

Note that the daily NDVI shows a drop off more than 10 days before MOD13. This difference would be critical in early detection of sudden threats to crop health.

## Katrina (2005)

On right, fused and temporally processed Aqua and Terra NDVI from MOD02, MOD03, and MOD35 before the storm on 8-24-2005 and after the storm on 9-21-2005. The eye passed over Stennis Space Center, outlined in black, adjacent to the Mississippi-Louisiana border. Bay Saint Louis is on right.

NDVI plot at latitude 30.3458 and longitude -89.6735, a few miles southwest of Stennis.



## Summary

- The TSPT provides a wide range of multitemporal analysis and visualization tools for detecting rapid changes in vegetation vigor via remote sensing imagery.
- The TSPT makes judicious use of available metadata to locate and optionally to eliminate bad, cloudy, or otherwise suspect pixels.
- The TSPT enables fusion of cross-calibrated sensors.

## Future Development

- To support rapid prototyping efforts, integration with the Application Research Toolbox, used to simulate future data sources (Ross et al., 2006), is underway.
- To provide easier integration with other tools, portions of the TSPT are being extracted as separate, stand-alone modules able to input and output common data file formats, such as GeoTIFF, ENVI® BSQ (band sequential), and HDF (Hierarchical Data Format).

## Related Poster & Presentation

- Ross, K.W., J. Russell, and R.E. Ryan, 2006. Simulating Visible/Infrared Imager Radiometer Suite Normalized Difference Vegetation Index data using Hyperion and MODIS. *Eos Transactions AGU*, 87(52), Fall Meeting Supplement, Abstract IN33B-1340. (poster)
- O'Hara, C.G., R. Moorhead, D. Shaw, B. Shrestha, K.W. Ross, D. Prados, J. Russell, R.E. Ryan, 2006. Integrated use of tools and technologies for rapidly prototyping simulated data products of future NASA observing systems for evaluation in application of national importance. *Eos Transactions AGU*, 87(52), Fall Meeting Supplement, Abstract IN32A-05. (presentation, Session IN32A, Wednesday, Dec. 13, 11:20)

**REPORT DOCUMENTATION PAGE**

*Form Approved  
OMB No. 0704-0188*

The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

**PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.**

<b>1. REPORT DATE (DD-MM-YYYY)</b> 24-11-2006		<b>2. REPORT TYPE</b> Conference Poster		<b>3. DATES COVERED (From - To)</b> 05/2006 - 09/2006	
<b>4. TITLE AND SUBTITLE</b> Remote Sensing Time Series Product Tool				<b>5a. CONTRACT NUMBER</b> NASA Task Order NNS04AB54T	
				<b>5b. GRANT NUMBER</b>	
				<b>5c. PROGRAM ELEMENT NUMBER</b>	
<b>6. AUTHOR(S)</b> 1: Prados, Donald 2: Ryan, Robert E.; Ross, Kenton W.				<b>5d. PROJECT NUMBER</b>	
				<b>5e. TASK NUMBER</b>	
				<b>5f. WORK UNIT NUMBER</b> SWR UX00-SS02-00	
<b>7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)</b> NASA John C. Stennis Space Center, MS 39529 1: Computer Sciences Corporation, Bldg. 1105, John C. Stennis Space Center, MS 39529 2: Science System and Applications Inc., Bldg. 1105, John C. Stennis Space Center, MS 39529				<b>8. PERFORMING ORGANIZATION REPORT NUMBER</b>  SSTI-2220-0091-R	
<b>9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)</b> National Aeronautics and Space Administration, Washington, DC 20546-0001				<b>10. SPONSORING/MONITOR'S ACRONYM(S)</b>  NASA	
				<b>11. SPONSORING/MONITORING REPORT NUMBER</b>	
<b>12. DISTRIBUTION/AVAILABILITY STATEMENT</b> Unclassified - Unlimited Subject Category 43 Availability: NASA CASI (301) 621-0390					
<b>13. SUPPLEMENTARY NOTES</b> 2006 AGU Fall Meeting, 11-15 December 2006, San Francisco, CA, USA					
<b>14. ABSTRACT</b> The TSPT (Time Series Product Tool) software was custom-designed for NASA to rapidly create and display single-band and band-combination time series, such as NDVI (Normalized Difference Vegetation Index) images, for wide-area crop surveillance and for other time-critical applications. The TSPT, developed in MATLAB®, allows users to create and display various Moderate Resolution Imaging Spectroradiometer or simulated Visible/Infrared Imager Radiometer Suite products as single images, as time series plots at a selected location, or as temporally processed image videos. This type of time series analysis tool for remotely sensed imagery could be the basis of a large-area vegetation surveillance system. The TSPT has been used to generate NDVI time series over growing seasons in California and Argentina and for hurricane events, such as Hurricane Katrina.					
<b>15. SUBJECT TERMS</b> remote sensing, MODIS, time series analysis, NDVI					
<b>16. SECURITY CLASSIFICATION OF:</b>			<b>17. LIMITATION OF ABSTRACT</b>	<b>18. NUMBER OF PAGES</b>	<b>19b. NAME OF RESPONSIBLE PERSON</b>
<b>a. REPORT</b>	<b>b. ABSTRACT</b>	<b>c. THIS PAGE</b>			STI Help Desk at email: help@sti.nasa.gov
U	U	U	UU	1	<b>19b. TELEPHONE NUMBER (Include area code)</b> (301) 621-0390