

# Thermostabilized Shelf Life Study


M.H. Perchonok, P.M. Catauro  
NASA JSC, 2101 NASA Parkway, Houston, TX 77058

## ABSTRACT

- The objective of this project is to determine the shelf life end-point of various food items by means of actual measurement or mathematical projection
  - The primary goal of the Advanced Food Technology Project in these long duration exploratory missions is to provide the crew with a palatable, nutritious and safe food system while minimizing volume, mass, and waste
  - The Mars missions could be as long as 2.5 years with the potential of the food being positioned prior to the crew arrival. Therefore, it is anticipated that foods that are used during the Mars missions will require a 5 year shelf life
  - Shelf life criteria are safety, nutrition, and acceptability. Any of these criteria can be the limiting factor in determining the food's shelf life
  - Due to the heat sterilization process used for the thermostabilized food items, safety will be preserved as long as the integrity of the package is maintained
- Nutrition and acceptability will change over time. Since the food can be the sole source of nutrition to the crew, a significant loss in nutrition may determine when the shelf life endpoint has occurred
- Shelf life can be defined when the food item is no longer acceptable. Acceptability can be defined in terms of appearance, flavor, texture, or aroma
- Results from shelf life studies of the thermostabilized food items suggest that the shelf life of the foods range from 0 months to 8 years, depending on formulation**

## MATERIALS AND METHODS

- Products stored at three temperatures: 40°F, 72°F and 95°F for an accelerated shelf life test
- Products are evaluated for baseline within 3 weeks of production
- Evaluations are every four months for the first 2 years and every 6 months for the 3<sup>rd</sup> year
- Sensory testing includes difference from control testing and overall acceptance testing
- Analytical tests can include texture, color, moisture, and water activity determination



## SHELF LIFE CALCULATIONS

- Shelf life will be determined by
  - Identify the quality attribute, such as color, flavor, or texture, that will determine the shelf life
  - Determine the  $Q_{10}$  for the product based on quality changes for the three temperatures
- The  $Q_{10}$  is a measure of how the rate of a reaction changes for every 10°C change in temperature.
- The  $Q_{10}$  provides a prediction of shelf life at different temperatures.

Preservation Method	Typical $Q_{10}$ Values
Thermally Processed	1 - 4
Dehydrated	2 - 10
Frozen	3 - 40

## RESULTS AND DISCUSSION



### Entrées Pork Chops, Tuna Noodle Casserole

#### Grilled Pork Chops

- Vitamin B1 levels showed losses at higher storage temperatures
- Dryness of the product was cited as a reason for product failure
- Shelf life projected to be 87 months at 72°F**


#### Tuna Noodle Casserole

- Product failure was attributed to declining scores for hardening of noodles and darkening of color during the 36 month study
- Vitamin B6, folic acid and pantothenic acid showed linear decline as the holding temperature increased
- Shelf life projected to be 49 months at 72°F**



### Sweets (Bread Pudding)

- High sugar items tend to have longer shelf lives
- Vitamins A, B1 and B12 demonstrated a linear decline with temperature
- The overall flavor, level of sweetness, level of vanilla, and overall aftertaste showed a decline likely due to the Maillard Browning reactions. The three most prevalent ingredients; skim milk, sugar and egg, would provide sufficient amounts of free amino groups and reducing sugar to allow for condensation reactions to occur
- Shelf life projected to be 48 months at 72°F**



	40F	72F	95F
Vitamin A	157	123	100
Vitamin B1	0.15	0.10	0.06
Vitamin B12	0.52	0.12	0.12

### Vegetables (Carrot Coins, Sugar Snap Peas)

- Gradual decreases in all related color values for all temperatures over the storage period, yellow in particular.
- Texture declined over time
- About 33% of the folic acid was lost over the shelf life
- Overall acceptance score for carrot coins declined gradually over the storage period with the comments as 'too mushy'.
- The 40°F and 72°F samples were still acceptable after three years.
- The sugar snap peas were unacceptable at all temperatures at 20 months due to bitter aftertaste and darker color.
- Carrot coins shelf life projected to be 48 months at 72°F**
- Sugar snap peas shelf life projected to be 20 months at 72°F**

### Fruits (Apricot Cobbler, Rhubarb Applesauce)

- Vitamin C significantly declined over time. Apricot cobbler declined from 179 mg/100g to 4.87 mg/100g. The level in rhubarb applesauce declined from 1.16 mg. to undetectable.
- Folic acid declined by 48% in rhubarb applesauce.
- Products darkened in color over time with the higher temperatures darkening more than the 40°F sample

- Shelf life for both products projected to be 65 months at 72°F**

### Eggs(Broccoli Soufflé, Vegetable Omelet)

It is difficult to produce a thermostabilized egg product due to dark pigment production from sugar-amino reactions and changes in the proteins resulting in a hardening of the texture

- Both products were unacceptable shortly after production indicating a shelf life of 0 months**
- Testing was conducted to analytical data to try better understand where the deterioration happens

#### Vegetable omelet

- Sensory panel did not find the 0 month (baseline) product to be acceptable, due to rubbery texture and brown color. Color continued to darken over time but the texture did not change
- Vitamins E, B1, B6, pantothenic acid and folic acid demonstrate a clear linear decline with time and temperature

#### Broccoli Soufflé

- Sensory testing shortly after production yielded an overall acceptance score below the established acceptance level
- Overall darkening of product color over time and a decreased in green color for samples held at 95°F and 72°

### Cheese and Vegetable (Palak Paneer)

- Overall acceptability and specifically aroma scores decreased over time likely due to oxidation of the spices and lipids (cheese)
- Color changes indicated a loss of green color in the spinach and a darkening of the cheese over time.

- Shelf life for both products projected to be 39 months at 72°F**



### Starch (Homestyle Potatoes)

- Flavor decreased over time due to acidic aftertaste, off aroma, and overall decrease in flavor.
- There was a significant decline in folic acid and pantothenic acid.
- Shelf life projected to be 48 months at 72°F**

## CONCLUSIONS

- Shelf life is determined by safety, acceptability, and nutritional content
  - Safety is not an issue due to the processing
  - Acceptability is dependant on formulation and processing conditions
  - Nutrition is lost over time
- Sugar can protect the food from degradation
- Formulations that contain whole eggs at a significant level do not provide acceptable products using the current thermostabilization process
- Fruit products tend to brown over time. The Maillard Browning reaction affects color and flavor
- The current thermostabilization process will not provide a 5 year shelf life for all formulations
- External studies on emerging technologies, such as high pressure processing and microwave sterilization, are resulting in higher quality products and should be investigated further

## NEXT STEPS

- Complete analysis of 36 month data for the last two products - Roasted Vegetables and Three Bean Salad
- Based on the projected shelf lives of these 13 items, shelf lives of all of NASA's thermostabilized food products will be predicted. Report will be completed in April 2009.

## REFERENCES

- Kamman, J. F.; Labuza, T. P.; Warthesen, J. J. 1981. Kinetics of thiamin and riboflavin loss in pasta as a function of constant and variable storage conditions. *Journal of Food Science*. 46:1457-1461
- Labuza, T. P.; Schmidl, M. K. 1985. Accelerated shelf-life testing of foods. *Food Technology*. 39(9), 57-62
- Lund, D. 1988. Effects of commercial heat processing on nutrients. In: Harris, R. S.; Karmas, E., eds. *Nutritional Evaluation of Food Processing*, 3rd Ed. Westport, CT: The AVI Publishing Company, Inc. pp. 319-354 .
- Mulley, E. A.; Stumbo, C. R.; Hunting, W. M. 1975. Kinetics of thiamine degradation by heat. *Journal of Food Science*. 40:985-988
- Perchonok, M. 2002. Shelf life considerations and techniques. In: Sides, C., ed. *Food Product Development Based on Experience*. Ames, IO: Iowa State Press. pp 59-73.