



Contents lists available at ScienceDirect

# Journal of Quantitative Spectroscopy & Radiative Transfer

journal homepage: [www.elsevier.com/locate/jqsrt](http://www.elsevier.com/locate/jqsrt)

## Note

### Comprehensive *T*-matrix reference database: A 2007–2009 update

Michael I. Mishchenko<sup>a,\*</sup>, Nadia T. Zakharova<sup>b</sup>, Gorden Videen<sup>c</sup>,  
Nikolai G. Khlebtsov<sup>d</sup>, Thomas Wriedt<sup>e</sup>

<sup>a</sup> NASA Goddard Institute for Space Studies, 2880 Broadway, New York, NY 10025, USA

<sup>b</sup> Sigma Space Partners, 2880 Broadway, New York, NY 10025, USA

<sup>c</sup> US Army Research Laboratory, AMSRL-IS-EE, 2800 Powder Mill Road, Adelphi, MD 20783-1197, USA

<sup>d</sup> Institute of Biochemistry and Physiology of Plants and Microorganisms, Russian Academy of Sciences, 13 Entuziastov Ave., 410015 Saratov, Russia

<sup>e</sup> Institut für Werkstofftechnik, Badgasteiner Str. 3, D-28359 Bremen, Germany

#### ARTICLE INFO

##### Article history:

Received 26 October 2009

Received in revised form

28 October 2009

Accepted 2 November 2009

##### Keywords:

Electromagnetic scattering

*T*-matrix method

#### ABSTRACT

The *T*-matrix method is among the most versatile, efficient, and widely used theoretical techniques for the numerically exact computation of electromagnetic scattering by homogeneous and composite particles, clusters of particles, discrete random media, and particles in the vicinity of an interface separating two half-spaces with different refractive indices. This paper presents an update to the comprehensive database of *T*-matrix publications compiled by us previously and includes the publications that appeared since 2007. It also lists several earlier publications not included in the original database.

Published by Elsevier Ltd.

## 1. Introduction

As evidenced by numerous citations, the original database of *T*-matrix publications [1–3] has proved to be a very useful research tool. Its customers have indicated to us many times that they would like to see a continually updated version, which appears to be quite reasonable given the steadily increasing popularity of the *T*-matrix approach (Fig. 1). As in the two previous updates [2,3], the way in which we accommodate this request is twofold. First, we have made the necessary corrections and straightforward updates in the original database [1–3], and the result has been posted at <http://www.giss.nasa.gov/staff/mmishchenko/publications/>. Second, this new paper lists several earlier publications that had been omitted inadvertently in [1–3] as well as the most recent *T*-matrix publications that have appeared since 2007. The total number of newly added publications is 253 [4–256].

As in [1–3], the database is kept at a manageable size by adhering to the following general restrictions:

- With a few important exceptions, the database contains only publications dealing with electromagnetic scattering.
- Publications on scattering by isolated infinite cylinders and systems of parallel infinite cylinders in unbounded space are excluded.
- Publications on the Lorenz–Mie theory and its various extensions to radially inhomogeneous spherically symmetric scatterers are excluded.
- The database contains only references to books, peer-reviewed book chapters, and peer-reviewed journal papers.

Also, we have continued to use the following operational definition of the *T*-matrix method:

In the *T*-matrix method, the incident and scattered electric fields are expanded in series of suitable vector spherical wave functions, and the relation between the

\* Corresponding author. Fax: +1 212 678 5622.

E-mail address: [mmishchenko@giss.nasa.gov](mailto:mmishchenko@giss.nasa.gov) (M.I. Mishchenko).




Fig. 1. Annual frequency distribution of the T-matrix publications.

columns of the respective expansion coefficients is established by means of a transition matrix (or  $T$  matrix). This concept can be applied to the entire scatterer as well as to separate parts of a composite scatterer.

This definition is consistent with the general methodology pursued in [257–259] and is significantly wider than the original notion of the extended boundary condition method (EBCM) [260]. According to our terminology, EBCM is just one of many potential techniques for the actual numerical calculation of the  $T$  matrix.

As in the original database, the use of the reference list is facilitated by classifying the various references into a set of narrower subject categories (Sections 2 and 3). This set is largely the same as in [1–3]. However, several original categories are not populated since no relevant publications have appeared during the past three years.

As previously, we do not assess or discuss the validity and importance of the results described in the specific  $T$ -matrix publications forming the reference list, which means that the inclusion of a publication does not constitute any formal endorsement or quality certification on our part. As before, we plan to maintain the updated version of the combined database on-line and, therefore, ask the readers to communicate to us corrections and missing references to existing and future publications on the  $T$ -matrix method and its practical applications.

## 2. Particles in infinite homogeneous space

### 2.1. Books

[252].

### 2.2. Reviews

[83,176].

### 2.3. Extended boundary condition method and its modifications and generalizations

[108,176,181,231,236,237,240,241,252].

### 2.4. $T$ -matrix theory and computations for bi-isotropic, anisotropic, and chiral scatterers

[11,23,181,186].

### 2.5. Superposition $T$ -matrix method and its modifications, including related mathematical tools

[39,73,236,237,240,241].

### 2.6. $T$ -matrix theory of electromagnetic scattering by periodic arrays of particles and photonic crystals

[61,91,92,93,149,197,211].

2.7. *T-matrix theory and computations of electromagnetic scattering by discrete random media*

[11,14,120,123,127,142,205–207,221].

2.8. *Relation of the T-matrix method to other theoretical approaches*

[98,99,111,176,220,232,252].

2.9. *Symmetry properties of the T matrix and analytical ensemble-averaging approaches*

[22,83,111,150].

2.10. *Convergence and efficiency of various implementations of the T-matrix method*

[26,106,159,223,231,232,236,237,239,240,241,252].

2.11. *T-matrix calculations for homogeneous spheroids*

[4,9,16,19,20,21,26,32,34–36,38,42,43,46,47,51,53,55–59,62,63,66,69,71,77,81,84,85,87–89,90,96,97,107,114,115,117,118,121,124,125,126,128,129,131–133,136,140,144–148,151,152,163,165–167,169–175,177,178,182,185,187,190,193,194,197,200,201,214,215,216,218,223–225,227,229,230,233,234,238,245,252,253].

2.12. *T-matrix calculations for Chebyshev and generalized Chebyshev particles*

[105,121,128,129,203,204,230,252].

2.13. *T-matrix calculations for finite circular cylinders*

[21,36,51,57,61,67,78,80,103,128,129,145,147,149,158,180,211,219,222,226,227,235,237,240,241,252].

2.14. *T-matrix calculations for various rotationally symmetric particles*

[75,86–88,94,156,157,161,188,195].

2.15. *T-matrix calculations for ellipsoids, polyhedral scatterers, and other particles lacking axial symmetry*

[180,181,236,237].

2.16. *T-matrix calculations for layered and composite particles*

[6,79,154,155,160,186,237].

2.17. *T-matrix calculations for clusters of homogeneous spheres*

[4,5,13–15,25,28–31,37,40,41,44,45,48–50,54,72,74,82,92,93,102,110,112,119,120,122,123,125,134,137,141–143,

146,153,162,164,183,184,192,197,198,199,202,206–210,212–214,217,221,227,228,242–244,246,247,249,250].

2.18. *T-matrix calculations for clusters of layered spheres*

[91,92,93,197,217].

2.19. *T-matrix calculations for clusters of nonspherical monomers*

[61,149,197,237].

2.20. *T-matrix calculations for particles with one or several (eccentric) inclusions*

[160].

2.21. *T-matrix calculations of optical resonances in nonspherical particles and particle clusters*

[4,5,15,18,26,40,48,49,61,72,74,79,86–88,92–94,100,154,155,164,169,183,184,197,198,199,211,228,233].

2.22. *T-matrix calculations of optical forces and torques on small particles*

[12,24,25,42,95,113,138,139,189,190,191].

2.23. *T-matrix calculations of internal, surface, and local fields*

[13,23,26,31,37,40,112,134,153,162,198,206,207,247].

2.24. *Illumination by focused beams and non-plane waves*

[25,70,138,189,190,191].

2.25. *Use of T-matrix calculations for testing other theoretical techniques*

[27,34,54,68,69,78,85,102,103,109,131,152,167,202,210,212–214,216,218,221,223,236,238,244,249,250].

2.26. *Comparisons of T-matrix and effective-medium-approximation results*

[23,102].

2.27. *Comparisons of T-matrix and controlled laboratory results*

[28–30,37,61,64–66,91,94,119,167–169,178,243].

2.28. *Use of T-matrix calculations for analyzing laboratory data*

[4–6,8,9,34,35,38,56,62,63,67,86,132,171,173,174,193,200,201,226,227,246].

2.29. *T*-matrix modeling of scattering properties of mineral aerosols in the terrestrial atmosphere and soil particles

[16,43,58,59,71,81,107,114,118,126,128,129,140,144,147,148,170,172,215,227,229,234].

2.30. *T*-matrix modeling of scattering properties of carbonaceous and soot aerosols and soot-containing aerosol and cloud particles

[6,107,110,146,227,249,250].

2.31. *T*-matrix modeling of scattering properties of cirrus cloud particles

[103,135,145,177,180,193,194,196,226,227].

2.32. *T*-matrix modeling of scattering properties of hydrometeors

[7,10,19,20,33,46,60,97,104,105,115,116,130,136,163,179,187,195,203,204,214,224,225,245,248,251,253,254].

2.33. *T*-matrix modeling of scattering properties of terrestrial stratospheric aerosol and cloud particles

[166].

2.34. *T*-matrix modeling of scattering properties of noctilucent cloud particles

[17,21,77,175,222].

2.35. *T*-matrix modeling of scattering properties of aerosol and cloud particles in planetary atmospheres

[51,84,151,192,208,219,235].

2.36. *T*-matrix modeling of scattering properties of interstellar, interplanetary, cometary, planetary regolith, and planetary ring particles

[44,45,53,96,101,117,121,122,127,162,202,205,206,207,216].

2.37. *T*-matrix computations for industrial and military applications

[14,69,137,173,174,217].

2.38. *T*-matrix computations for biomedical applications

[4,5,8,9,34,35,38,41,47,55–57,62,63,67,69,80,88,132,133,136,171,173,174,188,200,201,209,218,238].

2.39. *T*-matrix computations of anisotropic and aggregation properties of colloids and other disperse media

[89,132].

### 3. Particles near infinite interfaces

#### 3.1. Spherically symmetric particles

[52,76,255].

#### 3.2. Non-spherically symmetric finite particles and particle aggregates

[52,211,255,256].

#### 3.3. Finite particles on incident side of planar interface

[52,211,255,256].

#### 3.4. Tools for particle characterization

[76,256].

### Acknowledgments

We thank Josefina Mora and Zoe Wai for helping to obtain copies of publications that were not readily accessible. This project was sponsored by the NASA Radiation Sciences Program managed by Hal Maring.

### References

- [1] Mishchenko MI, Videen G, Babenko, VA, et al. *T*-matrix theory of electromagnetic scattering by particles and its applications: a comprehensive reference database. *JQSRT* 2004;88:357–406.
- [2] Mishchenko MI, Videen G, Babenko, VA, et al. Comprehensive *T*-matrix reference database: a 2004–06 update. *JQSRT* 2007;106:304–324.
- [3] Mishchenko MI, Videen G, Khlebtsov, NG, et al. Comprehensive *T*-matrix reference database: a 2006–07 update. *JQSRT* 2008;109:1447–60.
- [4] Aaron J, de la Rosa E, Travis, K, et al. Polarization microscopy with stellated gold nanoparticles for robust, *in-situ* monitoring of biomolecules. *Opt Express* 2008;16:2153–67.
- [5] Aaron J, Travis K, Harrison N, Sokolov, K, et al. Dynamic imaging of molecular assemblies in live cells based on nanoparticle plasmon resonance coupling. *Nano Lett* 2009;9:3612–8.
- [6] Abo Riziq A, Trainic M, Erlick, C, et al. Extinction efficiencies of coated absorbing aerosols measured by cavity ring down aerosol spectrometry. *Atmos Chem Phys* 2008;8:1823–33.
- [7] Adams IS, Gaiser P, Jones WL. Simulation of the Stokes vector in inhomogeneous precipitation. *Radio Sci* 2008;43:RS5006.
- [8] Airola MB, Boggs NT, Jackman, J, et al. Spectral refractive index and extinction cross-section of BG spores. *Proc SPIE* 2005;5795:134–41.
- [9] Amoozegar C, Giacomelli MG, Keener, JD, et al. Experimental verification of *T*-matrix-based inverse light scattering analysis for assessing structure of spheroids as models of cell nuclei. *Appl Opt* 2009;48:D20–5.
- [10] Anagnostou MN, Anagnostou EN, Vulpiani, G, et al. Evaluation of X-band polarimetric-radar estimates of drop-size distributions from coincident S-band polarimetric estimates and measured raindrop spectra. *IEEE Trans Geosci Remote Sens* 2008;46:3067–75.
- [11] Apparao RT, Varadan VV, Varadan VK. Theoretical modeling of chiral composites. *Proc SPIE* 1991;1558:2–13.
- [12] Asavei T, Loke VLY, Barbieri, M, et al. Optical angular momentum transfer to microrotors fabricated by two-photon photopolymerization. *New J Phys* 2009;11:093021.
- [13] Auger J-C, Stout B. Local field intensity in aggregates illuminated by diffuse light: *T* matrix approach. *Appl Opt* 2008;47:2897–905.
- [14] Auger JC, Martinez VA, Stout B. Theoretical study of the scattering efficiency of rutile titanium dioxide pigments as a function of their spatial dispersion. *J Coat Technol Res* 2009;6:89–97.

- [15] Ausman LK, Schatz GC. On the importance of incorporating dipole reradiation in the modeling of surface enhanced Raman scattering from spheres. *J Chem Phys* 2009;31:084708.
- [16] Bailey J, Ulanowski Z, Lucas, PW, et al. The effect of airborne dust on astronomical polarization measurements. *Mon Not R Astron Soc* 2008;386:1016–22.
- [17] Bailey SM, Thomas GE, Rusch, DW, et al. Phase functions of polar mesospheric cloud ice as observed by the CIPS instrument on the AIM satellite. *J Atmos Solar Terrestrial Phys* 2009;71:373–80.
- [18] Barnes WL. Comparing experiment and theory in plasmonics. *J Opt A Pure Appl Opt* 2009;11:114002.
- [19] Battaglia A, Kobayashi S, Tanelli, S, et al. Multiple scattering effects in pulsed radar systems: an intercomparison study. *J Atmos Oceanic Technol* 2008;25:1556–67.
- [20] Battaglia A, Saavedra P, Simmer C, Rose T. Rain observations by a multifrequency dual-polarized radiometer. *IEEE Geosci Remote Sens Lett* 2009;6:354–8.
- [21] Baumgarten G, Fiedler J, Lübken F-J, von Cossart G. Particle properties and water content of noctilucent clouds and their interannual variation. *J Geophys Res* 2008;113:D06203.
- [22] Berg MJ, Chakrabarti A, Sorensen CM. General derivation of the total electromagnetic cross sections for an arbitrary particle. *JQSRT* 2009;110:43–50.
- [23] Bogaert I, Peeters J, Olyslager F. Homogenization of metamaterials using full-wave simulations. *Metamaterials* 2008;2:101–12.
- [24] Borghese F, Denti P, Saija R, Iati MA. Optical trapping of nonspherical particles in the *T*-matrix formalism: erratum. *Opt Express* 2007;15:14618.
- [25] Borghese F, Denti P, Saija, R, et al. Radiation torque and force on optically trapped linear nanostructures. *Phys Rev Lett* 2008;100:163903.
- [26] Boyack R, Le Ru EC. Investigation of particle shape and size effects in SERS using *T*-matrix calculations. *Phys Chem Chem Phys* 2009;11:7398–405.
- [27] Boyde L, Chalut KJ, Guck J. Interaction of Gaussian beam with near-spherical particle: an analytic–numerical approach for assessing scattering and stresses. *J Opt Soc Am A* 2009;26:1815–27.
- [28] Bunkin NF, Suyazov NV, Shkirin, AV, et al. Nanoscale structure of dissolved air bubbles in water as studied by measuring the elements of the scattering matrix. *J Chem Phys* 2009;130:134308.
- [29] Bunkin NF, Suyazov NV, Shkirin, AV, et al. Cluster structure of stable dissolved gas nanobubbles in highly purified water. *J Exp Theor Phys* 2009;108:800–16.
- [30] Bunkin NF, Suyazov NF, Shkirin, AV, et al. Determination of the microstructure of gas bubbles in highly purified water by measuring the elements of the laser radiation scattering matrix. *Quantum Electron* 2009;39:367–81.
- [31] Cacciola A, Cecchi-Pestellini C, Saija, R, et al. Ultraviolet radiation inside interstellar grain aggregates. III. Fluffy grains. *Astrophys J* 2009;701:1426–35.
- [32] Cai W, Ma L. Information content of scattering measurements and characterization of spheroids. *J Aerosol Sci* 2008;39:1032–9.
- [33] Chaboureau J-P, Söhne N, Pinty, J-P, et al. A midlatitude precipitating cloud database validated with satellite observations. *J Appl Meteorol Climatol* 2008;47:1337–53.
- [34] Chalut KJ, Chen S, Finan, JD, et al. Label-free, high-throughput measurements of dynamic changes in cell nuclei using angle-resolved low coherence interferometry. *Biophys J* 2008;94:4948–56.
- [35] Chalut KJ, Giacomelli MG, Wax A. Application of Mie theory to assess structure of spheroidal scattering in backscattering geometries. *J Opt Soc Am A* 2008;25:1866–74.
- [36] Chen G, Yang P, Kattawar GW. Application of the pseudospectral time-domain method to the scattering of light by nonspherical particles. *J Opt Soc Am A* 2008;25:785–90.
- [37] Chen S-Y, Lazarides AA. Quantitative amplification of Cy5 SERS in ‘Warm Spots’ created by plasmonic coupling in nanoparticle assemblies of controlled structure. *J Phys Chem C* 2009;113:12167–75.
- [38] Chernyshev AV, Tarasov PA, Semianov, KA, et al. Erythrocyte lysis in isotonic solution of ammonium chloride: theoretical modeling and experimental verification. *J Theor Biol* 2008;251:93–107.
- [39] Chew WC. Vector addition theorem and its diagonalization. *Commun Comput Phys* 2008;3:330–41.
- [40] Chien W-Y, Szkopek T. Multiple-multipole simulation of optical near-fields in discrete metal nanosphere assemblies. *Opt Express* 2008;16:1820–35.
- [41] Cohen FS, Taslidere E, Hari DS, Murthy S. Stochastic decomposition method for modeling the scattered signal reflected of mucosal tissues. *J Biomed Opt* 2008;13:054039.
- [42] Conover BL, Escuti MJ. Anisotropic particle motion in optical landscapes modeled via the *T*-matrix optical scattering approach. *Proc SPIE* 2008;7038:703819.
- [43] Cuesta J, Flamant PH, Flamant C. Synergetic technique combining elastic backscatter lidar data and sunphotometer AERONET inversion for retrieval by layer of aerosol optical and microphysical properties. *Appl Opt* 2008;47:4598–611.
- [44] Das HS, Das SR, Paul, T, et al. Aggregate model of cometary dust: an application to comet Levy 1990XX. *Mon Not R Astron Soc* 2008;389:787–91.
- [45] Das HS, Das SR, Sen AK. Aggregate dust model to describe polarization properties of Comet Hale–Bopp. *Mon Not R Astron Soc* 2008;390:1195–9.
- [46] Defer E, Prigent C, Aires, F, et al. Development of precipitation retrievals at millimeter and sub-millimeter wavelengths for geostationary satellites. *J Geophys Res* 2008;113:D08111.
- [47] Devarakonda V, Manickavasagam S. Polarized light scattering technique for morphological characterization of waterborne pathogens. *Proc SPIE* 2009;7306:73061B.
- [48] Deych LI, Schmidt C, Chipouline, A, et al. Optical coupling of fundamental whispering-gallery modes in bispheres. *Phys Rev A* 2008;77:051801.
- [49] Deych LI, Schmidt C, Chipouline, A, et al. Propagation of the fundamental whispering gallery modes in a linear chain of microspheres. *Appl Phys B* 2008;93:21–30.
- [50] Ding KH. Light scattering of fractal aerosol aggregates using *T*-matrix method. *Proc SPIE* 1992;1688:144–51.
- [51] Dlugach JM, Mishchenko MI. Photopolarimetry of planetary atmospheres: what observational data are essential for a unique retrieval of aerosol microphysics?. *Mon Not R Astron Soc* 2008;384:64–70.
- [52] Doicu A, Schuh R, Wriedt T. Scattering by particles on or near a plane surface. *Light Scattering Rev* 2008;3:109–30.
- [53] Draine BT, Friauf AA. Polarized far-infrared and submillimeter emission from interstellar dust. *Astrophys J* 2009;696:1–11.
- [54] Dreyfus R, Lacoste D, Bibette J, Baudry J. Measuring colloidal forces with the magnetic chaining technique. *Eur Phys J E* 2009;28:113–23.
- [55] Duncan DD, Thomas ME. Particle shape as revealed by spectral depolarization. *Proc SPIE* 2008;6864:68640G.
- [56] Duncan DD, Gladdish JC, Markway BD. Tissue morphology from spectral polarimetry. *Proc SPIE* 2008;6858:685809.
- [57] Dyatlov GV, Gilev KV, Semyanov KA, Maltsev VP. The scanning flow cytometer modified for measurement of two-dimensional light-scattering pattern of individual particles. *Meas Sci Technol* 2008;19:015408.
- [58] Feng Q, Yang P, Kattawar, GW, et al. Effects of particle nonsphericity and radiation polarization on retrieving dust properties from MODIS observations. *J Aerosol Sci* 2009;40:776–89.
- [59] Fu Q, Thorsen TJ, Su, J, et al. Test of Mie-based single-scattering properties of non-spherical dust aerosols in radiative flux calculations. *JQSRT* 2009;110:1640–53.
- [60] Gallus Jr. WA, Pfeifer M. Intercomparison of simulations using 5 WRF microphysical schemes with dual-polarization data for a German squall line. *Adv Geosci* 2008;16:109–16.
- [61] Gantzounis G, Stefanou N, Papanikolaou N. Optical properties of periodic structures of metallic nanodisks. *Phys Rev B* 2008;77:035101.
- [62] Giacomelli MG, Chalut KJ, Ostrander JH, Wax A. Application of the *T*-matrix method to determine the structure of spheroidal cell nuclei with angle-resolved light scattering. *Opt Lett* 2008;33:2452–4.
- [63] Giacomelli M, Chalut K, Ostrander J, Wax A. *T*-matrix based inverse light scattering analysis using angle resolved low coherence interferometry. *Proc SPIE* 2009;7187:71870L.
- [64] Gogoi A, Ahmed GA. A *T*-matrix approach for morphological characterization of spherical nanoparticles using laser. *Indian J Phys* 2008;82:567–70.
- [65] Gogoi A, Ahmed GA, Choudhury A. Nonparticle size characterization by laser light scattering. *Indian J Phys* 2009;83:473–7.
- [66] Gogoi A, Choudhury A, Stanciu GA, Ahmed GA. Construction of a multidetector array incorporated laser-based scattering system for ultrafine TiO<sub>2</sub> characterization. *J Opt* 2009;38:67–74.
- [67] Gong W, Si K, Sheppard CJR. Modeling phase functions in biological tissue. *Opt Lett* 2008;33:1599–601.
- [68] Gruy F. Light-scattering cross section as a function of pair distribution density. *JQSRT* 2009;110:240–6.
- [69] Hahn DV, Limsui D, Joseph, RI, et al. Shape characteristics of biological spores. *Proc SPIE* 2008;6954:69540W.

- [70] Han G, Han Y, Liu J, Zhang Y. Scattering of an eccentric sphere arbitrarily located in a shaped beam. *J Opt Soc Am B* 2008;25:2064–72.
- [71] Hansell RA, Liou KN, Ou, SC, et al. Remote sensing of mineral dust aerosol using AERI during the UAE<sup>2</sup>: a modeling and sensitivity study. *J Geophys Res* 2008;113:D18202.
- [72] Harris N, Arnold MD, Blaber MG, Ford MJ. Plasmonic resonances of closely coupled gold nanosphere chains. *J Phys Chem C* 2009;113:2784–91.
- [73] He B, Chew WC. Addition theorem. In: Ammari H, editor. Modeling and computations in electromagnetics. Berlin: Springer; 2008. p. 203–26.
- [74] Heifetz A, Simpson JJ, Kong, S-C, et al. Subdiffraction optical resolution of a gold nanosphere located within the nanojet of a Mie-resonant dielectric microsphere. *Opt Express* 2007;15:17334–42.
- [75] Hellmers J, Riefler N, Wriedt T, Eremin YuA. Light scattering simulation for the characterization of sintered silver nanoparticles. *JQSRT* 2008;109:1363–73.
- [76] Hertlein C, Riefler N, Eremina, E, et al. Experimental verification of an exact evanescent light scattering model for TIRM. *Langmuir* 2008;24:1–4.
- [77] Hervig ME, Gordley LL, Stevens, MH, et al. Interpretation of SOFIE PMC measurements: cloud identification and derivation of mass density, particle shape, and particle size. *J Atmos Solar Terrestrial Phys* 2009;71:316–30.
- [78] Hesse E, Mc Call DS, Ulanowski, Z, et al. Application of RTDF to particles with curved surfaces. *JQSRT* 2009;110:1599–603.
- [79] Hill SC, Barber PW, Chowdhury, DQ, et al. Resonances and internal electric energy density in droplets. *Proc SPIE* 1991;1497:16–27.
- [80] Hopkins RJ, Jones JW, Barrington, SJ, et al. Introducing depolarisation into an inexpensive, simple cloud sensor for standoff aerosol detection. *Proc SPIE* 2008;6972:697212.
- [81] Hu R-M, Sokhi RS. Light scattering and absorption properties of dust particles retrieved from satellite measurements. *JQSRT* 2009;110:1698–705.
- [82] Jayabalan J, Singh A, Chari, R, et al. Aggregated nanoplatelets: optical properties and optically induced deaggregation. *J Phys Condens Matter* 2008;20:445222.
- [83] Kahnert M. Light scattering by particles with boundary symmetries. *Light Scattering Rev* 2008;3:69–107.
- [84] Kalogerakis KS, Marschall J, Oza, AU, et al. The coating hypothesis for ammonia ice particles in Jupiter: laboratory experiments and optical modeling. *Icarus* 2008;196:202–15.
- [85] Karlsson A, Bladh H, Bengtsson P-E. Accurate method for predicting light scattering from soot aggregates with subparticles of arbitrary shape and structure. *J Opt Soc Am A* 2009;26:1704–13.
- [86] Khlebtsov NG. Determination of size and coccentration of gold nanoparticles from extinction spectra. *Anal Chem* 2008;80:6620–5.
- [87] Khlebtsov NG. Optics and biophotonics of nanoparticles with a plasmon resonance. *Quantum Electron* 2008;38:504–29.
- [88] Khlebtsov NG, Dykman LA. Optical properties and biomedical applications of plasmonic nanoparticles. *JQSRT* 2010;111:1–35.
- [89] Khlebtsov N, Melnikov A, Shchyogolev, S, et al. Anisotropic and spectral properties of biological scattering objects with the ordered particle orientation. *SPIE* 1994;2082:33–42.
- [90] Khlebtsov NG, Bogatyrev VA, Dykman IA, Melnikov AG. Spectral properties of colloidal gold and its conjugates with biospecific macromolecules. *Proc SPIE* 1996;2629:35–45.
- [91] Khlebtsov BN, Khanadeyev VA, Verin DA, Khlebtsov NG. Optical properties of gold-nanoshell planar array. *Proc SPIE* 2007;6536:653602.
- [92] Khlebtsov BN, Khanadeyev VA, Khlebtsov NG. Collective plasmon resonances in monolayers of metal nanoparticles and nanoshells. *Opt Spectrosc* 2008;104:282–94.
- [93] Khlebtsov BN, Khanadeyev VA, Ye, J, et al. Coupled plasmon resonances in monolayers of metal nanoparticles and nanoshells. *Phys Rev B* 2008;77:035440.
- [94] Khlebtsov BN, Khanadeev VA, Khlebtsov NG. Observation of extra-high depolarized light scattering spectra from gold nanorods. *J Phys Chem C* 2008;112:12760–8.
- [95] Knöner G, Nieminen TA, Parkin, S, et al. Calculation of optical trapping landscapes. *Proc SPIE* 2006;6326:63260K.
- [96] Kolokolova LO, Zaitsev AL. Ground-based radar experiments for the study of radiation scattering by atmosphereless celestial bodies. *Astron Astrophys Trans* 1997;13:245–53.
- [97] Kumjian MR, Ryzhkov AV. Storm-relative helicity revealed from polarimetric radar measurements. *J Atmos Sci* 2009;66:667–85.
- [98] Kyurkchan AG, Demin DB. Solution of problem of electromagnetic waves scattering on inhomogeneously layered scatterers using pattern equation method. *JQSRT* 2009;110:1345–55.
- [99] Kyurkchan AG, Skorodumova EA. Solving of problems of electromagnetic waves scattering by complex-shaped dielectric bodies via the pattern equations method. *JQSRT* 2009;110:1335–44.
- [100] Lai HM, Leung PT, Young, K, et al. Time-independent perturbation for leaking electromagnetic modes in open systems with application to resonances in microdroplets. *Phys Rev A* 1990;41:5187–98.
- [101] Lasue J, Levasseur-Regourd AC, Hadamcik E, Alcouffe G. Cometary dust properties retrieval from polarization observations: application to C/1995 01 Hale–Bopp and 1P/Halley. *Icarus* 2009;199:129–44.
- [102] Lattuada M, Ehrl L. Scattering properties of dense clusters of colloidal nanoparticles. *J Phys Chem B* 2009;113:5938–50.
- [103] Lavigne C, Roblin A, Chervet P. Solar glint from oriented crystals in cirrus clouds. *Appl Opt* 2008;47:6266–76.
- [104] Lee GW. Sources of errors in precipitation measurements by polarimetric radar: sensitivity of polarimetric parameters to drop deformation. *J Korean Meteorol Soc* 2007;43:41–57.
- [105] Leijnse H, Uijlenhoet R, Stricker JNM. Microwave link rainfall estimation: effects of link length and frequency, temporal sampling, power resolution, and wet antenna attenuation. *Adv Water Resour* 2008;31:1481–93.
- [106] Li L. Comment on “Optimized matrix inversion technique for the T-matrix method”. *Opt Lett* 2008;33:1366.
- [107] Liou KN, Gu Y, Lee, WL, et al. Some unsolved problems in atmospheric radiative transfer: implication for climate research in the Asia-Pacific region. In: Liou KN, Chou M-D, Hsu H-H, editors. Recent progress in atmospheric sciences. Applications to the Asia-Pacific region. Hackensack, NJ: World Scientific; 2008. p. 307–25.
- [108] Litvinov P. Derivation of extended boundary condition method from general definition of T-matrix elements and Lippman–Schwinger equation for transition operator. *JQSRT* 2008;109:1440–6.
- [109] Liu G. A database of microwave single-scattering properties for nonspherical ice particles. *Bull Am Meteorol Soc* 2008;89:1563–70.
- [110] Liu L, Mishchenko MI, Arnott WP. A study of radiative properties of fractal soot aggregates using the superposition T-matrix method. *JQSRT* 2008;109:2656–63.
- [111] Loke VLY, Nieminen TA, Heckenberg NR, Rubinsztein-Dunlop H. T-matrix calculation via discrete dipole approximation, point matching and exploiting symmetry. *JQSRT* 2009;110:1460–71.
- [112] Mackowski DW, Mishchenko MI. Prediction of thermal emission and exchange among neighboring wavelength-sized spheres. *J Heat Transfer* 2008;130:112702.
- [113] Maragó OM, Gucciardi PG, Bonaccorso, F, et al. Optical trapping of carbon nanotubes. *Physica E* 2008;40:2347–51.
- [114] Markowicz KM, Flatau PJ, Kardas, AE, et al. Ceilometer retrieval of the boundary layer vertical aerosol extinction structure. *J Atmos Oceanic Technol* 2008;25:928–44.
- [115] Marzano FS, Scaranari D, Montopoli M, Vulpiani G. Supervised classification and estimation of hydrometeors from C-band dual-polarized radars: a Bayesian approach. *IEEE Trans Geosci Remote Sens* 2008;46:85–98.
- [116] Matrosov SY. Assessment of radar signal attenuation caused by the melting hydrometeor layer. *IEEE Trans Geosci Remote Sens* 2008;46:1039–47.
- [117] Matsumura M, Bastien P. Grain alignment in OMC1 as deduced from observed large circular polarization. *Astrophys J* 2009;697:807–23.
- [118] Mehta P, Harries JE, Turner DD. Effect of size distribution and particle shape on simulations of downwelling infrared spectra during Saharan dust storms. *Am Inst Phys Conf Proc* 2009;1100:177–80.
- [119] Merchiers O, Geffrin J-M, Vaillon, R, et al. Microwave analog to light scattering measurements on a fully characterized complex aggregate. *Appl Phys Lett* 2009;94:181107.
- [120] Mishchenko MI. Multiple scattering, radiative transfer, and weak localization in discrete random media: unified microphysical approach. *Rev Geophys* 2008;46:RG2003.
- [121] Mishchenko MI, Dlugach JM. Weak localization of electromagnetic waves and radar polarimetry of Saturn’s rings. *Mon Not R Astron Soc* 2008;389:1665–74.
- [122] Mishchenko MI, Dlugach JM. Radar polarimetry of Saturn’s rings: modeling ring particles as fractal aggregates built of small ice monomers. *JQSRT* 2009;110:1706–12.
- [123] Mishchenko MI, Liu L. Electromagnetic scattering by densely packed particulate ice at radar wavelengths: exact theoretical results and remote-sensing implications. *Appl Opt* 2009;48:2421–6.
- [124] Mishchenko MI, Travis LD. Light scattering by size/shape distributions of nonspherical particles of size comparable to a wavelength. *Proc SPIE* 1993;1968:118–29.

- [125] Mishchenko MI, Travis LD, Mackowski DW. *T*-matrix computations of light scattering by large nonspherical particles: recent advances. *Proc SPIE* 1994;2309:72–83.
- [126] Mishchenko MI, Travis LD, Lacis AA, Carlson BE. Satellite remote sensing of nonspherical tropospheric aerosols. *Proc SPIE* 1995;2311:150–61.
- [127] Mishchenko MI, Dlugach JM, Liu, L, et al. Direct solutions of the Maxwell equations explain opposition phenomena observed for high-albedo solar system objects. *Astrophys J Lett* 2009;705:L118–22.
- [128] Mishra SK, Tripathi SN. Modeling optical properties of mineral dust over the Indian Desert. *J Geophys Res* 2008;113:D23201.
- [129] Mishra SK, Dey S, Tripathi SN. Implications of particle composition and shape to dust radiative effect: a case study from the Great Indian Desert. *Geophys Res Lett* 2008;35:L23814.
- [130] Molini L, Parodi A, Siccardi F. An observing system simulation experiment for the study on attenuation of C-band radar measurements. *Meteorol Appl* 2008;15:523–33.
- [131] Moroz A. Depolarization field of spheroidal particles. *J Opt Soc Am B* 2009;26:517–27.
- [132] Moumini N, Baravian C. Incoherent light transport in anisotropic media: form factor influence for oriented prolate ellipsoids. *JQSRT* 2009;110:1545–65.
- [133] Mourant JR, Aida T, Coburn L, Ramchandran J. Effect of nonsphericity of scattering centers on light transport in turbid media. *Proc SPIE* 2004;5326:54–9.
- [134] Narayanaswamy A, Chen G. Thermal near-field radiative transfer between two spheres. *Phys Rev B* 2008;77:075125.
- [135] Nasiri SL, Kahn BH. Limitations of bispectral infrared cloud phase determination and potential for improvement. *J Appl Meteorol Climatol* 2008;47:2895–910.
- [136] Nebuloni R, Capsoni C, Vigorita V. Quantifying bird migration by a high-resolution weather radar. *IEEE Trans Geosci Remote Sens* 2008;46:1867–75.
- [137] Nelson K, Deng Y. Effect of polycrystalline structure of TiO<sub>2</sub> particles on the light scattering efficiency. *J Colloid Interface Sci* 2008;319:130–9.
- [138] Nieminen TA, Heckenberg NR, Rubinsztein-Dunlop H. Forces in optical tweezers with radially and azimuthally polarized trapping beams. *Opt Lett* 2008;33:122–4.
- [139] Nieminen TA, Asavei T, Loke, VLY, et al. Symmetry and the generation and measurement of optical torque. *JQSRT* 2009;110:1472–82.
- [140] Nousiainen T, Zubko E, Niemi, JV, et al. Single-scattering modeling of thin, birefringent mineral-dust flakes using the discrete-dipole approximation. *J Geophys Res* 2009;114:D07207.
- [141] Okada Y. Efficient numerical orientation averaging of light scattering properties with a quasi-Monte-Carlo method. *JQSRT* 2008;109:1719–42.
- [142] Okada Y, Kokhanovsky AA. Light scattering and absorption by densely packed groups of spherical particles. *JQSRT* 2009;110:902–17.
- [143] Okada Y, Mann I, Mukai T, Köhler M. Extended calculation of polarization and intensity of fractal aggregates based on rigorous method for light scattering simulations with numerical orientation averaging. *JQSRT* 2008;109:2613–27.
- [144] Olmo FJ, Quirantes A, Lara, V, et al. Aerosol optical properties assessed by an inversion method using the solar principal plane for non-spherical particles. *JQSRT* 2008;109:1504–16.
- [145] Olofson KFG, Svensson EA, Witt G, Pettersson JBC. Arctic aerosol and clouds studied by bistatic lidar technique. *J Geophys Res* 2009;114:D18208.
- [146] Onofri F, Ren KF, Grisolia C. Development of an in situ ITER dust diagnostic based on extinction spectrometry: dedicated light scattering models. *J Nucl Mater* 2009;390:1093–6.
- [147] Osborne SR, Johnson BT, Haywood, JM, et al. Physical and optical properties of mineral dust aerosol during the dust and biomass-burning experiment. *J Geophys Res* 2008;113:D00C03.
- [148] Otto S, Bierwirth E, Weinzierl, B, et al. Solar radiative effects of a Saharan dust plume observed during SAMUM assuming spheroidal model particles. *Tellus B* 2009;61:270–96.
- [149] Papanikolaou N, Gantzounis G, Stefanou N. Calculations of the optical response of metalodielectric nanostructures of nonspherical particles by a layer-multiple-scattering method. *Proc SPIE* 2008;6988:69881D.
- [150] Paramonov LE. Light scattering by ensemble of nonspherical particles into solid angles. *Proc SPIE* 1994;2309:349–57.
- [151] Pathak J, Michelangeli DV, Konguem, L, et al. Simulating Martian boundary layer water ice clouds and the lidar measurements for the Phoenix mission. *J Geophys Res* 2008;113:E00A05.
- [152] Pecharrómán C, Pérez-Juste J, Mata-Osoro, G, et al. Redshift of surface plasmon modes of small gold rods due to their atomic roughness and end-cap geometry. *Phys Rev B* 2008;77:035418.
- [153] Pellegrini G, Mattei G, Bello V, Mazzoldi P. Local-field enhancement in metallic nanoparticles. *Mater Sci Eng B* 2008;149:247–50.
- [154] Penninkhof JJ, Moroz A, van Blaaderen A, Polman A. Optical properties of spherical and oblate spheroidal gold shell colloids. *J Phys Chem C* 2008;112:4146–50.
- [155] Penninkhof JJ, Sweatlock LA, Moroz, A, et al. Optical cavity modes in gold shell colloids. *J Appl Phys* 2008;103:123105.
- [156] Petrov D, Videen G, Shkuratov Yu, Kaydash M. Applications to spore detection of analytic *Sh*-matrix solution of light scattering from capsule and bi-sphere particles. *Proc SPIE* 2007;6733:673323.
- [157] Petrov D, Shkuratov Yu, Videen G. Analytic light-scattering solution of two merging spheres using *Sh*-matrices. *Opt Commun* 2008;281:2411–23.
- [158] Petrov D, Shkuratov Yu, Videen G. *Sh*-matrices method applied to light scattering by finite circular cylinders. *JQSRT* 2008;109:1474–95.
- [159] Petrov D, Shkuratov Yu, Videen G. Reply to comment on “Optimized matrix inversion technique for the *T*-matrix method”. *Opt Lett* 2008;33:1367.
- [160] Petrov D, Shkuratov Yu, Videen G. Light scattering by a finite cylinder containing a spherical cavity using *Sh*-matrices. *Opt Commun* 2009;282:156–66.
- [161] Petrov D, Shkuratov Yu, Videen G. The *Sh*-matrices method applied to light scattering by small lenses. *JQSRT* 2009;110:1448–1459.
- [162] Petrova EV, Tishkovets VP, Jockers K. Interaction of particles in the near field and opposition effects in regolith-like surfaces. *Solar Syst Res* 2009;43:100–15.
- [163] Pfeifer M, Craig GC, Hagen M, Keil C. A polarimetric radar forward operator for model evaluation. *J Appl Meteorol Climatol* 2008;47:3202–3220.
- [164] Pinchuk AO. Angle dependent collective surface plasmon resonance in an array of silver nanoparticles. *J Phys Chem A* 2009;113:4430–6.
- [165] Pitter MC, Hopcraft KI, Jakeman E, Walker JG. Measurement of polarization fluctuations in polydispersions of small spheroids. *Proc SPIE* 1999;3754:55–64.
- [166] Pitts MC, Poole LR, Thomason LW. CALIPSO polar stratospheric cloud observations: second-generation detection algorithms and composition discrimination. *Atmos Chem Phys* 2009;9:7577–89.
- [167] Qiu L, Larson TA, Smith, DK, et al. Single gold nanorod detection using confocal light absorption and scattering spectroscopy. *IEEE J Selected Top Quantum Electron* 2007;13:1730–8.
- [168] Qiu L, Vitkin E, Salahuddin, S, et al. Studying cells dynamics and function with CLASS microscopy. *Proc SPIE* 2008;6864:68640T.
- [169] Qiu L, Larson TA, Smith, D, et al. Observation of plasmon line broadening in single gold nanorods. *Appl Phys Lett* 2008;93:153106.
- [170] Quirantes A, Olmo FJ, Lyamani H, Alados-Arboledas L. Correction factors for a total scatter/backscatter nephelometer. *JQSRT* 2008;109:1496–503.
- [171] Ramasubramanian M, Anthony S, Lambert J. Simplified spectrophotometric method for the detection of red blood cell agglutination. *Appl Opt* 2008;47:4094–105.
- [172] Raut J-C, Chazette P. Radiative budget in the presence of multi-layered aerosol structures in the framework of AMMA SOP-0. *Atmos Chem Phys* 2008;8:6839–64.
- [173] Richardson JM, Aldridge JC, Milstein AB. Polarimetric lidar signatures for remote detection of biological warfare agents. *Proc SPIE* 2008;6972:69720E.
- [174] Richardson JM, Aldridge JC, Milstein AB, Lacirignola JJ. Aerosol elastic scatter signatures in the near and mid-wave IR spectral regions. *Proc SPIE* 2009;7323:73230Q.
- [175] Robert CE, von Savigny C, Burrows JP, Baumgarten G. Climatology of noctilucent cloud radii and occurrence frequency using SCIAMACHY. *J Atmos Solar Terrestrial Phys* 2009;71:408–23.
- [176] Rother T. Green functions for plane wave scattering on single nonspherical particles. *Light Scattering Rev* 2009;4:121–66.
- [177] Russell JE, Bantges RJ, Haigh, JD, et al. Retrieval of cirrus properties from high spectral resolution IR measurements. *Proc SPIE* 1998;3220:60–71.
- [178] Sader JE, Pepperell CJ, Dunstan DE. Measurement of the optical properties and shape of nanoparticles in solution using Couette flow. *ACS NANO* 2008;2:334–40.
- [179] Schleiss MA, Berne A, Uijlenhoet R. Geostatistical simulation of two-dimensional fields of raindrop size distributions at the meso- $\gamma$  scale. *Water Resour Res* 2009;45:W07415.

- [180] Schmidt VA, Paramonov LE. Light scattering by ice hexagonal cylinders. *Opt Atmos Ocean* 2007;20:868–71 [in Russian].
- [181] Schmidt V, Wriedt T. *T*-matrix method for biaxial anisotropic particles. *JQSRT* 2009;110:1392–7.
- [182] Schmidt K, Wauer J, Rother T, Trautmann T. Scattering database for spheroidal particles. *Appl Opt* 2009;48:2154–64.
- [183] Sebba DS, Lazarides AA. Robust detection of plasmon coupling in core-satellite nanoassemblies linked by DNA. *J Phys Chem C* 2008;112:18331–9.
- [184] Sebba DS, Mock JJ, Smith, DR, et al. Reconfigurable core-satellite nanoassemblies as molecularly-driven plasmonic switches. *Nano Lett* 2008;8:1803–8.
- [185] Shao S, Huang Y, Wei H, Rao R. Phase function of prolate spheroidal monodisperse aerosol particles. *Acta Opt Sinica* 2009;29:108–13.
- [186] Sharma R, Balakrishnan N. Scattering from chiral composites. *Proc SPIE* 1998;3321:356–68.
- [187] Sheppard BE, Joe PI. Performance of the precipitation occurrence sensor system as a precipitation gauge. *J Atmos Oceanic Technol* 2008;25:196–212.
- [188] Si K, Gong W, Sheppard CJR. Model for light scattering in biological tissue and cells based on random rough nonspherical particles. *Appl Opt* 2009;48:1153–7.
- [189] Simpson SH, Hanna S. Rotation of absorbing spheres in Laguerre–Gaussian beams. *J Opt Soc Am A* 2009;26:173–83.
- [190] Simpson SH, Hanna S. Optical angular momentum transfer by Laguerre–Gaussian beams. *J Opt Soc Am A* 2009;26:625–38.
- [191] Simpson SH, Benito DC, Hanna S. Calculation of optically-induced forces arising in conjunction with dynamic holographic assembly. *Proc SPIE* 2008;7038:70381E.
- [192] Skorov YV, Keller HU, Rodin AV. Optical properties of aerosols in Titan's atmosphere. *Planet Space Sci* 2008;56:660–8.
- [193] Somekawa T, Yamanaka C, Fujita M, Galvez MC. Simultaneous three-wavelength depolarization measurements of clouds and aerosols using a coherent white light continuum. *J Appl Phys* 2008;103:043101.
- [194] Somekawa T, Yamanaka C, Fujita M, Galvez MC. A new concept to characterize nonspherical particles from multi-wavelength depolarization ratios based on *T*-matrix computation. *Part Part Syst Charact* 2008;25:49–53.
- [195] Spek ALJ, Unal CMH, Moisseev, DN, et al. A new technique to categorize and retrieve the microphysical properties of ice particles above the melting layer using radar dual-polarization spectral analysis. *J Atmos Oceanic Technol* 2008;25:482–97.
- [196] Sreerekha TR, Buehler SA, O'Keefe, U, et al. A strong ice cloud event as seen by a microwave satellite sensor: simulations and observations. *JQSRT* 2008;109:1705–18.
- [197] Stefanou N, Gantzounis G, Tserkezis C. Multiple-scattering calculations for plasmonic nanostructures. *Int J Nanotechnol* 2009;6:137–63.
- [198] Stout B, Auger JC, Devilez A. Recursive *T* matrix algorithm for resonant multiple scattering: applications to localized plasmon excitations. *J Opt Soc Am A* 2008;25:2549–57.
- [199] Tanaka Y, Yoshikawa H, Itoh T, Ishikawa M. Surface enhanced Raman scattering from pseudodisocyanine on Ag nanoaggregates produced by optical trapping with a linearly polarized laser beam. *J Phys Chem C* 2009;113:11856–60.
- [200] Thomas ME, Airola MB, Carter CC, Boggs NT. Extinction and backscatter cross sections of biological materials. *Proc SPIE* 2007;6554:65540Q.
- [201] Thomas ME, Hahn DV, Carr, AK, et al. Extinction and backscatter cross sections of biological materials. *Proc SPIE* 2008;6954:69540Y.
- [202] Thomson FS, Marouf EA. Diffraction theory modeling of near-forward radio wave scattering from particle clusters. *Icarus* 2009;204:290–302.
- [203] Thurai M, Bringi VN. Calculations of cross-polar discrimination spread for 20 GHz fixed satellite systems using rain microstructure information. *Radio Sci* 2009;44:RS4006.
- [204] Thurai M, Bringi VN, Petersen WA. Rain microstructure retrievals using 2-D video disdrometer and C-band polarimetric radar. *Adv Geosci* 2009;20:13–8.
- [205] Tishkovets VP. Radiation diffuse scattering by a densely packed layer of spherical particles. *Radiofiz Radioastron* 2007;12:43–54 [in Russian].
- [206] Tishkovets VP. Light scattering by closely packed clusters: shielding of particles by each other in the near field. *JQSRT* 2008;109:2665–72.
- [207] Tishkovets VP. Mutual shielding of particles in the near field. *Radiofiz Radioastron* 2008;13:236–49 [in Russian].
- [208] Tomasko MG, Doose L, Engel, S, et al. A model of Titan's aerosols based on measurements made inside the atmosphere. *Planet Space Sci* 2008;56:669–707.
- [209] Travis K, Aaron J, Harrison N, Sokolov K. Phenomenology of optical scattering from plasmonic aggregates for application to biological imaging and clinical therapeutics. *Proc SPIE* 2008;6869:68690H.
- [210] Tseng SH, Huang B. Comparing Monte Carlo simulation and pseudospectral time-domain numerical solutions of Maxwell's equations of light scattering by a macroscopic random medium. *Appl Phys Lett* 2007;91:051114.
- [211] Tserkezis C, Papanikolaou N, Almpanis E, Stefanou N. Tailoring plasmons with metallic nanorod arrays. *Phys Rev B* 2009;80:125124.
- [212] Tsukerman I, Čajko F, Sokolov AP. Traditional and new simulation techniques for nanoscale optics and photonics. *Proc SPIE* 2005;5927:59270L.
- [213] Tsukerman I, Čajko F, Sokolov AP. Traditional and new simulation techniques for plasmon nanoparticles and photonic crystals. *Proc SPIE* 2006;6180:61800N.
- [214] Tyynelä J, Nousiainen T, Göke S, Muinonem K. Modeling C-band single scattering properties of hydrometeors using discrete-dipole approximation and *T*-matrix method. *JQSRT* 2009;110:1654–64.
- [215] Ulanowski Z, Bailey J, Lucas, PW, et al. Alignment of atmospheric mineral dust due to electric field. *Atmos Chem Phys* 2007;7:6161–73.
- [216] Vaidya DB, Gupta R. Composite grains: effects of porosity and inclusions on the 10 μm silicate feature. *JQSRT* 2009;110:1726–32.
- [217] Vargas WE. Aggregation and composition effects on absorption and scattering properties of dye-sensitized anatase TiO<sub>2</sub> particle clusters. *JQSRT* 2008;109:1693–704.
- [218] Velazco-Roa MA, Dzhongova E, Thennadil SN. Complex refractive index of nonspherical particles in the visible near infrared region—application to *Bacillus subtilis* spores. *Appl Opt* 2008;47:6183–9.
- [219] Vincendon M, Langevin Y, Poulet, F, et al. Yearly and seasonal variations of low albedo surfaces on Mars in the OMEGA/MEX dataset: constraints on aerosols properties and dust deposits. *Icarus* 2009;200:395–405.
- [220] Vinokurov A, Farafonov V, Il'in V. Separation of variables method for multilayered nonspherical particles. *JQSRT* 2009;110:1356–68.
- [221] Voit F, Schäfer J, Kienle A. Light scattering by multiple spheres: comparison between Maxwell theory and radiative-transfer-theory calculations. *Opt Lett* 2009;34:2593–5.
- [222] von Savigny C, Robert CE, Baumgarten, G, et al. Comparison of NLC particle sizes derived from SCIAMACHY/Envisat observations with ground-based LIDAR measurements at ALOMAR (69°N). *Atmos Meas Tech* 2009;2:523–31.
- [223] Voshchinnikov NV, Il'in VB, Stognienko R. Comparative analysis of different solutions of light scattering problem for non-spherical particles. *Proc SPIE* 1994;2309:89–97.
- [224] Vulpiani G, Marzano FS. Advanced techniques for polarimetric radar estimation of rainfall. In: Sorooshian, S, editor. *Hydrological modelling and the water cycle*. Berlin: Springer; 2008. p. 69–92.
- [225] Vulpiani G, Tabary P, du Chatelet JP, Marzano FS. Comparison of advanced radar polarimetric techniques for operational attenuation correction at C band. *J Atmos Oceanic Technol* 2008;25:1118–35.
- [226] Wagner R, Benz S, Möhler, O, et al. Influence of particle aspect ratio on the midinfrared extinction spectra of wavelength-sized ice crystals. *J Phys Chem A* 2007;111:13003–22.
- [227] Wagner R, Linke C, Naumann, K-H, et al. A review of optical measurements at the aerosol and cloud chamber AIDA. *JQSRT* 2009;110:930–49.
- [228] Wähnert M, Radünz R, Cichos F. Nanoscale distance fluctuations probed by photothermal correlation spectroscopy. *Proc SPIE* 2009;7185:71850V.
- [229] Wang T, Huang J. A method for estimating optical properties of dusty cloud. *Chin Opt Lett* 2009;7:368–72.
- [230] Wang X-Y, Ruan L-M, Qi H, Wang S-G. Scattering properties of nonspherical particles. *J Eng Thermophys* 2009;30:1366–8.
- [231] Waterman PC. *T*-matrix methods in acoustic scattering. *J Acoust Soc Am* 2009;125:42–51.
- [232] Wauer J, Rother T. Considerations to Rayleigh's hypothesis. *Opt Commun* 2009;282:339–50.
- [233] Wheeler MS, Aitchison JS, Chen, JIL, et al. Infrared magnetic response in a random silicon carbide micropowder. *Phys Rev B* 2009;79:073103.
- [234] Wiegner M, Gasteiger J, Kandler, K, et al. Numerical simulations of optical properties of Saharan dust aerosols with emphasis on lidar applications. *Tellus B* 2009;61:180–94.



- [235] Wolff MJ, Smith MD, Clancy, RT, et al. Wavelength dependence of dust aerosol single scattering albedo as observed by the compact reconnaissance imaging spectrometer. *J Geophys Res* 2009; 114:E00D04.
- [236] Wriedt T, Schuh R. Decompositioning method to compute scattering by complex shaped particles using a multiple scattering *T*-matrix approach. *JQSRT* 2008;109:2315–28.
- [237] Wriedt T, Schuh R, Doicu A. Scattering by aggregated fibres using a multiple scattering *T*-matrix approach. Part Part Syst Charact 2008;25:74–83.
- [238] Yadav MK, Sharma SK. On the validity of Rayleigh–Gans–Debye type approximations in red blood cell size determination. *J Mod Opt* 2008;55:921–9.
- [239] Yan S, Yao B. Fast calculation technique for scattering in *T*-matrix method. *Phys Lett A* 2008;372:5243–5.
- [240] Yan WZ, Du Y, Wu H, Liu DW. EM scattering from a long dielectric circular cylinder. *Prog Electromagn Res* 2008;85:39–67.
- [241] Yan WZ, Du Y, Li, ZY, et al. Characterization of the validity region of the extended *T*-matrix method for scattering from dielectric cylinders with finite length. *Prog Electromagn Res* 2009;96:309–28.
- [242] Yip W, Li X. Multiple scattering effects on optical characterization of biological tissue using spectroscopic scattering parameters. *Opt Lett* 2008;33:2877–9.
- [243] Yu HK, Yi G-R, Kang, J-H, et al. Surfactant-assisted synthesis of uniform titania microspheres and their clusters. *Chem Mater* 2008;20:2704–10.
- [244] Zaccone A, Wu H, Lattuada M, Morbidelli M. Correlation between colloidal stability and surfactant adsorption/association phenomena studied by light scattering. *J Phys Chem B* 2008;112:1976–86.
- [245] Zahiri E-P, Gosset M, Lafore J-P, Gouget V. Use of a radar simulator on the output fields from a numerical mesoscale model to analyze X-band rain estimators. *J Atmos Oceanic Technol* 2008;25:341–67.
- [246] Zardini AA, Krieger UK. Evaporation kinetics of a non-spherical, levitated aerosol particle using optical resonance spectroscopy for precision sizing. *Opt Express* 2009;17:4659–69.
- [247] Zeng N, Murphy AB. Heat generation by optically and thermally interacting aggregates of gold nanoparticles under illumination. *Nanotechnology* 2009;20:375702.
- [248] Zhang Y, Palmer R, Zhang, G, et al. Multi-functional airborne external hazard monitoring radar with antenna diversity. *Proc SPIE* 2008;7088:70880F.
- [249] Zhao Y, Ma L. Assessment of two fractal scattering models for the prediction of the optical characteristics of soot aggregates. *JQSRT* 2009;110:315–22.
- [250] Zhao Y, Ma L. Applicable range of the Rayleigh–Debye–Gans theory for calculating the scattering matrix of soot aggregates. *Appl Opt* 2009;48:591–7.
- [251] Zinevich A, Messer H, Alpert P. Frontal rainfall observation by a commercial microwave communication network. *J Appl Meteorol Climatol* 2009;48:1317–34.
- [252] Rother T. Electromagnetic wave scattering on nonspherical particles: basic methodology and simulations. Berlin: Springer; 2009.
- [253] Dolan B, Rutledge SA. A theory-based hydrometeor identification algorithm for X-band polarimetric radars. *J Atmos Oceanic Technol* 2009;26:2071–88.
- [254] Bringi VN, Williams CR, Thurai M, May PT. Using dual-polarization radar and dual-frequency profiler for DSD characterization: a case study from Darwin, Australia. *J Atmos Oceanic Technol* 2009;26:2107–22.
- [255] Venkata PG, Aslan MM, Mengüç MP, Videen G. Surface plasmon scattering by gold nanoparticles and two-dimensional agglomerates. *J Heat Transfer* 2007;129:60–70.
- [256] Charnigo R, Francoeur M, Mengüç, MP, et al. Derivatives of scattering profiles: tools for nanoparticle characterization. *J Opt Soc Am A* 2007;24:2578–89.
- [257] Mishchenko MI, Travis LD, Lacis AA. Scattering, absorption, and emission of light by small particles. Cambridge: Cambridge University Press; 2002 Available in the PDF format at <<http://www.giss.nasa.gov/staff/mmishchenko/publications/>>.
- [258] Doicu A, Wriedt T, Eremin YuA. Light scattering by systems of particles. Null-field method with discrete sources: theory and programs. Berlin: Springer; 2006.
- [259] Borghese F, Denti P, Saija R. Scattering from model nonspherical particles. Theory and applications to environmental physics. Berlin: Springer; 2007.
- [260] Waterman PC. Symmetry, unitarity, and geometry in electromagnetic scattering. *Phys Rev D* 1971;3:825–39.