


Human Missions to Mars

Key Challenges

National Aeronautics
and Space Administration



Bret G. Drake
NASA Lyndon B. Johnson Space Center

February 2013



Why Do We Want To Explore Mars?



- **Long-standing curiosity, particularly since it appears that humans could one day visit there**
- **A NASA chartered group, Mars Exploration Program Analysis Group, has organized a set of four primary goals:**
 - Determine if life ever arose on Mars
 - Understand the processes and history of climate on Mars
 - Determine the evolution of the surface and interior of Mars
 - Prepare for human exploration
- **Two additional goals considered as well:**
 - Preparing for sustained human presence
 - Ancillary science such as heliophysics, space weather, astrophysics

Goals and Objectives Summary Implications

- **The first three human missions to Mars should be to three different geographic sites**
- **Maximize the amount of time that the astronauts spend exploring the planet**
- **Maximize mobility to extend the reach of human exploration beyond the landing site**
- **Provide subsurface access**
- **Return a minimum of 250 kg of samples to Earth**




Mars Trajectory Classes




- **A trip to Mars with a return back to Earth is a double rendezvous problem**
 - Mars round-trip missions are flown in heliocentric space
 - Relative planetary alignment is a key driver in the mission duration and propulsion required

**Example “Short-Stay”
Opposition Class Mission**



**Example “Long-Stay”
Conjunction Class Mission**







Example Delta-v versus Mission Duration



Crew Vehicle Total Delta-V Opposition Class - 2033 "Good" Opportunity




Trajectory Set: 27 January 2012



Synodic Period – Variation in Delta-V



- **The difference in orbits of the Earth and Mars influence the mission delta-v and timing**
 - Earth departure opportunities occur approximately every 26 months
 - The Earth departure “window” lasts a few weeks and is highly dependent on the propulsion system choice
 - The round-trip mission delta-v varies over a 15-year cycle (the Synodic Cycle)
 - Although “good” opportunities occur in 2018, 2033, and 2047, the ability to conduct missions in any opportunity across the Synodic Cycle will reduce programmatic risk





Advanced In-Space Transportation

Options, options, options....

High Thrust: Chemical Propulsion



Advantages:

- More “state of the art”
- Multiple destinations

Challenges:

- High Mass / Lots of Launches
- Long-term storage of cryogenic propellants, particularly H₂
- Configuration and integration challenges
- Long-stay missions only

High Thrust: Nuclear Thermal Propulsion (NTP)




Advantages:

- Good combination of high thrust and high efficiency (Isp)
- Low architectural mass
- Both long and short stay missions
- Has been demonstrated (NERVA)

Challenges:

- Long-term storage of cryogenic H₂
- Large launch volume (due to H₂)
- Nuclear regulatory compliance/testing

Low Thrust: Solar Electric Propulsion (SEP)




Advantages:

- Low architectural mass
- Multiple destinations

Challenges:

- Limited to long-stay missions
- Configuration and integration challenges (large solar arrays)
- Long operating times (spirals)

Low Thrust: Nuclear Electric Propulsion (NEP)



Advantages:

- Low architectural mass
- Both long-stay and short-stay (if power is high) missions


Challenges:

- No experience base for space based high power, high efficiency, nuclear reactors
- Configuration and integration challenges (large radiators)
- Nuclear regulatory compliance/testing
- Long operating times (spirals)




Propulsion Technology Comparisons

Crew Vehicle Mass as a Function of Trip Time – Short Stay Opposition Missions





SLS Architecture Block Upgrade Approach




Starting with Available Assets and Evolving the Design




Example Launch Packaging

Diameter and Volume are also Key





Example Relationship Between Launches and Reliability






Launch Campaign and Transportation Options

Cargo Missions

Crew Mission



Parameter	Chemical Propulsion		Nuclear Thermal		Nuclear Electric		Solar	
	“Stressing” ¹ Long-Stay	“Easy” Short-Stay	“Stressing” ¹ Long-Stay	“Easy” Short-Stay	“Stressing” ¹ Long-Stay	“Easy” Short-Stay	“Stressing” ¹ Long-Stay	“Easy” Short-Stay
Total Mass (mt)	~1,250	~1,460	~890	~860+	~770	~960	~780	X
# SLS Launches	~12	~13+	~9	~9+	~7	~9+	~7	X
SLS delivery to LEO (mt)	105 & 130	105 & 130	105	105	105 & 130	105 & 130	105 & 130**	X
SLS Shroud Dia./Barrel	10 / 22	10 / 22	10 / 25	10 / 29	10 / 25	10 / 25	10 / 15	X
Launch Spacing (days)*	50-120	10-110+	70-150	70-150	90-200	70-150	90-200	X

¹“Hard” Long Stay - Represents most stressing conjunction class (2037 long-stay) mission. Typical mission values will be less for other opportunities.

“Easy” Short-Stay - Represents the easiest opposition class (2033 short-stay) mission. Values for other opportunities will vary greatly and will be much more stressing.


* Launch spacing lower/upper values represent spacing required for crew missions every opportunity (26 months) & every-other opportunity (52 months) respectively + 6 mo schedule margin.

**Depending upon SLS performance 1-2 ATV launches using a Ariane 5 class vehicle are required to provide consumables



Orion Crew Transfer / Earth Return Vehicle

- **Crew Delivery to Earth Departure Point**
 - Provide safe delivery of 4-6 crew to Earth departure point for rendezvous with the Mars Transfer Vehicle
 - Delivery and return of checkout crew prior to the mission
 - Delivery of the mission crew
- **End of Mission Crew Return (Mars Block)**
 - Provide safe return of 4-6 crew from the Mars-Earth transfer trajectory to Earth at the end of the mission
 - 12 km/s entry speed (13+ km/s for short-stay mission)
 - 900 day dormant operations
 - 3 day active operations
 - Much smaller service module (~300 m/s delta-v) for re-targeting and Earth entry corridor set-up





Challenges of Landing on Mars




- **The Atmosphere of Mars**
 - The Good: Mars has an atmosphere that can help slow the entry vehicle down
 - The Bad: The atmosphere is thick enough that it requires a heat shield, but not thick enough to provide substantial drag (density 1% of Earth's)
 - Atmospheric dust may prohibit ability or timing of landing at designated landing sites
- **The Current Mars Science Laboratory Landing Strategy is Limited**
 - ~ 1 mt payload to the surface (target 40 mt)
- **Key for Human Missions Challenge: Supersonic Transition**

Technology Options
Hypersonic Inflatable Aerodynamic Decelerator (HIAD)

Rigid Aeroshells (mid L/D)

Supersonic Retro-propulsion







Challenges of Supporting Humans in Deep Space



- **Human missions to Mars are demanding from a human health and performance perspective**
 - Long-Duration: 600 days minimum, 900 days most probable
 - Deep-Space: Micro-gravity and harsh environment
 - Remote: No logistics train, no fast return aborts
- **Categories of Key Human Support Challenges**
 - Ocular Syndrome: Intracranial pressure
 - Toxicity: Dust and other hazards
 - Autonomous Emergency: Response to system emergencies (e.g. life support system failure)
 - Radiation: Solar Proton (solutions exist), Galactic Cosmic Radiation (currently no standards for exploration)
 - Behavioral Health and Performance: Remote isolated missions with no real-time communications.
 - Autonomous Medical Care: Response to medical issues
 - Nutrition: Food with adequate nutrition for long missions
 - Hypogravity: Adjusting to the gravity of Mars
 - Musculoskeletal: Muscle atrophy and bone decalcification
 - Sensorimotor: Sensory changes/dysfunctions





Living off of the Land: In-Situ Resources

● Atmosphere

- Atmospheric resources found globally with slight change in pressure/concentration
- Primary product: oxygen (O_2) bound in carbon dioxide (CO_2)
- Oxygen can be used for propulsion, life support, and extra vehicular activity (EVA) applications
- Production of O_2 only from CO_2 makes over 75% of ascent propellant mass
- Production of O_2 and CH_4 (or other hydrocarbon fuel) possible with hydrogen (H_2) brought from Earth

● Soil Processing for Water

- Water resources found globally with large variations in concentration, form, and depth.
- Water can be used for life support, EVA, and radiation shielding
- Water can be processed into O_2 and H_2 or with CO_2 to make fuels for propulsion and power
- Production of O_2 and methane (CH_4) from CO_2 and H_2O allows for 100% of ascent propellant mass

● Leverage

- Producing oxygen from the atmosphere provides significant leverage in terms of mass (32%) and volume (lander packaging)


Resources

Global


Atmosphere	Quantity
Carbon Dioxide (CO_2)	95.5%
Nitrogen (N_2)	2.7%
Argon (Ar)	1.6%
Oxygen (O_2)	0.15%
Water (H_2O)	<0.03%

Landing Site Dependent


Water in Top 1 meter



Hydrated Minerals



Shallow Ice





Surface Exploration and Discovery

- Long surface stays with visits to multiple sites provides scientific diversity thus maximizing science return
- Sustainability objectives favor return missions to a single site (objectives lend themselves best to repeated visits to a specific site on Mars)
- Mobility at great distances (100's km) from the landing site enhances science return (diversity)
- Subsurface access of 100's m or more highly desired
- Advanced laboratory and sample assessment capabilities necessary for high-grading samples for return





Human Exploration of Mars Capability Needs



Launch

- Multiple launches
- Short spacing
- Large mass: 130 t
- Large Volume 10 x 30 m

Space Transportation

- Advanced propulsion to reduce mass
- Fast Transits for Crew (180 days)
- Limited / lack of quick aborts

Entry Descent and Landing


- Large mass (40 t) / Large volume
- Abort to surface
- Precision landing

Crew Surface Health and Support

- Crew acclimation post landing
- Human Support (radiation, hypo-gravity, dust, behavior)
- Planetary protection


Operations

- Automated, rendezvous and docking
- Pre-deploy cargo
- No logistics
- Reliability, maintenance and repair
- Autonomous operations post landing
- Infrastructure emplacement (power)
- High continuous power (40 kWe)
- ISRU oxygen production - atmosphere
- Multiple EVAs, long-range roves, routine exploration





Human Exploration: A Historical Perspective



Human mission to Mars will be long and complex, but the round trip duration is within the experience of some of the past successful exploration missions with significantly far fewer crew