


New Therapeutic Window of Regenerative Opportunity in Diabetic Retinopathy by VESGEN Analysis

**Patricia Parsons-Wingerter, PhD
Biomedical Research Engineer, Bioscience and Engineering Branch
Research & Technology Directorate**


Glenn Research Center

VESGEN Patent Pending

at Lewis Field



with VESGEN Software as
Research Discovery Tool




Multi-Scale mapping of vascular pattern for development of regenerative and preventive therapies targeting diseases dependent on microvascular remodeling

© Blood Vessels

Glenn Research Center

VESGEN Patent Pending

at Lewis Field

A photograph of an astronaut in a white spacesuit floating in space. The astronaut's helmet is prominent on the left side. In the background, the curved horizon of the Earth is visible, and a bright sun with a starburst effect is shining from the upper right. The overall scene is dark, typical of the vacuum of space.

Vascular Alterations, Visual Impairments (VIIP) & Increased Intracranial Pressure (ICP), Immunosuppression & Bone Loss:
NASA-defined risk categories for human space exploration
and ISS Utilization


Abstract

Vascular pattern may serve as a useful new biomarker principle of complex, multi-scale signaling in pathological, physiological angiogenesis and microvascular remodeling. Each angiogenesis stimulator or inhibitor we have analyzed, including VEGF, bFGF, TGF-beta1, angiostatin and triamcinolone acetonide, has induced a novel 'fingerprint' or 'signature' biomarker vascular pattern that is spatio-temporally unique. Remodeling vasculature thereby provides an informative read-out of dominant molecular signaling, when analyzed by innovative, fractal-based VESsel GENERation (VESGEN) Analysis software. Using VESGEN to analyze ophthalmic clinical vascular images, we recently introduced a potential paradigm shift to the understanding of early-stage progression that suggests new regenerative opportunities for human diabetic retinopathy (DR), the major blinding disease for working-aged adults. In a pilot study, we discovered that angiogenesis oscillates as a surprising, homeostatic-like regeneration of retinal vessels during early progression of DR (*IOVS* 51(1):498). Results suggest that the term 'non-proliferative DR' may be a misnomer. In new studies, normalization of the vasculature will be determined from the response of vascular pattern to therapeutic monitoring and treatment. We have mapped and quantified *in vivo* experimental models of angiogenesis, lymphangiogenesis and intravital blood flow from cellular/molecular to higher systems levels that include a murine model of infant retinopathy of prematurity (ROP); developing and pathological coronary and placental-like vessel models; progressive intestinal inflammation, growing murine tumors, and other pathological, physiological and therapeutically treated tissues of transgenic mice and avian embryos.

Motivation for Microvascular Quantification and Mapping by **VESGEN**

NASA IR&D to NIH

1. Molecules *in Vitro*




2. Avian Eggs




3. Mouse




4. Humans




1. Cells *in Vitro*




2. Blood Vessels




3. Blood Vessels





VESGEN

Mapping and Quantification of Branching Vascular Pattern



Human Retina

Mouse Retina

Vascular Trees

Diabetic Human Retina

Avian CAM, Yolksac and Mouse/Avian Coronary Vessels

Vascular Networks

Mouse Intestinal Inflammation, CAM Lymphatic Vessels, Abnormal
Mouse Corneal Angiogenesis

Vascular Tree-Network Composites


Mouse Postnatal Retina

Early Embryonic Coronary Vessels, Juvenile and Adult Leaf Venation

Glenn Research Center

VESGEN Patent Pending


at Lewis Field




Panel to specify vessel type

Main panel

- Image specification
- Algorithm selection
- Process initiation



Dynamic Balance Hypothesis



adapted from Hanahan and Folkman, *Cell* 86(3):353-64 (1996)

Long-Term Translational and Basic Research Hypothesis

Vascular patterning provides integrative, insightful read-out of dominant molecular regulators in complex signaling pathways of angiogenesis and microvascular remodeling

Fractal-Based VESsel GENeration Analysis (VESGEN) Software

Fractal Dimension, D_f


Vessel Number Density, N_v

Vessel Length Density, L_v

Vessel Diameter, D_v

Branchpoint + Endpoint Densities, $Br_v + E_v$

VESGEN Hypothesis: 'Fingerprint' or 'Signature' Vascular Pattern As Integrative Readout of Complex Signaling




The **form** of an object is a 'diagram of **forces**'


- D'Arcy
Thompson




bFGF as Simple Stimulator
Arterio Thromb Vasc Biol 20 (2000)



VEGF as Complexity Factor
Microvascular Research 72 (2006)




TGF- β 1 as Simple Inhibitor
but Complex Potentiator
Microvascular Research 59 (2000)




Progression of Diabetic Retinopathy by Clinical Fluorescein Angiography


Normal



NPDR







PDR
after Laser Ablation



EARLY *Vascular* Nonproliferative DR (NPDR)


LATE *Vascular* Proliferative DR (PDR)




Fractal Dimension (D_f) by Box-Counting (— , ■)




$p = 512$



$p/2 = 256$





$p/4 = 128$




$p/8 = 64$


Vascular Pattern in the Human Retina Is Altered in Early-Stage Diabetes




Mapping of Progressive Diabetic Retinopathy by VESGEN




Angiogenesis Oscillates with Vascular Dropout during Progression of Diabetic Retinopathy



Slight Trend toward Increasing Diameter of Larger Vessels during Progression of Diabetic Retinopathy



Grouping by Vascular Remodeling Status (VRS)




Conclusions on Novel Vascular Disease Biomarkers during Progression of Diabetic Retinopathy

New, surprising discovery on early-stage angiogenesis during moderate NPDR: ***Does the retina retain the capacity to regenerate itself?***


VESGEN as Research Discovery Tool

Are results important for early-stage regeneration in other inflammatory diseases such as diabetic nephropathy and tumors?

© Blood Vessels



VESGEN



Human Retina

Mouse Retina

Vascular Pattern as Informative Biomarker and Integrative Readout of Complex Signaling Pathways for Angiogenesis, Lymphangiogenesis and Other Microvascular Remodeling

© Blood Vessels


Glenn Research Center

VESGEN Patent Pending


at Lewis Field

Gravitational and Space Biology

Publication of the American Society for Gravitational and Space Research




VESGEN mapping of vascular networks with GI inflammatory progression in experimental mouse DSS model




P Parsons and H-C Reinecker, accepted to *Grav Space Biology*
VESGEN Patent Pending

Triamcinolone Acetonide (TA) Steroid Treatment in CAM Vascular Tree




Reviewed in *Anatomical Record* 2009; *Investigative Ophthalmology & Visual Science* 2008


Vascular Networks in Transgenic Mouse Retina





Coronary Vessel Network-to-Tree Transitions






Vickerman et al, VESGEN Review, *Anatomical Record A* 292(3), 2009




Lymphangiogenic Sprouting: By Filopodial Guidance?














E8 VEGF 5



E8 VEGF 1.25














Fig. 7 Parsons-Wingerter *et al.*



e5_a2


Time 0.000 sec





Taxonomic/Phylogenetic Identifiers

Botanical rules for leaf vascular patterning by branching order



^aEllis, Daly, Hickey et al, Manual of Leaf Architecture, 2009

^bRoth-Nebelsick, Uhl, Mosbrugger, Kerp, Annals of Botany 887:553-566, 2001

New VESGEN analysis of leaf venation for *Arabidopsis* with first bioinformatic dimensional analysis










Differentiated Xylem


AtHB8::GUS Expression

Taxonomy & Phylogeny:
Grouping by Venous Branching Orders

Venous Diameter by Distance Mapping

Integrative Bioinformatics:
AtHB8::GUS by Structural & Reticulate Vein Grouping







Glenn Research Center

VESGEN Patent Pending

at Lewis Field



Novel Angiogenesis and Vascular Dropout Biomarkers by **VESGEN**



***Potential New Window of Therapeutic Opportunity
for Early-Stage Regenerative Treatment***

**Surprising Oscillation of Angiogenesis with Vascular Dropout
during DR Progression**

- **First demonstration of angiogenesis during Moderate NPDR**
- **New longitudinal studies with Maria Grant**

© Blood Vessels

Glenn Research Center

VESGEN Patent Pending

at Lewis Field

Acknowledgements

NASA Glenn Research Center

Mary Vickerman MS, Patricia Keith MS, Mark Wernet PhD, Terri McKay BS, Dan Gedeon, Alan Hylton MS, Daniela Ribita MS, Harry Olar BS, Camille Everhart, Dedra Whitfield

University of Kentucky, Preventive Medicine **Krishnan Radhakrishnan MD PhD**

Cleveland Clinic Foundation

Cole Eye Institute- Peter Kaiser MD, Jonathan Sears MD, Quteba Ebrahim MD

Lerner Research Institute- Paul DiCorleto PhD, Unni Chandrasekharan PhD, **Ron Midura PhD**

University Hospitals, Case Western Reserve University

Steven Fisher MD, Hong-Bin Liu PhD, Michiko Watanabe PhD, Ganga Karunamuni BS, Monica Montano PhD

Massachusetts General Hospital, Division of Gastroenterology, Harvard Medical School

Hans-Christian Reinecker MD

Supported by NASA IR&D 04-54, TTP & OCT; NEI/NIDDK R01 EY017529, NSF UWEB

© Blood Vessels

Glenn Research Center

VESGEN Patent Pending

at Lewis Field