



# Development of Logistics for Building Radiation Storm Shelters and their Operational Evaluation

**Jeffrey A. Cerro**

**NASA Langley Research Center, Vehicle Analysis Branch**

Space 2015, 31<sup>st</sup> August – 2<sup>nd</sup> September 2015, Pasadena CA


## The Storm Shelter Project

- A part of NASA's Advanced Exploration Systems (AES) Radiation Works (RadWorks) Project
- This paper summarizes year 3 of the 3 year RadWorks Storm Shelter program
  - FY12 – Trade Space Screening and Concept Selection
  - FY13 – Concept development and Use Definition
  - **FY14 – Complete Concept Development and Usage Evaluation**

# From FY12 Storm Shelter Tradespace Analysis




Blankets, Sleeping Bags, Vests, IVA EVA suits,



Constructed Shelter Deployed Shelter




CQ



Water




Forward Osmosis



Placements



Waste Utilization



Reconfigured and Repurposed


## From FY13 Concept Definition and Development



Reused Logistics in a Temporary  
Centralized Shelter



Crew Quarters Protection with a  
water wall



Study Vehicle – 180 day mission

## FY14 Concept Development and Testing Reusable Logistics (RL) and Crew Quarters (CQ) waterwall





## FY14 Concept Development and Testing Reusable Logistics



## Logistics for Protection - Food Storage Pouches

- Storage of food, trash bricks, misc. items
- 3.9 in. x 8.0 in wide x 7.8 in. high
- Z-Fold single and double column configurations
- Double Column fills width of MCTB



## Logistics for Protection – Contingency Water Containers

- Approx. 3.9 in. dp x 19.0 in wide x 14.2 in. high
- 4.5 gal containers in single column Z-Fold arrangement
- Air filled mockups used in Human Factors evaluations
- 5 cells fill a double MCTB



ISS ICWC



Storm Shelter ICWC




## Logistics for Protection – Cargo Transfer Bags

- Utilization of NASA JSC Logistics to Living Program Modified Cargo Transfer Bags (MCTB's)
- Provides
  - Initial stowage of logistics
  - backing / covering face for logistics placement




# Logistics for Protection – Common Protection Containers


Common Protection Containers (CPC)




Dry Item Storage




Potable Water – PED



Wet Trash Storage



CQ with Pantry Side



Waterwall Feedthru



ISPR Staging area, CPC's MCTB's, misc. logistics


## Logistics for Protection – Miscellaneous items



Thermostabilized food



Storm Shelter “Bulk Overwrap Bag”



Thermostabilized food and Heat  
Melt Compacted Bricks in FSP’s



Staging of FSP packaged  
items in an MCTB

## FY14 Concept Development and Testing Crew Quarters (CQ) Based

- Waterwall and Pantry features
  - Bladder and Positive Expulsion Device Demonstration
- Automated Water Management and Potable Water Dispenser mockup interface





## Waterwall Component Types



Bladder


- 8.0 in. dp. x 14.0 in. high x 30.0 in. wide
- 14.5 gal. capacity




Positive Expulsion Device

- 3.5 in. dp. x 16.3 in. high x 29.8 in. wide
- 6.8 gal. capacity


# Water Wall - Tablet Interface




Main



Manual



Automatic



Status

## Additional CQ operations – Pantry



- Use of common dimension and miscellaneous fill logistics in a CQ Pantry

## Human Factors Evaluation - Process

- NASA LaRC Institutional Review Board approved evaluation process
- 12 teams
  - 6 Two crew teams – RL testing
  - 6 Single crew - RL testing
  - 8 Single crew – CQ testing
- For each experiment
  - ½ provided general guidance and written instructions
  - ½ provided general guidance only



## Human Factors Evaluation – Test Sessions

- 10 and 20 min time proposed as the SPE warning period (desired time to complete shelter build)
- Instructed to behave as if in 0 g environment.
- Consideration given also to shelter quality to balance the time criterion
  - Minimize gaps and poor distribution/placement of protection items
- 3 sessions per experiment run, to assess learning improvement effect

## Human Factors Evaluation - Measures


- Data captured
  - Video data
  - Time on task
  - Reference to instruction
  - Motion data – Actigraphy results

## Human Factors Evaluation – subject evaluations


- Post test questionnaires to quantify crew assessment of shelter builds
  - Temporal demand, acceptability of completion in 10 / 20 mins
  - Mental demand
  - Physical demand
  - Perceived performance
  - Effort
  - Frustration
  - Acceptability
  - Exertion/Discomfort
  - Dexterity Required
  - Envisioned vs evolved assessment
  - Degree of protection (completeness)
  - Appropriateness of instructions
  - CQ software useability

# Human Factors Evaluation - Measurements

## Example factor measurements – Reconfigurable Logistics



*Actigraphy results*




*Acceptability to complete in 20 minutes*




# Human Factors Evaluation - Measurements

## Example factor measurements – Crew Quarters



*Actigraphy results*



*Acceptability to complete in 20 minutes*

## Human Factors Evaluation - Observations

- 20 min build time – acceptable
- 10 min build time – acceptable for 2-Crew Reconfigurable Logistics shelter build, not acceptable for Crew Quarters water wall shelter
- 2-Crew Reconfigurable Logistics shelter build
  - Less physical and mental exertion, more confidence in finished quality
- Certain tasks proceed as well with / without instruction
  - Pantry fill
- Instructions
  - Useful for complex operations
  - can slow operations in intuitive procedures
- Water wall operations
  - Flagged with some degree of ambiguity in the tablet interface
- Repetitive task training definitely shown to improve speed/quality
- Design for Operations – proven as a good practice ( Crew involvement in design features )


## Additional and Future Activities

### Demonstration area integration




- Completed Integration into LaRC 3m dia. X 10m lg. Inflatable Habitat

## Additional and Future Activities



Discrete Event  
Simulation of Mission  
Operations

Upper 95th Percentile REID vs. Effective Dose  
Long missions (365 and 600 days) - Solar maximum GCR environment  
with SPE (August '72 King fit) beyond low Earth orbit (LEO)



Application of REID to  
Concept Development



## RadWorks Outreach in FY14

- Teams at LaRC and JSC participated in filming multiple documentaries for BBC and the Science Channel related to travels to Mars and overcoming challenges of Space Radiation.
- LaRC team presented Shelter Concepts to the new Astronaut Candidates, NASA Chief Scientist, and NASA Advisory Committee throughout the year during center visits.



**New Astronaut Candidates Tour the Storm Shelter Lab**



**The Science Channel Filming the Water Wall Shielding System**

## Conclusions

- Logistics materials and operating equipment fabricated and tested
  - RL (logistics) and CQ (waterwall / logistics)
- Finished components integrated into a demonstration habitat facility available for future taskwork.
- Component shape/size requirements of common dimension are useful, likely a function of chosen habitat design/layout
- Design shelter building for intuitive operations
- Design with increased user involvement as habitat concepts become clearer
- Provide adequate training
- Greater development of validated DES models by operations testing would be a useful habitat design resource
- Influence of Zero gravity desired
  - ISS, neutral buoyancy, parabolic flight

# Acknowledgement - The Storm Shelter Team

- Project Manager – Bobbie Gail Swan NASA / JSC
- Principal Investigator – Eddie Semones, NASA / JSC

Last	First	Responsibility	Supporting Organization
Abston	Lee	HDU CAD model developer	NASA LaRC – Engineering Directorate
Albertson	Cindy	Analyst - CQ Lead	NASA LaRC - Systems Analysis and Concepts Directorate
Andrews	Rob	Fabrication	NASA LaRC – Engineering Directorate
Araiza	Sherry	Resource Analyst	NASA LaRC – Office of the Chief Financial Officer
Castle	David	Design	NASA LaRC – Engineering Directorate
Cerro	Jeff	Technical Lead	NASA LaRC - Systems Analysis and Concepts Directorate
Clark	Terry	Design - Crew Quarters	NASA LaRC – Engineering Directorate
Cloudsley	Martha	Radiation Analysis	NASA LaRC – Research Directorate
Connolly	Heidi	Configuration Management	NASA LaRC Safety and Mission Assurance Office
Gallegos	Adam	CAD modeling	Lockheed Martin Corp.
Hintermeister	Nicole	Scheduling	NASA LaRC Space Technology and Exploration Directorate
James	Sam	Fabrication	NASA LaRC – Engineering Directorate
Jordan	Tommy	Technical Lead	NASA LaRC – Engineering Directorate
Kevin	Krohto	Fabrication	NASA LaRC – Engineering Directorate
Langford	Mike	Design	NASA LaRC – Engineering Directorate
Latorella	Kara	Human Factors	NASA LaRC - Research Directorate
Le Boffe	Vincent	Design/Fabrication	NASA LaRC – Engineering Directorate
McLain	Kevin	Fabrication	NASA LaRC – Engineering Directorate

# Acknowledgement - The Storm Shelter Team

Last	First	Responsibility	Supporting Organization
Moore	David	Deputy Project Manager - RadWorks	NASA LaRC – Engineering Directorate
Moses	Bob	SE&I	NASA LaRC – Engineering Directorate
Neubauer	Ken	Risk Management	NASA LaRC Safety and Mission Assurance Office
Noble	Lee	Systems Engineering and Int	NASA LaRC – Engineering Directorate
Oneil	Teresa	Lab Activities	NASA LaRC – Research Directorate
Piske	Andrew	Configuration Management	NASA LaRC Safety and Mission Assurance Office
Scharf	Shawn	Risk Management	NASA LaRC Safety and Mission Assurance Office
Schneider	Nigel	Design	NASA LaRC Engineering Directorate
Shea	Ed	Risk Management	NASA LaRC Safety and Mission Assurance Office
Simon	Matt	Systems Engineering, Habitat Design	NASA LaRC - Systems Analysis and Concepts Directorate
Singleterry	Robert	Radiation Analysis	NASA LaRC – Research Directorate
Smith	Don	Fabrication	NASA LaRC – Engineering Directorate
Thibeault	Sheila	Radiation/Design Consulting	NASA LaRC – Research Directorate
Tomek	Debi	LaRC Project Manager	NASA LaRC – Space Technology and Exploration Directorate
Vitullo	Nick	Design/Radiation Analysis	NASA LaRC Engineering Directorate
Walker	Steve	Radiation Analysis	NASA LaRC – Research Directorate
Watson	Judith	Reconfigurable Logistics Concept Design	NASA LaRC – Research Directorate
Werner	Jeff	Mechanical/Plumbing	NASA LaRC – Engineering Directorate
Whitlow	Dustin	Design/Radiation Analysis	TEAMS2 - NASA LaRC – Engineering Directorate
Wittkopp	Charles	Design/Radiation Analysis	NASA LaRC – Engineering Directorate
Mclain	Kriss	Fabrication	NASA LaRC – Engineering Directorate
Hester	Jack	Fabrication	NASA LaRC – Engineering Directorate
Guild	Kathryn	Media Services	NASA LaRC - Office of the Chief Information Officer
Lorkiewicz	Rob	Media Services	NASA LaRC - Office of the Chief Information Officer
Tury	Jacob	Fabrication	NASA LaRC – Engineering Directorate
Mayhew	Frank	Fabrication	NASA LaRC – Engineering Directorate



*The World's Forum for Aerospace Leadership*