

# Considerations for the Next Revision of STRS

Presented By: Joe Downey

Authors: Sandra K. Johnson,
Louis M. Handler, and Janette C. Briones
of NASA Glenn Research Center




# Agenda

- STRS Overview
- Tenets and Benefits of STRS
- Considered Updates
  - Clarification for STRS Devices
  - Handle Names and IDs
  - STRS Timing
  - Operating Environment Information
  - SDRs without GPMs
  - Cognitive Radio
  - Acquisition Guidance
  - Standardized Platform Services
- Future Work
- STRS Repository Current and Future Submittals



# What is STRS?




- Space Telecommunication Radio System
- STRS focus: constrained space environment
- STRS architecture: APIs and open HID and HAL



# Tenets and Benefits of STRS

#### STRS architecture and Standard








**Reduces effort to port applications**, especially configuration and control portion. VHDL/Verilog porting effort may still be significant depending on platform differences. Development guidance (e.g. modularity, documentation) supports reuse.

**Reduces vendor dependence** allowing application development by third party on SDR platform.

**Enables parallel development** of platform and application, reducing development time.

#### **STRS** Repository



**Pre-existing code** is available from multiple potential sources.

**Sharing of documentation** across projects reduces effort and improves documents and procedures.

**Knowledge Retention** across projects improves quality.

#### Guidance for SDR Acquisitions



**Guidance on unique SDR/STRS** requirements, development, test approach, and data rights is provided.


**Knowledge gained** on the unique aspects of procuring SDR platforms and applications can be shared among projects.

Specialized Hardware

SSP



### Issue: Use of STRS Devices



## Notional STRS Application and Device Structure

#### **STRS Device Definition**

➤ Extension of an STRS application with a set of unique (non-STRS standard) APIs ➤ Proxy for the data and/or control path to the actual hardware.

#### **Discussion:**


- ➤ Suggestion from commenters: Use standard device APIs to enable device portability across platforms.
- Device portability is not an STRS objective. It may limit platform option and add complexity that might affect performance.

#### Resolution:

- >Add definition and detail in the supporting STRS Handbook, NASA-HDBK-4009, with suggestions that may aid device portability.
- ➤ No changes to the STRS architecture.

# Issue: Uniqueness and Valid Timeframe of Handle Names and IDs





#### **Handle Names and ID**

Defined with STRS\_InstantiateApp()

#### **Discussion:**


Potential problem: reuse of handle IDs for different handle names for different purposes.

#### **Resolution:**

- Description field for STRS\_InstantiateApp() updated to add: Configuration file must specify handle names and it must be unique.
- Section added to STRS Handbook to address suggestion Handle Name time concerns and determination of Handle ID.

# Issue: Standardizing Timing Services using STRS Timing APIs





#### **STRS time APIs**

- Platform provider determines format and use of time contents needed for time stamps and event coordination.
- Must be defined by the mission.

#### Discussion:

Questions arose concerning epoch, timestamps of messages, and use of dependent and independent timers.

#### Resolution:

- A new integer types will be added to allow for varying lengths for STRS\_Seconds and STRS\_Nanoseconds with guidance to prevent rollover for missions with a long operational lifetime.
- Recommendations added STRS Handbook about the use of the STRS time APIs and time conversion tool availability.

## Issue: Ability of Application to Obtain Operating Environment Information



#### **OE** information required by some applications

Application may need current information about the STRS Operating Environment such as version numbers, active applications, resources used and free, and faults.

#### **Discussion**:

STRS\_Query can be used, but without standard handle name and ID for OE, application not portable.

#### Resolution:

New requirement to be added to require a standard handle name and handle ID available to obtain run-time details about the OE with STRS\_Query.



### Issue: Use of STRS in SDRs without General-Purpose Processing Modules

#### Small SDR platforms rely on external system for general purpose processing


➤ STRS requires GPM for STRS API implementation.

#### Discussion:

➤ Compliant and non-compliant approaches to add STRS functionality suggested.

#### Resolution:

➤ This issue will continue to be scrutinized as digital signal processing hardware advances.



#### **Option 1: Distribute functionality**

- Compliant with current version of STRS
- Implement STRS OE on the flight computer.
- Adds burden to flight computer and multiple vendor integration.

## Option 2: Control the SPM using non-STRS methods

- Increases application portability effort.
- Continues to offer advantages over non-STRS SDRs due to other STRS requirements (HAL, test applications, third party development).

#### **Option 3: Control the SPM via the Application**

- SPM respond independently by parsing bits from command stream.
- Same pros/cons as Option 2.

## Issue: Implementation of STRS-compliant Cognitive Radio



#### Cognitive capabilities to be added to future SDRs at NASA


- ➤ SDRs ideal platform for implementing autonomous decision making ability.
- STRS has appropriate methods to implement cognition.

#### Discussion:

Current STRS architecture adds an "adapter" layer between the application layers and the cognitive engine.

#### Resolution:


Concept is currently being studied in a prototype system.






# Cognitive Radio

- The "adapter" layer in the STRS architecture informs the cognitive engine about the radio environment.
- The cognitive engine can learn autonomously from experience and take appropriate actions to adapt the radio operating characteristics.
- Optimize performance under adverse conditions such as
  - mitigating the effects of unplanned interference,
  - maximize the data throughput,
  - reconfiguring due to propagation effects





## Issue: Capturing Acquisition Guidance



#### Mission-specific Guidance

- ➤ Some requirements are based on mission needs not part of the STRS Architecture Standard.
- ➤ Solution: Write the "STRS Project and Acquisition" Guidance" document.

#### **Examples of Content Scope**

- ➤ Data rights (OE, wrapper, application, documentation, source code).
- ➤ Required documentation for SDR procurements.
- >STRS-specific needs for projects (training, compliance, development systems).
- Flexible command and telemetry structure.
- Verification and Validation considerations.
- >Test waveforms.



# Future Work

- Complete updates to identified documents and obtain concurrence. Expected to be completed in FY17.
- Any suggested software changes will be coded and the NASA GRC's reference implementation will be changed accordingly to assure accuracy.
- Continue to capture Lessons Learned for future updates.
- Infusion to promote STRS for use in future flight hardware missions.





### STRS Repository Current and Future Submittals

	Developer	Waveform/Component Description	Data Rights	Submittal Year
mplete or near complete	GRC	✓ STRS Compliance Tools	GPR	FY14
	GRC	✓ GRC GSFC TDRSS (GGT) Waveform for JPL SDR	GPR	FY14, FY15, FY16
	GRC	Harris SDR Capture Test Waveform	GPR	FY15
	JPL	✓ Short Blocklength LDPC Codes for SDRs	GPR	FY15
	JPL	✓ General Purpose LDPC Codes for SDRs	GPR	FY15
	GRC	✓ Reconfigurable Bandwidth-Efficient Transmit Waveform for High-rate Telemetry	GPR	FY15/FY16
	JPL	✓ OE & Test Waveform Applications	GPR	FY15/FY16
	GRC	✓ STRS Reference Implementation	GPR	FY16
	GD	Baseline S-band TDRSS waveform software	Limited	FY14
	Harris	Baseline Ka-band TDRSS waveform software	Limited	FY14
In develop	GRC	SNR estimator component	GPR	FY16
	GRC	ACM component	GPR	FY16
	JPL	~15 components and 10 waveforms	GPR	FY15-FY18
	Comm Largo*	Scintillation-Hardened GPS waveform	Open	FY16
	GRC	VCM component	GPR	FY16
	GRC	DVB-S2 waveform	GPR	FY16-FY18
	Virginia Tech	Signal Classification and Interference Mitigation component	GPR	FY16/17
	Worcester Polytechnic	Intelligent Media Access Protocol component	GPR	FY16/17
	GRC	Cognitive Engine on an SDR	GPR	FY17

GPR = Government Purpose Rights

www.nasa.gov

14

<sup>\*</sup> Additional funding for development needed