

Becoming Earth Independent: Human-Automation-Robotics Integration Challenges for Future Space Exploration



Overview



- Current NASA Human Spaceflight Mission Operations
 - Mission Control Center
 - Automation & Robotics
- Planetary/Mars Human Missions & Operations
 - Game Changers
 - Avoiding Pitfalls
- Future Challenges: Automation & Robotics
 - Key future research







Basic Facts: ISS

NASA

- ~150 miles above
- Orbiting Earth every 90 min
- 8 buses wide (1 football field)

- Construction for 10 years
- Built in space by people
- Solar powered





To and From the Space Station







Mission Control Center Support





Ground-Crew Daily Operations

















Frequent Resupply Spacecraft





Timelapse Video of Cygnus Release: http://youtu.be/-dtOS-oavGg



Robotic Arm Operations









Special Purpose Dexterous Manipulator (SPDM)




Dextre (SPDM)

- Two, seven-jointed robotic arms.
- Used for "outside" maintenance.

Choreographed from ground.


- Designed & implemented knowing that timelines would be excessive and beyond available crew resources.
- Uses automated sequences commands.
- Has limited ability to respond to real-time anomalies, requiring day/s to re-plan.





Journey to Mars





How will human spaceflight operations evolve?

Missions will be more complex







Many required space assets




Before ever launching people

- Launching space assets
- In-situ propellant generator
- Ascent vehicle
- Surface habitat
- Robots
- Power supply
- Communication Infrastructure

Sending astronauts

- Spacecraft to launch from Earth
- On-orbit transit spaceship
- Descent vehicle
- Mars-orbiting spacecraft
- Spacesuits
- Rovers
- Spacecraft to return to Earth











Communication Limitations






Limited Data Bandwidth







Credits: NASA JPL 18


What does the future hold?



Game-changers:

- Fewer crewmembers
- Farther away destinations
- Longer duration missions
- Variant, intermittent communication delays
- Crew autonomy
- Less ground support






More automation & robotics

The challenge of good human and automation/robotics integration



Introducing new automation/robotics is not as easy or simple as it sounds.





Credit: MIT Instrumentation Laboratory Report (circa 1960s)

Wondering since 1950s ...Fitt's List



Attribute	Machine	Human
Speed	Superior	Comparatively slow
Power output	Superior in level in consistency	Comparatively weak
Consistency	Ideal for consistent, repetitive action	Unreliable, learning & fatigue a factor
Information Capacity	Multi-channel	Primarily single channel
Memory	Ideal for literal reproduction, access restricted and formal	Better for principles & strategies, access versatile & innovative
Reasoning Computation	Deductive, tedious to program, fast & accurate, poor error correction	Inductive, easier to program, slow, accurate, good error correction
Sensing	Good at quantitative assessment, poor at pattern recognition	Wide ranges, multi-function, judgment
Perceiving	Copes with variation poorly, susceptible to noise	Copes with variation better, susceptible to noise

Benefits and Consequences of Automation & Robotics



Benefits Consequences Aeronautics Increased Military capabilities Changing **Nuclear Power** Increased nature of work efficiency Unexpected Space vulnerabilities Lower workload

Evidence from Research



What We Imagine





Credit: Marvel Studios, Iron Man & The Avengers

Reality Check

- Using Automation may lead to:
 - Inability to maintain mode awareness
 - Decreased situation awareness
 - Mode-related errors
 - Skill degradation
 - Inappropriate knowledge acquisition
 - Lack of trust (disuse of automation)
 - Complacency and system overreliance
 - Errors of omission and commission
 - Decision/automation bias

No Magic Bullet/Solution




- "New technology does not remove human error.

 It <u>changes</u> it." (Dekker, 2006)
- Automation is only as good as we build it.
 - It inherently is imperfect and incomplete, because our knowledge of complex, new system behavior & extraterrestrial environments is incomplete.
- Humans are often considered the primary backup.
- Balancing Act: increase needs for capabilities that automation and robotics affords while mitigating consequences.
 - Better recovery from automation failures when the level of automation during the task involved human interaction. (Endsley & Kiris, 1995)
 - Increasing amount of automation supports routine system performance and workload, but negatively affects failure system performance and situation awareness. (Onnasch et al., 2013)



What does the future hold?






Enabling Crew Autonomy



- How to do enable crew to work and problem-solve autonomously from ground support?
- Advanced training and procedure execution support
 - Internet of things?
 - Augmented reality?
 - Motion tracking?
- Crew self-scheduling
 - Current work, includes providing astronauts flexibility to manage own schedule.



Advanced Automation and Robotics



- How do we enable monitoring and commanding of <u>different</u> <u>types</u> of robot agents, at <u>different distances/latencies</u>, with varying levels of capabilities?
- Advanced Automation & Robotics must:
 - Enable safety
 - Increase capabilities
 - Increase crew efficiency
- Human Exploration
 Telerobotics Project: Video



Streamlining Command & Control of Space Assets



 How do we reduce the number of people required to command and control all the required space assets?

Rovers/Landers on Mars


 Operations are open-loop, where the human must send sequences of commands rather than act on fed-back information in real-time due to the long signal time delays between Earth and Mars.

Commands to ISS

- Space Station is monitored & commanded by a team of flight controllers, each with their specialization.
- Everything from power management to attitude control.



Mars Science Lab Scientists & **Engineers Planning A Day**



NASA Mars Mission



ISS Mission Control Center, Front Room

Human-Automation-Robotic Integration Challenges

Under time-delayed, intermittent, limited bandwidth communication:

- Tele-operations and autonomous commanding of robotic agents at variant distances
- Supervisory control of complex, automated vehicle systems
- Commanding variety of mixedagents, different types of automation & robotic agents





Enabling crew autonomy:

- Human-robot team coordination
- Flexible scheduling and planning
- Training and procedure support



Summary





- Game-changers will shift the way we do future human spaceflight operations.
- NASA will have to build upon & go beyond its existing human spaceflight operational experience, which has heavily relied on ground control support.
- NASA will have to infuse existing automation/robotic technology, which <u>need to be validated</u> in safety-critical context.
- Future human spaceflight will be more than developing automation/robotic technology it will have to be about integrating these technologies with people.



QUESTIONS

Robotic Arm Animation, Releasing Dragon





Robotic Workstation, Closeup





Mars Rover Videos



• Targeting the arm





