Open-Loop Flight Testing of COBALT GN&C Technologies for Precise Soft Landing

John M. Carson III[1,3,*], Farzin Amzajerdian[2,†], Carl R. Seubert[3,‡], Carolina I. Restrepo[1,§]

[1]*NASA Johnson Space Center (JSC),* [2]*NASA Langley Research Center (LaRC),*

[3]*Jet Propulsion Laboratory (JPL), California Institute of Technology,*

A terrestrial, open-loop (OL) flight test campaign of the NASA COBALT (CoOperative Blending of Autonomous Landing Technologies) platform was conducted onboard the Masten Xodiac suborbital rocket testbed, with support through the NASA Advanced Exploration Systems (AES), Game Changing Development (GCD), and Flight Opportunities (FO) Programs. The COBALT platform integrates NASA Guidance, Navigation and Control (GN&C) sensing technologies for autonomous, precise soft landing, including the Navigation Doppler Lidar (NDL) velocity and range sensor and the Lander Vision System (LVS) Terrain Relative Navigation (TRN) system. A specialized navigation filter running onboard COBALT fuzes the NDL and LVS data in real time to produce a precise navigation solution that is independent of the Global Positioning System (GPS) and suitable for future, autonomous planetary landing systems. The OL campaign tested COBALT as a passive payload, with COBALT data collection and filter execution, but with the Xodiac vehicle Guidance and Control (G&C) loops closed on a Masten GPS-based navigation solution. The OL test was performed as a risk reduction activity in preparation for an upcoming 2017 closed-loop (CL) flight campaign in which Xodiac G&C will act on the COBALT navigation solution and the GPS-based navigation will serve only as a backup monitor.

I.   Introduction

Introduction will discuss the NASA need for Precision Landing and Hazard Avoidance (PL&HA) technologies for future, prioritized solar-system destinations (robotic and human missions), as well as provide an overview for the COBALT project and how it fits within the NASA PL&HA technology development roadmap.


Figure 1.   GN&C landing system capabilities enabled with PL&HA technologies.

*[*]COBALT PM, JSC-IPA, AIAA Associate Fellow.
[†]NDL Chief Scientist, LaRC Team Lead, AIAA Member.
[‡]COBALT SE&I, JPL Team Lead, AIAA Senior Member.
[§]COBALT Deputy PM.

II.   COBALT Platfrom Overview

A high-level overview of the hardware components within the COBALT platform.


Figure 2. CAD models of COBALT payload (left) and Xodiac vehicle (right).

Figure 3. Images of the fully-integrated COBALT payload hardware

III.   Flight Campaign Concept of Operations

Overview of the flight campaign ConOps and the Xodiac vehicle.

Figure 4. Xodiac Illustration and Free-Flight Image (photo credit: Masten).

IV.   Pre-Campaign Ground Tests

Discussion of some of the pre-campaign ground testing that occured in preparation for integration of the COBALT platform onto Xodiac.


Figure 5. Swing Tests (left), PIP tests (center), Driving Tests (right)

V.   Open-Loop COBALT Performance

Overview of the COBALT performance, navigation filter highlights, and data analysis.

VI.   Revisions and Steps to Closed-Loop

Discussion of post-test revisions in work and plans for closed-loop flight test campaign

Acknowledgments

References

[1] Carson III, J. M., Seubert, C. R., Amzajerdian, F., Villalpando, C. Y., Bergh, C., O'Neal, T., Robertson, E. A., Hines, G. D., and Pierrottet, D. F., "COBALT: a Payload for Closed-Loop Flight Testing of ALHAT GN&C Technologies on Terrestrial Rockets," *Proc. AIAA Space 2016 Conference & Exposition*, Long Beach, CA, September 2016.

[2] Epp, C. D., Robertson, E. A., and Carson III, J. M., "Developing Autonomous Precision Landing and Hazard Avoidance Technology from Concept through Flight-Tested Prototypes," *Proc. AIAA GN&C Conference*, AIAA 2015-0324, Kissimmee, FL, Jan. 5–8 2015.

[3] Epp, C. and Smith, T., "The Autonomous Precision Landing and Hazard Detection and Avoidance Technology (ALHAT)," *Proc. Space Technology and Applications International Forum (STAIF)*, 2007.

[4] Epp, C., Robertson, E., and Brady, T., "Autonomous Landing and Hazard Avoidance Technology (ALHAT)," *Proc. IEEE Aerospace Conference (AEROCONF 2008)*, March 2008.

[5] Carson, J. M., Bailey, E. S., Trawny, N., Johnson, A. E., Roback, V. E., Amzajerdian, F., and Werner, R. A., "Operations Concept, Hardware Implementation and Ground-Test Verification of a Hazard Detection System for Autonomous and Safe Precision Lunar Landing," *AAS/AIAA Astrodynamics Specialist Conference*, AAS 13-856, Hilton Head, SC, Aug. 11–15 2013.

[6] Trawny, N., Huertas, A., Luna, M. E., Villalpando, C. Y., Martin, K., Carson, J. M., Johnson, A. E., Restrepo, C., and Roback, V. E., "Flight testing a Real-Time Hazard Detection System for Safe Lunar Landing on the Rocket-Powered Morpheus Vehicle," *Proc. AIAA GN&C Conference*, AIAA 2015-0326, Kissimmee, FL, Jan. 5–8 2015.

[7] Carson III, J. M., Robertson, E. A., Trawny, N., and Amzajerdian, F., "Flight Testing ALHAT Precision Landing Technologies Integrated Onboard the Morpheus Rocket Vehicle," *Proc. AIAA Space 2015 Conference & Exposition*, Pasadena, CA, August 2015.

[8] Trawny, N., Benito, J., Tweddle, B., Bergh, C. F., Khanoyan, G., Vaughan, G. M., Zheng, J. X., Villalpando, C. Y., Cheng, Y., Scharf, D. P., Fisher, C. D., Sulzen, P. M., Montgomery, J. F., Johnson, A. E., Aung, M., Regehr, M. W., Dueri, D., Açikmeşe, B., Masten, D., O'Neal, T., and Nietfeld, S., "Flight testing of terrain-relative navigation and large-divert guidance on a VTVL rocket," *Proc. AIAA SPACE 2015 Conference & Exposition*, August 2015.

[9] Scharf, D., Regehr, M., Dueri, D., Acikmese, B., Vaughan, G., Benito, J., Ansari, H., Aung, M., Johnson, A., Masten, D., Nietfeld, S., Casoliva, J., and Mohan, S., "ADAPT Demonstrations of Onboard Large-Divert Guidance with a VTVL Rocket," *Proc. IEEE Aerospace Conference*, March 2014.

[10] Johnson, A., Bergh, C., Cheng, Y., et al., "Design and Ground Test Results for the Lander Vision System," *36th Annual AAS Guidance and Control Conference*, AAS 13-042, Breckenridge, CO, Feb. 1–6 2013.

[11] Johnson, A. E., Cheng, Y., Montgomery, J., Trawny, N., Tweddle, B., and Zheng, J., "Real-Time Terrain Relative Navigation Test Results from a Relevant Environment for Mars Landing," *Proc. AIAA GN&C Conference*, AIAA 2015-0851, Kissimmee, FL, Jan. 5–8 2015.

[12] Johnson, A. E., Aaron, S., Cheng, Y., Montgomery, J., Trawny, N., Tweddle, B., Vaughan, G., and Zheng, J., "Design and Analysis of Map Relative Localization for Access to Hazardous Landing Sites on Mars," *Proc. AIAA GN&C Conference*, AIAA 2016-0379, San Diego, CA, Jan. 4–8 2016.

[13] Amzajerdian, F., Pierrottet, D., Petway, L., Hines, G., and Barnes, B., "Doppler lidar sensor for precision navigation in GPS-deprived environment," *Proc. International Society for Optics and Photonics (SPIE)*, June 2013.

[14] Pierrottet, D. F., Amzajerdian, F., Petway, L. B., Hines, G. D., and Barnes, B., "Field Demonstration of a Precision

Navigation Lidar System for Space Vehicles," *Proc. AIAA Guidance, Navigation, and Control Conference*, Boston, MA, August 2013.

[15]Amzajerdian, F., Pierrottet, D., Hines, G., Petway, L., and Barnes, B., "Fiber-based Doppler Lidar Sensor for Vector Velocity and Altitude Measurements," *Frontiers in Optics 2015*, OSA Technical Digest, 2015.

[16]Amzajerdian, F., Hines, G. D., Petway, L. B., Barnes, B. W., and Pierrottet, D. F., "Development and Demonstration of Navigation Doppler Lidar for Future Landing Mission," *Proc. AIAA Space 2016 Conference & Exposition*, Long Beach, CA, September 2016.

[17]Steering Committee for NASA Technology Roadmaps; National Research Council of the National Academies, *NASA Space Technology Roadmaps and Priorities: Restoring NASA's Technological Edge and Paving the Way for a New Era in Space*, The National Academies Press, 2012.

[18]Office of the Chief Technologist, *2015 NASA Technology Roadmaps*, NASA, 2015.

[19]Hebert, P., Ma, J., Borders, J., Aydemir, A., Bajracharya, M., Hudson, H., Shankar, K., Karumanchi, S., Douillard, B., and Burdick, J., "Supervised Remote Robot with Guided Autonomy and Teleoperation (SURROGATE): A framework for whole-body manipulation," *Proc. IEEE International Conference on Robotics and Automatic (ICRA)*, May 2015.

[20]Karumanchi, S., Edelberg, K., Baldwin, I., Nash, J., Reid, J., Bergh, C., Leichty, J., Carpenter, K., Shekels, M., Gildner, M., Newill-Smith, D., Carlton, J., Koehler, J., Dobreva, T., Frost, M., Hebert, P., Borders, J., Ma, J., Douillard, B., Backes, P., Kennedy, B., Satzinger, B., Lau, C., Byl, K., Shankar, K., and Burdick, J., "Team RoboSimian: Semi-autonomous Mobile Manipulation at the 2015 DARPA Robotics Challenge Finals," *Journal of Field Robotics Special Issue: DARPA Robotics Challenge (DRC)*, 2015.