FLIGHT PROJECTS DIRECTORATE

CROSS-CUTTING RISK FRAMEWORK: MINING DATA FOR COMMON RISKS ACROSS THE PORTFOLIO



GERALD A. KLEIN, JR. VAL RUARK



IEEE 2017 AEROSPACE CONFERENCE





OVERVIEW

- Background
- Concept
- Approach
- Initial Findings
- Success and Failures
- Results
- Lessons Learned




BACKGROUND

- The National Aeronautics and Space Administration (NASA) defines risk management as an integrated framework, combining risk-informed decision making and continuous risk management to foster forward-thinking and decision making from an integrated risk perspective; therefore, decision makers must have access to risks *outside of their own project* to gain the knowledge that provides the *integrated* risk perspective.
- In the Summer of 2013, through the Goddard Space Flight Center (GSFC) Flight Projects Directorate (FPD) Business Change Initiative (BCI), discussions began to integrate project risks into one repository to facilitate access to risk data between projects, the cross-cutting risk framework (CCRF) team was formed
- The creation of the consolidated risk repository, in parallel with the initiation of monthly FPD risk managers and risk governance board meetings, are now providing a complete risk management picture spanning the entire flight projects portfolio



BUSINESS CHANGE INITIATIVE


The Business Change Initiative (BCI) is a comprehensive evaluation of program planning and control (PP&C), as well as programmatic communication and information sharing mechanisms to improve cost, schedule, and overall performance across the Flight Projects Portfolio





GETTING OFF THE GROUND

FPD sponsored the effort as part of the BCI, enlisting the help of GSFC's Safety and Mission Assurance Reliability Office to define, design, develop, and deploy an approach to streamline the process of identifying "cross-cutting" risks



FLIGHT PROJECTS DIRECTORATE

FEASIBILITY STUDY


1111111111111

A cross-cutting Excel Workbook was developed, structured around the guidance provided in the NASA Risk Handbook. Historic and current risks were downloaded from select project risk registers. Individual risks were categorized; 1,130 unique risks on 5 projects were used to develop a proof of concept. Filters were designed to quickly narrow the field of risk information for detailed cross-cutting review and analysis to identify:

- Tactical opportunities for improving mitigation process at the portfolio level
- Strategic opportunities for identifying system improvements

The results of a feasibility study assisted to identify critical next steps:

- Determine a home for the data
- Launch RM focus group meetings
- Request data from all FPD programs/projects
- Organize the data for further use
- Establish a repeatable, monthly process for the cross-cutting risk framework (CCRF)







APPROACH

The data would be maintained through the creation of a monthly collection of month-end risk register submissions from all program/projects; a CCRF monthly process was established:

Project schemale
Annual Content
Contraction of the local division of the loc

Initial data entry was completed in the FPD crosscutting risk database for the FPD mission portfolio by the **FPD front office**; all project were organized under their respective division office and line of business; milestone dates were inserted from the FPD master schedule and MSR reporting

0	1		
	6	-	7
I			

Risk data is exported from project risk registers monthly and saved in a Microsoft Excel format; *the project* uploads into a document library as part of the monthly project tagup/MSR process

	Ē	4
7	ł	-

The FPD SharePoint administrator initiates input from the document library into the FPD crosscutting risk database; the database recognizes all new and updated risk entries to formulate a report for the independent risk lead(s)



The *independent risk lead(s)* categorizes all risks noted in report (new and updated) into appropriate "departure" and "asset" categories and saves in the FPD cross-cutting risk database

FPD Risk Community of Practice uses data to run queries on risk information and formulate monthly risk reports for the FPD risk governance board The FPD governance board meets at month-end to review monthly risk report from FPD Risk Community of Practice; results are shared at FPD Program Managers Staff and the top cross-cutting risks are reported at the last Wednesday Weekly Tag-up

2017 IEEE Aerospace Conference

0

All monthly reports are archived and accessible by FPD program/project leadership; database accessibility remains open with controlled access to FPD leadership throughout the monthly process to run individual reports and data queries; FPD front office maintains the database



CROSS-CUTTING RISK DATABASE V.1

Controlled Access


- Identified user groups (editorial, contribute, and read-only)
- Monitored use by user
- Logged and tracked monthly updates

Accessibility

- Availability of cross-cutting risk data to FPD leadership and risk managers
- Visibility into risk management planning and lessons learned

Analysis


- Features to trend and benchmark against other risks, projects, and lines of business
- Queries and reports to drill into related risks to identify cross-cutting trends
- Dashboards to assess the current risk posture of the flight projects mission portfolio





ASSET AND DEPARTURE HIERARCHY

Data organization began with grouping by FPD division, followed by program and project; for the next level of risk organization, the team grouped risk data into two major categories, Assets and Departures, as suggested in NASA Risk Management Handbook, Section 4.3.3.1.1 Cross-Cutting Risks





NASA

MINING DATA FOR COMMON RISKS ACROSS THE PORTFOLIO

INITIAL FINDINGS

Early results allowed the team to convey common risks across multiple projects. Searches on risk type (cost, schedule, technical) produced initial findings

External 2 53 37 Political BDSCOVR 2 **Risk Summary Data** FY14 Sequestration DSC055 Watch 1/22/2014 Phase C Reduction Count of risks \geq Mechanical Ground DSCO65 Watch 11/27/2013 Phase C Support Equipment needed for TVAC % budget at risk \geq FI GOES-R Budgeted \$ at risk Flight \geq E GOES-R Ground **Risk details** \triangleright E GPM FICESat-2 Change of GPS ICESat-2-Close 2/28/2011 Phase B Filtered by (any or all combinations) to signal structure on RISK-MISSION-1.2 0052 **Uncover Commonalities** Continuing ICESat-2-1/7/2011 Phase B Resolution Funding ISSUE-3 Levels of Departure Drill MISSION-Down JPSS-1 m JPSS-2 3 Levels of Asset Detail Drill **⊞ JWST** Down B MAVEN External 107 9/26/2012 Phase D Date opened Programmatic Instability (Schedule) **Project Phase Opened** Lockheed Martin 101 Watch 4/5/2012 Phase D **Project Name** Pension Harmonization Risk state (Open, Closed) 106 Watch 9/14/2012 Phase D Sequestration or Other External Programmatic

CROSS-CUTTING > DEPARTURES > EXTERNAL > POLITICAL > <u>SEQUESTRATION/CR FUNDING</u>

Instability (Funding)



AUTOMATING THE SEARCH FOR CROSS-CUTTING RISKS

- The "Independent Risk Team" was established to leverage all the risk data in one location; the Team focused on:
 - Automating the search for cross-cutting risks
 - Identifying trends, strengths, weaknesses, and opportunities
 - Providing monthly briefings to FPD and SMA management, and soliciting feedback
- Initial analysis revealed a high percentage of risks being classified as "Other;" this caused the Team to re-examine the categorization approach from a "clean-slate" perspective
- In parallel, commercial-off-the-shelf (COTS) data analysis software packages were evaluated; open-source word count software was identified and evaluated
- Approach to prototype the word count function in the SharePoint CCRF tool was approved; a prototype was developed based on a Team brainstorming session





WORD COUNT FUNCTION

The word count concept: if the user is not sure what word they need to use for their database search, they could view a list of words found in the database, listed in order of frequency, with the most common words at the top of the list

How many diff words?
Risk I A B C D E F Word Count
Risk 2 CDW X AB 4/6 B [projection] 100 Risk 3 0/6 W Schoolate 95
Pick 3800. 16 Solfract
Test Vicinin Timp
Kist = 70 Text Thraste Vacuum Literal Strongen A Everything!
l'o Everything!

WORD COUNT FUNCTION BRAINSTORMING WHITEBOARD



CHALLENGES

- Initial word count results revealed the extent of the challenge: the number of different words contained in the collection of project risks was overwhelming
- Since guidance to the projects had not included standard nomenclature, use of a single word may, or may not, return the desired results
- The Team determined that the word count function would benefit from "inclusion" and "exclusion" lists to return results from synonyms similar to Google searches

Word/Phrase Search	Results
project integration and test phase	Integration and Test Integration & Test I&T I and T InT Integration Test
valve	pyro valve ball valve cutoff valve isolation valve pyrotechnic valve shutoff valve shut-off valve cut-off valve



PROJECTS DIRECTORATE

SharePoint

mmmmm

FLIGHT

BROWSE PAGE

Klein, Gerald A. (GSFC-470.0)[SGT INC] - 🌼 🤶

SHARE []





REEXAMINING THE CATEGORIZATION TECHNIQUE

- Too many risks ending up in the "Other" category; the original Assets and Departures approach was re-examined; the categories needed to more closely mirror the GSFC workflows
- Project work breakdown structures (WBS) were compared to Asset and Departure categories; a risk breakdown structure based on the project's WBS was deemed to be an improvement
- After drafting a prototype, the Team solicited feedback from other RM subject matter experts; through this collaborative effort, established the replacement data structure for evaluation
- The last set of new risks was chosen to be the test data for the evaluation; the Team met to collectively categorize the approximately 30 new risks
- The result was unexpected: the Team was having the same difficulty categorizing the risks as they had had when using the Asset and Departure structure
- The risks were written in a manner that allowed any analyst to bin them in more than one category; time after time, if there were four analysts reviewing a new risk, each of them would select a different category
- The Team concluded that, since there had not been any restrictions on nomenclature, the data was too random to categorize consistently; often the terminology used in risk titles, risk statements, and context statements was inconsistent

FLIGHT PROJECTS DIRECTORATE





Tier 1	Tier 2	Tier 3	Tier 4	Tier 5	Tier 6	
			Blanket			
		Thermal	Radiator			
			Heat Shield			
			Heater			
			Interface			
			Cooling System	Cryogenic Dewar		
				Cryocooler		
			Connector			
				Power		
		Cable/Harness	Harness	1553		
				Spacewire		
		Spacecraft Latch Latch Hinge Gimbal Gimbal Deployables Deployables	Latch			
			Hinge			
			Mechanisms	Bearing		
	Spacecraft		Deployables			
		Comm	Antenna			
	Comm Flight SW Structure		Transmitter/Rec			
			Power Amp			
			Switch			
			Waveguide			
		Flight SW	Cadiaa	Validation Testing		
			Flight SW	Coding	Varification Testing	
			Maintenance & Sustainment			
			Design			
		C 1 1 1	Fabrication			
		Assembly				
			Interface			
Observatory/Host				Structural	•	
				Accoustic		




USE OF KEY WORDS WAS EXPLORED

- It is standard practice to assign key words to configuration-controlled documents as a method of simplifying searches for like items; assignment of key words to the CCRF risks was evaluated
- By now, the Team was wary of adding any CCRF tool automated functionality (essentially creating a word exclusion list for each risk automatically during the ingest process) without first validating the concept; the Team tested the concept on known cross-cutting risks
- The Team removed extraneous words in each risk, then compared the correlation of remaining words; the expectation was a correlation above 50 percent (greater than a coin-flip)
- The test was performed on two pairs of cross-cutting risks; the first pair yielded only a 20-30 percent word correlation and the second pair yielded a slightly *lower* correlation
- When the experiment was repeated between a set of risks chosen completely at random; the results were almost identical to the comparison of known cross-cutting risks
- The Team concluded that this was another case of the data randomness hindering efforts to automate the search for cross-cutting risks
- The evaluation of COTS analysis packages fared no better, even those with "neural network" capabilities (using algorithms to identify underlying data relationships in a way the human brain would use in a manual analysis process)



CROSS-CUTTING RISK DATABASE V.2

Today, there are 3,793 risks in the database with a total of 325 issues





RESULTS

Nineteen risk managers participate in sending risk registers to be included in the database. By September 2016, we had completed 13 risk manager meetings and 13 Risk Governance Board meetings that discussed commonalities that appeared across program/project risks monthly and strategize additional improvements.

The process has already begun using the forums to educate GSFC's RM community about the benefits of:

- ✓ Standard nomenclature
- ✓ Consistency with the risk title, risk statement, and context statement in each risk record
- ✓ Use of key words assigned by the program/project risk manager in each risk record

This education has been integrated into NASA GSFC "ABC's of Risk Management" training course, and risk managers are being encouraged to integrate it into their program/project-specific RM training material





LESSONS LEARNED

- It is a difficult, time consuming task to analyze very large data sets that have significant randomness and independent processes – *it requires a phased strategy with flexibility to tailor to kick-start the analysis and collect a complete data set*
- Organizations will benefit from having all project risk data in one database, minimally in a single, common repository
- The process of organizing data is too subjective "after-the-fact" than when it is originally written – key words should be assigned to each risk by the project risk manager
- The development of automatic analysis reports produced minimal results due to complex customization *search and word count functions from standard nomenclature in project data does benefit analysis to seek consistency and commonalities between risks (e.g., titles, statements, and classifications)*
- Commercial software becomes increasingly ineffective as data randomness increases *tools* should be designed around unique organizational requirements to leverage large amounts of RM information and assist in making effective, risk-informed decisions
- RM forums remain the most effective method of identifying cross-cutting risks

PROJECTS DIRECTORATE



MINING DATA FOR COMMON RISKS ACROSS THE PORTFOLIO

TERMINOLOGY

- Portfolio the collection of FPD-managed missions; projects with FPD-held program authority, yet externally managed; projects with FPD-provided instrument contribution, yet externally managed; and FPD projects that are developed in-house to include spacecraft, instrument, or both
- Portfolio-level analysis strategic and tactical examination of the elements of FPD's mission portfolio by categorizing the missions by lines of business (grouping like projects and programs)
- **Cross-cutting risk** an individual risk with attributes and impacts found in multiple levels of the organization, or in multiple organizations within the same level
- **Departure** a statement about what might occur at a future time, a possible change from the (Agency, program, project, or activity) baseline project plan; it is the uncertainty in the occurrence or non-occurrence of the departure that is the initially identified source of a risk
- Asset an element of the organizational unit portfolio, analogous to a work breakdown structure (WBS); assets represent the primary resource that is affected by the individual risk



AUTHOR INFORMATION



Gerald (Jerry) Klein functions as NASA Goddard Space Flight Center Flight Projects Directorate's risk management discipline lead and subject matter expert, the Joint Polar Satellite System Program risk manager, and the Instrument Projects Division risk management lead across their extensive instrument project portfolio, and teaches Center-wide risk management courses

Gerald.A.Klein@nasa.gov



Val Ruark (Lunz) is a business integration manager for NASA Goddard Space Flight Center's Wallops Flight Facility. Previously, she was the Special Assistant to the Flight Projects Directorate at NASA Goddard Space Flight Center. She was the integration manager for the Business Change Initiative and led a cross-functional team responsible for implementing project planning and control practices across various disciplines

Val.Ruark@nasa.gov