# Validation Process for LEWICE by Use of a Naviér-Stokes Solver

William B. Wright Vantage Partners, LLC

**Christopher E. Porter NASA Glenn Research Center** 

**June 6, 2017** 




#### **Outline**

- Validation History
- LEWICE-Pointwise-FUN3D Script
- Validation Process
- Results



#### **Validation History**


- Many icing Codes Use a Small Set of Cases for Validation
- Typical Shape (below) from Tunnel Calibration Test
- 46 tracings available
  - Warm Glaze Shows Wide Variation in Experiment Shapes





#### **Geometric Validation**

 Previous LEWICE Validations Were Limited to Geometry Comparison (THICK Utility)



# **Glenn Research Center**



#### **Revised Validation**

- Perform Geometric Comparisons as Before
- Perform Naviér-Stokes Calculations On Tracings from Experiment and LEWICE Predictions
  - 12 conditions (all large glaze ice shapes)
  - Compare lift and drag (AOA from -6° to 8°)
- Three Conditions have Experimental Aero Data
  - Compare CFD to experiment
  - Show variation in aero performance
    - Repeat shapes
    - Variation of shape along span
    - Smoothing
- Solutions performed with NASA FUN3D
  - Wilcox 2006 turbulence model




#### **Conditions**

Airfoil	Chord (m)	Air Speed (m/s)	AOA (deg)	Total Temp (° C)	LWC (g/m <sup>3</sup> )	MVD (µm)	Time (s)	Mach	Re*10-6
NACA0012	0.53	102.9	4	-5.6	1.8	30	360	0.32	4.40
NACA0012	0.91	77.1	0	-8.3	1	15	1224	0.24	5.67
NACA23012	0.46	102.9	2	-2.2	0.75	15.4	300	0.31	3.68
NACA23012	1.83	90.0	2	-5.0	0.94	15	600	0.28	13.03
BizJet	0.30	139.4	0	-7.9	1.12	19	138	0.44	3.58
BizJet	0.46	88.4	0	-6.1	1.47	29	240	0.27	3.22
BizJet	0.61	89.4	0	-6.0	1.3	35	360	0.27	4.34
BizJet	0.61	89.4	0	-13.0	1.27	43	360	0.28	4.57
BizJet	0.91	90.0	6	-0.8	0.54	20	1350	0.27	6.32
NLF0414	0.91	66.9	2	-3.1	0.54	20	1350	0.20	4.71
LTHS	0.91	130.2	0	-1.4	0.563	21	1476	0.40	9.47
NACA0015	0.35	95.2	0	-5.5	0.75	19	600	0.29	2 68




## Sample Grid





## Sample Grid



# **Glenn Research Center**




#### Validation Results


- **Geometric Differences between LEWICE and Experiment Less Than Experimental Variability of Full Database**
- **Geometric Differences of Experimental Shapes Chosen Relatively Small**


#### Glenn Research Center



## HF1009536 Aero Comparison










# **Glenn Research Center**

Page 10

#### HF1009536












#### **HF1009536 Repeatability**










at Lewis Field




#### **ED073536 Aero Comparison**









#### ED073536










at Lewis Field



## **ED073536 Repeatability**












#### AF1181836









#### HE1080536












#### HD1075636








#### **Mach Contours for HD1075636**






#### **Mach Contours for HD1075736**



# **Glenn Research Center**




#### **Mach Contours for HD1075936**



## **Glenn Research Center**



## **Mach Contours for Corresponding LEWICE Shape**





#### **Conclusions**

- LEWICE model updated to include additional grid options
- New python script allows user to run hundreds of cases with or without Naviér-Stokes
- Geometric comparison shows good agreement with Experiment
- This study suggests that geometrically similar shapes can produce different performance characteristics
- Lift and drag calculations of ice shapes show favorable agreement with experiment

