

NASA

Introduction

GHAPS is a Mission to Launch a Reusable, 1-M Balloon Based Telescope to Address the Needs of Planetary Science

Design Cycles Led by GRC / MSFC Taught Us:

- 1. Unique Challenges for Balloon Based Optical Telescopes are:
 - Combination of: Wide Thermal Range, Gravity, Lightweight
- 2. Design / Analysis Indicate that Design Solutions Can Be Found
 - Small Portion of the Overall WFE
- 3. Stability / Environment Demands Focus Changes on Float
 - Creates Requirements for WFS / WFC
- 4. Tools for Integrated Analysis
 - Elusive and "Home Grown"



Planetary Science that is Well Suited for Balloon Missions


SCIENCE INSPIRATION




Planetary Science + Balloon Telescopes

- Balloon- based telescopes offer "means of studying planetary bodies at wavelengths inaccessible from the ground" – 2013 Planetary Science Decadal Report
- NASA is currently in the demonstration phase of super-pressure balloons – offering diurnal cycle missions up to 100 days
- Reusable balloon platforms with 100 day missions provide planetary science observations at cadences prohibitive for other assets.
- Path Finding Missions Included: BOPPS and BRRISON
- Workshop Science Target Outputs: Venus, giant planets, icy satellites, and small bodies (e.g. KBO)
- Suggested Observations: Atmospheric composition / dynamics, surface composition, orbital mechanics of small bodies

J. Dankovich (et al.) "Planetary Balloon-Based Science Platform Evaluation and Program Implementation" NASA/TM-2016-218870








Observatories Features

High Spatial Resolution: 0.1 arcsec to 0.2 arcsec Broadband: UV – IR (300 nm to 5 um)
Small Observing Field of View: 60 arcsec to 100 arcsec



Aperture: 1-m (for Resolution)

WFE: Diffraction Limited at 650 nm


Temperature: "Cold" for Spectroscopy


Prescription: Cassegrain / R-C for Small FoV


Instruments: Spectrometer & Imaging



GHAPS Observatory










Gravity, Thermal, Mass

UNIQUE DESIGN CHALLENGES



Start with Mass...



- 40 kg in the Facesheet
- Approx. 25% Mass of Solid Mirror

- Begin with Mass Allocation and Areal Density
- Areal Density = 100 kg/sq-m
 - Mass = 78 kg
 - Area = 0.78 sq-m
- Why So Heavy?
 - Gravity and Thermal

STO Flew with 0.8 m Primary @ 50 kg Areal Density: 100 kg/sq-m*




How Do Gravity and Thermal Drive a Solution?


Gravity

- Elevation Angle Causes Deflection / Surface Errors
- Requires Extensive Support System Like Ground Based Telescope
 - Whiffle Tree + Tangent Bars

Keck Mirror Support



TMT Mirror Support





Thermal Environment

Telescope Sensitivity (OTA WFE Budget = 26.6 nm RMS)


	Focus	Decenter	Tilt
Sensitivity	5 um / 26.6 nm	> 100 um/ 26.6 nm	> 200 ur / 26.6 nm

- Environment on Float: + 30 C to -60 C
 - Athermalize to 5 um / 2.5 m over 90 C

$$\frac{\delta L}{L} = \epsilon = \alpha \cdot \Delta T \to \alpha = \frac{\epsilon}{\Delta T} = 0.022 \ ppm/C$$

- 1. Very Low Expansion Material
- 2. Great Athermal Design
- 3. Low Gradients
- 4. Good CTE Uniformity

Telescope Needs
Focus Control?





Total Mass Budget


Standard Balloon

- Mission Duration
 - 1.5 days to 30 days
- Lift Capacity
 - +2900 kg
- Day / Night Locations
 - Antarctica = Day @ 10 − 30 d
 - Domestic = Day / Night @ 1.5 d

Super Pressure Balloon

- Mission Duration
 - 100 days
- Lift Capacity
 - +2500 kg
- Day / Night Locations
 - New Zealand @ + 90 d







Balloon Type / Site has Impact on: Wavelength, Temperature, Duration




Thermal Stability Demands Changes to Focus on Float Implying WFS / WFC


NEED FOR FOCUS / COMA CONTROL





Refocus Still Needed After Complex Athermalization

- Low Thermal Expansion Materials
 - Constructed w/Zerodur + CFRC
- Moderate Thermal Expansion in M1 Support
 - Whiffle Tree Includes Invar and Titanium
- High Thermal Expansion in COTS Hexapod
 - M2 Actuation Includes Aluminum
- Even With Athermal Design...BFL Changes
 - $-\Delta BFL / dt = 1 um / hr to 40 um / hr$













Wavefront Sense / Control

Wavefront Sensing


- Modified COTS Shearing Interferometer (Phasics)
- SCMOS Sensor w/Std Optics
- Few Sample Points
 - 40 x 40
 - 20 x 20
- Repeatability of 5 nm RMS Possible with Magnitude 7 or Less
 - Driven by Putting Wavefront Over as Few Pixels as Possible







Actuated M2

- Baseline Solution
 - Heated 6 DoF (Hexapod)
- Alternate Solution
 - Tip / Tilt / Piston Mechanism
 - 3 DoF







HST: (x6) DoF

Spitzer: (x1) DoF




WFE Budget Not Dominated by Analysis

DESIGN / ANALYSIS



Telescope WFE Budget





Key Components for STOP Analysis

Thermal

- CTE Uniformity / When M1 Cools, CTE Uniformity Affects Surface Figure
- Thermal Distortion / Non-Ideal Support Transfers Stress to Mirror at Temperature

Gravity

 Stiffness / Elevation Changes Result in Mirror Surface Figure Changes


Drift


 Thermal Changes Between Refocus / Realign Operations Cause WFE





M1 CTE Non-Uniformity

- Published Example fo Zerodur CTE Distribution
 - Synthesize Distributions with Similar Spatial Frequencies
- Run Thermo-Elastic Models on M1
 - Determine Ensemble WFE from CTE Non-Uniformity
- WFE = 0.25 nm WFE RMS / deg C













M1 Thermal Gradients

- Thermal Gradients for Varied by Mission Locations / Flights
 - Ft Sumner (~1 day)
 - Environment Changes Faster than the Thermal Time Constant
 - New Zealand; Antarctica
 - Quasi-Equilibrium Achieved (~2 days) Prior to Observation










M1 SFE Over Elevation

- Orientation Changes Loads
- Polished for 37 deg
 - Residual Errs at Other Elevations
- Focus / Coma
 Assumed Correctable











Mirror Figured at $\theta_{\text{elevation}}$ = 37 Deg







S/W "Glue" and Management

STOP



Architecture to Answer Key Questions

Science Simulation

Blackbody Radiation

Mirror Temperatures

PSF

•Image Acuity

Long Term Stability

- Long Exposures
- •Impact of Slewing to Refocus

System Model

Pointing

Jitter

PSF

- •WFE
- Deterministic
- Stochastic

Scenarios

Simplified Boundary Conditions

Design Reference Mission

Tools

Nastran

Zemax

Thermal Desktop

Matlab / Python

Visual Studio / C#



Data / Context

Models

- Nastran
 - Static Model (x3) / Elevation, Thermal
 - Dynamic Model (x2) / +100 modes
- Thermal Desktop
 - (x2) Configurations
 - (x5) Scenarios
 - (x100) Transient Temperature Outputs for Nastran Model

Optical Model (x1)

Robust Process to Support Iteration

A Lot of Point-Click

Top Level Outputs
Not Supported by
S/W


Deterministic and

Stochastic Scenarios

10's – 100's Files




Hierarchical Object Oriented S/W with API Interface






Hierarchical Object Oriented S/W with API Interface






Automation through OOP with API






Classes to GHAPS / STOP






Objects Interact with Data to Import and Analyze







Telescope Object Analyzes w/API to Get System Level Answers






Design Reference Mission to Science Eval





- For Structure
 PSF, Mirror Temperatures



NASA

What Did This Enable?

Verification

Verification through API and Cross Correlation with Different S/W

Automatic Export of Data to Scientists

FITS Files for WFE and PSF to Verify Science Instrument Sims

Rapid Assessment of New Scenarios

(x3) Flights; (x100) Thermal Conditions; (x2) Thermal Configurations;
 (x7) Elevations

Evaluation for CONOPS

- WFS / WFC: Range of Travel; Need for Corrections; Drift on Float
- Jitter / Pointing: FSM in Instrument; Fine Steering in Instrument

Science Instrument Interface

- Pointing of Telescope vs. Pointing of Science Instrument
- Opto-Mechanical Interface to Bench; Requirements for Call

Monte Carlo Simulation

- Incorporate Stochastic Errors in M1 Fabrication (100's of Cases)
- Identify Sensitivities, Requirements
- Feedback to Scientists on Consequences of Requirements



Final Notes

- Planetary Science Still Has a Need for an Observatory
 - Decadal Science Questions Remain Unanswered with Existing Assets
- Balloon Based Telescope Platform
 - Addresses Many Science Question
- Design Solutions Can Be Found
 - Challenging Environment Addressed with GHAPS as One Solution
- STOP Analysis Still a Complex Endeavor
 - Requires Several Disciplines Working Together
 - Software Tools not Widely Available