

The Sun's Temperature Structure


Dr. Alphonse Sterling
NASA/MSFC

Solar Physicist (“Astrophysicist”): Solar eruptions (prominences, flares & CMEs), spicules (chromospheric jets), coronal jets.
Yohkoh, Hinode satellites (including operations).

The Solar Atmosphere

The Outer layers (Atmospheres) of the Sun:

- Photosphere



- Chromosphere



- Corona




Formation of the Sun

Initially, have a blob of gas...

...and gravity:


$$F = \frac{GMm}{r^2}$$

$$\mathbf{F} = \frac{GMm}{r^2} \hat{\mathbf{r}}$$



Length ~ 0.5 km
(Itokawa, from Hayabusa)

Diameter ~ 5000 km
(Mercury, from
Messenger)



Interior Temperature Structure

Sun's Central Core Temperature (Estimate)

- $m = \rho AR$
- $F = G(m/2)M/R^2$
- $p = F/A = G\rho M/2R$
- $p/\rho = GM/2R$

- $pV = NkT$
- $p/\rho = kT/m_H$

- $GM/2R = kT/m_H$
- $T = Gm_H M/(2kR)$

- $T = 1 \cdot 10^7 \text{ K}$

m, A, ρ = column mass, area, ave density

R, M = solar radius, mass

F = column force


G = gravitational constant

P, T = solar center pressure,
temperature

N = number of column particles

k = Boltzmann's constant

m_H = hydrogen mass



Might this *gravitational contraction* mechanism power the Sun (stars)??



=> Solar lifetime of $\sim 3 \times 10^7$ years

Problem!!

Need at least 3×10^8 years
(mid-1800s)

So this is ***not*** the main story for core and interior conditions

- Core conditions (temperature, density,...) sufficient to generate ***fusion***.
- Processes are complicated, but one of the consequences is:




Mass “mismatch” of 0.0285 amu $\sim 5 \times 10^{-26}$ g...

...which appears as ***energy*** via $E=mc^2$.


Get the full structure by solving equations for:

- Mass conservation
- Hydrostatic equilibrium
- Energy transport via radiation
- Energy production




- Convective instability sets in when:


$$\left| \frac{dT}{dr} \right|_{outside} > \left| \frac{dT}{dr} \right|_{adiabatic}$$




Hinode SOT Granulation Movie




BBSO Granulation (near IR; 60 min)





Convection on *Pluto* too??





The Photosphere

The Solar Interior's Temperature Distribution




The Outer Solar Atmosphere

(First, an overview)




Alphonse Sterling, 2016 Mar 9, Indonesia
ZenithStar 66 + EOS700D, 1/1000 s


Chromosphere



H-alpha ($H\alpha$) transition in hydrogen atom; 656.3 nm.



Chormosphere in H α




Solar Flare

1971 October 10

Big Bear Solar Observatory






Alphonse Sterling, 21 August 2017
Lewisville, Idaho, USA
Takahashi FSQ106ed, f/5
Canon EOS700D, ISO 100; 1/1000, 1/500
1/250, 1/125, 1/60, 1/30, 1/15, 1/8, 1/4s

Corona – The Sun's outermost atmosphere


August 21, 2017 Total Solar Eclipse Path




We have to go to *space* to see the Sun's outer atmosphere with regularity.




The Electromagnetic Spectrum





NASA

The Corona from Yohkoh/SXT



PROBA2/SWAP 17.4nm 2014-06-28 01:15:35

Atmosphere's Temperature Structure

The Corona

- Expected to be cool, but found strange spectral lines, first during 1869 eclipse.
- Many explanations considered, including a “new” element: *coronium*.
- **But this didn't work....**

The Corona: Continued...

- The mystery spectral lines found to be due to highly-ionized familiar elements ~1940.

So this was a sloooooow process: 1869 eclipse observations, and 1939~1943 explanation!!

- Structured with loops; late 1960s and 1970s observations from balloons, Skylab, etc.
- This structure due to the magnetic field.

The Corona: Continued Again...

Now, let's consider the temperature structure between the photosphere and the corona.


First question: What makes the corona hot??

And the answer for today is...

Magic!!

Actually, a hot corona is not as mysterious as it seems....

Just assume a hot corona. Now, what does the temperature structure look like?



Energy balance equation:

$$H - R = C$$

R=Radiation losses; “known.”

C= Thermal Conduction;
form known.

H= the “magic” Heating.

Recipe: Adjust H until predictions of energy-balance equation match observations. (Rosner, Tucker, Vaiana 1978.)


Form of Thermal Conduction:

$$\mathbf{C} = \nabla \cdot \mathbf{F}_c$$

$$\mathbf{F}_c = -\kappa_0 T^{5/2} \nabla T$$

In 1-dimension (along a loop), this is:

$$F_c = -\kappa_0 T^{5/2} \frac{dT}{dz}$$




(From K. Lang: The Sun from Space, 2000)

$$H - R = C$$

At around $T \sim 10^5$ K:



$$-R \approx C$$

$$R \approx \frac{d}{dz} \left[\kappa_0 T^{5/2} \frac{dT}{dz} \right]$$



Strong radiation in this temperature range means a steep temperature gradient is needed for energy balance. This leads to a “thin” transition region.

The Sun's Temperature Structure




But, is this correct??

- (Just considering the atmospheric portion)
- There are many assumptions, including:
 - 1-dimensional calculations
 - Static atmosphere
 - Etc.

An example: The Transition Region:

- Saw coronal movie earlier
- Now, with the IRIS satellite, can see the transition region



The “IRIS” satellite observes the transition region



[IRIS Launch on Pegasus XL June 27, 2013 NASA ...](#)

Another example: Prominences/Filaments


Chromospheric material suspended in the corona




And the conclusion is...


- The derived atmospheric structure is “approximately” correct.
- It is a good starting point for considering solar phenomena.
- Have to keep in mind the limitations, based on what you are focusing on.
- Both the “approximate” temperature structure, and the “detailed” temperature structure, hold fascinating solar science questions (e.g coronal heating; prominence formation, stability, and instability).


Magnetism is the key to many of the changing features of the Sun.








FMS 150505





FMS 150505




FMS 150505

- We study the Sun from the ground and from space.
- There are several satellites currently observing the Sun from space.
- Often, operation of these satellites requires that people from different parts of the world work together.


The Solar Atmosphere

The Outer layers (Atmospheres) of the Sun:

- Photosphere



- Chromosphere




- Corona







Corona – The Sun's outermost atmosphere


August 21, 2017 Total Solar Eclipse Path






Hinode (ひので)





FMS 150505



FMS 150505

