



Quick Reference Guide Surface Trajectory Based Operations (STBO) Client

This document describes the STBO Client and is meant to be a quick reference guide. The STBO Client User Manual and other training materials are available for detailed user instructions.

For help, call or text: 704.802.2589

1 Getting Started

Step 1: Hover over the green bar to populate the menu.


Step 2: Select "My Desktop" from the top of the menu.



Step 3: Click on the NASA icon on the bottom left corner (the start menu).

Step 4: Select the option for the "STBO".

Step 5: Wait for the STBO Client to load. This may take a few minutes.



ATD2_1025b_v1.1_STBO_Client

2 Load or Save a Display Configuration

To Save a New Display Configuration:

Step 1: Click on the "Settings" button on the STBO Client Toolbar.



Step 2: Type a name for the display configuration in the "File Name:" text box.

Step 3: Click the "Save" button.

Step 4: Click "OK" in the "Save Settings" confirmation window.

🛃 💿 Settings			\odot	8
Load/Save Settings	Gate Conflicts	Map Clock		
Available Configur	ations			
GroundEast_north.scf				-
GroundEast_south.scf				33
GroundWest_north.scf				
GroundWest_south.scf	f			
RampEast.scf				
RampNorth.scf				
RampSouth.scf				222
RampWest.scf				
TmcTwoTables.scf				
TowerEast_north.scf				
TowerEast_south.scf				-
File Name:				
Load Save				
	Close			

To Load an Existing Display Configuration:

Step 1: Locate and select the display configuration name under the "Available Configurations" list.


Step 2: Click the "Load" button. The STBO Client will reload the interface to match the selected display configuration.

ATD2_1025b_v1.1_STBO_Client 12 Jul 2018 3 of 12

3 Timeline Elements

JIAS 494 BOBZY E24 - 15 Departures = Green datablocks	JIA5 43 6 E3 3
CAAL572 BOBZY B1 APREQ TMIs = White text in datablocks	Gate Conflicts = Magenta gate #s
AAL1810 BEAVY C12 OpNec	AAL1649 UNK

Leader Lines:




- Orange: Untracked departure flights that are scheduled but have not yet pushed off the gate
- **Dark Pink**: Untracked departure flights that have pushed back from the gate
- Blue: Tracked departure flights that are still in the Ramp area
- Green: Tracked departure flights that are in the Airport Movement Area
- Grey: Arrival flights

ATD2_1025b_v1.1_STBO_Client 12 Jul 2018 4 of 12

4 Map


Map Toolbar Buttons:



Map Menus:



The "File" menu provides a quick way to shut down the STBO Client.




The key feature of the "View" menu is "Show Toolbar". This is a fast way to find the STBO Client Toolbar when it is hidden behind other windows or closed.

The "Help" menu provides access to the software version (About), or the quick keys for the Flights Table (Flights Table Help), Map (Map Help), or Timeline (Timeline Help).

Tarmac Rule / Long On Board:

Tarmac Rule / Long On Board (LOB) information is displayed on the Map.

LOB is depicted using a colored disc that surrounds the aircraft icon. LOB timer starts from the flight's pushback from the gate for departure flights or from the moment wheels touch down for arrival flights.




Disc Colors

- **Yellow**: 60 89 minutes
- **Orange**: 90 119 minutes
- Red: 120+ minutes

5 Flights Table

Flights Table Toolbar Buttons:



Filtering Data:

Note that when filtering data, multiple items can be selected and/or added to the list in the "Value" text box. When adding multiple values for the same "Field", enter all values in the same "Value" text box. STBO Client cannot process multiple lines of the same field.

	Field	Operator	Values		
	Runway 👻	= 🔻 23, 5		36C 🔻	Clear
AND 🔻		_			

Search Feature:

The search feature provides the ability to search for flight numbers, callsigns, destination airports, or departure fixes across the STBO Client interface. The matching flights will be highlighted on the Timeline, the Map, and in the Flights Table.

There is no need to press the search button; the STBO Client will automatically start searching as soon as a single characeter is typed.

6 Toolbar

Runway Utilization Icon:

The current airport configuration and runway utilization as set by ATC.

			\odot	(\mathbf{x})
Taxi List Settings	Search		Clea	ır
N_Normal		0	\bigcirc	Ramp
Runway Utilization Icon				
Ramp Status Icons				
Current Ramp status as set by Ramp.				
Ramp Open				
Ramp Ramp Closure Pending				
Ramp Ramp Closed				

Runway Metering Status Icons:

Runway metering status icons provide information about the status of metering for each departure runway independently.



Metering Off



Metering On, no active metering



Metering On, active metering

Surface Metering Program (SMP) Icons:

The SMP icons show the status of SMPs on the Surface Metering Display (SMD). When the icon changes to orange, this is a cue that a new proposed SMP is available for consideration on the SMD.



No proposed SMP



Newly proposed SMP available

Notifications:

New notifications are displayed on the STBO Client Toolbar.



Notification Icon Notification Banner

The number on the notification icon indicates the total number of new/unacknowledged notifications.

The notification banner cycles through all new/unacknowledged notifications.

Click on the notification banner to display all notifications since 0400 of the current day.

Reported	Event Type	Description	Event Start	Event End	Details	
/3/18 1408	TMI	APREQ to ORD	7/3/18 1400	7/3/18 1630	OIS:	
/3/18 1315	TMI	APREQ to ORD	7/3/18 1100	7/3/18 1315	Expired	
/3/18 1309	TMI	APREQ to DCA	7/3/18 1300	7/4/18 0200	OIS: INCL BARMY KILNS	
	TMI	APREQ to IAH	7/3/18 1030	7/3/18 1230	Expired	
	Airport	North	7/3/18 1111			
/3/18 1111	Airport	N_Normal	7/3/18 1111			
	Airport	VMC	7/3/18 1111			
	TMI	APREQ to LGA	7/3/18 1100	7/4/18 0200	OIS: INCL BARMY KILNS	
	TMI	APREQ to JFK	7/3/18 1000	7/3/18 1048	Cancelled	
	TMI	APREQ to EWR	7/3/18 1000	7/4/18 0200	OIS: INCL BARMY KILNS	
	Ramp	RAMP OPENED	7/3/18 0818			
	Metering Mode	NO METERING	7/3/18 0030			
	Airport	South_Conv		7/3/18 0030		_
	Airport	S_Normal		7/3/18 0030		
	Airport	VMC		7/3/18 0030		
	Airport	South_Sim	7/3/18 0030	7/3/18 1111		
	Airport	S_Normal	7/3/18 0030	7/3/18 1111		
/3/18 0818	Airport	VMC	7/3/18 0030	7/3/18 1111		_

ATD2_1025b_v1.1_STBO_Client

Click on the notification icon or on any row in the notification window to acknowledge all notifications.

Any cancelled notifications have a row highlighted in blue.

7/3/18 1111 A	irport VM	C 7/	3/18	1111			
7/3/18 1109 T	MI API	REQ to LGA 7/	3/18	1100	7/4/18	0200	OIS: INCL BA
7/3/18 1048 T	MI API	REQ to JFK 7/	3/18	1000	7/3/18	1048	Cancelled
7/3/18 1008 T	MI API	REQ to EWR 7/	3/18	1000	7/4/18	020	OIS: INCL BA
7/3/18 0818 R	amp RAI	MP OPENED 7/	3/18	0818		/	

Cancellation

7 APREQ Flights



Lightning bolt symbol = electronic APREQ coordination is available.

Telephone symbol = verbal Call for Release coordination is required.

Displaying the slots in the overhead stream is only available for flights capable of electronic APREQ coordination.



Green Slot = available slot in the overhead traffic stream.

Red Slot = unavailable slot in the overhead traffic stream.



EDCT compliance window (-5/+5 minutes) is overlaid on the Timeline when a flight has an EDCT release time.



Yellow arrow symbol = Request for APREQ release time has been sent to TBFM/IDAC.



Yellow diamond symbol = Different release time than what was requested was returned from TBFM/IDAC.

An APREQ with a floating release time or "free release" will display as "A-RLSD" on the timeline.



Compliance Indicators:

Each APREQ and EDCT release time is highlighted by its own compliance indicator



Green = on time / inside of compliance window Yellow = outside of compliance window and *early* Red = outside of compliance window and *late*