



Embracing Innovation in Aviation While Respecting Its Safety Tradition


Parimal Kopardekar, Ph.D.


NASA Senior Technologist for Air Transportation System

Acting Director, NASA Aeronautics Research Institute (NARI)

Parimal.H.Kopardekar@nasa.gov

CURRENT AIRSPACE OPERATIONS





Alt: 120K & Up

10s to 100s Ops

Alt: 60K & Up


Supersonics: 10s to 100s
Commercial: 25K

Top of Class G


PAVs and ODM: 1K to 37K
UAS: 10K - Millions
GA: 3K+

SMALL UNMANNED AIRCRAFT SYSTEMS








UAS Traffic Management Architecture




*Connections & communications are internet-based & built on industry standards & protocols

URBAN AIR MOBILITY: SMALL DRONES TO LARGER PASSENGER CARRYING VTOLS







- **Cooperative**
- **Intent-sharing**
- **Digital: data exchanges among operators**
- **Standardized application protocol interfaces**
- **Air/ground integrated**
- **Service-oriented architecture**
- **Role for third parties**

Space Traffic Management

High Altitude UTM (Upper E)

**Conventional Manned Aviation
(Class A, B, C, D, E)**

Urban Air Mobility

Low-altitude small UAS


Current ATM

All services are provided by the FAA

- Traffic flow management
- Airspace directives/constraints
- Scheduling, sequencing and spacing
- Separation management
- Off-nominal management
- Every vehicle interaction in real-time

FAA Systems

Humans address off-nominal and contingencies



Very little interaction among users, and 3rd party services

- Human in the epi-center of information integration
- Every data moves through FAA systems for every vehicle
- Each change focused in on domain-specific FAA system

UTM-Inspired-ATM

Some services are provided by FAA


- Airspace directives/constraints
- Resource availability and changes to resources (e.g., arrival/departure rates, resource schedules)
- Separation

FAA Systems

User or third party services

- Flow management
- Sequencing, and spacing
- User participation strategic Separation (e.g., oceanic)

Automation addresses off-nominal and contingencies



Users collaborate/cooperate for efficiency, intra-user preferences for flights into constrained resources

- Automation in the epi-center of information integration
- New paradigm: digital and connected ecosystems- outside apps, scalability

NASA Unique Role: Architecture, data exchange, service allocation/roles/responsibilities, rules of engagement, service performance requirements, automation for contingency management and disruption handling, machine learning environment and algorithms for continuous improvement, safety assurance, certification/acceptance approaches, and technology transitions



CONCLUDING REMARKS

- Need for change is real, current systems are not sustainable
- Sense of urgency due to emerging markets and diversity of operations
- Build-a-little-test-a-little and deploy
- Research issues remain – however goal should be “cross the finish line” to improve operations – research is means to an end and not an end in itself
- Highly scaled operations that are affordable and safe



Parimal.H.Kopardekar@nasa.gov

embracing innovation in aviation while respecting its safety tradition

Inter-island Autonomous Cargo Delivery (2025+)

Larger vehicle – single pilot, off-board manager, or fully autonomous depending on vehicle size



Transformation – In stages – Initial Applications Larger than small drones (~2020+?)




Lowest risk – Grand Canyon or over water deliveries



Mail delivery by mule train in the Grand Canyon



JW Westcott mail delivery by boat



Future Airspace Operations?

- Scalable – increasingly autonomous
- Cooperative – information needs, and technologies for cooperation among vehicles, and operators, and service providers
- Digital – data exchanges and standardized application protocols
- Resilient – technologies and procedures for faster recovery from disruptions
- Manage by exception – flexibility where possible and structure where necessary
- Safety assurance – in-time data, prognostics, V&V of increasingly autonomous systems
- Air/ground/cloud integrated
- Service oriented architecture – third party

Space Traffic Management

High Altitude UTM (Upper E)

**Conventional Manned Aviation
(Class A, B, C, D, E)**



Urban Air Mobility

Low-altitude small UAS

airspace operations...


....enabling beyond possible!

CONNECTIVITY IS KEY



**Autonomy alone will not lead to efficiency and large-scale disturbance management
Connectivity is crucial – air/ground/cloud/infrastructure integration will be key**

Emerging and Heritage Users



Technology Capability Levels (TCLs)

TCL 1, 2 and 3 (in progress)

Participating Orgs	
TCL 1	19
TCL 2	42
TCL 3	35

Transformation – Urban Air Mobility

Increasingly autonomous – focused on access, safety and scalability

