

MSFC Natural Environments Weather Data Quality Control Activities

Presentation to Fall 2019 NEDOLWG

James Brenton

Kaity Headley


Charles Sayre

Jacobs Space Exploration Group

NASA Marshall Space Flight Center

10/25/2019


James.c.brenton@nasa.gov




JACOBS[®]

www.jacobs.com | worldwide

This presentation will highlight the data, methods, and tools used in EV44's efforts to generate a QC database.



Who needs these QC databases?



What data have MSFC NE provided in the past?




QC Databases:

- Tower 313 (5 minute) 1995-2008
- Tower 397 (1 minute) 2013-2018
- 50MHz DRWP 1997-2013
- 915 MHz DRWPs 2000-2009


Non-QC Databases (Master Files):

- Towers
- Balloons (LR, HR, JS, RS)


What will this new QC database look like?



How are these new QC Databases going to be built?




Balloon data was gathered and QC Checks were determined.




A balloon QC check threshold was defined via a cumulative distribution.

Cumulative Distribution Function: LR Dewpoint




Manual verification of balloon data and automated flags was accomplished via GUI.




The 'Editor test' window displays a table of data points. The table has four columns: a binary flag string, a temperature value, and two input fields for manual checks. The temperature values range from -60.9 to -66.2. A tooltip is visible over the table, showing a '0' and a '1' in separate boxes, indicating the manual check options. A legend on the right side of the window shows 'Realistic Temp' with a red square.

44600	00001100000000100	-60.9	0	—
44700	00001100000000100	-61.5	0	—
44800	00001100000000100	-65.1	0	—
44900	00001100000000100	-59.5	0	—
45000	00001100000000100	-58.8	0	—
45100	00001100000000100	-59.8	0	—
45200	00001100000000100	-64.8	0	—
45300	00011100000100100	-86.5	0	—
45400	00001100000100100	-62.9	0	—
45500	00101101000000100	-64.5	0	—
45600	00001100000000100	-64.9	0	—
45700	00001100000000100	-68.4	0	—
45800	00001100000000100	-68.1	0	—
45900	00001100000000100	-66.2	0	—


Tower data were gathered from heritage archives and QC checks were determined.




An example of how thresholds were determined for tower QC Checks.



An example of how the tower QC flags are manually verified.



The QC process for data from the profilers has a different approach as much of the data comes with QC flags.



Accomplishments and forward work for MSFC NE QC efforts.

Tower QC Accomplishments	Balloon and Profiler QC Accomplishments	QC Data Produced
<ul style="list-style-type: none">Generated automted QC flags for Towers 313 and 397	<ul style="list-style-type: none">Developed Balloon GUIBackfilled TDRWP QC database 2016-2019	<ul style="list-style-type: none">Began QC Process of long term balloon databases

