



# **OLTARIS: Overview and Update on New Capabilities**

**Chris A. Sandridge**  
NASA Langley Research Center

**23<sup>rd</sup> Annual NASA Space Radiation Investigators' Workshop  
(2012)**

# Development Team and Contributors



## Langley Research Center

Aric Aumann, AS&M  
Francis Badavi, ODU  
Steve Blattmig, NASA  
Martha Cloudsley, NASA  
John Nealy, ODU  
John Norbury, NASA  
Ryan Norman, NASA  
Garry Qualls, NASA  
Chris Sandridge, NASA  
Lisa Simonsen, NASA  
Robert Singleterry, NASA  
Tony Slaba, NASA  
Jan Spangler, Lockheed Martin  
John Wilson (retired), NASA

## Johnson Space Center (IV&V)

Kerry Lee, Lockheed Martin  
Bob Rutledge, NASA  
Nicholas Stoffle, Wyle  
Neal Zapp, NASA

## Sponsor

Space Radiation Program Element



- Introduction and history
- Overview of OLTARIS
- Focus on recent enhancements
  - User-uploaded trajectories for Earth orbit environments
  - Ray-by-ray transport
- Future work
- Summary





- Radiation models and methods (software) have been developed by researchers for 35+ years
- Few had access to the software and it was very difficult to combine, maintain, and update
- **OLTARIS – On-Line Tool for the Assessment of Radiation in Space**
  - Web portal created to supply the “best practices” in radiation shielding models, methods, and algorithms to the community
  - Rigorously developed in a modular framework that is easily maintained and updated
  - Easily accessible by NASA’s customers and collaborators



- Originally deployed in early 2008
- Number of users – 144
  - 63 government
  - 46 academia
  - 35 industry
- Number of job runs – 5,600 since Nov. 2009
  - Doesn't include test site
- Number of updates – 46 worthy of change-log entries
  - Version control physics code: Rev. 3152
  - Version control web code: Rev. 2169

# Modular Program Flow





## **Solar Particle Events (SPE)**

- Select from historic events or combinations
- User defined parameters to several fitting functions (Exponential in Energy or Range, Weibull, Band)

## **Galactic Cosmic Rays (GCR)**


- Select from historical solar min/max
- Enter mission dates
- Enter solar modulation parameter ( $\phi$ )



## Earth Orbit

- Circular, day-averaged by selecting altitude, inclination, and date
- User can select the components to include
  - GCR attenuated by Earth's magnetic field
  - Trapped protons
  - Neutron albedo
- User-uploaded trajectories (NEW)
  - User can compute results averaged over entire trajectory or at every point along the trajectory
  - GCR and trapped protons only

## Earth Orbit



- User-uploaded trajectories (NEW)
  - User can compute results averaged over entire trajectory or at every point along the trajectory
  - GCR and trapped protons only

# Environmental Models (cont.)




## Lunar Surface

- GCR or SPE
- Contribution from surface is neglected

## Europa (moon of Jupiter) Missions

- Intense electron environment
- Four mission design environments
- Integrated electron transport


# Multi-layer Slab




- Any number of materials in any order
  - Materials defined by chemical formula, molecular mass percentage, or elemental mass percentage
  - Cross-section database must be computed before the material is used in a slab or thickness distribution
- Responses returned at interfaces
- Bi-directional transport includes back-scattered neutrons

# Thickness Distributions

## Raytrace Concept



## ISS Raytrace



```


<thickness_metafile version_number="1.0">
<creator name="Chris Sandridge" organization="NASA" email="c.a.sandridge@nasa.gov" />
<job_bundle job_id="1" job_label="">
<analysis_description number_of_zones="1">
<material_table name="simple" type="areal density">
<material_material_id="1" type_id="1" name="Aluminum"/>
</material_table>
<thickness_set type="areal" units="g/cm2" material_table="simple" target_x="0.0" target_y="77.2" target_z="90.0" order="outside_in">
<ray number="1" thk_count="1" xdir="0.212657E+00" ydir="0.152096E-01" zdir="0.977008E+00">
<thk material_id="1" thickness="4.305"/>
</ray>
<ray number="2" thk_count="1" xdir="0.208328E+00" ydir="0.453191E-01" zdir="0.977008E+00">
<thk material_id="1" thickness="4.305"/>
</ray>

```

**XML Thickness File**

## Interpolation-based

- Three materials or less
- Like materials are collocated
- Forward-only transport using HZETRN
- Creates response database vs. depth in each material
- Response at target point computed by interpolating each ray thickness then integrating over all rays



## Ray-by-ray (NEW)

- Any number of materials in any order
- Bi-directional transport along each ray then integrate over all rays to get total response
- Enables much higher fidelity but may take much longer to run



- Converts output from transport into useful quantities
  - Differential flux/fluence (output from Transport module)
  - Dose (computed in silicon or tissue)
  - Dose equivalent (uses ICRP 60 quality factor)
  - Whole body effective dose equivalent
    - Uses ICRP 60 tissue weights
    - User can select human phantom model (CAM, CAF, MAX, FAX)
    - Phantom can be oriented
  - LET spectrum (Linear Energy Transfer)
  - TLD-100 (Thermo-Luminescent Dosimeter)
  - TEPC (Tissue Equivalent Proportional Counter)
- Availability of responses depends on geometry and environment

# Typical Analysis through OLTARIS



National Aeronautics & Space Administration | Logged in as *Chris Sandridge* (06/19/2012)  
[+ Send a Comment](#) | [+ Report a Bug](#) | [+ View Change Log](#)

Projects | Uploads | Slabs | Materials | Documentation | Log Out

## OLTARIS

On-Line Tool for the Assessment of Radiation In Space

Use form below to define a new project.

**Edit Project**

Project Name:

Comments:

**Environment Definition** [+ Reference](#) [+ Help](#)

Type: Free Space  
 Comments: No Comments  
 Solar Particle Event: August 1972 (King) multiplier=1.0

**Geometry** [+ Help](#)

Slab  Thickness Distribution

**Response Functions** [+ Reference](#) [+ Help](#)

Differential Fluence: Differential Fluence after Transport (Function of Depth, Energy and Isotope)

Dose: Dose in

Dose Equivalent: Uses ICRP 60 quality factor

Effective Dose Equivalent: Whole body quantity, uses anatomical model and ICRP 60 quality factor, also computes Avg. Dose Equivalent to BFO, skin, and lens. Use the drop down list below to select the anatomical model:  
 [+ Reference](#)

TLD-100: TLD = Thermo-Luminescent Dosimeter

TEPC: TEPC = Tissue Equivalent Proportional Counter

LET: LET in

**FIRST GOV** | + Freedom of Information Act | + NASA Privacy Statement, Disclaimer, and Accessibility Certification

NASA Official: Chris Sandridge  
 Project Manager: Lisa Simonsen  
 Website Manager: Jan Spangler

National Aeronautics & Space Administration | Logged in as *Chris Sandridge* (06/19/2012)  
[+ Send a Comment](#) | [+ Report a Bug](#) | [+ View Change Log](#)

Projects | Uploads | Slabs | Materials | Documentation | Log Out


## OLTARIS

On-Line Tool for the Assessment of Radiation In Space

[Return to Project List](#) [Return to Job List](#)

**Project Summary**

Project Name: SPE\_sample  
 Project Description: [No Comment]  
 SPE defined by Historic Event: August 1972 (King) multiplier=1.0  
 Thickness Distribution Name: STS\_dloc2 (968 rays)  
 Grid Engine Id: 2089108




[+ Help](#)

**Event Totals**

Data	Value	
Dose at point 1	8.690E+03 mGy	<a href="#">+ Sphere Viewer</a>
Dose Equivalent at point 1	1.561E+04 mSv	<a href="#">+ Sphere Viewer</a>

**Whole Body Effective Dose Equivalent & Average Organ Dose Equivalent Values**


For this calculation **only**, the selected body model is added to the vehicle thicknesses.




# Some Future Updates



- Lunar Surface Environment
  - Ray-by-ray including albedo neutrons
  - Interpolation w/albedo neutrons
- Badhwar-O'Neill 2010 GCR Model
- Multi-layer spheres
- Earth Orbit Electrons
- Effective Dose vs. Depth
  
- Let us know what you want!



- Introduction and History
  - OLTARIS created to give the radiation shielding community access to reliable, well tested tools and models
- Overview of capabilities that benefit the radiation shielding community
- Emphasized new ray-by-ray and point-by-point trajectory analysis that adds accuracy and fidelity
- Briefed upcoming additions – lunar albedo, BO-10, ...
- Check us out at <https://oltaris.nasa.gov>



User Name:

Password:

## **OLTARIS** On-Line Tool for the Assessment of Radiation In Space



[Register](#) | [Forgot my password](#) | [Change password](#)

**Welcome to OLTARIS**, the **On- Line Tool** for the **Assessment of Radiation in Space**. OLTARIS is an integrated tool set utilizing HZETRN (High Charge and Energy Transport). These tools are intended to help scientists and engineers study the effects of space radiation on shielding materials, electronics, and biological systems.

### **Registration**

There are no charges associated with the use of OLTARIS, but users must register and get approval from the site administrators before accessing the site contents. New users should click the *Register* button above and complete the *Sign-up Form* for