

Recent Developments at the Apache Point Lunar Laser Ranging Station

NICHOLAS R. COLMENARES, STEPHEN M. MERKOWITZ, ET AL. – 11 NOVEMBER 2022
22ND INTERNATIONAL WORKSHOP ON LASER RANGING

Talk overview

- ▶ Who am I?
- ▶ Why LLR?
- ▶ APLLRS/APOLLO overview
- ▶ NASA handoff
- ▶ Why an Absolute Calibration System (ACS)?
- ▶ ACS overview
- ▶ ACS results
- ▶ Extending ACS usefulness

Who is this guy?

- ▶ Joined APOLLO in 2014
- ▶ Doctorate under Tom Murphy 2020
- ▶ Brief private sector work 2020/2021
- ▶ NASA Postdoc Program – started August 2021
- ▶ Here to continue to improve APOLLO/APLLRS operations and results; possibly help with Satellite Laser Ranging!
- ▶ Also, cat guy

My best friend,
Juno, for 14+
years



My newer
friend, James,
for ~ 1 year



Why LLR?

Gravity and quantum
at odds



Gravity more suspect



Earth/Moon high
quality gravitational
lab

...and additionally, info
about Earth/Moon!

- ▶ LLR is sensitive to:
 - ▶ Equivalence principle
 - ▶ Secular evolution of G
 - ▶ Gravitomagnetism
 - ▶ Geodetic precession
 - ▶ Lunar interior
 - ▶ Earth orientation

APLLRS basics

Local cornercube reflector: “fiducial”, or “FID” photons


Differential measurement

Laser: 90 ps pulses, 2W avg
@ 20 Hz, 532 nm



3.5 m @ Apache Point Observatory

4x4 avalanche photodiode detector array (“APD” array)



~100 ps resolution

Images/background: Eric L. Michelsen

NASA transition



Stewardship
began January
2021



Operations
logistics



New data quality
control check



First data release




Automated seeing
estimation
program*



Control computer
modernization (in
progress)

*Developed by our 2022 summer intern Joshua
Batstone; University of Maryland, Annapolis, MD., USA.

Why an Absolute Calibration System (ACS)?



ACS overview



Optical “ruler” of
“truth” pulses sent to
detector

Laser
with
High rep-rate

Well-timed

Selectable

Short pulses

1064 nm fiber cavity
semiconductor saturable
absorber mirror (SESAM)

80 MHz


Phase-locked to Cesium
standard

Pulse processing system


10 ps width

2 x frequency: 532 nm

~10 ps jitter @ ~few
seconds
pulse separation




Calibration concept




- ▶ ACS pulses sliced from 80 MHz using 50 MHz triggers
- ▶ Find unique combs for each channel + event type (FID or LUN) pair
- ▶ Assert ACS tooth pitch = 2.5 ns **exactly**
 - ▶ Interpolate
- ▶ Assign range photons calibrated timestamps ($t_{i,ACS}$) based on proximity to ACS teeth

ACS “comb” of individual “teeth”
For one normal point



Calibration results




- ▶ Define **individual photon** timing correction (C_i)
 - ▶ $C_i \equiv t_{i,ACS} - t_{i,CALTDC}$ ← Event timer self-test routine; default calibration/used in absence of ACS
- ▶ Define **normal point** (NP) timing correction
 - ▶ Round trip time (RTT) is **differential**: $\text{stuff} + \text{Signal}_{FID} - \text{Signal}_{LUN}$
 - ▶ → NP correction is also **differential**: $C_{NP} \equiv C_{FID} - C_{LUN}$
 - ▶ $C_{FID} \equiv \frac{\sum_i^N C_{i[FID]}}{N}$
 - ▶ $C_{LUN} \equiv \frac{\sum_j^M C_{j[LUN]}}{M}$
- ▶ Make a histogram of C_{NP} for study



- ▶ **APOLLO never suffered large systematic errors**
- ▶ **System accuracy ~ 1 mm after ACS corrections**

Correcting “non-ACS” runs and historic data

- ▶ Timing inaccuracies depend on what region of event timer detection window is sampled
 - ▶ FID, LUN signals not necessarily overlapped
- ▶ **ACS allows us to characterize this scale**
 - ▶ ACS corrections correlated w/ mean FID, LUN overlap
 - ▶ **0.4%** event timer range error for imperfect overlap
- ▶ Can predict timing correction w/o having ACS photons present
 - ▶ Same event timer, entire experiment



The future...

Updated data release, pre-2022

2022 data release

Control computer modernization
(continue)

SLR targets

New lunar targets

References

- ▶ Colmenares, N.R., Murphy, T., Battat, J., Gonzales, D. & Sabhlok, S. (In Preparation). "Fifteen-years of millimeter accuracy lunar laser ranging with APOLLO: data reduction and calibration."
- ▶ Battat, J., Adelberger, E., Colmenares, N.R., et al. (In Preparation). "Fifteen years of millimeter accuracy lunar laser ranging with APOLLO: dataset characterization."
- ▶ N. R. Colmenares. Calibrating the Apache Point Observatory Lunar Laser-ranging Operation (APOLLO) Apparatus. PhD thesis, University of California San Diego, 2020. <https://escholarship.org/uc/item/5kw8935h>.
- ▶ E. G. Adelberger, J. B. R. Battat, K. J. Birkmeier, N. R. Colmenares, R. Davis, C. D. Hoyle, L. H. Ruixie, R. J. McMillan, T. W. Murphy, Jr., E. Schlerner, C. Skrobol, C. W. Stubbs, and A. Zach. An absolute calibration system for millimeter-accuracy apollo measurements. *Class. Quantum Grav.*, 34, 2017.
- ▶ T. W. Murphy. Lunar laser ranging: the millimeter challenge. *Reports on Progress in Physics*, 76(7):076901, July 2013.

Full author list

Nicholas R. Colmenares^{1, 4}

James B. R. Battat²

Daniel P. Gonzales³

Evan D. Hoffman⁴

Frank G. Lemoine⁴

Russet McMillan⁵

Stephen M. Merkowitz⁴ **[P.I.]**

Thomas W. Murphy Jr.³

Sanchit S. Sabhlok³

Vishnu Viswanathan^{4, 6}

¹Oak Ridge Associated Universities, Oak Ridge, TN., USA.

²Department of Physics, Wellesley College, Wellesley, MA., USA.

³Center for Astrophysics and Space Sciences, University of California San Diego, San Diego, CA., USA.

⁴NASA Goddard Space Flight Center, Greenbelt, MD., USA.

⁵Apache Point Observatory, Sunspot, NM., USA.

⁶Center for Space Sciences and Technology, University of Maryland Baltimore County, Baltimore, MD., USA.