

DETC2024-143560

HUMAN-AI COLLABORATION AMONG ENGINEERING AND DESIGN PROFESSIONALS: THREE STRATEGIES OF GENERATIVE AI USE

Kevin Ma*

Dept. of Mechanical Engineering
University of California, Berkeley
Berkeley, CA, USA
kevinma1515@berkeley.edu

George Moore*

Dept. of Mechanical Engineering
Massachusetts Institute of Technology
Cambridge, MA, USA
geomoore@mit.edu

Vikram Shyam

NASA Glenn Research Center
Cleveland, OH, USA
vikram.shyam-1@nasa.gov

James Villarrubia

NASA Headquarters
Washington, DC, USA
james.a.villarrubia@nasa.gov

Kosa Goucher-Lambert

Dept. of Mechanical Engineering
University of California, Berkeley
Berkeley, CA, USA
kosa@berkeley.edu

Eric Reynolds Brubaker[†]

NASA Langley Research Center
Hampton, VA, USA
eric.r.brubaker@nasa.gov

ABSTRACT

Designers are increasingly using Generative Artificial Intelligence (GenAI) in design processes; however, knowing how designers use GenAI—especially in professional design practice—is under-explored. This paper presents an ethnographic study of a design team at NASA that explores the natural variation of GenAI use across team members during a speculative design workflow. We aimed to uncover when, how, and why GenAI tools were or were not employed using ethnographic observations to map the team’s speculative design process and follow-up interviews to provide deeper insights into team members’ interactions (or lack thereof) with GenAI. Through inductive qualitative coding, our analysis revealed three strategies of GenAI use observed among professional engineers and designers—intimate co-design with GenAI, selective delegation to GenAI, and minimal use of GenAI—as well as factors that appeared to influence their decisions whether or not to use GenAI. This study proposes new theory in human-AI collaboration that sheds light on the strategies,

rationale, and circumstances under which design professionals use GenAI. Future work that builds upon these insights include examining a larger sample size of engineering and design professionals in uncontrolled design process experiences and exploring the impact that design tasks, goals, and constraints have on a participants decision to leverage GenAI tools.

1 Introduction

As generative AI (GenAI) tools, such as large language models (LLMs), spread across industries, their integration into the design process is also expected to grow, raising questions regarding the influence of AI on both the designer and the resultant design outcomes. Numerous studies have explored this topic, focusing on the impact of AI on various factors, such as designers’ trust and confidence in AI to support them in a variety of design tasks [1–6]. However, many of these studies are done in the context of specific design tasks within controlled environments that lack real-world context and application. Notably, there is a scarcity of research on how design teams in real-world settings employ AI to tackle complex, real-world challenges.

In this paper, we follow a design team at the National Aero-

*These authors contributed equally to this work. Both were interns at NASA Langley Research Center when conducting the study.

[†]Address all correspondence to this author.

nautics and Space Administration (NASA) who was engaged in addressing the wicked problem of envisioning the future of environmentally sustainable airports. The team used a speculative design (a.k.a. strategic foresight and scenario building) workflow. Over a six-week period, the team aimed to develop multiple scenarios of net-zero carbon hub-scale airports in the year 2075. These would be used in subsequent work to “backcast” and identify near-term actionable R&D projects that build towards the envisioned futures. Their speculative design process encompassed several stages: alignment, stakeholder research, benchmarking, problem statement definition, subject matter expert inputs, concept generation, user persona and journey creation, and the synthesis of all this information into envisioned future scenarios of sustainable airports in 2075. During this process, the designers were encouraged to utilize GenAI tools, such as Microsoft CoPilot, to aid in completing specific design tasks and activities.

Our research primarily aimed to explore the human-AI interaction within this context, focusing on the impact of GenAI on the designers’ work. As our inductive analysis process progressed, strategies of GenAI use and factors influencing its use emerged which led us to more specific research questions (RQs):

RQ1: When did individual professional design team members use GenAI for support during a speculative futures design process?

RQ2: How did design team members use GenAI in their design process?

RQ3: What factors appear to explain variation in team members’ use of GenAI?

To address these questions, we conducted ethnographic observations of team meetings and wrote field notes during the NASA team’s speculative design workflow, identifying varying levels of convergent and divergent thinking at each stage. We visualized this in a journey map, highlighting specific activities and tasks assigned to individual designers and their use or non-use of GenAI for each task. Through a survey, we found that team members spanned the spectrum from low/medium to very high AI literacy. We conducted follow-up interviews to enrich our observations and inductively coded these qualitative data. Our analysis revealed three key strategies of GenAI use observed among professional designers: *intimate co-design* with GenAI, *selective delegation* to GenAI, and *minimal use* of GenAI. We also found a preliminary set of factors that appeared to influence designers’ decisions on whether or not to use GenAI, including perceived usefulness and efficiency of GenAI, personal familiarity and comfort with GenAI, and ethical and reputation considerations. Our findings propose new theory that sheds light on the strategies, rationale, and circumstances under which professional designers use GenAI, thus providing insight into the nuanced role of GenAI in the design process in a professional design setting.

2 Background

2.1 Speculative Design Process

Speculative design is a methodology within the design field that diverges from traditional product-oriented design methodologies that are predominantly aimed at addressing current issues and fulfilling immediate needs [7, 8]. Speculative design is future-oriented and involves crafting speculative scenarios and artifacts that serve to ignite critical dialogue around the potential impacts that design challenges and potential solutions may have decades into the future [7]. However, since engineering design tends to be oriented around present-oriented needs and problems, one might ask the question: is it not more important to design with the near-future in mind so we can tackle the real-world challenges facing humanity today? It is essential to recognize that designed artifacts are not merely technical entities but also possess political, societal, and economical dimensions that are embedded with specific forms of power and authorities [9]. Therefore, speculative design extends the horizon of design thinking into the future in order to foster critical dialogue and reflection on the ethical and societal consequences that future design decisions may entail [7].

In addition, the utility of speculative design also extends beyond theoretical discourse and has been practically applied to the realm of engineering design as well. It has been demonstrated to facilitate design ideation by offering a novel perspective during the early stages of the design process [10], and it has also been used as a means of framing the initial problem for highly complex design problems [11]. Speculative design—and the related approaches of strategic foresight and scenario building—are being used in a variety of industries and organizations, ranging from Shell to Ford to growBot Garden [12–14]. Although terminologically distinct, strategic foresight shares the core objective of speculative design: to craft plausible, coherent visions that inform stakeholders of the future, which may come in the form of crafting future scenarios [15, 16]. These visions and scenarios act as boundary objects, bridging diverse stakeholder perspectives to facilitate dialogue and debate [17–19]. In both strategic foresight and speculative design, resulting future scenarios are considered to be thought experiments aimed at aiding the framing and re-framing of a design problem. This is particularly valuable in the context of wicked problems, where framing the problem is particularly challenging and crucial [20].

In our study, we observed a NASA design team engaged in a series of strategic foresight activities aimed at envisioning the future of net-zero carbon hub-scale airports in 2075 (see Section 3.2 for more information on the process). The team’s efforts culminated in the development of scenarios that were intended to provoke discussion and reflection on the long-term future of sustainable aviation infrastructure and facilitate backcasting to identify an actionable R&D roadmap towards these futures. The challenge addressed by the NASA design team may be considered a wicked problem due to its complex, multifaceted, cross-

sector nature with high degrees of societal, political, economical, and environmental considerations.

It is important to note that during the speculative design tasks, one of the team leaders frequently encouraged members of the team to utilize GenAI to support them in their individual tasks. The means by which they were to use it was not specified, and when they were supposed to use it was not enforced. Thus, our analysis aimed to uncover the timing, manner, and rationale behind when specific designers utilized GenAI tools throughout their speculative design workflow. By mapping the speculative design process, highlighting instances of GenAI use, and following up to understand how and why they were used, we sought to gain insights into the role of GenAI in helping designers work through speculative design tasks.

2.2 Using GenAI to Aid in the Design Process

GenAI has been recognized for its capability to produce text, images, and other forms of data through the use of pre-trained generative models. In particular, the recent advances in AI architectures, such as those of in the form of transformers, has led to powerful pre-trained LLMs and text-to-image models such as ChatGPT and DALL-E [21, 22]. This has naturally led to an increased use of these tools by designers, which has prompted questions on how and when designers are integrating these tools into their workflow. Previous studies have revealed that designers are quite capable of customizing GenAI tools for their specific needs, which leads to creative and unique ways of adapting the tools to support their design activities [3]. It has also been theorized that GenAI can help designers by enabling them to focus on higher-level decision-making because they will be able to delegate more routine tasks to the AI, leading the designer to serve as a manager of the generated results [23]. Moreover, GenAI has shown to be able to facilitate divergent thinking by generating a vast array of inspirational stimuli that can be leveraged by designers to support them during the early stages of the design process [24, 25]. In addition, GenAI has also been shown to be capable of supporting designers for convergent thinking by allowing the designers to explore the design space more broadly and guide them to making better decisions [4, 26]. Building upon this foundation, our research extends on previous work by examining when and how professional designers leverage GenAI to support them during the speculative design process. We aimed to identify the strategies and rationales that design professionals employed when integrating GenAI into their design process.

2.3 Factors that Impact Human-AI Collaboration in Design

Previous studies have indicated a notable association between a designer's confidence and their receptiveness to AI-generated suggestions, with the level of confidence in AI being closely related to its successful incorporation into their work-

flow [6]. Moreover, there has been a divergence in findings from various research efforts, with one indicating that AI support might detract from team performance [5], while another posits that it could enhance team effectiveness and adaptability [4]. Additional research has also revealed that rigid AI systems may elevate stress levels among humans, potentially affecting the utilization of AI in complex engineering tasks; however, despite this, individuals have demonstrated the capability to overcome the limitations presented by an inflexible AI collaborator [1]. On top of that, there also exists somewhat conflicting evidence suggesting that while team members regard the input from both AI and human managers as comparably valuable and pertinent [27], designers still tend to favor responses by humans over those from AI [2]. In summary, a substantial body of research has explored factors that could influence the dynamics of human-AI collaboration in design contexts. Our study seeks to extend this body of work by offering further insights into these factors and qualitatively uncovering those that appear to influence whether or not professional designers' opt to integrate GenAI into a real-world speculative design process.

3 Methods

3.1 Field Site: NASA Convergent Aeronautics Solutions

We followed a professional design team in the Convergent Aeronautics Solutions (CAS) project at NASA. CAS aims to accelerate the future of aviation by developing transformative solutions to complex sociotechnical challenges like accelerating electrified flight, enhancing wildfire fighting, enabling access to healthcare, and supporting rural community resilience. The team included participants from engineering, design, and other professional backgrounds working together on the goal of “*envisioning an ideal sustainable future airport 50 years from now, and then later backcasting the developments that would be needed to achieve this. Given the time frame of the sprint, these results are preliminary and meant to generally frame the problems and the questions involved in such an activity.*” Microsoft Teams was used as a communication platform for working sessions three to five times per week over the course of 6 weeks. Mural was used as a collaboration platform for documentation in real-time and asynchronously throughout the design sprint. A brief demo of Microsoft Co-Pilot was provided by the team facilitator, although other GenAI tools were available to use at team members' discretion.

The following seven sections provide context for each phases of the NASA team's design sprint through the design facilitator's descriptions (see quotes at beginning of each section) and concise accounts of the design sprint activities pieced together from the research team's field notes. A journey map of the design sprint was constructed to illustrate these seven phases, activities engaged with at each step, and a determination for the




FIGURE 1: Journey Map illustrating the NASA Convergent Aeronautics Solutions team’s design sprint to generate future scenarios of sustainable airports

kind of tasks (divergent, convergent, or a combination of the two) that the team engaged in for each activity along the journey (see Figure 1).

3.1.1 Phase 1: Kickoff and Alignment “What are our first impression of airports today?”

Ultimately, this phase involved team members introductions and establishing team agreements. The team member introductions involved unpacking personal travel experiences and establishing team agreements, which involved curating, reviewing, and confirming a list of approximately 10 agreements to move forward with throughout this design sprint (see checkpoints #1 and #2 in Figure 1). This involved each team member creating a personal profile that communicated their general affinity for travel, gripes or likes about travel, airport experience, preference for urban vs rural environments, and technological use at home.

3.1.2 Phase 2: Stakeholder Research “Airports are central to economies, communities, and often our lives. There are a large number of stakeholder with often diverging interests. In the future, the stakeholders may be very different. In later Sprints, we plan to look more into present and future stakeholders, but for now we worked for a basic understanding of some of the stakeholders involved.”

Anchored by “Industry”, “Society”, and “Policy” as themes, the team was tasked with generating and mapping an exhaustive collection of stakeholders within airport contexts. Next, the team was instructed to sort through and refine the collection of stakeholders to identify subthemes and relationships. Finally, the team was tasked with generating a list of future uncertainties related to the operations of sustainable airports. Checkpoints #3, #4, and #5 in Figure 1 represent the tasks for this phase.

3.1.3 Phase 3: Benchmarking Research “Ordering some of these stakeholders into groups we investigated their values. Their interests and concerns depended on the stake-

holder and were often conflicting. . . . Our objective was to try to understand some of the core questions impacting each group and understand technology drivers that may impact society in the coming decades.”

During this phase, the team was tasked with scouring literature and other reliable sources to identify benchmarks for technologies and other operational features relevant to sustainable airports. Next, the benchmarks were to be sorted according to their respective time periods: past, present, and future. Checkpoints #6 and #7 in Figure 1 represent the tasks for this phase.

3.1.4 Phase 4: Research to Define Problem States

“To understand what might be the future state, we examined the past present, and what we thinking we know so far about the future. . . . Before 2001, factors such as deregulation, changing technology and economics, and evolving societal views influenced air travel. . . . Today, there are a number of pain points in play. For the near future, much is already established by existing infrastructure, economics and increasing travel needs. However, we are on the cusp of major changes in air travel driven by, for example, new technology and climate change. A common theme is the poor regard the public has for airports. . . . ‘We developed a list of top uncertainties for the future. One issue is that if we want to change how we travel, we will need more power.’ Key question [problem statement] is, ‘How will we acquire the level of power needed?’”

During this phase, the team was tasked with generating key factors related to the functioning of past airports and problem statements that represent significant challenges to address for current and future airports. Checkpoints #8 and #9 in Figure 1 represent the tasks for this phase.

3.1.5 Phase 5: Expert Feedback on Stakeholders

“We revisited Stakeholders and got input from Subject Matter Experts. We interviewed leaders who have designed airports. Our top findings include: define values, communicate across teams, and leverage new tools.”

During this phase, the team was to engage in conversations with subject matter experts (SMEs) related to airplanes and airport operations. Later, discussion facilitated the synthesis of knowledge gained from SME conversations, which also informed the refining of problem statements crafted earlier. Checkpoints #10 and #11 in Figure 1 represent the tasks for this phase.

3.1.6 Phase 6: Idealize Future States (User Journey Construction)

“Our next step was to imagine the future airport. This started with what we learned from the past, present, and possible future as well as what is not viewed favorably today. From there, suggestions were made as to how to address these challenges. . . . We practiced envisioning the future air-

port by tracking the journey of different travelers 50 years from now. What works, what doesn’t, and what are some of the details involved – including technology used to make things work – were identified.”

During this phase, the team was tasked with creating user journeys, which were based on user personas that were generated by the facilitators, that supported the narrative construction of future scenarios in sustainable airports. This included constructing several mission statements based on each user persona, selecting ‘wild card’ events to feature in each user journey, curating and assembling the journey way points (or steps in the journey), identifying appropriate places to acknowledge pain points in the user journey, and implementing technologies used to address these pain points throughout the user journey. Checkpoints #12, #13, #14, #15, and #16 in Figure 1 represent the tasks for this phase.

3.1.7 Phase 7: Envision Scenarios *“This work is by no means done yet. But two preliminary examples [are provided] of what a airport/transport infrastructure 50 years from now could look like: distributed and central. These depend on how much energy can be provided as well as host other pivot points. Significantly, if one wants both sustainable energy usage and highly advanced capabilities, the extent of the infrastructure established is dependent on the power available.”*

During this phase, the team was tasked with creating future scenarios based on all of the previous activities in the future scenario. Once future scenarios were created, the team took some time to reflect and discuss the generated future scenarios. Checkpoints #17 and #18 in Figure 1 represent the tasks for this phase.

3.2 Data Collection

We collected multiple forms of primarily qualitative data from the design team, including responses to a survey, ethnographic field notes and/or recordings of 10 team meetings, transcripts of six semi-structured interviews with team members. The survey was designed to gather information on team member demographics, professional background, and AI literacy. Participation in the survey was entirely optional and team members on the design sprint were free to abstain if they wished. The survey included AI literacy questions aimed at evaluating team member’s understanding of AI capabilities and limitations, drawing questions from the Meta AI Literacy Scale [28]. In addition, the survey asked about duration of tenure at NASA and outside organizations, highest level of education attained, field of study, and gender. Finally, we asked for details pertaining to work roles, their prior industry experience, age, racial/ethnic background, but we opted to omit this information as it was deemed unnecessary or too revealing of the participant’s identity. Out of the ten individuals involved in the design sprint, seven elected to complete the survey. Their responses are shown in Table 1. All seven

TABLE 1: Design Team Member Demographics

Participant	Gender	Years of Experience at NASA	Years of Experience Outside of NASA	Highest Level of Education	Average AI Literacy
P1	Male	2-4 Years	25+ Years	Masters	4.6
P2	Male	5-9 Years	25+ Years	Masters	3.6
P3	Male	25+ Years	1-4 Years	Masters	2.8
P4	Male	5-9 Years	1-4 Years	Masters	4.6
P5	Male	15-19 Years	1-4 Years	PhD	4.8
P6	Male	0-1 Years	None	Bachelors	3
P7	Male	25+ Years	1-4 Years	PhD	3.8

participants identified as men, and we will refer to them using "he/him/his" pronouns.

After the design sprint was completed, we reached out to participants who completed the survey to conduct interviews informed by our ethnographic observations and survey data. Of the seven survey respondents, we conducted 45-60 minute semi-structured interviews with six team members, whom we have named P1 through P6. Based on our observations of variation in GenAI use across team members and variation in AI literacy shown in the survey data (see Figure 2), we targeted interview questions around when and why each team member did or did not use GenAI. Our interview guide was semi-structured and asked interviewees to give an overview of their team's approach, inquired about their personal use of GenAI at various stages in the process, and prompted for detailed explanations of how they used GenAI and why they used or did not use GenAI at each stage. Questions were intentionally open-ended and interviewers followed the interviewee's lead as new ideas arose. The interviews were conducted by the first, second, and last authors using Microsoft Teams and were video recorded with each participant's permission. During interviews, some team members showed us parts of their team's online whiteboard or examples of their LLM prompts when describing their use of GenAI. All interviews adhered to our approved Institutional Review Board's guidelines, which includes the assurance of anonymity for all participants.

3.3 Data Analysis

We took a modified grounded theory approach in analyzing our data [29]. Over the course of data collection period, the




FIGURE 2: 2x2 plot with AI literacy on the y-axis and work experience on the x-axis ranging from low, medium, and high as labelled in the plot. This plot is intended to serve as a visual representation of where the participants lay across these two spectrum.

first, second, and last authors engaged in iterative analysis of the data which then informed subsequent data collection. For example, we reviewed the survey results and held recurring field note reflection discussions after observing team meetings which informed subsequent observations and our interview questions. As the interviews progressed, three authors on this paper inductively coded the interview transcripts. We started off with open coding where we reviewed each unit of meaning in the interview data [30]. This led to a large set of codes and the first iteration of our codebook. These codes ranged from "attitudes toward AI-skepticism" or "attitudes toward AI-optimism" to var-

ious uses of AI such as “using AI for search or synthesis”. We then re-coded these original codes and organized them into major categories and later subcodes and tertiary codes. We continued coding and iteratively refining the codebook until a point of saturation was reached, indicating a consensus among the codes. Our final codebook has two major codes—(1) strategies of GenAI use and (2) factors influencing GenAI use—and three subcodes each that emerged inductively from our data as described in Section 4. These correspond to RQ2 and RQ3. Our future step involves axially coding the data to draw linkages between these different strategies and factors [30].

3.4 Addressing Validity

Because we relied on ethnographic methods and qualitative data embedded in a single engineering organization, we strove for internal not external validity. In pursuing internal validity, we followed recommended practices for analyzing qualitative data [31], including triangulation using multiple data sources (live observations, recordings, interviews, surveys, and collection of artifacts), debate of interpretations and results among a team of multiple researchers, and establishing theoretical foundations that build upon relevant prior work. Future studies may examine the external validity of our findings by testing them across multiple organizations and contexts.

4 Emergent Findings

In the context of a speculative futures design process, our findings show where professional engineers used GenAI, how they used it, and factors that appeared to influence their use. We identify three strategies of GenAI use in design, two of which align with nascent theory of GenAI practices from the field of organization studies [32].

4.1 GenAI Use During a Speculative Design Process

To address RQ1, we used feedback from semi structured interviews to document where participants used GenAI in their speculative design process. Table 2 provides an account of where each participant used GenAI based on each speculative design process task.

To provide context around the use of GenAI, the research team categorized each step in the speculative design process by thinking task: convergent, divergent, both, or neither. Informed by creative problem solving literature [33–35], we crafted the following definitions for convergent and divergent activities involved in this speculative design process. Convergent activities involve tasks that require judgement, decision making, down selection, and re-purposing of current knowledge to new needs. Divergent activities involve tasks that require generation of innovative problems, opportunities, concepts, ideas, or artifacts.

4.2 Strategies of Generative AI Use in Design




In addressing RQ2, we observed a variety of ways that designers used GenAI. These included searching and synthesizing large bodies of information on the web, identifying themes across well-studied problems and technologies, refining ideas at the edge of their own subject matter expertise, and serving as a ghost writer or copy editor. In examining the many ways that designers used GenAI, we identified three emergent strategies of GenAI use: *intimate co-design* with GenAI, *selective delegation* to GenAI, and *minimal use* of GenAI (Figure 3). We show that, while each designer tended toward a primary strategy of GenAI use, individual designers employed multiple strategies over time. These findings offer insight into how designers might be expected to interact with GenAI tools, variation of GenAI use within design teams, and the user strategies that GenAI tools may cater to. We begin with the first strategy—designers intimately co-designing with generative AI.

Strategy 1: Intimate co-design with GenAI. *Intimate co-design* involved close and recurring integration between designers and GenAI. P1 often embodied this strategy and noted during an interview: “I think I’ve used AI in every single step that I’ve been involved with.” He went on to describe creating a user persona of a airport traveler in 2075: “I can’t even say how much of it really is me authoring it. How much am I editing, and how much is the AI authoring? 50/50. I am not typing the output, but in terms of the content that is there, I steered it.” In another example, P5 described using GenAI to identify references and summarize the power generation capacity of various energy sources (coal, solar, fission, etc.) and energy densities of various fuels (conventional jet fuel, H₂, methane, etc.). He shared: “I used AI to come up with sources to get me the information [...and then used] various prompts saying, give me resources that talk about this stuff. Then I had to verify it so, you know, read it quickly. And once verified, I’ll just say OK, give me a bulleted list of all these things, with this format, and I got [the output] from there.” P5 asked GenAI to synthesize a large body of knowledge and then relied on his own engineering knowledge to verify and refine it until the outputs met his needs. When using an *intimate co-design* strategy, designers did not employ a clear division of labor between GenAI and themselves but intimately intertwined their efforts. The human-AI workflows were tightly coupled, and the ultimate outputs were co-produced.

Strategy 2: Selective delegation to GenAI. *Selective delegation* involves a strategic division of labor between designers and GenAI, with designers conducting tasks themselves or delegating tasks to GenAI based on their and GenAI’s strengths and weaknesses. In an interview, P2 described the following distinction: “I like being able to refine my thinking through it [GenAI], but I would not want to rely on it for original thought.” He later shared an example of turning to GenAI for help learning about nuclear fusion: “it was a matter of, OK, providing the citations, checking the citations, and reading the paper which fur-

TABLE 2: Participant use of GenAI across Speculative Design Process phases and activities

Phase		Kickoff		Stakeholder			Benchmarking		Problem States		Expert Feedback		Idealize Future				Envision Scenario				
Task #		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18		
Task Type		-	>	<	◇	<	◇	◇	<	<	-	◇	◇	>	<	◇	◇	◇	-		
Design Team Members	P1	Used GenAI	Used GenAI	Used GenAI	Used GenAI	Used GenAI	Used GenAI	Used GenAI	Used GenAI	Used GenAI	Used GenAI	Used GenAI	Used GenAI	Used GenAI	Used GenAI	Used GenAI	Used GenAI	Used GenAI	Used GenAI		
	P2	Did not use GenAI	Did not use GenAI	Used GenAI	Did not use GenAI	Did not use GenAI	Used GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	
	P3	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	
	P4	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	
	P5	Used GenAI	Used GenAI	Used GenAI	Used GenAI	Used GenAI	Used GenAI	Used GenAI	Used GenAI	Used GenAI	Used GenAI	Used GenAI	Used GenAI	Used GenAI	Used GenAI	Used GenAI	Used GenAI	Used GenAI	Used GenAI	Used GenAI	
	P6	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI
	P7	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	Did not use GenAI	

Key		Used GenAI to support this task	<	Divergent Task
		Did not use GenAI to support this task	>	Convergent Task
		Did not participate in task	◇	Divergent & Convergent Task
			-	Neither Divergent nor Convergent Task

ther helped me to have an understanding of the state of nuclear fusion. So it is almost like I am using AI as kind of an adjunct, a learning tool for myself.” We found that P1, P2, P4, and P5 each employed a *selective delegation* strategy at different points in time. P5 described an example of using GenAI to generate waypoints for a user journey through a future airport provided a set of inputs he had curated. He shared: “What I found very useful was the waypoints. [...] Given this persona, uh in 2075, and you’d have to give it trends in such way, so 2075,[...] there’s climate change, the world has gone to 2C or whatever, and nuclear fusion is available, and there’s a solar storm coming, blah blah blah, and you can just get a sketch of here’s the different things a user might do to go through this journey. Those are the kinds of things I found CoPilot [GenAI] was good at.” While P5 found that generating user journey waypoints was a task well suited to GenAI, he described situations where the outputs were not fine grained enough. In those cases he preferred him or his colleagues to do it because, “that’s a highly connected, integrative task that just from the knowledge that we have in our minds over the years of studying these things, it’s easier for us to just pull that together. That’s specialized knowledge, and I don’t think CoPilot [GenAI] is as good at doing that stuff.” When using a *selective delegation* strategy, designers discern which tasks are well suited and can be trusted to GenAI versus those that require a higher degree of specialized knowledge, trust, or traceability.

Strategy 3: Minimal use of GenAI. *Minimal use* involves limited or no use of GenAI and designers choosing to rely on traditional engineering tools or their own expertise instead of turning to GenAI for support. P2 expressed an example of this during an interview: “I have a 30 year background in aviation at airports, so I understand what is happening. So all of this stuff is from my knowledge of aviation. I did not use AI tools here.” Similarly, P3 expressed: “I don’t think I used AI at all. This was just coming straight out of the mind.” He later elaborated his concerns around integrating GenAI into his job and engineering design more broadly: “For me, I am always worried in the sense that when people say, ‘hey we can use AI to do this,’ the system engineering side of me is always kicking and says how do you do verification and validation of the answer you get? And repeatability? Would it give you the same answer every time or not? [...] Not knowing all the inner workings [...] or even if the data has been updated, you know in real time, that can impact the results it gives you, right?” Those who used the *minimal use* strategy, like P2 and P3, acknowledged some uses for GenAI in searching “obscure corners of the Internet” and “synthesizing non-specialized information,” but always treated GenAI outputs with caution, looking to verify their outputs or assess their uncertainty. To help explain the variation within and across designers employing different strategies of GenAI use, we now turn a set of emergent factors influencing GenAI use.




FIGURE 3: Three strategies of generative AI use in design.

4.3 Factors Influencing GenAI Use in Design

In addressing RQ3, we discerned three prevalent factors that explained the variance in team members’ use of GenAI during the speculative design workflow. To address this research question, we focused our interviews on understanding the “whys?” behind the instances where team members stated their choice on whether or not they decided to utilize GenAI during certain phases of the speculative design process. We observed that despite the designer’s rationale for either employing or abstaining from using GenAI in the design workflow varied considerably, we were able to categorize them under three overarching themes: *ethical and reputation considerations*, *familiarity and comfort*, and *perceived usefulness and efficiency*. Within these themes, different designers often held divergent viewpoints that frequently ended up being binary (with some additional nuances).

Factor 1: Ethical & Reputation Considerations. We start our results off with the *ethical and reputation considerations* designers contemplated when considering whether or not to leverage GenAI during their workflow. Some designers harbored concerns about the perception of their GenAI generated outputs by their colleagues, fearing these outputs may be deemed overly unconventional or impractical. For example P1 remarked, “*There are times when I am really pushing the AI system [...] and it comes back with things like anti gravitational hovercraft or using nanobots for self replication [...] (but) I wouldn’t have the time in the group to present what might appear to be an insane result*

even though it could be completely defensible”. Furthermore, there are additional ethical considerations that designers might weigh. For instance, P1 mentioned, “*When I am talking with people (to co-create user journey maps with other team members), I do not want to be typing to a chatbot at the same time*”. In this scenario, P1 indicated a reluctance to utilize GenAI while actively collaborating with a human based on their own principles and beliefs. Both these observations are particularly significant given that P1 is observed to be among the most senior designers on the team and could be considered one of the team leads.

Factor 2: Personal Familiarity & Comfort. *Personal familiarity and comfort* can be defined as the extent to which an individual possesses knowledge of and experience with their use regarding GenAI technologies. We observed that designers may exhibit reluctance in employing GenAI primarily due to a lack of familiarity or comfort with its operational mechanisms or outputs. Conversely, a subset of designers demonstrated a high level of comfort with GenAI, consistently incorporating it into their design workflow due to their familiarity with the necessary operational mechanisms of GenAI to help effectively fulfill their needs. We note this dichotomy in mindset between participants P1 and P5 as opposed to P3 and P2. As articulated by P1, “*I feel confident that a lot of these statements (generated by GenAI) that are being made in the far future can be logically justified based on historical research*”. Furthermore, P5 provided a comparative analogy between Google and GenAI, “*How comfortable are people using Google Scholar or Google? There’s the search on Google or Google Trends and how many people are actually looking at other sources of information? And so CoPilot (a form of GenAI) is just another layer that is enabling speed up and breadth of search and all of that stuff. And if you have not done any of the previous steps [being comfortable with using GenAI], is it too big of a jump?*”. In both cases, P1 and P5 displayed a high degree of familiarity and comfort with GenAI. In P1’s case, it is because he has a high degree of trust in its output, whereas P5 drew parallels between Google and CoPilot displaying a high degree of knowledge in its utility.

Conversely, P3 held a contrasting stance towards the integration of GenAI into their workflow, also influenced by their degree of familiarity and comfort. P3 candidly expressed reservations stemming from a lack of familiarity stating, “*I did not learn or play around with AI too much, especially ChatGPT to query questions. I did not feel comfortable using ChatGPT, and because of that, I did not feel comfortable enough to query whatever I needed to do considering my limited participation time (working on the design sprint)*”. Additionally, P3 described himself as someone that preferred keeping work away from his personal life stating, “*if I am outside of work, in my free time, I would rather not deal with any systems completely. But when I am at work, my other duties take a lot of time, so I do not have time to play with ChatGPT*”. This statement explains P3’s

heightened reluctance to incorporate GenAI into their workflow, which stems from their limited time capability to get familiar with the tool. P2 had similar sentiments, acknowledging limited use of GenAI to augment their thought process and writing, albeit with reservations about its applications in professional settings, stating “*I use it (GenAI) sparingly, but I am starting to use it more to refine my thinking and also my writing. But not for work for some reasons... I would love to be able to sit here and tell you why, but honestly, I don’t know why*”. P5, serving as a team lead and advocating for GenAI usage amongst the design sprint’s team members offered insights into potential barriers to adoption, suggested, “*When we were introducing the use of GPT, the use of CoPilot, no one on the team had experience using it. So there was a session where we were showing people how to write prompts [...] So I think there is the lack of familiarity with the tool that may have been a barrier to using it (GenAI)*”.

Factor 3: Perceived Usefulness & Efficiency. *Perceived Usefulness & Efficiency* represents a user’s interpretation of GenAI efficacy and utility in the design process. This factor includes a designer’s anticipation of GenAI affecting their productivity across a spectrum – including positive, negative, and insignificant impacts. We observed that GenAI is perceived as a productivity amplifier for some (P1 and P5), an action instigator for others (P2), and a tool particularly for undesirable tasks (P2 and P4). The following excerpts from participant interviews highlight these observations:

P1 explains that GenAI, at least, doubles his productivity, “*I am, I think, a solid user, and I would say that I am able to double my productivity, if not more.*” In addition, he mentioned how this increase in productivity had ripples effects on his personal life, “*It has made my life better. While there may have been radical imaginations that I would have had without using these tools, but now I have time to [work on other aspects of the project], and spend time with my son*”. P5 reflected on a productive use case of GenAI, citing its ability to cover a breadth of information quickly. He stated, “*And when you say, ‘it saves time,’ I look at it the other way. I look at it as in the given time that’s available, you can you can do more research. So I don’t care about saving time necessarily, but its [ability to access a] diversity of research that’s available.*”

On the other hand, P2 saw it as an action instigator. We asked P2 if he would consider using GenAI to create the user journey, and, if so, how might he use GenAI for this task? In response, he mentioned, “*It would be interesting to take [a persona]’s journey and plug it into AI. But, once you plug it in, what do you ask? . . . I could have written a book on Blake, [a fictional user persona]. So by using AI, would it have been helpful? I guess, in a way [it would be helpful] to get beyond writers block.*”

Finally, P2 and P4 saw it as a tool for undesirable tasks. P2 and P4 explained how their desire to engage in a specific task or design process activity impacted their preference to use GenAI.

When asked whether he used GenAI to create the user journey (see Figure 1, checkpoint #14), P2 noted that he preferred to not use GenAI when the task was something he enjoyed doing by stating, “*No. I like to create worlds. You build worlds, you build galaxies, you build universes. The process of how you go about that is instrumental in how we are doing this. Here, we’re building a world. [And] we have to build the world first in order to understand what the power needs are for a given facility*” [...]. When asked to reflect on the user journey process, P4 explained how he would have used GenAI for tasks that weren’t particularly desirable to him. He said, “*Yea I didn’t really love the user journey because it’s very non-technical work. [...]so I think I let that dissuade me from really giving it my best effort.*”. We then asked whether he used AI in this process and he mentioned, “*No, here I did not either. I should have though! This would have been a great place to use AI in hindsight to let it come up with something [for me] to start with.*”

5 Discussion

In this section, we first explore the implications of our findings and suggest areas for future research to build on our study. Following that, we discussed the limitations of our papers and propose potential directions for future work.

5.1 Emergent Strategies of GenAI Use—Contributions to Theory in Alignment with Prior Literature

The exploration of three GenAI strategies in design builds upon existing literature. A study by *Dell’Acqua et al.*, conducted with the Boston Consulting Group, examined the adoption of GenAI among 758 consultants, revealing two predominant emergent strategies of GenAI use amongst the designers [32]. The strategies they identified are similar to our findings. One strategy, termed *centaurs practices* involved behaviors of dividing and allocating specific tasks between themselves and AI, a concept paralleling the *selective delegation* strategy we observed among NASA designers [32]. Additionally, *Dell’Acqua et al.* identified a strategy they called *cyborg practices* characterized by the consultants complete integration of GenAI into their workflow [32]. This strategy closely aligns with the *intimate co-design* strategy we observed in the NASA team.

In addition, our study contributes an additional strategy not observed in *Dell’Acqua et. al.*’s study, called *minimal use*, which was predominantly adopted by designers with limited GenAI experience. This group tended to avoid GenAI, preferring to rely on personal expertise, colleagues, or traditional engineering tools, with a strong emphasis on output verification and validation. Our results are initial and exploratory, however. Moving forward, we aim to conduct surveys with a broader group of designers, both within the same design sprint team and across other various teams at NASA, to uncover additional emergent strategies

employed by designers.

5.2 Emergent Factors Influencing GenAI Use—Implications for Human-AI Collaboration

Our study also unveiled emergent factors that played a role in the designers' decision on whether or not to integrate GenAI into the design process. In past studies, the incorporation of LLMs into the design workflow was a subject of interest, and a large chunk of these studies focused on how LLMs can be utilized the most in divergent thinking tasks [25, 26, 36–38]. Naturally this should imply that designers should prefer using LLMs for divergent thinking tasks because of LLMs capabilities to generate a diverse range of solutions for inspiration; however, in Table 2, we observed that there is no definitive correlation between the use of LLMs for either convergent or divergent tasks. Instead, the designer's decision to employ LLMs appeared to be more significantly influenced by considerations of ethical and reputation considerations, personal familiarity and comfort with GenAI tools, and perceptions of usefulness and effectiveness of GenAI tools.

These factors emerged as themes from the qualitative data, and they often displayed a high interrelation between each other. For example, P1 and P5 demonstrated greater familiarity and comfort with GenAI tools, which leads to them having higher perceived usefulness and efficiency of these tools since they are well versed with the utility of GenAI. Thus, they end up applying them into their design workflow more often, and this extensive experience leads to them also having more ethical and reputation considerations in its use. On the other hand, P2 and P4, exhibited lower familiarity and comfort with GenAI tools, and, they, instead, showed a preference for relying on their own skills particularly when they are confident in their own ability to perform a design task based on their own personal experiences. However, this does not mean they are not open to using it in the future. As noted by P4, if he viewed GenAI as having a higher threshold and knowledge base than what he can offer on his own, GenAI would be an attractive option for quickly generating a starting framework for the task at hand.

The reasoning behind this difference is likely because of the knowledge barrier required to use GenAI effectively. As P5 highlighted, this barrier to GenAI adoption amongst team members the design sprint was likely due to a lack of familiarity and comfort with using GenAI tools. This observation aligns with findings from *Zhang et. al.*, which emphasized the significant influence of an individual's expertise on human-AI collaboration [39], aligning with our findings that the designer's expertise with using GenAI indirectly contributes to whether or not they decide to incorporate it into their design workflow. However, our study was conducted on a small amount of participants, and we believe that future research should further expand this study on a larger number of participants to identify more emergent factors

that contribute to understanding the factors that affect whether or not designers integrate GenAI into their design workflow.

5.3 Limitations

This study is limited in that the strategies and factors proposed are based on observations in a single design organization (NASA) and with a single team who represented a limited portion of the population (i.e., majority men with white or Asian/Pacific Islander ethnic identities based in the U.S.). In addition, the study is also limited by organizational inertia, where NASA policies introduce barriers that other organizations may not encounter, such as wariness of new tools. Designers in other cultural, organizational, or demographic contexts who identify with other gender and racial/ethnic identities or work in other organizations may not exhibit the same strategies and factors influencing GenAI use. Future work should examine the transferability of these findings to other populations, cultures, industries, and organizations.

While we collected and triangulated rich data across multiple sources (observations, surveys, and interviews), reached saturation in our coding process, and did so with a professional team that exhibited natural variation in team member AI literacy (a natural form of theoretical sampling), our data were limited in size and scope. Future research may extend our results by examining a larger number of participants and design teams. In addition, the strategies and factors influencing designers' use of generative AI may depend on the type of design tasks, stage, process, and more, so our findings may or may not transfer beyond the speculative design process we examined. Future work is needed to see how well these findings apply to other design processes and the later stages of design.

6 Conclusion

We followed a NASA design team on their speculative design workflow to receive insights and findings regarding the adoption and integration of GenAI tools by designers on the team. Our focus was on understanding the instances and motivations behind individual designers' decision to employ GenAI tools during their design processes. We interviewed six designers on the team, each having varying levels of AI literacy and professional experience, to gather insights into the timing, method, and rationale behind their use (or lack of use) of GenAI tools in their design tasks.

Our first finding with regard to “when designers used GenAI in the speculative design process” revealed no discernible patterns for the specific instances that designers used GenAI. However, our study did lead to three emergent strategies from which designers incorporated GenAI into their workflow. These strategies were characterized as “intimate co-design”, where GenAI was fully integrated into the design workflow; “selective dele-

gation to GenAI”, where designers were more task-specific on when GenAI was used; and “minimal use of GenAI”, where designer scarcely engaged with GenAI. Furthermore, our analysis also identified three primary factors that influenced designers’ decisions to integrate GenAI into their workflow. These include “ethical and reputation considerations”, which encompass ethical concerns about GenAI along with its potential impact on their reputation to the team; “personal familiarity and comfort” with GenAI tools and its capabilities; and “perceived usefulness and efficiency” of the GenAI tool, which reflects the designer’s assessment of the tool’s practical value and impact on their efficiency.

These emergent themes not only resonate with findings from previous research but also contributes new insights into the nuanced ways designers engage with GenAI in speculative design. Looking ahead, we aim to broaden this study’s impact by gathering and analyzing data from a wider array of designers in NASA.

ACKNOWLEDGMENT

This work was funded by the NASA Aeronautics Research Mission Directorate, Transformative Aeronautics Concepts Program, Convergent Aeronautics Solutions (CAS) Project. The authors wish to thank the study participants in the Powering Sustainable Airports team and the CAS Project Managers Keith Wichman, Gerard Welch, and Kurt Papathakis for their continued support of learning and research alongside our design teams.

REFERENCES

- [1] Gyory, J. T., Stump, G., Nolte, H., and Cagan, J., 2024. “Adaptation through communication: Assessing human–artificial intelligence partnership for the design of complex engineering systems”. *Journal of Mechanical Design*, **146**, pp. 081401–1.
- [2] Munyaka, I., Ashktorab, Z., Dugan, C., Johnson, J., and Pan, Q., 2023. “Decision making strategies and team efficacy in human-ai teams”. *Proceedings of the ACM on Human-Computer Interaction*, **7**(CSCW1), pp. 1–24.
- [3] Saadi, J. I., and Yang, M. C., 2023. “Generative design: Reframing the role of the designer in early-stage design process”. *Journal of Mechanical Design*, **145**(4), p. 041411.
- [4] Song, B., Gyory, J. T., Zhang, G., Zurita, N. F. S., Stump, G., Martin, J., Miller, S., Balon, C., Yukish, M., McComb, C., et al., 2022. “Decoding the agility of artificial intelligence-assisted human design teams”. *Design Studies*, **79**, p. 101094.
- [5] Zhang, G., Raina, A., Cagan, J., and McComb, C., 2021. “A cautionary tale about the impact of ai on human design teams”. *Design Studies*, **72**, p. 100990.
- [6] Chong, L., Zhang, G., Goucher-Lambert, K., Kotovsky, K., and Cagan, J., 2022. “Human confidence in artificial intelligence and in themselves: The evolution and impact of confidence on adoption of ai advice”. *Computers in Human Behavior*, **127**, p. 107018.
- [7] Dunne, A., and Raby, F., 2013. *Speculative everything: design, fiction, and social dreaming*. MIT press.
- [8] Ulrich, K. T., Eppinger, S. D., and Yang, M. C., 2020. *Product design and development*. McGraw-hill.
- [9] Winner, L., 1980. “Do artifacts have politics?”. *Daedalus*, **109**(1), pp. 121–136.
- [10] Kotecha, M. C., Chen, T.-J., McAdams, D. A., and Krishnamurthy, V., 2021. “Design ideation through speculative fiction: foundational principles and exploratory study”. *Journal of Mechanical Design*, **143**(8), p. 080801.
- [11] Barendregt, L., and Vaage, N. S., 2021. “Speculative design as thought experiment”. *She Ji: The Journal of Design, Economics, and Innovation*, **7**(3), pp. 374–402.
- [12] Cornelius, P., Van de Putte, A., and Romani, M., 2005. “Three decades of scenario planning in shell”. *California management review*, **48**(1), pp. 92–109.
- [13] Company, F. M., 2017. Ford’s future: Evolving to become most trusted mobility company, designing smart vehicles for a smart world. <https://media.ford.com/content/fordmedia/fna/us/en/news/2017/10/future-evolving-to-become-most-trusted-mobility-company.html>.
- [14] DiSalvo, C., 2014. “The growbot garden project as diy speculation through design”.
- [15] Martin, B. R., 1995. “Foresight in science and technology”. *Technology analysis & strategic management*, **7**(2), pp. 139–168.
- [16] Godet, M., 2000. “The art of scenarios and strategic planning: tools and pitfalls”. *Technological forecasting and social change*, **65**(1), pp. 3–22.
- [17] Brubaker, E. R., Sheppard, S. D., Hinds, P. J., and Yang, M. C., 2023. “Objects of collaboration: Roles and sequences of objects in spanning knowledge group boundaries in design”. *Journal of Mechanical Design*, **145**.
- [18] Rohrbeck, R., and Schwarz, J. O., 2013. “The value contribution of strategic foresight: Insights from an empirical study of large european companies”. *Technological Forecasting and Social Change*, **80**(8), pp. 1593–1606.
- [19] Star, S. L., and Griesemer, J. R., 1989. “Institutional ecology, translations’ and boundary objects: Amateurs and professionals in berkeley’s museum of vertebrate zoology, 1907-39”. *Social studies of science*, **19**(3), pp. 387–420.
- [20] Rittel, H., 1982. “Systems analysis of the ‘first and second generations’”. In *Human and Energy Factors in Urban Planning: A Systems Approach: Proceedings of the NATO Advanced Study Institute on “Factors Influencing Urban Design” Louvain-la-Neuve, Belgium, July 2–13, 1979*. Springer, pp. 35–52.
- [21] Vaswani, A., Shazeer, N., Parmar, N., Uszkoreit, J., Jones,

- L., Gomez, A. N., Kaiser, L., and Polosukhin, I., 2017. "Attention is all you need". *Advances in neural information processing systems*, **30**.
- [22] Achiam, J., Adler, S., Agarwal, S., Ahmad, L., Akkaya, I., Aleman, F. L., Almeida, D., Altschmidt, J., Altman, S., Anadkat, S., et al., 2023. "Gpt-4 technical report". *arXiv preprint arXiv:2303.08774*.
- [23] Vinchon, F., Lubart, T., Bartolotta, S., Gironnay, V., Botella, M., Bourgeois-Bougrine, S., Burkhardt, J.-M., Bonnardel, N., Corazza, G. E., Glăveanu, V., et al., 2023. "Artificial intelligence & creativity: A manifesto for collaboration". *The Journal of Creative Behavior*.
- [24] Kwon, E., Huang, F., and Goucher-Lambert, K., 2022. "Enabling multi-modal search for inspirational design stimuli using deep learning". *AI EDAM*, **36**.
- [25] Lu, Y., Zhang, C., Zhang, I., and Li, T. J.-J., 2022. "Bridging the gap between ux practitioners' work practices and ai-enabled design support tools". In CHI Conference on Human Factors in Computing Systems Extended Abstracts, pp. 1–7.
- [26] Hwang, A. H.-C., 2022. "Too late to be creative? ai-empowered tools in creative processes". In CHI Conference on Human Factors in Computing Systems Extended Abstracts, pp. 1–9.
- [27] Gyory, J. T., Soria Zurita, N. F., Martin, J., Balon, C., McComb, C., Kotovsky, K., and Cagan, J., 2022. "Human versus artificial intelligence: A data-driven approach to real-time process management during complex engineering design". *Journal of Mechanical Design*, **144**(2), p. 021405.
- [28] Carolus, A., Koch, M. J., Straka, S., Latoschik, M. E., and Wienrich, C., 2023. "Mails-meta ai literacy scale: Development and testing of an ai literacy questionnaire based on well-founded competency models and psychological change-and meta-competencies". *Computers in Human Behavior: Artificial Humans*, **1**(2), p. 100014.
- [29] Glaser, B., and Strauss, A., 2017. *Discovery of grounded theory: Strategies for qualitative research*. Routledge.
- [30] Saldaña, J. *The coding manual for qualitative researchers*, 2nd ed ed. SAGE. OCLC: ocn796279115.
- [31] Miles, M. B., and Huberman, A. M., 1994. *Qualitative Data Analysis: An Expanded Sourcebook*. SAGE, Jan.
- [32] Dell'Acqua, F., McFowland, E., Mollick, E. R., Lifshitz-Assaf, H., Kellogg, K., Rajendran, S., Kraye, L., Candelon, F., and Lakhani, K. R., 2023. "Navigating the jagged technological frontier: Field experimental evidence of the effects of ai on knowledge worker productivity and quality". *Harvard Business School Technology & Operations Mgt. Unit Working Paper*(24-013).
- [33] Brophy, D. R. "Comparing the attributes, activities, and performance of divergent, convergent, and combination thinkers". pp. 439–455.
- [34] Kerr, D. S., and Murthy, U. S. "Divergent and convergent idea generation in teams: A comparison of computer-mediated and face-to-face communication". pp. 381–399.
- [35] Gilhooly, K. J., Fioratou, E., Anthony, S. H., and Wynn, V. "Divergent thinking: Strategies and executive involvement in generating novel uses for familiar objects". pp. 611–625.
- [36] Zhu, Q., and Luo, J., 2023. "Generative transformers for design concept generation". *Journal of Computing and Information Science in Engineering*, **23**(4), p. 041003.
- [37] Ma, K., Grandi, D., McComb, C., and Goucher-Lambert, K., 2023. "Conceptual design generation using large language models". In International Design Engineering Technical Conferences and Computers and Information in Engineering Conference, Vol. 87349, American Society of Mechanical Engineers, p. V006T06A021.
- [38] Wang, B., Zuo, H., Cai, Z., Yin, Y., Childs, P., Sun, L., and Chen, L., 2023. "A task-decomposed ai-aided approach for generative conceptual design". In International Design Engineering Technical Conferences and Computers and Information in Engineering Conference, Vol. 87349, American Society of Mechanical Engineers, p. V006T06A009.
- [39] Zhang, G., Chong, L., Kotovsky, K., and Cagan, J., 2023. "Trust in an ai versus a human teammate: The effects of teammate identity and performance on human-ai cooperation". *Computers in Human Behavior*, **139**, p. 107536.