



Developing Cloud-base ArcGIS Image Services on NASA Earthdata GIS (EGIS)

Peisheng Zhao^{1,2}, Allison Alcott^{1,3}, Eugene Yu^{1,2}, Zhong
Liu^{1,2}, Suhung Shen^{1,2}, Liping Di² and Mahabal Hegde¹

NASA Goddard Earth Sciences (GES) Data and Information Services Center (DISC)¹
George Mason University²
Adnet Systems³



Outline

- **NASA Earthdata GIS (EGIS)**
- **ArcGIS Image Service: Bridging the Gap**
- **NASA TROPOMI Level2 (L2) Data**
- **Service Development Process**
- **Summary**



NASA Earthdata GIS (EGIS)

- **A Gateway to NASA's Earth Science Data for GIS communities:** <https://gis.earthdata.nasa.gov>
- **GIS-Ready and Cloud-Native:** Formatted for easy integration into popular GIS software and cloud-based analysis platforms
- **More than Just Maps:** Providing capabilities for spatial and temporal analysis, allowing users to extract deeper insights from the data



Why Use EGIS

- **Free and Open Access:** Supporting research, education, and public engagement
- **Rich and Diverse Datasets:** Covering a wide range of Earth science disciplines
- **Interoperability and Accessibility:** Making it easy to integrate into diverse workflows and applications
- **Support for Open Science:** Providing resources for collaborative workflows, enabling broader community involvement



ArcGIS Image Service: Bridging the Gap

- **Simplifying Data Access and Utilization**
- **Transforming Complex Data into User-Friendly Visualizations**
- **Seamless Integration with ArcGIS Platform and Existing Workflows**
- **Facilitating Various Scientific, Environmental, and Public Health Applications**



TROPOspheric Monitoring Instrument (TROPOMI)

- **A State-of-the-Art Satellite Instrument Onboard Sentinel-5 Precursor (Sentinel-5P or S5P)**
- **Spectral Range Spanning Ultraviolet, Visible, Near-Infrared, and Shortwave Infrared Wavelengths**
- **Exceptional Spatial and Temporal Resolutions**
- **Providing Essential Measurements of Atmospheric Components**

Including O₃, NO₂, SO₂, CH₄, CO, and HCHO, as well as cloud and aerosol properties


Air quality of measurements, well suited to monitor wildfires and quantify their effects



TROPOMI Level 2 (L2) Data

- Available at [NASA GES DISC](https://disc.gsfc.nasa.gov/datasets?keywords=S5P), provided by ESA on behalf of the European Commission
<https://disc.gsfc.nasa.gov/datasets?keywords=S5P>


Shortname:	S5P_L2__SO2__HiR
Longname:	Sentinel-5P TROPOMI Sulphur Dioxide SO2 1-Orbit L2 5.5km x 3.5km
DOI	10.5270/S5P-74eidii
Version	2
Format:	netCDF
Spatial Coverage:	-180.0,-90.0,180.0,90.0
Temporal Coverage:	2018-05-07 to current
File Size:	936 MB per file
Spatial Resolution:	5.5 km x 3.5 km
Temporal Resolution:	1 Day (101.5 minutes / orbit)





Challenges of TROPOMI L2 Data

- None-gridded Data Format: A barrier to accessibility.



Geolocation

Latitude: pixel center latitude

Longitude: pixel center longitude

Pixel Corners: pixel boundary

The screenshot shows the Sentinel 5P Level 2 product user interface. It is organized into several sections:

- PRODUCT**: Includes fields for main, precision, qa_value, latitude, longitude, delta_time, scanline, ground_pixel, and time.
- SUPPORT_DATA**: Includes GEOLOCATIONS (SZA), DETAILED_RESULTS (processing_quality_flags), and INPUT_DATA (surface_pressure).
- METADATA**: Includes ALGORITHM_SETTINGS, GRANULE_DESCRIPTION, QA_STATISTICS (Histogram_axis, Histogram), ESA_METADATA, and ISO_METADATA (Attributes and sub-groups).

Complexity for users unfamiliar with earth science data formats

Traditional GIS software may struggle with processing the data complexity

<https://sentinel.esa.int/documents/247904/2474726/Sentinel-5P-Level-2-Product-User-Manual-Sulphur-Dioxide>



Service Development Process

1

User Needs Assessment

2

Data Compatibility Analysis

3

Image Service Creation

4

Rigorous Testing and Validation

5

Implementation of Notification




GESDISC




User Needs Assessment

- **NASA Global Imagery Browse Services (GIBS)**
 - Global, Full Resolution Imagery
 - Flexible Data Ingestion Mechanism
 - Consolidated Colormap Consistent with Other GIBS Products
 - Cloud-Native Notification





Service Workflow





Data Compatibility Analysis

- **Evaluating TROPOMI L2 Data Structure:** Pixel boundary marked by four coordinates in longitude and latitude
- **Determining Necessary Data Transformation**
 - Generating Polygon Feature Layers from NetCDF
 - Converting Polygon Features to A Raster Dataset
 - Merging Multiple Datasets into A New Global Raster Dataset
 - Cloud Raster Format (CRF)
 - Creating a Symbology




Image Service Creation

- **Creating A Multi-Temporal Mosaic of CRF Files**
- **Publishing An Image Service**
 - Using ArcGIS pro to publish an image service
 - Using ArcPy to publish an image service
 - Using REST API to publish an image service with a JSON file
- **Loading a Raster Function Template for Default Symbology**




Rigorous Testing and Validation

- **Conducting Extensive Testing to Ensure Accuracy and Performance**
- **Validating Data Integrity and Visualization Quality with Our Science Team**
- **Collecting Feedback from Users to Refine Services**



Using TROPOMI SO2 in ArcGIS Pro



Loading Daily Global Imagery of TROPOMI SO2 via OGC WMS



Implementation of Notification

- **Developing a cloud-Native System to Ensure Users Stay Informed and Engaged with the Latest Updates, New Data Availability, and Service Changes**
 - Amazon Simple Notification Services (SNS): A fully managed messaging service
 - Facilitating communication between distributed systems, microservices, and serverless applications



Conclusion

- The image service will significantly enhance the usability and impact of TROPOMI data.
- The comprehensive development process ensures a reliable, user-centric service that meets diverse needs.
- Challenges
 - Handling non-gridded data
 - Ensuring data integrity and accuracy
 - Scalability and performance optimization