


# NASA TECH BRIEF

## *Manned Spacecraft Center*



NASA Tech Briefs announce new technology derived from the U.S. space program. They are issued to encourage commercial application. Tech Briefs are available on a subscription basis from the National Technical Information Service, Springfield, Virginia 22151. Requests for individual copies or questions relating to the Tech Brief program may be directed to the Technology Utilization Office, NASA, Code KT, Washington, D.C. 20546.

### Intravenous Fluid Flow Meter Concept for Zero Gravity Environment



#### The problem:

The existing intravenous fluid flow meters are not suitable for use in a zero-gravity environment. Such meters are either too bulky or dependent on gravity for proper performance.

#### The solution:

A peristaltic flow meter concept is suitable for zero gravity environment. This concept can be incorporated into a flow meter that will measure fluid flow rates between 100 and 600 cm<sup>3</sup> per hour and at the same time maintain sterilization.

#### How it's done:

The concept is depicted as a two part system, as shown in the figure. The first part is the measuring

chamber which is incorporated in the infusion-set tubing. This arrangement insures the sterility of the fluid and eliminates the need for sterilization if the measuring chamber is part of a disposable infusion set. The second part is the peristaltic flow meter which mechanically measures the fluid flow.

Operation of the flow meter requires mechanical or pneumatic application of pressure to the intravenous fluid. This pressure will overcome frictional forces of the flow meter and cause the rollers to move in the flow direction. The rollers are connected to the drive disc which in turn is attached to the revolution counter. The inner diameter of the measuring chamber and the number of revolutions of the drive disc per unit of time determine the flow rate.

(continued overleaf)

**Notes:**

1. This design is in the conceptual stage only. As of the date of publication of this Tech Brief neither a model nor a prototype have been constructed.
2. No additional documentation is available.

**Patent status:**

Inquiries about obtaining rights for the commercial use of this invention may be made to:  
Patent Counsel  
Manned Spacecraft Center  
Mail Code AM  
Houston, Texas 77058

Source: C. G. Miller of  
Support Services Division of  
Service Technology Corp.  
under contract to  
Manned Spacecraft Center  
(MSC-14123)